

Contest Duration: 2025-07-26(Sat) 22:00 (<http://www.timeanddate.com/worldclock/fixedtime.html?iso=20250726T2100&p1=248>) - 2025-07-26(Sat) 23:40 (<http://www.timeanddate.com/worldclock/fixedtime.html?iso=20250726T2240&p1=248>) (local time) (100 minutes)

[Back to Home \(/home\)](/home)

[🏠 Top \(/contests/abc416\)](/contests/abc416)

[📋 Tasks \(/contests/abc416/tasks\)](/contests/abc416/tasks)

[❓ Clarifications \(/contests/abc416/clarifications\)](/contests/abc416/clarifications)

[📊 Results ▼](#)

[🏆 Standings \(/contests/abc416/standings\)](/contests/abc416/standings)

[🏆 Virtual Standings \(/contests/abc416/standings/virtual\)](/contests/abc416/standings/virtual)

[📖 Editorial \(/contests/abc416/editorial\)](/contests/abc416/editorial)

[💬 Discuss \(https://codeforces.com/blog/entry/145026\)](https://codeforces.com/blog/entry/145026)



## G - Concat (1st)

[Editorial \(/contests/abc416/tasks/abc416\\_g/editorial\)](/contests/abc416/tasks/abc416_g/editorial)



Time Limit: 2 sec / Memory Limit: 1024 MiB

Score : 625 points

### Problem Statement

You are given  $N$  strings  $S_1, \dots, S_N$ .

For a sequence  $(A_1, \dots, A_K)$  of length  $K$  where all elements are between 1 and  $N$ , inclusive, define the string  $f(A_1, \dots, A_K)$  as  $S_{A_1} + S_{A_2} + \dots + S_{A_K}$ . Here,  $+$  represents string concatenation.

Among all  $f(A_1, \dots, A_K)$  for the  $N^K$  sequences, find the lexicographically smallest string.

### Constraints

- $1 \leq N \leq 10^5$
- $1 \leq K \leq 10^5$
- $S_i$  is a string consisting of lowercase English letters with length at most 10.
- $N$  and  $K$  are integers.

### Input

The input is given from Standard Input in the following format:

2026-01-02 (Fri)  
05:27:48 +11:00

$N \quad K$   
 $S_1$   
 $\vdots$   
 $S_N$

## Output

Output the answer.

### Sample Input 1

Copy

```
3 2
abc
xxx
abc
```

Copy

### Sample Output 1

Copy

```
abcabc
```

Copy

- $f(1, 1) = \text{abcabc}$
- $f(1, 2) = \text{abcxxx}$
- $f(1, 3) = \text{abcabc}$
- $f(2, 1) = \text{xxxabc}$
- $f(2, 2) = \text{xxxxxx}$
- $f(2, 3) = \text{xxxabc}$
- $f(3, 1) = \text{abcabc}$
- $f(3, 2) = \text{abcxxx}$
- $f(3, 3) = \text{abcabc}$

Among these, the lexicographically smallest is abcabc.

### Sample Input 2

Copy

```
4 3
abcd
abc
ab
a
```

Copy

## Sample Output 2

[Copy](#)

```
aaa
```

[Copy](#)

## Sample Input 3

[Copy](#)

```
3 2
cba
cb
c
```

[Copy](#)

## Sample Output 3

[Copy](#)

```
cbac
```

[Copy](#)

'#telegram)

url=https%3A%2F%2Fatcoder.jp%2Fcontests%2Fabc416%2Ftasks%2Fabc416\_g%3Flang%3Den&title=G%20-

---

[Rule \(/contests/abc416/rules\)](/contests/abc416/rules) [Glossary \(/contests/abc416/glossary\)](/contests/abc416/glossary)

[Terms of service \(/tos\)](/tos) [Privacy Policy \(/privacy\)](/privacy) [Information Protection Policy \(/personal\)](/personal) [Company \(/company\)](/company)

[FAQ \(/faq\)](/faq) [Contact \(/contact\)](/contact)

Copyright Since 2012 ©AtCoder Inc. (<http://atcoder.co.jp>) All rights reserved.

2026-01-02 (Fri)  
05:27:48 +11:00