

Contest Duration: 2025-06-07(Sat) 22:00 (<http://www.timeanddate.com/worldclock/fixedtime.html?iso=20250607T2100&p1=248>) - 2025-06-07(Sat) 23:40 (<http://www.timeanddate.com/worldclock/fixedtime.html?iso=20250607T2240&p1=248>) (local time) (100 minutes)

[Back to Home \(/home\)](/home)

[🏠 Top \(/contests/abc409\)](/contests/abc409)

[📋 Tasks \(/contests/abc409/tasks\)](/contests/abc409/tasks)

[❓ Clarifications \(/contests/abc409/clarifications\)](/contests/abc409/clarifications)

[📊 Results ▼](#)

[🏆 Standings \(/contests/abc409/standings\)](/contests/abc409/standings)

[🏆 Virtual Standings \(/contests/abc409/standings/virtual\)](/contests/abc409/standings/virtual)

[📖 Editorial \(/contests/abc409/editorial\)](/contests/abc409/editorial)

[💬 Discuss \(https://codeforces.com/blog/entry/143567\)](https://codeforces.com/blog/entry/143567)



E - Pair Annihilation

[Editorial \(/contests/abc409/tasks/abc409_e/editorial\)](/contests/abc409/tasks/abc409_e/editorial)



Time Limit: 2 sec / Memory Limit: 1024 MiB

Score : 425 points

Problem Statement

You are given a tree with N vertices. The vertices are numbered $1, 2, \dots, N$, and the edges are numbered $1, 2, \dots, N - 1$. Edge j bidirectionally connects vertices u_j and v_j and has weight w_j . Also, vertex i is given an integer x_i . If $x_i > 0$, then x_i positrons are placed at vertex i . If $x_i < 0$, then $-x_i$ electrons are placed at vertex i . If $x_i = 0$, then nothing is placed at vertex i . Here, it is guaranteed that $\sum_{i=1}^N x_i = 0$.

Moving one positron or electron along edge j costs energy w_j . Also, when a positron and an electron are at the same vertex, they annihilate each other in equal numbers.

Find the minimum energy required to annihilate all positrons and electrons.

Constraints

- $2 \leq N \leq 10^5$
- $|x_i| \leq 10^4$
- $\sum_{i=1}^N x_i = 0$
- $1 \leq u_j < v_j \leq N$
- $0 \leq w_j \leq 10^4$
- The given graph is a tree.
- All input values are integers.

2026-01-02 (Fri)
05:25:12 +11:00

Input

The input is given from Standard Input in the following format:

```
 $N$   
 $x_1 \ x_2 \ \dots \ x_N$   
 $u_1 \ v_1 \ w_1$   
 $u_2 \ v_2 \ w_2$   
 $\vdots$   
 $u_{N-1} \ v_{N-1} \ w_{N-1}$ 
```

Output

Output the answer.

Sample Input 1

Copy

```
4  
-3 2 2 -1  
1 2 2  
1 3 1  
1 4 3
```

Copy

Sample Output 1

Copy

9

Copy

Initially, $x = (x_1, x_2, x_3, x_4) = (-3, +2, +2, -1)$. By operating as follows, all positrons and electrons can be annihilated with energy 9:

- Move one electron at vertex 1 to vertex 2. This costs energy 2, and $x = (-2, +1, +2, -1)$.
- Move one positron at vertex 2 to vertex 1. This costs energy 2, and $x = (-1, 0, +2, -1)$.
- Move one electron at vertex 4 to vertex 1. This costs energy 3, and $x = (-2, 0, +2, 0)$.
- Move one electron at vertex 1 to vertex 3. This costs energy 1, and $x = (-1, 0, +1, 0)$.
- Move one electron at vertex 1 to vertex 3. This costs energy 1, and $x = (0, 0, 0, 0)$.

It is impossible to annihilate all positrons and electrons with energy 8 or less, so the answer is 9.

2026-01-02 (Fri)
05:25:12 +11:00

Sample Input 2

[Copy](#)

```
2
0 0
1 2 1
```

[Copy](#)

Sample Output 2

[Copy](#)

```
0
```

[Copy](#)

The condition may already be satisfied from the beginning.

Sample Input 3

[Copy](#)

```
5
-2 -8 10 -2 2
3 5 1
1 3 5
2 5 0
3 4 6
```

[Copy](#)

Sample Output 3

[Copy](#)

```
28
```

[Copy](#)

[/#telegram](#))

[url=https%3A%2F%2Fatcoder.jp%2Fcontests%2Fab409%2Ftasks%2Fab409_e%3Flang%3Den&title=E%20-](https://atcoder.jp/contests/abc409/tasks/abc409_e%3Flang%3Den&title=E%20-)

[Rule \(/contests/abc409/rules\)](/contests/abc409/rules) [Glossary \(/contests/abc409/glossary\)](/contests/abc409/glossary)

[Terms of service \(/tos\)](/tos) [Privacy Policy \(/privacy\)](/privacy) [Information Protection Policy \(/personal\)](/personal) [Company \(/company\)](/company)
[FAQ \(/faq\)](/faq) [Contact \(/contact\)](/contact)

Copyright Since 2012 ©AtCoder Inc. (<http://atcoder.co.jp>) All rights reserved.

2026-01-02 (Fri)
05:25:12 +11:00