Notes

Logiciels

- IDE: Vscode, Jetbrains (phpstorm, webstorm, intellij ultimate, etc.)
- Nodejs : nvm-windows
- SCM : git
- Navigateur : Google Chrome, Firefox, Safari

Git

• git init


Extensions VSCODE

- Javascript console utils (whtouche)
- Prettier
- Git graph
- Error Lens
- Angular Language Service
- Typescript Class Organizer
- Surround


npm

- npm init
- npm init –y
- npm install <librairie>
- npm install –D <librairie>
- npm install
- npm ci

commit



Protocole HTTP



POST /asdfasdf/asdferwer/qqwqwq?asdfasfd HTTP/2.0

Host: <u>www.telemis.com:4578</u>

Content-Length: 12

Content-Type: text/plain

qwerqwer

HTTP/1.1 201 Created

X-Telemis-Type: 123

Content-Length: 2


Content-Type: application/json

{}

Case


- camelCase (lowerCamelCase)
- PascalCase (UpperCamelCase)
- kebab-case (spinal-case)
- snake_case
- Train_Case
- Http-Header-Case

Histoire JS




Angular artefact


- Module (@NgModules)
- Component (@Component)
- Directive (@Directive)
- Pipe (@Pipe)
- Service (@Injectable)




Composant

- Visuelle (HTML, CSS)
- Nom (selecteur)
- Intelligence (TS)
- Communiquant (store, databinding, etc.)
- [Testable]










Webographie

- Refactoring guru
- Css flex: https://css-tricks.com/snippets/css/a-guide-to-flexbox/
- https://caniuse.com/
- Css grid (game)
- law of ux
- fontello https://fontello.com/
- RAIL google





Lazy loading







ArticleService







Observable












Reste a faire


- Pipe
- Directive
- Cypress
- Test unitaire
- Mise en prod
- Lint

















créer une librairie

- npm i -g @angular/cli
- cd agu-dec-2022
- ng new front-common --no-create-application

- cd front
- angular.json : ajouter preserveSimlink: true dans architect/build/options

utiliser une librairie

- cd front-common/dist/wdg
- npm link
- cd front-common
- npm run watch
- cd front
- npx ng cache disable
- npm link @monentreprise/wdg
- npm start

