




DCMS Project Flowchart And Data Flow Diagrams

This document summarizes the main workflow and data flow of the Disaster Casualty Management System, covering the web dashboard, mobile/PWA app, backend API, Supabase database, Supabase Auth, Supabase Storage, and offline sync behavior.


1. System Overview Flowchart










2. Web Dashboard Flowchart




3. Mobile/PWA Flowchart









4. Context Diagram / DFD Level 0




5. DFD Level 1 - Web Dashboard




6. DFD Level 1 - Mobile/PWA App




7. Database And Storage DFD





8. Casualty Submission And Verification Flow




9. Match Casing Flow








10. Offline Sync Flow






11. Main Data Stores

Store	Purpose
users	User profile, role, assignment, admin scope, account metadata.
incidents	Official disaster incident records and status.
casualties	Person-level casualty identity/demographic information.
casualty_incidents	Incident-specific casualty record, status, severity, encoder, location, verification status.
casualty_triage_assessments	Primary, secondary, and tertiary triage assessment data.
casualty_transport_records	SAR/transport movement and receiving facility details.
casualty_treatments	Stabilization/treatment/PCR-related data.
facility_encounters	HCFD arrival, ED care, admission, management, ICU, and disposition data.
casualty_outcomes	Final outcome/death/disposition details.
attachments	Attachment metadata linked to casualty records.
Supabase Storage	Actual uploaded attachment files/photos.
casualty_case_links	Manual match casing links between FR, SAR, and HCFD records.
healthcare_facilities	Facility reference list.
call_down_staff	Reusable staff contact list, including staff without login accounts.
dmmp_staff_call_downs	Incident-specific call-down response, contacted, arrived, status, and arrival time.
form_drafts	Saved draft payloads for web/mobile add workflows.
audit_logs	Action logs across web/mobile activities.
notifications	Notifications for users/admin workflows.

12. Deployment View



13. Notes For Submission

- The web dashboard and mobile/PWA app do not directly write to the database. They call the Express API.
- Supabase Auth handles authentication, but role and scope decisions are also enforced by the API.
- Supabase PostgreSQL stores structured operational data.
- Supabase Storage stores casualty attachments/photos.
- Supabase Realtime helps the web dashboard update when operational records change.
- Mobile/PWA supports offline queueing for casualty submissions and retries when the API becomes reachable again.
- Match Casing does not merge or delete records. It creates a link layer through `casualty_case_links`.