Biostats 597E

Week 1 - Introduction to SQL

What Is SQL

- Structured Query Language (SQL) is a standardized, widely used language that retrieves and updates data in relational tables and databases.

- SQL is part of many vendors' products and SQL is everywhere

How to Query SQL Database

- Connect to database (varies with different products)

- Run SQL query and return results (very similiar for all databases and is our focus for this class)

- Disconnect from database

Install SQLite Manager in Firefox

We can learn SQLite using Firefox's SQLite Manger add-on:

- Download and Install Firefox from http://www.firefox.com

- Firefox: click **Tools >> Add-ons** to open Add-ons manager

- Search **SQLite** and find **SQLite Manager** to install

- Restart Firefox and click **Tools >> SQLite Manager** to open SQLite Manager

Connect to Database

- The SQLite database is a file with extension **.sqlite**

- Download the course material, and find **data/examples.sqlite** file

- In **SQLite Manager** click **Database >> Connect Database** and select the **examples.sqlite** file

- We should be able to see tables in the database and browse data in each table

Run SQL Query

- Click **Execute SQL Tab**

- Enter SQL query

- Click **Run SQL**

SQLite in R

We can also connect to SQLite database using R. The R package we need to use is **RSQLite**

```
install.packages("RSQLite")
```

Commonly used functions:

- **dbConnect**: Connect to a database

- **dbListTables**: List tables in the database

- **dbListFields**: List fieldes of a table in the database

- **dbGetQuery**: Send a query and receive results

- **dbDisconnect**: Disconnect from a database

RSQLite Example

Connect to database, i.e. examples.sqlite

```
library(RSQLite)
con <- dbConnect(RSQLite::SQLite(), "../../data/examples.sqlite")
```

List tables in the database

```
dbListTables(con)
```

```
##  [1] "continents"     "countries"      "features"
##  [4] "oilprod"        "oilrsrvs"       "postalcodes"
##  [7] "unitedstates"   "uscitycoords"   "worldcitycoords"
## [10] "worldtemps"
```

RSQLite Example

Send query to get name and area form continents table

```
dbGetQuery(con, "SELECT name, area FROM continents")
```

```
##                                Name      Area
## 1                            Africa 11506000
## 2                         Antarctica  5500000
## 3                               Asia 16988000
## 4                          Australia  2968000
## 5 Central America and Caribbean           NA
## 6                             Europe  3745000
## 7                      North America  9390000
## 8                            Oceania        NA
## 9                      South America  6795000
```

Tables In examples Database

- **countries**: data that pertains to countries.

- **worldcitycoords**: latitude and longitude data for world cities

- **uscitycoords**: coordinates for cities in the United States

- **unitedstates**: data that is associated with the states

- **postalcodes**: postal code abbreviations

- **worldtemps**: average high and low temperatures from various international cities

- **oilprod**: oil production statistics from oil-producing countries

- **oilrsrvs**: approximate oil reserves of oil-producing countries

- **continents**: geographic data that relates to world continents

- **features**: statistics that describe various types of geographical features, such as oceans, lakes, and mountains

Retrieving Data from a Single Table

General form of SQL statement for a query:

```
SELECT column <,column>...
    FROM table|view<,table|view>...
    <WHERE expression>
    <GROUP BY column<,column>...>
    <HAVING expression>
    <ORDER BY column<,column>...>;
```

- **SELECT**: specifies the columns to be selected

- **FROM**: specifies the table to be queried

- **WHERE**: subsets the data based on a condition

- **GROUP BY** classifies the data into groups

- **HAVING**: subsets groups of data based on group condition

- **ORDER BY**: sorts rows by the values of specific columns

NOTE: SQL queries are case insensitive

Selecting Specific Columns in a Table

To select a specific column in a table, list the name of the column in the
SELECT clause.

```
select City
   from uscitycoords;
```

Multiple columns separated by ","

```
select City, State
   from uscitycoords;
```

"*" is used to represent all columns

```
select *
   from uscitycoords;
```

Eliminating Duplicate Rows

You can eliminate the duplicate rows from the results by using the **DISTINCT** keyword in the SELECT clause.

Compare

```
select Continent
    from unitedstates;
```

and

```
select distinct Continent
    from unitedstates;
```

Creating New Values and New Columns

You can use **as** to assign a new name to any column selected.

```
select City as us_city,
       State as us_state
  from uscitycoords;
```

You can perform calculations with values that you retrieve from numeric columns and save a new column.

Convert Fahrenheit to Celsius for temperature

```
select City,
       (AvgLow - 32) * 5/9 as LowCelsius
  from worldtemps;
```

Assigning Values Conditionally

CASE expressions enable you to interpret and change some or all of the data values in a column to make the data more useful or meaningful.

```
select City, Country, Latitude,
    case
        when Latitude gt 67 then 'North Frigid'
        when 67 ge Latitude ge 23 then 'North Temperate'
        when 23 gt Latitude gt -23 then 'Torrid'
        when -23 ge Latitude ge -67 then 'South Temperate'
        else 'South Frigid'
    end as ClimateZone
from worldcitycoords;
```

Replace Missing Values

Replace missing **Area** with 0 in continents data

```
select Name,
       case
         when Area is null then 0
         else Area
       end as Area
  from continents;
```

Sorting Data

You can sort query results with an **ORDER BY** clause by specifying any of the columns in the table, including columns that are not selected or columns that are calculated.

```
select Name, Population
  from countries
  order by Population;
```

Multiple column names in **ORDER BY** separated by **,**. Specify **DESC** for descending order a column.

```
select Name, Continent
  from countries
  order by Continent desc, Name;
```

Other Notes About Sorting

- You can sort by a calculated column by specifying its alias in the ORDER BY clause

- You can sort query results by columns that are not included in the query

- Nulls, or missing values are sorted before character or numeric data

Retrieving Rows Satisfying a Condition

The **WHERE** clause enables you to retrieve only rows from a table that satisfy a condition.

```
select Name, Population
  from countries
  where Continent = 'Europe';
```

```
select Name, Population
  from countries
  where population > 1e8
```

Comparisons

Symbol	Definition
=	equal to
!=, <>	not euql to
>	gretaer than
<	less than
>=	greather than or equal to
<=	less than or equal to

Retrieving Rows Satisfying Multiple Conditions

You can use logical, or Boolean, operators to construct a **WHERE** clause that contains two or more expressions.

Logical operators

- &, AND

- |, OR

- NOT

```
select Name, Population
  from countries
  where Continent = 'Africa' and Population > 20000000
  order by Population desc
```

IN Operator

The **IN** operator enables you to include values within a list that you supply

```
select Name, Type, Height
  from features
  where Type in ('Mountain', 'Waterfall')
  order by Height;
```

or use **NOT IN**

```
select Name, Type, Height
  from features
  where Type not in ('Mountain', 'Waterfall')
  order by Height;
```

BETWEEN-AND Operator

To select rows based on a range of values, you can use the **BETWEEN-AND** operators.

```
select City, Country, Latitude
  from worldcitycoords
  where Latitude between -5 and 5;
```