



Current Data Parameters
NAME Sali_Eth_5
EXPNO 5
PROCNO 1

F2 - Acquisition Parameters
Date_ 20210309
Time 13.13 h
INSTRUM spect
PROBHD Z130037_0004 (
PULPROG cosygpppqf
TD 2048
SOLVENT Dioxane
NS 1
DS 16
SWH 5813.954 Hz
FIDRES 5.677689 Hz
AQ 0.1761280 sec
RG 32
DW 86.000 usec
DE 12.00 usec
TE 298.0 K
D0 0.00000300 sec
D1 1.95494401 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
IN0 0.00017200 sec
TDav 1
SF01 600.1330720 MHz
NUC1 1H
P0 11.75 usec
P1 11.75 usec
P17 2500.00 usec
PLW1 23.00000000 W
PLW10 5.08069992 W
GPNAM[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 512
SF01 600.1331 MHz
FIDRES 22.710756 Hz
SW 9.688 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300206 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300206 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0

