KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-4C7F48

Client: Real Peptides

Certified: 09/18/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	N-Acetyl Selank Amidate	**Form**	Lyophilized Powder
Batch	N/A	**Labeled Qty**	10 mg
Cap Color	Black	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.677% ✓
Batch Avg Net Content	(~10mg)	10.71 mg ✓
Identity Confirmation (LC-MS)	(N-Acetyl Selank Amidate)	N-Acetyl Selank Amidate ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Fentanyl Presence Analysis	(Not Detected)	Not Detected ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.554	10.69
Vial 2	99.799	10.73
Batch Average	**99.677%**	**10.71 mg**

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-4C7F48

Access Code: 2H1SZYF