KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-418F3C

Client: Real Peptides

Certified: 09/18/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	N-Acetyl Semax Amidate	**Form**	Lyophilized Powder
Batch	N/A	**Labeled Qty**	10 mg
Cap Color	Blue	**Crimp Color**	Red

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.578% ✓
Batch Avg Net Content	(~10mg)	11.73 mg ✓
Identity Confirmation (LC-MS)	(N-Acetyl Semax Amidate)	N-Acetyl Semax Amidate ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Fentanyl Presence Analysis	(Not Detected)	Not Detected ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.427	11.69
Vial 2	99.728	11.77
Batch Average	**99.578%**	**11.73 mg**

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemax Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-418F3C
Access Code: 6AICJQL