



Talend User Components tOracleMergeELT

Purpose

This component provides the Oracle SQL merge command as Talend component.

The main difference to the build-in component from Talend is the developer does not need a schema to work with the component. The component fetches the table and query metadata from the database and configure the merge command based on the columns of the target table as well as the `on` clause (configures the key condition).

The Oracle `merge` command is describes here:

https://docs.oracle.com/cd/B28359_01/server.111/b28286/statements_9016.htm#SQLRF01606

Talend-Integration

You find this component in the studio palette under: Databases/Oracle

Basic settings

Property	Content
Connection	Choose the Oracle connection component (which must be added before this component). The component expects a separate connection.
Source Select	Add here the source select. You can set it as String just like in a normal tOracleInput component or use a context variable or a globalMap variable. Please take care the source select must contain the columns of the target table (case insensitive) except the target columns which must be excluded or are fixed value columns. It is not necessary to declare the columns explicitly, a <code>select *</code> works fine as long as the result will return the necessary columns.
Target Table	The target table. The schema of this table is defined in the target connection component.
Allow Insert	Activates the <code>on not matched</code> part of the <code>merge</code> statement. Means based on the primary key of the target table all new records will be added
Allow Update	Activates the <code>on matched</code> part of the <code>merge</code> statement. Means based on the primary key of the target table the already existing records will be updated.
Enable where clause for update	You can define an additional condition which existing records should be updated.
Update where condition	This is the condition selection the existing records for update. The <code>where</code> keyword will be added automatically. The source fields must be referenced via the alias <code>s</code>
Allow update only for a fixed set of columns	You can restrict the update to these columns. It does not matter if the column does not exist in the source or target, if the columns exist, only these columns will be updated.
Allow Delete	Activates the <code>delete</code> part of the <code>merge</code> statement (sub part of the update part).
Delete where condition	It is mandatory for the syntax of the <code>merge</code> statement the optional <code>delete</code> part must have a where condition. If you do not want such set simply <code>1=1</code>
Allow Exclude columns	Enables the feature of excluding columns from transfer
Source columns to exclude	This list of columns will be excluded from the transfer. It does not matter if the column does not exist in the source or target. If such column appears it will be ignored.
Allow fixed values	Enables the feature of adding fixed values to columns which exist in the target table but most likely not in the source.
Columns with fixed values	This list of columns will be added to the insert or update part of the <code>merge</code> statement. Per column you can define a value which will be used.
Do Commit	If the transfer finishes successfully the component can perform a commit on the target connection.

On word to the column related settings. Yes, the component does have a schema and read the columns from the database metadata. In a lot of use cases it is often the case you have various tables which have columns in common – mostly technical columns. Therefor the component ignores these columns if they do not exist in the target table.

Advanced settings

Property	Content
Keyword to enclose with "	In this list you can configure identifier which are actually keywords and must be enclosed within " to prevent SQL syntax errors. The component knows a lot of typical keywords and add automatically the " around them but if some missing, add them here.

Return values

Return value	Content
ERROR_MESSAGE	If the parsing will fail, the error message goes here.
NB_LINE	The number of inserted, updated or deleted records.
QUERY	The complete merge statement executed on the target connection.

Example Use Cases

Insert only new records

This use case is designed to only integrate new records in a target table. Already existing records must remain unchanged.

The query and the target table are read from a configuration file. All tables have a set of technical columns in common.

The diagram shows a data flow job with three components: **tOracleMergeELT_1**, **tJava_3**, and **tFixedFlowInput_1**. The flow is as follows: **tOracleMergeELT_1** (with an 'OnSubjobOk' trigger) connects to **tJava_3** (with an 'OnSubjobOk' trigger), which then connects to **tFixedFlowInput_1** (with an 'OnSubjobOk' trigger). **tFixedFlowInput_1** has a 'row3 (Main)' output that connects to a target table labeled **"CONTROL_MAPPING"**.

The configuration for **tOracleMergeELT_1** is shown below:

Basic settings

- Connection: tDBConnection 2 - AMOS TRANSFER
- Source select: context.mapping_query_code

The source select will be aliased as s. You can use select * from my_table.

Target table: context.xfile

☒ Allow insert

☐ Allow update

☒ Allow exclude columns

Source Columns to Exclude

Source Column
"FILE_ID"
"AMOS_DBCHECK_OK"
"AMOS_TRANSFER_OK"

☒ Allow fixed values

Columns with fixed values

Column	Value
"JOB_INSTANCE_ID"	((Long)globalMap.get("tJobInstanceStart_1_JOB_INSTANCE...))
"MAPPING_ID"	context.mapping_id

Table which records will be inserted, updated and deleted

This use case is not real and use a simple query as source.

Designer Code

Job(test_tOracleMergeELT 0.1) Contexts(test_tOracleMergeELT) Run (Job test_tOracleMergeELT) Component Modules

tOracleMergeELT_1

Basic settings

Connection: tOracleConnection 3 - amos-transfer

Source select: "select * from all_items"

The source select will be aliased as s. You can use select * from my_table.

Target table: "items_consolidated"

☒ Allow insert

☒ Allow update ☒ Enable where clause for update

Update where condition (without where keyword): "s.valid = true"

Use for source fields the s as table alias!

☒ Allow update only on a fixed set of columns

Update only these Columns: Column "item_ref"

☒ Allow delete

Delete where condition (without where keyword): "s.delete_flag = true"

Use for source fields the s as table alias!

☒ Allow exclude columns

Source Columns to Exclude: Source Column "internal_id"

☒ Allow fixed values

Columns with fixed values: Column "job_instance_id" Value (Long) globalMap.get("tJobInstanceStart_1_JOB_INSTANCE_ID")

☒ Do commit

The update section wants only update records from valid source records.

If some source records marked as delete, these records need to be deleted in the target.

☒ Allow exclude columns

Source Columns to Exclude: Source Column "internal_id"

☒ Allow fixed values

Columns with fixed values: Column "job_instance_id" Value (Long) globalMap.get("tJobInstanceStart_1_JOB_INSTANCE_ID")

☒ Do commit

Here some examples of columns to exclude and to add as fixed value columns.