MOUNTAIN FLIGHT WORKSHEET

Pilot _____
Date/Time of Sortie_____ **Aircraft Type**_____
Departure Airport_____ **Area of Operations/Route**_____
Arrival Airport_____

PREFLIGHT PREPARATION
Basic (in addition to normal preplanning activities)

- ☐ Ensure attire, safety, oxygen, and survival equipment are appropriate for the flight
- ☐ Verify adequate fuel reserves exist for mountain flight
- ☐ File flight plan
- ☐ Conduct a good aircraft preflight
- ☐ Ensure inoperative equipment and discrepancies are appropriate for mountain flight

Weather

Surface	3000'	6000'	9000'	12000'	
Wind Direction/Velocity	_____	_____	____	____	_____

- ☐ Verify wind speed in mountains is less than 30 knots in any direction
- ☐ Determine where updraft, downdraft and turbulent areas are likely to occur
- ☐ Verify ceilings and visibility are much greater than marginal VFR all along route

Weight and Balance

- ☐ Verify weight and balance within limits for actual loading

Gross Weight _____

- ☐ Attempt to maintain weight less than 90% of Maximum Gross Weight for mountain flight

Aircraft Performance

	Departure	Altitude	Arrival	Obtain From:
Temperature	_____	_____	_____	Nearest source/winds aloft
Altimeter setting	_____	_____	_____	Nearest source
Pressure Altitude	_____	_____	_____	Chart below
Density Altitude	_____	_____	_____	Chart below
Rate of Climb	_____	_____	_____	POH Section 5
Vx	_____	_____	_____	POH Section 4
Vy	_____	_____	_____	POH Section 4
Va at Gross Weight	_____	_____	_____	POH Section 4

- ☐ Verify Rate of Climb is greater than 300 feet/minute all along route

	Departure	Arrival		Departure	Arrival
Take Off Grnd Roll	_____	_____	Over 50’ obstacle	_____	_____
Landing Grnd Roll	_____	_____	Over 50’ obstacle	_____	_____

- ☐ Verify Take Off plus Landing Ground Roll less than Runway length

Departure


- ☐ Define runway abort point (75% of indicated takeoff speed at runway midpoint)
- ☐ Mixture set for max power or POH
- ☐ Execute short field take off techniques to clear actual or simulated obstacles

Enroute

- ☐ Remain at or above 2000 feet AGL unless descending to land

Arrival

- ☐ Verify 300 feet/minute Rate of Climb possible. If not, divert.
- ☐ Verify go around possible at airport. If not, divert.
- ☐ Set go around point on runway where you must be on the ground to stop safely
- ☐ Mixture set for max power or POH
- ☐ Use short field landing techniques



Altimeter setting ("Hg)	Pressure altitude conversion factor
28.0	1,824
28.1	1,727
28.2	1,630
28.3	1,533
28.4	1,436
28.5	1,340
28.6	1,244
28.7	1,148
28.8	1,053
28.9	957
29.0	863
29.1	768
29.2	673
29.3	579
29.4	485
29.5	392
29.6	298
29.7	205
29.8	112
29.9	20
29.92	0
30.0	–73
30.1	–165
30.2	–257
30.3	–348
30.4	–440
30.5	–531
30.6	–622
30.7	–712
30.8	–803
30.9	–893
31.0	–983

Additional Planning for a Mountain Training Flight

Canyon Turns/Emergency Course Reversal

	Speed	
Vso @ 0° flaps	_____	From POH Section 2 or 5
Vso @ 30° flaps	_____	From POH Section 2 or 5
1.2*Vso @ 0° flaps	_____	Stall speed at 45° bank
1.2*Vso @ 30° flaps	_____	Stall speed at 45° bank
1.4*Vso @ 0° flaps	_____	Stall speed at 60° bank
1.4*Vso @ 30° flaps	_____	Stall speed at 60° bank
Entry airspeed	_____	Between 1.4*Vso and Va

□ Verify speed stays above 1.4*Vso during turn

Service ceiling	_____	Altitude for 300 fpm ROC