
Jamie Lopez
CSC3320 Lab 3
Due: 2/5/2021
CRN 11173
Part 2: VI Editing – Large File
3) vi RealEstate.csv
4) :\$
5) :set number
6) 896
7) :50
8) :50,54s/,/:/g
9) :50,54y
:\$
P
10) :50,54d
11):0 (zero not lowercase o) to go to top line of file
o (lowercase o) to enter text entry mode and append a blank line between lines 1 and 2
Recorded in year 2008 type text as instructed
12) Press ESC to return to command mode
13) :wq

Part 3: Permissions for files

10) Screen shot of the output



- 12) In the file permission string, the first three (r--) means that the user only has read access. The second set (r--) means that other users in the same group have access to only read the file. The last three characters (r--) means that other users in the other groups also have access to only read the file Try.c.
- 15) Yes, there is an error message that states: E45: 'readonly' option is set (add! to override). To quit the program without saving the changes, I entered:q.
- 16) chmod 666 Try.c
- 17) New permissions is rw-rw-rw-. The first set of characters (rw-) means the user has access to read and write. The second set of characters (rw-) means the users in the same group also have access to read and write the Try.c file. The third and last set of permissions (rw-) shows that other users in other groups also have access to read and write file Try.c.

Part 4: Permissions for Directories

	ls	mkdir	cat >	rm	ср	cd
owner's permissions	A. Read Contents	B. Create Sub- Directory	C. Create File	D. Remove Contents	E. Copy Contents From	F. Enter Into Directory
	N	N	N	NA	NA	N
X	N	N	N	NA	NA	Υ
-W-	N	N	N	NA	NA	N
-wx	N	Y	Υ	Υ	Υ	Υ
r	Υ	N	N	NA	NA	N
r-x	Y	N	Υ	NA	Y	Υ
rw-	Υ	N	N	NA	NA	N
rwx	Υ	Y	Y	Υ	Υ	Y