

Stochastic Asset Pricing and Expected Present Discounted Values

Jesse Perla

University of British Columbia

February 26, 2019

1 Asset Pricing with Markov Chains

1.1 Stochastic Asset Pricing with a Discrete States

- Setup:
 - Assume a discrete number, $1, \dots, N$, of possible states of the word
 - Let P be the transition matrix of the Markov chain for these states
 - Let x_t be distribution (pmf) of possible states for the random variable. (Will write as a column vector, but otherwise consistent with Markov chain notes)
- Forecast given pmf x_t : $\underbrace{x'_{t+j}}_{\text{forecast}} = x'_t \cdot P^j$, or taking the transpose to get into the state space form,

$$x_{t+j} = (P')^j \cdot x_t$$

- Let the payoff in each state be: $G = \begin{bmatrix} y_1 & \vdots & y_N \end{bmatrix}$, so $y_t = \begin{bmatrix} y_1 & \cdots & y_N \end{bmatrix} \cdot \begin{bmatrix} x_{1t} \\ x_{2t} \\ \vdots \\ x_{nt} \end{bmatrix} = G \cdot x_t$

Compare to linear state space model: $x_{t+1} = Ax_t$ and $y_t = Gx_t$

- Example:
 $y_t = y_1$, if $x_{1t} = 1$; $y_t = y_N$, if $x_{Nt} = 1$ and if 50% change in each of the first 2 states,

$$y_t = G \cdot x_t = \begin{bmatrix} y_1 & \cdots & y_N \end{bmatrix} \cdot \begin{bmatrix} \frac{1}{2} \\ \frac{1}{2} \\ 0 \\ \vdots \\ 0 \end{bmatrix} = \frac{1}{2}y_1 + \frac{1}{2}y_2, \text{ i.e. can give expected dividends}$$

- Finally using markov chains,

$$x_{t+j} = (P')^j x_t$$

$$y_t = G \cdot x_t$$

Using the forecast and weighting by the pmf:

$$\mathbb{E}_t [y_{t+j}] = G x_{t+j}$$

- Using these to find the asset price,

$$p_t(x_t) = \mathbb{E}_t \left[\sum_{j=0}^{\infty} \beta^j y_{t+j} \right] = G \left(\sum_{j=0}^{\infty} \beta^j (P')^j \right) x_t$$

- This is close to our old form (being careful with a transpose):

$$\boxed{p(x_t) = G(I - \beta P')^{-1} x_t \rightarrow \text{Compare to deterministic formula!}} \quad (1)$$

- Similar to the “Lucas Tree” model in ? with risk-neutral consumers.

Sequential thinking is difficult:

- Example:

- Dividend is $\begin{cases} H & \text{with probability 50\%} \\ L & \text{with probability 50\%} \end{cases}$, i.i.d (independent, identically distributed)
- $Price_t$ = expected PDV of dividends for $t + 1, \dots$

- But if using recursive equations to solve: i.e. $\{L, H\}$

- $p(H) = H + \beta \mathbb{E}(p(i)) = H + \beta(\frac{1}{2}p(H) + \frac{1}{2}p(L))$
- $p(L) = L + \beta \mathbb{E}(p(i)) = L + \beta(\frac{1}{2}p(H) + \frac{1}{2}p(L))$

- Why not t ?

- Let $p = \begin{bmatrix} p_h \\ p_l \end{bmatrix}$, then $\begin{bmatrix} p_h \\ p_l \end{bmatrix} = \begin{bmatrix} H \\ L \end{bmatrix} + \beta \begin{bmatrix} \frac{1}{2} & \frac{1}{2} \\ \frac{1}{2} & \frac{1}{2} \end{bmatrix} \cdot \begin{bmatrix} p_h \\ p_l \end{bmatrix}$ (2 equations with 2 unknowns)




Figure 1: Expected PDV of dividends

- In our previous form:

- Let $G = \begin{bmatrix} H \\ L \end{bmatrix}$, $P = \underbrace{\begin{bmatrix} \frac{1}{2} & \frac{1}{2} \\ \frac{1}{2} & \frac{1}{2} \end{bmatrix}}_{\text{i.i.d means rows identical}}$

- So we have:

$$\boxed{p = G(I - \beta P')^{-1}x} \quad (2)$$

where $x = \begin{bmatrix} 1 \\ 0 \end{bmatrix}$ if H, $x = \begin{bmatrix} 0 \\ 1 \end{bmatrix}$ if L

The equation in ?? is written to be a general, for any markov transition matrix P and dividend vector G .

2 Stochastic Asset Pricing with Continuous State Spaces

2.1 Information Sets

- Conditional expectation is $\mathbb{E}(X|Y)$ means that in forming the expectation of X , can use anything in Y as if known with certainty. i.e., not a random variable.
- $\mathbb{E}_t(C_{t+1})$ is the abbreviation for $\mathbb{E}(C_{t+1} | C_t, C_{t-1}, C_{t-2}, \dots \text{ and anything else we know at } t)$
If first-order Markov, then $\mathbb{E}_t(C_{t+1}) = \mathbb{E}(C_{t+1} | \underbrace{C_t}_{\substack{\text{i.e. all info} \\ \text{in last} \\ \text{state}}})$

- What to choose for the state? Think through necessary information set of an agent.

2.2 Properties of Expectations

Key: Expectation is a *linear operator* and can be over scalars, vectors, or matrices. Some properties of expectations:

- Let a and b be scalar constants, and $\{x_t\}$ and $\{z_t\}$ be scalar random variables
- $\mathbb{E}_t [ax_{t+1} + bz_{t+1}] = a\mathbb{E}_t [x_{t+1}] + b\mathbb{E}_t [z_{t+1}]$
- But, be careful not to apply this for multiplication with other random variables. For example,

$$- \mathbb{E}_t [x_{t+1}z_{t+1}] \underbrace{\neq}_{\text{in general}} \mathbb{E}_t [x_{t+1}] \mathbb{E}_t [z_{t+1}]. \text{ True if independent.}$$

$$- \mathbb{E}_t [x_{t+1}^2] \underbrace{\neq}_{\text{in general}} (\mathbb{E}_t [x_{t+1}])^2. \text{ Note } x_{t+1} \text{ and } x_{t+1} \text{ are never independent.}$$

– As always, just be careful to keep the order (i.e., not commutative in general)

– Of course, if the information is known then the expectation is the value itself,

$$\mathbb{E}_t [x_t] = \mathbb{E} [x_t | x_t] = x_t$$

- Law of iterated expectations: $\mathbb{E}_t [\mathbb{E}_{t+1} [x_{t+2}]] = \mathbb{E}_t [x_{t+2}]$. Note: time t has less information than that of time $t + 1$.

Generalizing, let X_t and Z_t be vector random variables, and A and B be matrices or vectors,

- $\mathbb{E}_t [A \cdot X_{t+1} + B \cdot Z_{t+1}] = A \cdot \mathbb{E}_t [X_{t+1}] + B \cdot \mathbb{E}_t [Z_{t+1}]$
- These also all hold for any conditional expectation as well,
 $\mathbb{E}_t [A \cdot X_{t+1} + B \cdot Z_{t+1} | Z_t, X_t] = A \cdot \mathbb{E}_t [X_{t+1} | Z_t, X_t] + B \cdot \mathbb{E}_t [Z_{t+1} | Z_t, X_t]$

2.3 A Few Tricks with Normal Variables

- If a random variable, z is distributed as a normal random variable with mean μ and variance σ^2 , it is denoted

$$z \sim N(\mu, \sigma^2)$$

- In terms of expectations, one can show that: $\mathbb{E} [z] = \mu$ and $\mathbb{E} [z^2] = \mu^2 + \sigma^2$
- Let $w \sim N(0, 1)$ be a normalized random variable. Then you can show that

$$z = \mu + \sigma w$$

- i.e., can convert any normal random variable to linear function of a normalized one
- With multivariate normal random variable, $q \in \mathbb{R}^n$ and denote its distribution,
 $q \sim N(\mu, \Sigma)$
 where the mean $\mu \in \mathbb{R}^n$ and $\Sigma \in \mathbb{R}^{n \times n}$ is the variance-covariance matrix.
- Keeping things simple, if the vector random variable is mean 0 and is independent (i.e., none of the components of the vector have any correlation) then we would write it in terms of vector mean and the identity for the covariance matrix
 $q \sim N(0_n, I_{n \times n})$

2.4 Asset pricing in our state space model

Our Deterministic Model

- Recall: In the deterministic Linear state space, we have,

$$x_{t+1} = A \cdot x_t, \quad (\text{Evolution}) \quad (3)$$

$$y_t = G \cdot x_t, \quad (\text{Observation}) \quad (4)$$

- And asset pricing formula under risk neutrality is:

$$P_t = \sum_{j=0}^{\infty} \beta^j y_{t+j} = G(I - \beta \cdot A)^{-1} \cdot x_t \quad (5)$$

Making this a Stochastic Linear State Space

- Add randomness w_{t+1} , an $m \times 1$ vector, random variable:

$$x_{t+1} = Ax_t + C \cdot w_{t+1}, \quad (\text{Evolution, stochastic}) \quad (6)$$

$$y_t = G \cdot x_t, \quad (\text{Observation, still noise free}) \quad (7)$$

where A is $n \times n$ matrix, C is $n \times m$ matrix, w_{t+1} are $m \times 1$ matrices, x is $n \times 1$ vector; G is $1 \times n$ vector, y_t are scalars

- Note:

w_{t+1} are independent, identically distributed variables; Gaussian of mean 0, covariance matrix $I_{m \times n}$. Hence, $\mathbb{E}(w_{it+1}) = 0$ for all $i = 1, \dots, m$, $\mathbb{E}(w_{it}w_{i't'}) = \begin{cases} 1, & \text{if } i = i', t = t' \\ 0, & \text{otherwise} \end{cases}$

- Notice that:

$$\mathbb{E}_t(x_{t+1}) = \mathbb{E}_t(A \cdot x_t + Cw_{t+1}) = A \cdot x_t + \underbrace{C \cdot \mathbb{E}_t(w_{t+1})}_{=0} = A \cdot x_t \quad (8)$$

$$\mathbb{E}_t(x_{t+2}) = \mathbb{E}_t \left(A \underbrace{(Ax_t + Cw_{t+1})}_{x_{t+1}} + C \cdot w_{t+2} \right) = \mathbb{E}_t(A^2x_t + ACw_{t+1} + Cw_{t+2}) \quad (9)$$

$$= A^2x_t + \underbrace{AC\mathbb{E}_t(w_{t+1})}_{=0} + \underbrace{C\mathbb{E}_t(w_{t+2})}_{=0} = A^2x_t, \text{ repeat for } t+3, \dots \quad (10)$$

- Forecasting Formulas:

$$\mathbb{E}_t(x_{t+j}) = A^j x_t, \text{ and } \mathbb{E}_t \left(\sum_{j=0}^{\infty} \beta^j x_{t+j} \right) = (I - \beta \cdot A)^{-1} x_t \quad (11)$$

$$\mathbb{E}_t(y_{t+j}) = G \cdot A^j x_t, \text{ and } \mathbb{E}_t \left(\sum_{j=0}^{\infty} \beta^j y_{t+j} \right) = G \cdot (I - \beta A)^{-1} x_t \quad (12)$$

2.5 Price of Stochastic Dividend Stream

$$p_t = \mathbb{E}_t \left(\sum_{j=0}^{\infty} \beta^j \underbrace{y_{t+j}}_{\substack{\text{i.e. forecast of} \\ y_{t+j} \\ \text{given time } t \\ \text{information}}} \right) + \text{possible bubble} = G(I - \beta A)^{-1} x_t + \text{possible bubble} \quad (13)$$

$$\underline{Or}, p_t = \underbrace{y_t}_{\substack{\text{dividend} \\ \text{today}}} + \beta \cdot \underbrace{\mathbb{E}_t(p_{t+1})}_{\substack{\text{expectation} \\ \text{of price} \\ \text{tomorrow}}} \quad (14)$$

- Method (Guess and Verify):

Guess $p_t = H \cdot x_t$, H is $1 \times n$ vector to be determined, x is $n \times 1$ vector

Substitute into equation:

$$H \cdot x_t = y_t + \beta \cdot \mathbb{E}_t(Hx_{t+1}) \quad (15)$$

$$\Rightarrow H \cdot x_t = G \cdot x_t + \beta H \mathbb{E}_t(A \cdot x_t + C \cdot w_{t+1}) = G \cdot x_t + \beta H A x_t \quad (16)$$

To hold for any x_t ,

$$H(I - \beta A) = G \Rightarrow \quad (17)$$

$$H = G(I - \beta A)^{-1} \Rightarrow \quad (18)$$

$$\boxed{p_t = G(I - \beta A)^{-1} x_t} \quad (19)$$

- Note:
 - This is consistent with EPDV calculation.
 - Same as formula without random w_{t+1}

2.6 Forecast Errors

How far off are the agent's forecasts of $t + 1$ given time t information? To do a simple example:

- Let $x_{t+1} = x_t + \sigma w_{t+1}$
- With $w_{t+1} \sim N(0, 1)$. i.e., $\mathbb{E}_t[w_{t+1}] = 0$ and $\mathbb{E}_t[w_{t+1}^2] = 1$.
- Trivial linear-Gaussian-state space. The expected forecast error is,

$$\mathbb{E}_t[FE_{t+1}] \equiv \mathbb{E}_t[x_{t+1} - \mathbb{E}_t[x_{t+1}]] = \mathbb{E}_t[x_{t+1}] - \mathbb{E}_t[x_{t+1}] = 0$$

- i.e., no systematic error. What about the variance of the forecast errors?
- The variance of a random variable, z_t is defined as $\mathbb{V}_t(z_{t+1}) \equiv \mathbb{E}_t[z_{t+1}^2] - (\mathbb{E}_t[z_{t+1}])^2$
- So to find the variance of the forecast error:

$$\mathbb{V}_t(FE_{t+1}) = \mathbb{E}_t[FE_{t+1}^2] - (\mathbb{E}_t[FE_{t+1}])^2 \quad (20)$$

$$= \mathbb{E}_t[(x_{t+1} - \mathbb{E}_t[x_{t+1}])^2] - 0 \quad (21)$$

$$= \mathbb{E}_t[(x_t + \sigma w_{t+1} - \mathbb{E}_t[x_t + \sigma w_{t+1}])^2] \quad (22)$$

$$= \mathbb{E}_t[(\sigma w_{t+1})^2] = \sigma^2 \quad (23)$$

2.7 Linear Gaussian State Space Example

- On average, a worker's productivity, z_t , adds a random draw of $N(\alpha, \sigma^2)$ each period.
- Firm productivity q_t , adds γ each period, which is deterministic.
- Wages are a linear combination of: $W_t = \theta z_t + (1 - \theta)q_t$

- Setup in Linear Gaussian form:

Guess state: $x_t = \begin{bmatrix} z_t \\ q_t \\ 1 \end{bmatrix}$

Note: if $w_{t+1} \sim N(0, 1)$, then $\alpha + w_{t+1} \sim N(\alpha, \sigma^2)$

$$\underbrace{\begin{bmatrix} z_{t+1} \\ q_{t+1} \\ 1 \end{bmatrix}}_{x_{t+1}} = \underbrace{\begin{bmatrix} 1 & 0 & \alpha \\ 0 & 1 & \gamma \\ 0 & 0 & 1 \end{bmatrix}}_A \underbrace{\begin{bmatrix} z_t \\ q_t \\ 1 \end{bmatrix}}_{x_t} + \underbrace{\begin{bmatrix} \sigma \\ 0 \\ 0 \end{bmatrix}}_{C \cdot w_{t+1}} w_{t+1} \quad (24)$$

$$W_t = \begin{bmatrix} \theta & 1 - \theta & 0 \end{bmatrix} \begin{bmatrix} z_t \\ q_t \\ 1 \end{bmatrix} \quad (25)$$

$$W_t = G \cdot x_t \quad (26)$$

What is the expected PDV of human capital? (i.e., stochastic version of the permanent income calculations)

$$\mathbb{E}_t \left[\sum_{j=0}^{\infty} \beta^j y_{t+j} \right] = G(I - \beta A)^{-1} x_t \quad (27)$$

A Stochastic Bubbles

- To isolate the bubble term, consider the special case where $y_t = 0$ for all t .

- We want to solve $p_t = \beta \mathbb{E}_t(p_{t+1})$, $\beta = \frac{1}{1+r}$.

- Guess: $p_t = C_t \beta^{-t}$, where C_t is a random variable, and $\{C_t\}$ is a *martingale*, that is, satisfies $\mathbb{E}_t(C_{t+1}) = C_t$, i.e. best forecast of future value is today's value (e.g. random walk).
- To verify $p_t = \beta \mathbb{E}_t(p_{t+1})$, substitute our guess: $C_t \beta^{-t} = \beta \cdot \mathbb{E}_t(\beta^{-(t+1)} C_{t+1}) = \beta^{-t} \cdot \mathbb{E}_t(C_{t+1}) = \beta^{-t} C_t$, i.e. verified that $p_t = C_t \beta^{-t}$ satisfies equation.
- Example:

$$C_{t+1} = \begin{cases} \lambda^{-1} C_t & \text{with probability } \lambda \in (0, 1) \\ 0 & \text{with probability } 1 - \lambda \end{cases}$$

- Note: $\mathbb{E}_t(C_{t+1}) = \lambda \cdot (\lambda^{-1} C_t) + 0 = C_t$, \Rightarrow a martingale

- Note that if at some $C_{t+j} = 0 \Rightarrow C_{t+j+1} = 0$, etc., i.e. the bubble has popped.

- From any C_0 ,

$$C_t = \begin{cases} \lambda^{-t} C_0, & \text{if bubble has not popped} \\ 0, & \text{if the bubble has popped} \end{cases}$$

$$p_t = \begin{cases} \beta^{-t} \cdot \lambda^{-t} \cdot C_0 = (\beta\lambda)^{-t} C_0, & \text{until popped} \\ 0, & \text{after the bubble has popped} \end{cases}$$




Figure 2: Stochastic Bubble