packet : $\Pi = (\mathit{page}, \mathit{type}, \varphi_0, \mathit{intent}, \mathit{sources}, \mathit{constraints}, \mathit{gate}, \mathit{limits})$
receipts: $\rho = (r_1, \ldots, r_n)$, one receipt per attempted phase

$\varphi \leftarrow \varphi_0$ `// an existing Page enters at CHECK, a new one at DRAFT`
$s \leftarrow 0; \quad k \leftarrow 1$ `// steps taken, and the current round`
while $s < \mathit{limits.max\_steps}$ **and** $k \leq \mathit{limits.max\_rounds}$ **do**
  $\Gamma \leftarrow \textsc{Context}(\mathit{page}, \varphi)$ `// one hop, this phase's rows only; a bad row is a HOLD`
  if $\varphi \in \{\textsc{Draft}, \textsc{Probe}, \textsc{Revise}\}$ **then**
    $(v', \hat{r}) \leftarrow$ `Producer(`φ, Π, Γ`)` `// one phase, by one actor, who also proposes a route`
    $v' \leftarrow$ `Builder(`v'`)` `// rebuild, deterministic checks, version identity`
  else
    $(v', \hat{r}) \leftarrow$ `Judge(`v, Π, Γ`)` `// a fresh read-only actor, judging one exact version`
  $r \leftarrow \textsc{Receipt}(\varphi, \mathit{actor}, v \rightarrow v', \hat{r})$; append r to ρ
  if $\hat{r}.\mathit{route} \notin R(\varphi)$ **then return** ρ ***with*** $\textsc{Hold}$
  if $\hat{r}.\mathit{route} \in \{\textsc{Close}, \textsc{Hold}\}$ **then return** ρ
  if $\hat{r}.\mathit{route} = \textsc{Draft}$ **and** $\hat{r}.\mathit{reopens}$ **then** $k \leftarrow k + 1$
  $\varphi \leftarrow \hat{r}.\mathit{route}; \quad v \leftarrow v'; \quad s \leftarrow s + 1$
return ρ ***with*** $\textsc{LimitReached}$ `// did not converge, which never means the Page passed`