

Agreeableness evidence specimen (QY2 skill-forward validation)

1 · QA inputs

Input bindings: two answered Probes copied locally into this View's own input/QA-probes/ folder.

```
input/QA-probes/1-canonical-definition.md → canonical trait meaning
input/QA-probes/2-observable-signal.md   → observable signal + bound source count
```

This View imports two answered QA Probes, both copied (not moved, not edited) from the QBT1 specimen's own input folder for this skill-validation exercise.

Evidence card. Card two answered QA Probes: Q11 · QA input · Bindings: views/QY2-for-view/input/QA-probes/1-canonical-definition.md, views/QY2-for-view/input/QA-probes/2-observable-signal.md. Status: answered. Role: supply the material organized by this View.

2 · View body

Readable body: the topic-specific material a person should understand before opening any Card.

2.1 · Trait meaning

Agreeableness is an interpersonal trait expressed through warmth and cooperation.

Evidence card. Card interpersonal trait: EC1 · Literature · Finding: agreeableness is treated as an interpersonal construct. Bearing: supports. Boundary: trait description only. Binding: views/QY2-for-view/input/QA-probes/1-canonical-definition.md. Freshness: current. Used by: QY2-Display1.

The literature-side construct frame resolves through the real bibliography (John et al., 1999).

2.2 · Observable project signal

Review text records patient descriptions of patient-facing behavior, and the current View binds 3 source Probe records into one evidence judgment, so this View treats review-derived scores as patient-perceived signals rather than an error-free latent trait measure.

Evidence card. Card 3 source Probe records: EC2 · Value · Finding: the project observes descriptions and evaluations of behavior across 3 bound source records. Bearing: qualifies. Boundary: observed signal, not direct latent trait. Binding: views/QY2-for-view/input/QA-probes/2-observable-signal.md. Freshness: current. Used by: QY2-Display1.

The body is not a hidden evidence ledger. It is the human-readable synthesis produced from the two inputs above; the Citation and Value Cards let a reader inspect why each exact phrase is present.

3 · Displays

Display outputs: one rendered table selects and compares both View-body findings.

QY2-Display1 is the agreeableness evidence table. Its current raster is embedded below; opening QY2-Display1 shows the same preview first, before its View-body bindings, files, and independent acceptance state.

QY2-Display1 - Agreeableness evidence table (owner-indexed)

Probe	Question	Answer summary
1-canonical-definition	Minimal description of agreeableness for the specimen	Interpersonal construct associated with warmth and cooperation (John & Srivastava, 1999)
2-observable-signal	What does review text observe, how many source records bind the View judgment?	3 source Probe records; review text observes patient-perceived behavior, not an error-free latent trait measure

Evidence card. Card QY2-Display1: D1 · Display · kind: table · reader job: compare the canonical trait definition and the observable project signal. Bindings: EC1, EC2. Binding: views/QY2-for-view/output/QY2-Display1-agreeableness-evidence-table/output.md. Status: rendered. Acceptance: waiting.

preview.pdf is the printable inspection surface for the same table; it sits alongside preview.png in the same Display folder.

4 · Consumers

Consumer bindings: one local Results-section stand-in inside the QY2 sandbox

plans to use QY2-Display1.

The Results section plans to consume QY2-Display1 for its construct-interpretation passage.

Evidence card. Card Results section: C1 · Consumer · Target Page: S-Results · Binding: consumers/S-Results.md. Uses: QY2-Display1. Placement: Results / construct interpretation. Status: planned, blocked on View and Display acceptance.

1 References

- John, Oliver P.; Srivastava, Sanjay (1999). The Big-Five Trait Taxonomy: History, Measurement, and Theoretical Perspectives. Handbook of Personality: Theory and Research