

The second unified View regression: two probes, one table, one local consumer

1 · QA inputs

The incoming side: this View binds two of QBt1's three answered Probes, reused by path into its own input/QA-probes/ copy.

```
QA-bank    answered Probe (definition)
QA-bank    answered Probe (boundary)      QY3 input collection
```

This View imports two answered QA Probes: the canonical trait definition and the measurement boundary.

Evidence card. Card two answered QA Probes: Q11 · QA input · Bindings: views/QY3-for-view/input/QA-probes/1-canonical-definition.md, views/QY3-for-view/input/QA-probes/3-measurement-boundary.md. Status: answered. Role: supply the material organized by this View.

The observable-signal Probe is deliberately excluded from this regression; only construct meaning and measurement boundary carry through to the Display.

2 · View body

The readable middle: two short subsections hold the actual substance, while Cards attach provenance to exact words.

```
readable sentence + exact-span Card    inspect evidence without leaving the body
```

2.1 · Trait meaning

Agreeableness is an interpersonal trait expressed through warmth and cooperation.

Evidence card. Card interpersonal trait: EC1 · Literature · Finding: agreeableness is treated as an interpersonal construct. Bearing: supports. Boundary: trait description only. Binding: views/QY3-for-view/input/QA-probes/1-canonical-definition.md. Freshness: current. Used by: QY3-Display1.

The literature-side construct frame resolves through the real bibliography (John et al., 1999).

2.2 · Measurement boundary

The score is not treated as an error-free measure of latent personality.

Evidence card. Card not treated as an error-free measure of latent personality: EC2 · Construct · Finding: the current evidence does not justify direct latent-personality measurement. Bearing: bounds this specimen. Boundary: patient-perceived manifestation only. Binding: views/QY3-for-view/input/QA-probes/3-measurement-boundary.md. Freshness: current. Used by: QY3-Display1.

The body stays a human-readable synthesis; the two Evidence Cards let a reader inspect why each exact phrase is present.

3 · Displays

The visible output: QY3-Display1 is the trait-boundary table. Its current raster is embedded below; the same preview appears first in its Display Card, before its bindings, files, and acceptance state.

Layer	What the View says	Evidence	Boundary
Construct	Interpersonal warmth and cooperation	EC1	Illustrative, not exhaustive
Measurement claim	Patient-perceived manifestation of the construct	EC2	Not an error-free latent trait measure

Evidence card. Card QY3-Display1: QY3-Display1 · Display · Binding: views/QY3-for-view/output/QY3-Display1-trait-boundary-table/output.md. Kind: table. Reader job: separate construct meaning from the measurement boundary the two bound Probes support. View-body bindings: EC1, EC2. Status: rendered. Acceptance: waiting. Files: views/QY3-for-view/output/QY3-Display1-trait-boundary-table/preview.png, views/QY3-for-view/output/QY3-Display1-trait-boundary-table/preview.pdf, views/QY3-for-view/output/QY3-Display1-trait-boundary-table/float.tex.

preview.pdf is the printable inspection surface for the same table; float.tex is the printable wrapper the review build embeds.

4 · Consumers

The outgoing side: this regression hands off to one local consumer Page instead of a shared QS-consumers Page, so the run stays self-contained.

View QY3-Display1 consumer + placement + gate state

The local boundary note plans to consume QY3-Display1 for its construct-boundary passage.

Evidence card. Card local boundary note: C1 · Consumer · Target Page: QY3-Consumer-boundary-note · Binding: consumers/QY3-Consumer-boundary-note.md. Uses: QY3-Display1. Placement: Local regression consumer / construct-boundary passage. Status: planned, blocked on View and Display acceptance.

1 References

- John, Oliver P.; Srivastava, Sanjay (1999). The Big-Five Trait Taxonomy: History, Measurement, and Theoretical Perspectives. Handbook of Personality: Theory and Research