

Chat · one Chat, its record in the folder, its form chosen inside

1 What a kept conversation leaves on disk

One page, one list of conversations: kept sessions pile up in dated folders, like meetings.

```
<page>/chat/<YYMMDD-HHMM>/ . one folder per kept session
meeting/ = spoken testimony . chat/ = typed testimony . same grammar
```

This part settles that a kept chat becomes a dated folder of the page's own files, read the same way a meeting is. A kept session follows the same shape as a meeting. The short write-up, **digest.md**, is what you read once someone writes one, and the raw transcript is there to check against. Decisions are moved onto pages as sentences, which is already the rule. The plugin boundary already protects this folder. A folder full of .md transcripts can never show up as ghost pages, because discovery never looks inside a plugin folder.

2 One Chat, and you pick its form after you open it

The ruling: GUI and TUI are two forms of one Chat, not two chats.

```
before 260815 evening          after
QPf4b GUI page +                one Chat . open it . pick
QPf4c TUI page + two subjects   GUI or TUI inside
```

This part settles that the browser box and the terminal are two forms of one Chat, not two separate things. The split is about FORM, never about permission. Neither form is given fewer tools than the other, and what the tiers are called is QPf4b's record. What each form is stays real, and the two parts below hold it. What died is the idea that each form needs its own page.

3 One scope has one live session at a time

One scope, one current session: the Law the surface obeys in either form (folded from QPf4a).

```
one scope . one current session . one live window . N scopes, N terminals
```

This part fixes one live session per scope, and says the copy question is still open. Sessions open at the SPACE root, and the session id is written on the page's **session:** line while it runs. The two-agents-one-file rule across nested scopes stays open on QPf4a's Aims. A second call is open there as a **### Decision** Now row, with four options and no tick. It asks whether the board folder keeps a copy of the session jsonl files. Until JL rules on it, what §1 describes is only the transcript built from the session file. Whether the live session file is ever copied beside it stays undecided.

4 The chat box in the browser, and what is still open on it

The rebuilt chat box: `claude_agent_sdk` turns in the drawer (folded from QPf4b).

```
live/chat.py . sessions . the SDK turn . three permission tiers
```

This part holds the browser chat box, and names the nine Aims and two calls still open on it. The drawer sits outside `div.wrap`, so it survives the page swap. Nine Aims are still open on QPf4b. A4.2 to A4.5 sit under what it costs to match the extension. A8.2, A8.4, A8.5, A8.6 and A8.7 sit under what a drawn interface has to be given. Two calls sit in that page's `### Decision Now` and wait on JL. One is how a held session is cleaned up, the other is whether QPf4a's Law rules again on one window per scope.

5 The real command line, running inside the pane

The real CLI: a PTY in the pane, raw and smooth views (folded from QPf4c, which had absorbed the smooth-view page on 260801).

```
live/term.py . /_term/ PTY . parking . reattachment
```

This part holds the terminal form, and points at the questions still open on it. Its open questions stay on QPf4c's Aims. Among them are the re-key to (page, session), the web chat drawn beside the raw pane, the fallback seam, the smoothness drop test, and the written security boundary.

6 What a reader on a phone gets, which is still mostly open

Where typing happens: what the pane shows when 80 columns will not fit (folded from QPf4d).

```
phone . desktop . what the page owes a reader who switches away and back
```

This part is about typing on a small screen, and almost all of it is still undecided. Most of QPf4d's Aims are still open. A2.1 is the one this figure is about: typing on a phone still goes through xterm's hidden textarea. The phone's form is still a `### Decision Now` row there, and it blocks A3.1's ruling on width. A5.1's gesture check and the four A6 rows on how the pane looks stay open too.

References