

1 · THE CONTRACT, ADOPTED AND NOT FORKED

The plugin's full tree: one display/ per page, one folder per unit, every unit the same shape. The layout above is the display family's own contract file, display-unit-output-contract.md, copied as it stands rather than redesigned. The folders split into two halves: intake/ and recipe/ are the SOURCES, written by people and by drawing skills, while assets/ and preview.pdf are BUILT from those sources, so a rebuild may overwrite the built half but never the sources. The only page-side change is the address: the unit sits inside the page's own display/ folder, so when the page moves, its figures move with it.

2 · THE SURFACE: ONE CARD PER UNIT IN THE RIGHT PANE

The tab: what a reader sees when they open  Display on a page. The tab is built the same way the Slides tab is: a small button in the page's toolbar asks the server for this page's units, and the server writes a view that frames each unit's preview.pdf.  rebuild redraws the built half from the sources; it never changes the inputs, and it never changes an approval. A unit is EVIDENCE: when a sentence names a unit's id in plain text, the id becomes a small button in that sentence, and clicking it opens the unit's card with its picture and its approval state. There is a second way to attach the same evidence, for machines: a > Display: line written UNDER a sentence, beside the > Citation: and > Value: lines, so a program can add evidence without ever editing a person's prose. Citing a unit that has no render yet is allowed with either form: the button then says a render is still owed. The exports keep the evidence too: the LaTeX PDF prints a cited unit as a real figure after the paragraph that cites it, and the Word file embeds the picture with its caption and adds a  comment note on the sentence.

3 · THE WRITERS, AND THE ROW NO MACHINE MAY TICK

Who writes what: three hands on one unit, each confined to its half. The renderers are the display family's existing drawing skills; this page adds none of its own. The approval row is the one rule

with teeth: a  on accepted: means a person looked at one specific picture and said yes. A machine that ticks it has forged a judgment, not saved time, so no machine may. The kinds and who draws them: one door routes to four renderers, plus one method with no skill. A data-driven renderer draws numbers, and it may not go back to the raw data: it reads only the small approved extract in intake/. A concept-driven renderer draws an idea, so it carries no numbers at all; its input is the sketch it draws. Rebuild follows the kind: a python figure reruns its script, a diagram redraws from its spec, and an AI illustration replays its saved prompt.

4 · HOW A UNIT IS GENERATED

The pipeline: five steps from approved numbers to an accepted render, and who moves each one. Drawing never comes first:

1 · haipipe
Display: QPf5-Display1-pipeline-tikz ·
kind=figure · label=fig:qpf5-pipeline

with no approved inputs there is nothing safe to draw, and the intake contract exists to refuse exactly that. Steps ① ③ ⑤ belong to a person and steps ② ④ to machinery, the split of hands QPf5-Display1 (Figure 1) draws; the tab's  rebuild is step ④ alone, run again.¹




Figure 1. The display pipeline: five steps from approved intake to an accepted render. Green steps belong to a person, blue steps to machinery, and a changed intake returns the acceptance to open.

If the inputs change, the work flows forward again from ② to ⑤, and the old approval drops back to  , because the picture

2 · haipipe
Display: QPf5-Display2-small-paper-tikz ·
kind=figure · label=fig:qpf5-small-paper

a person said yes to no longer exists. Where ①'s numbers come from: the evidence chain behind an intake, id-bound at every hop. A probe is a question card: the page asks its question once, the answer lands in the shared task bank, and from then on everyone cites the card's id instead of

asking again. intake/ is therefore not a second copy of the data: the task's own output stays the single source, and the manifest only points at it, by id. A unit names its evidence by id, never by a file path, and never types a number with its own hands; QPf5-Display2 (Figure 2) draws this ask-once-cite-twice move.²




Figure 2. A page as a small paper: the probe plugin asks a question once, the bank answers behind the wall, and both the display intake and the page's own sentence cite the same card by id.

The slides plugin already works this way on QPf3: its deck asks for an id, a resolver turns the id into the file's real path, and the template holds no digits, so a hand-typed number has nowhere to live. Aim A1 asks for that same id lookup to work for units that live under a page.