

The first unified View specimen

1 · QA inputs

The incoming side: one View may bind one or several answered Probes, and those Probes may come from one or several Task QA-banks.

```
QA-bank    answered Probe
QA-bank    answered Probe    View input collection
QA-bank    answered Probe
```

This specimen imports three answered QA Probes: a literature definition, a project-observable signal, and a construct boundary.

Evidence card. Card three answered QA Probes: QI1 · QA input · Bindings: QBT-page-types/views/QBT1-for-view/input/QA-probes/1-canonical-definition.md, QBT-page-types/views/QBT1-for-view/input/QA-probes/2-observable-signal.md, QBT-page-types/views/QBT1-for-view/input/QA-probes/3-measurement-boundary.md. Status: answered. Role: supply the material organized by this View.

The value Probe resolves the checked count through its task QA-bank answer rather than ending at a copied number.

Evidence card. Card task QA-bank answer: QI2 · QA bank · Binding: tasks/QV1-agreeableness/QA/1-bound-source-count.md. Consumer question: Q-View-1. Status: answered.

The current View binds 3 source Probe records [Q-View-1].

The Probe records remain the full answers; the View body selects and organizes what a person needs to read.

2 · View body

The readable middle: topic-specific subsections hold the actual substance, while Cards attach provenance and relationships to exact words.

```
readable sentence + exact-span Card    inspect evidence without leaving the body
```

2.1 · Trait meaning

Agreeableness is an interpersonal trait expressed through warmth and cooperation.

Evidence card. Card interpersonal trait: EC1 · Literature · Finding: agreeableness is treated as an interpersonal construct. Bearing: supports. Boundary: trait description only. Binding: QBT-page-types/views/QBT1-for-view/input/QA-probes/1-canonical-definition.md. Freshness: current. Used by: QBT1-Display1 QBT1-Display2.

Evidence card. Card warmth and cooperation: EC2 · Literature · Finding: warmth and cooperation are the facets selected for this specimen. Bearing: supports. Boundary: illustrative, not exhaustive. Binding: QBT-page-types/views/QBT1-for-view/input/QA-probes/1-canonical-definition.md. Freshness: current. Used by: QBT1-Display1 QBT1-Display2.

The literature-side construct frame resolves through the real bibliography (John et al., 1999).

2.2 · Observable project signal

Review text records patient descriptions of patient-facing behavior, so this View treats review-derived scores as patient-perceived signals.

Evidence card. Card patient-perceived signals: EC3 · Value · Finding: the project observes descriptions and evaluations of behavior. Bearing: qualifies. Boundary: observed signal, not direct latent trait. Binding: QBT-page-types/views/QBT1-for-view/input/QA-probes/2-observable-signal.md. Freshness: current. Used by: QBT1-Display1 QBT1-Display2.

2.3 · Measurement boundary

The score is not treated as an error-free measure of latent personality.

Evidence card. Card not treated as an error-free measure of latent personality: EC4 · Construct · Finding: the current evidence does not justify direct latent-personality measurement. Bearing: bounds this specimen. Boundary: patient-perceived manifestation only. Binding: QBT-page-types/views/QBT1-for-view/input/QA-probes/3-measurement-boundary.md. Freshness: current. Used by: QBT1-Display1 QBT1-Display2.

The body is not a hidden evidence ledger.

It is the human-readable synthesis produced from the inputs; Citation, Value, and other Evidence Cards let the reader inspect why each exact phrase is present.

3 · Displays

The visible outputs: a View produces one or several Displays only when a visual or tabular form helps a reader inspect or reuse part of the body.

QBT1-Display1 is the trait-description table. Its current raster is embedded below; click QBT1-Display1 and the same preview appears first, before its View-body bindings, files, and independent acceptance state.

Layer	What the View says	Evidence	Boundary
Construct	Interpersonal warmth and cooperation	EC1, EC2	Illustrative, not exhaustive
Observable signal	Patient descriptions of patient-facing behavior	EC3	Patient-perceived signal
Measurement claim	Review-derived manifestation of the construct	EC3, EC4	Not an error-free latent trait measure

Table 1: Construct meaning, observable signal, and measurement boundary for the View.

QBt1-Display2 is the two-panel illustration. Its current raster is embedded below; click QBt1-Display2 and the same preview appears first, before its panel bindings, files, and independent acceptance state.




Figure 1: Agreeableness construct meaning and the patient-perceived signal observed by the project.

Each output also carries preview.pdf as the printable inspection surface. PNG is shown inline because it renders reliably in the Board browser; PDF remains linked in the Card at full fidelity.

Each authored output folder is also a complete generic renderer unit. output.md owns the View-level semantic judgment; intake/ binds approved evidence or context; recipe/ records reproducibility; candidates/, assets/, and versions/ separate alternatives, the winner, and history. No second Display adapter folder is created.

The two Displays remain separate because a person can inspect and accept them independently. They remain inside one View because both are outputs selected from the same named View body. QBt1-Display1 and QBt1-Display2 are the only required outputs in this specimen; prose packs and evidence ledgers are optional outputs, not universal folders.

4 · Consumers

The outgoing side: consumers may link to the whole View or to selected Displays, and the View exposes that relationship before handoff.

```
View  whole-View consumer
      QBt1-Display1/2 consumer + placement + gate state
```

The Main Results section plans to consume QBt1-Display1 for its construct-interpretation passage.

Evidence card. Card Main Results section: C1 · Consumer · Target Page: S-Main-4 · Binding: QBt-page-types/consumer/S-Main-4-results.md. Uses: QBt1-Display1. Placement: Results / construct interpretation. Status: planned, blocked on View and Display acceptance.

Other legal consumers include Appendix sections, Narrative pages, reports, and applications.

A consumer may still reach a Probe directly when its own contract allows it; the View route is the normal human-readable handoff, not a ban on every direct link.

1 References

- John, Oliver P.; Srivastava, Sanjay (1999). The Big-Five Trait Taxonomy: History, Measurement, and Theoretical Perspectives. Handbook of Personality: Theory and Research