

Agreeableness evidence view: bound sources, observable signal, and measurement boundary

1 · QA inputs

Input bindings: the answered Probes and QA-banks used by this View.

input/QA-probes/2-observable-signal.md → observable signal + bound source-Probe count
input/QA-probes/3-measurement-boundary.md → the strongest measurement claim this View may make

This View binds two answered Probes carried over from QBT1's own Probe set.

Evidence card. Card two answered QA Probes: QI1 · QA input · Bindings: views/QY1-for-view/input/QA-probes/2-observable-signal.md, views/QY1-for-view/input/QA-probes/3-measurement-boundary.md. Status: answered. Role: supply the material organized by this View.

Probe 2 resolves the bound source-Probe count through its own task QA-bank answer.

Evidence card. Card task QA-bank answer: QI2 · QA bank · Binding: ../../tasks/QV1-agreeableness/QA/1-bound-source-count.md. Consumer question: Q-View-1. Status: answered.

The current View binds 3 source Probe records into its underlying judgment [Q-View-1], even though only two of those Probe files are copied directly into this View's own input/QA-probes/.

2 · View body

Readable body: the topic-specific material a person should understand.

observable signal + measurement boundary → one bounded reading of agreeableness evidence

2.1 · Observable project signal

Review text directly records patient descriptions and evaluations of patient-facing behavior, so the review-derived score is a patient-perceived signal rather than a direct instrument reading.

Evidence card. Card patient-perceived signal: EC3 · Value · Finding: the project observes descriptions and evaluations of behavior, not the trait itself. Bearing: qualifies. Boundary: observed signal, not direct latent trait. Binding: views/QY1-for-view/input/QA-probes/2-observable-signal.md. Freshness: current. Used by: QY1-Display1.

The literature-side construct frame for agreeableness rests on the standard trait taxonomy (John et al., 1999).

2.2 · Measurement boundary

The strongest claim this View may support is that the score is a patient-perceived manifestation of agreeableness-related behavior.

Evidence card. Card patient-perceived manifestation: EC4 · Construct · Finding: the two bound Probes do not justify a claim of error-free latent-personality measurement. Bearing: bounds this View. Boundary: manifestation only, not a validated latent-trait instrument. Binding: views/QY1-for-view/input/QA-probes/3-measurement-boundary.md. Freshness: current. Used by: QY1-Display1.

Any stronger claim would require direct construct-validation evidence that these two Probes do not contain.

The body is not a hidden evidence ledger; EC3 and EC4 let a reader inspect why each exact phrase is present.

3 · Displays

Display outputs: each output selects View-body content and keeps an independent acceptance state.

EC3, EC4 → QY1-Display1 → owner-indexed evidence table

QY1-Display1 is the owner-indexed evidence table: one row per bound Probe, showing what it answers, its Card, and its boundary. Its current raster is embedded below; click QY1-Display1 and the same preview appears first, before its View-body bindings, files, and independent acceptance state.

Owner	What the Probe answers	Card	Boundary
Probe 2 · observable-signal	Review text records patient descriptions of patient-facing behavior; 3 source Probe records feed the View judgment	EC3	Patient-perceived signal, not a direct latent-trait reading
Probe 3 · measurement-boundary	The score may be described as a patient-perceived manifestation of agreeableness-related behavior	EC4	Not an error-free measure of latent personality

Evidence card. Card QY1-Display1: Display · Kind: table · Bindings: EC3, EC4 · Files: views/QY1-for-view/output/QY1-Display1-agreeableness-evidence-table/output.md, views/QY1-for-view/output/QY1-Display1-agreeableness-evidence-table/preview.png, views/QY1-for-view/output/QY1-Display1-agreeableness-evidence-table/preview.pdf · State: rendered, acceptance waiting.

preview.pdf carries the same table as the printable full-fidelity inspection surface: views/QY1-for-view/output/QY1-Display1-agreeableness-evidence-table/preview.pdf.

QY1-Display1 is the only Display in this specimen; no prose pack or evidence ledger is added as a separate optional output.

4 · Consumers

Consumer bindings: downstream Pages or applications and what they use.

QY1-Display1 → Main Results section (S-Main-4) → Results / construct interpretation, planned

The Main Results section is the planned downstream reader for QY1-Display1's construct-interpretation row.

Evidence card. Card Main Results section: C1 · Consumer · Target Page: S-Main-4 · Binding: ../../QS-consumers/S-Main-4-results.md · Uses: QY1-Display1 · Placement: Results / construct interpretation · Status: planned, blocked on View and Display acceptance.

S-Main-4-results.md is the live Board Page this Card points to; it is read here for reference only and is not modified by this View.

A consumer may still reach a Probe directly when its own contract permits it; the View route remains the normal human-readable handoff.

1 References

- John, Oliver P.; Srivastava, Sanjay (1999). The Big-Five Trait Taxonomy: History, Measurement, and Theoretical Perspectives. Handbook of Personality: Theory and Research