

1 · THE 260815 RULING, AND WHAT IT RETIRED

****What moved, what stayed, what died****: the drawing's three homes before and after.

The attach button this page used to settle wrote one embed line into `## Diagram`, and with the embed gone the button's subject is gone.

Its write path, the exact line, and the refusal rules are preserved in the archived page (`_archive/`, this page's Log names it), because a retired mechanism is recorded and never silently deleted.

61 page scenes moved into `page draw/` folders, each renamed to its page's current id.

2 · WHAT THE ENGINE STILL OWES THIS RULING

****Three stale readers****: each still assumes the pre-fold layout.

`cli/draw.py` still defines a group as the shared parent of its member files, which a folded board no longer has, and its manifests still point at the old sibling paths.

`src/page_board.py`'s group canvas reads the same shared-parent assumption.

The attach endpoint in the live layer still accepts a write whose target line no longer renders.

Each of these is an Aim below, and none of them blocks the board: the scenes are ordinary files, and git carries them wherever they sit.

3 · ONE SOURCE FOR EACH OWNER

****The source boundary****: the files a person may edit and what each one owns.

Each Page drawing is an ordinary Excalidraw scene and remains useful when opened by itself.

The Group scene carries only Group-owned elements and an import manifest naming each Page source and its placement.

An empty Page still gets a source file, and an empty Group still gets a Group source, so existence never depends on whether someone has drawn the first shape.

The folder is named `../draw/` in lowercase, as JL ruled on 260807.

4 · COMPOSITION IS A VIEW, NOT ANOTHER SOURCE

****The composition boundary****: what is stored and what is derived.

Opening a Group loads group.excalidraw, resolves every import, namespaces its element references by Page id, and applies the placement transform.

The resulting scene can show every Page drawing at once without merging their source files.

A Page save changes its revision and invalidates every composed Group that imports it.

The next Group load or live refresh recomposes from sources, so there is no manual intake step.

5 · TWO EDIT MODES IN THE GROUP VIEW

****The save target****: one visible mode decides which file receives a gesture.

Arrange Instance treats an imported Page as one portal and never changes the Page source.

Edit Page Source enters the selected Page's local source coordinates and saves only that Page scene.

The editor must show the active owner before the first editable gesture and again while saving.

Cross-owner selection is read-only until the person chooses which owner to enter.

6 · REVISIONS, CONFLICTS, AND CHAT

****The safe save****: the values checked before a write is accepted.

Every source save carries the revision that was opened.

The server accepts the write only when that revision is still current, which prevents a Group editor and a Page editor from silently replacing each other.

Chat receives the same owner address as the canvas, so a request such as edit QD1 from the Group view is routed to QD1.excalidraw, not to the composed result.

The page status strip and Chat context can therefore name the Board, Group, Page, and drawing owner in one address.

7 · MIGRATION AND STAGED DELIVERY

****The first migration****: what this round writes and what it deliberately leaves alone.

The migration reads the current board.excalidraw and never edits it.

It refuses before writing anything if one target source already exists.

Every new file is created exclusively, and a failed run removes the files it created before reporting the failure.

An existing unframed relation enters a Group source when its explicit owner or its bound endpoints name one Group; an ownerless or cross-Group element stops the migration for a human ruling.

For this Board it created nine Group folders and sixty-six initial Page sources, then sync additively created QBt11 and QC5 when the Board reached sixty-eight Pages.

The current sources still restore all 175 legacy elements and zero embedded files exactly.

The old scene remains the rollback path while the linked runtime is adopted.