

1 The contract

```
<page>/bibex/  
  <stem>.bib          PRIMARY . the page's citation store . committed  
                        header says: edits welcome, refresh only APPENDS  
  <stem>-bib.html     DERIVED . the workbench view, regenerated freely  
flat page fallback: <board>/bibex/ . deck.py's own fork
```

Seeding resolves a cited key against the paper's 0-*.bib upward and copies the entry whole into the page bib; the upstream file is read and never written. A refresh re-scans the page's keys, imports what has become resolvable, and regenerates the view; an entry already in the page bib is never overwritten and never deleted, because a person may have edited it. An entry no longer cited on the page stays, marked **not cited on this page**, so removing a sentence never silently drops its source. A cite inside a code fence or backticks is stripped before scanning: a figure showing the syntax is an illustration, not a citation.

2 The workbench

```
checked . JL 260815 [undo]    the tick writes verified = {JL 260815}  
unchecked [ I checked this]  INTO the entry . travels with it,  
                             no sidecar to drift  
Scholar . DOI . URL         the links the checking happens through  
raw bibtex . edit [save]    fix a field, replace in place  
missing key  Scholar       find it, paste its bibtex, it lands  
  [ paste]  done           verbatim in the page bib  
add a citation              same pen, for uncited sources
```

The is the page's answer to "did I check this link myself": nobody but a person clicks it, the field records who and when, and undo removes it. The pen validates shape only, one balanced entry with a key, and refuses a duplicate key unless the save is an explicit replace; it never composes, completes, or corrects the text, which is the line between a pen and an author. The box also takes a LINK: a DOI, an arXiv link, Scholar's Cite → BibTeX link, or a paper URL, and the bibtex is fetched WHOLE from that source into the box for review, so fetching is copying and landing stays the person's second click. An unusable fetched key, such as doi.org's URL-as-key, is renamed to surname+year mechanically, because a key is a local handle and not metadata. The whole raw .bib sits one fold from the cards, path printed, because the file is the person's and hand-editing it is legal. The store's first lived entry is JL's own KDD paper [Luo et al., 2026], landed through the pen on 260815 and cited here so this very page renders the inline link and the References block the binding produces.

3 The surface

```
82-plugin-exports.js --POST--> /_board/bibex --> refresh + view  
tab.url() names bibex/<stem>-bib.html . HEAD hit > frame it  
the view's buttons POST bibex-verify / bibex-entry themselves and  
reload . lit-click on the tab > REFRESH, the derived half only
```

References

Junjie Luo, Xuzhe Zhi, Rui Han, Abhimanyu Kumbara, Mansur E Shomali, Anand K Iyer, Ritu Agarwal, and Guodong Gordon Gao. Eventglucose: A benchmark for continuous glucose monitoring forecasting with behavioral event context. In *Proceedings of the 32nd ACM SIGKDD Conference on Knowledge Discovery and Data Mining V. 2*, pages 9510–9521, 2026.