

# Emergency Medical Services Patient Care Report September 2013 HL7 Normative Ballot

Sponsored By:
Clinical Interoperative Council
Emergency Care Work Group
Patient Care Work Group
Public Health and Emergency Response Work Group

# Contents

Acknowledgments	
List of Figures	10
215t of Figures	
Chapter 1: INTRODUCTION	
Overview	
Audience	
Scope	
Approach	
Units	
Null and Negative Values	
Null Value Mapping	
Organization of This Guide	
Templates	
Vocabulary and Value Sets	
Use of Templates.	
Originator Responsibilities	
Recipient Responsibilities	
Conventions Used in This Guide	
Conformance Requirements	
Keywords	
XML Examples	
•	
Chapter 2: DOCUMENT TEMPLATES	
Patient Care Report	19
•	
Chapter 3: SECTION TEMPLATES	30
EMS Advance Directives Section	3
EMS Allergies And Adverse Reactions Section	3
EMS Billing Section	3
EMS Cardiac Arrest Event Section.	
EMS Current Medication Section	
EMS Dispatch Section	32
EMS Disposition Section	
EMS Injury Incident Description Section.	
EMS Medications Administered Section	
EMS Past Medical History Section	36
EMS Patient Care Narrative Section	
EMS Personnel Adverse Event Section.	
EMS Physical Assessment Section	
EMS Procedures Performed Section.	
EMS Protocol Section	
EMS Response Section.	
EMS Scene Section	
EMS Situation Section.	
EMS Social History Section.	
EMS Times Section.	

ter 4: CLINICAL STATEMENT TEMPLATES.	•••••
Abandoned Procedure Reason Observation	
Abdomen Assessment	
Additional Vital Signs Organizer	
Advance Directive Observation.	
Adverse Event Indicator	
Adverse Event Type Observation	
Airbag Deployment Status	
Airway Confirmation Observation	
Arrest Rhythm.	
Back And Spine Assessment.	
Barriers To Patient Care	
Billing Condition	
Blood Glucose	
Body Temperature	
Call Time	
Candidate Patient Registry Type	
Carbon Dioxide	
Carbon Monoxide	
Cardiac Arrest	
Cardiac Arrest Cause	
Cardiac Arrest Outcome	
Cardiac Arrest Timing	
Chest And Lungs Assessment	
Complaint	
Complaint Duration	
Complaint Organ System	
Complaint Reported By Dispatch	
Complaint Type	
Current Medication	
Currently On Medication	
Delay Organizer	
Destination Rhythm	
Destination Ward	
Diastolic Blood Pressure	
Disaster Type	
Dispatch Delay	
Dispatch Location Latitude	
Dispatch Location Longitude	
Dispatch Location Name	
Dispatch Location Organizer	
Dispatch Notified Time	
Drug Allergy	
Drug Allergy Organizer	
Drug Use Indication	
Emergency Medical Dispatch Observation	
Existence Of Drug Allergy Observation	
Existence Of Drug Use Indication	
Existence Of History Of Condition	

Face Assessment.	68
First Unit Indicator	69
Glasgow Coma Score Organizer	69
Glasgow Eye	69
Glasgow Motor	
Glasgow Qualifier	70
Glasgow Total	70
Glasgow Verbal	71
Head Assessment.	71
Heart Assessment.	71
Heart Rate	72
Height Of Fall.	72
History Of Condition.	
Incident Disposition Observation	
Initial Patient Acuity	
Injury Cause Category	
Injury Mechanism.	
Injury Risk Factor	
Last Oral Intake	
Length Based Patient Body Weight Class	
Level Of Responsiveness	
Level Of Service Observation.	
Location Type Observation	
Mass Casualty Indicator	
Medication Administered	
Medication Complication Observation	
Medication Not Administered Reason Observation	
Medication Prior Administration Observation	
Medication Response Observation	
Mental Status Assessment	
Neck Assessment	
Neurological Assessment	
Non Drug Allergy	
Non Drug Allergy Organizer	
Number Of Patients Transported Observation.	
Other Symptoms.	
Oxygen Saturation	
Pain Score	
Patient Age	
Patient Body Weight	
Patient Location In Vehicle	
Patient On Anticoagulants	
Patient Pregnancy	
Pelvic And Genitourinary Assessment	
Physical Assessment Organizer	
Possible Injury	
Prearrival Activation Observation.	
Primary Destination Hospital Capability	
Primary Symptom	
Prior AED Use	
Prior Aid Vitals	
Prior CPR	
Procedure	
Procedure Complications Observation.	

	Procedure Number Of Attempts Observation	
	Procedure Patient Response Observation.	
	Procedure Prior Indicator	
	Procedure Successful Observation	
	Protocol Age Category	
	Protocol Observation.	
	Provider Primary Impression.	
	Provider Secondary Impressions.	
	Reason For Choosing Destination Observation.	
	Reason Procedure Not Attempted Observation.	
	Respiratory Rate	
	Response Beginning Odometer Reading	
	Response Delay	
	Response Destination Odometer Reading	
	Response Ending Odometer Reading	
	Response Mode Qualifier	
	Response Mode To Scene.	
	Response Odometer Reading Organizer	
	Response On Scene Odometer Reading	
	Return Of Spontaneous Circulation.	
	Scene Delay	
	Scene Patient Count	
	Stroke Score	
	Systolic Blood Pressure	
	Thrombolytic Contraindications	
	Transport Delay	
	Transport Method Observation	
	Transport Mode Observation	
	Transport Mode Qualifier	
	Trauma Center Criteria	
	Turnaround Delay	
	Unit At Patient Time	
	Unit Back In Service Time	
	Unit En Route Time	
	Unit Left Scene Time	
	Unit Level Of Care Capability	
	Unit Notified Time	
	Unit On Scene Time	
	Vehicle Impact Area	
	Vehicle Occupant Safety Equipment	
	Vital Signs Organizer	105
		100
Ci	hapter 5: VALUE SETS	
	AED Use Prior To EMS Arrival.	
	Abdomen Assessment Finding	
	Abdominal Finding Location	
	Administrative Gender	
	Administrative Gender Excluding Nulls	112
	Advance Directive Type	
	Airbag Status	
	Airway Device Confirmation Method.	
	Airway Device Type	
	Alcohol Drug Use Indicator	114
	Anatomic Location	
	Back Spine Assessment Finding	115

Back Spine Finding Location.	116
Barrier To Care	117
Blood Pressure Measurement Method.	117
Cardiac Arrest Cause	118
Cardiac Arrest Outcome	118
Cardiac Arrest Timing	118
Cardiac Arrest Witness Role	119
Cardiac Rhythm Reading	119
Cardiopulmonary Resuscitation Type	120
Change In Patient Status	121
Chest Lung Assessment Finding.	121
Complaint	123
Complaint Type	124
Confidentiality	
Crew Role Level	125
Destination Choice Reason.	125
Destination Prearrival Activation.	126
Destination Type	126
Destination Ward Kind	
Disaster Type	
Dispatch Delay Type	
ECG Type	
EMD Performed.	
EMS Level Of Service	
EMS Medication Administration Device.	
Ethnicity	
Ethnicity Group	
Existence Of Contraindications To Thrombolytic Use.	
Extremity Finding Location.	
Eye Assessment Finding	
Eye Finding Location.	
FDA Route of Administration	
Face Assessment Finding.	
First Monitored Rhythm.	
Glasgow Coma Score Special Circumstances.	
HL7 Administrative Gender.	
HL7 Confidentiality.	
HL7 Human Language	
Head Assessment Finding	
Heart Assessment Finding	
Human language	
IC D-10	
ICD-10 CM	
ICD-10 PCS.	
Incident Outcome.	
Infusion Site.	
LOINC	
Length Based Weight Class.	
Level Of Responsiveness.	
Mechanism Of Injury	
Medication Administration Route	
Medication Administration Site	
Medication Authorization Type	
Medication Complication.	
Medication Not Given Reason.	
Mental Status Finding	145

Method Of ECG Interpretation	
Neck Assessment Finding	
Neurological Assessment Finding	14
Non Drug Allergy Type	148
Organ System	14
Pelvis Genitourinary Assessment	149
Pregnancy	
Primary Hospital Capability	
Prior Care Provider Role	
Procedure Complication Type	
Protocol	
Protocol Age Category	
Provider Adverse Event Type	
Provider Response Role	150
Provider Role	
Race and Ethnicity - CDC	
Race Category	
Reason Procedure not Performed	158
Reason Procedure not Performed Superset	158
Reason Resuscitation Not Attempted	159
Registry Type	
Response Delay Type	
Response Mode Qualifier	160
Resusctitation Discontinue Reason	16
Return Of Spontaneous Circulation	
Rx Norm	
Safety Equipment Type	
Scene Delay Type	162
Service Type	163
Stroke Scale	
Stroke Scale Interpretation	
Transport Delay Type	
Transport Method	165
Transport Mode Qualifier	165
Transportation Mode	160
Trauma Center Criteria.	160
Turn Around Delay Type	
Unit Level Of Care	16′
Unit Response Role	168
Vehicle Impact Area	
Vehicle Passenger Location	169
SAMPLE	170
REFERENCES	

# **Acknowledgments**

This implementation guide was developed with the support and sponsorship of the National EMS Information System (NEMSIS), directed by Clay Mann. Additional clinical guidance was provided by Dr. Greg Mears. NEMSIS is supported by the US National Highway Traffic Safety Administration, the Centers for Disease Control, and the Health Resources and Services Administration, as well as dozens of other government agencies, universities, and professional organizations.

Shakir Consulting was instrumental in the creation of the domain analysis model and constrained model that inform this specification.

The HL7 Patient Care, Emergency Care, and Clinical Interoperability Council working groups sponsored the project, but we also leaned heavily on the work done by HL7's Structured Documents committee, as well as exemplary guides produced by other teams, most notably the Healthcare Associated Infections team. Special thanks go to Russ Hamm, Jerry Sable, Rob Hausam, Keith Boone, Dan Leonard, and Dan Vreeman. Sean Muir's assistance was indispensible in making the rich functionality of the Model- Driven Health Tools available.

The work could not have been completed without the indefatigable assistance of Jaci Phillips and the support of the Regenstrief institute.

This document contains information from the following sources:

©2010 ANSI. This material may be copied without permission from ANSI only if and to the extent that the text is not altered in any fashion and ANSI's copyright is clearly noted.

SNOMED CT<sup>®</sup> is the registered trademark of the International Health Terminology Standard Development Organization (IHTSDO). Implementers will need to acquire a (free) license to use SNOMED CT by agreeing to the UMLS Metathesaurus license, available from the National Library of Medicine (nlm.nih.gov).

This material contains content from LOINC® (http://loinc.org). The LOINC table, LOINC codes, and LOINC panels and forms file are copyright  $^{\circ}$  1995-2010, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and available at no cost under the license at http://loinc.org/terms-of-use .

The length-based body weight classification (67670-0) is based on values defined by General Electric's Broselow-Luten system. Implementers will require a license to use this field.

Certain materials contained in this Interoperability Specification are reproduced from Health Level Seven (HL7) HL7 Implementation Guide: CDA Release 2 – Continuity of Care Document (CCD), HL7 Implementation Guide for CDA Release 2: History and Physical (H&P) Notes, HL7 Implementation Guide for CDA Release 2: Consult Notes, or HL7 Implementation Guide for CDA Release 2: Operative Notes with permission of Health Level Seven, Inc. No part of the material may be copied or reproduced in any form outside of the Interoperability Specification documents, including an electronic retrieval system, or made available on the Internet without the prior written permission of Health Level Seven, Inc. Copies of standards included in this Interoperability Specification may be purchased from the Health Level Seven, Inc. Material drawn from these standards is credited where used.

#### **Contributors**

Co-Editor / Co-Chair	Anita Walden Duke Translational Medicine Institute Duke University anita.walden@duke.edu
Co-Editor	Jay Lyle Ockham Information Services LLC jlyle@ockhamis.com
Co-Editor	Sarah Ryan Ockham Information Services LLC sryan@ockhamis.comm
EMS Subject Matter Expert	Clay Mann National EMS Information System University of Utah School of Medicine clay.mann@utah.edu

EMS Subject Matter Expert

Greg Mears, M.D. Formerly of the Department of Emergency Medicine University of North Carolina, Chapel Hill gdmears@me.com

# **List of Figures**

Figure 1: Template name and "conforms to" appearance	16
Figure 2: Template-based conformance statements example	16
Figure 3: CCD conformance statements example.	17
Figure 4: ClinicalDocument example	17

CDAR2L3\_IG\_EMSRUNRPT  $\_$  R1  $\_$  2014FEB | List of Figures | 11

# Chapter

# 1

# INTRODUCTION

#### Topics:

- Overview
- Audience
- Scope
- Approach
- Organization of This Guide
- Use of Templates
- Conventions Used in This Guide

This document is intended to guide software developers in generating CDA-compliant XML patient care reports, also known as run reports, from EMS agency crews to emergency departments and other interested parties. It consists of a set of constraints on the HL7 CDA R2 model mapped to the National EMS Information System (NEMSIS) data elements.

Clinical Document Architecture (CDA) is a standard for information exchange. It is based on the HL7 Reference Information Model, but it constrains that model to a specific set of patterns. This document adds further constraints, so that it specifies not just a generic clinical document, but an Emergency Medical Services (EMS) Patient Care Report—a record of an Emergency Medical Services encounter with a patient.

Further information about CDA is available at HL7.org.

This guide constrains the NEMSIS data set version 3.4.0 to the HL7 CDA R2 document format. NEMSIS is maintained by the NEMSIS Technical Assistance Center, a US organization funded by the National Highway Transportation Safety Administration, the Centers for Disease Control, and the Health Resources and Services Administration at the University of Utah. The NEMSIS data dictionary is available at www.nemsis.org.

#### **Overview**

This implementation guide provides constraints to allow implementers to develop CDA-compliant documents that support a common set of information in the emergency medical services (EMS) domain.

This release covers the provision of information from an EMS crew to a receiving hospital or emergency department. A future release will cover the entire EMS dataset; this document will be a template within that specification.

#### **Audience**

The audience for this document is software developers and development organizations who wish to produce or receive EMS patient care reports.

Software developers should use the CDA XML schema to guide their production of EMS patient care reports, subject to the constraints documented in this guide. Mappings of NEMSIS elements to the CDA schema are included in this document, in the "NEMSIS trace" comment. Coded elements should use the vocabularies referred to in the constraints.

The CDA schema is published by Health Level 7, and is available at http://www.hl7.org/implement/standards.

This guide defines the information payload only. Implementers are encouraged to coordinate with one another by using the IHE framework (available at http://www.ihe.net) to address expected capabilities of participating systems, including security and audit considerations.

# Scope

The NEMSIS data specification content has been developed over the past 20 years by a variety of partners. Professional organizations contributing to the content include American Ambulance Association (AAA), American College of Emergency Physicians (ACEP), American College of Surgeons: Committee on Trauma (ACS-COT), American Heart Association (AHA), Emergency Medical Services Outcomes Project (EMSOP), International Association of Fire Chiefs (IAFC), International Association of Fire Fighters (IAFF), National Academy of Emergency Medical Dispatch (NAEMD), National Association of Emergency Medical Technicians (NAEMT), National Association of EMS Physicians (NAEMSP), National Association of State EMS Officers (NASEMSO), National EMS Management Association (NEMSMA, formerly NAEMSQP), and the National Emergency Number Association (NENA). Supporting federal partners include National Highway Traffic Safety Administration (NHTSA), Health Resources and Services Administration (HRSA), Emergency Medical Services for Children Program (EMSC), EMSC National Resource Center (NRC), EMSC National EMSC Data Analysis Resource Center (NEDARC), Centers for Disease Control and Prevention (CDC), Federal Emergency Management Administration (FEMA), and HRSA's Office of Rural Health Policy (ORHP). NEMSIS has been adopted in 46 states and territories and implemented by scores of software providers.

The NEMSIS data set supports many uses, including the transfer of patient care reports from EMS crews to emergency departments, the prepopulation of hospital electronic health records, identification of trauma registry candidates, and preparation of data for submission to NEMSIS for research. The current specification is designed for the first of these use cases.

Implementers may generate the same patient care reports that they generate today and attach them under the CDA header in "level one" documents, or they may populate the structured sections as specified herein.

A separate effort to develop an implementation guide is the Emergency Transfer of Care specified by Integrating the Healthcare Enterprise (IHE) as the level two template 1.3.6.1.4.1.19376.1.5.3.1.1.19.1. These templates may be harmonized in the future; at this point, they are distinct.

## **Approach**

We first transformed the NEMSIS specification into the Emergency Medical Services Domain Analysis Model (EMS DAM), initially balloted through HL7 in May of 2010 and finalized for the release in May 2011. The static part of the analysis model was then constrained to the HL7 Reference Information Model (RIM) in a Domain Information Model (DIM), balloted in January, 2011, and reballoted in September, 2011. After a DSTU period, this guide was balloted to Normative status in the autumn of 2013.

This guide is the first implementable specification developed based on the EMS DIM.

An initial iteration, balloted in May 2011, supports what is commonly termed "level one" CDA compliance, i.e., a document with structured header information containing an unstructured document of some form (whether pdf, image, or other recognized format). In addition, this iteration supported "level two" compliance, in which human-readable text information is provided for sections identified in XML. A sender of a document, however, must choose whether to send the "level one" encapsulated document or the "level two" set of XML sections: a document containing both is not acceptable.

The September, 2011 iteration modeled the sections to "level three," in which the sections also include detailed, structured information representing the section text. This structured information follows standard patterns in such a way that receiving applications will be able to process specific semantically identified elements for storage in medical records, application of business rules, or other computable services. This iteration also includes changes to the level two template assignments, so the May 2011 informative version is no longer valid.

Harmonization has been approached semantically rather than syntactically. There are clear parallels, but few exact matches, with the CDA Consolidation project--an effort by the Office of the National Coordinator's Standards & Interoperability initiative in collaboration with HL7 to bring together several similar extant CDA specifications. We expect that LOINC codes will offer the ability to identify consistent information elements, even when the structures they inhabit (templates) may be subject to differing requirements. These requirements include elements required in the Consolidated guide but not always available in an EMS setting, elements needed in an EMS setting but not represented in the Consolidated templates, and elements where a code is specific to a clinical setting and an EMS-specific code is needed. Similarly, harmonization with the Emergency Department specification Data Elements for Emergency Department Systems (DEEDS) depends on the use of extant or related LOINC codes for shared elements.

The templates in this guide are open, meaning that information not specified in the guide may be included in document instances, though recipeints are under no obligation to comprehend that additional information.

This release is generated from UML models developed in the Open Health Tools (OHT) Model-Driven Health Tools (MDHT) project. The data specifications have been formalized into computational models expressed in UML. These models are used by automated tooling to generate this publication, plus validation tools and Java libraries for implementers.

#### **Units**

Physical quantities use the HL7 PQ data type, in which units are expressed in the Unified Code for Units of Measure (UCUM; 2.16.840.1.113883.6.8), available at unitsofmeasure.org. We recommend using the case sensitive values of that specification (2.16.840.1.113883.1.11.12839.). Interface values that are not actual physical units are handled differently: see appendix C for mappings.

# **Null and Negative Values**

We use RIM attributes for observations that may require explicit negation or null values. A provider who has checked for signs of drug use can assert that a particular sign was found (with a proper value), that whether there were signs is unknown (with a null) or that there were no signs (with negation).

However, in collections of acts other than observations, epistemological attributes may have uncertain semantics. If a procedure is negated, it may not be clear whether the provider is asserting that the procedure has never been performed on the patient or was not performed in a particular context. Similarly, one may document a history of specific disorders, but including a single, general but negated disorder implies assumptions about the scope of the negated disorder that are not explicitly modeled.

As a result, we manage negation and uncertainty for procedures with explicit Boolean observations. Using an observation allows the clinician to assert a history of zero disorders, or a lack of knowledge about disorders, without tying that assertion to a notional disorder that may imply unanticipated facts or questions.

In the interest of conformance with other guides, we also represent these null and negative acts with null and negated acts, in line with Consolidation Project recommendations. These notional classes should be annotated to ensure that it is clear that they restate the explicit observations, and are not distinct facts.

#### **Null Value Mapping**

NEMSIS contains null values not listed in HL7. "Not applicable" maps directly to "Not applicable", but "Not recorded" and "Not reported" must be represented as the general concept "No information". These NEMSIS values may also be copied into Observation.text.

NEMSIS also contains "pertinent negatives", most of which are addressed with negation and special cases in this document. Some of the negative action values, however, are actually null values, and are recorded as "NI", no information. A mapping of negative action values is provided in Appendix B.

# **Organization of This Guide**

The requirements as laid out in the body of this document are subject to change per the policy on implementation guides (see section 13.02" Draft Standard for Trial Use Documents" within the HL7 Governance and Operations Manual, <a href="http://www.hl7.org/documentcenter/public/membership/HL7">http://www.hl7.org/documentcenter/public/membership/HL7</a> Governance and Operations Manual.pdf ).

## **Templates**

Templates are organized by document (see Document Templates), by section (see Section Templates), and by clinical statements (see Clinical Statement Templates). Within a section, templates are arranged hierarchically, where a more specific template is nested under the more generic template that it conforms to.

#### **Vocabulary and Value Sets**

Vocabularies specified in this guide are derived from standard vocabularies where possible; most questions, however, are fairly specific to the EMS domain. These questions have been encoded in clinical LOINC, and the answer sets have been encoded there as well, and they are included in this document. These values can also be obtained from LOINC.org. We anticipate publishing these value sets in a standard provisioning system, but are on hold pending the current work being done to align LOINC and SNOMED CT.

For properties bound to large value systems (e.g., ICD-10 PCS), NEMSIS provides suggested subsets at NEMSIS.org, under "V3 resources." These are not to be used to validate values (all values in the system are valid), but as suggested aids to providing a manageable user interface. All RxNorm drugs are valid, for instance, but you might wish to provide a selection of drugs commonly found on EMS vehicles for easy selection.

# **Use of Templates**

When valued in an instance, the template identifier (templateId) signals the imposition of a set of template-defined constraints. The value of this attribute provides a unique identifier for the templates in question.

## **Originator Responsibilities**

An originator can apply a templateId to assert conformance with a particular template.

In the most general forms of CDA exchange, an originator need not apply a templateId for every template that an object in an instance document conforms to. This implementation guide asserts when templateIds are required for conformance.

#### **Recipient Responsibilities**

A recipient may reject an instance that does not contain a particular templateId (e.g., a recipient looking to receive only CCD documents can reject an instance without the appropriate templateId).

A recipient may process objects in an instance document that do not contain a templateId (e.g., a recipient can process entries that contain Observation acts within a Problems section, even if the entries do not have templateIds).

#### **Conventions Used in This Guide**

#### **Conformance Requirements**

Conformance statements are grouped and identified by the name of the template, along with the templateId and the context of the template (e.g., ClinicalDocument, section, observation), which specifies the element under constraint. If a template is a specialization of another template, its first constraint indicates the more general template. In all cases where a more specific template conforms to a more general template, asserting the more specific template also implies conformance to the more general template. An example is shown below.

#### Template name

```
[<type of template>: templateId <XXXX.XXX.XXX.XXX>]
```

Description of the template will be here .....

- 1. Conforms to <The template name> Template (templateId: XXXX<XX>XXX>YYY).
- 2. SHALL contain [1..1] @classCode = <AAA> <code display name> (CodeSystem: 123.456.789 <XXX> Class) STATIC (CONF:<number>).
- 3. ......

#### Figure 1: Template name and "conforms to" appearance

The conformance verb keyword at the start of a constraint (SHALL, SHOULD, MAY, etc.) indicates business conformance, whereas the cardinality indicator (0..1, 1..1, 1..\*, etc.) specifies the allowable occurrences within an instance. Thus, "MAY contain 0..1" and "SHOULD contain 0..1" both allow for a document to omit the particular component, but the latter is a stronger recommendation that the component be included if it is known.

The following cardinality indicators may be interpreted as follows:

- 0..1 as zero to one present
- 1..1 as one and only one present
- 2..2 as two must be present
- 1..\* as one or more present
- 0..\* as zero to many present

Value set bindings adhere to HL7 Vocabulary Working Group best practices, and include both a conformance verb ( SHALL, SHOULD, MAY, etc.) and an indication of DYNAMIC vs. STATIC binding. The use of SHALL requires that the component be valued with a member from the cited value set; however, in every case any HL7 "null" value such as other (OTH) or unknown (UNK) may be used.

Each constraint is uniquely identified (e.g., "CONF:605") by an identifier placed at or near the end of the constraint. These identifiers are not sequential as they are based on the order of creation of the constraint.

- 1. SHALL contain [1..1] component/structuredBody (CONF:4082).
  - a. This component/structuredBody **SHOULD** contain [0..1] component (CONF:4130) such that it
    - **a. SHALL** contain [1..1] Reporting Parameters section (templateId:2.16.840.1.113883.10.20.17.2.1) (CONF:4131).
  - b. This component/structuredBody SHALL contain [1..1] component (CONF:4132) such that it

**a. SHALL** contain [1..1] Patient data section - NCR (templateId:2.16.840.1.113883.10.20.17.2.5) (CONF:4133).

#### Figure 2: Template-based conformance statements example

Note that most constraints in this guide do not contain the "such that" phrase, and this could in some cases give the impression that two statements, each of the form "SHALL contain exactly one . . ." are to be in conflict. This is an artifact of the modeling tool: both statements are required, and they are not in conflict.

CCD templates are included within this implementation guide for ease of reference. CCD templates contained within this implementation guide are formatted WITHOUT typical **KEYWORD** and **XML** element styles. A WIKI site is available if you would like to make a comment to be considered for the next release of CCD: <a href="http://wiki.hl7.org/index.php?title=CCD\_Suggested\_Enhancements">http://wiki.hl7.org/index.php?title=CCD\_Suggested\_Enhancements</a> The user name and password are: wiki/wikiwiki. You will need to create an account to edit the page and add your suggestion.

- 1. The value for "Observation / @moodCode" in a problem observation SHALL be "EVN" 2.16.840.1.113883.5.1001 ActMood STATIC. (CONF: 814).
- 2. A problem observation SHALL include exactly one Observation / statusCode. (CONF: 815).
- **3.** The value for "Observation / statusCode" in a problem observation SHALL be "completed" 2.16.840.1.113883.5.14 ActStatus STATIC. (CONF: 816).
- **4.** A problem observation SHOULD contain exactly one Observation / effectiveTime, to indicate the biological timing of condition (e.g. the time the condition started, the onset of the illness or symptom, the duration of a condition). (CONF: 817).

#### Figure 3: CCD conformance statements example

#### Keywords

The keywords SHALL, SHALL NOT, SHOULD, SHOULD NOT, MAY, and NEED NOT in this document are to be interpreted as described in the *HL7 Version 3 Publishing Facilitator's Guide*:

- SHALL: an absolute requirement
- SHALL NOT: an absolute prohibition against inclusion
- SHOULD/SHOULD NOT: valid reasons to include or ignore a particular item, but must be understood and carefully weighed
- MAY/NEED NOT: truly optional; can be included or omitted as the author decides with no implications

#### XML Examples

XML samples appear in this document in a fixed-width font. Portions of the XML content may be omitted from the content for brevity, marked by an ellipsis (...) as shown in the example below.

```
<ClinicalDocument xmlns='urn:h17-org:v3'>
...
</ClinicalDocument>
```

#### Figure 4: ClinicalDocument example

XPath expressions are used in the narrative and conformance requirements to identify elements because they are familiar to many XML implementers.

# Chapter

2

# **DOCUMENT TEMPLATES**

### **Topics:**

• Patient Care Report

This section contains the document level constraints for CDA documents that are compliant with this implementation guide.

# **Patient Care Report**

[ClinicalDocument: templateId 2.16.840.1.113883.17.3.10.2]

A report from the EMS crew to the emergency department summarizing the patient's condition and any remedial actions taken

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.2"
- **2. SHALL** conform to *Consol General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- 3. SHALL contain exactly one [1..1] @classCode="DOCCLIN" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:10000)
- **4. SHALL** contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:10001)
- 5. SHALL contain exactly one [1..1] id (CONF:5363)
  - NEMSIS trace: ERecord.01
    /@root should be the OID for the Agency; @extension the internally assigned ID
- 6. SHALL contain exactly one [1..1] code (CONF:5253)/@code="67796-3" EMS patient care report-version 3.1 Document NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10002)
- 7. SHALL contain exactly one [1..1] title and SHALL equal "EMS Patient Care Report" (CONF:5254)
- 8. SHALL contain exactly one [1..1] confidentialityCode, which SHALL be selected from ValueSet HL7 BasicConfidentialityKind 2.16.840.1.113883.1.11.16926 STATIC (CONF:5259)
  - Default value is "N" (normal)
- 9. MAY contain zero or one [0..1] versionNumber (CONF:5264)
  - May be null, and in most cases will not be used. In circumstances where updates are likely, the first instance should be denoted by a versionId of "1."
- **10. SHALL** contain exactly one [1..1] **recordTarget** (CONF:10004)
  - a. This recordTarget SHALL contain exactly one [1..1] patientRole (CONF:10870)
    - a. This patientRole SHALL contain at least one [1..\*] addr (CONF:10031)

```
NEMSIS Trace
```

EPatient.05 . . . /PatientRole/addr/streetAddressLine

EPatient.06 . . . /PatientRole/addr/city

EPatient.07 . . . /PatientRole/addr/county

EPatient.08 . . . /PatientRole/addr/state

Paatient.09 . . . /PatientRole/addr/postalCode

EPatient.10 . . . /PatientRole/addr/country

**b.** This patientRole **SHALL** contain at least one [1..\*] **id** (CONF:10871)

#### NEMSIS Trace

EPatient.01: root= the OID for the generating EMS agency, or "NI" EPatient.12: root=" 2.16.840.1.113883.3.184" (Social Security Administration)

EPatient.20 and EPatient.21: root= the OID for the state department of motor vehicles, found at HL7.org, and reproduced as found in March of 2011 in appendix A.

c. This patientRole contains zero or more [0..\*] telecom

NEMSIS Trace: EPatient.18

d. This patientRole SHALL contain exactly one [1..1] patient (CONF:10872)

a. This patient SHALL contain exactly one [1..1] administrativeGenderCode (CONF:10035), which SHALL be selected from ValueSet Administrative Gender Excluding Nulls 2.16.840.1.113883.3.2074.1.1.5 DYNAMIC (CONF:10878)

NEMSIS Trace: EPatient.13

**b.** This patient **SHOULD** contain zero or one [0..1] **birthTime** (CONF:10873)

NEMSIS Trace EPatient 17

c. This patient MAY contain zero or one [0..1] ethnicGroupCode (CONF:10874), which SHALL be selected from ValueSet Ethnicity Group 2.16.840.1.114222.4.11.837 DYNAMIC (CONF:10032)

NEMSIS Trace: EPatient.14

- d. This patient SHOULD contain zero or one [0..1] maritalStatusCode (CONF:5303), which SHALL be selected from ValueSet HL7 Marital Status 2.16.840.1.113883.1.11.12212 STATIC 1
- e. This patient **SHOULD** contain zero or more [0..\*] name (CONF:10875)

NEMSIS Trace

EPatient.02 . . . /PatientRole/Patient/name/family

EPatient.03 . . . /PatientRole/Patient/name/given

EPatient.04 . . . /PatientRole/Patient/name/given

Name sub-elements SHOULD be in the following order: family, given, middle (also "given"). For names from cultures not following the order assumed above, the "family" name SHOULD be populated with whatever name component should be used to sort by. E.g., for a person with a single name, "family" should be used.

f. This patient SHALL contain exactly one [1..1] raceCode (CONF:10876), which SHALL be selected from ValueSet RaceCategory 2.16.840.1.114222.4.11.836 DYNAMIC (CONF:10033)

NEMSIS Trace: EPatient.14

NEMSIS collects race and ethnicity in the one-question format (see guidance at http://www.whitehouse.gov/omb/fedreg\_1997standards), but the HL7 RIM and, therefore, the CDA schema contain separate elements. It is necessary to populate both CDA fields based on the values selected for the NEMSIS question. Further, the CDA model includes a single race code. In order to support multiple race codes as required by OMB, we adopt a second race code entry from the HL7 SDWG namespace. All documents with a race code must populate the CDA race code; if more than one race code is recorded, then the SDWG element may also be populated. No semantic priority is implied by the element selection.

- g. This patient MAY contain zero or one [0..1] religiousAffiliationCode (CONF:5317), which SHALL be selected from ValueSet HL7 Religious Affiliation 2.16.840.1.113883.1.11.19185 STATIC 1
- h. This patient MAY contain zero or more [0..\*] sdtc:RaceCode (CONF:10877), which SHALL be selected from ValueSet RaceCategory 2.16.840.1.114222.4.11.836 DYNAMIC (CONF:10034)

NEMSIS Trace: EPatient.14

i. This patient MAY contain zero or more [0..\*] sDTCRaceCode, which SHALL be selected from ValueSet Race Value Set 2.16.840.1.113883.1.11.14914 DYNAMIC (CONF:7263)

Note: The sdtc:raceCode is only used to record additional values when the patient has indicated multiple races or additional race detail beyond the five categories required for Meaningful Use Stage 2. The prefix sdtc: SHALL be bound to the namespace "urn:hl7-org:sdtc". The use of the namespace provides a necessary extension to CDA R2 for the use of the additional raceCode elements.

- j. This patient MAY contain zero or one [0..1] birthplace (CONF:5395)
  - a. This birthplace **SHALL** contain exactly one [1..1] **place** (CONF:5396)

- a. This place **SHALL** contain exactly one [1..1] **addr** (CONF:5397)
- **b.** This place If country is US, this addr **SHALL** contain exactly one [1..1] state, which **SHALL** be selected from ValueSet StateValueSet 2.16.840.1.113883.3.88.12.80.1 DYNAMIC
- **c.** This place This addr **MAY** contain zero or one [0..1] postalCode, which **SHALL** be selected from ValueSet PostalCodeValueSet 2.16.840.1.113883.3.88.12.80.2 DYNAMIC
- **d.** This place This addr **SHOULD** contain zero or one [0..1] country, which **SHALL** be selected from ValueSet CountryValueSet 2.16.840.1.113883.3.88.12.80.63 DYNAMIC
- **k.** This patient **MAY** contain zero or more [0..\*] **guardian** (CONF:5325)
  - a. Such guardians SHOULD contain zero or more [0..\*] addr with @xsi:type="USRealmAddress"
    - a. SHALL contain exactly one [1..1] city (CONF:7292)
    - **b. SHOULD** contain zero or one [0..1] **country** (CONF:7295)
    - c. SHOULD contain zero or one [0..1] postalCode (CONF:7294)
    - **d. SHOULD** contain zero or one [0..1] **state** (CONF:7293)
    - e. SHALL contain at least one [1..\*] streetAddressLine (CONF:7291)
    - **f. SHOULD** contain zero or one [0..1] @use (CONF:7290), which **SHALL** be selected from ValueSet *PostalAddressUse* 2.16.840.1.113883.1.11.10637 **STATIC**
    - g. State is required if the country is US. If country is not specified, its assumed to be US. If country is something other than US, the state MAY be present but MAY be bound to different vocabularies (CONF:10024)
    - h. PostalCode is required if the country is US. If country is not specified, its assumed to be US. If country is something other than US, the postalCode MAY be present but MAY be bound to different vocabularies (CONF:10025)
    - i. SHALL NOT have mixed content except for white space (CONF:7296)
    - **j. SHALL** contain at least one and not more than 4 streetAddressLine (CONF:7291)
  - **b.** Such guardians **SHOULD** contain zero or one [0..1] **code** (CONF:5326)
  - c. Such guardians MAY contain zero or more [0..\*] telecom with @xsi:type="TEL"
    - a. SHOULD contain zero or one [0..1] @use (CONF:7993)
  - d. Such guardians SHALL contain exactly one [1..1] guardianPerson
    - **a.** This guardianPerson **SHALL** contain at least one [1..\*] **name**
    - **b.** This guardianPerson The content of name **SHALL** be a conformant US Realm Person Name (PTN.US.FIELDED) (2.16.840.1.113883.10.20.22.5.1.1) (CONF:10414)
  - e. Such guardians The guardian code, if present, **SHALL** be selected from ValueSet PersonalRelationshipRoleType 2.16.840.1.113883.1.11.19563 DYNAMIC or ValueSet Responsible Party 2.16.840.1.113883.1.11.19830 DYNAMIC (CONF:5326)
- 1. This patient **SHOULD** contain zero or more [0..\*] **languageCommunication** (CONF:5406)
  - a. Such languageCommunications SHALL contain exactly one [1..1] languageCode, which SHALL be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:5407)
  - b. Such languageCommunications MAY contain zero or one [0..1] modeCode, which SHALL be selected from ValueSet HL7 LanguageAbilityMode 2.16.840.1.113883.1.11.12249 STATIC 1 (CONF:5409)
  - c. Such languageCommunications MAY contain zero or one [0..1] preferenceInd (CONF:5414)
  - d. Such languageCommunications SHOULD contain zero or one [0..1] proficiencyLevelCode, which SHALL be selected from ValueSet LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 STATIC (CONF:9965)
- e. This patientRole MAY contain zero or one [0..1] providerOrganization (CONF:5416)
  - a. This providerOrganization SHALL contain at least one [1..\*] addr with @xsi:type="USRealmAddress"
    - a. SHALL contain exactly one [1..1] city (CONF:7292)

- **b. SHOULD** contain zero or one [0..1] **country** (CONF:7295)
- c. SHOULD contain zero or one [0..1] postalCode (CONF:7294)
- **d. SHOULD** contain zero or one [0..1] **state** (CONF:7293)
- e. SHALL contain at least one [1..\*] streetAddressLine (CONF:7291)
- **f. SHOULD** contain zero or one [0..1] **@use** (CONF:7290), which **SHALL** be selected from ValueSet *PostalAddressUse* 2.16.840.1.113883.1.11.10637 **STATIC**
- g. State is required if the country is US. If country is not specified, its assumed to be US. If country is something other than US, the state MAY be present but MAY be bound to different vocabularies (CONF:10024)
- **h.** PostalCode is required if the country is US. If country is not specified, its assumed to be US. If country is something other than US, the postalCode **MAY** be present but **MAY** be bound to different vocabularies (CONF:10025)
- i. SHALL NOT have mixed content except for white space (CONF:7296)
- j. SHALL contain at least one and not more than 4 streetAddressLine (CONF:7291)

(CONF:5422)

- **b.** This providerOrganization **SHALL** contain at least one [1..\*] **id** (CONF:5417)
- c. This providerOrganization SHALL contain at least one [1..\*] name (CONF:5419)
- d. This providerOrganization SHALL contain at least one [1..\*] telecom with @xsi:type="TEL"
  - **a. SHOULD** contain zero or one [0..1] @use (CONF:7994)

(CONF:5420)

- e. This providerOrganization The id **SHOULD** include zero or one [0..1] id where id/@root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:9996)
- 11. SHALL contain at least one [1..\*] author (CONF:10027)
  - **a.** Such authors **SHALL** contain exactly one [1..1] **time** (CONF:5445)

The content SHALL be a conformant US Realm Date and Time (DTM.US.FIELDED) (2.16.840.1.113883.10.20.22.5.4) (CONF:16866).

- b. Such authors SHALL contain exactly one [1..1] assignedAuthor (CONF:5448)
  - a. This assigned Author SHALL contain at least one [1..\*] addr with @xsi:type="USRealmAddress"
    - a. SHALL contain exactly one [1..1] city (CONF:7292)
    - **b. SHOULD** contain zero or one [0..1] **country** (CONF:7295)
    - c. SHOULD contain zero or one [0..1] postalCode (CONF:7294)
    - **d. SHOULD** contain zero or one [0..1] **state** (CONF:7293)
    - e. SHALL contain at least one [1..\*] streetAddressLine (CONF:7291)
    - **f. SHOULD** contain zero or one [0..1] **@use** (CONF:7290), which **SHALL** be selected from ValueSet *PostalAddressUse* 2.16.840.1.113883.1.11.10637 **STATIC**
    - g. State is required if the country is US. If country is not specified, its assumed to be US. If country is something other than US, the state MAY be present but MAY be bound to different vocabularies (CONF:10024)
    - h. PostalCode is required if the country is US. If country is not specified, its assumed to be US. If country is something other than US, the postalCode MAY be present but MAY be bound to different vocabularies (CONF:10025)
    - i. SHALL NOT have mixed content except for white space (CONF:7296)
    - j. SHALL contain at least one and not more than 4 streetAddressLine (CONF:7291)

(CONF:5452)

- b. This assigned Author **SHOULD** contain zero or one [0..1] **code** (CONF:16787), which **SHOULD** be selected from ValueSet *Healthcare Provider Taxonomy* (*NUCC HIPAA*) 2.16.840.1.114222.4.11.1066 **DYNAMIC** (CONF:16788)
- c. This assigned Author SHALL contain at least one [1..\*] id (CONF:5449)
- d. This assigned Author SHALL contain at least one [1..\*] telecom with @xsi:type="TEL"

a. SHOULD contain zero or one [0..1] @use (CONF:7995)

(CONF:5428)

- e. This assigned Author contain zero or one [0..1] assigned Authoring Device
  - a. This assigned Authoring Device **SHALL** contain exactly one [1..1] **manufacturerModelName** (CONF:16784)
  - b. This assigned Authoring Device SHALL contain exactly one [1..1] softwareName (CONF:16785)
- f. This assigned Author contain zero or one [0..1] assigned Person
  - a. This assignedPerson SHALL contain at least one [1..\*] name (CONF:16789)
- **g.** This assignedAuthor **SHALL** contain exactly one [1..1] assignedPerson or assignedAuthoringDevice (CONF:16790)
- h. This assignedAuthor If this assignedAuthor is an assignedPerson, the assignedAuthor **SHOULD** contain zero to one [0..1] id such that it **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.4.6" National Provider Identifier (CONF:31135, CONF:31694)
- c. Such authors SHALL contain exactly one [1..1] assignedAuthor (CONF:10879)
  - a. This assigned Author SHALL contain exactly one [1..1] addr with @xsi:type="AD" (CONF:10040)

Required for human author; may be null for a software device

NEMSIS Trace

DPersonnel.04. . . / AssignedAuthor/addr/streetAddressLine

DPersonnel.05 . . . / AssignedAuthor/addr/city

DPersonnel.06. . . / AssignedAuthor/addr/state

 $DPer sonnel. 07.\dots / Assigned Author/addr/postal Code$ 

DPersonnel.08. . . / AssignedAuthor/addr/country

- b. This assigned Author SHOULD contain zero or one [0..1] code (CONF:16787), which SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16788)
- c. This assigned Author SHALL contain exactly one [1..1] id (CONF:10039)

NEMSIS Trace: EOther.08 for human author; may be null for a software device

d. This assigned Author SHALL contain exactly one [1..1] telecom with @xsi:type="TEL" (CONF:10041)

Required for human author; may be null for a software device

NEMSIS Trace: DPersonnel.09

- e. This assigned Author contain zero or one [0..1] assigned Authoring Device
  - a. This assigned Authoring Device **SHALL** contain exactly one [1..1] **manufacturerModelName** (CONF:16784)
  - **b.** This assigned Authoring Device **SHALL** contain exactly one [1..1] **softwareName** (CONF:16785)
- **f.** This assigned Author contain zero or one [0..1] **assignedPerson** 
  - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:16789)
- g. This assignedAuthor MAY contain zero or one [0..1] assignedAuthoringDevice (CONF:10881)

One authoring device is required for the document.

a. This assigned Authoring Device **SHALL** contain exactly one [1..1] **manufacturerModelName** (CONF:9936)

NEMSIS Trace: ERecord.02

b. This assigned Authoring Device SHALL contain exactly one [1..1] softwareName (CONF:9999)

NEMSIS Trace: ERecord.03 and ERecord.04 (version), concatenated with an intervening caret ("^")

One authoring device is required for the document.

**h.** This assigned Author **MAY** contain zero or one [0..1] **assignedPerson** (CONF:10880)

a. This assignedPerson SHALL contain at least one [1..\*] name (CONF:5470)

```
NEMSIS Trace
DPersonnel.01 . . . Person/name/family
DPersonnel.02 . . . Person/name/given
DPersonnel.03 . . . Person/name/given
```

- 12. SHALL contain exactly one [1..1] custodian (CONF:5519)
  - a. This custodian SHALL contain exactly one [1..1] assignedCustodian (CONF:5520)
    - a. This assignedCustodian SHALL contain exactly one [1..1] representedCustodianOrganization (CONF:5521)
      - a. This representedCustodianOrganization SHALL contain exactly one [1..1] addr with @xsi:type="USRealmAddress"
        - a. SHALL contain exactly one [1..1] city (CONF:7292)
        - **b. SHOULD** contain zero or one [0..1] **country** (CONF:7295)
        - c. SHOULD contain zero or one [0..1] postalCode (CONF:7294)
        - **d. SHOULD** contain zero or one [0..1] **state** (CONF:7293)
        - e. SHALL contain at least one [1..\*] streetAddressLine (CONF:7291)
        - f. SHOULD contain zero or one [0..1] @use (CONF:7290), which SHALL be selected from ValueSet PostalAddressUse 2.16.840.1.113883.1.11.10637 STATIC
        - g. State is required if the country is US. If country is not specified, its assumed to be US. If country is something other than US, the state MAY be present but MAY be bound to different vocabularies (CONF:10024)
        - h. PostalCode is required if the country is US. If country is not specified, its assumed to be US. If country is something other than US, the postalCode MAY be present but MAY be bound to different vocabularies (CONF:10025)
        - i. SHALL NOT have mixed content except for white space (CONF:7296)
        - j. SHALL contain at least one and not more than 4 streetAddressLine (CONF:7291)

(CONF:5559)

- **b.** This representedCustodianOrganization **SHALL** contain at least one [1..\*] **id** (CONF:5522)
- c. This representedCustodianOrganization SHALL contain exactly one [1..1] name (CONF:5524)
- d. This representedCustodianOrganization SHALL contain exactly one [1..1] telecom with @xsi:type="TEL"
  - a. SHOULD contain zero or one [0..1] @use

(CONF:5525)

- e. This representedCustodianOrganization The id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- b. This custodian SHALL contain exactly one [1..1] assignedCustodian (CONF:10884)
  - a. This assignedCustodian SHALL contain exactly one [1..1] representedCustodianOrganization (CONF:10885)
    - a. This representedCustodianOrganization SHALL contain exactly one [1..1] addr (CONF:10886)

```
NEMSIS Trace
DContact.05.../representedCustodianOrganization/addr/streetAddressLine
DContact.06.../representedCustodianOrganization/addr/city
DContact.07.../representedCustodianOrganization/addr/county
DContact.08.../representedCustodianOrganization/addr/state
DContact.09.../representedCustodianOrganization/addr/postalCode
DContact.10.../representedCustodianOrganization/addr/country
```

b. This representedCustodianOrganization SHALL contain at least one [1..\*] id (CONF:10887)

NEMSIS Trace: EResponse.01

@extension is the Agency identifier; @root, if included, the OID of the assigning body

c. This representedCustodianOrganization SHALL contain exactly one [1..1] name (CONF:10888)

NEMSIS Trace: EResponse.02

- **13. SHALL** contain exactly one [1..1] participant (CONF:10030)
  - a. This participant SHALL contain exactly one [1..1] time with @xsi:type="TS" (CONF:11328)

NEMSIS Trace: eTimes.12 (Destination patient transfer of care date/time)

- **b.** This participant **SHALL** contain exactly one [1..1] @typeCode="DST" (CONF:10054)
- c. This participant contain zero or one [0..1] associatedEntity
  - a. This associatedEntity **SHOULD** contain zero or one [0..1] addr (CONF:10055)

NEMSIS Trace: EDisposition.03-07

- b. This associatedEntity SHALL contain exactly one [1..1] @classCode="SDLOC", which SHALL be selected from ValueSet STATIC (CONF:10901)
- c. This associatedEntity SHALL contain exactly one [1..1] code, which SHALL be selected from ValueSet DestinationType 2.16.840.1.113883.17.3.11.69 DYNAMIC (CONF:10056)

NEMSIS Trace: EDisposition.21

- **d.** This associatedEntity contain zero or one [0..1] **scopingOrganization** 
  - a. This scopingOrganization SHALL contain exactly one [1..1] name (CONF:10057)

NEMSIS Trace: EDisposition.01

- 14. SHALL contain exactly one [1..1] documentationOf (CONF:10028)
  - a. This documentationOf SHALL contain exactly one [1..1] serviceEvent (CONF:10889)
    - a. This serviceEvent SHALL contain exactly one [1..1] code, which SHALL be selected from ValueSet ServiceType 2.16.840.1.113883.17.3.11.79 DYNAMIC (CONF:10051)

NEMSIS Trace: EResponse.05, type of service requested

**b.** This serviceEvent **SHALL** contain exactly one [1..1] **id** (CONF:10890)

NEMSIS Trace: EReponse.03

id/@extension is the incident number assigned by the 911 Dispatch System, where the id/@root SHOULD be the OID of the dispatching organization

- c. This serviceEvent SHALL contain at least one [1..\*] performer (CONF:10891)
  - a. Such performers SHALL contain exactly one [1..1] functionCode, which SHALL be selected from ValueSet ProviderResponseRole 2.16.840.1.113883.17.3.11.80 DYNAMIC (CONF:10052)

NEMSIS Trace: ECrew.03

- b. Such performers SHALL contain exactly one [1..1] assignedEntity (CONF:10892)
  - **a.** This assignedEntity **SHALL** contain exactly one [1..1] **addr** (CONF:10895)

NEMSIS Trace

DPersonnel.04 . . . / assignedentity /addr/streetAddressLine

DPersonnel.05. . . / assigned entity /addr/city

DPersonnel.06 . . . / assignedentity /addr/state

DPersonnel.07 . . . / assigned entity /addr/postalCode

DPersonnel.08 . . . / assignedentity /addr/country

**b.** This assignedEntity **SHALL** contain exactly one [1..1] **code** (CONF:10893), which **SHALL** be selected from ValueSet *CrewRoleLevel* 2.16.840.1.113883.17.3.11.81 **DYNAMIC** (CONF:10053)

NEMSIS Trace: ECrew.02

c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:10894)

NEMSIS Trace: ECrew.01

d. This assignedEntity SHALL contain exactly one [1..1] telecom (CONF:10896)

NEMSIS Trace: DPersonnel.09

- e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:10897)
  - a. This assignedPerson SHALL contain exactly one [1..1] name (CONF:10898)

NEMSIS Trace

DPersonnel.01 Last: @ENXP="FAM" DPersonnel.02 First: @ENXP="GIV" DPersonnel.03 Middle: @ENXP="GIV"

- 15. MAY contain zero or one [0..1] relatedDocument (CONF:10029)
  - a. This relatedDocument contain exactly one [1..1] @typeCode="RPLC"
  - b. This relatedDocument MAY contain zero or one [0..1] parentDocument (CONF:10899)
    - a. This parentDocument SHALL contain exactly one [1..1] id (CONF:10900)

NEMSIS Trace: ERecord.01

- **16. SHALL** contain exactly one [1..1] **componentOf** (CONF:9955)
  - a. This componentOf SHALL contain exactly one [1..1] @typeCode="COMP" (CONF:10042)
  - **b.** This componentOf **SHALL** contain exactly one [1..1] **encompassingEncounter** (CONF:10882)
    - a. This encompassing Encounter SHALL contain exactly one [1..1] effectiveTime (CONF:10043)

NEMSIS Trace: ETimes.03, the date the responding unit was notified by dispatch

**b.** This encompassing Encounter **SHALL** contain exactly one [1..1] **id** (CONF:11326)

NEMSIS Trace: eResponse.04 (response number)

- c. This encompassing Encounter SHALL contain exactly one [1..1] location (CONF:10883)
  - a. This location SHALL contain exactly one [1..1] healthCareFacility (CONF:10044)
    - a. This healthCareFacility SHALL contain exactly one [1..1] code (CONF:11381), which SHALL be selected from ValueSet *UnitResponseRole* 2.16.840.1.113883.17.3.11.82 DYNAMIC (CONF:10047)

NEMSIS Trace: EResponse.07

**b.** This healthCareFacility **SHALL** contain at least one [1..\*] **id** (CONF:10045)

NEMSIS Trace: eResponse.13 (EMS vehicle/unit number), eResponse.14 (EMS unit call sign)

- c. This healthCareFacility SHALL contain exactly one [1..1] location (CONF:10046)
  - a. This location MAY contain zero or one [0..1] addr (CONF:10049)

NEMSIS Trace: EScene.15-21

- b. This location SHALL contain exactly one [1..1] @classCode="PLC" (CONF:10050)
- c. This location MAY contain zero or one [0..1] name (CONF:10048)

NEMSIS Trace: EScene.13

- d. This encompassing Encounter MAY contain zero or more [0..\*] encounterParticipant (CONF:11325)
  - a. Such encounterParticipants SHALL contain exactly one [1..1] @typeCode="CON", which SHALL be selected from (CONF:11327)
  - b. Such encounterParticipants contain exactly one [1..1] assignedEntity

- a. This assignedEntity contain exactly one [1..1] @classCode="ASSIGNED"
- **b.** This assignedEntity contain exactly one [1..1] **representedOrganization** {subsets Assigned Entity::representedOrganization}
  - **a.** This represented Organization contain exactly one [1..1] **name**

NEMSIS Trace: eScene.02, other agency (ies) at scene

#### 17. SHALL contain exactly one [1..1] component (CONF:10008)

**a.** Contains exactly one [1..1] *EMS Current Medication Section* (templateId: 2.16.840.1.113883.17.3.10.1.15)

#### **18. MAY** contain zero or one [0..1] **component** (CONF:10009)

**a.** Contains exactly one [1..1] *EMS Cardiac Arrest Event Section* (templateId: 2.16.840.1.113883.17.3.10.1.14)

#### 19. SHOULD contain zero or one [0..1] component (CONF:10010)

**a.** Contains exactly one [1..1] *EMS Advance Directives Section* (templateId: 2.16.840.1.113883.17.3.10.1.12)

#### 20. SHALL contain exactly one [1..1] component (CONF:10011)

**a.** Contains exactly one [1..1] *EMS Allergies And Adverse Reactions Section* (templateId: 2.16.840.1.113883.17.3.10.1.13)

#### 21. SHALL contain exactly one [1..1] component (CONF:10012)

**a.** Contains exactly one [1..1] *EMS Past Medical History Section* (templateId: 2.16.840.1.113883.17.3.10.1.19)

#### 22. SHALL contain exactly one [1..1] component (CONF:10013)

**a.** Contains exactly one [1..1] *EMS Social History Section* (templateId: 2.16.840.1.113883.17.3.10.1.22)

#### 23. SHALL contain exactly one [1..1] component (CONF:10014)

**a.** Contains exactly one [1..1] *EMS Physical Assessment Section* (templateId: 2.16.840.1.113883.17.3.10.1.20)

#### 24. MAY contain zero or one [0..1] component (CONF:10015)

**a.** Contains exactly one [1..1] *EMS Medications Administered Section* (templateId: 2.16.840.1.113883.17.3.10.1.18)

#### 25. SHALL contain exactly one [1..1] component (CONF:10016)

**a.** Contains exactly one [1..1] *EMS Procedures Performed Section* (templateId: 2.16.840.1.113883.17.3.10.1.21)

#### **26. SHALL** contain exactly one [1..1] **component** (CONF:10017)

**a.** Contains exactly one [1..1] *EMS Patient Care Narrative Section* (templateId: 2.16.840.1.113883.17.3.10.1.1)

#### 27. SHALL contain exactly one [1..1] component (CONF:10018)

**a.** Contains exactly one [1..1] *EMS Scene Section* (templateId: 2.16.840.1.113883.17.3.10.1.8)

#### **28. SHALL** contain exactly one [1..1] component (CONF:10019)

**a.** Contains exactly one [1..1] *EMS Dispatch Section* (templateId: 2.16.840.1.113883.17.3.10.1.2)

#### 29. MAY contain zero or one [0..1] component (CONF:10020)

**a.** Contains exactly one [1..1] *EMS Disposition Section* (templateId: 2.16.840.1.113883.17.3.10.1.4)

#### **30. SHALL** contain exactly one [1..1] **component** (CONF:10021)

**a.** Contains exactly one [1..1] *EMS Personnel Adverse Event Section* (templateId: 2.16.840.1.113883.17.3.10.1.6)

31. SHALL contain exactly one [1..1] component (CONF:10022)

- **a.** Contains exactly one [1..1] *EMS Protocol Section* (templateId: 2.16.840.1.113883.17.3.10.1.7)
- **32. SHALL** contain exactly one [1..1] **component** (CONF:10023)
  - **a.** Contains exactly one [1..1] *EMS Response Section* (templateId: 2.16.840.1.113883.17.3.10.1.3)
- **33. SHALL** contain exactly one [1..1] component (CONF:10024)
  - **a.** Contains exactly one [1..1] *EMS Situation Section* (templateId: 2.16.840.1.113883.17.3.10.1.9)
- **34. MAY** contain zero or one [0..1] **component** (CONF:10025)
  - **a.** Contains exactly one [1..1] *EMS Times Section* (templateId: 2.16.840.1.113883.17.3.10.1.10)
- **35. SHALL** contain exactly one [1..1] component (CONF:10026)
  - a. Contains exactly one [1..1] EMS Vital Signs Section (templateId: 2.16.840.1.113883.17.3.10.1.23)
- **36. SHALL** contain exactly one [1..1] **component** (CONF:10869)
  - **a.** Contains exactly one [1..1] *EMS Injury Incident Description Section* (templateId: 2.16.840.1.113883.17.3.10.1.17)
- **37. SHOULD** contain zero or more [0..\*] **component** (CONF:11318)
  - a. Contains exactly one [1..1] EMS Billing Section (templateId: 2.16.840.1.113883.17.3.10.1.5)

# Chapter

# **SECTION TEMPLATES**

#### **Topics:**

- **EMS Advance Directives** Section
- EMS Allergies And Adverse Reactions Section
- EMS Billing Section
- EMS Cardiac Arrest Event Section
- **EMS Current Medication** Section
- EMS Dispatch Section
- **EMS Disposition Section**
- EMS Injury Incident Description Section
- EMS Medications Administered Section
- EMS Past Medical History Section
- **EMS Patient Care Narrative** Section
- EMS Personnel Adverse Event Section
- EMS Physical Assessment Section
- **EMS Procedures Performed** Section
- EMS Protocol Section
- EMS Response Section
- EMS Scene Section
- **EMS Situation Section**
- EMS Social History Section
- **EMS Times Section**
- EMS Vital Signs Section

#### **EMS Advance Directives Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.12]

Information regarding patient advance directives

- 1. SHALL contain exactly one [1..1] templateId such that it
  - a. SHALL contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.12"
- 2. SHALL contain exactly one [1..1] code/@code="67840-9" EMS advance directives Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10191)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS advance directives Narrative NEMSIS" (CONF:10944)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10945)
- 5. If section/@nullFlavor is not present, SHALL contain at least one [1..\*] entry (CONF:10946)
  - **a.** Contains exactly one [1..1] *Advance Directive Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.98)

# **EMS Allergies And Adverse Reactions Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.13]

Information regarding patient allergies and sensitivities

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.13"
- 2. SHALL contain exactly one [1..1] code/@code="48765-2" Allergies and adverse reactions Document (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10196)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Allergies and Adverse Reactions" (CONF:10948)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10949)
- 5. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10953)
  - **a.** Contains exactly one [1..1] *Non Drug Allergy Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.49)
- 6. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11319)
  - **a.** Contains exactly one [1..1] *Drug Allergy Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.183)

# **EMS Billing Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.5]

Information pertinent to billing processes

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.5"
- 2. SHALL contain exactly one [1..1] code/@code="67659-3" *EMS billing Narrative NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10080)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Billing Section" (CONF:10907)

- **4. SHALL** contain exactly one [1..1] **text** (CONF:10909)
- 5. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:10910)
  - **a.** Contains exactly one [1..1] *Billing Condition* (templateId: 2.16.840.1.1133883.17.3.10.1.91)
- 6. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10912)
  - **a.** Contains exactly one [1..1] *Level Of Service Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.92)

#### **EMS Cardiac Arrest Event Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.14]

Information regarding a cardiac arrest

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.14"
- 2. SHALL contain exactly one [1..1] code/@code="67799-7" EMS cardiac arrest event Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10134)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Cardiac Arrest Event" (CONF:10937)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10938)
- 5. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10939)
  - **a.** Contains exactly one [1..1] *Cardiac Arrest* (templateId: 2.16.840.1.1133883.17.3.10.1.27)

#### **EMS Current Medication Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.15]

Information regarding a patient's current medications

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.15"
- 2. SHALL contain exactly one [1..1] code/@code="67844-1" EMS current medications Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10955)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Current Medications Section" (CONF:10219)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10957)
- 5. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10958)
  - **a.** Contains exactly one [1..1] *Currently On Medication* (templateId: 2.16.840.1.1133883.17.3.10.1.75)
- 6. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:10960)
  - **a.** Contains exactly one [1..1] *Patient On Anticoagulants* (templateId: 2.16.840.1.1133883.17.3.10.1.76)
- 7. If section/@nullFlavor is not present, SHALL contain zero or more [0..\*] entry (CONF:10962)
  - a. Contains exactly one [1..1] Current Medication (templateId: 2.16.840.1.1133883.17.3.10.1.77)

# **EMS Dispatch Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.2]

Information regarding the dispatch process

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.2"
- 2. SHALL contain exactly one [1..1] code/@code="67660-1" *EMS dispatch Narrative NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10556)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Dispatch" (CONF:10558)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10557)
- 5. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10991)
  - **a.** Contains exactly one [1..1] *Emergency Medical Dispatch Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.73)
- 6. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10993)
  - **a.** Contains exactly one [1..1] *Complaint Reported By Dispatch* (templateId: 2.16.840.1.1133883.17.3.10.1.74)

## **EMS Disposition Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.4]

Information regarding the disposition of the patient

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.4"
- 2. SHALL contain exactly one [1..1] code (CONF:10652)/@code="67661-9" EMS disposition Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10651)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Disposition" (CONF:10654)
- 4. SHALL contain exactly one [1..1] text (CONF:10653)
- 5. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:11003)
  - **a.** Contains exactly one [1..1] *Number Of Patients Transported Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.31)
- 6. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11005)
  - **a.** Contains exactly one [1..1] *Incident Disposition Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.32)
- 7. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11007)
  - **a.** Contains exactly one [1..1] *Transport Mode Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.33)
- 8. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11009)
  - **a.** Contains exactly one [1..1] *Transport Method Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.34)
- 9. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11011)
  - **a.** Contains exactly one [1..1] *Reason For Choosing Destination Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.35)
- 10. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11013)

- **a.** Contains exactly one [1..1] *Prearrival Activation Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.36)
- 11. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11015)
  - **a.** Contains exactly one [1..1] *Patient Condition At Destination Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.37)
- 12. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11330)
  - **a.** Contains exactly one [1..1] *Primary Destination Hospital Capability* (templateId: 2.16.840.1.1133883.17.3.10.1.104)
- 13. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11331)
  - **a.** Contains exactly one [1..1] *Destination Ward* (templateId: 2.16.840.1.1133883.17.3.10.1.186)

# **EMS Injury Incident Description Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.17]

Observations concerning a patient's injury mechanism

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.17"
- 2. SHALL contain exactly one [1..1] code/@code="67800-3" EMS injury incident description Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10094)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "Injury Incident Description Section" (CONF:10914)
- 4. SHALL contain exactly one [1..1] text (CONF:10916)
- 5. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10917)
  - **a.** Contains exactly one [1..1] *Injury Cause Category* (templateId: 2.16.840.1.1133883.17.3.10.1.50)
- 6. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:10919)
  - **a.** Contains exactly one [1..1] *Injury Mechanism* (templateId: 2.16.840.1.1133883.17.3.10.1.51)
- 7. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10921)
  - **a.** Contains exactly one [1..1] *Trauma Center Criteria* (templateId: 2.16.840.1.1133883.17.3.10.1.52)
- 8. If section/@nullFlavor is not present, SHALL contain at least one [1..\*] entry (CONF:10923)
  - **a.** Contains exactly one [1..1] *Injury Risk Factor* (templateId: 2.16.840.1.1133883.17.3.10.1.53)
- 9. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:10925)
  - **a.** Contains exactly one [1..1] *Vehicle Impact Area* (templateId: 2.16.840.1.1133883.17.3.10.1.54)
- 10. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:10927)
  - **a.** Contains exactly one [1..1] *Patient Location In Vehicle* (templateId: 2.16.840.1.1133883.17.3.10.1.55)
- 11. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:10929)
  - **a.** Contains exactly one [1..1] *Vehicle Occupant Safety Equipment* (templateId: 2.16.840.1.1133883.17.3.10.1.56)
- 12. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:10931)
  - **a.** Contains exactly one [1..1] *Airbag Deployment Status* (templateId: 2.16.840.1.1133883.17.3.10.1.57)
- 13. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:10933)
  - **a.** Contains exactly one [1..1] *Height Of Fall* (templateId: 2.16.840.1.1133883.17.3.10.1.58)

- 14. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:10935)
  - **a.** Contains exactly one [1..1] *Disaster Type* (templateId: 2.16.840.1.1133883.17.3.10.1.59)

#### **EMS Medications Administered Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.18]

Collection of information regarding the administration of medications

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.18"
- 2. SHALL contain exactly one [1..1] code (CONF:10439)/@code="67849-0" EMS medications administered Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10987)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "Medications Administered Section" (CONF:10442)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10441)
- 5. If section/@nullFlavor is not present, SHALL contain zero or more [0..\*] entry (CONF:10989)
  - **a.** Contains exactly one [1..1] *Medication Administered* (templateId: 2.16.840.1.1133883.17.3.10.1.72)

# **EMS Past Medical History Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.19]

Collection of information regarding the patient's medical history

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.19"
- 2. SHALL contain exactly one [1..1] code (CONF:10059)/@code="67842-5" EMS past medical history Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10058)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Past Medical History" (CONF:10060)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10902)
- 5. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10903)
  - **a.** Contains exactly one [1..1] *Existence Of History Of Condition* (templateId: 2.16.840.1.1133883.17.3.10.1.60)
- 6. If section/@nullFlavor is not present, SHALL contain zero or more [0..\*] entry (CONF:10905)
  - **a.** Contains exactly one [1..1] *History Of Condition* (templateId: 2.16.840.1.1133883.17.3.10.1.61)

#### **EMS Patient Care Narrative Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.1]

A narrative description of the EMS encounter

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.1"
- 2. SHALL contain exactly one [1..1] code (CONF:10551)/@code="67781-5" Summarization of encounter note Narrative (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10552)

- SHALL contain exactly one [1..1] title and SHOULD equal "EMS Patient Care Report Narrative" (CONF:10554)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10553)
  - NEMSIS Trace: ENarrative.01

#### **EMS Personnel Adverse Event Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.6]

Information regarding adverse events affecting EMS personnel

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.6"
- 2. SHALL contain exactly one [1..1] code (CONF:10698)/@code="67658-5" EMS exposures or injuries of EMS personnel Provider Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10697)
- SHALL contain exactly one [1..1] title and SHOULD equal "Exposures or Injuries of EMS Personnel" (CONF:10700)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10699)
- 5. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11017)
  - **a.** Contains exactly one [1..1] *Adverse Event Indicator* (templateId: 2.16.840.1.1133883.17.3.10.1.89)
- **6.** If section/@nullFlavor is not present, **SHALL** contain zero or more [0..\*] **entry** (CONF:11019)
  - **a.** Contains exactly one [1..1] *Adverse Event Type Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.90)

# **EMS Physical Assessment Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.20]

A collection of qualitative assessments of the patient's physical condition and other facts

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.20"
- 2. SHALL contain exactly one [1..1] code (CONF:10337)/@code="29545-1" Physical findings Narrative (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10336)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Physical Assessment Section" (CONF:10339)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10338)
- 5. If section/@nullFlavor is not present, SHALL contain zero or more [0..\*] entry (CONF:10975)
  - **a.** Contains exactly one [1..1] *Physical Assessment Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.78)
- 6. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:10977)
  - a. Contains exactly one [1..1] *Patient Pregnancy* (templateId: 2.16.840.1.1133883.17.3.10.1.79)
- 7. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:10979)
  - **a.** Contains exactly one [1..1] *Last Oral Intake* (templateId: 2.16.840.1.1133883.17.3.10.1.80)
- 8. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10981)

- a. Contains exactly one [1..1] Patient Age (templateId: 2.16.840.1.1133883.17.3.10.1.81)
- 9. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10983)
  - **a.** Contains exactly one [1..1] *Thrombolytic Contraindications* (templateId: 2.16.840.1.1133883.17.3.10.1.82)
- 10. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10985)
  - **a.** Contains exactly one [1..1] *Barriers To Patient Care* (templateId: 2.16.840.1.1133883.17.3.10.1.83)
- 11. contain zero or one [0..1] bodyWeight {subsets Section::entry}
  - **a.** This bodyWeight **SHALL** contain exactly one [1..1] **observation**, where its type is *Patient Body Weight* (CONF:11099)
- 12. contain zero or one [0..1] lengthBasedBodyWeight {subsets Section::entry}
  - a. This lengthBasedBodyWeight SHALL contain exactly one [1..1] observation, where its type is Length Based Patient Body Weight Class (CONF:11100)

#### **EMS Procedures Performed Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.21]

Information regarding procedures performed by the EMS personnel or by others prior to EMS unit arrival

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.21"
- 2. SHALL contain exactly one [1..1] code (CONF:10490)/@code="29554-3" Procedure Narrative (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10489)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Procedures Performed" (CONF:10492)
- 4. SHALL contain exactly one [1..1] text (CONF:10491)
- 5. If section/@nullFlavor is not present, MAY contain zero or more [0..\*] entry (CONF:6277)
  - a. Contains exactly one [1..1] *Procedure* (templateId: 2.16.840.1.1133883.17.3.10.1.181)

#### **EMS Protocol Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.7]

Information about the protocol used by EMS personnel to direct the clinical care of the patient

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.7"
- 2. SHALL contain exactly one [1..1] code/@code="67663-5" EMS protocol Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10713)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Protocol Section" (CONF:11021)
- 4. SHALL contain exactly one [1..1] text (CONF:11023)
- 5. If section/@nullFlavor is not present, SHALL contain at least one [1..\*] entry (CONF:11024)
  - a. Contains exactly one [1..1] Protocol Observation (templateId: 2.16.840.1.1133883.17.3.10.1.93)
- 6. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:11026)
  - **a.** Contains exactly one [1..1] *Candidate Patient Registry Type* (templateId: 2.16.840.1.1133883.17.3.10.1.94)

### **EMS Response Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.3]

Information regarding the EMS crew's response to dispatch

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.3"
- 2. SHALL contain exactly one [1..1] code (CONF:10573)/@code="67664-3" EMS response Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10572)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Response" (CONF:10575)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10574)
- 5. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10995)
  - **a.** Contains exactly one [1..1] *Delay Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.95)
- 6. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10997)
  - **a.** Contains exactly one [1..1] *Dispatch Location Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.96)
- 7. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10999)
  - **a.** Contains exactly one [1..1] *Response Odometer Reading Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.97)
- 8. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11001)
  - **a.** Contains exactly one [1..1] *Response Mode To Scene* (templateId: 2.16.840.1.1133883.17.3.10.1.182)
- 9. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11329)
  - **a.** Contains exactly one [1..1] *Unit Level Of Care Capability* (templateId: 2.16.840.1.1133883.17.3.10.1.190)

#### **EMS Scene Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.8]

Information about the environment in which the patient is found

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.8"
- 2. SHALL contain exactly one [1..1] code/@code="67665-0" *EMS scene Narrative NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10732)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Scene" (CONF:10734)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10733)
- 5. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11028)
  - **a.** Contains exactly one [1..1] *First Unit Indicator* (templateId: 2.16.840.1.1133883.17.3.10.1.84)
- 6. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11032)
  - a. Contains exactly one [1..1] Scene Patient Count (templateId: 2.16.840.1.1133883.17.3.10.1.86)
- 7. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11034)
  - **a.** Contains exactly one [1..1] *Mass Casualty Indicator* (templateId: 2.16.840.1.1133883.17.3.10.1.87)
- 8. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11036)

**a.** Contains exactly one [1..1] *Location Type Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.88)

#### **EMS Situation Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.9]

Information about patient symptoms and complaints

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.9"
- 2. SHALL contain exactly one [1..1] code (CONF:10755)/@code="67666-8" EMS situation Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10756)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Situation Section" (CONF:10758)
- 4. SHALL contain exactly one [1..1] text (CONF:10757)
- 5. If section/@nullFlavor is not present, SHALL contain at least one [1..\*] entry (CONF:11039)
  - **a.** Contains exactly one [1..1] *Complaint* (templateId: 2.16.840.1.1133883.17.3.10.1.63)
- 6. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11041)
  - **a.** Contains exactly one [1..1] *Possible Injury* (templateId: 2.16.840.1.1133883.17.3.10.1.64)
- 7. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11043)
  - **a.** Contains exactly one [1..1] *Provider Primary Impression* (templateId: 2.16.840.1.1133883.17.3.10.1.65)
- 8. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11045)
  - a. Contains exactly one [1..1] *Primary Symptom* (templateId: 2.16.840.1.1133883.17.3.10.1.66)
- 9. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11047)
  - **a.** Contains exactly one [1..1] Other Symptoms (templateId: 2.16.840.1.1133883.17.3.10.1.67)
- 10. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11049)
  - **a.** Contains exactly one [1..1] *Provider Secondary Impressions* (templateId: 2.16.840.1.1133883.17.3.10.1.68)
- 11. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11051)
  - a. Contains exactly one [1..1] Initial Patient Acuity (templateId: 2.16.840.1.1133883.17.3.10.1.69)

# **EMS Social History Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.22]

Information about the patient's social environment

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.22"
- 2. SHALL contain exactly one [1..1] code (CONF:10241)/@code="67843-3" EMS social history Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10240)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Social History" (CONF:10243)
- 4. SHALL contain exactly one [1..1] text (CONF:10964)
- 5. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:10965)

- **a.** Contains exactly one [1..1] *Existence Of Drug Use Indication* (templateId: 2.16.840.1.1133883.17.3.10.1.70)
- 6. If section/@nullFlavor is not present, SHALL contain zero or more [0..\*] entry (CONF:10967)
  - a. Contains exactly one [1..1] *Drug Use Indication* (templateId: 2.16.840.1.1133883.17.3.10.1.71)

#### **EMS Times Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.10]

Set of times for defined events in the EMS trip

Contained By	Contains
Patient Care Report	Call Time
	Dispatch Notified Time
	Patient Arrived At Destination Time
	Unit At Patient Time
	Unit Back In Service Time
	Unit En Route Time
	Unit Left Scene Time
	Unit Notified Time
	Unit On Scene Time

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.10"
- 2. SHALL contain exactly one [1..1] code/@code="67667-6" *EMS times Narrative NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10820)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Times" (CONF:10822)
- 4. SHALL contain exactly one [1..1] text (CONF:10821)
- 5. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11053)
  - a. Contains exactly one [1..1] *Call Time* (templateId: 2.16.840.1.1133883.17.3.10.1.38)
- 6. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11055)
  - **a.** Contains exactly one [1..1] *Unit Notified Time* (templateId: 2.16.840.1.1133883.17.3.10.1.39)
- 7. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11057)
  - a. Contains exactly one [1..1] *Unit En Route Time* (templateId: 2.16.840.1.1133883.17.3.10.1.40)
- 8. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11059)
  - **a.** Contains exactly one [1..1] *Unit On Scene Time* (templateId: 2.16.840.1.1133883.17.3.10.1.41)
- 9. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11061)
  - a. Contains exactly one [1..1] *Unit At Patient Time* (templateId: 2.16.840.1.1133883.17.3.10.1.42)
- 10. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11063)
  - **a.** Contains exactly one [1..1] *Unit Left Scene Time* (templateId: 2.16.840.1.1133883.17.3.10.1.43)
- 11. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11065)
  - **a.** Contains exactly one [1..1] *Patient Arrived At Destination Time* (templateId: 2.16.840.1.1133883.17.3.10.1.44)

- 12. If section/@nullFlavor is not present, SHALL contain exactly one [1..1] entry (CONF:11067)
  - **a.** Contains exactly one [1..1] *Unit Back In Service Time* (templateId: 2.16.840.1.1133883.17.3.10.1.45)
- 13. If section/@nullFlavor is not present, SHALL contain zero or one [0..1] entry (CONF:11069)
  - **a.** Contains exactly one [1..1] *Dispatch Notified Time* (templateId: 2.16.840.1.1133883.17.3.10.1.46)

#### **EMS Times Section example**

Error: Missing Runtime Class

# **EMS Vital Signs Section**

[Section: templateId 2.16.840.1.113883.17.3.10.1.23]

Collection of vital signs and other observations about the patient's status

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.23"
- 2. SHALL contain exactly one [1..1] code/@code="8716-3" *Vital Signs* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10252)
- 3. SHALL contain exactly one [1..1] title and SHOULD equal "EMS Vital Signs" (CONF:10254)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:10969)
- 5. If section/@nullFlavor is not present, SHALL contain at least one [1..\*] entry (CONF:10970)
  - **a.** Contains exactly one [1..1] *Vital Signs Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.28)

# Chapter



# **CLINICAL STATEMENT TEMPLATES**

#### Topics:

- Abandoned Procedure Reason Observation
- Abdomen Assessment
- Additional Vital Signs Organizer
- Advance Directive Observation
- Adverse Event Indicator
- Adverse Event Type Observation
- Airbag Deployment Status
- Airway Confirmation Observation
- Arrest Rhythm
- Back And Spine Assessment
- Barriers To Patient Care
- Billing Condition
- Blood Glucose
- Body Temperature
- Call Time
- Candidate Patient Registry Type
- Carbon Dioxide
- Carbon Monoxide
- Cardiac Arrest
- Cardiac Arrest Cause
- Cardiac Arrest Outcome
- Cardiac Arrest Timing
- Cardiac Rhythm
- Chest And Lungs Assessment
- Complaint
- Complaint Duration
- Complaint Organ System
- Complaint Reported By Dispatch
- Complaint Type
- Current Medication
- Currently On Medication
- Delay Organizer

This section of the Implementation Guide details the clinical statement entries referenced in the document section templates. The clinical statement entry templates are arranged alphabetically.

- Destination Rhythm
- Destination Ward
- Diastolic Blood Pressure
- Disaster Type
- Dispatch Delay
- Dispatch Location Latitude
- Dispatch Location Longitude
- Dispatch Location Name
- Dispatch Location Organizer
- Dispatch Notified Time
- Drug Allergy
- Drug Allergy Organizer
- Drug Use Indication
- Emergency Medical Dispatch Observation
- Existence Of Drug Allergy Observation
- Existence Of Drug Use Indication
- Existence Of History Of Condition
- Existence Of Non Drug Allergy
- Extremities Assessment
- Eye Assessment
- Face Assessment
- First Unit Indicator
- Glasgow Coma Score Organizer
- Glasgow Eye
- Glasgow Motor
- Glasgow Qualifier
- Glasgow Total
- Glasgow Verbal
- Head Assessment
- Heart Assessment
- Heart Rate
- Height Of Fall
- History Of Condition
- Incident Disposition Observation
- Initial Patient Acuity
- Injury Cause Category
- Injury Mechanism
- Injury Risk Factor
- Last Oral Intake
- Length Based Patient Body Weight Class
- Level Of Responsiveness
- Level Of Service Observation

- Location Type Observation
- Mass Casualty Indicator
- Medication Administered
- Medication Complication Observation
- Medication Not Administered Reason Observation
- Medication Prior Administration Observation
- Medication Response Observation
- Mental Status Assessment
- Neck Assessment
- Neurological Assessment
- Non Drug Allergy
- Non Drug Allergy Organizer
- Number Of Patients
   Transported Observation
- Other Symptoms
- Oxygen Saturation
- Pain Score
- Patient Age
- Patient Arrived At Destination Time
- Patient Body Weight
- Patient Condition At Destination Observation
- Patient Location In Vehicle
- Patient On Anticoagulants
- Patient Pregnancy
- Pelvic And Genitourinary Assessment
- Physical Assessment Organizer
- Possible Injury
- Prearrival Activation Observation
- Primary Destination Hospital Capability
- Primary Symptom
- Prior AED Use
- Prior Aid Vitals
- Prior CPR
- Procedure
- Procedure Complications
   Observation
- Procedure Number Of Attempts Observation
- Procedure Patient Response Observation

- Procedure Prior Indicator
- Procedure Successful Observation
- Protocol Age Category
- Protocol Observation
- Provider Primary Impression
- Provider Secondary Impressions
- Reason For Choosing Destination Observation
- Reason Procedure Not Attempted Observation
- Respiratory Rate
- Response Beginning Odometer Reading
- Response Delay
- Response Destination Odometer Reading
- Response Ending Odometer Reading
- Response Mode Qualifier
- Response Mode To Scene
- Response Odometer Reading Organizer
- Response On Scene Odometer Reading
- Return Of Spontaneous Circulation
- Scene Delay
- Scene Patient Count
- Stroke Score
- Systolic Blood Pressure
- Thrombolytic Contraindications
- Transport Delay
- Transport Method Observation
- Transport Mode Observation
- Transport Mode Qualifier
- Trauma Center Criteria
- Turnaround Delay
- Unit At Patient Time
- Unit Back In Service Time
- Unit En Route Time
- Unit Left Scene Time
- Unit Level Of Care Capability
- Unit Notified Time
- Unit On Scene Time
- Vehicle Impact Area
- Vehicle Occupant Safety Equipment

Vital Signs Organizer

#### **Abandoned Procedure Reason Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.130]

An explanation of why efforts to conduct a procedure were abandoned

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.130"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11255)
- 3. SHALL contain exactly one [1..1] code (CONF:10512)/@code="ASSERTION" Assertion (CodeSystem: 2.16.840.1.113883.5.4 HL7ActCode) (CONF:10511)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:10514), which SHALL be selected from ValueSet ResusctitationDiscontinueReason 2.16.840.1.113883.17.3.11.62 DYNAMIC (CONF:10513)
  - NEMSIS Trace: EArrest.16 (Reason CPR/resuscitation discontinued)

#### **Abdomen Assessment**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.117]

Qualitative assessment of condition of patient's abdomen

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.117"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11234)
- 3. SHALL contain exactly one [1..1] code/@code="67530-6" Physical findings of Abdomen NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10387)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11235)
  - NEMSIS Trace: EExam.03
- 5. SHALL contain zero or more [0..\*] value with @xsi:type="CD", which SHALL be selected from ValueSet AbdomenAssessmentFinding 2.16.840.1.113883.17.3.11.31 DYNAMIC (CONF:10388)
  - NEMSIS Trace: EExam.11
- **6. SHALL** contain zero or one [0..1] **targetSiteCode**, which **SHALL** be selected from ValueSet *AbdominalFindingLocation* 2.16.840.1.113883.17.3.11.32 **DYNAMIC** (CONF:10389)
  - NEMSIS Trace: EExam.10

# **Additional Vital Signs Organizer**

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.30]

Common observations regarding the state of the patient that are not typically included in strict definitions of vital signs.

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.30"

- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11133)
- **3.** MAY contain zero or one [0..1] **effectiveTime** (CONF:11134)
  - NEMSIS Trace: EVitals.01
- **4.** MAY contain exactly one [1..1] component (CONF:11091)
  - **a.** Contains exactly one [1..1] *Stroke Score* (templateId: 2.16.840.1.1133883.17.3.10.1.163)
- 5. MAY contain exactly one [1..1] component (CONF:11092)
  - **a.** Contains exactly one [1..1] *Pain Score* (templateId: 2.16.840.1.1133883.17.3.10.1.164)
- **6. MAY** contain exactly one [1..1] **component** (CONF:11093)
  - **a.** Contains exactly one [1..1] *Level Of Responsiveness* (templateId: 2.16.840.1.1133883.17.3.10.1.165)
- 7. MAY contain exactly one [1..1] component (CONF:11094)
  - **a.** Contains exactly one [1..1] *Blood Glucose* (templateId: 2.16.840.1.1133883.17.3.10.1.166)
- **8.** MAY contain zero or one [0..1] component (CONF:11095)
  - **a.** Contains exactly one [1..1] *Carbon Monoxide* (templateId: 2.16.840.1.1133883.17.3.10.1.167)
- 9. MAY contain exactly one [1..1] component (CONF:11096)
  - **a.** Contains exactly one [1..1] *Carbon Dioxide* (templateId: 2.16.840.1.1133883.17.3.10.1.168)
- **10. MAY** contain exactly one [1..1] **component** (CONF:11097)
  - **a.** Contains exactly one [1..1] *Cardiac Rhythm* (templateId: 2.16.840.1.1133883.17.3.10.1.169)
- 11. SHALL contain exactly one [1..1] component (CONF:11135)
  - **a.** Contains exactly one [1..1] *Glasgow Coma Score Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.170)

#### **Advance Directive Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.98]

Whether an advance directive exists and how it is expressed

- 1. SHALL contain exactly one [1..1] templateId such that it
  - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.98"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11152)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"67516-5" *Advance directive NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10194)
  - NEMSIS Trace: EHistory.05
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:11153), which SHALL be selected from ValueSet AdvanceDirectiveType 2.16.840.1.113883.17.3.11.63 DYNAMIC (CONF:11154)

### **Adverse Event Indicator**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.89]

Indication of whether an adverse event occurred involving EMS personnel

1. SHALL contain exactly one [1..1] templateId such that it

- **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.89"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11204)
- 3. SHALL contain exactly one [1..1] code (CONF:10705)/@code="67554-6" Work related exposure, injury, or death Provider NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10706)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10707)
  - NEMSIS Trace: EOther.05

# **Adverse Event Type Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.90]

Kind of adverse event involving EMS personnel

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.90"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11205)
- 3. SHALL contain exactly one [1..1] code (CONF:10710)/@code="67555-3" Work related exposure, injury, or death Provider NEMSIS type (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10709)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:10711), which SHALL be selected from ValueSet ProviderAdverseEventType 2.16.840.1.113883.17.3.11.72 DYNAMIC (CONF:10712)
  - NEMSIS Trace: EOther.06

# **Airbag Deployment Status**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.57]

Airbag presence, deployment, and location

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.57"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11162)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"67500-9" *Airbag deployment NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10126)
- 4. SHALL contain at least one [1..\*] value with @xsi:type="CD" (CONF:11163), which SHALL be selected from ValueSet AirbagStatus 2.16.840.1.113883.17.3.11.8 DYNAMIC (CONF:10127)
  - NEMSIS Trace: EInjury.08

# **Airway Confirmation Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.175]

Whether airway placement was confirmed, including time and method

1. SHALL contain exactly one [1..1] templateId such that it

- **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.175"
- 2. **SHALL** contain exactly one [1..1] **@moodCode="**EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11261)
- 3. SHALL contain exactly one [1..1] code (CONF:10542)/@code="71576-3" Airway device placement confirmation NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10541)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:10546)
  - NEMSIS Trace: EAirway.02. If the confirmation is negated, this SHALL be "NA."
- **5. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10545)
  - NEMSIS Trace: if EAirway.02 is populated, this is TRUE
- 6. SHALL contain exactly one [1..1] methodCode (CONF:10544), which SHALL be selected from ValueSet AirwayDeviceConfirmationMethod 2.16.840.1.113883.17.3.11.60 DYNAMIC (CONF:10543)
  - NEMSIS Trace: EAirway.04

# **Arrest Rhythm**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.127]

First measurement of cardiac rhythm during or shortly after cardiac arrest

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.127"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11251)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"67512-4" First monitored rhythm NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10179)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet *FirstMonitoredRhythm* 2.16.840.1.113883.17.3.11.14 **DYNAMIC** (CONF:10180)
  - NEMSIS Trace: EArrest.11

# **Back And Spine Assessment**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.119]

Qualitative assessment of condition of patient's back and spine

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.119"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11238)
- **3. SHALL** contain exactly one [1..1] **code** (CONF:10394)/@**code**="67532-2" *Physical findings of Back* + *Spine NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10393)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11239)
  - NEMSIS Trace: EExam.03
- 5. SHALL contain zero or more [0..\*] value with @xsi:type="CD" (CONF:10397), which SHALL be selected from ValueSet BackSpineAssessmentFinding 2.16.840.1.113883.17.3.11.34 DYNAMIC (CONF:10398)
  - NEMSIS Trace: EExam.14

- 6. SHALL contain zero or one [0..1] targetSiteCode (CONF:10396), which SHALL be selected from ValueSet BackSpineFindingLocation 2.16.840.1.113883.17.3.11.35 DYNAMIC (CONF:10395)
  - NEMSIS Trace: EExam.13

#### **Barriers To Patient Care**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.83]

Kinds of circumstances limiting provision of care

- 1. SHALL contain exactly one [1..1] templateId such that it
  - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.83"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11196)
- 3. SHALL contain exactly one [1..1] code (CONF:10435)/@code="67515-7" Barriers to patient care NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10436)
- 4. SHALL contain at least one [1..\*] value with @xsi:type="CD" (CONF:10437), which SHALL be selected from ValueSet BarrierToCare 2.16.840.1.113883.17.3.11.85 DYNAMIC (CONF:10438)
  - NEMSIS Trace: EHistory.01

### **Billing Condition**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.91]

Patient condition classified by billing category

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.91"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11207)
- 3. SHALL contain exactly one [1..1] code (CONF:10084)/@code="67556-1" EMS condition code NEMSIS (Billing condition) (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10086)
- 4. SHALL contain at least one [1..\*] value with @xsi:type="CD" (CONF:10087), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:11206)
  - NEMSIS Trace: EPayment.51

#### **Blood Glucose**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.166]

Patient blood glucose measured as a mass concentration

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.166"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11303)

- 3. SHALL contain exactly one [1..1] code (CONF:10300)/@code="2339-0" Glucose [Mass/?volume] in Blood (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10299)
- 4. MAY contain zero or one [0..1] effectiveTime (CONF:11304)
  - NEMSIS Trace: EVitals.01
- **5. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10301)
  - NEMSIS Trace: EVitals.18 UCUM units will typically be "mg/dl".

#### **Body Temperature**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.176]

Patient's body temperature

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.176"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11278)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"8310-5" *Body temperature* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10289)
- **4.** MAY contain zero or one [0..1] **effectiveTime** (CONF:11279)
  - NEMSIS Trace: EVitals.01
- 5. SHALL contain exactly one [1..1] value with @xsi:type="PQ" (CONF:10290)
  - NEMSIS Trace: EVitals.24 UCUM units SHOULD be "Cel".

#### **Call Time**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.38]

Time at which the public safety answering point call center is notified of an emergency

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.38"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11143)
- 3. SHALL contain exactly one [1..1] code (CONF:10835)/@code="69469-5" 911 call to public safety answering point or other designated entity requesting EMS services [Date and time] Facility NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10834)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="TS" (CONF:10836)
  - NEMSIS Trace: ETimes.01

# **Candidate Patient Registry Type**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.94]

Kind of patient registry in which it may be appropriate to include the patient

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.94"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11210)
- 3. SHALL contain exactly one [1..1] code (CONF:10728)/@code="67553-8" Condition indicating eligibility for illness or injury registry NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10729)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:10730), which **SHALL** be selected from ValueSet *RegistryType* 2.16.840.1.113883.17.3.11.74 **DYNAMIC** (CONF:10731)
  - NEMSIS Trace: EOther.02

#### **Carbon Dioxide**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.168]

Measurement of end tidal carbon dioxide

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.168"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11307)
- 3. SHALL contain exactly one [1..1] code (CONF:10294)/@code="19889-5" Carbon dioxide/Gas.total.at end expiration in Exhaled gas (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10293)
- **4.** MAY contain zero or one [0..1] **effectiveTime** (CONF:11308)
  - NEMSIS Trace: EVitals.01
- **5. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10295)
  - NEMSIS Trace: EVitals.16 UCUM units will typically be "%".

#### **Carbon Monoxide**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.167]

Measurement of carbon monoxide in patient's bloodstream

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.167"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11305)
- 3. SHALL contain exactly one [1..1] code (CONF:10297)/@code="20563-3" Carboxyhemoglobin/? Hemoglobin.total in Blood (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10296)
- 4. MAY contain zero or one [0..1] effectiveTime (CONF:11306)
  - NEMSIS Trace: EVitals.01
- **5. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10298)
  - NEMSIS Trace: EVitals.17 UCUM units will typically be "%".

#### **Cardiac Arrest**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.27]

Characteristics of a patient's cardiac arrest

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.27"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11130)
- 3. SHOULD contain zero or one [0..1] @negationInd (CONF:10141)
  - Populate as true if NEMSIS EArrest.01 = "No"
- 4. SHALL contain exactly one [1..1] code/@code="ASSERTION" ASSERTION (CodeSystem: 2.16.840.1.113883.5.4 HL7ActCode) (CONF:10138)
- 5. SHOULD contain zero or one [0..1] effectiveTime (CONF:10139)
  - NEMSIS Trace: EArrest.14
- 6. SHALL contain exactly one [1..1] value with @xsi:type="CD"/@code="410429000" cardiac arrest (CodeSystem: 2.16.840.1.113883.6.96 SNOMEDCT) (CONF:10140)
  - NEMSIS Trace: EArrest.01
- 7. SHALL contain exactly one [1..1] entryRelationship (CONF:10142)
  - a. This entryRelationship SHALL contain exactly one [1..1] @inversionInd="TRUE" (CONF:10154)
  - b. This entryRelationship **SHALL** contain exactly one [1..1] @typeCode="SUBJ" (CONF:10155)
  - c. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Cardiac Arrest Cause* (CONF:10941)
- **8. SHALL** contain at least one [1..\*] **informant** (CONF:10144)
  - a. Such informants SHALL contain exactly one [1..1] @typeCode="INF" (CONF:10158)
  - b. Such informants **SHALL** contain exactly one [1..1] **relatedEntity** (CONF:11071)
    - a. This relatedEntity SHALL contain exactly one [1..1] @classCode="AGNT" (CONF:10159)
    - b. This relatedEntity SHALL contain exactly one [1..1] code, which SHALL be selected from ValueSet CardiacArrestWitnessRole 2.16.840.1.113883.17.3.11.11 DYNAMIC (CONF:10160)

NEMSIS Trace: EArrest.04

- 9. SHALL contain exactly one [1..1] entryRelationship (CONF:10145)
  - a. This entryRelationship SHALL contain exactly one [1..1] @inversionInd="TRUE" (CONF:10161)
  - b. This entryRelationship SHALL contain exactly one [1..1] @typeCode="SUBJ" (CONF:10162)
  - c. This entryRelationship SHALL contain exactly one [1..1] observation, where its type is *Prior CPR* (CONF:10942)
- 10. SHALL contain exactly one [1..1] entryRelationship (CONF:10146)
  - a. This entryRelationship SHALL contain exactly one [1..1] @inversionInd="TRUE" (CONF:10168)
  - b. This entryRelationship SHALL contain exactly one [1..1] @typeCode="SUBJ" (CONF:10169)
  - c. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Prior AED Use* (CONF:10170)
- 11. SHALL contain at least one [1..\*] entryRelationship (CONF:10147)
  - a. Such entryRelationships SHALL contain exactly one [1..1] @inversionInd="TRUE" (CONF:10181)
  - b. Such entryRelationships SHALL contain exactly one [1..1] @typeCode="SUBJ" (CONF:10182)
  - c. Such entryRelationships SHALL contain exactly one [1..1] observation, where its type is Return Of Spontaneous Circulation (CONF:10183)

- 12. SHALL contain at least one [1..\*] entryRelationship (CONF:10148)
  - a. Such entryRelationships SHALL contain exactly one [1..1] @inversionInd="TRUE" (CONF:10186)
  - b. Such entryRelationships SHALL contain exactly one [1..1] @typeCode="SUBJ" (CONF:10187)
  - c. Such entryRelationships **SHALL** contain exactly one [1..1] **observation**, where its type is *Destination Rhythm* (CONF:10188)
- 13. SHALL contain exactly one [1..1] entryRelationship (CONF:11072)
  - a. This entryRelationship **SHALL** contain exactly one [1..1] @inversionInd="TRUE" (CONF:10176)
  - b. This entryRelationship SHALL contain exactly one [1..1] @typeCode="SUBJ" (CONF:10177)
  - c. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Arrest Rhythm* (CONF:10178)
- **14. SHALL** contain exactly one [1..1] **entryRelationship** (CONF:11377)
  - a. This entryRelationship SHALL contain exactly one [1..1] @inversionInd="TRUE" (CONF:10149)
  - b. This entryRelationship SHALL contain exactly one [1..1] @typeCode="SUBJ" (CONF:10151)
  - c. This entryRelationship contains zero or more [0..\*] observation, where its type is Cardiac Arrest Timing
- **15. SHALL** contain exactly one [1..1] **entryRelationship** (CONF:11332)
  - a. This entryRelationship SHALL contain exactly one [1..1] @typeCode="COMP" (CONF:11333)
  - **b.** This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Cardiac Arrest Outcome* (CONF:11334)

#### **Cardiac Arrest Cause**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.124]

Kind of event or condition causing cardiac arrest

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.124"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11246)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"67503-3" *Cardiac arrest cause NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10156)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet *CardiacArrestCause* 2.16.840.1.113883.17.3.11.10 **DYNAMIC** (CONF:10157)
  - NEMSIS Trace: EArrest.02

#### **Cardiac Arrest Outcome**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.184]

How the arrest was resolved in the experience of the EMS crew

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.184"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11376)
- 3. SHALL contain exactly one [1..1] code (CONF:11350)/@code="77152-7" Cardiac arrest event outcome (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:11351)

- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet *CardiacArrestOutcome* 2.16.840.1.113883.17.3.11.101 **STATIC** (CONF:11352)
  - NEMSIS trace: eArrest.18 (end of arrest event)

#### Cardiac Arrest Outcome example

Error: Missing Runtime Class

### **Cardiac Arrest Timing**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.123]

Whether a cardiac arrest occurred before or after arrival of EMS crew

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.123"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11245)
- 3. SHALL contain exactly one [1..1] code/@code="67502-5" Cardiac arrest NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10152)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet *CardiacArrestTiming* 2.16.840.1.113883.17.3.11.91 **DYNAMIC** (CONF:10153)
  - NEMSIS Trace: EArrest.01

### **Cardiac Rhythm**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.169]

Patient's cardiac rhythm classification

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.169"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11309)
- 3. SHALL contain exactly one [1..1] code (CONF:10275)/@code="67519-9" Cardiac rhythm NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10274)
- **4.** MAY contain zero or one [0..1] **effectiveTime** (CONF:11310)
  - NEMSIS Trace: EVitals.01
- 5. SHALL contain at least one [1..\*] value with @xsi:type="CD" (CONF:10278), which SHALL be selected from ValueSet CardiacRhythmReading 2.16.840.1.113883.17.3.11.16 DYNAMIC (CONF:10279)
  - NEMSIS Trace: EVitals.03
- 6. SHALL contain at least one [1..\*] methodCode (CONF:10277), which SHALL be selected from ValueSet MethodOfECGInterpretation 2.16.840.1.113883.17.3.11.20 DYNAMIC (CONF:10276)
  - NEMSIS Trace: EVitals.05
- 7. SHALL contain exactly one [1..1] participant {subsets Observation::participant} (CONF:11127)
  - a. This participant SHALL contain exactly one [1..1] participantRole (CONF:11128)
    - a. This participantRole SHALL contain exactly one [1..1] playingDevice (CONF:11129)
      - a. This playing Device contain zero or one [0..1] @classCode="DEV"

- b. This playing Device SHALL contain exactly one [1..1] code (CONF:11311), which SHALL be selected from ValueSet ECGType 2.16.840.1.113883.17.3.11.19 DYNAMIC (CONF:11312)
  - NEMSIS Trace: EVitals.04
- c. This playing Device contain zero or one [0..1] @determinerCode="INSTANCE"

# **Chest And Lungs Assessment**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.115]

Qualitative assessment of condition of patient's chest and lungs

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.115"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11230)
- 3. SHALL contain exactly one [1..1] code/@code="67528-0" Physical findings of Chest+Lungs NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10381)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11231)
  - NEMSIS Trace: EExam.03
- 5. SHALL contain at least one [1..\*] value with @xsi:type="CD", which SHALL be selected from ValueSet ChestLungAssessmentFinding 2.16.840.1.113883.17.3.11.29 DYNAMIC (CONF:10382)
  - NEMSIS Trace: EExam.08

### Complaint

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.63]

Statement of the problem by the patient or provider, including duration, system, and whether it is the chief complaint

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.63"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11169)
- 3. SHALL contain exactly one [1..1] code (CONF:10768)/@code="10154-3" Chief complaint Narrative Reported (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10769)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11170)
  - effectiveTime.low = NEMSIS Trace: ESituation.01
- **5. MAY** contain zero or one [0..1] **value** with @xsi:type="ST" (CONF:10770)
  - NEMSIS Trace: ESituation.04
- **6.** MAY contain zero or one [0..1] **entryRelationship** (CONF:10771)
  - a. This entryRelationship contain exactly one [1..1] observation, where its type is Complaint Duration
- 7. MAY contain zero or one [0..1] entryRelationship (CONF:10772)
  - a. This entryRelationship contains at least one [1..\*] observation, where its type is Complaint Type
- 8. SHALL contain exactly one [1..1] targetSiteCode (CONF:10773), which SHALL be selected from ValueSet *AnatomicLocation* 2.16.840.1.113883.17.3.11.76 DYNAMIC (CONF:10774)
  - NEMSIS Trace: ESituation.07

Complaint site is required if complaint is type "Chief complaint"

9. SHOULD contain zero or one [0..1] entryRelationship (CONF:10775)

The organ system is required if the complaint is of type "Chief complaint"

a. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Complaint Organ System* (CONF:10782)

#### **Complaint Duration**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.139]

How long a complaint has lasted

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.139"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11268)
- 3. SHALL contain exactly one [1..1] code (CONF:10779)/@code="67491-1" Duration of chief complaint NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10780)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10781)
  - NEMSIS Trace: ESituation.05, 06 Units SHALL be selected from UCUM time units (i.e., s, min, h, d, wk, mo, a)

# **Complaint Organ System**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.140]

The system that a complaint seems to affect

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.140"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11269)
- 3. SHALL contain exactly one [1..1] code (CONF:10784)/@code="69468-7" Primary anatomic organ system of chief complaint NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10783)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:10786), which **SHALL** be selected from ValueSet *OrganSystem* 2.16.840.1.113883.17.3.11.77 **DYNAMIC** (CONF:10785)
  - NEMSIS Trace: ESituation.08

# **Complaint Reported By Dispatch**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.74]

The complaint that dispatch reported to the responding unit

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.74"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11187)

- 3. SHALL contain exactly one [1..1] code (CONF:10568)/@code="67570-2" Chief complaint per dispatch Reported.dispatch (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10569)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:10571), which **SHALL** be selected from ValueSet *Complaint* 2.16.840.1.113883.17.3.11.49 **DYNAMIC** (CONF:10570)
  - NEMSIS Trace: EDispatch.01

#### **Complaint Type**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.138]

Whether a complaint is a chief complaint

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.138"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11266)
- 3. SHALL contain exactly one [1..1] code (CONF:10777)/@code="72114-2" Complaint NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10776)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:10778), which SHALL be selected from ValueSet Complaint Type 2.16.840.1.113883.17.3.11.94 DYNAMIC (CONF:11267)
  - NEMSIS Trace: ESituation.03

#### **Current Medication**

[SubstanceAdministration: templateId 2.16.840.1.1133883.17.3.10.1.77]

A medication a patient is currently taking

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.77"
- 2. MAY contain zero or one [0..1] @negationInd (CONF:10233)
  - If EHistory.12 has the value "None Reported," the value is "True"

    This negation of a notional class is parallel to the explicit question "patient on medication"
- 3. MAY contain zero or one [0..1] @nullFlavor (CONF:10234)
  - If EHistory.12 has the value "Refused" or "Unable to Complete," the value is "NI"; the original value may be recorded in SubstanceAdministration.text.

    This nulled notional class is parallel to the explicit question "patient on medication"
- 4. SHOULD contain zero or one [0..1] doseQuantity (CONF:10230)
  - NEMSIS Trace: EHistory.13, EHistory.14
- 5. SHOULD contain zero or one [0..1] routeCode (CONF:10232), which SHALL be selected from ValueSet MedicationAdministrationRoute 2.16.840.1.113883.17.3.11.43 DYNAMIC (CONF:10231)
  - NEMSIS Trace: EHistory.15
- **6. SHALL** contain exactly one [1..1] **consumable** (CONF:10235)
  - a. This consumable SHALL contain exactly one [1..1] manufacturedProduct (CONF:10236)
    - a. This manufacturedProduct SHALL contain exactly one [1..1] manufacturedMaterial (CONF:10237)

a. This manufacturedMaterial SHALL contain zero or one [0..1] code (CONF:11191), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.88 RxNorm) (CONF:11190)

### **Currently On Medication**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.75]

Whether a patient is currently taking medication

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.75"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11188)
- 3. SHALL contain exactly one [1..1] code/@code="67791-4" Does the patient take any medications NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10224)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10225)
  - If EHistory.12 has the value "None Reported," the value is "False"
    If EHistory.12 has the value "Refused" or "Unable to Complete," the value is "NI"; the original value may be recorded in Observation.text.

# **Delay Organizer**

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.95]

Kinds of delays experienced by a responder

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.95"
- 2. SHALL contain exactly one [1..1] component (CONF:10583)
  - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Dispatch Delay* (CONF:10588)

NEMSIS Trace: EResponse.08

- 3. SHALL contain exactly one [1..1] component (CONF:10584)
  - **a.** This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Response Delay* (CONF:10593)
- 4. SHALL contain exactly one [1..1] component (CONF:10585)
  - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Scene Delay* (CONF:10598)
- 5. SHALL contain exactly one [1..1] component (CONF:10586)
  - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Transport Delay* (CONF:10603)
- 6. SHALL contain exactly one [1..1] component (CONF:10587)
  - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Turnaround Delay* (CONF:10608)

# **Destination Rhythm**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.129]

Patient's cardiac rhythm classification at destination

- 1. SHALL contain exactly one [1..1] templateId such that it
  - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.129"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11254)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"67519-9" *Cardiac rhythm NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10189)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet *CardiacRhythmReading* 2.16.840.1.113883.17.3.11.16 **DYNAMIC** (CONF:10190)
  - NEMSIS Trace: EArrest.17

#### **Destination Ward**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.186]

The location within the hospital that the patient was taken directly by EMS

Contained By	Contains
EMS Disposition Section	

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.186"
- 2. SHALL contain exactly one [1..1] @classCode="OBS" Observation (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:11363)
- **3. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11380)
- **4. SHALL** contain exactly one [1..1] **code** (CONF:11364)/@code="77154-3" Hospital inpatient destination (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:11365)
- 5. SHALL contain exactly one [1..1] value with @xsi:type="CD", which SHALL be selected from ValueSet DestinationWardKind 2.16.840.1.113883.17.3.11.103 STATIC (CONF:11366)
  - NEMSIS trace: eDisposition.22 (Hospital In-Patient Destination)

#### **Destination Ward example**

Error: Missing Runtime Class

#### **Diastolic Blood Pressure**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.144]

Patient's diastolic blood pressure

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.144"

- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11272)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"8462-4" *Diastolic blood pressure* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10282)
- **4.** MAY contain zero or one [0..1] **effectiveTime** (CONF:11273)
  - NEMSIS Trace: EVitals.01
- **5. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10283)
  - NEMSIS Trace: EVitals.07 UCUM units SHOULD be "mm[Hg]".
- 6. SHALL contain exactly one [1..1] methodCode (CONF:11346), which SHALL be selected from ValueSet BloodPressureMeasurementMethod 2.16.840.1.113883.17.3.11.107 STATIC (CONF:11347)
  - NEMSIS Trace: eVitals.08 (method of blood pressure measurement)

### **Disaster Type**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.59]

Kind of disaster causing or contributing to the patient's complaint

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.59"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11166)
- 3. SHALL contain exactly one [1..1] code/@code="69463-8" Suspected intentional or unintentional disaster NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10132)
- **4. SHALL** contain at least one [1..\*] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet DisasterType 2.16.840.1.113883.17.3.11.9 **DYNAMIC** (CONF:10133)
  - NEMSIS Trace: EOther.07

# **Dispatch Delay**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.153]

Causes of delay to the dispatch process

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.153"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11286)
- 3. SHALL contain exactly one [1..1] code (CONF:10590)/@code="67480-4" Dispatch delay NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10589)
- **4. SHALL** contain at least one [1..\*] **value** with @xsi:type="CD" (CONF:10592), which **SHALL** be selected from ValueSet *DispatchDelayType* 2.16.840.1.113883.17.3.11.50 **DYNAMIC** (CONF:10591)
  - NEMSIS Trace: EResponse.08

### **Dispatch Location Latitude**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.151]

Latitude of the unit when dispatched

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.151"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11284)
- 3. SHALL contain exactly one [1..1] code/@code="52002-3" Ambulance transport, Destination site latitude coordinate (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10620)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10621)
  - NEMSIS Trace: EResponse.17
     UCUM units SHOULD be "deg". This may require conversion from a parsed "degree + minutes" representation to a decimal representation.

# **Dispatch Location Longitude**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.152]

Longitude of the unit when dispatched

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.152"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11285)
- 3. SHALL contain exactly one [1..1] code/@code="52003-1" Ambulance transport, Destination site longitude coordinate (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10623)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10624)
  - NEMSIS Trace: EResponse.17
     UCUM units SHOULD be "deg". This may require conversion from a parsed "degree + minutes" representation to a decimal representation.

# **Dispatch Location Name**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.150]

The name or ID of the dispatch center requesting service from the EMS agency

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.150"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11283)
- 3. SHALL contain exactly one [1..1] code/@code="69466-1" Vehicle location Vehicle NEMSIS --at dispatch (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10617)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="ST" (CONF:10618)
  - NEMSIS Trace: EResponse.16

### **Dispatch Location Organizer**

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.96]

Information about the location of the unit when dispatched

- 1. SHALL contain exactly one [1..1] templateId such that it
  - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.96"
- 2. MAY contain zero or one [0..1] component (CONF:10613)
  - a. This component SHALL contain exactly one [1..1] observation, where its type is *Dispatch Location Name* (CONF:10616)
- **3.** MAY contain zero or one [0..1] component (CONF:10614)
  - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Dispatch Location Latitude* (CONF:10619)
- 4. MAY contain zero or one [0..1] component (CONF:10615)
  - a. This component SHALL contain exactly one [1..1] observation, where its type is *Dispatch Location Longitude* (CONF:10622)

# **Dispatch Notified Time**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.46]

The time the dispatching organization was notified of an emergency

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.46"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11151)
- 3. SHALL contain exactly one [1..1] code (CONF:10867)/@code="69470-3" Dispatch was notified by the 911 call taker [Date and time] Facility NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10866)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="TS" (CONF:10868)
  - NEMSIS Trace: ETimes.02

# **Drug Allergy**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.48]

An allergy or sensitivity to a drug.

This statement follows the pattern of the Consolidated allergy observation, without the intervening "problem act" class.

In this observation, as the Consolidated guide specifies, the code is "ASSERTION," and the value selected from 2.16.840.1.113883.3.88.12.3221.6.2. In this case, the value should be 416098002 (Drug allergy (disorder)), System = SNOMED CT, 2.16.840.1.113883.6.5.

The drug, to be placed in the participating product, is encoded in RxNorm.

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.48"

- 2. contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood)
- **3. SHALL** contain exactly one [1..1] **participant** {subsets Act::participant} (CONF:11126)
  - a. This participant SHALL contain exactly one [1..1] participantRole (CONF:10208)
    - a. This participantRole SHALL contain exactly one [1..1] playingEntity (CONF:10209)
      - a. This playingEntity SHALL contain exactly one [1..1] code, which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.88 RxNorm) (CONF:11320)

NEMSIS Trace: EHistory.06

- 4. SHALL contain exactly one [1..1] code/@code="ASSERTION" ASSERTION (CodeSystem: 2.16.840.1.113883.5.4 ActCode) (CONF:11340)
- 5. SHALL contain exactly one [1..1] value1 with @xsi:type="CD"/@code="416098002" Drug allergy (disorder) (CodeSystem: 2.16.840.1.113883.6.96 SNOMEDCT) (CONF:11341)

### **Drug Allergy Organizer**

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.183]

This organizer contains a set of discrete drug allergy observations or an assertion that there are no such allergies.

Contained By	Contains
EMS Allergies And Adverse Reactions Section	Drug Allergy
	Existence Of Drug Allergy Observation

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.183"
- **2.** MAY contain zero or more [0..\*] component (CONF:11323)
  - a. Contains exactly one [1..1] *Drug Allergy* (templateId: 2.16.840.1.1133883.17.3.10.1.48)
- 3. SHALL contain exactly one [1..1] component (CONF:11324)
  - **a.** Contains exactly one [1..1] *Existence Of Drug Allergy Observation* (templateId: 2.16.840.1.1133883.17.3.10.1.102)

#### **Drug Allergy Organizer example**

Error: Missing Runtime Class

# **Drug Use Indication**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.71]

Evidence that a patient has been using alcohol or illicit drugs

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.71"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11179)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"67669-2" *Alcohol drug use NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10250)

- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet *AlcoholDrugUseIndicator* 2.16.840.1.113883.17.3.11.18 **DYNAMIC** (CONF:10251)
  - NEMSIS Trace: EHistory.17, proper values

# **Emergency Medical Dispatch Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.73]

Whether and how emergency medical dispatch was performed

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.73"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11186)
- 3. SHALL contain exactly one [1..1] code (CONF:10564)/@code="67488-7" Emergency medical dispatch performed NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10563)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:10566), which **SHALL** be selected from ValueSet *EMDPerformed* 2.16.840.1.113883.17.3.11.48 **DYNAMIC** (CONF:10565)
  - NEMSIS Trace: EDispatch.02

# **Existence Of Drug Allergy Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.102]

Indicator of whether patient has any allergies or sensitivities to drugs

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.102"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11213)
- 3. SHALL contain exactly one [1..1] code/@code="67794-8" Does the patient have any medication allergies NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10203)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10204)
  - If NEMSIS EHistory.06 is "No Known Drug Allergies," the value should be FALSE. If it is a proper value, the value should be TRUE. If it is a flavor of null, the appropriate flavor should be used here. See the null table to translate NEMSIS flavors into HL7; original values may be stored in Observation.text.

# **Existence Of Drug Use Indication**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.70]

Indicator of whether there are indications of alcohol or illicit drug use

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.70"
- **2. SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11177)

- 3. SHALL contain exactly one [1..1] code (CONF:10248)/@code="69757-3" Indications of drug or alcohol use by the patient NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10247)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:11178)
  - NEMSIS Trace: EHistory.17, positive, negative, or null values

### **Existence Of History Of Condition**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.60]

Indicator of whether patient has a history of significant medical conditions

- 1. SHALL contain exactly one [1..1] templateId such that it
  - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.60"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11167)
- 3. SHALL contain exactly one [1..1] code/@code="67793-0" Has the patient had any significant medical conditions NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10067)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10068)
  - If NEMSIS EHistory. 08 is "Refused" or "Unable to Complete," the value should be "NI"; the original value may be recorded in Observation.text.

    If NEMSIS EHistory. 08 is "None Reported," the value should be FALSE.

    If NEMSIS EHistory. 08 has proper values, the value should be TRUE.

### **Existence Of Non Drug Allergy**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.103]

Indicator of whether patient has any allergies or sensitivities to materials other than drugs

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.103"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11214)
- 3. SHALL contain exactly one [1..1] code/@code="69747-4" Does the patient have any environmental allergies NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10214)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10215)
  - If NEMSIS EHistory.07 has no values, this is FALSE; otherwise it is TRUE.

#### **Extremities Assessment**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.120]

Qualitative assessment of condition of patient's extremities

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.120"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11240)

- 3. SHALL contain exactly one [1..1] code (CONF:10399)/@code="67533-0" Physical findings of Extremity NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10400)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11241)
  - NEMSIS Trace: EExam.03
- 5. SHOULD contain zero or more [0..\*] value with @xsi:type="CD" (CONF:11385), which SHALL be selected from ValueSet ExtremitiesAssessmentFinding 2.16.840.1.113883.17.3.11.36 DYNAMIC (CONF:10403)
  - NEMSIS Trace: EExam.16
- **6.** MAY contain zero or one [0..1] targetSiteCode (CONF:10402), which SHALL be selected from ValueSet ExtremityFindingLocation 2.16.840.1.113883.17.3.11.37 DYNAMIC (CONF:10401)
  - NEMSIS Trace: EExam.15

### **Eye Assessment**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.121]

Qualitative assessment of condition of patient's eyes

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.121"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11242)
- 3. SHALL contain exactly one [1..1] code (CONF:10405)/@code="67534-8" Physical findings of Eye NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10404)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11243)
  - NEMSIS Trace: EExam.03
- 5. SHALL contain zero or more [0..\*] value with @xsi:type="CD" (CONF:10408), which SHALL be selected from ValueSet EyeAssessmentFinding 2.16.840.1.113883.17.3.11.38 DYNAMIC (CONF:10409)
  - NEMSIS Trace: EExam.18
- 6. SHALL contain zero or one [0..1] targetSiteCode (CONF:10406), which SHALL be selected from ValueSet EyeFindingLocation 2.16.840.1.113883.17.3.11.39 DYNAMIC (CONF:10407)
  - NEMSIS Trace: EExam.17

#### **Face Assessment**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.112]

Qualitative assessment of condition of patient's face

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.112"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11224)
- **3. SHALL** contain exactly one [1..1] **code** (CONF:10376)/@**code**="67526-4" *Physical findings of Face NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10375)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11225)
  - NEMSIS Trace: EExam.03

- 5. SHALL contain at least one [1..\*] value with @xsi:type="CD" (CONF:10377), which SHALL be selected from ValueSet FaceAssessmentFinding 2.16.840.1.113883.17.3.11.27 DYNAMIC (CONF:10378)
  - NEMSIS Trace: EExam.06

#### First Unit Indicator

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.84]

Indicator of whether reporter of PCR is the first unit to arrive at the scene

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.84"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11197)
- 3. SHALL contain exactly one [1..1] code (CONF:10741)/@code="67481-2" First EMS unit on scene NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10742)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10743)
  - NEMSIS Trace: EScene.01

### **Glasgow Coma Score Organizer**

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.170]

Collection of Glasgow Coma Score observations

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.170"
- 2. SHALL contain exactly one [1..1] component (CONF:10313)
  - a. Contains exactly one [1..1] Glasgow Eye (templateId: 2.16.840.1.1133883.17.3.10.1.160)
- 3. SHALL contain exactly one [1..1] component (CONF:10314)
  - **a.** Contains exactly one [1..1] *Glasgow Motor* (templateId: 2.16.840.1.1133883.17.3.10.1.192)
- **4.** MAY contain zero or more [0..\*] component (CONF:10315)
  - **a.** Contains exactly one [1..1] *Glasgow Qualifier* (templateId: 2.16.840.1.1133883.17.3.10.1.159)
- **5. SHOULD** contain zero or one [0..1] **component** (CONF:10316)
  - a. Contains exactly one [1..1] Glasgow Total (templateId: 2.16.840.1.1133883.17.3.10.1.158)
- 6. SHALL contain exactly one [1..1] component (CONF:10317)
  - **a.** Contains exactly one [1..1] *Glasgow Verbal* (templateId: 2.16.840.1.1133883.17.3.10.1.162)
- 7. MAY contain zero or one [0..1] effectiveTime (CONF:11313)
  - NEMSIS Trace: EVitals.01

# **Glasgow Eye**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.160]

Glasgow Coma eye score

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.160"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11294)
- 3. SHALL contain exactly one [1..1] code (CONF:10325)/@code="9267-6" Glasgow coma score.eye opening (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10324)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="INT" (CONF:10326)
  - NEMSIS Trace: EVitals.19

# **Glasgow Motor**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.192]

Glasgow Coma motor score

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.192"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11295)
- 3. SHALL contain exactly one [1..1] code (CONF:10328)/@code="9268-4" Glasgow coma score.motor (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10329)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="INT" (CONF:10330)
  - NEMSIS Trace: EVitals. 21

# **Glasgow Qualifier**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.159]

Qualifier for Glasgow Coma score

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.159"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11292)
- 3. SHALL contain exactly one [1..1] code (CONF:10322)/@code="55285-1" Glasgow coma score special circumstances (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10321)
- 4. MAY contain zero or more [0..\*] value with @xsi:type="CD" (CONF:10323), which SHALL be selected from ValueSet GlasgowComaScoreSpecialCircumstances 2.16.840.1.113883.17.3.11.89 DYNAMIC (CONF:11293)
  - NEMSIS Trace: EVitals.22

# **Glasgow Total**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.158]

Total Glasgow Coma score

1. SHALL contain exactly one [1..1] templateId such that it

- **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.158"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11291)
- 3. SHALL contain exactly one [1..1] code (CONF:10319)/@code="9269-2" Glasgow coma score.total (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10318)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="INT" (CONF:10320)
  - NEMSIS Trace: EVitals.23
    Integer value equal to the sum of verbal, motor, and eye

# **Glasgow Verbal**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.162]

Glasgow Coma verbal score

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.162"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11296)
- 3. SHALL contain exactly one [1..1] code (CONF:10332)/@code="9270-0" Glasgow coma score.verbal (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10333)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="INT" (CONF:10334)
  - NEMSIS Trace: EVitals.20

#### **Head Assessment**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.113]

Qualitative assessment of condition of patient's head

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.113"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11226)
- **3. SHALL** contain exactly one [1..1] **code** (CONF:10373)/@code="67525-6" *Physical findings of Head NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10372)
- SHALL contain exactly one [1..1] effectiveTime (CONF:11227)
  - NEMSIS Trace: EExam.03
- **5. SHALL** contain at least one [1..\*] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet *HeadAssessmentFinding* 2.16.840.1.113883.17.3.11.26 **DYNAMIC** (CONF:10374)
  - NEMSIS Trace: EExam.05

#### **Heart Assessment**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.116]

Qualitative assessment of condition of patient's heart

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.116"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11232)
- 3. SHALL contain exactly one [1..1] code (CONF:10384)/@code="67529-8" Physical findings of Heart NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10383)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11233)
  - NEMSIS Trace: EExam.03
- 5. SHALL contain at least one [1..\*] value with @xsi:type="CD" (CONF:10385), which SHALL be selected from ValueSet HeartAssessmentFinding 2.16.840.1.113883.17.3.11.30 DYNAMIC (CONF:10386)
  - NEMSIS Trace: EExam.09

#### **Heart Rate**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.145]

Measurement of rate of heartbeat

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.145"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11274)
- 3. SHALL contain exactly one [1..1] code (CONF:10285)/@code="8867-4" Heart rate (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10284)
- 4. MAY contain zero or one [0..1] effectiveTime (CONF:11275)
  - NEMSIS Trace: EVitals.01
- 5. SHALL contain exactly one [1..1] value with @xsi:type="PQ" (CONF:10286)
  - NEMSIS Trace: EVitals.10 UCUM units SHOULD be "/min".

# **Height Of Fall**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.58]

Distance patient fell, if injury is fall-related

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.58"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11164)
- 3. SHALL contain exactly one [1..1] code/@code="67501-7" Height of fall NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10129)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="PQ" (CONF:11165)
  - NEMSIS Trace: EInjury.09 Units SHOULD be in feet ('ft i')

### **History Of Condition**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.61]

Medical conditions the patient has or has had

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.61"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11168)
- 3. SHALL contain exactly one [1..1] code (CONF:10070)/@code="68487-8" *Medical surgical history ICD-9 and 10 codes* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10069)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:10072), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:10071)
  - NEMSIS Trace: EHistory. 08 If NEMSIS EHistory.08 is "No bleeding disorder," the value should be the appropriate ICD-10 code (D66, D67, D68) and negationIndicator should be TRUE.

### **Incident Disposition Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.32]

Outcome of incident, including disposition of patient and other outcomes

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.32"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11137)
- 3. SHALL contain exactly one [1..1] code (CONF:10669)/@code="67548-8" Incident patient disposition NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10668)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:10670), which **SHALL** be selected from ValueSet *IncidentOutcome* 2.16.840.1.113883.17.3.11.64 **DYNAMIC** (CONF:10671)
  - NEMSIS Trace: EDisposition.12

# **Initial Patient Acuity**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.69]

Patient condition indicating urgency of treatment on arrival at patient

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.69"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11176)
- 3. SHALL contain exactly one [1..1] code (CONF:10816)/@code="67493-7" Initial patient acuity NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10817)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:10818), which **SHALL** be selected from ValueSet *PatientCondition* 2.16.840.1.113883.17.3.11.59 **DYNAMIC** (CONF:10819)
  - NEMSIS Trace: ESituation.13

### **Injury Cause Category**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.50]

The category of the reported/suspected external cause of the injury

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.50"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11155)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"69543-7" *Cause of injury NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10106)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", which **SHALL** be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:10108)
  - NEMSIS Trace: EInjury.01
     Causes are in ICD-10 chapter XX

# **Injury Mechanism**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.51]

General classification of physical force causing injury

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.51"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11156)
- 3. SHALL contain exactly one [1..1] code/@code="67494-5" General mechanism of the forces which caused the injury NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10109)
- **4. SHALL** contain at least one [1..\*] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet MechanismOfInjury 2.16.840.1.113883.17.3.11.1 **DYNAMIC** (CONF:10110)
  - NEMSIS Trace: EInjury.02

# **Injury Risk Factor**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.53]

Factors predictive of need for trauma center care

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.53"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11158)
- **3. SHALL** contain exactly one [1..1] **code** (CONF:11383)/@code="67496-0" *Other injury risk factors NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10114)
- **4. SHALL** contain at least one [1..\*] **value** with @xsi:type="CD" (CONF:11382), which **SHALL** be selected from ValueSet *InjuryRiskFactor* 2.16.840.1.113883.17.3.11.4 **DYNAMIC** (CONF:10115)
  - NEMSIS Trace: EInjury.04

#### **Last Oral Intake**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.80]

Time of patient's last oral intake

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.80"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11193)
- 3. SHALL contain exactly one [1..1] code (CONF:10423)/@code="67517-3" Last oral intake [Date and time] NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10424)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="TS" (CONF:10425)
  - NEMSIS Trace: EHistory.19

### **Length Based Patient Body Weight Class**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.110]

Classification of patient weight based on length

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.110"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11221)
- 3. SHALL contain exactly one [1..1] code (CONF:10366)/@code="67670-0" Length-based tape measure category NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10365)
- **4. SHALL** contain exactly one [1..1] **effectiveTime** (CONF:11222)
  - NEMSIS Trace: EExam.03
- **5. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet LengthBasedWeightClass 2.16.840.1.113883.17.3.11.24 **DYNAMIC** (CONF:10367)
  - NEMSIS Trace: EExam.02. Note: a license is required to implement the Broselow-Luten measure.

### **Level Of Responsiveness**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.165]

Patient's responsiveness

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.165"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11301)
- 3. SHALL contain exactly one [1..1] code (CONF:10303)/@code="67775-7" Level of responsiveness NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10302)
- **4.** MAY contain zero or one [0..1] **effectiveTime** (CONF:11302)

- NEMSIS Trace: EVitals.01
- 5. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:10305), which SHALL be selected from ValueSet LevelOfResponsiveness 2.16.840.1.113883.17.3.11.21 DYNAMIC (CONF:10304)
  - NEMSIS Trace: EVitals.26

#### **Level Of Service Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.92]

CMS classification of service level for billing purposes

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.92"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11208)
- 3. SHALL contain exactly one [1..1] code (CONF:10090)/@code="69464-6" Centers for medicare medicaid, CMS, service level NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10091)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:10092), which **SHALL** be selected from ValueSet *EMSLevelOfService* 2.16.840.1.113883.17.3.11.70 **DYNAMIC** (CONF:10093)
  - NEMSIS Trace: EPayment.50

### **Location Type Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.88]

Kind of location where the incident occurred

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.88"
- 2. SHALL contain exactly one [1..1] code/@code="74496-1" Injury location ICD code (CodeSystem: ) (CONF:11202)
- 3. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:11387), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:11203)
  - NEMSIS trace: eScene.09 (Incident location type)
     See NEMSIS recommended subset at http://nemsis.org/v3/resources.html. ICD-10 CM contains "place of occurrence of external cause" under code Y92.

# **Mass Casualty Indicator**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.87]

Indicator of whether the patient injury is part of a mass casualty event

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.87"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11200)

- 3. SHALL contain exactly one [1..1] code (CONF:10753)/@code="67490-3" Mass casualty incident NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:11201)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10754)
  - NEMSIS Trace: EScene.07

#### **Medication Administered**

### **Medication Complication Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.107]

Complications associated with the administration of a medication

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.107"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11218)
- 3. SHALL contain exactly one [1..1] code (CONF:10473)/@code="67541-3" *Medication complication NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10474)
- 4. SHALL contain at least one [1..\*] value with @xsi:type="CD" (CONF:10475), which SHALL be selected from ValueSet MedicationComplication 2.16.840.1.113883.17.3.11.45 DYNAMIC (CONF:10476)
  - NEMSIS Trace: EMedications.08

#### **Medication Not Administered Reason Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.105]

Reason for declining to administer a medication

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.105"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11216)
- 3. SHALL contain exactly one [1..1] code/@code="ASSERTION" Assertion (CodeSystem: 2.16.840.1.113883.5.4 HL7ActCode) (CONF:10462)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:10463), which SHALL be selected from ValueSet MedicationNotGivenReason 2.16.840.1.113883.17.3.11.92 DYNAMIC (CONF:10464)
  - EMedications.03

#### **Medication Prior Administration Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.108]

Indicator of whether a medication was administered prior to the arrival of the EMS crew

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.108"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11219)
- 3. SHALL contain exactly one [1..1] code (CONF:10478)/@code="67539-7" Medication administered prior to this unit's EMS care NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10479)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10480)
  - NEMSIS Trace: EMedications.02

### **Medication Response Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.106]

Whether the patient's condition improved after medication administration

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.106"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11217)
- 3. SHALL contain exactly one [1..1] code (CONF:10469)/@code="67540-5" Response to medication NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10470)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:11384), which SHALL be selected from ValueSet ChangeInPatientStatus 2.16.840.1.113883.17.3.11.78 DYNAMIC (CONF:10471)
  - NEMSIS Trace: EMedications.07

#### **Mental Status Assessment**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.122]

Qualitative assessment of condition of patient's mental status

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.122"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11244)
- 3. MAY contain exactly one [1..1] code (CONF:10410)/@code="67535-5" Mental status assessment NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10411)
- 4. contain exactly one [1..1] effectiveTime
  - NEMSIS Trace: EExam.03
- **5. SHALL** contain at least one [1..\*] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet *MentalStatusFinding* 2.16.840.1.113883.17.3.11.84 **DYNAMIC** (CONF:10412)
  - NEMSIS Trace: EExam.19

#### **Neck Assessment**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.114]

Qualitative assessment of condition of patient's neck

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.114"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11228)
- 3. SHALL contain exactly one [1..1] code/@code="67527-2" Physical findings of Neck NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10379)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11229)
  - NEMSIS Trace: EExam.03
- 5. SHALL contain at least one [1..\*] value with @xsi:type="CD", which SHALL be selected from ValueSet NeckAssessmentFinding 2.16.840.1.113883.17.3.11.28 DYNAMIC (CONF:10380)
  - NEMSIS Trace: EExam.07

### **Neurological Assessment**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.141]

Qualitative assessment of condition of patient's neurological response

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.141"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11270)
- 3. SHALL contain exactly one [1..1] code (CONF:10414)/@code="67536-3" Neurological assessment Nervous system NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10413)
- 4. SHALL contain at least one [1..\*] value with @xsi:type="CD" (CONF:10415), which SHALL be selected from ValueSet NeurologicalAssessmentFinding 2.16.840.1.113883.17.3.11.40 DYNAMIC (CONF:10416)
  - NEMSIS Trace: EExam.20

# **Non Drug Allergy**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.104]

Patient allergies and sensitivities to materials other than drugs

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.104"
- **2. SHALL** contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11215)
- 3. SHALL contain exactly one [1..1] code/@code="69748-2" Known allergies to food or environmental agents Narrative NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10216)
  - Required if Existence is True
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD", which SHALL be selected from ValueSet NonDrugAllergyType 2.16.840.1.113883.17.3.11.83 DYNAMIC (CONF:10217)
  - NEMSIS Trace: EHistory.07

### Non Drug Allergy Organizer

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.49]

Information regarding patient allergies and sensitivities to materials other than drugs

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.49"
- 2. SHALL contain exactly one [1..1] component (CONF:10212)
  - **a.** Contains exactly one [1..1] *Existence Of Non Drug Allergy* (templateId: 2.16.840.1.1133883.17.3.10.1.103)
- 3. MAY contain zero or more [0..\*] component (CONF:10213)
  - **a.** Contains exactly one [1..1] *Non Drug Allergy* (templateId: 2.16.840.1.1133883.17.3.10.1.104)

### **Number Of Patients Transported Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.31]

The number of patients transported by this EMS crew and unit

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.31"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11136)
- 3. SHALL contain exactly one [1..1] code (CONF:10665)/@code="67547-0" Patients transported in EMS unit [#] NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10664)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="INT" (CONF:10666)
  - NEMSIS Trace: eDisposition.11

## **Other Symptoms**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.67]

Symptoms other than the primary symptom

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.67"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11174)
- 3. SHALL contain exactly one [1..1] code (CONF:10806)/@code="67776-5" Other symptoms NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10807)
- 4. MAY contain zero or more [0..\*] value with @xsi:type="CD" (CONF:10808), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:10809)
  - NEMSIS Trace: ESituation.10

### **Oxygen Saturation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.177]

Measurement of the patient's arterial blood oxygen saturation

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.177"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11281)
- 3. SHALL contain exactly one [1..1] code/@code="2708-6" Oxygen saturation in Arterial blood (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10291)
- 4. MAY contain zero or one [0..1] effectiveTime (CONF:11348)
- **5. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10292)
  - NEMSIS Trace: EVitals.12
     UCUM units will typically be "%".

#### **Pain Score**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.164]

Assessment of the patient's level of pain

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.164"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11299)
- 3. SHALL contain exactly one [1..1] code/@code="56840-2" Pain severity verbal numeric scale (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10306)
- 4. MAY contain zero or one [0..1] effectiveTime (CONF:11300)
  - NEMSIS Trace: EVitals.01
- **5.** contain exactly one [1..1] **value** with @xsi:type="INT"
  - NEMSIS Trace: EVitals.27
    An ordinal value between 0 and 10, inclusive. There are three scales, but the values are equivalent.

### **Patient Age**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.81]

The age of the patient

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.81"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11194)
- **3. SHALL** contain exactly one [1..1] **code** (CONF:10427)/@code="30525-0" *Age* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10428)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10429)

• NEMSIS Trace: EPatient.15, 16 UCUM units SHOULD be 'min' 'h' 'd' 'wk' 'mo' or 'a'

#### Patient Arrived At Destination Time

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.44]

The time the EMS crew delivered the patient to the destination

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.44"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11149)
- 3. SHALL contain exactly one [1..1] code (CONF:10859)/@code="69476-0" Responding unit arrived with the patient at the destination or transfer point [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10858)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="TS" (CONF:10860)
  - NEMSIS Trace: ETimes.11

### **Patient Body Weight**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.178]

Patient's body weight

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.178"
- 2. **SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11220)
  - NEMSIS Trace: EExam.03
- **3. SHALL** contain exactly one [1..1] **code/@code=**"8335-2" *Body weight Estimated* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10363)
- 4. contain exactly one [1..1] effectiveTime
- **5. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10364)
  - NEMSIS Trace: EExam.01 UCUM units should be 'kg'

### **Patient Condition At Destination Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.37]

Whether the patient's condition had changed on arrival at destination

Contained By	Contains
EMS Disposition Section	

1. SHALL contain exactly one [1..1] templateId such that it

- **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.37"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11142)
- 3. SHALL contain exactly one [1..1] code (CONF:10694)/@code="77941-3" Final patient acuity NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10693)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:10695), which **SHALL** be selected from ValueSet *PatientCondition* 2.16.840.1.113883.17.3.11.59 **DYNAMIC** (CONF:10696)
  - NEMSIS Trace: EDisposition.19

#### **Patient Condition At Destination Observation example**

Error: Missing Runtime Class

#### **Patient Location In Vehicle**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.55]

Patient's location in a vehicle during a vehicle collision

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.55"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11160)
- 3. SHALL contain exactly one [1..1] code/@code="67498-6" Location of patient in vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10120)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet *VehiclePassengerLocation* 2.16.840.1.113883.17.3.11.6 **DYNAMIC** (CONF:10121)
  - NEMSIS Trace: EInjury.06

### **Patient On Anticoagulants**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.76]

Indication of whether patient is on anticoagulant medication

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.76"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11189)
- 3. SHALL contain exactly one [1..1] code/@code="69749-0" Is the patient on anticoagulants NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10227)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10228)
  - NEMSIS Trace: If EHistory.12 has the value "No anticoagulants," the value is False

# **Patient Pregnancy**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.79]

Indication of whether the patient is pregnant

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.79"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11192)
- **3. SHALL** contain exactly one [1..1] **code** (CONF:10418)/@code="67471-3" *Pregnancy* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10419)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:10420), which **SHALL** be selected from ValueSet *Pregnancy* 2.16.840.1.113883.17.3.11.42 **DYNAMIC** (CONF:10421)
  - NEMSIS Trace: EHistory.18

### Pelvic And Genitourinary Assessment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.118]

Qualitative assessment of condition of patient's pelvic and genitourinary region

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.118"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11236)
- 3. SHALL contain exactly one [1..1] code/@code="67531-4" Physical findings of Pelvis+Genitourinary NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10390)
- 4. SHALL contain exactly one [1..1] effectiveTime (CONF:11237)
  - NEMSIS Trace: EExam.03
- 5. SHALL contain at least one [1..\*] value with @xsi:type="CD" (CONF:10392), which SHALL be selected from ValueSet PelvisGenitourinaryAssessment 2.16.840.1.113883.17.3.11.33 DYNAMIC (CONF:10391)
  - NEMSIS Trace: EExam.12

### **Physical Assessment Organizer**

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.78]

A collection of qualitative assessments of the patient's physical condition

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.78"
- 2. MAY contain zero or one [0..1] component {subsets Organizer::component} (CONF:11103)
  - a. This component SHALL contain exactly one [1..1] code (CONF:10368)/@code="67524-9" Physical findings of Skin NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10369)
  - **b.** This component **MAY** contain exactly one [1..1] **effectiveTime** (CONF:11386)

NEMSIS Trace: EExam.03

c. This component SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11223)

- d. This component SHALL contain at least one [1.\*] value with @xsi:type="CD" (CONF:10370), which SHALL be selected from ValueSet SkinAssessment 2.16.840.1.113883.17.3.11.25 DYNAMIC (CONF:10371)
  - NEMSIS Trace: EExam.04
- **3.** MAY contain zero or one [0..1] component {subsets Organizer::component} (CONF:11105)
  - a. This component SHALL contain exactly one [1..1] observation, where its type is *Head Assessment* (CONF:11104)
- 4. MAY contain zero or one [0..1] component {subsets Organizer::component} (CONF:11107)
  - **a.** This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Face Assessment* (CONF:11106)
- **5.** MAY contain zero or one [0..1] component {subsets Organizer::component} (CONF:11109)
  - **a.** This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Neck Assessment* (CONF:11108)
- **6.** MAY contain zero or one [0..1] **component** {subsets Organizer::component} (CONF:11111)
  - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Chest And Lungs Assessment* (CONF:11110)
- 7. MAY contain zero or one [0..1] component {subsets Organizer::component} (CONF:11113)
  - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Heart Assessment* (CONF:11112)
- 8. MAY contain zero or more [0..\*] component {subsets Organizer::component} (CONF:11115)
  - a. Such components **SHALL** contain exactly one [1..1] **observation**, where its type is *Abdomen Assessment* (CONF:11114)
- 9. MAY contain zero or one [0..1] component {subsets Organizer::component} (CONF:11117)
  - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Pelvic And Genitourinary Assessment* (CONF:11116)
- 10. MAY contain zero or more [0..\*] component {subsets Organizer::component} (CONF:11119)
  - a. Such components **SHALL** contain exactly one [1..1] **observation**, where its type is *Back And Spine Assessment* (CONF:11118)
- 11. MAY contain zero or more [0..\*] component {subsets Organizer::component} (CONF:11121)
  - a. Such components **SHALL** contain exactly one [1..1] **observation**, where its type is *Extremities Assessment* (CONF:11120)
- 12. MAY contain zero or more [0..\*] component {subsets Organizer::component} (CONF:11123)
  - a. Such components **MAY** contain exactly one [1..1] **observation**, where its type is *Eye Assessment* (CONF:11122)
- 13. MAY contain zero or one [0..1] component {subsets Organizer::component} (CONF:11125)
  - a. This component **MAY** contain exactly one [1..1] **observation**, where its type is *Mental Status Assessment* (CONF:11124)
- 14. MAY contain zero or one [0..1] component {subsets Organizer::component} (CONF:11342)
  - a. This component contain exactly one [1..1] observation, where its type is Neurological Assessment

# Possible Injury

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.64]

Indicator of whether a patient may have an injury

1. SHALL contain exactly one [1..1] templateId such that it

- **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.64"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11171)
- 3. SHALL contain exactly one [1..1] code (CONF:10792)/@code="69467-9" Possible injury NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10793)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10794)
  - NEMSIS Trace: ESituation.02

#### **Prearrival Activation Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.36]

Indication of whether destination was activated prior to patient arrival

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.36"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11141)
- 3. SHALL contain exactly one [1..1] code (CONF:10689)/@code="69462-0" Activation of the destination healthcare facility team NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10688)
- **4. SHALL** contain exactly one [1..1] **effectiveTime** (CONF:10691)
  - NEMSIS Trace: EDisposition.25 Required if value is TRUE
- **5. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10690)
  - NEMSIS Trace: EDisposition.24

## **Primary Destination Hospital Capability**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.104]

The primary hospital capability associated with the patient's condition for this transport

Contained By	Contains
EMS Disposition Section	

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.104"
- 2. SHALL contain exactly one [1..1] @classCode="OBS" Observation (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:11357)
- 3. SHALL contain exactly one [1..1] @moodCode (CONF:11360)
- 4. SHALL contain exactly one [1..1] code (CONF:11358)/@code="77155-0" Hospital designation capability (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:11359)
- 5. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:11361), which SHALL be selected from ValueSet PrimaryHospitalCapability 2.16.840.1.113883.17.3.11.104 STATIC (CONF:11362)
  - NEMSIS trace: eDisposition.23 (Hospital Capability)

#### Primary Destination Hospital Capability example

Error: Missing Runtime Class

### **Primary Symptom**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.66]

The primary symptom present in the patient

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.66"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11173)
- 3. SHALL contain exactly one [1..1] code (CONF:10801)/@code="67774-0" Primary sign and symptom NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10802)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:10803), which **SHALL** be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:10804)
  - NEMSIS Trace: ESituation.09

#### **Prior AED Use**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.126]

Indication of whether an automated external defibrillator was used on the patient prior to EMS arrival

- 1. SHALL contain exactly one [1..1] templateId such that it
  - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.126"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11249)
- 3. SHALL contain exactly one [1..1] code/@code="67508-2" AED use prior to EMS arrival NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10171)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet *AEDUsePriorToEMSArrival* 2.16.840.1.113883.17.3.11.13 **DYNAMIC** (CONF:10172)
  - NEMSIS Trace: EArrest.07
- 5. MAY contain zero or one [0..1] participant (CONF:10173)
  - a. This participant SHALL contain exactly one [1..1] @typeCode="RESP" (CONF:11250)
  - **b.** This participant **SHALL** contain exactly one [1..1] **participantRole** (CONF:10174)
    - a. This participantRole SHALL contain exactly one [1..1] code, which SHALL be selected from ValueSet PriorCareProviderRole 2.16.840.1.113883.17.3.11.12 DYNAMIC (CONF:10175)

NEMSIS Trace: EArrest.08

### **Prior Aid Vitals**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.29]

Indication of whether this set of vital signs was obtained prior to the documenting EMS unit's care

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.29"
- **2. SHALL** contain exactly one [1..1] **@moodCode="**EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11131)
- 3. SHALL contain exactly one [1..1] code/@code="67518-1" Obtained prior to units EMS care NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10273)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="BL" (CONF:11132)
  - NEMSIS Trace: EVitals.02

#### **Prior CPR**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.125]

Indication of whether CPR was provided prior to the documenting EMS unit's care

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.125"
- **2. SHALL** contain exactly one [1..1] **@moodCode="**EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11247)
- 3. SHALL contain exactly one [1..1] code/@code="67506-6" CPR prior to EMS arrival NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10163)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10164)
  - NEMSIS Trace: EArrest.05
- 5. MAY contain zero or one [0..1] participant (CONF:10165)
  - a. This participant SHALL contain exactly one [1..1] @typeCode="RESP" (CONF:11248)
  - b. This participant SHALL contain exactly one [1..1] participantRole (CONF:10943)
    - a. This participantRole SHALL contain exactly one [1..1] code, which SHALL be selected from ValueSet PriorCareProviderRole 2.16.840.1.113883.17.3.11.12 DYNAMIC (CONF:10167)

NEMSIS Trace: eArrest.06

#### **Procedure**

[Procedure: templateId 2.16.840.1.1133883.17.3.10.1.181]

Procedure performed by EMS unit

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.181"
- 2. MAY contain zero or one [0..1] @negationInd (CONF:11212)
  - Required to document a procedure not performed, with required "reason not performed" observation
- 3. SHALL contain exactly one [1..1] code (CONF:10496)
  - NEMSIS Trace: EProcedures.03, for which use ICD10-PCS and EArrest.09, for which use Cardiopulmonary Resuscitation type (VS 2.16.840.1.113883.17.3.11.57) and EArrest.10 (therapeutic hypothermia); include here as ICD-10 PCS "6A4" using negation indicator if not done

and EArrest.03:

3003001 Attempted Defibrillation = ICD10-PCS Defibrillation 5A2204Z

```
3003005 Initiated Chest Compressions: use more detailed Cardiopulmonary Resuscitation Type (2.16.840.1.113883.17.3.11.57); reader may infer from this value if necessary 3003003 Attempted Ventilation: use more detailed Cardiopulmonary Resuscitation Type (2.16.840.1.113883.17.3.11.57); reader may infer from this value if necessary 3003007 Not Attempted-Considered Futile = Assistance 5A0; procedure negation = True; ReasonNotAttempted required 3003009 Not Attempted-DNR Orders = Assistance 5A0; procedure negation = True; ReasonNotAttempted required 3003011 Not Attempted-Signs of Circulation = Assistance 5A0; procedure negation = True; ReasonNotAttempted required
```

4. MAY contain zero or one [0..1] entryRelationship (CONF:10498)

Required for cardiac resuscitation procedures (eArrest.16)

- **a.** This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Abandoned Procedure Reason Observation* (CONF:10510)
- 5. MAY contain zero or one [0..1] statusCode (CONF:10499), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.5.14 ActStatus) (CONF:10500)
  - NEMSIS Trace: EArrest.15 Use value "aborted" for discontinued resuscitation (eArrest.15)
- 6. SHALL contain exactly one [1..1] effectiveTime (CONF:10497)
  - NEMSIS Trace: EProcedures.01 goes in effectiveTime.low If an abandoned time is recorded, EArrest.15 goes in effectiveTime.high
- 7. MAY contain zero or one [0..1] approachSiteCode (CONF:10502), which SHALL be selected from ValueSet *Infusion Site* 2.16.840.1.113883.17.3.11.56 DYNAMIC (CONF:10501)
  - NEMSIS Trace: EProcedures.13
    Required conditionally if procedure code is insertion of an infusion device
- 8. SHALL contain exactly one [1..1] entryRelationship (CONF:10503)
  - a. This entryRelationship SHALL contain exactly one [1..1] observation, where its type is *Procedure Prior Indicator* (CONF:10515)
- 9. MAY contain zero or one [0..1] entryRelationship (CONF:10504)

Important for airway insertion

a. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Procedure Number Of Attempts Observation* (CONF:10519)

NEMSIS Trace: EProcedures.05

- 10. SHALL contain exactly one [1..1] entryRelationship (CONF:10505)
  - **a.** This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Procedure Successful Observation* (CONF:10523)
- 11. SHALL contain at least one [1..\*] entryRelationship (CONF:10506)
  - a. Such entryRelationships **SHALL** contain exactly one [1..1] **observation**, where its type is *Procedure Complications Observation* (CONF:10527)
- 12. SHALL contain exactly one [1..1] entryRelationship (CONF:10507)
  - **a.** This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Procedure Patient Response Observation* (CONF:10531)
- 13. SHALL contain at least one [1..\*] performer (CONF:10508)
  - a. Such performers SHALL contain exactly one [1..1] assignedEntity (CONF:10536)
    - a. This assignedEntity SHALL contain exactly one [1..1] code (CONF:10537), which SHALL be selected from ValueSet *ProviderRole* 2.16.840.1.113883.17.3.11.46 **DYNAMIC** (CONF:10538)

NEMSIS Trace: EProcedures.10

**b.** This assignedEntity **SHALL** contain exactly one [1..1] **id** (CONF:10539)

NEMSIS Trace: EProcedures.09, ID equal to the EMS professional's agency ID number

**14. MAY** contain zero or one [0..1] **entryRelationship** (CONF:10509)

NEMSIS Trace: EAirway.04; required if procedure code is airway placement, i.e., 0CHY7BZ

- **a.** This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Airway Confirmation Observation* (CONF:10540)
- 15. MAY contain zero or one [0..1] entryRelationship (CONF:11089)
  - **a.** This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Reason Procedure Not Attempted Observation* (CONF:11088)

### **Procedure Complications Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.179]

Complications associated with a procedure performed by the EMS unit

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.179"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11259)
- 3. SHALL contain exactly one [1..1] code (CONF:10528)/@code="67545-4" Procedure complication NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10529)
- **4. SHALL** contain at least one [1..\*] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet ProcedureComplicationType 2.16.840.1.113883.17.3.11.58 **DYNAMIC** (CONF:10530)
  - NEMSIS Trace: EProcedures.07

### **Procedure Number Of Attempts Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.132]

How many times the EMS unit attempted a procedure

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.132"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11257)
- **3. SHALL** contain exactly one [1..1] **code** (CONF:10520)/@code="67543-9" *Procedure attempts* [#] *NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10521)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="INT" (CONF:10522)
  - NEMSIS Trace: EProcedures.05

### **Procedure Patient Response Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.135]

How a patient responded to a procedure

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.135"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11260)
- 3. SHALL contain exactly one [1..1] code (CONF:10532)/@code="67546-2" Response to procedure NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10533)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:10534), which SHALL be selected from ValueSet ChangeInPatientStatus 2.16.840.1.113883.17.3.11.78 DYNAMIC (CONF:10535)
  - NEMSIS Trace: EProcedures.08

#### **Procedure Prior Indicator**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.131]

Indication of whether a procedure was provided prior to the documenting EMS unit's care

- 1. SHALL contain exactly one [1..1] templateId such that it
  - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.131"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11256)
- 3. SHALL contain exactly one [1..1] code (CONF:10516)/@code="67542-1" Procedure performed prior to this units EMS care NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10517)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10518)
  - NEMSIS Trace: EProcedures.02

#### Procedure Successful Observation

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.133]

Indication of whether a procedure was successful

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.133"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11258)
- 3. SHALL contain exactly one [1..1] code (CONF:10524)/@code="67544-7" Procedure successful NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10525)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="BL" (CONF:10526)
  - NEMSIS Trace: EProcedures.06

## **Protocol Age Category**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.149]

Age range for which a protocol is appropriate

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.149"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11282)
- 3. SHALL contain exactly one [1..1] code (CONF:10723)/@code="67538-9" Protocol age category NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10724)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:10725), which SHALL be selected from ValueSet ProtocolAgeCategory 2.16.840.1.113883.17.3.11.86 DYNAMIC (CONF:10726)
  - NEMSIS Trace: EProtocols.02

#### **Protocol Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.93]

The protocol used by EMS personnel to direct the clinical care of the patient

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.93"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11209)
- 3. SHALL contain exactly one [1..1] code (CONF:10719)/@code="67537-1" Protocol used NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10718)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:10720), which **SHALL** be selected from ValueSet *Protocol* 2.16.840.1.113883.17.3.11.73 **DYNAMIC** (CONF:10721)
  - NEMSIS Trace: EProtocols.01
- 5. contain exactly one [1..1] entryRelationship
  - a. This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Protocol Age Category* (CONF:11073)

## **Provider Primary Impression**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.65]

The EMS personnel's impression of the patient's primary problem or most significant condition

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.65"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11172)
- 3. SHALL contain exactly one [1..1] code (CONF:10796)/@code="67492-9" Primary problem NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10797)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:10798), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:10799)
  - NEMSIS Trace: ESituation.11

### **Provider Secondary Impressions**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.68]

The EMS personnel's impression of the patient's secondary problems or conditions

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.68"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11175)
- 3. SHALL contain exactly one [1..1] code (CONF:10811)/@code="69542-9" Secondary problem NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10812)
- 4. SHALL contain at least one [1..\*] value with @xsi:type="CD" (CONF:10813), which SHALL be selected from (CodeSystem: 2.16.840.1.113883.6.90 ICD-10 CM) (CONF:10814)
  - NEMSIS Trace: ESituation.12

### **Reason For Choosing Destination Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.35]

The reason the unit chose to deliver the patient to the destination

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.35"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11140)
- 3. SHALL contain exactly one [1..1] code (CONF:10684)/@code="67552-0" Reason for choosing destination NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10683)
- 4. SHALL contain at least one [1..\*] value with @xsi:type="CD" (CONF:10685), which SHALL be selected from ValueSet DestinationChoiceReason 2.16.840.1.113883.17.3.11.68 DYNAMIC (CONF:10686)
  - NEMSIS Trace: EDisposition.20

### **Reason Procedure Not Attempted Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.137]

Why the EMS crew did not attempt to perform a procedure

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.137"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11262)
- 3. SHALL contain exactly one [1..1] code/@code="67504-1" Reason resuscitation not attempted NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:11263)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:11264), which SHALL be selected from ValueSet Reason Procedure not Performed Superset 2.16.840.1.113883.17.3.11.100 DYNAMIC (CONF:11265)
  - NEMSIS Trace: EProcedures.03 pertinent negatives, EArrest.03 negative values

This is a superset of both value sets: the question is the same, even if the .90 values are appropriate only for CPR and the .95 for all other procedures.

Note: CPR procedures have appropriate values "Not Attempted-Considered Futile," "Not Attempted-DNR Orders." "Not Attempted-Signs of Circulation"; other procedures have values "Contraindication Noted," "Denied By Order," "Refused," "Unable to Complete"

### **Respiratory Rate**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.146]

Patient's rate of respiration

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.146"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11276)
- 3. SHALL contain exactly one [1..1] code/@code="9279-1" Respiratory rate (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10287)
- **4. MAY** contain zero or one [0..1] **effectiveTime** (CONF:11277)
  - NEMSIS Trace: EVitals.01
- **5. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10288)
  - NEMSIS Trace: EVitals.14
     UCUM units SHOULD be "/min".

### **Response Beginning Odometer Reading**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.171]

Odometer reading for the EMS vehicle when dispatched

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.171"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11314)
- 3. SHALL contain exactly one [1..1] code (CONF:10631)/@code="67484-6" Counter or odometer reading NEMSIS --beginning of call (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10632)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10633)
  - NEMSIS Trace: EResponse.19 UCUM units SHOULD be "[mi i]"

### Response Delay

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.154]

Causes of delay to the response process

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.154"

- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11287)
- 3. SHALL contain exactly one [1..1] code (CONF:10595)/@code="67557-9" Response delay NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10594)
- **4. SHALL** contain at least one [1..\*] **value** with @xsi:type="CD" (CONF:10597), which **SHALL** be selected from ValueSet *ResponseDelayType* 2.16.840.1.113883.17.3.11.51 **DYNAMIC** (CONF:10596)
  - NEMSIS Trace: EResponse.09

### Response Destination Odometer Reading

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.173]

Odometer reading for the EMS vehicle at patient destination

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.173"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11316)
- 3. SHALL contain exactly one [1..1] code (CONF:10639)/@code="67486-1" Counter or odometer reading NEMSIS --patient destination (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10640)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10641)
  - NEMSIS Trace: EResponse.21 UCUM units SHOULD be "[mi\_i]"

### **Response Ending Odometer Reading**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.174]

Odometer reading for the EMS vehicle when call is complete

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.174"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11317)
- 3. SHALL contain exactly one [1..1] code (CONF:10643)/@code="67487-9" Counter or odometer reading NEMSIS --end of call (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10644)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10645)
  - NEMSIS Trace: EResponse.22 UCUM units SHOULD be "[mi\_i]"

### **Response Mode Qualifier**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.191]

Characteristics of the response mode

Contained By	Contains
Response Mode To Scene	

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.191"
- 2. SHALL contain exactly one [1..1] @classCode="OBS" Observation (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:11371)
- **3. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11374)
- 4. SHALL contain exactly one [1..1] code (CONF:11372)/@code="77157-6" Response mode descriptors (CONF:11373)
- 5. SHALL contain at least one [1..\*] value with @xsi:type="CD" (CONF:11376), which SHALL be selected from ValueSet ResponseModeQualifier 2.16.840.1.113883.17.3.11.106 DYNAMIC (CONF:11375)
  - NEMSIS Trace: eResponse.24 (Additional Response Mode Descriptors)

#### Response Mode Qualifier example

Error: Missing Runtime Class

### Response Mode To Scene

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.182]

Indication of whether the response was emergent or non-emergent

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.182"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11211)
- 3. SHALL contain exactly one [1..1] code (CONF:10647)/@code="67482-0" Response mode to scene NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10648)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:10650), which SHALL be selected from ValueSet <u>TransportationMode</u> 2.16.840.1.113883.17.3.11.66 DYNAMIC (CONF:10649)
  - NEMSIS Trace: EResponse.23
- 5. SHALL contain exactly one [1..1] entryRelationship (CONF:11343)
  - **a.** Contains exactly one [1..1] *Response Mode Qualifier* (templateId: 2.16.840.1.1133883.17.3.10.1.191)

### Response Odometer Reading Organizer

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.97]

Collection of odometer readings at various points in an EMS crew's trip

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.97"
- 2. MAY contain zero or one [0..1] component (CONF:10626)
  - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Response Beginning Odometer Reading* (CONF:10630)
- **3.** MAY contain zero or one [0..1] component (CONF:10627)

- a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Response On Scene Odometer Reading* (CONF:10634)
- **4.** MAY contain zero or one [0..1] component (CONF:10628)
  - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Response Destination Odometer Reading* (CONF:10638)
- **5.** MAY contain zero or one [0..1] component (CONF:10629)
  - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Response Ending Odometer Reading* (CONF:10642)

### Response On Scene Odometer Reading

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.172]

Odometer reading for the EMS vehicle when the unit arrives at the patient

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.172"
- **2. SHALL** contain exactly one [1..1] **@moodCode="**EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11315)
- 3. SHALL contain exactly one [1..1] code (CONF:10635)/@code="67485-3" Counter or odometer reading NEMSIS --patient arrival (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10636)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10637)
  - NEMSIS Trace: EResponse.20
     UCUM units SHOULD be "[mi\_i]"

### **Return Of Spontaneous Circulation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.128]

Indication whether or not there was any return of spontaneous circulation, and if so, when

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.128"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11252)
- 3. SHALL contain exactly one [1..1] code/@code="67513-2" Return of spontaneous circulation NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10184)
- 4. SHALL contain at least one [1..\*] value with @xsi:type="CD" (CONF:11253), which SHALL be selected from ValueSet ReturnOfSpontaneousCirculation 2.16.840.1.113883.17.3.11.15 DYNAMIC (CONF:10185)
  - NEMSIS Trace: EArrest.12

## **Scene Delay**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.155]

Causes of delay at the event scene

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.155"
- **2. SHALL** contain exactly one [1..1] **@moodCode="**EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11288)
- 3. SHALL contain exactly one [1..1] code (CONF:10600)/@code="67558-7" Scene delay NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10599)
- **4. SHALL** contain at least one [1..\*] **value** with @xsi:type="CD" (CONF:10602), which **SHALL** be selected from ValueSet *SceneDelayType* 2.16.840.1.113883.17.3.11.52 **DYNAMIC** (CONF:10601)
  - NEMSIS Trace: EResponse.10

#### **Scene Patient Count**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.86]

How many patients were at the scene

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.86"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11199)
- 3. SHALL contain exactly one [1..1] code (CONF:10750)/@code="67489-5" Total patients at the scene NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10749)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="INT" (CONF:10751)
  - NEMSIS Trace: EScene.06

#### **Stroke Score**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.163]

Result of a stroke scale instrument

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.163"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11297)
- 3. SHALL contain exactly one [1..1] code (CONF:10308)/@code="67520-7" Stroke scale overall interpretation NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10307)
- 4. MAY contain zero or one [0..1] effectiveTime (CONF:11298)
  - NEMSIS Trace: EVitals.01
- 5. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:10310), which SHALL be selected from ValueSet Stroke Scale Interpretation 2.16.840.1.113883.17.3.11.93 DYNAMIC (CONF:10309)
  - NEMSIS Trace: EVitals.29
- 6. SHALL contain exactly one [1..1] methodCode (CONF:10312), which SHALL be selected from ValueSet StrokeScale 2.16.840.1.113883.17.3.11.88 DYNAMIC (CONF:10311)
  - NEMSIS Trace: EVitals.30

### **Systolic Blood Pressure**

[Observation: templateId 2.16.840.1.113883.17.3.10.1.23.1]

Measurement of the patient's systolic blood pressure

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.17.3.10.1.23.1"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11271)
- 3. SHALL contain exactly one [1..1] code/@code="8480-6" Systolic blood pressure (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10280)
- **4.** MAY contain zero or one [0..1] **effectiveTime** (CONF:7304)
  - NEMSIS Trace: EVitals.01
- **5. SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ" (CONF:10281)
  - NEMSIS Trace: EVitals.06 UCUM units SHOULD be "mm[Hg]".
- 6. SHALL contain zero or more [0..\*] methodCode (CONF:11344), which SHALL be selected from ValueSet BloodPressureMeasurementMethod 2.16.840.1.113883.17.3.11.107 STATIC (CONF:11345)
  - NEMSIS Trace: eVitals.08 (method of blood pressure measurement)

### **Thrombolytic Contraindications**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.82]

Indicator of contraindications to thrombolytic use

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.82"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11195)
- 3. SHALL contain exactly one [1..1] code (CONF:10431)/@code="67523-1" Contraindication for thrombolytic use NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10432)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD", which SHALL be selected from ValueSet ExistenceOfContraindicationsToThrombolyticUse 2.16.840.1.113883.17.3.11.41 DYNAMIC (CONF:10433)
  - NEMSIS Trace: EVitals.31

### **Transport Delay**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.156]

Causes of delay to the transport process

- 1. SHALL contain exactly one [1..1] templateId such that it
  - a. SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.156"

- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11289)
- 3. SHALL contain exactly one [1..1] code (CONF:10605)/@code="67559-5" Transport delay NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10604)
- **4. SHALL** contain at least one [1..\*] **value** with @xsi:type="CD" (CONF:10607), which **SHALL** be selected from ValueSet *TransportDelayType* 2.16.840.1.113883.17.3.11.53 **DYNAMIC** (CONF:10606)
  - NEMSIS Trace: EResponse.11

### **Transport Method Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.34]

Vehicle or device used to transport patient

Vehicle or device used to transport patient

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.34"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11139)
- 3. SHALL contain exactly one [1..1] code (CONF:10679)/@code="67549-6" Transport method NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10678)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:10680), which **SHALL** be selected from ValueSet *TransportMethod* 2.16.840.1.113883.17.3.11.65 **DYNAMIC** (CONF:10681)
  - NEMSIS Trace: EDisposition.16

### **Transport Mode Observation**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.33]

Indication of whether the transport was emergent or non-emergent

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.33"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11138)
- 3. SHALL contain exactly one [1..1] code (CONF:10674)/@code="67550-4" Transport mode from scene NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10673)
- 4. SHALL contain exactly one [1..1] value with @xsi:type="CD" (CONF:10675), which SHALL be selected from ValueSet *TransportationMode* 2.16.840.1.113883.17.3.11.66 **DYNAMIC** (CONF:10676)
  - NEMSIS Trace: EDisposition.17 (disposition transport mode)
- 5. SHALL contain exactly one [1..1] entryRelationship (CONF:11379)
  - a. This entryRelationship contain exactly one [1..1] @typeCode="COMP"
  - **b.** This entryRelationship **SHALL** contain exactly one [1..1] **observation**, where its type is *Transport Mode Qualifier* (CONF:11339)

#### **Transport Mode Qualifier**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.193]

Characteristics of the transport mode

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.193"
- 2. SHALL contain exactly one [1..1] @classCode="OBS" Observation (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:11353)
- **3. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11378)
- **4. SHALL** contain exactly one [1..1] **code** (CONF:11354)/@**code=**"77153-5" *Transport Mode Descriptors* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:11355)
- 5. SHALL contain at least one [1..\*] value with @xsi:type="CD", which SHALL be selected from ValueSet TransportModeQualifier 2.16.840.1.113883.17.3.11.102 DYNAMIC (CONF:11356)
  - NEMSIS Trace: eDisposition.18 (additional transport mode descriptors)

#### Transport Mode Qualifier example

Error: Missing Runtime Class

#### Trauma Center Criteria

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.52]

Field Triage Criteria for transport to a trauma center as defined by the Centers for Disease Control and Prevention and the American College of Surgeons-Committee on Trauma

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.52"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11157)
- 3. SHALL contain exactly one [1..1] code/@code="67495-2" CDC field triage criteria NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10111)
- **4. SHALL** contain at least one [1..\*] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet *TraumaCenterCriteria* 2.16.840.1.113883.17.3.11.3 **DYNAMIC** (CONF:10112)
  - NEMSIS Trace: EInjury.03

## **Turnaround Delay**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.157]

Causes of delay to the unit turnaround process

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.157"
- **2. SHALL** contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11290)

- 3. SHALL contain exactly one [1..1] code (CONF:10610)/@code="67560-3" Turn-around delay NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10609)
- **4. SHALL** contain at least one [1..\*] **value** with @xsi:type="CD" (CONF:10612), which **SHALL** be selected from ValueSet *TurnAroundDelayType* 2.16.840.1.113883.17.3.11.54 **DYNAMIC** (CONF:10611)
  - NEMSIS Trace: EResponse.12

#### **Unit At Patient Time**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.42]

Time the unit arrived at the patient

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.42"
- **2. SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11147)
- 3. SHALL contain exactly one [1..1] code (CONF:10851)/@code="69474-5" Responding unit arrived at the patient's side [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10850)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="TS" (CONF:10852)
  - NEMSIS Trace: ETimes.07

#### **Unit Back In Service Time**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.45]

Time the unit is back in service

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.45"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11150)
- 3. SHALL contain exactly one [1..1] code (CONF:10863)/@code="69477-8" Unit was back in service and available for response [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10862)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="TS" (CONF:10864)
  - NEMSIS Trace: ETimes.13

#### Unit En Route Time

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.40]

Time unit begins moving toward the patient

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.40"
- **2. SHALL** contain exactly one [1..1] **@moodCode=**"EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11145)

- 3. SHALL contain exactly one [1..1] code (CONF:10843)/@code="69472-9" Unit responded [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10842)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="TS" (CONF:10844)
  - NEMSIS Trace: ETimes.05

#### **Unit Left Scene Time**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.43]

Time the unit left the incident scene

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.43"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11148)
- 3. SHALL contain exactly one [1..1] code (CONF:10855)/@code="69475-2" Responding unit left the scene with a patient [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10854)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="TS" (CONF:10856)
  - NEMSIS Trace: ETimes.09

### Unit Level Of Care Capability

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.190]

The level of care the unit is able to provide

Contained By	Contains
EMS Response Section	

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.190"
- **2. SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11368)
- 3. SHALL contain exactly one [1..1] code (CONF:11382)/@code="77156-8" EMS level of care capability (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:11367)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:11369), which **SHALL** be selected from ValueSet *UnitLevelOfCare* 2.16.840.1.113883.17.3.11.105 **STATIC** (CONF:11370)
  - NEMSIS Trace: eResponse.15 (Unit level of care)

#### Unit Level Of Care Capability example

Error: Missing Runtime Class

#### **Unit Notified Time**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.39]

Time the unit was dispatched

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.39"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11144)
- 3. SHALL contain exactly one [1..1] code (CONF:10839)/@code="69471-1" Responding unit was notified by dispatch [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10838)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="TS" (CONF:10840)
  - NEMSIS Trace: ETimes.03 This is the value represented in the header for the encompassing encounter

#### **Unit On Scene Time**

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.41]

Time the unit arrived at the incident scene

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.41"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11146)
- 3. SHALL contain exactly one [1..1] code (CONF:10847)/@code="69473-7" Responding unit arrived on the scene [Date and time] Vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10846)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="TS" (CONF:10848)
  - NEMSIS Trace: ETimes.06

# Vehicle Impact Area

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.54]

Area of vehicle struck in a vehicle collision

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a. SHALL** contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.54"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11159)
- 3. SHALL contain exactly one [1..1] code/@code="67497-8" Location of impact on the vehicle NEMSIS (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10117)
- **4. SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet *VehicleImpactArea* 2.16.840.1.113883.17.3.11.5 **DYNAMIC** (CONF:10118)
  - NEMSIS Trace: EInjury.05

### Vehicle Occupant Safety Equipment

[Observation: templateId 2.16.840.1.1133883.17.3.10.1.56]

Safety equipment in use by the patient at the time of the injury

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.56"
- 2. SHALL contain exactly one [1..1] @moodCode="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:11161)
- **3. SHALL** contain exactly one [1..1] **code/@code=**"67499-4" *Safety equipment NEMSIS* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:10123)
- **4. SHALL** contain at least one [1..\*] **value** with @xsi:type="CD", which **SHALL** be selected from ValueSet *SafetyEquipmentType* 2.16.840.1.113883.17.3.11.7 **DYNAMIC** (CONF:10124)
  - NEMSIS Trace: EInjury.07

### Vital Signs Organizer

[Organizer: templateId 2.16.840.1.1133883.17.3.10.1.28]

A collection vital signs observations

For any observation within the organizer, if the NEMSIS value is "Refused," the value SHALL be "NI;" the string "Refused" MAY be recorded in Observation.text.

Note that NEMSIS collects times at the vitals cluster level, whereas systems may record them at the observation level. No preference is indicated regarding how close individual observation timestamps must be to allow their inclusion in a cluster or how the cluster effectiveTime is determined. effectiveTime is modeled on the observations to support unanticipated uses and to conform more closely to the Consolidated CDA pattern, though the exclusion of the id property makes it impossible to assert compliance to the Consolidated template in this guide (though it remains possible to do so in an implementation).

- 1. SHALL contain exactly one [1..1] templateId such that it
  - **a.** SHALL contain exactly one [1..1] @root="2.16.840.1.1133883.17.3.10.1.28"
- 2. SHALL contain exactly one [1..1] effectiveTime (CONF:10257)
  - NEMSIS Trace: EVitals.01
- 3. SHALL contain exactly one [1..1] component (CONF:11078)
  - **a.** This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Systolic Blood Pressure* (CONF:11077)
- 4. SHOULD contain zero or one [0..1] component (CONF:11080)
  - **a.** This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Diastolic Blood Pressure* (CONF:11079)
- 5. SHALL contain exactly one [1..1] component (CONF:11082)
  - a. This component SHALL contain exactly one [1..1] observation, where its type is *Heart Rate* (CONF:11081)
- **6. SHALL** contain exactly one [1..1] **component** (CONF:11084)
  - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Respiratory Rate* (CONF:11083)
- 7. SHOULD contain zero or one [0..1] component (CONF:11086)
  - a. This component SHALL contain exactly one [1..1] observation, where its type is Body Temperature (CONF:11085)
- 8. SHALL contain exactly one [1..1] component {subsets Organizer::component} (CONF:11090)
  - a. This component **SHALL** contain exactly one [1..1] **observation**, where its type is *Oxygen Saturation* (CONF:11087)
- 9. SHALL contain exactly one [1..1] component (CONF:11335)

- **a.** Contains exactly one [1..1] *Prior Aid Vitals* (templateId: 2.16.840.1.1133883.17.3.10.1.29)
- 10. SHALL contain exactly one [1..1] component (CONF:11336)
  - **a.** Contains exactly one [1..1] *Additional Vital Signs Organizer* (templateId: 2.16.840.1.1133883.17.3.10.1.30)
- **11. SHALL** contain zero or one [0..1] **code** (CONF:11338)/@**code**="46680005" *Vital signs* (CodeSystem: 2.16.840.1.113883.6.96 SNOMEDCT) (CONF:11337)
  - May also use LOINC 74728-7 "Vital signs, weight, height, head circumference, oximetry, BMI, and BSA panel HL7.CCDAr1.1"

# Chapter

# 5

# **VALUE SETS**

#### Topics:

- AED Use Prior To EMS Arrival
- Abdomen Assessment Finding
- Abdominal Finding Location
- Administrative Gender
- Administrative Gender Excluding Nulls
- Advance Directive Type
- Airbag Status
- Airway Device Confirmation Method
- Airway Device Type
- Alcohol Drug Use Indicator
- Anatomic Location
- Back Spine Assessment Finding
- Back Spine Finding Location
- Barrier To Care
- Blood Pressure Measurement Method
- Cardiac Arrest Cause
- Cardiac Arrest Outcome
- Cardiac Arrest Timing
- Cardiac Arrest Witness Role
- Cardiac Rhythm Reading
- Cardiopulmonary Resuscitation Type
- Change In Patient Status
- Chest Lung Assessment Finding
- Complaint
- Complaint Type
- Confidentiality
- Crew Role Level
- Destination Choice Reason
- Destination Prearrival Activation
- Destination Type
- Destination Ward Kind
- Disaster Type

The following tables summarize the value sets used in this Implementation Guide.

- Dispatch Delay Type
- ECG Type
- EMD Performed
- EMS Level Of Service
- EMS Medication Administration Device
- Ethnicity
- Ethnicity Group
- Existence Of Contraindications To Thrombolytic Use
- Extremity Finding Location
- Eye Assessment Finding
- Eye Finding Location
- FDA Route of Administration
- Face Assessment Finding
- First Monitored Rhythm
- Glasgow Coma Score Special Circumstances
- HL7 Administrative Gender
- HL7 Confidentiality
- HL7 Human Language
- Head Assessment Finding
- Heart Assessment Finding
- Human language
- IC D-10
- ICD-10 CM
- ICD-10 PCS
- Incident Outcome
- Infusion Site
- LOINC
- Length Based Weight Class
- Level Of Responsiveness
- Mechanism Of Injury
- Medication Administration Route
- Medication Administration Site
- Medication Authorization Type
- Medication Complication
- Medication Not Given Reason
- Mental Status Finding
- Method Of ECG Interpretation
- Neck Assessment Finding
- Neurological Assessment Finding
- Non Drug Allergy Type
- Organ System
- Pelvis Genitourinary Assessment

- Pregnancy
- Primary Hospital Capability
- Prior Care Provider Role
- Procedure Complication Type
- Protocol
- Protocol Age Category
- Provider Adverse Event Type
- Provider Response Role
- Provider Role
- Race and Ethnicity CDC
- Race Category
- Reason Procedure not Performed
- Reason Procedure not Performed Superset
- Reason Resuscitation Not Attempted
- Registry Type
- Response Delay Type
- Response Mode Qualifier
- Resusctitation Discontinue Reason
- Return Of Spontaneous Circulation
- Rx Norm
- Safety Equipment Type
- Scene Delay Type
- Service Type
- Stroke Scale
- Stroke Scale Interpretation
- Transport Delay Type
- Transport Method
- Transport Mode Qualifier
- Transportation Mode
- Trauma Center Criteria
- Turn Around Delay Type
- Unit Level Of Care
- Unit Response Role
- Vehicle Impact Area
- Vehicle Passenger Location

#### **AED Use Prior To EMS Arrival**

Value Set	AEDUsePriorToEMSArrival - 2.16.840.1.113883.17.3.11.13	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Use of automated elecronic defibrillator, with or without defibrillation	

Code	Code System	Print Name
LA17066-4	LOINC	Yes, with defibrillation
LA17067-2	LOINC	Yes, applied without defibrillation
LA32-8	LOINC	No

## **Abdomen Assessment Finding**

Value Set	AbdomenAssessmentFinding - 2.16.840.1.113883.17.3.11.31	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Finding resulting from EMS abdominal assessment	

Code	Code System	Print Name
LA17208-2	LOINC	Bleeding controlled
LA17209-0	LOINC	Bleeding uncontrolled
LA17213-2	LOINC	Mass/lesion
LA17214-0	LOINC	Puncture/stab wound
LA17242-1	LOINC	Distention
LA17243-9	LOINC	Guarding
LA17212-4	LOINC	Gunshot wound
LA17246-2	LOINC	Mass-pulsating
LA17247-0	LOINC	Pregnant-palpable uterus
LA17709-9	LOINC	Tenderness
LA18220-6	LOINC	Avulsion
LA18221-4	LOINC	Burn, blistering
LA18222-2	LOINC	Burn, charring
LA18223-0	LOINC	Burn, redness
LA18224-8	LOINC	Burn, white/waxy
LA18226-3	LOINC	Foreign body
LA18247-9	LOINC	Bowel sounds-absent
LA18248-7	LOINC	Bowel sounds-present
LA6626-1	LOINC	Normal

Code	Code System	Print Name
LA6630-3	LOINC	Not done
LA7410-9	LOINC	Abrasion
LA7452-1	LOINC	Laceration
LA7460-4	LOINC	Pain
LOINC_TBDA_925	LOINC	Rebound Tenderness
LOINC_TBDA_926	LOINC	Rigidity
LA17229-8	LOINC	Crush injury
LOINC_TBDA_531	LOINC	Swelling
LA7423-2	LOINC	Contusion
LA18225-5	LOINC	Deformity

## **Abdominal Finding Location**

Value Set	AbdominalFindingLocation - 2.16.840.1.113883.17.3.11.32	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Location of finding resulting from EMS abdominal assessment	

Code	Code System	Print Name
LA12698-9	LOINC	Left upper quadrant
LA18721-3	LOINC	Generalized
LA18722-1	LOINC	Left lower quadrant
LA18723-9	LOINC	Right upper quadrant
LA18724-7	LOINC	Periumbilical
LA18725-4	LOINC	Right lower quadrant
LOINC_TBDA_924	LOINC	Epigastric

#### **Administrative Gender**

Value Set	Administrative Gender - 2.16.840.1.113883.1.11.1	
Code System	HL7 Administrative Gender - 2.16.840.1.113883.5.1	
Definition	Gender of the patient for administrative purposes	

## **Administrative Gender Excluding Nulls**

Value Set	Administrative Gender Excluding Nulls - 2.16.840.1.113883.3.2074.1.1.5
Definition	Gender of the patient for administrative purposes, excluding the problematic value UN

Code	Code System	Print Name
M	AdministrativeGenderCode	Male
F	AdministrativeGenderCode	Female

## **Advance Directive Type**

Value Set	AdvanceDirectiveType - 2.16.840.1.113883.17.3.11.63
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Type of advance directive documentation

Code	Code System	Print Name
LA137-2	LOINC	None
LA17059-9	LOINC	Other (not listed)
LA17319-7	LOINC	State EMS DNR or medical order form
LA17320-5	LOINC	Other healthcare advanced directive form
LA17321-3	LOINC	Living will
LA17322-1	LOINC	Family/guardian request DNR (but no documentation)

## **Airbag Status**

Value Set	AirbagStatus - 2.16.840.1.113883.17.3.11.8
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Configuration of airbag deployment

Code	Code System	Print Name
LA17384-1	LOINC	Airbag deployed front
LA17385-8	LOINC	Airbag deployed side
LA17386-6	LOINC	Airbag deployed other (knee, airbelt, etc.)
LA17387-4	LOINC	No airbag deployed
LA17388-2	LOINC	No airbag present
LA46-8	LOINC	Other

## **Airway Device Confirmation Method**

Value Set	AirwayDeviceConfirmationMethod - 2.16.840.1.113883.17.3.11.60	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Procedure for confirming airway device placement	

Code	Code System	Print Name
LA18672-8	LOINC	Auscultation
LA18673-6	LOINC	Bulb syringe aspiration
LA18674-4	LOINC	Colorimetric ETCO2
LA18675-1	LOINC	Condensation in tube
LA18676-9	LOINC	Digital (numeric) ETCO2
LA18677-7	LOINC	Direct re-visualization of tube in place
LA18678-5	LOINC	Endotracheal tube whistle (BAAM, etc)
LA18680-1	LOINC	Visualization of vocal cords
LA18681-9	LOINC	Waveform ETCO2

# **Airway Device Type**

Value Set	AirwayDeviceType - 2.16.840.1.113883.17.3.11.61	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of airway device	

Code	Code System	Print Name
LA18004-4	LOINC	Tracheostomy tube
LA18657-9	LOINC	Cricothyrotomy tube
LA18658-7	LOINC	Endotrachial tube
LA18659-5	LOINC	Other invasive airway
LA18660-3	LOINC	Supraglottic airway device-combitube
LA18661-1	LOINC	Supraglottic airway device-king
LA18662-9	LOINC	Supraglottic airway device-LMA
LA18663-7	LOINC	Supraglottic airway device-other

## **Alcohol Drug Use Indicator**

Value Set	AlcoholDrugUseIndicator - 2.16.840.1.113883.17.3.11.18	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Indications that a patient may have engaged in alcohol or drug use	

Code	Code System	Print Name
LA17323-9	LOINC	Alcohol containers/paraphernalia at scene
LA17324-7	LOINC	Drug paraphernalia at scene
LA17325-4	LOINC	Patient admits to alcohol use

Code	Code System	Print Name
LA17326-2	LOINC	Patient admits to drug use
LA17327-0	LOINC	Positive level known from law enforcement or hospital record
LA17328-8	LOINC	Smell of alcohol on breath

### **Anatomic Location**

Value Set	AnatomicLocation - 2.16.840.1.113883.17.3.11.76	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Part of the patient body	

Code	Code System	Print Name
LA12703-7	LOINC	Neck
LA12705-2	LOINC	Back
LA12706-0	LOINC	Abdomen
LA18111-7	LOINC	Chest
LA18112-5	LOINC	Extremity-lower
LA18113-3	LOINC	Extremity-upper
LA18114-1	LOINC	General/global
LA18115-8	LOINC	Genitalia
LA18116-6	LOINC	Head

# **Back Spine Assessment Finding**

Value Set	BackSpineAssessmentFinding - 2.16.840.1.113883.17.3.11.34	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Finding resulting from EMS back and spine assessment	

Code	Code System	Print Name
LA17208-2	LOINC	Bleeding controlled
LA17209-0	LOINC	Bleeding uncontrolled
LA17214-0	LOINC	Puncture/stab wound
LA17212-4	LOINC	Gunshot wound
LA17256-1	LOINC	Pain with range of motion
LA17257-9	LOINC	Tenderness costovertebral angle (CVA)
LA17258-7	LOINC	Tenderness midline spinous process
LA17259-5	LOINC	Tenderness paraspinous

Code	Code System	Print Name
LA18220-6	LOINC	Avulsion
LA18221-4	LOINC	Burn, blistering
LA18222-2	LOINC	Burn, charring
LA18223-0	LOINC	Burn, redness
LA18224-8	LOINC	Burn, white/waxy
LA18225-5	LOINC	Deformity
LA18226-3	LOINC	Foreign body
LA6626-1	LOINC	Normal
LA6630-3	LOINC	Not done
LA7410-9	LOINC	Abrasion
LA7452-1	LOINC	Laceration
LA7460-4	LOINC	Pain
LA17709-9	LOINC	Tenderness
LA17229-8	LOINC	Crush injury
LA22440-4	LOINC	Swelling
LA7423-2	LOINC	Contusion

# **Back Spine Finding Location**

Value Set	BackSpineFindingLocation - 2.16.840.1.113883.17.3.11.35
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Location of finding resulting from EMS back and spine assessment

Code	Code System	Print Name
LA18726-2	LOINC	Back-general
LA18727-0	LOINC	Cervical-left
LA18728-8	LOINC	Cervical-midline
LA18729-6	LOINC	Cervical-right
LA18730-4	LOINC	Lumbar-left
LA18731-2	LOINC	Lumbar-right
LA18732-0	LOINC	Sacral-right
LA18733-8	LOINC	Sacral-left
LA18734-6	LOINC	Sacral-midline
LA18735-3	LOINC	Lumbar-midline
LA18736-1	LOINC	Thoracic-midline

Code	Code System	Print Name
LA18737-9	LOINC	Thoracic-left
LA18738-7	LOINC	Thoracic-right

#### **Barrier To Care**

Value Set	BarrierToCare - 2.16.840.1.113883.17.3.11.85
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Circumstances limiting one's ability to provide care to a patient

Code	Code System	Print Name
LA17306-4	LOINC	Cultural, custom, religious
LA17307-2	LOINC	Developmentally impaired
LA17308-0	LOINC	Hearing impaired
LA17309-8	LOINC	Language
LA17310-6	LOINC	Physical barrier (unable to access patient)
LA17311-4	LOINC	Physically impaired
LA17312-2	LOINC	Physically restrained
LA17313-0	LOINC	Psychologically impaired
LA17314-8	LOINC	Sight impaired
LA17315-5	LOINC	Speech impaired
LA17316-3	LOINC	Unattended or unsupervised (including minors)
LA17317-1	LOINC	Uncooperative
LA17318-9	LOINC	None noted
LA17711-5	LOINC	Unconscious
LA6301-1	LOINC	Obesity
LA23824-8	LOINC	State of Emotional Distress

#### **Blood Pressure Measurement Method**

Value Set	BloodPressureMeasurementMethod - 2.16.840.1.113883.17.3.11.107
Definition	Technique for measuring blood pressure

Code	Code System	Print Name
LONC_TBDA_701		Arterial line
LONC_TBDA_702		Doppler
LA24013-7		Cuff-automated

Code	Code System	Print Name
LA24012-9		Cuff-manual auscultated
LONC_TBDA_705		Cuff-manual palpated only
LONC_TBDA_706		Venous line

#### **Cardiac Arrest Cause**

Value Set	CardiacArrestCause - 2.16.840.1.113883.17.3.11.10	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Etiology of a cardiac arrest	

Code	Code System	Print Name
LA17056-5	LOINC	Cardiac (presumed)
LA17058-1	LOINC	Trauma
LA17059-9	LOINC	Other (not listed)
LA17977-2	LOINC	Drowning/submersion
LA17978-0	LOINC	Drug overdose
LA17979-8	LOINC	Exsanguination
LA17980-6	LOINC	Respiratory/asphyxia
LA9539-3	LOINC	Electrocution

#### **Cardiac Arrest Outcome**

Value Set	CardiacArrestOutcome - 2.16.840.1.113883.17.3.11.101	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Outcome of an EMS cardiac arrest event	

Code	Code System	Print Name
LA22792-8	LOINC	Expired in ED
LA22793-6	LOINC	Expired in the field
LA22794-4	LOINC	Ongoing resuscitation in the ED
LA22795-1	LOINC	Return of spontaneous circulation in the field
LA22796-9	LOINC	Return of spontaneous circulation in the ED
LA22797-7	LOINC	Ongoing resuscitation by other EMS crew

## **Cardiac Arrest Timing**

Value Set	CardiacArrestTiming - 2.16.840.1.113883.17.3.11.91
-----------	--

Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Whether cardiac arrest occurred before or after arrival of emergency medical service team

Code	Code System	Print Name
LA17054-0	LOINC	Prior to EMS arrival
LA17055-7	LOINC	After EMS arrival

#### **Cardiac Arrest Witness Role**

Value Set	CardiacArrestWitnessRole - 2.16.840.1.113883.17.3.11.11	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of person who witnessed a cardiac arrest	

Code	Code System	Print Name
LA18020-0	LOINC	Witnessed by family member
LA18021-8	LOINC	Witnessed by healthcare provider
LA18022-6	LOINC	Witnessed by lay person
LA18023-4	LOINC	Not witnessed

## **Cardiac Rhythm Reading**

Value Set	CardiacRhythmReading - 2.16.840.1.113883.17.3.11.16	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of rhythm found in a cardiac arrest patient	

Code	Code System	Print Name
LA12904-1	LOINC	Artifact
LA17059-9	LOINC	Other (not listed)
LA17068-0	LOINC	Asystole
LA17070-6	LOINC	PEA
LA17071-4	LOINC	Unknown AED non-shockable rhythm
LA17072-2	LOINC	Unknown AED shockable rhythm
LA17073-0	LOINC	Ventricular fibrillation
LA17074-8	LOINC	Ventricular tachycardia-pulseless
LA17083-9	LOINC	Agonal/idioventricular
LA17084-7	LOINC	Atrial fibrillation
LA17085-4	LOINC	Atrial flutter
LA17086-2	LOINC	AV block-1st degree

Code	Code System	Print Name
LA17087-0	LOINC	AV block-2nd degree-type 1
LA17088-8	LOINC	AV block-2nd degree-type 2
LA17089-6	LOINC	AV block-3rd degree
LA17090-4	LOINC	Junctional
LA17091-2	LOINC	Left bundle branch block
LA17093-8	LOINC	Paced rhythm
LA17094-6	LOINC	Premature atrial contractions
LA17095-3	LOINC	Premature ventricular contractions
LA17096-1	LOINC	Right bundle branch block
LA17097-9	LOINC	Sinus arrhythmia
LA17394-0	LOINC	Bradycardia
LA17099-5	LOINC	Sinus tachycardia
LA17100-1	LOINC	Supraventricular tachycardia
LA17101-9	LOINC	Torsades de points
LA17703-2	LOINC	STEMI-anterior ischemia
LA17704-0	LOINC	STEMI-inferior ischemia
LA17705-7	LOINC	STEMI-lateral ischemia
LA17706-5	LOINC	STEMI-posterior ischemia
LA17708-1	LOINC	Ventricular tachycardia with pulse
LA17718-0	LOINC	Sinus rhythm
LA18205-7	LOINC	Non-STEMI anterior ischemia
LA18206-5	LOINC	Non-STEMI inferior ischemia
LA18207-3	LOINC	Non-STEMI lateral ischemia
LA18208-1	LOINC	Non-STEMI posterior ischemia

# **Cardiopulmonary Resuscitation Type**

Value Set	CardiopulmonaryResuscitationType - 2.16.840.1.113883.17.3.11.57	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of procedure used for cardiopulmonary resuscitation	

Code	Code System	Print Name
LA17749-5	LOINC	Compressions-continuous
LA17750-3	LOINC	Compressions-external band type device
LA17751-1	LOINC	Compressions-external plunger type device

Code	Code System	Print Name
LA17752-9	LOINC	Compressions-external thumper type device
LA17753-7	LOINC	Compressions-intermittant with ventilation
LA17754-5	LOINC	Compressions-other device
LA17755-2	LOINC	Ventilation-bag valve mask
LA17756-0	LOINC	Ventilation-impedence threshold device
LA17757-8	LOINC	Ventilation-mouth to mouth
LA17758-6	LOINC	Ventilation-pocket mask

## **Change In Patient Status**

Value Set	ChangeInPatientStatus - 2.16.840.1.113883.17.3.11.78	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Patient condition indicating urgency of treatment	

Code	Code System	Print Name
LA65-8	LOINC	Improved
LA17181-1	LOINC	Unchanged
LA11011-6	LOINC	Worse

## **Chest Lung Assessment Finding**

Value Set	ChestLungAssessmentFinding - 2.16.840.1.113883.17.3.11.29	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Finding resulting from EMS chest and lung assessment	

Code	Code System	Print Name
LA17208-2	LOINC	Bleeding controlled
LA17209-0	LOINC	Bleeding uncontrolled
LA17214-0	LOINC	Puncture/stab wound
LA17222-3	LOINC	Accessory muscles used with breathing
LA17223-1	LOINC	Breath sounds-absent-left
LA17224-9	LOINC	Breath sounds-absent-right
LA17225-6	LOINC	Breath sounds-decreased-left
LA17226-4	LOINC	Breath sounds-decreased-right
LA17227-2	LOINC	Breath sounds-normal-left
LA17228-0	LOINC	Breath sounds-normal-right

Code	Code System	Print Name
LA17229-8	LOINC	Crush injury
LA17230-6	LOINC	Flail segment-left
LA17231-4	LOINC	Flail segment-right
LA17232-2	LOINC	Increased respiratory effort
LA17233-0	LOINC	Pain with inspiration/expiration-left
LA17234-8	LOINC	Pain with inspiration/expiration-right
LA17236-3	LOINC	Rhonchi/wheezing
LA17237-1	LOINC	Tenderness-left
LA17238-9	LOINC	Tenderness-right
LOINC_TBDA_964	LOINC	Gunshot wound
LA18220-6	LOINC	Avulsion
LA18221-4	LOINC	Burn, blistering
LA18222-2	LOINC	Burn, charring
LA18223-0	LOINC	Burn, redness
LA18224-8	LOINC	Burn, white/waxy
LA18225-5	LOINC	Deformity
LA18226-3	LOINC	Foreign body
LA18229-7	LOINC	Rales-left
LA18230-5	LOINC	Rales-right
LA18231-3	LOINC	Retraction
LA18232-1	LOINC	Rhonchi-left
LA18233-9	LOINC	Rhonchi-right
LA18234-7	LOINC	Stridor-left
LA18235-4	LOINC	Stridor-right
LA18236-2	LOINC	Implanted device
LA18237-0	LOINC	Wheezing-expiratory-right
LA18238-8	LOINC	Wheezing-expiratory-left
LA18239-6	LOINC	Wheezing-inspiratory-left
LA18240-4	LOINC	Wheezing-inspiratory-right
LA18402-0	LOINC	Breath sounds-equal
LA6626-1	LOINC	Normal
LA6630-3	LOINC	Not done
LA7410-9	LOINC	Abrasion
LA7452-1	LOINC	Laceration

Code	Code System	Print Name
LA7460-4	LOINC	Pain
LOINC_TBDA_968	LOINC	Swelling
LOINC_TBDA_969	LOINC	Contusion
LOINC_TBDA_970	LOINC	Tenderness-general

# Complaint

Value Set	Complaint - 2.16.840.1.113883.17.3.11.49
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Kind of medical problem or incident reported

Code	Code System	Print Name
LA15468-4	LOINC	Abdominal pain/problems
LA15903-0	LOINC	Headache
LA17117-5	LOINC	Allergic reaction/stings
LA17118-3	LOINC	Animal bite
LA17119-1	LOINC	Assault
LA17120-9	LOINC	Automated crash notification
LA17121-7	LOINC	Back pain (non-traumatic)
LA17122-5	LOINC	Breathing problems
LA17123-3	LOINC	Burns/explosion
LA17124-1	LOINC	Carbon monoxide poisoning/hazmat/inhalation/chemical/biological/radiological/nuclear
LA17125-8	LOINC	Cardiac arrest/death
LA17126-6	LOINC	Chest pain (non-traumatic)
LA17127-4	LOINC	Choking
LA17128-2	LOINC	Convulsions/seizure
LA17129-0	LOINC	Diabetic problem
LA17131-6	LOINC	Electrocution/lightning
LA17132-4	LOINC	Eye problem/injury
LA17133-2	LOINC	Falls
LA17134-0	LOINC	Healthcare professional/admission
LA17135-7	LOINC	Heart problems/AICD
LA17136-5	LOINC	Heat/cold exposure
LA17137-3	LOINC	Hemorrhage/lacerations

Code	Code System	Print Name
LA17138-1	LOINC	Industrial accident/inaccessible incident/other entrapments (non-vehicle)
LA17140-7	LOINC	Overdose/poisoning/ingestion
LA17141-5	LOINC	Pandemic/epidemic/outbreak
LA17142-3	LOINC	Pregnancy/childbirth/miscarriage
LA17143-1	LOINC	Psychiatric problem/abnormal behavior/suicide attempt
LA17144-9	LOINC	Sick person
LA17145-6	LOINC	Stab/gunshot wound/penetrating trauma
LA17146-4	LOINC	Traffic/transportation incident
LA17147-2	LOINC	Transfer/interfacility/palliative Care
LA17148-0	LOINC	Unconscious/fainting/near-fainting
LA17149-8	LOINC	Unknown problem person down
LA17150-6	LOINC	Standby
LA18093-7	LOINC	Fire
LA18209-9	LOINC	No other appropriate choice
LA18210-7	LOINC	Medical alarm
LA18211-5	LOINC	Well person check
LA9553-4	LOINC	Stroke/CVA
LA9555-9	LOINC	Traumatic injury
LOINC_TBDA_959	LOINC	Drowning/Diving/SCUBA Accident
LOINC_TBDA_960	LOINC	Air medical Transport

## **Complaint Type**

Value Set	Complaint Type - 2.16.840.1.113883.17.3.11.94	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Relative primacy of complaint	

Code	Code System	Print Name
LA17059-9	LOINC	Other (not listed)
LA18923-5	LOINC	Chief - primary
LA18924-3	LOINC	Secondary

## Confidentiality

Value Set	Confidentiality - 2.16.840.1.113883.1.11.10228
-----------	--

Code System	HL7 Confidentiality - 2.16.840.1.113883.5.25
Definition	Appropriateness for disclosure of information

### **Crew Role Level**

Value Set	CrewRoleLevel - 2.16.840.1.113883.17.3.11.81	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Class of person providing care to an EMS patient, excluding the patient	

Code	Code System	Print Name
LA15276-1	LOINC	Student
LA18695-9	LOINC	Critical care paramedic
LA18696-7	LOINC	2009 advanced emergency medical technician (AEMT)
LA18697-5	LOINC	2009 emergency medical responder (EMR)
LA18698-3	LOINC	2009 emergency medical technician (EMT)
LA18699-1	LOINC	2009 paramedic
LA18700-7	LOINC	First responder
LA18701-5	LOINC	EMT-basic
LA18702-3	LOINC	EMT-intermediate
LA18703-1	LOINC	EMT-paramedic
LA18704-9	LOINC	Other healthcare professional
LA18705-6	LOINC	Other non-healthcare professional
LA18706-4	LOINC	Community paramedicine
LA4687-5	LOINC	Physician
LA9297-8	LOINC	Respiratory therapist
LOINC_TBDA_610	LOINC	Nurse Practitioner
LOINC_TBDA_611	LOINC	Physician Assistant
LOINC_TBDA_612	LOINC	Licensed Practical Nurse (LPN)
LOINC_TBDA_613	LOINC	Registered Nurse

# **Destination Choice Reason**

Value Set	DestinationChoiceReason - 2.16.840.1.113883.17.3.11.68	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of rationale for selecting a patient destination	

Code	Code System	Print Name
LA17059-9	LOINC	Other (not listed)
LA17182-9	LOINC	Closest facility
LA17184-5	LOINC	Family choice
LA17185-2	LOINC	Insurance status/requirement
LA17186-0	LOINC	Law enforcement choice
LA17187-8	LOINC	On-line medical direction
LA17188-6	LOINC	Patient's choice
LA17189-4	LOINC	Patient's physician's choice
LA17190-2	LOINC	Protocol
LA17191-0	LOINC	Regional specialty center
LA18301-4	LOINC	Diversion

### **Destination Prearrival Activation**

Value Set	DestinationPrearrivalActivation - 2.16.840.1.113883.17.3.11.87	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of preparation requested at destination prior to patient arrival	

Code	Code System	Print Name
LA18117-4	LOINC	Yes, adult trauma
LA18118-2	LOINC	Yes, cardiac arrest
LA18119-0	LOINC	Yes, obstetrics
LA18120-8	LOINC	Yes, other
LA18121-6	LOINC	Yes, pediatric trauma
LA18122-4	LOINC	Yes, STEMI
LA18123-2	LOINC	Yes, stroke
LA32-8	LOINC	No
LOINC_TBDA_538	LOINC	Yes-Trauma (general)

# **Destination Type**

Value Set	DestinationType - 2.16.840.1.113883.17.3.11.69	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of facility	

Code	Code System	Print Name
LA11504-0	LOINC	Hospital emergency department
LA14084-0	LOINC	Home
LA18686-8	LOINC	Hospital non-emergency department bed
LA18687-6	LOINC	Medical office/clinic
LA18688-4	LOINC	Morgue/mortuary
LA18689-2	LOINC	Nursing home/assisted living facility
LA18690-0	LOINC	Other destination
LA18691-8	LOINC	Other EMS responder (air)
LA18692-6	LOINC	Other EMS responder (ground)
LA18693-4	LOINC	Police/jail
LOINC_TBDA_539	LOINC	Urgent Care
LOINC_TBDA_540	LOINC	Freestanding Emergency Department

### **Destination Ward Kind**

Value Set	DestinationWardKind - 2.16.840.1.113883.17.3.11.103	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	The location within the hospital that the patient was taken directly by EMS	

Code	Code System	Print Name
LOINC_TBDA_301	LOINC	Hospital-burn
LOINC_TBDA_302	LOINC	Hospital-cath lab
LOINC_TBDA_303	LOINC	Hosptial-CCU
LOINC_TBDA_304	LOINC	Hospital-endoscopy
LOINC_TBDA_305	LOINC	Hospital-hospice
LOINC_TBDA_306	LOINC	Hospital-hyperbaric oxygen treatment
LOINC_TBDA_307	LOINC	Hospital-ICU
LOINC_TBDA_308	LOINC	Hospital-labor and delivery
LOINC_TBDA_309	LOINC	Hospital-medical/surgery
LOINC_TBDA_310	LOINC	Hospital-mental health
LOINC_TBDA_311	LOINC	Hosptial-MICU
LOINC_TBDA_312	LOINC	Hospital-NICU
LOINC_TBDA_313	LOINC	Hospital-nursery
LOINC_TBDA_314	LOINC	Hospital-peds (general)
LOINC_TBDA_315	LOINC	Hospital-peds ICU

Code	Code System	Print Name
LOINC_TBDA_316	LOINC	Hospital-OR
LOINC_TBDA_317	LOINC	Hospital-orthopedic
LOINC_TBDA_318	LOINC	Hospital-other
LOINC_TBDA_319	LOINC	Hospital-outpatient bed
LOINC_TBDA_320	LOINC	Hospital-radiology services - MRI
LOINC_TBDA_321	LOINC	Hospital-radiology services - CT/PET
LOINC_TBDA_322	LOINC	Hospital-radiology services - x-ray
LOINC_TBDA_323	LOINC	Hospital-radiation
LOINC_TBDA_324	LOINC	Hospital-rehabilitation
LOINC_TBDA_325	LOINC	Hospital-SICU
LOINC_TBDA_326	LOINC	Hospital-oncology
LOINC_TBDA_327	LOINC	Hospital-outpatient surgery

# **Disaster Type**

Value Set	DisasterType - 2.16.840.1.113883.17.3.11.9
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Kind of incident resulting in or likely to result in injuries or clinically adverse events

Code	Code System	Print Name
LA17594-5	LOINC	Weather
LA18089-5	LOINC	Biologic agent
LA18090-3	LOINC	Building failure
LA18091-1	LOINC	Chemical agent
LA18092-9	LOINC	Explosive device
LA18093-7	LOINC	Fire
LA18094-5	LOINC	Hostage event
LA18095-2	LOINC	Mass gathering
LA18096-0	LOINC	Mass illness
LA18097-8	LOINC	Nuclear agent
LA18098-6	LOINC	Radioactive device
LA18099-4	LOINC	Secondary destructive device
LA18100-0	LOINC	Shooting/sniper
LA18101-8	LOINC	Vehicular

### **Dispatch Delay Type**

Value Set	DispatchDelayType - 2.16.840.1.113883.17.3.11.50
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Kind of circumstance delaying an EMS dispatch

Code	Code System	Print Name
LA17059-9	LOINC	Other (not listed)
LA17183-7	LOINC	Diversion/failure (of previous unit)
LA17579-6	LOINC	Caller (uncooperative)
LA17580-4	LOINC	High call volume
LA17581-2	LOINC	Location (inability to obtain)
LA17582-0	LOINC	No EMS vehicles (units) available
LA17584-6	LOINC	Technical failure (computer, phone etc.)
LA18081-2	LOINC	None/no delay
LA7540-3	LOINC	Language barrier

## **ECG Type**

Value Set	ECGType - 2.16.840.1.113883.17.3.11.19
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Kind of electrocardiogram equipment

Code	Code System	Print Name
LA18664-5	LOINC	3 lead
LA18665-2	LOINC	4 lead
LA18666-0	LOINC	5 lead
LA18667-8	LOINC	12 lead-left sided (normal)
LA18668-6	LOINC	12 lead-right sided
LA18669-4	LOINC	15 lead
LA18670-2	LOINC	18 lead
LA18671-0	LOINC	Other ECG device

#### **EMD Performed**

Value Set	EMDPerformed - 2.16.840.1.113883.17.3.11.48
Code System	LOINC - 2.16.840.1.113883.6.1

Definition	Manner of performing emergency medical dispatch
------------	---

Code	Code System	Print Name
LA17151-4	LOINC	Yes, with pre-arrival instructions
LA17152-2	LOINC	Yes, without pre-arrival instructions
LA17153-0	LOINC	Yes, unknown if pre-arrival instructions given
LA32-8	LOINC	No

### **EMS Level Of Service**

Value Set	EMSLevelOfService - 2.16.840.1.113883.17.3.11.70	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Level of service provided for an encounter (as defined by CMS)	

Code	Code System	Print Name
LA18102-6	LOINC	ALS, level 1
LA18103-4	LOINC	ALS, level 1 emergency
LA18104-2	LOINC	ALS, level 2
LA18105-9	LOINC	BLS
LA18106-7	LOINC	BLS, emergency
LA18107-5	LOINC	Fixed wing (airplane)
LA18108-3	LOINC	Paramedic intercept
LA18109-1	LOINC	Specialty care transport
LA18110-9	LOINC	Rotary wing (helicopter)

### **EMS Medication Administration Device**

Value Set	EMSMedicationAdministrationDevice - 2.16.840.1.113883.17.3.11.108	
Code System	SNOMEDCT - 2.16.840.1.113883.6.96	
Definition	Kind of device used to administer a substance to a patient	

Code	Code System	Print Name
39849001	SNOMEDCT	Nasal Oxygen Cannula
427591007	SNOMEDCT	Non-Rebreather Oxygen Mask
425926003	SNOMEDCT	Partial Rebreather Oxygen Mask
428285009	SNOMEDCT	Venturi Mask
398013009	SNOMEDCT	Subcutaneous port
425478008	SNOMEDCT	Blow by oxygen mask

### **Ethnicity**

Value Set	Ethnicity - 2.16.840.1.113883.1.11.15836	
Code System	Race and Ethnicity - CDC - 2.16.840.1.113883.6.238	
Definition	Person's ethnic background	

### **Ethnicity Group**

Value Set	Ethnicity Group - 2.16.840.1.114222.4.11.837
Code System	Race and Ethnicity - CDC - 2.16.840.1.113883.6.238

Code	Code System	Print Name
2135-2	Race and Ethnicity - CDC	Hispanic or Latino
2186-5	Race and Ethnicity - CDC	Not Hispanic or Latino

### **Existence Of Contraindications To Thrombolytic Use**

Value Set	ExistenceOfContraindicationsToThrombolyticUse - 2.16.840.1.113883.17.3.11.41	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Confidence that contraindication to thrombolytic use exist	

Code	Code System	Print Name
LA17114-2	LOINC	Definite contraindications to thrombolytic use
LA17115-9	LOINC	Possible contraindications to thrombolytic Use
LA17116-7	LOINC	No contraindications to thrombolytic Use

### **Extremity Finding Location**

Value Set	ExtremityFindingLocation - 2.16.840.1.113883.17.3.11.37	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Location of finding resulting from EMS extremity assessment	

Code	Code System	Print Name
LA18739-5	LOINC	Ankle-left
LA18740-3	LOINC	Ankle-right
LA18741-1	LOINC	Arm-upper-left
LA18742-9	LOINC	Arm-upper-right
LA18743-7	LOINC	Elbow-left

Code	Code System	Print Name
LA18744-5	LOINC	Elbow-right
LA18745-2	LOINC	Finger-2nd (index)-left
LA18746-0	LOINC	Finger-2nd (index)-right
LA18747-8	LOINC	Finger-3rd (middle)-left
LA18748-6	LOINC	Finger-3rd (middle)-right
LA18749-4	LOINC	Finger-4th (ring)-left
LA18750-2	LOINC	Finger-4th (ring)-right
LA18751-0	LOINC	Finger-5th (smallest)-left
LA18752-8	LOINC	Finger-5th (smallest)-right
LA18753-6	LOINC	Foot-dorsal-left
LA18754-4	LOINC	Foot-dorsal-right
LA18755-1	LOINC	Foot-plantar-right
LA18756-9	LOINC	Foot-plantar-left
LA18757-7	LOINC	Forearm-left
LA18758-5	LOINC	Forearm-right
LA18759-3	LOINC	Hand-dorsal-left
LA18760-1	LOINC	Hand-dorsal-right
LA18761-9	LOINC	Hand-palm-right
LA18762-7	LOINC	Hand-palm-left
LA18763-5	LOINC	Hip-left
LA18764-3	LOINC	Hip-right
LA18765-0	LOINC	Wrist-right
LA18766-8	LOINC	Wrist-left
LA18767-6	LOINC	Knee-left
LA18768-4	LOINC	Knee-right
LA18769-2	LOINC	Leg-lower-left
LA18770-0	LOINC	Leg-lower-right
LA18771-8	LOINC	Leg-upper-right
LA18772-6	LOINC	Leg-upper-left
LA18773-4	LOINC	Shoulder-left
LA18774-2	LOINC	Shoulder-right
LA18775-9	LOINC	Thumb-left
LA18776-7	LOINC	Thumb-right
LA18777-5	LOINC	Toe-1st (big)-left

Code	Code System	Print Name
LA18778-3	LOINC	Toe-1st (big)-right
LA18779-1	LOINC	Toe-2nd-left
LA18780-9	LOINC	Toe-2nd-right
LA18781-7	LOINC	Toe-3rd-left
LA18782-5	LOINC	Toe-3rd-right
LA18783-3	LOINC	Toe-4th-left
LA18784-1	LOINC	Toe-4th-right
LA18785-8	LOINC	Toe-5th (smallest)-left
LA18786-6	LOINC	Toe-5th (smallest)-right

# **Eye Assessment Finding**

Value Set	EyeAssessmentFinding - 2.16.840.1.113883.17.3.11.38	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Finding resulting from EMS eye assessment	

Code	Code System	Print Name
LA14698-7	LOINC	Missing
LA15255-5	LOINC	Reactive
LA15256-3	LOINC	Nonreactive
LA17275-1	LOINC	1 mm
LA17276-9	LOINC	2 mm
LA17277-7	LOINC	3 mm
LA17278-5	LOINC	4 mm
LA17279-3	LOINC	5 mm
LA17280-1	LOINC	6 mm
LA17281-9	LOINC	7 mm
LA17282-7	LOINC	Clouded
LA17283-5	LOINC	Hyphema
LA17284-3	LOINC	Open globe
LA17285-0	LOINC	Pupil-irregular/teardrop
LA17710-7	LOINC	Blind
LA18225-5	LOINC	Deformity
LA18226-3	LOINC	Foreign body
LA18250-3	LOINC	Cataract present

Code	Code System	Print Name
LA18251-1	LOINC	Dysconjugate gaze
LA18253-7	LOINC	Jaundiced sclera
LA18254-5	LOINC	Nonreactive prosthetic
LA18255-2	LOINC	Nystagmus noted
LA18256-0	LOINC	PERRL
LA18257-8	LOINC	Sluggish
LA18258-6	LOINC	8 mm or >
LA6630-3	LOINC	Not done
LOINC_TBDA_541	LOINC	Glaucoma Present
LOINC_TBDA_542	LOINC	Swelling
LOINC_TBDA_543	LOINC	Contusion
LOINC_TBDA_544	LOINC	Puncture/Stab wound

# **Eye Finding Location**

Value Set	EyeFindingLocation - 2.16.840.1.113883.17.3.11.39	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Location of finding resulting from EMS eye assessment	

Code	Code System	Print Name
LA18787-4	LOINC	Eyes-bilateral
LA18788-2	LOINC	Eye-left
LA18789-0	LOINC	Eye-right

### **FDA Route of Administration**

Value Set	FDA Route of Administration	
-----------	-----------------------------	--

### **Face Assessment Finding**

Value Set	FaceAssessmentFinding - 2.16.840.1.113883.17.3.11.27	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Finding resulting from EMS face assessment	

Code	Code System	Print Name
LA17208-2	LOINC	Bleeding controlled
LA17209-0	LOINC	Bleeding uncontrolled

Code	Code System	Print Name
LA17211-6	LOINC	Drainage
LA17213-2	LOINC	Mass/lesion
LA17214-0	LOINC	Puncture/stab wound
LA17216-5	LOINC	Asymmetric smile or droop
LOINC_TBDA_962	LOINC	Gunshot Wound
LA18220-6	LOINC	Avulsion
LA18221-4	LOINC	Burn, blistering
LA18222-2	LOINC	Burn, charring
LA18223-0	LOINC	Burn, redness
LA18224-8	LOINC	Burn, white/waxy
LA18225-5	LOINC	Deformity
LA18226-3	LOINC	Foreign body
LA6626-1	LOINC	Normal
LA6630-3	LOINC	Not done
LA7410-9	LOINC	Abrasion
LA7452-1	LOINC	Laceration
LA7460-4	LOINC	Pain
LOINC_TBDA_545	LOINC	Crush Injury
LOINC_TBDA_546	LOINC	Swelling
LOINC_TBDA_547	LOINC	Contusion
LOINC_TBDA_548	LOINC	Tenderness

# First Monitored Rhythm

Value Set	FirstMonitoredRhythm - 2.16.840.1.113883.17.3.11.14	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of rhythm found in a cardiac arrest patient on initial field examination	

Code	Code System	Print Name
LA17068-0	LOINC	Asystole
LA17070-6	LOINC	PEA
LA17071-4	LOINC	Unknown AED non-shockable rhythm
LA17072-2	LOINC	Unknown AED shockable rhythm
LA17073-0	LOINC	Ventricular fibrillation
LA17074-8	LOINC	Ventricular tachycardia-pulseless

### **Glasgow Coma Score Special Circumstances**

Value Set	GlasgowComaScoreSpecialCircumstances - 2.16.840.1.113883.17.3.11.89
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Circumstance confounding the assessment of one or more Glasgow Coma Scale observations

Code	Code System	Print Name
LA17102-7	LOINC	Initial GCS has legitimate values without interventions such as intubation and sedation
LA17103-5	LOINC	Eye obstruction prevents eye assessment
LA17104-3	LOINC	Patient chemically sedated
LA17105-0	LOINC	Patient chemically paralyzed
LA17106-8	LOINC	Patient intubated

#### **HL7 Administrative Gender**

Value Set HL7 Administrative Gender
-------------------------------------

#### **HL7 Confidentiality**

Value Set HL7 Confidentiality	
-------------------------------	--

### **HL7 Human Language**

Value Set	HL7 Human Language
-----------	--------------------

#### **Head Assessment Finding**

Value Set	HeadAssessmentFinding - 2.16.840.1.113883.17.3.11.26
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Finding resulting from EMS head assessment

Code	Code System	Print Name
LA17208-2	LOINC	Bleeding controlled
LA17209-0	LOINC	Bleeding uncontrolled
LA17210-8	LOINC	Decapitation
LA17211-6	LOINC	Drainage
LA17213-2	LOINC	Mass/lesion

Code	Code System	Print Name
LA17214-0	LOINC	Puncture/stab wound
LA17212-4	LOINC	Gunshot Wound
LA18220-6	LOINC	Avulsion
LA18221-4	LOINC	Burn, blistering
LA18222-2	LOINC	Burn, charring
LA18223-0	LOINC	Burn, redness
LA18224-8	LOINC	Burn, white/waxy
LA18225-5	LOINC	Deformity
LA18226-3	LOINC	Foreign body
LA6626-1	LOINC	Normal
LA6630-3	LOINC	Not done
LA7410-9	LOINC	Abrasion
LA7452-1	LOINC	Laceration
LA7460-4	LOINC	Pain
LOINC_TBDA_549	LOINC	Crush Injury
LOINC_TBDA_550	LOINC	Swelling
LOINC_TBDA_551	LOINC	Contusion
LOINC_TBDA_552	LOINC	Tenderness

## **Heart Assessment Finding**

Value Set	HeartAssessmentFinding - 2.16.840.1.113883.17.3.11.30
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Finding resulting from EMS heart assessment

Code	Code System	Print Name
LA17239-7	LOINC	Heart sounds decreased
LA17240-5	LOINC	Murmur-diastolic
LA17241-3	LOINC	Murmur-systolic
LA18241-2	LOINC	Clicks
LA18242-0	LOINC	S1
LA18243-8	LOINC	S2
LA18244-6	LOINC	S3
LA18245-3	LOINC	S4
LA18246-1	LOINC	Rubs

Code	Code System	Print Name
LA6626-1	LOINC	Normal
LA6630-3	LOINC	Not done

## **Human language**

Value Set	Human language - 2.16.840.1.113883.1.11.11526
Code System	HL7 Human Language - 2.16.840.1.113883.6.121
Definition	Codes for the Representation of Names of Languages

### **IC D-10**

Value Set	ICD-10
-----------	--------

#### ICD-10 CM

Value Set	ICD-10 CM
-----------	-----------

### **ICD-10 PCS**

Value Set	ICD-10 PCS
-----------	------------

#### **Incident Outcome**

Value Set	IncidentOutcome - 2.16.840.1.113883.17.3.11.64	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Outcome of an emergency medical services encounter	

Code	Code System	Print Name
LA17154-8	LOINC	Patient treated, transported by EMS
LA17155-5	LOINC	Canceled (prior to arrival at scene)
LA17156-3	LOINC	No patient found (canceled on scene)
LA17159-7	LOINC	Patient evaluated, no treatment/transport required
LA17160-5	LOINC	Patient refused evaluation/care (with transport)
LA17161-3	LOINC	Patient treated, released (AMA)
LA17162-1	LOINC	Patient treated, transferred care to another EMS professional
LA17163-9	LOINC	Patient treated, transported by law enforcement

Code	Code System	Print Name
LA17164-7	LOINC	Patient treated, transported by private vehicle
LA17165-4	LOINC	Standby-no services or support provided
LA17166-2	LOINC	Standby-public safety, fire, or EMS operational support provided
LA17167-0	LOINC	Transport of body parts or organs only
LA18080-4	LOINC	Patient treated, released (per protocol)
LA18212-3	LOINC	Assist, agency
LA18213-1	LOINC	Assist, public
LA18214-9	LOINC	Assist, unit
LA18215-6	LOINC	No patient contact (canceled on scene)
LA18216-4	LOINC	Patient refused evaluation/care (without transport)
LOINC_TBDA_561	LOINC	Patient Dead at Scene-No Resuscitation Attempted (With Transport)
LOINC_TBDA_562	LOINC	Patient Dead at Scene-No Resuscitation Attempted (Without Transport)
LOINC_TBDA_563	LOINC	Patient Dead at Scene-Resuscitation Attempted (Without Transport)
LOINC_TBDA_564	LOINC	Patient Dead at Scene-Resuscitation Attempted (With Transport)

## **Infusion Site**

Value Set	Infusion Site - 2.16.840.1.113883.17.3.11.56	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Anatomical location of administered infusion, typically intravenous	

Code	Code System	Print Name
LA18757-7	LOINC	Forearm-left
LA18758-5	LOINC	Forearm-right
LA18790-8	LOINC	Antecubital-left
LA18791-6	LOINC	Antecubital-right
LA18792-4	LOINC	External jugular-left
LA18793-2	LOINC	External jugular-right
LA18794-0	LOINC	Femoral-left
LA18795-7	LOINC	Femoral-right
LA18796-5	LOINC	Foot-left
LA18797-3	LOINC	Foot-right

Code	Code System	Print Name
LA18798-1	LOINC	Hand-right
LA18799-9	LOINC	Hand-left
LA18800-5	LOINC	Internal jugular-left
LA18801-3	LOINC	Internal jugular-right
LA18802-1	LOINC	IO-femur-left distal
LA18803-9	LOINC	IO-femur-right distal
LA18804-7	LOINC	IO-humerus-left
LA18805-4	LOINC	IO-humerus-right
LA18806-2	LOINC	IO-iliac crest-left
LA18807-0	LOINC	IO-iliac crest-right
LA18808-8	LOINC	IO-sternum
LA18809-6	LOINC	IO-tibia-left distal
LA18810-4	LOINC	IO-tibia-right distal
LA18811-2	LOINC	IO-tibia-left proximal
LA18812-0	LOINC	IO-tibia-right proximal
LA18813-8	LOINC	Other central access (PICC, portacath)
LA18814-6	LOINC	Other peripheral access
LA18815-3	LOINC	Scalp
LA18816-1	LOINC	Subclavian-left
LA18817-9	LOINC	Subclavian-right
LA18818-7	LOINC	Umbilical
LOINC_TBDA_553	LOINC	Lower Extremity- Left
LOINC_TBDA_554	LOINC	Lower Extremity- Right
LOINC_TBDA_555	LOINC	Venous Cutdown-Left Lower Extremity
LOINC_TBDA_556	LOINC	Venous Cutdown- Right Lower Extremity
LOINC_TBDA_557	LOINC	Upper Arm- Left
LOINC_TBDA_558	LOINC	Upper Arm- Right
LOINC_TBDA_559	LOINC	Radial- Left
LOINC_TBDA_560	LOINC	Radial- Right

## LOINC

Value Set	LOINC
-----------	-------

# **Length Based Weight Class**

Value Set	LengthBasedWeightClass - 2.16.840.1.113883.17.3.11.24	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Weight category estimated by length	

Code	Code System	Print Name
LA15553-3	LOINC	Blue
LA15554-1	LOINC	Grey
LA15555-8	LOINC	Green
LA17192-8	LOINC	Pink
LA17193-6	LOINC	Red
LA17194-4	LOINC	Purple
LA17195-1	LOINC	Yellow
LA17196-9	LOINC	Orange
LA4457-3	LOINC	White

### **Level Of Responsiveness**

Value Set	LevelOfResponsiveness - 2.16.840.1.113883.17.3.11.21	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of stimulation necessary to elicit a patient reaction	

Code	Code System	Print Name
LA17107-6	LOINC	Painful
LA17108-4	LOINC	Verbal
LA9340-6	LOINC	Alert
LA9343-0	LOINC	Unresponsive

## **Mechanism Of Injury**

Value Set	MechanismOfInjury - 2.16.840.1.113883.17.3.11.1	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of physical phenomenon causing an injury	

Code	Code System	Print Name
LA17335-3	LOINC	Blunt
LA17336-1	LOINC	Penetrating

Code	Code System	Print Name
LA46-8	LOINC	Other
LA7318-4	LOINC	Burn

### **Medication Administration Route**

Value Set	MedicationAdministrationRoute - 2.16.840.1.113883.17.3.11.43	
Code System	FDA Route of Administration - 2.16.840.1.113883.3.26.1.1.1	
Definition	Physical route for introducing medications into a patient	
Description	Subset of FDA routes of administration. Mappings to NEMSIS route codes, including modeling of orthogonal concepts (e.g., devices), is included in implementation guide text appendix.	

Code	Code System	Print Name
C38208	FDA Route of Administration	Endotracheal
C38246	FDA Route of Administration	Intragastric
C38216	FDA Route of Administration	Respiratory (Inhalation)
C38222	FDA Route of Administration	Intra-Arterial
C38284	FDA Route of Administration	Nasal
C28161	FDA Route of Administration	Intramuscular
C38255	FDA Route of Administration	Intraocular
C38276	FDA Route of Administration	Intravenous
C38285	FDA Route of Administration	Nasogastric
C38287	FDA Route of Administration	Ophthamlic
C38288	FDA Route of Administration	Oral
C38290	FDA Route of Administration	Other
C38192	FDA Route of Administration	Auricular (Otic)
C38295	FDA Route of Administration	Rectal

Code	Code System	Print Name
C38299	FDA Route of Administration	Subcutaneous
C38300	FDA Route of Administration	Sublingual
C38304	FDA Route of Administration	Topical
C38305	FDA Route of Administration	Transdermal
C38271	FDA Route of Administration	Urethral
C38193	FDA Route of Administration	Buccal
C38238	FDA Route of Administration	Intradermal
C64987	FDA Route of Administration	Intraosseous
C38250	FDA Route of Administration	Intralesional

### **Medication Administration Site**

Value Set	MedicationAdministrationSite - 2.16.840.1.113883.17.3.11.109	
Definition	Specifications for site of substance administration when Route is insufficiently specific	

Code	Code System	Print Name
280361007		Tracheostomy stoma
15562006		Structure of respiratory region of nose

### **Medication Authorization Type**

Value Set	MedicationAuthorizationType - 2.16.840.1.113883.17.3.11.47	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Channel or mode by which a medication administration is authorized by a licensed clinician	

Code	Code System	Print Name
LA17187-8	LOINC	On-line medical direction
LA18654-6	LOINC	On-scene
LA18655-3	LOINC	Protocol (standing order)
LA18656-1	LOINC	Written orders (patient specific)

### **Medication Complication**

Value Set	MedicationComplication - 2.16.840.1.113883.17.3.11.45	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of abnormal effect associated with the administration of a medication	

Code	Code System	Print Name
LA137-2	LOINC	None
LA15098-9	LOINC	Nausea
LA15099-7	LOINC	Vomiting
LA15424-7	LOINC	Diarrhea
LA17059-9	LOINC	Other (not listed)
LA17392-4	LOINC	Altered mental status
LA17393-2	LOINC	Apnea
LA17394-0	LOINC	Bradycardia
LA17396-5	LOINC	Нурохіа
LA20641-9	LOINC	Itching
LA17713-1	LOINC	Injury
LA17714-9	LOINC	Tachycardia
LA18266-9	LOINC	Bradypnea
LA18267-7	LOINC	Tachypnea
LA7418-2	LOINC	Bleeding
LA7434-9	LOINC	Extravasation
LA7443-0	LOINC	Hypotension
LA7444-8	LOINC	Hypertension
LA9540-1	LOINC	Hyperthermia
LA9541-9	LOINC	Hypothermia
LA9548-4	LOINC	Respiratory distress
LA20642-7	LOINC	Urticaria

#### **Medication Not Given Reason**

Value Set	MedicationNotGivenReason - 2.16.840.1.113883.17.3.11.92
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Rationale for not adminstering an otherwise indicated medication

Code	Code System	Print Name
LA15185-4	LOINC	Unable to complete
LA18921-9	LOINC	Medication already taken
LA18922-7	LOINC	Medication allergy
LA18925-0	LOINC	Denied by order
LA4216-3	LOINC	Contraindicated
LA4389-8	LOINC	Refused

### **Mental Status Finding**

Value Set	MentalStatusFinding - 2.16.840.1.113883.17.3.11.84	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Finding resulting from EMS mental assessment	

Code	Code System	Print Name
LA17286-8	LOINC	Normal baseline for patient
LA17287-6	LOINC	Combative
LA17288-4	LOINC	Oriented-person
LA17289-2	LOINC	Oriented-place
LA17290-0	LOINC	Oriented-time
LA18259-4	LOINC	Oriented-event
LA18260-2	LOINC	Pharmacologically sedated/paralyzed
LA6560-2	LOINC	Confused
LA6630-3	LOINC	Not done
LA7438-0	LOINC	Hallucinations
LA9343-0	LOINC	Unresponsive
LA6150-2	LOINC	Agitation
LA23818-0	LOINC	Somnolent
LA17666-1	LOINC	Stupor

### **Method Of ECG Interpretation**

Value Set	MethodOfECGInterpretation - 2.16.840.1.113883.17.3.11.20	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Method for transforming ECG data into a clinical finding	

Code	Code System	Print Name
LA18682-7	LOINC	Computer interpretation
LA18683-5	LOINC	Manual interpretation
LA18684-3	LOINC	Transmission with no interpretation
LA18685-0	LOINC	Transmission with remote interpretation

### **Neck Assessment Finding**

Value Set	NeckAssessmentFinding - 2.16.840.1.113883.17.3.11.28	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Finding resulting from EMS neck assessment	

Code	Code System	Print Name
LA17208-2	LOINC	Bleeding controlled
LA17209-0	LOINC	Bleeding uncontrolled
LA17210-8	LOINC	Decapitation
LA17214-0	LOINC	Puncture/stab wound
LA17217-3	LOINC	Jugular vein distention - JVD
LA17219-9	LOINC	Subcutaneous air
LA17212-4	LOINC	Gunshot wound
LA17612-5	LOINC	Stridor
LA18220-6	LOINC	Avulsion
LA18221-4	LOINC	Burn, blistering
LA18222-2	LOINC	Burn, charring
LA18223-0	LOINC	Burn, redness
LA18224-8	LOINC	Burn, white/waxy
LA18226-3	LOINC	Foreign body
LA18227-1	LOINC	Tracheal deviation-right
LA18228-9	LOINC	Tracheal deviation-left
LA6626-1	LOINC	Normal
LA6630-3	LOINC	Not done
LA7410-9	LOINC	Abrasion
LA7452-1	LOINC	Laceration
LA7460-4	LOINC	Pain
LA17229-8	LOINC	Crush Injury
LA22440-4	LOINC	Swelling

Code	Code System	Print Name
LA7423-2	LOINC	Contusion
LA17709-9	LOINC	Tenderness

# **Neurological Assessment Finding**

Value Set	NeurologicalAssessmentFinding - 2.16.840.1.113883.17.3.11.40	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Finding resulting from EMS neurological assessment	

Code	Code System	Print Name
LA15899-0	LOINC	Seizures
LA17286-8	LOINC	Normal baseline for patient
LA17291-8	LOINC	Cerebellar function-abnormal
LA17292-6	LOINC	Cerebellar function-normal
LA17293-4	LOINC	Gait-abnormal
LA17294-2	LOINC	Gait-normal
LA17295-9	LOINC	Hemiplegia-left
LA17296-7	LOINC	Hemiplegia-right
LA17297-5	LOINC	Speech-normal
LA17298-3	LOINC	Speech-slurring
LA17299-1	LOINC	Strength-normal
LA17300-7	LOINC	Strength-symmetric
LA17301-5	LOINC	Tremors
LA17302-3	LOINC	Weakness-facial droop-left
LA17303-1	LOINC	Weakness-facial droop-right
LA17304-9	LOINC	Weakness-left sided
LA17305-6	LOINC	Weakness-right sided
LA18261-0	LOINC	Aphagia
LA18262-8	LOINC	Aphasia
LA18263-6	LOINC	Decerebrate posturing
LA18264-4	LOINC	Decorticate posturing
LA18265-1	LOINC	Strength-asymmetric
LA6630-3	LOINC	Not done
LA23822-2	LOINC	Arm Drift-Left
LA23823-0	LOINC	Arm Drift-Right

### **Non Drug Allergy Type**

Value Set	NonDrugAllergyType - 2.16.840.1.113883.17.3.11.83	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kinds of environmental allergens	

Code	Code System	Print Name
LA137-2	LOINC	None
LA17059-9	LOINC	Other (not listed)
LA18356-8	LOINC	Chemical
LA18357-6	LOINC	Dander/dust/mold/pollen
LA18358-4	LOINC	Food allergy
LA18359-2	LOINC	Insect sting
LA18360-0	LOINC	Latex
LA18361-8	LOINC	Plant

### **Organ System**

Value Set	OrganSystem - 2.16.840.1.113883.17.3.11.77	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Biological systems for the classification of disorders	

Code	Code System	Print Name
LA16968-2	LOINC	Gastrointestinal
LA18114-1	LOINC	General/global
LA18277-6	LOINC	Cardiovascular
LA18278-4	LOINC	CNS/neuro
LA18279-2	LOINC	Endocrine/metabolic
LA18281-8	LOINC	Lymphatic/immune
LA18282-6	LOINC	Musculoskeletal/skin
LA18283-4	LOINC	Pulmonary
LA18284-2	LOINC	Renal
LA18285-9	LOINC	Reproductive
LA9534-4	LOINC	Behavioral / psychiatric disorder

### **Pelvis Genitourinary Assessment**

Value Set	PelvisGenitourinaryAssessment - 2.16.840.1.113883.17.3.11.33	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Finding resulting from EMS pelvic and genitourinary assessment	

Code	Code System	Print Name
LA17208-2	LOINC	Bleeding controlled
LA17209-0	LOINC	Bleeding uncontrolled
LA17213-2	LOINC	Mass/lesion
LA17214-0	LOINC	Puncture/stab wound
LOINC_TBDA_966	LOINC	Gunshot wound
LA17248-8	LOINC	Bleeding-rectal
LA17249-6	LOINC	Bleeding-urethral
LA17250-4	LOINC	Bleeding-vaginal
LA17251-2	LOINC	Genital injury
LA17252-0	LOINC	Pelvic fracture
LA17253-8	LOINC	Pelvic instability
LA17254-6	LOINC	Penile priapism/erection
LA17255-3	LOINC	Pregnant-crowning
LA17709-9	LOINC	Tenderness
LA18220-6	LOINC	Avulsion
LA18221-4	LOINC	Burn, blistering
LA18222-2	LOINC	Burn, charring
LA18223-0	LOINC	Burn, redness
LA18224-8	LOINC	Burn, white/waxy
LA18225-5	LOINC	Deformity
LA18226-3	LOINC	Foreign body
LA6626-1	LOINC	Normal
LA6630-3	LOINC	Not done
LA7410-9	LOINC	Abrasion
LA7452-1	LOINC	Laceration
LA7460-4	LOINC	Pain
LOINC_TBDA_585	LOINC	Crush Injury
LOINC_TBDA_586	LOINC	Contusion
LOINC_TBDA_587	LOINC	Swelling

#### **Pregnancy**

Value Set	Pregnancy - 2.16.840.1.113883.17.3.11.42	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Estimation of patient's pregnant status and maturity	

Code	Code System	Print Name
LA17329-6	LOINC	Yes, confirmed less than 12 weeks
LA17330-4	LOINC	Yes, confirmed 12 to 20 weeks
LA17331-2	LOINC	Yes, confirmed greater than 20 weeks
LA17332-0	LOINC	Possible, unconfirmed
LA32-8	LOINC	No
LOINC_TBDA_588	LOINC	Yes, Weeks unknown

### **Primary Hospital Capability**

Value Set	PrimaryHospitalCapability - 2.16.840.1.113883.17.3.11.104
Definition	Characteristic hospital capabilities that might be germane to an EMS destination selection

Code	Code System	Print Name
LOINC_TBDA_401		Behavioral health
LOINC_TBDA_402		Burn center
LOINC_TBDA_403		Critical access hospital
LOINC_TBDA_404		Hospital - general
LOINC_TBDA_405		Neonatal center
LOINC_TBDA_406		Pediatric center
LOINC_TBDA_407		Stroke center
LOINC_TBDA_408		Rehabilitation center
LOINC_TBDA_409		Trauma center level 1
LOINC_TBDA_410		Trauma center level 2
LOINC_TBDA_411		Trauma center level 3
LOINC_TBDA_412		Trauma center level 4
LOINC_TBDA_413		Trauma center level 5
LOINC_TBDA_414		Cardiac-STEMI/PCI Capable
LOINC_TBDA_415		Cardiac-STEMI/PCI Capable (24/7)
LOINC_TBDA_416		Cardiac-STEMI/Non-PCI Capable

#### **Prior Care Provider Role**

Value Set	PriorCareProviderRole - 2.16.840.1.113883.17.3.11.12	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Role of person providing care to a patient before the arrival of EMS personnel	

Code	Code System	Print Name
LA18016-8	LOINC	First responder-fire, law, EMS
LA18017-6	LOINC	Healthcare professional-non-EMS
LA18018-4	LOINC	Lay person-non-family
LA18019-2	LOINC	Other EMS professional - not part of dispatched response
LA9277-0	LOINC	Family member

# **Procedure Complication Type**

Value Set	ProcedureComplicationType - 2.16.840.1.113883.17.3.11.58	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of abnormal effect associated with the performance of a procedure	

Code	Code System	Print Name
LA137-2	LOINC	None
LA15098-9	LOINC	Nausea
LA15099-7	LOINC	Vomiting
LA15424-7	LOINC	Diarrhea
LA17059-9	LOINC	Other (not listed)
LA17392-4	LOINC	Altered mental status
LA17393-2	LOINC	Apnea
LA17394-0	LOINC	Bradycardia
LA17396-5	LOINC	Нурохіа
LOINC_TBDA_949	LOINC	Itching
LA17489-8	LOINC	Esophageal intubation-immediately
LA17490-6	LOINC	Esophageal intubation-other
LA17713-1	LOINC	Injury
LA17714-9	LOINC	Tachycardia
LA18267-7	LOINC	Tachypnea
LA7418-2	LOINC	Bleeding
LA7434-9	LOINC	Extravasation

Code	Code System	Print Name
LA7443-0	LOINC	Hypotension
LA7444-8	LOINC	Hypertension
LA9540-1	LOINC	Hyperthermia
LA9541-9	LOINC	Hypothermia
LA9548-4	LOINC	Respiratory distress
LOINC_TBDA_950	LOINC	Urticaria
LOINC_TBDA_589	LOINC	Bradypnea

### **Protocol**

Value Set	Protocol - 2.16.840.1.113883.17.3.11.73
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Clincal category of formal guideline used to direct care

Code	Code System	Print Name
LA17398-1	LOINC	Airway
LA17491-4	LOINC	Airway-failed
LA17492-2	LOINC	Airway-obstruction/foreign body
LA17494-8	LOINC	Airway-Rapid Sequence Induction (RSI-Paralytic)
LA17495-5	LOINC	Airway-sedation assisted (nonparalytic)
LA17496-3	LOINC	Cardiac arrest- asystole
LA17497-1	LOINC	Cardiac arrest- pulseless electrical activity
LA17498-9	LOINC	Cardiac arrest- ventricular fibrillation/pulseless ventricular tachycardia
LA17499-7	LOINC	Cardiac arrest-hypothermia-therapeutic
LA17500-2	LOINC	Cardiac arrest-post resuscitation care
LA17501-0	LOINC	Environmental-altitude sickness
LA17502-8	LOINC	Environmental-cold exposure
LA17503-6	LOINC	Environmental-frostbite/cold Injury
LA17504-4	LOINC	Environmental-heat exposure/exhaustion
LA17505-1	LOINC	Environmental-heat stroke/hyperthermia
LA17506-9	LOINC	Environmental-hypothermia
LA17507-7	LOINC	Exposure-airway/inhalation irritants
LA17508-5	LOINC	Exposure-biological/infectious
LA17509-3	LOINC	Exposure-blistering agents
LA17510-1	LOINC	Exposure-carbon monoxide/smoke inhalation

Code	Code System	Print Name
LA17511-9	LOINC	Exposure-chemicals to eye
LA17512-7	LOINC	Exposure-cyanide
LA17513-5	LOINC	Exposure-explosive/blast injury
LA17514-3	LOINC	Exposure-nerve agents
LA17515-0	LOINC	Exposure-radiologic agents
LA17516-8	LOINC	General-back pain
LA17517-6	LOINC	General-behavioral/patient restraint
LA17518-4	LOINC	General-dental problems
LA17519-2	LOINC	General-epistaxis
LA17520-0	LOINC	General-fever
LA17521-8	LOINC	General-individualized patient protocol
LA17522-6	LOINC	General-indwelling medical devices/equipment
LA17523-4	LOINC	General-IV access
LA17524-2	LOINC	General-medical device malfunction
LA17525-9	LOINC	General-pain control
LA17526-7	LOINC	General-spinal immobilization/clearance
LA17527-5	LOINC	General-universal patient care/initial patient contact
LA17528-3	LOINC	Injury-amputation
LA17529-1	LOINC	Injury-bites and envenomations-land
LA17530-9	LOINC	Injury-bites and envenomations-marine
LA17531-7	LOINC	Injury-bleeding/hemorrhage control
LA17532-5	LOINC	Injury-burns-thermal
LA17533-3	LOINC	Injury-cardiac arrest
LA17534-1	LOINC	Injury-crush syndrome
LA17535-8	LOINC	Injury-diving emergencies
LA17536-6	LOINC	Injury-drowning/near drowning
LA17537-4	LOINC	Injury-electrical injuries
LA17538-2	LOINC	Injury-extremity
LA17539-0	LOINC	Injury-eye
LA17540-8	LOINC	Injury-head
LA17541-6	LOINC	Injury-impaled object
LA17542-4	LOINC	Injury-multisystem
LA17543-2	LOINC	Injury-spinal cord
LA17544-0	LOINC	Medical-abdominal pain

Code	Code System	Print Name
LA17545-7	LOINC	Medical-allergic reaction/anaphylaxis
LA17546-5	LOINC	Medical-altered mental status
LA17547-3	LOINC	Medical-bradycardia
LA17548-1	LOINC	Medical-cardiac chest pain
LA17549-9	LOINC	Medical-diarrhea
LA17550-7	LOINC	Medical-hyperglycemia
LA17551-5	LOINC	Medical-hypertension
LA17552-3	LOINC	Medical-hypoglycemia/diabetic emergency
LA17553-1	LOINC	Medical-hypotension/shock (non-trauma)
LA17554-9	LOINC	Medical-influenza-like Illness/ upper respiratory infection
LA17555-6	LOINC	Medical-nausea/vomiting
LA17556-4	LOINC	Medical-newborn/ neonatal resuscitation
LA17557-2	LOINC	General-overdose/poisoning/toxic ingestion
LA17558-0	LOINC	Medical-pulmonary edema/CHF
LA17559-8	LOINC	Medical-respiratory distress/asthma/COPD/reactive airway disease
LA17560-6	LOINC	Medical-seizure
LA17561-4	LOINC	Medical-ST-elevation myocardial infarction (STEMI)
LA17562-2	LOINC	Medical-stroke/TIA
LA17563-0	LOINC	Medical-supraventricular tachycardia (including atrial fibrillation)
LA17564-8	LOINC	Medical-syncope
LA17565-5	LOINC	Medical-ventricular tachycardia (with pulse)
LA17566-3	LOINC	OB/GYN-childbirth/labor/delivery
LA17567-1	LOINC	OB/GYN-eclampsia
LA17568-9	LOINC	OB/GYN-gynecologic emergencies
LA17569-7	LOINC	OB/GYN-pregnancy related emergencies
LA17570-5	LOINC	OB/GYN-post-partum hemorrhage
LA18269-3	LOINC	General-cardiac arrest
LA46-8	LOINC	Other
LA6630-3	LOINC	Not done
LOINC_TBDA_903	LOINC	Injury-Conducted Electrical Weapon (e.g., Taser)
LOINC_TBDA_904	LOINC	Injury-Facial Trauma
LOINC_TBDA_905	LOINC	Injury-General Trauma Management

Code	Code System	Print Name
LOINC_TBDA_906	LOINC	Injury-Lightning/Lightning Strike
LOINC_TBDA_907	LOINC	Injury-SCUBA Injury/Accidents
LOINC_TBDA_908	LOINC	Injury-Topical Chemical Burn
LOINC_TBDA_909	LOINC	Medical-Beta Blocker Poisoning/Overdose
LOINC_TBDA_910	LOINC	Medical-Calcium Channel Blocker Poisoning/Overdose
LOINC_TBDA_911	LOINC	Medical-Opioid Poisoning/Overdose
LOINC_TBDA_912	LOINC	Medical-Respiratory Distress-Bronchiolitis
LOINC_TBDA_913	LOINC	Medical-Respiratory Distress-Croup
LOINC_TBDA_914	LOINC	Medical-Stimulant Poisoning/Overdose
LOINC_TBDA_590	LOINC	Cardiac Arrest-Do Not Resuscitate
LOINC_TBDA_591	LOINC	Cardiac Arrest-Special Resuscitate Orders
LOINC_TBDA_592	LOINC	General-Community Paramedicine / Mobile Integrated Healthcare
LOINC_TBDA_593	LOINC	General-Exception Protocol
LOINC_TBDA_594	LOINC	General-Extended Care Guidelines
LOINC_TBDA_595	LOINC	General-Interfacility Transfers
LOINC_TBDA_596	LOINC	General-Law Enforcement - Blood for Legal Purposes
LOINC_TBDA_597	LOINC	General-Law Enforcement - Assist with Law Enforcement Activity
LOINC_TBDA_598	LOINC	General-Neglect or Abuse Suspected
LOINC_TBDA_599	LOINC	General-Refusal of Care
LOINC_TBDA_600	LOINC	Injury-Mass/Multiple Casualties
LOINC_TBDA_601	LOINC	Injury-Thoracic
LOINC_TBDA_602	LOINC	Medical-Adrenal Insufficiency
LOINC_TBDA_603	LOINC	Medical-Apparent Life Threatening Event (ALTE)
LOINC_TBDA_604	LOINC	Medical-Tachycardia
LOINC_TBDA_605	LOINC	Cardiac Arrest-Determination of Death / Withholding Resuscitative Efforts

### **Protocol Age Category**

Value Set	ProtocolAgeCategory - 2.16.840.1.113883.17.3.11.86
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Group of patient ages

Code	Code System	Print Name
LA17571-3	LOINC	General
LA17572-1	LOINC	Adult only
LA17573-9	LOINC	Pediatric only

# **Provider Adverse Event Type**

Value Set	ProviderAdverseEventType - 2.16.840.1.113883.17.3.11.72	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of adverse event affecting a care provider	

Code	Code System	Print Name
LA137-2	LOINC	None
LA17059-9	LOINC	Other (not listed)
LA17402-1	LOINC	Death-cardiac arrest
LA17403-9	LOINC	Death-injury related
LA17404-7	LOINC	Death-other (not listed)
LA17405-4	LOINC	Exposure-airborne respiratory/biological/aerosolized secretions
LA17406-2	LOINC	Exposure-body fluid contact to broken skin
LA17407-0	LOINC	Exposure-body fluid contact with eye
LA17408-8	LOINC	Exposure-body fluid contact with intact skin
LA17409-6	LOINC	Exposure-body fluid contact with mucosal surface
LA17410-4	LOINC	Exposure-needle stick with body fluid injection
LA17411-2	LOINC	Exposure-needle stick without body fluid injection
LA17412-0	LOINC	Exposure-toxin/chemical/hazmat
LA17413-8	LOINC	Injury-lifting/back/musculoskeletal
LA17414-6	LOINC	Injury-other (not listed)

### **Provider Response Role**

Value Set	ProviderResponseRole - 2.16.840.1.113883.17.3.11.80	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Role filled by an EMS professional	

Code	Code System	Print Name
LA18707-2	LOINC	Driver/pilot-response
LA18708-0	LOINC	Driver/pilot-transport

Code	Code System	Print Name
LA18709-8	LOINC	Other crew member response role
LA18710-6	LOINC	Other patient caregiver-at scene
LA18711-4	LOINC	Other patient caregiver-transport
LA18712-2	LOINC	Primary patient caregiver-at scene
LA18713-0	LOINC	Primary patient caregiver-transport

### **Provider Role**

Value Set	ProviderRole - 2.16.840.1.113883.17.3.11.46
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Class of person providing care to an EMS patient, including the patient

Code	Code System	Print Name
LA15276-1	LOINC	Student
LA18695-9	LOINC	Critical care paramedic
LA18696-7	LOINC	2009 advanced emergency medical technician (AEMT)
LA18697-5	LOINC	2009 emergency medical responder (EMR)
LA18698-3	LOINC	2009 emergency medical technician (EMT)
LA18699-1	LOINC	2009 paramedic
LA18700-7	LOINC	First responder
LA18701-5	LOINC	EMT-basic
LA18702-3	LOINC	EMT-intermediate
LA18703-1	LOINC	EMT-paramedic
LA18704-9	LOINC	Other healthcare professional
LA18705-6	LOINC	Other non-healthcare professional
LA18706-4	LOINC	Community paramedicine
LA18714-8	LOINC	Patient/lay person
LA4687-5	LOINC	Physician
LA9297-8	LOINC	Respiratory therapist
LOINC_TBDA_606	LOINC	Nurse Practitioner
LOINC_TBDA_607	LOINC	Physician Assistant
LOINC_TBDA_608	LOINC	Licensed Practical Nurse (LPN)
LOINC_TBDA_609	LOINC	Registered Nurse

#### Race and Ethnicity - CDC

Value Set Race and Ethnicity - CDC	
------------------------------------	--

#### **Race Category**

Value Set	RaceCategory - 2.16.840.1.114222.4.11.836
Source URL	https://phinvads.cdc.gov/vads/ViewValueSet.action?id=67D34BBC-617F-DD11-B38D-00188B398520

Code	Code System	Print Name
1002-5	Race and Ethnicity - CDC	American Indian or Alaska Native
2028-9	Race and Ethnicity - CDC	Asian
2054-5	Race and Ethnicity - CDC	Black or African American
2076-8	Race and Ethnicity - CDC	Native Hawaiian or Other Pacific Islander
2131-1	Race and Ethnicity - CDC	Other Race
2106-3	Race and Ethnicity - CDC	White

#### **Reason Procedure not Performed**

Value Set	Reason Procedure not Performed - 2.16.840.1.113883.17.3.11.95
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Rationale for not completing an otherwise indicated procedure

Code	Code System	Print Name
LA15185-4	LOINC	Unable to complete
LA18925-0	LOINC	Denied by order
LA4216-3	LOINC	Contraindicated
LA4389-8	LOINC	Refused

#### **Reason Procedure not Performed Superset**

Value Set	Reason Procedure not Performed Superset - 2.16.840.1.113883.17.3.11.100
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Rationale for not completing an otherwise indicated procedure, including CPR

Code	Code System	Print Name
LA15185-4	LOINC	Unable to complete
LA18925-0	LOINC	Denied by order

Code	Code System	Print Name
LA4216-3	LOINC	Contraindicated
LA4389-8	LOINC	Refused
LA17063-1	LOINC	Considered futile
LA17064-9	LOINC	DNR orders
LA17065-6	LOINC	Signs of circulation

### **Reason Resuscitation Not Attempted**

Value Set	ReasonResuscitationNotAttempted - 2.16.840.1.113883.17.3.11.90
Definition	Rationale for not attempting to resuscitate a patient

Code	Code System	Print Name
LA17063-1		Considered futile
LA17064-9		DNR orders
LA17065-6		Signs of circulation

### **Registry Type**

Value Set	RegistryType - 2.16.840.1.113883.17.3.11.74
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Kind of research repository in which a patient record might be included

Code	Code System	Print Name
LA17057-3	LOINC	Drowning
LA17058-1	LOINC	Trauma
LA17059-9	LOINC	Other (not listed)
LA17398-1	LOINC	Airway
LA17399-9	LOINC	Spinal cord injury
LA17400-5	LOINC	STEMI/acute cardiac
LA17401-3	LOINC	Traumatic brain injury
LA7318-4	LOINC	Burn
LA9535-1	LOINC	Cardiac arrest
LA9553-4	LOINC	Stroke/CVA

### **Response Delay Type**

Value Set	ResponseDelayType - 2.16.840.1.113883.17.3.11.51
-----------	--

Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Kind of circumstance delaying an EMS response

Code	Code System	Print Name
LA17059-9	LOINC	Other (not listed)
LA17583-8	LOINC	Scene safety (not secure for EMS)
LA17585-3	LOINC	Crowd
LA17586-1	LOINC	Directions/unable to locate
LA17587-9	LOINC	Distance
LA17588-7	LOINC	HazMat
LA17590-3	LOINC	Staff delay
LA17591-1	LOINC	Traffic
LA17592-9	LOINC	Vehicle crash involving this unit
LA17593-7	LOINC	Vehicle failure of this unit
LA17594-5	LOINC	Weather
LA18081-2	LOINC	None/no delay
LA18270-1	LOINC	Rendezvous transport unavailable
LA18271-9	LOINC	Route obstruction (e.g., train)
LA18301-4	LOINC	Diversion
LOINC_TBDA_614	LOINC	Mechanical Issue-Unit, Equipment, etc.
LOINC_TBDA_615	LOINC	Flight Planning

### **Response Mode Qualifier**

Value Set	ResponseModeQualifier - 2.16.840.1.113883.17.3.11.106
-----------	---

Code	Code System	Print Name
LOINC_TBDA_007		Intersection Navigation-Against Normal Light Patterns
LOINC_TBDA_008		Intersection Navigation-With Automated Light Changing Technology
LOINC_TBDA_009		Intersection Navigation-With Normal Light Patterns
LOINC_TBDA_010		Speed-Enhanced per Local Policy
LOINC_TBDA_011		Speed-Normal Traffic
LOINC_TBDA_012		Lights and Sirens
LOINC_TBDA_013		Lights and No Sirens
LOINC_TBDA_014		No Lights or Sirens

Code	Code System	Print Name
LOINC_TBDA_015		Initial No Lights or Sirens, Upgraded to Lights and Sirens
LOINC_TBDA_016		Initial Lights and Sirens, Downgraded to No Lights or Sirens
LOINC_TBDA_017		Scheduled
LOINC_TBDA_018		Unscheduled

#### **Resusctitation Discontinue Reason**

Value Set	ResusctitationDiscontinueReason - 2.16.840.1.113883.17.3.11.62
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Rationale for aborting attempt to resuscitate a patient

Code	Code System	Print Name
LA17078-9	LOINC	DNR
LA17079-7	LOINC	Medical control order
LA17080-5	LOINC	Obvious signs of death
LA17081-3	LOINC	Protocol/policy requirements completed
LA17082-1	LOINC	Return of spontaneous circulation (pulse or BP noted)
LA18204-0	LOINC	Physically unable to perform

### **Return Of Spontaneous Circulation**

Value Set	ReturnOfSpontaneousCirculation - 2.16.840.1.113883.17.3.11.15
Code System	LOINC - 2.16.840.1.113883.6.1
Definition	Timeframe for return of circulation to a patient

Code	Code System	Print Name
LA17075-5	LOINC	Yes, prior to arrival at the ED
LA17076-3	LOINC	Yes, at arrival at the ED
LA17077-1	LOINC	Yes, sustained for 20 consecutive minutes
LA32-8	LOINC	No

#### **Rx Norm**

Value Set	RxNorm
value Set	

### **Safety Equipment Type**

Value Set	SafetyEquipmentType - 2.16.840.1.113883.17.3.11.7	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of safety equipment	

Code	Code System	Print Name
LA137-2	LOINC	None
LA17375-9	LOINC	Child booster seat
LA17376-7	LOINC	Helmet worn
LA17377-5	LOINC	Infant car seat forward facing
LA17378-3	LOINC	Infant car seat rear facing
LA17379-1	LOINC	Lap belt with shoulder belt
LA17380-9	LOINC	Lap belt without shoulder belt
LA17382-5	LOINC	Protective non-clothing gear
LA46-8	LOINC	Other
LA9381-0	LOINC	Shoulder belt
LA9391-9	LOINC	Eye protection
LA9392-7	LOINC	Protective clothing
LA9393-5	LOINC	Personal flotation device

### **Scene Delay Type**

Value Set	SceneDelayType - 2.16.840.1.113883.17.3.11.52	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of circumstance delaying EMS operations on scene	

Code	Code System	Print Name
LA17059-9	LOINC	Other (not listed)
LA17585-3	LOINC	Crowd
LA17586-1	LOINC	Directions/unable to locate
LA17587-9	LOINC	Distance
LA17588-7	LOINC	HazMat
LA17590-3	LOINC	Staff delay
LA17591-1	LOINC	Traffic
LA17592-9	LOINC	Vehicle crash involving this unit
LA17593-7	LOINC	Vehicle failure of this unit

Code	Code System	Print Name
LA17594-5	LOINC	Weather
LA17595-2	LOINC	Extrication
LA17596-0	LOINC	Safety-crew/staging
LA17597-8	LOINC	Safety-patient Safety-patient
LA18081-2	LOINC	None/no delay
LA18272-7	LOINC	Awaiting air unit
LA18273-5	LOINC	Awaiting ground unit
LA18275-0	LOINC	Patient access
LA18276-8	LOINC	Triage/multiple patients
LA7540-3	LOINC	Language barrier
LOINC_TBDA_616	LOINC	Mechanical Issue-Unit, Equipment, etc.

# **Service Type**

Value Set	ServiceType - 2.16.840.1.113883.17.3.11.79	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Category of service requested of an EMS agency	

Code	Code System	Print Name
LA17150-6	LOINC	Standby
LA18715-5	LOINC	911 response (scene)
LA18716-3	LOINC	Intercept
LA18717-1	LOINC	Interfacility transport
LA18718-9	LOINC	Medical transport
LA18719-7	LOINC	Mutual aid
LA18720-5	LOINC	Public assistance/other not listed

#### **Stroke Scale**

Value Set	StrokeScale - 2.16.840.1.113883.17.3.11.88	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Type of instrument used to evaluate for stroke	

Code	Code System	Print Name
LA17110-0	LOINC	Cincinnati
LA17111-8	LOINC	Los Angeles

Code	Code System	Print Name
LA17112-6	LOINC	Miami emergency neurologic deficit (MEND)
LA17113-4	LOINC	NIH
LA18300-6	LOINC	Other stoke scale type
LA3774-2	LOINC	Massachusetts
LOINC_TBDA_617	LOINC	F.A.S.T. Exam

### **Stroke Scale Interpretation**

Value Set	Stroke Scale Interpretation - 2.16.840.1.113883.17.3.11.93	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Finding based on a stroke scale instrument	

Code	Code System	Print Name
LA17109-2	LOINC	Non-conclusive
LA6576-8	LOINC	Positive
LA6577-6	LOINC	Negative

### **Transport Delay Type**

Value Set	TransportDelayType - 2.16.840.1.113883.17.3.11.53	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of circumstance delaying EMS transport	

Code	Code System	Print Name
LA17059-9	LOINC	Other (not listed)
LA17585-3	LOINC	Crowd
LA17586-1	LOINC	Directions/unable to locate
LA17587-9	LOINC	Distance
LA17588-7	LOINC	HazMat
LA17589-5	LOINC	Safety
LA17590-3	LOINC	Staff delay
LA17591-1	LOINC	Traffic
LA17592-9	LOINC	Vehicle crash involving this unit
LA17593-7	LOINC	Vehicle failure of this unit
LA17594-5	LOINC	Weather
LA18081-2	LOINC	None/no delay

Code	Code System	Print Name
LA18270-1	LOINC	Rendezvous transport unavailable
LA18271-9	LOINC	Route obstruction (e.g., train)
LA18301-4	LOINC	Diversion
LOINC_TBDA_618	LOINC	Patient Condition Change (e.g., Unit Stopped)

# **Transport Method**

Value Set	TransportMethod - 2.16.840.1.113883.17.3.11.65	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Physical mode of patient transport	

Code	Code System	Print Name
LA17168-8	LOINC	Ground-ambulance
LA17169-6	LOINC	Air medical-fixed wing
LA17170-4	LOINC	Air medical-rotor craft
LA17171-2	LOINC	Ground-ATV or rescue vehicle
LA17172-0	LOINC	Ground-bariatric
LA17173-8	LOINC	Ground-mass casualty bus/vehicle
LA17174-6	LOINC	Ground-wheelchair van
LA17175-3	LOINC	Ground-other not listed
LA17176-1	LOINC	Water-boat

### **Transport Mode Qualifier**

Value Set	TransportModeQualifier - 2.16.840.1.113883.17.3.11.102	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Techniques for managing transport speed	

Code	Code System	Print Name
LA22798-5	LOINC	Intersection Navigation-Against Normal Light Patterns
LA22799-3	LOINC	Intersection Navigation-With Automated Light Changing Technology
LA22800-9	LOINC	Intersection Navigation-With Normal Light Patterns
LA22801-7	LOINC	Speed-Enhanced per Local Policy
LA22802-5	LOINC	Speed-Normal Traffic
LA22803-3	LOINC	Lights and Sirens
LA22804-1	LOINC	Lights and No Sirens

Code	Code System	Print Name
LA22805-8	LOINC	No Lights or Sirens
LA22807-4	LOINC	Initial Lights and Sirens, Downgraded to No Lights or Sirens
LA22806-6	LOINC	Initial No Lights or Sirens, Upgraded to Lights and Sirens
LA22853-8	LOINC	BLS-AEMT

## **Transportation Mode**

Value Set	TransportationMode - 2.16.840.1.113883.17.3.11.66	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Urgency of transport	

Code	Code System	Print Name
LA17177-9	LOINC	Emergent (immediate response)
LA17178-7	LOINC	Emergent downgraded to non-emergent
LA17179-5	LOINC	Non-emergent upgraded to emergent
LA17180-3	LOINC	Non-emergent

#### **Trauma Center Criteria**

Value Set	TraumaCenterCriteria - 2.16.840.1.113883.17.3.11.3	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Patient findings used to determine appropriate destination	

Code	Code System	Print Name
LA17337-9	LOINC	Glasgow Coma Score less than or equal to 13
LA17338-7	LOINC	Respiratory rate < 10 or >29 or (<20 in infant < one year)
LA17339-5	LOINC	Systolic blood pressure less than 90
LA17340-3	LOINC	Amputation proximal to wrist and ankle
LA17341-1	LOINC	Crushed, degloved, or mangled extremity
LA17342-9	LOINC	Flail chest
LA17343-7	LOINC	Open or depressed skull fracture
LA17344-5	LOINC	Paralysis
LA17345-2	LOINC	Pelvic fracture(s)
LA17346-0	LOINC	Penetrating injury to head, neck, torso, and extremities proximal to elbow and knee

Code	Code System	Print Name
LA17347-8	LOINC	Two or more proximal long-bone fractures

# **Turn Around Delay Type**

Value Set	TurnAroundDelayType - 2.16.840.1.113883.17.3.11.54	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Kind of circumstance delaying EMS readiness after an incident	

Code	Code System	Print Name
LA17059-9	LOINC	Other (not listed)
LA17587-9	LOINC	Distance
LA17590-3	LOINC	Staff delay
LA17592-9	LOINC	Vehicle crash involving this unit
LA17593-7	LOINC	Vehicle failure of this unit
LA17594-5	LOINC	Weather
LA17598-6	LOINC	Clean-up
LA17599-4	LOINC	Decontamination
LA17600-0	LOINC	Documentation
LA17601-8	LOINC	ED overcrowding/transfer of care
LA17602-6	LOINC	Equipment/supply replenishment
LA18081-2	LOINC	None/no delay
LA18270-1	LOINC	Rendezvous transport unavailable
LA18271-9	LOINC	Route obstruction (e.g., train)
LA7497-6	LOINC	Equipment failure
LOINC_TBDA_619	LOINC	Traffic
LOINC_TBDA_620	LOINC	EMS Crew Accompanies Patient for Facility Procedure

#### **Unit Level Of Care**

Value Set	UnitLevelOfCare - 2.16.840.1.113883.17.3.11.105	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Levels of care a unit may be able to provide	

Code	Code System	Print Name
LA22851-2	LOINC	BLS-First Responder/EMR
LA22852-0	LOINC	BLS-Basic /EMT

Code	Code System	Print Name
LA22854-6	LOINC	BLS-Intermediate
LA22862-9	LOINC	BLS-Community Paramedicine
LA22855-3	LOINC	ALS-AEMT
LA22856-1	LOINC	ALS-Intermediate
LA22857-9	LOINC	ALS-Paramedic
LA22858-7	LOINC	ALS-Community Paramedicine
LA22859-5	LOINC	ALS-Nurse
LA22860-3	LOINC	ALS-Physician
LA22861-1	LOINC	Specialty Critical Care

# **Unit Response Role**

Value Set	UnitResponseRole - 2.16.840.1.113883.17.3.11.82	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Role unit plays in response to an incident	

Code	Code System	Print Name
LA17575-4	LOINC	Ground transport
LA17576-2	LOINC	Non-Transport Assistance
LA17577-0	LOINC	Non-Transport Rescue
LA17578-8	LOINC	Non-Transport Administrative (e.g., Supervisor)
LOINC_TBDA_971	LOINC	Air Transport-Helicopter
LOINC_TBDA_972	LOINC	Air Transport-Fixed Wing

### **Vehicle Impact Area**

Value Set	VehicleImpactArea - 2.16.840.1.113883.17.3.11.5	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Direction from which a vehicle is struck, expressed in terms of an analog clock face	

Code	Code System	Print Name
LA10137-0	LOINC	5
LA10138-8	LOINC	6
LA10139-6	LOINC	7
LA10140-4	LOINC	8
LA10141-2	LOINC	9

Code	Code System	Print Name
LA13942-0	LOINC	10
LA14557-5	LOINC	11
LA14558-3	LOINC	12
LA6112-2	LOINC	1
LA6113-0	LOINC	2
LA6114-8	LOINC	3
LA6115-5	LOINC	4

# **Vehicle Passenger Location**

Value Set	VehiclePassengerLocation - 2.16.840.1.113883.17.3.11.6	
Code System	LOINC - 2.16.840.1.113883.6.1	
Definition	Location of a passenger within a vehicle	

Code	Code System	Print Name
LA17361-9	LOINC	Front seat-left side (or motorcycle driver)
LA17362-7	LOINC	Front seat-right side
LA17363-5	LOINC	Front seat-middle
LA17364-3	LOINC	Second seat-left side (or motorcycle passenger)
LA17365-0	LOINC	Second seat-middle
LA17366-8	LOINC	Second seat-right side
LA17367-6	LOINC	Third row-left side (or motorcycle passenger)
LA17368-4	LOINC	Third row-right side
LA17369-2	LOINC	Third row-middle
LA17370-0	LOINC	Sleeper section of cab (truck)
LA17371-8	LOINC	Passenger in other enclosed passenger or cargo area (non-trailing unit such as a bus, etc.)
LA17372-6	LOINC	Passenger in unenclosed passenger or cargo area (non-trailing unit such as a pickup, etc.)
LA17373-4	LOINC	Trailing unit
LA17374-2	LOINC	Riding on vehicle exterior (non-trailing unit)
LA4489-6	LOINC	Unknown

#### **SAMPLE**

In this example, the agency is represented with the root OID "2.16.840.1.113883.19.1." This OID represents a node (".1") under the HL7 Example domain ("2.16.840.1.113883.19"). This hypothetical organization has assigned identifiers under six nodes: 1. documents 2. patients 3. events 4. document artifacts (sections, organizers, statements) 5. facilities 6. devices (including the software that generated the report) These OIDs are used in the Instance Identifier data type in the "root" attribute. Providers are identified using a National Provider Identifier (root = "2.16.840.1.113883.4.6"), but the NPI has no "example" namespace for fictitious providers. Actual NPI identifiers are numbers; we have used strings that do not fit the NPI pattern to avoid inadvertently identifying an actual provider. This example report does not demonstrate every statement specified in the guide, but it does cover every pattern required to construct a valid document.

```
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet type="text/xsl" href="CDA.xsl"?>
<?xml-stylesheet type="text/xsl" href="CDA.xsl"?>
<?linicalDocument xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="urn:hl7-org:v3" xmlns:sdtc="urn:hl7-org:sdtc" xsi:schemaLocation="urn:hl7-org:v3 CDA.xsd" classCode="DOCCLIN" moodCode="EVN">
     (1-This example is based on ALS test case #1 from the Minnesota EMS Regulatory Board, available at http://www.emsrb.state.mn.us. Example and guide developed by the National EMS Information System and Ockham Information Sevices LLC under the auspices of Health Level 7, with support from the US National Highway Traffic Safety Administration, the Centers for Disease Control, and the Health Resources and Services Administration, as well as dozens of other government agencies, universities, and professional organizations. Example prepared for 2014 publication of normative implementation
    guide.-->
<realmCode code="US"/>
<typeId extension="POCD HD000040" root="2.16.840.1.113883.1.3"/>
<templateId root="2.16.840.1.113883.10.20.22.1.1"/>
<templateId root="2.16.840.1.113883.10.20.22.1.1"/>
<id root="2.16.840.1.113883.19.1" extension="2086823449"/>

<!-- We inherit constratints from the Consolidated General Header -->

<:-- See notes for OID descriptions. 2.16.840.1.113883.19 is the example domain.</pre>
    "" e Inherit constraints from the Consolidated code code="67796-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="EMS Patient Care Report"/>

<title>EMS Patient Care Report

<title>EMS Patient Care Report

<ti>confidentialityCode codeSystem="2.16.840.1.113883.5.25" codeSystemName="ConfidentialityCode" code="N"/>

                  <streetAddressLine>20190 Holyoak Avenue</streetAddressLine>
              <city>Two Harbors</city>
<state>MN</state>
<country>US</country>
</addr>
              <given>Paul</given>
<family>Bearer</family>
                 .me varue="201201011650+0600"/>
ssignedAuthor>
<id root ="2.16.840.1.113883.4.6" extension="hijklm"/>
<addr>
              <addr>
<addr>
<streetAddressLine>1000 Provider Lane</streetAddressLine>
<city>Duluth</city>
<state>Mw/cstate>

<pre
    ssignedCustOdian/

cepresentedCustodianOrganization>
<id root="2.16.840.1.113883.19" extension="765588601"/>
<name>Acme EMT Services</name>
<telecom value="tel:(218)555-1212"/>
              </addr>
</representedCustodianOrganization>
</assignedCustodian>
   </custodian>
<participant typeCode="DST">
```

```
<associatedEntity classCode="SDLOC">
  <code code="LA11504-0" displayName="Hospital emergency department" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
                   <streetAddressLine>2000 Facility Road</streetAddressLine>
                  <city>Duluth</city>
<state>MN</state>
<postalCode>55804
<country>US</country>
               </addr>
               </add/>
<telecom value="tel:(218)555-1212"/>
          <scopingOrganization>
<name>General Hospital</name>
</scopingOrganization>
</associatedEntity>
     </participant>
<documentationOf>
        JOCUMENTATIONUT>

(serviceEvent>

(id root="2.16.840.1.113883.19.3" extension="1557142669"/>

(code code="LA18715-5" displayName="911 response (scene)" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>

(effectiveTime value="201201011545+0600"/>

(performer typeCode="PRF")

(functionCode code="LA18712-2" displayName="Primary patient caregiver-at scene" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>

(FunctionCode code="LA18712-2" displayName="Primary patient caregiver-at scene" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>

(FootomoreForthum)
                  <dassignedEntity>
  <id root="2.16.840.1.113883.4.6" extension="abcdefg"/>
  <code code="LA18703-1" displayName="EMT-paramedic" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
                             <streetAddressLine>1000 EMT Lane</streetAddressLine>
                        <street.wddressElfne>Floor Ewn Fal
<city>Duluth</city>
<state>MN</state>
<postalCode>55803</postalCode>
<country>US</country>
</addr>
                         <telecom value="tel:(218)555-1212"/>
                        <assignedPerson>
                                <given>Renee</given>
<family>Responder</family>
   entry>

<br/>
<br/
                   </entry>
               </component>
                        section>
<templateId root="2.16.840.1.113883.17.3.10.1.15"/>
<templateId root="2.16.840.1.113883.10.20.22.2.1."/>
<templateId root="2.16.840.1.113883.10.20.22.2.1."/>
<templateId root="2.16.840.1.113883.10.20.22.2.1."/>
<templateId root="2.16.840.1.113883.10.20.22.2.1."/>
<code code="10160-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="History of medication use"/>
<title>EMS Current Medications Section</title>
                         Currently on medication
                                            No inforrmation
```

```
</text>
           </observation>
           entry>

<observation classCode="OBS" moodCode="EVN">
<templateId root="2.16.840.1.1133883.17.3.10.1.76"/>
<id root="2.16.840.1.113881.19.4" extension="779578355"/>
<code code="69749-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Patient on anticoagulants"/>
</value xsi:type="CD" nullFlavor="NI"/>
</observation>
</obser
</entry>
</section>
</component>
<component>
<section>
        vection/
<templateId root="2.16.840.1.113883.17.3.10.1.13"/>
<id root="2.16.840.1.113883.19.4" extension="1379194292"/>
<ode code="48765-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Allergies and Adverse Reactions Section"/>
<title>EMS Allergies and Adverse Reactions</title>
             >td>Existence of drug allergy
>
>td>No information

</text>
</text>
<ntry>
<ntry

<ntr>

<ntr>

<ntr>

<ntr>

<ntry

<ntr>

<ntry

<ntr>

<ntry

<ntr>
<ntr>
<ntr>

<ntry

<ntr>

<ntry

<ntr>

<ntry

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>
<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>
<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>
<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>
<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<ntr>

<nt
%/text/>
<entryy
<ohrev="centry">
<ohrev="centry">
<ohrev="centry">
<ohrev="centry">
<ohrev="centry">
<ohrev="centry">
<ohrev="centry">
<ohrev="centry">
<id root="2.16.840.1.113883.17.3.10.1.70"/>
<id root="2.16.840.1.113883.19.4" extension="1010126511"/>
<code code="69757-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Indications of drug or alcohol use by the</pre>
            <value xsi:type="BL" value="true"/>
</observation>
            </entry>
 </component>
 <component>
        section>

<templateId root="2.16.840.1.113883.17.3.10.1.20"/>
<templateId root="2.16.840.1.113883.10.20.2.10"/>
<id root="2.16.840.1.113883.19.4" extension="1059740514"/>
<code code="29545-1" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="PHYSICAL EXAMINATION"/>
<ititle>EMS Physical Assessment Section</title>

         HeadAssessmentFinding
                         Normal
```

```
ctd>

ChestAndLungsAssessmentFinding

Gunshot wound - entry

                                            ChestAndLungsAssessmentFinding

Std>Breath sounds-decreased-left

                                                  Abdomen assessment
Normal
Normal
Abdomen assessment
Abdomen assessmen
                                              Abdomen assessmentOther
                                                  GI normal
                                              ctd>Pelvic and genitourinary assessment
</d>
Pelvic and genitourinary assessment

                                            Patient Pregnancy
Not Applicable

                                   </component>
                           Component>
Component
Compon
                               /component>
                           \{\text{component}\}
\{\t
                                       </observation>
                             </component>

<
```

```
</artic xsi.t
</observation>
</component>
</organizer>

         </obse:
    </entry>
    </section>
</component>
    <section>
       section>
<templateId root="2.16.840.1.113883.17.3.10.1.18"/>
<templateId root="2.16.840.1.113883.17.3.10.1.18"/>
<templateId root="2.16.840.1.113883.10.20.22.2.38"/>
<id root="2.16.840.1.113883.10.20.22.2.38"/>
</ode code="29549-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Medications Administered"/>
<title>Medications Administered Section</title>
</text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text>

>td>2012 01 01 1604

>td>20xygen

>td>Respiratory

>td>structure of respiratory region of nose

>td>15 L/min

>td>partial rebreather mask

>td>Dnchanged

       </section>
     </component>
    <component>
       section>
<templateId root="2.16.840.1.113883.17.3.10.1.21"/>
<templateId root="2.16.840.1.113883.10.20.22.2.27"/>
<id root="2.16.840.1.113883.19.4" extension="484489671"/>
```

```
<code code="29554-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Procedure Description"/>
<title>EMS Procedures Performed</title>
             <thead>
                  tr>
                2012 01 01 1602
                    Nasopharyngeal airway insertion
td>\td>
td>\taue

4td>true
td>
td>
\taue

                    None
                    ctd>2012 01 01 1602/td>
2012 01 01 1602/td>
4td>Cervical collar placement/td>
4td>true/td>
                    None
                    Law enforcement
                    Improved
                    tr>
2012 01 01 1604
2dd>2012 01 01 1604
4dd>4dd>
4dd>4dd>
4dd>4dd>
4dd>
4dd>4dd>
4dd>
4dd>
4dd>
4dd>
4dd>
4dd>
4dd>
4dd
```

```
</observation>
</entryRelationship>
<entryRelationship typeCode="COMP">
<observation classCode="OBS" moodCode="EUN">
<templateId root="2.16.840.1.1133883.17.3.10.1.135"/>
<code code="67546-2" displayName="Frocedure patient response" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
<value xsi:type="CD" code="LA65-8" displayName="Improved" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
</observation>
</entryRelationship>
                     </code>
</code>
</code>
</code>
</code triveTime value="201201011604+0600"/>
</performer>
</assignedEntity>
</do troot="2.16.840.1.113883.19.4" extension="42742618"/>
</code code="LaB701-5" displayName="EMT-basic" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
</assignedEntity>
</performer>
</ntryRelationship typeCode="COMP">
</ntryRelationship typeCode="Comp" mondCode="EVN">
</ntryRelationship typeCode="Comp">
</ntr>
//observation</ntr>
//observation</ntr>
//observation</ntr>
//observation</ntr>
//observati
                             <effectiveTime value="201201011604+0600"/>
</component>
            <component>
                    section>
<tidnois="2.16.840.1.113883.17.3.10.1.1"/>
<id root="2.16.840.1.113883.19.4" extension="2112455333"/>
<code code="67781-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="EMS Patient Care Report Narrative Section"/>
<title>EMS Patient Care Report Narrative</title>
```

```
noted. </paragraph>
notea. 

notea. 

notea. 

paragraph

content styleCode="Bold">PLAN 
//content>C collar, nasal airway with 02 @ 15 LPM via NRB, LSB, monitor. Sinus tach, no ectopy,
occlusive dressing. Reassess: 02 sats decreased, labored breathing. Treatment: needle chest decompression L side. Transport lights and siren. Enroute
two IVs established. Diverted to XXX hospital. Breathing improved. Care and report to ED staff. 
//paragraph>
               </text>
</section>
                    section/
<templateId root="2.16.840.1.113883.17.3.10.1.8"/>
<id root="2.16.840.1.113883.19.4" extension="4833069"/>
<code code="7.665-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="EMS Scene Section"/>
<title>EMS Scene</title>
                         propertyvalueNotes
                              </thead>
                              ELP
SEMS reporter is first unit on scene
false
false

                                 tr>
Count of patients at scene
1

                                      Mass Casualty Incident 
false
false

                                 </component>
                      ection."
templateId root="2.16.840.1.113883.17.3.10.1.2"/>
cid root="2.16.840.1.113883.19.4" extension="173093403"/>
code code="67660-1" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="EMS Dispatch Section"/>
ctitle>EMS Dispatch</title>
                     <text>
                              <thead>

    >th>property
    value
    Notes

    Complaint reported by dispatch
    td>tcomplaint reporte
                      </text>
                         </observation>
                    </entry>
```

```
</entry>
                         </component> </component>
                                <section>
                                           vection/
<templateId root="2.16.840.1.113883.17.3.10.1.4"/>
<id root="2.16.840.1.113883.19.4" extension="1717550215"/>
<code code="67796-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="EMS Disposition Section"/>
<title>EMS Disposition</title>
                                                    \label{th} $$ \begin{array}{ll} \text{$tr>$th>property$$th>value$$th>Notes</th} </tr> </thead>
                                                               Transport methodGround ambulance

\table \text{\table} \tex
                                                                               </observation>
</entry>
<entry>
<observation classCode="OBS" moodCode="EVN">
<observation classCode="OBS" moodCode="EVN"

<observation classCode="Code"

//
//observation>
//observation>
//entry>
//entry>
//observation classCode="OBS" moodCode="EVN">
//observation
//observation>
//o

                                       </section>
                           </component>
                         <component>
                                           section>
<tid root="2.16.840.1.113883.17.3.10.1.6"/>
<id root="2.16.840.1.113883.19.4" extension="461387372"/>
<code code="67658-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Exposures or Injuries of EMS Personnel Section"/>
<title>Exposures or Injuries of EMS Personnel</title>
```

```
personnel exposed or injured
td>
                              </text>
<entry>
<oherevation classCode="OBS" moodCode="EVN">
<oherevation classCode="OBS" moodCode="EVN">
<oherevation classCode="OBS" moodCode="EVN">
<templateId root="2.16.840.1.113883.17.3.10.1.89"/>
<id root="2.16.840.1.113883.19.4" extension="1500491815"/>
<code code="67554-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="EMS personnel exposed or injured"/>
<oherevation="EMS personnel exposed or injured"/>
<
         </obser
</entry>
</section>
</component>
<component>
<section>
                   <templateId root="2.16.840.1.113883.17.3.10.1.7"/>
<id root="2.16.840.1.113883.19.4" extension="1642545570"/>
<code code="67537-1" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="EMS Protocol Section"/>
<title>EMS Protocol Section</title>
                         Protocol
+d>Protocol
+d>Not applicable
+d>

>td>Protocol age category
\td>\td>\td>
\td>

tr>
td>Turnaround
</d>
```

```
\unead>
     BeginningOn SceneDestinationEnding </thead>
   No informationNo information
     No information
    No information
  <component>
<observation classCode="OBS" moodCode="EVN">
  <code code="67559-5" displayName="Transport delay" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
  <value xsi:type="CD" code="LA18081-2" displayName="None/No delay" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
  </observation>
  </component></component>
 </observation>
</component>
<omponent>
<observation classCode="OBS" moodCode="EVN">
<observation classCode="OBS" moodCode="EVN">
<ode code="67485-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="On scene"/>
<value xsi:type="PQ" nullFlavor="NI" />
</observation>
</component>
   <
  </observat
</component>
</organizer>
  </entry>
</section>
</component>
```

```
</thead>
                                        ctd>Complaint
Complaint
Gunshot wound

Frimary; Organ system: Pulmonary

                                              Possible injury
td>td>true
                                                   <
                                          ctd>Primary impression
Primary impression
Thorax
Thorax

                                               Unspecified injury of thorax

>(tr)

>(td>Other symptom

>(td>Dyspnea

>(td>

                                              Secondary impression

Vnspecified injury of thorax

<

</text>

<pre
              </entry>
</entry>

<ntry>
<ntry>
<ntry>
<ntry>
<ntry>
<ntry
<ntr>

>

</observation>
</entry>
<entry>
<entry>
<observation classCode="OBS" moodCode="EVN">
<observation classCode="OBS" moodCode="EVN">
<observation classCode="OBS" moodCode="EVN">
<observation classCode="0BS" moodCode="0BVN">
<observation classCode="0BS" moodCode="0BVN"

<observation classCode="0BS" moodCode="0BS"

<observation classCode="0BS" moodCode="0BS"

<observation classCode="0BS" moodCode="0BS"

<observation classCode="0BS" moodCode="0BS"

<observation classCode="0BS"

<observation classCode=
          </observation>
</entry>
<br/>
<entry>
<br/>

<
                </observation>
       </section>
</component>
               section>
<templateId root="2.16.840.1.113883.17.3.10.1.10"/>
<id root="2.16.840.1.113883.19.4" extension="1292423915"/>
<code code="67667-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="EMS Times Section"/>
<title>EMS Times</title>
```

```
Call time
2012 0101 1545 +0600

                 >II>
>Dispatch notified time

210
>101

1545
+0600

+0600

+0600

                 Unit notified time

2012 0101 1546 +0600

                 Unit on route time
100

2012
101
1548
+0600

+060
+0600
+0600

                   <
                  Unit on scene time
100

<10</td>
100

<10</td>
<10</td>

                 Unit at patient time
2012 0101 1559 +0600

                  Unit left scene time
>0101 1625 +0600
>>>

                 Patient at destination time
</d>
2012 0101 1650 +0600
</d>
</d>
</d>
</d>
</d>
</d>
</d>
              </entry>
<entry>
<entry>

<observation classCode="OBS" moodCode="EVN">
<observation classCode="OBS" moodCode="EVN">
<templateId root="2.16.840.1.113383.17.3.10.1.39"/>
<id root="2.16.840.1.11383.19.4" extension="235379285"/>
<code code="69471-1" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Unit notified time"/>
<value xsi:type="TS" value="201201011545+0600"/>
</observation>

<pr
      </observations
</pre>

<pr

<

<
         entry>

cobservation classCode="OBS" moodCode="EVN">

<templateId root="2.16.840.1.113883.17.3.10.1.46"/>
<id root="2.16.840.1.113883.19.4" extension="927783554"/>
<code code="69470-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Dispatch notified time"/>

<pr
       </entry>
   </section>
</component>
<component>
     <section>
```

```
<templateId root="2.16.840.1.113883.17.3.10.1.23"/>
<templateId root="2.16.840.1.113883.10.20.22.2.4"/>
<templateId root="2.16.840.1.113883.10.20.22.2.4.1"/>
<id root="2.16.840.1.113883.19.4" extension="1523729757"/>
<code code="8716-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Vital Signs"/>
<title>EMS Vital Signs</title>
            <content>Level of responsiveness: Unresponsive</content>
                              </thead>
                                   ctd>Y
Y

2012 0101 1602 +0600

4td>90

4td>4td>4td>4td>

4td>4td>4td>

                                      22
                                       90
                                    <2012 0101 1604 +0600</td>
                                     2012 010.

96

44

120

26

                                      Sinus tachycardia
                                       84
                                   ctd>ctd>ctd>ctd>ctd>ctd>fd>ctd>fd>ctd>fd>ctd>fd>fd>fd>fd>fd>fd>fd>fd>fd>fd>fd>fd>fdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfdfd
                                      24
                                      93
                            20

                                                                               tachycardia

</text>

</text>

</text>

<a href="citable-">
<a href=
           component>

<observation classCode="OBS" moodCode="EVN">
<id root="2.16.840.1.113883.19.4" extension="638193965"/>
<code code="8480-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Intravascular systolic"/>
</able xs:type="PQ" value="96" unit="mm[Hg]"/>
</observation>
</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(component)</arreft(componen
                      </component>
<component>
```

```
</observation>
          </component>
             component.

cobservation classCode="OBS" moodCode="EVN">

cid root="2.16.840.1.113883.19.4" extension="787396836"/>

code code="0867-4" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Heart rate"/>

cvalue xsi:type="PQ" value="120" unit="/min"/>
          </component>
             cohearvation classCode="OBS" moodCode="EVN">
  <observation classCode="OBS" moodCode="EVN">
  <id root="2.16.840.1.113883.19.4" extension="1100521092"/>
  <code code="9279-1" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Breaths"/>
  <value xsi:type="PQ" value="26" unit="/min"/>

              </observation>
          </component> </component>
             </observat
</component>
</organizer>
</entry>
<entry>
    entry>

         </observation>
</component>
</observation classCode="OBS" moodCode="EVN">
<observation classCode="OBS" moodCode="EVN">
<observation classCode="OBS" woodCode="EVN">
<observation classCode="OBS" woodCode="EVN">
<observation classCode="OBS" woodCode="EVN">
<observation woodCode="EVN"

<ol>
codeSystemName="LOINC" displayName="Heart rate"/>
<observation woodCode="EVN"

<ol>
codeSystemName="LOINC" displayName="Heart rate"/>
<observation woodCode="EVN"

<ol>
codeSystemName="LOINC" displayName="Heart rate"/>

codeSystemName="LoINC" displayName="Heart rate"/>

codeSystemName="LoINC" displayName="Heart rate"/>

codeSystemSystemSystemName="LoINC" displayName="Heart rate"/>

codeSystemSystemSystemSystemSystemSystemSystemSystemSystemSystemSystemSystemSystemSystemSystemSystemSystemSystemSystemSystemSystemSystem

<
      </observat
</component>
</organizer>
      <organizer classCode="CLUSTER" moodCode="EVN">
         <templateId root="2.16.840.1.1133883.17.3.10.1.30"/>
<id root="2.16.840.1.113883.19.4" extension="632881167"/>
<statusCode code="completed"/>
<effectiveTime value="201201011650+0600"/>
         </component> </organizer>
```

```
</entry>
<ontry>
<ontry>
<organizer classCode="CLUSTER" moodCode="EVN">
<templateId root="2.16.840.1.1133883.17.3.10.1.30"/>
<id root="2.16.840.1.113883.19.4" extension="632881167"/>
<statusCode code="completed"/>
<effectiveTime value="201201011611+0600"/>
<component>

<a href="Colored to ClassCode="08B" moodCode="EVN">
<a href="Colored to ClassCode="08B" moodCode="08B" 
                                                                              component>
component
                                         lection>
<templateId root="2.16.840.1.113883.17.3.10.1.17"/>
<id root="2.16.840.1.113883.19.4" extension="1769497551"/>
<code code="11374-6" codeSystem" 2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Injury Incident Description Section"/>
<title>Injury Incident Description Section</title>
</entry>
<ohrep*
<hre>

<pr
 </observation>
                                                 </entry>
                                                 </entry>
<ntry>
<ntry>
<ntry>
<ntry>
<ntry>
<ntry>
<nerry>
<nerry
<ntry
<ntr>
<ntr>
<ntr>
<ntry
<ntry
<ntr>
<ntr>
<ntr>
<ntry
<ntr>
<ntr>
<ntry
<ntr>
<ntr>
<ntr>
<ntry
<ntr>
<nt
                                      </section>
</component>
</structuredBody>
</component> </ClinicalDocument>
```

#### REFERENCES

- HL7 Implementation Guide: CDA Release 2 Continuity of Care Document (CCD) A CDA implementation of ASTM E2369-05 Standard Specification for Continuity of Care Record<sup>©</sup> (CCR) April 01, 2007 available through HL7.
- HL7 Implementation Guide for CDA Release 2 Quality Reporting Document Architecture (QRDA) Draft Standard for Trial Use March 2009. Available at: *Quality Reporting Document Architecture (QRDA)*
- HL7 Implementation Guide for CDA Release 2 CDA for Public Health Case Reports (PHCR) Informative Standard October 2009. Available through *HL7*.
- HL7 Implementation Guide for CDA Release 2: NHSN Healthcare Associated Infection (HAI) Reports, Release 2 Draft Standard for Trial Use January 2009 Available at: NHSN Healthcare Associated Infection (HAI) Reports
- Dolin RH, Alschuler L, Boyer S, Beebe C, Behlen FM, Biron PV, Shabo A, (Editors). HL7 Clinical Document Architecture, Release 2.0. ANSI-approved HL7 Standard; May 2005. Ann Arbor, Mich.: Health Level Seven, Inc. Available through *HL7* or if an HL7 member with the following link: *CDA Release 2 Normative Web Edition*.
- LOINC®: Logical Observation Identifiers Names and Codes, Regenstrief Institute.
- SNOMED CT®: SNOMED Clinical Terms SNOMED International Organization.
- Extensible Markup Language, www.w3.org/XML.
- Dolin RH, Alschuler L, Boyer S, Beebe C, Behlen FM, Biron PV, Shabo A., HL7 Clinical Document Architecture, Release 2. J Am Med Inform Assoc. 2006;13:30-39. Available at: <a href="http://www.jamia.org/cgi/reprint/13/1/30">http://www.jamia.org/cgi/reprint/13/1/30</a>.
- Using SNOMED CT in HL7 Version 3; Implementation Guide, Release 1.5. Available through *HL7* or if an HL7 member with the following link: *Using SNOMED CT in HL7 Version 3*
- National Emergency Medical Services Information System (NEMSIS) Data Dictionary, version 3. Available at <u>NEMSIS.org</u>
- HL7 EMS Domain Analysis Model, available from HL7 or via the HL7 wiki.