
# LAB Logbook


### Lab 1


- **Series**: A Pandas Series is a one-dimensional array-like object that can hold any data type and has an associated index for easy labelling and access.
- **DataFrame**: A DataFrame is a two-dimensional, tabular data structure with rows and columns, making it ideal for storing and manipulating datasets.
- **Index**: An Index in Pandas is an immutable array used for labelling and aligning data in Series or DataFrames, enabling efficient data retrieval and manipulation.
- Categorical: The Categorical type in Pandas allows for efficient storage and manipulation of data with a fixed number of possible values, making it ideal for handling categorical data.
- **DatetimeIndex**: A DatetimeIndex is a specialised index in Pandas for handling time series data, allowing for fast date-based indexing and resampling operations.


### Lab 2




# <u>Lab 3</u>







### <u>Lab 4</u>



The higher the epsilon value, the less accuracy there is. The model is very weak against adversarial attacks.

```
313/313 — 1s 4ms/step - accuracy: 0.9769 - loss: 0.1016
Test Accuracy Original: 0.9798


313/313 — 1s 4ms/step - accuracy: 0.1027 - loss: 123255.7109
Test Accuracy poisoned: 0.1028
```


### <u>Lab 5</u>



Time for epoch 31 is 11.749621391296387 sec

## <u>Lab 6</u>





# <u>Lab 7</u>

#### DES

Enter the key (8 bytes): SecretKe

<class 'bytes'>

Enter the text to encrypt: HelloCrypto
Encrypted text: HQqgsqSEljgBPH7L4con0w==

Decrypted text: HelloCrypto

#### AES

Enter the key (24 bytes): fffffffffhhhhhhhhhhjjjj


Enter the text to encrypt: adsfadfs

<class 'str'>

AES Encrypted: JIBUfy1kUpQWa4Tdavd70w==

AES Decrypted: adsfadfs





3. Explain in one word - 'YES' or 'NO' whether your encryption method for the images is good.

YES

# <u>Lab 8</u>

# **Maher Salimboev**

p = 23

g = 5

s = 2

privatekey = 15

# <u>Lab 9</u>

1. The attack type you have chosen

**Log4j Vulnerability Exploit (2021)** – A critical flaw in Log4j allowed remote code execution across various systems.

2. Any one key website or research paper link that you found was useful.

https://builtin.com/articles/log4j-vulerability-explained

## <u>Lab 10</u>

### <u>Lab 11</u>

## <u>Lab 12</u>