

12/2019	Configure System [Jenkins]	
Access keys	Add	•
Jenkins > configuration		
Pipeline Default Speed/Durability Le	vel None: use pipeline default (MAX_SURVIVABILITY)	† ?
Jsage Statistics		
	ding anonymous usage statistics and crash reports to the Jenkins project.	•
ligh Availability Configuration		
Enable customize JGroups confi	guration	
Alerts		
Conditions	Add ▼	(?)
Global Recipients		
Cilobal Necipients	Add 🔻	•
Support Bundle Anonymization		
Anonymize support bundle conte	nts	
Provisioning limits		
Nodes		?
Executors		(2
Shared Configuration		
Jenkins Location Jenkins URL	Administrative monitor	
Jenkins URL	http://ec2-52-207-80-189.compute-1.amazonaws.com/	?
System Admin e-mail address	address not configured yet <nobody@nowhere></nobody@nowhere>	•
Shell		
Shell executable		•
E-mail Notification		
SMTP server		•
Default upor o mail cuffix		
Default user e-mail suffix		
	Advanc	ed
 Test configuration by sending tes 	t e-mail	
Cloud		
Add a namaland —		
Add a new cloud ▼		
	Save Apply	

Jenkins ▶ configuration

Save

Apply