



Data Dictionary

kodus-dev_db

Server: kodus-dev_db
Author: Administrator
Date: 2026-04-15 15:57:10
Version: 1.0

Table of Contents

1. Introduction	1
2. Server: kodus-dev_db (MySQL)	2
2.1. Database: kodus-dev_db	2
2.1.1. Tables	2
2.1.1.1. Table: aaTracker	2
2.1.1.2. Table: app_notification_reads	3
2.1.1.3. Table: app_notifications	3
2.1.1.4. Table: app_settings	4
2.1.1.5. Table: audit_logs	4
2.1.1.6. Table: barangay	5
2.1.1.7. Table: breakdown	5
2.1.1.8. Table: contact_message_recipients	5
2.1.1.9. Table: contact_messages	6
2.1.1.10. Table: contact_replies	7
2.1.1.11. Table: crossmatch_jobs	8
2.1.1.12. Table: crossmatch_results	8
2.1.1.13. Table: deduplication_jobs	8
2.1.1.14. Table: deduplication_results	9
2.1.1.15. Table: deduplication_template_outputs	9
2.1.1.16. Table: draggable_events	10
2.1.1.17. Table: event_guests	11
2.1.1.18. Table: event_schedule_days	11
2.1.1.19. Table: events	12
2.1.1.20. Table: fund_monitoring_entries	13
2.1.1.21. Table: fund_monitoring_items	14
2.1.1.22. Table: fund_monitoring_object_codes	14
2.1.1.23. Table: imp_status	15
2.1.1.24. Table: incoming	16
2.1.1.25. Table: mail_logs	16
2.1.1.26. Table: meb	17
2.1.1.27. Table: meb_change_history	18
2.1.1.28. Table: mebis_consolidator_outputs	19
2.1.1.29. Table: mebis_lgu_template_outputs	19
2.1.1.30. Table: message_reads	20
2.1.1.31. Table: municipality	21
2.1.1.32. Table: outgoing	21
2.1.1.33. Table: pdos	22
2.1.1.34. Table: program_activity_actual_projects	22
2.1.1.35. Table: program_activity_metadata	23
2.1.1.36. Table: project_lawa_binhi_targets	27
2.1.1.37. Table: project_target_entries	28
2.1.1.38. Table: project_variable_config	30

2.1.1.39. Table: provinces	30
2.1.1.40. Table: users	31

1. Introduction

A data dictionary is a collection of metadata such as object name, data type, size, classification, and relationships with other data assets. It is used by data administrators, analysts, and engineers to understand and trust data assets. It helps in the creation of authentic, transparent, and consistent data throughout the organization.

In this data dictionary, following servers are chosen for documentation:
kodus-dev_db (MySQL)

For each server, definitions of tables (entities/collections), views, functions are listed in order. Detailed properties of data elements (data type, size, nullability, optionality, indexes, foreign keys, constraints) are organized in tabular format.

2. Server: kodus-dev_db (MySQL)

Version: 8.4.3

1 database is listed below.

2.1. Database: kodus-dev_db

Database objects to be listed: 40 tables

2.1.1. Tables

2.1.1.1. Table: aatracker

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	aaDate	date	✓	
3	tracking_number2	varchar(255)	✓	
4	description	varchar(1000)	✓	
5	bFocal	date	✓	
6	focal	date	✓	
7	remarks2	varchar(1000)		
8	sHead	date	✓	
9	file_name	varchar(255)	✓	
10	file_size	int	✓	
11	file_type	varchar(255)	✓	
12	upload_time	datetime	✓	
13	aaType	int	✓	
14	outDate	date	✓	
15	personnel	varchar(255)	✓	
16	dateReceived	date	✓	

2.1.1.2. Table: app_notification_reads

Fields

Pos	Name	Type	Not Null	Others
1	notification_id 	int	✓	
2	user_id 	int	✓	Index: idx_app_notification_reads_...
3	read_at	datetime	✓	Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
idx_app_notification_reads_user	NORMAL	BTREE	user_id

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_app_notification_reads_notification	notification_id	kodus-dev_db.app_notifications	id	CASCADE	RESTRICT

2.1.1.3. Table: app_notifications

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	category	varchar(80)	✓	Default: 'system' Index: idx_app_notifications_cate...
3	title	varchar(255)	✓	
4	message	text	✓	
5	url	varchar(2048)		
6	icon_class	varchar(80)	✓	Default: 'fas fa-bell'
7	color_class	varchar(40)	✓	Default: 'text-warning'
8	actor_user_id	int		

9	actor_name	varchar(255)		
10	created_at	datetime	✓	Default: CURRENT_TIMESTAMP Index: idx_app_notifications_creat...

Indexes

Name	Type	Method	Fields
idx_app_notifications_created_at	NORMAL	BTREE	created_at
idx_app_notifications_category	NORMAL	BTREE	category

2.1.1.4. Table: app_settings

Fields

Pos	Name	Type	Not Null	Others
1	setting_key 🔑	varchar(100)	✓	
2	setting_value	longtext		
3	updated_at	datetime	✓	Default: CURRENT_TIMESTAMP
4	updated_by	int		

2.1.1.5. Table: audit_logs

Fields

Pos	Name	Type	Not Null	Others
1	id 🔑	int Auto Increment	✓	
2	user_id	int		
3	action	varchar(255)		
4	details	text		
5	ip_address	varchar(45)		
6	created_at	datetime		Default: CURRENT_TIMESTAMP

2.1.1.6. Table: barangay

Fields

Pos	Name	Type	Not Null	Others
1	id	varchar(255)	✓	
2	municipality_id	varchar(255)	✓	
3	brgy_name	varchar(255)	✓	

2.1.1.7. Table: breakdown

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	province	varchar(250)	✓	
3	lgu	varchar(250)	✓	
4	barangay	varchar(250)	✓	
5	benesNumber	int	✓	
6	amount	int	✓	
7	paid	int	✓	
8	payoutDate	date		

2.1.1.8. Table: contact_message_recipients

Fields

Pos	Name	Type	Not Null	Others
1	id 	bigint Auto Increment	✓	
2	message_id	int	✓	Index: uq_contact_message_recipi...
3	user_id	int		Index: idx_contact_message_recipi...

4	recipient_email	varchar(255)	✓	Index: uq_contact_message_recipi... idx_contact_message_recipi...
5	recipient_name	varchar(255)		
6	created_at	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
uq_contact_message_recipient	UNIQUE	BTREE	message_id, recipient_email
idx_contact_message_recipient_user	NORMAL	BTREE	user_id
idx_contact_message_recipient_email	NORMAL	BTREE	recipient_email

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_contact_message_recipient_message	message_id	kodus-dev_db.contact_messages	id	CASCADE	RESTRICT
fk_contact_message_recipient_user	user_id	kodus-dev_db.users	id	SET NULL	RESTRICT

2.1.1.9. Table: contact_messages

Fields

Pos	Name	Type	Not Null	Others
1	id 🔑	int Auto Increment	✓	
2	user_email	varchar(255)		
3	user_name	varchar(255)		
4	recipient	varchar(255)		
5	subject	text		
6	message	text		
7	sent_at	datetime		Default: CURRENT_TIMESTAMP

8	is_read	tinyint	✓	Default: 0
9	admin_reply	text		
10	replied_at	datetime		
11	attachment	varchar(5000)		

2.1.1.10. Table: contact_replies

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	message_id	int	✓	Index: message_id
3	user_id	int	✓	Index: admin_id
4	reply	text	✓	
5	sent_at	timestamp		Default: CURRENT_TIMESTAMP
6	updated_at	datetime		
7	attachment	varchar(5000)		
8	deleted_for_everyone_at	datetime		
9	deleted_by_user_id	int		

Indexes

Name	Type	Method	Fields
message_id	NORMAL	BTREE	message_id
admin_id	NORMAL	BTREE	user_id

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
contact_replies_ibfk_1	message_id	kodus-dev_db.contact_messages	id	CASCADE	RESTRICT
contact_replies_ibfk_2	user_id	kodus-dev_db.users	id	CASCADE	RESTRICT

2.1.1.11. Table: crossmatch_jobs

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	user_id	int		
3	percent	int	✓	Default: 0
4	done	tinyint(1)	✓	Default: 0
5	created_at	timestamp		Default: CURRENT_TIMESTAMP
6	updated_at	timestamp		Default: CURRENT_TIMESTAMP
7	status	varchar(255)	✓	
8	file1_name	varchar(255)		
9	file2_name	varchar(255)		
10	rule	varchar(20)	✓	Default: 'strict'
11	threshold	int	✓	Default: 85

2.1.1.12. Table: crossmatch_results

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	job_id	char(32)	✓	
3	record_json	json	✓	
4	candidates_json	json	✓	

2.1.1.13. Table: deduplication_jobs

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	user_id	int	✓	

3	file_name	varchar(255)	✓	
4	rule	varchar(25)	✓	
5	threshold	int	✓	
6	status	varchar(255)	✓	
7	progress	int	✓	Default: 0
8	created_at	timestamp	✓	Default: CURRENT_TIMESTAMP
9	last_activity	timestamp	✓	Default: CURRENT_TIMESTAMP

2.1.1.14. Table: deduplication_results

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	job_id	int	✓	Index: job_id
3	group_id	int	✓	
4	row_data	longtext	✓	
5	created_at	timestamp		Default: CURRENT_TIMESTAMP
6	similarity	int		

Indexes

Name	Type	Method	Fields
job_id	NORMAL	BTREE	job_id

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
deduplication_results_ibfk_1	job_id	kodus-dev_db.deduplication_jobs	id	RESTRICT	RESTRICT

2.1.1.15. Table: deduplication_template_outputs

Fields

Pos	Name	Type	Not Null	Others
1	id 	bigint Auto Increment	✓	
2	output_token	varchar(32)	✓	Index: uniq_deduplication_templat...
3	filename	varchar(255)	✓	
4	municipality_name	varchar(191)	✓	
5	row_count	int	✓	Default: 0
6	source_file	varchar(255)	✓	
7	created_by	int		Index: idx_deduplication_template...
8	created_at	datetime	✓	Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
uniq_deduplication_template_output_token	UNIQUE	BTREE	output_token
idx_deduplication_template_created_by	NORMAL	BTREE	created_by

2.1.1.16. Table: draggable_events

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	title	varchar(255)	✓	
3	color	varchar(20)	✓	Default: '#3788d8'
4	created_by	int	✓	
5	created_at	timestamp		Default: CURRENT_TIMESTAMP

2.1.1.17. Table: event_guests

Fields

Pos	Name	Type	Not Null	Others
1	id 	bigint Auto Increment	✓	
2	event_id	int	✓	Index: uq_event_guest
3	user_id	int		Index: idx_event_guest_user
4	guest_email	varchar(255)	✓	Index: uq_event_guest
5	guest_name	varchar(255)		
6	created_at	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
uq_event_guest	UNIQUE	BTREE	event_id, guest_email
idx_event_guest_user	NORMAL	BTREE	user_id

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_event_guest_event	event_id	kodus-dev_db.events	id	CASCADE	RESTRICT
fk_event_guest_user	user_id	kodus-dev_db.users	id	SET NULL	RESTRICT

2.1.1.18. Table: event_schedule_days

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	event_id	int	✓	Index: idx_event_schedule_days_e...
3	schedule_date	date	✓	
4	start_time	time	✓	

5	end_time	time	✓	
6	start_datetime	datetime	✓	Index: idx_event_schedule_days_s...
7	end_datetime	datetime	✓	Index: idx_event_schedule_days_e...
8	created_at	timestamp		Default: CURRENT_TIMESTAMP
9	updated_at	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
idx_event_schedule_days_event_id	NORMAL	BTREE	event_id
idx_event_schedule_days_start_datetime	NORMAL	BTREE	start_datetime
idx_event_schedule_days_end_datetime	NORMAL	BTREE	end_datetime

2.1.1.19. Table: events

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	title	varchar(255)	✓	
3	description	text		
4	start	datetime	✓	
5	end	datetime		
6	all_day	tinyint(1)		Default: 0
7	guests	text		
8	location	varchar(255)		
9	color	varchar(20)		Default: '#3788d8'
10	is_private	tinyint(1)	✓	Default: 0
11	created_by	int	✓	

12	updated_by	int		
13	created_at	timestamp		Default: CURRENT_TIMESTAMP
14	updated_at	timestamp		Default: CURRENT_TIMESTAMP
15	deleted_by	int		
16	deleted_at	datetime		

2.1.1.20. Table: fund_monitoring_entries

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	item_id	int	✓	Index: uq_fund_monitoring_item_m...
3	entry_month	tinyint	✓	Index: uq_fund_monitoring_item_m...
4	obligations	decimal(16, 2)	✓	Default: 0.00
5	disbursement	decimal(16, 2)	✓	Default: 0.00
6	updated_by	int		
7	created_at	datetime	✓	Default: CURRENT_TIMESTAMP
8	updated_at	datetime	✓	Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
uq_fund_monitoring_item_month	UNIQUE	BTREE	item_id, entry_month

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_fund_monitoring_entry_item	item_id	kodus-dev_db.fund_monitoring_items	id	CASCADE	RESTRICT

2.1.1.21. Table: fund_monitoring_items

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	fiscal_year	int	✓	Index: idx_fund_monitoring_items_... idx_fund_monitoring_items_...
3	saro_number	varchar(120)	✓	Index: idx_fund_monitoring_items_...
4	pap_name	varchar(255)	✓	
5	object_code_name	varchar(190)	✓	
6	authorized_appropriation	decimal(16,2)	✓	Default: 0.00
7	realignment	decimal(16,2)	✓	Default: 0.00
8	display_order	int	✓	Default: 0
9	reason_obligation	text		
10	reason_disbursement	text		
11	is_active	tinyint(1)	✓	Default: 1
12	created_by	int		
13	updated_by	int		
14	created_at	datetime	✓	Default: CURRENT_TIMESTAMP
15	updated_at	datetime	✓	Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
idx_fund_monitoring_items_year	NORMAL	BTREE	fiscal_year
idx_fund_monitoring_items_saro	NORMAL	BTREE	fiscal_year, saro_number

2.1.1.22. Table: fund_monitoring_object_codes

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	fiscal_year	int	✓	Index: uq_fund_monitoring_code_...
3	object_code_name	varchar(190)	✓	Index: uq_fund_monitoring_code_...
4	is_active	tinyint(1)	✓	Default: 1
5	created_by	int		
6	updated_by	int		
7	created_at	datetime	✓	Default: CURRENT_TIMESTAMP
8	updated_at	datetime	✓	Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
uq_fund_monitoring_code_year_name	UNIQUE	BTREE	fiscal_year, object_code_name

2.1.1.23. Table: imp_status

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	province	varchar(255)	✓	
3	municipality	varchar(255)	✓	
4	barangay	varchar(255)	✓	
5	beneficiaries	int		
6	plgu_forum	date		
7	mlgu_forum	date		
8	blgu_forum	date		
9	project_names	varchar(1000)		

10	created_at	timestamp		Default: CURRENT_TIMESTAMP
11	updated_at	timestamp		Default: CURRENT_TIMESTAMP

2.1.1.24. Table: incoming

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	date_received	date	✓	
3	tracking_number	varchar(250)	✓	
4	description	varchar(250)	✓	
5	focal	date		
6	remarks	varchar(250)		
7	file_name	varchar(250)		
8	file_type	varchar(250)		
9	file_size	varchar(250)		
10	upload_time	varchar(250)		
11	user_log	varchar(255)	✓	
12	status	varchar(20)		

2.1.1.25. Table: mail_logs

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	recipient	varchar(255)		
3	subject	varchar(255)		
4	status	varchar(50)		
5	message	text		
6	created_at	datetime		Default: CURRENT_TIMESTAMP

2.1.1.26. Table: meb

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	lastName	varchar(250)	✓	
3	firstName	varchar(250)	✓	
4	middleName	varchar(250)		
5	ext	varchar(250)		
6	purok	varchar(250)	✓	
7	barangay	varchar(250)	✓	
8	lgu	varchar(250)	✓	
9	province	varchar(250)	✓	
10	birthDate	date		
11	age	int	✓	
12	sex	varchar(250)	✓	
13	civilStatus	varchar(250)		
14	nhts1	varchar(250)		
15	nhts2	varchar(250)		
16	fourPs	varchar(250)		
17	F	varchar(250)		
18	FF	varchar(250)		
19	IS	varchar(250)		
20	IP	varchar(250)		
21	SC	varchar(250)		
22	SP	varchar(250)		
23	LW	varchar(250)		
24	PW	varchar(250)		
25	PWD	varchar(250)		
26	OSY	varchar(250)		
27	FR	varchar(250)		
28	ybDs	varchar(250)		

29	lgbtqia	varchar(250)	✓	
30	editReason	varchar(250)		
31	validation	varchar(250)		Default: '?'
32	batch_id	bigint	✓	
33	time_stamp	timestamp	✓	Default: CURRENT_TIMESTAMP Index: time_stamp

Indexes

Name	Type	Method	Fields
time_stamp	NORMAL	BTREE	time_stamp

Triggers

Name	Time	Insert	Update	Delete
after_meb_insert	AFTER	✓		
after_meb_update	AFTER		✓	
after_meb_delete	AFTER			✓

2.1.1.27. Table: meb_change_history

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	meb_id	int	✓	Index: idx_meb_change_history_m...
3	user_id	int		
4	edit_reason	text		
5	before_json	longtext	✓	
6	after_json	longtext	✓	
7	created_at	datetime	✓	Default: CURRENT_TIMESTAMP Index: idx_meb_change_history_cr...

Indexes

Name	Type	Method	Fields
idx_meb_change_history_meb_id	NORMAL	BTREE	meb_id
idx_meb_change_history_created_at	NORMAL	BTREE	created_at

2.1.1.28. Table: mebis_consolidator_outputs

Fields

Pos	Name	Type	Not Null	Others
1	id 	bigint Auto Increment	✓	
2	output_token	varchar(32)	✓	Index: uniq_mebis_output_token
3	filename	varchar(255)	✓	
4	row_count	int	✓	Default: 0
5	source_files_json	longtext		
6	created_by	int		
7	created_at	datetime	✓	Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
uniq_mebis_output_token	UNIQUE	BTREE	output_token

2.1.1.29. Table: mebis_lgu_template_outputs

Fields

Pos	Name	Type	Not Null	Others
1	id 	bigint Auto Increment	✓	
2	output_token	varchar(32)	✓	Index: uniq_mebis_lgu_output_tok...
3	filename	varchar(255)	✓	

4	municipality_name	varchar(191)	✓	
5	row_count	int	✓	Default: 0
6	source_file	varchar(255)	✓	
7	created_by	int		
8	created_at	datetime	✓	Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
uniq_mebis_lgu_output_token	UNIQUE	BTREE	output_token

2.1.1.30. Table: message_reads

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	message_id	int	✓	Index: unique_read
3	user_id	int	✓	Index: unique_read user_id
4	is_read	tinyint(1)		Default: 0
5	is_trashed	tinyint(1)	✓	Default: 0
6	read_at	timestamp		
7	trashed_at	datetime		

Indexes

Name	Type	Method	Fields
unique_read	UNIQUE	BTREE	message_id, user_id
user_id	NORMAL	BTREE	user_id

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
------	--------	------------------	-------------------	-----------	-----------

message_reads_ibfk_1	message_id	kodus-dev_db.contact_messages	id	CASCADE	RESTRICT
message_reads_ibfk_2	user_id	kodus-dev_db.users	id	CASCADE	RESTRICT

2.1.1.31. Table: municipality

Fields

Pos	Name	Type	Not Null	Others
1	id	varchar(255)	✓	
2	province_id	varchar(255)	✓	
3	municipality_name	varchar(255)	✓	

2.1.1.32. Table: outgoing

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	date_out	date	✓	
3	tracking_number	varchar(250)	✓	
4	description	varchar(250)	✓	
5	remarks	varchar(250)		
6	file_name	varchar(250)		
7	file_type	varchar(250)		
8	file_size	varchar(250)		
9	upload_time	datetime		
10	receiving_office	varchar(250)	✓	
11	date_forwarded	datetime		
12	user_log	varchar(255)	✓	

2.1.1.33. Table: pdos

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	province_id	varchar(255)	✓	
3	pdo	varchar(255)	✓	

2.1.1.34. Table: program_activity_actual_projects

Fields

Pos	Name	Type	Not Null	Others
1	id 	bigint Auto Increment	✓	
2	program_activity_id	int	✓	Index: uq_program_activity_actual... idx_program_activity_actua...
3	actual_project_id	varchar(64)	✓	Index: uq_program_activity_actual...
4	coverage_entry_id	varchar(64)		
5	target_project_row_id	varchar(64)		
6	sort_order	int	✓	Default: 0 Index: idx_program_activity_actua...
7	purok	varchar(255)	✓	
8	latitude	decimal(10, 7)		
9	longitude	decimal(10, 7)		
10	project_name	varchar(255)	✓	
11	project_classification	varchar(32)	✓	
12	project_type	varchar(255)	✓	
13	fertilizer_enabled	tinyint(1)	✓	Default: 0
14	fertilizer_ohn_quantity	decimal(14, 2)		

15	fertilizer_concoction_quantity	decimal(14, 2)		
16	fertilizer_vermicompost_quantity	decimal(14, 2)		
17	aquatic_resource	varchar(255)		
18	aquatic_resource_quantity	int		
19	actual_accomplishment	varchar(255)		
20	land_area	varchar(255)		
21	land_ownership	varchar(255)		
22	drive_link	varchar(2048)		
23	status	varchar(32)	✓	Default: 'pending'
24	created_at	timestamp		Default: CURRENT_TIMESTAMP
25	updated_at	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
uq_program_activity_actual_project	UNIQUE	BTREE	program_activity_id, actual_project_id
idx_program_activity_actual_project_parent	NORMAL	BTREE	program_activity_id, sort_order

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_program_activity_actual_project_parent	program_activity_id	kodus-dev_db.program_activity_metadata	id	CASCADE	RESTRICT

2.1.1.35. Table: program_activity_metadata

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	

2	fiscal_year	int	✓	Default: 0 Index: unique_program_activity_lo...
3	province	varchar(255)	✓	Index: unique_program_activity_lo...
4	municipality	varchar(255)	✓	Index: unique_program_activity_lo...
5	barangay	varchar(255)	✓	Index: unique_program_activity_lo...
6	plgu_forum	date		
7	mlgu_forum	date		
8	blgu_forum	date		
9	project_names	varchar(1000)		
10	created_at	timestamp		Default: CURRENT_TIMESTAMP
11	updated_at	timestamp		Default: CURRENT_TIMESTAMP
12	plgu_forum_from	date		
13	plgu_forum_to	date		
14	mlgu_forum_from	date		
15	mlgu_forum_to	date		
16	blgu_forum_from	date		
17	blgu_forum_to	date		
18	stage1_start_date	date		
19	stage1_end_date	date		
20	stage2_start_date	date		
21	stage2_end_date	date		
22	stage3_start_date	date		
23	stage3_end_date	date		
24	site_validation	varchar(1000)		
25	drmd_monitoring_from	date		
26	drmd_monitoring_to	date		

27	drmd_monitoring_participants	varchar(1000)		
28	joint_post_monitoring_from	date		
29	joint_post_monitoring_to	date		
30	joint_post_monitoring_participants	varchar(1000)		
31	payout_schedule_from	date		
32	payout_schedule_to	date		
33	fund_obligation_partner_beneficiaries	int		
34	fund_disbursement_served_partner_beneficiaries	int		
35	liquidation_date	date		
36	special_disbursing_officer	varchar(255)		
37	last_day_project_implementation	date		
38	check_issuance_date	date		
39	work_accomplishment_report_status	varchar(255)		
40	performance_rating_remarks	text		
41	actual_lawa_accomplishment	int		
42	actual_binhi_accomplishment	int		
43	actual_capbuild_accomplishment	int		
44	actual_community_action_plan_accomplishment	int		
45	coverage_actual_accomplishments	varchar(1000)		
46	coverage_actual_puroks	varchar(1000)		
47	coverage_actual_project_names	varchar(1000)		
48	coverage_actual_project_classifications	varchar(1000)		
49	coverage_actual_land_areas	varchar(1000)		

50	coverage_actual_land_owners_hips	varchar(1000)		
51	coverage_actual_project_types	varchar(1000)		
52	coverage_actual_statuses	varchar(1000)		
53	coverage_actual_aquatic_resources	varchar(1000)		
54	coverage_actual_aquatic_resource_quantities	varchar(1000)		
55	binhi_sites_established_target	int		
56	binhi_sites_established_actual	int		
57	binhi_facilities_added_target	int		
58	binhi_facilities_added_actual	int		
59	fertilizer_ohn_target	decimal(14, 2)		
60	fertilizer_ohn_actual	decimal(14, 2)		
61	fertilizer_concoction_target	decimal(14, 2)		
62	fertilizer_concoction_actual	decimal(14, 2)		
63	fertilizer_vermicompost_target	decimal(14, 2)		
64	fertilizer_vermicompost_actual	decimal(14, 2)		
65	area_land_utilized_target	decimal(14, 2)		
66	coverage_fertilizer_enabled_flags	varchar(1000)		
67	coverage_fertilizer_ohn_quantities	text		
68	coverage_fertilizer_concoction_quantities	text		
69	coverage_fertilizer_vermicompost_quantities	text		
70	coverage_actual_coordinates	text		
71	coverage_actual_latitude	text		
72	coverage_actual_longitude	text		
73	coverage_entry_ids	text		
74	actual_project_ids	text		
75	target_project_row_ids	text		
76	coverage_drive_links	text		

Indexes

Name	Type	Method	Fields
unique_program_activity_location_year	UNIQUE	BTREE	fiscal_year, province, municipality, barangay

2.1.1.36. Table: project_lawa_binhi_targets

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	fiscal_year	int	✓	Index: unique_project_target_locat... idx_project_target_year_loc...
3	province	varchar(255)	✓	Index: unique_project_target_locat... idx_project_target_year_loc...
4	municipality	varchar(255)	✓	Index: unique_project_target_locat... idx_project_target_year_loc...
5	barangay	varchar(255)	✓	Index: unique_project_target_locat...
6	target_partner_beneficiaries	int	✓	Default: 0
7	created_at	timestamp		Default: CURRENT_TIMESTAMP
8	updated_at	timestamp		Default: CURRENT_TIMESTAMP
9	puroks	text		
10	coordinates	text		
11	project_row_ids	text		
12	latitude	text		
13	longitude	text		
14	project_names	text		
15	project_classifications	text		
16	fertilizer_enabled_flags	text		

17	fertilizer_ohn_targets	text		
18	fertilizer_concoction_targets	text		
19	fertilizer_vermicompost_targets	text		
20	binhi_target_quantities	text		
21	aquatic_resources	text		
22	aquatic_resource_quantities	text		
23	lawa_target	int	✓	Default: 0
24	binhi_target	int	✓	Default: 0
25	binhi_vegetable_target	int	✓	Default: 0
26	binhi_crops_target	int	✓	Default: 0
27	binhi_disaster_resilient_crops_target	int	✓	Default: 0
28	binhi_fruit_bearing_trees_target	int	✓	Default: 0
29	binhi_tilapia_target	int	✓	Default: 0
30	capbuild_target	int	✓	Default: 2
31	community_action_plan_target	int	✓	Default: 1
32	project_types	text		

Indexes

Name	Type	Method	Fields
unique_project_target_location	UNIQUE	BTREE	fiscal_year, province, municipality, barangay
idx_project_target_year_location	NORMAL	BTREE	fiscal_year, province, municipality

2.1.1.37. Table: project_target_entries

Fields

Pos	Name	Type	Not Null	Others
1	id 	bigint Auto Increment	✓	
2	target_id	int	✓	Index: uq_project_target_entry_tar... idx_project_target_entry_ta...
3	row_id	varchar(64)	✓	Index: uq_project_target_entry_tar...
4	sort_order	int	✓	Default: 0 Index: idx_project_target_entry_ta...
5	purok	varchar(255)	✓	
6	project_name	varchar(255)	✓	
7	project_type	varchar(255)	✓	
8	project_classification	varchar(32)	✓	
9	fertilizer_enabled	tinyint(1)	✓	Default: 0
10	fertilizer_ohn_target	decimal(14, 2)		
11	fertilizer_concoction_target	decimal(14, 2)		
12	fertilizer_vermicompost_target	decimal(14, 2)		
13	binhi_target_quantity	int		
14	aquatic_resource	varchar(255)		
15	aquatic_resource_quantity	int		
16	created_at	timestamp		Default: CURRENT_TIMESTAMP
17	updated_at	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
uq_project_target_entry_target_row	UNIQUE	BTREE	target_id, row_id
idx_project_target_entry_target_sort	NORMAL	BTREE	target_id, sort_order

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_project_target_entry_target	target_id	kodus-dev_db.project_lawa_binhi_targets	id	CASCADE	RESTRICT

2.1.1.38. Table: project_variable_config

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	fiscal_year	int	✓	Index: uq_project_variable_year_k...
3	variable_key	varchar(100)	✓	Index: uq_project_variable_year_k...
4	variable_label	varchar(150)	✓	
5	value_type	varchar(20)	✓	Default: 'number'
6	value_number	decimal(14, 4)		
7	value_text	text		
8	unit	varchar(50)		
9	notes	varchar(255)		
10	updated_by	int		
11	created_at	datetime	✓	Default: CURRENT_TIMESTAMP
12	updated_at	datetime	✓	Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
uq_project_variable_year_key	UNIQUE	BTREE	fiscal_year, variable_key

2.1.1.39. Table: provinces

Fields

Pos	Name	Type	Not Null	Others
1	id 	varchar(255)	✓	
2	region_id	varchar(255)	✓	
3	province_name	varchar(255)	✓	

2.1.1.40. Table: users

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	username	varchar(255)	✓	
3	password	varchar(255)	✓	
4	password_policy_version	int	✓	Default: 0
5	password_changed_at	datetime		
6	must_change_password	tinyint(1)	✓	Default: 0
7	password_strength_notified_at	datetime		
8	last_name	varchar(250)	✓	
9	first_name	varchar(250)	✓	
10	middle_name	varchar(250)	✓	
11	ext	varchar(250)	✓	
12	email	varchar(250)	✓	
13	sso_subject	varchar(255)		
14	id_number	varchar(100)		
15	contact_number	varchar(50)		
16	sso_avatar_url	varchar(2048)		
17	position	varchar(250)	✓	
18	positionAbr	varchar(10)	✓	
19	area	varchar(250)	✓	
20	picture	varchar(255)	✓	Default: 'default.webp'

21	remember_token	varchar(64)		
22	reset_token	varchar(255)		
23	reset_token_expiry	datetime		
24	two_fa_enabled	tinyint(1)		Default: 1
25	two_fa_secret	varchar(64)		
26	two_fa_confirmed_at	datetime		
27	two_fa_recovery_codes	text		
28	two_fa_recovery_generated_at	datetime		
29	two_fa_code	varchar(6)		
30	two_fa_code_expiry	datetime		
31	userType	varchar(10)	✓	Default: 'user'
32	deleted_at	datetime		
33	date_registered	timestamp	✓	
34	last_login_at	datetime		
35	last_activity	datetime		
36	is_online	tinyint(1)		Default: 0
37	theme_preference	varchar(10)	✓	Default: 'light'
38	role_change_old_type	varchar(20)		
39	role_change_new_type	varchar(20)		
40	role_change_reason	varchar(30)		
41	role_change_message	varchar(255)		
42	role_change_force_logout_at	datetime		