

KODUS WEB APP

Test
enviroment
and Test
Data: [PHP Web Application / Role-based access / Fiscal year data](#)

App Feature:

Functional, Validation,
and Access Control
Coverage

Authentication,
Dashboard, Settings,
2FA, Messaging,
Calendar, Tracking,
Implementation
Status, Reports,
Utilities,
Administration

KODUS WEB APP

Test environment and Test Data:

App Feature:

Functional, Validation, and Access Control Coverage

Authentication, Dashboard, Settings, 2FA, Messaging, Calendar, Tracking, Implementation Status, Reports, Utilities, Administration

Feature list:

Severity

Minor

Moderate

Major

Critical

Definition

A defect which occurs when a functionality/feature does not behave as intended or exhibits some unnatural behavior, however the functionality/feature as a whole is not much impacted (7-10 days)

Moderate severity defects have a moderate impact on the application's functionality or usability. Medium priority indicates a need for resolution but without the same level of urgency as critical or major issues. Allocate resources accordingly to address moderate severity and medium priority defects. Aim to fix these defects within 5-7 working days

Major defects have a notable impact on the application but may not be as severe as critical issues. High priority signifies the need for timely resolution. Allocate a dedicated effort to address major severity and high priority defects. Aim to fix these defects within 3-5 working days.

Critical defects are severe issues that significantly impact the application's functionality or security. High priority indicates the urgent need for resolution. For critical severity and high priority defects, it's recommended to allocate immediate attention and resources for a quick resolution. Aim to fix these defects within 1-2 working days

Priority

High Priority= 1-2 days

Medium Priority = 3-5 days

Low Priority = 7-10 days

Not a defect

Dev Status

In Progress

Resolved

Closed

Test Status

Passed

Conditional Passed

Fail

Working as expected

with minor issue

has an issue or not working

No	Test Case ID	Module	Test Procedure	Expected Result	Defect Description	Severity	Priority	Test Status	Remarks	Developer Comments	Assigned Developer	Dev Status	Resolved By
1	KODUS-TC-001	Authentication - Select Year	Description: Verify the public year selector is required before protected workspace access. Preconditions: Browser can reach the public KODUS landing page.	1. The public year selection page loads without authentication. 2. Available fiscal years are displayed. 3. The selected year is stored in session and the user is forwarded to sign-in.		Major	High Priority= 1-2 days						
2	KODUS-TC-002	Authentication - Login	Description: Verify a valid account can sign in to KODUS. Preconditions: A non-deleted account exists and a fiscal year has been selected.	1. Valid credentials are accepted. 2. The user proceeds to dashboard access or 2FA verification. 3. Authenticated session values are created.		Critical	High Priority= 1-2 days						
3	KODUS-TC-003	Authentication - Login Validation	Description: Verify login rejects an invalid password. Preconditions: A valid account exists. Steps:	1. Authentication fails. 2. The user remains outside the protected workspace. 3. An error is shown for invalid credentials.		Critical	High Priority= 1-2 days						
4	KODUS-TC-004	Authentication - Registration	Description: Verify public registration creates a standard KODUS account. Preconditions: The target username and email are unused.	1. The account is created successfully. 2. The user record is stored with default picture and standard role behavior. 3. A success prompt redirects the user to sign in.		Major	Medium Priority = 3-5 days						
5	KODUS-TC-005	Authentication - Registration Validation	Description: Verify registration blocks duplicate username or email values. Preconditions: An account already exists with the target username or email.	1. Registration is rejected. 2. The user is told the username or email is already registered. 3. No duplicate account is created.		Major	Medium Priority = 3-5 days						
6	KODUS-TC-006	Authentication - Password Reset	Description: Verify a user can reset the password with a valid reset token. Preconditions: A valid reset token has been issued for an existing account.	1. The token is accepted. 2. The password is updated successfully. 3. The new password allows login.		Critical	High Priority= 1-2 days						
7	KODUS-TC-007	Authentication - Logout	Description: Verify logout ends the authenticated session. Preconditions: An account is signed in. Steps:	1. Session cleanup runs. 2. The user returns to the public landing page. 3. Protected pages require sign-in again.		Critical	High Priority= 1-2 days						

KODUS WEB APP

Test
enviroment
and Test
Data: [PHP Web Application / Role-based access /](#)
[Fiscal year data](#)

App Feature:

Functional, Validation,
and Access Control
Coverage

Authentication,
Dashboard, Settings,
2FA, Messaging,
Calendar, Tracking,
Implementation
Status, Reports,
Utilities,

Feature list: Administration

Severity	Definition	Priority	Dev Status
Minor	A defect which occurs when a functionality/feature does not behave as intended or exhibits some unnatural behavior, however the functionality/feature as a whole is not much impacted (7-10 days)	High Priority= 1-2 days	In Progress
Moderate	Moderate severity defects have a moderate impact on the application's functionality or usability. Medium priority indicates a need for resolution but without the same level of urgency as critical or major issues. Allocate resources accordingly to address moderate severity and medium priority defects. Aim to fix these defects within 5-7 working days	Medium Priority = 3-5 days	Resolved
Major	Major defects have a notable impact on the application but may not be as severe as critical issues. High priority signifies the need for timely resolution. Allocate a dedicated effort to address major severity and high priority defects. Aim to fix these defects within 3-5 working days.	Low Priority = 7-10 days	Closed
Critical	Critical defects are severe issues that significantly impact the application's functionality or security. High priority indicates the urgent need for resolution. For critical severity and high priority defects, it's recommended to allocate immediate attention and resources for a quick resolution. Aim to fix these defects within 1-2 working days		

Test Status	
Passed	Working as expected
Conditional Passed	with minor issue
Fail	has an issue or not working

Not a defect													
No	Test Case ID	Module	Test Procedure	Expected Result	Defect Description	Severity	Priority	Test Status	Remarks	Developer Comments	Assigned Developer	Dev Status	Resolved By
8	KODUS-TC-008	Authentication - Legacy Endpoint	Description: Verify the legacy ajax_login endpoint is disabled. Preconditions: None. Steps:	1. The endpoint returns the disabled response. 2. The response instructs clients to use the standard login form. 3. No session is created through		Moderate	Low Priority = 7-10 days						
9	KODUS-TC-009	Dashboard - Role Workspace	Description: Verify dashboard actions reflect the current role. Preconditions: Accounts exist for Administrator, AA, Implementation	1. The dashboard loads for each authenticated role. 2. Visible shortcuts differ by implemented role checks. 3. Restricted modules are not shown to unauthorized roles.		Major	Medium Priority = 3-5 days						
10	KODUS-TC-010	Settings - Profile Update	Description: Verify an authenticated user can save valid profile changes. Preconditions: The user is signed in. Steps:	1. The profile changes are saved. 2. Updated values persist in the users table. 3. A success flash message is shown.		Major	Medium Priority = 3-5 days						
11	KODUS-TC-011	Settings - Validation	Description: Verify Settings rejects incomplete or invalid profile data. Preconditions: The user is signed in.	1. The update is rejected. 2. The user remains in the settings workflow. 3. An error flash explains the validation problem.		Major	Medium Priority = 3-5 days						
12	KODUS-TC-012	Settings - Password Policy Validation	Description: Verify Settings blocks a weak replacement password. Preconditions: The user is signed in. Steps:	1. The password is not updated. 2. A weak password warning is returned. 3. Existing access remains unchanged.		Critical	High Priority= 1-2 days						
13	KODUS-TC-013	2FA - Begin Setup	Description: Verify an authenticated user can begin authenticator setup. Preconditions: The user is signed in and 2FA is not yet enabled.	1. The endpoint returns a QR code, secret, issuer, and recovery codes. 2. Pending setup data is stored in the session. 3. 2FA is not finalized until		Critical	High Priority= 1-2 days						
14	KODUS-TC-014	2FA - Setup Verification Validation	Description: Verify setup verification rejects an invalid authenticator code. Preconditions: Pending 2FA setup exists for the	1. Verification fails. 2. The response states the authenticator code is invalid. 3. 2FA remains disabled on the account.		Critical	High Priority= 1-2 days						
15	KODUS-TC-015	2FA - Setup Verification	Description: Verify setup verification enables 2FA with a valid authenticator code. Preconditions: Pending	1. Two-factor authentication is enabled. 2. The secret, confirmation timestamp, and recovery codes are stored.		Critical	High Priority= 1-2 days						

KODUS WEB APP

Test
enviroment
and Test
Data: [PHP Web Application / Role-based access /](#)
[Fiscal year data](#)

App Feature:

Functional, Validation,
and Access Control
Coverage

Authentication,
Dashboard, Settings,
2FA, Messaging,
Calendar, Tracking,
Implementation
Status, Reports,
Utilities,

Feature list: Administration

Severity	Definition	Priority	Dev Status
Minor	A defect which occurs when a functionality/feature does not behave as intended or exhibits some unnatural behavior, however the functionality/feature as a whole is not much impacted (7-10 days)	High Priority= 1-2 days	In Progress
Moderate	Moderate severity defects have a moderate impact on the application's functionality or usability. Medium priority indicates a need for resolution but without the same level of urgency as critical or major issues. Allocate resources accordingly to address moderate severity and medium priority defects. Aim to fix these defects within 5-7 working days	Medium Priority = 3-5 days	Resolved
Major	Major defects have a notable impact on the application but may not be as severe as critical issues. High priority signifies the need for timely resolution. Allocate a dedicated effort to address major severity and high priority defects. Aim to fix these defects within 3-5 working days.	Low Priority = 7-10 days	Closed
Critical	Critical defects are severe issues that significantly impact the application's functionality or security. High priority indicates the urgent need for resolution. For critical severity and high priority defects, it's recommended to allocate immediate attention and resources for a quick resolution. Aim to fix these defects within 1-2 working days		

Test Status	
Passed	Working as expected
Conditional Passed	with minor issue
Fail	has an issue or not working

Not a defect													
No	Test Case ID	Module	Test Procedure	Expected Result	Defect Description	Severity	Priority	Test Status	Remarks	Developer Comments	Assigned Developer	Dev Status	Resolved By
16	KODUS-TC-016	2FA - Disable	Description: Verify an authenticated user can disable their own 2FA setup. Preconditions: 2FA is	1. 2FA status is disabled. 2. Stored secret and recovery data are cleared. 3. The endpoint returns success.		Critical	High Priority= 1-2 days						
17	KODUS-TC-017	Account - Delete Own Account	Description: Verify a non-admin user can soft-delete their own account with valid credentials. Preconditions: A signed-in non-admin account exists; if 2FA is enabled, a valid	1. The account is soft-deleted. 2. Remember-me and 2FA session data are cleared. 3. The user is signed out after deletion.		Critical	High Priority= 1-2 days						
18	KODUS-TC-018	Account - Delete Own Account Access Control	Description: Verify an Administrator cannot self-delete through the delete account endpoint. Preconditions: An Administrator account is	1. The request is denied. 2. The response states an Administrator account cannot be deleted. 3. The Administrator account remains active.		Critical	High Priority= 1-2 days						
19	KODUS-TC-019	Notifications - View	Description: Verify authenticated users can open the notification history page. Preconditions: The user is	1. The notification history page loads. 2. Notifications for the current user are shown. 3. The empty state is handled		Moderate	Medium Priority = 3-5 days						
20	KODUS-TC-020	Notifications - Mark Read	Description: Verify a signed-in user can mark selected notifications as read. Preconditions: The user	1. The endpoint returns success. 2. Selected notifications are marked read for the current user only. 3. The unread count decreases.		Major	Medium Priority = 3-5 days						
21	KODUS-TC-021	Contact - Non-Admin Compose	Description: Verify a non-admin can send a message through Contact or Inbox compose. Preconditions: A User, AA, or Editor account is signed in.	1. The message is stored successfully. 2. Admin recipients are derived by implemented non-admin recipient logic. 3. The thread becomes visible in inbox.		Major	Medium Priority = 3-5 days						
22	KODUS-TC-022	Contact - Admin Compose	Description: Verify an Administrator can compose a message to all admins, users, or specific user IDs. Preconditions: An Administrator account is	1. The message is saved successfully. 2. Recipients are synchronized in contact_message_recipients. 3. The intended recipients receive the thread.		Major	Medium Priority = 3-5 days						
23	KODUS-TC-023	Contact - Validation	Description: Verify Contact rejects missing subject or missing content. Preconditions: The user is signed in.	1. The request is rejected. 2. A validation error explains the missing fields. 3. No message record is created.		Major	Medium Priority = 3-5 days						

KODUS WEB APP

Test environment and Test Data: [PHP Web Application / Role-based access / Fiscal year data](#)

App Feature:

Functional, Validation, and Access Control Coverage

Authentication, Dashboard, Settings, 2FA, Messaging, Calendar, Tracking, Implementation Status, Reports, Utilities, Administration

Feature list: Administration

Severity	Definition	Priority	Dev Status
Minor	A defect which occurs when a functionality/feature does not behave as intended or exhibits some unnatural behavior, however the functionality/feature as a whole is not much impacted (7-10 days)	High Priority= 1-2 days	In Progress
Moderate	Moderate severity defects have a moderate impact on the application's functionality or usability. Medium priority indicates a need for resolution but without the same level of urgency as critical or major issues. Allocate resources accordingly to address moderate severity and medium priority defects. Aim to fix these defects within 5-7 working days	Medium Priority = 3-5 days	Resolved
Major	Major defects have a notable impact on the application but may not be as severe as critical issues. High priority signifies the need for timely resolution. Allocate a dedicated effort to address major severity and high priority defects. Aim to fix these defects within 3-5 working days.	Low Priority = 7-10 days	Closed
Critical	Critical defects are severe issues that significantly impact the application's functionality or security. High priority indicates the urgent need for resolution. For critical severity and high priority defects, it's recommended to allocate immediate attention and resources for a quick resolution. Aim to fix these defects within 1-2 working days		

Test Status	
Passed	Working as expected
Conditional Passed	with minor issue
Fail	has an issue or not working

No	Test Case ID	Module	Test Procedure	Expected Result	Defect Description	Severity	Priority	Not a defect		Remarks	Developer Comments	Assigned Developer	Dev Status	Resolved By
								Test Status						
24	KODUS-TC-024	Inbox - User Thread Visibility	Description: Verify non-admin accounts only see their own or addressed threads. Preconditions: A non-admin account has at	1. Only threads owned by or addressed to the account are listed. 2. Unrelated threads are not visible. 3. Unread counts are scoped to		Critical	High Priority= 1-2 days							
25	KODUS-TC-025	Inbox - Admin Thread Visibility	Description: Verify Administrators can view admin-addressed mailbox threads. Preconditions: At least one thread exists that	1. Admin-addressed conversations are visible. 2. The unread count reflects admin-targeted mail. 3. Mailbox access remains authenticated-only.		Critical	High Priority= 1-2 days							
26	KODUS-TC-026	Inbox - Send Reply	Description: Verify a user can reply to a conversation they are allowed to access. Preconditions: The signed-in account can access an	1. The reply is saved in contact ,replies. 2. Message read state updates for sender and recipients. 3. The thread shows the new reply.		Major	Medium Priority = 3-5 days							
27	KODUS-TC-027	Inbox - Reply Access Control	Description: Verify a user cannot reply to a conversation outside their mailbox scope. Preconditions: A thread	1. The reply is rejected. 2. The response states the user is not allowed to reply to the conversation. 3. No reply record is created.		Critical	High Priority= 1-2 days							
28	KODUS-TC-028	Inbox - Edit Reply	Description: Verify a sender can edit a reply they are allowed to manage. Preconditions: The signed-in user owns a reply in an	1. The reply text is updated. 2. The updated timestamp changes. 3. Unauthorized users cannot overwrite someone else's reply.		Major	Medium Priority = 3-5 days							
29	KODUS-TC-029	Inbox - Delete Message or Reply	Description: Verify permitted users can delete mailbox content under the implemented rules. Preconditions: A signed-in user owns a message or	1. Allowed deletions succeed. 2. Mailbox state updates correctly. 3. Unauthorized deletions are blocked.		Major	Medium Priority = 3-5 days							
30	KODUS-TC-030	Calendar - View	Description: Verify any authenticated role can open the Calendar page. Preconditions: The account is signed in.	1. Calendar loads for each authenticated role. 2. Existing events are fetched for the selected range. 3. The page remains protected		Moderate	Medium Priority = 3-5 days							
31	KODUS-TC-031	Calendar - Create Event	Description: Verify an authenticated user can create a calendar event. Preconditions: The user is signed in. Steps:	1. The event is inserted with created by set to the signed-in user. 2. The calendar refreshes and shows the new event. 3. A successful response is		Major	Medium Priority = 3-5 days							

KODUS WEB APP

Test
enviroment
and Test
Data: [PHP Web Application / Role-based access /
Fiscal year data](#)

App Feature:

Functional, Validation,
and Access Control
Coverage

Authentication,
Dashboard, Settings,
2FA, Messaging,
Calendar, Tracking,
Implementation
Status, Reports,
Utilities,
Administration

Feature list:

Severity	Definition	Priority	Dev Status
Minor	A defect which occurs when a functionality/feature does not behave as intended or exhibits some unnatural behavior, however the functionality/feature as a whole is not much impacted (7-10 days)	High Priority= 1-2 days	In Progress
Moderate	Moderate severity defects have a moderate impact on the application's functionality or usability. Medium priority indicates a need for resolution but without the same level of urgency as critical or major issues. Allocate resources accordingly to address moderate severity and medium priority defects. Aim to fix these defects within 5-7 working days	Medium Priority = 3-5 days	Resolved
Major	Major defects have a notable impact on the application but may not be as severe as critical issues. High priority signifies the need for timely resolution. Allocate a dedicated effort to address major severity and high priority defects. Aim to fix these defects within 3-5 working days.	Low Priority = 7-10 days	Closed
Critical	Critical defects are severe issues that significantly impact the application's functionality or security. High priority indicates the urgent need for resolution. For critical severity and high priority defects, it's recommended to allocate immediate attention and resources for a quick resolution. Aim to fix these defects within 1-2 working days		

Test Status	
Passed	Working as expected
Conditional Passed	with minor issue
Fail	has an issue or not working

Not a defect													
No	Test Case ID	Module	Test Procedure	Expected Result	Defect Description	Severity	Priority	Test Status	Remarks	Developer Comments	Assigned Developer	Dev Status	Resolved By
32	KODUS-TC-032	Calendar - Update Access Control	Description: Verify a non-admin cannot update another user's event. Preconditions: Two non-admin accounts exist and	1. The update is denied with a 403 response. 2. The event remains unchanged. 3. Ownership rules are enforced by the endpoint.		Critical	High Priority= 1-2 days						
33	KODUS-TC-033	Calendar - Admin Update Override	Description: Verify an Administrator can update any existing event. Preconditions: An event exists that was created by	1. The update succeeds. 2. Event fields are changed as submitted. 3. The admin override path works for existing events.		Major	High Priority= 1-2 days						
34	KODUS-TC-034	Calendar - Delete Access Control	Description: Verify non-admin deletion is limited to own events while admins can delete any event. Preconditions: One event exists for the current user	1. The current user's own event can be deleted. 2. The non-admin cannot delete another user's event. 3. The Administrator can delete any event.		Critical	High Priority= 1-2 days						
35	KODUS-TC-035	Access Control - User vs Operations	Description: Verify the User role is blocked from operations pages guarded by auth_can_view_operations ().	1. Access is denied for operations pages. 2. The user is redirected or shown a protected-page warning. 3. The User role does not gain operations workspace access.		Critical	High Priority= 1-2 days						
36	KODUS-TC-036	Tracking - Incoming View Access	Description: Verify Administrator, AA, and Editor can open the Incoming tracking page. Preconditions: Accounts	1. The Incoming page loads for Administrator, AA, and Editor. 2. The page stays unavailable to the User role.		Major	High Priority= 1-2 days						
37	KODUS-TC-037	Tracking - Incoming Create	Description: Verify an allowed operations role can track an incoming document. Preconditions: Administrator, AA, or	1. A new incoming record is created. 2. A generated tracking number is assigned. 3. The response confirms successful tracking.		Major	High Priority= 1-2 days						
38	KODUS-TC-038	Tracking - Incoming Validation	Description: Verify incoming tracking rejects missing required fields or unsupported file types. Preconditions:	1. Validation errors are returned. 2. The record is not created when required data is missing or file type is invalid.		Major	Medium Priority = 3-5 days						
39	KODUS-TC-039	Tracking - Incoming Update	Description: Verify an allowed operations role can update an existing incoming document. Preconditions: An incoming record exists	1. The incoming record is updated. 2. File replacement or removal follows the implemented logic. 3. A success message is returned.		Major	High Priority= 1-2 days						
40	KODUS-TC-040	Tracking - Forward Incoming Document	Description: Verify an allowed operations role can forward an incoming document to outgoing. Preconditions: An incoming record exists	1. A matching outgoing record is created. 2. The incoming record status becomes Forwarded. 3. Duplicate forwarding is blocked afterward.		Major	High Priority= 1-2 days						

KODUS WEB APP

Test environment and Test Data: [PHP Web Application / Role-based access / Fiscal year data](#)

App Feature:

Functional, Validation, and Access Control Coverage

Authentication, Dashboard, Settings, 2FA, Messaging, Calendar, Tracking, Implementation Status, Reports, Utilities, Administration

Feature list: Administration

Severity	Definition	Priority	Dev Status
Minor	A defect which occurs when a functionality/feature does not behave as intended or exhibits some unnatural behavior, however the functionality/feature as a whole is not much impacted (7-10 days)	High Priority= 1-2 days	In Progress
Moderate	Moderate severity defects have a moderate impact on the application's functionality or usability. Medium priority indicates a need for resolution but without the same level of urgency as critical or major issues. Allocate resources accordingly to address moderate severity and medium priority defects. Aim to fix these defects within 5-7 working days	Medium Priority = 3-5 days	Resolved
Major	Major defects have a notable impact on the application but may not be as severe as critical issues. High priority signifies the need for timely resolution. Allocate a dedicated effort to address major severity and high priority defects. Aim to fix these defects within 3-5 working days.	Low Priority = 7-10 days	Closed
Critical	Critical defects are severe issues that significantly impact the application's functionality or security. High priority indicates the urgent need for resolution. For critical severity and high priority defects, it's recommended to allocate immediate attention and resources for a quick resolution. Aim to fix these defects within 1-2 working days		

Test Status	
Passed	Working as expected
Conditional Passed	with minor issue
Fail	has an issue or not working

					Not a defect									
No	Test Case ID	Module	Test Procedure	Expected Result	Defect Description	Severity	Priority	Test Status	Remarks	Developer Comments	Assigned Developer	Dev Status	Resolved By	
41	KODUS-TC-041	Tracking - Outgoing View Access	Description: Verify Administrator, AA, and Editor can open the Outgoing tracking page. Preconditions: Accounts	1. The Outgoing page loads for Administrator, AA, and Editor. 2. The page stays unavailable to the User role.		Major	High Priority= 1-2 days							
42	KODUS-TC-042	Tracking - Outgoing Create	Description: Verify an allowed operations role can create an outgoing tracking record. Preconditions:	1. A new outgoing record is created. 2. The record receives a generated tracking number. 3. If no new upload is provided, a		Major	High Priority= 1-2 days							
43	KODUS-TC-043	Tracking - Outgoing Validation	Description: Verify outgoing tracking rejects missing required fields or unsupported file types. Preconditions:	1. Validation errors are returned. 2. The record is not created when required data is missing or file type is invalid.		Major	Medium Priority = 3-5 days							
44	KODUS-TC-044	Tracking - Outgoing Update	Description: Verify an allowed operations role can update an existing outgoing record. Preconditions: An outgoing record exists and	1. The outgoing record is updated successfully. 2. File replacement or removal follows the implemented rules. 3. A success response is returned.		Major	High Priority= 1-2 days							
45	KODUS-TC-045	Partner-Beneficiaries - MEB View	Description: Verify non-user roles can open the MEB page under Partner-Beneficiaries. Preconditions:	1. The MEB page loads for non-user roles. 2. The User role cannot open the operations page.		Major	High Priority= 1-2 days							
46	KODUS-TC-046	Partner-Beneficiaries - MEB Export	Description: Verify the Master List export works for allowed operations roles. Preconditions: A non-user	1. The workbook is generated for the selected fiscal year. 2. Exported rows are ordered as implemented. 3. The export remains protected		Moderate	Medium Priority = 3-5 days							
47	KODUS-TC-047	Partner-Beneficiaries - Bulk Action Admin Delete	Description: Verify an Administrator can run the MEB bulk delete action. Preconditions: Administrator is signed in	1. Selected rows are deleted. 2. The page reports success. 3. Bulk delete notifications and broadcasts are triggered.		Major	High Priority= 1-2 days							
48	KODUS-TC-048	Partner-Beneficiaries - Bulk Action Access Control	Description: Verify non-admin roles cannot execute the MEB bulk delete action. Preconditions: AA or	1. Access is denied for non-admin roles. 2. The selected rows remain unchanged.		Critical	High Priority= 1-2 days							
49	KODUS-TC-049	MEB Validation - Admin Manage	Description: Verify an Administrator can update MEB validation status. Preconditions: Administrator is signed in	1. Validation values are updated for the selected rows. 2. Audit and notification entries are produced. 3. The endpoint returns success.		Major	High Priority= 1-2 days							

KODUS WEB APP

Test environment and Test Data: [PHP Web Application / Role-based access / Fiscal year data](#)

App Feature:

Functional, Validation, and Access Control Coverage

Authentication, Dashboard, Settings, 2FA, Messaging, Calendar, Tracking, Implementation Status, Reports, Utilities,

Feature list: Administration

Severity	Definition	Priority	Dev Status
Minor	A defect which occurs when a functionality/feature does not behave as intended or exhibits some unnatural behavior, however the functionality/feature as a whole is not much impacted (7-10 days)	High Priority= 1-2 days	In Progress
Moderate	Moderate severity defects have a moderate impact on the application's functionality or usability. Medium priority indicates a need for resolution but without the same level of urgency as critical or major issues. Allocate resources accordingly to address moderate severity and medium priority defects. Aim to fix these defects within 5-7 working days	Medium Priority = 3-5 days	Resolved
Major	Major defects have a notable impact on the application but may not be as severe as critical issues. High priority signifies the need for timely resolution. Allocate a dedicated effort to address major severity and high priority defects. Aim to fix these defects within 3-5 working days.	Low Priority = 7-10 days	Closed
Critical	Critical defects are severe issues that significantly impact the application's functionality or security. High priority indicates the urgent need for resolution. For critical severity and high priority defects, it's recommended to allocate immediate attention and resources for a quick resolution. Aim to fix these defects within 1-2 working days		

Test Status	
Passed	Working as expected
Conditional Passed	with minor issue
Fail	has an issue or not working

Not a defect													
No	Test Case ID	Module	Test Procedure	Expected Result	Defect Description	Severity	Priority	Test Status	Remarks	Developer Comments	Assigned Developer	Dev Status	Resolved By
50	KODUS-TC-050	MEB Validation - Access Control	Description: Verify non-admin roles cannot access or export the MEB validation workflow. Preconditions: AA or Editor is signed in.	1. The validation workflow is blocked for non-admin roles. 2. Validation export is denied. 3. Validation update requests return access denied.		Critical	High Priority= 1-2 days						
51	KODUS-TC-051	Payout - View Access	Description: Verify Administrator and AA can open the payout page. Preconditions: Accounts exist for Administrator and	1. The payout page loads for Administrator and AA. 2. The User role is blocked by operations access. 3. Access matches the		Major	High Priority= 1-2 days						
52	KODUS-TC-052	Payout - Update Record	Description: Verify Administrator and AA can update payout details. Preconditions: A payout breakdown record exists and selected_year has	1. The payout update succeeds for Administrator and AA. 2. Amounts are recalculated using configured project variables. 3. Audit details are written for the		Major	High Priority= 1-2 days						
53	KODUS-TC-053	Payout - Update Access Control	Description: Verify Editor and User cannot update payout records. Preconditions: Editor and User accounts exist and a payout record exists.	1. Both roles are denied by the payout update handlers. 2. Existing payout data remains unchanged.		Critical	High Priority= 1-2 days						
54	KODUS-TC-054	Payout - Export	Description: Verify the payout export generates a workbook when project variables exist. Preconditions:	1. The export is generated for the selected fiscal year. 2. Totals and amount fields are computed correctly. 3. Missing project variables block		Moderate	Medium Priority = 3-5 days						
55	KODUS-TC-055	Fund Monitoring - View	Description: Verify non-user roles can open the Fund Monitoring page. Preconditions: Administrator, AA, and	1. The page loads for non-user roles through operations access. 2. The User role is blocked from the operations workspace.		Major	Medium Priority = 3-5 days						
56	KODUS-TC-056	Fund Monitoring - Admin Manage	Description: Verify only Administrator can save fund monitoring object codes, items, and month entries. Preconditions:	1. Each save action succeeds for Administrator. 2. Flash messages confirm the saved data. 3. Records persist for the selected fiscal year.		Major	High Priority= 1-2 days						
57	KODUS-TC-057	Fund Monitoring - Access Control	Description: Verify AA and Editor can view Fund Monitoring but cannot modify the data. Preconditions: AA and	1. The page loads for AA and Editor. 2. Save actions are rejected with the admin-only message. 3. Existing fund monitoring data		Critical	High Priority= 1-2 days						
58	KODUS-TC-058	Baseline Targets - View vs Manage	Description: Verify Baseline Targets management is limited to Administrator and Implementation Editor.	1. Administrator and Editor can access the Baseline Targets page with management controls. 2. AA does not gain Baseline Targets management access.		Critical	High Priority= 1-2 days						

KODUS WEB APP

Test environment and Test Data: [PHP Web Application / Role-based access / Fiscal year data](#)

App Feature:

Functional, Validation, and Access Control Coverage

Authentication, Dashboard, Settings, 2FA, Messaging, Calendar, Tracking, Implementation Status, Reports, Utilities, Administration

Feature list: Administration

Severity	Definition	Priority	Dev Status
Minor	A defect which occurs when a functionality/feature does not behave as intended or exhibits some unnatural behavior, however the functionality/feature as a whole is not much impacted (7-10 days)	High Priority= 1-2 days	In Progress
Moderate	Moderate severity defects have a moderate impact on the application's functionality or usability. Medium priority indicates a need for resolution but without the same level of urgency as critical or major issues. Allocate resources accordingly to address moderate severity and medium priority defects. Aim to fix these defects within 5-7 working days	Medium Priority = 3-5 days	Resolved
Major	Major defects have a notable impact on the application but may not be as severe as critical issues. High priority signifies the need for timely resolution. Allocate a dedicated effort to address major severity and high priority defects. Aim to fix these defects within 3-5 working days.	Low Priority = 7-10 days	Closed
Critical	Critical defects are severe issues that significantly impact the application's functionality or security. High priority indicates the urgent need for resolution. For critical severity and high priority defects, it's recommended to allocate immediate attention and resources for a quick resolution. Aim to fix these defects within 1-2 working days		

Test Status	
Passed	Working as expected
Conditional Passed	with minor issue
Fail	has an issue or not working

					Not a defect									
No	Test Case ID	Module	Test Procedure	Expected Result	Defect Description	Severity	Priority	Test Status	Remarks	Developer Comments	Assigned Developer	Dev Status	Resolved By	
59	KODUS-TC-059	Baseline Targets - Import	Description: Verify Administrator and Editor can import valid Baseline Targets Excel files. Preconditions:	1. The import completes successfully. 2. Target rows are inserted or updated for the selected fiscal year.		Major	High Priority= 1-2 days							
60	KODUS-TC-060	Baseline Targets - Import Validation	Description: Verify target import rejects unsupported files or invalid workbook structure. Preconditions:	1. Invalid file types are rejected. 2. Invalid workbook structures trigger import error feedback. 3. No malformed data is imported.		Major	Medium Priority = 3-5 days							
61	KODUS-TC-061	Baseline Targets - Save	Description: Verify Administrator and Editor can save a valid Baseline Target record. Preconditions:	1. The target record is saved successfully. 2. LAWA and BINHI counts are computed from the submitted entries.		Major	High Priority= 1-2 days							
62	KODUS-TC-062	Baseline Targets - Delete	Description: Verify Administrator and Editor can delete a Baseline Target record. Preconditions: A Baseline	1. The target row is deleted when it matches the selected fiscal year. 2. A success JSON response is returned.		Major	High Priority= 1-2 days							
63	KODUS-TC-063	Baseline Targets - Access Control	Description: Verify AA and User cannot save, import, or delete Baseline Targets. Preconditions: AA and User accounts exist.	1. Access is denied for AA and User on target management endpoints. 2. No Baseline Target data is changed.		Critical	High Priority= 1-2 days							
64	KODUS-TC-064	Program Activities - View	Description: Verify all authenticated roles can open Program Activities, with AA and User limited to view mode.	1. The Program Activities page loads for all authenticated roles. 2. Administrator and Editor receive management capabilities. 3. AA and User remain in view-		Critical	High Priority= 1-2 days							
65	KODUS-TC-065	Program Activities - Save	Description: Verify Administrator and Editor can save Program Activities data. Preconditions:	1. Program activity metadata and rows are saved. 2. The upsert path updates existing fiscal-year metadata when needed.		Major	High Priority= 1-2 days							
66	KODUS-TC-066	Program Activities - Access Control	Description: Verify AA and User cannot save Program Activities changes. Preconditions: AA and	1. Access is denied for AA and User. 2. Existing Program Activities data remains unchanged.		Critical	High Priority= 1-2 days							
67	KODUS-TC-067	Project Location Maps - View	Description: Verify all authenticated roles can open Project Location Maps. Preconditions:	1. The Project Location Maps page loads for all authenticated roles. 2. Map data is shown for the selected filters and fiscal year.		Moderate	Medium Priority = 3-5 days							
68	KODUS-TC-068	Project Location Records - View	Description: Verify all authenticated roles can open Project Location Records. Preconditions:	1. The Project Location Records page loads for all authenticated roles. 2. The page lists records generated from Program		Moderate	Medium Priority = 3-5 days							

KODUS WEB APP

Test environment and Test Data: [PHP Web Application / Role-based access / Fiscal year data](#)

App Feature:

Functional, Validation, and Access Control Coverage

Authentication, Dashboard, Settings, 2FA, Messaging, Calendar, Tracking, Implementation Status, Reports, Utilities, Administration

Feature list: Administration

Severity	Definition	Priority	Dev Status
Minor	A defect which occurs when a functionality/feature does not behave as intended or exhibits some unnatural behavior, however the functionality/feature as a whole is not much impacted (7-10 days)	High Priority= 1-2 days	In Progress
Moderate	Moderate severity defects have a moderate impact on the application's functionality or usability. Medium priority indicates a need for resolution but without the same level of urgency as critical or major issues. Allocate resources accordingly to address moderate severity and medium priority defects. Aim to fix these defects within 5-7 working days	Medium Priority = 3-5 days	Resolved
Major	Major defects have a notable impact on the application but may not be as severe as critical issues. High priority signifies the need for timely resolution. Allocate a dedicated effort to address major severity and high priority defects. Aim to fix these defects within 3-5 working days.	Low Priority = 7-10 days	Closed
Critical	Critical defects are severe issues that significantly impact the application's functionality or security. High priority indicates the urgent need for resolution. For critical severity and high priority defects, it's recommended to allocate immediate attention and resources for a quick resolution. Aim to fix these defects within 1-2 working days		

Test Status	
Passed	Working as expected
Conditional Passed	with minor issue
Fail	has an issue or not working

Not a defect													
No	Test Case ID	Module	Test Procedure	Expected Result	Defect Description	Severity	Priority	Test Status	Remarks	Developer Comments	Assigned Developer	Dev Status	Resolved By
69	KODUS-TC-069	LAWA Summary - View	Description: Verify all authenticated roles can open LAWA Summary. Preconditions: Administrator, AA, Editor,	1. The LAWA Summary page loads for all authenticated roles. 2. Summary data is filtered by the selected fiscal year.		Moderate	Medium Priority = 3-5 days						
70	KODUS-TC-070	BINHI Summary - View	Description: Verify all authenticated roles can open BINHI Summary. Preconditions: Administrator, AA, Editor,	1. The BINHI Summary page loads for all authenticated roles. 2. Summary data is filtered by the selected fiscal year.		Moderate	Medium Priority = 3-5 days						
71	KODUS-TC-071	Reports - Sectoral Summary and Export	Description: Verify all authenticated roles can open Sectoral Summary and export it. Preconditions:	1. Sectoral Summary loads for the signed-in user. 2. The export workbook is generated for the selected fiscal year.		Moderate	Medium Priority = 3-5 days						
72	KODUS-TC-072	Reports - Partner-Beneficiaries Profile Access	Description: Verify Partner-Beneficiaries Profile is available only to non-user roles. Preconditions: Accounts exist for Administrator,	1. Administrator, AA, and Editor can view the profile page. 2. The User role is denied access to the profile page. 3. The export generates for allowed non-user roles.		Critical	High Priority= 1-2 days						
73	KODUS-TC-073	Reports - PWD Summaries	Description: Verify all authenticated roles can open the PWD Disability Summary and Sex Disaggregation reports. Preconditions: Accounts	1. Both PWD report pages load for authenticated roles. 2. Report data respects the selected fiscal year.		Moderate	Medium Priority = 3-5 days						
74	KODUS-TC-074	Utilities - Crossmatching View	Description: Verify authenticated users can open the Crossmatching tool. Preconditions: An	1. The Crossmatching tool is reachable for authenticated users. 2. Unauthenticated access stays blocked by the shared auth flow.		Moderate	Medium Priority = 3-5 days						
75	KODUS-TC-075	Utilities - Deduplication View	Description: Verify authenticated users can open the Deduplication tool. Preconditions: An	1. The Deduplication tool is reachable for authenticated users. 2. Unauthenticated access stays blocked by the shared auth flow.		Moderate	Medium Priority = 3-5 days						
76	KODUS-TC-076	Utilities - MEBIS Name-Matching Template Access	Description: Verify the MEBIS Name-Matching Template generator is Administrator-only. Preconditions:	1. Administrator can open the generator. 2. AA, Editor, and User are denied by admin-generator access enforcement.		Critical	High Priority= 1-2 days						
77	KODUS-TC-077	Utilities - MEB Import Template Access	Description: Verify the MEB Import Template generator is Administrator-only. Preconditions:	1. Administrator can open the generator. 2. AA, Editor, and User are denied by admin-generator access enforcement.		Critical	High Priority= 1-2 days						

KODUS WEB APP

Test environment and Test Data: [PHP Web Application / Role-based access / Fiscal year data](#)

App Feature:

Functional, Validation, and Access Control Coverage

Authentication, Dashboard, Settings, 2FA, Messaging, Calendar, Tracking, Implementation Status, Reports, Utilities, Administration

Feature list: Administration

Severity	Definition	Priority	Dev Status
Minor	A defect which occurs when a functionality/feature does not behave as intended or exhibits some unnatural behavior, however the functionality/feature as a whole is not much impacted (7-10 days)	High Priority= 1-2 days	In Progress
Moderate	Moderate severity defects have a moderate impact on the application's functionality or usability. Medium priority indicates a need for resolution but without the same level of urgency as critical or major issues. Allocate resources accordingly to address moderate severity and medium priority defects. Aim to fix these defects within 5-7 working days	Medium Priority = 3-5 days	Resolved
Major	Major defects have a notable impact on the application but may not be as severe as critical issues. High priority signifies the need for timely resolution. Allocate a dedicated effort to address major severity and high priority defects. Aim to fix these defects within 3-5 working days.	Low Priority = 7-10 days	Closed
Critical	Critical defects are severe issues that significantly impact the application's functionality or security. High priority indicates the urgent need for resolution. For critical severity and high priority defects, it's recommended to allocate immediate attention and resources for a quick resolution. Aim to fix these defects within 1-2 working days		

Test Status	
Passed	Working as expected
Conditional Passed	with minor issue
Fail	has an issue or not working

Not a defect													
No	Test Case ID	Module	Test Procedure	Expected Result	Defect Description	Severity	Priority	Test Status	Remarks	Developer Comments	Assigned Developer	Dev Status	Resolved By
78	KODUS-TC-078	Administration - Users Management	Description: Verify an Administrator can open Users Management and change a user role. Preconditions:	1. Users Management loads for Administrator. 2. The target user type is updated successfully. 3. A non-admin attempting the		Critical	High Priority= 1-2 days						
79	KODUS-TC-079	Administration - Users Management Access Control	Description: Verify non-admin roles cannot access Users Management. Preconditions: AA, Editor, and User accounts exist.	1. The page is blocked for non-admin roles. 2. The change role action returns access denied.		Critical	High Priority= 1-2 days						
80	KODUS-TC-080	Administration - Deactivate and Restore Users	Description: Verify an Administrator can deactivate and restore user accounts. Preconditions: Administrator is signed in	1. The target account is soft-deactivated. 2. The restore workflow returns the account to active use. 3. The actions remain Administrator-only.		Critical	High Priority= 1-2 days						
81	KODUS-TC-081	Administration - Password Security	Description: Verify only Administrator can run password reminder and forced reset actions. Preconditions:	1. Administrator actions succeed and log the security event. 2. AA and Editor are denied access.		Critical	High Priority= 1-2 days						
82	KODUS-TC-082	Administration - Project Variables Manage	Description: Verify Administrator and Editor can manage Project Variables. Preconditions:	1. The page loads for Administrator and Editor. 2. Valid project variable changes are saved successfully. 3. Duplicate fiscal year and key		Major	High Priority= 1-2 days						
83	KODUS-TC-083	Administration - Project Variables Access Control	Description: Verify AA and User cannot manage Project Variables. Preconditions: AA and User accounts exist. Steps:	1. AA and User are denied Project Variables management access. 2. No project variable data is changed.		Critical	High Priority= 1-2 days						
84	KODUS-TC-084	Administration - Maintenance Mode	Description: Verify only Administrator can open and save Maintenance Mode settings. Preconditions: Administrator, AA, Editor,	1. Administrator can open and save maintenance settings. 2. AA, Editor, and User are denied access to the maintenance tool. 3. Maintenance changes use the		Critical	High Priority= 1-2 days						