



# SNAPSHOT PROPERTY MATCHERS

kanye.one.spec.js x

```
1  Math.floor = () => 63;
2  const RealDate = global.Date;
3  const fake = "2018-05-22T15:16:18.260Z";
4  global.Date = class extends RealDate {
5    constructor() {
6      return new RealDate(fake);
7    }
8  };
9  const user = {
10   id: Math.floor(Math.random() * 100),
11   createdAt: new Date(),
12   name: "Kanye"
13 };
14
15 test("full user object", () => {
16   expect(user).toMatchSnapshot();
17 });
18
```

kanye.one.spec.js.snap x

```
1  // Jest Snapshot v1, https://goo.gl/fbAQLP
2
3  exports[`full user object 1`] = `
4    Object {
5      "createdAt" 2018-05-22T15:16:18.260Z,
6      "id": 63,
7      "name": "Kanye",
8    }
9  `;
10
```

**BEFORE**

# SNAPSHOT PROPERTY MATCHERS

BEFORE

**PASS** ./kanye.one.spec.js  
✓ full user object (5ms)

Test Suites: 1 passed, 1 total  
Tests: 1 passed, 1 total  
Snapshots: 1 passed, 1 total  
Time: 0.603s, estimated 1s  
Ran all test suites related to changed files.

## Match Usage

- > Press **a** to run all tests.
- > Press **f** to run only failed tests.
- > Press **p** to filter by a filename regex pattern.
- > Press **t** to filter by a test name regex pattern.
- > Press **q** to quit watch mode.
- > Press **Enter** to trigger a test run.

—

# SNAPSHOT PROPERTY MATCHERS

kanye.one.spec.js x

```
1 Math.floor = () => 63;
2 const RealDate = global.Date;
3 const fake = "2018-05-22T15:16:18.260Z";
4 global.Date = class extends RealDate {
5   constructor() {
6     return new RealDate(fake);
7   }
8 };
9 const user = {
10   id: Math.floor(Math.random() * 100),
11   createdAt: new Date(),
12   name: "Kanye"
13 };
14
15 test("full user object", () => {
16   expect(user).toMatchSnapshot();
17 });
```

**BEFORE**  
kanye.one.spec.js.snap x

```
1 // Jest Snapshot v1, https://goo.gl/fbAQLP
2
3 exports[`full user object 1`] = `
4   Object {
5     "createdAt": 2018-05-22T15:16:18.260Z,
6     "id": 63,
7     "name": "Kanye",
8   }
9 `;
10
```