


INTERACTIVE SNAPSHOT MODE



Interactive Snapshot Result

> 10 snapshots reviewed, **7 snapshots updated**, **3 snapshots skipped**

Watch Usage

- > Press **r** to restart Interactive Snapshot Mode.
- > Press **q** to quit Interactive Snapshot Mode.

AFTER

INTERACTIVE SNAPSHOT MODE

AFTER

FAIL ./kanye.two.spec.js

✗ second bar (8ms)

○ skipped 4 tests

• second bar

expect(value).toMatchSnapshot()

Received value does not match stored snapshot "second bar 1".

- Snapshot

+ Received

Array [

- "Poop, poop",

+ "Poop, poop whoop",

]

14 |

15 | test("second bar", () => {

> 16 | expect(bars[1]).toMatchSnapshot();

|

17 | });

18 |

19 | test("third bar", () => {

at Object.<anonymous>.test (kanye.two.spec.js:16:19)

> 1 snapshot failed.

Snapshot Summary

> 1 snapshot failed from 1 test suite. Inspect your code changes or press `u` to update them.

Interactive Snapshot Progress

> 3 snapshots remaining

Match Usage

> Press u to update failing snapshots for this test.

> Press s to skip the current test.

> Press q to quit Interactive Snapshot Mode.

> Press Enter to trigger a test run.

Match Usage: Press w to show more._

INTERACTIVE SNAPSHOT MODE



A terminal window with a dark blue background and three colored window control buttons (red, yellow, green) in the top-left corner. The text is displayed in a monospaced font. In the top-right corner, the word "AFTER" is written in a light blue color. The main text shows the results of an interactive snapshot process and instructions for using the match feature.

```
Interactive Snapshot Result
> 10 snapshots reviewed, 7 snapshots updated, 3 snapshots skipped

Match Usage
> Press r to restart Interactive Snapshot Mode.
> Press q to quit Interactive Snapshot Mode.
```

- r