

INTERACTIVE SNAPSHOT MODE

```
expect(value).toMatchSnapshot()
```

Received value does not match stored snapshot "fifth bar 1".

- Snapshot
+ Received

```
Array [  
-   "Scoopy-whoop",  
+   "Scoopy-whoop whoop",  
]
```

```
26 |  
27 | test("fifth bar", () => {  
> 28 |     expect(bars[4]).toMatchSnapshot();  
    |                      ^  
29 | });  
30 |
```

at Object.<anonymous>.test (kanye.one.spec.js:28:19)

> 5 snapshots failed.

Snapshot summary:

> 10 snapshots failed from 2 test suites. Inspect your code changes or press `u` to update them.

Test Suites: 2 failed, 2 total

Tests: 10 failed, 10 total

Snapshots: 10 failed, 10 total

Time: 0.247s, estimated 1s

Ran all test suites related to changed files.

Watch Usage

- > Press a to run all tests.
- > Press f to run only failed tests.
- > Press p to filter by a filename regex pattern.
- > Press t to filter by a test name regex pattern.
- > Press u to update failing snapshots.
- > Press i to update failing snapshots interactively.
- > Press q to quit watch mode.
- > Press Enter to trigger a test run.

AFTER

INTERACTIVE SNAPSHOT MODE

AFTER

```
expect(value).toMatchSnapshot()
```

Received value does not match stored snapshot "fifth bar 1".

- Snapshot
+ Received

```
Array [  
  - "Scoopy-whoop",  
  + "Scoopy-whoop whoop",  
]
```

```
26 |  
27 | test("fifth bar", () => {  
> 28 |   expect(bars[4]).toMatchSnapshot();  
    |                   ^  
29 | });  
30 |
```

at Object.<anonymous>.test (kanye.one.spec.js:28:19)

> 5 snapshots failed.

Snapshot Summary

> 10 snapshots failed from 2 test suites. Inspect your code changes or press `u` to update them.

Test Suites: 2 failed, 2 total

Tests: 10 failed, 10 total

Snapshots: 10 failed, 10 total

Time: 0.247s, estimated 1s

Ran all test suites related to changed files.

Match Usage

- > Press a to run all tests.
- > Press f to run only failed tests.
- > Press p to filter by a filename regex pattern.
- > Press t to filter by a test name regex pattern.
- > Press u to update failing snapshots.
- > Press i to update failing snapshots interactively.
- > Press q to quit watch mode.
- > Press Enter to trigger a test run.

INTERACTIVE SNAPSHOT MODE

AFTER

```
expect(value).toMatchSnapshot()
```

Received value does not match stored snapshot "fifth bar 1".

- Snapshot

+ Received

```
Array [
  - "Scoopy-whoop",
  + "Scoopy-whoop whoop",
]
```

```
26 |
27 | test("fifth bar", () => {
> 28 |   expect(bars[4]).toMatchSnapshot();
    |                   ^
29 | });
30 |
```

at Object.<anonymous>.test (kanye.one.spec.js:28:19)

> 5 snapshots failed.

Snapshot Summary

> 10 snapshots failed from 2 test suites. Inspect your code changes or press `u` to update them.

Test Suites: 2 failed, 2 total
Tests: 10 failed, 10 total
Snapshots: 10 failed, 10 total
Time: 0.247s, estimated 1s
Ran all test suites related to changed files.

Watch Usage

- > Press a to run all tests.
- > Press f to run only failed tests.
- > Press p to filter by a filename regex pattern.
- > Press t to filter by a test name regex pattern.
- > Press u to update failing snapshots.
- > Press i to update failing snapshots interactively.
- > Press q to quit watch mode.
- > Press Enter to trigger a test run.