



EHI Export: myAvatar Form and Table Documentation

Last Updated: 09/27/2023 4:00 PM EDT

ntst.com

11100 Nall Avenue
Overland Park, KS 66211
800.842.1973

This document contains confidential and proprietary information. It may not be reproduced or transmitted in any form without the express written consent of Netsmart Technologies, Inc.

Table of Contents

Overview	56
Glossary of Terms.....	56
Documentation for form: Recurring_Credits_Or_Debits.....	58
Table Name: SYSTEM.cf_acct_recurring_entries.....	58
Documentation for form: Detailed_Account_Ledger	60
Table Name: SYSTEM.cf_acct_transaction_detail.....	60
Documentation for form: Add/Edit_Outreach_Target.....	64
Table Name: SYSTEM.audit_outreach_client.....	64
Documentation for form: Add/Edit_Outreach_Target.....	82
Table Name: SYSTEM.outreach_client	82
Documentation for form: Scheduling_Calendar_-_Appointment_Details	99
Table Name: SYSTEM.AppointmentData	99
Documentation for form: Scheduling_Calendar_-_Appointment_Details	115
Table Name: SYSTEM.AppointmentPartialEnrollSeries.....	115
Documentation for form: Scheduling_Calendar_-_Appointment_Details	117
Table Name: SYSTEM.AppointmentPartialEnrollSeriesAudit	117
Documentation for form:	119
Table Name: SYSTEM.appt_data	119
Documentation for form: Scheduling_Calendar_-_Appointment_Details	135
Table Name: SYSTEM.appt_data_all	135
Documentation for form: Scheduling_Calendar_-_Appointment_Details	150
Table Name: SYSTEM.appt_not_posted	150
Documentation for form: Scheduling_Calendar_-_Appointment_Details	159
Table Name: SYSTEM.audit_appointment_data.....	159
Documentation for form: Scheduling_Calendar_-_Appointment_Details	177
Table Name: SYSTEM.audit_appointment_site_specific	177
Documentation for form: Scheduling_Calendar_-_Appointment_Details	185
Table Name: SYSTEM.audit_deleted_appointment.....	185
Documentation for form: Scheduling_Calendar_-_Appointment_Details	202
Table Name: SYSTEM.audit_deleted_appointment_site_specific.....	202
Documentation for form: Scheduling_Calendar_-_Appointment_Details	210

Table Name: SYSTEM.site_specific_appt_scheduling	210
Documentation for form: Scheduling_Calendar_-Appointment_Details	217
Table Name: SYSTEM.site_specific_check_in.....	217
Documentation for form:	229
Table Name: SYSTEM.site_specific_check_out	229
Documentation for form: Scheduling_Calendar_-Appointment_Details	241
Table Name: SYSTEM.staff_appt_not_posted	241
Documentation for form: Scheduling_Calendar_-Overbook_Appointment.....	249
Table Name: SYSTEM.AppointmentData	249
Documentation for form: Scheduling_Calendar_-Overbook_Appointment	264
Table Name: SYSTEM.appt_data	264
Documentation for form: Scheduling_Calendar_-Overbook_Appointment	281
Table Name: SYSTEM.site_specific_check_in.....	281
Documentation for form: Scheduling_Calendar_-Overbook_Appointment	292
Table Name: SYSTEM.site_specific_check_out	292
Documentation for form: Scheduling_Calendar	304
Table Name: SYSTEM.AppointmentData	304
Documentation for form: Scheduling_Calendar	320
Table Name: SYSTEM.AppointmentRes	320
Documentation for form: Scheduling_Calendar	321
Table Name: SYSTEM.AppointmentResAudit.....	321
Documentation for form: Scheduling_Calendar	322
Table Name: SYSTEM.AppointmentResDeleted.....	322
Documentation for form: Scheduling_Calendar	323
Table Name: SYSTEM.AppointmentResSeries.....	323
Documentation for form: Scheduling_Calendar	324
Table Name: SYSTEM.AppointmentResSeriesAudit.....	324
Documentation for form: Scheduling_Calendar	325
Table Name: SYSTEM.AppointmentSeries	325
Documentation for form: Scheduling_Calendar	333
Table Name: SYSTEM.AppointmentWaitingRoom	333
Documentation for form: Scheduling_Calendar	339
Table Name: SYSTEM.AppointmentWaitingRoomAudit	339

Documentation for form: Scheduling_Calendar	344
Table Name: SYSTEM.Appointment_Series_Audit.....	344
Documentation for form: Scheduling_Calendar	352
Table Name: SYSTEM.appointment_evv_task	352
Documentation for form: Scheduling_Calendar	353
Table Name: SYSTEM.appointment_evv_task_audit.....	353
Documentation for form: Scheduling_Calendar	354
Table Name: SYSTEM.appointment_evv_task_deleted	354
Documentation for form: Scheduling_Calendar	355
Table Name: SYSTEM.appt_data	355
Documentation for form: Scheduling_Calendar	371
Table Name: SYSTEM.appt_recur_task_errors	371
Documentation for form: Scheduling_Calendar	372
Table Name: SYSTEM.primary_care_visits.....	372
Documentation for form: Scheduling_Calendar	375
Table Name: SYSTEM.telehealth_appt.....	375
Documentation for form: Scheduling_Calendar	376
Table Name: SYSTEM.telehealth_client	376
Documentation for form: Scheduling_Calendar	382
Table Name: SYSTEM.waiting_room_history	382
Documentation for form: Scheduling_Calendar_-_Check_In	387
Table Name: SYSTEM.AppointmentData	387
Documentation for form: Scheduling_Calendar_-_Check_In	403
Table Name: SYSTEM.appt_data	403
Documentation for form: Scheduling_Calendar_-_Check_In	419
Table Name: SYSTEM.check_in_clients.....	419
Documentation for form: Scheduling_Calendar_-_Check_In	423
Table Name: SYSTEM.check_out_client_history.....	423
Documentation for form: Individual_Cash_Posting.....	427
Table Name: SYSTEM.billing_pay_adj_history	427
Documentation for form: Individual_Cash_Posting.....	433
Table Name: SYSTEM.billing_tx_charge_detail.....	433
Documentation for form: Individual_Cash_Posting.....	438

Table Name: SYSTEM.billing_tx_charge_totals.....	438
Documentation for form: Individual_Cash_Posting.....	440
Table Name: SYSTEM.staff_tx_history	440
Documentation for form: Quick_Cash_Posting	448
Table Name: SYSTEM.billing_pay_adj_history	448
Documentation for form: Quick_Cash_Posting	454
Table Name: SYSTEM.billing_tx_charge_detail.....	454
Documentation for form: Quick_Cash_Posting	459
Table Name: SYSTEM.billing_tx_charge_totals.....	459
Documentation for form: Quick_Cash_Posting	461
Table Name: SYSTEM.staff_tx_history	461
Documentation for form: Quick_Individual_Cash_Posting.....	469
Table Name: SYSTEM.billing_episode_totals	469
Documentation for form: Quick_Individual_Cash_Posting.....	471
Table Name: SYSTEM.billing_pay_adj_history	471
Documentation for form: Quick_Individual_Cash_Posting.....	477
Table Name: SYSTEM.billing_tx_charge_detail.....	477
Documentation for form: Quick_Individual_Cash_Posting.....	482
Table Name: SYSTEM.billing_tx_charge_totals.....	482
Documentation for form: Quick_Individual_Cash_Posting.....	484
Table Name: SYSTEM.billing_tx_history.....	484
Documentation for form: Quick_Individual_Cash_Posting.....	504
Table Name: SYSTEM.staff_tx_history	504
Documentation for form: Spreadsheet_Remittance_Posting.....	512
Table Name: SYSTEM.billing_episode_totals	512
Documentation for form: Spreadsheet_Remittance_Posting.....	514
Table Name: SYSTEM.billing_pay_adj_history	514
Documentation for form: Spreadsheet_Remittance_Posting.....	519
Table Name: SYSTEM.billing_tx_charge_detail.....	519
Documentation for form: Spreadsheet_Remittance_Posting.....	525
Table Name: SYSTEM.billing_tx_charge_totals.....	525
Documentation for form: Spreadsheet_Remittance_Posting.....	527
Table Name: SYSTEM.billing_tx_history.....	527

Documentation for form: Spreadsheet_Remittance_Posting.....	547
Table Name: SYSTEM.staff_tx_history	547
Documentation for form: Spreadsheet_Batch_Remittance_Posting.....	554
Table Name: SYSTEM.Remittance_Batch_History.....	554
Documentation for form: Spreadsheet_Batch_Remittance_Posting.....	558
Table Name: SYSTEM.batch_remittance_claim	558
Documentation for form: Spreadsheet_Batch_Remittance_Posting.....	562
Table Name: SYSTEM.billing_episode_totals	562
Documentation for form: Spreadsheet_Batch_Remittance_Posting.....	564
Table Name: SYSTEM.billing_pay_adj_history	564
Documentation for form: Spreadsheet_Batch_Remittance_Posting.....	570
Table Name: SYSTEM.billing_tx_charge_detail.....	570
Documentation for form: Spreadsheet_Batch_Remittance_Posting.....	575
Table Name: SYSTEM.billing_tx_charge_totals.....	575
Documentation for form: Spreadsheet_Batch_Remittance_Posting.....	577
Table Name: SYSTEM.billing_tx_history.....	577
Documentation for form: Spreadsheet_Batch_Remittance_Posting.....	597
Table Name: SYSTEM.staff_tx_history	597
Documentation for form: Client_Ledger.....	605
Table Name: SYSTEM.billing_tx_dist_fail_reason	605
Documentation for form: Batch_Cash_Posting	606
Table Name: SYSTEM.billing_episode_totals	606
Documentation for form: Batch_Cash_Posting	608
Table Name: SYSTEM.billing_pay_adj_history	608
Documentation for form: Batch_Cash_Posting	613
Table Name: SYSTEM.billing_tx_charge_detail.....	613
Documentation for form: Batch_Cash_Posting	619
Table Name: SYSTEM.billing_tx_charge_totals.....	619
Documentation for form: Batch_Cash_Posting	621
Table Name: SYSTEM.billing_tx_history.....	621
Documentation for form: Batch_Cash_Posting	641
Table Name: SYSTEM.staff_tx_history	641
Documentation for form: Print_Bill	648

Table Name: SYSTEM.billing_claim_history_tx_detail	648
Documentation for form: Retroactive_Payor_Change.....	651
Table Name: SYSTEM.retro_payor_change.....	651
Documentation for form: Crystal_Self_Pay_Bill.....	654
Table Name: SYSTEM.billing_selfpay_index.....	654
Documentation for form: Crystal_Self_Pay_Bill.....	660
Table Name: SYSTEM.billing_selfpay_stmt	660
Documentation for form: Inhibit_Billing_By_Service	666
Table Name: SYSTEM.inhibit_billing	666
Documentation for form: Close_Charges	668
Table Name: SYSTEM.medicare_a_hold	668
Documentation for form: Claim_Status_Request_(276)	669
Table Name: SYSTEM.billing_276_errors	669
Documentation for form: Claim_Status_Request_(276)	672
Table Name: SYSTEM.billing_276_report.....	672
Documentation for form: Claim_Status_Notification_(277).....	675
Table Name: SYSTEM.billing_277_clm_status	675
Documentation for form: Claim_Status_Notification_(277).....	678
Table Name: SYSTEM.billing_277_report.....	678
Documentation for form: Claim_Status_Notification_(277).....	683
Table Name: SYSTEM.billing_277_svc_status	683
Documentation for form: Quick_Billing	685
Table Name: SYSTEM.billing_claim_history_tx_detail	685
Documentation for form: Quick_Billing	688
Table Name: SYSTEM.billing_qb_delay_reason	688
Documentation for form: Quick_Billing	690
Table Name: SYSTEM.table_quick_bill_rule_group	690
Documentation for form: NCPDP_Claim_Submission_Response_Report	692
Table Name: SYSTEM.billing_ncpdp_resp_dtl	692
Documentation for form: Electronic_Billing	702
Table Name: SYSTEM.billing_837_d_errors	702
Documentation for form: Electronic_Billing	705
Table Name: SYSTEM.billing_837_d_rpt_header	705

Documentation for form: Electronic_Billing	709
Table Name: SYSTEM.billing_837_i_report.....	709
Documentation for form: Electronic_Billing	713
Table Name: SYSTEM.billing_837_i_rpt_header.....	713
Documentation for form: Electronic_Billing	717
Table Name: SYSTEM.billing_837_p_file.....	717
Documentation for form: Electronic_Billing	721
Table Name: SYSTEM.billing_837_p_report	721
Documentation for form: Electronic_Billing	724
Table Name: SYSTEM.billing_837_p_report_header	724
Documentation for form: Electronic_Billing	728
Table Name: SYSTEM.billing_837d_4010_errors.....	728
Documentation for form: Electronic_Billing	732
Table Name: SYSTEM.billing_837i_4010_errors	732
Documentation for form: Electronic_Billing	736
Table Name: SYSTEM.billing_837p_4010_errors.....	736
Documentation for form: Electronic_Billing	739
Table Name: SYSTEM.billing_claim_history_tx_detail	739
Documentation for form: Electronic_Billing	742
Table Name: SYSTEM.billing_med_d_file	742
Documentation for form: State_Specific_Remittance_File_Processing	754
Table Name: SYSTEM.state_remit_file_adj_rem	754
Documentation for form: State_Specific_Remittance_File_Processing	757
Table Name: SYSTEM.state_remit_file_errors	757
Documentation for form: State_Specific_Remittance_File_Processing	759
Table Name: SYSTEM.state_remit_file_header	759
Documentation for form: State_Specific_Remittance_File_Processing	762
Table Name: SYSTEM.state_remit_file_pay_adj	762
Documentation for form: State_Specific_Remittance_File_Processing	767
Table Name: SYSTEM.state_remit_file_pay_rem.....	767
Documentation for form: State_Specific_Remittance_File_Processing	768
Table Name: SYSTEM.state_remit_file_raw	768
Documentation for form: 835_Health_Care_Claim_Payment/Advice.....	769

Table Name: SYSTEM.batch_remittance_claim	769
Documentation for form: 835_Health_Care_Claim_Payment/Advice.....	773
Table Name: SYSTEM.billing_835_adj_rem	773
Documentation for form: 835_Health_Care_Claim_Payment/Advice.....	777
Table Name: SYSTEM.billing_835_auto_log	777
Documentation for form: 835_Health_Care_Claim_Payment/Advice.....	778
Table Name: SYSTEM.billing_835_pay_proc.....	778
Documentation for form: 835_Health_Care_Claim_Payment/Advice.....	781
Table Name: SYSTEM.billing_835_pay_rem.....	781
Documentation for form: 835_Health_Care_Claim_Payment/Advice.....	784
Table Name: SYSTEM.billing_pay_adj_history	784
Documentation for form: 835_Health_Care_Claim_Payment/Advice.....	789
Table Name: SYSTEM.mod_835_add_adjustment.....	789
Documentation for form: 835_Health_Care_Claim_Payment/Advice.....	793
Table Name: SYSTEM.mod_835_adjustment.....	793
Documentation for form: 835_Health_Care_Claim_Payment/Advice.....	796
Table Name: SYSTEM.mod_835_payment_codes	796
Documentation for form: Delete_Claim	799
Table Name: SYSTEM.audit_deleted_claims.....	799
Documentation for form: Eligibility_Response_(271).....	802
Table Name: SYSTEM.billing_271_bene_info	802
Documentation for form: Eligibility_Response_(271).....	812
Table Name: SYSTEM.billing_271_dependent	812
Documentation for form: Eligibility_Response_(271).....	823
Table Name: SYSTEM.billing_271_resp.....	823
Documentation for form: Eligibility_Response_(271).....	829
Table Name: SYSTEM.billing_271_resp_chg	829
Documentation for form: Eligibility_Response_(271).....	832
Table Name: SYSTEM.billing_271_subscriber	832
Documentation for form: Eligibility_Response_(271).....	843
Table Name: SYSTEM.billing_271_updated_info	843
Documentation for form: Eligibility_Response_(271).....	848
Table Name: SYSTEM.billing_271_validate_info	848

Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	852
Table Name: SYSTEM.bem_834_errors.....	852
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	854
Table Name: SYSTEM.billing_834_coverage	854
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	864
Table Name: SYSTEM.billing_834_error.....	864
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	867
Table Name: SYSTEM.billing_834_file.....	867
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	869
Table Name: SYSTEM.billing_834_header	869
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	873
Table Name: SYSTEM.billing_834_member	873
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	895
Table Name: SYSTEM.billing_834_payer.....	895
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	899
Table Name: SYSTEM.billing_834_reporting_cat.....	899
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	902
Table Name: SYSTEM.billing_834_rpt_header.....	902
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	905
Table Name: SYSTEM.billing_834_trailer	905
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	908
Table Name: SYSTEM.billing_834_update	908
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	912
Table Name: SYSTEM.eligibility_demographics	912
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	914
Table Name: SYSTEM.eligibility_dependent	914
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	916
Table Name: SYSTEM.eligibility_dependent_cov.....	916
Documentation for form: Benefit_Enrollment_and_Maintenance_(834).....	921
Table Name: SYSTEM.eligibility_subscriber	921
Documentation for form: 278_Submission/Responses	925
Table Name: SYSTEM.billing_278_report_sql.....	925
Documentation for form: 278_Submission/Responses	929

Table Name: SYSTEM.billing_278_response	929
Documentation for form: Deposit_Entry	933
Table Name: SYSTEM.unacknowledged_payments	933
Documentation for form: Compile/Post_AB_Services.....	937
Table Name: SYSTEM.ab_compile.....	937
Documentation for form: Compile/Post_AB_Services.....	939
Table Name: SYSTEM.ab_compile_a_service	939
Documentation for form: Compile/Post_AB_Services.....	940
Table Name: SYSTEM.ab_compile_b_service	940
Documentation for form: Compile/Post_AB_Services.....	942
Table Name: SYSTEM.ab_inhibit_a_service	942
Documentation for form: CareFabric_Management	943
Table Name: SYSTEM.carefabric_fhir_encounter	943
Documentation for form: CareFabric_Management	946
Table Name: SYSTEM.carefabric_referrals	946
Documentation for form: CareFabric_Management	948
Table Name: SYSTEM.carefabric_visit_links.....	948
Documentation for form: CareFabric_Integration_Management	952
Table Name: SYSTEM.carefabric_clientepisode_map.....	952
Documentation for form: CareFabric_Integration_Management	953
Table Name: SYSTEM.carefabric_clientid_map.....	953
Documentation for form: CareFabric_Integration_Management	954
Table Name: SYSTEM.carefabric_code_map.....	954
Documentation for form: CareFabric_Integration_Management	957
Table Name: SYSTEM.carefabric_integrated_prod_notifications	957
Documentation for form: CareFabric_Integration_Management	957
Table Name: SYSTEM.carefabric_integrated_products.....	957
Documentation for form: CareFabric_Assessment_Mapping	960
Table Name: SYSTEM.carefabric_assessment_mapping.....	960
Documentation for form: CareFabric_Assessment_Mapping	963
Table Name: SYSTEM.carefabric_assessment_mapping_client.....	963
Documentation for form: CareFabric_External_Application_Configuration	965
Table Name: SYSTEM.carefabric_app_launch.....	965

Documentation for form: Compile_General_Ledger_Payment/Adjustment_Interface_File.....	969
Table Name: GL.comp_pay_ack_int_detail.....	969
Documentation for form: Block_Client_Chart	972
Documentation for form: Acuity_Compile.....	975
Table Name: SYSTEM.acuity_compile	975
Documentation for form: Acuity_Compile.....	977
Table Name: SYSTEM.acuity_compile_error.....	977
Documentation for form: Acuity_Compile.....	978
Table Name: SYSTEM.acuity_domain_score	978
Documentation for form: Acuity_Compile.....	979
Table Name: SYSTEM.acuity_score	979
Documentation for form: Acuity_Compile.....	981
Table Name: SYSTEM.acuity_subdomain_score	981
Documentation for form: Team_Definition	982
Table Name: SYSTEM.RADplus_audit_teams.....	982
Documentation for form: Team_Definition	987
Table Name: SYSTEM.RADplus_audit_teams_programs	987
Documentation for form: Team_Definition	988
Table Name: SYSTEM.RADplus_audit_teams_role	988
Documentation for form: Team_Definition	990
Table Name: SYSTEM.RADplus_audit_teams_sites	990
Documentation for form: Team_Definition	992
Table Name: SYSTEM.RADplus_audit_teams_units.....	992
Documentation for form: Team_Definition	994
Table Name: SYSTEM.RADplus_audit_teams_user.....	994
Documentation for form: Service_Documentation_Corrections.....	996
Table Name: SYSTEM.service_doc_corrections	996
Documentation for form: External_Client_ID_Maintenance.....	998
Table Name: HL7.external_client_id	998
Documentation for form: Patient_Account_Number_Maintenance.....	1000
Table Name: HL7.external_episode_id	1000
Documentation for form: Incident_Data_Form	1002
Table Name: INCIDENT.incidents_audit	1002

Documentation for form: Incident_Data_Form	1019
Table Name: INCIDENT.incidents_clients	1019
Documentation for form: Incident_Data_Form	1022
Table Name: INCIDENT.incidents_clients_audit	1022
Documentation for form: Incident_Data_Form	1025
Table Name: INCIDENT.incidents_staff_vis_audit	1025
Documentation for form: LA_Client_-_Condition_Pregnancy	1030
Table Name: LAPROV.client_condition_preg	1030
Documentation for form: LA_Community_Outreach_Service_Entry	1032
Table Name: LAPROV.la_cos_tx_draft	1032
Documentation for form: LA_CSI_Assessment_Entry	1040
Table Name: LAPROV.csi_assessment_log	1040
Documentation for form: Medication_Order	1043
Table Name: Methadone.history_client_med_order	1043
Documentation for form: Medication_Order	1053
Table Name: Methadone.history_recur_med_order	1053
Documentation for form: Quick_Medication_Order	1056
Table Name: Methadone.history_client_med_order	1056
Documentation for form: Quick_Medication_Order	1063
Table Name: Methadone.history_fixed_med_order	1063
Documentation for form: Quick_Medication_Order	1066
Table Name: Methadone.history_recur_med_order	1066
Documentation for form: Spill/RTI/Exception_Doses	1068
Table Name: Methadone.history_client_rti	1068
Documentation for form: Spill/RTI/Exception_Doses	1071
Table Name: Methadone.history_client_spill	1071
Documentation for form: Fast_Dose_Dispensing	1075
Table Name: Methadone.history_client_dispense	1075
Documentation for form: Update_Client_Data	1079
Table Name: SYSTEM.patient_current_demographics	1079
Documentation for form: Update_Client_Data	1113
Table Name: SYSTEM.patient_demographic_history	1113
Documentation for form: Practitioner_Assignment_-_Other	1148

Table Name: SYSTEM.history_oth_practitioner.....	1148
Documentation for form: HCFA-1500/837P_Billing_Maintenance_Screen.....	1169
Table Name: SYSTEM.billing_maint_hist_hcfa.....	1169
Documentation for form: Claim_Follow-Up.....	1184
Table Name: SYSTEM.claim_follow_up_data.....	1184
Documentation for form: Bed_Assignment.....	1190
Table Name: SYSTEM.history_bed_assignment.....	1190
Documentation for form: Client_Self_Pay_Dunning_Messages.....	1206
Table Name: SYSTEM.billing_client_sp_dunn_msg	1206
Documentation for form: Self_Pay_Payment_Arrangement.....	1209
Table Name: SYSTEM.billing_sp_pay_arrangement	1209
Documentation for form: Consent_For_Access.....	1216
Table Name: SYSTEM.audit_referral_consent	1216
Documentation for form: Consent_For_Access.....	1223
Table Name: SYSTEM.referral_consent.....	1223
Documentation for form: Disclosure_Management.....	1237
Table Name: SYSTEM.disclo_mgmt_req_org	1237
Documentation for form: Financial_Eligibility	1243
Table Name: SYSTEM.billing_guar_subs_data	1243
Documentation for form: Fast_Financial_Eligibility.....	1253
Table Name: SYSTEM.billing_guar_emp_data	1253
Documentation for form: Admission	1257
Table Name: SYSTEM.admission_data	1257
Documentation for form: Admission	1262
Table Name: SYSTEM.episode_history.....	1262
Documentation for form: Admission	1267
Table Name: SYSTEM.history_bed_assignment.....	1267
Documentation for form: Admission	1271
Table Name: SYSTEM.history_partial_hosp	1271
Documentation for form: Admission	1274
Table Name: SYSTEM.history_patient_movement	1274
Documentation for form: Admission	1276
Table Name: SYSTEM.patient_current_demographics	1276

Documentation for form: Admission	1309
Table Name: SYSTEM.patient_demographic_history.....	1309
Documentation for form: Admission	1343
Table Name: SYSTEM.pce_client_mapping.....	1343
Documentation for form: Admission	1344
Table Name: SYSTEM.pce_episode_mapping.....	1344
Documentation for form: Admission	1345
Table Name: SYSTEM.program_active_clients.....	1345
Documentation for form: Admission	1346
Table Name: SYSTEM.view_episode_summary_admit.....	1346
Documentation for form: Admission	1355
Table Name: SYSTEM.view_episode_summary_current	1355
Documentation for form: Admission_(OutPatient)	1365
Table Name: SYSTEM.admission_data	1365
Documentation for form: Admission_(OutPatient)	1370
Table Name: SYSTEM.episode_history.....	1370
Documentation for form: Admission_(OutPatient)	1374
Table Name: SYSTEM.pce_client_mapping.....	1374
Documentation for form: Admission_(OutPatient)	1376
Table Name: SYSTEM.program_active_clients.....	1376
Documentation for form: Admission_(OutPatient)	1377
Table Name: SYSTEM.view_episode_summary_admit.....	1377
Documentation for form: Back_Dated_Admission/Discharge.....	1386
Table Name: SYSTEM.admission_data	1386
Documentation for form: Back_Dated_Admission/Discharge.....	1391
Table Name: SYSTEM.episode_history.....	1391
Documentation for form: Back_Dated_Admission/Discharge.....	1396
Table Name: SYSTEM.history_bed_assignment.....	1396
Documentation for form: Back_Dated_Admission/Discharge.....	1400
Table Name: SYSTEM.history_patient_movement	1400
Documentation for form: Back_Dated_Admission/Discharge.....	1402
Table Name: SYSTEM.view_episode_summary_current	1402
Documentation for form: Discharge	1412

Table Name: SYSTEM.history_patient_movement	1412
Documentation for form: Discharge	1414
Table Name: SYSTEM.patient_current_demographics	1414
Documentation for form: Discharge	1447
Table Name: SYSTEM.patient_demographic_history.....	1447
Documentation for form: Discharge	1482
Table Name: SYSTEM.program_active_clients.....	1482
Documentation for form: Discharge	1482
Table Name: SYSTEM.view_episode_summary_current	1482
Documentation for form: Discharge	1492
Table Name: SYSTEM.view_episode_summary_discharge.....	1492
Documentation for form: Program_Transfer	1502
Table Name: SYSTEM.episode_history.....	1502
Documentation for form: Program_Transfer	1506
Table Name: SYSTEM.history_bed_assignment.....	1506
Documentation for form: Program_Transfer	1511
Table Name: SYSTEM.history_patient_movement	1511
Documentation for form: Program_Transfer	1513
Table Name: SYSTEM.program_active_clients.....	1513
Documentation for form: Program_Transfer	1514
Table Name: SYSTEM.view_episode_summary_current	1514
Documentation for form: Leaves	1523
Table Name: SYSTEM.leaves_history_outon.....	1523
Documentation for form: Leaves	1527
Table Name: SYSTEM.site_specific_leave	1527
Documentation for form: Return_From_Leaves.....	1538
Table Name: SYSTEM.history_bed_assignment.....	1538
Documentation for form: Pre_Admit.....	1542
Table Name: SYSTEM.admission_data	1542
Documentation for form: Pre_Admit.....	1546
Table Name: SYSTEM.episode_history.....	1546
Documentation for form: Pre_Admit.....	1551
Table Name: SYSTEM.history_patient_movement	1551

Documentation for form: Pre_Admit.....	1553
Table Name: SYSTEM.patient_current_demographics	1553
Documentation for form: Pre_Admit.....	1587
Table Name: SYSTEM.patient_demographic_history.....	1587
Documentation for form: Pre_Admit.....	1621
Table Name: SYSTEM.site_specific_pre_admission	1621
Documentation for form: Pre_Admit.....	1637
Table Name: SYSTEM.view_episode_summary_current	1637
Documentation for form: Pre_Admit_Discharge_	1647
Table Name: SYSTEM.history_patient_movement	1647
Documentation for form: Pre_Admit_Discharge_	1649
Table Name: SYSTEM.patient_current_demographics	1649
Documentation for form: Pre_Admit_Discharge_	1682
Table Name: SYSTEM.patient_demographic_history.....	1682
Documentation for form: Pre_Admit_Discharge_	1716
Table Name: SYSTEM.view_episode_summary_current	1716
Documentation for form: Call_Intake	1726
Table Name: SYSTEM.call_intake_financial_inv.....	1726
Documentation for form: Call_Intake	1732
Table Name: SYSTEM.patient_current_demographics	1732
Documentation for form: Call_Intake	1765
Table Name: SYSTEM.patient_demographic_history.....	1765
Documentation for form: Leave_Status_Change.....	1799
Table Name: SYSTEM.leaves_history_outon.....	1799
Documentation for form: Leave_Status_Change.....	1803
Table Name: SYSTEM.site_specific_leave	1803
Documentation for form: Program_Transfer_(OutPatient)	1814
Table Name: SYSTEM.episode_history.....	1814
Documentation for form: Program_Transfer_(OutPatient)	1819
Table Name: SYSTEM.history_patient_movement	1819
Documentation for form: Program_Transfer_(OutPatient)	1821
Table Name: SYSTEM.program_active_clients.....	1821
Documentation for form: Program_Transfer_(OutPatient)	1821

Table Name: SYSTEM.view_episode_summary_current	1821
Documentation for form: Risk_Level_Update	1831
Table Name: SYSTEM.risk_level_update_data.....	1831
Documentation for form: Risk_Level_Update	1834
Table Name: SYSTEM.risk_level_update_data_audit	1834
Documentation for form: Diagnosis.....	1836
Table Name: SYSTEM.Audit_client_diagnosis_record	1836
Documentation for form: Diagnosis.....	1853
Table Name: SYSTEM.client_diagnosis_entry	1853
Documentation for form: Diagnosis.....	1859
Table Name: SYSTEM.client_diagnosis_record	1859
Documentation for form: Diagnosis.....	1875
Table Name: SYSTEM.pce_record_mapping	1875
Documentation for form: Enrollment_Diagnosis.....	1876
Table Name: SYSTEM.client_diagnosis_entry	1876
Documentation for form: Enrollment_Diagnosis.....	1882
Table Name: SYSTEM.client_enroll_diag_entry.....	1882
Documentation for form: Enrollment_Diagnosis.....	1887
Table Name: SYSTEM.client_enroll_diag_record	1887
Documentation for form: Delete_Last_Movement	1903
Table Name: SYSTEM.audit_deleted_mvmt	1903
Documentation for form: Delete_Last_Movement	1905
Table Name: SYSTEM.program_active_clients.....	1905
Documentation for form: Recurring_Client_Charge_Input	1906
Table Name: SYSTEM.billing_episode_totals.....	1906
Documentation for form: Recurring_Client_Charge_Input	1908
Table Name: SYSTEM.billing_tx_charge_detail.....	1908
Documentation for form: Recurring_Client_Charge_Input	1913
Table Name: SYSTEM.billing_tx_charge_totals.....	1913
Documentation for form: Recurring_Client_Charge_Input	1915
Table Name: SYSTEM.billing_tx_history.....	1915
Documentation for form: Recurring_Client_Charge_Input	1935
Table Name: SYSTEM.staff_tx_history	1935

Documentation for form: Recurring_Client_Charge_Input_(Charge_Fee_Access)	1943
Table Name: SYSTEM.billing_episode_totals	1943
Documentation for form: Recurring_Client_Charge_Input_(Charge_Fee_Access)	1944
Table Name: SYSTEM.billing_tx_charge_detail	1944
Documentation for form: Recurring_Client_Charge_Input_(Charge_Fee_Access)	1950
Table Name: SYSTEM.billing_tx_charge_totals	1950
Documentation for form: Recurring_Client_Charge_Input_(Charge_Fee_Access)	1952
Table Name: SYSTEM.billing_tx_history	1952
Documentation for form: Recurring_Client_Charge_Input_(Charge_Fee_Access)	1972
Table Name: SYSTEM.staff_tx_history	1972
Documentation for form: Recurring_Client_Charge_Input_(Diagnosis_Entry)	1979
Table Name: SYSTEM.billing_episode_totals	1979
Documentation for form: Recurring_Client_Charge_Input_(Diagnosis_Entry)	1981
Table Name: SYSTEM.billing_tx_charge_detail	1981
Documentation for form: Recurring_Client_Charge_Input_(Diagnosis_Entry)	1986
Table Name: SYSTEM.billing_tx_charge_totals	1986
Documentation for form: Recurring_Client_Charge_Input_(Diagnosis_Entry)	1989
Table Name: SYSTEM.billing_tx_history	1989
Documentation for form: Recurring_Client_Charge_Input_(Diagnosis_Entry)	2009
Table Name: SYSTEM.staff_tx_history	2009
Documentation for form: Recurring_Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry)	2016
Table Name: SYSTEM.billing_episode_totals	2016
Documentation for form: Recurring_Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry)	2018
Table Name: SYSTEM.billing_tx_charge_detail	2018
Documentation for form: Recurring_Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry)	2023
Table Name: SYSTEM.billing_tx_charge_totals	2023
Documentation for form: Recurring_Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry)	2026
Table Name: SYSTEM.billing_tx_history	2026
Documentation for form: Recurring_Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry)	2046

Table Name: SYSTEM.staff_tx_history	2046
Documentation for form: Women's_Health_History.....	2053
Table Name: SYSTEM.client_condition_delivery.....	2053
Documentation for form: Women's_Health_History.....	2056
Table Name: SYSTEM.client_condition_preg	2056
Documentation for form: Women's_Health_History.....	2074
Table Name: SYSTEM.patient_current_demographics	2074
Documentation for form: Financial_Determination	2107
Table Name: SYSTEM.fin_determ	2107
Documentation for form: Financial_Determination	2109
Table Name: SYSTEM.fin_determ_exc_assets	2109
Documentation for form: Financial_Determination	2111
Table Name: SYSTEM.fin_determ_expense	2111
Documentation for form: Financial_Determination	2113
Table Name: SYSTEM.fin_determ_inc_assets	2113
Documentation for form: Financial_Determination	2115
Table Name: SYSTEM.fin_determ_income.....	2115
Documentation for form: Financial_Determination	2117
Table Name: SYSTEM.fin_determ_info	2117
Documentation for form: Financial_Determination	2128
Table Name: SYSTEM.fin_determ_wages	2128
Documentation for form: Financial_Investigation	2130
Table Name: SYSTEM.call_intake_financial_inv.....	2130
Documentation for form: Client_Enrollment.....	2135
Table Name: SYSTEM.client_enrollment.....	2135
Documentation for form: Client_Charge_Input.....	2137
Table Name: SYSTEM.billing_episode_totals	2137
Documentation for form: Client_Charge_Input.....	2139
Table Name: SYSTEM.billing_tx_charge_detail.....	2139
Documentation for form: Client_Charge_Input.....	2144
Table Name: SYSTEM.billing_tx_charge_totals.....	2144
Documentation for form: Client_Charge_Input.....	2146
Table Name: SYSTEM.billing_tx_history.....	2146

Documentation for form: Client_Charge_Input.....	2166
Table Name: SYSTEM.staff_tx_history	2166
Documentation for form: Client_Charge_Input_(Charge_Fee_Access).....	2173
Table Name: SYSTEM.billing_episode_totals	2173
Documentation for form: Client_Charge_Input_(Charge_Fee_Access).....	2175
Table Name: SYSTEM.billing_tx_charge_detail.....	2175
Documentation for form: Client_Charge_Input_(Charge_Fee_Access).....	2180
Table Name: SYSTEM.billing_tx_charge_totals.....	2180
Documentation for form: Client_Charge_Input_(Charge_Fee_Access).....	2182
Table Name: SYSTEM.billing_tx_history.....	2182
Documentation for form: Client_Charge_Input_(Charge_Fee_Access).....	2202
Table Name: SYSTEM.staff_tx_history	2202
Documentation for form: Client_Charge_Input_With_Diagnosis_Entry	2210
Table Name: SYSTEM.billing_episode_totals	2210
Documentation for form: Client_Charge_Input_With_Diagnosis_Entry	2212
Table Name: SYSTEM.billing_tx_charge_detail.....	2212
Documentation for form: Client_Charge_Input_With_Diagnosis_Entry	2217
Table Name: SYSTEM.billing_tx_charge_totals.....	2217
Documentation for form: Client_Charge_Input_With_Diagnosis_Entry	2219
Table Name: SYSTEM.billing_tx_history.....	2219
Documentation for form: Client_Charge_Input_With_Diagnosis_Entry	2239
Table Name: SYSTEM.staff_tx_history	2239
Documentation for form: Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry).....	2246
Table Name: SYSTEM.billing_episode_totals	2246
Documentation for form: Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry).....	2248
Table Name: SYSTEM.billing_tx_charge_detail.....	2248
Documentation for form: Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry).....	2253
Table Name: SYSTEM.billing_tx_charge_totals.....	2253
Documentation for form: Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry).....	2256
Table Name: SYSTEM.billing_tx_history.....	2256
Documentation for form: Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry).....	2275
Table Name: SYSTEM.staff_tx_history	2276
Documentation for form: Edit_Service_Information	2283

Table Name: SYSTEM.audit_deleted_treatment	2283
Documentation for form: Edit_Service_Information	2284
Table Name: SYSTEM.billing_claim_address.....	2284
Documentation for form: Edit_Service_Information	2286
Table Name: SYSTEM.billing_episode_totals	2286
Documentation for form: Edit_Service_Information	2287
Table Name: SYSTEM.billing_tx_address	2287
Documentation for form: Edit_Service_Information	2289
Table Name: SYSTEM.billing_tx_history.....	2289
Documentation for form: Edit_Service_Information_(Charge_Fee_Access)	2309
Table Name: SYSTEM.audit_deleted_treatment	2309
Documentation for form: Edit_Service_Information_(Charge_Fee_Access)	2310
Table Name: SYSTEM.billing_claim_address.....	2310
Documentation for form: Edit_Service_Information_(Charge_Fee_Access)	2311
Table Name: SYSTEM.billing_tx_address	2311
Documentation for form: Service_Panel_Charge_Input.....	2312
Table Name: SYSTEM.billing_episode_totals	2313
Documentation for form: Service_Panel_Charge_Input.....	2314
Table Name: SYSTEM.billing_tx_charge_detail.....	2314
Documentation for form: Service_Panel_Charge_Input.....	2320
Table Name: SYSTEM.billing_tx_charge_totals.....	2320
Documentation for form: Service_Panel_Charge_Input.....	2322
Table Name: SYSTEM.billing_tx_history.....	2322
Documentation for form: Service_Panel_Charge_Input.....	2341
Table Name: SYSTEM.staff_tx_history	2341
Documentation for form: Medical_Coding	2349
Table Name: SYSTEM.coding_chart	2349
Documentation for form: Medical_Coding	2352
Table Name: SYSTEM.coding_chart_audit	2352
Documentation for form: Medical_Coding	2354
Table Name: SYSTEM.coding_diagnoses.....	2354
Documentation for form: Medical_Coding	2356
Table Name: SYSTEM.coding_diagnoses_audit	2356

Documentation for form: Medical_Coding.....	2358
Table Name: SYSTEM.coding_services.....	2358
Documentation for form: Medical_Coding.....	2359
Table Name: SYSTEM.coding_services_audit.....	2359
Documentation for form: Client_Alerts	2361
Table Name: SYSTEM.RADplus_client_alerts	2361
Documentation for form: Internal_Client_Conse	2364
Table Name: SYSTEM.RADplus_client_conse	2364
Documentation for form: Routing_Worklist_Item.....	2366
Table Name: DocR.assignment_tracking	2366
Documentation for form: Routing_Worklist_Item.....	2369
Table Name: DocR.query_definition	2369
Documentation for form: Routing_Worklist_Item.....	2371
Table Name: DocR.query_definition_audit.....	2371
Documentation for form: Routing_Worklist_Item.....	2373
Table Name: DocR.rule_based_forms.....	2373
Documentation for form: Routing_Worklist_Item.....	2376
Table Name: DocR.rule_based_forms_audit	2376
Documentation for form: Routing_Worklist_Item.....	2378
Table Name: DocR.rule_based_routing	2378
Documentation for form: Routing_Worklist_Item.....	2382
Table Name: DocR.rule_based_routing_audit.....	2382
Documentation for form: Client_Acuity.....	2385
Table Name: SYSTEM.acuity_comment	2385
Documentation for form: Client_Acuity.....	2387
Table Name: SYSTEM.acuity_compile	2387
Documentation for form: Client_Acuity.....	2389
Table Name: SYSTEM.acuity_compile_error.....	2389
Documentation for form: Client_Acuity.....	2390
Table Name: SYSTEM.acuity_domain_score.....	2390
Documentation for form: Client_Acuity.....	2391
Table Name: SYSTEM.acuity_score	2391
Documentation for form: Client_Acuity.....	2393

Table Name: SYSTEM.acuity_subdomain_score	2393
Documentation for form: Change_Program/Admission_Date.....	2394
Table Name: SYSTEM.program_active_clients.....	2394
Documentation for form: Post_Residential/Inpatient_Worklist.....	2395
Table Name: SYSTEM.staff_tx_history	2395
Documentation for form: Post_Partial_Hospitalization/Day_Worklist.....	2402
Table Name: SYSTEM.staff_tx_history	2402
Documentation for form: Compile_And_Post_Residential/Inpatient_Charges.....	2410
Table Name: SYSTEM.staff_tx_history	2410
Documentation for form: 99999_Services_Report.....	2418
Table Name: SYSTEM.billing_tx_dist_fail_reason	2418
Documentation for form: Client_Admission_Report_(PAS_44N)	2419
Table Name: STATEFORM.nys_pas44_admit.....	2419
Documentation for form: Client_Discharge_Report_(PAS_45N)	2441
Table Name: STATEFORM.nys_pas45_discharge.....	2441
Documentation for form: Crisis_Episode_Client_Admission/Discharge_Report_(PAS_46N).....	2460
Table Name: STATEFORM.nys_pas46_crisis_episode	2460
Documentation for form: Client_Transfer_Report_(PAS_47)	2474
Table Name: STATEFORM.nys_pas47_transfer	2474
Documentation for form: Element_Transition_Report_(PAS_125)	2477
Table Name: STATEFORM.nys_pas125_element_trans	2477
Documentation for form: Ohio_BH_Admission	2481
Table Name: STATEFORM.oh_bh_admission	2481
Documentation for form: State_of_Illinois_DHS/DASA_Pharmacy_System	2504
Table Name: STATEFORM.illinois_pharmacy.....	2504
Documentation for form: PROS_Encounter_Form	2509
Table Name: STATEFORM.PROS_Audit_Program_Part	2509
Documentation for form: PROS_Encounter_Form	2513
Table Name: STATEFORM.PROS_Encounter_Prog_Part.....	2513
Documentation for form: PROS_Encounter_Form	2515
Table Name: STATEFORM.PROS_Program_Part_History	2515
Documentation for form: PROS_Compile/Post.....	2518
Table Name: STATEFORM.PROS_Compile_Data.....	2518

Documentation for form: PROS_Compile/Post.....	2522
Table Name: STATEFORM.pros_note_plan_reject_services	2522
Documentation for form: Indiana_MRO	2523
Table Name: STATEFORM.mro_file_record.....	2523
Documentation for form: Michigan_County_Bill.....	2526
Table Name: STATEFORM.mich_county_bill_census	2526
Documentation for form: Michigan_County_Bill.....	2529
Table Name: STATEFORM.mich_county_bill_detail	2529
Documentation for form: Michigan_County_Bill.....	2532
Table Name: STATEFORM.mich_county_bill_header.....	2532
Documentation for form: Michigan_County_Bill.....	2535
Table Name: STATEFORM.mich_county_bill_leaves	2535
Documentation for form: Michigan_County_Bill.....	2538
Table Name: STATEFORM.mich_county_bill_stmt.....	2538
Documentation for form: MA_Opiates_Client_Information	2541
Table Name: STATEFORM.ma_opiate_client.....	2541
Documentation for form: MA_Opiates_Client_Information	2543
Table Name: STATEFORM.ma_opiate_client_audit	2543
Documentation for form: CA_DCR_Results_File_Import.....	2546
Table Name: STATEFORM.ca_dcr_result_assessment	2546
Documentation for form: CA_DCR_Results_File_Import.....	2547
Table Name: STATEFORM.ca_dcr_result_error.....	2547
Documentation for form: CA_DCR_Results_File_Import.....	2548
Table Name: STATEFORM.ca_dcr_result_header.....	2548
Documentation for form: Kansas_AIMS_Compile	2549
Table Name: STATEFORM.ks_aims_compile_data	2549
Documentation for form: Kansas_AIMS_Compile	2550
Table Name: STATEFORM.ks_aims_compile_error	2550
Documentation for form: Kansas_AIMS_Compile	2551
Table Name: STATEFORM.ks_aims_compile_flag	2551
Documentation for form: Kansas_AIMS_Compile	2552
Table Name: STATEFORM.ks_aims_compile_header.....	2552
Documentation for form: Kansas_AIMS_Compile	2553

Table Name: STATEFORM.ks_aims_flag_data	2553
Documentation for form: Kansas_AIMS_Compile	2555
Table Name: STATEFORM.ks_aims_flag_data_diag	2555
Documentation for form: Kansas_AIMS_Compile	2555
Table Name: STATEFORM.ks_aims_save_flag_data	2555
Documentation for form: CIMOR_Historic_Data_Import	2556
Table Name: STATEFORM.mo_cimor_historic_file	2556
Documentation for form: CIMOR_Historic_Data_Import	2557
Table Name: STATEFORM.mo_cimor_historic_record	2557
Documentation for form: BHHF_File_Import	2559
Table Name: STATEFORM.wv_bhhf_file	2559
Documentation for form: BHHF_File_Import	2560
Table Name: STATEFORM.wv_bhhf_record	2560
Documentation for form: WaMS_Response_File_Report	2561
Table Name: STATEFORM.va_wams_outbound_file	2561
Documentation for form: WaMS_Response_File_Report	2563
Table Name: STATEFORM.va_wams_response_file	2563
Documentation for form: WaMS_Response_File_Report	2564
Table Name: STATEFORM.va_wams_response_file_detail	2564
Documentation for form: CMBHS_Response_File_Import	2564
Table Name: STATEFORM.tx_cmbhs_response_file	2564
Documentation for form: CMBHS_Response_File_Import	2565
Table Name: STATEFORM.tx_cmbhs_response_file_record	2565
Documentation for form: FSR_Demographic_File_Generation	2566
Table Name: STATEFORM.florida_fsr_dem_file_dump	2566
Documentation for form: FSR_Demographic_File_Generation	2568
Table Name: STATEFORM.florida_fsr_dem_file_hdr	2568
Documentation for form: FSR_Demographic_File_Generation	2570
Table Name: STATEFORM.florida_fsr_dem_file_rpt	2570
Documentation for form: Georgia_ASO_Response_File_Processing	2572
Table Name: STATEFORM.ga_aso_authorization	2572
Documentation for form: Georgia_ASO_Response_File_Processing	2576
Table Name: STATEFORM.ga_aso_authorization_accepted	2576

Documentation for form: Georgia_ASO_Response_File_Processing	2584
Table Name: STATEFORM.ga_aso_authorization_error	2584
Documentation for form: Georgia_ASO_Response_File_Processing	2589
Table Name: STATEFORM.ga_aso_authorization_initial	2589
Documentation for form: Georgia_ASO_Response_File_Processing	2597
Table Name: STATEFORM.ga_aso_authorization_pended	2597
Documentation for form: Georgia_ASO_Response_File_Processing	2601
Table Name: STATEFORM.ga_aso_authorization_rejected	2601
Documentation for form: Georgia_ASO_Response_File_Processing	2609
Table Name: STATEFORM.ga_aso_corrected_pended	2609
Documentation for form: Georgia_ASO_Response_File_Processing	2611
Table Name: STATEFORM.ga_aso_discharge	2611
Documentation for form: Georgia_ASO_Response_File_Processing	2654
Table Name: STATEFORM.ga_aso_discharge_accepted	2654
Documentation for form: Georgia_ASO_Response_File_Processing	2697
Table Name: STATEFORM.ga_aso_discharge_admin	2697
Documentation for form: Georgia_ASO_Response_File_Processing	2739
Table Name: STATEFORM.ga_aso_discharge_rejected	2739
Documentation for form: Georgia_ASO_Response_File_Processing	2783
Table Name: STATEFORM.ga_aso_error	2783
Documentation for form: Georgia_ASO_Response_File_Processing	2783
Table Name: STATEFORM.ga_aso_file	2783
Documentation for form: Georgia_ASO_Response_File_Processing	2785
Table Name: STATEFORM.ga_aso_record	2785
Documentation for form: Georgia_ASO_Response_File_Processing	2786
Table Name: STATEFORM.ga_aso_registration	2786
Documentation for form: Georgia_ASO_Response_File_Processing	2796
Table Name: STATEFORM.ga_aso_registration_accepted	2796
Documentation for form: Georgia_ASO_Response_File_Processing	2807
Table Name: STATEFORM.ga_aso_registration_pended	2807
Documentation for form: Georgia_ASO_Response_File_Processing	2818
Table Name: STATEFORM.ga_aso_registration_rejected	2818
Documentation for form: Maintain_Hospital_Bed_File	2828

Table Name: SYSTEM.table_bed	2828
Documentation for form: Advanced_Billing_Failed_Compliance_Report.....	2831
Table Name: SYSTEM.billing_tx_failed_compliance	2831
Documentation for form: CCBHC_PPS_Compile.....	2838
Table Name: SYSTEM.ccbhc_service_audit.....	2838
Documentation for form: Front_Desk.....	2841
Table Name: SYSTEM.AppointmentData	2841
Documentation for form: Front_Desk.....	2857
Table Name: SYSTEM.appt_data	2857
Documentation for form: Front_Desk.....	2873
Table Name: SYSTEM.check_in_clients.....	2873
Documentation for form: Front_Desk.....	2877
Table Name: SYSTEM.check_out_client_history.....	2877
Documentation for form: Front_Desk.....	2881
Table Name: SYSTEM.front_desk_payment_entry	2881
Documentation for form: Front_Desk.....	2883
Table Name: SYSTEM.site_specific_check_in.....	2883
Documentation for form: Front_Desk.....	2895
Table Name: SYSTEM.site_specific_check_out	2895
Documentation for form: Service_Fee/Cross_Reference_Maintenance	2907
Table Name: SYSTEM.billing_amt_dis_guar_prac.....	2907
Documentation for form: Service_Fee/Cross_Reference_Maintenance	2908
Table Name: SYSTEM.billing_max_lib_guar_prac.....	2908
Documentation for form: Service_Fee/Cross_Reference_Maintenance	2909
Table Name: SYSTEM.billing_tx_amt_to_dist_by_guar	2909
Documentation for form: Service_Fee/Cross_Reference_Maintenance	2910
Table Name: SYSTEM.billing_tx_fee_by_practitioner	2910
Documentation for form: Service_Fee/Cross_Reference_Maintenance	2912
Table Name: SYSTEM.billing_tx_master_fee_audit	2912
Documentation for form: Service_Fee/Cross_Reference_Maintenance	2920
Table Name: SYSTEM.billing_tx_master_fee_table	2920
Documentation for form: Service_Fee/Cross_Reference_Maintenance	2929
Table Name: SYSTEM.billing_tx_max_liab_by_guar	2929

Documentation for form: Service_Fee/Cross_Reference_Maintenance	2938
Table Name: SYSTEM.billing_tx_max_liab_by_guar_audit.....	2938
Documentation for form: Service_Fee/Cross_Reference_Maintenance	2948
Table Name: SYSTEM.billing_tx_xref_table	2948
Documentation for form: Delete_Service.....	2949
Table Name: SYSTEM.audit_deleted_treatment	2949
Documentation for form: Delete_Service_(Open_Service_Only).....	2950
Table Name: SYSTEM.audit_deleted_treatment	2950
Documentation for form: Change_MR#	2951
Table Name: SYSTEM.RADplus_change_id_calls	2951
Documentation for form: Change_MR#	2952
Table Name: SYSTEM.audit_deleted_treatment	2952
Documentation for form: Appointment_Move/Delete	2954
Table Name: SYSTEM.appt_move_delete	2954
Documentation for form: Client_Purge	2956
Table Name: SYSTEM.client_purge_detail	2956
Documentation for form: Client_Purge	2957
Table Name: SYSTEM.client_purge_error	2957
Documentation for form: Client_Purge	2957
Table Name: SYSTEM.client_purge_excluded	2957
Documentation for form: Client_Purge	2959
Table Name: SYSTEM.client_purge_hdr.....	2959
Documentation for form: Client_Purge	2961
Table Name: SYSTEM.client_purge_history	2961
Documentation for form: File_Import	2987
Table Name: CWSOrderEntry.file_import_order_code_setup	2987
Documentation for form: File_Import	3010
Table Name: SYSTEM.File_Import_Hospital_Bed	3010
Documentation for form: File_Import	3013
Table Name: SYSTEM.audit_outreach_client.....	3013
Documentation for form: File_Import	3030
Table Name: SYSTEM.file_import_ccbhc_pop	3030
Documentation for form: File_Import	3032

Table Name: SYSTEM.file_import_clm_adj_grp	3032
Documentation for form: File_Import	3035
Table Name: SYSTEM.file_import_clm_follow_up.....	3035
Documentation for form: File_Import	3037
Table Name: SYSTEM.file_import_diag_mapping.....	3037
Documentation for form: File_Import	3039
Table Name: SYSTEM.file_import_diagnosis_codes	3039
Documentation for form: File_Import	3040
Table Name: SYSTEM.file_import_drg_weights.....	3040
Documentation for form: File_Import	3041
Table Name: SYSTEM.file_import_error	3041
Documentation for form: File_Import	3043
Table Name: SYSTEM.file_import_flowsheet_map	3043
Documentation for form: File_Import	3044
Table Name: SYSTEM.file_import_gpbdt	3044
Documentation for form: File_Import	3046
Table Name: SYSTEM.file_import_gpbdt_i837	3046
Documentation for form: File_Import	3085
Table Name: SYSTEM.file_import_gpbdt_p837.....	3085
Documentation for form: File_Import	3120
Table Name: SYSTEM.file_import_gpbdt_paperhcfa.....	3120
Documentation for form: File_Import	3133
Table Name: SYSTEM.file_import_gpbdt_paperub04	3133
Documentation for form: File_Import	3145
Table Name: SYSTEM.file_import_grp_home_dly	3145
Documentation for form: File_Import	3147
Table Name: SYSTEM.file_import_grp_home_log.....	3147
Documentation for form: File_Import	3149
Table Name: SYSTEM.file_import_grp_home_r_b	3149
Documentation for form: File_Import	3150
Table Name: SYSTEM.file_import_pay_adj.....	3150
Documentation for form: File_Import	3154
Table Name: SYSTEM.file_import_pay_auths.....	3154

Documentation for form: File_Import	3157
Table Name: SYSTEM.file_import_pcp_def	3157
Documentation for form: File_Import	3159
Table Name: SYSTEM.file_import_pcp_def_site.....	3159
Documentation for form: File_Import	3162
Table Name: SYSTEM.file_import_prog_maint.....	3162
Documentation for form: File_Import	3180
Table Name: SYSTEM.file_import_staff_prov_num_dates	3180
Documentation for form: File_Import	3188
Table Name: SYSTEM.file_import_svc_fee.....	3188
Documentation for form: File_Import	3196
Table Name: SYSTEM.file_import_svc_max_liab.....	3196
Documentation for form: File_Import	3204
Table Name: SYSTEM.outreach_client	3204
Documentation for form: File_Import	3222
Table Name: SYSTEM.table_cda_loinc.....	3222
Documentation for form: File_Import	3228
Table Name: SYSTEM.table_drg_weights.....	3228
Documentation for form: Process_Internal_Referrals.....	3229
Table Name: SYSTEM.internal_referral_proc.....	3229
Documentation for form: Internal_Referral_Waitlist	3231
Table Name: SYSTEM.internal_referral_waitlst	3231
Documentation for form: Internal_Client_Referrals.....	3235
Table Name: SYSTEM.internal_client_referrals.....	3235
Documentation for form: Client_Merge	3238
Table Name: SYSTEM.audit_deleted_treatment	3238
Documentation for form: Client_Merge	3239
Table Name: SYSTEM.program_active_clients.....	3239
Documentation for form: Compile/Edit/Post/Unpost_Roll-Up_Services_Worklist.....	3240
Table Name: SYSTEM.rollup_compile_errors.....	3240
Documentation for form: Compile/Edit/Post/Unpost_Roll-Up_Services_Worklist.....	3241
Table Name: SYSTEM.rollup_services_adj	3241
Documentation for form: Compile/Edit/Post/Unpost_Roll-Up_Services_Worklist.....	3243

Table Name: SYSTEM.rollup_services_unpost	3243
Documentation for form: Compile/Edit/Post/Unpost_Roll-Up_Services_Worklist	3246
Table Name: SYSTEM.rollup_services_worklist	3246
Documentation for form: Compile/Edit/Post/Unpost_Roll-Up_Services_Worklist	3253
Table Name: SYSTEM.rollup_unpost_errors	3253
Documentation for form: Compile/Edit/Post/Unpost_Roll-Up_Services_Worklist	3255
Table Name: SYSTEM.staff_tx_history	3255
Documentation for form: Group_Ratio_Roll-Up_Daily_Reconciliation_Report	3263
Table Name: SYSTEM.rollup_group_ratio_report	3263
Documentation for form: Spreadsheet_Charge_Input	3269
Table Name: SYSTEM.billing_episode_totals	3269
Documentation for form: Spreadsheet_Charge_Input	3271
Table Name: SYSTEM.billing_tx_charge_detail	3271
Documentation for form: Spreadsheet_Charge_Input	3276
Table Name: SYSTEM.billing_tx_charge_totals	3276
Documentation for form: Spreadsheet_Charge_Input	3279
Table Name: SYSTEM.billing_tx_history	3279
Documentation for form: Spreadsheet_Edit_Service_Information	3298
Table Name: SYSTEM.billing_episode_totals	3298
Documentation for form: Spreadsheet_Edit_Service_Information	3300
Table Name: SYSTEM.billing_tx_charge_detail	3300
Documentation for form: Spreadsheet_Edit_Service_Information	3305
Table Name: SYSTEM.billing_tx_charge_totals	3305
Documentation for form: Spreadsheet_Edit_Service_Information	3308
Table Name: SYSTEM.billing_tx_history	3308
Documentation for form: Spreadsheet_Edit_Service_Information	3327
Table Name: SYSTEM.staff_tx_history	3327
Documentation for form: Submitter_Identification_Definition	3335
Table Name: SYSTEM.table_submitter_id_def	3335
Documentation for form: CareConnect_HIE_Configuration	3339
Table Name: SYSTEM.care_quality_config	3339
Documentation for form: CareConnect_HIE_Configuration	3342
Table Name: SYSTEM.care_quality_config_orgs	3342

Documentation for form: CareConnect_HIE_Configuration.....	3342
Table Name: SYSTEM.ccd_upload_audit.....	3342
Documentation for form: CareConnect_HIE_Configuration.....	3343
Table Name: SYSTEM.ccd_upload_config.....	3343
Documentation for form: CareConnect_HIE_Configuration.....	3346
Table Name: SYSTEM.ccd_upload_queue.....	3346
Documentation for form: Payment_Acknowledgement.....	3347
Table Name: SYSTEM.audit_payment_acknowledge.....	3347
Documentation for form: Payment_Acknowledgement.....	3350
Table Name: SYSTEM.pay_ack_post_pay_acc_ent.....	3350
Documentation for form: Payment_Acknowledgement.....	3353
Table Name: SYSTEM.payment_acknowledgement	3353
Documentation for form: CCBHC_Population_Maintenance	3356
Table Name: SYSTEM.audit_ccbhc_population	3356
Documentation for form: CCBHC_Population_Maintenance	3360
Table Name: SYSTEM.ccbhc_population_history.....	3360
Documentation for form: PCP_Communication_Configuration	3363
Table Name: SYSTEM.audit_pcp_communications.....	3363
Documentation for form: PCP_Communication_Configuration	3366
Table Name: SYSTEM.pcp_comm_config.....	3366
Documentation for form: PCP_Communication_Configuration	3368
Table Name: SYSTEM.pcp_communications.....	3368
Documentation for form: Program_PCP_Communication_Preferences	3372
Table Name: SYSTEM.audit_pcp_communications.....	3372
Documentation for form: Program_PCP_Communication_Preferences	3376
Table Name: SYSTEM.audit_pcp_program_pref.....	3376
Documentation for form: Program_PCP_Communication_Preferences	3378
Table Name: SYSTEM.pcp_communications.....	3378
Documentation for form: Program_PCP_Communication_Preferences	3382
Table Name: SYSTEM.pcp_program_pref	3382
Documentation for form: PCP_Definition_And_Communication_Preferences.....	3384
Table Name: SYSTEM.audit_pcp_communications.....	3384
Documentation for form: PCP_Definition_And_Communication_Preferences.....	3388

Table Name: SYSTEM.audit_pcp_def_sites.....	3388
Documentation for form: PCP_Definition_And_Communication_Preferences.....	3392
Table Name: SYSTEM.audit_pcp_definition.....	3392
Documentation for form: PCP_Definition_And_Communication_Preferences.....	3395
Table Name: SYSTEM.pcp_communications.....	3395
Documentation for form: PCP_Definition_And_Communication_Preferences.....	3398
Table Name: SYSTEM.pcp_definition.....	3398
Documentation for form: PCP_Definition_And_Communication_Preferences.....	3401
Table Name: SYSTEM.pcp_definition_sites.....	3401
Documentation for form: PCP_Communication_-_Manual_Mail_Queue.....	3405
Table Name: SYSTEM.audit_pcp_communications.....	3405
Documentation for form: PCP_Communication_-_Manual_Mail_Queue.....	3409
Table Name: SYSTEM.pcp_communications.....	3409
Documentation for form: PCP_Communication_-_Error_Processing_Queue.....	3413
Table Name: SYSTEM.audit_pcp_communications.....	3413
Documentation for form: PCP_Communication_-_Error_Processing_Queue.....	3416
Table Name: SYSTEM.pcp_communications.....	3416
Documentation for form: Patient_Health_Profile.....	3420
Table Name: SYSTEM.php_data.....	3420
Documentation for form: Patient_Health_Profile.....	3422
Table Name: SYSTEM.php_data_submitted.....	3422
Documentation for form: Patient_Health_Profile.....	3424
Table Name: SYSTEM.php_data_submitted_audit.....	3424
Documentation for form: Patient_Health_Profile.....	3426
Table Name: SYSTEM.php_inpatient_stays.....	3426
Documentation for form: Patient_Health_Profile.....	3427
Table Name: SYSTEM.php_lab_data.....	3427
Documentation for form: Patient_Health_Profile.....	3428
Table Name: SYSTEM.php_medications.....	3428
Documentation for form: Patient_Health_Profile.....	3429
Table Name: SYSTEM.php_meds_submitted.....	3429
Documentation for form: Patient_Health_Profile.....	3432
Table Name: SYSTEM.php_meds_submitted_audit.....	3432

Documentation for form: Patient_Health_Profile	3434
Table Name: SYSTEM.php_open_care_gaps.....	3434
Documentation for form: Patient_Health_Profile	3435
Table Name: SYSTEM.php_physician_consult.....	3435
Documentation for form: Patient_Health_Profile	3436
Table Name: SYSTEM.php_problem_data	3436
Documentation for form: Patient_Health_Profile	3437
Table Name: SYSTEM.php_probs_submitted.....	3437
Documentation for form: Patient_Health_Profile	3440
Table Name: SYSTEM.php_probs_submitted_audit	3440
Documentation for form: Allergies_and_Hypersensitivities.....	3443
Table Name: SYSTEM.cw_client_allergies_review.....	3443
Documentation for form: Allergies_and_Hypersensitivities.....	3444
Table Name: SYSTEM.cw_client_clinical_info.....	3444
Documentation for form: Allergies_and_Hypersensitivities.....	3447
Table Name: SYSTEM.cw_client_clinical_info_audit.....	3447
Documentation for form: Allergies_and_Hypersensitivities.....	3450
Table Name: SYSTEM.cw_hist_client_allergies.....	3450
Documentation for form: Family_Health_History	3455
Table Name: SYSTEM.family_health_history	3455
Documentation for form: Family_Health_History	3460
Table Name: SYSTEM.family_health_problems	3460
Documentation for form: Vitals_Entry.....	3465
Table Name: OrderEntry.history_client_height_weight	3465
Documentation for form: Vitals_Entry.....	3469
Table Name: SYSTEM.cw_vital_signs	3469
Documentation for form: Vitals_Entry.....	3473
Table Name: SYSTEM.cw_vitals_single_row_view.....	3473
Documentation for form: Hospitalizations_and_Surgeries	3479
Table Name: SYSTEM.hospital_surgery.....	3479
Documentation for form: Problem_List.....	3482
Table Name: SYSTEM.cw_problem_list.....	3482
Documentation for form: Problem_List.....	3488

Table Name: SYSTEM.cw_problem_list_history	3488
Documentation for form: Treatment/Discharge_Summary.....	3490
Table Name: SYSTEM.tx_disch_summary	3490
Documentation for form: Significant_Findings	3497
Table Name: SYSTEM.significant_finding	3497
Documentation for form: Significant_Findings	3500
Table Name: SYSTEM.significant_finding_comm.....	3500
Documentation for form: Significant_Findings	3504
Table Name: SYSTEM.significant_finding_note	3504
Documentation for form: Treatment_Plan_Deletion.....	3506
Table Name: SYSTEM.cw_tp_delete	3506
Documentation for form: Review/Co-Sign_Notes	3509
Table Name: SYSTEM.cw_csign_notes_voided.....	3509
Documentation for form: Client_Observation	3513
Table Name: SYSTEM.cw_observation_details	3513
Documentation for form: Client_Observation	3518
Table Name: SYSTEM.cw_observation_details_archive.....	3518
Documentation for form: Enter_Group_Default_Note.....	3523
Table Name: SYSTEM.cw_scratch_notes	3523
Documentation for form: Mental_Status_Assessment	3527
Table Name: SYSTEM.cw_mental_status_assessment	3527
Documentation for form: Patient_Health_Questionnaire-2.....	3551
Table Name: SYSTEM.cw_phq2_assessment	3551
Documentation for form: Patient_Health_Questionnaire-A	3553
Table Name: SYSTEM.cw_phqa_assessment	3553
Documentation for form: Enter_Group_Default_Note_(Workflow)	3565
Table Name: SYSTEM.cw_group_notes	3565
Documentation for form: Enter_Group_Default_Note_(Workflow)	3571
Table Name: SYSTEM.cw_scratch_notes	3571
Documentation for form: Edit_Group_Note_for_Individual_(Workflow)	3575
Table Name: SYSTEM.cw_group_notes	3575
Documentation for form: Review/Co-Sign_Notes_(Workflow)	3581
Table Name: SYSTEM.cw_csign_notes_voided.....	3581

Documentation for form: Review/Co-Sign_Notes_(Workflow)	3585
Table Name: SYSTEM.cw_notes_review_and_cosign	3585
Documentation for form: Clinical_Pathway_Enrollment	3588
Table Name: SYSTEM.Clinical_Pathway_Enrollments	3588
Documentation for form: Clinical_Pathway_Disenrollment	3591
Table Name: SYSTEM.Clinical_Pathway_Enrollments	3591
Documentation for form: Columbia_Suicide_Risk_Assessment.....	3593
Table Name: SYSTEM.Columbia_Assessment	3593
Documentation for form: Columbia_SRA_Since_Last_Visit	3604
Table Name: SYSTEM.Columbia_Last_Visit_Assessment.....	3604
Documentation for form: Treatment_Plan	3610
Table Name: SYSTEM.tx_plan.....	3610
Documentation for form: Treatment_Plan	3615
Table Name: SYSTEM.tx_plan_level_of_care	3615
Documentation for form: Treatment_Plan	3616
Table Name: SYSTEM.tx_plan_recovery_plan.....	3616
Documentation for form: Treatment_Plan	3618
Table Name: SYSTEM.tx_plan_todos	3618
Documentation for form: Treatment_Plan_-_Goals	3619
Table Name: SYSTEM.tx_plan_int_ss	3619
Documentation for form: Inpatient_Progress_Notes	3635
Table Name: CWSTEMP.cw_patient_notes.....	3635
Documentation for form: Inpatient_Progress_Notes	3664
Table Name: CWSTEMP.cw_patient_notes_supp	3664
Documentation for form: Inpatient_Progress_Notes	3695
Table Name: CWSTEMP.cw_patient_notes_supp_1	3695
Documentation for form: Inpatient_Progress_Notes	3727
Table Name: CWSTEMP.cw_patient_notes_supp_2	3727
Documentation for form: Inpatient_Progress_Notes	3737
Table Name: CWSTEMP.cw_patient_notes_supp_3	3737
Documentation for form: Inpatient_Progress_Notes	3762
Table Name: CWSTEMP.cw_patient_notes_supp_4	3762
Documentation for form: Inpatient_Progress_Notes	3797

Table Name: CWSTEMP.cw_patient_notes_supp_5	3797
Documentation for form: Inpatient_Progress_Notes	3833
Table Name: CWSTEMP.cw_patient_notes_supp_6	3833
Documentation for form: Inpatient_Progress_Notes	3845
Table Name: SYSTEM.cw_notes_voided	3845
Documentation for form: Inpatient_Progress_Notes	3868
Table Name: SYSTEM.cw_patient_notes	3868
Documentation for form: Inpatient_Progress_Notes	3898
Table Name: SYSTEM.cw_patient_notes_supp.....	3898
Documentation for form: Inpatient_Progress_Notes	3929
Table Name: SYSTEM.cw_patient_notes_supp_1.....	3929
Documentation for form: Inpatient_Progress_Notes	3961
Table Name: SYSTEM.cw_patient_notes_supp_2.....	3961
Documentation for form: Inpatient_Progress_Notes	3971
Table Name: SYSTEM.cw_patient_notes_supp_3.....	3971
Documentation for form: Inpatient_Progress_Notes	3995
Table Name: SYSTEM.cw_patient_notes_supp_4.....	3995
Documentation for form: Inpatient_Progress_Notes	4030
Table Name: SYSTEM.cw_patient_notes_supp_5.....	4030
Documentation for form: Inpatient_Progress_Notes	4066
Table Name: SYSTEM.cw_patient_notes_supp_6.....	4066
Documentation for form: Inpatient_Progress_Notes	4079
Table Name: SYSTEM.cw_patient_notes_tpnnotes	4079
Documentation for form: Ambulatory_Progress_Notes.....	4080
Table Name: CWSTEMP.cw_patient_notes.....	4080
Documentation for form: Ambulatory_Progress_Notes.....	4109
Table Name: CWSTEMP.cw_patient_notes_supp	4109
Documentation for form: Ambulatory_Progress_Notes.....	4141
Table Name: CWSTEMP.cw_patient_notes_supp_1	4141
Documentation for form: Ambulatory_Progress_Notes.....	4173
Table Name: CWSTEMP.cw_patient_notes_supp_2	4173
Documentation for form: Ambulatory_Progress_Notes.....	4183
Table Name: CWSTEMP.cw_patient_notes_supp_3	4183

Documentation for form: Ambulatory_Progress_Notes.....	4207
Table Name: CWSTEMP.cw_patient_notes_supp_4	4207
Documentation for form: Ambulatory_Progress_Notes.....	4243
Table Name: CWSTEMP.cw_patient_notes_supp_5	4243
Documentation for form: Ambulatory_Progress_Notes.....	4278
Table Name: CWSTEMP.cw_patient_notes_supp_6	4278
Documentation for form: Ambulatory_Progress_Notes.....	4291
Table Name: SYSTEM.cw_notes_voided	4291
Documentation for form: Ambulatory_Progress_Notes.....	4314
Table Name: SYSTEM.cw_patient_notes	4314
Documentation for form: Ambulatory_Progress_Notes.....	4343
Table Name: SYSTEM.cw_patient_notes_supp.....	4343
Documentation for form: Ambulatory_Progress_Notes.....	4375
Table Name: SYSTEM.cw_patient_notes_supp_1.....	4375
Documentation for form: Ambulatory_Progress_Notes.....	4407
Table Name: SYSTEM.cw_patient_notes_supp_2.....	4407
Documentation for form: Ambulatory_Progress_Notes.....	4416
Table Name: SYSTEM.cw_patient_notes_supp_3.....	4416
Documentation for form: Ambulatory_Progress_Notes.....	4441
Table Name: SYSTEM.cw_patient_notes_supp_4.....	4441
Documentation for form: Ambulatory_Progress_Notes.....	4476
Table Name: SYSTEM.cw_patient_notes_supp_5.....	4476
Documentation for form: Ambulatory_Progress_Notes.....	4512
Table Name: SYSTEM.cw_patient_notes_supp_6.....	4512
Documentation for form: Ambulatory_Progress_Notes.....	4525
Table Name: SYSTEM.cw_patient_notes_tpnotes	4525
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry).....	4526
Table Name: CWSTEMP.cw_patient_notes.....	4526
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry).....	4555
Table Name: CWSTEMP.cw_patient_notes_supp	4555
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry).....	4587
Table Name: CWSTEMP.cw_patient_notes_supp_1	4587
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry).....	4619

Table Name: CWSTEMP.cw_patient_notes_supp_2	4619
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4629
Table Name: CWSTEMP.cw_patient_notes_supp_3	4629
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4653
Table Name: CWSTEMP.cw_patient_notes_supp_4	4653
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4688
Table Name: CWSTEMP.cw_patient_notes_supp_5	4688
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4724
Table Name: CWSTEMP.cw_patient_notes_supp_6	4724
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4737
Table Name: SYSTEM.cw_notes_voided	4737
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4760
Table Name: SYSTEM.cw_patient_notes	4760
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4789
Table Name: SYSTEM.cw_patient_notes_supp	4789
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4821
Table Name: SYSTEM.cw_patient_notes_supp_1	4821
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4853
Table Name: SYSTEM.cw_patient_notes_supp_2	4853
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4862
Table Name: SYSTEM.cw_patient_notes_supp_3	4862
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4887
Table Name: SYSTEM.cw_patient_notes_supp_4	4887
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4922
Table Name: SYSTEM.cw_patient_notes_supp_5	4922
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4958
Table Name: SYSTEM.cw_patient_notes_supp_6	4958
Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)	4971
Table Name: SYSTEM.cw_patient_notes_tpnotes	4971
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	4972
Table Name: CWSTEMP.cw_patient_notes	4972
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5001
Table Name: CWSTEMP.cw_patient_notes_supp	5001

Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5033
Table Name: CWSTEMP.cw_patient_notes_supp_1	5033
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5065
Table Name: CWSTEMP.cw_patient_notes_supp_2	5065
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5075
Table Name: CWSTEMP.cw_patient_notes_supp_3	5075
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5099
Table Name: CWSTEMP.cw_patient_notes_supp_4	5099
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5135
Table Name: CWSTEMP.cw_patient_notes_supp_5	5135
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5170
Table Name: CWSTEMP.cw_patient_notes_supp_6	5170
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5183
Table Name: SYSTEM.cw_notes_voided	5183
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5206
Table Name: SYSTEM.cw_patient_notes	5206
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5236
Table Name: SYSTEM.cw_patient_notes_supp.....	5236
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5267
Table Name: SYSTEM.cw_patient_notes_supp_1.....	5267
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5299
Table Name: SYSTEM.cw_patient_notes_supp_2.....	5299
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5309
Table Name: SYSTEM.cw_patient_notes_supp_3.....	5309
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5333
Table Name: SYSTEM.cw_patient_notes_supp_4.....	5333
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5369
Table Name: SYSTEM.cw_patient_notes_supp_5.....	5369
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5404
Table Name: SYSTEM.cw_patient_notes_supp_6.....	5404
Documentation for form: Ambulatory_Progress_Notes_(Diagnosis_Entry)	5418
Table Name: SYSTEM.cw_patient_notes_tpnotes	5418
Documentation for form: Amputations	5419

Table Name: SYSTEM.amputations	5419
Documentation for form: Amputations	5421
Table Name: SYSTEM.amputations_delete	5421
Documentation for form: Amputations	5424
Table Name: SYSTEM.amputations_update	5424
Documentation for form: Medication_Reconciliation_(2011_Edition)	5426
Table Name: SYSTEM.cw_med_reconciliation_med	5426
Documentation for form: Medication_Reconciliation_(2011_Edition)	5430
Table Name: SYSTEM.site_specific_med_rec	5430
Documentation for form: Clinical_Reconciliation	5436
Table Name: SYSTEM.ccd_tempstorage	5436
Documentation for form: Clinical_Reconciliation	5439
Table Name: SYSTEM.ccd_tempstorage_allergy	5439
Documentation for form: Clinical_Reconciliation	5442
Table Name: SYSTEM.ccd_tempstorage_medication	5442
Documentation for form: Clinical_Reconciliation	5446
Table Name: SYSTEM.ccd_tempstorage_problem	5446
Documentation for form: Clinical_Reconciliation	5449
Table Name: SYSTEM.cw_client_clinical_info	5449
Documentation for form: Clinical_Reconciliation	5452
Table Name: SYSTEM.cw_client_clinical_info_audit	5452
Documentation for form: Clinical_Reconciliation	5454
Table Name: SYSTEM.cw_client_medications	5454
Documentation for form: Clinical_Reconciliation	5456
Table Name: SYSTEM.cw_clinical_reconciliation	5456
Documentation for form: Clinical_Reconciliation	5458
Table Name: SYSTEM.cw_clinical_reconciliation_detail	5458
Documentation for form: Clinical_Reconciliation	5460
Table Name: SYSTEM.cw_home_medication_list	5460
Documentation for form: NEW_Clinical_Reconciliation	5465
Table Name: SYSTEM.cw_clinical_reconciliation	5465
Documentation for form: Assessment_Problem_Planning	5467
Table Name: SYSTEM.cw_assess_prob_plan_detail	5467

Documentation for form: Assessment_Problem_Planning	5470
Table Name: SYSTEM.cw_assess_prob_plan_hdr.....	5470
Documentation for form: Child_and_Adolescent_Needs_and_Strengths	5471
Table Name: SYSTEM.cw_cans_assessment	5471
Documentation for form: Progress_Notes_(Group_and_Individual)	5483
Table Name: CWSTEMP.cw_patient_notes.....	5483
Documentation for form: Progress_Notes_(Group_and_Individual)	5512
Table Name: CWSTEMP.cw_patient_notes_supp	5512
Documentation for form: Progress_Notes_(Group_and_Individual)	5543
Table Name: CWSTEMP.cw_patient_notes_supp_1	5543
Documentation for form: Progress_Notes_(Group_and_Individual)	5575
Table Name: CWSTEMP.cw_patient_notes_supp_2	5575
Documentation for form: Progress_Notes_(Group_and_Individual)	5585
Table Name: CWSTEMP.cw_patient_notes_supp_3	5585
Documentation for form: Progress_Notes_(Group_and_Individual)	5610
Table Name: CWSTEMP.cw_patient_notes_supp_4	5610
Documentation for form: Progress_Notes_(Group_and_Individual)	5645
Table Name: CWSTEMP.cw_patient_notes_supp_5	5645
Documentation for form: Progress_Notes_(Group_and_Individual)	5681
Table Name: CWSTEMP.cw_patient_notes_supp_6	5681
Documentation for form: Progress_Notes_(Group_and_Individual)	5693
Table Name: SYSTEM.cw_group_notes	5693
Documentation for form: Progress_Notes_(Group_and_Individual)	5699
Table Name: SYSTEM.cw_note_to_do	5699
Documentation for form: Progress_Notes_(Group_and_Individual)	5700
Table Name: SYSTEM.cw_note_todo_link	5700
Documentation for form: Progress_Notes_(Group_and_Individual)	5701
Table Name: SYSTEM.cw_patient_notes	5701
Documentation for form: Progress_Notes_(Group_and_Individual)	5730
Table Name: SYSTEM.cw_patient_notes_supp.....	5730
Documentation for form: Progress_Notes_(Group_and_Individual)	5762
Table Name: SYSTEM.cw_patient_notes_supp_1.....	5762
Documentation for form: Progress_Notes_(Group_and_Individual)	5793

Table Name: SYSTEM.cw_patient_notes_supp_2.....	5793
Documentation for form: Progress_Notes_(Group_and_Individual)	5803
Table Name: SYSTEM.cw_patient_notes_supp_3.....	5803
Documentation for form: Progress_Notes_(Group_and_Individual)	5827
Table Name: SYSTEM.cw_patient_notes_supp_4.....	5827
Documentation for form: Progress_Notes_(Group_and_Individual)	5863
Table Name: SYSTEM.cw_patient_notes_supp_5.....	5863
Documentation for form: Progress_Notes_(Group_and_Individual)	5899
Table Name: SYSTEM.cw_patient_notes_supp_6.....	5899
Documentation for form: Progress_Notes_(Group_and_Individual)	5912
Table Name: SYSTEM.cw_patient_notes_tpnotes	5912
Documentation for form: Progress_Notes_(Group_and_Individual)	5913
Table Name: SYSTEM.cw_scratch_notes	5913
Documentation for form: MH_Outcomes.....	5917
Table Name: CWSF.florida_fsr_mh_outcomes.....	5917
Documentation for form: Task_Definitions.....	5928
Table Name: SYSTEM.task	5928
Documentation for form: Task_Definitions.....	5935
Table Name: SYSTEM.task_definitions	5935
Documentation for form: Task_Definitions.....	5939
Table Name: SYSTEM.task_definitions_audit.....	5939
Documentation for form: Task_Definitions.....	5942
Table Name: SYSTEM.task_event	5942
Documentation for form: Void_Progress_Notes.....	5947
Table Name: SYSTEM.cw_append_notes_voided.....	5947
Documentation for form: Void_Progress_Notes.....	5950
Table Name: SYSTEM.cw_notes_voided	5950
Documentation for form: Void_Progress_Notes.....	5973
Table Name: SYSTEM.cw_patient_not_void_sup_4	5973
Documentation for form: Void_Progress_Notes.....	6009
Table Name: SYSTEM.cw_patient_not_void_sup_5	6009
Documentation for form: Void_Progress_Notes.....	6044
Table Name: SYSTEM.cw_patient_not_void_sup_6	6044

Documentation for form: Void_Progress_Notes.....	6058
Table Name: SYSTEM.cw_patient_notes_voided_supp.....	6058
Documentation for form: Void_Progress_Notes.....	6089
Table Name: SYSTEM.cw_patient_notes_voided_supp_1.....	6089
Documentation for form: Void_Progress_Notes.....	6121
Table Name: SYSTEM.cw_patient_notes_voided_supp_2.....	6121
Documentation for form: Void_Progress_Notes.....	6131
Table Name: SYSTEM.cw_patient_notes_voided_supp_3.....	6131
Documentation for form: Progress_Note_Corrections.....	6156
Table Name: SYSTEM.Progress_Note_Corrections	6156
Documentation for form: CWS_Vital_Signs	6158
Table Name: SYSTEM.cw_voided_vital_signs	6158
Documentation for form: Site_Specific_CWS_Vital_Signs.....	6162
Table Name: SYSTEM.cw_vital_signs	6162
Documentation for form: Site_Specific_CWS_Vital_Signs.....	6166
Table Name: SYSTEM.cw_vitals_single_row_view.....	6166
Documentation for form: Import_Clinical_Information	6172
Table Name: SYSTEM.ccd_tempstorage.....	6172
Documentation for form: Import_Clinical_Information	6176
Table Name: SYSTEM.ccd_tempstorage_allergy.....	6176
Documentation for form: Import_Clinical_Information	6179
Table Name: SYSTEM.ccd_tempstorage_medication	6179
Documentation for form: Import_Clinical_Information	6182
Table Name: SYSTEM.ccd_tempstorage_problem.....	6182
Documentation for form: CCD_Scheduling_Definition.....	6185
Table Name: SYSTEM.ccd_export_log.....	6185
Documentation for form: CCD_Scheduling_Definition.....	6187
Table Name: SYSTEM.ccd_scheduling_definition	6187
Documentation for form: Independent_Group_Progress_Notes.....	6189
Table Name: SYSTEM.cw_group_notes	6189
Documentation for form: Implantable_Device_List	6195
Table Name: SYSTEM.cw_implantable_device	6195
Documentation for form: Product_Final_to_Draft_Override	6199

Table Name: SYSTEM.cw_prod_final_to_draft_ov	6199
Documentation for form: Health_Maintenance_Guideline_Definition_-_Custom	6200
Table Name: SYSTEM.cw_immunization_cust_def	6200
Documentation for form: Health_Maintenance_Guideline_Definition_-_Custom	6205
Table Name: SYSTEM.cw_wellness_cust_def	6205
Documentation for form: Client_Health_Maintenance.....	6209
Table Name: SYSTEM.audit_alerts_immunization.....	6209
Documentation for form: Client_Health_Maintenance.....	6213
Table Name: SYSTEM.audit_alerts_wellness	6213
Documentation for form: Client_Health_Maintenance.....	6216
Table Name: SYSTEM.cw_hm_alerts_immunization	6216
Documentation for form: Client_Health_Maintenance.....	6219
Table Name: SYSTEM.cw_hm_alerts_wellness.....	6219
Documentation for form: Client_Health_Maintenance.....	6222
Table Name: SYSTEM.cw_immunization_history.....	6222
Documentation for form: Client_Health_Maintenance.....	6229
Table Name: SYSTEM.cw_wellness_history	6229
Documentation for form: Non-Administered_Treatment.....	6232
Table Name: SYSTEM.non_administered_treatment	6232
Documentation for form: Nursing_Caseload_Assignment	6234
Table Name: SYSTEM.cw_nursing_caseload.....	6234
Documentation for form: Export_Health_Information.....	6236
Table Name: SYSTEM.health_info_export_log.....	6236
Documentation for form: Client_List/Reminder_List.....	6238
Table Name: SYSTEM.client_reminder_list.....	6238
Documentation for form: Avatar_eMAR.....	6241
Table Name: eMAR.eMAR_addl_admin_data	6241
Documentation for form: Avatar_eMAR.....	6243
Table Name: eMAR.eMAR_clinical_parameters	6243
Documentation for form: Avatar_eMAR.....	6244
Table Name: eMAR.eMAR_followup_reminders.....	6244
Documentation for form: Avatar_eMAR.....	6247
Table Name: eMAR.eMAR_hrs_of_admin_hist	6247

Documentation for form: Avatar_eMAR.....	6249
Table Name: eMAR.specimen_data.....	6249
Documentation for form: Final_to_Draft_Override.....	6251
Table Name: SYSTEM.cw_pn_override	6251
Documentation for form: Client_Profile/_Physicians_Orders	6254
Table Name: OrderEntry.history_client_order.....	6254
Documentation for form: Client_Profile/_Physicians_Orders	6298
Table Name: OrderEntry.history_client_order_lab.....	6298
Documentation for form: Client_Profile/_Physicians_Orders	6300
Table Name: OrderEntry.history_client_order_renew	6300
Documentation for form: Client_Profile/_Physicians_Orders	6304
Table Name: OrderEntry.history_log_warn_clinical	6304
Documentation for form: Client_Profile/_Physicians_Orders	6306
Table Name: OrderEntry.history_log_warn_consent.....	6306
Documentation for form: Client_Profile/_Physicians_Orders	6308
Table Name: OrderEntry.history_log_warn_dose.....	6308
Documentation for form: Client_Profile/_Physicians_Orders	6310
Table Name: OrderEntry.history_log_warn_ing_dup	6310
Documentation for form: Client_Profile/_Physicians_Orders	6312
Table Name: OrderEntry.history_log_warn_ther_dup	6312
Documentation for form: Client_Profile/_Physicians_Orders	6314
Table Name: OrderEntry.history_order_alert	6314
Documentation for form: Client_Profile/_Physicians_Orders	6317
Table Name: OrderEntry.hx_order_iv	6317
Documentation for form: Client_Profile/_Physicians_Orders	6321
Table Name: OrderEntry.hx_order_vent_mode	6321
Documentation for form: Client_Profile/_Physicians_Orders	6321
Table Name: OrderEntry.hx_order_vent_settings	6321
Documentation for form: Client_Profile/_Physicians_Orders	6322
Table Name: OrderEntry.hx_order_wound.....	6322
Documentation for form: Client_Profile/_Physicians_Orders	6323
Table Name: OrderEntry.order_entry_cs_utilities.....	6323
Documentation for form: Client_Profile/_Physicians_Orders	6348

Table Name: OrderEntry.order_mesg_status	6348
Documentation for form: Client_Profile/_Physicians_Orders	6349
Table Name: OrderEntry.order_var_dose_data.....	6349
Documentation for form: Client_Profile/_Physicians_Orders	6350
Table Name: OrderEntry.recurring_order_nums	6350
Documentation for form: Renew/Validate_Orders.....	6351
Table Name: OrderEntry.history_client_order_renew	6351
Documentation for form: Renew/Validate_Orders.....	6355
Table Name: OrderEntry.order_entry_cs_utilities	6355
Documentation for form: Medication_Regimen_Review	6380
Table Name: OrderEntry.med_regimen_review	6380
Documentation for form: Medication_Regimen_Review	6382
Table Name: OrderEntry.med_regimen_review_detail	6382
Documentation for form: Order_Consent	6416
Table Name: OrderEntry.aoe_answers	6416
Documentation for form: Order_Consent	6417
Table Name: OrderEntry.consent.....	6417
Documentation for form: Order_Consent	6419
Table Name: OrderEntry.user_def_aoe_answers	6419
Documentation for form: Order_Fulfillment	6421
Table Name: OrderEntry.fulfillment_status	6421
Documentation for form: Order_Entry_Forms_Printing	6423
Table Name: OrderEntry.temp_history_client_order	6423
Documentation for form: Results_Reconciliation.....	6459
Table Name: SYSTEM.results_msg_assignment.....	6459
Documentation for form: Results_Document_Upload	6461
Table Name: SYSTEM.results_detail.....	6461
Documentation for form: Results_Document_Upload	6472
Table Name: SYSTEM.results_header	6472
Documentation for form: Results_Document_Upload	6491
Table Name: SYSTEM.results_upload.....	6491
Documentation for form: Results_Entry	6493
Table Name: SYSTEM.results_detail.....	6493

Documentation for form: Results_Entry	6505
Table Name: SYSTEM.results_detail_nte	6505
Documentation for form: Results_Entry	6509
Table Name: SYSTEM.results_header	6509
Documentation for form: Results_Entry	6528
Table Name: SYSTEM.results_header_nte	6528
Documentation for form: Results_Entry	6532
Table Name: SYSTEM.results_header_spm	6532
Documentation for form: Results_Entry	6542
Table Name: SYSTEM.results_patient_nte	6542
Documentation for form: POC_Results_Entry	6546
Table Name: SYSTEM.poc_results_link	6546
Documentation for form: Funding_Source_Service_Authorization	6548
Table Name: SYSTEM.history_fund_auth	6548
Documentation for form: Funding_Source_Service_Authorization	6571
Table Name: SYSTEM.history_fund_auths_proc	6571
Documentation for form: Funding_Source_Service_Authorization	6572
Table Name: SYSTEM.history_member_auths_2	6572
Documentation for form: Funding_Source_Service_Authorization	6582
Table Name: SYSTEM.history_member_auths_proc	6582
Documentation for form: Funding_Source_Service_Authorization	6584
Table Name: SYSTEM.history_prov_auths_proc	6584
Documentation for form: Funding_Source_Service_Authorization	6585
Table Name: SYSTEM.history_provider_auths	6585
Documentation for form: Funding_Source_Service_Authorization	6616
Table Name: SYSTEM.mso_service_authorization	6616
Documentation for form: Funding_Source_Service_Authorization	6618
Table Name: SYSTEM.service_auth_detail	6618
Documentation for form: Funding_Source_Service_Authorization	6629
Table Name: SYSTEM.service_auth_svc	6629
Documentation for form: Service_Authorization	6631
Table Name: SYSTEM.TAR_auth_defaults	6631
Documentation for form: Service_Authorization	6632

Table Name: SYSTEM.TAR_auth_defaults_svc	6632
Documentation for form: Service_Authorization	6633
Table Name: SYSTEM.history_fund_auth	6633
Documentation for form: Service_Authorization	6656
Table Name: SYSTEM.history_fund_auths_proc.....	6656
Documentation for form: Service_Authorization	6657
Table Name: SYSTEM.history_member_auths_2.....	6657
Documentation for form: Service_Authorization	6668
Table Name: SYSTEM.history_member_auths_proc	6668
Documentation for form: Service_Authorization	6669
Table Name: SYSTEM.history_prov_auths_proc.....	6669
Documentation for form: Service_Authorization	6670
Table Name: SYSTEM.history_provider_auths.....	6670
Documentation for form: Service_Authorization	6701
Table Name: SYSTEM.mso_service_authorization.....	6701
Documentation for form: Service_Authorization	6703
Table Name: SYSTEM.service_auth_detail.....	6703
Documentation for form: Service_Authorization	6714
Table Name: SYSTEM.service_auth_ss_member.....	6714
Documentation for form: Service_Authorization	6723
Table Name: SYSTEM.service_auth_svc.....	6723
Documentation for form: Service_Authorization_(Unlimited_Codes)	6725
Table Name: SYSTEM.history_fund_auth	6725
Documentation for form: Service_Authorization_(Unlimited_Codes)	6748
Table Name: SYSTEM.history_fund_auths_proc.....	6748
Documentation for form: Service_Authorization_(Unlimited_Codes)	6749
Table Name: SYSTEM.history_member_auths_2.....	6749
Documentation for form: Service_Authorization_(Unlimited_Codes)	6761
Table Name: SYSTEM.history_prov_auths_proc.....	6761
Documentation for form: Service_Authorization_(Unlimited_Codes)	6762
Table Name: SYSTEM.history_provider_auths.....	6762
Documentation for form: Service_Authorization_(Unlimited_Codes)	6793
Table Name: SYSTEM.mso_service_authorization.....	6793

Documentation for form: Service_Authorization_(Unlimited_Codes)	6795
Table Name: SYSTEM.service_auth_detail.....	6795
Documentation for form: Service_Authorization_(Unlimited_Codes)	6806
Table Name: SYSTEM.service_auth_svc.....	6806
Documentation for form: 837_Institutional_Defaults	6808
Table Name: SYSTEM.billing_837i_claim_data	6808
Documentation for form: 837_Professional_Defaults	6821
Table Name: SYSTEM.billing_837p_claim_data	6821
Documentation for form: 837_Professional_Defaults	6828
Table Name: SYSTEM.billing_837p_other_sub	6828
Documentation for form: 837_Professional_Defaults	6833
Table Name: SYSTEM.billing_837p_service_data	6833
Documentation for form: 837_Health_Care_Claim_Institutional	6837
Table Name: SYSTEM.batch_clm_svc_void_replac.....	6837
Documentation for form: 837_Health_Care_Claim_Institutional	6839
Table Name: SYSTEM.batch_ub_claim_lvl_sup	6839
Documentation for form: 837_Health_Care_Claim_Institutional	6862
Table Name: SYSTEM.billing_837_clm	6862
Documentation for form: 837_Health_Care_Claim_Institutional	6870
Table Name: SYSTEM.billing_837_compile_post.....	6870
Documentation for form: 837_Health_Care_Claim_Institutional	6879
Table Name: SYSTEM.billing_837_error.....	6879
Documentation for form: 837_Health_Care_Claim_Institutional	6881
Table Name: SYSTEM.billing_837_file.....	6881
Documentation for form: 837_Health_Care_Claim_Institutional	6883
Table Name: SYSTEM.billing_837i_compile_post.....	6883
Documentation for form: 837_Health_Care_Claim_Institutional	6894
Table Name: SYSTEM.mso_999_error	6894
Documentation for form: 837_Health_Care_Claim_Institutional	6896
Table Name: SYSTEM.mso_999_file.....	6896
Documentation for form: Fast_Service_Entry	6898
Table Name: SYSTEM.batch_clm_svc_adj_codes	6898
Documentation for form: Fast_Service_Entry	6900

Table Name: SYSTEM.batch_clm_svc_detail.....	6900
Documentation for form: Fast_Service_Entry	6924
Table Name: SYSTEM.batch_clm_svc_detail_ss.....	6924
Documentation for form: Fast_Service_Entry	6932
Table Name: SYSTEM.billing_837_comp_clm_cas.....	6932
Documentation for form: Fast_Service_Entry	6936
Table Name: SYSTEM.billing_837_comp_clm_cob	6936
Documentation for form: Fast_Service_Entry	6946
Table Name: SYSTEM.billing_837_comp_svc_cas.....	6946
Documentation for form: Fast_Service_Entry	6950
Table Name: SYSTEM.billing_837_comp_svc_cob	6950
Documentation for form: Fast_Service_Entry	6954
Table Name: SYSTEM.budget_svc_detail	6954
Documentation for form: Fast_Service_Entry	6955
Table Name: SYSTEM.history_member_svc.....	6955
Documentation for form: Fast_Service_Entry	6964
Table Name: SYSTEM.history_member_svc_unclm.....	6964
Documentation for form: Fast_Service_Entry	6971
Table Name: SYSTEM.mso_claim_adjustments.....	6971
Documentation for form: Fast_Service_Entry	6976
Table Name: SYSTEM.mso_claim_cob	6976
Documentation for form: Fast_Service_Entry	6984
Table Name: SYSTEM.provider_monthly_max.....	6984
Documentation for form: Claim_Processing_(UB-04)	6986
Table Name: SYSTEM.batch_clm_svc_adj_codes	6986
Documentation for form: Claim_Processing_(UB-04)	6987
Table Name: SYSTEM.batch_clm_svc_detail.....	6987
Documentation for form: Claim_Processing_(UB-04)	7011
Table Name: SYSTEM.batch_clm_svc_detail_ss.....	7011
Documentation for form: Claim_Processing_(UB-04)	7019
Table Name: SYSTEM.billing_837_comp_clm_cas.....	7019
Documentation for form: Claim_Processing_(UB-04)	7024
Table Name: SYSTEM.billing_837_comp_clm_cob	7024

Documentation for form: Claim_Processing_(UB-04)	7033
Table Name: SYSTEM.billing_837_comp_svc_cas.....	7033
Documentation for form: Claim_Processing_(UB-04)	7037
Table Name: SYSTEM.billing_837_comp_svc_cob.....	7037
Documentation for form: Claim_Processing_(UB-04)	7042
Table Name: SYSTEM.budget_svc_detail	7042
Documentation for form: Claim_Processing_(UB-04)	7043
Table Name: SYSTEM.history_member_svc.....	7043
Documentation for form: Claim_Processing_(UB-04)	7052
Table Name: SYSTEM.history_member_svc_unclm.....	7052
Documentation for form: Claim_Processing_(UB-04)	7059
Table Name: SYSTEM.mso_claim_adjustments	7059
Documentation for form: Claim_Processing_(UB-04)	7063
Table Name: SYSTEM.mso_claim_cob	7063
Documentation for form: Claim_Processing_(UB-04)	7072
Table Name: SYSTEM.provider_monthly_max.....	7072
Documentation for form: Claim_Processing_with_Override_(UB-04)	7073
Table Name: SYSTEM.batch_clm_svc_adj_codes	7073
Documentation for form: Claim_Processing_with_Override_(UB-04)	7075
Table Name: SYSTEM.batch_clm_svc_detail.....	7075
Documentation for form: Claim_Processing_with_Override_(UB-04)	7099
Table Name: SYSTEM.batch_clm_svc_detail_ss.....	7099
Documentation for form: Claim_Processing_with_Override_(UB-04)	7106
Table Name: SYSTEM.billing_837_comp_clm_cas.....	7106
Documentation for form: Claim_Processing_with_Override_(UB-04)	7111
Table Name: SYSTEM.billing_837_comp_clm_cob	7111
Documentation for form: Claim_Processing_with_Override_(UB-04)	7120
Table Name: SYSTEM.billing_837_comp_svc_cas.....	7120
Documentation for form: Claim_Processing_with_Override_(UB-04)	7124
Table Name: SYSTEM.billing_837_comp_svc_cob	7124
Documentation for form: Claim_Processing_with_Override_(UB-04)	7129
Table Name: SYSTEM.budget_svc_detail	7129
Documentation for form: Claim_Processing_with_Override_(UB-04)	7130

Table Name: SYSTEM.history_member_svc.....	7130
Documentation for form: Claim_Processing_with_Override_(UB-04)	7139
Table Name: SYSTEM.history_member_svc_unclm.....	7139
Documentation for form: Claim_Processing_with_Override_(UB-04)	7146
Table Name: SYSTEM.mso_claim_adjustments	7146
Documentation for form: Claim_Processing_with_Override_(UB-04)	7150
Table Name: SYSTEM.mso_claim_cob	7150
Documentation for form: Claim_Processing_with_Override_(UB-04)	7159
Table Name: SYSTEM.provider_monthly_max.....	7159
Documentation for form: Claim_Processing_(CMS_1500)	7160
Table Name: SYSTEM.batch_claim_lvl_core	7160
Documentation for form: Claim_Processing_(CMS_1500)	7181
Table Name: SYSTEM.batch_clm_svc_adj_codes	7181
Documentation for form: Claim_Processing_(CMS_1500)	7183
Table Name: SYSTEM.batch_clm_svc_detail.....	7183
Documentation for form: Claim_Processing_(CMS_1500)	7207
Table Name: SYSTEM.batch_clm_svc_detail_ss.....	7207
Documentation for form: Claim_Processing_(CMS_1500)	7214
Table Name: SYSTEM.batch_hcfa_claim_lvl	7214
Documentation for form: Claim_Processing_(CMS_1500)	7222
Table Name: SYSTEM.batch_ub92_claim_lvl	7222
Documentation for form: Claim_Processing_(CMS_1500)	7229
Table Name: SYSTEM.billing_837_comp_clm_cas.....	7229
Documentation for form: Claim_Processing_(CMS_1500)	7234
Table Name: SYSTEM.billing_837_comp_clm_cob	7234
Documentation for form: Claim_Processing_(CMS_1500)	7243
Table Name: SYSTEM.billing_837_comp_svc_cas.....	7243
Documentation for form: Claim_Processing_(CMS_1500)	7247
Table Name: SYSTEM.billing_837_comp_svc_cob	7247
Documentation for form: Claim_Processing_(CMS_1500)	7252
Documentation for form: Claim_Processing_(CMS_1500)	7253
Table Name: SYSTEM.history_member_svc.....	7253
Documentation for form: Claim_Processing_(CMS_1500)	7262

Table Name: SYSTEM.history_member_svc_unclm.....	7262
Documentation for form: Claim_Processing_(CMS_1500)	7269
Table Name: SYSTEM.mso_claim_adjustments	7269
Documentation for form: Claim_Processing_(CMS_1500)	7273
Table Name: SYSTEM.mso_claim_cob	7273
Documentation for form: Claim_Processing_(CMS_1500)	7282
Table Name: SYSTEM.provider_monthly_max.....	7282
Documentation for form: Claim_Processing_with_Override_(CMS_1500).....	7283
Table Name: SYSTEM.batch_clm_svc_adj_codes	7283
Documentation for form: Claim_Processing_with_Override_(CMS_1500).....	7285
Table Name: SYSTEM.batch_clm_svc_detail.....	7285
Documentation for form: Claim_Processing_with_Override_(CMS_1500).....	7309
Table Name: SYSTEM.batch_clm_svc_detail_ss.....	7309
Documentation for form: Claim_Processing_with_Override_(CMS_1500).....	7317
Table Name: SYSTEM.billing_837_comp_clm_cas.....	7317
Documentation for form: Claim_Processing_with_Override_(CMS_1500).....	7321
Table Name: SYSTEM.billing_837_comp_clm_cob	7321
Documentation for form: Claim_Processing_with_Override_(CMS_1500).....	7330
Table Name: SYSTEM.billing_837_comp_svc_cas.....	7330
Documentation for form: Claim_Processing_with_Override_(CMS_1500).....	7335
Table Name: SYSTEM.billing_837_comp_svc_cob	7335
Documentation for form: Claim_Processing_with_Override_(CMS_1500).....	7339
Table Name: SYSTEM.budget_svc_detail	7339
Documentation for form: Claim_Processing_with_Override_(CMS_1500).....	7340
Table Name: SYSTEM.history_member_svc.....	7340
Documentation for form: Claim_Processing_with_Override_(CMS_1500).....	7356
Table Name: SYSTEM.mso_claim_adjustments	7356
Documentation for form: Claim_Processing_with_Override_(CMS_1500).....	7361
Table Name: SYSTEM.mso_claim_cob	7361
Documentation for form: Claim_Processing_with_Override_(CMS_1500).....	7370
Table Name: SYSTEM.provider_monthly_max.....	7370
Documentation for form: Provider_Fee_Definition.....	7371
Table Name: SYSTEM.table_prov_fee_byprog.....	7371

Documentation for form: Provider_Fee_Definition.....	7376
Table Name: SYSTEM.table_provider_fee_info	7376
Documentation for form: Retro_Claim_Adjudication.....	7381
Table Name: SYSTEM.retro_claim_adjudications	7381
Documentation for form: Claim_Processing_Blackout.....	7387
Table Name: SYSTEM.clm_proc_blackout.....	7387
Documentation for form: 835_Health_Care_Claim_Payment/Advice.....	7390
Table Name: SYSTEM.billing_835o_claim	7390
Documentation for form: 835_Health_Care_Claim_Payment/Advice.....	7393
Table Name: SYSTEM.billing_835o_claim_adj	7393
Documentation for form: 835_Health_Care_Claim_Payment/Advice.....	7395
Table Name: SYSTEM.billing_835o_file.....	7395
Documentation for form: 835_Health_Care_Claim_Payment/Advice.....	7397
Table Name: SYSTEM.billing_835o_service_adj	7397
Documentation for form: Contracting_Provider_Service_Authorization	7400
Table Name: SYSTEM.history_fund_auth	7400
Documentation for form: Contracting_Provider_Service_Authorization	7423
Table Name: SYSTEM.history_fund_auths_proc.....	7423
Documentation for form: Contracting_Provider_Service_Authorization	7424
Table Name: SYSTEM.history_member_auths_2.....	7424
Documentation for form: Contracting_Provider_Service_Authorization	7434
Table Name: SYSTEM.history_member_auths_proc	7434
Documentation for form: Contracting_Provider_Service_Authorization	7435
Table Name: SYSTEM.history_prov_auths_proc.....	7435
Documentation for form: Contracting_Provider_Service_Authorization	7437
Table Name: SYSTEM.history_provider_auths.....	7437
Documentation for form: Contracting_Provider_Service_Authorization	7468
Table Name: SYSTEM.mso_service_authorization.....	7468
Documentation for form: Contracting_Provider_Service_Authorization	7469
Table Name: SYSTEM.service_auth_detail.....	7469
Documentation for form: Contracting_Provider_Service_Authorization	7480
Table Name: SYSTEM.service_auth_ss_provider	7480
Documentation for form: Contracting_Provider_Service_Authorization	7489

Overview

This documentation describes each myAvatar EHI table as of 9/27/2023 at 4:00 PM EDT in the current released version. The documentation reflects the most current information at the time it was produced. The documentation is broken out by form (where applicable) and then table. Documentation from a specific organization might differ based on the organization's version of myAvatar, custom development, or definition of EHI data. Each table's file contains a description and column details. In addition to creating the extracts, the tool will also generate documentation specific to that organization's environment.

Glossary of Terms

In order to assist organizations in interpreting the information here, Netsmart is providing a glossary of terms for those commonly used field descriptions.

Field Name	Description
ID	The database row id of the selected record. When present, this field will often be considered a unique row identifier of the database content.
blank_row_id	A common back-end unique identifier of the record.
xxx_UniqueID	Each record may display three letters followed by uniqueid in the database, either with or without an underscore following the three letters (ex: ABC_uniqueid or ABCuniqueid). This is a form-specific unique identifier.
GUID	Some tables display a global unique identifier (GUID)
ss_ (Site Specific)	Core myAvatar forms that contain critical content are commonly protected, with limited agency capability to add configurable fields to the forms. The configurable fields are referred to as 'Site Specific (SS)' fields, and are prefaced in the database with ss_.
PATID	PATID is the typical method to indicate that unique patient identifier within the myAvatar environment. This is sometimes referred to as the medical record number or client ID.
FACILITY	myAvatar may be structured as facilities, which represent distinct sets of data based on separate but related system login. When multiple FACILITY codes exist, this may represent separate physical locations, or logical partitions of data.
EPISODE_NUMBER	An episode is defined as the period of an individual course of treatment from admission to discharge, or an episode of care. When an EPISODE_NUMBER is present, the documentation is built to refer to one specific episode of care.
data_entry_date	The date the row was last updated.
data_entry_time	The time the row was last updated.

data_entry_by	The user who last updated the row.
data_entry_by_option	The user name that last updated the row.
data_entry_time_j	Data entry time with fractional seconds when the data was last submitted
data_entry_timezone_info_all	The time zone information for when the data was saved.
data_entry_timezone_short	The short abbreviation for the timezone
data_entry_user_id	The 'User ID' that last updated the row.
data_entry_user_name	The username that last updated the row.
data_entry_utc	The UTC date and time the data was saved.
data_entry_offset	The offset in hours from UTC on when the data was saved.
data_entry_source	The name of the form that last updated the row.
option_id	The unique ID of the form that last updated the row.
option_desc	The description of the form used to submit data associated with the row.
STAFFID	Users may optionally be defined as staff members, which enables users to provide services and allows for documentation of credentials and taxonomy. When a table includes a reference to the staff member, that will be represented by their STAFFID.
JOIN_TO_xxx	When a table includes a column with a label beginning with JOIN_TO, the content of the column may be used as a join to a parent or child document.
LINK_TO_xxx	When a table includes a column with a label beginning with LINK_TO, the content of the column may be used as a join to a parent or child document.
SITEID	A site within the myAvatar environment may be a physical or logical location where appointments may be scheduled and services provided. When a site is referenced in documentation, it will be referenced with a SITEID.
SERIES_ID	Appointment Series Identifier
user_row_access_code	If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Recurring_Credits_Or_Debits

Table Name: SYSTEM.cf_acct_recurring_entries

Table Description: This table returns the recurring credits or debits

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The facility.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client id.

Column Name: REO_uniqueid

Column Type: varchar

Max Length: 12

The unique row id.

Column Name: amount

Column Type: numeric

The amount.

Column Name: TYPE_OF_TRANSACTION_CODE

Column Type: varchar

Max Length: 10

The type of transaction.

Column Name: type_of_transaction_value

Column Type: varchar

Max Length: 40

The description for the TYPE_OF_TRANSACTION_CODE. See TYPE_OF_TRANSACTION_CODE for more information.

Column Name: end_date

Column Type: date

The end date.

Column Name: ACCOUNT_NUMBER

Column Type: varchar

Max Length: 40

The account number.

Column Name: account_number_description
Column Type: varchar
Max Length: 40
The account number description.

Column Name: description_comments
Column Type: varchar
Max Length: 40
The description comments.

Column Name: TRANSACTION_CODE
Column Type: varchar
Max Length: 40
The transction code.

Column Name: description_of_transaction_code
Column Type: varchar
Max Length: 40
The description of the transaction code.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: start_date
Column Type: date
The start date.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Documentation for form: Detailed_Account_Ledger

Table Name: SYSTEM.cf_acct_transaction_detail

Table Description: Processes data from 'Detailed Account Ledger' option

Column Name: account_detail_transaction
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: ACC_uniqueid
Column Type: varchar

Max Length: 40

Column Name: dd
Column Type: varchar
Max Length: 40

Column Name: ACCOUNT_NUMBER
Column Type: varchar
Max Length: 40

Column Name: TRANSACTION_CODE
Column Type: varchar
Max Length: 40

Column Name: dollar_amount
Column Type: numeric
The Dollar Amount for the transaction

Column Name: credit_or_debit_code
Column Type: varchar
Max Length: 10

Column Name: credit_or_debit_value
Column Type: varchar
Max Length: 40

Column Name: description_of_transaction
Column Type: varchar
Max Length: 40

Column Name: check_number
Column Type: varchar
Max Length: 40

Column Name: withdrawal_number
Column Type: varchar
Max Length: 40

Column Name: receipt_number
Column Type: varchar
Max Length: 40

Column Name: posting_date
Column Type: date

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: check_date
Column Type: date

Column Name: check_description
Column Type: varchar
Max Length: 40

Column Name: check_status_code
Column Type: varchar
Max Length: 10

Column Name: check_status_value
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time

The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

The time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

The short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: payee_line_1

Column Type: varchar

Max Length: 40

Column Name: payee_line_2

Column Type: varchar

Max Length: 40

Column Name: payee_line_3

Column Type: varchar

Max Length: 40

Column Name: print_check_code

Column Type: varchar

Max Length: 40

Column Name: print_check_value

Column Type: varchar

Max Length: 40

Column Name: transaction_code_description
Column Type: varchar
Max Length: 40

Column Name: vendor_id
Column Type: varchar
Max Length: 40

Documentation for form: Add/Edit_Outreach_Target

Table Name: SYSTEM.audit_outreach_client

Table Description: This table contains audit records for outreach targets.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
System code where the outreach client will be admitted to.

Column Name: GUID
Column Type: varchar
Max Length: 50
GUID

Column Name: PATID
Column Type: varchar
Max Length: 20
Avatar patient identifier. Present if the person referenced by the external id has ever been admitted to a program.

Column Name: UTCTimestamp
Column Type: timestamp
UTCTimestamp

Column Name: address_city
Column Type: varchar
Max Length: 30
Target's address - city.

Column Name: address_county
Column Type: varchar

Max Length: 60
Target's address - county.

Column Name: address_state
Column Type: varchar
Max Length: 40
Target's address - state.

Column Name: address_street
Column Type: varchar
Max Length: 100
Target's address - street.

Column Name: address_street2
Column Type: varchar
Max Length: 60
Target's address - apartment/unit.

Column Name: address_zipcode
Column Type: varchar
Max Length: 10
Target's Zipcode.

Column Name: audit_action
Column Type: varchar
Max Length: 50
The type of action that caused the change to the SYSTEM.OutreachClient row.

Column Name: cell_phone
Column Type: varchar
Max Length: 60
Target's cell phone.

Column Name: communication_pref
Column Type: varchar
Max Length: 40
Target's communication preference

Column Name: communication_pref_val
Column Type: varchar
Max Length: 40
Target's specified admission type to be added to the admission record on appointment creation.

Column Name: contact_email
Column Type: varchar
Max Length: 60
Target's email address.

Column Name: data_entry_by
Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

Data Entry Source (30015)

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time when this data row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_birth
Column Type: date
Target's date of birth.

Column Name: eligibility_end_date_1
Column Type: date
Target's financial eligibility end date postition 1.

Column Name: eligibility_end_date_2
Column Type: date
Target's financial eligibility end date postition 2.

Column Name: eligibility_end_date_3
Column Type: date
Target's financial eligibility end date postition 3.

Column Name: eligibility_end_date_4
Column Type: date
Target's financial eligibility end date postition 4.

Column Name: eligibility_end_date_5
Column Type: date
Target's financial eligibility end date postition 5.

Column Name: eligibility_start_date_1
Column Type: date
Target's financial eligibility start date postition 1.

Column Name: eligibility_start_date_2
Column Type: date
Target's financial eligibility start date postition 2.

Column Name: eligibility_start_date_3
Column Type: date
Target's financial eligibility start date postition 3.

Column Name: eligibility_start_date_4
Column Type: date
Target's financial eligibility start date postition 4.

Column Name: eligibility_start_date_5
Column Type: date
Target's financial eligibility start date postition 5.

Column Name: external_id
Column Type: varchar

Max Length: 100
External organizational identifier for the person.

Column Name: first_name
Column Type: varchar
Max Length: 40
Target's first name.

Column Name: guarantor_id_1
Column Type: varchar
Max Length: 40
Target's primary guarantor (coded value).

Column Name: guarantor_id_2
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 2.

Column Name: guarantor_id_3
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 3.

Column Name: guarantor_id_4
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 4.

Column Name: guarantor_id_5
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 5.

Column Name: guarantor_val_1
Column Type: varchar
Max Length: 40
Target's primary guarantor.

Column Name: guarantor_val_2
Column Type: varchar
Max Length: 40
Target's guarantor position 2.

Column Name: guarantor_val_3
Column Type: varchar
Max Length: 40
Target's guarantor position 3.

Column Name: guarantor_val_4
Column Type: varchar

Max Length: 40
Target's guarantor position 4.

Column Name: guarantor_val_5
Column Type: varchar
Max Length: 40
Target's guarantor position 5.

Column Name: home_phone
Column Type: varchar
Max Length: 60
Target's home phone.

Column Name: join_to_outreach_id
Column Type: varchar
Max Length: 50
Links to ID in SYSTEM.OutreachClient.

Column Name: last_name
Column Type: varchar
Max Length: 40
Target's last name.

Column Name: medicaid_id_1
Column Type: varchar
Max Length: 40
Target's primary Medicaid ID number.

Column Name: medicaid_id_2
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 2.

Column Name: medicaid_id_3
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 3.

Column Name: medicaid_id_4
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 4.

Column Name: medicaid_id_5
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 5.

Column Name: medicare_id_1
Column Type: varchar

Max Length: 40
Target's primary Medicare ID number.

Column Name: medicare_id_2
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 2.

Column Name: medicare_id_3
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 3.

Column Name: medicare_id_4
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 4.

Column Name: medicare_id_5
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 5.

Column Name: middle_name
Column Type: varchar
Max Length: 40
Target's middle name.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: outside_facility_code
Column Type: varchar
Max Length: 50
Target's outside living facility (coded value). The address definition for the outside facility entity definition will denote target's address fields if they are not defined.

Column Name: outside_facility_value
Column Type: varchar
Max Length: 40
Target's outside living facility. The address definition for the outside facility entity definition will denote target's address fields if they are not defined.

Column Name: permission_to_text
Column Type: varchar
Max Length: 40
Target's permission to text.

Column Name: plan_id_1
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_id_2
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_id_3
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_id_4
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_id_5
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_val_1
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: plan_val_2
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: plan_val_3
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: plan_val_4
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: plan_val_5
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: policy_number_1
Column Type: varchar
Max Length: 40
Target's primary insurance policy number.

Column Name: policy_number_2
Column Type: varchar
Max Length: 40
Target's insurance policy number position 2.

Column Name: policy_number_3
Column Type: varchar
Max Length: 40
Target's insurance policy number position 3.

Column Name: policy_number_4
Column Type: varchar
Max Length: 40
Target's insurance policy number position 4.

Column Name: policy_number_5
Column Type: varchar
Max Length: 40
Target's insurance policy number position 5.

Column Name: primary_care_physician_id
Column Type: varchar
Max Length: 40
Target's primary care physician id.

Column Name: protocol_code
Column Type: varchar
Max Length: 50
Target's protocol (coded value) to apply to the appointment created on successful outreach.

Column Name: protocol_shval
Column Type: varchar
Max Length: 40
Target's protocol to apply to the appointment created on successful outreach.

Column Name: protocol_value
Column Type: varchar
Max Length: 40
Target's protocol to apply to the appointment created on successful outreach.

Column Name: risk_level_code
Column Type: varchar
Max Length: 50
Target's risk level (coded value).

Column Name: risk_level_value
Column Type: varchar
Max Length: 40
Target's risk level.

Column Name: sex_code
Column Type: varchar
Max Length: 5
Target's sex (coded value).

Column Name: sex_value
Column Type: varchar
Max Length: 40
Target's sex.

Column Name: subscriber_city_1
Column Type: varchar
Max Length: 30
Subscriber's address - city position 1.

Column Name: subscriber_city_2
Column Type: varchar
Max Length: 30
Subscriber's address - city position 2.

Column Name: subscriber_city_3
Column Type: varchar
Max Length: 30
Subscriber's address - city position 3.

Column Name: subscriber_city_4
Column Type: varchar
Max Length: 30
Subscriber's address - city position 4.

Column Name: subscriber_city_5
Column Type: varchar
Max Length: 30
Subscriber's address - city position 5.

Column Name: subscriber_county_1
Column Type: varchar
Max Length: 60
Subscriber's address - county position 1.

Column Name: subscriber_county_2
Column Type: varchar
Max Length: 60
Subscriber's address - county position 2.

Column Name: subscriber_county_3
Column Type: varchar
Max Length: 60
Subscriber's address - county position 3.

Column Name: subscriber_county_4
Column Type: varchar
Max Length: 60
Subscriber's address - county position 4.

Column Name: subscriber_county_5
Column Type: varchar
Max Length: 60
Subscriber's address - county position 5.

Column Name: subscriber_dob_1
Column Type: date
Subscriber's date of birth position 1.

Column Name: subscriber_dob_2
Column Type: date
Subscriber's date of birth position 2.

Column Name: subscriber_dob_3
Column Type: date
Subscriber's date of birth position 3.

Column Name: subscriber_dob_4
Column Type: date
Subscriber's date of birth position 4.

Column Name: subscriber_dob_5
Column Type: date
Subscriber's date of birth position 5.

Column Name: subscriber_first_name_1
Column Type: varchar
Max Length: 40
Subscriber's first name position 1.

Column Name: subscriber_first_name_2
Column Type: varchar
Max Length: 40
Subscriber's first name position 2.

Column Name: subscriber_first_name_3
Column Type: varchar
Max Length: 40
Subscriber's first name position 3.

Column Name: subscriber_first_name_4
Column Type: varchar
Max Length: 40
Subscriber's first name position 4.

Column Name: subscriber_first_name_5
Column Type: varchar
Max Length: 40
Subscriber's first name position 5.

Column Name: subscriber_last_name_1
Column Type: varchar
Max Length: 40
Subscriber's last name position 1.

Column Name: subscriber_last_name_2
Column Type: varchar
Max Length: 40
Subscriber's last name position 2.

Column Name: subscriber_last_name_3
Column Type: varchar
Max Length: 40
Subscriber's last name position 3.

Column Name: subscriber_last_name_4
Column Type: varchar
Max Length: 40
Subscriber's last name position 4.

Column Name: subscriber_last_name_5
Column Type: varchar
Max Length: 40
Subscriber's last name position 5.

Column Name: subscriber_middle_name_1
Column Type: varchar
Max Length: 40
Subscriber's middle name position 1.

Column Name: subscriber_middle_name_2
Column Type: varchar
Max Length: 40
Subscriber's middle name position 2.

Column Name: subscriber_middle_name_3
Column Type: varchar
Max Length: 40
Subscriber's middle name position 3.

Column Name: subscriber_middle_name_4
Column Type: varchar
Max Length: 40
Subscriber's middle name position 4.

Column Name: subscriber_middle_name_5
Column Type: varchar
Max Length: 40
Subscriber's middle name position 5.

Column Name: subscriber_phone_1
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 1.

Column Name: subscriber_phone_2
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 2.

Column Name: subscriber_phone_3
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 3.

Column Name: subscriber_phone_4
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 4.

Column Name: subscriber_phone_5
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 5.

Column Name: subscriber_relationship_1
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 1.

Column Name: subscriber_relationship_2
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 2.

Column Name: subscriber_relationship_3
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 3.

Column Name: subscriber_relationship_4
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 4.

Column Name: subscriber_relationship_5
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 5.

Column Name: subscriber_relation_val_1
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 1.

Column Name: subscriber_relation_val_2
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 2.

Column Name: subscriber_relation_val_3
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 3.

Column Name: subscriber_relation_val_4
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 4.

Column Name: subscriber_relation_val_5
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 5.

Column Name: subscriber_sex_code_1
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 1.

Column Name: subscriber_sex_code_2
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 2.

Column Name: subscriber_sex_code_3
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 3.

Column Name: subscriber_sex_code_4
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 4.

Column Name: subscriber_sex_code_5
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 5.

Column Name: subscriber_sex_value_1
Column Type: varchar
Max Length: 40
Subscriber's sex, position 1.

Column Name: subscriber_sex_value_2
Column Type: varchar
Max Length: 40
Subscriber's sex, position 2.

Column Name: subscriber_sex_value_3
Column Type: varchar
Max Length: 40
Subscriber's sex, position 3.

Column Name: subscriber_sex_value_4
Column Type: varchar
Max Length: 40
Subscriber's sex, position 4.

Column Name: subscriber_sex_value_5
Column Type: varchar
Max Length: 40
Subscriber's sex, position 5.

Column Name: subscriber_state_1
Column Type: varchar
Max Length: 40
Subscriber's address - state position 1.

Column Name: subscriber_state_2
Column Type: varchar
Max Length: 40
Subscriber's address - state position 2.

Column Name: subscriber_state_3
Column Type: varchar
Max Length: 40
Subscriber's address - state position 3.

Column Name: subscriber_state_4
Column Type: varchar
Max Length: 40
Subscriber's address - state position 4.

Column Name: subscriber_state_5
Column Type: varchar
Max Length: 40
Subscriber's address - state position 5.

Column Name: subscriber_street_1
Column Type: varchar
Max Length: 100
Subscriber's address - street position 1.

Column Name: subscriber_street_2
Column Type: varchar
Max Length: 100
Subscriber's address - street position 2.

Column Name: subscriber_street2_1
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 1.

Column Name: subscriber_street2_2
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 2.

Column Name: subscriber_street2_3
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 3.

Column Name: subscriber_street2_4
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 4.

Column Name: subscriber_street2_5
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 5.

Column Name: subscriber_street_3
Column Type: varchar
Max Length: 100
Subscriber's address - street position 3.

Column Name: subscriber_street_4
Column Type: varchar
Max Length: 100
Subscriber's address - street position 4.

Column Name: subscriber_street_5
Column Type: varchar
Max Length: 100
Subscriber's address - street position 5.

Column Name: subscriber_zipcode_1
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 1.

Column Name: subscriber_zipcode_2
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 2.

Column Name: subscriber_zipcode_3
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 3.

Column Name: subscriber_zipcode_4
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 4.

Column Name: subscriber_zipcode_5
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 5.

Column Name: target_adm_type_code
Column Type: varchar
Max Length: 50
Target's specified admission type (coded value) to be added to the admission record on appointment creation.

Column Name: target_adm_type_value
Column Type: varchar
Max Length: 40
Target's specified admission type to be added to the admission record on appointment creation.

Column Name: target_pre_program_code

Column Type: varchar

Max Length: 40

Target's specified pre-admit program (coded value) to be admitted to on appointment creation.

Column Name: target_pre_program_value

Column Type: varchar

Max Length: 40

Target's specified pre-admit program to be admitted to on appointment creation.

Column Name: target_program_code

Column Type: varchar

Max Length: 50

Target's specified admission program (coded value) to be admitted to on appointment creation.

Column Name: target_program_value

Column Type: varchar

Max Length: 40

Target's specified admission program to be admitted to on appointment creation.

Column Name: target_service_code

Column Type: varchar

Max Length: 50

Target's specified service (coded value) to be rendered at outreach appointment.

Column Name: target_service_value

Column Type: varchar

Max Length: 40

Target's specified service to be rendered at outreach appointment.

Column Name: target_status_code

Column Type: varchar

Max Length: 50

The current activity status of this target (coded value).

Column Name: target_status_value

Column Type: varchar

Max Length: 40

The current activity status of this target.

Column Name: work_phone

Column Type: varchar

Max Length: 60

Target's work phone.

Column Name: zone_code

Column Type: varchar

Max Length: 50

Target's assigned zone (coded value).

Column Name: zone_value
Column Type: varchar
Max Length: 40
Target's assigned zone.

Documentation for form: Add/Edit_Outreach_Target

Table Name: SYSTEM.outreach_client

Table Description: This table contains outreach targets.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
System code where the outreach client will be admitted to.

Column Name: GUID
Column Type: varchar
Max Length: 50
GUID

Column Name: PATID
Column Type: varchar
Max Length: 20
Avatar patient identifier. Present if the person referenced by the external id has ever been admitted to a program.

Column Name: UTCTimestamp
Column Type: timestamp
UTCTimestamp

Column Name: address_city
Column Type: varchar
Max Length: 30
Target's address - city.

Column Name: address_county
Column Type: varchar
Max Length: 60
Target's address - county.

Column Name: address_state
Column Type: varchar

Max Length: 40
Target's address - state.

Column Name: address_street
Column Type: varchar
Max Length: 100
Target's address - street.

Column Name: address_street2
Column Type: varchar
Max Length: 60
Target's address - apartment/unit.

Column Name: address_zipcode
Column Type: varchar
Max Length: 10
Target's Zipcode.

Column Name: cell_phone
Column Type: varchar
Max Length: 60
Target's cell phone.

Column Name: communication_pref
Column Type: varchar
Max Length: 40
Target's communication preference

Column Name: communication_pref_val
Column Type: varchar
Max Length: 40
Target's specified admission type to be added to the admission record on appointment creation.

Column Name: contact_email
Column Type: varchar
Max Length: 60
Target's email address.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date

The date when this data row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

Data Entry Source (30015)

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time when this data row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_birth

Column Type: date

Target's date of birth.

Column Name: eligibility_end_date_1

Column Type: date

Target's financial eligibility end date position 1.

Column Name: eligibility_end_date_2

Column Type: date

Target's financial eligibility end date position 2.

Column Name: eligibility_end_date_3

Column Type: date

Target's financial eligibility end date position 3.

Column Name: eligibility_end_date_4

Column Type: date

Target's financial eligibility end date position 4.

Column Name: eligibility_end_date_5

Column Type: date

Target's financial eligibility end date position 5.

Column Name: eligibility_start_date_1

Column Type: date

Target's financial eligibility start date position 1.

Column Name: eligibility_start_date_2

Column Type: date

Target's financial eligibility start date position 2.

Column Name: eligibility_start_date_3

Column Type: date

Target's financial eligibility start date position 3.

Column Name: eligibility_start_date_4

Column Type: date

Target's financial eligibility start date position 4.

Column Name: eligibility_start_date_5

Column Type: date

Target's financial eligibility start date position 5.

Column Name: external_id

Column Type: varchar

Max Length: 100

External organizational identifier for the person.

Column Name: first_name

Column Type: varchar

Max Length: 40

Target's first name.

Column Name: guarantor_id_1

Column Type: varchar

Max Length: 40
Target's primary guarantor (coded value).

Column Name: guarantor_id_2
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 2.

Column Name: guarantor_id_3
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 3.

Column Name: guarantor_id_4
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 4.

Column Name: guarantor_id_5
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 5.

Column Name: guarantor_val_1
Column Type: varchar
Max Length: 40
Target's primary guarantor.

Column Name: guarantor_val_2
Column Type: varchar
Max Length: 40
Target's guarantor position 2.

Column Name: guarantor_val_3
Column Type: varchar
Max Length: 40
Target's guarantor position 3.

Column Name: guarantor_val_4
Column Type: varchar
Max Length: 40
Target's guarantor position 4.

Column Name: guarantor_val_5
Column Type: varchar
Max Length: 40
Target's guarantor position 5.

Column Name: home_phone
Column Type: varchar

Max Length: 60
Target's home phone.

Column Name: last_name
Column Type: varchar
Max Length: 40
Target's last name.

Column Name: medicaid_id_1
Column Type: varchar
Max Length: 40
Target's primary Medicaid ID number.

Column Name: medicaid_id_2
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 2.

Column Name: medicaid_id_3
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 3.

Column Name: medicaid_id_4
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 4.

Column Name: medicaid_id_5
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 5.

Column Name: medicare_id_1
Column Type: varchar
Max Length: 40
Target's primary Medicare ID number.

Column Name: medicare_id_2
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 2.

Column Name: medicare_id_3
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 3.

Column Name: medicare_id_4
Column Type: varchar

Max Length: 40
Target's Medicare ID number position 4.

Column Name: medicare_id_5
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 5.

Column Name: middle_name
Column Type: varchar
Max Length: 40
Target's middle name.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: outside_facility_code
Column Type: varchar
Max Length: 50
Target's outside living facility (coded value). The address definition for the outside facility entity definition will denote target's address fields if they are not defined.

Column Name: outside_facility_value
Column Type: varchar
Max Length: 40
Target's outside living facility. The address definition for the outside facility entity definition will denote target's address fields if they are not defined.

Column Name: permission_to_text
Column Type: varchar
Max Length: 40
Target's permission to text.

Column Name: plan_id_1
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_id_2
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_id_3
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_id_4
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_id_5
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_val_1
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: plan_val_2
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: plan_val_3
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: plan_val_4
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: plan_val_5
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: policy_number_1
Column Type: varchar
Max Length: 40
Target's primary insurance policy number.

Column Name: policy_number_2
Column Type: varchar
Max Length: 40
Target's insurance policy number position 2.

Column Name: policy_number_3
Column Type: varchar
Max Length: 40
Target's insurance policy number position 3.

Column Name: policy_number_4
Column Type: varchar
Max Length: 40
Target's insurance policy number position 4.

Column Name: policy_number_5
Column Type: varchar
Max Length: 40
Target's insurance policy number position 5.

Column Name: primary_care_physician_id
Column Type: varchar
Max Length: 40
Target's primary care physician id.

Column Name: protocol_code
Column Type: varchar
Max Length: 50
Target's protocol (coded value) to apply to the appointment created on successful outreach.

Column Name: protocol_shval
Column Type: varchar
Max Length: 40
Target's protocol to apply to the appointment created on successful outreach.

Column Name: protocol_value
Column Type: varchar
Max Length: 40
Target's protocol to apply to the appointment created on successful outreach.

Column Name: risk_level_code
Column Type: varchar
Max Length: 50
Target's risk level (coded value).

Column Name: risk_level_value
Column Type: varchar
Max Length: 40
Target's risk level.

Column Name: sex_code
Column Type: varchar
Max Length: 5
Target's sex (coded value).

Column Name: sex_value
Column Type: varchar
Max Length: 40
Target's sex.

Column Name: subscriber_city_1
Column Type: varchar
Max Length: 30
Subscriber's address - city position 1.

Column Name: subscriber_city_2
Column Type: varchar
Max Length: 30
Subscriber's address - city position 2.

Column Name: subscriber_city_3
Column Type: varchar
Max Length: 30
Subscriber's address - city position 3.

Column Name: subscriber_city_4
Column Type: varchar
Max Length: 30
Subscriber's address - city position 4.

Column Name: subscriber_city_5
Column Type: varchar
Max Length: 30
Subscriber's address - city position 5.

Column Name: subscriber_county_1
Column Type: varchar
Max Length: 60
Subscriber's address - county position 1.

Column Name: subscriber_county_2
Column Type: varchar
Max Length: 60
Subscriber's address - county position 2.

Column Name: subscriber_county_3
Column Type: varchar
Max Length: 60
Subscriber's address - county position 3.

Column Name: subscriber_county_4
Column Type: varchar
Max Length: 60
Subscriber's address - county position 4.

Column Name: subscriber_county_5
Column Type: varchar
Max Length: 60
Subscriber's address - county position 5.

Column Name: subscriber_dob_1
Column Type: date
Subscriber's date of birth position 1.

Column Name: subscriber_dob_2
Column Type: date
Subscriber's date of birth position 2.

Column Name: subscriber_dob_3
Column Type: date
Subscriber's date of birth position 3.

Column Name: subscriber_dob_4
Column Type: date
Subscriber's date of birth position 4.

Column Name: subscriber_dob_5
Column Type: date
Subscriber's date of birth position 5.

Column Name: subscriber_first_name_1
Column Type: varchar
Max Length: 40
Subscriber's first name position 1.

Column Name: subscriber_first_name_2
Column Type: varchar
Max Length: 40
Subscriber's first name position 2.

Column Name: subscriber_first_name_3
Column Type: varchar
Max Length: 40
Subscriber's first name position 3.

Column Name: subscriber_first_name_4
Column Type: varchar
Max Length: 40
Subscriber's first name position 4.

Column Name: subscriber_first_name_5
Column Type: varchar
Max Length: 40
Subscriber's first name position 5.

Column Name: subscriber_last_name_1
Column Type: varchar
Max Length: 40
Subscriber's last name position 1.

Column Name: subscriber_last_name_2
Column Type: varchar
Max Length: 40
Subscriber's last name position 2.

Column Name: subscriber_last_name_3
Column Type: varchar
Max Length: 40
Subscriber's last name position 3.

Column Name: subscriber_last_name_4
Column Type: varchar
Max Length: 40
Subscriber's last name position 4.

Column Name: subscriber_last_name_5
Column Type: varchar
Max Length: 40
Subscriber's last name position 5.

Column Name: subscriber_middle_name_1
Column Type: varchar
Max Length: 40
Subscriber's middle name position 1.

Column Name: subscriber_middle_name_2
Column Type: varchar
Max Length: 40
Subscriber's middle name position 2.

Column Name: subscriber_middle_name_3
Column Type: varchar
Max Length: 40
Subscriber's middle name position 3.

Column Name: subscriber_middle_name_4
Column Type: varchar
Max Length: 40
Subscriber's middle name position 4.

Column Name: subscriber_middle_name_5
Column Type: varchar
Max Length: 40
Subscriber's middle name position 5.

Column Name: subscriber_phone_1
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 1.

Column Name: subscriber_phone_2
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 2.

Column Name: subscriber_phone_3
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 3.

Column Name: subscriber_phone_4
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 4.

Column Name: subscriber_phone_5
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 5.

Column Name: subscriber_relationship_1
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 1.

Column Name: subscriber_relationship_2
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 2.

Column Name: subscriber_relationship_3
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 3.

Column Name: subscriber_relationship_4
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 4.

Column Name: subscriber_relationship_5
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 5.

Column Name: subscriber_relation_val_1
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 1.

Column Name: subscriber_relation_val_2
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 2.

Column Name: subscriber_relation_val_3
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 3.

Column Name: subscriber_relation_val_4
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 4.

Column Name: subscriber_relation_val_5
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 5.

Column Name: subscriber_sex_code_1
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 1.

Column Name: subscriber_sex_code_2
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 2.

Column Name: subscriber_sex_code_3
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 3.

Column Name: subscriber_sex_code_4
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 4.

Column Name: subscriber_sex_code_5
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 5.

Column Name: subscriber_sex_value_1
Column Type: varchar
Max Length: 40
Subscriber's sex, position 1.

Column Name: subscriber_sex_value_2
Column Type: varchar
Max Length: 40
Subscriber's sex, position 2.

Column Name: subscriber_sex_value_3
Column Type: varchar
Max Length: 40
Subscriber's sex, position 3.

Column Name: subscriber_sex_value_4
Column Type: varchar
Max Length: 40
Subscriber's sex, position 4.

Column Name: subscriber_sex_value_5
Column Type: varchar
Max Length: 40
Subscriber's sex, position 5.

Column Name: subscriber_state_1
Column Type: varchar
Max Length: 40
Subscriber's address - state position 1.

Column Name: subscriber_state_2
Column Type: varchar
Max Length: 40
Subscriber's address - state position 2.

Column Name: subscriber_state_3
Column Type: varchar
Max Length: 40
Subscriber's address - state position 3.

Column Name: subscriber_state_4
Column Type: varchar
Max Length: 40
Subscriber's address - state position 4.

Column Name: subscriber_state_5
Column Type: varchar
Max Length: 40
Subscriber's address - state position 5.

Column Name: subscriber_street_1
Column Type: varchar
Max Length: 100
Subscriber's address - street position 1.

Column Name: subscriber_street_2
Column Type: varchar
Max Length: 100
Subscriber's address - street position 2.

Column Name: subscriber_street2_1
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 1.

Column Name: subscriber_street2_2
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 2.

Column Name: subscriber_street2_3
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 3.

Column Name: subscriber_street2_4
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 4.

Column Name: subscriber_street2_5
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 5.

Column Name: subscriber_street_3
Column Type: varchar
Max Length: 100
Subscriber's address - street position 3.

Column Name: subscriber_street_4
Column Type: varchar
Max Length: 100
Subscriber's address - street position 4.

Column Name: subscriber_street_5
Column Type: varchar
Max Length: 100
Subscriber's address - street position 5.

Column Name: subscriber_zipcode_1
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 1.

Column Name: subscriber_zipcode_2
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 2.

Column Name: subscriber_zipcode_3
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 3.

Column Name: subscriber_zipcode_4
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 4.

Column Name: subscriber_zipcode_5
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 5.

Column Name: target_adm_type_code
Column Type: varchar
Max Length: 50
Target's specified admission type (coded value) to be added to the admission record on appointment creation.

Column Name: target_adm_type_value
Column Type: varchar
Max Length: 40
Target's specified admission type to be added to the admission record on appointment creation.

Column Name: target_pre_program_code
Column Type: varchar
Max Length: 40
Target's specified pre-admit program (coded value) to be admitted to on appointment creation.

Column Name: target_pre_program_value
Column Type: varchar
Max Length: 40
Target's specified pre-admit program to be admitted to on appointment creation.

Column Name: target_program_code
Column Type: varchar
Max Length: 50
Target's specified admission program (coded value) to be admitted to on appointment creation.

Column Name: target_program_value
Column Type: varchar
Max Length: 40
Target's specified admission program to be admitted to on appointment creation.

Column Name: target_service_code
Column Type: varchar
Max Length: 50
Target's specified service (coded value) to be rendered at outreach appointment.

Column Name: target_service_value
Column Type: varchar
Max Length: 40
Target's specified service to be rendered at outreach appointment.

Column Name: target_status_code
Column Type: varchar
Max Length: 50
The current activity status of this target (coded value).

Column Name: target_status_value
Column Type: varchar
Max Length: 40
The current activity status of this target.

Column Name: work_phone
Column Type: varchar
Max Length: 60
Target's work phone.

Column Name: zone_code
Column Type: varchar
Max Length: 50
Target's assigned zone (coded value).

Column Name: zone_value
Column Type: varchar
Max Length: 40
Target's assigned zone.

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.AppointmentData

Table Description: Appointment Scheduling Data

Column Name: ID
Column Type: integer

Column Name: CO_STAFFID_1
Column Type: varchar
Max Length: 10
Co Staffid 1

Column Name: CO_STAFFID_2
Column Type: varchar
Max Length: 10
Co Staff Id 2

Column Name: duration
Column Type: varchar
Max Length: 10
Duration

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored. FACILITY

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
Group Id associated with the appointment.

Column Name: JOIN_TO_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15
JOIN TO CO-STAFF TX STRING

Column Name: JOIN_TO_FOLLOW_UP_APD
Column Type: varchar
Max Length: 50
Join To Follow-up Appointment Link

Column Name: JOIN_TO_PREV_APD
Column Type: varchar
Max Length: 50
Join To Previous Appointment Link

Column Name: JOIN_TO_SECOND_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15
JOIN TO SECOND CO-STAFF TX STRING

Column Name: JOIN_TO_STAFF_TX_HISTORY
Column Type: varchar

Max Length: 15
JOIN TO STAFF TX STRING

Column Name: JOIN_TO_SVCDocumentation
Column Type: varchar
Max Length: 40
JOIN to Service Documentation (99970)

Column Name: ROOMID
Column Type: varchar
Max Length: 40
The room associated with the appointment.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40
Service code.

Column Name: SITEID
Column Type: varchar
Max Length: 10
Site Id.

Column Name: STAFFID
Column Type: varchar
Max Length: 40
The staff ID associated with the appointment.

Column Name: add_on_notes
Column Type: varchar
Max Length: 4096
Add-On Notes (11507)

Column Name: add_on_notes_stream
Column Type: longvarchar
Max Length: 2147483647
Add-On Notes Stream

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
Additional Service Information - Code (11505)

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
Additional Service Information - Short Value

Column Name: add_svc_info_value
Column Type: varchar

Max Length: 4096
Additional Service Information - Value

Column Name: add_svcs_grp_indicator
Column Type: varchar
Max Length: 32000
The individualized group members for the additional service entry

Column Name: add_svcs_indicator
Column Type: varchar
Max Length: 32000
The individualized group members for the additional service entry (recurring appointment)

Column Name: appointment_date
Column Type: date
Appointment date

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50
Appointment end time

Column Name: appointment_end_time_j
Column Type: varchar
Max Length: 50
Appointment end time (julian)

Column Name: appointment_end_utc
Column Type: timestamp
the Appointment End as UTC date and time.

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096
Appointment Notes (10100)

Column Name: appointment_notes_stream
Column Type: longvarchar
Max Length: 2147483647
Appointment Notes Stream

Column Name: appointment_start_time
Column Type: varchar
Max Length: 50
Appointment start time

Column Name: appointment_start_time_j
Column Type: varchar
Max Length: 50
Appointment start time (julian)

Column Name: appointment_start_utc
Column Type: timestamp
the Appointment Start as UTC date and time.

Column Name: appointment_utc_timezone
Column Type: varchar
Max Length: 255
the timezone for the appointment used to determine the offset from UTC.

Column Name: appt_req_follow_up_code
Column Type: varchar
Max Length: 5
Appointment Requires Follow-up

Column Name: appt_req_follow_up_value
Column Type: varchar
Max Length: 50
Appointment Requires Follow-up

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
Billing Status code

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The value of the 'billing_status_code'

Column Name: cancellation_reason_code
Column Type: varchar
Max Length: 40
The code for the appointment cancellation reason.

Column Name: cancellation_reason_value
Column Type: varchar
Max Length: 255
The description associated with cancellation reason_code.

Column Name: client_willing_pay_code
Column Type: varchar
Max Length: 50
Client Willing To Pay At Front Desk

Column Name: client_willing_pay_value
Column Type: varchar
Max Length: 50
Client Willing To Pay At Front Desk

Column Name: clinic_indicator

Column Type: integer

The clinical appointment flag. Set to 1 if this is a clinical appointment.

Column Name: costaff1_duration_min

Column Type: varchar

Max Length: 10

Duration (in minutes) - CoStaff

Column Name: co_staff_1_name

Column Type: varchar

Max Length: 40

Co Staff 1 Name

Column Name: costaff2_duration_min

Column Type: varchar

Max Length: 10

Duration (in minutes) - CoStaff2

Column Name: co_staff_2_name

Column Type: varchar

Max Length: 40

Co Staff 2 Name

Column Name: cost_of_service

Column Type: numeric

Cost of Service (field 19998)

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: duration_minutes
Column Type: varchar
Max Length: 10
Duration (in minutes)

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 200
Evidence-based Practices / Service Strategies (CSI)

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 200
Evidence-Based Practices / Service Strategies (CSI)

Column Name: ebpss_csi_value_long

Column Type: varchar
Max Length: 4096
Evidence-Based Practices / Service Strategies (CSI)

Column Name: external_appt_id
Column Type: varchar
Max Length: 4096
Appointment ID for the external source appointment (for example EVV sources)

Column Name: follow_up_appt_due_date
Column Type: date
Follow-up Appointment Due Date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50
Follow-up Status

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50
Follow-up Status value

Column Name: group_name
Column Type: varchar
Max Length: 40
Group name

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Medical Diagnosis 1 JOIN (10050) and associated values

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
Medical Diagnosis 2 JOIN (10051) and associated values

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
Medical Diagnosis 3 JOIN (10080) and associated values

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
Medical Diagnosis 4 JOIN (10081) and associated values

Column Name: location_code
Column Type: varchar

Max Length: 20
Appointment location code.

Column Name: location_value
Column Type: varchar
Max Length: 40
Appointment location description.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 1 Code

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 1 DSM Value

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 1 Value

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 2 Code

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 2 DSM Value

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 2 Value

Column Name: medical_diagnosis3_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 3 DSM Value

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 4 DSM Value

Column Name: medical_diag_1_icd10_code
Column Type: varchar

Max Length: 40
ICD10 code for the medical diagnosis 1

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 1

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 1

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 1

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis 1

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
ICD10 code for the medical diagnosis 2

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 2

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 2

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 2

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis2

Column Name: medical_diag_3_icd10_code
Column Type: varchar

Max Length: 40
ICD10 code for the medical diagnosis 3

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 3

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 3

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 3

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis3

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
ICD10 code for the medical diagnosis 4

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 4

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 4

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 4

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis4

Column Name: medical_diagnosis3_code
Column Type: varchar

Max Length: 10
Medical Diagnosis 3 Code

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 3 Value

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 4 Code

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 4 Value

Column Name: minute_time_override
Column Type: integer
When the appointment has an end time of 12:00 AM this will be set to 1.

Column Name: modifiers
Column Type: varchar
Max Length: 50
Billing modifiers

Column Name: number_of_clients
Column Type: varchar
Max Length: 10
Number of clients (members) of the appointment

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: orig_entry_date
Column Type: date
Original creation date of the appointment.

Column Name: orig_entry_time
Column Type: varchar
Max Length: 15
Original creation time of the appointment.

Column Name: orig_entry_user_name
Column Type: varchar
Max Length: 40
Original creator of the appointment.

Column Name: orig_sched_end_time
Column Type: varchar
Max Length: 50
Original end time of the appointment.

Column Name: orig_sched_start_time
Column Type: varchar
Max Length: 50
Original start time of the appointment.

Column Name: posted_as_service_code
Column Type: varchar
Max Length: 2
Posted as a service ?

Column Name: posted_as_service_value
Column Type: varchar
Max Length: 50
Posted as a service value

Column Name: posted_code
Column Type: varchar
Max Length: 2
Posted Appointment?

Column Name: posted_data_entry_by
Column Type: varchar
Max Length: 40
Appointment posted entry_by

Column Name: posted_data_entry_by_option
Column Type: varchar
Max Length: 40
Appointment posted entry_by_option

Column Name: posted_data_entry_date
Column Type: date
Appointment posted entry_date

Column Name: posted_data_entry_time
Column Type: varchar
Max Length: 15
Appointment posted entry_time

Column Name: posted_option_desc
Column Type: varchar
Max Length: 80
Appointment posted Option Description

Column Name: posted_option_id
Column Type: varchar
Max Length: 20
Appointment posted Option Id

Column Name: posted_value
Column Type: varchar
Max Length: 50
Posted appointment value

Column Name: posting_in_progress
Column Type: varchar
Max Length: 50
Posting in progress, this is for group appointments

Column Name: priority_code
Column Type: varchar
Max Length: 50
Appointment priority code

Column Name: priority_description
Column Type: varchar
Max Length: 50
Appointment priority description

Column Name: program_code
Column Type: varchar
Max Length: 10
Program Code

Column Name: program_value
Column Type: varchar
Max Length: 40
Program Value

Column Name: psycho_add_on_duration
Column Type: integer
Psychotherapy Add-On Duration (11506)

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096
Reason For Follow-up - String

Column Name: reason_for_follow_up_stream

Column Type: longvarchar
Max Length: 2147483647
Reason For Follow-up - Stream

Column Name: reason_svc_not_posted_code
Column Type: varchar
Max Length: 40
Reason Service Not Posted - Code

Column Name: reason_svc_not_posted_value
Column Type: varchar
Max Length: 50
Reason Service Not Posted - Value

Column Name: recurring_indicator
Column Type: integer
Flag for determining if this is a recurring appointment.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
Referring Practitioner Code

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
Referring Practitioner Name

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
Referring Provider Code

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
Referring Provider Name

Column Name: room_number
Column Type: varchar
Max Length: 50
Appointment room number

Column Name: service_description
Column Type: varchar
Max Length: 40
Service Description

Column Name: service_documentation_ns
Column Type: varchar

Max Length: 40
Service Documentation Namespace (99971)

Column Name: site_name
Column Type: varchar
Max Length: 40
Site Name

Column Name: staff_name
Column Type: varchar
Max Length: 40
The staff name associated with STAFFID.

Column Name: status_code
Column Type: varchar
Max Length: 40
The code for the appointment status.

Column Name: status_value
Column Type: varchar
Max Length: 40
The description associated with status_code.

Column Name: team_description
Column Type: varchar
Max Length: 50
Team description

Column Name: team_id
Column Type: varchar
Max Length: 50
Team

Column Name: units_of_service
Column Type: numeric
Units of Service (field 10014)

Column Name: unsigned_appointment
Column Type: bit
Flag for determining if this is an unsigned appointment.

Column Name: verified_code
Column Type: varchar
Max Length: 2
Appointment Verified ?

Column Name: verified_data_entry_by
Column Type: varchar
Max Length: 40
Appointment Verified entry_by

Column Name: verified_data_entry_by_option
Column Type: varchar
Max Length: 40
Appointment Verified entry_by_option

Column Name: verified_data_entry_date
Column Type: date
Appointment Verified entry_date

Column Name: verified_data_entry_time
Column Type: varchar
Max Length: 15
Appointment Verified entry_time

Column Name: verified_option_desc
Column Type: varchar
Max Length: 80
Appointment Verified Option Description

Column Name: verified_option_id
Column Type: varchar
Max Length: 20
Appointment Verified Option Id

Column Name: verified_value
Column Type: varchar
Max Length: 50
Appointment Verified value

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.AppointmentPartialEnrollSeries

Table Description: This table returns appointment series information for partially enrolled clients.

Column Name: ApptSData
Column Type: integer
Parent Series ID

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer

Patient Episode

Column Name: FACILITY

Column Type: integer

System facility code

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient Identifier

Column Name: SERIES_ID

Column Type: varchar

Max Length: 50

Appointment Series Identifier

Column Name: client_attending_days_code

Column Type: varchar

Max Length: 50

Client Attending Days Code

Column Name: client_attending_days_value

Column Type: varchar

Max Length: 200

Client Attending Days Value

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The 'User Description'.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The username that last updated the row.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option description associated with the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: patient_name
Column Type: varchar
Max Length: 40
Patient Name

Column Name: childsub
Column Type: integer

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.AppointmentPartialEnrollSeriesAudit

Table Description: This table returns audited appointment series information for partially enrolled clients.

Column Name: ApptSData
Column Type: integer
Parent Series ID

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Patient Episode

Column Name: FACILITY
Column Type: integer
System facility code

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient Identifier

Column Name: SERIES_ID
Column Type: varchar
Max Length: 50
Appointment Series Identifier

Column Name: client_attending_days_code
Column Type: varchar
Max Length: 50
Client Attending Days Code

Column Name: client_attending_days_value
Column Type: varchar
Max Length: 200
Client Attending Days Value

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description'.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The username that last updated the row.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option description associated with the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: patient_name
Column Type: varchar
Max Length: 40
Patient Name

Column Name: childsub
Column Type: integer

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.appt_data

Table Description: This table returns

person_unique_identifier,ID,CO_STAFFID_1,CO_STAFFID_2,EPIISODE_NUMBER,FACILITY,GROUP_ID,JOIN_TO_CO_STAFF_TX_HISTORY,JOIN_TO_FOLLOW_UP_APD,JOIN_TO_PREV_APD,JOIN_TO_SECOND_CO_STAFF_TX_HISTORY,JOIN_TO_STAFF_TX_HISTORY,JOIN_TO_TX_HISTORY,NOT_uniqueid,PATID,SERVICE_CODE,SITEID,team_id,team_description,STAFFID,accounting_period,appointment_date,appointment_end_time,appointment_notes,appointment_start_time,appt_req_follow_up_code,appt_req_follow_up_value,billable_code,billable_value,billing_status_code,billing_status_value,check_in_status,check_in_status_value,client_willing_pay_code,client_willing_pay_value,co_staff_1_name,co_staff_2_name,confirmation_notes,confirmed_code,confirmed_value,cost_of_service,costaff1_duration_min,costaff2_duration_min,data_entry_by,data_entry_by_option,data_entry_date,data_entry_time,data_entry_user_id,data_entry_user_name,disposition_code,disposition_value,duration,duration_minutes,follow_up_appt_due_date,follow_up_status_code,follow_up_status_value,group_name,insurance_category_code,insurance_category_value,location_code,location_value,medical_diagnosis1_code,medical_diagnosis1_value,medical_diagnosis1_DSM_value,medical_diagnosis2_code,medical_diagnosis2_value,medical_diagnosis2_DSM_value,medical_diagnosis3_code,medical_diagnosis3_value,medical_diagnosis3_DSM_value,medical_diagnosis4_code,medical_diagnosis4_value,medical_diagnosis4_DSM_value,missed_visit_code,missed_visit_notes,missed_visit_service_code,missed_visit_service_desc,missed_visit_value,modifiers,number_of_clients,option_desc,option_id,patient_name,posted_as_service_code,posted_as_service_value,posted_code,posted_data_entry_by,posted_data_entry_by_option,posted_data

ta_entry_date,posted_data_entry_time,posted_option_desc,posted_option_id,posted_value,program_code,program_value,reason_for_follow_up,recurring_indicator,referring_practitioner_code,referring_practitioner_name,referring_provider_code,referring_provider_name,service_description,site_name,staff_name,status_code,status_value,time_of_arrival,units_of_service,user_row_access_code,verified_code,verified_data_entry_by,verified_data_entry_by_option,verified_data_entry_date,verified_data_entry_time,verified_option_desc,verified_option_id,verified_value,ebpss_csi_code,ebpss_csi_value,ebpss_csi_value_long,prog_note_indicator_code,prog_note_indicator_value,reason_for_visit_code,reason_for_visit_value,add_svc_info_code,add_svc_info_shval,add_svc_info_value,psycho_add_on_duration,add_on_notes,minute_time_override,unsigned_appointment,svc_prog_override_code,svc_prog_override_value from SYSTEM.AppointmentData and SYSTEM.AppointmentPerson

Column Name: person_unique_identifier

Column Type: varchar

Max Length: 50

Column Name: ID

Column Type: integer

Column Name: CO_STAFFID_1

Column Type: varchar

Max Length: 10

Column Name: CO_STAFFID_2

Column Type: varchar

Max Length: 10

Column Name: EPISODE_NUMBER

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: GROUP_ID

Column Type: varchar

Max Length: 10

Column Name: JOIN_TO_CO_STAFF_TX_HISTORY

Column Type: varchar

Max Length: 15

Column Name: JOIN_TO_FOLLOW_UP_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_PREV_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SECOND_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40

Column Name: SITEID
Column Type: varchar
Max Length: 10

Column Name: team_id
Column Type: varchar
Max Length: 50

Column Name: team_description
Column Type: varchar
Max Length: 50

Column Name: STAFFID
Column Type: varchar
Max Length: 40

Column Name: accounting_period
Column Type: date

Column Name: appointment_date
Column Type: date

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096

Column Name: appointment_start_time
Column Type: varchar
Max Length: 50

Column Name: appointment_end_time_j
Column Type: varchar
Max Length: 50

Column Name: appointment_start_time_j
Column Type: varchar
Max Length: 50

Column Name: appt_req_follow_up_code
Column Type: varchar
Max Length: 5

Column Name: appt_req_follow_up_value
Column Type: varchar

Max Length: 50

Column Name: billable_code

Column Type: varchar

Max Length: 5

Column Name: billable_value

Column Type: varchar

Max Length: 20

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

Column Name: check_in_status

Column Type: varchar

Max Length: 1

Column Name: check_in_status_value

Column Type: varchar

Max Length: 20

Column Name: client_willing_pay_code

Column Type: varchar

Max Length: 50

Column Name: client_willing_pay_value

Column Type: varchar

Max Length: 50

Column Name: co_staff_1_name

Column Type: varchar

Max Length: 40

Column Name: co_staff_2_name

Column Type: varchar

Max Length: 40

Column Name: confirmation_notes

Column Type: varchar

Max Length: 4096

Column Name: confirmed_code

Column Type: varchar

Max Length: 10

Column Name: confirmed_value

Column Type: varchar

Max Length: 40

Column Name: cost_of_service

Column Type: numeric

Column Name: costaff1_duration_min

Column Type: varchar

Max Length: 10

Column Name: costaff2_duration_min

Column Type: varchar

Max Length: 10

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_source
Column Type: varchar
Max Length: 50

Column Name: disposition_code
Column Type: varchar
Max Length: 5

Column Name: disposition_value
Column Type: varchar
Max Length: 20

Column Name: duration
Column Type: varchar
Max Length: 10

Column Name: duration_minutes
Column Type: varchar
Max Length: 10

Column Name: follow_up_appt_due_date
Column Type: date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50

Column Name: group_name
Column Type: varchar
Max Length: 40

Column Name: insurance_category_code
Column Type: varchar
Max Length: 10

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40

Column Name: location_code
Column Type: varchar
Max Length: 20

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80

Column Name: missed_visit_code
Column Type: varchar
Max Length: 10

Column Name: missed_visit_notes
Column Type: varchar
Max Length: 4096

Column Name: missed_visit_service_code
Column Type: varchar
Max Length: 40

Column Name: missed_visit_service_desc
Column Type: varchar
Max Length: 40

Column Name: missed_visit_value
Column Type: varchar
Max Length: 40

Column Name: modifiers
Column Type: varchar
Max Length: 50

Column Name: number_of_clients
Column Type: varchar
Max Length: 10

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: patient_name
Column Type: varchar
Max Length: 40

Column Name: posted_as_service_code
Column Type: varchar
Max Length: 2

Column Name: posted_as_service_value
Column Type: varchar
Max Length: 50

Column Name: posted_code
Column Type: varchar
Max Length: 2

Column Name: posted_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_date
Column Type: date

Column Name: posted_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: posted_option_desc
Column Type: varchar
Max Length: 80

Column Name: posted_option_id
Column Type: varchar
Max Length: 20

Column Name: posted_value
Column Type: varchar
Max Length: 50

Column Name: program_code
Column Type: varchar
Max Length: 10

Column Name: program_value
Column Type: varchar
Max Length: 40

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096

Column Name: reason_svc_not_posted_code

Column Type: varchar
Max Length: 40

Column Name: reason_svc_not_posted_value
Column Type: varchar
Max Length: 50

Column Name: recurring_indicator
Column Type: integer

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50

Column Name: service_description
Column Type: varchar
Max Length: 40

Column Name: site_name
Column Type: varchar
Max Length: 40

Column Name: staff_name
Column Type: varchar
Max Length: 40

Column Name: status_code
Column Type: varchar

Max Length: 40

Column Name: status_value

Column Type: varchar

Max Length: 40

Column Name: time_of_arrival

Column Type: varchar

Max Length: 50

Column Name: transition_of_care_code

Column Type: varchar

Max Length: 20

Column Name: transition_of_care_value

Column Type: varchar

Max Length: 20

Column Name: units_of_service

Column Type: numeric

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: verified_code

Column Type: varchar

Max Length: 2

Column Name: verified_data_entry_by

Column Type: varchar

Max Length: 40

Column Name: verified_data_entry_by_option

Column Type: varchar

Max Length: 40

Column Name: verified_data_entry_date

Column Type: date

Column Name: verified_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: verified_option_desc
Column Type: varchar
Max Length: 80

Column Name: verified_option_id
Column Type: varchar
Max Length: 20

Column Name: verified_value
Column Type: varchar
Max Length: 50

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value_long
Column Type: varchar
Max Length: 4096

Column Name: prog_note_indicator_code
Column Type: varchar
Max Length: 50

Column Name: prog_note_indicator_value
Column Type: varchar
Max Length: 50

Column Name: reason_for_visit_code
Column Type: varchar
Max Length: 255

Column Name: reason_for_visit_value
Column Type: varchar
Max Length: 255

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096

Column Name: psycho_add_on_duration
Column Type: integer

Column Name: add_on_notes
Column Type: varchar
Max Length: 4096

Column Name: minute_time_override
Column Type: integer

Column Name: reason_visit_note
Column Type: varchar
Max Length: 4096

Column Name: unsigned_appointment
Column Type: bit

Column Name: priority_code
Column Type: varchar
Max Length: 50

Column Name: priority_description

Column Type: varchar
Max Length: 50

Column Name: room_number
Column Type: varchar
Max Length: 50

Column Name: orig_entry_date
Column Type: date

Column Name: orig_entry_time
Column Type: varchar
Max Length: 15

Column Name: orig_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: svc_prog_override_code
Column Type: varchar
Max Length: 50

Column Name: svc_prog_override_value
Column Type: varchar
Max Length: 40

Column Name: external_appt_id
Column Type: varchar
Max Length: 4096

Column Name: person_location_code
Column Type: varchar
Max Length: 20

Column Name: person_location_value
Column Type: varchar
Max Length: 512

Column Name: cancellation_reason_code
Column Type: varchar

Max Length: 40

Column Name: cancellation_reason_value

Column Type: varchar

Max Length: 255

Column Name: canceled_date

Column Type: date

Column Name: canceled_time

Column Type: varchar

Max Length: 50

Column Name: carefabric_appt_stat_code

Column Type: varchar

Max Length: 50

Column Name: carefabric_appt_stat_value

Column Type: varchar

Max Length: 255

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.appt_data_all

Table Description: This view projects appointment information for the tables SYSTEM.AppointmentData and SYSTEM.AppointmentPerson.

Column Name: ID

Column Type: integer

Column Name: CO_STAFFID_1

Column Type: varchar

Max Length: 10

Column Name: CO_STAFFID_2

Column Type: varchar

Max Length: 10

Column Name: FACILITY
Column Type: integer

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10

Column Name: JOIN_TO_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_FOLLOW_UP_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_PREV_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SECOND_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40

Column Name: SITEID
Column Type: varchar
Max Length: 10

Column Name: team_id
Column Type: varchar
Max Length: 50

Column Name: team_description
Column Type: varchar
Max Length: 50

Column Name: STAFFID
Column Type: varchar
Max Length: 40

Column Name: appointment_date
Column Type: date

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096

Column Name: appointment_start_time
Column Type: varchar
Max Length: 50

Column Name: appointment_end_time_j
Column Type: varchar
Max Length: 50

Column Name: appointment_start_time_j
Column Type: varchar
Max Length: 50

Column Name: appt_req_follow_up_code
Column Type: varchar
Max Length: 5

Column Name: appt_req_follow_up_value
Column Type: varchar
Max Length: 50

Column Name: billing_status_code

Column Type: varchar
Max Length: 50

Column Name: billing_status_value
Column Type: varchar
Max Length: 50

Column Name: co_staff_1_name
Column Type: varchar
Max Length: 40

Column Name: co_staff_2_name
Column Type: varchar
Max Length: 40

Column Name: cost_of_service
Column Type: numeric

Column Name: costaff1_duration_min
Column Type: varchar
Max Length: 10

Column Name: costaff2_duration_min
Column Type: varchar
Max Length: 10

Column Name: client_willing_pay_code
Column Type: varchar
Max Length: 50

Column Name: client_willing_pay_value
Column Type: varchar
Max Length: 50

Column Name: clinic_indicator
Column Type: integer

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 15

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_source
Column Type: varchar
Max Length: 50

Column Name: duration
Column Type: varchar
Max Length: 10

Column Name: duration_minutes
Column Type: varchar
Max Length: 10

Column Name: follow_up_appt_due_date
Column Type: date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50

Column Name: group_name
Column Type: varchar
Max Length: 40

Column Name: location_code
Column Type: varchar
Max Length: 20

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80

Column Name: modifiers
Column Type: varchar
Max Length: 50

Column Name: number_of_clients
Column Type: varchar
Max Length: 10

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: posted_as_service_code
Column Type: varchar
Max Length: 2

Column Name: posted_as_service_value
Column Type: varchar
Max Length: 50

Column Name: posted_code
Column Type: varchar
Max Length: 2

Column Name: posted_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_date
Column Type: date

Column Name: posted_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: posted_option_desc
Column Type: varchar
Max Length: 80

Column Name: posted_option_id
Column Type: varchar
Max Length: 20

Column Name: posted_value
Column Type: varchar
Max Length: 50

Column Name: program_code

Column Type: varchar
Max Length: 10

Column Name: program_value
Column Type: varchar
Max Length: 40

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096

Column Name: reason_svc_not_posted_code
Column Type: varchar
Max Length: 40

Column Name: reason_svc_not_posted_value
Column Type: varchar
Max Length: 50

Column Name: recurring_indicator
Column Type: integer

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50

Column Name: service_description
Column Type: varchar

Max Length: 40

Column Name: site_name

Column Type: varchar

Max Length: 40

Column Name: staff_name

Column Type: varchar

Max Length: 40

Column Name: status_code

Column Type: varchar

Max Length: 40

Column Name: status_value

Column Type: varchar

Max Length: 40

Column Name: units_of_service

Column Type: numeric

Column Name: verified_code

Column Type: varchar

Max Length: 2

Column Name: verified_data_entry_by

Column Type: varchar

Max Length: 40

Column Name: verified_data_entry_by_option

Column Type: varchar

Max Length: 40

Column Name: verified_data_entry_date

Column Type: date

Column Name: verified_data_entry_time

Column Type: varchar

Max Length: 15

Column Name: verified_option_desc
Column Type: varchar
Max Length: 80

Column Name: verified_option_id
Column Type: varchar
Max Length: 20

Column Name: verified_value
Column Type: varchar
Max Length: 50

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value_long
Column Type: varchar
Max Length: 4096

Column Name: posting_in_progress
Column Type: varchar
Max Length: 50

Column Name: orig_sched_start_time
Column Type: varchar
Max Length: 50

Column Name: orig_sched_end_time
Column Type: varchar
Max Length: 50

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096

Column Name: psycho_add_on_duration
Column Type: integer

Column Name: add_on_notes
Column Type: varchar
Max Length: 4096

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40

Column Name: minute_time_override
Column Type: integer

Column Name: unsigned_appointment
Column Type: bit

Column Name: priority_code
Column Type: varchar

Max Length: 50

Column Name: priority_description

Column Type: varchar

Max Length: 50

Column Name: room_number

Column Type: varchar

Max Length: 50

Column Name: orig_entry_date

Column Type: date

Column Name: orig_entry_time

Column Type: varchar

Max Length: 15

Column Name: orig_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

Column Name: service_documentation_ns

Column Type: varchar

Max Length: 40

Column Name: ROOMID

Column Type: varchar

Max Length: 40

Column Name: external_appt_id

Column Type: varchar

Max Length: 4096

Column Name: cancellation_reason_code

Column Type: varchar

Max Length: 40

Column Name: cancellation_reason_value
Column Type: varchar
Max Length: 255

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.appt_not_posted

Table Description: This view projects appointment information for the tables SYSTEM.AppointmentData and SYSTEM.AppointmentPerson

Column Name: person_unique_identifier
Column Type: varchar
Max Length: 50

Column Name: ID
Column Type: integer

Column Name: CO_STAFFID_1
Column Type: varchar
Max Length: 10

Column Name: CO_STAFFID_2
Column Type: varchar
Max Length: 10

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10

Column Name: JOIN_TO_FOLLOW_UP_APD

Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_PREV_APD
Column Type: varchar
Max Length: 50

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40

Column Name: SITEID
Column Type: varchar
Max Length: 10

Column Name: STAFFID
Column Type: varchar
Max Length: 40

Column Name: accounting_period
Column Type: date

Column Name: appointment_date
Column Type: date

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096

Column Name: appointment_start_time
Column Type: varchar
Max Length: 50

Column Name: appt_req_follow_up_code
Column Type: varchar
Max Length: 5

Column Name: appt_req_follow_up_value
Column Type: varchar
Max Length: 50

Column Name: co_staff_1_name
Column Type: varchar
Max Length: 40

Column Name: co_staff_2_name
Column Type: varchar
Max Length: 40

Column Name: confirmation_notes
Column Type: varchar
Max Length: 4096

Column Name: confirmed_code
Column Type: varchar
Max Length: 10

Column Name: confirmed_value
Column Type: varchar
Max Length: 40

Column Name: costaff1_duration_min
Column Type: varchar
Max Length: 10

Column Name: costaff2_duration_min
Column Type: varchar
Max Length: 10

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 15

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: duration
Column Type: varchar
Max Length: 10

Column Name: duration_minutes
Column Type: varchar
Max Length: 10

Column Name: follow_up_appt_due_date
Column Type: date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50

Column Name: group_name
Column Type: varchar
Max Length: 40

Column Name: insurance_category_code
Column Type: varchar
Max Length: 10

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40

Column Name: location_code
Column Type: varchar
Max Length: 20

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80

Column Name: missed_visit_code
Column Type: varchar
Max Length: 10

Column Name: missed_visit_notes
Column Type: varchar
Max Length: 4096

Column Name: missed_visit_service_code
Column Type: varchar
Max Length: 40

Column Name: missed_visit_service_desc
Column Type: varchar
Max Length: 40

Column Name: missed_visit_value
Column Type: varchar
Max Length: 40

Column Name: modifiers
Column Type: varchar
Max Length: 50

Column Name: number_of_clients
Column Type: varchar
Max Length: 10

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: patient_name
Column Type: varchar
Max Length: 40

Column Name: posted_as_service_code
Column Type: varchar
Max Length: 2

Column Name: posted_as_service_value
Column Type: varchar
Max Length: 50

Column Name: posted_code
Column Type: varchar
Max Length: 2

Column Name: posted_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_date
Column Type: date

Column Name: posted_data_entry_time

Column Type: varchar
Max Length: 15

Column Name: posted_option_desc
Column Type: varchar
Max Length: 80

Column Name: posted_option_id
Column Type: varchar
Max Length: 20

Column Name: posted_value
Column Type: varchar
Max Length: 50

Column Name: program_code
Column Type: varchar
Max Length: 10

Column Name: program_value
Column Type: varchar
Max Length: 40

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096

Column Name: recurring_indicator
Column Type: integer

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: referring_provider_code
Column Type: varchar

Max Length: 10

Column Name: referring_provider_name

Column Type: varchar

Max Length: 50

Column Name: service_description

Column Type: varchar

Max Length: 40

Column Name: site_name

Column Type: varchar

Max Length: 40

Column Name: staff_name

Column Type: varchar

Max Length: 40

Column Name: status_code

Column Type: varchar

Max Length: 40

Column Name: status_value

Column Type: varchar

Max Length: 40

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: verified_code

Column Type: varchar

Max Length: 2

Column Name: verified_data_entry_by

Column Type: varchar

Max Length: 40

Column Name: verified_data_entry_by_option

Column Type: varchar
Max Length: 40

Column Name: verified_data_entry_date
Column Type: date

Column Name: verified_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: verified_option_desc
Column Type: varchar
Max Length: 80

Column Name: verified_option_id
Column Type: varchar
Max Length: 20

Column Name: verified_value
Column Type: varchar
Max Length: 50

Column Name: data_entry_source
Column Type: varchar
Max Length: 50

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.audit_appointment_data

Table Description: This view projects appointment audit information for the tables
SYSTEM.AppointmentDataAudit and SYSTEM.AppointmentPersonAudit.

Column Name: person_unique_identifier
Column Type: varchar
Max Length: 50

Column Name: ID
Column Type: integer

Column Name: CO_STAFFID_1
Column Type: varchar
Max Length: 10

Column Name: CO_STAFFID_2
Column Type: varchar
Max Length: 10

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10

Column Name: JOIN_TO_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_FOLLOW_UP_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_PREV_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SECOND_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20

Column Name: SITEID
Column Type: varchar
Max Length: 10

Column Name: team_id
Column Type: varchar
Max Length: 50

Column Name: team_description
Column Type: varchar
Max Length: 50

Column Name: STAFFID
Column Type: varchar
Max Length: 40

Column Name: accounting_period
Column Type: date

Column Name: appointment_date
Column Type: date

Column Name: appointment_end_time
Column Type: varchar

Max Length: 50

Column Name: appointment_notes

Column Type: varchar

Max Length: 4096

Column Name: appointment_start_time

Column Type: varchar

Max Length: 50

Column Name: appointment_end_time_j

Column Type: varchar

Max Length: 50

Column Name: appointment_start_time_j

Column Type: varchar

Max Length: 50

Column Name: appt_req_follow_up_code

Column Type: varchar

Max Length: 5

Column Name: appt_req_follow_up_value

Column Type: varchar

Max Length: 50

Column Name: billable_code

Column Type: varchar

Max Length: 5

Column Name: billable_value

Column Type: varchar

Max Length: 20

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

Column Name: check_in_status

Column Type: varchar

Max Length: 1

Column Name: check_in_status_value

Column Type: varchar

Max Length: 20

Column Name: co_staff_1_name

Column Type: varchar

Max Length: 40

Column Name: co_staff_2_name

Column Type: varchar

Max Length: 40

Column Name: confirmation_notes

Column Type: varchar

Max Length: 4096

Column Name: confirmed_code

Column Type: varchar

Max Length: 10

Column Name: confirmed_value

Column Type: varchar

Max Length: 40

Column Name: cost_of_service

Column Type: numeric

Column Name: costaff1_duration_min

Column Type: varchar

Max Length: 10

Column Name: costaff2_duration_min

Column Type: varchar

Max Length: 10

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 15

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: duration
Column Type: varchar
Max Length: 10

Column Name: duration_minutes
Column Type: varchar
Max Length: 10

Column Name: follow_up_appt_due_date
Column Type: date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50

Column Name: group_name
Column Type: varchar
Max Length: 40

Column Name: insurance_category_code
Column Type: varchar
Max Length: 10

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40

Column Name: location_code
Column Type: varchar
Max Length: 10

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80

Column Name: missed_visit_code
Column Type: varchar
Max Length: 10

Column Name: missed_visit_notes
Column Type: varchar
Max Length: 4096

Column Name: missed_visit_service_code
Column Type: varchar
Max Length: 40

Column Name: missed_visit_service_desc
Column Type: varchar
Max Length: 40

Column Name: missed_visit_value
Column Type: varchar
Max Length: 40

Column Name: modifiers
Column Type: varchar
Max Length: 50

Column Name: number_of_clients
Column Type: varchar
Max Length: 10

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: patient_name
Column Type: varchar
Max Length: 40

Column Name: posted_as_service_code
Column Type: varchar
Max Length: 2

Column Name: posted_as_service_value
Column Type: varchar
Max Length: 50

Column Name: posted_code
Column Type: varchar
Max Length: 2

Column Name: posted_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_date
Column Type: date

Column Name: posted_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: posted_option_desc
Column Type: varchar
Max Length: 80

Column Name: posted_option_id
Column Type: varchar
Max Length: 20

Column Name: posted_value
Column Type: varchar
Max Length: 50

Column Name: program_code
Column Type: varchar
Max Length: 10

Column Name: program_value

Column Type: varchar
Max Length: 40

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096

Column Name: recurring_indicator
Column Type: integer

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50

Column Name: service_description
Column Type: varchar
Max Length: 40

Column Name: reason_for_visit_code
Column Type: varchar
Max Length: 255

Column Name: reason_for_visit_value
Column Type: varchar
Max Length: 255

Column Name: reason_svc_not_posted_code
Column Type: varchar

Max Length: 40

Column Name: reason_svc_not_posted_value

Column Type: varchar

Max Length: 50

Column Name: transition_of_care_code

Column Type: varchar

Max Length: 20

Column Name: transition_of_care_value

Column Type: varchar

Max Length: 20

Column Name: site_name

Column Type: varchar

Max Length: 40

Column Name: staff_name

Column Type: varchar

Max Length: 40

Column Name: status_code

Column Type: varchar

Max Length: 40

Column Name: status_value

Column Type: varchar

Max Length: 40

Column Name: time_of_arrival

Column Type: varchar

Max Length: 50

Column Name: units_of_service

Column Type: numeric

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: verified_code
Column Type: varchar
Max Length: 2

Column Name: verified_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: verified_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: verified_data_entry_date
Column Type: date

Column Name: verified_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: verified_option_desc
Column Type: varchar
Max Length: 80

Column Name: verified_option_id
Column Type: varchar
Max Length: 20

Column Name: verified_value
Column Type: varchar
Max Length: 50

Column Name: clinic_indicator
Column Type: integer

Column Name: client_willing_pay_code
Column Type: varchar
Max Length: 50

Column Name: client_willing_pay_value
Column Type: varchar
Max Length: 50

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value_long
Column Type: varchar
Max Length: 4096

Column Name: original_appointment_id
Column Type: integer

Column Name: posting_in_progress
Column Type: varchar
Max Length: 50

Column Name: orig_sched_start_time
Column Type: varchar
Max Length: 50

Column Name: orig_sched_end_time
Column Type: varchar
Max Length: 50

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096

Column Name: psycho_add_on_duration
Column Type: integer

Column Name: add_on_notes
Column Type: varchar
Max Length: 4096

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40

Column Name: minute_time_override
Column Type: integer

Column Name: unsigned_appointment
Column Type: bit

Column Name: priority_code
Column Type: varchar
Max Length: 50

Column Name: priority_description
Column Type: varchar

Max Length: 50

Column Name: room_number

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

Column Name: service_documentation_NS

Column Type: varchar

Max Length: 40

Column Name: ROOMID

Column Type: varchar

Max Length: 40

Column Name: svc_prog_override_code

Column Type: varchar

Max Length: 50

Column Name: svc_prog_override_value

Column Type: varchar

Max Length: 40

Column Name: external_appt_id

Column Type: varchar

Max Length: 4096

Column Name: person_location_code

Column Type: varchar

Max Length: 20

Column Name: person_location_value

Column Type: varchar

Max Length: 512

Column Name: cancellation_reason_code

Column Type: varchar

Max Length: 40

Column Name: cancellation_reason_value

Column Type: varchar

Max Length: 255

Column Name: canceled_date

Column Type: date

Column Name: canceled_time

Column Type: varchar

Max Length: 50

Column Name: carefabric_appt_stat_code

Column Type: varchar

Max Length: 50

Column Name: carefabric_appt_stat_value

Column Type: varchar

Max Length: 255

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.audit_appointment_site_specific

Table Description: This view projects appointment information for the tables
SYSTEM.AppointmentDataAudit and SYSTEM.AppointmentSiteSpecificAudit

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 15

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: appt_date_1
Column Type: date

Column Name: appt_date_2
Column Type: date

Column Name: appt_date_3
Column Type: date

Column Name: appt_date_4
Column Type: date

Column Name: appt_date_5
Column Type: date

Column Name: appt_free_text_10_1
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_10_2

Column Type: varchar
Max Length: 10

Column Name: appt_free_text_10_3
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_10_4
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_10_5
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_20_1
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_20_2
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_20_3
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_20_4
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_20_5
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_40_1
Column Type: varchar
Max Length: 40

Column Name: appt_free_text_40_2

Column Type: varchar
Max Length: 40

Column Name: appt_free_text_40_3
Column Type: varchar
Max Length: 40

Column Name: appt_free_text_40_4
Column Type: varchar
Max Length: 40

Column Name: appt_free_text_40_5
Column Type: varchar
Max Length: 40

Column Name: appt_multi_dict_1_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_1_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_1_value
Column Type: varchar
Max Length: 4096

Column Name: appt_multi_dict_2_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_2_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_2_value
Column Type: varchar
Max Length: 4096

Column Name: appt_multi_dict_3_code

Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_3_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_3_value
Column Type: varchar
Max Length: 4096

Column Name: appt_multi_dict_4_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_4_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_4_value
Column Type: varchar
Max Length: 4096

Column Name: appt_multi_dict_5_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_5_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_5_value
Column Type: varchar
Max Length: 4096

Column Name: appt_pract_1_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_1_value

Column Type: varchar
Max Length: 50

Column Name: appt_pract_2_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_2_value
Column Type: varchar
Max Length: 50

Column Name: appt_pract_3_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_3_value
Column Type: varchar
Max Length: 50

Column Name: appt_pract_4_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_4_value
Column Type: varchar
Max Length: 50

Column Name: appt_pract_5_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_5_value
Column Type: varchar
Max Length: 50

Column Name: appt_scrolling_text_1
Column Type: varchar
Max Length: 4096

Column Name: appt_scrolling_text_2

Column Type: varchar
Max Length: 4096

Column Name: appt_scrolling_text_3
Column Type: varchar
Max Length: 4096

Column Name: appt_scrolling_text_4
Column Type: varchar
Max Length: 4096

Column Name: appt_scrolling_text_5
Column Type: varchar
Max Length: 4096

Column Name: appt_single_dict_1_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_1_value
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_2_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_2_value
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_3_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_3_value
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_4_code

Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_4_value
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_5_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_5_value
Column Type: varchar
Max Length: 50

Column Name: appt_time_1
Column Type: varchar
Max Length: 50

Column Name: appt_time_2
Column Type: varchar
Max Length: 50

Column Name: appt_time_3
Column Type: varchar
Max Length: 50

Column Name: appt_time_4
Column Type: varchar
Max Length: 50

Column Name: appt_time_5
Column Type: varchar
Max Length: 50

Column Name: appt_integer_1
Column Type: integer

Column Name: appt_integer_2
Column Type: integer

Column Name: appt_integer_3
Column Type: integer

Column Name: appt_integer_4
Column Type: integer

Column Name: appt_integer_5
Column Type: integer

Column Name: appt_integer_6
Column Type: integer

Column Name: ss_unique_identifier
Column Type: varchar
Max Length: 50

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.audit_deleted_appointment

Table Description: This view projects deleted appointment information for the tables
SYSTEM.AppointmentData and SYSTEM.AppointmentPerson.

Column Name: person_unique_identifier
Column Type: varchar
Max Length: 50

Column Name: ID
Column Type: integer

Column Name: CO_STAFFID_1
Column Type: varchar
Max Length: 10

Column Name: CO_STAFFID_2
Column Type: varchar
Max Length: 10

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10

Column Name: JOIN_TO_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_FOLLOW_UP_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_PREV_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SECOND_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20

Column Name: SITEID
Column Type: varchar
Max Length: 10

Column Name: team_id
Column Type: varchar
Max Length: 50

Column Name: team_description
Column Type: varchar
Max Length: 50

Column Name: STAFFID
Column Type: varchar
Max Length: 40

Column Name: accounting_period
Column Type: date

Column Name: appointment_date
Column Type: date

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096

Column Name: appointment_start_time
Column Type: varchar

Max Length: 50

Column Name: appointment_end_time_j

Column Type: varchar

Max Length: 50

Column Name: appointment_start_time_j

Column Type: varchar

Max Length: 50

Column Name: appt_req_follow_up_code

Column Type: varchar

Max Length: 5

Column Name: appt_req_follow_up_value

Column Type: varchar

Max Length: 50

Column Name: billable_code

Column Type: varchar

Max Length: 5

Column Name: billable_value

Column Type: varchar

Max Length: 20

Column Name: check_in_status

Column Type: varchar

Max Length: 1

Column Name: check_in_status_value

Column Type: varchar

Max Length: 20

Column Name: co_staff_1_name

Column Type: varchar

Max Length: 40

Column Name: co_staff_2_name

Column Type: varchar

Max Length: 40

Column Name: confirmation_notes

Column Type: varchar

Max Length: 4096

Column Name: confirmed_code

Column Type: varchar

Max Length: 10

Column Name: confirmed_value

Column Type: varchar

Max Length: 40

Column Name: cost_of_service

Column Type: numeric

Column Name: costaff1_duration_min

Column Type: varchar

Max Length: 10

Column Name: costaff2_duration_min

Column Type: varchar

Max Length: 10

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: duration
Column Type: varchar
Max Length: 4

Column Name: duration_minutes
Column Type: varchar
Max Length: 10

Column Name: follow_up_appt_due_date
Column Type: date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50

Column Name: group_name
Column Type: varchar
Max Length: 40

Column Name: insurance_category_code
Column Type: varchar
Max Length: 10

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40

Column Name: location_code
Column Type: varchar
Max Length: 10

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80

Column Name: missed_visit_code
Column Type: varchar
Max Length: 10

Column Name: missed_visit_notes
Column Type: varchar
Max Length: 4096

Column Name: missed_visit_service_code
Column Type: varchar
Max Length: 40

Column Name: missed_visit_service_desc
Column Type: varchar
Max Length: 40

Column Name: missed_visit_value
Column Type: varchar
Max Length: 40

Column Name: modifiers
Column Type: varchar
Max Length: 50

Column Name: number_of_clients
Column Type: varchar
Max Length: 10

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: patient_name
Column Type: varchar
Max Length: 40

Column Name: posted_as_service_code
Column Type: varchar
Max Length: 2

Column Name: posted_as_service_value
Column Type: varchar
Max Length: 50

Column Name: posted_code
Column Type: varchar
Max Length: 2

Column Name: posted_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_date
Column Type: date

Column Name: posted_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: posted_option_desc
Column Type: varchar
Max Length: 80

Column Name: posted_option_id
Column Type: varchar
Max Length: 20

Column Name: posted_value
Column Type: varchar
Max Length: 50

Column Name: program_code
Column Type: varchar
Max Length: 10

Column Name: program_value
Column Type: varchar
Max Length: 40

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096

Column Name: reason_svc_not_posted_code
Column Type: varchar
Max Length: 40

Column Name: reason_svc_not_posted_value
Column Type: varchar
Max Length: 50

Column Name: recurring_indicator

Column Type: integer

Column Name: referring_practitioner_code

Column Type: varchar

Max Length: 10

Column Name: referring_practitioner_name

Column Type: varchar

Max Length: 50

Column Name: referring_provider_code

Column Type: varchar

Max Length: 10

Column Name: referring_provider_name

Column Type: varchar

Max Length: 50

Column Name: service_description

Column Type: varchar

Max Length: 40

Column Name: reason_for_visit_code

Column Type: varchar

Max Length: 255

Column Name: reason_for_visit_value

Column Type: varchar

Max Length: 255

Column Name: site_name

Column Type: varchar

Max Length: 40

Column Name: staff_name

Column Type: varchar

Max Length: 40

Column Name: status_code

Column Type: varchar

Max Length: 40

Column Name: status_value

Column Type: varchar

Max Length: 40

Column Name: time_of_arrival

Column Type: varchar

Max Length: 50

Column Name: transition_of_care_code

Column Type: varchar

Max Length: 20

Column Name: transition_of_care_value

Column Type: varchar

Max Length: 20

Column Name: units_of_service

Column Type: numeric

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: verified_code

Column Type: varchar

Max Length: 2

Column Name: verified_data_entry_by

Column Type: varchar

Max Length: 40

Column Name: verified_data_entry_by_option

Column Type: varchar

Max Length: 40

Column Name: verified_data_entry_date

Column Type: date

Column Name: verified_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: verified_option_desc
Column Type: varchar
Max Length: 80

Column Name: verified_option_id
Column Type: varchar
Max Length: 20

Column Name: verified_value
Column Type: varchar
Max Length: 50

Column Name: clinic_indicator
Column Type: integer

Column Name: client_willing_pay_code
Column Type: varchar
Max Length: 50

Column Name: client_willing_pay_value
Column Type: varchar
Max Length: 50

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value_long
Column Type: varchar
Max Length: 4096

Column Name: original_appointment_id
Column Type: integer

Column Name: posting_in_progress
Column Type: varchar
Max Length: 50

Column Name: orig_sched_start_time
Column Type: varchar
Max Length: 50

Column Name: orig_sched_end_time
Column Type: varchar
Max Length: 50

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096

Column Name: psycho_add_on_duration
Column Type: integer

Column Name: add_on_notes
Column Type: varchar
Max Length: 4096

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_icd9_code

Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_2_imo_value

Column Type: varchar
Max Length: 40

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_icd10_code

Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40

Column Name: unsigned_appointment
Column Type: bit

Column Name: priority_code
Column Type: varchar
Max Length: 50

Column Name: priority_description
Column Type: varchar
Max Length: 50

Column Name: room_number
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SVCDocumentation
Column Type: varchar
Max Length: 40

Column Name: service_documentation_NS
Column Type: varchar
Max Length: 40

Column Name: ROOMID
Column Type: varchar
Max Length: 40

Column Name: external_appt_id
Column Type: varchar

Max Length: 4096

Column Name: person_location_code

Column Type: varchar

Max Length: 20

Column Name: person_location_value

Column Type: varchar

Max Length: 512

Column Name: cancellation_reason_code

Column Type: varchar

Max Length: 40

Column Name: cancellation_reason_value

Column Type: varchar

Max Length: 255

Column Name: canceled_date

Column Type: date

Column Name: canceled_time

Column Type: varchar

Max Length: 50

Column Name: carefabric_appt_stat_code

Column Type: varchar

Max Length: 50

Column Name: carefabric_appt_stat_value

Column Type: varchar

Max Length: 255

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.audit_deleted_appointment_site_specific

Table Description: This view projects appointment information for the tables
SYSTEM.AppointmentDataDeleted and SYSTEM.AppointmentSiteSpecificDeleted

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: appt_date_1
Column Type: date

Column Name: appt_date_2
Column Type: date

Column Name: appt_date_3
Column Type: date

Column Name: appt_date_4
Column Type: date

Column Name: appt_date_5
Column Type: date

Column Name: appt_free_text_10_1
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_10_2
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_10_3
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_10_4
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_10_5
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_20_1
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_20_2
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_20_3
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_20_4
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_20_5
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_40_1
Column Type: varchar
Max Length: 40

Column Name: appt_free_text_40_2
Column Type: varchar
Max Length: 40

Column Name: appt_free_text_40_3
Column Type: varchar
Max Length: 40

Column Name: appt_free_text_40_4
Column Type: varchar
Max Length: 40

Column Name: appt_free_text_40_5
Column Type: varchar
Max Length: 40

Column Name: appt_multi_dict_1_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_1_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_1_value
Column Type: varchar
Max Length: 4096

Column Name: appt_multi_dict_2_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_2_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_2_value
Column Type: varchar
Max Length: 4096

Column Name: appt_multi_dict_3_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_3_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_3_value
Column Type: varchar
Max Length: 4096

Column Name: appt_multi_dict_4_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_4_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_4_value
Column Type: varchar
Max Length: 4096

Column Name: appt_multi_dict_5_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_5_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_5_value
Column Type: varchar
Max Length: 4096

Column Name: appt_pract_1_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_1_value
Column Type: varchar
Max Length: 50

Column Name: appt_pract_2_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_2_value
Column Type: varchar
Max Length: 50

Column Name: appt_pract_3_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_3_value
Column Type: varchar
Max Length: 50

Column Name: appt_pract_4_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_4_value
Column Type: varchar
Max Length: 50

Column Name: appt_pract_5_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_5_value
Column Type: varchar
Max Length: 50

Column Name: appt_scrolling_text_1
Column Type: varchar
Max Length: 4096

Column Name: appt_scrolling_text_2
Column Type: varchar
Max Length: 4096

Column Name: appt_scrolling_text_3
Column Type: varchar
Max Length: 4096

Column Name: appt_scrolling_text_4
Column Type: varchar
Max Length: 4096

Column Name: appt_scrolling_text_5
Column Type: varchar
Max Length: 4096

Column Name: appt_single_dict_1_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_1_value
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_2_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_2_value
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_3_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_3_value
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_4_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_4_value
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_5_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_5_value
Column Type: varchar
Max Length: 50

Column Name: appt_time_1
Column Type: varchar
Max Length: 50

Column Name: appt_time_2
Column Type: varchar
Max Length: 50

Column Name: appt_time_3
Column Type: varchar
Max Length: 50

Column Name: appt_time_4
Column Type: varchar
Max Length: 50

Column Name: appt_time_5
Column Type: varchar
Max Length: 50

Column Name: appt_integer_1
Column Type: integer

Column Name: appt_integer_2
Column Type: integer

Column Name: appt_integer_3
Column Type: integer

Column Name: appt_integer_4
Column Type: integer

Column Name: appt_integer_5
Column Type: integer

Column Name: appt_integer_6
Column Type: integer

Column Name: ss_unique_identifier
Column Type: varchar
Max Length: 50

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.site_specific_appt_scheduling

Table Description: This view projects appointment information for the tables SYSTEM.AppointmentData and SYSTEM.AppointmentSiteSpecific

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: appt_date_1
Column Type: date

Column Name: appt_date_2
Column Type: date

Column Name: appt_date_3
Column Type: date

Column Name: appt_date_4
Column Type: date

Column Name: appt_date_5
Column Type: date

Column Name: appt_free_text_10_1
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_10_2
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_10_3
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_10_4
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_10_5
Column Type: varchar
Max Length: 10

Column Name: appt_free_text_20_1
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_20_2
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_20_3
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_20_4
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_20_5
Column Type: varchar
Max Length: 20

Column Name: appt_free_text_40_1
Column Type: varchar
Max Length: 40

Column Name: appt_free_text_40_2
Column Type: varchar
Max Length: 40

Column Name: appt_free_text_40_3
Column Type: varchar
Max Length: 40

Column Name: appt_free_text_40_4
Column Type: varchar
Max Length: 40

Column Name: appt_free_text_40_5
Column Type: varchar
Max Length: 40

Column Name: appt_multi_dict_1_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_1_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_1_value
Column Type: varchar
Max Length: 4096

Column Name: appt_multi_dict_2_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_2_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_2_value
Column Type: varchar
Max Length: 4096

Column Name: appt_multi_dict_3_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_3_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_3_value
Column Type: varchar
Max Length: 4096

Column Name: appt_multi_dict_4_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_4_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_4_value
Column Type: varchar
Max Length: 4096

Column Name: appt_multi_dict_5_code
Column Type: varchar
Max Length: 50

Column Name: appt_multi_dict_5_shval
Column Type: varchar
Max Length: 255

Column Name: appt_multi_dict_5_value
Column Type: varchar
Max Length: 4096

Column Name: appt_pract_1_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_1_value
Column Type: varchar
Max Length: 50

Column Name: appt_pract_2_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_2_value
Column Type: varchar
Max Length: 50

Column Name: appt_pract_3_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_3_value
Column Type: varchar
Max Length: 50

Column Name: appt_pract_4_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_4_value
Column Type: varchar
Max Length: 50

Column Name: appt_pract_5_code
Column Type: varchar
Max Length: 50

Column Name: appt_pract_5_value
Column Type: varchar
Max Length: 50

Column Name: appt_scrolling_text_1
Column Type: varchar
Max Length: 4096

Column Name: appt_scrolling_text_2
Column Type: varchar
Max Length: 4096

Column Name: appt_scrolling_text_3
Column Type: varchar
Max Length: 4096

Column Name: appt_scrolling_text_4
Column Type: varchar
Max Length: 4096

Column Name: appt_scrolling_text_5
Column Type: varchar
Max Length: 4096

Column Name: appt_single_dict_1_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_1_value
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_2_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_2_value
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_3_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_3_value
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_4_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_4_value
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_5_code
Column Type: varchar
Max Length: 50

Column Name: appt_single_dict_5_value
Column Type: varchar
Max Length: 50

Column Name: appt_time_1
Column Type: varchar
Max Length: 50

Column Name: appt_time_2
Column Type: varchar
Max Length: 50

Column Name: appt_time_3
Column Type: varchar
Max Length: 50

Column Name: appt_time_4
Column Type: varchar
Max Length: 50

Column Name: appt_time_5
Column Type: varchar
Max Length: 50

Column Name: appt_integer_1
Column Type: integer

Column Name: appt_integer_2
Column Type: integer

Column Name: appt_integer_3
Column Type: integer

Column Name: appt_integer_4
Column Type: integer

Column Name: appt_integer_5
Column Type: integer

Column Name: appt_integer_6
Column Type: integer

Column Name: ss_unique_identifier
Column Type: varchar
Max Length: 50

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.site_specific_check_in

Table Description: Site Specific Client Check-In

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar

Max Length: 20
Patient ID.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
Service Code.

Column Name: SITEID
Column Type: varchar
Max Length: 20
Site ID.

Column Name: appointment_date
Column Type: date
The date of the appointment.

Column Name: appointment_object_id
Column Type: varchar
Max Length: 50
Appointment Object ID.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: date_1
Column Type: date
Site specific date.

Column Name: date_10
Column Type: date
Site specific date.

Column Name: date_2
Column Type: date
Site specific date.

Column Name: date_3
Column Type: date
Site specific date.

Column Name: date_4
Column Type: date
Site specific date..

Column Name: date_5
Column Type: date

Site specific date.

Column Name: date_6

Column Type: date

Site specific date.

Column Name: date_7

Column Type: date

Site specific date.

Column Name: date_8

Column Type: date

Site specific date.

Column Name: date_9

Column Type: date

Site specific date.

Column Name: dictionary_10_code

Column Type: varchar

Max Length: 50

Site specific single dictionary code.

Column Name: dictionary_10_value

Column Type: varchar

Max Length: 50

Site specific single dictionary value.

Column Name: dictionary_1_code

Column Type: varchar

Max Length: 50

Dictionary Y/N.

Column Name: dictionary_1_value

Column Type: varchar

Max Length: 50

The description associated with dictionary_2_code. See dictionary_2_code for more information.

Column Name: dictionary_2_code

Column Type: varchar

Max Length: 50

Dictionary Y/N.

Column Name: dictionary_2_value

Column Type: varchar

Max Length: 50

The description associated with dictionary_2_code. See dictionary_2_code for more information.

Column Name: dictionary_3_code

Column Type: varchar

Max Length: 50
Dictionary Y/N.

Column Name: dictionary_3_value
Column Type: varchar
Max Length: 50

The description associated with dictionary_3_code. See dictionary_3_code for more information.

Column Name: dictionary_4_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_4_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value.

Column Name: dictionary_5_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_5_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value

Column Name: dictionary_6_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_6_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value

Column Name: dictionary_7_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_7_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value.

Column Name: dictionary_8_code
Column Type: varchar

Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_8_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value.

Column Name: dictionary_9_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_9_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value.

Column Name: free_text_20_1
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_10
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_2
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_3
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_4
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_5
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_6
Column Type: varchar

Max Length: 50
Site specific free text.

Column Name: free_text_20_7
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_8
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_9
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_1
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_10
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_2
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_3
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_4
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_5
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_6
Column Type: varchar

Max Length: 50
Site specific free text.

Column Name: free_text_40_7
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_8
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_9
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_1
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_10
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_2
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_3
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_4
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_5
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_6
Column Type: varchar

Max Length: 50
Site specific free text.

Column Name: free_text_80_7
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_8
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_9
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: multi_dictionary_10_code
Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_10_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_10_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_1_code
Column Type: varchar
Max Length: 50
Site specific property.

Column Name: multi_dictionary_1_shval
Column Type: varchar
Max Length: 255
Site specific property.

Column Name: multi_dictionary_1_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_2_code
Column Type: varchar

Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_2_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_2_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_3_code
Column Type: varchar
Max Length: 50
Site specific property.

Column Name: multi_dictionary_3_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_3_value
Column Type: varchar
Max Length: 4096
Site specific property.

Column Name: multi_dictionary_4_code
Column Type: varchar
Max Length: 50
Site specific property.

Column Name: multi_dictionary_4_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_4_value
Column Type: varchar
Max Length: 4096
Site specific property.

Column Name: multi_dictionary_5_code
Column Type: varchar
Max Length: 50
Site specific property.

Column Name: multi_dictionary_5_shval
Column Type: varchar

Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_5_value
Column Type: varchar
Max Length: 4096
Site specific property.

Column Name: multi_dictionary_6_code
Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_6_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_6_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_7_code
Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_7_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_7_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_8_code
Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_8_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_8_value
Column Type: varchar

Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_9_code
Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_9_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_9_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: scrolling_text_1
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_10
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_2
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_3
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_4
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_5
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_6
Column Type: varchar

Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_7
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_8
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_9
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.site_specific_check_out

Table Description: Site Spesific Client Check-out

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Joins table to treatment history.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID.

Column Name: SERVICE_CODE

Column Type: varchar
Max Length: 20
Service Code.

Column Name: SITEID
Column Type: varchar
Max Length: 10
Site ID

Column Name: appointment_date
Column Type: date
The date of the appointment.

Column Name: appointment_object_id
Column Type: varchar
Max Length: 50
Appointment Object ID.

Column Name: check_in_date_1
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_10
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_2
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_3
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_4
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_5
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_6
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_7
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_8
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_9
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_free_text_20_1
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_10
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_2
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_3
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_4
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_5
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_6
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_7
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_8
Column Type: varchar

Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_9
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_1
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_10
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_2
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_3
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_4
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_5
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_6
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_7
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_8
Column Type: varchar

Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_9
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_1
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_10
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_2
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_3
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_4
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_5
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_6
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_7
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_8
Column Type: varchar

Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_9
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: chk_in_dict_10_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_10_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_1_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_1_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_2_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_2_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_3_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_3_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_4_code
Column Type: varchar

Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_4_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_5_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_5_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_6_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_6_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_7_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_7_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_8_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_8_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_9_code
Column Type: varchar

Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_9_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_multi_dict10_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict10_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict10_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict1_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict1_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict1_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict2_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict2_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict2_value
Column Type: varchar

Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict3_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict3_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict3_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict4_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict4_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict4_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict5_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict5_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict5_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict6_code
Column Type: varchar

Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict6_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict6_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict7_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict7_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict7_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict8_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict8_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict8_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict9_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict9_shval
Column Type: varchar

Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict9_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_scrollingtext_1
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_10
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_2
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_3
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_4
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_5
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_6
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_7
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_8
Column Type: varchar

Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_9
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Documentation for form: Scheduling_Calendar_-_Appointment_Details

Table Name: SYSTEM.staff_appt_not_posted

Table Description: This view projects appointment information for the tables SYSTEM.AppointmentData

Column Name: ID
Column Type: integer

Column Name: CO_STAFFID_1
Column Type: varchar
Max Length: 10

Column Name: CO_STAFFID_2
Column Type: varchar
Max Length: 10

Column Name: FACILITY
Column Type: integer

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10

Column Name: JOIN_TO_FOLLOW_UP_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_PREV_APD
Column Type: varchar
Max Length: 50

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40

Column Name: SITEID
Column Type: varchar
Max Length: 10

Column Name: STAFFID
Column Type: varchar
Max Length: 40

Column Name: appointment_date
Column Type: date

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096

Column Name: appointment_start_time
Column Type: varchar
Max Length: 50

Column Name: appt_req_follow_up_code
Column Type: varchar
Max Length: 5

Column Name: appt_req_follow_up_value
Column Type: varchar
Max Length: 50

Column Name: co_staff_1_name
Column Type: varchar
Max Length: 40

Column Name: co_staff_2_name
Column Type: varchar
Max Length: 40

Column Name: costaff1_duration_min
Column Type: varchar
Max Length: 10

Column Name: costaff2_duration_min
Column Type: varchar
Max Length: 10

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 15

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: duration

Column Type: varchar
Max Length: 10

Column Name: duration_minutes
Column Type: varchar
Max Length: 10

Column Name: follow_up_appt_due_date
Column Type: date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50

Column Name: group_name
Column Type: varchar
Max Length: 40

Column Name: location_code
Column Type: varchar
Max Length: 20

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_code
Column Type: varchar

Max Length: 10

Column Name: medical_diagnosis2_value

Column Type: varchar

Max Length: 80

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 80

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 80

Column Name: modifiers

Column Type: varchar

Max Length: 50

Column Name: number_of_clients

Column Type: varchar

Max Length: 10

Column Name: option_desc

Column Type: varchar

Max Length: 80

Column Name: option_id

Column Type: varchar

Max Length: 20

Column Name: posted_as_service_code

Column Type: varchar

Max Length: 2

Column Name: posted_as_service_value

Column Type: varchar

Max Length: 50

Column Name: posted_code

Column Type: varchar

Max Length: 2

Column Name: posted_data_entry_by

Column Type: varchar

Max Length: 40

Column Name: posted_data_entry_by_option

Column Type: varchar

Max Length: 40

Column Name: posted_data_entry_date

Column Type: date

Column Name: posted_data_entry_time

Column Type: varchar

Max Length: 15

Column Name: posted_option_desc

Column Type: varchar

Max Length: 80

Column Name: posted_option_id

Column Type: varchar

Max Length: 20

Column Name: posted_value

Column Type: varchar

Max Length: 50

Column Name: program_code

Column Type: varchar

Max Length: 10

Column Name: program_value
Column Type: varchar
Max Length: 40

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096

Column Name: recurring_indicator
Column Type: integer

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50

Column Name: service_description
Column Type: varchar
Max Length: 40

Column Name: site_name
Column Type: varchar
Max Length: 40

Column Name: staff_name
Column Type: varchar
Max Length: 40

Column Name: status_code
Column Type: varchar
Max Length: 40

Column Name: status_value
Column Type: varchar
Max Length: 40

Column Name: verified_code
Column Type: varchar
Max Length: 2

Column Name: verified_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: verified_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: verified_data_entry_date
Column Type: date

Column Name: verified_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: verified_option_desc
Column Type: varchar
Max Length: 80

Column Name: verified_option_id
Column Type: varchar
Max Length: 20

Column Name: verified_value
Column Type: varchar
Max Length: 50

Documentation for form: Scheduling_Calendar_- _Overbook_Appointment

Table Name: SYSTEM.AppointmentData

Table Description: Appointment Scheduling Data

Column Name: ID
Column Type: integer

Column Name: CO_STAFFID_1
Column Type: varchar
Max Length: 10
Co Staffid 1

Column Name: CO_STAFFID_2
Column Type: varchar
Max Length: 10
Co Staff Id 2

Column Name: duration
Column Type: varchar
Max Length: 10
Duration

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored. FACILITY

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
Group Id associated with the appointment.

Column Name: JOIN_TO_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15
JOIN TO CO-STAFF TX STRING

Column Name: JOIN_TO_FOLLOW_UP_APD
Column Type: varchar
Max Length: 50
Join To Follow-up Appointment Link

Column Name: JOIN_TO_PREV_APD

Column Type: varchar
Max Length: 50
Join To Previous Appointment Link

Column Name: JOIN_TO_SECOND_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15
JOIN TO SECOND CO-STAFF TX STRING

Column Name: JOIN_TO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15
JOIN TO STAFF TX STRING

Column Name: JOIN_TO_SVCDocumentation
Column Type: varchar
Max Length: 40
JOIN to Service Documentation (99970)

Column Name: ROOMID
Column Type: varchar
Max Length: 40
The room associated with the appointment.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40
Service code.

Column Name: SITEID
Column Type: varchar
Max Length: 10
Site Id.

Column Name: STAFFID
Column Type: varchar
Max Length: 40
The staff ID associated with the appointment.

Column Name: add_on_notes
Column Type: varchar
Max Length: 4096
Add-On Notes (11507)

Column Name: add_on_notes_stream
Column Type: longvarchar
Max Length: 2147483647
Add-On Notes Stream

Column Name: add_svc_info_code

Column Type: varchar
Max Length: 50
Additional Service Information - Code (11505)

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
Additional Service Information - Short Value

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
Additional Service Information - Value

Column Name: add_svcs_grp_indicator
Column Type: varchar
Max Length: 32000
The individualized group members for the additional service entry

Column Name: add_svcs_indicator
Column Type: varchar
Max Length: 32000
The individualized group members for the additional service entry (recurring appointment)

Column Name: appointment_date
Column Type: date
Appointment date

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50
Appointment end time

Column Name: appointment_end_time_j
Column Type: varchar
Max Length: 50
Appointment end time (julian)

Column Name: appointment_end_utc
Column Type: timestamp
the Appointment End as UTC date and time.

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096
Appointment Notes (10100)

Column Name: appointment_notes_stream
Column Type: longvarchar
Max Length: 2147483647

Appointment Notes Stream

Column Name: appointment_start_time

Column Type: varchar

Max Length: 50

Appointment start time

Column Name: appointment_start_time_j

Column Type: varchar

Max Length: 50

Appointment start time (julian)

Column Name: appointment_start_utc

Column Type: timestamp

the Appointment Start as UTC date and time.

Column Name: appointment_utc_timezone

Column Type: varchar

Max Length: 255

the timezone for the appointment used to determine the offset from UTC.

Column Name: appt_req_follow_up_code

Column Type: varchar

Max Length: 5

Appointment Requires Follow-up

Column Name: appt_req_follow_up_value

Column Type: varchar

Max Length: 50

Appointment Requires Follow-up

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

Billing Status code

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

The value of the 'billing_status_code'

Column Name: cancellation_reason_code

Column Type: varchar

Max Length: 40

The code for the appointment cancellation reason.

Column Name: cancellation_reason_value

Column Type: varchar

Max Length: 255

The description associated with cancellation reason_code.

Column Name: client_willing_pay_code
Column Type: varchar
Max Length: 50
Client Willing To Pay At Front Desk

Column Name: client_willing_pay_value
Column Type: varchar
Max Length: 50
Client Willing To Pay At Front Desk

Column Name: clinic_indicator
Column Type: integer
The clinical appointment flag. Set to 1 if this is a clinical appointment.

Column Name: costaff1_duration_min
Column Type: varchar
Max Length: 10
Duration (in minutes) - CoStaff

Column Name: co_staff_1_name
Column Type: varchar
Max Length: 40
Co Staff 1 Name

Column Name: costaff2_duration_min
Column Type: varchar
Max Length: 10
Duration (in minutes) - CoStaff2

Column Name: co_staff_2_name
Column Type: varchar
Max Length: 40
Co Staff 2 Name

Column Name: cost_of_service
Column Type: numeric
Cost of Service (field 19998)

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date

Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: duration_minutes
Column Type: varchar
Max Length: 10
Duration (in minutes)

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 200
Evidence-based Practices / Service Strategies (CSI)

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 200
Evidence-Based Practices / Service Strategies (CSI)

Column Name: ebpss_csi_value_long
Column Type: varchar
Max Length: 4096
Evidence-Based Practices / Service Strategies (CSI)

Column Name: external_appt_id
Column Type: varchar
Max Length: 4096
Appointment ID for the external source appointment (for example EVV sources)

Column Name: follow_up_appt_due_date
Column Type: date
Follow-up Appointment Due Date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50
Follow-up Status

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50
Follow-up Status value

Column Name: group_name
Column Type: varchar
Max Length: 40
Group name

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Medical Diagnosis 1 JOIN (10050) and associated values

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
Medical Diagnosis 2 JOIN (10051) and associated values

Column Name: jointodiagnosisobject3

Column Type: varchar
Max Length: 40
Medical Diagnosis 3 JOIN (10080) and associated values

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
Medical Diagnosis 4 JOIN (10081) and associated values

Column Name: location_code
Column Type: varchar
Max Length: 20
Appointment location code.

Column Name: location_value
Column Type: varchar
Max Length: 40
Appointment location description.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 1 Code

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 1 DSM Value

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 1 Value

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 2 Code

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 2 DSM Value

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 2 Value

Column Name: medical_diagnosis3_DSM_value

Column Type: varchar
Max Length: 80
Medical Diagnosis 3 DSM Value

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 4 DSM Value

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
ICD10 code for the medical diagnosis 1

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 1

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 1

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 1

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis 1

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
ICD10 code for the medical diagnosis 2

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 2

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 2

Column Name: medical_diag_2_icd9_value

Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 2

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis2

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40
ICD10 code for the medical diagnosis 3

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 3

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 3

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 3

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis3

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
ICD10 code for the medical diagnosis 4

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 4

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 4

Column Name: medical_diag_4_icd9_value

Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 4

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis4

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 3 Code

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 3 Value

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 4 Code

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 4 Value

Column Name: minute_time_override
Column Type: integer
When the appointment has an end time of 12:00 AM this will be set to 1.

Column Name: modifiers
Column Type: varchar
Max Length: 50
Billing modifiers

Column Name: number_of_clients
Column Type: varchar
Max Length: 10
Number of clients (members) of the appointment

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: orig_entry_date

Column Type: date

Original creation date of the appointment.

Column Name: orig_entry_time

Column Type: varchar

Max Length: 15

Original creation time of the appointment.

Column Name: orig_entry_user_name

Column Type: varchar

Max Length: 40

Original creator of the appointment.

Column Name: orig_sched_end_time

Column Type: varchar

Max Length: 50

Original end time of the appointment.

Column Name: orig_sched_start_time

Column Type: varchar

Max Length: 50

Original start time of the appointment.

Column Name: posted_as_service_code

Column Type: varchar

Max Length: 2

Posted as a service ?

Column Name: posted_as_service_value

Column Type: varchar

Max Length: 50

Posted as a service value

Column Name: posted_code

Column Type: varchar

Max Length: 2

Posted Appointment?

Column Name: posted_data_entry_by

Column Type: varchar

Max Length: 40

Appointment posted entry_by

Column Name: posted_data_entry_by_option

Column Type: varchar

Max Length: 40

Appointment posted entry_by_option

Column Name: posted_data_entry_date

Column Type: date

Appointment posted entry_date

Column Name: posted_data_entry_time

Column Type: varchar

Max Length: 15

Appointment posted entry_time

Column Name: posted_option_desc

Column Type: varchar

Max Length: 80

Appointment posted Option Description

Column Name: posted_option_id

Column Type: varchar

Max Length: 20

Appointment posted Option Id

Column Name: posted_value

Column Type: varchar

Max Length: 50

Posted appointment value

Column Name: posting_in_progress

Column Type: varchar

Max Length: 50

Posting in progress, this is for group appointments

Column Name: priority_code

Column Type: varchar

Max Length: 50

Appointment priority code

Column Name: priority_description

Column Type: varchar

Max Length: 50

Appointment priority description

Column Name: program_code

Column Type: varchar

Max Length: 10

Program Code

Column Name: program_value

Column Type: varchar

Max Length: 40

Program Value

Column Name: psycho_add_on_duration
Column Type: integer
Psychotherapy Add-On Duration (11506)

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096
Reason For Follow-up - String

Column Name: reason_for_follow_up_stream
Column Type: longvarchar
Max Length: 2147483647
Reason For Follow-up - Stream

Column Name: reason_svc_not_posted_code
Column Type: varchar
Max Length: 40
Reason Service Not Posted - Code

Column Name: reason_svc_not_posted_value
Column Type: varchar
Max Length: 50
Reason Service Not Posted - Value

Column Name: recurring_indicator
Column Type: integer
Flag for determining if this is a recurring appointment.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
Referring Practitioner Code

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
Referring Practitioner Name

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
Referring Provider Code

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
Referring Provider Name

Column Name: room_number

Column Type: varchar
Max Length: 50
Appointment room number

Column Name: service_description
Column Type: varchar
Max Length: 40
Service Description

Column Name: service_documentation_ns
Column Type: varchar
Max Length: 40
Service Documentation Namespace (99971)

Column Name: site_name
Column Type: varchar
Max Length: 40
Site Name

Column Name: staff_name
Column Type: varchar
Max Length: 40
The staff name associated with STAFFID.

Column Name: status_code
Column Type: varchar
Max Length: 40
The code for the appointment status.

Column Name: status_value
Column Type: varchar
Max Length: 40
The description associated with status_code.

Column Name: team_description
Column Type: varchar
Max Length: 50
Team description

Column Name: team_id
Column Type: varchar
Max Length: 50
Team

Column Name: units_of_service
Column Type: numeric
Units of Service (field 10014)

Column Name: unsigned_appointment
Column Type: bit

Flag for determining if this is an unsigned appointment.

Column Name: verified_code

Column Type: varchar

Max Length: 2

Appointment Verified ?

Column Name: verified_data_entry_by

Column Type: varchar

Max Length: 40

Appointment Verified entry_by

Column Name: verified_data_entry_by_option

Column Type: varchar

Max Length: 40

Appointment Verified entry_by_option

Column Name: verified_data_entry_date

Column Type: date

Appointment Verified entry_date

Column Name: verified_data_entry_time

Column Type: varchar

Max Length: 15

Appointment Verified entry_time

Column Name: verified_option_desc

Column Type: varchar

Max Length: 80

Appointment Verified Option Description

Column Name: verified_option_id

Column Type: varchar

Max Length: 20

Appointment Verified Option Id

Column Name: verified_value

Column Type: varchar

Max Length: 50

Appointment Verified value

Documentation for form: Scheduling_Calendar_- _Overbook_Appointment

Table Name: SYSTEM.appt_data

Table Description: This table returns

person_unique_identifier,ID,CO_STAFFID_1,CO_STAFFID_2,EPIISODE_NUMBER,FACILITY,GROUP_ID,JOIN_TO_

CO_STAFF_TX_HISTORY,JOIN_TO_FOLLOW_UP_APD,JOIN_TO_PREV_APD,JOIN_TO_SECOND_CO_STAFF_TX_HISTORY,JOIN_TO_STAFF_TX_HISTORY,JOIN_TO_TX_HISTORY,NOT_uniqueid,PATID,SERVICE_CODE,SITEID,team_id,team_description,STAFFID,accounting_period,appointment_date,appointment_end_time,appointment_notes,appointment_start_time,appt_req_follow_up_code,appt_req_follow_up_value,billable_code,billable_value,billing_status_code,billing_status_value,check_in_status,check_in_status_value,client_willing_pay_code,client_willing_pay_value,co_staff_1_name,co_staff_2_name,confirmation_notes,confirmed_code,confirmed_value,cost_of_service,costaff1_duration_min,costaff2_duration_min,data_entry_by,data_entry_by_option,data_entry_date,data_entry_time,data_entry_user_id,data_entry_user_name,disposition_code,disposition_value,duration,duration_minutes,follow_up_appt_due_date,follow_up_status_code,follow_up_status_value,group_name,insurance_category_code,insurance_category_value,location_code,location_value,medical_diagnosis1_code,medical_diagnosis1_value,medical_diagnosis1_DSM_value,medical_diagnosis2_code,medical_diagnosis2_value,medical_diagnosis2_DSM_value,medical_diagnosis3_code,medical_diagnosis3_value,medical_diagnosis3_DSM_value,medical_diagnosis4_code,medical_diagnosis4_value,medical_diagnosis4_DSM_value,missed_visit_code,missed_visit_notes,missed_visit_service_code,missed_visit_service_desc,missed_visit_value,modifiers,number_of_clients,option_desc,option_id,patient_name,posted_as_service_code,posted_as_service_value,posted_code,posted_data_entry_by,posted_data_entry_by_option,posted_data_entry_date,posted_data_entry_time,posted_option_desc,posted_option_id,posted_value,program_code,program_value,reason_for_follow_up,recurring_indicator,referring_practitioner_code,referring_practitioner_name,referring_provider_code,referring_provider_name,service_description,site_name,staff_name,status_code,status_value,time_of_arrival,units_of_service,user_row_access_code,verified_code,verified_data_entry_by,verified_data_entry_by_option,verified_data_entry_date,verified_data_entry_time,verified_option_desc,verified_option_id,verified_value,ebpss_csi_code,ebpss_csi_value,ebpss_csi_value_long,prog_note_indicator_code,prog_note_indicator_value,reason_for_visit_code,reason_for_visit_value,add_svc_info_code,add_svc_info_shval,add_svc_info_value,psycho_add_on_duration,add_on_notes,minute_time_override,unassigned_appointment,svc_prog_override_code,svc_prog_override_value from SYSTEM.AppointmentData and SYSTEM.AppointmentPerson

Column Name: person_unique_identifier

Column Type: varchar

Max Length: 50

Column Name: ID

Column Type: integer

Column Name: CO_STAFFID_1

Column Type: varchar

Max Length: 10

Column Name: CO_STAFFID_2

Column Type: varchar

Max Length: 10

Column Name: EPISODE_NUMBER

Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10

Column Name: JOIN_TO_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_FOLLOW_UP_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_PREV_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SECOND_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40

Column Name: SITEID
Column Type: varchar
Max Length: 10

Column Name: team_id
Column Type: varchar
Max Length: 50

Column Name: team_description
Column Type: varchar
Max Length: 50

Column Name: STAFFID
Column Type: varchar
Max Length: 40

Column Name: accounting_period
Column Type: date

Column Name: appointment_date
Column Type: date

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096

Column Name: appointment_start_time
Column Type: varchar
Max Length: 50

Column Name: appointment_end_time_j

Column Type: varchar
Max Length: 50

Column Name: appointment_start_time_j
Column Type: varchar
Max Length: 50

Column Name: appt_req_follow_up_code
Column Type: varchar
Max Length: 5

Column Name: appt_req_follow_up_value
Column Type: varchar
Max Length: 50

Column Name: billable_code
Column Type: varchar
Max Length: 5

Column Name: billable_value
Column Type: varchar
Max Length: 20

Column Name: billing_status_code
Column Type: varchar
Max Length: 50

Column Name: billing_status_value
Column Type: varchar
Max Length: 50

Column Name: check_in_status
Column Type: varchar
Max Length: 1

Column Name: check_in_status_value
Column Type: varchar
Max Length: 20

Column Name: client_willing_pay_code

Column Type: varchar
Max Length: 50

Column Name: client_willing_pay_value
Column Type: varchar
Max Length: 50

Column Name: co_staff_1_name
Column Type: varchar
Max Length: 40

Column Name: co_staff_2_name
Column Type: varchar
Max Length: 40

Column Name: confirmation_notes
Column Type: varchar
Max Length: 4096

Column Name: confirmed_code
Column Type: varchar
Max Length: 10

Column Name: confirmed_value
Column Type: varchar
Max Length: 40

Column Name: cost_of_service
Column Type: numeric

Column Name: costaff1_duration_min
Column Type: varchar
Max Length: 10

Column Name: costaff2_duration_min
Column Type: varchar
Max Length: 10

Column Name: data_entry_by
Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

Column Name: disposition_code

Column Type: varchar

Max Length: 5

Column Name: disposition_value

Column Type: varchar

Max Length: 20

Column Name: duration

Column Type: varchar

Max Length: 10

Column Name: duration_minutes

Column Type: varchar

Max Length: 10

Column Name: follow_up_appt_due_date
Column Type: date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50

Column Name: group_name
Column Type: varchar
Max Length: 40

Column Name: insurance_category_code
Column Type: varchar
Max Length: 10

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40

Column Name: location_code
Column Type: varchar
Max Length: 20

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80

Column Name: missed_visit_code
Column Type: varchar
Max Length: 10

Column Name: missed_visit_notes
Column Type: varchar
Max Length: 4096

Column Name: missed_visit_service_code
Column Type: varchar
Max Length: 40

Column Name: missed_visit_service_desc
Column Type: varchar
Max Length: 40

Column Name: missed_visit_value
Column Type: varchar
Max Length: 40

Column Name: modifiers
Column Type: varchar
Max Length: 50

Column Name: number_of_clients
Column Type: varchar
Max Length: 10

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: patient_name
Column Type: varchar
Max Length: 40

Column Name: posted_as_service_code
Column Type: varchar
Max Length: 2

Column Name: posted_as_service_value
Column Type: varchar
Max Length: 50

Column Name: posted_code
Column Type: varchar
Max Length: 2

Column Name: posted_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_date
Column Type: date

Column Name: posted_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: posted_option_desc
Column Type: varchar
Max Length: 80

Column Name: posted_option_id
Column Type: varchar
Max Length: 20

Column Name: posted_value
Column Type: varchar
Max Length: 50

Column Name: program_code
Column Type: varchar
Max Length: 10

Column Name: program_value
Column Type: varchar
Max Length: 40

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096

Column Name: reason_svc_not_posted_code
Column Type: varchar
Max Length: 40

Column Name: reason_svc_not_posted_value
Column Type: varchar
Max Length: 50

Column Name: recurring_indicator
Column Type: integer

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50

Column Name: service_description

Column Type: varchar
Max Length: 40

Column Name: site_name
Column Type: varchar
Max Length: 40

Column Name: staff_name
Column Type: varchar
Max Length: 40

Column Name: status_code
Column Type: varchar
Max Length: 40

Column Name: status_value
Column Type: varchar
Max Length: 40

Column Name: time_of_arrival
Column Type: varchar
Max Length: 50

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 20

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 20

Column Name: units_of_service
Column Type: numeric

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: verified_code

Column Type: varchar
Max Length: 2

Column Name: verified_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: verified_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: verified_data_entry_date
Column Type: date

Column Name: verified_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: verified_option_desc
Column Type: varchar
Max Length: 80

Column Name: verified_option_id
Column Type: varchar
Max Length: 20

Column Name: verified_value
Column Type: varchar
Max Length: 50

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value_long
Column Type: varchar

Max Length: 4096

Column Name: prog_note_indicator_code

Column Type: varchar

Max Length: 50

Column Name: prog_note_indicator_value

Column Type: varchar

Max Length: 50

Column Name: reason_for_visit_code

Column Type: varchar

Max Length: 255

Column Name: reason_for_visit_value

Column Type: varchar

Max Length: 255

Column Name: add_svc_info_code

Column Type: varchar

Max Length: 50

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

Column Name: psycho_add_on_duration

Column Type: integer

Column Name: add_on_notes

Column Type: varchar

Max Length: 4096

Column Name: minute_time_override

Column Type: integer

Column Name: reason_visit_note
Column Type: varchar
Max Length: 4096

Column Name: unsigned_appointment
Column Type: bit

Column Name: priority_code
Column Type: varchar
Max Length: 50

Column Name: priority_description
Column Type: varchar
Max Length: 50

Column Name: room_number
Column Type: varchar
Max Length: 50

Column Name: orig_entry_date
Column Type: date

Column Name: orig_entry_time
Column Type: varchar
Max Length: 15

Column Name: orig_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: svc_prog_override_code
Column Type: varchar
Max Length: 50

Column Name: svc_prog_override_value
Column Type: varchar
Max Length: 40

Column Name: external_appt_id

Column Type: varchar
Max Length: 4096

Column Name: person_location_code
Column Type: varchar
Max Length: 20

Column Name: person_location_value
Column Type: varchar
Max Length: 512

Column Name: cancellation_reason_code
Column Type: varchar
Max Length: 40

Column Name: cancellation_reason_value
Column Type: varchar
Max Length: 255

Column Name: canceled_date
Column Type: date

Column Name: canceled_time
Column Type: varchar
Max Length: 50

Column Name: carefabric_appt_stat_code
Column Type: varchar
Max Length: 50

Column Name: carefabric_appt_stat_value
Column Type: varchar
Max Length: 255

Documentation for form: Scheduling_Calendar_-_Overbook_Appointment

Table Name: SYSTEM.site_specific_check_in

Table Description: Site Specific Client Check-In

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
Service Code.

Column Name: SITEID
Column Type: varchar
Max Length: 20
Site ID.

Column Name: appointment_date
Column Type: date
The date of the appointment.

Column Name: appointment_object_id
Column Type: varchar
Max Length: 50
Appointment Object ID.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp

The UTC date and time the data was saved.

Column Name: date_1
Column Type: date
Site specific date.

Column Name: date_10
Column Type: date
Site specific date.

Column Name: date_2
Column Type: date
Site specific date.

Column Name: date_3
Column Type: date
Site specific date.

Column Name: date_4
Column Type: date
Site specific date..

Column Name: date_5
Column Type: date
Site specific date.

Column Name: date_6
Column Type: date
Site specific date.

Column Name: date_7
Column Type: date
Site specific date.

Column Name: date_8
Column Type: date
Site specific date.

Column Name: date_9
Column Type: date
Site specific date.

Column Name: dictionary_10_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_10_value
Column Type: varchar
Max Length: 50

Site specific single dictionary value.

Column Name: dictionary_1_code
Column Type: varchar
Max Length: 50
Dictionary Y/N.

Column Name: dictionary_1_value
Column Type: varchar
Max Length: 50
The description associated with dictionary_2_code. See dictionary_2_code for more information.

Column Name: dictionary_2_code
Column Type: varchar
Max Length: 50
Dictionary Y/N.

Column Name: dictionary_2_value
Column Type: varchar
Max Length: 50
The description associated with dictionary_2_code. See dictionary_2_code for more information.

Column Name: dictionary_3_code
Column Type: varchar
Max Length: 50
Dictionary Y/N.

Column Name: dictionary_3_value
Column Type: varchar
Max Length: 50
The description associated with dictionary_3_code. See dictionary_3_code for more information.

Column Name: dictionary_4_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_4_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value.

Column Name: dictionary_5_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_5_value
Column Type: varchar
Max Length: 50

Site specific single dictionary value

Column Name: dictionary_6_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_6_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value

Column Name: dictionary_7_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_7_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value.

Column Name: dictionary_8_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_8_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value.

Column Name: dictionary_9_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_9_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value.

Column Name: free_text_20_1
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_10
Column Type: varchar
Max Length: 50

Site specific free text.

Column Name: free_text_20_2
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_3
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_4
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_5
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_6
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_7
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_8
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_9
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_1
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_10
Column Type: varchar
Max Length: 50

Site specific free text.

Column Name: free_text_40_2
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_3
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_4
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_5
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_6
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_7
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_8
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_9
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_1
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_10
Column Type: varchar
Max Length: 50

Site specific free text.

Column Name: free_text_80_2
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_3
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_4
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_5
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_6
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_7
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_8
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_9
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: multi_dictionary_10_code
Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_10_shval
Column Type: varchar
Max Length: 255

Site specific multiple dictionary value (short).

Column Name: multi_dictionary_10_value

Column Type: varchar

Max Length: 4096

Site specific multiple dictionary value.

Column Name: multi_dictionary_1_code

Column Type: varchar

Max Length: 50

Site specific property.

Column Name: multi_dictionary_1_shval

Column Type: varchar

Max Length: 255

Site specific property.

Column Name: multi_dictionary_1_value

Column Type: varchar

Max Length: 4096

Site specific multiple dictionary value.

Column Name: multi_dictionary_2_code

Column Type: varchar

Max Length: 50

Site specific multiple dictionary.

Column Name: multi_dictionary_2_shval

Column Type: varchar

Max Length: 255

Site specific multiple dictionary value (short).

Column Name: multi_dictionary_2_value

Column Type: varchar

Max Length: 4096

Site specific multiple dictionary value.

Column Name: multi_dictionary_3_code

Column Type: varchar

Max Length: 50

Site specific property.

Column Name: multi_dictionary_3_shval

Column Type: varchar

Max Length: 255

Site specific multiple dictionary value (short).

Column Name: multi_dictionary_3_value

Column Type: varchar

Max Length: 4096

Site specific property.

Column Name: multi_dictionary_4_code

Column Type: varchar

Max Length: 50

Site specific property.

Column Name: multi_dictionary_4_shval

Column Type: varchar

Max Length: 255

Site specific multiple dictionary value (short).

Column Name: multi_dictionary_4_value

Column Type: varchar

Max Length: 4096

Site specific property.

Column Name: multi_dictionary_5_code

Column Type: varchar

Max Length: 50

Site specific property.

Column Name: multi_dictionary_5_shval

Column Type: varchar

Max Length: 255

Site specific multiple dictionary value (short).

Column Name: multi_dictionary_5_value

Column Type: varchar

Max Length: 4096

Site specific property.

Column Name: multi_dictionary_6_code

Column Type: varchar

Max Length: 50

Site specific multiple dictionary.

Column Name: multi_dictionary_6_shval

Column Type: varchar

Max Length: 255

Site specific multiple dictionary value (short).

Column Name: multi_dictionary_6_value

Column Type: varchar

Max Length: 4096

Site specific multiple dictionary value.

Column Name: multi_dictionary_7_code

Column Type: varchar

Max Length: 50

Site specific multiple dictionary.

Column Name: multi_dictionary_7_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_7_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_8_code
Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_8_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_8_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_9_code
Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_9_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_9_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: scrolling_text_1
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_10
Column Type: varchar
Max Length: 32766

Site specific scrolling free text.

Column Name: scrolling_text_2
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_3
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_4
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_5
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_6
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_7
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_8
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_9
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Documentation for form: Scheduling_Calendar_- _Overbook_Appointment

Table Name: SYSTEM.site_specific_check_out

Table Description: Site Spesific Client Check-out

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Joins table to treatment history.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
Service Code.

Column Name: SITEID
Column Type: varchar
Max Length: 10
Site ID

Column Name: appointment_date
Column Type: date
The date of the appointment.

Column Name: appointment_object_id
Column Type: varchar
Max Length: 50
Appointment Object ID.

Column Name: check_in_date_1
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_10

Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_2
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_3
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_4
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_5
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_6
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_7
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_8
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_9
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_free_text_20_1
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_10
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_2
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_3
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_4
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_5
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_6
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_7
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_8
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_9
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_1
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_10
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_2
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_3
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_4
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_5
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_6
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_7
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_8
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_9
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_1
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_10
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_2
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_3
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_4
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_5
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_6
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_7
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_8
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_9
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: chk_in_dict_10_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_10_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_1_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_1_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_2_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_2_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_3_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_3_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_4_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_4_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_5_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_5_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_6_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_6_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_7_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_7_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_8_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_8_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_9_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_9_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_multi_dict10_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict10_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict10_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict1_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict1_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict1_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict2_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict2_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict2_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict3_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict3_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict3_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict4_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict4_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict4_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict5_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict5_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict5_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict6_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict6_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict6_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict7_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict7_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict7_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict8_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict8_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict8_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict9_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict9_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict9_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_scrollingtext_1
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_10
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_2
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_3
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_4
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_5
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_6
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_7
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_8
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_9
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.AppointmentData

Table Description: Appointment Scheduling Data

Column Name: ID
Column Type: integer

Column Name: CO_STAFFID_1
Column Type: varchar
Max Length: 10
Co Staffid 1

Column Name: CO_STAFFID_2
Column Type: varchar
Max Length: 10
Co Staff Id 2

Column Name: duration
Column Type: varchar
Max Length: 10
Duration

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored. FACILITY

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
Group Id associated with the appointment.

Column Name: JOIN_TO_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15
JOIN TO CO-STAFF TX STRING

Column Name: JOIN_TO_FOLLOW_UP_APD
Column Type: varchar
Max Length: 50
Join To Follow-up Appointment Link

Column Name: JOIN_TO_PREV_APD
Column Type: varchar
Max Length: 50
Join To Previous Appointment Link

Column Name: JOIN_TO_SECOND_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15
JOIN TO SECOND CO-STAFF TX STRING

Column Name: JOIN_TO_STAFF_TX_HISTORY
Column Type: varchar

Max Length: 15
JOIN TO STAFF TX STRING

Column Name: JOIN_TO_SVCDocumentation
Column Type: varchar
Max Length: 40
JOIN to Service Documentation (99970)

Column Name: ROOMID
Column Type: varchar
Max Length: 40
The room associated with the appointment.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40
Service code.

Column Name: SITEID
Column Type: varchar
Max Length: 10
Site Id.

Column Name: STAFFID
Column Type: varchar
Max Length: 40
The staff ID associated with the appointment.

Column Name: add_on_notes
Column Type: varchar
Max Length: 4096
Add-On Notes (11507)

Column Name: add_on_notes_stream
Column Type: longvarchar
Max Length: 2147483647
Add-On Notes Stream

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
Additional Service Information - Code (11505)

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
Additional Service Information - Short Value

Column Name: add_svc_info_value
Column Type: varchar

Max Length: 4096
Additional Service Information - Value

Column Name: add_svcs_grp_indicator
Column Type: varchar
Max Length: 32000
The individualized group members for the additional service entry

Column Name: add_svcs_indicator
Column Type: varchar
Max Length: 32000
The individualized group members for the additional service entry (recurring appointment)

Column Name: appointment_date
Column Type: date
Appointment date

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50
Appointment end time

Column Name: appointment_end_time_j
Column Type: varchar
Max Length: 50
Appointment end time (julian)

Column Name: appointment_end_utc
Column Type: timestamp
the Appointment End as UTC date and time.

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096
Appointment Notes (10100)

Column Name: appointment_notes_stream
Column Type: longvarchar
Max Length: 2147483647
Appointment Notes Stream

Column Name: appointment_start_time
Column Type: varchar
Max Length: 50
Appointment start time

Column Name: appointment_start_time_j
Column Type: varchar
Max Length: 50
Appointment start time (julian)

Column Name: appointment_start_utc
Column Type: timestamp
the Appointment Start as UTC date and time.

Column Name: appointment_utc_timezone
Column Type: varchar
Max Length: 255
the timezone for the appointment used to determine the offset from UTC.

Column Name: appt_req_follow_up_code
Column Type: varchar
Max Length: 5
Appointment Requires Follow-up

Column Name: appt_req_follow_up_value
Column Type: varchar
Max Length: 50
Appointment Requires Follow-up

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
Billing Status code

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The value of the 'billing_status_code'

Column Name: cancellation_reason_code
Column Type: varchar
Max Length: 40
The code for the appointment cancellation reason.

Column Name: cancellation_reason_value
Column Type: varchar
Max Length: 255
The description associated with cancellation reason_code.

Column Name: client_willing_pay_code
Column Type: varchar
Max Length: 50
Client Willing To Pay At Front Desk

Column Name: client_willing_pay_value
Column Type: varchar
Max Length: 50
Client Willing To Pay At Front Desk

Column Name: clinic_indicator

Column Type: integer

The clinical appointment flag. Set to 1 if this is a clinical appointment.

Column Name: costaff1_duration_min

Column Type: varchar

Max Length: 10

Duration (in minutes) - CoStaff

Column Name: co_staff_1_name

Column Type: varchar

Max Length: 40

Co Staff 1 Name

Column Name: costaff2_duration_min

Column Type: varchar

Max Length: 10

Duration (in minutes) - CoStaff2

Column Name: co_staff_2_name

Column Type: varchar

Max Length: 40

Co Staff 2 Name

Column Name: cost_of_service

Column Type: numeric

Cost of Service (field 19998)

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: duration_minutes
Column Type: varchar
Max Length: 10
Duration (in minutes)

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 200
Evidence-based Practices / Service Strategies (CSI)

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 200
Evidence-Based Practices / Service Strategies (CSI)

Column Name: ebpss_csi_value_long

Column Type: varchar
Max Length: 4096
Evidence-Based Practices / Service Strategies (CSI)

Column Name: external_appt_id
Column Type: varchar
Max Length: 4096
Appointment ID for the external source appointment (for example EVV sources)

Column Name: follow_up_appt_due_date
Column Type: date
Follow-up Appointment Due Date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50
Follow-up Status

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50
Follow-up Status value

Column Name: group_name
Column Type: varchar
Max Length: 40
Group name

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Medical Diagnosis 1 JOIN (10050) and associated values

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
Medical Diagnosis 2 JOIN (10051) and associated values

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
Medical Diagnosis 3 JOIN (10080) and associated values

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
Medical Diagnosis 4 JOIN (10081) and associated values

Column Name: location_code
Column Type: varchar

Max Length: 20
Appointment location code.

Column Name: location_value
Column Type: varchar
Max Length: 40
Appointment location description.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 1 Code

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 1 DSM Value

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 1 Value

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 2 Code

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 2 DSM Value

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 2 Value

Column Name: medical_diagnosis3_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 3 DSM Value

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 4 DSM Value

Column Name: medical_diag_1_icd10_code
Column Type: varchar

Max Length: 40
ICD10 code for the medical diagnosis 1

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 1

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 1

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 1

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis 1

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
ICD10 code for the medical diagnosis 2

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 2

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 2

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 2

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis 2

Column Name: medical_diag_3_icd10_code
Column Type: varchar

Max Length: 40
ICD10 code for the medical diagnosis 3

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 3

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 3

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 3

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis3

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
ICD10 code for the medical diagnosis 4

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 4

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 4

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 4

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis4

Column Name: medical_diagnosis3_code
Column Type: varchar

Max Length: 10
Medical Diagnosis 3 Code

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 3 Value

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 4 Code

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 4 Value

Column Name: minute_time_override
Column Type: integer
When the appointment has an end time of 12:00 AM this will be set to 1.

Column Name: modifiers
Column Type: varchar
Max Length: 50
Billing modifiers

Column Name: number_of_clients
Column Type: varchar
Max Length: 10
Number of clients (members) of the appointment

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: orig_entry_date
Column Type: date
Original creation date of the appointment.

Column Name: orig_entry_time
Column Type: varchar
Max Length: 15
Original creation time of the appointment.

Column Name: orig_entry_user_name
Column Type: varchar
Max Length: 40
Original creator of the appointment.

Column Name: orig_sched_end_time
Column Type: varchar
Max Length: 50
Original end time of the appointment.

Column Name: orig_sched_start_time
Column Type: varchar
Max Length: 50
Original start time of the appointment.

Column Name: posted_as_service_code
Column Type: varchar
Max Length: 2
Posted as a service ?

Column Name: posted_as_service_value
Column Type: varchar
Max Length: 50
Posted as a service value

Column Name: posted_code
Column Type: varchar
Max Length: 2
Posted Appointment?

Column Name: posted_data_entry_by
Column Type: varchar
Max Length: 40
Appointment posted entry_by

Column Name: posted_data_entry_by_option
Column Type: varchar
Max Length: 40
Appointment posted entry_by_option

Column Name: posted_data_entry_date
Column Type: date
Appointment posted entry_date

Column Name: posted_data_entry_time
Column Type: varchar
Max Length: 15
Appointment posted entry_time

Column Name: posted_option_desc
Column Type: varchar
Max Length: 80
Appointment posted Option Description

Column Name: posted_option_id
Column Type: varchar
Max Length: 20
Appointment posted Option Id

Column Name: posted_value
Column Type: varchar
Max Length: 50
Posted appointment value

Column Name: posting_in_progress
Column Type: varchar
Max Length: 50
Posting in progress, this is for group appointments

Column Name: priority_code
Column Type: varchar
Max Length: 50
Appointment priority code

Column Name: priority_description
Column Type: varchar
Max Length: 50
Appointment priority description

Column Name: program_code
Column Type: varchar
Max Length: 10
Program Code

Column Name: program_value
Column Type: varchar
Max Length: 40
Program Value

Column Name: psycho_add_on_duration
Column Type: integer
Psychotherapy Add-On Duration (11506)

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096
Reason For Follow-up - String

Column Name: reason_for_follow_up_stream

Column Type: longvarchar
Max Length: 2147483647
Reason For Follow-up - Stream

Column Name: reason_svc_not_posted_code
Column Type: varchar
Max Length: 40
Reason Service Not Posted - Code

Column Name: reason_svc_not_posted_value
Column Type: varchar
Max Length: 50
Reason Service Not Posted - Value

Column Name: recurring_indicator
Column Type: integer
Flag for determining if this is a recurring appointment.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
Referring Practitioner Code

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
Referring Practitioner Name

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
Referring Provider Code

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
Referring Provider Name

Column Name: room_number
Column Type: varchar
Max Length: 50
Appointment room number

Column Name: service_description
Column Type: varchar
Max Length: 40
Service Description

Column Name: service_documentation_ns
Column Type: varchar

Max Length: 40
Service Documentation Namespace (99971)

Column Name: site_name
Column Type: varchar
Max Length: 40
Site Name

Column Name: staff_name
Column Type: varchar
Max Length: 40
The staff name associated with STAFFID.

Column Name: status_code
Column Type: varchar
Max Length: 40
The code for the appointment status.

Column Name: status_value
Column Type: varchar
Max Length: 40
The description associated with status_code.

Column Name: team_description
Column Type: varchar
Max Length: 50
Team description

Column Name: team_id
Column Type: varchar
Max Length: 50
Team

Column Name: units_of_service
Column Type: numeric
Units of Service (field 10014)

Column Name: unsigned_appointment
Column Type: bit
Flag for determining if this is an unsigned appointment.

Column Name: verified_code
Column Type: varchar
Max Length: 2
Appointment Verified ?

Column Name: verified_data_entry_by
Column Type: varchar
Max Length: 40
Appointment Verified entry_by

Column Name: verified_data_entry_by_option
Column Type: varchar
Max Length: 40
Appointment Verified entry_by_option

Column Name: verified_data_entry_date
Column Type: date
Appointment Verified entry_date

Column Name: verified_data_entry_time
Column Type: varchar
Max Length: 15
Appointment Verified entry_time

Column Name: verified_option_desc
Column Type: varchar
Max Length: 80
Appointment Verified Option Description

Column Name: verified_option_id
Column Type: varchar
Max Length: 20
Appointment Verified Option Id

Column Name: verified_value
Column Type: varchar
Max Length: 50
Appointment Verified value

Documentation for form: Scheduling_Calendar

Table Name: [SYSTEM.AppointmentRes](#)

Table Description: This table returns appointment resource information filed via the Appointment Scheduling 'Scheduling Calendar' and 'Post Staff Activity Log' form.

Column Name: ApptData
Column Type: integer
'ApptData' (System Use Only).

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY

Column Type: integer
The system code in which the data was stored.

Column Name: RESOURCE_ID
Column Type: varchar
Max Length: 50
The resource ID assigned by cache.

Column Name: SITEID
Column Type: varchar
Max Length: 10
The unique ID of 'Site'.

Column Name: resource_description
Column Type: varchar
Max Length: 50
Resource Description.

Column Name: resource_unique_id
Column Type: varchar
Max Length: 50
The resource ID assigned by the user.

Column Name: site_name
Column Type: varchar
Max Length: 40
'Site'.

Column Name: childsub
Column Type: integer

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.AppointmentResAudit

Table Description: This table returns appointment resource audit information filed via the Appointment Scheduling 'Scheduling Calendar' and 'Post Staff Activity Log' form.

Column Name: ApptData
Column Type: integer
'ApptData' (System Use Only).

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: RESOURCE_ID
Column Type: varchar
Max Length: 50
The resource ID assigned by cache.

Column Name: SITEID
Column Type: varchar
Max Length: 10
The unique ID of 'Site'.

Column Name: resource_description
Column Type: varchar
Max Length: 50
Resource Description.

Column Name: resource_unique_id
Column Type: varchar
Max Length: 50
The resource ID assigned by the user.

Column Name: site_name
Column Type: varchar
Max Length: 40
'Site'.

Column Name: childsub
Column Type: integer

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.AppointmentResDeleted

Table Description: This table returns deleted appointment resource information filed via the Appointment Scheduling 'Scheduling Calendar' and 'Post Staff Activity Log' form.

Column Name: ApptData
Column Type: integer
'ApptData' (System Use Only).

Column Name: ID
Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: RESOURCE_ID

Column Type: varchar

Max Length: 50

The resource ID assigned by cache.

Column Name: SITEID

Column Type: varchar

Max Length: 10

The unique ID of 'Site'.

Column Name: resource_description

Column Type: varchar

Max Length: 50

Resource Description.

Column Name: resource_unique_id

Column Type: varchar

Max Length: 50

The resource ID assigned by the user.

Column Name: site_name

Column Type: varchar

Max Length: 40

'Site'.

Column Name: childsub

Column Type: integer

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.AppointmentResSeries

Table Description: This table returns audited appointment resource series information filed via the Appointment Scheduling 'Scheduling Calendar' and 'Post Staff Activity Log' form.

Column Name: ApptSData

Column Type: integer

'ApptSData' (System Use Only).

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: RESOURCE_ID
Column Type: varchar
Max Length: 50
The resource ID assigned by cache.

Column Name: SITEID
Column Type: varchar
Max Length: 10
The unique ID of 'Site'.

Column Name: resource_description
Column Type: varchar
Max Length: 50
Resource Description

Column Name: resource_unique_id
Column Type: varchar
Max Length: 50
The resource ID assigned by the user.

Column Name: site_name
Column Type: varchar
Max Length: 40
'Site'.

Column Name: childsub
Column Type: integer

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.AppointmentResSeriesAudit

Table Description: This table returns audited appointment resource series information filed via the Appointment Scheduling 'Scheduling Calendar' and 'Post Staff Activity Log' form.

Column Name: ApptSData
Column Type: integer

'ApptSData' (System Use Only).

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the appointment was filed.

Column Name: RESOURCE_ID
Column Type: varchar
Max Length: 50
The resource ID assigned by cache.

Column Name: SITEID
Column Type: varchar
Max Length: 10
The unique ID of 'Site'.

Column Name: resource_description
Column Type: varchar
Max Length: 50
Resource Description.

Column Name: resource_unique_id
Column Type: varchar
Max Length: 50
The resource ID assigned by the user.

Column Name: site_name
Column Type: varchar
Max Length: 40
'Site'.

Column Name: childsub
Column Type: integer

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.AppointmentSeries

Table Description: This table returns appointment series information filed via the Appointment Scheduling 'Scheduling Calendar' and 'Post Staff Activity Log' form.

Column Name: ID
Column Type: integer

Column Name: CO_STAFFID_1
Column Type: varchar
Max Length: 10
The unique ID of 'Co Practitioner'.

Column Name: CO_STAFFID_2
Column Type: varchar
Max Length: 10
The unique ID of '2nd Co Practitioner'.

Column Name: duration
Column Type: varchar
Max Length: 10
'Duration'.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
The unique ID of 'Group'.

Column Name: ROOMID
Column Type: varchar
Max Length: 40
The room associated with the appointment.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40
'Service Code'.

Column Name: SITEID
Column Type: varchar
Max Length: 10
The unique ID of 'Site'.

Column Name: STAFFID
Column Type: varchar
Max Length: 40
The unique ID of 'Practitioner'.

Column Name: active_code
Column Type: varchar

Max Length: 50
'active_code'.

Column Name: active_value
Column Type: varchar
Max Length: 50
'active_value'.

Column Name: add_on_notes
Column Type: varchar
Max Length: 4096
'Add-On Notes'.

Column Name: add_on_notes_stream
Column Type: longvarchar
Max Length: 2147483647
'Add-On Notes'.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
'Additional Service Information'

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The short value of add_svc_info_code.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The value of add_svc_info_code.

Column Name: appointment_date
Column Type: date
'Appointment Start Date'.

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50
'End'.

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096
'Appointment Notes'.

Column Name: appointment_notes_stream
Column Type: longvarchar
Max Length: 2147483647

'Appointment Notes'.

Column Name: appointment_start_time
Column Type: varchar
Max Length: 50
'Start'.

Column Name: clinic_indicator
Column Type: integer
'clinic_indicator'.

Column Name: costaff1_duration_min
Column Type: varchar
Max Length: 10
'Co Practitioner Duration'.

Column Name: co_staff_1_name
Column Type: varchar
Max Length: 40
'Co Practitioner'.

Column Name: costaff2_duration_min
Column Type: varchar
Max Length: 10
'2nd Co Practitioner Duration'.

Column Name: co_staff_2_name
Column Type: varchar
Max Length: 40
'2nd Co Practitioner'.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description'.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The username that last updated the row.

Column Name: duration_minutes
Column Type: varchar
Max Length: 10
'Duration' in minutes.

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 200
'Evidence-based Practices / Service Strategies (CSI)'.

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 200
The value of ebpss_csi_code.

Column Name: ebpss_csi_value_long
Column Type: varchar
Max Length: 4096
The value of ebpss_csi_code.

Column Name: group_name
Column Type: varchar
Max Length: 40
'Group'.

Column Name: location_code
Column Type: varchar
Max Length: 20
'Location'.

Column Name: location_value
Column Type: varchar
Max Length: 40
The value of location_code.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'.

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80
The DSM value of medical_diagnosis1_code.

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80
The value of medical_diagnosis1_code.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'.

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80
The DSM value of medical_diagnosis2_code.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80
The value of medical_diagnosis2_code.

Column Name: medical_diagnosis3_DSM_value
Column Type: varchar
Max Length: 80
The DSM value of medical_diagnosis3_code.

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80
The DSM value of medical_diagnosis4_code.

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80
The value of medical_diagnosis3_code.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4 Code'.

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80
The value of medical_diagnosis4_code.

Column Name: modifiers
Column Type: varchar
Max Length: 50
The elaboration of the service code.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option description associated with the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: program_code
Column Type: varchar
Max Length: 10
The program associated with the row.

Column Name: program_value
Column Type: varchar
Max Length: 40
The value of program_code.

Column Name: psycho_add_on_duration
Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: recurr_end_by_code
Column Type: varchar
Max Length: 50
'recurr_end_by_code'.

Column Name: recurr_end_by_value
Column Type: varchar
Max Length: 50
'recurr_end_by_value'.

Column Name: recurring_indicator

Column Type: integer
'recurring_indicator'.

Column Name: recurr_number_of_sessions
Column Type: varchar
Max Length: 50
'recurr_number_of_sessions'.

Column Name: recurr_other_days
Column Type: varchar
Max Length: 50
'recurr_other_days'.

Column Name: recurr_schedule_code
Column Type: varchar
Max Length: 50
'recurr_schedule_code'.

Column Name: recurr_schedule_value
Column Type: varchar
Max Length: 50
'recurr_schedule_value'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
The code for referring_practitioner_name.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the 'Referring Provider'.

Column Name: service_description
Column Type: varchar
Max Length: 40
The description of the service.

Column Name: site_name
Column Type: varchar

Max Length: 40
'Site'.

Column Name: staff_name
Column Type: varchar
Max Length: 40
'Practitioner'.

Column Name: status_code
Column Type: varchar
Max Length: 40
'Status'.

Column Name: status_value
Column Type: varchar
Max Length: 40
The value of status_code.

Column Name: team_description
Column Type: varchar
Max Length: 50
'team_description'.

Column Name: team_id
Column Type: varchar
Max Length: 50
'team_id'.

Column Name: week_days_code
Column Type: varchar
Max Length: 50
'week_days_code'

Column Name: week_days_value
Column Type: varchar
Max Length: 4096
'week_days_value'

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.AppointmentWaitingRoom

Table Description: Appointment Walk In Waiting Room

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SITEID
Column Type: varchar
Max Length: 10
Site Id.

Column Name: site_name
Column Type: varchar
Max Length: 40
Site Name

Column Name: STAFFID
Column Type: varchar
Max Length: 40
The staff ID associated with the appointment.

Column Name: staff_name
Column Type: varchar
Max Length: 40
The staff name associated with STAFFID.

Column Name: waiting_room_date
Column Type: date
The date the record was added.

Column Name: waiting_room_time
Column Type: varchar
Max Length: 50
The time the record was added.

Column Name: waiting_room_order
Column Type: integer
The system code in which the data was stored.

Column Name: type_code
Column Type: varchar
Max Length: 40
The code for the client's type in waiting room.

Column Name: type_value
Column Type: varchar
Max Length: 40
The description associated with type_code.

Column Name: priority_code
Column Type: integer

Waiting room priority code

Column Name: priority_value

Column Type: varchar

Max Length: 50

The description associated with priority_code.

Column Name: phonein_code

Column Type: varchar

Max Length: 50

Waiting room phone-in/expected code

Column Name: phonein_value

Column Type: varchar

Max Length: 50

The description associated with phonein_code.

Column Name: telehealth_code

Column Type: varchar

Max Length: 50

Waiting room telehealth code

Column Name: telehealth_value

Column Type: varchar

Max Length: 50

The description associated with telehealth_code.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: patient_name

Column Type: varchar

Max Length: 255

The Client name associated with the PATID.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: program_code

Column Type: varchar

Max Length: 10

Program Code

Column Name: program_value

Column Type: varchar

Max Length: 40

Program Value

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 40

Service code.

Column Name: service_description

Column Type: varchar

Max Length: 40

Service Description

Column Name: location_code

Column Type: varchar

Max Length: 20

Appointment location code for the member.

Column Name: location_value

Column Type: varchar

Max Length: 512

Appointment location description.

Column Name: reason_for_visit_text

Column Type: varchar

Max Length: 1024

Reason for visit

Column Name: JOIN_TO_SLOT_ID

Column Type: varchar

Max Length: 50

'Site Registration - Time Slots Historic Unique ID

Column Name: status_code

Column Type: varchar

Max Length: 50

Waiting room status code

Column Name: status_value

Column Type: varchar

Max Length: 50

The description associated with status_code.

Column Name: display_code

Column Type: varchar

Max Length: 50

Waiting room display code

Column Name: display_value

Column Type: varchar

Max Length: 50

The description associated with display_code.

Column Name: JOIN_TO_APPT_ID
Column Type: varchar
Max Length: 50
Scheduling Calendar Appointment ID

Column Name: req_pract_type_code
Column Type: varchar
Max Length: 50
The code associated with Requested Practitioner Type Code (Discipline)

Column Name: req_pract_type_value
Column Type: varchar
Max Length: 4096
The description associated with Requested Practitioner Type Code (Discipline)

Column Name: req_pract_sex_code
Column Type: varchar
Max Length: 15
The code associated with Requested Practitioner Sex Code

Column Name: req_pract_sex_value
Column Type: varchar
Max Length: 15
The description associated with Requested Practitioner Sex Code

Column Name: JOIN_TO_CURRENT
Column Type: varchar
Max Length: 1000
A pointer to the Current value, only used by Audit table

Column Name: data_entry_action
Column Type: varchar
Max Length: 40
The action that was performed, only used by Audit table

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 40
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 80
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20

The unique ID of the form that last updated the row.

Column Name: staff_discipline

Column Type: varchar

Max Length: 4096

The description associated with discipline code of STAFFID

Column Name: staff_sex

Column Type: varchar

Max Length: 15

The description associated with sex code of STAFFID

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.AppointmentWaitingRoomAudit

Table Description: This table contains audit information for the 'SYSTEM.AppointmentWaitingRoom' table.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: SITEID

Column Type: varchar

Max Length: 10

Site Id.

Column Name: site_name

Column Type: varchar

Max Length: 40

Site Name

Column Name: STAFFID

Column Type: varchar

Max Length: 40

The staff ID associated with the appointment.

Column Name: staff_name

Column Type: varchar

Max Length: 40

The staff name associated with STAFFID.

Column Name: waiting_room_date

Column Type: date
The date the record was added.

Column Name: waiting_room_time
Column Type: varchar
Max Length: 50
The time the record was added.

Column Name: waiting_room_order
Column Type: integer
The system code in which the data was stored.

Column Name: type_code
Column Type: varchar
Max Length: 40
The code for the client's type in waiting room.

Column Name: type_value
Column Type: varchar
Max Length: 40
The description associated with type_code.

Column Name: priority_code
Column Type: integer
Waiting room priority code

Column Name: priority_value
Column Type: varchar
Max Length: 50
The description associated with priority_code.

Column Name: phonein_code
Column Type: varchar
Max Length: 50
Waiting room phone-in/expected code

Column Name: phonein_value
Column Type: varchar
Max Length: 50
The description associated with phonein_code.

Column Name: telehealth_code
Column Type: varchar
Max Length: 50
Waiting room telehealth code

Column Name: telehealth_value
Column Type: varchar
Max Length: 50
The description associated with telehealth_code.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: patient_name
Column Type: varchar
Max Length: 255
The Client name associated with the PATID.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: program_code
Column Type: varchar
Max Length: 10
Program Code

Column Name: program_value
Column Type: varchar
Max Length: 40
Program Value

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40
Service code.

Column Name: service_description
Column Type: varchar
Max Length: 40
Service Description

Column Name: location_code
Column Type: varchar
Max Length: 20
Appointment location code for the member.

Column Name: location_value
Column Type: varchar
Max Length: 512
Appointment location description.

Column Name: reason_for_visit_text
Column Type: varchar
Max Length: 1024
Reason for visit

Column Name: JOIN_TO_SLOT_ID
Column Type: varchar
Max Length: 50
'Site Registration - Time Slots Historic Unique ID

Column Name: status_code
Column Type: varchar
Max Length: 50
Waiting room status code

Column Name: status_value
Column Type: varchar
Max Length: 50
The description associated with status_code.

Column Name: display_code
Column Type: varchar
Max Length: 50
Waiting room display code

Column Name: display_value
Column Type: varchar
Max Length: 50
The description associated with display_code.

Column Name: JOIN_TO_APPT_ID
Column Type: varchar
Max Length: 50
Scheduling Calendar Appointment ID

Column Name: req_pract_type_code
Column Type: varchar
Max Length: 50
The code associated with Requested Practitioner Type Code (Discipline)

Column Name: req_pract_type_value
Column Type: varchar
Max Length: 4096
The description associated with Requested Practitioner Type Code (Discipline)

Column Name: req_pract_sex_code
Column Type: varchar
Max Length: 15
The code associated with Requested Practitioner Sex Code

Column Name: req_pract_sex_value
Column Type: varchar
Max Length: 15
The description associated with Requested Practitioner Sex Code

Column Name: JOIN_TO_CURRENT
Column Type: varchar
Max Length: 1000
A pointer to the Current value, only used by Audit table

Column Name: JOIN_TO_PREVIOUS
Column Type: varchar
Max Length: 1000
Previous log entry

Column Name: data_entry_action
Column Type: varchar
Max Length: 40
The action that was performed, only used by Audit table

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 40
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 80
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: staff_discipline
Column Type: varchar
Max Length: 4096
The description associated with discipline code of STAFFID

Column Name: staff_sex
Column Type: varchar
Max Length: 15
The description associated with sex code of STAFFID

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.Appointment_Series_Audit

Table Description: This table returns audited appointment series information filed via the Appointment Scheduling 'Scheduling Calendar' and 'Post Staff Activity Log' form.

Column Name: ID
Column Type: integer

Column Name: CO_STAFFID_1
Column Type: varchar
Max Length: 10
The unique ID of 'Co Practitioner'.

Column Name: CO_STAFFID_2
Column Type: varchar
Max Length: 10
The unique ID of '2nd Co Practitioner'.

Column Name: duration
Column Type: varchar
Max Length: 10
'Duration'.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
The unique ID of 'Group'.

Column Name: ROOMID
Column Type: varchar
Max Length: 40
The room associated with the appointment.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40
'Service Code'.

Column Name: SITEID
Column Type: varchar
Max Length: 10
The unique ID of 'Site'.

Column Name: STAFFID
Column Type: varchar
Max Length: 40
The unique ID of 'Practitioner'.

Column Name: active_code

Column Type: varchar
Max Length: 50
'active_code'.

Column Name: active_value
Column Type: varchar
Max Length: 50
'active_value'.

Column Name: add_on_notes
Column Type: varchar
Max Length: 4096
'Add-On Notes'.

Column Name: add_on_notes_stream
Column Type: longvarchar
Max Length: 2147483647
'Add-On Notes'.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
'Additional Service Information'.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The short value of add_svc_info_code.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The value of add_svc_info_code.

Column Name: appointment_date
Column Type: date
'Appointment Start Date'.

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50
'End'.

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096
'Appointment Notes'.

Column Name: appointment_notes_stream
Column Type: longvarchar

Max Length: 2147483647
'Appointment Notes'.

Column Name: appointment_start_time
Column Type: varchar
Max Length: 50
'Start'.

Column Name: clinic_indicator
Column Type: integer
'clinic_indicator'.

Column Name: costaff1_duration_min
Column Type: varchar
Max Length: 10
'Co Practitioner Duration'.

Column Name: co_staff_1_name
Column Type: varchar
Max Length: 40
'Co Practitioner'.

Column Name: costaff2_duration_min
Column Type: varchar
Max Length: 10
'2nd Co Practitioner Duration'.

Column Name: co_staff_2_name
Column Type: varchar
Max Length: 40
'2nd Co Practitioner'.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description'.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The username that last updated the row.

Column Name: duration_minutes
Column Type: varchar
Max Length: 10
'Duration'.

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 200
'Evidence-based Practices / Service Strategies (CSI)'.

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 200
The value of ebpss_csi_code.

Column Name: ebpss_csi_value_long
Column Type: varchar
Max Length: 4096
The long value of ebpss_csi_code.

Column Name: group_name
Column Type: varchar
Max Length: 40
'Group'.

Column Name: location_code
Column Type: varchar
Max Length: 20
'Location'.

Column Name: location_value
Column Type: varchar
Max Length: 40
The value of location_code.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'.

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80
The DSM value of medical_diagnosis1_code.

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80
The value of medical_diagnosis1_code.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'.

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80
The DSM value of medical_diagnosis2_code.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80
The value of medical_diagnosis2_code.

Column Name: medical_diagnosis3_DSM_value
Column Type: varchar
Max Length: 80
The DSM value of medical_diagnosis3_code.

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80
The DSM value of medical_diagnosis4_code.

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 3 Code'.

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80
The value of medical_diagnosis3_code.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4 Code'.

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80
The value of medical_diagnosis4_code.

Column Name: modifiers
Column Type: varchar
Max Length: 50
The elaboration of the service code.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option description associated with the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: orig_appointment_series_id
Column Type: integer
The original appointment series ID.

Column Name: program_code
Column Type: varchar
Max Length: 10
The program associated with the row.

Column Name: program_value
Column Type: varchar
Max Length: 40
The value of program_code.

Column Name: psycho_add_on_duration
Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: recurr_end_by_code
Column Type: varchar
Max Length: 50
'recurr_end_by_code'.

Column Name: recurr_end_by_value

Column Type: varchar
Max Length: 50
'recurr_end_by_value'.

Column Name: recurring_indicator
Column Type: integer
'recurring_indicator'.

Column Name: recurr_number_of_sessions
Column Type: varchar
Max Length: 50
'recurr_number_of_sessions'.

Column Name: recurr_other_days
Column Type: varchar
Max Length: 50
'recurr_other_days'.

Column Name: recurr_schedule_code
Column Type: varchar
Max Length: 50
'recurr_schedule_code'.

Column Name: recurr_schedule_value
Column Type: varchar
Max Length: 50
'recurr_schedule_value'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
The code for referring_practitioner_name.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the 'Referring Provider'.

Column Name: service_description
Column Type: varchar

Max Length: 40
The description of the service.

Column Name: site_name
Column Type: varchar
Max Length: 40
'Site'.

Column Name: staff_name
Column Type: varchar
Max Length: 40
'Practitioner'.

Column Name: status_code
Column Type: varchar
Max Length: 40
'Status'.

Column Name: status_value
Column Type: varchar
Max Length: 40
The value of status_code.

Column Name: team_description
Column Type: varchar
Max Length: 50
'team_description'.

Column Name: team_id
Column Type: varchar
Max Length: 50
'team_id'.

Column Name: week_days_code
Column Type: varchar
Max Length: 50
'week_days_code'

Column Name: week_days_value
Column Type: varchar
Max Length: 4096
'week_days_value'

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.appointment_evv_task

Table Description: This table returns appointment EVV task information filed via the Appointment Scheduling 'Scheduling Calendar'.

Column Name: ApptData
Column Type: integer
'ApptData' (System Use Only).

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: evv_task_code
Column Type: varchar
Max Length: 4096
'Available Tasks'

Column Name: evv_task_value
Column Type: varchar
Max Length: 4096
The description associated with evv_task_code. See evv_task_code for more information.

Column Name: childsub
Column Type: integer

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.appointment_evv_task_audit

Table Description: This table returns appointment EVV task information filed via the Appointment Scheduling 'Scheduling Calendar'.

Column Name: ApptData
Column Type: integer
'ApptData' (System Use Only).

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY

Column Type: integer
The system code in which the data was stored.

Column Name: evv_task_code
Column Type: varchar
Max Length: 4096
'Available Tasks'

Column Name: evv_task_value
Column Type: varchar
Max Length: 4096
The description associated with evv_task_code. See evv_task_code for more information.

Column Name: childsub
Column Type: integer

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.appointment_evv_task_deleted

Table Description: This table returns appointment EVV task information filed via the Appointment Scheduling 'Scheduling Calendar'.

Column Name: ApptData
Column Type: integer
'ApptData' (System Use Only).

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: evv_task_code
Column Type: varchar
Max Length: 4096
'Available Tasks'

Column Name: evv_task_value
Column Type: varchar
Max Length: 4096
The description associated with evv_task_code. See evv_task_code for more information.

Column Name: childsub
Column Type: integer

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.appt_data

Table Description: This table returns

person_unique_identifier,ID,CO_STAFFID_1,CO_STAFFID_2,EPISODE_NUMBER,FACILITY,GROUP_ID,JOIN_TO_CO_STAFF_TX_HISTORY,JOIN_TO_FOLLOW_UP_APD,JOIN_TO_PREV_APD,JOIN_TO_SECOND_CO_STAFF_TX_HISTORY,JOIN_TO_STAFF_TX_HISTORY,JOIN_TO_TX_HISTORY,NOT_uniqueid,PATID,SERVICE_CODE,SITEID,team_id,team_description,STAFFID,accounting_period,appointment_date,appointment_end_time,appointment_notes,appointment_start_time,appt_req_follow_up_code,appt_req_follow_up_value,billable_code,billable_value,billing_status_code,billing_status_value,check_in_status,check_in_status_value,client_willing_pay_code,client_willing_pay_value,co_staff_1_name,co_staff_2_name,confirmation_notes,confirmed_code,confirmed_value,cost_of_service,costaff1_duration_min,costaff2_duration_min,data_entry_by,data_entry_by_option,data_entry_date,data_entry_time,data_entry_user_id,data_entry_user_name,disposition_code,disposition_value,duration,duration_minutes,follow_up_appt_due_date,follow_up_status_code,follow_up_status_value,group_name,insurance_category_code,insurance_category_value,location_code,location_value,medical_diagnosis1_code,medical_diagnosis1_value,medical_diagnosis1_DSM_value,medical_diagnosis2_code,medical_diagnosis2_value,medical_diagnosis2_DSM_value,medical_diagnosis3_code,medical_diagnosis3_value,medical_diagnosis3_DSM_value,medical_diagnosis4_code,medical_diagnosis4_value,medical_diagnosis4_DSM_value,missed_visit_code,missed_visit_notes,missed_visit_service_code,missed_visit_service_desc,missed_visit_value,modifiers,number_of_clients,option_desc,option_id,patient_name,posted_as_service_code,posted_as_service_value,posted_code,posted_data_entry_by,posted_data_entry_by_option,posted_data_entry_date,posted_data_entry_time,posted_option_desc,posted_option_id,posted_value,program_code,program_value,reason_for_follow_up,recurring_indicator,referring_practitioner_code,referring_practitioner_name,referring_provider_code,referring_provider_name,service_description,site_name,staff_name,status_code,status_value,time_of_arrival,units_of_service,user_row_access_code,verified_code,verified_data_entry_by,verified_data_entry_by_option,verified_data_entry_date,verified_data_entry_time,verified_option_desc,verified_option_id,verified_value,ebpss_csi_code,ebpss_csi_value,ebpss_csi_value_long,prog_note_indicator_code,prog_note_indicator_value,reason_for_visit_code,reason_for_visit_value,add_svc_info_code,add_svc_info_shval,add_svc_info_value,psycho_add_on_duration,add_on_notes,minute_time_override,unsigned_appointment,svc_prog_override_code,svc_prog_override_value from SYSTEM.AppointmentData and SYSTEM.AppointmentPerson

Column Name: person_unique_identifier
Column Type: varchar
Max Length: 50

Column Name: ID
Column Type: integer

Column Name: CO_STAFFID_1

Column Type: varchar
Max Length: 10

Column Name: CO_STAFFID_2
Column Type: varchar
Max Length: 10

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10

Column Name: JOIN_TO_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_FOLLOW_UP_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_PREV_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SECOND_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40

Column Name: SITEID
Column Type: varchar
Max Length: 10

Column Name: team_id
Column Type: varchar
Max Length: 50

Column Name: team_description
Column Type: varchar
Max Length: 50

Column Name: STAFFID
Column Type: varchar
Max Length: 40

Column Name: accounting_period
Column Type: date

Column Name: appointment_date
Column Type: date

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096

Column Name: appointment_start_time
Column Type: varchar
Max Length: 50

Column Name: appointment_end_time_j
Column Type: varchar
Max Length: 50

Column Name: appointment_start_time_j
Column Type: varchar
Max Length: 50

Column Name: appt_req_follow_up_code
Column Type: varchar
Max Length: 5

Column Name: appt_req_follow_up_value
Column Type: varchar
Max Length: 50

Column Name: billable_code
Column Type: varchar
Max Length: 5

Column Name: billable_value
Column Type: varchar
Max Length: 20

Column Name: billing_status_code
Column Type: varchar
Max Length: 50

Column Name: billing_status_value
Column Type: varchar
Max Length: 50

Column Name: check_in_status
Column Type: varchar
Max Length: 1

Column Name: check_in_status_value
Column Type: varchar
Max Length: 20

Column Name: client_willing_pay_code
Column Type: varchar
Max Length: 50

Column Name: client_willing_pay_value
Column Type: varchar
Max Length: 50

Column Name: co_staff_1_name
Column Type: varchar
Max Length: 40

Column Name: co_staff_2_name
Column Type: varchar
Max Length: 40

Column Name: confirmation_notes
Column Type: varchar
Max Length: 4096

Column Name: confirmed_code
Column Type: varchar
Max Length: 10

Column Name: confirmed_value
Column Type: varchar
Max Length: 40

Column Name: cost_of_service
Column Type: numeric

Column Name: costaff1_duration_min

Column Type: varchar
Max Length: 10

Column Name: costaff2_duration_min
Column Type: varchar
Max Length: 10

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 15

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_source
Column Type: varchar
Max Length: 50

Column Name: disposition_code
Column Type: varchar
Max Length: 5

Column Name: disposition_value
Column Type: varchar

Max Length: 20

Column Name: duration

Column Type: varchar

Max Length: 10

Column Name: duration_minutes

Column Type: varchar

Max Length: 10

Column Name: follow_up_appt_due_date

Column Type: date

Column Name: follow_up_status_code

Column Type: varchar

Max Length: 50

Column Name: follow_up_status_value

Column Type: varchar

Max Length: 50

Column Name: group_name

Column Type: varchar

Max Length: 40

Column Name: insurance_category_code

Column Type: varchar

Max Length: 10

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

Column Name: location_code

Column Type: varchar

Max Length: 20

Column Name: location_value

Column Type: varchar

Max Length: 40

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80

Column Name: missed_visit_code
Column Type: varchar
Max Length: 10

Column Name: missed_visit_notes
Column Type: varchar
Max Length: 4096

Column Name: missed_visit_service_code
Column Type: varchar
Max Length: 40

Column Name: missed_visit_service_desc
Column Type: varchar
Max Length: 40

Column Name: missed_visit_value
Column Type: varchar
Max Length: 40

Column Name: modifiers
Column Type: varchar
Max Length: 50

Column Name: number_of_clients
Column Type: varchar
Max Length: 10

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: patient_name
Column Type: varchar
Max Length: 40

Column Name: posted_as_service_code
Column Type: varchar
Max Length: 2

Column Name: posted_as_service_value
Column Type: varchar
Max Length: 50

Column Name: posted_code
Column Type: varchar
Max Length: 2

Column Name: posted_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_date
Column Type: date

Column Name: posted_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: posted_option_desc
Column Type: varchar
Max Length: 80

Column Name: posted_option_id
Column Type: varchar
Max Length: 20

Column Name: posted_value
Column Type: varchar
Max Length: 50

Column Name: program_code
Column Type: varchar
Max Length: 10

Column Name: program_value
Column Type: varchar
Max Length: 40

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096

Column Name: reason_svc_not_posted_code
Column Type: varchar
Max Length: 40

Column Name: reason_svc_not_posted_value
Column Type: varchar
Max Length: 50

Column Name: recurring_indicator
Column Type: integer

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50

Column Name: service_description
Column Type: varchar
Max Length: 40

Column Name: site_name
Column Type: varchar
Max Length: 40

Column Name: staff_name
Column Type: varchar
Max Length: 40

Column Name: status_code
Column Type: varchar
Max Length: 40

Column Name: status_value
Column Type: varchar
Max Length: 40

Column Name: time_of_arrival
Column Type: varchar
Max Length: 50

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 20

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 20

Column Name: units_of_service
Column Type: numeric

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: verified_code
Column Type: varchar
Max Length: 2

Column Name: verified_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: verified_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: verified_data_entry_date
Column Type: date

Column Name: verified_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: verified_option_desc
Column Type: varchar
Max Length: 80

Column Name: verified_option_id
Column Type: varchar
Max Length: 20

Column Name: verified_value
Column Type: varchar
Max Length: 50

Column Name: ebpss_csi_code

Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value_long
Column Type: varchar
Max Length: 4096

Column Name: prog_note_indicator_code
Column Type: varchar
Max Length: 50

Column Name: prog_note_indicator_value
Column Type: varchar
Max Length: 50

Column Name: reason_for_visit_code
Column Type: varchar
Max Length: 255

Column Name: reason_for_visit_value
Column Type: varchar
Max Length: 255

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096

Column Name: psycho_add_on_duration

Column Type: integer

Column Name: add_on_notes

Column Type: varchar

Max Length: 4096

Column Name: minute_time_override

Column Type: integer

Column Name: reason_visit_note

Column Type: varchar

Max Length: 4096

Column Name: unsigned_appointment

Column Type: bit

Column Name: priority_code

Column Type: varchar

Max Length: 50

Column Name: priority_description

Column Type: varchar

Max Length: 50

Column Name: room_number

Column Type: varchar

Max Length: 50

Column Name: orig_entry_date

Column Type: date

Column Name: orig_entry_time

Column Type: varchar

Max Length: 15

Column Name: orig_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: svc_prog_override_code
Column Type: varchar
Max Length: 50

Column Name: svc_prog_override_value
Column Type: varchar
Max Length: 40

Column Name: external_appt_id
Column Type: varchar
Max Length: 4096

Column Name: person_location_code
Column Type: varchar
Max Length: 20

Column Name: person_location_value
Column Type: varchar
Max Length: 512

Column Name: cancellation_reason_code
Column Type: varchar
Max Length: 40

Column Name: cancellation_reason_value
Column Type: varchar
Max Length: 255

Column Name: canceled_date
Column Type: date

Column Name: canceled_time
Column Type: varchar
Max Length: 50

Column Name: carefabric_appt_stat_code
Column Type: varchar
Max Length: 50

Column Name: carefabric_appt_stat_value

Column Type: varchar
Max Length: 255

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.appt_recur_task_errors

Table Description: This table stores errors and warnings from appointment scheduling recurrence build process that is configured in 'System Task Scheduler' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code of the recurring appointment.

Column Name: build_date
Column Type: date
The date the build was run.

Column Name: audit_id
Column Type: integer
ID of the audit. This is different of each run of Appointment Scheduling Recurrence Build.

Column Name: recurring_indicator
Column Type: varchar
Max Length: 50
recurring_indicator field in SYSTEM.AppointmentSeries table. This can be used to track the appointment.

Column Name: line_number
Column Type: integer
An index used to distinguish between multiple errors.

Column Name: is_sys_error
Column Type: bit
If value is "0", it indicates the message is an appointment related issue. If value is "1", it indicates the message is is a server error.

Column Name: message
Column Type: varchar
Max Length: 256
The message related to the appointment recurrence series for a given build date.

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.primary_care_visits

Table Description: Link Table For Primary Care

Column Name: ID
Column Type: integer

Column Name: appointment_date
Column Type: date
appointment_date

Column Name: AppointmentObjectID
Column Type: varchar
Max Length: 50
Appointment ID related to this record.

Column Name: priority_code
Column Type: varchar
Max Length: 5
Appointment Priority Code

Column Name: priority_value
Column Type: varchar
Max Length: 40
Appointment Priority Value

Column Name: room_number
Column Type: varchar
Max Length: 40
Appointment Room Number

Column Name: SITEID
Column Type: varchar
Max Length: 10
SITEID

Column Name: site_name
Column Type: varchar
Max Length: 40
Site Name

Column Name: STAFFID
Column Type: varchar
Max Length: 40

Staff Member

Column Name: staff_name

Column Type: varchar

Max Length: 40

Staff Member Name

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: followup_notes

Column Type: longvarchar

Max Length: 2147483647

Notes for follow-up information

Column Name: followup_when

Column Type: varchar

Max Length: 50

follow-up when?

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: primary_care_physician_duration

Column Type: varchar

Max Length: 50

Primary Care Physican Duration

Column Name: PrimaryCareVisitSummary

Column Type: longvarchar

Max Length: 2147483647

Primary Care Visit Summary

Column Name: Processed

Column Type: varchar

Max Length: 50

Processed

Column Name: ProcessedTimeStamp

Column Type: timestamp

Processed Time Stamp

Column Name: appointment_deleted

Column Type: integer
Set to 1 if the linked appointment was deleted.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.telehealth_appt

Table Description: This table stores appointments scheduled with a 3rd party telehealth application

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
Reference to the telehealth client associated with this appointment.

Column Name: STAFFID
Column Type: varchar
Max Length: 20
Reference to the telehealth staff member associated with this appointment.

Column Name: appt_person_id
Column Type: varchar
Max Length: 254
Reference to the appointment person associated with this telehealth appointment.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: other_properties
Column Type: varchar
Max Length: 32749
Other properties associated with the telehealth appointment.

Column Name: vendor_id
Column Type: varchar
Max Length: 256
The ID for this appointment in the telehealth platform.

Column Name: vendor_name
Column Type: varchar
Max Length: 50
The vendor of the 3rd party telehealth platform the staff member is registered with.

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.telehealth_client

Table Description: This table stores clients registered with a 3rd party telehealth application

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar

Max Length: 20
The client ID associated with the data.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: internal_vendor_id
Column Type: varchar
Max Length: 50
The internal ID for this client in the telehealth platform.

Column Name: request_id
Column Type: varchar
Max Length: 50
The last request ID used to register this client (in case we need to re-check the status later.

Column Name: vendor_id
Column Type: varchar
Max Length: 256
The ID for this client in the telehealth platform.

Column Name: vendor_name
Column Type: varchar
Max Length: 50
The vendor of the 3rd party telehealth platform the client is registered with.

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.waiting_room_current
Table Description: Appointment Walk In Waiting Room

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_APPT_ID
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SLOT_ID
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40

Column Name: SITEID
Column Type: varchar
Max Length: 10

Column Name: STAFFID
Column Type: varchar
Max Length: 40

Column Name: location_code
Column Type: varchar
Max Length: 20

Column Name: location_value
Column Type: varchar
Max Length: 512

Column Name: patient_name
Column Type: varchar
Max Length: 255

Column Name: phonein_code
Column Type: varchar
Max Length: 50

Column Name: phonein_value
Column Type: varchar
Max Length: 50

Column Name: priority_code
Column Type: integer

Column Name: priority_value
Column Type: varchar
Max Length: 50

Column Name: program_code
Column Type: varchar
Max Length: 10

Column Name: program_value
Column Type: varchar
Max Length: 40

Column Name: reason_for_visit_text
Column Type: varchar
Max Length: 1024

Column Name: req_pract_sex_code
Column Type: varchar
Max Length: 15

Column Name: req_pract_sex_value
Column Type: varchar
Max Length: 15

Column Name: req_pract_type_code
Column Type: varchar
Max Length: 50

Column Name: req_pract_type_value
Column Type: varchar
Max Length: 4096

Column Name: service_description
Column Type: varchar
Max Length: 40

Column Name: site_name
Column Type: varchar
Max Length: 40

Column Name: staff_discipline
Column Type: varchar
Max Length: 4096

Column Name: staff_name
Column Type: varchar
Max Length: 40

Column Name: staff_sex
Column Type: varchar
Max Length: 15

Column Name: status_code
Column Type: varchar
Max Length: 50

Column Name: status_value
Column Type: varchar
Max Length: 50

Column Name: telehealth_code
Column Type: varchar
Max Length: 50

Column Name: telehealth_value
Column Type: varchar
Max Length: 50

Column Name: type_code
Column Type: varchar
Max Length: 40

Column Name: type_value
Column Type: varchar
Max Length: 40

Column Name: waiting_room_date
Column Type: date

Column Name: waiting_room_order
Column Type: integer

Column Name: waiting_room_time
Column Type: varchar
Max Length: 50

Documentation for form: Scheduling_Calendar

Table Name: SYSTEM.waiting_room_history

Table Description: This table contains audit information for the 'SYSTEM.AppointmentWaitingRoom' table.

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_APPT_ID
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SLOT_ID
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40

Column Name: SITEID
Column Type: varchar
Max Length: 10

Column Name: STAFFID
Column Type: varchar
Max Length: 40

Column Name: display_code
Column Type: varchar
Max Length: 50

Column Name: display_value
Column Type: varchar
Max Length: 50

Column Name: location_code
Column Type: varchar
Max Length: 20

Column Name: location_value
Column Type: varchar
Max Length: 512

Column Name: patient_name
Column Type: varchar
Max Length: 255

Column Name: phonein_code
Column Type: varchar
Max Length: 50

Column Name: phonein_value
Column Type: varchar
Max Length: 50

Column Name: priority_code
Column Type: integer

Column Name: priority_value
Column Type: varchar
Max Length: 50

Column Name: program_code
Column Type: varchar
Max Length: 10

Column Name: program_value
Column Type: varchar
Max Length: 40

Column Name: reason_for_visit_text
Column Type: varchar
Max Length: 1024

Column Name: req_pract_sex_code
Column Type: varchar
Max Length: 15

Column Name: req_pract_sex_value
Column Type: varchar
Max Length: 15

Column Name: req_pract_type_code
Column Type: varchar
Max Length: 50

Column Name: req_pract_type_value
Column Type: varchar
Max Length: 4096

Column Name: service_description
Column Type: varchar
Max Length: 40

Column Name: site_name
Column Type: varchar
Max Length: 40

Column Name: staff_discipline
Column Type: varchar
Max Length: 4096

Column Name: staff_name
Column Type: varchar
Max Length: 40

Column Name: staff_sex
Column Type: varchar
Max Length: 15

Column Name: status_code
Column Type: varchar
Max Length: 50

Column Name: status_value
Column Type: varchar
Max Length: 50

Column Name: telehealth_code
Column Type: varchar
Max Length: 50

Column Name: telehealth_value
Column Type: varchar
Max Length: 50

Column Name: type_code
Column Type: varchar
Max Length: 40

Column Name: type_value
Column Type: varchar
Max Length: 40

Column Name: waiting_room_date
Column Type: date

Column Name: waiting_room_order
Column Type: integer

Column Name: waiting_room_time
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_PREVIOUS
Column Type: varchar
Max Length: 1000

Column Name: JOIN_TO_CURRENT
Column Type: varchar
Max Length: 1000

Column Name: data_entry_action
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_source
Column Type: varchar

Max Length: 50

Column Name: data_entry_time

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 80

Column Name: option_desc

Column Type: varchar

Max Length: 80

Column Name: option_id

Column Type: varchar

Max Length: 20

Documentation for form: Scheduling_Calendar_-_Check_In

Table Name: SYSTEM.AppointmentData

Table Description: Appointment Scheduling Data

Column Name: ID

Column Type: integer

Column Name: CO_STAFFID_1

Column Type: varchar

Max Length: 10

Co Staffid 1

Column Name: CO_STAFFID_2

Column Type: varchar

Max Length: 10

Co Staff Id 2

Column Name: duration

Column Type: varchar

Max Length: 10

Duration

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored. FACILITY

Column Name: GROUP_ID

Column Type: varchar

Max Length: 10

Group Id associated with the appointment.

Column Name: JOIN_TO_CO_STAFF_TX_HISTORY

Column Type: varchar

Max Length: 15

JOIN TO CO-STAFF TX STRING

Column Name: JOIN_TO_FOLLOW_UP_APD

Column Type: varchar

Max Length: 50

Join To Follow-up Appointment Link

Column Name: JOIN_TO_PREV_APD

Column Type: varchar

Max Length: 50

Join To Previous Appointment Link

Column Name: JOIN_TO_SECOND_CO_STAFF_TX_HISTORY

Column Type: varchar

Max Length: 15

JOIN TO SECOND CO-STAFF TX STRING

Column Name: JOIN_TO_STAFF_TX_HISTORY

Column Type: varchar

Max Length: 15

JOIN TO STAFF TX STRING

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

JOIN to Service Documentation (99970)

Column Name: ROOMID

Column Type: varchar

Max Length: 40

The room associated with the appointment.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 40

Service code.

Column Name: SITEID

Column Type: varchar

Max Length: 10

Site Id.

Column Name: STAFFID

Column Type: varchar

Max Length: 40

The staff ID associated with the appointment.

Column Name: add_on_notes

Column Type: varchar

Max Length: 4096

Add-On Notes (11507)

Column Name: add_on_notes_stream

Column Type: longvarchar

Max Length: 2147483647

Add-On Notes Stream

Column Name: add_svc_info_code

Column Type: varchar

Max Length: 50

Additional Service Information - Code (11505)

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

Additional Service Information - Short Value

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

Additional Service Information - Value

Column Name: add_svcs_grp_indicator

Column Type: varchar

Max Length: 32000

The individualized group members for the additional service entry

Column Name: add_svcs_indicator

Column Type: varchar

Max Length: 32000

The individualized group members for the additional service entry (recurring appointment)

Column Name: appointment_date

Column Type: date

Appointment date

Column Name: appointment_end_time

Column Type: varchar

Max Length: 50

Appointment end time

Column Name: appointment_end_time_j

Column Type: varchar

Max Length: 50

Appointment end time (julian)

Column Name: appointment_end_utc

Column Type: timestamp

the Appointment End as UTC date and time.

Column Name: appointment_notes

Column Type: varchar

Max Length: 4096

Appointment Notes (10100)

Column Name: appointment_notes_stream

Column Type: longvarchar

Max Length: 2147483647

Appointment Notes Stream

Column Name: appointment_start_time

Column Type: varchar

Max Length: 50

Appointment start time

Column Name: appointment_start_time_j

Column Type: varchar

Max Length: 50

Appointment start time (julian)

Column Name: appointment_start_utc

Column Type: timestamp

the Appointment Start as UTC date and time.

Column Name: appointment_utc_timezone

Column Type: varchar

Max Length: 255

the timezone for the appointment used to determine the offset from UTC.

Column Name: appt_req_follow_up_code

Column Type: varchar

Max Length: 5

Appointment Requires Follow-up

Column Name: appt_req_follow_up_value

Column Type: varchar

Max Length: 50

Appointment Requires Follow-up

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

Billing Status code

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

The value of the 'billing_status_code'

Column Name: cancellation_reason_code

Column Type: varchar

Max Length: 40

The code for the appointment cancellation reason.

Column Name: cancellation_reason_value

Column Type: varchar

Max Length: 255

The description associated with cancellation reason_code.

Column Name: client_willing_pay_code

Column Type: varchar

Max Length: 50

Client Willing To Pay At Front Desk

Column Name: client_willing_pay_value

Column Type: varchar

Max Length: 50

Client Willing To Pay At Front Desk

Column Name: clinic_indicator

Column Type: integer

The clinical appointment flag. Set to 1 if this is a clinical appointment.

Column Name: costaff1_duration_min

Column Type: varchar

Max Length: 10

Duration (in minutes) - CoStaff

Column Name: co_staff_1_name

Column Type: varchar

Max Length: 40

Co Staff 1 Name

Column Name: costaff2_duration_min
Column Type: varchar
Max Length: 10
Duration (in minutes) - CoStaff2

Column Name: co_staff_2_name
Column Type: varchar
Max Length: 40
Co Staff 2 Name

Column Name: cost_of_service
Column Type: numeric
Cost of Service (field 19998)

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: duration_minutes

Column Type: varchar

Max Length: 10

Duration (in minutes)

Column Name: ebpss_csi_code

Column Type: varchar

Max Length: 200

Evidence-based Practices / Service Strategies (CSI)

Column Name: ebpss_csi_value

Column Type: varchar

Max Length: 200

Evidence-Based Practices / Service Strategies (CSI)

Column Name: ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

Evidence-Based Practices / Service Strategies (CSI)

Column Name: external_appt_id

Column Type: varchar

Max Length: 4096

Appointment ID for the external source appointment (for example EVV sources)

Column Name: follow_up_appt_due_date

Column Type: date

Follow-up Appointment Due Date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50
Follow-up Status

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50
Follow-up Status value

Column Name: group_name
Column Type: varchar
Max Length: 40
Group name

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Medical Diagnosis 1 JOIN (10050) and associated values

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
Medical Diagnosis 2 JOIN (10051) and associated values

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
Medical Diagnosis 3 JOIN (10080) and associated values

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
Medical Diagnosis 4 JOIN (10081) and associated values

Column Name: location_code
Column Type: varchar
Max Length: 20
Appointment location code.

Column Name: location_value
Column Type: varchar
Max Length: 40
Appointment location description.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 1 Code

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 1 DSM Value

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 1 Value

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 2 Code

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 2 DSM Value

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 2 Value

Column Name: medical_diagnosis3_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 3 DSM Value

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 4 DSM Value

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
ICD10 code for the medical diagnosis 1

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 1

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 1

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 1

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis 1

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
ICD10 code for the medical diagnosis 2

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 2

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 2

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 2

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis2

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40
ICD10 code for the medical diagnosis 3

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 3

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 3

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 3

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis3

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
ICD10 code for the medical diagnosis 4

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
ICD10 description for the medical diagnosis 4

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
ICD9 code for the medical diagnosis 4

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
ICD9 description for the medical diagnosis 4

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40
IMO description for the medical diagnosis4

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 3 Code

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 3 Value

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
Medical Diagnosis 4 Code

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80
Medical Diagnosis 4 Value

Column Name: minute_time_override
Column Type: integer
When the appointment has an end time of 12:00 AM this will be set to 1.

Column Name: modifiers
Column Type: varchar
Max Length: 50
Billing modifiers

Column Name: number_of_clients
Column Type: varchar
Max Length: 10
Number of clients (members) of the appointment

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: orig_entry_date
Column Type: date
Original creation date of the appointment.

Column Name: orig_entry_time
Column Type: varchar
Max Length: 15
Original creation time of the appointment.

Column Name: orig_entry_user_name
Column Type: varchar
Max Length: 40
Original creator of the appointment.

Column Name: orig_sched_end_time
Column Type: varchar
Max Length: 50
Original end time of the appointment.

Column Name: orig_sched_start_time
Column Type: varchar

Max Length: 50
Original start time of the appointment.

Column Name: posted_as_service_code
Column Type: varchar
Max Length: 2
Posted as a service ?

Column Name: posted_as_service_value
Column Type: varchar
Max Length: 50
Posted as a service value

Column Name: posted_code
Column Type: varchar
Max Length: 2
Posted Appointment?

Column Name: posted_data_entry_by
Column Type: varchar
Max Length: 40
Appointment posted entry_by

Column Name: posted_data_entry_by_option
Column Type: varchar
Max Length: 40
Appointment posted entry_by_option

Column Name: posted_data_entry_date
Column Type: date
Appointment posted entry_date

Column Name: posted_data_entry_time
Column Type: varchar
Max Length: 15
Appointment posted entry_time

Column Name: posted_option_desc
Column Type: varchar
Max Length: 80
Appointment posted Option Description

Column Name: posted_option_id
Column Type: varchar
Max Length: 20
Appointment posted Option Id

Column Name: posted_value
Column Type: varchar
Max Length: 50

Posted appointment value

Column Name: posting_in_progress

Column Type: varchar

Max Length: 50

Posting in progress, this is for group appointments

Column Name: priority_code

Column Type: varchar

Max Length: 50

Appointment priority code

Column Name: priority_description

Column Type: varchar

Max Length: 50

Appointment priority description

Column Name: program_code

Column Type: varchar

Max Length: 10

Program Code

Column Name: program_value

Column Type: varchar

Max Length: 40

Program Value

Column Name: psycho_add_on_duration

Column Type: integer

Psychotherapy Add-On Duration (11506)

Column Name: reason_for_follow_up

Column Type: varchar

Max Length: 4096

Reason For Follow-up - String

Column Name: reason_for_follow_up_stream

Column Type: longvarchar

Max Length: 2147483647

Reason For Follow-up - Stream

Column Name: reason_svc_not_posted_code

Column Type: varchar

Max Length: 40

Reason Service Not Posted - Code

Column Name: reason_svc_not_posted_value

Column Type: varchar

Max Length: 50

Reason Service Not Posted - Value

Column Name: recurring_indicator
Column Type: integer
Flag for determining if this is a recurring appointment.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
Referring Practitioner Code

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
Referring Practitioner Name

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
Referring Provider Code

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
Referring Provider Name

Column Name: room_number
Column Type: varchar
Max Length: 50
Appointment room number

Column Name: service_description
Column Type: varchar
Max Length: 40
Service Description

Column Name: service_documentation_ns
Column Type: varchar
Max Length: 40
Service Documentation Namespace (99971)

Column Name: site_name
Column Type: varchar
Max Length: 40
Site Name

Column Name: staff_name
Column Type: varchar
Max Length: 40
The staff name associated with STAFFID.

Column Name: status_code
Column Type: varchar
Max Length: 40
The code for the appointment status.

Column Name: status_value
Column Type: varchar
Max Length: 40
The description associated with status_code.

Column Name: team_description
Column Type: varchar
Max Length: 50
Team description

Column Name: team_id
Column Type: varchar
Max Length: 50
Team

Column Name: units_of_service
Column Type: numeric
Units of Service (field 10014)

Column Name: unsigned_appointment
Column Type: bit
Flag for determining if this is an unsigned appointment.

Column Name: verified_code
Column Type: varchar
Max Length: 2
Appointment Verified ?

Column Name: verified_data_entry_by
Column Type: varchar
Max Length: 40
Appointment Verified entry_by

Column Name: verified_data_entry_by_option
Column Type: varchar
Max Length: 40
Appointment Verified entry_by_option

Column Name: verified_data_entry_date
Column Type: date
Appointment Verified entry_date

Column Name: verified_data_entry_time
Column Type: varchar
Max Length: 15

Appointment Verified entry_time

Column Name: verified_option_desc

Column Type: varchar

Max Length: 80

Appointment Verified Option Description

Column Name: verified_option_id

Column Type: varchar

Max Length: 20

Appointment Verified Option Id

Column Name: verified_value

Column Type: varchar

Max Length: 50

Appointment Verified value

Documentation for form: Scheduling_Calendar_-_Check_In

Table Name: SYSTEM.appt_data

Table Description: This table returns

person_unique_identifier,ID,CO_STAFFID_1,CO_STAFFID_2,EPISODE_NUMBER,FACILITY,GROUP_ID,JOIN_TO_CO_STAFF_TX_HISTORY,JOIN_TO_FOLLOW_UP_APD,JOIN_TO_PREV_APD,JOIN_TO_SECOND_CO_STAFF_TX_HISTORY,JOIN_TO_STAFF_TX_HISTORY,JOIN_TO_TX_HISTORY,NOT_uniqueid,PATID,SERVICE_CODE,SITEID,team_id,team_description,STAFFID,accounting_period,appointment_date,appointment_end_time,appointment_notes,appointment_start_time,appt_req_follow_up_code,appt_req_follow_up_value,billable_code,billable_value,billing_status_code,billing_status_value,check_in_status,check_in_status_value,client_willing_pay_code,client_willing_pay_value,co_staff_1_name,co_staff_2_name,confirmation_notes,confirmed_code,confirmed_value,cost_of_service,costaff1_duration_min,costaff2_duration_min,data_entry_by,data_entry_by_option,data_entry_date,data_entry_time,data_entry_user_id,data_entry_user_name,disposition_code,disposition_value,duration,duration_minutes,follow_up_appt_due_date,follow_up_status_code,follow_up_status_value,group_name,insurance_category_code,insurance_category_value,location_code,location_value,medical_diagnosis1_code,medical_diagnosis1_value,medical_diagnosis1_DSM_value,medical_diagnosis2_code,medical_diagnosis2_value,medical_diagnosis2_DSM_value,medical_diagnosis3_code,medical_diagnosis3_value,medical_diagnosis3_DSM_value,medical_diagnosis4_code,medical_diagnosis4_value,medical_diagnosis4_DSM_value,missed_visit_code,missed_visit_notes,missed_visit_service_code,missed_visit_service_desc,missed_visit_value,modifiers,number_of_clients,option_desc,option_id,patient_name,posted_as_service_code,posted_as_service_value,posted_code,posted_data_entry_by,posted_data_entry_by_option,posted_data_entry_date,posted_data_entry_time,posted_option_desc,posted_option_id,posted_value,program_code,program_value,reason_for_follow_up,recurring_indicator,referring_practitioner_code,referring_practitioner_name,referring_provider_code,referring_provider_name,service_description,site_name,staff_name,status_code,status_value,time_of_arrival,units_of_service,user_row_access_code,verified_code,verified_data_entry_by,verified_data_entry_by_option,verified_data_entry_date,verified_data_entry_time,verified_option_desc,verified_option_id,verified_value,ebpss_csi_code,ebpss_csi_value,ebpss_csi_value_long,prog_note_indicator_code,prog_note_indicator_value,reason_for_visit_code,reason_for_visit_value,add_svc_info_code,add_svc_info_shval,add_svc_info_value,psycho_add_on_duration,add_on_notes,minute_time_override,unsigned_appointment,svc_prog_override_code,svc_prog_override_value from SYSTEM.AppointmentData and SYSTEM.AppointmentPerson

Column Name: person_unique_identifier
Column Type: varchar
Max Length: 50

Column Name: ID
Column Type: integer

Column Name: CO_STAFFID_1
Column Type: varchar
Max Length: 10

Column Name: CO_STAFFID_2
Column Type: varchar
Max Length: 10

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10

Column Name: JOIN_TO_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_FOLLOW_UP_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_PREV_APD
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SECOND_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40

Column Name: SITEID
Column Type: varchar
Max Length: 10

Column Name: team_id
Column Type: varchar
Max Length: 50

Column Name: team_description
Column Type: varchar
Max Length: 50

Column Name: STAFFID
Column Type: varchar
Max Length: 40

Column Name: accounting_period
Column Type: date

Column Name: appointment_date
Column Type: date

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096

Column Name: appointment_start_time
Column Type: varchar
Max Length: 50

Column Name: appointment_end_time_j
Column Type: varchar
Max Length: 50

Column Name: appointment_start_time_j
Column Type: varchar
Max Length: 50

Column Name: appt_req_follow_up_code
Column Type: varchar
Max Length: 5

Column Name: appt_req_follow_up_value
Column Type: varchar
Max Length: 50

Column Name: billable_code
Column Type: varchar
Max Length: 5

Column Name: billable_value
Column Type: varchar

Max Length: 20

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

Column Name: check_in_status

Column Type: varchar

Max Length: 1

Column Name: check_in_status_value

Column Type: varchar

Max Length: 20

Column Name: client_willing_pay_code

Column Type: varchar

Max Length: 50

Column Name: client_willing_pay_value

Column Type: varchar

Max Length: 50

Column Name: co_staff_1_name

Column Type: varchar

Max Length: 40

Column Name: co_staff_2_name

Column Type: varchar

Max Length: 40

Column Name: confirmation_notes

Column Type: varchar

Max Length: 4096

Column Name: confirmed_code

Column Type: varchar

Max Length: 10

Column Name: confirmed_value

Column Type: varchar

Max Length: 40

Column Name: cost_of_service

Column Type: numeric

Column Name: costaff1_duration_min

Column Type: varchar

Max Length: 10

Column Name: costaff2_duration_min

Column Type: varchar

Max Length: 10

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_source
Column Type: varchar
Max Length: 50

Column Name: disposition_code
Column Type: varchar
Max Length: 5

Column Name: disposition_value
Column Type: varchar
Max Length: 20

Column Name: duration
Column Type: varchar
Max Length: 10

Column Name: duration_minutes
Column Type: varchar
Max Length: 10

Column Name: follow_up_appt_due_date
Column Type: date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50

Column Name: group_name
Column Type: varchar
Max Length: 40

Column Name: insurance_category_code
Column Type: varchar
Max Length: 10

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40

Column Name: location_code
Column Type: varchar
Max Length: 20

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80

Column Name: missed_visit_code
Column Type: varchar
Max Length: 10

Column Name: missed_visit_notes
Column Type: varchar
Max Length: 4096

Column Name: missed_visit_service_code
Column Type: varchar
Max Length: 40

Column Name: missed_visit_service_desc
Column Type: varchar
Max Length: 40

Column Name: missed_visit_value
Column Type: varchar
Max Length: 40

Column Name: modifiers
Column Type: varchar
Max Length: 50

Column Name: number_of_clients
Column Type: varchar
Max Length: 10

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: patient_name
Column Type: varchar
Max Length: 40

Column Name: posted_as_service_code
Column Type: varchar
Max Length: 2

Column Name: posted_as_service_value
Column Type: varchar
Max Length: 50

Column Name: posted_code
Column Type: varchar
Max Length: 2

Column Name: posted_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_date
Column Type: date

Column Name: posted_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: posted_option_desc
Column Type: varchar
Max Length: 80

Column Name: posted_option_id
Column Type: varchar
Max Length: 20

Column Name: posted_value
Column Type: varchar
Max Length: 50

Column Name: program_code
Column Type: varchar
Max Length: 10

Column Name: program_value
Column Type: varchar
Max Length: 40

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096

Column Name: reason_svc_not_posted_code
Column Type: varchar
Max Length: 40

Column Name: reason_svc_not_posted_value
Column Type: varchar
Max Length: 50

Column Name: recurring_indicator

Column Type: integer

Column Name: referring_practitioner_code

Column Type: varchar

Max Length: 10

Column Name: referring_practitioner_name

Column Type: varchar

Max Length: 50

Column Name: referring_provider_code

Column Type: varchar

Max Length: 10

Column Name: referring_provider_name

Column Type: varchar

Max Length: 50

Column Name: service_description

Column Type: varchar

Max Length: 40

Column Name: site_name

Column Type: varchar

Max Length: 40

Column Name: staff_name

Column Type: varchar

Max Length: 40

Column Name: status_code

Column Type: varchar

Max Length: 40

Column Name: status_value

Column Type: varchar

Max Length: 40

Column Name: time_of_arrival

Column Type: varchar

Max Length: 50

Column Name: transition_of_care_code

Column Type: varchar

Max Length: 20

Column Name: transition_of_care_value

Column Type: varchar

Max Length: 20

Column Name: units_of_service

Column Type: numeric

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: verified_code

Column Type: varchar

Max Length: 2

Column Name: verified_data_entry_by

Column Type: varchar

Max Length: 40

Column Name: verified_data_entry_by_option

Column Type: varchar

Max Length: 40

Column Name: verified_data_entry_date

Column Type: date

Column Name: verified_data_entry_time

Column Type: varchar

Max Length: 15

Column Name: verified_option_desc

Column Type: varchar

Max Length: 80

Column Name: verified_option_id
Column Type: varchar
Max Length: 20

Column Name: verified_value
Column Type: varchar
Max Length: 50

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value_long
Column Type: varchar
Max Length: 4096

Column Name: prog_note_indicator_code
Column Type: varchar
Max Length: 50

Column Name: prog_note_indicator_value
Column Type: varchar
Max Length: 50

Column Name: reason_for_visit_code
Column Type: varchar
Max Length: 255

Column Name: reason_for_visit_value
Column Type: varchar
Max Length: 255

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096

Column Name: psycho_add_on_duration
Column Type: integer

Column Name: add_on_notes
Column Type: varchar
Max Length: 4096

Column Name: minute_time_override
Column Type: integer

Column Name: reason_visit_note
Column Type: varchar
Max Length: 4096

Column Name: unsigned_appointment
Column Type: bit

Column Name: priority_code
Column Type: varchar
Max Length: 50

Column Name: priority_description
Column Type: varchar
Max Length: 50

Column Name: room_number
Column Type: varchar
Max Length: 50

Column Name: orig_entry_date

Column Type: date

Column Name: orig_entry_time

Column Type: varchar

Max Length: 15

Column Name: orig_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: svc_prog_override_code

Column Type: varchar

Max Length: 50

Column Name: svc_prog_override_value

Column Type: varchar

Max Length: 40

Column Name: external_appt_id

Column Type: varchar

Max Length: 4096

Column Name: person_location_code

Column Type: varchar

Max Length: 20

Column Name: person_location_value

Column Type: varchar

Max Length: 512

Column Name: cancellation_reason_code

Column Type: varchar

Max Length: 40

Column Name: cancellation_reason_value

Column Type: varchar

Max Length: 255

Column Name: canceled_date

Column Type: date

Column Name: canceled_time
Column Type: varchar
Max Length: 50

Column Name: carefabric_appt_stat_code
Column Type: varchar
Max Length: 50

Column Name: carefabric_appt_stat_value
Column Type: varchar
Max Length: 255

Documentation for form: Scheduling_Calendar_-_Check_In

Table Name: SYSTEM.check_in_clients

Table Description: Check-In Clients

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code where this is being defined in.

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: Option_Id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
Practitioner

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40
Service Code

Column Name: SITEID
Column Type: varchar
Max Length: 10
Site ID

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data (for consistency)

Column Name: addt_staff_to_notify_code
Column Type: varchar
Max Length: 1
Selected Additional Staff to Notify

Column Name: addt_staff_to_notify_value
Column Type: varchar
Max Length: 1024
The description associated with addt_staff_to_notify_code.

Column Name: appointment_date
Column Type: date
The date of the appointment.

Column Name: appointment_end_time
Column Type: varchar
Max Length: 8
Appointment End Time

Column Name: appointment_object_id
Column Type: varchar
Max Length: 50
Appointment Object ID.

Column Name: appointment_start_time
Column Type: varchar
Max Length: 8
Appointment Start Time

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: duration

Column Type: varchar

Max Length: 50

Duration

Column Name: location_code

Column Type: varchar

Max Length: 50

Location Code

Column Name: notify_pract_of_arrival_code

Column Type: varchar

Max Length: 1

Notify Practitioner of Arrival

Column Name: notify_pract_of_arrival_value

Column Type: varchar

Max Length: 40

The description associated with notify_pract_of_arrival_code.

Column Name: patient_name

Column Type: varchar

Max Length: 100

Client Name

Column Name: program_code

Column Type: varchar

Max Length: 15

Program Code

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code.

Column Name: site_name
Column Type: varchar
Max Length: 40
The description associated with SITEID.

Column Name: start_end_time_of_appt
Column Type: varchar
Max Length: 50
Start Time - End Time

Column Name: time_of_arrival
Column Type: varchar
Max Length: 50
Time Of Arrival

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code.

Documentation for form: Scheduling_Calendar_-_Check_In

Table Name: SYSTEM.check_out_client_history

Table Description: Check-Out Client History

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer
The system code where this is being defined in.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
Guarantor ID

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique row id to service

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: Option_Id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
Practitioner

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40
Service Code

Column Name: SITEID
Column Type: varchar
Max Length: 10
Site ID

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data (for consistency)

Column Name: appointment_date
Column Type: date

The date of the appointment.

Column Name: appointment_end_time

Column Type: varchar

Max Length: 8

Appointment End Time

Column Name: appointment_object_id

Column Type: varchar

Max Length: 50

Appointment Object ID.

Column Name: appointment_start_time

Column Type: varchar

Max Length: 8

Appointment Start Time

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: duration

Column Type: varchar

Max Length: 50

Duration

Column Name: encounter_start_time

Column Type: varchar

Max Length: 10

Encounter Start Time

Column Name: location
Column Type: varchar
Max Length: 50
Location Code

Column Name: location_code
Column Type: varchar
Max Length: 40
keeping field location in case its been used
DOCUMENTATION location_code - Location Code

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code.

Column Name: notify_pract_of_arrival_code
Column Type: varchar
Max Length: 1
Notify Practitioner of Arrival

Column Name: notify_pract_of_arrival_value
Column Type: varchar
Max Length: 40
The description associated with notify_pract_of_arrival_code.

Column Name: patient_name
Column Type: varchar
Max Length: 100
Client Name

Column Name: posting_code
Column Type: varchar
Max Length: 50
Posting Code

Column Name: program_code
Column Type: varchar
Max Length: 10
Program Code

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with program_code.

Column Name: self_pay_amount
Column Type: varchar
Max Length: 50

Self-Pay Amount

Column Name: site_name

Column Type: varchar

Max Length: 40

The description associated with SITEID.

Column Name: start_end_time_of_appt

Column Type: varchar

Max Length: 50

Start Time - End Time

Column Name: time_of_arrival

Column Type: varchar

Max Length: 50

Time Of Arrival

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description associated with v_service_code.

Documentation for form: Individual_Cash_Posting

Table Name: SYSTEM.billing_pay_adj_history

Table Description: This table returns all payment and adjustment information entered for a Client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the posting was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID for which the posting was entered.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number of the Client ID for which the posting was entered.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in Julian date format and a counter starting with ".001".

Column Name: unique_row_id2

Column Type: varchar

Max Length: 15

The unique ID assigned to the posting for each service. Will be "CR" followed by the posting date (date of payment).

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for which the posting was entered.

Column Name: date_of_payment

Column Type: date

'Date Of Payment'.

Column Name: payment_type_code

Column Type: varchar

Max Length: 10

'Posting Code'.

Column Name: payment_type_value

Column Type: varchar

Max Length: 40

The description associated with payment_type_code. See payment_type_code for more information.

Column Name: payment_amount

Column Type: numeric

The amount posted using the payment_type_code.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific Client's service. Will be the date of service in Julian date format followed by a counter starting with ".001".

Column Name: v_program_of_service_code

Column Type: varchar

Max Length: 10

'Program'.

Column Name: v_program_of_service_value

Column Type: varchar

Max Length: 100

The description associated with v_program_of_service_code. See v_program_of_service_code for more information.

Column Name: v_program_X_RRG_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_RRG_value

Column Type: varchar

Max Length: 40

The description associated with v_program_X_RRG_code. See v_program_X_RRG_code for more information.

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 40

The Staff ID which rendered the service.

Column Name: v_service_code

Column Type: varchar

Max Length: 20

'Service Code'.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the Client ID.

Column Name: JOIN_TO_BILLING_TX_CHARGE

Column Type: varchar

Max Length: 15

An additional unique ID for the service. See JOIN_TO_TX_HISTORY.

Column Name: receipt_number

Column Type: varchar

Max Length: 50

The receipt number.

Column Name: check_number

Column Type: varchar

Max Length: 50

The check number.

Column Name: system_code

Column Type: varchar

Max Length: 50

System Code the user was logged in as when filing a payment/adjustment.

Column Name: return_ref_number

Column Type: varchar

Max Length: 50

The returned reference number for a credit card or ACH transaction.

Column Name: credit_card_token

Column Type: varchar

Max Length: 50

The credit card token received for credit card payments.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 50

The claim number assigned to a Client's service for which the posting was entered.

Column Name: GUARANTOR_ID_transfer_to

Column Type: varchar

Max Length: 40

The ID of the guarantor for which the user transfer the amount to.

Column Name: JOIN_TO_TX_HISTORY_tra_to

Column Type: varchar

Max Length: 50

The unique ID of the service created as a result of the transfer.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific Client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: adjust_code_code

Column Type: varchar

Max Length: 50

Adjustment Code.

Column Name: adjust_code_value

Column Type: varchar

Max Length: 4096

The description associated with adjust_code_code. See adjust_code_code for more information.

Column Name: automatic_receipt_number

Column Type: varchar

Max Length: 50

The receipt number.

Column Name: contractual_write_off

Column Type: varchar
Max Length: 10
Will indicate if the payment type code is a contractual write off code.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' of the user that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: date_of_receipt
Column Type: date
'Date Of Receipt'.

Column Name: date_of_service
Column Type: date
'Date of Service'.

Column Name: device_name
Column Type: varchar
Max Length: 50
The name of the credit card device used to process the credit card payment.

Column Name: group_code_code
Column Type: varchar
Max Length: 50
'Group Code'.

Column Name: group_code_value
Column Type: varchar
Max Length: 4096
The description associated with group_code_code. See group_code_code for more information.

Column Name: merchant_id
Column Type: varchar
Max Length: 50
The merchant ID (MID) associated with the credit card payment.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: pay_ack_transaction_num
Column Type: integer
The 'Transaction Number' in the 'Payment Acknowledgement' form.

Column Name: payment_location_code
Column Type: varchar
Max Length: 10
'Payment Location'.

Column Name: payment_location_value
Column Type: varchar
Max Length: 40
The description associated with payment_location_code. See payment_location_code for more information.

Column Name: posting_comments
Column Type: varchar
Max Length: 80
'Posting Comments'

Column Name: receipt_reversed
Column Type: varchar
Max Length: 5
Will indicate if the receipt was reversed.

Column Name: type_of_payment

Column Type: varchar
Max Length: 50
Type Of payment.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: write_off_by_liab_dist
Column Type: varchar
Max Length: 20
'Write Off By Liability Distribution'

Documentation for form: Individual_Cash_Posting

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the service is entered.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability

Column Type: numeric

The guarantor's liability.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The claim number assigned to a client's service.

Column Name: guarantor_total_payments

Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40

'Program'

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 10

'Practitioner'

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 100

The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value

Column Type: varchar

Max Length: 40

The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service'

Column Name: v_accounting_period

Column Type: date

The accounting period for the service.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the client ID.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date

Column Type: date

Date of entry

Column Name: v_claim_date

Column Type: date

'Date of Claim'

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc

Column Type: varchar

Max Length: 50

This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc

Column Type: varchar

Max Length: 50

This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: billing_units

Column Type: numeric

'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number

Column Type: varchar

Max Length: 50

'Claimed Authorization Number'

Column Name: date_of_svc_close
Column Type: date
'Date of Service Closed'

Column Name: re_bill_claim_number
Column Type: varchar
Max Length: 50
This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status
Column Type: varchar
Max Length: 50
This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value
Column Type: varchar
Max Length: 50
This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance
Column Type: double
Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level
Column Type: varchar
Max Length: 5
'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code
Column Type: varchar
Max Length: 10
'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value
Column Type: varchar
Max Length: 40
The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage
Column Type: varchar
Max Length: 10
'Sliding Fee Coverage'

Column Name: split_units
Column Type: numeric
'Split Units'

Column Name: transfer_to_guarantor_code

Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration
Column Type: varchar
Max Length: 20
'Duration'

Column Name: v_location_code
Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers
Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form: Individual_Cash_Posting

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar

Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge
Column Type: numeric
The full charge for the service.

Column Name: total_payments
Column Type: numeric
Total payments for service

Column Name: date_charge_closed
Column Type: date
Date the service was closed.

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period
Column Type: date
Accounting Period

Column Name: client_name
Column Type: varchar
Max Length: 40
The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date

Column Type: date

The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Individual_Cash_Posting

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data.

Column Name: STREG_INDEX
Column Type: varchar
Max Length: 20
A unique ID used to identify a row of data.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
'Service Code (10002)'

Column Name: location_code
Column Type: varchar
Max Length: 15
'Location (10006)'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: program_code
Column Type: varchar
Max Length: 15
The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10
'Cost Of Service (19999)'

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
'Insurance Charge Category (10021)'

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

Joins table to treatment history.

Column Name: CO_STAFFID

Column Type: varchar

Max Length: 40

'Co Staffid (10007)'

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode (12345)'

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: accounting_period

Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar

Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40

The description associated with `medical_diag_1_icd9_code`. See `medical_diag_1_icd9_code` for more information.

Column Name: `medical_diag_1_imo_value`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: `medical_diag_2_icd10_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: `medical_diag_2_icd10_value`

Column Type: `varchar`

Max Length: 40

The description associated with `medical_diag_2_icd10_code`. See `medical_diag_2_icd10_code` for more information.

Column Name: `medical_diag_2_icd9_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: `medical_diag_2_icd9_value`

Column Type: `varchar`

Max Length: 40

The description associated with `medical_diag_2_icd9_code`. See `medical_diag_2_icd9_code` for more information.

Column Name: `medical_diag_2_imo_value`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: `medical_diag_3_icd10_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 3 ICD-10'

Column Name: `medical_diag_3_icd10_value`

Column Type: `varchar`

Max Length: 40

The description associated with `medical_diag_3_icd10_code`. See `medical_diag_3_icd10_code` for more information.

Column Name: `medical_diag_3_icd9_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers
Column Type: varchar
Max Length: 50
'Modifiers'

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes Memo'

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes Text'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provider_only_service
Column Type: integer
'Is this a provider only service?'

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Quick_Cash_Posting

Table Name: SYSTEM.billing_pay_adj_history

Table Description: This table returns all payment and adjustment information entered for a Client's service.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the posting was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID for which the posting was entered.

Column Name: EPISODE_NUMBER
Column Type: integer

The episode number of the Client ID for which the posting was entered.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in Julian date format and a counter starting with ".001".

Column Name: unique_row_id2

Column Type: varchar

Max Length: 15

The unique ID assigned to the posting for each service. Will be "CR" followed by the posting date (date of payment).

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for which the posting was entered.

Column Name: date_of_payment

Column Type: date

'Date Of Payment'.

Column Name: payment_type_code

Column Type: varchar

Max Length: 10

'Posting Code'.

Column Name: payment_type_value

Column Type: varchar

Max Length: 40

The description associated with payment_type_code. See payment_type_code for more information.

Column Name: payment_amount

Column Type: numeric

The amount posted using the payment_type_code.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific Client's service. Will be the date of service in Julian date format followed by a counter starting with ".001".

Column Name: v_program_of_service_code

Column Type: varchar

Max Length: 10
'Program'.

Column Name: v_program_of_service_value

Column Type: varchar

Max Length: 100

The description associated with v_program_of_service_code. See v_program_of_service_code for more information.

Column Name: v_program_X_RRG_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_RRG_value

Column Type: varchar

Max Length: 40

The description associated with v_program_X_RRG_code. See v_program_X_RRG_code for more information.

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 40

The Staff ID which rendered the service.

Column Name: v_service_code

Column Type: varchar

Max Length: 20

'Service Code'.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the Client ID.

Column Name: JOIN_TO_BILLING_TX_CHARGE

Column Type: varchar

Max Length: 15

An additional unique ID for the service. See JOIN_TO_TX_HISTORY.

Column Name: receipt_number

Column Type: varchar

Max Length: 50

The receipt number.

Column Name: check_number

Column Type: varchar

Max Length: 50

The check number.

Column Name: system_code

Column Type: varchar

Max Length: 50

System Code the user was logged in as when filing a payment/adjustment.

Column Name: return_ref_number

Column Type: varchar

Max Length: 50

The returned reference number for a credit card or ACH transaction.

Column Name: credit_card_token

Column Type: varchar

Max Length: 50

The credit card token received for credit card payments.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 50

The claim number assigned to a Client's service for which the posting was entered.

Column Name: GUARANTOR_ID_transfer_to

Column Type: varchar

Max Length: 40

The ID of the guarantor for which the user transfer the amount to.

Column Name: JOIN_TO_TX_HISTORY_tra_to

Column Type: varchar

Max Length: 50

The unique ID of the service created as a result of the transfer.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific Client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: adjust_code_code

Column Type: varchar

Max Length: 50

Adjustment Code.

Column Name: adjust_code_value

Column Type: varchar

Max Length: 4096

The description associated with adjust_code_code. See adjust_code_code for more information.

Column Name: automatic_receipt_number

Column Type: varchar

Max Length: 50

The receipt number.

Column Name: contractual_write_off

Column Type: varchar

Max Length: 10

Will indicate if the payment type code is a contractual write off code.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' of the user that last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: date_of_receipt

Column Type: date

'Date Of Receipt'.

Column Name: date_of_service

Column Type: date

'Date of Service'.

Column Name: device_name

Column Type: varchar

Max Length: 50

The name of the credit card device used to process the credit card payment.

Column Name: group_code_code

Column Type: varchar

Max Length: 50

'Group Code'.

Column Name: group_code_value

Column Type: varchar

Max Length: 4096

The description associated with group_code_code. See group_code_code for more information.

Column Name: merchant_id

Column Type: varchar

Max Length: 50

The merchant ID (MID) associated with the credit card payment.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: pay_ack_transaction_num

Column Type: integer

The 'Transaction Number' in the 'Payment Acknowledgement' form.

Column Name: payment_location_code

Column Type: varchar

Max Length: 10

'Payment Location'.

Column Name: payment_location_value

Column Type: varchar

Max Length: 40

The description associated with payment_location_code. See payment_location_code for more information.

Column Name: posting_comments

Column Type: varchar

Max Length: 80

'Posting Comments'

Column Name: receipt_reversed

Column Type: varchar

Max Length: 5

Will indicate if the receipt was reversed.

Column Name: type_of_payment

Column Type: varchar

Max Length: 50

Type Of payment.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: write_off_by_liab_dist

Column Type: varchar

Max Length: 20

'Write Off By Liability Distribution'

Documentation for form: Quick_Cash_Posting

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the service was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID for which the service is entered.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability

Column Type: numeric

The guarantor's liability.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The claim number assigned to a client's service.

Column Name: guarantor_total_payments

Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40

'Program'

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 10

'Practitioner'

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 100

The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value

Column Type: varchar

Max Length: 40

The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service'

Column Name: v_accounting_period

Column Type: date

The accounting period for the service.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the client ID.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date

Column Type: date

Date of entry

Column Name: v_claim_date

Column Type: date

'Date of Claim'

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc

Column Type: varchar

Max Length: 50

This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc

Column Type: varchar

Max Length: 50

This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: billing_units

Column Type: numeric

'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number

Column Type: varchar

Max Length: 50

'Claimed Authorization Number'

Column Name: date_of_svc_close

Column Type: date

'Date of Service Closed'

Column Name: re_bill_claim_number

Column Type: varchar

Max Length: 50

This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance

Column Type: double

Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level

Column Type: varchar

Max Length: 5

'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code

Column Type: varchar

Max Length: 10

'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value

Column Type: varchar

Max Length: 40

The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage

Column Type: varchar

Max Length: 10

'Sliding Fee Coverage'

Column Name: split_units

Column Type: numeric

'Split Units'

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration
Column Type: varchar
Max Length: 20
'Duration'

Column Name: v_location_code
Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers
Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form: Quick_Cash_Posting

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID

Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge
Column Type: numeric
The full charge for the service.

Column Name: total_payments
Column Type: numeric
Total payments for service

Column Name: date_charge_closed
Column Type: date
Date the service was closed.

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period
Column Type: date
Accounting Period

Column Name: client_name
Column Type: varchar
Max Length: 40
The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date

Column Type: date

The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Quick_Cash_Posting

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data.

Column Name: STREG_INDEX
Column Type: varchar
Max Length: 20
A unique ID used to identify a row of data.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
'Service Code (10002)'

Column Name: location_code
Column Type: varchar
Max Length: 15
'Location (10006)'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: program_code
Column Type: varchar
Max Length: 15
The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10
'Cost Of Service (19999)'

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
'Insurance Charge Category (10021)'

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

Joins table to treatment history.

Column Name: CO_STAFFID

Column Type: varchar

Max Length: 40

'Co Staffid (10007)'

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode (12345)'

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: accounting_period

Column Type: date

'Accounting Period (10032)'

Column Name: deleted_service_code

Column Type: varchar

Max Length: 20

'Deleted Service Code (10033)'

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the service

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the service.

Column Name: duration

Column Type: varchar

Max Length: 50

'Duration'

Column Name: end_time

Column Type: varchar

Max Length: 10

'Service End Time (60022)'

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10
'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers
Column Type: varchar
Max Length: 50
'Modifiers'

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes Memo'

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes Text'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provider_only_service
Column Type: integer
'Is this a provider only service?'

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar

Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Quick_Individual_Cash_Posting

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: total_closed_charges
Column Type: numeric
Total dollar amount for all closed services in the episode.

Column Name: total_open_charges
Column Type: numeric
Total dollar amount for all open services in the episode.

Column Name: total_payments
Column Type: numeric
Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance
Column Type: numeric
Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date
Column Type: date
The admission date for the client's episode.

Column Name: v_discharge_date
Column Type: date
The discharge date for the client's episode.

Column Name: v_program_code
Column Type: varchar
Max Length: 10
The program of admission for the client's episode.

Column Name: v_program_value
Column Type: varchar
Max Length: 40
The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code
Column Type: varchar
Max Length: 10
The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value
Column Type: varchar
Max Length: 40
The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name

Column Type: varchar

Max Length: 40

The client's name.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Quick_Individual_Cash_Posting

Table Name: SYSTEM.billing_pay_adj_history

Table Description: This table returns all payment and adjustment information entered for a Client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the posting was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID for which the posting was entered.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number of the Client ID for which the posting was entered.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in Julian date format and a counter starting with ".001".

Column Name: unique_row_id2

Column Type: varchar

Max Length: 15

The unique ID assigned to the posting for each service. Will be "CR" followed by the posting date (date of payment).

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for which the posting was entered.

Column Name: date_of_payment

Column Type: date

'Date Of Payment'.

Column Name: payment_type_code

Column Type: varchar

Max Length: 10

'Posting Code'.

Column Name: payment_type_value

Column Type: varchar

Max Length: 40

The description associated with payment_type_code. See payment_type_code for more information.

Column Name: payment_amount

Column Type: numeric

The amount posted using the payment_type_code.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific Client's service. Will be the date of service in Julian date format followed by a counter starting with ".001".

Column Name: v_program_of_service_code

Column Type: varchar

Max Length: 10

'Program'.

Column Name: v_program_of_service_value

Column Type: varchar

Max Length: 100

The description associated with v_program_of_service_code. See v_program_of_service_code for more information.

Column Name: v_program_X_RRG_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_RRG_value

Column Type: varchar

Max Length: 40

The description associated with v_program_X_RRG_code. See v_program_X_RRG_code for more information.

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 40

The Staff ID which rendered the service.

Column Name: v_service_code

Column Type: varchar

Max Length: 20

'Service Code'.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the Client ID.

Column Name: JOIN_TO_BILLING_TX_CHARGE

Column Type: varchar

Max Length: 15

An additional unique ID for the service. See JOIN_TO_TX_HISTORY.

Column Name: receipt_number

Column Type: varchar

Max Length: 50

The receipt number.

Column Name: check_number

Column Type: varchar

Max Length: 50

The check number.

Column Name: system_code

Column Type: varchar

Max Length: 50

System Code the user was logged in as when filing a payment/adjustment.

Column Name: return_ref_number

Column Type: varchar

Max Length: 50

The returned reference number for a credit card or ACH transaction.

Column Name: credit_card_token

Column Type: varchar
Max Length: 50
The credit card token received for credit card payments.

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 50
The claim number assigned to a Client's service for which the posting was entered.

Column Name: GUARANTOR_ID_transfer_to
Column Type: varchar
Max Length: 40
The ID of the guarantor for which the user transfer the amount to.

Column Name: JOIN_TO_TX_HISTORY_tra_to
Column Type: varchar
Max Length: 50
The unique ID of the service created as a result of the transfer.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific Client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: adjust_code_code
Column Type: varchar
Max Length: 50
Adjustment Code.

Column Name: adjust_code_value
Column Type: varchar
Max Length: 4096
The description associated with adjust_code_code. See adjust_code_code for more information.

Column Name: automatic_receipt_number
Column Type: varchar
Max Length: 50
The receipt number.

Column Name: contractual_write_off
Column Type: varchar
Max Length: 10
Will indicate if the payment type code is a contractual write off code.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' of the user that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: date_of_receipt
Column Type: date
'Date Of Receipt'.

Column Name: date_of_service
Column Type: date
'Date of Service'.

Column Name: device_name
Column Type: varchar
Max Length: 50
The name of the credit card device used to process the credit card payment.

Column Name: group_code_code
Column Type: varchar
Max Length: 50
'Group Code'.

Column Name: group_code_value
Column Type: varchar
Max Length: 4096
The description associated with group_code_code. See group_code_code for more information.

Column Name: merchant_id
Column Type: varchar
Max Length: 50
The merchant ID (MID) associated with the credit card payment.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: pay_ack_transaction_num
Column Type: integer
The 'Transaction ID Number' in the 'Payment Acknowledgement' form.

Column Name: payment_location_code
Column Type: varchar
Max Length: 10
'Payment Location'.

Column Name: payment_location_value
Column Type: varchar
Max Length: 40
The description associated with payment_location_code. See payment_location_code for more information.

Column Name: posting_comments
Column Type: varchar
Max Length: 80
'Posting Comments'

Column Name: receipt_reversed
Column Type: varchar
Max Length: 5
Will indicate if the receipt was reversed.

Column Name: type_of_payment
Column Type: varchar
Max Length: 50
Type Of payment.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: write_off_by_liab_dist
Column Type: varchar
Max Length: 20
'Write Off By Liability Distribution'

Documentation for form: Quick_Individual_Cash_Posting

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the service is entered.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability

Column Type: numeric

The guarantor's liability.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The claim number assigned to a client's service.

Column Name: guarantor_total_payments

Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40

'Program'

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 10

'Practitioner'

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 100

The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value

Column Type: varchar

Max Length: 40

The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service'

Column Name: v_accounting_period

Column Type: date

The accounting period for the service.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the client ID.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date

Column Type: date

Date of entry

Column Name: v_claim_date

Column Type: date

'Date of Claim'

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc

Column Type: varchar

Max Length: 50

This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc

Column Type: varchar

Max Length: 50

This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: billing_units

Column Type: numeric

'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number

Column Type: varchar

Max Length: 50

'Claimed Authorization Number'

Column Name: date_of_svc_close

Column Type: date

'Date of Service Closed'

Column Name: re_bill_claim_number

Column Type: varchar

Max Length: 50

This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance

Column Type: double

Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level

Column Type: varchar

Max Length: 5

'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code

Column Type: varchar

Max Length: 10

'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value

Column Type: varchar

Max Length: 40

The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage

Column Type: varchar

Max Length: 10

'Sliding Fee Coverage'

Column Name: split_units

Column Type: numeric

'Split Units'

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration
Column Type: varchar
Max Length: 20
'Duration'

Column Name: v_location_code
Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers
Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form: Quick_Individual_Cash_Posting

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge

Column Type: numeric

The full charge for the service.

Column Name: total_payments

Column Type: numeric

Total payments for service

Column Name: date_charge_closed

Column Type: date

Date the service was closed.

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period

Column Type: date

Accounting Period

Column Name: client_name

Column Type: varchar

Max Length: 40

The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date

Column Type: date
The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Quick_Individual_Cash_Posting

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode of the service.

Column Name: FACILITY
Column Type: integer
The facility of the service.

Column Name: PATID

Column Type: varchar
Max Length: 20
The client ID of the service.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code of the service.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique row id.

Column Name: program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
The practitioner ID of the service.

Column Name: duration
Column Type: numeric
The duration of the service.

Column Name: appointment_status_code
Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar

Max Length: 15

The number of clients in the group if this is a group service.

Column Name: cost_of_service

Column Type: numeric

The 'Cost Of Service' of the service.

Column Name: co_staff_member_2

Column Type: varchar

Max Length: 20

The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code

Column Type: varchar

Max Length: 15

The 'Covered Charge Category' for the service code.

Column Name: accounting_period

Column Type: date

The accounting period of the service.

Column Name: data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: deleted_service_code

Column Type: varchar

Max Length: 20

The original service code if the service is now deleted.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description for the program_code. See program_code for more information.

Column Name: appointment_status_value

Column Type: varchar

Max Length: 40

The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description for the location_code. See location_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 100

The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name of the PROVIDER_ID of the service.

Column Name: date_of_service

Column Type: date

The date of the service.

Column Name: billable_value

Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code
Column Type: varchar
Max Length: 15
'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code
Column Type: varchar
Max Length: 15
'Program Type' for the program_code of the service.

Column Name: program_X_location_value
Column Type: varchar
Max Length: 40
The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value
Column Type: varchar
Max Length: 40
The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value
Column Type: varchar
Max Length: 40
The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value
Column Type: varchar
Max Length: 40
The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name
Column Type: varchar
Max Length: 40
The name of the PATID of the service.

Column Name: age_on_date_of_service_
Column Type: numeric
The client's age at the time of service.

Column Name: appt_site_name
Column Type: varchar
Max Length: 40
The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC
Column Type: varchar
Max Length: 40
The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Original Unique row id

Column Name: add_on_notes

Column Type: varchar

Max Length: 32768

'Add-On Notes'.

Column Name: add_svc_info_code

Column Type: varchar

Max Length: 50

'Additional Service Information'.

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program

Column Type: varchar

Max Length: 10

The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time

Column Type: varchar

Max Length: 50

The 'Appointment End Time' related to this service.

Column Name: appt_group_id

Column Type: varchar

Max Length: 50

The 'Group #' related to this service.

Column Name: apt_group_name

Column Type: varchar

Max Length: 40

The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id

Column Type: varchar

Max Length: 50

The 'Appointment Site' related to this service.

Column Name: appt_start_time

Column Type: varchar

Max Length: 50

The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code

Column Type: varchar

Max Length: 50

'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val

Column Type: varchar

Max Length: 50

The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

'Service Status'.

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units

Column Type: numeric

'Cal Billing Units'

Column Name: confidential_service_code

Column Type: varchar

Max Length: 50

'Confidential Service' from Avatar PH.

Column Name: confidential_service_val

Column Type: varchar

Max Length: 50

The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration

Column Type: numeric

'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member

Column Type: varchar

Max Length: 15

The 'Co-Practitioner' of the service.

Column Name: data_control_identifier

Column Type: varchar

Max Length: 40

'Data Control Identifier'.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_accident
Column Type: date
'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service
Column Type: date
Date To Bill Roll-Up Service.

Column Name: delay_reason_code
Column Type: varchar
Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc
Column Type: varchar
Max Length: 50
The client's age in days, months and years at the time of service.

Column Name: discipline_code
Column Type: varchar
Max Length: 255
'Discipline'.

Column Name: discipline_value
Column Type: varchar
Max Length: 255
The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: emergency_ind_code
Column Type: varchar
Max Length: 50
'Emergency Indicator'.

Column Name: emergency_ind_value
Column Type: varchar
Max Length: 50
The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time
Column Type: varchar
Max Length: 10
The end time of the service.

Column Name: fee_override_indicator
Column Type: varchar
Max Length: 50
Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date
Column Type: date
'First Billing Date'.

Column Name: has_global_period_flag
Column Type: varchar
Max Length: 15
This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id
Column Type: varchar
Max Length: 15
The incident-to practitioner ID.

Column Name: incident_to_pract_name

Column Type: varchar
Max Length: 40
The name of the incident-to practitioner.

Column Name: initial_treatment_date
Column Type: date
'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code
Column Type: varchar
Max Length: 5
Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value
Column Type: varchar
Max Length: 10
The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi
Column Type: bit
Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code
Column Type: varchar
Max Length: 5
Was this service created as an overage service.

Column Name: is_overage_service_value
Column Type: varchar
Max Length: 10
The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code
Column Type: varchar
Max Length: 5
Was this service created as a roll-up service.

Column Name: is_roll_up_service_value
Column Type: varchar
Max Length: 10
The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon

Column Type: varchar

Max Length: 40

Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value

Column Type: varchar

Max Length: 100

The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes

Column Type: varchar

Max Length: 32766

'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'.

Column Name: mso_eob_number

Column Type: integer

The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code

Column Type: varchar

Max Length: 50

'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value

Column Type: varchar

Max Length: 50

The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837

Column Type: varchar

Max Length: 80

'Note Reference Text (837 Billing)'.

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code
Column Type: varchar
Max Length: 50
'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value
Column Type: varchar
Max Length: 50
The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by
Column Type: varchar
Max Length: 50
The username that first entered the service into the system.

Column Name: orig_entry_date
Column Type: date
The date the service was first entered into the system.

Column Name: orig_entry_option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time
Column Type: varchar
Max Length: 50
The time the service was first entered into the system.

Column Name: orig_entry_user
Column Type: varchar
Max Length: 50
The username that first entered the service into the system.

Column Name: orig_entry_user_id
Column Type: varchar
Max Length: 50
The user ID that first entered the service into the system.

Column Name: original_tx_code
Column Type: varchar
Max Length: 10
'Original Scheduled Service'.

Column Name: original_tx_value

Column Type: varchar

Max Length: 40

The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date

Column Type: date

'Orthodontic Banding Date'.

Column Name: primary_guarantor

Column Type: varchar

Max Length: 40

'Primary Guarantor'.

Column Name: prior_placement_date

Column Type: date

'Prior Placement Date'.

Column Name: prosth_crown_inlay_code

Column Type: varchar

Max Length: 50

'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value

Column Type: varchar

Max Length: 50

The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration

Column Type: integer

'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code

Column Type: varchar

Max Length: 10

'Referring Practitioner'.

Column Name: referring_practitioner_name

Column Type: varchar

Max Length: 50

The name of the referring_practitioner_code.

Column Name: referring_provider_code

Column Type: varchar

Max Length: 10

'Referring Provider'.

Column Name: referring_provider_name

Column Type: varchar

Max Length: 50

The name of the referring_provider_code.

Column Name: related_causes_code

Column Type: varchar

Max Length: 50

'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value

Column Type: varchar

Max Length: 255

The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS

Column Type: varchar

Max Length: 40

The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc

Column Type: timestamp

the End of Service as UTC date and time.

Column Name: service_start_utc

Column Type: timestamp

the Start of Service as UTC date and time.

Column Name: service_status_code

Column Type: varchar

Max Length: 7

Is the service open or closed.

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone

Column Type: varchar

Max Length: 255

the timezone for the service used to determine the offset from UTC.

Column Name: start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: task_event_id

Column Type: varchar

Max Length: 40

The id of the task list event that created this service

Column Name: tooth_number
Column Type: varchar
Max Length: 50
'Tooth Number'.

Column Name: tooth_status_code
Column Type: varchar
Max Length: 50
'Tooth Status Code'.

Column Name: tooth_status_value
Column Type: varchar
Max Length: 50
The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code
Column Type: varchar
Max Length: 50
'Tooth Surface Code'.

Column Name: tooth_surface_shvalue
Column Type: varchar
Max Length: 255
The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value
Column Type: varchar
Max Length: 4096
The description for the tooth_surface_code. See tooth_surface_code for more information.

Column Name: total_duration_crisis_svc
Column Type: varchar
Max Length: 40
Total duration if 'Service Code Type' of SERVICE_CODE is "Crisis".

Column Name: total_duration_other_svc
Column Type: varchar
Max Length: 40
Total duration if 'Service Code Type' of SERVICE_CODE is "Other".

Column Name: transferred_service
Column Type: varchar
Max Length: 10
Is this a transfer service.

Column Name: treatment_service_code
Column Type: varchar
Max Length: 50
'Treatment Service' for the program_code of the service.

Column Name: treatment_service_value

Column Type: varchar

Max Length: 50

The description for the treatment_service_code. See treatment_service_code for more information.

Column Name: units_of_service

Column Type: numeric

The units of the service.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_deleted_service_value

Column Type: varchar

Max Length: 40

The description for the deleted_service_code. See deleted_service_code for more information.

Documentation for form: Quick_Individual_Cash_Posting

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: STAFFID

Column Type: varchar

Max Length: 10

The staff ID associated with the data.

Column Name: STREG_INDEX

Column Type: varchar

Max Length: 20

A unique ID used to identify a row of data.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code (10002)'

Column Name: location_code

Column Type: varchar

Max Length: 15

'Location (10006)'

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: program_code

Column Type: varchar

Max Length: 15

The code for the program in which the data is stored.

Column Name: cost_of_service

Column Type: varchar

Max Length: 10

'Cost Of Service (19999)'

Column Name: insurance_category_code

Column Type: varchar

Max Length: 15

'Insurance Charge Category (10021)'

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service
Column Type: date
'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
Joins table to treatment history.

Column Name: CO_STAFFID
Column Type: varchar
Max Length: 40
'Co Staffid (10007)'

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode (12345)'

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source

Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes Memo'

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes Text'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provider_only_service
Column Type: integer
'Is this a provider only service?'

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Spreadsheet_Remittance_Posting

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: total_closed_charges
Column Type: numeric
Total dollar amount for all closed services in the episode.

Column Name: total_open_charges
Column Type: numeric
Total dollar amount for all open services in the episode.

Column Name: total_payments
Column Type: numeric
Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance

Column Type: numeric

Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date

Column Type: date

The admission date for the client's episode.

Column Name: v_discharge_date

Column Type: date

The discharge date for the client's episode.

Column Name: v_program_code

Column Type: varchar

Max Length: 10

The program of admission for the client's episode.

Column Name: v_program_value

Column Type: varchar

Max Length: 40

The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name

Column Type: varchar

Max Length: 40

The client's name.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Spreadsheet_Remittance_Posting

Table Name: SYSTEM.billing_pay_adj_history

Table Description: This table returns all payment and adjustment information entered for a Client's service.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the posting was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID for which the posting was entered.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number of the Client ID for which the posting was entered.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in Julian date format and a counter starting with ".001".

Column Name: unique_row_id2
Column Type: varchar
Max Length: 15
The unique ID assigned to the posting for each service. Will be "CR" followed by the posting date (date of payment).

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The ID of the guarantor for which the posting was entered.

Column Name: date_of_payment
Column Type: date
'Date Of Payment'.

Column Name: payment_type_code
Column Type: varchar
Max Length: 10
'Posting Code'.

Column Name: payment_type_value

Column Type: varchar

Max Length: 40

The description associated with payment_type_code. See payment_type_code for more information.

Column Name: payment_amount

Column Type: numeric

The amount posted using the payment_type_code.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific Client's service. Will be the date of service in Julian date format followed by a counter starting with ".001".

Column Name: v_program_of_service_code

Column Type: varchar

Max Length: 10

'Program'.

Column Name: v_program_of_service_value

Column Type: varchar

Max Length: 100

The description associated with v_program_of_service_code. See v_program_of_service_code for more information.

Column Name: v_program_X_RRG_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_RRG_value

Column Type: varchar

Max Length: 40

The description associated with v_program_X_RRG_code. See v_program_X_RRG_code for more information.

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 40

The Staff ID which rendered the service.

Column Name: v_service_code

Column Type: varchar
Max Length: 20
'Service Code'.

Column Name: v_client_name
Column Type: varchar
Max Length: 40
The name associated with the Client ID.

Column Name: JOIN_TO_BILLING_TX_CHARGE
Column Type: varchar
Max Length: 15
An additional unique ID for the service. See JOIN_TO_TX_HISTORY.

Column Name: reciept_number
Column Type: varchar
Max Length: 50
The receipt number.

Column Name: check_number
Column Type: varchar
Max Length: 50
The check number.

Column Name: system_code
Column Type: varchar
Max Length: 50
System Code the user was logged in as when filing a payment/adjustment.

Column Name: return_ref_number
Column Type: varchar
Max Length: 50
The returned reference number for a credit card or ACH transaction.

Column Name: credit_card_token
Column Type: varchar
Max Length: 50
The credit card token received for credit card payments.

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 50
The claim number assigned to a Client's service for which the posting was entered.

Column Name: GUARANTOR_ID_transfer_to
Column Type: varchar
Max Length: 40
The ID of the guarantor for which the user transfer the amount to.

Column Name: JOIN_TO_TX_HISTORY_tra_to

Column Type: varchar
Max Length: 50
The unique ID of the service created as a result of the transfer.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific Client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: adjust_code_code
Column Type: varchar
Max Length: 50
Adjustment Code.

Column Name: adjust_code_value
Column Type: varchar
Max Length: 4096
The description associated with adjust_code_code. See adjust_code_code for more information.

Column Name: automatic_receipt_number
Column Type: varchar
Max Length: 50
The receipt number.

Column Name: contractual_write_off
Column Type: varchar
Max Length: 10
Will indicate if the payment type code is a contractual write off code.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
The 'User ID' of the user that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: date_of_receipt
Column Type: date
'Date Of Receipt'.

Column Name: date_of_service
Column Type: date
'Date of Service'.

Column Name: device_name
Column Type: varchar
Max Length: 50
The name of the credit card device used to process the credit card payment.

Column Name: group_code_code
Column Type: varchar
Max Length: 50
'Group Code'.

Column Name: group_code_value
Column Type: varchar
Max Length: 4096
The description associated with group_code_code. See group_code_code for more information.

Column Name: merchant_id
Column Type: varchar
Max Length: 50
The merchant ID (MID) associated with the credit card payment.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: pay_ack_transaction_num

Column Type: integer

The 'Transaction Number' in the 'Payment Acknowledgement' form.

Column Name: payment_location_code

Column Type: varchar

Max Length: 10

'Payment Location'.

Column Name: payment_location_value

Column Type: varchar

Max Length: 40

The description associated with payment_location_code. See payment_location_code for more information.

Column Name: posting_comments

Column Type: varchar

Max Length: 80

'Posting Comments'

Column Name: receipt_reversed

Column Type: varchar

Max Length: 5

Will indicate if the receipt was reversed.

Column Name: type_of_payment

Column Type: varchar

Max Length: 50

Type Of payment.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: write_off_by_liab_dist

Column Type: varchar

Max Length: 20

'Write Off By Liability Distribution'

Documentation for form: Spreadsheet_Remittance_Posting

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the service is entered.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability
Column Type: numeric
The guarantor's liability.

Column Name: CLAIM_NUMBER
Column Type: varchar

Max Length: 25

The claim number assigned to a client's service.

Column Name: guarantor_total_payments

Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40

'Program'

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 10

'Practitioner'

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 100

The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value

Column Type: varchar

Max Length: 40

The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service'

Column Name: v_accounting_period

Column Type: date

The accounting period for the service.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the client ID.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date

Column Type: date

Date of entry

Column Name: v_claim_date

Column Type: date

'Date of Claim'

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc

Column Type: varchar

Max Length: 50

This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc

Column Type: varchar

Max Length: 50

This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: billing_units

Column Type: numeric

'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number

Column Type: varchar

Max Length: 50

'Claimed Authorization Number'

Column Name: date_of_svc_close

Column Type: date

'Date of Service Closed'

Column Name: re_bill_claim_number

Column Type: varchar

Max Length: 50

This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance

Column Type: double

Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level

Column Type: varchar
Max Length: 5
'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code
Column Type: varchar
Max Length: 10
'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value
Column Type: varchar
Max Length: 40
The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage
Column Type: varchar
Max Length: 10
'Sliding Fee Coverage'

Column Name: split_units
Column Type: numeric
'Split Units'

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration
Column Type: varchar
Max Length: 20
'Duration'

Column Name: v_location_code
Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers

Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form: Spreadsheet_Remittance_Posting

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge
Column Type: numeric
The full charge for the service.

Column Name: total_payments
Column Type: numeric
Total payments for service

Column Name: date_charge_closed
Column Type: date
Date the service was closed.

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period
Column Type: date
Accounting Period

Column Name: client_name
Column Type: varchar
Max Length: 40
The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date
Column Type: date
The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Spreadsheet_Remittance_Posting

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: FACILITY

Column Type: integer

The facility of the service.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code of the service.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Unique row id.

Column Name: program_code

Column Type: varchar

Max Length: 15

The program of the service.

Column Name: PROVIDER_ID

Column Type: varchar

Max Length: 15

The practitioner ID of the service.

Column Name: duration

Column Type: numeric

The duration of the service.

Column Name: appointment_status_code

Column Type: varchar

Max Length: 15

The appointment status code related to this service.

Column Name: location_code

Column Type: varchar

Max Length: 50

'Location'.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time when this data row was last updated.

Column Name: billable_code

Column Type: varchar

Max Length: 5

'Billable'.

Column Name: number_of_clients

Column Type: varchar

Max Length: 15

The number of clients in the group if this is a group service.

Column Name: cost_of_service

Column Type: numeric

The 'Cost Of Service' of the service.

Column Name: co_staff_member_2

Column Type: varchar

Max Length: 20

The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code

Column Type: varchar

Max Length: 15

The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
The original service code if the service is now deleted.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description for the program_code. See program_code for more information.

Column Name: appointment_status_value
Column Type: varchar
Max Length: 40
The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description for the location_code. See location_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 100
The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME
Column Type: varchar
Max Length: 40
The name of the PROVIDER_ID of the service.

Column Name: date_of_service
Column Type: date

The date of the service.

Column Name: billable_value

Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 15

'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 15

'Program Type' for the program_code of the service.

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name

Column Type: varchar

Max Length: 40

The name of the PATID of the service.

Column Name: age_on_date_of_service_

Column Type: numeric

The client's age at the time of service.

Column Name: appt_site_name

Column Type: varchar

Max Length: 40

The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC

Column Type: varchar

Max Length: 40

The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar
Max Length: 20
Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Original Unique row id

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768
'Add-On Notes'.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
'Additional Service Information'.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program
Column Type: varchar
Max Length: 10
The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time
Column Type: varchar
Max Length: 50
The 'Appointment End Time' related to this service.

Column Name: appt_group_id
Column Type: varchar
Max Length: 50
The 'Group #' related to this service.

Column Name: apt_group_name
Column Type: varchar
Max Length: 40
The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id
Column Type: varchar
Max Length: 50
The 'Appointment Site' related to this service.

Column Name: appt_start_time
Column Type: varchar
Max Length: 50
The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code
Column Type: varchar
Max Length: 50
'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val
Column Type: varchar
Max Length: 50
The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'.

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units
Column Type: numeric
'Cal Billing Units'

Column Name: confidential_service_code
Column Type: varchar
Max Length: 50
'Confidential Service' from Avatar PH.

Column Name: confidential_service_val
Column Type: varchar
Max Length: 50
The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration
Column Type: numeric
'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member
Column Type: varchar

Max Length: 15
The 'Co-Practitioner' of the service.

Column Name: data_control_identifier
Column Type: varchar
Max Length: 40
'Data Control Identifier'.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_accident
Column Type: date
'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service
Column Type: date
Date To Bill Roll-Up Service.

Column Name: delay_reason_code
Column Type: varchar
Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc
Column Type: varchar
Max Length: 50
The client's age in days, months and years at the time of service.

Column Name: discipline_code
Column Type: varchar
Max Length: 255
'Discipline'.

Column Name: discipline_value
Column Type: varchar
Max Length: 255
The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.

Column Name: emergency_ind_code
Column Type: varchar

Max Length: 50
'Emergency Indicator'.

Column Name: emergency_ind_value
Column Type: varchar
Max Length: 50
The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time
Column Type: varchar
Max Length: 10
The end time of the service.

Column Name: fee_override_indicator
Column Type: varchar
Max Length: 50
Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date
Column Type: date
'First Billing Date'.

Column Name: has_global_period_flag
Column Type: varchar
Max Length: 15
This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id
Column Type: varchar
Max Length: 15
The incident-to practitioner ID.

Column Name: incident_to_pract_name
Column Type: varchar
Max Length: 40
The name of the incident-to practitioner.

Column Name: initial_treatment_date
Column Type: date
'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code
Column Type: varchar
Max Length: 5
Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value
Column Type: varchar
Max Length: 10
The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi
Column Type: bit
Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code
Column Type: varchar
Max Length: 5
Was this service created as an overage service.

Column Name: is_overage_service_value
Column Type: varchar
Max Length: 10
The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code
Column Type: varchar
Max Length: 5
Was this service created as a roll-up service.

Column Name: is_roll_up_service_value
Column Type: varchar
Max Length: 10
The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon
Column Type: varchar
Max Length: 40
Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 100
The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes

Column Type: varchar

Max Length: 32766

'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'.

Column Name: mso_eob_number
Column Type: integer
The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code
Column Type: varchar
Max Length: 50
'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value
Column Type: varchar
Max Length: 50
The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837
Column Type: varchar
Max Length: 80
'Note Reference Text (837 Billing)'.

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code
Column Type: varchar
Max Length: 50
'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value
Column Type: varchar
Max Length: 50
The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by

Column Type: varchar
Max Length: 50
The username that first entered the service into the system.

Column Name: orig_entry_date
Column Type: date
The date the service was first entered into the system.

Column Name: orig_entry_option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time
Column Type: varchar
Max Length: 50
The time the service was first entered into the system.

Column Name: orig_entry_user
Column Type: varchar
Max Length: 50
The username that first entered the service into the system.

Column Name: orig_entry_user_id
Column Type: varchar
Max Length: 50
The user ID that first entered the service into the system.

Column Name: original_tx_code
Column Type: varchar
Max Length: 10
'Original Scheduled Service'.

Column Name: original_tx_value
Column Type: varchar
Max Length: 40
The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date
Column Type: date
'Orthodontic Banding Date'.

Column Name: primary_guarantor
Column Type: varchar
Max Length: 40
'Primary Guarantor'.

Column Name: prior_placement_date
Column Type: date
'Prior Placement Date'.

Column Name: prosth_crown_inlay_code
Column Type: varchar
Max Length: 50
'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value
Column Type: varchar
Max Length: 50
The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration
Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner'.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
The name of the referring_practitioner_code.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the referring_provider_code.

Column Name: related_causes_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value
Column Type: varchar
Max Length: 255
The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS
Column Type: varchar
Max Length: 40
The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc
Column Type: timestamp
the End of Service as UTC date and time.

Column Name: service_start_utc
Column Type: timestamp
the Start of Service as UTC date and time.

Column Name: service_status_code
Column Type: varchar
Max Length: 7
Is the service open or closed.

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone
Column Type: varchar
Max Length: 255
the timezone for the service used to determine the offset from UTC.

Column Name: start_time
Column Type: varchar
Max Length: 10
The start time of the service.

Column Name: task_event_id
Column Type: varchar
Max Length: 40
The id of the task list event that created this service

Column Name: tooth_number
Column Type: varchar
Max Length: 50
'Tooth Number'.

Column Name: tooth_status_code
Column Type: varchar
Max Length: 50
'Tooth Status Code'.

Column Name: tooth_status_value
Column Type: varchar
Max Length: 50
The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code
Column Type: varchar

Max Length: 50
'Tooth Surface Code'.

Column Name: tooth_surface_shvalue
Column Type: varchar
Max Length: 255
The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value
Column Type: varchar
Max Length: 4096
The description for the tooth_surface_code. See tooth_surface_code for more information.

Column Name: total_duration_crisis_svc
Column Type: varchar
Max Length: 40
Total duration if 'Service Code Type' of SERVICE_CODE is "Crisis".

Column Name: total_duration_other_svc
Column Type: varchar
Max Length: 40
Total duration if 'Service Code Type' of SERVICE_CODE is "Other".

Column Name: transferred_service
Column Type: varchar
Max Length: 10
Is this a transfer service.

Column Name: treatment_service_code
Column Type: varchar
Max Length: 50
'Treatment Service' for the program_code of the service.

Column Name: treatment_service_value
Column Type: varchar
Max Length: 50
The description for the treatment_service_code. See treatment_service_code for more information.

Column Name: units_of_service
Column Type: numeric
The units of the service.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_deleted_service_value

Column Type: varchar

Max Length: 40

The description for the deleted_service_code. See deleted_service_code for more information.

Documentation for form: Spreadsheet_Remittance_Posting

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: STAFFID

Column Type: varchar

Max Length: 10

The staff ID associated with the data.

Column Name: STREG_INDEX

Column Type: varchar

Max Length: 20

A unique ID used to identify a row of data.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code (10002)'

Column Name: location_code

Column Type: varchar

Max Length: 15

'Location (10006)'

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: program_code

Column Type: varchar

Max Length: 15

The code for the program in which the data is stored.

Column Name: cost_of_service

Column Type: varchar

Max Length: 10

'Cost Of Service (19999)'

Column Name: insurance_category_code

Column Type: varchar

Max Length: 15

'Insurance Charge Category (10021)'

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

Joins table to treatment history.

Column Name: CO_STAFFID

Column Type: varchar

Max Length: 40

'Co Staffid (10007)'

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode (12345)'

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time

Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers
Column Type: varchar
Max Length: 50
'Modifiers'

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes Memo'

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes Text'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provider_only_service
Column Type: integer
'Is this a provider only service?'

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Spreadsheet_Batch_Remittance_Posting

Table Name: SYSTEM.Remittance_Batch_History

Table Description: This table returns the remittance batch data filed from the 'Spreadsheet Batch Remittance Posting' form.

Column Name: Remittance_Batch_History
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The facility where the remittance batch was created

Column Name: Adjustment_Amount
Column Type: double
Adjustment Amount

Column Name: Adjustment_Code
Column Type: varchar
Max Length: 50
Adjustment Code

Column Name: Adjustment_Value
Column Type: varchar
Max Length: 50
The description for the Adjustment_Code. See Adjustment_Code for more information.

Column Name: BATCHID
Column Type: varchar
Max Length: 50
Assigned batch ID.

Column Name: Batch_Description
Column Type: varchar
Max Length: 50
'Batch Description'

Column Name: Batch_Status
Column Type: varchar
Max Length: 50
Batch status - "O" (Open) or "C" (Closed)

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode of the service.

Column Name: Filed_By
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: Filed_By_Option
Column Type: varchar
Max Length: 40

Option Identifier

Column Name: Filed_By_User_Opt_ID
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: Filed_Date
Column Type: date
Data Entry Date

Column Name: Filed_Time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
Guarantor ID associated with the payment/adjustment.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 50
JOIN_TO_TX_HISTORY associated with the payment/adjustment.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: Payment_Amount
Column Type: double
Payment Amount

Column Name: Payment_Code
Column Type: varchar
Max Length: 50
Payment Code

Column Name: Payment_Value
Column Type: varchar
Max Length: 50
The description for the Payment_Code. See Payment_Code for more information.

Column Name: Reversal_Status_Code
Column Type: varchar
Max Length: 50
Either "Y" or "N" - indicating if the remittance batch is reversed via the 'Batch Remittance Reversal' form.

Column Name: Reversal_Status_Value

Column Type: varchar

Max Length: 50

The description for the Reversal_Status_Code. See Reversal_Status_Code for more information.

Column Name: Transfer_Amount

Column Type: double

Transfer Amount

Column Name: Transfer_Code

Column Type: varchar

Max Length: 50

Transfer Code

Column Name: Transfer_Guarantor_ID

Column Type: varchar

Max Length: 50

Guarantor's name where the liability was transferred.

Column Name: Transfer_Guarantor_Name

Column Type: varchar

Max Length: 50

Guarantor where the liability was transferred.

Column Name: Transfer_Value

Column Type: varchar

Max Length: 50

The description for the Transfer_Code. See Transfer_Code for more information.

Column Name: Unique_Row_ID

Column Type: varchar

Max Length: 50

Unique Row ID

Column Name: check

Column Type: varchar

Max Length: 50

'Check #'

Column Name: date_of_receipt

Column Type: date

'Date Of Receipt'

Column Name: posting_date

Column Type: date

'Posting Date'

Column Name: receipt

Column Type: varchar

Max Length: 50

'Receipt'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Spreadsheet_Batch_Remittance_Posting

Table Name: SYSTEM.batch_remittance_claim

Table Description: This table returns claim information for Spreadsheet Batch Remittance Posting and 835s

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: BATCHID

Column Type: varchar

Max Length: 50

Assigned batch ID.

Column Name: CLAIMID

Column Type: varchar

Max Length: 50

Assigned Claim ID.

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: FACILITY

Column Type: integer

The facility where the remittance batch was created

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 50

Guarantor ID associated with the payment/adjustment.

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: adjustment_amount

Column Type: double

Adjustment Amount

Column Name: adjustment_code

Column Type: varchar

Max Length: 50

Adjustment Code

Column Name: adjustment_value

Column Type: varchar

Max Length: 50

The description for the adjustment_code. See adjustment_code for more information.

Column Name: balance

Column Type: double

Balance

Column Name: charge

Column Type: double

Total Charge

Column Name: check

Column Type: varchar

Max Length: 50

'Check #'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time when this data row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: description

Column Type: varchar

Max Length: 50

Description associated to the batch/835

Column Name: liability

Column Type: double

Liability

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: optionid

Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: patient_name
Column Type: varchar
Max Length: 40
The name of the PATID of the service.

Column Name: payment_amount
Column Type: double
Payment Amount

Column Name: payment_code
Column Type: varchar
Max Length: 50
Payment Code

Column Name: payment_value
Column Type: varchar
Max Length: 50
The description for the payment_code. See payment_code for more information.

Column Name: posting_date
Column Type: date
'Posting Date'

Column Name: post_option
Column Type: varchar
Max Length: 50
835 or Spreadsheet Batch

Column Name: status
Column Type: varchar
Max Length: 50
Status - "O" (Open) or "C" (Closed)

Column Name: transfer_amount
Column Type: double
Transfer Amount

Column Name: transfer_code
Column Type: varchar
Max Length: 50
Transfer Code

Column Name: transfer_guar
Column Type: varchar
Max Length: 50
Guarantor where the liability was transferred.

Column Name: transfer_guar_name
Column Type: varchar
Max Length: 50
Guarantor's name where the liability was transferred.

Column Name: transfer_value
Column Type: varchar
Max Length: 50
The description for the transfer_code. See transfer_code for more information.

Column Name: uniqueID
Column Type: varchar
Max Length: 50
Unique ID inside of batch.

Documentation for form: Spreadsheet_Batch_Remittance_Posting

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: total_closed_charges
Column Type: numeric
Total dollar amount for all closed services in the episode.

Column Name: total_open_charges
Column Type: numeric
Total dollar amount for all open services in the episode.

Column Name: total_payments
Column Type: numeric
Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance
Column Type: numeric
Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date
Column Type: date
The admission date for the client's episode.

Column Name: v_discharge_date
Column Type: date
The discharge date for the client's episode.

Column Name: v_program_code
Column Type: varchar
Max Length: 10
The program of admission for the client's episode.

Column Name: v_program_value
Column Type: varchar
Max Length: 40
The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code
Column Type: varchar
Max Length: 10
The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value
Column Type: varchar
Max Length: 40
The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name
Column Type: varchar
Max Length: 40
The client's name.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Spreadsheet_Batch_Remittance_Posting

Table Name: SYSTEM.billing_pay_adj_history

Table Description: This table returns all payment and adjustment information entered for a Client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the posting was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID for which the posting was entered.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number of the Client ID for which the posting was entered.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in Julian date format and a counter starting with ".001".

Column Name: unique_row_id2

Column Type: varchar

Max Length: 15

The unique ID assigned to the posting for each service. Will be "CR" followed by the posting date (date of payment).

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for which the posting was entered.

Column Name: date_of_payment
Column Type: date
'Date Of Payment'.

Column Name: payment_type_code
Column Type: varchar
Max Length: 10
'Posting Code'.

Column Name: payment_type_value
Column Type: varchar
Max Length: 40
The description associated with payment_type_code. See payment_type_code for more information.

Column Name: payment_amount
Column Type: numeric
The amount posted using the payment_type_code.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific Client's service. Will be the date of service in Julian date format followed by a counter starting with ".001".

Column Name: v_program_of_service_code
Column Type: varchar
Max Length: 10
'Program'.

Column Name: v_program_of_service_value
Column Type: varchar
Max Length: 100
The description associated with v_program_of_service_code. See v_program_of_service_code for more information.

Column Name: v_program_X_RRG_code
Column Type: varchar
Max Length: 10
The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_RRG_value
Column Type: varchar
Max Length: 40

The description associated with v_program_X_RRG_code. See v_program_X_RRG_code for more information.

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 40

The Staff ID which rendered the service.

Column Name: v_service_code

Column Type: varchar

Max Length: 20

'Service Code'.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the Client ID.

Column Name: JOIN_TO_BILLING_TX_CHARGE

Column Type: varchar

Max Length: 15

An additional unique ID for the service. See JOIN_TO_TX_HISTORY.

Column Name: receipt_number

Column Type: varchar

Max Length: 50

The receipt number.

Column Name: check_number

Column Type: varchar

Max Length: 50

The check number.

Column Name: system_code

Column Type: varchar

Max Length: 50

System Code the user was logged in as when filing a payment/adjustment.

Column Name: return_ref_number

Column Type: varchar

Max Length: 50

The returned reference number for a credit card or ACH transaction.

Column Name: credit_card_token

Column Type: varchar

Max Length: 50

The credit card token received for credit card payments.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 50

The claim number assigned to a Client's service for which the posting was entered.

Column Name: GUARANTOR_ID_transfer_to

Column Type: varchar

Max Length: 40

The ID of the guarantor for which the user transfer the amount to.

Column Name: JOIN_TO_TX_HISTORY_tra_to

Column Type: varchar

Max Length: 50

The unique ID of the service created as a result of the transfer.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific Client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: adjust_code_code

Column Type: varchar

Max Length: 50

Adjustment Code.

Column Name: adjust_code_value

Column Type: varchar

Max Length: 4096

The description associated with adjust_code_code. See adjust_code_code for more information.

Column Name: automatic_receipt_number

Column Type: varchar

Max Length: 50

The receipt number.

Column Name: contractual_write_off

Column Type: varchar

Max Length: 10

Will indicate if the payment type code is a contractual write off code.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' of the user that last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: date_of_receipt

Column Type: date

'Date Of Receipt'.

Column Name: date_of_service

Column Type: date

'Date of Service'.

Column Name: device_name

Column Type: varchar

Max Length: 50

The name of the credit card device used to process the credit card payment.

Column Name: group_code_code

Column Type: varchar

Max Length: 50

'Group Code'.

Column Name: group_code_value

Column Type: varchar

Max Length: 4096

The description associated with group_code_code. See group_code_code for more information.

Column Name: merchant_id

Column Type: varchar

Max Length: 50

The merchant ID (MID) associated with the credit card payment.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: pay_ack_transaction_num
Column Type: integer
The 'Transaction Number' in the 'Payment Acknowledgement' form.

Column Name: payment_location_code
Column Type: varchar
Max Length: 10
'Payment Location'.

Column Name: payment_location_value
Column Type: varchar
Max Length: 40
The description associated with payment_location_code. See payment_location_code for more information.

Column Name: posting_comments
Column Type: varchar
Max Length: 80
'Posting Comments'

Column Name: receipt_reversed
Column Type: varchar
Max Length: 5
Will indicate if the receipt was reversed.

Column Name: type_of_payment
Column Type: varchar
Max Length: 50
Type Of payment.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: write_off_by_liab_dist
Column Type: varchar
Max Length: 20
'Write Off By Liability Distribution'

Documentation for form: Spreadsheet_Batch_Remittance_Posting

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the service is entered.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID
Column Type: varchar

Max Length: 40

The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability

Column Type: numeric

The guarantor's liability.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The claim number assigned to a client's service.

Column Name: guarantor_total_payments

Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40

'Program'

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 10

'Practitioner'

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 100

The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value

Column Type: varchar

Max Length: 40

The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service
Column Type: date
'Date Of Service'

Column Name: v_accounting_period
Column Type: date
The accounting period for the service.

Column Name: v_client_name
Column Type: varchar
Max Length: 40
The name associated with the client ID.

Column Name: v_PROVIDER_NAME
Column Type: varchar
Max Length: 40
The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date
Column Type: date
Date of entry

Column Name: v_claim_date
Column Type: date
'Date of Claim'

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid
Column Type: varchar
Max Length: 50
This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc
Column Type: varchar
Max Length: 50
This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc

Column Type: varchar

Max Length: 50

This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: billing_units

Column Type: numeric

'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number

Column Type: varchar

Max Length: 50

'Claimed Authorization Number'

Column Name: date_of_svc_close

Column Type: date

'Date of Service Closed'

Column Name: re_bill_claim_number

Column Type: varchar

Max Length: 50

This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance

Column Type: double

Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level

Column Type: varchar

Max Length: 5

'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code

Column Type: varchar

Max Length: 10

'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value

Column Type: varchar

Max Length: 40

The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage

Column Type: varchar

Max Length: 10

'Sliding Fee Coverage'

Column Name: split_units

Column Type: numeric

'Split Units'

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration

Column Type: varchar

Max Length: 20
'Duration'

Column Name: v_location_code
Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers
Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form: Spreadsheet_Batch_Remittance_Posting

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge

Column Type: numeric

The full charge for the service.

Column Name: total_payments

Column Type: numeric

Total payments for service

Column Name: date_charge_closed

Column Type: date

Date the service was closed.

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period

Column Type: date

Accounting Period

Column Name: client_name

Column Type: varchar

Max Length: 40

The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date

Column Type: date

The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Spreadsheet_Batch_Remittance_Posting

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: FACILITY

Column Type: integer

The facility of the service.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code of the service.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique row id.

Column Name: program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
The practitioner ID of the service.

Column Name: duration
Column Type: numeric
The duration of the service.

Column Name: appointment_status_code
Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar
Max Length: 15
The number of clients in the group if this is a group service.

Column Name: cost_of_service
Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: co_staff_member_2

Column Type: varchar
Max Length: 20
The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
The original service code if the service is now deleted.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description for the program_code. See program_code for more information.

Column Name: appointment_status_value
Column Type: varchar
Max Length: 40
The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description for the location_code. See location_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 100
The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value
Column Type: varchar
Max Length: 40

The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name of the PROVIDER_ID of the service.

Column Name: date_of_service

Column Type: date

The date of the service.

Column Name: billable_value

Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 15

'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 15

'Program Type' for the program_code of the service.

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name

Column Type: varchar

Max Length: 40

The name of the PATID of the service.

Column Name: age_on_date_of_service_

Column Type: numeric

The client's age at the time of service.

Column Name: appt_site_name

Column Type: varchar

Max Length: 40

The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC

Column Type: varchar

Max Length: 40

The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Original Unique row id

Column Name: add_on_notes

Column Type: varchar

Max Length: 32768

'Add-On Notes'.

Column Name: add_svc_info_code

Column Type: varchar

Max Length: 50

'Additional Service Information'.

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program

Column Type: varchar

Max Length: 10

The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time

Column Type: varchar

Max Length: 50

The 'Appointment End Time' related to this service.

Column Name: appt_group_id

Column Type: varchar
Max Length: 50
The 'Group #' related to this service.

Column Name: apt_group_name
Column Type: varchar
Max Length: 40
The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id
Column Type: varchar
Max Length: 50
The 'Appointment Site' related to this service.

Column Name: appt_start_time
Column Type: varchar
Max Length: 50
The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code
Column Type: varchar
Max Length: 50
'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val
Column Type: varchar
Max Length: 50
The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'.

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units
Column Type: numeric
'Cal Billing Units'

Column Name: confidential_service_code
Column Type: varchar
Max Length: 50
'Confidential Service' from Avatar PH.

Column Name: confidential_service_val
Column Type: varchar

Max Length: 50

The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration

Column Type: numeric

'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member

Column Type: varchar

Max Length: 15

The 'Co-Practitioner' of the service.

Column Name: data_control_identifier

Column Type: varchar

Max Length: 40

'Data Control Identifier'.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_accident
Column Type: date
'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service
Column Type: date
Date To Bill Roll-Up Service.

Column Name: delay_reason_code
Column Type: varchar
Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc
Column Type: varchar
Max Length: 50
The client's age in days, months and years at the time of service.

Column Name: discipline_code
Column Type: varchar
Max Length: 255
'Discipline'.

Column Name: discipline_value
Column Type: varchar
Max Length: 255
The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255

'The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value

Column Type: varchar

Max Length: 4096

'The description associated with ebps_code. See ebps_code for more information.

Column Name: emergency_ind_code

Column Type: varchar

Max Length: 50

'Emergency Indicator'.

Column Name: emergency_ind_value

Column Type: varchar

Max Length: 50

The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time

Column Type: varchar

Max Length: 10

The end time of the service.

Column Name: fee_override_indicator

Column Type: varchar

Max Length: 50

Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date

Column Type: date

'First Billing Date'.

Column Name: has_global_period_flag

Column Type: varchar

Max Length: 15

This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id

Column Type: varchar

Max Length: 15

The incident-to practitioner ID.

Column Name: incident_to_pract_name

Column Type: varchar

Max Length: 40

The name of the incident-to practitioner.

Column Name: initial_treatment_date

Column Type: date

'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code
Column Type: varchar
Max Length: 5
Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value
Column Type: varchar
Max Length: 10
The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi
Column Type: bit
Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code
Column Type: varchar
Max Length: 5
Was this service created as an overage service.

Column Name: is_overage_service_value
Column Type: varchar
Max Length: 10
The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code
Column Type: varchar
Max Length: 5
Was this service created as a roll-up service.

Column Name: is_roll_up_service_value
Column Type: varchar
Max Length: 10
The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject4

Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon
Column Type: varchar
Max Length: 40
Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 100
The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar
Max Length: 40
'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes

Column Type: varchar
Max Length: 32766
'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers
Column Type: varchar
Max Length: 50
'Modifiers'.

Column Name: mso_eob_number
Column Type: integer
The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code
Column Type: varchar
Max Length: 50
'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value
Column Type: varchar
Max Length: 50
The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837
Column Type: varchar
Max Length: 80
'Note Reference Text (837 Billing)'.

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code
Column Type: varchar

Max Length: 50
'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value
Column Type: varchar
Max Length: 50
The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by
Column Type: varchar
Max Length: 50
The username that first entered the service into the system.

Column Name: orig_entry_date
Column Type: date
The date the service was first entered into the system.

Column Name: orig_entry_option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time
Column Type: varchar
Max Length: 50
The time the service was first entered into the system.

Column Name: orig_entry_user
Column Type: varchar
Max Length: 50
The username that first entered the service into the system.

Column Name: orig_entry_user_id
Column Type: varchar
Max Length: 50
The user ID that first entered the service into the system.

Column Name: original_tx_code
Column Type: varchar
Max Length: 10
'Original Scheduled Service'.

Column Name: original_tx_value
Column Type: varchar
Max Length: 40
The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date
Column Type: date
'Orthodontic Banding Date'.

Column Name: primary_guarantor
Column Type: varchar
Max Length: 40
'Primary Guarantor'.

Column Name: prior_placement_date
Column Type: date
'Prior Placement Date'.

Column Name: prosth_crown_inlay_code
Column Type: varchar
Max Length: 50
'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value
Column Type: varchar
Max Length: 50
The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration
Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner'.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
The name of the referring_practitioner_code.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the referring_provider_code.

Column Name: related_causes_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value

Column Type: varchar

Max Length: 255

The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS

Column Type: varchar

Max Length: 40

The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc

Column Type: timestamp

the End of Service as UTC date and time.

Column Name: service_start_utc

Column Type: timestamp

the Start of Service as UTC date and time.

Column Name: service_status_code

Column Type: varchar

Max Length: 7

Is the service open or closed.

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone

Column Type: varchar

Max Length: 255

the timezone for the service used to determine the offset from UTC.

Column Name: start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: task_event_id

Column Type: varchar

Max Length: 40

The id of the task list event that created this service

Column Name: tooth_number

Column Type: varchar

Max Length: 50

'Tooth Number'.

Column Name: tooth_status_code

Column Type: varchar

Max Length: 50

'Tooth Status Code'.

Column Name: tooth_status_value

Column Type: varchar

Max Length: 50

The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code

Column Type: varchar

Max Length: 50

'Tooth Surface Code'.

Column Name: tooth_surface_shvalue

Column Type: varchar

Max Length: 255

The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value

Column Type: varchar

Max Length: 4096

The description for the tooth_surface_code. See tooth_surface_code for more information.

Column Name: total_duration_crisis_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Crisis".

Column Name: total_duration_other_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Other".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

Is this a transfer service.

Column Name: treatment_service_code

Column Type: varchar

Max Length: 50

'Treatment Service' for the program_code of the service.

Column Name: treatment_service_value

Column Type: varchar

Max Length: 50

The description for the treatment_service_code. See treatment_service_code for more information.

Column Name: units_of_service

Column Type: numeric

The units of the service.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_deleted_service_value

Column Type: varchar

Max Length: 40

The description for the deleted_service_code. See deleted_service_code for more information.

Documentation for form: Spreadsheet_Batch_Remittance_Posting

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: STAFFID

Column Type: varchar

Max Length: 10

The staff ID associated with the data.

Column Name: STREG_INDEX

Column Type: varchar

Max Length: 20

A unique ID used to identify a row of data.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code (10002)'

Column Name: location_code

Column Type: varchar

Max Length: 15

'Location (10006)'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: program_code
Column Type: varchar
Max Length: 15
The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10
'Cost Of Service (19999)'

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
'Insurance Charge Category (10021)'

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code. See location_code for more information.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40
The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service
Column Type: date
'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
Joins table to treatment history.

Column Name: CO_STAFFID
Column Type: varchar
Max Length: 40
'Co Staffid (10007)'

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode (12345)'

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar

Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with `medical_diag_2_icd9_code`. See `medical_diag_2_icd9_code` for more information.

Column Name: `medical_diag_2_imo_value`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: `medical_diag_3_icd10_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 3 ICD-10'

Column Name: `medical_diag_3_icd10_value`

Column Type: `varchar`

Max Length: 40

The description associated with `medical_diag_3_icd10_code`. See `medical_diag_3_icd10_code` for more information.

Column Name: `medical_diag_3_icd9_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 3 ICD-9'

Column Name: `medical_diag_3_icd9_value`

Column Type: `varchar`

Max Length: 40

The description associated with `medical_diag_3_icd9_code`. See `medical_diag_3_icd9_code` for more information.

Column Name: `medical_diag_3_imo_value`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: `medical_diag_4_icd10_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 4 ICD-10'

Column Name: `medical_diag_4_icd10_value`

Column Type: `varchar`

Max Length: 40

The description associated with `medical_diag_4_icd10_code`. See `medical_diag_4_icd10_code` for more information.

Column Name: `medical_diag_4_icd9_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes Memo'

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes Text'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provider_only_service
Column Type: integer
'Is this a provider only service?'

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Client_Ledger

Table Name: SYSTEM.billing_tx_dist_fail_reason

Table Description: This table stores guarantors for which some or all liability failed to distribute, and the reasons why. This will only be stored if at least some liability ends up distributing to the guarantor of last resort.

Column Name: ID
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
The ID of the guarantor to which the service liability either partially or fully failed to distribute.

Column Name: PLAN_ID
Column Type: varchar
Max Length: 10
The ID of the benefit plan to which the service liability either partially or fully failed to distribute.

Column Name: PLAN_LEVEL
Column Type: varchar
Max Length: 10
The number of the benefit plan level to which the service liability either partially or fully failed to distribute.

Column Name: messagecount
Column Type: integer
The unique ID for this distribution failure message.

Column Name: reason

Column Type: varchar

Max Length: 255

The explanation for why service liability partially or fully failed to distribute to the associated guarantor.

Documentation for form: Batch_Cash_Posting

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID associated with the data.

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode number.

Column Name: total_closed_charges

Column Type: numeric

Total dollar amount for all closed services in the episode.

Column Name: total_open_charges

Column Type: numeric

Total dollar amount for all open services in the episode.

Column Name: total_payments

Column Type: numeric

Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance

Column Type: numeric

Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date
Column Type: date
The admission date for the client's episode.

Column Name: v_discharge_date
Column Type: date
The discharge date for the client's episode.

Column Name: v_program_code
Column Type: varchar
Max Length: 10
The program of admission for the client's episode.

Column Name: v_program_value
Column Type: varchar
Max Length: 40
The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code
Column Type: varchar
Max Length: 10
The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value
Column Type: varchar
Max Length: 40
The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name
Column Type: varchar
Max Length: 40
The client's name.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Batch_Cash_Posting

Table Name: SYSTEM.billing_pay_adj_history

Table Description: This table returns all payment and adjustment information entered for a Client's service.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the posting was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID for which the posting was entered.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number of the Client ID for which the posting was entered.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in Julian date format and a counter starting with ".001".

Column Name: unique_row_id2
Column Type: varchar
Max Length: 15
The unique ID assigned to the posting for each service. Will be "CR" followed by the posting date (date of payment).

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The ID of the guarantor for which the posting was entered.

Column Name: date_of_payment
Column Type: date
'Date Of Payment'.

Column Name: payment_type_code
Column Type: varchar
Max Length: 10
'Posting Code'.

Column Name: payment_type_value

Column Type: varchar

Max Length: 40

The description associated with payment_type_code. See payment_type_code for more information.

Column Name: payment_amount

Column Type: numeric

The amount posted using the payment_type_code.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific Client's service. Will be the date of service in Julian date format followed by a counter starting with ".001".

Column Name: v_program_of_service_code

Column Type: varchar

Max Length: 10

'Program'.

Column Name: v_program_of_service_value

Column Type: varchar

Max Length: 100

The description associated with v_program_of_service_code. See v_program_of_service_code for more information.

Column Name: v_program_X_RRG_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_RRG_value

Column Type: varchar

Max Length: 40

The description associated with v_program_X_RRG_code. See v_program_X_RRG_code for more information.

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 40

The Staff ID which rendered the service.

Column Name: v_service_code

Column Type: varchar
Max Length: 20
'Service Code'.

Column Name: v_client_name
Column Type: varchar
Max Length: 40
The name associated with the Client ID.

Column Name: JOIN_TO_BILLING_TX_CHARGE
Column Type: varchar
Max Length: 15
An additional unique ID for the service. See JOIN_TO_TX_HISTORY.

Column Name: reciept_number
Column Type: varchar
Max Length: 50
The receipt number.

Column Name: check_number
Column Type: varchar
Max Length: 50
The check number.

Column Name: system_code
Column Type: varchar
Max Length: 50
System Code the user was logged in as when filing a payment/adjustment.

Column Name: return_ref_number
Column Type: varchar
Max Length: 50
The returned reference number for a credit card or ACH transaction.

Column Name: credit_card_token
Column Type: varchar
Max Length: 50
The credit card token received for credit card payments.

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 50
The claim number assigned to a Client's service for which the posting was entered.

Column Name: GUARANTOR_ID_transfer_to
Column Type: varchar
Max Length: 40
The ID of the guarantor for which the user transfer the amount to.

Column Name: JOIN_TO_TX_HISTORY_tra_to

Column Type: varchar
Max Length: 50
The unique ID of the service created as a result of the transfer.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific Client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: adjust_code_code
Column Type: varchar
Max Length: 50
Adjustment Code.

Column Name: adjust_code_value
Column Type: varchar
Max Length: 4096
The description associated with adjust_code_code. See adjust_code_code for more information.

Column Name: automatic_receipt_number
Column Type: varchar
Max Length: 50
The receipt number.

Column Name: contractual_write_off
Column Type: varchar
Max Length: 10
Will indicate if the payment type code is a contractual write off code.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
The 'User ID' of the user that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: date_of_receipt
Column Type: date
'Date Of Receipt'.

Column Name: date_of_service
Column Type: date
'Date of Service'.

Column Name: device_name
Column Type: varchar
Max Length: 50
The name of the credit card device used to process the credit card payment.

Column Name: group_code_code
Column Type: varchar
Max Length: 50
'Group Code'.

Column Name: group_code_value
Column Type: varchar
Max Length: 4096
The description associated with group_code_code. See group_code_code for more information.

Column Name: merchant_id
Column Type: varchar
Max Length: 50
The merchant ID (MID) associated with the credit card payment.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: pay_ack_transaction_num

Column Type: integer

The 'Transaction Number' in the 'Payment Acknowledgement' form.

Column Name: payment_location_code

Column Type: varchar

Max Length: 10

'Payment Location'.

Column Name: payment_location_value

Column Type: varchar

Max Length: 40

The description associated with payment_location_code. See payment_location_code for more information.

Column Name: posting_comments

Column Type: varchar

Max Length: 80

'Posting Comments'

Column Name: receipt_reversed

Column Type: varchar

Max Length: 5

Will indicate if the receipt was reversed.

Column Name: type_of_payment

Column Type: varchar

Max Length: 50

Type Of payment.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: write_off_by_liab_dist

Column Type: varchar

Max Length: 20

'Write Off By Liability Distribution'

Documentation for form: Batch_Cash_Posting

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the service is entered.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability
Column Type: numeric
The guarantor's liability.

Column Name: CLAIM_NUMBER
Column Type: varchar

Max Length: 25

The claim number assigned to a client's service.

Column Name: guarantor_total_payments

Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40

'Program'

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 10

'Practitioner'

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 100

The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value

Column Type: varchar

Max Length: 40

The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service'

Column Name: v_accounting_period

Column Type: date

The accounting period for the service.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the client ID.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date

Column Type: date

Date of entry

Column Name: v_claim_date

Column Type: date

'Date of Claim'

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc

Column Type: varchar

Max Length: 50

This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc

Column Type: varchar

Max Length: 50

This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: billing_units

Column Type: numeric

'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number

Column Type: varchar

Max Length: 50

'Claimed Authorization Number'

Column Name: date_of_svc_close

Column Type: date

'Date of Service Closed'

Column Name: re_bill_claim_number

Column Type: varchar

Max Length: 50

This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance

Column Type: double

Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level

Column Type: varchar
Max Length: 5
'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code
Column Type: varchar
Max Length: 10
'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value
Column Type: varchar
Max Length: 40
The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage
Column Type: varchar
Max Length: 10
'Sliding Fee Coverage'

Column Name: split_units
Column Type: numeric
'Split Units'

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration
Column Type: varchar
Max Length: 20
'Duration'

Column Name: v_location_code
Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers

Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form: Batch_Cash_Posting

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge
Column Type: numeric
The full charge for the service.

Column Name: total_payments
Column Type: numeric
Total payments for service

Column Name: date_charge_closed
Column Type: date
Date the service was closed.

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period
Column Type: date
Accounting Period

Column Name: client_name
Column Type: varchar
Max Length: 40
The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date
Column Type: date
The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Batch_Cash_Posting

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: FACILITY

Column Type: integer

The facility of the service.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code of the service.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Unique row id.

Column Name: program_code

Column Type: varchar

Max Length: 15

The program of the service.

Column Name: PROVIDER_ID

Column Type: varchar

Max Length: 15

The practitioner ID of the service.

Column Name: duration

Column Type: numeric

The duration of the service.

Column Name: appointment_status_code

Column Type: varchar

Max Length: 15

The appointment status code related to this service.

Column Name: location_code

Column Type: varchar

Max Length: 50

'Location'.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time when this data row was last updated.

Column Name: billable_code

Column Type: varchar

Max Length: 5

'Billable'.

Column Name: number_of_clients

Column Type: varchar

Max Length: 15

The number of clients in the group if this is a group service.

Column Name: cost_of_service

Column Type: numeric

The 'Cost Of Service' of the service.

Column Name: co_staff_member_2

Column Type: varchar

Max Length: 20

The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code

Column Type: varchar

Max Length: 15

The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
The original service code if the service is now deleted.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description for the program_code. See program_code for more information.

Column Name: appointment_status_value
Column Type: varchar
Max Length: 40
The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description for the location_code. See location_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 100
The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME
Column Type: varchar
Max Length: 40
The name of the PROVIDER_ID of the service.

Column Name: date_of_service
Column Type: date

The date of the service.

Column Name: billable_value

Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 15

'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 15

'Program Type' for the program_code of the service.

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name

Column Type: varchar

Max Length: 40

The name of the PATID of the service.

Column Name: age_on_date_of_service_

Column Type: numeric

The client's age at the time of service.

Column Name: appt_site_name

Column Type: varchar

Max Length: 40

The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC

Column Type: varchar

Max Length: 40

The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar
Max Length: 20
Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Original Unique row id

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768
'Add-On Notes'.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
'Additional Service Information'.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program
Column Type: varchar
Max Length: 10
The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time
Column Type: varchar
Max Length: 50
The 'Appointment End Time' related to this service.

Column Name: appt_group_id
Column Type: varchar
Max Length: 50
The 'Group #' related to this service.

Column Name: apt_group_name
Column Type: varchar
Max Length: 40
The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id
Column Type: varchar
Max Length: 50
The 'Appointment Site' related to this service.

Column Name: appt_start_time
Column Type: varchar
Max Length: 50
The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code
Column Type: varchar
Max Length: 50
'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val
Column Type: varchar
Max Length: 50
The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'.

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units
Column Type: numeric
'Cal Billing Units'

Column Name: confidential_service_code
Column Type: varchar
Max Length: 50
'Confidential Service' from Avatar PH.

Column Name: confidential_service_val
Column Type: varchar
Max Length: 50
The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration
Column Type: numeric
'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member
Column Type: varchar

Max Length: 15
The 'Co-Practitioner' of the service.

Column Name: data_control_identifier
Column Type: varchar
Max Length: 40
'Data Control Identifier'.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_accident
Column Type: date
'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service
Column Type: date
Date To Bill Roll-Up Service.

Column Name: delay_reason_code
Column Type: varchar
Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc
Column Type: varchar
Max Length: 50
The client's age in days, months and years at the time of service.

Column Name: discipline_code
Column Type: varchar
Max Length: 255
'Discipline'.

Column Name: discipline_value
Column Type: varchar
Max Length: 255
The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.

Column Name: emergency_ind_code
Column Type: varchar

Max Length: 50
'Emergency Indicator'.

Column Name: emergency_ind_value
Column Type: varchar
Max Length: 50
The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time
Column Type: varchar
Max Length: 10
The end time of the service.

Column Name: fee_override_indicator
Column Type: varchar
Max Length: 50
Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date
Column Type: date
'First Billing Date'.

Column Name: has_global_period_flag
Column Type: varchar
Max Length: 15
This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id
Column Type: varchar
Max Length: 15
The incident-to practitioner ID.

Column Name: incident_to_pract_name
Column Type: varchar
Max Length: 40
The name of the incident-to practitioner.

Column Name: initial_treatment_date
Column Type: date
'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code
Column Type: varchar
Max Length: 5
Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value
Column Type: varchar
Max Length: 10
The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi
Column Type: bit
Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code
Column Type: varchar
Max Length: 5
Was this service created as an overage service.

Column Name: is_overage_service_value
Column Type: varchar
Max Length: 10
The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code
Column Type: varchar
Max Length: 5
Was this service created as a roll-up service.

Column Name: is_roll_up_service_value
Column Type: varchar
Max Length: 10
The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon
Column Type: varchar
Max Length: 40
Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 100
The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes

Column Type: varchar

Max Length: 32766

'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'.

Column Name: mso_eob_number
Column Type: integer
The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code
Column Type: varchar
Max Length: 50
'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value
Column Type: varchar
Max Length: 50
The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837
Column Type: varchar
Max Length: 80
'Note Reference Text (837 Billing)'.

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code
Column Type: varchar
Max Length: 50
'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value
Column Type: varchar
Max Length: 50
The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by

Column Type: varchar
Max Length: 50
The username that first entered the service into the system.

Column Name: orig_entry_date
Column Type: date
The date the service was first entered into the system.

Column Name: orig_entry_option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time
Column Type: varchar
Max Length: 50
The time the service was first entered into the system.

Column Name: orig_entry_user
Column Type: varchar
Max Length: 50
The username that first entered the service into the system.

Column Name: orig_entry_user_id
Column Type: varchar
Max Length: 50
The user ID that first entered the service into the system.

Column Name: original_tx_code
Column Type: varchar
Max Length: 10
'Original Scheduled Service'.

Column Name: original_tx_value
Column Type: varchar
Max Length: 40
The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date
Column Type: date
'Orthodontic Banding Date'.

Column Name: primary_guarantor
Column Type: varchar
Max Length: 40
'Primary Guarantor'.

Column Name: prior_placement_date
Column Type: date
'Prior Placement Date'.

Column Name: prosth_crown_inlay_code
Column Type: varchar
Max Length: 50
'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value
Column Type: varchar
Max Length: 50
The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration
Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner'.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
The name of the referring_practitioner_code.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the referring_provider_code.

Column Name: related_causes_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value
Column Type: varchar
Max Length: 255
The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS
Column Type: varchar
Max Length: 40
The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc
Column Type: timestamp
the End of Service as UTC date and time.

Column Name: service_start_utc
Column Type: timestamp
the Start of Service as UTC date and time.

Column Name: service_status_code
Column Type: varchar
Max Length: 7
Is the service open or closed.

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone
Column Type: varchar
Max Length: 255
the timezone for the service used to determine the offset from UTC.

Column Name: start_time
Column Type: varchar
Max Length: 10
The start time of the service.

Column Name: task_event_id
Column Type: varchar
Max Length: 40
The id of the task list event that created this service

Column Name: tooth_number
Column Type: varchar
Max Length: 50
'Tooth Number'.

Column Name: tooth_status_code
Column Type: varchar
Max Length: 50
'Tooth Status Code'.

Column Name: tooth_status_value
Column Type: varchar
Max Length: 50
The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code
Column Type: varchar

Max Length: 50
'Tooth Surface Code'.

Column Name: tooth_surface_shvalue
Column Type: varchar
Max Length: 255
The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value
Column Type: varchar
Max Length: 4096
The description for the tooth_surface_code. See tooth_surface_code for more information.

Column Name: total_duration_crisis_svc
Column Type: varchar
Max Length: 40
Total duration if 'Service Code Type' of SERVICE_CODE is "Crisis".

Column Name: total_duration_other_svc
Column Type: varchar
Max Length: 40
Total duration if 'Service Code Type' of SERVICE_CODE is "Other".

Column Name: transferred_service
Column Type: varchar
Max Length: 10
Is this a transfer service.

Column Name: treatment_service_code
Column Type: varchar
Max Length: 50
'Treatment Service' for the program_code of the service.

Column Name: treatment_service_value
Column Type: varchar
Max Length: 50
The description for the treatment_service_code. See treatment_service_code for more information.

Column Name: units_of_service
Column Type: numeric
The units of the service.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_deleted_service_value

Column Type: varchar

Max Length: 40

The description for the deleted_service_code. See deleted_service_code for more information.

Documentation for form: Batch_Cash_Posting

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: STAFFID

Column Type: varchar

Max Length: 10

The staff ID associated with the data.

Column Name: STREG_INDEX

Column Type: varchar

Max Length: 20

A unique ID used to identify a row of data.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code (10002)'

Column Name: location_code

Column Type: varchar

Max Length: 15

'Location (10006)'

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: program_code

Column Type: varchar

Max Length: 15

The code for the program in which the data is stored.

Column Name: cost_of_service

Column Type: varchar

Max Length: 10

'Cost Of Service (19999)'

Column Name: insurance_category_code

Column Type: varchar

Max Length: 15

'Insurance Charge Category (10021)'

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

Joins table to treatment history.

Column Name: CO_STAFFID

Column Type: varchar

Max Length: 40

'Co Staffid (10007)'

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode (12345)'

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time

Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers
Column Type: varchar
Max Length: 50
'Modifiers'

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes Memo'

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes Text'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provider_only_service

Column Type: integer

'Is this a provider only service?'

Column Name: referring_practitioner_code

Column Type: varchar

Max Length: 10

'Referring Practitioner Code'

Column Name: referring_practitioner_name

Column Type: varchar

Max Length: 50

'Referring Practitioner Name'

Column Name: referring_provider_code

Column Type: varchar

Max Length: 10

'Referring Provider Code'

Column Name: referring_provider_name

Column Type: varchar

Max Length: 50

'Referring Provider Name'

Column Name: start_time

Column Type: varchar

Max Length: 10

'Service Start Time (60021)'

Column Name: units_of_service

Column Type: numeric

'Units Of Service (10014)'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Print_Bill

Table Name: SYSTEM.billing_claim_history_tx_detail

Table Description: This table returns all services that currently have a claim number.

Column Name: billing_claim_history_tx_detail

Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the claim was created.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the claim was created.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number of the client ID for which the service is claimed.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The ID of the guarantor for which the claim was created.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 25
The claim number assigned to the client's service.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar
Max Length: 10
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: claim_date
Column Type: date
The date the claim was created.

Column Name: claim_submitter_id
Column Type: varchar
Max Length: 40
'Claim submitter ID'

Column Name: clm_sub_reas_code
Column Type: varchar

Max Length: 2

The value in Loop 2300, Segment CLM-05-3 of the 837 for the claim. Will be "1" for an Original claim, or the code for 'Claim Submission Reason Code' in the 'Electronic Re-Billing Service Assignment' form for re-bills.

Column Name: clm_sub_reas_value

Column Type: varchar

Max Length: 50

The description associated with clm_sub_reas_code. See clm_sub_reas_code for more information.

Column Name: date_of_claim

Column Type: varchar

Max Length: 15

The date entered in 'Date of Claim' when the claim was created.

Column Name: fac_code_qua

Column Type: varchar

Max Length: 2

Will be "A" for an 837 Institutional, and "B" for an 837 Professional 5010.

Column Name: fac_type_code

Column Type: varchar

Max Length: 2

The 'Place of Service' extended dictionary for the 'Location' dictionary value.

Column Name: fac_type_value

Column Type: varchar

Max Length: 50

The description associated with fac_type_code. See fac_type_code for more information.

Column Name: first_service_of_claim

Column Type: date

The date for the client ID's first service included in the claim.

Column Name: last_service_of_claim

Column Type: date

The date for the client ID's last service included in the claim.

Column Name: line_item_cont_num

Column Type: varchar

Max Length: 50

The line item count.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

The flag for a rebill of the claim.

Column Name: total_claim_liability

Column Type: numeric

The sum of all charges included in the claim. Will be equal to 'total_bill_amount' from the 'billing_claim_history' table.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Retroactive_Payor_Change

Table Name: SYSTEM.retro_payor_change

Table Description: This table returns the history of the 'Retroactive Payor Change' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: FACILITY

Column Type: integer

The facility of the service.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 50

Unique row id.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service.

Column Name: assign_to_payor

Column Type: varchar

Max Length: 20

The guarantor assigned to.

Column Name: compilation_date

Column Type: varchar

Max Length: 50

Date of compile.

Column Name: compilation_time
Column Type: varchar
Max Length: 50
Time of compile.

Column Name: compiled_by
Column Type: varchar
Max Length: 50
User ID that created the compile.

Column Name: compiled_or_posted
Column Type: varchar
Max Length: 50
Indicates if compiled or posted.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_option_id
Column Type: varchar
Max Length: 20
The form # that last updated this data row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name that last updated this data row.

Column Name: fc_trans_from
Column Type: varchar
Max Length: 32766
Financial class that liability transferred from.

Column Name: from_date
Column Type: varchar
Max Length: 20
From date.

Column Name: payor_code
Column Type: varchar
Max Length: 50
Guarantor number.

Column Name: payor_name
Column Type: varchar
Max Length: 50
Guarantor name.

Column Name: payors_trans_from
Column Type: varchar
Max Length: 32766
The guarantor transferred from.

Column Name: post_amount
Column Type: varchar
Max Length: 50
Posted amount.

Column Name: post_date
Column Type: varchar
Max Length: 20
Posted date.

Column Name: progs_to_excl
Column Type: varchar
Max Length: 32766
Programs to be excluded.

Column Name: receipt_date
Column Type: varchar
Max Length: 20
Date of receipt.

Column Name: to_date
Column Type: varchar
Max Length: 20
To date.

Column Name: transfer_code
Column Type: varchar
Max Length: 20
Transfer code used.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Crystal_Self_Pay_Bill

Table Name: SYSTEM.billing_selfpay_index

Table Description: This table returns index information for selfpay billing

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 25
The claim number associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_NUMBER
Column Type: varchar
Max Length: 50
The unique file number.

Column Name: GUARANTOR_ID
Column Type: varchar

Max Length: 50
The guarantor ID associated with the data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: S_INDEX
Column Type: varchar
Max Length: 50
The unique historic associated with the data.

Column Name: adjustments
Column Type: numeric
Adjustments associated with the data.

Column Name: admission_date
Column Type: date
The date the client was admitted to the episode of service.

Column Name: aging_category_other_120
Column Type: numeric
Aging category other guarantor 120 days.

Column Name: aging_category_other_150
Column Type: numeric
Aging category other guarantor 150 days.

Column Name: aging_category_other_30
Column Type: numeric
Aging category other guarantor 30 days.

Column Name: aging_category_other_60
Column Type: numeric
Aging category other guarantor 60 days.

Column Name: aging_category_other_90
Column Type: numeric
Aging category other guarantor 90 days.

Column Name: aging_category_other_curr
Column Type: numeric
Aging category other guarantor current day.

Column Name: aging_category_self_120
Column Type: numeric
Aging category self pay 120 days.

Column Name: aging_category_self_150

Column Type: numeric
Aging category self pay 150 days.

Column Name: aging_category_self_30
Column Type: numeric
Aging category self pay 30 days.

Column Name: aging_category_self_60
Column Type: numeric
Aging category self pay 60 days.

Column Name: aging_category_self_90
Column Type: numeric
Aging category self pay 90 days.

Column Name: aging_category_self_curr
Column Type: numeric
Aging category self pay current day.

Column Name: balance_due
Column Type: numeric
Balance due.

Column Name: beginning_balance
Column Type: numeric
Beginning balance.

Column Name: bill_begin_date
Column Type: date
Beginning date for the bill.

Column Name: bill_end_date
Column Type: date
Ending date for the bill.

Column Name: checks_payable_to
Column Type: varchar
Max Length: 50
Checks payable to.

Column Name: claim_date
Column Type: date
Date of the Claim.

Column Name: contact_information
Column Type: varchar
Max Length: 80
Contact information.

Column Name: dunning_message

Column Type: varchar
Max Length: 1000
Message used for dunning.

Column Name: exclude_transfers_in
Column Type: numeric
Transfers into the guarantor that should be excluded from the bill.

Column Name: exclude_transfers_out
Column Type: numeric
Transfers out of the guarantor that should be excluded from the bill.

Column Name: facility_city_state_zip
Column Type: varchar
Max Length: 50
City, state and zip code of the facility.

Column Name: facility_name
Column Type: varchar
Max Length: 50
Name of the facility.

Column Name: facility_phone_number
Column Type: varchar
Max Length: 50
Phone number of the facility.

Column Name: facility_street
Column Type: varchar
Max Length: 50
Street address of the facility.

Column Name: guarantor_billed_id
Column Type: varchar
Max Length: 50
ID used when billing guarantor.

Column Name: guarantor_billed_name
Column Type: varchar
Max Length: 50
Name used when billing guarantor.

Column Name: guarantor_name
Column Type: varchar
Max Length: 50
The guarantor name associated with GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: new_liability
Column Type: numeric
New liability.

Column Name: other_adjustments
Column Type: numeric
Adjustments related to guarantor other than self.

Column Name: other_beginning_balance
Column Type: numeric
Beginning balance related to guarantor other than self.

Column Name: other_new_liability
Column Type: numeric
New liability related to guarantor other than self.

Column Name: other_payments
Column Type: numeric
Payments related to guarantor other than self.

Column Name: patient_name
Column Type: varchar
Max Length: 50
'Client Name'

Column Name: payment_due_date
Column Type: date
Payment Due Date.

Column Name: payments
Column Type: numeric
Payments.

Column Name: program_balance
Column Type: numeric
The balance due for the program of service.

Column Name: program_code
Column Type: varchar
Max Length: 50
The program of service.

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: stmt_begin_date
Column Type: date
Beginning date for the statement.

Column Name: stmt_end_date
Column Type: date

Ending date for the statement.

Column Name: subscriber_address_1
Column Type: varchar
Max Length: 50
Subscriber Address 1.

Column Name: subscriber_address_2
Column Type: varchar
Max Length: 50
Subscriber Address 2.

Column Name: subscriber_city
Column Type: varchar
Max Length: 50
Subscriber Address City.

Column Name: subscriber_name
Column Type: varchar
Max Length: 50
Subscriber Name.

Column Name: subscriber_state
Column Type: varchar
Max Length: 50
Subscriber Address State.

Column Name: subscriber_zip
Column Type: varchar
Max Length: 50
Subscriber Address Zip Code.

Column Name: title_XX_elig_criteria_code
Column Type: varchar
Max Length: 12
Title XX Eligibility Criteria Code.

Column Name: title_XX_elig_criteria_value
Column Type: varchar
Max Length: 40
Title XX Eligibility Value.

Column Name: total_balance
Column Type: numeric
Total Balance.

Column Name: transfers_in
Column Type: numeric
Transfers in.

Column Name: transfers_out
Column Type: numeric
Transfers out.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Crystal_Self_Pay_Bill

Table Name: SYSTEM.billing_selfpay_stmt

Table Description: This table returns the data for selfpay billing statements

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_NUMBER
Column Type: varchar
Max Length: 50
The unique file number.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
The guarantor ID associated with the data.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 50
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar

Max Length: 50

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: PROVIDER_ID

Column Type: varchar

Max Length: 15

The provider ID associated with the data.

Column Name: accounting_period

Column Type: date

The accounting period of the service.

Column Name: appointment_status_code

Column Type: varchar

Max Length: 50

The appointment status code related to this service.

Column Name: appointment_status_value

Column Type: varchar

Max Length: 50

The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: billable_code

Column Type: varchar

Max Length: 50

'Billable'.

Column Name: billable_value

Column Type: varchar

Max Length: 50

The description for the billable_code. See billable_code for more information.

Column Name: co_practitioner

Column Type: varchar

Max Length: 50

The 'Co-Practitioner' of the service.

Column Name: co_practitioner_2

Column Type: varchar

Max Length: 50

The second 'Co-Practitioner' of the service.

Column Name: co_practitioner_2_name

Column Type: varchar

Max Length: 50
The name of the second 'Co-Practitioner' of the service.

Column Name: co_practitioner_name
Column Type: varchar
Max Length: 50
The name of the 'Co-Practitioner' of the service.

Column Name: cost_of_service
Column Type: numeric
The cost of the service.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
data entry by (30001) - The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By Option (30003) - The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
data entry date (30000) - The date when this data row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
Data Entry Time (30002) - The time when this data row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data Entry User Id (30009) - The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_service

Column Type: date

The date of the service.

Column Name: duration

Column Type: numeric

The duration of the service.

Column Name: fee_override_indicator

Column Type: varchar

Max Length: 50

Indicates if the fee for this service has been overridden from the original value.

Column Name: group_number

Column Type: varchar

Max Length: 50

Group Number.

Column Name: guarantor_liability

Column Type: numeric

The guarantor liability amount for the service and GUARANTOR_ID.

Column Name: hcpcs_code

Column Type: varchar

Max Length: 50

'HCPCS Code'

Column Name: insurance_category_code

Column Type: varchar

Max Length: 50

'Insurance Charge Category (10021)'

Column Name: insurance_category_value

Column Type: varchar

Max Length: 50

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: location_code

Column Type: varchar

Max Length: 50

'Location'.

Column Name: location_value

Column Type: varchar

Max Length: 50

The description for the location_code. See location_code for more information.

Column Name: max_amt_to_dist_per_svc

Column Type: numeric

Maximum amount to distribute per service.

Column Name: medical_diagnosis1_code

Column Type: varchar

Max Length: 10

Code for 'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code

Column Type: varchar

Max Length: 10

Code for 'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

Code for 'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

Code for 'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'.

Column Name: number_of_clients

Column Type: varchar

Max Length: 50

The number of clients in the group if this is a group service.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row.

Column Name: percentage_of_coverage

Column Type: numeric

Percentage of coverage.

Column Name: primary_guarantor_id

Column Type: varchar

Max Length: 50

Primary Guarantor ID.

Column Name: primary_guarantor_name

Column Type: varchar

Max Length: 50

Primary Guarantor Name.

Column Name: program_code

Column Type: varchar

Max Length: 50

The program of service.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description for the program_code. See program_code for more information.

Column Name: provider_name

Column Type: varchar

Max Length: 50

Provider Name

Column Name: revenue_code

Column Type: varchar

Max Length: 50

Revenue code for the service.

Column Name: revenue_description

Column Type: varchar

Max Length: 50

The description associated with revenue_code_code. See revenue_code_code for more information.

Column Name: service_code
Column Type: varchar
Max Length: 20
Service code

Column Name: service_value
Column Type: varchar
Max Length: 50
The description associated with service_code. See service_code for more information.

Column Name: state_reporting_code_1
Column Type: varchar
Max Length: 50
State Reporting Code 1 from Service Code Cross References

Column Name: transfer
Column Type: varchar
Max Length: 5
Transfers In.

Column Name: units_of_service
Column Type: numeric
The units of the service.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inhibit_Billing_By_Service

Table Name: SYSTEM.inhibit_billing

Table Description: Inhibit Billing table

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
clients episode number

Column Name: FACILITY

Column Type: integer
System code

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
dd

Column Name: PATID
Column Type: varchar
Max Length: 20
clients patient ID

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 20
rendering practitioner code

Column Name: PROVIDER_ID_VAL
Column Type: varchar
Max Length: 80
rendering practitioner value

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
service code

Column Name: client_name
Column Type: varchar
Max Length: 80
client name

Column Name: cost_of_service
Column Type: double
Charge

Column Name: date_of_service
Column Type: date
search start date

Column Name: guarantor_code
Column Type: varchar
Max Length: 20
guarantor code

Column Name: guarantor_value
Column Type: varchar
Max Length: 80
value of the guarantor code

Column Name: notes
Column Type: longvarchar
Max Length: 2147483647
inhibit billing note

Column Name: reason_code
Column Type: varchar
Max Length: 40
inhibit billing reason code

Column Name: reason_value
Column Type: varchar
Max Length: 40
value of inhibit billing reason code

Column Name: service_value
Column Type: varchar
Max Length: 40
service value

Column Name: svc_rendered_program_code
Column Type: varchar
Max Length: 20
Program where service was rendered code

Column Name: svc_rendered_program_val
Column Type: varchar
Max Length: 40
Program where service was rendered value

Column Name: units_of_service
Column Type: varchar
Max Length: 20
units

Documentation for form: Close_Charges

Table Name: SYSTEM.medicare_a_hold

Table Description: This table includes services placed on hold during liability distribution due to 'Bill Only When Full Denial Received For Medicare A No-Pay Guarantor'.

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: FACILITY

Column Type: integer

The facility of the service.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor that is placed on hold.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Unique row id.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

This will return "BEP" followed by the episode number for the client.

Column Name: medicare_a_id

Column Type: varchar

Max Length: 40

The ID of the Medicare A guarantor.

Documentation for form: Claim_Status_Request_(276)

Table Name: SYSTEM.billing_276_errors

Table Description: Claim Status Request (276) Errors

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
Guarantor ID

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
Data Entry Time

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data Entry User ID

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
Data Entry User Name

Column Name: date_of_birth
Column Type: date
Date of Birth

Column Name: error_index
Column Type: integer
Error Index

Column Name: error_message
Column Type: varchar
Max Length: 256
Error Message

Column Name: file_description
Column Type: varchar
Max Length: 50
File Description

Column Name: file_index
Column Type: varchar
Max Length: 50
File Index

Column Name: file_status
Column Type: varchar
Max Length: 50
File Status

Column Name: financial_class_code
Column Type: varchar
Max Length: 50
Financial Class

Column Name: financial_class_value
Column Type: varchar
Max Length: 50
The description associated with the financial_class_code. See financial_class_code for more information.

Column Name: guarantor_name
Column Type: varchar
Max Length: 50
The Guarantor name associated with the GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 20
Option Identifier

Column Name: patient_name
Column Type: varchar
Max Length: 100
Client Name

Column Name: patient_sex_code
Column Type: varchar
Max Length: 50
Sex

Column Name: priority
Column Type: integer
Priority

Column Name: program_code
Column Type: varchar
Max Length: 50
Program

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: version
Column Type: varchar
Max Length: 50
Version

Documentation for form: Claim_Status_Request_(276)

Table Name: SYSTEM.billing_276_report

Table Description: Claim Status Request (276) Report

Column Name: FACILITY
Column Type: integer

Column Name: version
Column Type: varchar
Max Length: 50

Column Name: file_index

Column Type: varchar
Max Length: 50

Column Name: xx_index
Column Type: varchar
Max Length: 50

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50

Column Name: financial_class_code
Column Type: varchar
Max Length: 50

Column Name: financial_class_value
Column Type: varchar
Max Length: 50

Column Name: guarantor_name
Column Type: varchar
Max Length: 50

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 40

Column Name: date_of_claim
Column Type: date

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: patient_name
Column Type: varchar
Max Length: 100

Column Name: patient_sex_code
Column Type: varchar
Max Length: 50

Column Name: date_of_birth
Column Type: date

Column Name: pat_control_num
Column Type: varchar
Max Length: 50

Column Name: total_claim_amount
Column Type: numeric

Column Name: date_of_service
Column Type: varchar
Max Length: 50

Column Name: units_of_service
Column Type: numeric

Column Name: cost_of_service
Column Type: numeric

Column Name: procedure_code
Column Type: varchar
Max Length: 50

Column Name: revenue_code
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Claim_Status_Notification_(277)

Table Name: SYSTEM.billing_277_clm_status

Table Description: Claim Status Notification (277) Claim Status

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: patient_name
Column Type: varchar
Max Length: 100

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 50

Column Name: pat_control_num
Column Type: varchar
Max Length: 50

Column Name: payer_clm_cntrl_num
Column Type: varchar
Max Length: 50

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50

Column Name: guarantor_name
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_time
Column Type: varchar

Max Length: 50

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 50

Column Name: status_type_code

Column Type: varchar

Max Length: 50

Column Name: status_type_code_value

Column Type: varchar

Max Length: 50

Column Name: status_cat_code

Column Type: varchar

Max Length: 50

Column Name: status_cat_code_value

Column Type: varchar

Max Length: 50

Column Name: status_code

Column Type: varchar

Max Length: 50

Column Name: status_code_value

Column Type: varchar

Max Length: 50

Column Name: status_update_date

Column Type: date

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Claim_Status_Notification_(277)

Table Name: SYSTEM.billing_277_report

Table Description: Claim Status Notification (277)

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: cost_of_service
Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 50
Claim number.

Column Name: FACILITY
Column Type: integer
'Facility'

Column Name: FILE_ID
Column Type: varchar
Max Length: 50
Unique ID for the 277 file being reported on.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
Unique ID of the guarantor.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code of the service.

Column Name: VERSION
Column Type: varchar
Max Length: 50
The 277 version used to generate the file.

Column Name: clm_status
Column Type: varchar
Max Length: 50
'Claim Status'

Column Name: clm_status_cat_code
Column Type: varchar
Max Length: 50
'Status Category Code (Used by 276/277)' Code

Column Name: clm_status_cat_value
Column Type: varchar
Max Length: 256
The description associated with clm_status_cat_code. See clm_status_cat_code for more information.

Column Name: clm_status_code
Column Type: varchar
Max Length: 50
'Status Code (Used by 276/277)' Code

Column Name: clm_status_value
Column Type: varchar
Max Length: 256
The description associated with clm_status_code. See clm_status_code for more information.

Column Name: clm_update_date
Column Type: date
'Claim Update Date'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
'Data Entry By'

Column Name: data_entry_by_option

Column Type: varchar
Max Length: 40
'Data Entry By Option'

Column Name: data_entry_date
Column Type: date
'Data Entry Date'

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
'Data Entry Time'

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
'Data Entry User ID'

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
'Data Entry User Name'

Column Name: file_description
Column Type: varchar
Max Length: 50
'File Description'

Column Name: file_info_str
Column Type: varchar
Max Length: 50
File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)

Column Name: file_name
Column Type: varchar
Max Length: 50
'File Name'

Column Name: file_status
Column Type: varchar
Max Length: 50
'File Status'

Column Name: guarantor_name
Column Type: varchar
Max Length: 50
Name of the guarantor associated with 'GUARANTOR_ID'

Column Name: head_index

Column Type: integer
'head_index'

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 20
Option Identifier

Column Name: pat_control_num
Column Type: varchar
Max Length: 50
'Patient Control Number'

Column Name: rpt_last_stc
Column Type: varchar
Max Length: 50
'rpt_last_stc'

Column Name: status_type_code
Column Type: varchar
Max Length: 50
'277 Transaction Type Code' Code

Column Name: status_type_code_value
Column Type: varchar
Max Length: 50
The description associated with status_type_code. See status_type_code for more information.

Column Name: stc_counter
Column Type: varchar
Max Length: 50
'stc_counter'

Column Name: sub_claim_index
Column Type: integer
'sub_claim_index'

Column Name: subscriber_ID
Column Type: varchar
Max Length: 50
'Subscriber ID'

Column Name: subscriber_index
Column Type: varchar
Max Length: 50

'Subscriber Index'

Column Name: subscriber_name

Column Type: varchar

Max Length: 50

'Subscriber Name'

Column Name: svc_ID

Column Type: varchar

Max Length: 50

'Service ID'

Column Name: svc_code_value

Column Type: varchar

Max Length: 40

The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: svc_date

Column Type: date

'Service Date'

Column Name: svc_status

Column Type: varchar

Max Length: 50

'Service Status'

Column Name: svc_status_cat_code

Column Type: varchar

Max Length: 50

'Status Category Code (Used by 276/277)' Code

Column Name: svc_status_cat_value

Column Type: varchar

Max Length: 256

The description associated with svc_status_cat_code. See svc_status_cat_code for more information.

Column Name: svc_status_code

Column Type: varchar

Max Length: 50

'Status Code (Used by 276/277)' Code

Column Name: svc_status_value

Column Type: varchar

Max Length: 256

The description associated with svc_status_code. See svc_status_code for more information.

Documentation for form: Claim_Status_Notification_(277)

Table Name: SYSTEM.billing_277_svc_status

Table Description: Claim Status Notification (277) Service Status

Column Name: FACILITY

Column Type: integer

Column Name: PATID

Column Type: varchar

Max Length: 20

Column Name: patient_name

Column Type: varchar

Max Length: 100

Column Name: EPISODE_NUMBER

Column Type: integer

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 50

Column Name: pat_control_num

Column Type: varchar

Max Length: 50

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 50

Column Name: guarantor_name

Column Type: varchar

Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50

Column Name: status_type_code
Column Type: varchar
Max Length: 50

Column Name: status_type_code_value
Column Type: varchar
Max Length: 50

Column Name: svc_status_cat_code
Column Type: varchar
Max Length: 50

Column Name: svc_status_cat_code_value
Column Type: varchar
Max Length: 50

Column Name: svc_status_code

Column Type: varchar
Max Length: 50

Column Name: svc_status_code_value
Column Type: varchar
Max Length: 50

Column Name: svc_status_update_date
Column Type: date

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Quick_Billing

Table Name: SYSTEM.billing_claim_history_tx_detail

Table Description: This table returns all services that currently have a claim number.

Column Name: billing_claim_history_tx_detail
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the claim was created.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the claim was created.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number of the client ID for which the service is claimed.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for which the claim was created.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The claim number assigned to the client's service.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 10

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: claim_date

Column Type: date

The date the claim was created.

Column Name: claim_submitter_id

Column Type: varchar

Max Length: 40

'Claim submitter ID'

Column Name: clm_sub_reas_code

Column Type: varchar

Max Length: 2

The value in Loop 2300, Segment CLM-05-3 of the 837 for the claim. Will be "1" for an Original claim, or the code for 'Claim Submission Reason Code' in the 'Electronic Re-Billing Service Assignment' form for re-bills.

Column Name: clm_sub_reas_value

Column Type: varchar

Max Length: 50

The description associated with clm_sub_reas_code. See clm_sub_reas_code for more information.

Column Name: date_of_claim

Column Type: varchar

Max Length: 15

The date entered in 'Date of Claim' when the claim was created.

Column Name: fac_code_qua

Column Type: varchar

Max Length: 2

Will be "A" for an 837 Institutional, and "B" for an 837 Professional 5010.

Column Name: fac_type_code

Column Type: varchar

Max Length: 2

The 'Place of Service' extended dictionary for the 'Location' dictionary value.

Column Name: fac_type_value

Column Type: varchar

Max Length: 50

The description associated with fac_type_code. See fac_type_code for more information.

Column Name: first_service_of_claim

Column Type: date

The date for the client ID's first service included in the claim.

Column Name: last_service_of_claim

Column Type: date

The date for the client ID's last service included in the claim.

Column Name: line_item_cont_num

Column Type: varchar

Max Length: 50

The line item count.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

The flag for a rebill of the claim.

Column Name: total_claim_liability

Column Type: numeric

The sum of all charges included in the claim. Will be equal to 'total_bill_amount' from the 'billing_claim_history' table.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Quick_Billing

Table Name: SYSTEM.billing_qb_delay_reason

Table Description: This table returns delay reason code required service information of the compiled quick billing batch from the 'Quick Billing' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BATCH_NUMBER
Column Type: integer
The batch number for the compiled quick billing file

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number information associated with the 'SYSTEM.billing_tx_history' table.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID associated with the 'SYSTEM.billing_tx_history' table.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the quick billing batch file

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: patient_name
Column Type: varchar
Max Length: 40
The client name associated with PATID.

Column Name: program_code
Column Type: varchar
Max Length: 15
The program code information associated with the 'SYSTEM.billing_tx_history' table.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with program_code. See program_code for more information.

Column Name: service_code
Column Type: varchar
Max Length: 20
The service code information associated with the 'SYSTEM.billing_tx_history' table.

Column Name: service_date
Column Type: date
The date of service associated with the 'SYSTEM.billing_tx_history' table.

Column Name: service_string
Column Type: varchar
Max Length: 32000
Service information string. (Private Column)

Column Name: service_value
Column Type: varchar
Max Length: 40
The description associated with service_code. See service_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Quick_Billing

Table Name: SYSTEM.table_quick_bill_rule_group

Table Description: This table returns rule group definitions stored in the 'Quick Billing Rule Definition' form.

Column Name: FACILITY
Column Type: integer

Column Name: rule_id
Column Type: integer

Column Name: rule_group_description
Column Type: varchar
Max Length: 80

Column Name: active_code
Column Type: varchar
Max Length: 50

Column Name: active_value
Column Type: varchar
Max Length: 50

Column Name: billing_rules_code
Column Type: varchar
Max Length: 20000

Column Name: billing_rules_value
Column Type: varchar
Max Length: 20000

Column Name: sched_task
Column Type: varchar
Max Length: 50

Column Name: exec_liability_modifier
Column Type: varchar
Max Length: 50

Column Name: claim_from_date_modifier
Column Type: varchar
Max Length: 50

Column Name: claim_thru_date_code
Column Type: varchar

Max Length: 50

Column Name: claim_thru_date_value

Column Type: varchar

Max Length: 50

Column Name: tasks_to_execute_code

Column Type: varchar

Max Length: 50

Column Name: tasks_to_execute_sh_value

Column Type: varchar

Max Length: 255

Column Name: tasks_to_execute_value

Column Type: varchar

Max Length: 4096

Column Name: email_addresses

Column Type: varchar

Max Length: 255

Column Name: claim_thru_date_modifier

Column Type: varchar

Max Length: 50

Documentation for form: NCPDP_Claim_Submission_Response_Report

Table Name: SYSTEM.billing_ncpdp_resp_dtl

Table Description: This table returns information filed in 'NCPDP Claim Submission Response Report Information' form.

Column Name: JOIN_TO_NCPDP_RESP_HDR

Column Type: integer

Column Name: JOIN_TO_NCPDP_RESP_DTL

Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: file_name_only
Column Type: varchar
Max Length: 50

Column Name: claim_response_record
Column Type: varchar
Max Length: 2048

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: CLAIM_NUM
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50

Column Name: CE2000_response_code
Column Type: varchar
Max Length: 50

Column Name: CE2000_response_value
Column Type: varchar
Max Length: 50

Column Name: claim_count
Column Type: integer

Column Name: BIN_NUM
Column Type: integer

Column Name: PROCESS_CONTROL_NUM
Column Type: varchar
Max Length: 50

Column Name: pharmacy_num
Column Type: varchar
Max Length: 50

Column Name: group_num
Column Type: varchar
Max Length: 50

Column Name: cardholder_id
Column Type: varchar
Max Length: 50

Column Name: person_code
Column Type: varchar
Max Length: 50

Column Name: prescription_num
Column Type: varchar
Max Length: 50

Column Name: prescription_num_true
Column Type: varchar
Max Length: 50

Column Name: date_of_service
Column Type: date

Column Name: response_status_code
Column Type: varchar
Max Length: 50

Column Name: authorization_num
Column Type: varchar
Max Length: 50

Column Name: transaction_code
Column Type: varchar
Max Length: 50

Column Name: response_message
Column Type: varchar
Max Length: 256

Column Name: reject_count
Column Type: integer

Column Name: reject_codes
Column Type: varchar
Max Length: 80

Column Name: reject_codes_displayable
Column Type: varchar
Max Length: 80

Column Name: ingr_cost
Column Type: double

Column Name: dispense_fee
Column Type: double

Column Name: usual_and_cust_fee
Column Type: double

Column Name: postage_amt
Column Type: double

Column Name: gross_amt_due
Column Type: double

Column Name: other_payer_amt
Column Type: double

Column Name: patient_paid_amt
Column Type: double

Column Name: incent_amt_sub
Column Type: double

Column Name: patient_pay_amt
Column Type: double

Column Name: ingr_cost_paid
Column Type: double

Column Name: contract_fee_paid
Column Type: double

Column Name: total_amt_paid
Column Type: double

Column Name: accum_ded_amt
Column Type: double

Column Name: remain_ded_amt
Column Type: double

Column Name: remain_bene_amt
Column Type: double

Column Name: amt_applied_to_ded
Column Type: double

Column Name: amt_of_coinsurance
Column Type: double

Column Name: amt_attrib_to_ps
Column Type: double

Column Name: amt_attrib_to_pbm
Column Type: double

Column Name: incent_amt_paid
Column Type: double

Column Name: amt_attrib_to_tax
Column Type: double

Column Name: additional_mesg
Column Type: varchar
Max Length: 256

Column Name: client_name
Column Type: varchar
Max Length: 100

Column Name: date_of_birth
Column Type: date

Column Name: guarantor_name
Column Type: varchar
Max Length: 50

Column Name: claim_notes
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 50

Column Name: submission_file_name_only
Column Type: varchar
Max Length: 50

Column Name: user_row_access_code
Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: frwd_to_pharmacy
Column Type: varchar

Max Length: 50

Column Name: resolved

Column Type: varchar

Max Length: 50

Column Name: pharmacy_response_code

Column Type: varchar

Max Length: 50

Column Name: pharmacy_response_value

Column Type: varchar

Max Length: 50

Column Name: fill_number

Column Type: varchar

Max Length: 50

Column Name: fill_number_true

Column Type: varchar

Max Length: 50

Column Name: sub_clarification_codes

Column Type: varchar

Max Length: 50

Column Name: sub_clarification_values

Column Type: varchar

Max Length: 1024

Column Name: cob1_payer_coverage_type

Column Type: varchar

Max Length: 50

Column Name: cob1_payer_BIN

Column Type: varchar

Max Length: 50

Column Name: cob1_payer_PCN

Column Type: varchar

Max Length: 50

Column Name: cob1_payer_card_id

Column Type: varchar

Max Length: 50

Column Name: cob1_payer_group

Column Type: varchar

Max Length: 50

Column Name: cob1_payer_person_code

Column Type: varchar

Max Length: 50

Column Name: cob1_payer_help_number

Column Type: varchar

Max Length: 50

Column Name: cob1_payer_rel_code

Column Type: varchar

Max Length: 50

Column Name: cob1_payer_eff_date

Column Type: varchar

Max Length: 50

Column Name: cob1_payer_term_date

Column Type: varchar

Max Length: 50

Column Name: cob1_payer_name

Column Type: varchar

Max Length: 50

Column Name: cob2_payer_coverage_type

Column Type: varchar

Max Length: 50

Column Name: cob2_payer_BIN

Column Type: varchar

Max Length: 50

Column Name: cob2_payer_PCN

Column Type: varchar

Max Length: 50

Column Name: cob2_payer_card_id

Column Type: varchar

Max Length: 50

Column Name: cob2_payer_group

Column Type: varchar

Max Length: 50

Column Name: cob2_payer_person_code

Column Type: varchar

Max Length: 50

Column Name: cob2_payer_help_number

Column Type: varchar

Max Length: 50

Column Name: cob2_payer_rel_code

Column Type: varchar

Max Length: 50

Column Name: cob2_payer_eff_date

Column Type: varchar

Max Length: 50

Column Name: cob2_payer_term_date

Column Type: varchar

Max Length: 50

Column Name: cob2_payer_name

Column Type: varchar

Max Length: 50

Column Name: cob3_payer_coverage_type

Column Type: varchar

Max Length: 50

Column Name: cob3_payer_BIN

Column Type: varchar

Max Length: 50

Column Name: cob3_payer_PCN

Column Type: varchar

Max Length: 50

Column Name: cob3_payer_card_id

Column Type: varchar

Max Length: 50

Column Name: cob3_payer_group

Column Type: varchar

Max Length: 50

Column Name: cob3_payer_person_code

Column Type: varchar

Max Length: 50

Column Name: cob3_payer_help_number

Column Type: varchar

Max Length: 50

Column Name: cob3_payer_rel_code

Column Type: varchar

Max Length: 50

Column Name: cob3_payer_eff_date

Column Type: varchar

Max Length: 50

Column Name: cob3_payer_term_date

Column Type: varchar

Max Length: 50

Column Name: cob3_payer_name

Column Type: varchar

Max Length: 50

Documentation for form: Electronic_Billing

Table Name: SYSTEM.billing_837_d_errors

Table Description: Electronic Billing 837 Dental Errors

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: EPISODE_NUMBER

Column Type: varchar

Max Length: 50

Episode Number

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 50

Guarantor ID

Column Name: batch_number

Column Type: varchar

Max Length: 50

Batch Number

Column Name: bill_type_code

Column Type: varchar

Max Length: 1

Billing Type Code

Column Name: bill_type_value

Column Type: varchar

Max Length: 12

The description associated with the bill_type_code. See bill_type_code for more information.

Column Name: client_interimb_code
Column Type: varchar
Max Length: 1
Client / Interim Batch Code

Column Name: client_interimb_value
Column Type: varchar
Max Length: 50
The description associated with the client_interimb_code. See client_interimb_code for more information.

Column Name: consolid_hcfa_sort
Column Type: varchar
Max Length: 1
Service Consolid HCFA Sort

Column Name: create_claims_code
Column Type: varchar
Max Length: 1
Create Claims

Column Name: create_claims_value
Column Type: varchar
Max Length: 5
The description associated with the create_claims_code. See create_claims_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data Entry User ID

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
Data Entry User Name

Column Name: date_of_claim
Column Type: date
Date of Claim

Column Name: error_index
Column Type: integer
Error Index

Column Name: error_message
Column Type: varchar
Max Length: 256
Error Message

Column Name: file_description
Column Type: varchar
Max Length: 50
File Description

Column Name: file_index
Column Type: varchar
Max Length: 10
File Index

Column Name: file_status
Column Type: varchar
Max Length: 50
File Status

Column Name: financial_class_code
Column Type: varchar
Max Length: 50
Financial Class Code

Column Name: financial_class_value
Column Type: varchar
Max Length: 50
The description associated with the financial_class_code. See financial_class_code for more information.

Column Name: first_date_of_service
Column Type: date
First Date Of Service

Column Name: guarantor_name
Column Type: varchar
Max Length: 50

The Guarantor name associated with the GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: last_date_of_service
Column Type: date
Last Date Of Service

Column Name: medical_diag_sort
Column Type: varchar
Max Length: 1
Medical Diagnosis Sort

Column Name: patient_name
Column Type: varchar
Max Length: 100
Client Name

Column Name: priority
Column Type: integer
Priority

Column Name: program_code
Column Type: varchar
Max Length: 50
Program

Column Name: program_value
Column Type: varchar
Max Length: 50
The description associated with the program_code. See program_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: version
Column Type: varchar
Max Length: 50
Version

Documentation for form: Electronic_Billing

Table Name: SYSTEM.billing_837_d_rpt_header

Table Description: This table will return information regarding the status of an 837 Dental compile. Information regarding the compile criteria (selections in the Electronic Billing form) will also be returned.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the 837 was compiled.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
The ID of the Guarantor/Payor being billed.

Column Name: batch_number
Column Type: varchar
Max Length: 50
'Interim Batch Number'

Column Name: bill_type_code
Column Type: varchar
Max Length: 1
'Billing Type'. "I" for Inpatient or "O" for Outpatient.

Column Name: bill_type_value
Column Type: varchar
Max Length: 12
The description for the associated bill_type_code. See bill_type_code for more information.

Column Name: client_interimb_code
Column Type: varchar
Max Length: 1
'All Clients or Interim Billing Batch'. "A" for All Clients or "I" for Interim Batch.

Column Name: client_interimb_value
Column Type: varchar
Max Length: 50
The description for the associated client_interimb_code. See client_interimb_code for more information.

Column Name: consolid_hcfa_sort
Column Type: varchar
Max Length: 1
"Y" if "Service Consolidation" was selected in 'HCFA-1500/837-P Billing Options'.

Column Name: create_claims_code
Column Type: varchar
Max Length: 1
'Create Claims'

Column Name: create_claims_value

Column Type: varchar

Max Length: 5

The description for the associated create_claims_code. See create_claims_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' of the user which last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Column Name: date_of_claim

Column Type: date

'Date Of Claim'

Column Name: file_description

Column Type: varchar

Max Length: 50

'File Description'

Column Name: file_index

Column Type: varchar

Max Length: 10

The unique id associated with the 837 compile file. Will be the Julian date of the date entered in the "Last Date Of Service To Include", followed by a period and a counter starting at 001.

Column Name: file_reissued

Column Type: varchar
Max Length: 50
Will indicate if a file has be re-issued after the original compile.

Column Name: file_status
Column Type: varchar
Max Length: 50
The status of the file.

Column Name: financial_class_code
Column Type: varchar
Max Length: 50
'Type of Bill'

Column Name: financial_class_value
Column Type: varchar
Max Length: 50
The description for the financial_class_code. See financial_class_code for more information.

Column Name: first_date_of_service
Column Type: date
'First Date Of Service To Include'

Column Name: guarantor_name
Column Type: varchar
Max Length: 50
The description for the GUARANTOR_ID. Will be the value entered in the field 'Guarantor Name For Alpha Lookup' of the Guarantors/Payors form.

Column Name: ind_all_guarantor_code
Column Type: varchar
Max Length: 1
'Individual Or All Guarantors'

Column Name: ind_all_guarantor_value
Column Type: varchar
Max Length: 50
The description for the ind_all_guarantor_code. See ind_all_guarantor_code for more information.

Column Name: last_date_of_service
Column Type: date
'Last Date Of Service To Include'

Column Name: medical_diag_sort
Column Type: varchar
Max Length: 1
"Y" if "Medical Diagnosis" was selected during the 837 compile, otherwise "N". If selected, the 837 will only include services with a valid medical diagnosis on file for the Client or service.

Column Name: priority01_errors

Column Type: varchar
Max Length: 50
Priority 1 errors.

Column Name: priority02_errors
Column Type: varchar
Max Length: 50
Priority 2 errors.

Column Name: priority03_errors
Column Type: varchar
Max Length: 50
Priority 3 errors.

Column Name: priority04_errors
Column Type: varchar
Max Length: 50
Priority 4 errors.

Column Name: priority05_errors
Column Type: varchar
Max Length: 50
Priority 5 errors.

Column Name: quick_billing_batch
Column Type: integer
The quick billing batch number information if the 837 compile was created based on quick billing rule

Column Name: quick_billing_group_id
Column Type: integer
Quick bill group associated with the 837 compile. This would be the ID column in the
SYSTEM.table_quick_bill_rule_group table.

Column Name: submission_data
Column Type: varchar
Max Length: 50
Will indicate whether there was valid data to be submitted.

Column Name: version
Column Type: varchar
Max Length: 50
Will return the billing form "837D" followed by the HIPAA transaction version "v5010".

Documentation for form: Electronic_Billing

Table Name: SYSTEM.billing_837_i_report

Table Description: This table is used to build the 837 Institutional compile report.

Column Name: FACILITY
Column Type: integer

Column Name: version
Column Type: varchar
Max Length: 50

Column Name: medical_diag_sort
Column Type: varchar
Max Length: 1

Column Name: consolid_hcfa_sort
Column Type: varchar
Max Length: 1

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: xx_index
Column Type: varchar
Max Length: 50

Column Name: counter
Column Type: varchar
Max Length: 50

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: patient_name
Column Type: varchar
Max Length: 120

Column Name: patient_sex_code
Column Type: varchar
Max Length: 50

Column Name: patient_sex_value
Column Type: varchar
Max Length: 50

Column Name: date_of_birth
Column Type: date

Column Name: date_of_service
Column Type: varchar
Max Length: 50

Column Name: subs_policy
Column Type: varchar
Max Length: 50

Column Name: revenue_code
Column Type: varchar
Max Length: 50

Column Name: revenue_code_value
Column Type: varchar
Max Length: 50

Column Name: fee
Column Type: numeric

Column Name: units_of_service
Column Type: numeric

Column Name: full_charge
Column Type: numeric

Column Name: bill_type_code
Column Type: varchar
Max Length: 2

Column Name: bill_type_value
Column Type: varchar
Max Length: 12

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50

Column Name: guarantor_name
Column Type: varchar
Max Length: 50

Column Name: date_of_service_begin
Column Type: date

Column Name: date_of_service_end
Column Type: date

Column Name: be_value_code_amount_1
Column Type: varchar
Max Length: 50

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 40

Column Name: prior_auth_num_2300_ref02
Column Type: varchar
Max Length: 50

Column Name: facility_chart_number
Column Type: varchar
Max Length: 50

Column Name: att_phys_id_2420a_nm109
Column Type: varchar
Max Length: 80

Column Name: pat_stat_2300_cl103_code

Column Type: varchar
Max Length: 50

Column Name: pat_stat_2300_cl103_value
Column Type: varchar
Max Length: 50

Column Name: princ_diagnosis_2300_hi01
Column Type: varchar
Max Length: 50

Column Name: charge_amount_2400_sv203
Column Type: numeric

Column Name: paid_amount_2430_svd02
Column Type: numeric

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Electronic_Billing

Table Name: SYSTEM.billing_837_i_rpt_header

Table Description: This table will return information regarding the status of an 837 Institutional compile. Information regarding the compile criteria (selections in the Electronic Billing form) will also be returned.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the 837 was compiled.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50

The ID of the Guarantor/Payor being billed.

Column Name: batch_number

Column Type: varchar

Max Length: 50

'Interim Batch Number'

Column Name: bill_type_code

Column Type: varchar

Max Length: 1

'Billing Type'. "I" for Inpatient or "O" for Outpatient.

Column Name: bill_type_value

Column Type: varchar

Max Length: 12

The description for the associated bill_type_code. See bill_type_code for more information.

Column Name: client_interimb_code

Column Type: varchar

Max Length: 1

'All Clients or Interim Billing Batch'. "A" for All Clients or "I" for Interim Batch.

Column Name: client_interimb_value

Column Type: varchar

Max Length: 50

The description for the associated client_interimb_code. See client_interimb_code for more information.

Column Name: consolid_hcfa_sort

Column Type: varchar

Max Length: 1

"Y" if "Service Consolidation" was selected in 'HCFA-1500/837-P Billing Options'.

Column Name: create_claims_code

Column Type: varchar

Max Length: 1

'Create Claims'

Column Name: create_claims_value

Column Type: varchar

Max Length: 5

The description for the associated create_claims_code. See create_claims_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' of the user which last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Column Name: date_of_claim

Column Type: date

'Date Of Claim'

Column Name: file_description

Column Type: varchar

Max Length: 50

'File Description'

Column Name: file_index

Column Type: varchar

Max Length: 10

The unique id associated with the 837 compile file. Will be the Julian date of the date entered in the "Last Date Of Service To Include", followed by a period and a counter starting at 001.

Column Name: file_reissued

Column Type: varchar

Max Length: 50

Will indicate if a file has be re-issued after the original compile.

Column Name: file_status

Column Type: varchar

Max Length: 50

The status of the file.

Column Name: financial_class_code

Column Type: varchar

Max Length: 50

'Type of Bill'

Column Name: financial_class_value

Column Type: varchar

Max Length: 50

The description for the financial_class_code. See financial_class_code for more information.

Column Name: first_date_of_service

Column Type: date

'First Date Of Service To Include'

Column Name: guarantor_name

Column Type: varchar

Max Length: 50

The description for the GUARANTOR_ID. Will be the value entered in the field 'Guarantor Name For Alpha Lookup' of the Guarantors/Payers form.

Column Name: ind_all_guarantor_code

Column Type: varchar

Max Length: 1

'Individual Or All Guarantors'

Column Name: ind_all_guarantor_value

Column Type: varchar

Max Length: 50

The description for the ind_all_guarantor_code. See ind_all_guarantor_code for more information.

Column Name: last_date_of_service

Column Type: date

'Last Date Of Service To Include'

Column Name: medical_diag_sort

Column Type: varchar

Max Length: 1

"Y" if "Medical Diagnosis" was selected during the 837 compile, otherwise "N". If selected, the 837 will only include services with a valid medical diagnosis on file for the Client or service.

Column Name: priority01_errors

Column Type: varchar

Max Length: 50

Priority 1 errors.

Column Name: priority02_errors

Column Type: varchar

Max Length: 50

Priority 2 errors.

Column Name: priority03_errors

Column Type: varchar

Max Length: 50

Priority 3 errors.

Column Name: priority04_errors
Column Type: varchar
Max Length: 50
Priority 4 errors.

Column Name: priority05_errors
Column Type: varchar
Max Length: 50
Priority 5 errors.

Column Name: quick_billing_batch
Column Type: integer
The quick billing batch number information if the 837 compile was created based on quick billing rule

Column Name: quick_billing_group_id
Column Type: integer
Quick bill group associated with the 837 compile. This would be the ID column in the SYSTEM.table_quick_bill_rule_group table.

Column Name: submission_data
Column Type: varchar
Max Length: 50
Will indicate whether there was valid data to be submitted.

Column Name: version
Column Type: varchar
Max Length: 50
Will return the billing form "837I" followed by the HIPAA transaction version "v5010".

Documentation for form: Electronic_Billing

Table Name: SYSTEM.billing_837_p_file

Table Description: This table will return each segment created during an 837 compile. Information regarding the compile criteria (selections in the Electronic Billing form) will also be returned.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the 837 was compiled.

Column Name: batch_number

Column Type: varchar

Max Length: 50

The ID of the batch, created in the 'Create Interim Billing Batch' form, for which the 837 was compiled. Will be empty if "All Clients" was selected in 'All Clients or Interim Billing Batch'.

Column Name: bill_type_code

Column Type: varchar

Max Length: 1

The code for the selection in the 'Billing Type' field of the Electronic Billing form during the 837 compile. "I" for Inpatient or "O" for Outpatient.

Column Name: bill_type_value

Column Type: varchar

Max Length: 12

The description associated with bill_type_code. See bill_type_code for more information.

Column Name: client_interimb_code

Column Type: varchar

Max Length: 1

The code for the selection in the field 'All Clients or Interim Billing Batch' of the Electronic Billing form during the 837 compile. "A" for All Clients or "I" for Interim Batch.

Column Name: client_interimb_value

Column Type: varchar

Max Length: 50

The description associated with client_interimb_code. See client_interimb_code for more information.

Column Name: consolid_hcfa_sort

Column Type: varchar

Max Length: 1

Will be "Y" if "Service Consolidation" was selected in 'HCFA-1500/837-P Billing Options'.

Column Name: create_claims_code

Column Type: varchar

Max Length: 1

The code for the selection in the field 'Create Claims' of the Electronic Billing form during the 837 compile. "Y" if claims were created, otherwise "N".

Column Name: create_claims_value

Column Type: varchar

Max Length: 5

The description associated with create_claims_code. See create_claims_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' of the user which last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: date_of_claim
Column Type: date
The date entered in the 'Date of Claim' field when the 837 was compiled. Will be empty if "No" was selected in 'Create Claims'.

Column Name: file_description
Column Type: varchar
Max Length: 50
'File Description/Name'

Column Name: file_index
Column Type: varchar
Max Length: 10
The unique id associated with the 837 compile file. Will be the Julian date of the date entered in the "Last Date Of Service To Include", followed by a period and a counter starting at 001.

Column Name: file_status
Column Type: varchar
Max Length: 50
Will return whether the file was "COMPILED" or "DELETED".

Column Name: financial_class_code
Column Type: varchar
Max Length: 50
The code for the financial class selected in 'Type of Bill'.

Column Name: financial_class_value
Column Type: varchar

Max Length: 50

The description associated with financial_class_code. See financial_class_code for more information.

Column Name: first_date_of_service

Column Type: date

The date entered in the field 'First Date Of Service To Include' of the Electronic Billing form when the 837 was compiled. The compile will exclude any services prior to this date. Rebills are an exception, the 'First Date Of Service To Include' will not be evaluated.

Column Name: guarantor_id

Column Type: varchar

Max Length: 50

The ID of the Guarantor/Payor selected in the field 'Guarantor' of the Electronic Billing form. Will return an empty value if "All" was selected in the field 'Individual or All Guarantors'.

Column Name: ind_all_guarantor_code

Column Type: varchar

Max Length: 1

Returns whether the 837 file was compiled for "A": All Guarantors, or "I": an Individual Guarantor. The selection in 'Individual or All Guarantors'.

Column Name: ind_all_guarantor_value

Column Type: varchar

Max Length: 50

The description associated with ind_all_guarantor_code. See ind_all_guarantor_code for more information.

Column Name: last_date_of_service

Column Type: date

The date entered in the field 'Last Date Of Service To Include' of the Electronic Billing form when compiling the 837. The compile will exclude any services after this date. Rebills are an exception, the 'Last Date Of Service To Include' will not be evaluated.

Column Name: medical_diag_sort

Column Type: varchar

Max Length: 1

"Y" if "Medical Diagnosis" was selected during the 837 compile, otherwise "N". If selected, the 837 will only include services with a valid medical diagnosis on file for the Client or service.

Column Name: segment

Column Type: varchar

Max Length: 80

Will return the full segment from the 837 compile file based on the file_index and segment_counter.

Column Name: segment_counter

Column Type: integer

A counter for each segment within the 837 compile file. Will reset for each xx_index or file_index.

Column Name: version

Column Type: varchar

Max Length: 50

Will return the billing form, "837I" or "837P", followed by the HIPAA transaction version "v5010".

Column Name: xx_index

Column Type: varchar

Max Length: 20

"The guarantor index within the 837 compile. The guarantor index is the GUARANTOR_ID followed by
"".0000001""."

Documentation for form: Electronic_Billing

Table Name: SYSTEM.billing_837_p_report

Table Description: This table is used to build the 837 Professional compile report.

Column Name: bill_type_code

Column Type: varchar

Max Length: 2

Column Name: bill_type_value

Column Type: varchar

Max Length: 12

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 40

Column Name: consolid_hcfa_sort

Column Type: varchar

Max Length: 1

Column Name: counter

Column Type: varchar

Max Length: 50

Column Name: date_of_birth

Column Type: date

Column Name: date_of_service

Column Type: varchar

Max Length: 50

Column Name: date_of_service_begin
Column Type: date

Column Name: date_of_service_end
Column Type: date

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: full_charge
Column Type: numeric

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50

Column Name: guarantor_name
Column Type: varchar
Max Length: 50

Column Name: hcpcs_code
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40

Column Name: medical_diag_sort
Column Type: varchar
Max Length: 1

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: patient_name
Column Type: varchar
Max Length: 120

Column Name: patient_sex_code
Column Type: varchar
Max Length: 50

Column Name: patient_sex_value
Column Type: varchar
Max Length: 50

Column Name: place_of_service_code
Column Type: varchar
Max Length: 50

Column Name: princ_diagnosis_2300_hi01
Column Type: varchar
Max Length: 50

Column Name: service_code
Column Type: varchar
Max Length: 20

Column Name: service_code_description
Column Type: varchar
Max Length: 40

Column Name: subs_policy
Column Type: varchar
Max Length: 50

Column Name: svc_code_cpt4_hcpcs_mod
Column Type: varchar
Max Length: 50

Column Name: units_of_service
Column Type: numeric

Column Name: version
Column Type: varchar
Max Length: 50

Column Name: xx_index
Column Type: varchar
Max Length: 50

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: ID
Column Type: varchar
Max Length: 254

Documentation for form: Electronic_Billing

Table Name: SYSTEM.billing_837_p_report_header

Table Description: This table will return information regarding the status of an 837 Professional compile. Information regarding the compile criteria (selections in the Electronic Billing form) will also be returned.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the 837 was compiled.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
The ID of the Guarantor/Payor being billed.

Column Name: batch_number

Column Type: varchar
Max Length: 50
'Interim Batch Number'

Column Name: bill_type_code
Column Type: varchar
Max Length: 1
'Billing Type'. "I" for Inpatient or "O" for Outpatient.

Column Name: bill_type_value
Column Type: varchar
Max Length: 12
The description for the associated bill_type_code. See bill_type_code for more information.

Column Name: client_interimb_code
Column Type: varchar
Max Length: 1
'All Clients or Interim Billing Batch'. "A" for All Clients or "I" for Interim Batch.

Column Name: client_interimb_value
Column Type: varchar
Max Length: 50
The description for the associated client_interimb_code. See client_interimb_code for more information.

Column Name: consolid_hcfa_sort
Column Type: varchar
Max Length: 1
"Y" if "Service Consolidation" was selected in 'HCFA-1500/837-P Billing Options'.

Column Name: create_claims_code
Column Type: varchar
Max Length: 1
'Create Claims'

Column Name: create_claims_value
Column Type: varchar
Max Length: 5
The description for the associated create_claims_code. See create_claims_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_date

Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' of the user which last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: date_of_claim
Column Type: date
'Date Of Claim'

Column Name: file_description
Column Type: varchar
Max Length: 50
'File Description'

Column Name: file_index
Column Type: varchar
Max Length: 10
The unique id associated with the 837 compile file. Will be the Julian date of the date entered in the "Last Date Of Service To Include", followed by a period and a counter starting at 001.

Column Name: file_reissued
Column Type: varchar
Max Length: 50
Will indicate if a file has be re-issued after the original compile.

Column Name: file_status
Column Type: varchar
Max Length: 50
The status of the file.

Column Name: financial_class_code
Column Type: varchar
Max Length: 50
'Type of Bill'

Column Name: financial_class_value
Column Type: varchar

Max Length: 50

The description for the financial_class_code. See financial_class_code for more information.

Column Name: first_date_of_service

Column Type: date

'First Date Of Service To Include'

Column Name: guarantor_name

Column Type: varchar

Max Length: 50

The description for the GUARANTOR_ID. Will be the value entered in the field 'Guarantor Name For Alpha Lookup' of the Guarantors/Payers form.

Column Name: ind_all_guarantor_code

Column Type: varchar

Max Length: 1

'Individual Or All Guarantors'

Column Name: ind_all_guarantor_value

Column Type: varchar

Max Length: 50

The description for the ind_all_guarantor_code. See ind_all_guarantor_code for more information.

Column Name: last_date_of_service

Column Type: date

'Last Date Of Service To Include'

Column Name: medical_diag_sort

Column Type: varchar

Max Length: 1

"Y" if "Medical Diagnosis" was selected during the 837 compile, otherwise "N". If selected, the 837 will only include services with a valid medical diagnosis on file for the Client or service.

Column Name: priority01_errors

Column Type: varchar

Max Length: 50

Priority 1 errors.

Column Name: priority02_errors

Column Type: varchar

Max Length: 50

Priority 2 errors.

Column Name: priority03_errors

Column Type: varchar

Max Length: 50

Priority 3 errors.

Column Name: priority04_errors

Column Type: varchar

Max Length: 50
Priority 4 errors.

Column Name: priority05_errors
Column Type: varchar
Max Length: 50
Priority 5 errors.

Column Name: quick_billing_batch
Column Type: integer
The quick billing batch number information if the 837 compile was created based on quick billing rule

Column Name: quick_billing_group_id
Column Type: integer
Quick bill group associated with the 837 compile. This would be the ID column in the SYSTEM.table_quick_bill_rule_group table.

Column Name: submission_data
Column Type: varchar
Max Length: 50
Will indicate whether there was valid data to be submitted.

Column Name: version
Column Type: varchar
Max Length: 50
Will return the billing form "837P" followed by the HIPAA transaction version "v5010".

Documentation for form: Electronic_Billing

Table Name: SYSTEM.billing_837d_4010_errors

Table Description: Electronic Billing 837 Dental Version 4010 Errors

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: EPISODE_NUMBER
Column Type: varchar
Max Length: 50
Episode Number

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
Guarantor ID

Column Name: batch_number
Column Type: varchar
Max Length: 50
Batch Number

Column Name: bill_type_code
Column Type: varchar
Max Length: 1
Billing Type Code

Column Name: bill_type_value
Column Type: varchar
Max Length: 12
The description associated with the bill_type_code. See bill_type_code for more information.

Column Name: client_interimb_code
Column Type: varchar
Max Length: 1
Client / Interim Batch Code

Column Name: client_interimb_value
Column Type: varchar
Max Length: 50
The description associated with the client_interimb_code. See client_interimb_code for more information.

Column Name: consolid_hcfa_sort
Column Type: varchar
Max Length: 1
Service Consolid HCFA Sort

Column Name: create_claims_code
Column Type: varchar
Max Length: 1
Create Claims

Column Name: create_claims_value
Column Type: varchar
Max Length: 5
The description associated with the create_claims_code. See create_claims_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data Entry User ID

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
Data Entry User Name

Column Name: date_of_claim
Column Type: date
Date of Claim

Column Name: error_index
Column Type: integer
Error Index

Column Name: error_message
Column Type: varchar
Max Length: 256
Error Message

Column Name: file_description
Column Type: varchar
Max Length: 50
File Description

Column Name: file_index
Column Type: varchar
Max Length: 10

File Index

Column Name: file_status

Column Type: varchar

Max Length: 50

File Status

Column Name: financial_class_code

Column Type: varchar

Max Length: 50

Financial Class Code

Column Name: financial_class_value

Column Type: varchar

Max Length: 50

The description associated with the financial_class_code. See financial_class_code for more information.

Column Name: first_date_of_service

Column Type: date

First Date Of Service

Column Name: guarantor_name

Column Type: varchar

Max Length: 50

The Guarantor name associated with the GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: last_date_of_service

Column Type: date

Last Date Of Service

Column Name: medical_diag_sort

Column Type: varchar

Max Length: 1

Medical Diagnosis Sort

Column Name: patient_name

Column Type: varchar

Max Length: 100

Client Name

Column Name: priority

Column Type: integer

Priority

Column Name: program_code

Column Type: varchar

Max Length: 50

Program

Column Name: program_value

Column Type: varchar

Max Length: 50

The description associated with the program_code. See program_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: version

Column Type: varchar

Max Length: 50

Version

Documentation for form: Electronic_Billing

Table Name: SYSTEM.billing_837i_4010_errors

Table Description: Electronic Billing 837 Institutional Version 4010 Errors

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: varchar

Max Length: 50

Episode Number

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 50

Guarantor ID

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: batch_number
Column Type: varchar
Max Length: 50
Batch Number

Column Name: bill_type_code
Column Type: varchar
Max Length: 1
Billing Type Code

Column Name: bill_type_value
Column Type: varchar
Max Length: 12
The description associated with the bill_type_code. See bill_type_code for more information.

Column Name: client_interimb_code
Column Type: varchar
Max Length: 1
Client / Interim Batch Code

Column Name: client_interimb_value
Column Type: varchar
Max Length: 50
The description associated with the client_interimb_code. See client_interimb_code for more information.

Column Name: consolid_hcfa_sort
Column Type: varchar
Max Length: 1
Service Consolid HCFA Sort

Column Name: create_claims_code
Column Type: varchar
Max Length: 1
Create Claims

Column Name: create_claims_value
Column Type: varchar
Max Length: 5
The description associated with the create_claims_code. See create_claims_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data Entry User ID

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
Data Entry User Name

Column Name: date_of_claim
Column Type: date
Date of Claim

Column Name: error_index
Column Type: integer
Error Index

Column Name: error_message
Column Type: varchar
Max Length: 256
Error Message

Column Name: file_description
Column Type: varchar
Max Length: 50
File Description

Column Name: file_index
Column Type: varchar
Max Length: 10
File Index

Column Name: file_status
Column Type: varchar
Max Length: 50
File Status

Column Name: financial_class_code
Column Type: varchar
Max Length: 50

Financial Class Code

Column Name: financial_class_value

Column Type: varchar

Max Length: 50

The description associated with the financial_class_code. See financial_class_code for more information.

Column Name: first_date_of_service

Column Type: date

First Date Of Service

Column Name: guarantor_name

Column Type: varchar

Max Length: 50

The Guarantor name associated with the GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: last_date_of_service

Column Type: date

Last Date Of Service

Column Name: medical_diag_sort

Column Type: varchar

Max Length: 1

Medical Diagnosis Sort

Column Name: patient_name

Column Type: varchar

Max Length: 100

Client Name

Column Name: priority

Column Type: integer

Priority

Column Name: program_code

Column Type: varchar

Max Length: 50

Program

Column Name: program_value

Column Type: varchar

Max Length: 50

The description associated with the program_code. See program_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: version
Column Type: varchar
Max Length: 50
Version

Documentation for form: Electronic_Billing

Table Name: SYSTEM.billing_837p_4010_errors

Table Description: Electronic Billing 837 Professional Version 4010 Errors

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: EPISODE_NUMBER
Column Type: varchar
Max Length: 50
Episode Number

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
Guarantor ID

Column Name: batch_number
Column Type: varchar
Max Length: 50
Batch Number

Column Name: bill_type_code
Column Type: varchar
Max Length: 1
Billing Type Code

Column Name: bill_type_value
Column Type: varchar
Max Length: 12

The description associated with the bill_type_code. See bill_type_code for more information.

Column Name: client_interimb_code
Column Type: varchar
Max Length: 1
Client / Interim Batch Code

Column Name: client_interimb_value
Column Type: varchar
Max Length: 50
The description associated with the client_interimb_code. See client_interimb_code for more information.

Column Name: consolid_hcfa_sort
Column Type: varchar
Max Length: 1
Service Consolid HCFA Sort

Column Name: create_claims_code
Column Type: varchar
Max Length: 1
Create Claims

Column Name: create_claims_value
Column Type: varchar
Max Length: 5
The description associated with the create_claims_code. See create_claims_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data Entry User ID

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
Data Entry User Name

Column Name: date_of_claim
Column Type: date
Date of Claim

Column Name: error_index
Column Type: integer
Error Index

Column Name: error_message
Column Type: varchar
Max Length: 256
Error Message

Column Name: file_description
Column Type: varchar
Max Length: 50
File Description

Column Name: file_index
Column Type: varchar
Max Length: 10
File Index

Column Name: file_status
Column Type: varchar
Max Length: 50
File Status

Column Name: financial_class_code
Column Type: varchar
Max Length: 50
Financial Class Code

Column Name: financial_class_value
Column Type: varchar
Max Length: 50
The description associated with the financial_class_code. See financial_class_code for more information.

Column Name: first_date_of_service
Column Type: date
First Date Of Service

Column Name: guarantor_name
Column Type: varchar

Max Length: 50

The Guarantor name associated with the GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: last_date_of_service

Column Type: date

Last Date Of Service

Column Name: medical_diag_sort

Column Type: varchar

Max Length: 1

Medical Diagnosis Sort

Column Name: patient_name

Column Type: varchar

Max Length: 100

Client Name

Column Name: priority

Column Type: integer

Priority

Column Name: program_code

Column Type: varchar

Max Length: 50

Program

Column Name: program_value

Column Type: varchar

Max Length: 50

The description associated with the program_code. See program_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: version

Column Type: varchar

Max Length: 50

Version

Documentation for form: Electronic_Billing

Table Name: SYSTEM.billing_claim_history_tx_detail

Table Description: This table returns all services that currently have a claim number.

Column Name: billing_claim_history_tx_detail
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the claim was created.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the claim was created.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number of the client ID for which the service is claimed.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The ID of the guarantor for which the claim was created.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 25
The claim number assigned to the client's service.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar
Max Length: 10
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: claim_date
Column Type: date
The date the claim was created.

Column Name: claim_submitter_id
Column Type: varchar
Max Length: 40
'Claim submitter ID'

Column Name: clm_sub_reas_code

Column Type: varchar

Max Length: 2

The value in Loop 2300, Segment CLM-05-3 of the 837 for the claim. Will be "1" for an Original claim, or the code for 'Claim Submission Reason Code' in the 'Electronic Re-Billing Service Assignment' form for re-bills.

Column Name: clm_sub_reas_value

Column Type: varchar

Max Length: 50

The description associated with clm_sub_reas_code. See clm_sub_reas_code for more information.

Column Name: date_of_claim

Column Type: varchar

Max Length: 15

The date entered in 'Date of Claim' when the claim was created.

Column Name: fac_code_qua

Column Type: varchar

Max Length: 2

Will be "A" for an 837 Institutional, and "B" for an 837 Professional 5010.

Column Name: fac_type_code

Column Type: varchar

Max Length: 2

The 'Place of Service' extended dictionary for the 'Location' dictionary value.

Column Name: fac_type_value

Column Type: varchar

Max Length: 50

The description associated with fac_type_code. See fac_type_code for more information.

Column Name: first_service_of_claim

Column Type: date

The date for the client ID's first service included in the claim.

Column Name: last_service_of_claim

Column Type: date

The date for the client ID's last service included in the claim.

Column Name: line_item_cont_num

Column Type: varchar

Max Length: 50

The line item count.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

The flag for a rebill of the claim.

Column Name: total_claim_liability

Column Type: numeric

The sum of all charges included in the claim. Will be equal to 'total_bill_amount' from the 'billing_claim_history' table.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Electronic_Billing

Table Name: SYSTEM.billing_med_d_file

Table Description: Electronic Billing - NCPDP claims

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: BIN_NUM

Column Type: varchar

Max Length: 50

Column Name: CLAIM_NUM

Column Type: integer

Column Name: EPISODE_NUMBER

Column Type: integer

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 20

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PLAN_ID
Column Type: varchar
Max Length: 20

Column Name: PROCESS_CONTROL_NUM
Column Type: varchar
Max Length: 20

Column Name: auth_num
Column Type: varchar
Max Length: 50

Column Name: cardholder_first_name
Column Type: varchar
Max Length: 50

Column Name: cardholder_id
Column Type: varchar
Max Length: 50

Column Name: cardholder_last_name
Column Type: varchar
Max Length: 50

Column Name: claim_ref_number
Column Type: varchar
Max Length: 50

Column Name: compound_code
Column Type: varchar
Max Length: 50

Column Name: compound_value
Column Type: varchar
Max Length: 50

Column Name: customary_charge
Column Type: numeric

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50

Column Name: date_of_birth
Column Type: date

Column Name: date_of_prescription
Column Type: date

Column Name: date_of_service
Column Type: date

Column Name: days_supply
Column Type: numeric

Column Name: diagnosis_code

Column Type: varchar
Max Length: 50

Column Name: diagnosis_value
Column Type: varchar
Max Length: 256

Column Name: dispensing_fee
Column Type: numeric

Column Name: employer_address_city
Column Type: varchar
Max Length: 50

Column Name: employer_address_state
Column Type: varchar
Max Length: 50

Column Name: employer_address_street
Column Type: varchar
Max Length: 50

Column Name: employer_address_zip
Column Type: varchar
Max Length: 50

Column Name: employer_name
Column Type: varchar
Max Length: 50

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: full_charge
Column Type: numeric

Column Name: gross_amount_due
Column Type: numeric

Column Name: group_id
Column Type: varchar
Max Length: 50

Column Name: guarantor_name
Column Type: varchar
Max Length: 50

Column Name: hcpcs_code
Column Type: varchar
Max Length: 50

Column Name: ingredient_cost
Column Type: numeric

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: patient_address_city
Column Type: varchar
Max Length: 50

Column Name: patient_address_state
Column Type: varchar
Max Length: 50

Column Name: patient_address_street
Column Type: varchar
Max Length: 50

Column Name: patient_address_zip
Column Type: varchar
Max Length: 50

Column Name: patient_first_name
Column Type: varchar
Max Length: 50

Column Name: patient_gender_code
Column Type: varchar
Max Length: 50

Column Name: patient_gender_value
Column Type: varchar
Max Length: 50

Column Name: patient_last_name
Column Type: varchar
Max Length: 50

Column Name: patient_paid_amount
Column Type: numeric

Column Name: patient_pay_amount
Column Type: numeric

Column Name: patient_phone_num
Column Type: varchar
Max Length: 50

Column Name: patient_relate_code
Column Type: varchar
Max Length: 50

Column Name: patient_relate_value
Column Type: varchar
Max Length: 50

Column Name: patient_ssn
Column Type: varchar
Max Length: 15

Column Name: pregnancy_code
Column Type: varchar

Max Length: 50

Column Name: pregnancy_value

Column Type: varchar

Max Length: 50

Column Name: place_of_service_code

Column Type: varchar

Max Length: 50

Column Name: prescriber_last_name

Column Type: varchar

Max Length: 50

Column Name: prescriber_id

Column Type: varchar

Max Length: 50

Column Name: prescriber_id_qual_code

Column Type: varchar

Max Length: 50

Column Name: prescription_num

Column Type: varchar

Max Length: 50

Column Name: prescription_num_true

Column Type: varchar

Max Length: 50

Column Name: misc_order_data

Column Type: varchar

Max Length: 512

Column Name: primary_care_provider_id

Column Type: varchar

Max Length: 50

Column Name: product_id

Column Type: varchar

Max Length: 50

Column Name: product_id_qual_code

Column Type: varchar

Max Length: 50

Column Name: program_code

Column Type: varchar

Max Length: 50

Column Name: program_value

Column Type: varchar

Max Length: 50

Column Name: quantity_dispensed

Column Type: numeric

Column Name: quantity_prescribed

Column Type: numeric

Column Name: service_code

Column Type: varchar

Max Length: 20

Column Name: service_code_description

Column Type: varchar

Max Length: 40

Column Name: service_provider_id

Column Type: varchar

Max Length: 50

Column Name: service_provider_id_qua

Column Type: varchar

Max Length: 50

Column Name: smoker_code

Column Type: varchar

Max Length: 50

Column Name: smoker_value
Column Type: varchar
Max Length: 50

Column Name: subs_policy
Column Type: varchar
Max Length: 50

Column Name: svc_ref_num_qual_code
Column Type: varchar
Max Length: 50

Column Name: unit_of_measure_code
Column Type: varchar
Max Length: 50

Column Name: unit_of_measure_value
Column Type: varchar
Max Length: 50

Column Name: units_of_service
Column Type: numeric

Column Name: version
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: person_code
Column Type: varchar
Max Length: 50

Column Name: patient_location
Column Type: varchar
Max Length: 50

Column Name: other_coverage_code

Column Type: varchar
Max Length: 50

Column Name: eligibility_clarification
Column Type: varchar
Max Length: 50

Column Name: prescriber_state
Column Type: varchar
Max Length: 50

Column Name: patient_residence
Column Type: varchar
Max Length: 50

Column Name: fill_number
Column Type: varchar
Max Length: 50

Column Name: fill_number_true
Column Type: varchar
Max Length: 50

Column Name: prescription_origin_code
Column Type: varchar
Max Length: 50

Column Name: basis_of_cost_determ
Column Type: varchar
Max Length: 50

Column Name: cms_part_d_qual_facility
Column Type: varchar
Max Length: 50

Column Name: transaction_code
Column Type: varchar
Max Length: 50

Column Name: daw_code

Column Type: varchar
Max Length: 50

Column Name: daw_value
Column Type: varchar
Max Length: 50

Column Name: num_of_refills_authorized
Column Type: numeric

Column Name: claim_notes
Column Type: varchar
Max Length: 50

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: prior_auth_number
Column Type: varchar
Max Length: 50

Column Name: prior_auth_type_code
Column Type: varchar
Max Length: 50

Column Name: prior_auth_type_value
Column Type: varchar
Max Length: 50

Column Name: pharmacy_serv_type_code
Column Type: varchar
Max Length: 50

Column Name: pharmacy_serv_type_value
Column Type: varchar
Max Length: 50

Column Name: vendor_certification_id

Column Type: varchar
Max Length: 10

Column Name: special_packaging_code
Column Type: varchar
Max Length: 50

Column Name: file_name
Column Type: varchar
Max Length: 128

Column Name: file_name_only
Column Type: varchar
Max Length: 50

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: int_auth_type_code
Column Type: varchar
Max Length: 50

Column Name: int_auth_type_value
Column Type: varchar
Max Length: 80

Column Name: int_auth_id
Column Type: varchar
Max Length: 50

Documentation for form: State_Specific_Remittance_File_Processing

Table Name: SYSTEM.state_remit_file_adj_rem

Table Description: State Specific Remittance File Processing adjustment remaining data.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 25
The unique number associated with the claim included in the state remit file.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the Client ID included in the state remit file

Column Name: FACILITY
Column Type: integer
The system code in which state remit file is compiled.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
The ID of the guarantor associated with the Client.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with state remit file.

Column Name: amount_overage
Column Type: varchar
Max Length: 50
Overage amount.

Column Name: amount_received
Column Type: varchar
Max Length: 50
Received amount.

Column Name: amount_remaining
Column Type: varchar
Max Length: 50
Remaining amount.

Column Name: cas_cnt_index
Column Type: varchar
Max Length: 50
CAS Segment Counter Index.

Column Name: claim_adj_group_code
Column Type: varchar
Max Length: 50
Claim Adjustment Group Code.

Column Name: claim_adj_group_sh_value
Column Type: varchar
Max Length: 255
The description associated with claim_adj_group_code limited to 255 characters. See claim_adj_group_code for more information.

Column Name: claim_adj_group_value
Column Type: varchar
Max Length: 4096
The description associated with claim_adj_group_code. See claim_adj_group_code for more information.

Column Name: claim_adj_reason_code
Column Type: varchar
Max Length: 50
Adjustment Reason Code.

Column Name: claim_adj_reason_sh_value
Column Type: varchar
Max Length: 255
The description associated with claim_adj_reason_code limited to 255 characters. See claim_adj_reason_code for more information.

Column Name: claim_adj_reason_value
Column Type: varchar
Max Length: 4096
The description associated with claim_adj_reason_code. See claim_adj_reason_code for more information.

Column Name: claim_adj_remark_code
Column Type: varchar
Max Length: 50
Remark Code.

Column Name: claim_adj_remark_sh_value
Column Type: varchar

Max Length: 255

The description associated with claim_adj_remark_code limited to 255 characters. See claim_adj_remark_code for more information.

Column Name: claim_adj_remark_value

Column Type: varchar

Max Length: 4096

The description associated with claim_adj_remark_code. See claim_adj_remark_code for more information.

Column Name: claim_adj_response_code

Column Type: varchar

Max Length: 255

The response codes.

Column Name: claim_adj_response_desc

Column Type: varchar

Max Length: 4096

The description associated with the response codes.

Column Name: cnt_index

Column Type: varchar

Max Length: 50

Counter for each row.

Column Name: file_index

Column Type: varchar

Max Length: 50

File Index.

Column Name: file_type

Column Type: integer

The 'File Type'.

Column Name: guarantor_name

Column Type: varchar

Max Length: 40

The name associated with the GUARANTOR_ID.

Column Name: original_guarantor_id

Column Type: varchar

Max Length: 10

The Original Guarantor ID, if the CAS segment is mapped to a transfer code in the 'Claim Adjustment Group/Reason Code Definition' form.

Column Name: original_guarantor_name

Column Type: varchar

Max Length: 50

The guarantor name associated with the original_guarantor_id.

Column Name: patient_name

Column Type: varchar
Max Length: 40
The Client name associated with the PATID.

Column Name: period_end
Column Type: date
The end of the date range.

Column Name: period_start
Column Type: date
The beginning of the date range.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: State_Specific_Remittance_File_Processing

Table Name: SYSTEM.state_remit_file_errors

Table Description: State Specific Remittance File Processing error data.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which state remit file is compiled.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
The ID of the guarantor associated with the Client.

Column Name: adjustment_amount
Column Type: varchar
Max Length: 50
Adjustment amount.

Column Name: charge_amount
Column Type: varchar
Max Length: 50
Charge amount.

Column Name: error_claim_number

Column Type: varchar

Max Length: 50

The Claim number associated with Client ID included in the state remit file.

Column Name: error_cnt_index

Column Type: varchar

Max Length: 50

Error Counter.

Column Name: error_episode

Column Type: varchar

Max Length: 50

The episode number for the Client ID included in the state remit file.

Column Name: error_id

Column Type: varchar

Max Length: 50

The Client ID associated with state remit file.

Column Name: error_level

Column Type: varchar

Max Length: 50

Error Level.

Column Name: error_message

Column Type: varchar

Max Length: 1000

Error Message.

Column Name: error_priority

Column Type: varchar

Max Length: 50

Error Priority.

Column Name: file_index

Column Type: varchar

Max Length: 50

File Index.

Column Name: file_type

Column Type: integer

The State Specific file Type.

Column Name: guarantor_name

Column Type: varchar

Max Length: 40

The name associated with the GUARANTOR_ID.

Column Name: original_guarantor_id

Column Type: varchar

Max Length: 10

The Original Guarantor ID, if the CAS segment is mapped to a transfer code in the 'Claim Adjustment Group/Reason Code Definition ' form.

Column Name: original_guarantor_name

Column Type: varchar

Max Length: 50

The guarantor name associated with the original_guarantor_id.

Column Name: patient_name

Column Type: varchar

Max Length: 50

The Client name associated with the PATID.

Column Name: payment_amount

Column Type: varchar

Max Length: 50

Payment amount.

Documentation for form: State_Specific_Remittance_File_Processing

Table Name: SYSTEM.state_remit_file_header

Table Description: State Specific Remittance File Processing header data.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

Facility

Column Name: adjustment_overages

Column Type: varchar

Max Length: 50

Are there any Adjustment Overages.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Data Entry By

Column Name: data_entry_by_option

Column Type: varchar
Max Length: 40
Data Entry By Option (30003)

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: errors_file_load
Column Type: varchar
Max Length: 50
Are there any Errors Associated with File Load.

Column Name: errors_known_clients
Column Type: varchar
Max Length: 50
Are there any Errors Associated with Known Clients.

Column Name: errors_unknown_clients
Column Type: varchar
Max Length: 50
Are there any Errors Associated with Unknown Clients.

Column Name: file_description
Column Type: varchar
Max Length: 50
File description.

Column Name: file_index
Column Type: varchar
Max Length: 50
Filing Index

Column Name: file_info_str
Column Type: varchar
Max Length: 50
File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)

Column Name: file_name
Column Type: varchar
Max Length: 120
File Name

Column Name: file_status
Column Type: varchar
Max Length: 50
File Status

Column Name: file_type
Column Type: integer
The 'File Type'.

Column Name: posting_date
Column Type: date
Posting Date.

Column Name: submission_data
Column Type: varchar
Max Length: 50
Submission data.

Column Name: unpostable_adjustments

Column Type: varchar
Max Length: 50
Are there any Unpostable Adjustments.

Column Name: unpostable_payments
Column Type: varchar
Max Length: 50
Are there any Unpostable Payments.

Documentation for form: State_Specific_Remittance_File_Processing

Table Name: SYSTEM.state_remit_file_pay_adj

Table Description: State Specific Remittance File Processing payment/adjustment data.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 25
The Claim number associated with Client ID included in the state remit file.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique row id.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the Client ID included in the state remit file.

Column Name: FACILITY
Column Type: integer
The system code in which state remit file is compiled.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
The ID of the guarantor associated with the Client.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with state remit file.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code of the service.

Column Name: claim_adj_group_code

Column Type: varchar

Max Length: 50

Claim Adjustment Group Code.

Column Name: claim_adj_group_sh_value

Column Type: varchar

Max Length: 255

The description associated with claim_adj_group_code limited to 255 characters. See claim_adj_group_code for more information.

Column Name: claim_adj_group_value

Column Type: varchar

Max Length: 4096

The description associated with claim_adj_group_code. See claim_adj_group_code for more information.

Column Name: claim_adj_posting_code

Column Type: varchar

Max Length: 50

Adjustment Posting Code.

Column Name: claim_adj_posting_value

Column Type: varchar

Max Length: 80

The description associated with claim_adj_posting_code. See claim_adj_posting_code for more information.

Column Name: claim_adj_reason_code

Column Type: varchar

Max Length: 50

Adjustment Reason Code.

Column Name: claim_adj_reason_sh_value

Column Type: varchar

Max Length: 255

The description associated with claim_adj_reason_code limited to 255 characters. See claim_adj_reason_code for more information.

Column Name: claim_adj_reason_value

Column Type: varchar

Max Length: 4096

The description associated with claim_adj_reason_code. See claim_adj_reason_code for more information.

Column Name: claim_adj_remark_code

Column Type: varchar

Max Length: 50

Remark Code.

Column Name: claim_adj_remark_sh_value

Column Type: varchar

Max Length: 255

The description associated with claim_adj_remark_code limited to 255 characters. See claim_adj_remark_code for more information.

Column Name: claim_adj_remark_value

Column Type: varchar

Max Length: 4096

The description associated with claim_adj_remark_code. See claim_adj_remark_code for more information.

Column Name: claim_adj_response_code

Column Type: varchar

Max Length: 255

The response codes.

Column Name: claim_adj_response_desc

Column Type: varchar

Max Length: 4096

The description associated with the response codes.

Column Name: claim_orig_ref_num

Column Type: varchar

Max Length: 50

Other Claim Related Identifier.

Column Name: claim_status_code

Column Type: integer

The claim status code.

Column Name: cnt_index

Column Type: varchar

Max Length: 50

Counter for each row.

Column Name: compiled_not_posted_code

Column Type: varchar

Max Length: 1

Compiled Not Posted Code.

Column Name: compiled_not_posted_value

Column Type: varchar

Max Length: 3

Compiled Not Posted Value.

Column Name: file_index

Column Type: varchar

Max Length: 50
File Index.

Column Name: file_type
Column Type: integer
The State Specific file Type.

Column Name: forwarded_to_another_payor
Column Type: varchar
Max Length: 50
This will be "Y" if claim status code = 19, 20 or 21. This will be "N" otherwise.

Column Name: guarantor_name
Column Type: varchar
Max Length: 40
The name associated with the GUARANTOR_ID.

Column Name: line_item_cont_num
Column Type: varchar
Max Length: 50
Line Item Control Number.

Column Name: original_balance
Column Type: varchar
Max Length: 50
Original Balance.

Column Name: original_guarantor_id
Column Type: varchar
Max Length: 10
The Original Guarantor ID, if the CAS segment is mapped to a transfer code in the 'Claim Adjustment Group/Reason Code Definition ' form.

Column Name: original_guarantor_name
Column Type: varchar
Max Length: 50
The guarantor name associated with the original_guarantor_id.

Column Name: patient_name
Column Type: varchar
Max Length: 40
The Client name associated with the PATID.

Column Name: payer_claim_cont_num
Column Type: varchar
Max Length: 50
Payer Claim Control Number.

Column Name: payment_adjustment_amount
Column Type: varchar

Max Length: 50
Adjustment amount.

Column Name: payment_or_adjustment
Column Type: varchar
Max Length: 50
Payment or Adjustment.

Column Name: remaining_balance
Column Type: varchar
Max Length: 50
Remaining amount.

Column Name: service_date
Column Type: date
The service date.

Column Name: skip_in_orig_bal_total
Column Type: varchar
Max Length: 1
This amount will not be included when calculating Total For Guarantor, Total For Client, and Report Total for Original Balance column of the report.

Column Name: skip_in_rem_bal_total
Column Type: varchar
Max Length: 1
This amount will not be included when calculating Total For Guarantor, Total For Client, and Report Total for Remaining Balance column of the report.

Column Name: transfer_detail
Column Type: varchar
Max Length: 255
Transfer Detail.

Column Name: transfer_flag
Column Type: varchar
Max Length: 50
Transfer Flag.

Column Name: transfer_info
Column Type: varchar
Max Length: 100
Transfer Information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Documentation for form: State_Specific_Remittance_File_Processing

Table Name: SYSTEM.state_remit_file_pay_rem

Table Description: State Specific Remittance File Processing payment remaining data.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The Claim number associated with Client ID included in the state remit file.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the Client ID included in the state remit file.

Column Name: FACILITY

Column Type: integer

The system code in which the state remit file is compiled.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 10

The ID of the guarantor associated with the Client.

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID.

Column Name: amount_received

Column Type: varchar

Max Length: 50

Amount Received.

Column Name: amount_remaining

Column Type: varchar

Max Length: 50

Amount Remaining.

Column Name: cnt_index
Column Type: varchar
Max Length: 50
Counter.

Column Name: file_index
Column Type: varchar
Max Length: 50
The unique id associated with the state remit file. Date the state remit file was compiled in Julian date format followed by a counter starting at 001.

Column Name: file_type
Column Type: integer
The 'File Type'.

Column Name: guarantor_name
Column Type: varchar
Max Length: 40
The name associated with the GUARANTOR_ID.

Column Name: original_guarantor_id
Column Type: varchar
Max Length: 10
The Original Guarantor ID, if the CAS segment is mapped to a transfer code in the 'Claim Adjustment Group/Reason Code Definition ' form.

Column Name: original_guarantor_name
Column Type: varchar
Max Length: 50
The name associated with the original_guarantor_id.

Column Name: patient_name
Column Type: varchar
Max Length: 40
Client name associated with the PATID.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: State_Specific_Remittance_File_Processing

Table Name: SYSTEM.state_remit_file_raw

Table Description: State Specific Remittance File Processing raw file data.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: file_index
Column Type: varchar
Max Length: 50
Filing Index

Column Name: file_type
Column Type: integer
The 'File Type'.

Column Name: line
Column Type: varchar
Max Length: 80
Row of data from remittance file.

Column Name: line_index
Column Type: integer
Line index.

Documentation for form: 835_Health_Care_Claim_Payment/Advice

Table Name: SYSTEM.batch_remittance_claim

Table Description: This table returns claim information for Spreadsheet Batch Remittance Posting and 835s

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BATCHID
Column Type: varchar
Max Length: 50
Assigned batch ID.

Column Name: CLAIMID
Column Type: varchar
Max Length: 50

Assigned Claim ID.

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: FACILITY

Column Type: integer

The facility where the remittance batch was created

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 50

Guarantor ID associated with the payment/adjustment.

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: adjustment_amount

Column Type: double

Adjustment Amount

Column Name: adjustment_code

Column Type: varchar

Max Length: 50

Adjustment Code

Column Name: adjustment_value

Column Type: varchar

Max Length: 50

The description for the adjustment_code. See adjustment_code for more information.

Column Name: balance

Column Type: double

Balance

Column Name: charge

Column Type: double

Total Charge

Column Name: check

Column Type: varchar

Max Length: 50

'Check #'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time when this data row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_utc

Column Type: timestamp
the UTC date and time the data was saved.

Column Name: description
Column Type: varchar
Max Length: 50
Description associated to the batch/835

Column Name: liability
Column Type: double
Liability

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: optionid
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: patient_name
Column Type: varchar
Max Length: 40
The name of the PATID of the service.

Column Name: payment_amount
Column Type: double
Payment Amount

Column Name: payment_code
Column Type: varchar
Max Length: 50
Payment Code

Column Name: payment_value
Column Type: varchar
Max Length: 50
The description for the payment_code. See payment_code for more information.

Column Name: posting_date
Column Type: date
'Posting Date'

Column Name: post_option
Column Type: varchar
Max Length: 50
835 or Spreadsheet Batch

Column Name: status
Column Type: varchar
Max Length: 50
Status - "O" (Open) or "C" (Closed)

Column Name: transfer_amount
Column Type: double
Transfer Amount

Column Name: transfer_code
Column Type: varchar
Max Length: 50
Transfer Code

Column Name: transfer_guar
Column Type: varchar
Max Length: 50
Guarantor where the liability was transferred.

Column Name: transfer_guar_name
Column Type: varchar
Max Length: 50
Guarantor's name where the liability was transferred.

Column Name: transfer_value
Column Type: varchar
Max Length: 50
The description for the transfer_code. See transfer_code for more information.

Column Name: uniqueID
Column Type: varchar
Max Length: 50
Unique ID inside of batch.

Documentation for form: 835_Health_Care_Claim_Payment/Advice

Table Name: SYSTEM.billing_835_adj_rem

Table Description: This table returns Payment Adjustment Information for 835 from '835 Health Care Claim Payment/Advice' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: CLAIM_NUMBER

Column Type: varchar
Max Length: 25
The unique number associated with the claim included in the 835 file.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the Client ID included in the 835 file

Column Name: FACILITY
Column Type: integer
The system code in which 835 file is compiled.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
The ID of the guarantor associated with the Client.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with 835 file.

Column Name: amount_overage
Column Type: varchar
Max Length: 50
Overage amount.

Column Name: amount_received
Column Type: varchar
Max Length: 50
Received amount.

Column Name: amount_remaining
Column Type: varchar
Max Length: 50
Remaining amount.

Column Name: cas_cnt_index
Column Type: varchar
Max Length: 50
CAS Segment Counter Index.

Column Name: claim_adj_group_code
Column Type: varchar
Max Length: 50
Claim Adjustment Group Code(2110-CAS-01).

Column Name: claim_adj_group_value
Column Type: varchar
Max Length: 50

The description associated with the claim_adj_group_code. See claim_adj_group_code for more information.

Column Name: claim_adj_reason_code
Column Type: varchar
Max Length: 50
Adjustment Reason Code(2110-CAS-02).

Column Name: claim_adj_reason_value
Column Type: varchar
Max Length: 100
The description associated with the claim_adj_reason_code. See claim_adj_reason_code for more information.

Column Name: claim_adj_remark_code
Column Type: varchar
Max Length: 50
Remark Code(2110-LQ-02).

Column Name: claim_adj_remark_value
Column Type: varchar
Max Length: 100
The description associated with the claim_adj_remark_code. See claim_adj_remark_code for more information.

Column Name: cnt_index
Column Type: varchar
Max Length: 50
Counter for each row.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: file_index
Column Type: varchar
Max Length: 50
'Filing Index'

Column Name: file_info_str
Column Type: varchar
Max Length: 50
File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status).

Column Name: file_name
Column Type: varchar
Max Length: 50
'File Path/Name'.

Column Name: file_status
Column Type: varchar
Max Length: 50
Indicates the file status.

Column Name: guarantor_name
Column Type: varchar
Max Length: 40
The name associated with the GUARANTOR_ID.

Column Name: original_guarantor_id
Column Type: varchar
Max Length: 10
The Original Guarantor ID, if the CAS segment is mapped to a transfer code in the 'Claim Adjustment Group/Reason Code Definition ' form.

Column Name: original_guarantor_name
Column Type: varchar
Max Length: 50
The guarantor name associated with the original_guarantor_id.

Column Name: patient_name
Column Type: varchar
Max Length: 40
The Client name associated with the PATID.

Column Name: period_end
Column Type: date
The end of the date range for 835.

Column Name: period_start
Column Type: date
The beginning of the date range for 835.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: version
Column Type: varchar
Max Length: 20
The HIPAA transaction version "v4010" or "v5010".

Documentation for form: 835_Health_Care_Claim_Payment/Advice

Table Name: SYSTEM.billing_835_auto_log

Table Description: This table returns a log of events encountered by the 835 automatic background process.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the 835 auto process is running.

Column Name: counter
Column Type: numeric
A unique counter associated to the message in case there is more than one message for this date and time.

Column Name: date
Column Type: date
The date that the message was logged.

Column Name: message
Column Type: varchar
Max Length: 1000
The 835 auto process message contents.

Column Name: time
Column Type: varchar
Max Length: 50
The time that the message was logged.

Documentation for form: 835_Health_Care_Claim_Payment/Advice

Table Name: SYSTEM.billing_835_pay_proc

Table Description: This table returns payment information for the 835 from the '835 Health Care Claim Payment/Advice' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 25
The unique number associated with the claim included in the 835 file.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID associated with the 'SYSTEM.billing_tx_history' table.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID included in the 835 file.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
The ID of the guarantor associated with the client.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the 835.

Column Name: SERVICE_CODE

Column Type: varchar
Max Length: 20
The service code which is rendered.

Column Name: cnt_index
Column Type: varchar
Max Length: 50
'Counter'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: file_index
Column Type: varchar
Max Length: 50
'Filing Index'

Column Name: file_info_str
Column Type: varchar
Max Length: 50
'File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)'

Column Name: file_name

Column Type: varchar
Max Length: 50
'File Path/Name'.

Column Name: file_status
Column Type: varchar
Max Length: 50
Indicates the file status.

Column Name: guarantor_name
Column Type: varchar
Max Length: 40
The name associated with the GUARANTOR_ID.

Column Name: original_balance
Column Type: varchar
Max Length: 50
The original balance if the CAS segment is mapped to a transfer code in the 'Claim Adjustment Group/Reason Code Definition ' form.

Column Name: patient_name
Column Type: varchar
Max Length: 40
Client name associated with the PATID.

Column Name: payment_amount
Column Type: varchar
Max Length: 50
'Payment Amount'

Column Name: remaining_balance
Column Type: varchar
Max Length: 50
'Remaining Balance'

Column Name: service_date
Column Type: date
The date the service was rendered for the client that is calculated from JOIN_TO_TX_HISTORY.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: version
Column Type: varchar
Max Length: 20
The HIPAA transaction version of "v4010" or "v5010".

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description associated with the SERVICE_CODE. See SERVICE_CODE for more information.

Documentation for form: 835_Health_Care_Claim_Payment/Advice

Table Name: SYSTEM.billing_835_pay_rem

Table Description: This table returns payment information for 835 from '835 Health Care Claim Payment/Advice' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The Claim number associated with Client ID included in the 835 file.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the Client ID included in the 835 file.

Column Name: FACILITY

Column Type: integer

The system code in which 835 file is compiled.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 10

The ID of the guarantor associated with the Client.

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID associated with 835.

Column Name: amount_received

Column Type: varchar

Max Length: 50

Amount Received.

Column Name: amount_remaining

Column Type: varchar

Max Length: 50
Amount Remaining.

Column Name: cnt_index
Column Type: varchar
Max Length: 50
Counter.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: file_description
Column Type: varchar
Max Length: 50
'File description'.

Column Name: file_index
Column Type: varchar
Max Length: 50
The unique id associated with the 835 file. Date the 835 was compiled in Julian date format. Followed by a counter starting at 001.

Column Name: file_info_str
Column Type: varchar

Max Length: 50

File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status).

Column Name: file_name

Column Type: varchar

Max Length: 50

'File Path/Name'.

Column Name: file_status

Column Type: varchar

Max Length: 50

Indicates the file status.

Column Name: guarantor_name

Column Type: varchar

Max Length: 40

The name associated with the GUARANTOR_ID.

Column Name: original_guarantor_id

Column Type: varchar

Max Length: 10

The Original Guarantor ID, if the CAS segment is mapped to a transfer code in the 'Claim Adjustment Group/Reason Code Definition ' form.

Column Name: original_guarantor_name

Column Type: varchar

Max Length: 50

The name associated with the original_guarantor_id.

Column Name: patient_name

Column Type: varchar

Max Length: 40

Client name associated with the PATID.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: version

Column Type: varchar

Max Length: 20

The HIPAA transaction version "v4010" or "v5010".

Documentation for form: 835_Health_Care_Claim_Payment/Advice

Table Name: SYSTEM.billing_pay_adj_history

Table Description: This table returns all payment and adjustment information entered for a Client's service.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the posting was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID for which the posting was entered.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number of the Client ID for which the posting was entered.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in Julian date format and a counter starting with ".001".

Column Name: unique_row_id2
Column Type: varchar
Max Length: 15
The unique ID assigned to the posting for each service. Will be "CR" followed by the posting date (date of payment).

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The ID of the guarantor for which the posting was entered.

Column Name: date_of_payment
Column Type: date
'Date Of Payment'.

Column Name: payment_type_code
Column Type: varchar
Max Length: 10
'Posting Code'.

Column Name: payment_type_value

Column Type: varchar

Max Length: 40

The description associated with payment_type_code. See payment_type_code for more information.

Column Name: payment_amount

Column Type: numeric

The amount posted using the payment_type_code.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific Client's service. Will be the date of service in Julian date format followed by a counter starting with ".001".

Column Name: v_program_of_service_code

Column Type: varchar

Max Length: 10

'Program'.

Column Name: v_program_of_service_value

Column Type: varchar

Max Length: 100

The description associated with v_program_of_service_code. See v_program_of_service_code for more information.

Column Name: v_program_X_RRG_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_RRG_value

Column Type: varchar

Max Length: 40

The description associated with v_program_X_RRG_code. See v_program_X_RRG_code for more information.

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 40

The Staff ID which rendered the service.

Column Name: v_service_code

Column Type: varchar
Max Length: 20
'Service Code'.

Column Name: v_client_name
Column Type: varchar
Max Length: 40
The name associated with the Client ID.

Column Name: JOIN_TO_BILLING_TX_CHARGE
Column Type: varchar
Max Length: 15
An additional unique ID for the service. See JOIN_TO_TX_HISTORY.

Column Name: reciept_number
Column Type: varchar
Max Length: 50
The receipt number.

Column Name: check_number
Column Type: varchar
Max Length: 50
The check number.

Column Name: system_code
Column Type: varchar
Max Length: 50
System Code the user was logged in as when filing a payment/adjustment.

Column Name: return_ref_number
Column Type: varchar
Max Length: 50
The returned reference number for a credit card or ACH transaction.

Column Name: credit_card_token
Column Type: varchar
Max Length: 50
The credit card token received for credit card payments.

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 50
The claim number assigned to a Client's service for which the posting was entered.

Column Name: GUARANTOR_ID_transfer_to
Column Type: varchar
Max Length: 40
The ID of the guarantor for which the user transfer the amount to.

Column Name: JOIN_TO_TX_HISTORY_tra_to

Column Type: varchar
Max Length: 50
The unique ID of the service created as a result of the transfer.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific Client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: adjust_code_code
Column Type: varchar
Max Length: 50
Adjustment Code.

Column Name: adjust_code_value
Column Type: varchar
Max Length: 4096
The description associated with adjust_code_code. See adjust_code_code for more information.

Column Name: automatic_receipt_number
Column Type: varchar
Max Length: 50
The receipt number.

Column Name: contractual_write_off
Column Type: varchar
Max Length: 10
Will indicate if the payment type code is a contractual write off code.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
The 'User ID' of the user that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: date_of_receipt
Column Type: date
'Date Of Receipt'.

Column Name: date_of_service
Column Type: date
'Date of Service'.

Column Name: device_name
Column Type: varchar
Max Length: 50
The name of the credit card device used to process the credit card payment.

Column Name: group_code_code
Column Type: varchar
Max Length: 50
'Group Code'.

Column Name: group_code_value
Column Type: varchar
Max Length: 4096
The description associated with group_code_code. See group_code_code for more information.

Column Name: merchant_id
Column Type: varchar
Max Length: 50
The merchant ID (MID) associated with the credit card payment.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: pay_ack_transaction_num

Column Type: integer

The 'Transaction Number' in the 'Payment Acknowledgement' form.

Column Name: payment_location_code

Column Type: varchar

Max Length: 10

'Payment Location'.

Column Name: payment_location_value

Column Type: varchar

Max Length: 40

The description associated with payment_location_code. See payment_location_code for more information.

Column Name: posting_comments

Column Type: varchar

Max Length: 80

'Posting Comments'

Column Name: receipt_reversed

Column Type: varchar

Max Length: 5

Will indicate if the receipt was reversed.

Column Name: type_of_payment

Column Type: varchar

Max Length: 50

Type Of payment.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: write_off_by_liab_dist

Column Type: varchar

Max Length: 20

'Write Off By Liability Distribution'

Documentation for form: 835_Health_Care_Claim_Payment/Advice

Table Name: SYSTEM.mod_835_add_adjustment

Table Description: This table returns all rows of data in the 835 Health Care Claim Payment/Advice workscreen if a file has been edited.

Column Name: ID
Column Type: integer

Column Name: data_entry_date
Column Type: date
The date the row was last updated in the work screen.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row in the work screen.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated in the work screen.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row in the work screen.

Column Name: FACILITY
Column Type: integer
The system code in which the work screen was saved.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 50
The unique ID assigned to the client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the claim

Column Name: adjustment_id
Column Type: varchar
Max Length: 50
Unique ID for the adjustment row associated with the claim in the file.

Column Name: amount
Column Type: varchar
Max Length: 50
'Amt' in the work screen.

Column Name: claim_number
Column Type: varchar

Max Length: 50
Claim number associated with the row.

Column Name: comment
Column Type: varchar
Max Length: 80
'Comment' from the work screen.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' who last updated the row in the work screen.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: file_data_entry_by
Column Type: varchar
Max Length: 40
The user who compiled the file.

Column Name: file_data_entry_date
Column Type: date
The date the file was compiled.

Column Name: file_data_entry_time
Column Type: varchar
Max Length: 10
The time the file was compiled.

Column Name: file_id
Column Type: varchar
Max Length: 50
The unique ID for the 835 file.

Column Name: file_info_str
Column Type: varchar
Max Length: 50
File Information (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)

Column Name: file_name
Column Type: varchar

Max Length: 50
The file path and file name of the 835 file.

Column Name: file_status
Column Type: varchar
Max Length: 50
The status of the file.

Column Name: group_code
Column Type: varchar
Max Length: 50
Group code for the adjustment

Column Name: group_value
Column Type: varchar
Max Length: 50
The description for 'group_code'. Please see 'group_code' for more information.

Column Name: post_cas_trans_code
Column Type: varchar
Max Length: 50
'Post CAS Transaction?' from the work screen.

Column Name: post_cas_trans_value
Column Type: varchar
Max Length: 50
The description for 'post_cas_trans_code'. Please see 'post_cas_trans_code' for more information.

Column Name: post_code_description
Column Type: varchar
Max Length: 50
The description for 'posting_code'. Please see 'posting_code' for more information.

Column Name: posting_code
Column Type: varchar
Max Length: 50
'Pay Code' from the work screen.

Column Name: reason_code
Column Type: varchar
Max Length: 50
Reason code for the adjustment.

Column Name: reason_value
Column Type: varchar
Max Length: 50
The description for 'reason_code'. Please see 'reason_code' for more information.

Column Name: remark_code
Column Type: varchar

Max Length: 50
'Rmk Code' in the work screen.

Column Name: remark_value
Column Type: varchar
Max Length: 50
The description for 'remark_code'. Please see 'remark_code' for more information.

Column Name: transfer_guar_code
Column Type: varchar
Max Length: 50
Transfer to Guarantor code

Column Name: trans_to_guar_desc
Column Type: varchar
Max Length: 50
The description for 'transfer_guar_code'. Please see 'transfer_guar_code' for more information.

Column Name: version
Column Type: varchar
Max Length: 50
The version of the 835 file.

Documentation for form: 835_Health_Care_Claim_Payment/Advice

Table Name: SYSTEM.mod_835_adjustment

Table Description: This table returns all adjustments in the 835 Health Care Claim Payment/Advice workscreen if a file has been edited.

Column Name: ID
Column Type: integer

Column Name: data_entry_date
Column Type: date
The date the row was last updated in the work screen.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row in the work screen.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated in the work screen.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row in the work screen.

Column Name: EPISODE_NUMBER
Column Type: integer
The client's episode number associated with the claim.

Column Name: FACILITY
Column Type: integer
The system code in which the work screen was saved.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 50
The unique ID assigned to the client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the claim

Column Name: adjust_amount
Column Type: varchar
Max Length: 50
Adjustment amount calculated when the file was compiled.

Column Name: claim_number
Column Type: varchar
Max Length: 50
Claim number associated with the row.

Column Name: comment
Column Type: varchar
Max Length: 80
'Comment' from the work screen.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' who last updated the row in the work screen.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: file_data_entry_by
Column Type: varchar
Max Length: 40
The user who compiled the file.

Column Name: file_data_entry_date
Column Type: date
The date the file was compiled.

Column Name: file_data_entry_time
Column Type: varchar
Max Length: 10
The time the file was compiled.

Column Name: file_id
Column Type: varchar
Max Length: 50
The unique ID for the 835 file.

Column Name: file_info_str
Column Type: varchar
Max Length: 50
File Information (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)

Column Name: file_name
Column Type: varchar
Max Length: 50
The file path and file name of the 835 file.

Column Name: file_status
Column Type: varchar
Max Length: 50
The status of the file.

Column Name: mod_adjustment_amount
Column Type: varchar
Max Length: 10
'Amt' from the work screen.

Column Name: pay_adj_count
Column Type: integer
Payment/Adjustment count; used to join with specific line item in 835 file.

Column Name: post_cas_trans_code

Column Type: varchar
Max Length: 50
'Post CAS Transaction?' from the work screen.

Column Name: post_cas_trans_value
Column Type: varchar
Max Length: 50
The description for 'post_cas_trans_code'. Please see 'post_cas_trans_code' for more information.

Column Name: post_code_description
Column Type: varchar
Max Length: 50
The description for 'posting_code'. Please see 'posting_code' for more information.

Column Name: posting_code
Column Type: varchar
Max Length: 50
'Posting Code' from the work screen.

Column Name: transfer_guar_code
Column Type: varchar
Max Length: 50
Transfer to Guarantor code

Column Name: trans_to_guar_desc
Column Type: varchar
Max Length: 50
The description for 'transfer_guar_code'. Please see 'transfer_guar_code' for more information.

Column Name: version
Column Type: varchar
Max Length: 50
The version of the 835 file.

Documentation for form: 835_Health_Care_Claim_Payment/Advice

Table Name: SYSTEM.mod_835_payment_codes

Table Description: This table returns all payments in the 835 Health Care Claim Payment/Advice workscreen if a file has been edited.

Column Name: ID
Column Type: integer

Column Name: data_entry_date
Column Type: date

The date the row was last updated in the work screen.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row in the work screen.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated in the work screen.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row in the work screen.

Column Name: FACILITY

Column Type: integer

The system code in which the work screen was saved.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 50

The unique ID assigned to the client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the claim

Column Name: claim_number

Column Type: varchar

Max Length: 50

Claim number associated with the row.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' who last updated the row in the work screen.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the 'User ID'.

Column Name: file_data_entry_by

Column Type: varchar

Max Length: 40

The user who compiled the file.

Column Name: file_data_entry_date

Column Type: date

The date the file was compiled.

Column Name: file_data_entry_time

Column Type: varchar

Max Length: 10

The time the file was compiled.

Column Name: file_id

Column Type: varchar

Max Length: 50

The unique ID for the 835 file.

Column Name: file_info_str

Column Type: varchar

Max Length: 50

File Information (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)

Column Name: file_name

Column Type: varchar

Max Length: 50

The file path and file name of the 835 file.

Column Name: file_status

Column Type: varchar

Max Length: 50

The status of the file.

Column Name: pay_adj_count

Column Type: integer

Payment/Adjustment count; used to join with specific line item in 835 file.

Column Name: pay_code_description

Column Type: varchar

Max Length: 50

The description for 'payment_code'. Please see 'payment_code' for more information.

Column Name: payment_code

Column Type: varchar

Max Length: 50

'Pay Code' from the work screen.

Column Name: version
Column Type: varchar
Max Length: 50
The version of the 835 file.

Documentation for form: Delete_Claim

Table Name: SYSTEM.audit_deleted_claims

Table Description: This table represents audit trail data of deleted claims.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 25
The unique number associated with the claim.

Column Name: EPISODE_NUMBER
Column Type: integer
Episode number associated to the PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20

The client ID associated with the deleted claim.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The form the service was last edited on.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the 'User ID'

Column Name: date_deleted

Column Type: varchar

Max Length: 50

Date the claim was deleted.

Column Name: date_of_claim

Column Type: varchar

Max Length: 50

Date the claim was created.

Column Name: first_service_date_of_claim

Column Type: date

The first date of service included in the claim.

Column Name: form_number

Column Type: varchar

Max Length: 50

Form number on which the deleted claim was printed.

Column Name: form_value

Column Type: varchar

Max Length: 50

The description associated with the form_number. See form_number for more information.

Column Name: guarantor_id

Column Type: varchar

Max Length: 50

The ID of the guarantor associated with the deleted claim.

Column Name: guarantor_name
Column Type: varchar
Max Length: 50
The name associated with the guarantor_id.

Column Name: last_service_date_of_claim
Column Type: date
The last date of service included in the claim.

Column Name: option_desc
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: room_and_board_days
Column Type: varchar
Max Length: 50
The number of room and board days on the claim.

Column Name: service_code
Column Type: varchar
Max Length: 20
Service code associated with the client which has been deleted.

Column Name: service_value
Column Type: varchar
Max Length: 50
The description associated with the service_code. See service_code for more information.

Column Name: total_charges_billed
Column Type: numeric
'Total Service Charge'

Column Name: total_claim_liability
Column Type: numeric
Total liability for the payor.

Column Name: user_row_access_code
Column Type: varchar
Max Length: 50
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Eligibility_Response_(271)

Table Name: SYSTEM.billing_271_bene_info

Table Description: This table returns the eligibility/benefit information (2110C/2110D) of a 271 response file

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
Client episode to which the response data is associated

Column Name: FACILITY
Column Type: integer
the facility in which the information is stored

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
Id of the guarantor associated with the response data

Column Name: PATID
Column Type: varchar
Max Length: 20
the patient associated with the 271 response data

Column Name: amt
Column Type: varchar
Max Length: 18
Benefit Information Amount (EB07)

Column Name: auth_or_cert_ind
Column Type: varchar
Max Length: 1
Benefit Information Authorization or Certification Indicator (EB11)

Column Name: auth_or_cert_value
Column Type: varchar
Max Length: 120
Benefit Information Authorization Or Certification Indicator Value (EB11)

Column Name: benefit_date_qua_code_1
Column Type: varchar
Max Length: 50
Benefit Date Qualifier Code (DTP01) x 1

Column Name: benefit_date_qua_code_2
Column Type: varchar
Max Length: 50
Benefit Date Qualifier Code (DTP01) x 2

Column Name: benefit_date_qua_code_3
Column Type: varchar
Max Length: 50
Benefit Date Qualifier Code (DTP01) x 3

Column Name: benefit_date_qua_code_4
Column Type: varchar
Max Length: 50
Benefit Date Qualifier Code (DTP01) x 4

Column Name: benefit_date_qua_value_1
Column Type: varchar
Max Length: 40
Benefit Date Qualifier Value (DTP01) x 1

Column Name: benefit_date_qua_value_2
Column Type: varchar
Max Length: 40
Benefit Date Qualifier Value (DTP01) x 2

Column Name: benefit_date_qua_value_3
Column Type: varchar
Max Length: 40
Benefit Date Qualifier Value (DTP01) x 3

Column Name: benefit_date_qua_value_4
Column Type: varchar
Max Length: 40
Benefit Date Qualifier Value (DTP01) x 4

Column Name: benefit_percent
Column Type: varchar
Max Length: 10
Benefit Information Percent (EB08)

Column Name: benefit_period_1
Column Type: varchar
Max Length: 50
Benefit Period (DTP03) x 1

Column Name: benefit_period_2
Column Type: varchar
Max Length: 50
Benefit Period (DTP03) x 2

Column Name: benefit_period_3
Column Type: varchar
Max Length: 50
Benefit Period (DTP03) x 3

Column Name: benefit_period_4
Column Type: varchar
Max Length: 50
Benefit Period (DTP03) x 4

Column Name: client_name
Column Type: varchar
Max Length: 100
Name of the client

Column Name: cov_level_code
Column Type: varchar
Max Length: 3
Benefit Information Coverage Level Code (EB02)

Column Name: cov_level_value
Column Type: varchar
Max Length: 120
Benefit Information Coverage Level Code (EB02)

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By (30001)

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By Option (30003)

Column Name: data_entry_date
Column Type: date
Data Entry Date (30000)

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved. (30033)

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time (30002)

Column Name: data_entry_time_j

Column Type: time
the time with fractional seconds when the data was saved. (30032)

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved. (30031)

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone (30034)

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id (30009)

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name (30009 - calculated)

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved. (30030)

Column Name: elig_info
Column Type: varchar
Max Length: 2
Benefit Information Code (EB01)

Column Name: elig_info_value
Column Type: varchar
Max Length: 120
Benefit Information Value (EB01- code value)

Column Name: elig_verified
Column Type: varchar
Max Length: 5
Eligibility Verified indicator based on benefit information code

Column Name: file_index
Column Type: varchar
Max Length: 50
Index under which the 271 file is stored

Column Name: file_info_str
Column Type: varchar
Max Length: 50

File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)

Column Name: file_name

Column Type: varchar

Max Length: 50

File Name

Column Name: file_status

Column Type: varchar

Max Length: 50

File Status

Column Name: guarantor_name

Column Type: varchar

Max Length: 40

Name of the guarantor

Column Name: inquiry_type

Column Type: varchar

Max Length: 5

The type of inquiry submitted (code)

Column Name: inquiry_type_desc

Column Type: varchar

Max Length: 80

The type of inquiry submitted (desc)

Column Name: ins_type_code

Column Type: varchar

Max Length: 3

Benefit Information Insurance Type Code (EB04)

Column Name: ins_type_value

Column Type: varchar

Max Length: 120

Benefit Information Insurance Type Indicator (EB04)

Column Name: msg

Column Type: varchar

Max Length: 3000

Free form text response message (2110C/2100 'MSG' Segment)

Column Name: plan_cov_desc

Column Type: varchar

Max Length: 50

Benefit Information Plan Coverage Description (EB05)

Column Name: plan_network_ind_code

Column Type: varchar

Max Length: 50
Benefit Information Yes/No Condition Or Response Code (EB12)

Column Name: plan_network_ind_value
Column Type: varchar
Max Length: 50
Benefit Information Yes/No Condition Or Response Value (EB12)

Column Name: procedure_code
Column Type: varchar
Max Length: 50
Benefit Information Procedure Code (EB13)

Column Name: procedure_value
Column Type: varchar
Max Length: 120
Benefit Information Procedure Code Value (EB13)

Column Name: program_code
Column Type: varchar
Max Length: 10
Program (code) associated with episode

Column Name: program_value
Column Type: varchar
Max Length: 40
Program (value) associated with episode

Column Name: quan
Column Type: varchar
Max Length: 15
Benefit Information Quantity (EB10)

Column Name: quan_qua
Column Type: varchar
Max Length: 2
Benefit Information Quantity Qualifier (EB09)

Column Name: quan_value
Column Type: varchar
Max Length: 120
Benefit Information Quantity Qualifier Value (EB09)

Column Name: rel_entity_first_name
Column Type: varchar
Max Length: 50
Name First (2120C/2120D 'NM1' Segment Field NM104)

Column Name: rel_entity_first_name_2
Column Type: varchar

Max Length: 50
Name First (2120C/2120D 'NM1' Segment Field NM104)

Column Name: rel_entity_first_name_3
Column Type: varchar
Max Length: 50
Name First (2120C/2120D 'NM1' Segment Field NM104)

Column Name: rel_entity_first_name_4
Column Type: varchar
Max Length: 50
Name First (2120C/2120D 'NM1' Segment Field NM104)

Column Name: rel_entity_last_name
Column Type: varchar
Max Length: 50
Name Last (2120C/2120D 'NM1' Segment Field NM103)

Column Name: rel_entity_last_name_2
Column Type: varchar
Max Length: 50
Name Last (2120C/2120D 'NM1' Segment Field NM103)

Column Name: rel_entity_last_name_3
Column Type: varchar
Max Length: 50
Name Last (2120C/2120D 'NM1' Segment Field NM103)

Column Name: rel_entity_last_name_4
Column Type: varchar
Max Length: 50
Name Last (2120C/2120D 'NM1' Segment Field NM103)

Column Name: rel_entity_middle_name
Column Type: varchar
Max Length: 50
Name Middle (2120C/2120D 'NM1' Segment Field NM105)

Column Name: rel_entity_middle_name_2
Column Type: varchar
Max Length: 50
Name Middle (2120C/2120D 'NM1' Segment Field NM105)

Column Name: rel_entity_middle_name_3
Column Type: varchar
Max Length: 50
Name Middle (2120C/2120D 'NM1' Segment Field NM105)

Column Name: rel_entity_middle_name_4
Column Type: varchar

Max Length: 50
Name Middle (2120C/2120D 'NM1' Segment Field NM105)

Column Name: rel_entity_type_code
Column Type: varchar
Max Length: 50
Entity Identifier Code (2120C/2120D 'NM1' Segment Field NM101)

Column Name: rel_entity_type_code_2
Column Type: varchar
Max Length: 50
Entity Identifier Code (2120C/2120D 'NM1' Segment Field NM101)

Column Name: rel_entity_type_code_3
Column Type: varchar
Max Length: 50
Entity Identifier Code (2120C/2120D 'NM1' Segment Field NM101)

Column Name: rel_entity_type_code_4
Column Type: varchar
Max Length: 50
Entity Identifier Code (2120C/2120D 'NM1' Segment Field NM101)

Column Name: rel_entity_type_qual_code
Column Type: varchar
Max Length: 50
Entity Type Qualifier Code (2120C/2120D 'NM1' Segment Field NM102)

Column Name: rel_entity_type_qual_code_2
Column Type: varchar
Max Length: 50
Entity Type Qualifier Code (2120C/2120D 'NM1' Segment Field NM102)

Column Name: rel_entity_type_qual_code_3
Column Type: varchar
Max Length: 50
Entity Type Qualifier Code (2120C/2120D 'NM1' Segment Field NM102)

Column Name: rel_entity_type_qual_code_4
Column Type: varchar
Max Length: 50
Entity Type Qualifier Code (2120C/2120D 'NM1' Segment Field NM102)

Column Name: rel_entity_type_qual_value
Column Type: varchar
Max Length: 40
Entity Type Qualifier Code (value) (2120C/2120D 'NM1' Segment Field NM102)

Column Name: rel_entity_type_qual_value_2
Column Type: varchar

Max Length: 40
Entity Type Qualifier Code (value) (2120C/2120D 'NM1' Segment Field NM102)

Column Name: rel_entity_type_qual_value_3
Column Type: varchar
Max Length: 40
Entity Type Qualifier Code (value) (2120C/2120D 'NM1' Segment Field NM102)

Column Name: rel_entity_type_qual_value_4
Column Type: varchar
Max Length: 40
Entity Type Qualifier Code (value) (2120C/2120D 'NM1' Segment Field NM102)

Column Name: rel_entity_type_value
Column Type: varchar
Max Length: 40
Entity Identifier Code (value) (2120C/2120D 'NM1' Segment Field NM101)

Column Name: rel_entity_type_value_2
Column Type: varchar
Max Length: 40
Entity Identifier Code (value) (2120C/2120D 'NM1' Segment Field NM101)

Column Name: rel_entity_type_value_3
Column Type: varchar
Max Length: 40
Entity Identifier Code (value) (2120C/2120D 'NM1' Segment Field NM101)

Column Name: rel_entity_type_value_4
Column Type: varchar
Max Length: 40
Entity Identifier Code (value) (2120C/2120D 'NM1' Segment Field NM101)

Column Name: rel_id_code
Column Type: varchar
Max Length: 50
Identification Code (2120C/2120D 'NM1' Segment Field NM109)

Column Name: rel_id_code_2
Column Type: varchar
Max Length: 50
Identification Code (2120C/2120D 'NM1' Segment Field NM109)

Column Name: rel_id_code_3
Column Type: varchar
Max Length: 50
Identification Code (2120C/2120D 'NM1' Segment Field NM109)

Column Name: rel_id_code_4
Column Type: varchar

Max Length: 50
Identification Code (2120C/2120D 'NM1' Segment Field NM109)

Column Name: rel_id_code_qual_code
Column Type: varchar
Max Length: 50
Identification Code Qualifier Code (2120C/2120D 'NM1' Segment Field NM108)

Column Name: rel_id_code_qual_code_2
Column Type: varchar
Max Length: 50
Identification Code Qualifier Code (2120C/2120D 'NM1' Segment Field NM108)

Column Name: rel_id_code_qual_code_3
Column Type: varchar
Max Length: 50
Identification Code Qualifier Code (2120C/2120D 'NM1' Segment Field NM108)

Column Name: rel_id_code_qual_code_4
Column Type: varchar
Max Length: 50
Identification Code Qualifier Code (2120C/2120D 'NM1' Segment Field NM108)

Column Name: rel_id_code_qual_value
Column Type: varchar
Max Length: 40
Identification Code Qualifier Code (value) (2120C/2120D 'NM1' Segment Field NM108)

Column Name: rel_id_code_qual_value_2
Column Type: varchar
Max Length: 40
Identification Code Qualifier Code (value) (2120C/2120D 'NM1' Segment Field NM108)

Column Name: rel_id_code_qual_value_3
Column Type: varchar
Max Length: 40
Identification Code Qualifier Code (value) (2120C/2120D 'NM1' Segment Field NM108)

Column Name: rel_id_code_qual_value_4
Column Type: varchar
Max Length: 40
Identification Code Qualifier Code (value) (2120C/2120D 'NM1' Segment Field NM108)

Column Name: service_type_code
Column Type: varchar
Max Length: 1000
Benefit Information Service Type Code (EB03)

Column Name: service_type_value
Column Type: varchar

Max Length: 4096
Benefit Information Service Type Value (EB03)

Column Name: time_period_qua
Column Type: varchar
Max Length: 2
Benefit Information Time Period Qualifier (EB06)

Column Name: time_period_value
Column Type: varchar
Max Length: 120
Benefit Information Time Period Qualifier Value (EB06)

Column Name: trace_number
Column Type: varchar
Max Length: 50
Trace Number (2000C/2000D 'TRN' Segment Field TRN02)

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: version
Column Type: varchar
Max Length: 20
version of the 271 file

Documentation for form: Eligibility_Response_(271)

Table Name: SYSTEM.billing_271_dependent

Table Description: This table returns Eligibility, Coverage or Benefit Response (271) Dependent Information from 'Eligibility Response (271)' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the Client ID included in the 271 file.

Column Name: FACILITY
Column Type: integer
The system code in which the 271 file was compiled.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 10

The Guarantor ID included in the 271 file.

Column Name: JOIN_TO_DEPENDENT

Column Type: integer

The unique ID used as a link to the SYSTEM.billing_271_dependent table.

Column Name: JOIN_TO_HEADER

Column Type: integer

The unique ID used as a link to the SYSTEM.billing_271_header table.

Column Name: JOIN_TO_RECEIVER

Column Type: integer

The unique ID used as a link to the SYSTEM.billing_271_receiver table.

Column Name: JOIN_TO_SOURCE

Column Type: integer

The unique ID used as a link to the SYSTEM.billing_271_source table.

Column Name: JOIN_TO_SUBSCRIBER

Column Type: integer

The unique ID used as a link to the SYSTEM.billing_271_subscriber table.

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID associated with the 271 file.

Column Name: addr_line

Column Type: varchar

Max Length: 55

Dependent Address Line(2100D-N3-01).

Column Name: addr_line_2

Column Type: varchar

Max Length: 55

Dependent Address Line(2100D-N3-02).

Column Name: birth_date

Column Type: varchar

Max Length: 35

Dependent Birth Date(2100D-DMG-02).

Column Name: birth_seq_num

Column Type: varchar

Max Length: 9

Birth Sequence Number(2100D-INS-17).

Column Name: city
Column Type: varchar
Max Length: 30
Dependent City Name(2100D-N4-01).

Column Name: client_name
Column Type: varchar
Max Length: 100
Client name associated with the PATID.

Column Name: comm_num
Column Type: varchar
Max Length: 80
Benefit Related Entity Communication Number(2120D-PER-04).

Column Name: comm_num_2
Column Type: varchar
Max Length: 80
Benefit Related Entity Communication Number(2120D-PER-06).

Column Name: comm_num_3
Column Type: varchar
Max Length: 80
Benefit Related Entity Communication Number(2120D-PER-08).

Column Name: comm_num_qua
Column Type: varchar
Max Length: 2
Communication Number Qualifier(2120D-PER-03).

Column Name: comm_num_qua_2
Column Type: varchar
Max Length: 2
Communication Number Qualifier(2120D-PER-05).

Column Name: comm_num_qua_3
Column Type: varchar
Max Length: 2
Communication Number Qualifier(2120D-PER-07).

Column Name: con_fun_code
Column Type: varchar
Max Length: 2
Contact Function Code(2120-PER-01).

Column Name: con_name
Column Type: varchar
Max Length: 60
Benefit Related Entity Contact Name(2120D-PER-02).

Column Name: country_code
Column Type: varchar
Max Length: 3
Country Code(2100-N4-04).

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name who updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved. (NOTE: The data in this field is delimited by ":" instead of the usual ";")

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar
Max Length: 40
The user name associated with the data_entry_user_id.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_tim
Column Type: varchar
Max Length: 35
'Default Expiration Date (2100C/2100D-DTP-02)' field in the 'Guarantors/Payors (270/271/834)' form.

Column Name: date_tim_qua
Column Type: varchar
Max Length: 3
Date Time Qualifier(2100D-DTP-01).

Column Name: date_tim_value
Column Type: varchar
Max Length: 120
The description associated with the date_tim_qua. See date_tim_qua for more information.

Column Name: dep_id
Column Type: varchar
Max Length: 80
Dependent Primary Identifier(2100D-NM1-09).

Column Name: diagnosis_code1
Column Type: varchar
Max Length: 50
Industry Code(2100D-HI01-2).

Column Name: diagnosis_code2
Column Type: varchar
Max Length: 50
Industry Code(2100D-HI02-2).

Column Name: diagnosis_code3
Column Type: varchar
Max Length: 50
Industry Code(2100D-HI03-2).

Column Name: diagnosis_code4
Column Type: varchar
Max Length: 50
Industry Code(2100D-HI04-2).

Column Name: diagnosis_code5
Column Type: varchar

Max Length: 50
Industry Code(2100D-HI05-2).

Column Name: diagnosis_code6
Column Type: varchar
Max Length: 50
Industry Code(2100D-HI06-2).

Column Name: diagnosis_code7
Column Type: varchar
Max Length: 50
Industry Code(2100D-HI07-2).

Column Name: diagnosis_code8
Column Type: varchar
Max Length: 50
Industry Code(2100D-HI08-2).

Column Name: diagnosis_type_code1
Column Type: varchar
Max Length: 50
Code List Qualifier Code(2100D-HI01-1).

Column Name: diagnosis_type_code2
Column Type: varchar
Max Length: 50
Code List Qualifier Code(2100D-HI02-1).

Column Name: diagnosis_type_code3
Column Type: varchar
Max Length: 50
Code List Qualifier Code(2100D-HI03-1).

Column Name: diagnosis_type_code4
Column Type: varchar
Max Length: 50
Code List Qualifier Code(2100D-HI04-1).

Column Name: diagnosis_type_code5
Column Type: varchar
Max Length: 50
Code List Qualifier Code(2100D-HI05-1).

Column Name: diagnosis_type_code6
Column Type: varchar
Max Length: 50
Code List Qualifier Code(2100D-HI06-1).

Column Name: diagnosis_type_code7
Column Type: varchar

Max Length: 50
Code List Qualifier Code(2100D-HI07-1).

Column Name: diagnosis_type_code8
Column Type: varchar
Max Length: 50
Code List Qualifier Code(2100D-HI08-1).

Column Name: dmng_date_tim_format_qua
Column Type: varchar
Max Length: 3
Date Time Period Format Qualifier(2100D-DMG-01).

Column Name: dtp_date_tim_format_qua
Column Type: varchar
Max Length: 3
Date Time Period Format Qualifier(2100D-DTP-02).

Column Name: entity_id_code
Column Type: varchar
Max Length: 3
Entity Identifier Code(2100D-NM1-01).

Column Name: entity_id_value
Column Type: varchar
Max Length: 80
The description associated with the entity_id_code. See entity_id_code for more information.

Column Name: entity_type_qua
Column Type: varchar
Max Length: 1
Entity Type Qualifier(2100D-NM102).

Column Name: entity_type_value
Column Type: varchar
Max Length: 80
The description associated with the entity_type_qua. See entity_type_qua for more information.

Column Name: file_index
Column Type: varchar
Max Length: 50
The unique id associated with the 271 file. Date the 271 was compiled in julian date format.followed by a counter starting at 001.

Column Name: file_info_str
Column Type: varchar
Max Length: 50
The File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status).

Column Name: file_name
Column Type: varchar
Max Length: 50
The 'File Path\Name' field in the 'Eligibility Response(271)' form.

Column Name: file_status
Column Type: varchar
Max Length: 50
Indicates the file status.

Column Name: first_name
Column Type: varchar
Max Length: 25
Dependent First Name(2100D-NM1-04).

Column Name: follow_act_code
Column Type: varchar
Max Length: 1
Follow-up Action Code(2100D-AAA-04).

Column Name: follow_act_value
Column Type: varchar
Max Length: 120
The description associated with the follow_act_code. See follow_act_code for more information.

Column Name: gender_code
Column Type: varchar
Max Length: 1
Dependent Gender Code(2100D-DMG-03).

Column Name: guarantor_name
Column Type: varchar
Max Length: 40
The Guarantor name associated with the GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: handicap_ind
Column Type: varchar
Max Length: 1
Handicap Indicator(2100D-INS-10).

Column Name: hier_child_code
Column Type: varchar
Max Length: 1
Hierarchical Child Code(2000D-HL-04).

Column Name: hier_id
Column Type: varchar
Max Length: 12
Hierarchical ID Number(2000D-HL-01).

Column Name: hier_level_code
Column Type: varchar
Max Length: 2
Hierarchical Level Code(2000D-HL-03).

Column Name: hier_parent_id
Column Type: varchar
Max Length: 12
Hierarchical Parent ID Number(2000D-HL-02).

Column Name: id_code_qua
Column Type: varchar
Max Length: 2
Identification Code Qualifier(2100D-NM1-08).

Column Name: id_code_value
Column Type: varchar
Max Length: 80
The description associated with the id_code_qua. See id_code_qua for more information.

Column Name: ind_rel_code
Column Type: varchar
Max Length: 2
Individual Relationship Code(2100D-INS-02).

Column Name: inquiry_type
Column Type: varchar
Max Length: 5
Inquiry Type.

Column Name: inquiry_type_desc
Column Type: varchar
Max Length: 80
The description associated with the inquiry_type. See inquiry_type for more information.

Column Name: ins_ind
Column Type: varchar
Max Length: 1
Insured Indicator(2100D-INS-01).

Column Name: last_name
Column Type: varchar
Max Length: 35
Dependent Last Name(2100D-NM1-03).

Column Name: maint_rea_code
Column Type: varchar
Max Length: 3
Maintenance Reason Code(2100D-INS-04).

Column Name: maint_type_code
Column Type: varchar
Max Length: 3
Maintenance Type Code(2100D-INS-03).

Column Name: middle_name
Column Type: varchar
Max Length: 25
Dependent Middle Name(2100D-NM1-05).

Column Name: plan_spon_name
Column Type: varchar
Max Length: 80
Plan Sponsor Name(2100D-REF-03).

Column Name: ref_id_qua
Column Type: varchar
Max Length: 3
Reference Identification Qualifier(2100D-PRV-02).

Column Name: reject_rea_code
Column Type: varchar
Max Length: 2
Reject Reason Code(2100D-AAA-03).

Column Name: segment
Column Type: varchar
Max Length: 50
Segment.

Column Name: segment_index
Column Type: integer
Segment Counter.

Column Name: state
Column Type: varchar
Max Length: 2
Dependent State Code(2100D-N4-02).

Column Name: stu_status_code
Column Type: varchar
Max Length: 2
Student Status Code(2100D-INS-09).

Column Name: suffix
Column Type: varchar
Max Length: 10
Dependent Name Suffix(2100D-NM1-07).

Column Name: supp_id

Column Type: varchar
Max Length: 30
Dependent Supplemental Identifier(2100D-REF-02).

Column Name: trace_assign_ent_id
Column Type: varchar
Max Length: 10
Trace Assigning Entity Identifier(2000D-TRN-03).

Column Name: trace_assign_ent_id_2
Column Type: varchar
Max Length: 30
Trace Assigning Entity Additional Identifier(2000D-TRN-04).

Column Name: trace_num
Column Type: varchar
Max Length: 30
Trace Number(2000D-TRN-02).

Column Name: trace_type_code
Column Type: varchar
Max Length: 2
Trace Type Code(2000D-TRN-01).

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: valid_req_ind
Column Type: varchar
Max Length: 1
Valid Request Indicator(2100D-AAA-01).

Column Name: valid_req_value
Column Type: varchar
Max Length: 120
The description associated with the valid_req_ind. See valid_req_ind for more information.

Column Name: version
Column Type: varchar
Max Length: 20
The HIPAA transaction version "v4010" or "v5010".

Column Name: zip
Column Type: varchar
Max Length: 15
Dependent Postal Zone or ZIP Code(2100D-N4-03).

Documentation for form: Eligibility_Response_(271)

Table Name: SYSTEM.billing_271_resp

Table Description: This table returns Eligibility, Coverage or Benefit Response (271) Response Data from 'Eligibility Response (271)' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: varchar
Max Length: 50
Episode Number

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
Guarantor ID

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: amt
Column Type: varchar
Max Length: 18
Benefit Amount

Column Name: auth_or_cert_ind
Column Type: varchar
Max Length: 1
Authorization or Certification Indicator

Column Name: auth_or_cert_value
Column Type: varchar
Max Length: 120
The description associated with the auth_or_cert_ind. See auth_or_cert_ind for more information.

Column Name: benefit_percent

Column Type: varchar
Max Length: 10
Benefit Percent

Column Name: client_name
Column Type: varchar
Max Length: 100
Client Name

Column Name: cov_level_code
Column Type: varchar
Max Length: 3
Benefit Coverage Level Code

Column Name: cov_level_value
Column Type: varchar
Max Length: 120
The description associated with the cov_level_code. See cov_level_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data Entry User ID

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
Data Entry User Name

Column Name: date_tim
Column Type: varchar

Max Length: 35
Date Time Period

Column Name: date_tim_format_qua
Column Type: varchar
Max Length: 3
Date Time Period Format Qualifier

Column Name: date_tim_format_value
Column Type: varchar
Max Length: 120
The description associated with the date_tim_format_qua. See date_tim_format_qua for more information.

Column Name: date_tim_qua
Column Type: varchar
Max Length: 3
Date/Time Qualifier

Column Name: date_tim_value
Column Type: varchar
Max Length: 120
The description associated with the date_tim_qua. See date_tim_qua for more information.

Column Name: diagnosis_code
Column Type: varchar
Max Length: 50
Diagnosis Code

Column Name: diagnosis_value
Column Type: varchar
Max Length: 120
The description associated with the diagnosis_code. See diagnosis_code for more information.

Column Name: elig_info
Column Type: varchar
Max Length: 2
Eligibility or Benefit Information

Column Name: elig_info_value
Column Type: varchar
Max Length: 120
The description associated with the elig_info. See elig_info for more information.

Column Name: elig_verified
Column Type: varchar
Max Length: 5
Eligibility Verified

Column Name: file_index
Column Type: varchar

Max Length: 50

File Index

Column Name: file_info_str

Column Type: varchar

Max Length: 50

File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)

Column Name: file_name

Column Type: varchar

Max Length: 50

File Name

Column Name: file_status

Column Type: varchar

Max Length: 50

File Status

Column Name: follow_act_code

Column Type: varchar

Max Length: 1

Follow-up Action Code

Column Name: follow_act_value

Column Type: varchar

Max Length: 120

The description associated with the follow_act_code. See follow_act_code for more information.

Column Name: group_index

Column Type: integer

Group Index

Column Name: guarantor_name

Column Type: varchar

Max Length: 40

The Guarantor name associated with the GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: inquiry_type

Column Type: varchar

Max Length: 5

Inquiry Type

Column Name: inquiry_type_desc

Column Type: varchar

Max Length: 80

The description associated with the inquiry_type. See inquiry_type for more information.

Column Name: inquiry_type_index

Column Type: integer

Inquiry Type Index

Column Name: ins_type_code

Column Type: varchar

Max Length: 3

Insurance Type Code

Column Name: ins_type_value

Column Type: varchar

Max Length: 120

The description associated with the ins_type_code. See ins_type_code for more information.

Column Name: modifier

Column Type: varchar

Max Length: 50

Modifier

Column Name: non_admitted_name

Column Type: varchar

Max Length: 50

Non Admitted Client Name

Column Name: plan_cov_desc

Column Type: varchar

Max Length: 50

Plan Coverage Description

Column Name: procedure_code

Column Type: varchar

Max Length: 50

Procedure Code

Column Name: procedure_value

Column Type: varchar

Max Length: 120

The description associated with the procedure_code. See procedure_code for more information.

Column Name: quan

Column Type: varchar

Max Length: 15

Benefit Quantity

Column Name: quan_qua

Column Type: varchar

Max Length: 2

Quantity Qualifier

Column Name: quan_value

Column Type: varchar

Max Length: 120

The description associated with the quan_qua. See quan_qua for more information.

Column Name: reject_rea_code
Column Type: varchar
Max Length: 2
Rejection Reason Code

Column Name: reject_rea_value
Column Type: varchar
Max Length: 120
The description associated with the reject_rea_code. See reject_rea_code for more information.

Column Name: segment
Column Type: varchar
Max Length: 50
Segment

Column Name: segment_data
Column Type: varchar
Max Length: 255
Segment Data

Column Name: segment_data_msg
Column Type: varchar
Max Length: 3000
Segment Data MSG (2110C 'MSG' Segment)

Column Name: segment_index
Column Type: integer
Segment Counter

Column Name: service_type_code
Column Type: varchar
Max Length: 1000
Service Type Code

Column Name: service_type_value
Column Type: varchar
Max Length: 4096
The description associated with the service_type_code. See service_type_code for more information.

Column Name: time_period_qua
Column Type: varchar
Max Length: 2
Time Period Qualifier

Column Name: time_period_value
Column Type: varchar
Max Length: 120
The description associated with the time_period_qua. See time_period_qua for more information.

Column Name: trace_number
Column Type: varchar
Max Length: 30
Trace Number

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: valid_request_ind
Column Type: varchar
Max Length: 50
Valid Request Indicator

Column Name: valid_request_value
Column Type: varchar
Max Length: 120
The description associated with the valid_request_ind. See valid_request_ind for more information.

Column Name: version
Column Type: varchar
Max Length: 20
271 Version

Documentation for form: Eligibility_Response_(271)

Table Name: SYSTEM.billing_271_resp_chg

Table Description: This table returns Eligibility, Coverage or Benefit Response (271) Response Data from 'Eligibility Response (271)' form.

Column Name: FACILITY
Column Type: integer

Column Name: version
Column Type: varchar
Max Length: 20

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: client_name
Column Type: varchar
Max Length: 100

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50

Column Name: guarantor_name
Column Type: varchar
Max Length: 40

Column Name: inquiry_type
Column Type: varchar
Max Length: 5

Column Name: inquiry_type_desc
Column Type: varchar
Max Length: 80

Column Name: inquiry_type_index
Column Type: integer

Column Name: group_index
Column Type: integer

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 50

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

Column Name: file_info_str

Column Type: varchar

Max Length: 50

Column Name: file_name

Column Type: varchar

Max Length: 50

Column Name: file_status

Column Type: varchar

Max Length: 50

Column Name: segment

Column Type: varchar

Max Length: 50

Column Name: segment_index

Column Type: integer

Column Name: segment_data

Column Type: varchar

Max Length: 255

Column Name: segment_data_msg
Column Type: varchar
Max Length: 3000

Column Name: action_cd
Column Type: varchar
Max Length: 50

Column Name: action_val
Column Type: varchar
Max Length: 50

Column Name: previous_segment_data
Column Type: varchar
Max Length: 50

Column Name: previous_segment_data_msg
Column Type: varchar
Max Length: 3000

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Eligibility_Response_(271)

Table Name: SYSTEM.billing_271_subscriber

Table Description: This table returns Eligibility, Coverage or Benefit Response (271) Subscriber Information from 'Eligibility Response (271)' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the Client ID included in the 271 file to compile.

Column Name: FACILITY
Column Type: integer
The system code in which the 271 file is compiled.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
The Guarantor ID included in the 271 file to compile.

Column Name: JOIN_TO_HEADER
Column Type: integer
The unique ID used as a link to the SYSTEM.billing_271_header table.

Column Name: JOIN_TO_RECEIVER
Column Type: integer
The unique ID used as a link to the SYSTEM.billing_271_receiver table.

Column Name: JOIN_TO_SOURCE
Column Type: integer
The unique ID used as a link to the SYSTEM.billing_271_source table.

Column Name: JOIN_TO_SUBSCRIBER
Column Type: integer
The unique ID which represents the Subscriber Information Counter.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with the 271 file to compile.

Column Name: addr_line
Column Type: varchar
Max Length: 55
Subscriber Address Line.

Column Name: addr_line_2
Column Type: varchar
Max Length: 55
Subscriber Address Line 2.

Column Name: birth_date
Column Type: varchar
Max Length: 35
Subscriber Birth Date.

Column Name: birth_seq_num
Column Type: varchar
Max Length: 9
Birth Sequence Number(2100D-INS-17).

Column Name: city
Column Type: varchar
Max Length: 30
Subscriber City Name.

Column Name: client_name
Column Type: varchar
Max Length: 100
Client name associated with the PATID.

Column Name: comm_num
Column Type: varchar
Max Length: 80
Benefit Related Entity Communication Number(2120-PER-04).

Column Name: comm_num_2
Column Type: varchar
Max Length: 80
Benefit Related Entity Communication Number(2120-PER-06).

Column Name: comm_num_3
Column Type: varchar
Max Length: 80
Benefit Related Entity Communication Number(2120-PER-08).

Column Name: comm_num_qua
Column Type: varchar
Max Length: 2
Communication Number Qualifier(2120-PER-03).

Column Name: comm_num_qua_2
Column Type: varchar
Max Length: 2
Communication Number Qualifier(2120-PER-05).

Column Name: comm_num_qua_3
Column Type: varchar
Max Length: 2
Communication Number Qualifier(2120-PER-07).

Column Name: con_fun_code
Column Type: varchar
Max Length: 2
Contact Function Code(2120C-PER-01).

Column Name: con_name
Column Type: varchar
Max Length: 60
Subscriber Contact Name.

Column Name: country_code
Column Type: varchar
Max Length: 3
Country Code (2100C).

Column Name: country_sub_div_code
Column Type: varchar
Max Length: 50
County Sub Division Code

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name who updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved. (NOTE: The data in this field is delimited by ":" instead of the usual ";")

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user description associated with the data_entry_user_id. See data_entry_user_id for more information.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_tim
Column Type: varchar
Max Length: 35
The 'Default Expiration Date (2100C/2100D-DTP-02)' field in the 'Guarantors/Payors (270/271/834)'

Column Name: date_tim_qua
Column Type: varchar
Max Length: 3
Date Time Qualifier (2100C)

Column Name: date_tim_value
Column Type: varchar
Max Length: 120
The description associated with the date_tim_qua. See date_tim_qua for more information.

Column Name: diagnosis_code1
Column Type: varchar
Max Length: 50
Diagnosis Code 1 (2100C-HI01-2).

Column Name: diagnosis_code2
Column Type: varchar
Max Length: 50
Diagnosis Code 2 (2100C-HI02-2).

Column Name: diagnosis_code3
Column Type: varchar
Max Length: 50
Diagnosis Code 3 (2100C-HI03-2).

Column Name: diagnosis_code4
Column Type: varchar
Max Length: 50
Diagnosis Code 4 (2100C-HI04-2).

Column Name: diagnosis_code5
Column Type: varchar

Max Length: 50
Diagnosis Code 5 (2100C-HI05-2).

Column Name: diagnosis_code6
Column Type: varchar
Max Length: 50
Diagnosis Code 6 (2100C-HI06-2).

Column Name: diagnosis_code7
Column Type: varchar
Max Length: 50
Diagnosis Code 7 (2100C-HI07-2).

Column Name: diagnosis_code8
Column Type: varchar
Max Length: 50
Diagnosis Code 8 (2100C-HI08-2).

Column Name: diagnosis_type_code1
Column Type: varchar
Max Length: 50
Diagnosis Type Code 1 (2100C-HI01-1).

Column Name: diagnosis_type_code2
Column Type: varchar
Max Length: 50
Diagnosis Type Code 2 (2100CHI02-1).

Column Name: diagnosis_type_code3
Column Type: varchar
Max Length: 50
Diagnosis Type Code 3 (2100C-HI03-1).

Column Name: diagnosis_type_code4
Column Type: varchar
Max Length: 50
Diagnosis Type Code 4 (2100C-HI04-1).

Column Name: diagnosis_type_code5
Column Type: varchar
Max Length: 50
Diagnosis Type Code 5 (2100C-HI05-1).

Column Name: diagnosis_type_code6
Column Type: varchar
Max Length: 50
Diagnosis Type Code 6 (2100C-HI06-1).

Column Name: diagnosis_type_code7
Column Type: varchar

Max Length: 50
Diagnosis Type Code 7 (2100C-HI07-1).

Column Name: diagnosis_type_code8
Column Type: varchar
Max Length: 50
Diagnosis Type Code 8 (2100C-HI08-1).

Column Name: dmgt_date_tim_format_qua
Column Type: varchar
Max Length: 3
Date Time Period Format Qualifier(DMG).

Column Name: dtp_date_tim_format_qua
Column Type: varchar
Max Length: 3
Date Time Period Format Qualifier(DTP).

Column Name: entity_id_code
Column Type: varchar
Max Length: 3
Entity Identifier Code(2100C-NM1-01).

Column Name: entity_id_value
Column Type: varchar
Max Length: 80
The description associated with the entity_id_code. See entity_id_code for more information.

Column Name: entity_type_qua
Column Type: varchar
Max Length: 1
Entity Type Qualifier(2100C-NM1-02).

Column Name: entity_type_value
Column Type: varchar
Max Length: 80
The description associated with the entity_type_qua. See entity_type_qua for more information.

Column Name: file_index
Column Type: varchar
Max Length: 50
The unique id associated with the 271 file. Date the 271 was compiled in julian date format.followed by a counter starting at 001.

Column Name: file_info_str
Column Type: varchar
Max Length: 50
File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)

Column Name: file_name
Column Type: varchar
Max Length: 50
The 'File Path\Name' field in the 'Eligibility Response(271)' form.

Column Name: file_status
Column Type: varchar
Max Length: 50
Indicates the file status.

Column Name: first_name
Column Type: varchar
Max Length: 25
Subscriber First Name(2100C).

Column Name: follow_act_code
Column Type: varchar
Max Length: 1
Follow-up Action Code(2110C-AAA-04).

Column Name: follow_act_value
Column Type: varchar
Max Length: 120
The description associated with the follow_act_code. See follow_act_code for more information.

Column Name: gender_code
Column Type: varchar
Max Length: 1
Subscriber Gender Code(2100C-DMG-03).

Column Name: guarantor_name
Column Type: varchar
Max Length: 40
The Guarantor name associated with the GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: handicap_ind
Column Type: varchar
Max Length: 1
Handicap Indicator(2100D-INS-10).

Column Name: hier_child_code
Column Type: varchar
Max Length: 1
Hierarchical Child Code(2000C-HL-04).

Column Name: hier_id
Column Type: varchar
Max Length: 12
Hierarchical ID Number(2000C-HL-01).

Column Name: hier_level_code
Column Type: varchar
Max Length: 2
Hierarchical Level Code(2000C-HL-03).

Column Name: hier_parent_id
Column Type: varchar
Max Length: 12
Hierarchical Parent ID Number(2000C-HL-01).

Column Name: id_code_qua
Column Type: varchar
Max Length: 2
Identification Code Qualifier

Column Name: id_code_value
Column Type: varchar
Max Length: 80
The description associated with the id_code_qua. See id_code_qua for more information.

Column Name: ind_rel_code
Column Type: varchar
Max Length: 2
Individual Relationship Code(2100C-INS-02).

Column Name: inquiry_type
Column Type: varchar
Max Length: 5
Inquiry Type

Column Name: inquiry_type_desc
Column Type: varchar
Max Length: 80
Inquiry Type Description

Column Name: ins_ind
Column Type: varchar
Max Length: 1
Insured Indicator(2100D-INS-01).

Column Name: last_name
Column Type: varchar
Max Length: 35
Subscriber Last Name(2100C-NM1-03).

Column Name: loc_id_code
Column Type: varchar
Max Length: 30
Location Identification Code.

Column Name: loc_qua
Column Type: varchar
Max Length: 2
Location Qualifier(2120C-N4-05).

Column Name: maint_rea_code
Column Type: varchar
Max Length: 3
Maintenance Reason Code(2100C-INS-04).

Column Name: maint_type_code
Column Type: varchar
Max Length: 3
Maintenance Type Code(2100C).

Column Name: middle_name
Column Type: varchar
Max Length: 25
Subscriber Middle Name(2100C-NM1-05).

Column Name: plan_spon_name
Column Type: varchar
Max Length: 80
Plan Sponsor Name(2110C-REF-03).

Column Name: prefix
Column Type: varchar
Max Length: 10
Subscriber Name Prefix(2100C)

Column Name: provider_code
Column Type: varchar
Max Length: 50
Provider Code(2100C-PRV-01).

Column Name: provider_ref_id
Column Type: varchar
Max Length: 50
Reference Identification(2100C-REF-02).

Column Name: provider_ref_id_qua
Column Type: varchar
Max Length: 50
Reference Identification Qualifier(2100C-REF-01).

Column Name: ref_id_qua
Column Type: varchar
Max Length: 3
Reference Identification Qualifier(2100C).

Column Name: reject_rea_code
Column Type: varchar
Max Length: 2
Reject Reason Code(2100C-AAA-03).

Column Name: segment
Column Type: varchar
Max Length: 50
Segment.

Column Name: segment_index
Column Type: integer
Segment Counter.

Column Name: state
Column Type: varchar
Max Length: 2
Subscriber State or Province Code(2100C-N4-02).

Column Name: stu_status_code
Column Type: varchar
Max Length: 2
Student Status Code(2100D-INS-09).

Column Name: sub_id
Column Type: varchar
Max Length: 80
Subscriber Primary Identifier(2100C).

Column Name: suffix
Column Type: varchar
Max Length: 10
Subscriber Name Suffix(2100C-NM1-07).

Column Name: supp_id
Column Type: varchar
Max Length: 30
Subscriber Supplemental Identifier.

Column Name: trace_assign_ent_id
Column Type: varchar
Max Length: 10
Trace Assigning Entity Identifier(2000C-TRN-03).

Column Name: trace_assign_ent_id_2
Column Type: varchar
Max Length: 30
Trace Assigning Entity Additional Identifier(2000C-TRN-04).

Column Name: trace_num

Column Type: varchar
Max Length: 30
Trace Number(2000C-TRN-02).

Column Name: trace_type_code
Column Type: varchar
Max Length: 2
Trace Type Code(2000C-TRN-01).

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: valid_req_ind
Column Type: varchar
Max Length: 1
Valid Request Indicator(2110-AAA-01).

Column Name: valid_req_value
Column Type: varchar
Max Length: 120
The description associated with the valid_req_ind. See valid_req_ind for more information.

Column Name: version
Column Type: varchar
Max Length: 20
The billing form number 271, followed by the HIPAA transaction version "v4010" or "v5010".

Column Name: zip
Column Type: varchar
Max Length: 15
Subscriber Postal Code(2100C-N4-03).

Documentation for form: Eligibility_Response_(271)

Table Name: SYSTEM.billing_271_updated_info

Table Description: This table returns the Subscriber Relationship (INS) information (2100C/2100D) of a 271 response file

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER

Column Type: integer
Client episode to which the response data is associated

Column Name: FACILITY
Column Type: integer
the facility in which the information is stored

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
Id of the guarantor associated with the response data

Column Name: PATID
Column Type: varchar
Max Length: 20
the patient associated with the 271 response data

Column Name: address_line
Column Type: varchar
Max Length: 50
Address Line 1 (2100C/2100D 'N3' Segment Field N301)

Column Name: address_line_2
Column Type: varchar
Max Length: 50
Address Line 2 (2100C/2100D 'N3' Segment Field N302)

Column Name: city
Column Type: varchar
Max Length: 50
City (2100C/2100D 'N4' Segment Field N401)

Column Name: client_name
Column Type: varchar
Max Length: 100
Name of the client

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By (30001)

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By Option (30003)

Column Name: data_entry_date
Column Type: date
Data Entry Date (30000)

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved. (30033)

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time (30002)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved. (30032)

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved. (30031)

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone (30034)

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id (30009)

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name (30009 - calculated)

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved. (30030)

Column Name: date_of_birth
Column Type: varchar
Max Length: 50
Birth Date (2100C/2100D 'DMG' Segment Field DMG02)

Column Name: entity_first_name
Column Type: varchar
Max Length: 50
Name First (2120C/2120D 'NM1' Segment Field NM104)

Column Name: entity_last_name
Column Type: varchar

Max Length: 50
Name Last (2120C/2120D 'NM1' Segment Field NM103)

Column Name: entity_middle_name
Column Type: varchar
Max Length: 50
Name Middle (2120C/2120D 'NM1' Segment Field NM105)

Column Name: entity_type_code
Column Type: varchar
Max Length: 50
Entity Identifier Code (2120C/2120D 'NM1' Segment Field NM101)

Column Name: entity_type_qual_code
Column Type: varchar
Max Length: 50
Entity Type Qualifier Code (2120C/2120D 'NM1' Segment Field NM102)

Column Name: entity_type_qual_value
Column Type: varchar
Max Length: 40
Entity Type Qualifier Code (value) (2120C/2120D 'NM1' Segment Field NM102)

Column Name: entity_type_value
Column Type: varchar
Max Length: 40
Entity Identifier Code (value) (2120C/2120D 'NM1' Segment Field NM101)

Column Name: file_index
Column Type: varchar
Max Length: 50
Index under which the 271 file is stored

Column Name: file_info_str
Column Type: varchar
Max Length: 50
File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)

Column Name: file_name
Column Type: varchar
Max Length: 50
File Name

Column Name: file_status
Column Type: varchar
Max Length: 50
File Status

Column Name: gender_code

Column Type: varchar
Max Length: 50
Gender Code (2100C/2100D 'DMG' Segment Field DMG03)

Column Name: guarantor_name
Column Type: varchar
Max Length: 40
Name of the guarantor

Column Name: id_code
Column Type: varchar
Max Length: 50
Identification Code (2120C/2120D 'NM1' Segment Field NM109)

Column Name: id_code_qual_code
Column Type: varchar
Max Length: 50
Identification Code Qualifier Code (2120C/2120D 'NM1' Segment Field NM108)

Column Name: id_code_qual_value
Column Type: varchar
Max Length: 40
Identification Code Qualifier Code (value) (2120C/2120D 'NM1' Segment Field NM108)

Column Name: inquiry_type
Column Type: varchar
Max Length: 5
The type of inquiry submitted (code)

Column Name: inquiry_type_desc
Column Type: varchar
Max Length: 80
The type of inquiry submitted (desc)

Column Name: maint_reason_code
Column Type: varchar
Max Length: 50
Maintenance Reason Code (2100C/2100D 'INS' Segment Field INS04)

Column Name: maint_type_code
Column Type: varchar
Max Length: 50
Maintenance Type Code (2100C/2100D 'INS' Segment Field INS03)

Column Name: state
Column Type: varchar
Max Length: 50
State (2100C/2100D 'N4' Segment Field N402)

Column Name: trace_number

Column Type: varchar
Max Length: 50
Trace Number (2000C/2000D 'TRN' Segment Field TRN02)

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: version
Column Type: varchar
Max Length: 20
version of the 271 file

Column Name: zip_code
Column Type: varchar
Max Length: 50
Zip Code (2100C/2100D 'N4' Segment Field N403)

Documentation for form: Eligibility_Response_(271)

Table Name: SYSTEM.billing_271_validate_info

Table Description: This table returns the validation (AAA) information (2110C/2110D) of a 271 response file

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
Client episode to which the response data is associated

Column Name: FACILITY
Column Type: integer
the facility in which the information is stored

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
Id of the guarantor associated with the response data

Column Name: PATID
Column Type: varchar
Max Length: 20
the patient associated with the 271 response data

Column Name: client_name
Column Type: varchar
Max Length: 100
Name of the client

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By (30001)

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By Option (30003)

Column Name: data_entry_date
Column Type: date
Data Entry Date (30000)

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved. (30033)

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time (30002)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved. (30032)

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved. (30031)

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone (30034)

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id (30009)

Column Name: data_entry_user_name
Column Type: varchar

Max Length: 40
data entry user name (30009 - calculated)

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved. (30030)

Column Name: file_index
Column Type: varchar
Max Length: 50
Index under which the 271 file is stored

Column Name: file_info_str
Column Type: varchar
Max Length: 50
File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)

Column Name: file_name
Column Type: varchar
Max Length: 50
File Name

Column Name: file_status
Column Type: varchar
Max Length: 50
File Status

Column Name: followup_action_code
Column Type: varchar
Max Length: 50
Followup Action Code (AAA04)

Column Name: followup_action_value
Column Type: varchar
Max Length: 50
Followup Action Value (AAA04)

Column Name: guarantor_name
Column Type: varchar
Max Length: 40
Name of the guarantor

Column Name: inquiry_type
Column Type: varchar
Max Length: 5
The type of inquiry submitted (code)

Column Name: inquiry_type_desc
Column Type: varchar

Max Length: 80
The type of inquiry submitted (desc)

Column Name: msg
Column Type: varchar
Max Length: 3000
Free form text response message (2110C/2100 'MSG' Segment)

Column Name: program_code
Column Type: varchar
Max Length: 10
Program (code) associated with episode

Column Name: program_value
Column Type: varchar
Max Length: 40
Program (value) associated with episode

Column Name: reject_reason_code
Column Type: varchar
Max Length: 50
Reject Reason Code (AAA03)

Column Name: reject_reason_value
Column Type: varchar
Max Length: 50
Reject Reason Value (AAA03)

Column Name: trace_number
Column Type: varchar
Max Length: 50
Trace Number (2000C/2000D 'TRN' Segment Field TRN02)

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: valid_request_ind_code
Column Type: varchar
Max Length: 50
Valid Request Indicator (AAA01)

Column Name: valid_request_ind_value
Column Type: varchar
Max Length: 50
Valid Request Indicator Value (AAA01)

Column Name: version

Column Type: varchar
Max Length: 20
version of the 271 file

Documentation for form: Benefit_Enrollment_and_Maintenance_(834)

Table Name: SYSTEM.bem_834_errors

Table Description: Benefit Enrollment and Maintenance (834) Submission Errors

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
Guarantor ID

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
Data Entry By (Option)

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
Data Entry User ID

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
Data Entry User Name

Column Name: episode_index
Column Type: varchar
Max Length: 50
Episode Index for report

Column Name: error_index
Column Type: integer
Error Index for report

Column Name: error_message
Column Type: varchar
Max Length: 256
Error Message

Column Name: file_description
Column Type: varchar
Max Length: 50
File Description

Column Name: file_index
Column Type: varchar
Max Length: 50
834 File Index

Column Name: file_status
Column Type: varchar
Max Length: 50
834 File Status

Column Name: guarantor_name
Column Type: varchar
Max Length: 50
The Guarantor name associated with the GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: patient_name

Column Type: varchar
Max Length: 100
Client Name

Column Name: priority
Column Type: integer
Error Priority

Column Name: program_code
Column Type: varchar
Max Length: 50
Program

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: through_date
Column Type: date
Through Date

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: version
Column Type: varchar
Max Length: 50
Version

Documentation for form: [Benefit_Enrollment_and_Maintenance_\(834\)](#)

Table Name: [SYSTEM.billing_834_coverage](#)

Table Description: Benefit Enrollment and Maintenance (834) Coverage Information

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
FACILITY

Column Name: JOIN_TO_COVERAGE
Column Type: integer
Member Information Counter

Column Name: JOIN_TO_HEADER
Column Type: integer
Header Information Counter

Column Name: JOIN_TO_MEMBER
Column Type: integer
Member Information Counter

Column Name: JOIN_TO_PAYER
Column Type: integer
Payer Information Counter

Column Name: amount_qualifier
Column Type: varchar
Max Length: 3
2300 - AMT - Amount Qualifier Code

Column Name: cob_addl_iden
Column Type: varchar
Max Length: 3
2320 - REF - Reference Identification Qualifier

Column Name: cob_addl_policy_num
Column Type: varchar
Max Length: 50
2320 - REF - Insured Group or Policy Number

Column Name: cob_code
Column Type: varchar
Max Length: 1
2320 - COB - Coordination of Benefits Code

Column Name: cob_date
Column Type: varchar
Max Length: 35
2320 - DTP - Coordination of Benefits Date

Column Name: cob_date_time_period
Column Type: varchar
Max Length: 3
2320 - DTP - Date Time Period Format Qualifier

Column Name: cob_date_time_qual
Column Type: varchar
Max Length: 3

2320 - DTP - Date Time Qualifier

Column Name: cob_entity_address

Column Type: varchar

Max Length: 55

2330 - N3 - Coordination of Benefits Related Entity Address Information

Column Name: cob_entity_address2

Column Type: varchar

Max Length: 55

2330 - N3 - Coordination of Benefits Related Entity Address Information

Column Name: cob_entity_city

Column Type: varchar

Max Length: 30

2330 - N4 - Coordination of Benefits Other Insurance Company City

Column Name: cob_entity_coun_sub_div

Column Type: varchar

Max Length: 3

2330 - N4 - Coordination of Benefits Other Insurance Company Country Subdivision Code

Column Name: cob_entity_country

Column Type: varchar

Max Length: 3

2330 - N4 - Coordination of Benefits Other Insurance Company Country

Column Name: cob_entity_func_code

Column Type: varchar

Max Length: 2

2330 - PER - Administrative Communications Contact Function Code

Column Name: cob_entity_func_number

Column Type: varchar

Max Length: 256

2330 - PER - Administrative Communications Contact Communication Number

Column Name: cob_entity_func_qual

Column Type: varchar

Max Length: 2

2330 - PER - Administrative Communications Contact Communication Number Qualifier

Column Name: cob_entity_iden

Column Type: varchar

Max Length: 80

2330 - NM1 - Coordination of Benefits Related Entity Identifier

Column Name: cob_entity_iden_code

Column Type: varchar

Max Length: 3

2330 - NM1 - Coordination of Benefits Related Entity ID Code

Column Name: cob_entity_iden_code_qual

Column Type: varchar

Max Length: 2

2330 - NM1 - Coordination of Benefits Related Entity ID Code Qualifier

Column Name: cob_entity_last_name

Column Type: varchar

Max Length: 60

2330 - NM1 - Coordination of Benefits Related Entity Last Name/Organization

Column Name: cob_entity_state

Column Type: varchar

Max Length: 2

2330 - N4 - Coordination of Benefits Other Insurance Company State

Column Name: cob_entity_type_qual

Column Type: varchar

Max Length: 1

2330 - NM1 - Coordination of Benefits Related Entity Qualifier

Column Name: cob_entity_zip_code

Column Type: varchar

Max Length: 15

2330 - N4 - Coordination of Benefits Other Insurance Company Zip Code

Column Name: cob_policy_num

Column Type: varchar

Max Length: 50

2320 - COB - Insured Group or Policy Number

Column Name: cob_resp_seq_num

Column Type: varchar

Max Length: 1

2320 - COB - Payer Responsibility Sequence Number Code

Column Name: contract_amount

Column Type: varchar

Max Length: 18

2300 - AMT - Contract Amount

Column Name: cov_date_time_period

Column Type: varchar

Max Length: 3

2300 - DTP - Date Time Period Format Qualifier

Column Name: cov_date_time_qual

Column Type: varchar

Max Length: 3

2300 - DTP - Date/Time Qualifier

Column Name: coverage_level

Column Type: varchar

Max Length: 3

2300 - HD - Coverage Level Code

Column Name: coverage_period

Column Type: varchar

Max Length: 35

2300 - DTP - Coverage Period

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Data Entry By

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Data Entry By Option (30003)

Column Name: data_entry_date

Column Type: date

Data Entry Date

Column Name: data_entry_offset

Column Type: numeric

The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

Data Entry Time

Column Name: data_entry_time_j

Column Type: time

The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

The time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

The short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: file_index
Column Type: varchar
Max Length: 50
834 File Index

Column Name: file_info_str
Column Type: varchar
Max Length: 500
File Information String (File Status, Date Entry Date, Data Entry By, Data Entry Time, Data Entry By Option, File Name, Data Entry User Id, Option Id, Data Entry UTC Timestamp, Data Entry Workstation Timezone, Data Entry Local Time, Data Entry Offset, Data Entry Calculated Timezone)

Column Name: file_name
Column Type: varchar
Max Length: 200
File Name

Column Name: file_status
Column Type: varchar
Max Length: 50
File Status

Column Name: id_action_code
Column Type: varchar
Max Length: 2
2300 - IDC - Action Code

Column Name: id_card_count
Column Type: varchar
Max Length: 15
2300 - IDC - Identification Card Count

Column Name: id_card_type
Column Type: varchar
Max Length: 1
2300 - IDC - Identification Card Type Code

Column Name: insur_iden_code
Column Type: varchar
Max Length: 3
2320 - N1 - Entity Identifier Code

Column Name: insur_iden_qual
Column Type: varchar
Max Length: 2
2320 - N1 - Identification Code Qualifier

Column Name: insur_line_code
Column Type: varchar
Max Length: 3
2300 - HD - Insurance Line Code

Column Name: insur_name
Column Type: varchar
Max Length: 60
2320 - N1 - Insurer Name

Column Name: insur_policy_num
Column Type: varchar
Max Length: 80
2320 - N1 - Insured Group or Policy Number

Column Name: main_type_code
Column Type: varchar
Max Length: 3
2300 - HD - Maintenance Type Code

Column Name: plan_cov_desc
Column Type: varchar
Max Length: 50
2300 - IDC - Plan Coverage Description

Column Name: plan_cover_desc
Column Type: varchar
Max Length: 50
2300 - HD - Plan Coverage Description

Column Name: policy_num
Column Type: varchar
Max Length: 50
2300 - REF - Insured Group Or Policy Number

Column Name: policy_num_qual
Column Type: varchar
Max Length: 3
2300 - REF - Reference Identification Qualifier

Column Name: prior_cov_month_count
Column Type: varchar
Max Length: 50
2300 - REF Prior Coverage Month Count

Column Name: prior_cov_qual
Column Type: varchar
Max Length: 3
2300 - REF Prior Coverage Qualifier

Column Name: prov_ch_action_code
Column Type: varchar
Max Length: 2
2310 - PLA - Action Code

Column Name: prov_ch_eff_date
Column Type: varchar
Max Length: 8
2310 - PLA - Provider Effective Date

Column Name: prov_ch_iden_code
Column Type: varchar
Max Length: 3
2310 - PLA - Entity Identifier Code

Column Name: prov_ch_main_reason
Column Type: varchar
Max Length: 3
2310 - PLA - Maintenance Reason Code

Column Name: prov_contact_func
Column Type: varchar
Max Length: 2
2310 - PER - Contact Function Code

Column Name: provider_address
Column Type: varchar
Max Length: 30
2310 - N3 - Provider Address Line 1

Column Name: provider_address2
Column Type: varchar
Max Length: 30
2310 - N3 - Provider Address Line 2

Column Name: provider_city
Column Type: varchar
Max Length: 30
2310 - N4 - Provider Address City Name

Column Name: provider_coun_sub_div
Column Type: varchar
Max Length: 3
2310 - N4 - Provider Address Country Subdivision Code

Column Name: provider_country
Column Type: varchar
Max Length: 3
2310 - N4 - Provider Address Country Code

Column Name: provider_first_name
Column Type: varchar
Max Length: 35
2310 - NM1 - Provider First Name

Column Name: provider_iden
Column Type: varchar
Max Length: 80
2310 - NM1 - Provider Identifier

Column Name: provider_iden_code
Column Type: varchar
Max Length: 3
2310 - NM1 - Entity Identifier Code

Column Name: provider_iden_qual
Column Type: varchar
Max Length: 2
2310 - NM1 - Identification Code Qualifier

Column Name: provider_last_name
Column Type: varchar
Max Length: 60
2310 - NM1 - Provider Last or Organization Name

Column Name: provider_loc_iden
Column Type: varchar
Max Length: 30
2310 - N4 - Location Identification Code

Column Name: provider_loc_qual
Column Type: varchar
Max Length: 2
2310 - N4 - Location Qualifier

Column Name: provider_middle_name
Column Type: varchar
Max Length: 25
2310 - NM1 - Provider Middle Name

Column Name: provider_name_suffix
Column Type: varchar
Max Length: 10
2310 - NM1 - Provider Name Suffix

Column Name: provider_number
Column Type: varchar
Max Length: 6
2310 - LX - Assigned Number

Column Name: provider_rel_code
Column Type: varchar
Max Length: 2
2310 - NM1 - Entity Relationship Code

Column Name: provider_state
Column Type: varchar
Max Length: 2
2310 - N4 - Member State Code

Column Name: provider_type_qual
Column Type: varchar
Max Length: 1
2310 - NM1 - Entity Type Qualifier

Column Name: provider_zip_code
Column Type: varchar
Max Length: 15
2310 - N4 - Member Postal Zone or ZIP Code

Column Name: prov_number
Column Type: varchar
Max Length: 256
2310 - PER - Communication Number

Column Name: prov_number_2
Column Type: varchar
Max Length: 256
2310 - PER - Communication Number

Column Name: prov_number_3
Column Type: varchar
Max Length: 256
2310 - PER - Communication Number

Column Name: prov_number_qual
Column Type: varchar
Max Length: 2
2310 - PER - Communication Number Qualifier

Column Name: prov_number_qual_2
Column Type: varchar
Max Length: 2
2310 - PER - Communication Number Qualifier

Column Name: prov_number_qual_3
Column Type: varchar
Max Length: 2
2310 - PER - Communication Number Qualifier

Column Name: segment
Column Type: varchar
Max Length: 50
Segment

Column Name: segment_index
Column Type: integer
Segment Counter

Column Name: service_type_code
Column Type: varchar
Max Length: 2
2320 - COB - Service Type Code

Column Name: version
Column Type: varchar
Max Length: 20
834 Version

Documentation for form: [Benefit_Enrollment_and_Maintenance_\(834\)](#)

Table Name: [SYSTEM.billing_834_error](#)

Table Description: Benefit Enrollment and Maintenance (834) File Error Information

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
FACILITY

Column Name: GUARANTOR_ID

Column Type: varchar
Max Length: 10
Guarantor ID

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By Option

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
Data entry user name

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: error_cnt_index
Column Type: varchar
Max Length: 50
Error Counter

Column Name: error_episode
Column Type: varchar
Max Length: 50
Episode Number Or An Error Of No Episode

Column Name: error_id
Column Type: varchar
Max Length: 50
Patient ID Number Or An Error Of No ID

Column Name: error_level
Column Type: varchar
Max Length: 50
Error Level

Column Name: error_message
Column Type: varchar
Max Length: 200
Error Message

Column Name: error_priority
Column Type: varchar
Max Length: 50
Error Priority

Column Name: file_index
Column Type: varchar
Max Length: 50
File Index

Column Name: file_info_str
Column Type: varchar
Max Length: 500
File Information String (File Status, Date Entry Date, Data Entry By, Data Entry Time, Data Entry By Option, File Name, Data Entry User Id, Option Id, Data Entry UTC Timestamp, Data Entry Workstation Timezone, Data Entry Local Time, Data Entry Offset, Data Entry Calculated Timezone)

Column Name: file_name
Column Type: varchar
Max Length: 200

File Name

Column Name: file_status

Column Type: varchar

Max Length: 50

File Status

Column Name: guarantor_name

Column Type: varchar

Max Length: 40

Guarantor Name

Column Name: version

Column Type: varchar

Max Length: 20

834 Version

Documentation for form: Benefit_Enrollment_and_Maintenance_(834)

Table Name: SYSTEM.billing_834_file

Table Description: Benefit Enrollment and Maintenance (834) File Information

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored. FACILITY

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Data Entry By

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Data Entry By Option

Column Name: data_entry_date

Column Type: date

Data Entry Date

Column Name: data_entry_offset

Column Type: numeric

The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

Data Entry Time

Column Name: data_entry_time_j

Column Type: time

The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

The time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

The short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Data entry user id

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Data entry user name

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: file_index

Column Type: varchar

Max Length: 50

File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)

Column Name: file_info_str

Column Type: varchar

Max Length: 500

File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)

Column Name: file_name

Column Type: varchar

Max Length: 200

File Name

Column Name: file_status

Column Type: varchar

Max Length: 50

File Status

Column Name: segment

Column Type: varchar

Max Length: 80

Segment

Column Name: segment_index

Column Type: integer

Segment Counter

Column Name: version

Column Type: varchar

Max Length: 20

834 Version

Documentation for form: Benefit_Enrollment_and_Maintenance_(834)

Table Name: SYSTEM.billing_834_header

Table Description: Benefit Enrollment and Maintenance (834) Header Information

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

FACILITY

Column Name: JOIN_TO_HEADER

Column Type: integer

Header Information Counter

Column Name: action_code

Column Type: varchar

Max Length: 2

BGN - Action Code

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Data Entry By

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Data Entry By Option

Column Name: data_entry_date

Column Type: date

Data Entry Date

Column Name: data_entry_offset

Column Type: numeric

The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

Data Entry Time

Column Name: data_entry_time_j

Column Type: time

The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

The time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

The short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Data entry user id

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Data entry user name

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: date_time_period

Column Type: varchar
Max Length: 3
DTP - Date Time Period Format Qualifier

Column Name: date_time_qual
Column Type: varchar
Max Length: 3
DTP - Date Time Qualifier

Column Name: effective_date
Column Type: varchar
Max Length: 3
DTP - Status Information Effective Date

Column Name: file_index
Column Type: varchar
Max Length: 50
File Index

Column Name: file_info_str
Column Type: varchar
Max Length: 500
File Information String (File Status, Date Entry Date, Data Entry By, Data Entry Time, Data Entry By Option, File Name, Data Entry User Id, Option Id, Data Entry UTC Timestamp, Data Entry Workstation Timezone, Data Entry Local Time, Data Entry Offset, Data Entry Calculated Timezone)

Column Name: file_name
Column Type: varchar
Max Length: 200
File Name

Column Name: file_status
Column Type: varchar
Max Length: 50
File Status

Column Name: master_policy_num
Column Type: varchar
Max Length: 30
REF - Master Policy Number

Column Name: quantity
Column Type: varchar
Max Length: 15
QTY - Transaction Set Control Totals Quantity

Column Name: quantity_qualifier
Column Type: varchar
Max Length: 2
QTY - Transaction Set Control Totals Quantity Qualifier

Column Name: ref_iden_qual
Column Type: varchar
Max Length: 3
REF - Reference Identification Qualifier

Column Name: segment
Column Type: varchar
Max Length: 50
Segment

Column Name: segment_index
Column Type: integer
Segment Counter

Column Name: st_tran_set_cont_numb
Column Type: varchar
Max Length: 9
ST - Transaction Set Control Number

Column Name: st_tran_set_conv_ref
Column Type: varchar
Max Length: 35
ST - Transaction Set Header Implementation Convention Reference

Column Name: st_tran_set_iden_code
Column Type: varchar
Max Length: 3
ST - Transaction Set Identifier Code

Column Name: time_zone_code
Column Type: varchar
Max Length: 2
BGN - Time Zone Code

Column Name: tran_set_create_date
Column Type: varchar
Max Length: 8
BGN - Transaction Set Creation Date

Column Name: tran_set_create_time
Column Type: varchar
Max Length: 8
BGN - Transaction Set Creation Time

Column Name: tran_set_iden_code
Column Type: varchar
Max Length: 30
BGN - Transaction Set Identifier Code

Column Name: tran_set_purp_code
Column Type: varchar
Max Length: 2
BGN - Transaction Set Purpose Code

Column Name: version
Column Type: varchar
Max Length: 20
834 Version

Documentation for form: Benefit_Enrollment_and_Maintenance_(834)

Table Name: SYSTEM.billing_834_member

Table Description: Benefit Enrollment and Maintenance (834) Member Information

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
FACILITY

Column Name: JOIN_TO_HEADER
Column Type: integer
Header Information Counter

Column Name: JOIN_TO_MEMBER
Column Type: integer
Member Information Counter

Column Name: JOIN_TO_PAYER
Column Type: integer
Payer Information Counter

Column Name: amount_qual_code
Column Type: varchar
Max Length: 3
2100A - AMT - Amount Qualifier Code

Column Name: ben_status_code
Column Type: varchar
Max Length: 1
2000 - INS - Benefit Status Code

Column Name: birth_sequence
Column Type: varchar
Max Length: 9
2000 - INS - Birth Sequence Number

Column Name: citizen_status
Column Type: varchar
Max Length: 2
2100A - DMG - Citizenship Status Code

Column Name: code_list_qual_race
Column Type: varchar
Max Length: 3
2100 - DMG - Member Demographics Code List Qualifier Code

Column Name: collection_code
Column Type: varchar
Max Length: 30
2100A - DMG - Member Demographics Race or Ethnicity Collection Code

Column Name: confident_code
Column Type: varchar
Max Length: 1
2000 - INS - Member Level Detail Confidentiality Code

Column Name: con_omni_recon
Column Type: varchar
Max Length: 2
2000 - INS - Consolidated Omnibus Budget Reconciliation

Column Name: contract_amount
Column Type: varchar
Max Length: 18
2100A - AMT - Contract Amount

Column Name: cust_addr_line
Column Type: varchar
Max Length: 55
2100F - N3 - Custodial Parent Address Line

Column Name: cust_addr_line_2
Column Type: varchar
Max Length: 55
2100F - N3 - Custodial Parent Address Line

Column Name: cust_city
Column Type: varchar
Max Length: 30
2100F - N4 - Custodial Parent City Name

Column Name: cust_contact_func
Column Type: varchar
Max Length: 2
2100F - PER - Contact Function Code

Column Name: cust_coun_sub_div_code
Column Type: varchar
Max Length: 3
2100F - N4 - Custodial Parent Country Subdivision Code

Column Name: cust_country
Column Type: varchar
Max Length: 3
2100F - N4 - Custodial Parent Country Code

Column Name: cust_first_name
Column Type: varchar
Max Length: 35
2100F - NM1 - Custodial Parent First Name

Column Name: cust_iden
Column Type: varchar
Max Length: 80
2100F - NM1 - Custodial Parent Identifier

Column Name: cust_iden_code
Column Type: varchar
Max Length: 3
2100F - NM1 - Custodial Parent Entity Identifier Code

Column Name: cust_iden_qual
Column Type: varchar
Max Length: 2
2100F - NM1 - Custodial Parent Identification Code Qualifier

Column Name: cust_middle_name
Column Type: varchar
Max Length: 25
2100F - NM1 - Custodial Parent Middle Name

Column Name: cust_name
Column Type: varchar
Max Length: 60
2100F - NM1 - Custodial Parent Name

Column Name: cust_name_suffix
Column Type: varchar
Max Length: 10
2100F - NM1 - Custodial Parent Name Suffix

Column Name: cust_number
Column Type: varchar
Max Length: 256
2100F - PER - Custodial Parent Communication Number

Column Name: cust_number_2
Column Type: varchar
Max Length: 256
2100F - PER - Custodial Parent Communication Number

Column Name: cust_number_3
Column Type: varchar
Max Length: 256
2100F - PER - Custodial Parent Communication Number

Column Name: cust_number_qual
Column Type: varchar
Max Length: 2
2100F - PER - Custodial Parent Communication Number Qualifier

Column Name: cust_number_qual_2
Column Type: varchar
Max Length: 2
2100F - PER - Custodial Parent Communication Number Qualifier

Column Name: cust_number_qual_3
Column Type: varchar
Max Length: 2
2100F - PER - Custodial Parent Communication Number Qualifier

Column Name: cust_state
Column Type: varchar
Max Length: 2
2100F - N4 - Custodial Parent State Code

Column Name: cust_type_qual
Column Type: varchar
Max Length: 1
2100F - NM1 - Custodial Parent Entity Type Qualifier

Column Name: cust_zip_code
Column Type: varchar
Max Length: 15
2100F - N4 - Custodial Parent Postal Zone or ZIP Code

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By Option

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: date_time_qual
Column Type: varchar
Max Length: 3
2000 - DTP - Member Level Dates Date Time Qualifier

Column Name: death_date
Column Type: varchar
Max Length: 35
2000 - INS - Member Level Detail Insured Individual Death Date

Column Name: dem_date_time_period
Column Type: varchar
Max Length: 3
2100A - DMG - Member Demographics Date Time Period Format Qualifier

Column Name: diagnosis_code
Column Type: varchar
Max Length: 15
2200 - DSB - Diagnosis Code

Column Name: dis_date_time_period
Column Type: varchar
Max Length: 3
2200 - DTP - Date Time Format Period Qualifier

Column Name: dis_date_time_qual
Column Type: varchar
Max Length: 3
2200 - DTP - Date Time Qualifier

Column Name: dis_elig_date
Column Type: varchar
Max Length: 35
2200 - DTP - Disability Eligibility Date

Column Name: dis_type_code
Column Type: varchar
Max Length: 1
2200 - DSB - Disability Type Code

Column Name: drop_off_address
Column Type: varchar
Max Length: 55
2100H - N3 - Drop Off Location Address

Column Name: drop_off_address2
Column Type: varchar
Max Length: 55
2100H - N3 - Drop Off Location Address

Column Name: drop_off_city
Column Type: varchar
Max Length: 30
2100H - N4 - Drop Off Location City

Column Name: drop_off_coun_sub_div
Column Type: varchar
Max Length: 1
2100H - N4 - Drop Off Location Country Subdivision Code

Column Name: drop_off_country
Column Type: varchar
Max Length: 3
2100H - N4 - Drop Off Location Country

Column Name: drop_off_first_name
Column Type: varchar
Max Length: 35
2100H - NM1 - Drop Off Location First Name

Column Name: drop_off_iden_code
Column Type: varchar
Max Length: 3
2100H - NM1 - Drop Off Location Entity Identifier Code

Column Name: drop_off_last_name
Column Type: varchar
Max Length: 60
2100H - NM1 - Drop Off Location Name Last or Organization Name

Column Name: drop_off_middle_name
Column Type: varchar
Max Length: 25
2100H - NM1 - Drop Off Location Middle Name

Column Name: drop_off_name_prefix
Column Type: varchar
Max Length: 10
2100H - NM1 - Drop Off Location Name Prefix

Column Name: drop_off_name_suffix
Column Type: varchar
Max Length: 10
2100H - NM1 - Drop Off Location Name Suffix

Column Name: drop_off_state
Column Type: varchar
Max Length: 2
2100H - N4 - Drop Off Location State

Column Name: drop_off_type_qual
Column Type: varchar
Max Length: 1
2100H - NM1 - Drop Off Location Entity Type Qualifier

Column Name: drop_off_zip_code
Column Type: varchar
Max Length: 15
2100H - N4 - Drop Off Location Zip Code

Column Name: empl_addr_line
Column Type: varchar
Max Length: 55
2100D - N3 - Insured Employer Address Line

Column Name: empl_addr_line_2
Column Type: varchar
Max Length: 55
2100D - N3 - Insured Employer Address Line

Column Name: empl_city
Column Type: varchar
Max Length: 30
2100D - N4 - Insured Employer City Name

Column Name: empl_class_code
Column Type: varchar
Max Length: 3
2100A - EC - Employment Class Code

Column Name: empl_class_code2
Column Type: varchar
Max Length: 3
2100A - EC - Employment Class Code

Column Name: empl_class_code3
Column Type: varchar
Max Length: 3
2100A - EC - Employment Class Code

Column Name: empl_contact_func
Column Type: varchar
Max Length: 2
2100D - PER - Contact Function Code

Column Name: empl_cont_name
Column Type: varchar
Max Length: 60
2100D - NM1 - Insured Employer Contact Name

Column Name: empl_country
Column Type: varchar
Max Length: 3
2100D - N4 - Member Employer Country Code

Column Name: empl_country_sub_div_code
Column Type: varchar
Max Length: 3
2100D - N4 - Member Employer Country Subdivision Code

Column Name: empl_first_name
Column Type: varchar
Max Length: 35
2100D - NM1 - Insured Employer First Name

Column Name: empl_iden
Column Type: varchar
Max Length: 80
2100D - NM1 - Member Employer Insured Employer Identifier

Column Name: empl_iden_code
Column Type: varchar
Max Length: 3
2100D - NM1 - Member Employer Entity Identifier Code

Column Name: empl_iden_qual
Column Type: varchar
Max Length: 2
2100D - NM1 - Member Employer Identification Code Qualifier

Column Name: empl_middle_name
Column Type: varchar
Max Length: 25
2100D - NM1 - Insured Employer Middle Name

Column Name: empl_name
Column Type: varchar
Max Length: 60
2100D - NM1 - Insured Employer Name

Column Name: empl_name_suffix
Column Type: varchar
Max Length: 10
2100D - NM1 - Insured Employer Name Suffix

Column Name: empl_number
Column Type: varchar
Max Length: 256
2100D - PER - Member Employer Communication Number

Column Name: empl_number_2
Column Type: varchar
Max Length: 256
2100D - PER - Member Employer Communication Number

Column Name: empl_number_3
Column Type: varchar
Max Length: 256
2100D - PER - Member Employer Communication Number

Column Name: empl_number_qual
Column Type: varchar
Max Length: 2
2100D - PER - Member Employer Communication Number Qualifier

Column Name: empl_number_qual_2
Column Type: varchar
Max Length: 2
2100D - PER - Member Employer Communication Number Qualifier

Column Name: empl_number_qual_3
Column Type: varchar
Max Length: 2
2100D - PER - Member Employer Communication Number Qualifier

Column Name: employ_status
Column Type: varchar
Max Length: 2
2000 - INS - Employment Status Code

Column Name: empl_state
Column Type: varchar
Max Length: 2
2100D - N4 - Insured Employer State Code

Column Name: empl_type_qual
Column Type: varchar
Max Length: 1
2100D - NM1 - Entity Type Qualifier

Column Name: empl_zip_code
Column Type: varchar
Max Length: 15
2100D - N4 - Insured Employer Postal Zone or ZIP Code

Column Name: file_index
Column Type: varchar
Max Length: 50
File Index

Column Name: file_info_str
Column Type: varchar
Max Length: 500

File Information String (File Status, Date Entry Date, Data Entry By, Data Entry Time, Data Entry By Option, File Name, Data Entry User Id, Option Id, Data Entry UTC Timestamp, Data Entry Workstation Timezone, Data Entry Local Time, Data Entry Offset, Data Entry Calculated Timezone)

Column Name: file_name
Column Type: varchar
Max Length: 200
File Name

Column Name: file_status
Column Type: varchar
Max Length: 50
File Status

Column Name: gender_code
Column Type: varchar
Max Length: 1
2100A - DMG - Member Demographics Gender Code

Column Name: handicap_indic
Column Type: varchar
Max Length: 1
2000 - INS - Member Level Detail Handicap Indicator

Column Name: health_rel_code
Column Type: varchar
Max Length: 1
2100A - HLH - Member Health Related Code

Column Name: inc_birth_date
Column Type: varchar
Max Length: 35
2100B - DMG - Prior Incorrect Insured Birth Date

Column Name: inc_date_time_period
Column Type: varchar
Max Length: 3
2100B - DMG - Incorrect Member Demographics Date Time Period Format Qualifier

Column Name: inc_first_name
Column Type: varchar
Max Length: 35
2100B - NM1 - Prior Incorrect Insured First Name

Column Name: inc_gender_code
Column Type: varchar
Max Length: 1
2100B - DMG - Prior Incorrect Insured Gender Code

Column Name: inc_iden_code

Column Type: varchar
Max Length: 3
2100B - NM1 - Prior Incorrect Member Entity Identifier Code

Column Name: inc_iden_code_qual
Column Type: varchar
Max Length: 2
2100B - NM1 - Identification Code Qualifier

Column Name: inc_insured_iden
Column Type: varchar
Max Length: 80
2100B - NM1 - Prior Incorrect Insured Identifier

Column Name: inc_last_name
Column Type: varchar
Max Length: 60
2100B - NM1 - Prior Incorrect Insured Last Name

Column Name: inc_middle_name
Column Type: varchar
Max Length: 25
2100B - NM1 - Prior Incorrect Insured Middle Name

Column Name: inc_name_prefix
Column Type: varchar
Max Length: 10
2100B - NM1 - Prior Incorrect Insured Name Prefix

Column Name: inc_name_suffix
Column Type: varchar
Max Length: 10
2100B - NM1 - Prior Incorrect Insured Name Suffix

Column Name: income_amount
Column Type: varchar
Max Length: 18
2100A - ICM - Member Income Wage Amount

Column Name: income_freq
Column Type: varchar
Max Length: 1
2100A - ICM - Member Income Frequency Code

Column Name: inc_type_qual
Column Type: varchar
Max Length: 1
2100B - NM1 - Prior Incorrect Insured Entity Type Qualifier

Column Name: indiv_rel_code

Column Type: varchar
Max Length: 2
2000 - INS - Member Level Detail Individual Relationship Code

Column Name: ins_date_time_period
Column Type: varchar
Max Length: 3
2000 - INS - Member Level Detail Date Time Period Format Qualifier

Column Name: insured_indicator
Column Type: varchar
Max Length: 1
2000 - INS - Member Level Detail Insured Indicator

Column Name: lang_code
Column Type: varchar
Max Length: 80
2100A - LUI - Member Language Code

Column Name: lang_description
Column Type: varchar
Max Length: 80
2100A - LUI - Member Language Description

Column Name: lang_iden_code
Column Type: varchar
Max Length: 2
2100A - LUI - Member Language Identification Code Qualifier

Column Name: lang_use_indic
Column Type: varchar
Max Length: 2
2100A - LUI - Member Language Use Indicator

Column Name: location_iden
Column Type: varchar
Max Length: 30
2100A - ICM - Member Income Location Identification Code

Column Name: mail_addr_line
Column Type: varchar
Max Length: 55
2100C - N3 - Member Mailing Address Line

Column Name: mail_addr_line_2
Column Type: varchar
Max Length: 55
2100C - N3 - Member Mailing Address Line

Column Name: mail_city

Column Type: varchar
Max Length: 30
2100C - N4 - Member Mailing Address City Name

Column Name: mail_country
Column Type: varchar
Max Length: 3
2100C - N4 - Member Mailing Address Country Code

Column Name: mail_country_sub_div
Column Type: varchar
Max Length: 3
2100C - N4 - Member Mailing Address Country Subdivision Code

Column Name: mail_iden
Column Type: varchar
Max Length: 3
2100C - NM1 - Member Mailing Entity Identifier

Column Name: mail_state
Column Type: varchar
Max Length: 2
2100C - N4 - Member Mailing State

Column Name: mail_type_qual
Column Type: varchar
Max Length: 1
2100C - NM1 - Member Mailing Entity Type Qualifier

Column Name: mail_zip_code
Column Type: varchar
Max Length: 15
2100C - N4 - Member Mailing Postal Zone or ZIP Code

Column Name: main_reason_code
Column Type: varchar
Max Length: 3
2000 - INS - Member Level Detail Maintenance Reason Code

Column Name: main_type_code
Column Type: varchar
Max Length: 3
2000 - INS - Member Level Detail Maintenance Type Code

Column Name: marital_status
Column Type: varchar
Max Length: 1
2100A - DMG - Member Demographics Marital Status Code

Column Name: medicare_plan

Column Type: varchar
Max Length: 1
2000 - INS - Member Level Detail Medicare Plan Code

Column Name: member_birth_date
Column Type: varchar
Max Length: 35
2100A - DMG - Member Demographics Birth Date

Column Name: member_height
Column Type: varchar
Max Length: 8
2100A - HLH - Member Health Information Height

Column Name: member_weight
Column Type: varchar
Max Length: 10
2100A - HLH - Member Health Information Weight

Column Name: mem_date_time_period
Column Type: varchar
Max Length: 3
2000 - DTP - Member Level Date Time Period Format Qualifier

Column Name: prod_or_serv_qual
Column Type: varchar
Max Length: 2
2200 - DSB - Disability Information Product or Service ID Qualifier

Column Name: race_ethnicity
Column Type: varchar
Max Length: 1
2100A - DMG - Member Demographics Race or Ethnicity Code

Column Name: ref_id_num
Column Type: varchar
Max Length: 50
2000 - REF - Subscriber Identifier Reference Identification

Column Name: ref_id_num_qual
Column Type: varchar
Max Length: 3
2000 - REF - Subscriber Identifier Reference Identification Qualifier

Column Name: ref_policy_num
Column Type: varchar
Max Length: 50
2000 - REF - Member Policy Number

Column Name: ref_policy_num_qual

Column Type: varchar
Max Length: 3
2000 - REF - Member Policy Number Qualifier

Column Name: ref_prior_cov_num
Column Type: varchar
Max Length: 30
2000 - REF - PriorCovMonths - Reference Identification

Column Name: ref_prior_cov_num_qual
Column Type: varchar
Max Length: 3
2000 - REF/PriorCovMonths - Reference Identification Qualifier

Column Name: ref_subs_num
Column Type: varchar
Max Length: 50
2000 - REF/SubscriberNumber - Reference Identification

Column Name: ref_subs_num_qual
Column Type: varchar
Max Length: 3
2000 - REF/SubscriberNumber - Reference Identification Qualifier

Column Name: resp_addr_line
Column Type: varchar
Max Length: 55
2100G - N3 - Responsible Person Address Line

Column Name: resp_addr_line_2
Column Type: varchar
Max Length: 55
2100G - N3 - Responsible Person Address Line

Column Name: resp_city
Column Type: varchar
Max Length: 30
2100G - N4 - Responsible Person City Name

Column Name: resp_contact_func
Column Type: varchar
Max Length: 2
2100G - PER - Responsible Person Contact Function Code

Column Name: resp_coun_sub_div_code
Column Type: varchar
Max Length: 3
N4 - Responsible Person Country Subdivision Code

Column Name: resp_country

Column Type: varchar
Max Length: 3
2100G - N4 - Responsible Person Country Code

Column Name: resp_first_name
Column Type: varchar
Max Length: 35
2100G - NM1 - Responsible Person First Name

Column Name: resp_iden
Column Type: varchar
Max Length: 80
2100G - NM1 - Responsible Person Identifier

Column Name: resp_iden_code
Column Type: varchar
Max Length: 3
2100G - Responsible Person NM1 - Entity Identifier Code

Column Name: resp_iden_qual
Column Type: varchar
Max Length: 2
2100G - NM1 - IResponsible Person dentification Code Qualifier

Column Name: resp_middle_name
Column Type: varchar
Max Length: 25
2100G - NM1 - Responsible Middle Name

Column Name: resp_name
Column Type: varchar
Max Length: 60
2100G - NM1 - Responsible Name

Column Name: resp_name_suffix
Column Type: varchar
Max Length: 10
2100G - NM1 - Responsible Name Suffix

Column Name: resp_number
Column Type: varchar
Max Length: 256
2100G - PER - Responsible Person Communication Number

Column Name: resp_number_2
Column Type: varchar
Max Length: 256
2100G - PER - Responsible Person Communication Number

Column Name: resp_number_3

Column Type: varchar
Max Length: 256
2100G - PER - Responsible Person Communication Number

Column Name: resp_number_qual
Column Type: varchar
Max Length: 2
2100G - PER - Responsible Person Communication Number Qualifier

Column Name: resp_number_qual_2
Column Type: varchar
Max Length: 2
2100G - PER - Responsible Person Communication Number Qualifier

Column Name: resp_number_qual_3
Column Type: varchar
Max Length: 2
2100G - PER - Responsible Person Communication Number Qualifier

Column Name: resp_state
Column Type: varchar
Max Length: 2
2100G - N4 - Responsible Person State Code

Column Name: resp_type_qual
Column Type: varchar
Max Length: 1
2100G - NM1 - Responsible Person Entity Type Qualifier

Column Name: resp_zip_code
Column Type: varchar
Max Length: 15
2100G - N4 - Responsible Person Postal Zone or ZIP Code

Column Name: salary_grade
Column Type: varchar
Max Length: 5
2100A - ICM - Member Income Salary Grade Code

Column Name: school_addr_line
Column Type: varchar
Max Length: 55
2100E - N3 - Member School Address Line

Column Name: school_addr_line_2
Column Type: varchar
Max Length: 55
2100E - N3 - Member School Address Line

Column Name: school_city

Column Type: varchar
Max Length: 30
2100E - N4 - Member School Address City Name

Column Name: school_contact_func
Column Type: varchar
Max Length: 2
2100E - PER - Member School Communications Contact Function Code

Column Name: school_coun_sub_div_code
Column Type: varchar
Max Length: 3
2100E - N4 - Member School Address Country Subdivision Code

Column Name: school_country
Column Type: varchar
Max Length: 3
2100E - N4 - Member School Address Country Code

Column Name: school_iden_code
Column Type: varchar
Max Length: 3
2100E - NM1 - Member School Entity Identifier Code

Column Name: school_name
Column Type: varchar
Max Length: 60
2100E - NM1 - Member School Name

Column Name: school_number
Column Type: varchar
Max Length: 256
2100E - PER - Member School Communication Number

Column Name: school_number_2
Column Type: varchar
Max Length: 256
2100E - PER - Member School Communication Number

Column Name: school_number_3
Column Type: varchar
Max Length: 256
2100E - PER - Member School Communication Number

Column Name: school_number_qual
Column Type: varchar
Max Length: 2
2100E - PER - Member School Communication Number Qualifier

Column Name: school_number_qual_2

Column Type: varchar
Max Length: 2
2100E - PER - Member School Communication Number Qualifier

Column Name: school_number_qual_3
Column Type: varchar
Max Length: 2
2100E - PER - Member School Communication Number Qualifier

Column Name: school_state
Column Type: varchar
Max Length: 2
2100E - N4 - Member School Address State Code

Column Name: school_type_qual
Column Type: varchar
Max Length: 1
2100E - NM1 - Member School Entity Type Qualifier

Column Name: school_zip_code
Column Type: varchar
Max Length: 15
2100E - N4 - Member School Address School Postal Zone or ZIP Code

Column Name: segment
Column Type: varchar
Max Length: 50
Segment

Column Name: segment_index
Column Type: integer
Segment Index

Column Name: status_eff_date
Column Type: varchar
Max Length: 35
2000 - DTP - Status Information Effective Date

Column Name: student_status
Column Type: varchar
Max Length: 1
2000 - INS - Member Level Detail Student Status Code

Column Name: subs_addr_line
Column Type: varchar
Max Length: 55
2100A - N3 - Member Residence Address Line

Column Name: subs_addr_line_2
Column Type: varchar

Max Length: 55
2100A - N3 - Member Residence Address Line

Column Name: subs_city
Column Type: varchar
Max Length: 30
2100A - N4 - Member Residence City Name

Column Name: subs_contact_func
Column Type: varchar
Max Length: 2
2100A - PER - Contact Function Code

Column Name: subs_country
Column Type: varchar
Max Length: 3
2100A - N4 - Member Residence Country Code

Column Name: subs_country_sub_div
Column Type: varchar
Max Length: 3
2100A - N4 - Member Residence Country Subdivision Code

Column Name: subs_first_name
Column Type: varchar
Max Length: 35
2100A - NM1 - Member First Name

Column Name: subs_iden
Column Type: varchar
Max Length: 80
2100A - NM1 - Member Identifier

Column Name: subs_iden_code
Column Type: varchar
Max Length: 3
2100A - NM1 - Member Entity Identifier Code

Column Name: subs_iden_code_qual
Column Type: varchar
Max Length: 2
2100A - NM1 - Member Identification Code Qualifier

Column Name: subs_last_name
Column Type: varchar
Max Length: 60
2100A - NM1 - Member Last Name

Column Name: subs_loc_iden
Column Type: varchar

Max Length: 30
2100A - N4 - Member Residence Location Identification Code

Column Name: subs_loc_qual
Column Type: varchar
Max Length: 2
2100A - N4 - Member Residence Location Qualifier

Column Name: subs_middle_name
Column Type: varchar
Max Length: 25
2100A - NM1 - Member Middle Name

Column Name: subs_name_prefix
Column Type: varchar
Max Length: 10
2100A - NM1 - Member Name Prefix

Column Name: subs_name_suffix
Column Type: varchar
Max Length: 10
2100A - NM1 - Member Name Suffix

Column Name: subs_number
Column Type: varchar
Max Length: 256
2100A - PER - Member Communication Number

Column Name: subs_number_2
Column Type: varchar
Max Length: 256
2100A - PER - Member Communication Number

Column Name: subs_number_3
Column Type: varchar
Max Length: 256
2100A - PER - Member Communication Number

Column Name: subs_number_qual
Column Type: varchar
Max Length: 2
2100A - PER - Member Communication Number Qualifier

Column Name: subs_number_qual_2
Column Type: varchar
Max Length: 2
2100A - PER - Member Communication Number Qualifier

Column Name: subs_number_qual_3
Column Type: varchar

Max Length: 2
2100A - PER - Member Communication Number Qualifier

Column Name: subs_state
Column Type: varchar
Max Length: 2
2100A - N4 - Member Residence State Code

Column Name: subs_type_qual
Column Type: varchar
Max Length: 1
2100A - NM1 - Member Entity Type Qualifier

Column Name: subs_zip_code
Column Type: varchar
Max Length: 15
2100A - N4 - Member Residence Postal Zone or ZIP Code

Column Name: version
Column Type: varchar
Max Length: 20
834 Version

Column Name: work_hours
Column Type: varchar
Max Length: 15
2100A - ICM - Member Income Work Hours Count

Documentation for form: [Benefit_Enrollment_and_Maintenance_\(834\)](#)

Table Name: [SYSTEM.billing_834_payer](#)

Table Description: Benefit Enrollment and Maintenance (834) Payer Information

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
FACILITY

Column Name: JOIN_TO_HEADER
Column Type: integer
Header Information Counter

Column Name: JOIN_TO_PAYER
Column Type: integer
Header Information Counter

Column Name: broker_acct_num
Column Type: varchar
Max Length: 35
1100C - ACT - TPA or Broker Account Number

Column Name: broker_acct_num_sec
Column Type: varchar
Max Length: 35
1100C - ACT - TPA or Broker Account Number (Secondary)

Column Name: broker_code_qual
Column Type: varchar
Max Length: 2
1000C - N1 - Broker Identification Code Qualifier

Column Name: broker_iden
Column Type: varchar
Max Length: 80
1000C - N1 - TPA or Broker Identification Code

Column Name: broker_iden_code
Column Type: varchar
Max Length: 3
1000C - N1 - Broker Identifier Code

Column Name: broker_name
Column Type: varchar
Max Length: 60
1000C - N1 - TPA or Broker Name

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By Option

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_offset
Column Type: numeric

The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

Data Entry Time

Column Name: data_entry_time_j

Column Type: time

The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

The time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

The short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Data entry user id

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Data entry user name

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: file_index

Column Type: varchar

Max Length: 50

File Index

Column Name: file_info_str

Column Type: varchar

Max Length: 500

File Information String (File Status, Date Entry Date, Data Entry By, Data Entry Time, Data Entry By Option, File Name, Data Entry User Id, Option Id, Data Entry UTC Timestamp, Data Entry Workstation Timezone, Data Entry Local Time, Data Entry Offset, Data Entry Calculated Timezone)

Column Name: file_name

Column Type: varchar

Max Length: 200

File Name

Column Name: file_status

Column Type: varchar

Max Length: 50

File Status

Column Name: payer_code_qual

Column Type: varchar

Max Length: 2

1000B - N1 - Payer Identification Code Qualifier

Column Name: payer_iden

Column Type: varchar

Max Length: 80

1000B - N1 - Insurer Identification Qualifier

Column Name: payer_iden_code

Column Type: varchar

Max Length: 3

1000B - N1 - Payer Entity Identifier Code

Column Name: payer_name

Column Type: varchar

Max Length: 60

1000B - N1 - Insurer Name

Column Name: plan_sponsor

Column Type: varchar

Max Length: 60

1000A - N1 - Plan Sponsor Name

Column Name: segment

Column Type: varchar

Max Length: 50

Segment

Column Name: segment_index

Column Type: integer

Segment Counter

Column Name: sponsor_code_qual

Column Type: varchar

Max Length: 2

1000A - N1 - Sponsor Identification Code Qualifier

Column Name: sponsor_iden

Column Type: varchar

Max Length: 80

1000A - N1 - Sponsor Identifier

Column Name: sponsor_iden_code
Column Type: varchar
Max Length: 3
1000A - N1 - Sponsor Entity Identifier Code

Column Name: version
Column Type: varchar
Max Length: 20
834 Version

Documentation for form: Benefit_Enrollment_and_Maintenance_(834)

Table Name: SYSTEM.billing_834_reporting_cat

Table Description: Benefit Enrollment and Maintenance (834) Reporting Category Information

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: JOIN_TO_HEADER
Column Type: integer
Header Information Counter

Column Name: JOIN_TO_MEMBER
Column Type: integer
Member Information Counter

Column Name: JOIN_TO_PAYER
Column Type: integer
Payer Information Counter

Column Name: JOIN_TO_REPORTING_CAT
Column Type: integer
Reporting Category Counter

Column Name: assigned_number
Column Type: varchar
Max Length: 6
2710 - LX - Member Reporting Categories Assigned Number

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By Option

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: date_time_format
Column Type: varchar
Max Length: 3
2750 - DTP - Reporting Category Date Time Period Format Qualifier

Column Name: date_time_period
Column Type: varchar
Max Length: 35
2750 - DTP - Reporting Category Date Time Period

Column Name: date_time_qual
Column Type: varchar
Max Length: 3
2750 - DTP - Reporting Category Date/Time Qualifier

Column Name: entity_iden_code
Column Type: varchar
Max Length: 3
2750 - N1 - Reporting Category Entity Identifier Code

Column Name: file_index
Column Type: varchar
Max Length: 50
File Index

Column Name: file_info_str
Column Type: varchar
Max Length: 500
File Information String (File Status, Date Entry Date, Data Entry By, Data Entry Time, Data Entry By Option, File Name, Data Entry User Id, Option Id, Data Entry UTC Timestamp, Data Entry Workstation Timezone, Data Entry Local Time, Data Entry Offset, Data Entry Calculated Timezone)

Column Name: file_name
Column Type: varchar
Max Length: 200
File Name

Column Name: file_status
Column Type: varchar
Max Length: 50
File Status

Column Name: loop_iden_code
Column Type: varchar
Max Length: 4
2700 - LS - Additional Reporting Categories Loop Identifier Code

Column Name: loop_term_code
Column Type: varchar

Max Length: 4
2000 - LE - Additional Reporting Categories Loop Termination Loop ID Code

Column Name: reporting_cat_name
Column Type: varchar
Max Length: 60
2750 - N1 - Reporting Category Name

Column Name: reporting_cat_ref_id
Column Type: varchar
Max Length: 50
2750 - REF - Reporting Category Reference Reference Identification

Column Name: reporting_cat_ref_id_qual
Column Type: varchar
Max Length: 3
2750 - REF - Reporting Category Reference Identification Code Qualifier

Column Name: segment
Column Type: varchar
Max Length: 50
Segment

Column Name: segment_index
Column Type: integer
Segment Counter

Column Name: version
Column Type: varchar
Max Length: 20
834 Version

Documentation for form: [Benefit_Enrollment_and_Maintenance_\(834\)](#)

Table Name: [SYSTEM.billing_834_rpt_header](#)

Table Description: Benefit Enrollment and Maintenance (834) Report Header Information

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
FACILITY

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By Option

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: file_index

Column Type: varchar

Max Length: 50

Filing Index

Column Name: file_info_str

Column Type: varchar

Max Length: 500

File Information String (File Status, Date Entry Date, Data Entry By, Data Entry Time, Data Entry By Option, File Name, Data Entry User Id, Option Id, Data Entry UTC Timestamp, Data Entry Workstation Timezone, Data Entry Local Time, Data Entry Offset, Data Entry Calculated Timezone)

Column Name: file_name

Column Type: varchar

Max Length: 200

File Name

Column Name: file_status

Column Type: varchar

Max Length: 50

File Status

Column Name: level0_errors

Column Type: varchar

Max Length: 1

Level 0 Errors

Column Name: level1_errors

Column Type: varchar

Max Length: 1

Level 1 Errors

Column Name: level2_errors

Column Type: varchar

Max Length: 1

Level 2 Errors

Column Name: level3_errors

Column Type: varchar

Max Length: 1

Level 3 Errors

Column Name: rejection_data

Column Type: varchar

Max Length: 1

Is rejection data present?

Column Name: response_data

Column Type: varchar

Max Length: 1
Response Data Present

Column Name: updates
Column Type: varchar
Max Length: 1
Updates

Column Name: updates_registry_setting
Column Type: varchar
Max Length: 1
Updates Registry Setting

Column Name: version
Column Type: varchar
Max Length: 20
834 Version

Documentation for form: [Benefit_Enrollment_and_Maintenance_\(834\)](#)

Table Name: [SYSTEM.billing_834_trailer](#)

Table Description: Benefit Enrollment and Maintenance (834) Trailer Information

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
FACILITY

Column Name: JOIN_TO_HEADER
Column Type: integer
Header Information Counter

Column Name: JOIN_TO_TRAILER
Column Type: integer
Trailer Information Counter

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option

Column Type: varchar
Max Length: 40
Data Entry By Option

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
Data entry user name

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: file_index
Column Type: varchar
Max Length: 50
File Index

Column Name: file_info_str

Column Type: varchar

Max Length: 500

File Information String (File Status, Date Entry Date, Data Entry By, Data Entry Time, Data Entry By Option, File Name, Data Entry User Id, Option Id, Data Entry UTC Timestamp, Data Entry Workstation Timezone, Data Entry Local Time, Data Entry Offset, Data Entry Calculated Timezone)

Column Name: file_name

Column Type: varchar

Max Length: 200

File Name

Column Name: file_status

Column Type: varchar

Max Length: 50

File Status

Column Name: func_group_count

Column Type: varchar

Max Length: 5

0 - IEA - Number of Included Functional Groups

Column Name: group_cont_num

Column Type: varchar

Max Length: 9

0 - GE - Group Control Number

Column Name: intcx_cont_num

Column Type: varchar

Max Length: 9

0 - IEA - Interchange Control Number

Column Name: segment

Column Type: varchar

Max Length: 50

Segment

Column Name: segment_index

Column Type: integer

Segment Counter

Column Name: tx_segment_count

Column Type: varchar

Max Length: 10

0 - SE - Transaction Segment Count

Column Name: tx_set_cont_num

Column Type: varchar

Max Length: 9

0 - SE - Transaction Set Control Number

Column Name: tx_set_count
Column Type: varchar
Max Length: 6
0 - GE - Number of Transaction Sets Included

Column Name: version
Column Type: varchar
Max Length: 20
834 Version

Documentation for form: Benefit_Enrollment_and_Maintenance_(834)

Table Name: SYSTEM.billing_834_update

Table Description: Benefit Enrollment and Maintenance (834) Update Information

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: COVERAGE
Column Type: integer
Coverage

Column Name: FACILITY
Column Type: integer
FACILITY

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
Guarantor ID

Column Name: MEMBER
Column Type: integer
Member

Column Name: PAYER
Column Type: integer
Payer

Column Name: county
Column Type: varchar
Max Length: 40
Financial Responsible County

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By Option

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp

The UTC date and time the data was saved.

Column Name: dependent_unique_id
Column Type: varchar
Max Length: 40
Dependent Unique ID

Column Name: eligibility_eff_date
Column Type: date
Eligibility Effective Date

Column Name: eligibility_exp_date
Column Type: date
Eligibility Expiration Date

Column Name: error_cnt_index
Column Type: varchar
Max Length: 50
Error Counter

Column Name: error_message
Column Type: varchar
Max Length: 200
Error Message

Column Name: file_index
Column Type: varchar
Max Length: 50
File Index

Column Name: file_info_str
Column Type: varchar
Max Length: 500
File Information String (File Status, Date Entry Date, Data Entry By, Data Entry Time, Data Entry By Option, File Name, Data Entry User Id, Option Id, Data Entry UTC Timestamp, Data Entry Workstation Timezone, Data Entry Local Time, Data Entry Offset, Data Entry Calculated Timezone)

Column Name: file_name
Column Type: varchar
Max Length: 200
File Name

Column Name: file_status
Column Type: varchar
Max Length: 50
File Status

Column Name: member_address_1
Column Type: varchar
Max Length: 40

Member Address 1

Column Name: member_address_2

Column Type: varchar

Max Length: 40

Member Address 2

Column Name: member_address_city

Column Type: varchar

Max Length: 40

Member Address City

Column Name: member_address_state

Column Type: varchar

Max Length: 40

Member Address State

Column Name: member_address_zip

Column Type: varchar

Max Length: 40

Member Address ZIP

Column Name: member_dob

Column Type: date

Member Date of Birth

Column Name: member_first_name

Column Type: varchar

Max Length: 40

Member First Name

Column Name: member_gender

Column Type: varchar

Max Length: 40

Member Gender

Column Name: member_last_name

Column Type: varchar

Max Length: 40

Member Last Name

Column Name: member_phone_number

Column Type: varchar

Max Length: 40

Member Phone Number

Column Name: member_ssn

Column Type: varchar

Max Length: 40

Member Social Security Number

Column Name: missing_coverage
Column Type: bit
missing coverage flag

Column Name: subscriber_unique_id
Column Type: varchar
Max Length: 40
Subscriber Unique ID

Column Name: version
Column Type: varchar
Max Length: 20
834 Version

Documentation for form: Benefit_Enrollment_and_Maintenance_(834)

Table Name: SYSTEM.eligibility_demographics

Table Description: This table returns the data imported via 'Benefit Enrollment and Maintenance (834)'.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The facility.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
The Guarantor ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID.

Column Name: date_of_last_update
Column Type: date
Date Of Last Update

Column Name: dependent_unique_id
Column Type: varchar
Max Length: 50

Dependent Unique ID

Column Name: language_code

Column Type: varchar

Max Length: 80

Language Code (834-2100A-LUI-02)

Column Name: language_qua_code

Column Type: varchar

Max Length: 40

Language Qualifier Code (834-2100A-LUI-01)

Column Name: mailing_address_1

Column Type: varchar

Max Length: 55

Mailing Address 1 (834-2100C-N3-01)

Column Name: mailing_address_2

Column Type: varchar

Max Length: 55

Mailing Address 2 (834-2100C-N3-02)

Column Name: mailing_address_city

Column Type: varchar

Max Length: 40

Mailing Address City (834-2100C-N4-01)

Column Name: mailing_address_country

Column Type: varchar

Max Length: 40

Mailing Address Country (834-2100C-N4-04)

Column Name: mailing_address_state

Column Type: varchar

Max Length: 40

Mailing Address State (834-2100C-N4-02)

Column Name: mailing_address_zip

Column Type: varchar

Max Length: 40

Mailing Address Zip Code (834-2100C-N4-03)

Column Name: subscriber_unique_id

Column Type: varchar

Max Length: 50

Subscriber Unique ID

Documentation for form: Benefit_Enrollment_and_Maintenance_(834)

Table Name: SYSTEM.eligibility_dependent

Table Description: This table returns the data imported via 'Benefit Enrollment and Maintenance (834)'.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The facility.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
The Guarantor ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID.

Column Name: date_of_last_update
Column Type: date
Date Of Last Update

Column Name: dependent_address1
Column Type: varchar
Max Length: 55
Dependent Address 1

Column Name: dependent_address2
Column Type: varchar
Max Length: 55
Dependent Address 2

Column Name: dependent_address_city
Column Type: varchar
Max Length: 40
Dependent Address City

Column Name: dependent_address_county
Column Type: varchar
Max Length: 50
Dependent Address county

Column Name: dependent_address_state
Column Type: varchar
Max Length: 40
Dependent Address State

Column Name: dependent_address_zip
Column Type: varchar
Max Length: 40
Dependent Address Zip Code

Column Name: dependent_dob
Column Type: date
Dependent Date Of Birth

Column Name: dependent_ethnicity
Column Type: varchar
Max Length: 40
Dependent Ethnicity

Column Name: dependent_first_name
Column Type: varchar
Max Length: 40
Dependent First Name

Column Name: dependent_gender
Column Type: varchar
Max Length: 40
Dependent Gender

Column Name: dependent_last_name
Column Type: varchar
Max Length: 60
Dependent Last Name

Column Name: dependent_marital_status
Column Type: varchar
Max Length: 40
Dependent Marital Status

Column Name: dependent_middle_name
Column Type: varchar
Max Length: 40
Dependent Middle Name

Column Name: dependent_phone_number
Column Type: varchar
Max Length: 256
Dependent Phone Number

Column Name: dependent_phone_number_2

Column Type: varchar
Max Length: 256
Dependent Phone Number 2

Column Name: dependent_relate_code
Column Type: varchar
Max Length: 40
Dependent Relationship Code

Column Name: dependent_ssn
Column Type: varchar
Max Length: 50
Dependent Social Security Number

Column Name: dependent_unique_id
Column Type: varchar
Max Length: 50
Dependent Unique ID

Column Name: medicaid_number
Column Type: varchar
Max Length: 50
Medicaid Number (834-2000-REF-02)

Column Name: member_policy_number
Column Type: varchar
Max Length: 50
Member Policy Number

Column Name: payer_source_id_cd
Column Type: varchar
Max Length: 80
834 Payer Identifier Code or 271 Information Source Id Code

Column Name: payer_source_id_cd_qual
Column Type: varchar
Max Length: 40
834 Payer Identifier Code Qualifier or 271 Information Source Id Code Qualifier

Column Name: subscriber_unique_id
Column Type: varchar
Max Length: 50
Subscriber Unique ID

Documentation for form: [Benefit_Enrollment_and_Maintenance_\(834\)](#)

Table Name: [SYSTEM.eligibility_dependent_cov](#)

Table Description: This table returns the data imported via 'Benefit Enrollment and Maintenance (834)'.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The facility.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
The Guarantor ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID.

Column Name: class
Column Type: varchar
Max Length: 50
Class (834-2300-REF-02 Qua=CE)

Column Name: cob_code
Column Type: varchar
Max Length: 40
COB Code (834-2320-COB-03)

Column Name: cob_ref_id
Column Type: varchar
Max Length: 50
COB Reference ID (834-2320-COB-02)

Column Name: cob_resp_seq_num_code
Column Type: varchar
Max Length: 40
COB Resp Sequence Number Code (834-2320-COB-01)

Column Name: cob_svc_type_code
Column Type: varchar
Max Length: 40
COB Service Type Code (834-2320-COB-04)

Column Name: coordination_benefits_code
Column Type: varchar
Max Length: 5

Coordination Of Benefits (1058)

Column Name: county

Column Type: varchar

Max Length: 40

Financial Responsible County

Column Name: date_of_last_update

Column Type: date

Date Of Last Update

Column Name: dependent_unique_id

Column Type: varchar

Max Length: 40

Dependent Unique ID

Column Name: eligibility_category

Column Type: varchar

Max Length: 50

Eligibility Category

Column Name: eligibility_code

Column Type: varchar

Max Length: 40

Eligibility Code

Column Name: eligibility_date_qual

Column Type: varchar

Max Length: 40

Eligibility Date Qualifier

Column Name: eligibility_eff_date

Column Type: date

Eligibility Effective Date

Column Name: eligibility_exp_date

Column Type: date

Eligibility Expiration Date

Column Name: eligibility_qual_value

Column Type: varchar

Max Length: 50

Deligibility Date Qualifier value

Column Name: eligibility_value

Column Type: varchar

Max Length: 50

Eligibility Code value

Column Name: file_index

Column Type: varchar
Max Length: 40
FileIndex for 271

Column Name: max_covered_dollars
Column Type: numeric
Maximum Covered Dollars

Column Name: medicaid_number
Column Type: varchar
Max Length: 50
Medicaid Number (834-2000-REF-02)

Column Name: member_policy_number
Column Type: varchar
Max Length: 50
Member Policy Number

Column Name: payer_source_id_cd
Column Type: varchar
Max Length: 80
834 Payer Identifier Code or 271 Information Source Id Code

Column Name: payer_source_id_cd_qual
Column Type: varchar
Max Length: 40
834 Payer Identifier Code Qualifier or 271 Information Source Id Code Qualifier

Column Name: pcp_npi_number
Column Type: varchar
Max Length: 80
PCP NPI Number (834-2310-NM1-09 Qua=XX)

Column Name: plan
Column Type: varchar
Max Length: 50
Plan (834-2300-REF-02 Qua=PID)

Column Name: plan_type
Column Type: varchar
Max Length: 50
Plan Type (834-2300-REF-02 Qua=PID)

Column Name: product
Column Type: varchar
Max Length: 50
Product (834-2300-REF-02 Qua=9V)

Column Name: ref_group
Column Type: varchar

Max Length: 50
Group (834-2300-REF-02 Qua=1L)

Column Name: smi_end_date
Column Type: date
SMI End Date (834-2750-REF-02)

Column Name: smi_indicator
Column Type: varchar
Max Length: 50
SMI Indicator

Column Name: smi_start_date
Column Type: date
SMI Start Date (834-2750-REF-02)

Column Name: spend_down_amount
Column Type: varchar
Max Length: 50
Spend-Down Amount

Column Name: sub_group
Column Type: varchar
Max Length: 50
Sub Group (834-2300-REF-02 Qua=RB)

Column Name: subs_assignment_benefits_code
Column Type: varchar
Max Length: 5
Subscriber's Assignment Of Benefits (277)

Column Name: subs_covered_days
Column Type: numeric
Subscriber's Covered Days (10204)

Column Name: subscriber_unique_id
Column Type: varchar
Max Length: 50
Subscriber Unique ID

Column Name: subs_release_info_code
Column Type: varchar
Max Length: 5
Subscriber's Release Of Information (278)

Column Name: sud_indicator
Column Type: varchar
Max Length: 50
SUD Indicator

Documentation for form: Benefit_Enrollment_and_Maintenance_(834)

Table Name: SYSTEM.eligibility_subscriber

Table Description: This table returns the data imported via 'Benefit Enrollment and Maintenance (834)'.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The facility.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
The Guarantor ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID.

Column Name: date_of_last_update
Column Type: date
Date Of Last Update

Column Name: medicaid_number
Column Type: varchar
Max Length: 50
Medicaid Number (834-2000-REF-02)

Column Name: member_policy_number
Column Type: varchar
Max Length: 40
Member Policy Number

Column Name: payer_source_id_cd
Column Type: varchar
Max Length: 80
834 Payer Identifier Code or 271 Information Source Id Code

Column Name: payer_source_id_cd_qual
Column Type: varchar
Max Length: 40

834 Payer Identifier Code Qualifier or 271 Information Source Id Code Qualifier

Column Name: resp_per_comm_1

Column Type: varchar

Max Length: 256

Responsible Person Communication 1 (834-2100G-PER-04)

Column Name: resp_per_comm_2

Column Type: varchar

Max Length: 256

Responsible Person Communication 2 (834-2100G-PER-06)

Column Name: resp_per_comm_3

Column Type: varchar

Max Length: 256

Responsible Person Communication 3 (834-2100G-PER-08)

Column Name: resp_per_comm_qua_1_code

Column Type: varchar

Max Length: 40

Responsible Person Communication Qualifier 1 Code (834-2100G-PER-03)

Column Name: resp_per_comm_qua_2_code

Column Type: varchar

Max Length: 40

Responsible Person Communication Qualifier 2 Code (834-2100G-PER-05)

Column Name: resp_per_comm_qua_3_code

Column Type: varchar

Max Length: 40

Responsible Person Communication Qualifier 3 Code (834-2100G-PER-07)

Column Name: resp_person_contact_code

Column Type: varchar

Max Length: 40

Responsible Person Contact Code (834-2100G-PER-01)

Column Name: resp_person_id

Column Type: varchar

Max Length: 80

Responsible Person ID (834-2100G-NM1-09)

Column Name: resp_person_id_code

Column Type: varchar

Max Length: 40

Responsible Person ID Code (834-2100G-NM1-01)

Column Name: resp_person_id_qua_code

Column Type: varchar

Max Length: 40

Responsible Person ID Qualifier Code (834-2100G-NM1-08)

Column Name: resp_person_name_first

Column Type: varchar

Max Length: 40

Responsible Person First Name (834-2100G-NM1-04)

Column Name: resp_person_name_last

Column Type: varchar

Max Length: 60

Responsible Person Last Name (834-2100G-NM1-03)

Column Name: resp_person_name_mid

Column Type: varchar

Max Length: 40

Responsible Person Middle Name (834-2100G-NM1-05)

Column Name: resp_person_name_pre

Column Type: varchar

Max Length: 40

Responsible Person Name Prefix (834-2100G-NM1-06)

Column Name: resp_person_name_suf

Column Type: varchar

Max Length: 40

Responsible Person Name Suffix (834-2100G-NM1-07)

Column Name: resp_person_type_qua_code

Column Type: varchar

Max Length: 40

Responsible Person Type Qualifier Code (834-2100G-NM1-02)

Column Name: subscriber_address1

Column Type: varchar

Max Length: 55

Subscriber Address 1

Column Name: subscriber_address2

Column Type: varchar

Max Length: 55

Subscriber Address 2

Column Name: subscriber_address_city

Column Type: varchar

Max Length: 40

Subscriber Address City

Column Name: subscriber_address_county

Column Type: varchar

Max Length: 50

Subscriber Address County

Column Name: subscriber_address_state
Column Type: varchar
Max Length: 40
Subscriber Address State

Column Name: subscriber_address_zip
Column Type: varchar
Max Length: 40
Subscriber Address Zip Code

Column Name: subscriber_dob
Column Type: date
Subscriber Date Of Birth

Column Name: subscriber_eligibility
Column Type: varchar
Max Length: 40
Subscriber Eligibility

Column Name: subscriber_ethnicity
Column Type: varchar
Max Length: 40
Subscriber Ethnicity

Column Name: subscriber_first_name
Column Type: varchar
Max Length: 40
Subscriber First Name

Column Name: subscriber_gender
Column Type: varchar
Max Length: 40
Subscriber Gender

Column Name: subscriber_last_name
Column Type: varchar
Max Length: 60
Subscriber Last Name

Column Name: subscriber_marital_status
Column Type: varchar
Max Length: 40
Subscriber Marital Status

Column Name: subscriber_middle_name
Column Type: varchar
Max Length: 40
Subscriber Middle Name

Column Name: subscriber_phone_number
Column Type: varchar
Max Length: 256
Subscriber Phone Number

Column Name: subscriber_phone_number_2
Column Type: varchar
Max Length: 256
Subscriber Phone Number 2

Column Name: subscriber_ssn
Column Type: varchar
Max Length: 50
Subscriber Social Security Number

Column Name: subscriber_unique_id
Column Type: varchar
Max Length: 40
Subscriber Unique ID

Documentation for form: 278_Submission/Responses

Table Name: SYSTEM.billing_278_report_sql

Table Description: This table returns information filed in '278 Submission/Responses' form.

Column Name: client_name
Column Type: varchar
Max Length: 100

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time

Column Type: varchar
Max Length: 10

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: file_description
Column Type: varchar
Max Length: 50

Column Name: file_from_date
Column Type: date

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: file_info_str
Column Type: varchar
Max Length: 255

Column Name: file_status
Column Type: varchar
Max Length: 50

Column Name: file_through_date
Column Type: date

Column Name: from_date
Column Type: date

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40

Column Name: guarantor_name

Column Type: varchar
Max Length: 50

Column Name: ind_all_guarantor_code
Column Type: varchar
Max Length: 1

Column Name: ind_all_guarantor_value
Column Type: varchar
Max Length: 120

Column Name: JOIN_TO_CER_UNIQUE_ID
Column Type: varchar
Max Length: 40

Column Name: modifier
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: procedure_code
Column Type: varchar
Max Length: 50

Column Name: procedure_value
Column Type: varchar
Max Length: 120

Column Name: program_code
Column Type: varchar
Max Length: 15

Column Name: program_value
Column Type: varchar
Max Length: 40

Column Name: reject_rea_code

Column Type: varchar
Max Length: 2

Column Name: reject_rea_value
Column Type: varchar
Max Length: 120

Column Name: through_date
Column Type: date

Column Name: trace_number
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 20

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 50

Column Name: service_description
Column Type: varchar

Max Length: 50

Column Name: revenue_code

Column Type: varchar

Max Length: 20

Documentation for form: 278_Submission/Responses

Table Name: SYSTEM.billing_278_response

Table Description: 278 Submission/Responses Compiled Data

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: CER_uniqueid

Column Type: varchar

Max Length: 12

CER Unique Index

Column Name: EPISODE_NUMBER

Column Type: integer

Episode Number

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 18

Guarantor ID

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: action_code

Column Type: varchar

Max Length: 18

HCR - Action Code

Column Name: action_value

Column Type: varchar

Max Length: 20

The description associated with the action_code. See action_code for more information.

Column Name: authorization_number

Column Type: varchar

Max Length: 30

TRN - authorization Number

Column Name: certification_number

Column Type: varchar

Max Length: 18

HCR - Certification Number

Column Name: client_name

Column Type: varchar

Max Length: 100

Client Name

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Data Entry By

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Data Entry By (Option)

Column Name: data_entry_date

Column Type: date

Data Entry Date

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

Data Entry Time

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Data Entry User ID

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Data Entry User Name

Column Name: file_index

Column Type: varchar

Max Length: 50

File Index

Column Name: file_info_str

Column Type: varchar

Max Length: 250

File Information String (Data Entry By, Data Entry By Option, Date Entry Date, Data Entry Time, File Name, File Status)

Column Name: file_name

Column Type: varchar

Max Length: 80

File Name

Column Name: file_status

Column Type: varchar

Max Length: 50

File Status

Column Name: follow_act_code

Column Type: varchar

Max Length: 1

AAA - Follow-up Action Code

Column Name: follow_act_value

Column Type: varchar

Max Length: 120

The description associated with the follow_act_code. See follow_act_code for more information.

Column Name: group

Column Type: varchar

Max Length: 50

Group

Column Name: group_index

Column Type: integer

Group Index

Column Name: guarantor_name

Column Type: varchar

Max Length: 40

The Guarantor name associated with the GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: hcpcs_composite

Column Type: varchar

Max Length: 30

Service - HCPCS Composite

Column Name: modifier

Column Type: varchar

Max Length: 50

Modifier

Column Name: posting_message

Column Type: varchar

Max Length: 100

Message from the 278 Response posting process

Column Name: procedure_code

Column Type: varchar

Max Length: 50

SV1 & SV2 & SV3 - Procedure Code

Column Name: procedure_value

Column Type: varchar

Max Length: 120

The description associated with the procedure_code. See procedure_code for more information.

Column Name: reason_code

Column Type: varchar

Max Length: 18

HCR - Reason Code

Column Name: reject_rea_code

Column Type: varchar

Max Length: 2

AAA - Rejection Reason Code

Column Name: reject_rea_value

Column Type: varchar

Max Length: 120

The description associated with the reject_rea_code. See reject_rea_code for more information.

Column Name: revenue_code

Column Type: varchar

Max Length: 30

SV2 - Revenue Code

Column Name: revenue_value

Column Type: varchar

Max Length: 30

The description associated with the revenue_code. See revenue_code for more information.

Column Name: segment

Column Type: varchar

Max Length: 50

Segment

Column Name: segment_data

Column Type: varchar

Max Length: 255

Segment Data

Column Name: segment_index

Column Type: integer

Segment Counter

Column Name: trace_number

Column Type: varchar

Max Length: 30

TRN -Trace Number

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: version

Column Type: varchar

Max Length: 20

278 Version

Documentation for form: Deposit_Entry

Table Name: SYSTEM.unacknowledged_payments

Table Description: This table holds a record of all unacknowledged payments.

Column Name: ID

Column Type: integer

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number of the Client ID for which the payment was entered.

Column Name: FACILITY

Column Type: integer

The system code in which the payment was entered.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for which the payment was entered.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific Client's service. Will be the date of service in Julian date format followed by a counter starting with ".001".

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID for which the payment was entered.

Column Name: automatic_receipt_number

Column Type: varchar

Max Length: 50

The receipt number.

Column Name: check_number

Column Type: varchar

Max Length: 50

The check number.

Column Name: credit_card_token

Column Type: varchar

Max Length: 50

The credit card token received for credit card payments.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' of the user that last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: date_of_payment

Column Type: date

'Date Of Payment'.

Column Name: date_of_receipt

Column Type: date

'Date Of Receipt'.

Column Name: device_name

Column Type: varchar

Max Length: 50

The name of the credit card device used to process the credit card payment.

Column Name: form_code

Column Type: varchar

Max Length: 50

Which form filed the payment (code).

Column Name: form_value

Column Type: varchar

Max Length: 50
Which form filed the payment (value).

Column Name: merchant_id
Column Type: varchar
Max Length: 50
The merchant ID (MID) associated with the credit card payment.

Column Name: name_source
Column Type: varchar
Max Length: 50
Name source.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: payment_amount
Column Type: numeric
The amount posted using the payment_type_code.

Column Name: payment_location_code
Column Type: varchar
Max Length: 10
'Payment Location'.

Column Name: payment_location_value
Column Type: varchar
Max Length: 40
The description associated with payment_location_code. See payment_location_code for more information.

Column Name: payment_type_code
Column Type: varchar
Max Length: 10
'Posting Code'.

Column Name: payment_type_value
Column Type: varchar
Max Length: 40
The description associated with payment_type_code. See payment_type_code for more information.

Column Name: posting_comments
Column Type: varchar
Max Length: 80

'Posting Comments'

Column Name: receipt_number

Column Type: varchar

Max Length: 50

The receipt number.

Column Name: return_ref_number

Column Type: varchar

Max Length: 50

The returned reference number for a credit card or ACH transaction.

Column Name: service_code

Column Type: varchar

Max Length: 20

'Service Code'.

Column Name: treatment_service_code

Column Type: varchar

Max Length: 20

'Treatment Service' code.

Column Name: treatment_service_value

Column Type: varchar

Max Length: 20

'Treatment Service' name.

Documentation for form: Compile/Post_AB_Services

Table Name: SYSTEM.ab_compile

Table Description: AB Service Compile

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: bill_b_code

Column Type: varchar

Max Length: 50

Bill Type B Services code

Column Name: bill_b_value
Column Type: varchar
Max Length: 50
Bill Type B Services value.

Column Name: compile_by
Column Type: varchar
Max Length: 40
Compiled by

Column Name: compile_by_option
Column Type: varchar
Max Length: 40
Form where compile record was created

Column Name: compile_date
Column Type: date
Date of compile

Column Name: compile_time
Column Type: varchar
Max Length: 50
Time of compile

Column Name: compile_user_id
Column Type: varchar
Max Length: 40
Compiled by user ID

Column Name: compile_user_name
Column Type: varchar
Max Length: 40
User that compiled file.

Column Name: file_id
Column Type: varchar
Max Length: 50
Compile ID

Column Name: month_year
Column Type: varchar
Max Length: 50
Month and year compiled

Column Name: post_by
Column Type: varchar
Max Length: 40
Posted by

Column Name: post_by_option

Column Type: varchar
Max Length: 40
Form where post occurred

Column Name: post_date
Column Type: date
Date posted

Column Name: posted
Column Type: varchar
Max Length: 50
Has compile been posted

Column Name: post_time
Column Type: varchar
Max Length: 50
Time Posted

Column Name: post_user_id
Column Type: varchar
Max Length: 40
Posted by user ID

Column Name: post_user_name
Column Type: varchar
Max Length: 40
Posted by user name

Documentation for form: Compile/Post_AB_Services

Table Name: SYSTEM.ab_compile_a_service

Table Description: AB Service Compile A Services

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar

Max Length: 20
Patient ID

Column Name: a_service
Column Type: varchar
Max Length: 50
A Service Code description

Column Name: a_service_code
Column Type: varchar
Max Length: 50
A Service code

Column Name: a_service_date
Column Type: date
Date that A Service occurred

Column Name: a_service_id
Column Type: varchar
Max Length: 50
A Service ID

Column Name: a_service_posted
Column Type: varchar
Max Length: 50
Was A Service posted

Column Name: file_id
Column Type: varchar
Max Length: 50
Compile record ID

Column Name: month_year
Column Type: varchar
Max Length: 50
Month and year of compile

Column Name: patient_name
Column Type: varchar
Max Length: 50
Patient name.

Documentation for form: Compile/Post_AB_Services

Table Name: SYSTEM.ab_compile_b_service

Table Description: AB Service Compile B Services

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: b_service
Column Type: varchar
Max Length: 50
B Service code description

Column Name: b_service_code
Column Type: varchar
Max Length: 50
B Service code

Column Name: b_service_date
Column Type: date
Date of B Service

Column Name: b_service_id
Column Type: varchar
Max Length: 50
B service ID

Column Name: b_service_posted
Column Type: varchar
Max Length: 50
Has B service been posted

Column Name: file_id
Column Type: varchar
Max Length: 50
Compile record ID

Column Name: month_year
Column Type: varchar
Max Length: 50
Month and year of compile

Column Name: patient_name

Column Type: varchar
Max Length: 50
Patient Name

Documentation for form: Compile/Post_AB_Services

Table Name: SYSTEM.ab_inhibit_a_service

Table Description: AB Service Compile Inibited A Services

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: a_service
Column Type: varchar
Max Length: 50
A Service code description

Column Name: a_service_code
Column Type: varchar
Max Length: 50
A Service code

Column Name: a_service_date
Column Type: date
Date of A Service

Column Name: a_service_id
Column Type: varchar
Max Length: 50
A service ID

Column Name: file_id
Column Type: varchar
Max Length: 50
Compile record ID

Column Name: month_year
Column Type: varchar
Max Length: 50
Month and year of compile

Column Name: patient_name
Column Type: varchar
Max Length: 50
Patient Name

Documentation for form: CareFabric_Management

Table Name: SYSTEM.carefabric_fhir_encounter

Table Description: Fhir Encounter

Column Name: ID
Column Type: integer

Column Name: EncounterSource
Column Type: varchar
Max Length: 255
Encounter Source

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FhirEncounterID
Column Type: varchar
Max Length: 255
Fhir Encounter ID

Column Name: FhirEncounterType
Column Type: varchar
Max Length: 255
Fhir Encounter Type (Login, Tracker, Assessment ...)

Column Name: FhirQuestionnaireID
Column Type: varchar
Max Length: 255
Fhir Questionnaire ID

Column Name: LocationReference
Column Type: varchar

Max Length: 255
Location Reference

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PeriodFromDate
Column Type: date
Period From Date

Column Name: PeriodFromTime
Column Type: varchar
Max Length: 50
Period From Time

Column Name: PeriodToDate
Column Type: date
Period To Date

Column Name: PeriodToTime
Column Type: varchar
Max Length: 50
Period To Time

Column Name: Priority
Column Type: varchar
Max Length: 255
Priority

Column Name: ReasonCodes
Column Type: varchar
Max Length: 5012
Reason Codes

Column Name: Score
Column Type: varchar
Max Length: 5012
Score

Column Name: Status
Column Type: varchar
Max Length: 255
Status

Column Name: SubjectReference
Column Type: varchar
Max Length: 255
Subject Reference

Column Name: TypeCode
Column Type: varchar
Max Length: 5012
Type Code

Column Name: TypeCodeDisplayName
Column Type: varchar
Max Length: 5012
Type Code Display Name

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar

Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Documentation for form: CareFabric_Management

Table Name: SYSTEM.carefabric_referrals

Table Description: CareFabric Referrals

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: referral_date

Column Type: date

Column Name: referral_time

Column Type: varchar

Max Length: 50

Column Name: referred_to_code

Column Type: varchar

Max Length: 50

The provider ID that is receiving the referral.

Column Name: referring_practitioner

Column Type: varchar

Max Length: 40

Referring Practitioner

Column Name: referring_practitioner_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Documentation for form: CareFabric_Management

Table Name: SYSTEM.carefabric_visit_links

Table Description: CareFabric Visit Links

Column Name: ID
Column Type: integer

Column Name: ALGuniqueid

Column Type: varchar

Max Length: 50

Link to Allergies (CWS)

Column Name: AppointmentObjectID

Column Type: integer

Appointment ID related to this record. Appointment Object ID

Column Name: DXuniqueid

Column Type: integer

Link to the new Diagnosis table - SYSTEM.client_diagnosis_record

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored. FACILITY

Column Name: FMHuniqueid

Column Type: varchar

Max Length: 50

Link to family medical history (CWS)

Column Name: HRSuniqueid

Column Type: varchar

Max Length: 50

Unique ID for the staff member hours record. Link to review of systems history present illness (CWS)

Column Name: LinkToAssessments

Column Type: varchar

Max Length: 500

Link to Cloud Assessment Service configured Assessments

Column Name: MDMuniqueid

Column Type: varchar

Max Length: 50

Link to Medical Decision Making (CWS)

Column Name: MDPuniqueid

Column Type: varchar

Max Length: 50

Link to Medical Decision Making Problems (CWS)

Column Name: NOTuniqueid

Column Type: varchar

Max Length: 50

Join to Avatar CWS Progress Notes. Link to Progress Notes (CWS)

Column Name: PATID

Column Type: varchar

Max Length: 20
The client ID associated with the data. PATID

Column Name: PCCuniqueid
Column Type: varchar
Max Length: 50
Link to CarePOV Charge Details historic (Single)

Column Name: PCFuniqueid
Column Type: varchar
Max Length: 50
Link to CarePOV Follow-up historic (multiple)

Column Name: PCRuniqueid
Column Type: varchar
Max Length: 50
Link to CarePOV Referrals historic (multiple)

Column Name: PCVuniqueid
Column Type: varchar
Max Length: 50
Link to CarePOV Visits historic parent node

Column Name: PHYuniqueid
Column Type: varchar
Max Length: 50
Link to Physical (CWS)

Column Name: PLuniqueid
Column Type: varchar
Max Length: 50
Link to Problem List (CWS)

Column Name: UniqueRowIndex
Column Type: varchar
Max Length: 50
Link to Vitals Entry (CWS)

Column Name: allergy_review_date_time
Column Type: varchar
Max Length: 50
Date-Time of the Allergies reviewed as a part of the visit

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row. entry_by

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 40
The user name that last updated the row. entry_by_option

Column Name: data_entry_date
Column Type: date
The date the row was last updated. entry_date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated. entry_time

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row. entry_user_id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row. entry_user_name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: fmh_review_date_time

Column Type: varchar
Max Length: 50
Date-Time of the FMH reviewed as a part of the visit

Column Name: meds_review_date_time
Column Type: varchar
Max Length: 50
Date-Time of the Meds reviewed as a part of the visit

Column Name: meds_review_wc_date_time
Column Type: varchar
Max Length: 50
Date-Time of the Meds reviewed w/ changes as a part of the visit

Column Name: pmh_review_date_time
Column Type: varchar
Max Length: 50
Date-Time of the PMH & Problem List reviewed as a part of the visit

Column Name: reviewed_lab_result_ids
Column Type: varchar
Max Length: 5000
Reviewed Laboratory Result IDs, delimited with a comma

Column Name: social_review_date_time
Column Type: varchar
Max Length: 50
Date-Time of the Social History reviewed as a part of the visit

Column Name: type_of_link
Column Type: varchar
Max Length: 50
Type of Link

Column Name: vitals_review_date_time
Column Type: varchar
Max Length: 50
Date-Time of the Vitals reviewed as a part of the visit

Column Name: whh_review_date_time
Column Type: varchar
Max Length: 50
Date-Time of the Woman Health History reviewed as a part of the visit

Documentation for form: CareFabric_Integration_Management

Table Name: SYSTEM.carefabric_clientepisode_map

Table Description: External Product Client Episode Mapping for the Integration Management

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: product_id
Column Type: integer
Product Id

Column Name: product_description
Column Type: varchar
Max Length: 50
Product's description

Column Name: external_PATID
Column Type: varchar
Max Length: 1024
The client id of the external product

Column Name: external_EPISODE_NUMBER
Column Type: varchar
Max Length: 20
The client episode number of the external product.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode associated with the data.

Documentation for form: CareFabric_Integration_Management

Table Name: SYSTEM.carefabric_clientid_map

Table Description: External Product Client ID Mapping for the Integration Management

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: product_id
Column Type: integer
Product Id

Column Name: product_description
Column Type: varchar
Max Length: 50
Product's description

Column Name: external_PATID
Column Type: varchar
Max Length: 1024
The client id of the external product

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Documentation for form: CareFabric_Integration_Management

Table Name: SYSTEM.carefabric_code_map

Table Description: External Product Code Mapping for the Integration Management

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: mapping_type_code
Column Type: varchar
Max Length: 50
Mapping Type Code

Column Name: mapping_type_value

Column Type: varchar

Max Length: 50

Mapping Type Value

Column Name: internal_code

Column Type: varchar

Max Length: 50

Code defined in Avatar

Column Name: internal_code_value

Column Type: varchar

Max Length: 50

Description for the code defined in Avatar

Column Name: product_id

Column Type: integer

Product Id

Column Name: product_description

Column Type: varchar

Max Length: 50

Description for the Integrated product

Column Name: product_type

Column Type: varchar

Max Length: 50

Product Type

Column Name: external_code

Column Type: varchar

Max Length: 500

Code defined in integrated product

Column Name: external_code_value

Column Type: varchar

Max Length: 5000

Description for the code defined in integrated product

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Documentation for form: CareFabric_Integration_Management

Table Name: SYSTEM.carefabric_integrated_prod_notifications

Table Description: Integrated Product Event Notification Settings

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: caseloads

Column Type: varchar

Max Length: 32000

Caseload types separated with &

Column Name: event_types

Column Type: varchar

Max Length: 32000

Event types

Column Name: product_id

Column Type: integer

Product's Id

Column Name: team_id

Column Type: varchar

Max Length: 32000

Team

Column Name: users

Column Type: varchar

Max Length: 32000

User Ids separated with &

Documentation for form: CareFabric_Integration_Management

Table Name: SYSTEM.carefabric_integrated_products

Table Description: CareFabric Integrated Product Data

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: admitting_practitioner
Column Type: varchar
Max Length: 40
Default Admitting Practitioner

Column Name: admitting_practitioner_value
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: description

Column Type: varchar

Max Length: 500

Product's description

Column Name: enabled

Column Type: varchar

Max Length: 500

Enable status of the product

Column Name: event_types

Column Type: varchar

Max Length: 32000

Associated event types

Column Name: option_desc

Column Type: varchar

Max Length: 80

Option Description

Column Name: option_id

Column Type: varchar

Max Length: 20

Option Id

Column Name: product_id
Column Type: integer
Product Id

Column Name: product_sdk_instanceid
Column Type: varchar
Max Length: 500
Product SDK Instance ID

Column Name: product_type
Column Type: varchar
Max Length: 500
Product Type

Column Name: todo_user
Column Type: varchar
Max Length: 512
User to send To-Dos (CareManager setting)

Column Name: type_of_admission_code
Column Type: varchar
Max Length: 5
Default Type Of Admission

Column Name: type_of_admission_value
Column Type: varchar
Max Length: 40
Default Type Of Admission

Column Name: type_of_discharge_code
Column Type: varchar
Max Length: 5
Default Type Of Discharge

Column Name: type_of_discharge_value
Column Type: varchar
Max Length: 80
Default Type Of Discharge

Documentation for form: CareFabric_Assessment_Mapping

Table Name: SYSTEM.carefabric_assessment_mapping

Table Description: Assessment mapping with user modeled forms

Column Name: ID

Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: AssessmentDisplayPlanID
Column Type: varchar
Max Length: 4096
Assessment display plan id provided by assessment engine.

Column Name: assessment_name
Column Type: varchar
Max Length: 1024
Assessment name provided by assessment engine.

Column Name: assessment_field
Column Type: varchar
Max Length: 8192
Field name for the assessment table.

Column Name: modeled_form
Column Type: varchar
Max Length: 1024
Modeled form id.

Column Name: modeled_form_name
Column Type: varchar
Max Length: 1024
Modeled form name.

Column Name: modeled_form_field
Column Type: varchar
Max Length: 1024
Field name for the modeled form.

Column Name: modeled_form_field_name
Column Type: varchar
Max Length: 1024
Modeled form field name.

Column Name: modeled_form_field_table
Column Type: varchar
Max Length: 1024
Modeled form table name for the field.

Column Name: data_entry_by
Column Type: varchar

Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Documentation for form: CareFabric_Assessment_Mapping

Table Name: SYSTEM.carefabric_assessment_mapping_client

Table Description: Assessment mapping with user modeled forms

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: AssessmentDisplayPlanID
Column Type: varchar
Max Length: 4096
Assessment display plan id provided by assessment engine.

Column Name: assessment_name
Column Type: varchar
Max Length: 1024
Assessment name provided by assessment engine.

Column Name: modeled_form
Column Type: varchar
Max Length: 1024
Modeled form id.

Column Name: modeled_form_name
Column Type: varchar
Max Length: 1024
Modeled form name.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client id that the data associated with.

Column Name: allow_final_to_draft
Column Type: bit
Set to 1 when the mapped data is (will be) finalized in Avatar.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: documentID

Column Type: varchar

Max Length: 255

Document id provided by assessment engine.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: unique_row_id

Column Type: varchar

Max Length: 50

The unique row id that the data associated with.

Documentation for form:

CareFabric_External_Application_Configuration

Table Name: SYSTEM.carefabric_app_launch

Table Description: Client ID Unique ID Mapping for external app launch.

Column Name: ID

Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: ContextID
Column Type: varchar
Max Length: 1024
A unique identifier

Column Name: launch_type
Column Type: varchar
Max Length: 1024
Launch Type

Column Name: checked
Column Type: bit
Indicates if this context is already used.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_checkby
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_checkby_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_checkdate
Column Type: date
The date the row was last updated.

Column Name: data_entry_checkoffset
Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_checksource

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_checktime

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_checktime_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_checktimezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_checktimezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_checkuser_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_checkuser_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_checkutc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Documentation for form:

Compile_General_Ledger_Payment/Adjustment_Interface_File

Table Name: GL.comp_pay_ack_int_detail

Table Description: This table returns detail Payment Acknowledgement GL Interface Compile data.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was generated.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in Julian date format and a counter starting with ".001".

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID assigned to the specific Client's service. Will be the date of service in Julian date format followed by a counter starting with ".001".

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID for which the posting was entered.

Column Name: amount
Column Type: numeric
The amount associated with the transaction.

Column Name: end_posting_date
Column Type: date
'End Posting Date'.

Column Name: gl_credit_number
Column Type: varchar
Max Length: 40
Credit G/L Charge Account Number

Column Name: gl_debit_number
Column Type: varchar
Max Length: 40

Debit G/L Charge Account Number

Column Name: gl_posting_date

Column Type: date

GL Posting Date

Column Name: incl_in_reverse_tot_code

Column Type: varchar

Max Length: 50

Reversal Charge Code

Column Name: incl_in_reverse_tot_value

Column Type: varchar

Max Length: 50

Reversal Charge Value

Column Name: interface_comp_1_desc

Column Type: varchar

Max Length: 50

Interface Component 1 Description (Field Name)

Column Name: interface_comp_2_desc

Column Type: varchar

Max Length: 50

Interface Component 2 Description (Field Name)

Column Name: interface_comp_3_desc

Column Type: varchar

Max Length: 50

Interface Component 3 Description (Field Name)

Column Name: interface_component_1_cd

Column Type: varchar

Max Length: 50

Interface Component 1 code

Column Name: interface_component_1_val

Column Type: varchar

Max Length: 50

Interface Component 1 Value

Column Name: interface_component_2_cd

Column Type: varchar

Max Length: 50

Interface Component 2 code

Column Name: interface_component_2_val

Column Type: varchar

Max Length: 50

Interface Component 2 Value

Column Name: interface_component_3_cd
Column Type: varchar
Max Length: 50
Interface Component 3 code

Column Name: interface_component_3_val
Column Type: varchar
Max Length: 50
Interface Component 3 Value

Column Name: join_to_post_pay_entry
Column Type: integer
The row ID in the SYSTEM.pay_ack_post_pay_acc_ent sql table.

Column Name: pay_ack_transaction_num
Column Type: integer
The 'Transaction Number' in the 'Payment Acknowledgement' form.

Column Name: payment_type_code
Column Type: varchar
Max Length: 10
'Posting Code'.

Column Name: payment_type_value
Column Type: varchar
Max Length: 40
The description associated with payment_type_code. See payment_type_code for more information.

Column Name: start_posting_date
Column Type: date
'Start Posting Date'.

Column Name: transaction_type_code
Column Type: varchar
Max Length: 50
Transaction Type Code

Column Name: transaction_type_value
Column Type: varchar
Max Length: 50
Transaction Type Value

Column Name: unique_row_id2
Column Type: varchar
Max Length: 15
The unique ID assigned to the posting for each service. Will be "CR" followed by the posting date (date of payment).

Documentation for form: Block_Client_Chart

Table Name: SYSTEM.RADplus_audit_blocked_clients

Table Description: This table audits data filed via the 'Block Client Chart' Form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: audit_counter

Column Type: integer

Count of how many times row has been filed

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID being blocked.

Column Name: allow_emergency_access_code

Column Type: varchar

Max Length: 50

'Allow Emergency Access for User/User Role' field value

Column Name: allow_emergency_access_value

Column Type: varchar

Max Length: 50

The description associated with allow_emergency_access_code.

Column Name: audit_action_code

Column Type: varchar

Max Length: 50

The action type which created the audit record.

Column Name: audit_action_value

Column Type: varchar

Max Length: 50

The description associated to audit_action_code.

Column Name: block_user_roles_code

Column Type: varchar

Max Length: 50

'Block User Roles' field value

Column Name: block_user_roles_value
Column Type: varchar
Max Length: 200
The description associated with block_user_roles_code.

Column Name: block_users_code
Column Type: varchar
Max Length: 50
'Block Users' field value

Column Name: block_users_value
Column Type: varchar
Max Length: 200
The description associated with block_users_code.

Column Name: comments
Column Type: varchar
Max Length: 32000
'Comments' field value

Column Name: data_entry_by_login
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_option
Column Type: varchar
Max Length: 50
The ID of the form that updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The process that last updated the row.

Column Name: data_entry_time
Column Type: varchar

Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: reason_code
Column Type: varchar
Max Length: 50
'Reason for Blocking' field value

Column Name: reason_value
Column Type: varchar
Max Length: 200
The description associated with reason_code.

Column Name: selected_user_descs
Column Type: varchar
Max Length: 32000
The description associated with selected_user_ids.

Column Name: selected_user_ids
Column Type: varchar
Max Length: 32000
'Selected Users' field value

Column Name: selected_user_roles
Column Type: varchar
Max Length: 32000
'Selected User Roles' field value

Documentation for form: Acuity_Compile

Table Name: SYSTEM.acuity_compile

Table Description: This table returns acuity compile metadata.

Column Name: ID
Column Type: integer

Column Name: compile_date
Column Type: date
The date that this compile record was run for.

Column Name: compile_end_time
Column Type: varchar
Max Length: 50
The date/time when this compile record completed compiling.

Column Name: compile_start_time
Column Type: varchar
Max Length: 50
The date/time when this compile record started compiling.

Column Name: compile_time
Column Type: varchar
Max Length: 50
The time that this compile record was run for.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The patient identification number. Present if the compile was run for an individual patient record.

Column Name: post_end_time
Column Type: varchar
Max Length: 50
The date/time when this compile record completed posting.

Column Name: post_start_time
Column Type: varchar
Max Length: 50
The date/time when this compile record started posting.

Column Name: program
Column Type: varchar
Max Length: 3200
The '&' delimited list of program codes that this compile was run for.

Column Name: status
Column Type: varchar
Max Length: 50
The current status of this compile record.

Column Name: unit
Column Type: varchar

Max Length: 500

The '&' delimited list of unit codes that this compile was run for.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The option name that last updated this data row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The option identifier that last updated this data_row.

Documentation for form: Acuity_Compile

Table Name: SYSTEM.acuity_compile_error

Table Description: This table returns errors produced by the acuity compile process.

Column Name: Compile

Column Type: integer

The compile record id which produced this error.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: action

Column Type: varchar

Max Length: 400

The compile action that was executing when this error occurred.

Column Name: error

Column Type: varchar

Max Length: 400

The error message.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: rule_id

Column Type: varchar

Max Length: 50

The rule id (if applicable) that this error occurred for.

Column Name: childsub

Column Type: integer

Documentation for form: Acuity_Compile

Table Name: SYSTEM.acuity_domain_score

Table Description: This view returns acuity score totals by practitioner category and acuity domain.

Column Name: FACILITY

Column Type: integer

Column Name: practitioner_cat_code

Column Type: varchar

Max Length: 50

Column Name: practitioner_cat_value

Column Type: varchar

Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: compile
Column Type: integer

Column Name: compile_date
Column Type: date

Column Name: posted
Column Type: bit

Column Name: domain_code
Column Type: varchar
Max Length: 50

Column Name: domain_value
Column Type: varchar
Max Length: 50

Column Name: rule_id
Column Type: integer

Column Name: uncalculated_score
Column Type: double

Column Name: score
Column Type: double

Documentation for form: Acuity_Compile

Table Name: SYSTEM.acuity_score

Table Description: The table returns acuity scores created by the acuity compile process.

Column Name: ID
Column Type: integer

Column Name: compile
Column Type: integer
The compile record id which produced this score.

Column Name: compile_date
Column Type: date
The date this score was created for.

Column Name: domain_code
Column Type: varchar
Max Length: 50
The domain that this score is categorized under.

Column Name: domain_value
Column Type: varchar
Max Length: 50
The dictionary value for the domain code.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The patient identification number for this score record.

Column Name: posted
Column Type: bit
The posted (finalized) status of this score record.

Column Name: practitioner_cat_code
Column Type: varchar
Max Length: 50
Practitioner category dictionary code for the acuity rule that produced this score.

Column Name: practitioner_cat_value
Column Type: varchar
Max Length: 50
Practitioner category dictionary value.

Column Name: rule_id
Column Type: integer
The acuity rule record id which produced this score.

Column Name: score
Column Type: numeric
The score value.

Column Name: subdomain
Column Type: varchar
Max Length: 50
The subdomain of the acuity rule that produced this score.

Column Name: uncalculated_score
Column Type: double
The uncalculated score value.

Documentation for form: Acuity_Compile

Table Name: SYSTEM.acuity_subdomain_score

Table Description: This view returns acuity conditionally grouped score by facility, PATID, compile, domain, sub-domain, practitioner category.

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: compile
Column Type: integer

Column Name: compile_date
Column Type: date

Column Name: posted
Column Type: bit

Column Name: domain_code
Column Type: varchar
Max Length: 50

Column Name: domain_value
Column Type: varchar
Max Length: 50

Column Name: subdomain
Column Type: varchar
Max Length: 50

Column Name: practitioner_cat_code
Column Type: varchar
Max Length: 50

Column Name: practitioner_cat_value
Column Type: varchar
Max Length: 50

Column Name: rule_id
Column Type: integer

Column Name: uncalculated_score
Column Type: double

Column Name: score
Column Type: varchar
Max Length: 20

Documentation for form: Team_Definition

Table Name: SYSTEM.RADplus_audit_teams

Table Description: This table stores an audit of the 'Team Definition' form.

Column Name: ID
Column Type: integer

Column Name: audit_counter
Column Type: integer
Count of how many times row has been filed.

Column Name: FACILITY
Column Type: integer
The root system code in which the data was stored.

Column Name: active
Column Type: varchar
Max Length: 50
'Active'

Column Name: add_edit_delete
Column Type: varchar
Max Length: 50
The action being audited.

Column Name: consult_code
Column Type: varchar
Max Length: 50
consult_code - 'Team Accepts Consult Orders' code

Column Name: data_entry_by_login
Column Type: varchar
Max Length: 50
The user name that last updated the row (logged into Avatar).

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row (logged into the filing form).

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_option
Column Type: varchar
Max Length: 50
The ID of the form that updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The description of what application filed the audit.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: description

Column Type: varchar

Max Length: 80

'Team Description'

Column Name: disable_caseload_add

Column Type: varchar

Max Length: 1

'Disable Adding Clients to Caseload'

Column Name: finalizer_default_sup

Column Type: varchar

Max Length: 1

'Use Team Finalizer as Default Supervisor for Document Routing'

Column Name: phys_team_code

Column Type: varchar

Max Length: 50

'Physician Team' code

Column Name: team_finalizer

Column Type: varchar

Max Length: 4096

'Team Finalizer'

Column Name: team_id

Column Type: varchar

Max Length: 50

'Team ID'

Column Name: type
Column Type: varchar
Max Length: 50
'Type'

Documentation for form: Team_Definition

Table Name: SYSTEM.RADplus_audit_teams_caseload
Table Description: This table stores an audit of the 'Individual Client Assignment' section of the 'Team Definition' form.

Column Name: ID
Column Type: integer

Column Name: audit_counter
Column Type: integer
Count of how many times row has been filed.

Column Name: EPISODENUMBER
Column Type: integer
'Episode(s)'

Column Name: FACILITY
Column Type: integer
The root system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
'Client ID'

Column Name: add_remove
Column Type: varchar
Max Length: 50
The action being audited.

Column Name: data_entry_by_login
Column Type: varchar
Max Length: 50
The user name that last updated the row (logged into Avatar).

Column Name: data_entry_by_option

Column Type: varchar
Max Length: 50
The user name that last updated the row (logged into the filing form).

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_option
Column Type: varchar
Max Length: 50
The ID of the form that updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The description of what application filed the audit.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: radteamaudit
Column Type: integer

Documentation for form: Team_Definition

Table Name: SYSTEM.RADplus_audit_teams_programs

Table Description: This table stores an audit of the 'Select Programs' field on the 'Team Definition' form.

Column Name: ID
Column Type: integer

Column Name: audit_counter
Column Type: integer
Count of how many times row has been filed.

Column Name: FACILITY
Column Type: integer
The root system code in which the data was stored.

Column Name: add_remove
Column Type: varchar
Max Length: 50
The action being audited.

Column Name: data_entry_by_login
Column Type: varchar
Max Length: 50
The user name that last updated the row (logged into Avatar).

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row (logged into the filing form).

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_option
Column Type: varchar

Max Length: 50

The ID of the form that updated the row.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The description of what application filed the audit.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: program

Column Type: varchar

Max Length: 80

The selected program.

Column Name: radteamaudit

Column Type: integer

Documentation for form: Team_Definition

Table Name: SYSTEM.RADplus_audit_teams_role

Table Description: This table stores an audit of the 'Select Roles' field on the 'Team Definition' form.

Column Name: ID
Column Type: integer

Column Name: audit_counter
Column Type: integer
Count of how many times row has been filed.

Column Name: FACILITY
Column Type: integer
The root system code in which the data was stored.

Column Name: add_remove
Column Type: varchar
Max Length: 50
The action being audited.

Column Name: data_entry_by_login
Column Type: varchar
Max Length: 50
The user name that last updated the row (logged into Avatar).

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row (logged into the filing form).

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_option
Column Type: varchar
Max Length: 50
The ID of the form that updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The description of what application filed the audit.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: radrole

Column Type: varchar

Max Length: 50

The user role ID.

Column Name: radteamaudit

Column Type: integer

Documentation for form: Team_Definition

Table Name: SYSTEM.RADplus_audit_teams_sites

Table Description: This table stores an audit of the 'Select Sites' field on the 'Team Definition' form.

Column Name: ID

Column Type: integer

Column Name: audit_counter

Column Type: integer

Count of how many times row has been filed.

Column Name: FACILITY
Column Type: integer
The root system code in which the data was stored.

Column Name: add_remove
Column Type: varchar
Max Length: 50
The action being audited.

Column Name: data_entry_by_login
Column Type: varchar
Max Length: 50
The user name that last updated the row (logged into Avatar).

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row (logged into the filing form).

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_option
Column Type: varchar
Max Length: 50
The ID of the form that updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The description of what application filed the audit.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: radteamaudit
Column Type: integer

Column Name: site
Column Type: varchar
Max Length: 50
The site ID.

Documentation for form: Team_Definition

Table Name: SYSTEM.RADplus_audit_teams_units

Table Description: This table stores an audit of the 'Select Units' field on the 'Team Definition' form.

Column Name: ID
Column Type: integer

Column Name: audit_counter
Column Type: integer
Count of how many times row has been filed.

Column Name: FACILITY
Column Type: integer
The root system code in which the data was stored.

Column Name: add_remove
Column Type: varchar
Max Length: 50
The action being audited.

Column Name: data_entry_by_login

Column Type: varchar

Max Length: 50

The user name that last updated the row (logged into Avatar).

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row (logged into the filing form).

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_option

Column Type: varchar

Max Length: 50

The ID of the form that updated the row.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The description of what application filed the audit.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: radteamaudit

Column Type: integer

Column Name: unit

Column Type: varchar

Max Length: 50

The unit ID.

Documentation for form: Team_Definition

Table Name: SYSTEM.RADplus_audit_teams_user

Table Description: This table stores an audit of the 'Select Users' field on the 'Team Definition' form.

Column Name: ID

Column Type: integer

Column Name: audit_counter

Column Type: integer

Count of how many times row has been filed.

Column Name: FACILITY

Column Type: integer

The root system code in which the data was stored.

Column Name: add_remove

Column Type: varchar

Max Length: 50

The action being audited.

Column Name: data_entry_by_login

Column Type: varchar

Max Length: 50

The user name that last updated the row (logged into Avatar).

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row (logged into the filing form).

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_option
Column Type: varchar
Max Length: 50
The ID of the form that updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The description of what application filed the audit.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: radteamaudit
Column Type: integer

Column Name: raduser
Column Type: varchar
Max Length: 50
The user ID.

Documentation for form: Service_Documentation_Corrections

Table Name: SYSTEM.service_doc_corrections

Table Description: This table returns service documentation corrections data.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
Facility number the service documentation correction is for

Column Name: PATID
Column Type: varchar
Max Length: 20
Client id the service documentation correction is for

Column Name: Service_Doc_Hist
Column Type: varchar
Max Length: 20
Historic the service documentation correction is for

Column Name: Service_Doc_App
Column Type: varchar
Max Length: 20
Application the service documentation correction is for

Column Name: aps_link
Column Type: varchar
Max Length: 40
Appointment link if applicable

Column Name: service_link
Column Type: varchar
Max Length: 40
Service link

Column Name: data_entry_date
Column Type: date

Last date this table row was updated

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Last user to update this table row

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Last user to update this table row

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Last user to update this table row

Column Name: option_id

Column Type: varchar

Max Length: 40

Column Name: option_desc

Column Type: varchar

Max Length: 80

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Last user to update this table row

Column Name: action_code

Column Type: varchar

Max Length: 50

Correction action code

Column Name: action_value

Column Type: varchar

Max Length: 40

Correction action value

Column Name: delete_serv_code

Column Type: varchar

Max Length: 50

Delete service code

Column Name: delete_serv_value

Column Type: varchar

Max Length: 40

Delete service value

Column Name: correction_comments

Column Type: varchar

Max Length: 32759

Comments

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Documentation for form: External_Client_ID_Maintenance

Table Name: HL7.external_client_id

Table Description: External Client ID Maintenance

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

Facility

Column Name: HLAuniqueid

Column Type: varchar

Max Length: 50

HLAuniqueid

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Data Entry By (30001)

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Data Entry By Option (30003)

Column Name: data_entry_date

Column Type: date

Data Entry Date (30000)

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved (30033)

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

data entry source (300015)

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

Data Entry Time (30002)

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved (30032)

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved (30031)

Column Name: data_entry_timezone_short

Column Type: varchar
Max Length: 8
the short abbreviation for the timezone (30034)

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id (30009)

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved (30030)

Column Name: external_client_id
Column Type: varchar
Max Length: 50
external client id

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 20
Option Identifier (30010)

Documentation for form: Patient_Account_Number_Maintenance

Table Name: HL7.external_episode_id

Table Description: Patient Account Number Maintenance

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
EPISODE NUMBER

Column Name: FACILITY
Column Type: integer
Facility

Column Name: HLBuniqueid
Column Type: varchar
Max Length: 50
HLBuniqueid

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By (30001)

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By Option (30003)

Column Name: data_entry_date
Column Type: date
Data Entry Date (30000)

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved (30033)

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
data entry source (300015)

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
Data Entry Time (30002)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved (30032)

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

the time zone information for when the data was saved (30031)

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone (30034)

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

data entry user id (30009)

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

data entry user name

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved (30030)

Column Name: effective_date

Column Type: date

The effective date of the external episode id

Column Name: external_episode_id

Column Type: varchar

Max Length: 50

The external episode id

Column Name: option_desc

Column Type: varchar

Max Length: 80

Option Description

Column Name: option_id

Column Type: varchar

Max Length: 20

Option Identifier (30010)

Documentation for form: Incident_Data_Form

Table Name: INCIDENT.incidents_audit

Table Description: incidents Audit

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: INCID

Column Type: varchar

Max Length: 50

unique incident ID number

Column Name: JOIN_TO_CURRENT

Column Type: integer

A pointer to the Current value

Column Name: accidental_injury_code

Column Type: varchar

Max Length: 10

dictionary code for accidental injury code

Column Name: accidental_injury_value

Column Type: varchar

Max Length: 40

value of accidental injury

Column Name: acc_injury_obs_code

Column Type: varchar

Max Length: 10

dictionary code for obs accident injury

Column Name: acc_injury_obs_value

Column Type: varchar

Max Length: 40

value of obs accidental injury

Column Name: acc_injury_other

Column Type: longvarchar

Max Length: 2147483647

scrolling text field accidental injury other

Column Name: acc_injury_sub_code

Column Type: varchar

Max Length: 10

dictionary code for injury sub code

Column Name: acc_injury_sub_value

Column Type: varchar

Max Length: 40

value of injury sub code

Column Name: actions_taken_code
Column Type: varchar
Max Length: 10
code of actions taken

Column Name: actions_taken_other
Column Type: longvarchar
Max Length: 2147483647
scrolling text field actions taken

Column Name: actions_taken_precautions
Column Type: longvarchar
Max Length: 2147483647
scrolling text field actions taken precautions

Column Name: actions_taken_value
Column Type: varchar
Max Length: 40
value of notification code

Column Name: administrator
Column Type: varchar
Max Length: 50
administrator id

Column Name: administrator_invest_find
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field of administrators investigational findings

Column Name: administrator_name
Column Type: varchar
Max Length: 50
name of the reported by person

Column Name: administrator_report
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field of administrators report

Column Name: adv_drug_reac_desc
Column Type: longvarchar
Max Length: 2147483647
scrolling text field for adverse drug reaction

Column Name: adv_drug_reaction_code
Column Type: varchar
Max Length: 10
dictionary code for adverse drug reaction

Column Name: adv_drug_reaction_value
Column Type: varchar
Max Length: 40
value for adverse drug reaction code

Column Name: alleg_pat_abuse_other
Column Type: longvarchar
Max Length: 2147483647
scrolling text field for alleged patient abuse

Column Name: alleg_pat_abuse_sub_code
Column Type: varchar
Max Length: 10
dictionary code for sub alleged patient abuse code

Column Name: alleg_pat_abuse_sub_value
Column Type: varchar
Max Length: 40
value for alleged sub patient abuse

Column Name: alleg_patient_abuse_code
Column Type: varchar
Max Length: 10
dictionary code for patient abuse

Column Name: alleg_patient_abuse_value
Column Type: varchar
Max Length: 40
value for patient abuse code

Column Name: assault_code
Column Type: varchar
Max Length: 10
dictionary code for assault

Column Name: assault_other
Column Type: longvarchar
Max Length: 2147483647

Column Name: assault_sub_code
Column Type: varchar
Max Length: 10
dictionary code for assault sub

Column Name: assault_sub_value
Column Type: varchar
Max Length: 40
value of the assault sub

Column Name: assault_value
Column Type: varchar
Max Length: 40
value of the assault code

Column Name: assigned_unit
Column Type: varchar
Max Length: 50
assigned unit text field

Column Name: attempted_suicide_code
Column Type: varchar
Max Length: 10
dictionary code for suicide

Column Name: awol_code
Column Type: varchar
Max Length: 10
dictionary code for awol

Column Name: awol_date_located
Column Type: date
date awol occurred

Column Name: awol_desc
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field for awol

Column Name: awol_place_located
Column Type: varchar
Max Length: 50
place awol occurred

Column Name: awol_time_located
Column Type: varchar
Max Length: 50
time awol occurred

Column Name: awol_value
Column Type: varchar
Max Length: 40
value for the awol code

Column Name: central_office_date
Column Type: date
date sent to central office

Column Name: contraband_code

Column Type: varchar
Max Length: 10
dictionary code for contraband

Column Name: contraband_items
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field for contraband

Column Name: contraband_value
Column Type: varchar
Max Length: 40
value of the contraband code

Column Name: contrib_factors_code
Column Type: varchar
Max Length: 10
dictionary code for contributing factors

Column Name: contrib_factors_other
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field for other

Column Name: contrib_factors_value
Column Type: varchar
Max Length: 40
value of contributing factors code

Column Name: data_entry_action
Column Type: varchar
Max Length: 40
The action that was performed.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
data entry by

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
data entry by option

Column Name: data_entry_date
Column Type: date
data entry date

Column Name: data_entry_offset
Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 40
data entry by

Column Name: data_entry_time
Column Type: varchar
Max Length: 40
data entry time

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_incident
Column Type: date
date of incident

Column Name: death_code
Column Type: varchar
Max Length: 10
dictionary code for death

Column Name: death_sub_code

Column Type: varchar
Max Length: 10
dictionary sub code for death

Column Name: death_sub_value
Column Type: varchar
Max Length: 40
value of sub code death

Column Name: death_value
Column Type: varchar
Max Length: 40
value of death code

Column Name: draft_final_code
Column Type: varchar
Max Length: 10
dictionary code for draft final

Column Name: draft_final_value
Column Type: varchar
Max Length: 40
value of draf final code

Column Name: drugs_alcohol_code
Column Type: varchar
Max Length: 10
dictionary code for drugs/alcohol

Column Name: drugs_alcohol_spec
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field for the drugs/alcohol

Column Name: drugs_alcohol_value
Column Type: varchar
Max Length: 40
value for the drugs/alcohol code

Column Name: equip_malf_spec
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field for equipment malfunction

Column Name: equipment_malf_code
Column Type: varchar
Max Length: 10
dictionary code for equipment malfuctnion

Column Name: equipment_malf_value

Column Type: varchar
Max Length: 40
value of equipment malfunction code

Column Name: fire_code
Column Type: varchar
Max Length: 10
dictionary code for fire

Column Name: fire_spec
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field for fire

Column Name: fire_value
Column Type: varchar
Max Length: 40
value of fire code

Column Name: illness_med_emerg_code
Column Type: varchar
Max Length: 10
dictionary code for illness medical emergency

Column Name: illness_med_emerg_value
Column Type: varchar
Max Length: 40
value of illness medical emergency code

Column Name: illness_med_spec
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field for illness medical emergency

Column Name: inapp_sexual_behav_code
Column Type: varchar
Max Length: 10
dictionary code for inappropriate sexual behavior

Column Name: inapp_sexual_behav_spec
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field for inappropriate sexual behavior

Column Name: inapp_sexual_behav_value
Column Type: varchar
Max Length: 40
value of the inappropriate sexual behavior code

Column Name: incident_category_code

Column Type: varchar
Max Length: 10
incidents category code

Column Name: incident_category_value
Column Type: varchar
Max Length: 40
value of incidents category code

Column Name: incident_location_code
Column Type: varchar
Max Length: 10
Incidents location code

Column Name: incident_location_value
Column Type: varchar
Max Length: 40
value of Incidents location code

Column Name: incident_summary
Column Type: longvarchar
Max Length: 2147483647
summary of the incident

Column Name: incident_type_code
Column Type: varchar
Max Length: 50
incident type code

Column Name: incident_type_value
Column Type: varchar
Max Length: 40
value of incident type code

Column Name: init_appr_deny_adm_val
Column Type: varchar
Max Length: 40
dictionary code for initial approved or denied to do

Column Name: init_approve_deny_admin
Column Type: varchar
Max Length: 10
dictionary code for initial approved or denied to do

Column Name: init_approve_deny_sup
Column Type: varchar
Max Length: 10
dictionary code for initial approved or denied to do

Column Name: init_approve_deny_val

Column Type: varchar
Max Length: 40
dictionary code for initial approved or denied to do

Column Name: injury_restrain_pat_code
Column Type: varchar
Max Length: 10
dictionary code for restraining patient

Column Name: injury_restrain_pat_spec
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field for injury restraining patient

Column Name: injury_restrain_pat_value
Column Type: varchar
Max Length: 40
value of restraining patient code

Column Name: injury_severity_code
Column Type: varchar
Max Length: 50
dictionary code for injury severity

Column Name: injury_severity_shval
Column Type: varchar
Max Length: 255
short value of injury severity code

Column Name: injury_severity_value
Column Type: varchar
Max Length: 4096
value of injury severity code

Column Name: injury_type_code
Column Type: varchar
Max Length: 50
dictionary code for injury type

Column Name: injury_type_other
Column Type: longvarchar
Max Length: 2147483647
text field for other

Column Name: injury_type_shval
Column Type: varchar
Max Length: 255
short value of injury type code

Column Name: injury_type_value

Column Type: varchar
Max Length: 4096
value of injury type code

Column Name: location_code
Column Type: varchar
Max Length: 10
location code

Column Name: location_comments
Column Type: longvarchar
Max Length: 2147483647
comment of location

Column Name: location_value
Column Type: varchar
Max Length: 40
value of the location code

Column Name: missing_error_meds_code
Column Type: varchar
Max Length: 10
dictionary code for missing medications in error

Column Name: missing_error_meds_spec
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field for missing medications in error

Column Name: missing_error_meds_value
Column Type: varchar
Max Length: 40
value of missing medications in error code

Column Name: notification_code
Column Type: varchar
Max Length: 50
dictionary code for notification

Column Name: notification_date
Column Type: date
date of notification

Column Name: notification_other
Column Type: longvarchar
Max Length: 2147483647
notification description

Column Name: notification_person_code
Column Type: varchar

Max Length: 20
dictionary code for notification

Column Name: notification_person_value
Column Type: varchar
Max Length: 40
value of notification code

Column Name: notification_shval
Column Type: varchar
Max Length: 255
short value of notificaiton value

Column Name: notification_time
Column Type: varchar
Max Length: 50
time of incident

Column Name: notification_value
Column Type: varchar
Max Length: 4096
value of notification code

Column Name: number_of_staff
Column Type: integer
number of staff text field

Column Name: option_id
Column Type: varchar
Max Length: 40
option id

Column Name: other_code
Column Type: varchar
Max Length: 10
dictionary code for other

Column Name: other_describe
Column Type: longvarchar
Max Length: 2147483647
text field for other

Column Name: other_value
Column Type: varchar
Max Length: 40
value of other code

Column Name: policy_violation_code
Column Type: varchar
Max Length: 10

dictionary code for policy violation

Column Name: policy_violation_staff

Column Type: longvarchar

Max Length: 2147483647

scrolling free text field for policy violation

Column Name: policy_violation_value

Column Type: varchar

Max Length: 40

value of policy violation code

Column Name: property_related_code

Column Type: varchar

Max Length: 10

dictionary code for property related

Column Name: property_related_other

Column Type: numeric

scrolling free text field for peroperty related Estimate Cach value of loss

Column Name: property_related_sub_code

Column Type: varchar

Max Length: 10

dictionary sub code for property related

Column Name: property_related_sub_val

Column Type: varchar

Max Length: 40

value for the sub property related

Column Name: property_related_value

Column Type: varchar

Max Length: 40

value of property related code

Column Name: reported_by

Column Type: varchar

Max Length: 40

user name of inital filing of each section for table

Column Name: reported_by_name

Column Type: varchar

Max Length: 40

name of the reported by person

Column Name: self_injurious_code

Column Type: varchar

Max Length: 10

dictionary code for self injurious

Column Name: self_injurious_spec
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field of self injurious

Column Name: self_injurious_value
Column Type: varchar
Max Length: 40
value of self injurious code

Column Name: sharps_injury_code
Column Type: varchar
Max Length: 10
dictionary code for sharps injury

Column Name: sharps_injury_spec
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field for sharps injury

Column Name: sharps_injury_value
Column Type: varchar
Max Length: 40
value of the sharps injury code

Column Name: shift_code
Column Type: varchar
Max Length: 10
dictionary code for shift

Column Name: shift_value
Column Type: varchar
Max Length: 40
value of shift code

Column Name: suicide_attempts
Column Type: varchar
Max Length: 10
attempts at suicide

Column Name: suicide_code
Column Type: varchar
Max Length: 10
dictionary code for assault sub

Column Name: suicide_description
Column Type: longvarchar
Max Length: 2147483647
scrolling free text for suicide description

Column Name: suicide_method_code
Column Type: varchar
Max Length: 10
dictionary code for suicide method

Column Name: suicide_method_value
Column Type: varchar
Max Length: 40
value of the assault sub

Column Name: suicide_value
Column Type: varchar
Max Length: 40
value of the assault sub

Column Name: sup_appr_deny_adm_val
Column Type: varchar
Max Length: 40
dictionary code for initial approved or denied to do

Column Name: sup_approve_deny_admin
Column Type: varchar
Max Length: 10
dictionary code for initial approved or denied to do

Column Name: supervisor
Column Type: varchar
Max Length: 50
supervisor id

Column Name: supervisor_invest_find
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field for supervisors investigational findings

Column Name: supervisor_name
Column Type: varchar
Max Length: 50
name of the reported by person

Column Name: supervisor_report
Column Type: longvarchar
Max Length: 2147483647
scrolling free text field for supervisors report

Column Name: system_code
Column Type: varchar
Max Length: 50
system code incident filed from

Column Name: threats_code
Column Type: varchar
Max Length: 10
dictionary code for threats

Column Name: threats_spec
Column Type: longvarchar
Max Length: 2147483647
scrolling free text for threats

Column Name: threats_value
Column Type: varchar
Max Length: 40
value of threats code

Column Name: time_of_incident
Column Type: varchar
Max Length: 50
time of incident

Column Name: unauth_restraint_code
Column Type: varchar
Max Length: 10
dictionary code for unauthorized restraining

Column Name: unauth_restraint_spec
Column Type: longvarchar
Max Length: 2147483647
scrolling text field for unauthorized restraint

Column Name: unauth_restraint_value
Column Type: varchar
Max Length: 40
value of unauthorized restraint code

Column Name: unit_census
Column Type: varchar
Max Length: 50
unit cense text field

Column Name: void
Column Type: varchar
Max Length: 50
if record was voided

Documentation for form: Incident_Data_Form

Table Name: INCIDENT.incidents_clients

Table Description: Data From TDE in the INCIDENT data form

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: INCID
Column Type: varchar
Max Length: 50
Incident ID

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
data entry by

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
data entry by option

Column Name: data_entry_date
Column Type: date
data entry date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 40
data entry by

Column Name: data_entry_time
Column Type: varchar

Max Length: 40
data entry time

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: informed_consent_code
Column Type: varchar
Max Length: 50
dictionary code for informed consent

Column Name: informed_consent_value
Column Type: varchar
Max Length: 40
value of the code informed consent

Column Name: injury_severity_code
Column Type: varchar
Max Length: 50
dictionary code for injury severity

Column Name: injury_severity_shval
Column Type: varchar
Max Length: 255
short value of injury severity code

Column Name: injury_severity_value
Column Type: varchar
Max Length: 4096
value of the dictionary code injury severity

Column Name: injury_type_code
Column Type: varchar
Max Length: 50
dictionary code for injury type

Column Name: injury_type_shval
Column Type: varchar
Max Length: 255
short value of injury type code

Column Name: injury_type_value
Column Type: varchar
Max Length: 4096
value of the code injury type

Column Name: involvement_code
Column Type: varchar
Max Length: 50
dictionary code for Involvement

Column Name: involvement_value
Column Type: varchar
Max Length: 40
value of the involvement code

Column Name: legal_status
Column Type: varchar
Max Length: 50
legal status text field

Column Name: option_id
Column Type: varchar
Max Length: 40
option id

Column Name: patient_name
Column Type: varchar
Max Length: 50

Documentation for form: Incident_Data_Form

Table Name: INCIDENT.incidents_clients_audit

Table Description: incidents Audit

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: INCID
Column Type: varchar
Max Length: 50
Incident ID

Column Name: JOIN_TO_CURRENT
Column Type: integer
A pointer to the Current value

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: data_entry_action
Column Type: varchar
Max Length: 40
The action that was performed.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
data entry by

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
data entry by option

Column Name: data_entry_date
Column Type: date
data entry date

Column Name: data_entry_offset
Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 40
data entry by

Column Name: data_entry_time
Column Type: varchar
Max Length: 40
data entry time

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: informed_consent_code
Column Type: varchar
Max Length: 50
dictionary code for informed consent

Column Name: informed_consent_value
Column Type: varchar
Max Length: 40
value of the code informed consent

Column Name: injury_severity_code
Column Type: varchar
Max Length: 50
dictionary code for injury severity

Column Name: injury_severity_shval
Column Type: varchar
Max Length: 255
short value of injury severity code

Column Name: injury_severity_value
Column Type: varchar
Max Length: 4096
value of the dictionary code injury severity

Column Name: injury_type_code
Column Type: varchar
Max Length: 50
dictionary code for injury type

Column Name: injury_type_shval
Column Type: varchar
Max Length: 255
short value of injury type code

Column Name: injury_type_value
Column Type: varchar
Max Length: 4096
value of the code injury type

Column Name: involvement_code
Column Type: varchar
Max Length: 50
dictionary code for Involvement

Column Name: involvement_value
Column Type: varchar
Max Length: 40
value of the involvement code

Column Name: legal_status
Column Type: varchar
Max Length: 50
legal status text field

Column Name: option_id
Column Type: varchar
Max Length: 40
option id

Column Name: patient_name
Column Type: varchar
Max Length: 50

Documentation for form: Incident_Data_Form

Table Name: INCIDENT.incidents_staff_vis_audit

Table Description: incidents Audit

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
System code

Column Name: INCID
Column Type: varchar
Max Length: 20
Incident ID number

Column Name: JOIN_TO_CURRENT
Column Type: integer
A pointer to the Current value

Column Name: STAFFID
Column Type: varchar
Max Length: 50
staffs unique id

Column Name: data_entry_action
Column Type: varchar
Max Length: 40
The action that was performed.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
data entry by

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
data entry by option

Column Name: data_entry_date
Column Type: date

data entry date

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 40

data entry by

Column Name: data_entry_time

Column Type: varchar

Max Length: 40

data entry time

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

data entry user id

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

data entry user name

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: injury_severity_code

Column Type: varchar

Max Length: 50

dictionary code for injury severity

Column Name: injury_severity_shval

Column Type: varchar
Max Length: 255
short value of injury severity code

Column Name: injury_severity_value
Column Type: varchar
Max Length: 4096
value of the dictionary code for injury severity

Column Name: injury_type_code
Column Type: varchar
Max Length: 50
dictionary code of injury type

Column Name: injury_type_shval
Column Type: varchar
Max Length: 255
short value of injury type code

Column Name: injury_type_value
Column Type: varchar
Max Length: 4096
value of the dictionary code injury type

Column Name: involvement_code
Column Type: varchar
Max Length: 50
involvement dictionary code

Column Name: involvement_value
Column Type: varchar
Max Length: 40
involvement value of dictionary code

Column Name: option_id
Column Type: varchar
Max Length: 40
option id

Column Name: staff_visitor_name
Column Type: varchar
Max Length: 50
staff or visitor name

Documentation for form: Incident_Data_Form

Table Name: INCIDENT.incidents_staff_visitors
Table Description: Data From TDE in the INCIDENT data form

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
System code

Column Name: INCID
Column Type: varchar
Max Length: 20
Incident ID number

Column Name: STAFFID
Column Type: varchar
Max Length: 50
staffs unique id

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
data entry by

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
data entry by option

Column Name: data_entry_date
Column Type: date
data entry date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 40
data entry by

Column Name: data_entry_time
Column Type: varchar
Max Length: 40
data entry time

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: injury_severity_code
Column Type: varchar
Max Length: 50
dictionary code for injury severity

Column Name: injury_severity_shval
Column Type: varchar
Max Length: 255
short value of injury severity code

Column Name: injury_severity_value
Column Type: varchar
Max Length: 4096
value of the dictionary code for injury severity

Column Name: injury_type_code
Column Type: varchar
Max Length: 50
dictionary code of injury type

Column Name: injury_type_shval

Column Type: varchar
Max Length: 255
short value of injury type code

Column Name: injury_type_value
Column Type: varchar
Max Length: 4096
value of the dictionary code injury type

Column Name: involvement_code
Column Type: varchar
Max Length: 50
involvement dictionary code

Column Name: involvement_value
Column Type: varchar
Max Length: 40
involvement value of dictionary code

Column Name: option_id
Column Type: varchar
Max Length: 40
option id

Column Name: staff_visitor_name
Column Type: varchar
Max Length: 50
staff or visitor name

Documentation for form: LA_Client_-_Condition_Pregnancy

Table Name: LAPROV.client_condition_preg

Table Description: This table returns detailed information for data filed via the 'LA Client Condition - Pregnancy' form

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: Data_Entry_By_Login
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: Data_Entry_By_Option

Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: Data_Entry_Date
Column Type: date
The date the row was last updated.

Column Name: Data_Entry_Time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: Data_Entry_User_Id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: initial_treatment_date
Column Type: date
'Initial Treatment Date (2300-DTP-03)'

Column Name: last_menstrual_date
Column Type: date
'Date Of Last Menstrual Period (2300-DTP-03)'

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: Option_Id
Column Type: varchar
Max Length: 20
Option Id

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID

Column Name: PRG_uniqueid

Column Type: varchar
Max Length: 20
Uniqueid

Column Name: preg_end_date
Column Type: date
'Pregnancy End Date'

Column Name: preg_start_date
Column Type: date
'Pregnancy Start Date'

Column Name: assessment_date
Column Type: date
'Assessment Date'

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Documentation for form: LA_Community_Outreach_Service_Entry

Table Name: LAPROV.la_cos_tx_draft

Table Description: This table returns draft data stored from the 'LA Community Outreach Services Entry' form.

Column Name: ID
Column Type: integer

Column Name: location_code
Column Type: varchar
Max Length: 15
'Location'

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID

Column Name: age_category_code
Column Type: varchar
Max Length: 50
'Age Category'

Column Name: age_category_value
Column Type: varchar
Max Length: 50
The description associated with age_category_code. See age_category_code for more information.

Column Name: client_id
Column Type: varchar
Max Length: 50
'Client ID'

Column Name: client_id_episode
Column Type: integer
'Client ID Episode'

Column Name: cost_of_service
Column Type: numeric
'Cost Of Service'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' of the user that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_service
Column Type: date
'Date Of Service'

Column Name: duration
Column Type: numeric

'Duration (Minutes)'

Column Name: ethnicity_code

Column Type: varchar

Max Length: 50

'Ethnicity'

Column Name: ethnicity_value

Column Type: varchar

Max Length: 50

The description associated with ethnicity_code. See ethnicity_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: number_persons_contacted

Column Type: integer

'Number of Persons Contacted'

Column Name: practitioner_id

Column Type: varchar

Max Length: 15

'Practitioner'

Column Name: practitioner_name

Column Type: varchar

Max Length: 40

The name associated with the practitioner_id.

Column Name: primary_language_code

Column Type: varchar

Max Length: 50

'Primary Language'

Column Name: primary_language_value

Column Type: varchar

Max Length: 50

The description associated with primary_language_code. See primary_language_code for more information.

Column Name: program_area_code

Column Type: varchar

Max Length: 50

'Program Area'

Column Name: program_area_value

Column Type: varchar

Max Length: 50

The description associated with program_area_code. See program_area_code for more information.

Column Name: program_code
Column Type: varchar
Max Length: 15
'Program Code'

Column Name: program_value
Column Type: varchar
Max Length: 70
The description associated with program_code. See program_code for more information.

Column Name: progress_note
Column Type: varchar
Max Length: 32766
'Progress Notes (Include presenting problems, goals, content, process and outcome)'

Column Name: recipient_type_code
Column Type: varchar
Max Length: 50
'Service Recipient Type'

Column Name: recipient_type_value
Column Type: varchar
Max Length: 50
The description associated with recipient_type_code. See recipient_type_code for more information.

Column Name: recommendations
Column Type: varchar
Max Length: 32766
'Future Plans/Recommendations (Include major topics or problem areas to be addressed and any special problems or successful techniques which might be helpful in the future consultation)'

Column Name: service_code
Column Type: varchar
Max Length: 40
'Service Code'

Column Name: service_type_code
Column Type: varchar
Max Length: 50
'Service Type'

Column Name: service_type_value
Column Type: varchar
Max Length: 50
The description associated with service_type. See service_type for more information.

Documentation for form: LA_Community_Outreach_Service_Entry

Table Name: LAPROV.la_cos_tx_history

Table Description: This table returns data stored from the 'LA Community Outreach Services Entry' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID

Column Name: age_category_code
Column Type: varchar
Max Length: 50
'Age Category'

Column Name: age_category_value
Column Type: varchar
Max Length: 50
The description associated with age_category_code. See age_category_code for more information.

Column Name: client_id
Column Type: varchar
Max Length: 50
'Client ID'

Column Name: client_id_episode
Column Type: integer
'Client ID Episode'

Column Name: cos_unique_id
Column Type: varchar
Max Length: 20

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' of the user that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_service

Column Type: date

'Date Of Service'

Column Name: ethnicity_code

Column Type: varchar

Max Length: 50

'Ethnicity'

Column Name: ethnicity_value

Column Type: varchar

Max Length: 50

The description associated with ethnicity_code. See ethnicity_code for more information.

Column Name: number_persons_contacted

Column Type: integer

'Number of Persons Contacted'

Column Name: primary_language_code

Column Type: varchar

Max Length: 50

'Primary Language'

Column Name: primary_language_value

Column Type: varchar

Max Length: 50

The description associated with primary_language_code. See primary_language_code for more information.

Column Name: program_area_code

Column Type: varchar

Max Length: 50

'Program Area'

Column Name: program_area_value

Column Type: varchar

Max Length: 50

The description associated with program_area_code. See program_area_code for more information.

Column Name: progress_note

Column Type: varchar

Max Length: 32766

'Progress Notes (Include presenting problems, goals, content, process and outcome)'

Column Name: recipient_type_code

Column Type: varchar
Max Length: 50
'Service Recipient Type'

Column Name: recipient_type_value
Column Type: varchar
Max Length: 50
The description associated with recipient_type_code. See recipient_type_code for more information.

Column Name: recommendations
Column Type: varchar
Max Length: 32766
'Future Plans/Recommendations (Include major topics or problem areas to be addressed and any special problems or successful techniques which might be helpful in the future consultation)'

Column Name: service_type_code
Column Type: varchar
Max Length: 50
'Service Type'

Column Name: service_type_value
Column Type: varchar
Max Length: 50
The description associated with service_type. See service_type for more information.

Documentation for form: LA_CSI_Assessment_Entry

Table Name: LAPROV.csi_assessment_log

Table Description: CSI Assessment Log

Column Name: ID
Column Type: integer

Column Name: Data_Entry_By_Login
Column Type: varchar
Max Length: 40

Column Name: Data_Entry_By_Option
Column Type: varchar
Max Length: 40

Column Name: Data_Entry_Date
Column Type: date

Column Name: Data_Entry_Source
Column Type: varchar
Max Length: 255

Column Name: Data_Entry_Time
Column Type: varchar
Max Length: 10

Column Name: Data_Entry_User_Id
Column Type: varchar
Max Length: 40

Column Name: FACILITY
Column Type: integer

Column Name: Option_Desc
Column Type: varchar
Max Length: 80

Column Name: Option_Id
Column Type: varchar
Max Length: 40

Column Name: csi_assmnt_action
Column Type: varchar
Max Length: 40

Column Name: csi_assmnt_action_value
Column Type: varchar
Max Length: 80

Column Name: csi_assmnt_response_code
Column Type: varchar
Max Length: 40

Column Name: csi_assmnt_response_message
Column Type: varchar
Max Length: 1024

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: patient_name
Column Type: varchar
Max Length: 40

Column Name: la_client_id
Column Type: varchar
Max Length: 10

Column Name: csi_assessment_id
Column Type: varchar
Max Length: 40

Column Name: service_request_id
Column Type: varchar
Max Length: 40

Column Name: date_frst_appt_offrd
Column Type: date

Column Name: date_scnd_appt_offrd
Column Type: date

Column Name: date_thrd_appt_offrd
Column Type: date

Column Name: appt_accepted_date
Column Type: date

Column Name: closure_reason
Column Type: varchar
Max Length: 50

Column Name: closure_reason_value
Column Type: varchar
Max Length: 256

Column Name: referred_to_code
Column Type: varchar
Max Length: 40

Column Name: referred_to_value
Column Type: varchar
Max Length: 256

Documentation for form: Medication_Order

Table Name: Methadone.history_client_med_order

Table Description: This table returns Methadone Medication Order Information.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: LINK_TO_ORDER_CLIENT
Column Type: varchar
Max Length: 50
Joins table to medication order data.

Column Name: LINK_TO_SIGNATURE
Column Type: varchar
Max Length: 50
Joins table to signature data.

Column Name: MORuniqueid
Column Type: varchar
Max Length: 50
Unique ID for the medication order record.

Column Name: PATID
Column Type: varchar

Max Length: 20
The client ID associated with the data.

Column Name: active_code
Column Type: varchar
Max Length: 50
'Active'

Column Name: active_value
Column Type: varchar
Max Length: 50
The description associated with active_code. See active_code for more information.

Column Name: blind_dosing_code
Column Type: varchar
Max Length: 50
'Blind Dosing'

Column Name: blind_dosing_value
Column Type: varchar
Max Length: 50
The description associated with blind_dosing_code. See blind_dosing_code for more information.

Column Name: clinic_visit_days_code
Column Type: varchar
Max Length: 255
'Clinic Visit Days'

Column Name: clinic_visit_days_shval
Column Type: varchar
Max Length: 255
The description associated with clinic_visit_days_code. See clinic_visit_days_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_activated
Column Type: date
'Date Activated'

Column Name: dispense_dose2_on_exp_date
Column Type: varchar
Max Length: 50
'Dispense Dosage 2 On Expiration Date'

Column Name: dispense_dose3_on_exp_date
Column Type: varchar
Max Length: 50
'Dispense Dosage 3 On Expiration Date'

Column Name: dispensing_info_all
Column Type: varchar

Max Length: 50
'Dispensing Information'

Column Name: dosage_1_mg
Column Type: numeric
'Dosage 1 (mg)'

Column Name: dosage_2_mg
Column Type: numeric
'Dosage 2 (mg)'

Column Name: dosage_3_mg
Column Type: numeric
'Dosage 3 (mg)'

Column Name: dosage_on_effective_date
Column Type: varchar
Max Length: 50
'Dosage On Effective Date'

Column Name: dosage_type_code
Column Type: varchar
Max Length: 50
'Dosage Type'

Column Name: dosage_type_value
Column Type: varchar
Max Length: 50
The description associated with dosage_type_code. See dosage_type_code for more information.

Column Name: effective_date
Column Type: date
'Effective Date'

Column Name: episode_select_for_query
Column Type: varchar
Max Length: 70
Use this to select episode in queries

Column Name: expiration_date
Column Type: date
'Expiration Date'

Column Name: link_to_external_row_id
Column Type: integer
Joins table to external orders

Column Name: medication_order_code
Column Type: varchar
Max Length: 50

'Medication Order Template'

Column Name: medication_order_value

Column Type: varchar

Max Length: 50

'Medication Order Template' Name

Column Name: medication_type_code

Column Type: varchar

Max Length: 50

'Medication Type'

Column Name: medication_type_value

Column Type: varchar

Max Length: 50

The description associated with medication_type_code. See medication_type_code for more information.

Column Name: med_order_type_code

Column Type: varchar

Max Length: 50

'Medication Order Type'

Column Name: med_order_type_value

Column Type: varchar

Max Length: 50

The description associated with med_order_type_code. See med_order_type_code for more information.

Column Name: notes

Column Type: varchar

Max Length: 32766

'Notes'

Column Name: order_type_code

Column Type: varchar

Max Length: 50

'Order Type'

Column Name: order_type_value

Column Type: varchar

Max Length: 50

The description associated with order_type_code. See order_type_code for more information.

Column Name: order_date

Column Type: date

'Order Date'

Column Name: order_number

Column Type: varchar

Max Length: 50

'Medication Order Unique Number'

Column Name: order_practitioner
Column Type: varchar
Max Length: 50
'Ordering Practitioner'

Column Name: order_practitioner_name
Column Type: varchar
Max Length: 50
'Ordering Practitioner' NAME

Column Name: overlapping_order
Column Type: varchar
Max Length: 50
'Overlapping Order'

Column Name: prescription_number
Column Type: varchar
Max Length: 50
'Prescription Number'

Column Name: prog_change_dose_by
Column Type: varchar
Max Length: 50
'Program Order Change Dose By (mg)'

Column Name: prog_days_between_change
Column Type: varchar
Max Length: 50
'Program Order Days Between Dose Change'

Column Name: prog_end_dosage_mg
Column Type: varchar
Max Length: 50
'Program Order End Dose (mg)'

Column Name: prog_start_dosage_mg
Column Type: varchar
Max Length: 50
'Program Order Start Dose (mg)'

Column Name: recur_takeout_sched_code
Column Type: varchar
Max Length: 50
'Recurring Takeout Schedule'

Column Name: recur_takeout_sched_value
Column Type: varchar
Max Length: 50

The description associated with recur_takeout_sched_code. See recur_takeout_sched_code for more information.

Column Name: template_start_day
Column Type: varchar
Max Length: 50
'Fixed Order Template Start Day'

Column Name: time_activated
Column Type: varchar
Max Length: 50
'Time Activated'

Column Name: user_activated
Column Type: varchar
Max Length: 50
'User Activated'

Column Name: v_admit_date
Column Type: date
'Preadmit/Admission Date'

Column Name: v_current_phase_code
Column Type: varchar
Max Length: 50
'Phase'

Column Name: v_current_phase_value
Column Type: varchar
Max Length: 50
The description associated with v_current_phase_code. See v_current_phase_code for more information.

Column Name: v_disch_date
Column Type: date
'Date Of Discharge'

Column Name: v_epn_info
Column Type: varchar
Max Length: 50
Episode Information

Column Name: v_program_code
Column Type: varchar
Max Length: 50
'Program'

Column Name: v_client_name
Column Type: varchar
Max Length: 50
'Client Name'

Column Name: v_number_of_weeks
Column Type: varchar
Max Length: 50
'Number Of Weeks'

Column Name: v_program_value
Column Type: varchar
Max Length: 50
The description associated with v_program_code. See v_program_code for more information.

Documentation for form: Medication_Order

Table Name: Methadone.history_fixed_med_order
Table Description: This table returns Methadone Medication Fixed Order Information.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FMOUniqueid
Column Type: varchar
Max Length: 50
Unique ID for the medication fixed order record.

Column Name: LINK_TO_ORDER_CLIENT
Column Type: varchar
Max Length: 50
Joins table to medication order data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: day_of_week_code
Column Type: varchar
Max Length: 50

'Day Of Week'

Column Name: day_of_week_value

Column Type: varchar

Max Length: 50

The description associated with day_of_week_code. See day_of_week_code for more information.

Column Name: dosage_1_mg

Column Type: numeric

'Dosage 1 (mg)'

Column Name: dosage_2_mg

Column Type: numeric

'Dosage 2 (mg)'

Column Name: dosage_3_mg

Column Type: numeric

'Dosage 3 (mg)'

Column Name: link_to_med_order_history

Column Type: varchar

Max Length: 50

Joins table to medication order data.

Column Name: medication_date

Column Type: date

'Date'

Column Name: visit_schedule_2_code

Column Type: varchar

Max Length: 50

'Visit Schedule 2'

Column Name: visit_schedule_2_value

Column Type: varchar

Max Length: 50

The description associated with visit_schedule_2_code. See visit_schedule_2_code for more information.

Column Name: visit_schedule_3_code

Column Type: varchar

Max Length: 50

'Visit Schedule 3'

Column Name: visit_schedule_3_value

Column Type: varchar

Max Length: 50

The description associated with visit_schedule_3_code. See visit_schedule_3_code for more information.

Column Name: visit_schedule_code

Column Type: varchar

Max Length: 50
'Visit Schedule'

Column Name: visit_schedule_value

Column Type: varchar

Max Length: 50

The description associated with visit_schedule_code. See visit_schedule_code for more information.

Documentation for form: Medication_Order

Table Name: Methadone.history_recur_med_order

Table Description: This table returns Methadone Medication Fixed Order Information.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: LINK_TO_ORDER_CLIENT

Column Type: varchar

Max Length: 50

Joins table to medication order data.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: RMOuniqueid

Column Type: varchar

Max Length: 50

Unique ID for the medication recurring order record.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: day_of_week_code
Column Type: varchar
Max Length: 50
'Day Of Week'

Column Name: day_of_week_value
Column Type: varchar
Max Length: 50

The description associated with day_of_week_code. See day_of_week_code for more information.

Column Name: dosage_1_mg
Column Type: numeric
'Dosage 1 (mg)'

Column Name: dosage_2_mg
Column Type: numeric
'Dosage 2 (mg)'

Column Name: dosage_3_mg
Column Type: numeric
'Dosage 3 (mg)'

Column Name: link_to_med_order_history
Column Type: varchar
Max Length: 50
Joins table to medication order data.

Column Name: visit_schedule_2_code
Column Type: varchar
Max Length: 50
'Visit Schedule 2'

Column Name: visit_schedule_2_value
Column Type: varchar
Max Length: 50
The description associated with visit_schedule_2_code. See visit_schedule_2_code for more information.

Column Name: visit_schedule_3_code
Column Type: varchar
Max Length: 50
'Visit Schedule 3'

Column Name: visit_schedule_3_value
Column Type: varchar
Max Length: 50
The description associated with visit_schedule_3_code. See visit_schedule_3_code for more information.

Column Name: visit_schedule_code
Column Type: varchar
Max Length: 50
'Visit Schedule'

Column Name: visit_schedule_value
Column Type: varchar
Max Length: 50
The description associated with visit_schedule_code. See visit_schedule_code for more information.

Column Name: week

Column Type: varchar
Max Length: 50
'Week'

Documentation for form: Quick_Medication_Order

Table Name: Methadone.history_client_med_order

Table Description: This table returns Methadone Medication Order Information.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: LINK_TO_ORDER_CLIENT
Column Type: varchar
Max Length: 50
Joins table to medication order data.

Column Name: LINK_TO_SIGNATURE
Column Type: varchar
Max Length: 50
Joins table to signature data.

Column Name: MORuniqueid
Column Type: varchar
Max Length: 50
Unique ID for the medication order record.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: active_code
Column Type: varchar
Max Length: 50
'Active'

Column Name: active_value

Column Type: varchar

Max Length: 50

The description associated with active_code. See active_code for more information.

Column Name: blind_dosing_code

Column Type: varchar

Max Length: 50

'Blind Dosing'

Column Name: blind_dosing_value

Column Type: varchar

Max Length: 50

The description associated with blind_dosing_code. See blind_dosing_code for more information.

Column Name: clinic_visit_days_code

Column Type: varchar

Max Length: 255

'Clinic Visit Days'

Column Name: clinic_visit_days_shval

Column Type: varchar

Max Length: 255

The description associated with clinic_visit_days_code. See clinic_visit_days_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_activated
Column Type: date
'Date Activated'

Column Name: dispense_dose2_on_exp_date
Column Type: varchar
Max Length: 50
'Dispense Dosage 2 On Expiration Date'

Column Name: dispense_dose3_on_exp_date
Column Type: varchar
Max Length: 50
'Dispense Dosage 3 On Expiration Date'

Column Name: dispensing_info_all
Column Type: varchar
Max Length: 50
'Dispensing Information'

Column Name: dosage_1_mg
Column Type: numeric
'Dosage 1 (mg)'

Column Name: dosage_2_mg
Column Type: numeric
'Dosage 2 (mg)'

Column Name: dosage_3_mg
Column Type: numeric
'Dosage 3 (mg)'

Column Name: dosage_on_effective_date
Column Type: varchar
Max Length: 50
'Dosage On Effective Date'

Column Name: dosage_type_code
Column Type: varchar
Max Length: 50
'Dosage Type'

Column Name: dosage_type_value
Column Type: varchar
Max Length: 50
The description associated with dosage_type_code. See dosage_type_code for more information.

Column Name: effective_date
Column Type: date
'Effective Date'

Column Name: episode_select_for_query
Column Type: varchar
Max Length: 70
Use this to select episode in queries

Column Name: expiration_date
Column Type: date
'Expiration Date'

Column Name: link_to_external_row_id
Column Type: integer
Joins table to external orders

Column Name: medication_order_code
Column Type: varchar
Max Length: 50
'Medication Order Template'

Column Name: medication_order_value
Column Type: varchar
Max Length: 50
'Medication Order Template' Name

Column Name: medication_type_code
Column Type: varchar
Max Length: 50
'Medication Type'

Column Name: medication_type_value
Column Type: varchar
Max Length: 50
The description associated with medication_type_code. See medication_type_code for more information.

Column Name: med_order_type_code
Column Type: varchar
Max Length: 50
'Medication Order Type'

Column Name: med_order_type_value
Column Type: varchar
Max Length: 50
The description associated with med_order_type_code. See med_order_type_code for more information.

Column Name: notes
Column Type: varchar
Max Length: 32766
'Notes'

Column Name: order_type_code
Column Type: varchar
Max Length: 50
'Order Type'

Column Name: order_type_value
Column Type: varchar
Max Length: 50
The description associated with order_type_code. See order_type_code for more information.

Column Name: order_date
Column Type: date
'Order Date'

Column Name: order_number
Column Type: varchar
Max Length: 50
'Medication Order Unique Number'

Column Name: order_practitioner
Column Type: varchar
Max Length: 50
'Ordering Practitioner'

Column Name: order_practitioner_name

Column Type: varchar
Max Length: 50
'Ordering Practitioner' NAME

Column Name: overlapping_order
Column Type: varchar
Max Length: 50
'Overlapping Order'

Column Name: prescription_number
Column Type: varchar
Max Length: 50
'Prescription Number'

Column Name: prog_change_dose_by
Column Type: varchar
Max Length: 50
'Program Order Change Dose By (mg)'

Column Name: prog_days_between_change
Column Type: varchar
Max Length: 50
'Program Order Days Between Dose Change'

Column Name: prog_end_dosage_mg
Column Type: varchar
Max Length: 50
'Program Order End Dose (mg)'

Column Name: prog_start_dosage_mg
Column Type: varchar
Max Length: 50
'Program Order Start Dose (mg)'

Column Name: recur_takeout_sched_code
Column Type: varchar
Max Length: 50
'Recurring Takeout Schedule'

Column Name: recur_takeout_sched_value
Column Type: varchar
Max Length: 50
The description associated with recur_takeout_sched_code. See recur_takeout_sched_code for more information.

Column Name: template_start_day
Column Type: varchar
Max Length: 50
'Fixed Order Template Start Day'

Column Name: time_activated
Column Type: varchar
Max Length: 50
'Time Activated'

Column Name: user_activated
Column Type: varchar
Max Length: 50
'User Activated'

Column Name: v_admit_date
Column Type: date
'Preadmit/Admission Date'

Column Name: v_current_phase_code
Column Type: varchar
Max Length: 50
'Phase'

Column Name: v_current_phase_value
Column Type: varchar
Max Length: 50
The description associated with v_current_phase_code. See v_current_phase_code for more information.

Column Name: v_disch_date
Column Type: date
'Date Of Discharge'

Column Name: v_epn_info
Column Type: varchar
Max Length: 50
Episode Information

Column Name: v_program_code
Column Type: varchar
Max Length: 50
'Program'

Column Name: v_client_name
Column Type: varchar
Max Length: 50
'Client Name'

Column Name: v_number_of_weeks
Column Type: varchar
Max Length: 50
'Number Of Weeks'

Column Name: v_program_value
Column Type: varchar

Max Length: 50

The description associated with v_program_code. See v_program_code for more information.

Documentation for form: Quick_Medication_Order

Table Name: Methadone.history_fixed_med_order

Table Description: This table returns Methadone Medication Fixed Order Information.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: FMOuniqueid

Column Type: varchar

Max Length: 50

Unique ID for the medication fixed order record.

Column Name: LINK_TO_ORDER_CLIENT

Column Type: varchar

Max Length: 50

Joins table to medication order data.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: day_of_week_code
Column Type: varchar
Max Length: 50
'Day Of Week'

Column Name: day_of_week_value
Column Type: varchar
Max Length: 50
The description associated with day_of_week_code. See day_of_week_code for more information.

Column Name: dosage_1_mg
Column Type: numeric
'Dosage 1 (mg)'

Column Name: dosage_2_mg
Column Type: numeric
'Dosage 2 (mg)'

Column Name: dosage_3_mg
Column Type: numeric
'Dosage 3 (mg)'

Column Name: link_to_med_order_history
Column Type: varchar
Max Length: 50
Joins table to medication order data.

Column Name: medication_date
Column Type: date
'Date'

Column Name: visit_schedule_2_code
Column Type: varchar
Max Length: 50
'Visit Schedule 2'

Column Name: visit_schedule_2_value
Column Type: varchar
Max Length: 50
The description associated with visit_schedule_2_code. See visit_schedule_2_code for more information.

Column Name: visit_schedule_3_code
Column Type: varchar
Max Length: 50
'Visit Schedule 3'

Column Name: visit_schedule_3_value
Column Type: varchar
Max Length: 50
The description associated with visit_schedule_3_code. See visit_schedule_3_code for more information.

Column Name: visit_schedule_code
Column Type: varchar
Max Length: 50
'Visit Schedule'

Column Name: visit_schedule_value
Column Type: varchar
Max Length: 50
The description associated with visit_schedule_code. See visit_schedule_code for more information.

Documentation for form: Quick_Medication_Order

Table Name: Methadone.history_recur_med_order

Table Description: This table returns Methadone Medication Fixed Order Information.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: LINK_TO_ORDER_CLIENT
Column Type: varchar
Max Length: 50
Joins table to medication order data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: RMOuniqueid
Column Type: varchar
Max Length: 50
Unique ID for the medication recurring order record.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: day_of_week_code
Column Type: varchar
Max Length: 50
'Day Of Week'

Column Name: day_of_week_value
Column Type: varchar
Max Length: 50
The description associated with day_of_week_code. See day_of_week_code for more information.

Column Name: dosage_1_mg
Column Type: numeric
'Dosage 1 (mg)'

Column Name: dosage_2_mg
Column Type: numeric
'Dosage 2 (mg)'

Column Name: dosage_3_mg
Column Type: numeric
'Dosage 3 (mg)'

Column Name: link_to_med_order_history
Column Type: varchar
Max Length: 50
Joins table to medication order data.

Column Name: visit_schedule_2_code
Column Type: varchar
Max Length: 50
'Visit Schedule 2'

Column Name: visit_schedule_2_value
Column Type: varchar
Max Length: 50
The description associated with visit_schedule_2_code. See visit_schedule_2_code for more information.

Column Name: visit_schedule_3_code
Column Type: varchar
Max Length: 50
'Visit Schedule 3'

Column Name: visit_schedule_3_value
Column Type: varchar
Max Length: 50
The description associated with visit_schedule_3_code. See visit_schedule_3_code for more information.

Column Name: visit_schedule_code
Column Type: varchar
Max Length: 50
'Visit Schedule'

Column Name: visit_schedule_value
Column Type: varchar
Max Length: 50
The description associated with visit_schedule_code. See visit_schedule_code for more information.

Column Name: week
Column Type: varchar
Max Length: 50
'Week'

Documentation for form: Spill/RTI/Exception_Doses

Table Name: Methadone.history_client_rti

Table Description: This table is for Client RTI History.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BOTTLEID
Column Type: varchar
Max Length: 50
Bottle Id Number

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: FACILITY
Column Type: integer
The facility.

Column Name: LINK_TO_DISP_CLIENT
Column Type: varchar
Max Length: 50
Link to Dispense Client

Column Name: LINK_TO_RTI_CLIENT
Column Type: varchar
Max Length: 50
Link to RTI Client

Column Name: LINK_TO_RTI_INV
Column Type: varchar
Max Length: 50
Link To RTI Inventory

Column Name: PATID
Column Type: varchar
Max Length: 20
The client id.

Column Name: RTIuniqueid
Column Type: varchar
Max Length: 50
RTI Unique ID

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: dose_date
Column Type: date
Date of Dose

Column Name: reason
Column Type: varchar
Max Length: 32766
Reason

Column Name: rti_date
Column Type: date
Date of RTI

Column Name: v_medication_type_code
Column Type: varchar
Max Length: 50
Medication Type Code

Column Name: v_medication_type_value
Column Type: varchar
Max Length: 50
Medication Type Value

Column Name: v_amount
Column Type: numeric
Amount

Column Name: v_bottle_id
Column Type: varchar
Max Length: 50
Inventory Number

Column Name: v_inventory_type_description
Column Type: varchar
Max Length: 50
Inventory Type Description

Column Name: v_label_id
Column Type: varchar
Max Length: 40
Label Number

Column Name: v_medication_date
Column Type: date
Date of Medication

Documentation for form: Spill/RTI/Exception_Doses

Table Name: Methadone.history_client_spill

Table Description: This table is for Client Spill History.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BOTTLEID
Column Type: varchar
Max Length: 50

Bottle Id Number

Column Name: EPISODE_NUMBER

Column Type: integer

Episode Number.

Column Name: FACILITY

Column Type: integer

The facility.

Column Name: LINK_TO_DISP_CLIENT

Column Type: varchar

Max Length: 50

Link to Dispense Client

Column Name: LINK_TO_SPILL_CLIENT

Column Type: varchar

Max Length: 50

Link to SPILL Client.

Column Name: LINK_TO_SPILL_HISTORY

Column Type: varchar

Max Length: 50

Link To Client Spill History

Column Name: LINK_TO_SPILL_INV

Column Type: varchar

Max Length: 50

Link To Spill Inventory

Column Name: LINK_TO_TRANSACT_INV

Column Type: varchar

Max Length: 50

Link To Transaction History (System Use)

Column Name: PATID

Column Type: varchar

Max Length: 20

The client id.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: dose_date
Column Type: date
Date of Dose

Column Name: medication_date
Column Type: date
Date of Medication.

Column Name: reason
Column Type: varchar
Max Length: 32766
Reason

Column Name: spill_date
Column Type: date
Date of Spill

Column Name: splUniqueld
Column Type: varchar

Max Length: 50
Spill Unique ID

Column Name: v_medication_type_code
Column Type: varchar
Max Length: 50
Medication Type Code

Column Name: v_medication_type_value
Column Type: varchar
Max Length: 50
Medication Type Value

Column Name: v_program_code
Column Type: varchar
Max Length: 50
Program Code

Column Name: v_amount
Column Type: numeric
Amount

Column Name: v_bottle_id
Column Type: varchar
Max Length: 50
Inventory Number

Column Name: v_inventory_type_description
Column Type: varchar
Max Length: 50
Inventory Type Description

Column Name: v_label_id
Column Type: varchar
Max Length: 40
Label Number

Column Name: v_program_value
Column Type: varchar
Max Length: 50
Program

Column Name: v_transaction_date
Column Type: date
Transaction Date

Documentation for form: Fast_Dose_Dispensing

Table Name: Methadone.history_client_dispense

Table Description: This table is for Client Dispensing history.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: v_attending_pract_value
Column Type: varchar
Max Length: 40
Attending Clinician Value (36)

Column Name: BOTTLEID
Column Type: varchar
Max Length: 50
Bottle ID

Column Name: DISuniqueid
Column Type: varchar
Max Length: 50
Dispense Unique ID

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: FACILITY
Column Type: integer
The facility.

Column Name: LINK_TO_DISP_CLIENT
Column Type: varchar
Max Length: 50
Link to Dispense Client

Column Name: LINK_TO_DISP_INV
Column Type: varchar
Max Length: 50
Link to Dispense INV.

Column Name: LINK_TO_DOS_CLIENT
Column Type: varchar
Max Length: 50
Link to DOS Client

Column Name: LINK_TO_ORDER_CLIENT
Column Type: varchar
Max Length: 50
Link to Order Client

Column Name: LINK_TO_RTI_CLIENT
Column Type: varchar
Max Length: 50
Link to RTI Client

Column Name: LINK_TO_SPILL_CLIENT
Column Type: varchar
Max Length: 50
Link to SPILL Client.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client id.

Column Name: PPID
Column Type: varchar
Max Length: 50
Pre-Pour ID

Column Name: data_entry_time_seconds
Column Type: varchar
Max Length: 50
Data Entry Time Seconds

Column Name: data_entry_by
Column Type: varchar
Max Length: 50
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar

Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: dispense_date
Column Type: date
Date of dispense.

Column Name: medication_date
Column Type: date
Date of Medication.

Column Name: v_bottle_rti
Column Type: varchar
Max Length: 50
Bottle RTI

Column Name: v_exception_dose_code
Column Type: varchar
Max Length: 50
Exception Dose Code

Column Name: v_medication_type_code

Column Type: varchar
Max Length: 50
Medication Type Code

Column Name: v_medication_type_value
Column Type: varchar
Max Length: 50
Medication Type Value

Column Name: v_attending_pract_code
Column Type: varchar
Max Length: 50
Attending Clinician Code (36)

Column Name: v_availability_code
Column Type: varchar
Max Length: 50
Avialability Code

Column Name: v_availability_value
Column Type: varchar
Max Length: 50
Availability Value

Column Name: v_bottle_rti_label
Column Type: varchar
Max Length: 50
Bottle RTI Label

Column Name: v_bottle_label
Column Type: varchar
Max Length: 50
Bottle Label

Column Name: v_client_name
Column Type: varchar
Max Length: 50
The name associated with the Client ID.

Column Name: v_clinic_dispensed_from
Column Type: varchar
Max Length: 50
Clinic Dispensed From

Column Name: v_dispensed_amount
Column Type: numeric
Dispensed amount (calculated field)

Column Name: v_hand_dose_code
Column Type: varchar

Max Length: 50
Hand Dose Code

Column Name: v_hand_dose_value
Column Type: varchar
Max Length: 50
Hand Dose Value

Column Name: v_phase_code
Column Type: varchar
Max Length: 50
Phase Code

Column Name: v_phase_value
Column Type: varchar
Max Length: 50
Phase Value

Column Name: v_pick_up_type_code
Column Type: varchar
Max Length: 2
Pick Up Type Code

Column Name: v_pick_up_type_value
Column Type: varchar
Max Length: 15
Pick Up Type Value

Documentation for form: Update_Client_Data

Table Name: SYSTEM.patient_current_demographics

Table Description: Patient Current Demographics

Column Name: patient_current_demographics
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: date_of_birth
Column Type: date
Patient Date of birth

Column Name: ethnic_origin_code
Column Type: varchar
Max Length: 5
Patient Ethnic origin

Column Name: patient_add_city
Column Type: varchar
Max Length: 40
Patient address city

Column Name: patient_add_county_code
Column Type: varchar
Max Length: 5
Patient address county

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
Patient home phone

Column Name: patient_name
Column Type: varchar
Max Length: 100
Patient Name

Column Name: patient_add_state_code
Column Type: varchar
Max Length: 10
Patient address state code

Column Name: patient_add_street_1
Column Type: varchar
Max Length: 40
Patient street address 1

Column Name: patient_add_street_2
Column Type: varchar
Max Length: 40
Patients address street 2

Column Name: patient_add_zipcode
Column Type: varchar
Max Length: 60
Patients address zipcode

Column Name: patient_sex_code
Column Type: varchar
Max Length: 5
Patients sex

Column Name: client_alias
Column Type: varchar
Max Length: 80
Client Alias

Column Name: employment_status_code
Column Type: varchar
Max Length: 10
Employment Status - Code (517)

Column Name: employment_status_value
Column Type: varchar
Max Length: 255
Employment Status - Value (517)

Column Name: occupation_code
Column Type: varchar
Max Length: 10
Occupation - Code (610)

Column Name: occupation_value
Column Type: varchar
Max Length: 255
Occupation - Value (610)

Column Name: education_code
Column Type: varchar
Max Length: 10
Education - Code (625)

Column Name: patient_ssn
Column Type: varchar
Max Length: 15
Patient's social security number

Column Name: religion_code
Column Type: varchar
Max Length: 20
Patient's religion code

Column Name: marital_status_code
Column Type: varchar
Max Length: 15
Patient's marital status

Column Name: patient_work_phone
Column Type: varchar
Max Length: 60
Patient's work phone

Column Name: patient_maiden_name
Column Type: varchar
Max Length: 40
Patient's maiden name

Column Name: race_code
Column Type: varchar
Max Length: 20
Patient's race code

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
Facility chart number

Column Name: patient_place_of_birth
Column Type: varchar
Max Length: 40
Patient's place of birth

Column Name: patient_sex_value
Column Type: varchar
Max Length: 40
Patient's sex value

Column Name: ethnic_origin_value
Column Type: varchar
Max Length: 255
Ethnic Origin

Column Name: religion_value
Column Type: varchar
Max Length: 255
Patient's Religion

Column Name: marital_status_value
Column Type: varchar
Max Length: 40
Patient's Marital Status

Column Name: race_value
Column Type: varchar
Max Length: 255
Patient's Race

Column Name: patient_add_county_value
Column Type: varchar
Max Length: 20
Patients address - County

Column Name: patient_add_state_value
Column Type: varchar
Max Length: 40
Patient Address - State - Value

Column Name: FAMID
Column Type: integer
Familiy ID

Column Name: address_start_date
Column Type: date
Address Start Date

Column Name: alert_access_options
Column Type: varchar
Max Length: 50
Alert Access Options

Column Name: alert_access_type
Column Type: varchar
Max Length: 50
Alert Access Type

Column Name: citizenship_code
Column Type: varchar
Max Length: 50
Citizenship

Column Name: citizenship_value
Column Type: varchar
Max Length: 50
Citizenship

Column Name: client_alias_10
Column Type: varchar
Max Length: 80
Client Alias 10

Column Name: client_alias_2
Column Type: varchar
Max Length: 80
Client Alias 2

Column Name: client_alias_3
Column Type: varchar

Max Length: 80
Client Alias 3

Column Name: client_alias_4
Column Type: varchar
Max Length: 80
Client Alias 4

Column Name: client_alias_5
Column Type: varchar
Max Length: 80
Client Alias 5

Column Name: client_alias_6
Column Type: varchar
Max Length: 80
Client Alias 6

Column Name: client_alias_7
Column Type: varchar
Max Length: 80
Client Alias 7

Column Name: client_alias_8
Column Type: varchar
Max Length: 80
Client Alias 8

Column Name: client_alias_9
Column Type: varchar
Max Length: 80
Client Alias 9

Column Name: client_conf_city
Column Type: varchar
Max Length: 50
Client Confidential Address - City

Column Name: client_conf_cntry_code
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Code

Column Name: client_conf_cntry_value
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Value

Column Name: client_conf_phone
Column Type: varchar

Max Length: 50
Client Confidential Address - Phone Number

Column Name: client_conf_state_code
Column Type: varchar
Max Length: 50
Client Confidential Address - State Code

Column Name: client_conf_state_value
Column Type: varchar
Max Length: 50
Client Confidential Address - State Value

Column Name: client_conf_street
Column Type: varchar
Max Length: 50
Client Confidential Address - Street

Column Name: client_conf_street2
Column Type: varchar
Max Length: 50
Client Confidential Address - Street 2

Column Name: client_conf_zipcode
Column Type: varchar
Max Length: 50
Client Confidential Address - Zip code

Column Name: client_email_addr
Column Type: varchar
Max Length: 50
Client's Email Address

Column Name: client_mail_city
Column Type: varchar
Max Length: 50
Client's Address - City

Column Name: client_mail_cntry_code
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_cntry_value
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_state_code
Column Type: varchar

Max Length: 50
Client's Address - State

Column Name: client_mail_state_value
Column Type: varchar
Max Length: 50
Client's Address - State

Column Name: client_mail_street
Column Type: varchar
Max Length: 50
Client's Address - Street 1

Column Name: client_mail_street2
Column Type: varchar
Max Length: 50
Client's Address - Street 2

Column Name: client_mail_zipcode
Column Type: varchar
Max Length: 50
Client's Address - Zip Code

Column Name: communication_pref_code
Column Type: varchar
Max Length: 50
Communication Preference Code

Column Name: communication_pref_value
Column Type: varchar
Max Length: 50
Communication Preference Value

Column Name: country_of_origin_code
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: country_of_origin_value
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: decline_prov_code
Column Type: varchar
Max Length: 50
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_long
Column Type: varchar

Max Length: 4096

Client Declined To Provide Information On The Following

Column Name: decline_prov_value_short

Column Type: varchar

Max Length: 255

Client Declined To Provide Information On The Following

Column Name: education_value

Column Type: varchar

Max Length: 255

education - Value (625)

Column Name: ethnic_origin_X_NRI_code

Column Type: varchar

Max Length: 10

Ethnic Origin X NRI

Column Name: ethnic_origin_X_NRI_value

Column Type: varchar

Max Length: 255

Ethnic Origin X NRI

Column Name: eth_orig_X_NRI_2014_value

Column Type: varchar

Max Length: 255

Ethnic Origin X NRI 2014

Column Name: eth_orig_X_NRI_2014_code

Column Type: varchar

Max Length: 10

Ethnic Origin X NRI 2014

Column Name: expected_due_date

Column Type: date

Expected Due Date

Column Name: external_mpi_id

Column Type: varchar

Max Length: 50

External MPI ID

Column Name: fam_agric_worker_code

Column Type: varchar

Max Length: 5

'Do you have family members that are agricultural workers?'

Column Name: fam_agric_worker_value

Column Type: varchar

Max Length: 40

description for 'Do you have family members that are agricultural workers?'

Column Name: family_name

Column Type: varchar

Max Length: 50

Family name

Column Name: former_agric_worker_code

Column Type: varchar

Max Length: 5

'Are you an aged and disabled former migratory agricultural worker?'

Column Name: former_agric_worker_value

Column Type: varchar

Max Length: 40

description for 'Are you an aged and disabled former migratory agricultural worker?'

Column Name: gender_identity_code

Column Type: varchar

Max Length: 5

Patient's Gender Identity code

Column Name: gender_identity_value

Column Type: varchar

Max Length: 40

Patient's Gender Identity value

Column Name: guarantor_1

Column Type: varchar

Max Length: 10

Guarantor 1

Column Name: guarantor_10

Column Type: varchar

Max Length: 10

Guarantor 10

Column Name: guarantor_2

Column Type: varchar

Max Length: 10

Guarantor 2

Column Name: guarantor_3

Column Type: varchar

Max Length: 10

Guarantor 3

Column Name: guarantor_4

Column Type: varchar

Max Length: 10

Guarantor 4

Column Name: guarantor_5
Column Type: varchar
Max Length: 10
Guarantor 5

Column Name: guarantor_6
Column Type: varchar
Max Length: 10
Guarantor 6

Column Name: guarantor_7
Column Type: varchar
Max Length: 10
Guarantor 7

Column Name: guarantor_8
Column Type: varchar
Max Length: 10
Guarantor 8

Column Name: guarantor_9
Column Type: varchar
Max Length: 10
Guarantor 9

Column Name: guarantor_name_1
Column Type: varchar
Max Length: 40
Guarantor Name 1

Column Name: guarantor_name_10
Column Type: varchar
Max Length: 40
Guarantor Name 10

Column Name: guarantor_name_2
Column Type: varchar
Max Length: 40
Guarantor Name 2

Column Name: guarantor_name_3
Column Type: varchar
Max Length: 40
Guarantor Name 3

Column Name: guarantor_name_4
Column Type: varchar
Max Length: 40

Guarantor Name 4

Column Name: guarantor_name_5

Column Type: varchar

Max Length: 40

Guarantor Name 5

Column Name: guarantor_name_6

Column Type: varchar

Max Length: 40

Guarantor Name 6

Column Name: guarantor_name_7

Column Type: varchar

Max Length: 40

Guarantor Name 7

Column Name: guarantor_name_8

Column Type: varchar

Max Length: 40

Guarantor Name 8

Column Name: guarantor_name_9

Column Type: varchar

Max Length: 40

Guarantor Name 9

Column Name: lactating_status_code

Column Type: varchar

Max Length: 50

Lactating Status

Column Name: lactating_status_value

Column Type: varchar

Max Length: 50

Column Name: marital_status_X_NRI_code

Column Type: varchar

Max Length: 10

Marital Status X NRI

Column Name: marital_status_X_NRI_value

Column Type: varchar

Max Length: 40

Marital Status X NRI

Column Name: medicaid_number

Column Type: varchar

Max Length: 20

Medicaid Number

Column Name: medi_cal_policy_number

Column Type: varchar

Max Length: 20

'Medi-Cal Policy Number' used by the 'LA Provider Integration' module

Column Name: mothers_maiden_name

Column Type: varchar

Max Length: 100

Mother's Maiden Name

Column Name: name_qualifier_code

Column Type: varchar

Max Length: 50

Name Qualifier

Column Name: name_qualifier_value

Column Type: varchar

Max Length: 50

Name Qualifier

Column Name: other_eth_org_code

Column Type: varchar

Max Length: 50

Other Ethnic Origin

Column Name: other_eth_org_value_long

Column Type: varchar

Max Length: 4096

Other Ethnic Origin

Column Name: other_eth_org_value_short

Column Type: varchar

Max Length: 255

Other Ethnic Origin

Column Name: other_lang_code

Column Type: varchar

Max Length: 50

Other Language Code

Column Name: other_lang_shval

Column Type: varchar

Max Length: 255

Other Language Code

Column Name: other_lang_val

Column Type: varchar

Max Length: 4096

Other Language Code

Column Name: other_race_code

Column Type: varchar

Max Length: 50

Other Race Code

Column Name: other_race_value_long

Column Type: varchar

Max Length: 4096

Other Race Code

Column Name: other_race_value_short

Column Type: varchar

Max Length: 255

Other Race Code

Column Name: patient_add_country_code

Column Type: varchar

Max Length: 20

Patient Address Country Code

Column Name: patient_add_country_value

Column Type: varchar

Max Length: 40

Patient Address Country Value

Column Name: patient_cell_phone

Column Type: varchar

Max Length: 60

Patient cell phone

Column Name: patient_name_first

Column Type: varchar

Max Length: 40

Patient Name First

Column Name: patient_name_last

Column Type: varchar

Max Length: 40

Patient Last Name

Column Name: patient_name_middle

Column Type: varchar

Max Length: 40

Patient Middle Name

Column Name: patient_name_prefix_code

Column Type: varchar

Max Length: 40

Patient Name Prefix Code

Column Name: patient_name_prefix_value

Column Type: varchar

Max Length: 40

Patient Name Prefix Value

Column Name: patient_name_suffix_code

Column Type: varchar

Max Length: 40

Patient Name Suffix Code

Column Name: patient_name_suffix_value

Column Type: varchar

Max Length: 40

Patient Name Suffix Value

Column Name: patient_sex_X_NRI_code

Column Type: varchar

Max Length: 10

Patient Sex X NRI

Column Name: patient_sex_X_NRI_value

Column Type: varchar

Max Length: 40

Patient Sex X NRI

Column Name: patient_ssn_2

Column Type: varchar

Max Length: 15

Patient's social security number 2

Column Name: patient_ssn_3

Column Type: varchar

Max Length: 15

Patient's social security number 3

Column Name: patient_ssn_4

Column Type: varchar

Max Length: 15

Patient's social security number 4

Column Name: personal_pronouns

Column Type: varchar

Max Length: 40

'Personal Pronouns'

Column Name: policy_number_1

Column Type: varchar

Max Length: 20

policy number 1

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
policy number 10

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
policy number 2

Column Name: policy_number_3
Column Type: varchar
Max Length: 20
policy number 3

Column Name: policy_number_4
Column Type: varchar
Max Length: 20
policy number 4

Column Name: policy_number_5
Column Type: varchar
Max Length: 20
policy number 5

Column Name: policy_number_6
Column Type: varchar
Max Length: 20
policy number 6

Column Name: policy_number_7
Column Type: varchar
Max Length: 20
policy number 7

Column Name: policy_number_8
Column Type: varchar
Max Length: 20
policy number 8

Column Name: policy_number_9
Column Type: varchar
Max Length: 20
policy number 9

Column Name: preferred_name
Column Type: varchar
Max Length: 40

'Preferred Name'

Column Name: pref_prov_eth_org_code
Column Type: varchar
Max Length: 5
Preferred Provider's Ethnic origin

Column Name: pref_prov_eth_org_value
Column Type: varchar
Max Length: 255
Preferred Provider's Ethnic Origin value

Column Name: pref_prov_sex_code
Column Type: varchar
Max Length: 5
Preferred provider's sex

Column Name: pref_prov_sex_value
Column Type: varchar
Max Length: 15
Preferred provider's sex value

Column Name: pregnancy_status_code
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: pregnancy_status_value
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: primary_language_code
Column Type: varchar
Max Length: 50
Primary Language

Column Name: primary_language_value
Column Type: varchar
Max Length: 50
Primary Language

Column Name: protection_indicator_code
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: protection_indicator_date
Column Type: date
Protection Indicator Effective Date

Column Name: protection_indicator_val
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 5
Patients Sexual Orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
Patient's Sexual Orientation value

Column Name: smoker_code
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoker_value
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoking_stat_assess_date
Column Type: date
Smoking Status Assessment Date

Column Name: ss_demographics_date_1
Column Type: date
SS Demographics Date 1

Column Name: ss_demographics_date_2
Column Type: date
SS Demographics Date 2

Column Name: ss_demographics_date_3
Column Type: date
SS Demographics Date 3

Column Name: ss_demographics_date_4
Column Type: date
SS Demographics Date 4

Column Name: ss_demographics_date_5
Column Type: date
SS Demographics Date 5

Column Name: ss_demographics_dict_10_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 10 Code

Column Name: ss_demographics_dict_10_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 10 Value

Column Name: ss_demographics_dict_11_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 11 Code

Column Name: ss_demographics_dict_11_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 11 Value

Column Name: ss_demographics_dict_12_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 12 Code

Column Name: ss_demographics_dict_12_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 12 Value

Column Name: ss_demographics_dict_13_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 13 Code

Column Name: ss_demographics_dict_13_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 13 Value

Column Name: ss_demographics_dict_14_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 14 Code

Column Name: ss_demographics_dict_14_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 14 Value

Column Name: ss_demographics_dict_15_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 15 Code

Column Name: ss_demographics_dict_15_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 15 Value

Column Name: ss_demographics_dict_16_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 16' Code

Column Name: ss_demographics_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_16_code. See ss_demographics_dict_16_code for more information.

Column Name: ss_demographics_dict_17_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 17' Code

Column Name: ss_demographics_dict_17_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_17_code. See ss_demographics_dict_17_code for more information.

Column Name: ss_demographics_dict_18_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 18' Code

Column Name: ss_demographics_dict_18_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_18_code. See ss_demographics_dict_18_code for more information.

Column Name: ss_demographics_dict_19_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 19' Code

Column Name: ss_demographics_dict_19_value
Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_19_code. See ss_demographics_dict_19_code for more information.

Column Name: ss_demographics_dict_1_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 1 Code

Column Name: ss_demographics_dict_1_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 1 Value

Column Name: ss_demographics_dict_20_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 20' Code

Column Name: ss_demographics_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_20_code. See ss_demographics_dict_20_code for more information.

Column Name: ss_demographics_dict_2_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 2 Code

Column Name: ss_demographics_dict_2_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 2 Value

Column Name: ss_demographics_dict_3_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 3 Code

Column Name: ss_demographics_dict_3_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 3 Value

Column Name: ss_demographics_dict_4_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 4 Code

Column Name: ss_demographics_dict_4_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 4 Value

Column Name: ss_demographics_dict_5_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 5 Code

Column Name: ss_demographics_dict_5_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 5 Value

Column Name: ss_demographics_dict_6_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 6 Code

Column Name: ss_demographics_dict_6_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 6 Value

Column Name: ss_demographics_dict_7_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 7 Code

Column Name: ss_demographics_dict_7_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 7 Value

Column Name: ss_demographics_dict_8_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 8 Code

Column Name: ss_demographics_dict_8_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 8 Value

Column Name: ss_demographics_dict_9_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 9 Code

Column Name: ss_demographics_dict_9_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 9 Value

Column Name: ss_demographics_free_txt_1
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 1

Column Name: ss_demographics_free_txt_10
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 10'

Column Name: ss_demographics_free_txt_11
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 11'

Column Name: ss_demographics_free_txt_12
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 12'

Column Name: ss_demographics_free_txt_13
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 13'

Column Name: ss_demographics_free_txt_14
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 14'

Column Name: ss_demographics_free_txt_15
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 15'

Column Name: ss_demographics_free_txt_2
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 2

Column Name: ss_demographics_freetxt_20_1
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 1

Column Name: ss_demographics_freetxt_20_10
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 10'

Column Name: ss_demographics_freetxt_20_11
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 11'

Column Name: ss_demographics_freetxt_20_12
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 12'

Column Name: ss_demographics_freetxt_20_13
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 13'

Column Name: ss_demographics_freetxt_20_14
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 14'

Column Name: ss_demographics_freetxt_20_15
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 15'

Column Name: ss_demographics_freetxt_20_2
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 2

Column Name: ss_demographics_freetxt_20_3
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 3

Column Name: ss_demographics_freetxt_20_4
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 4

Column Name: ss_demographics_freetxt_20_5
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 5

Column Name: ss_demographics_freetxt_20_6
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 6'

Column Name: ss_demographics_freetxt_20_7
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 7'

Column Name: ss_demographics_freetxt_20_8
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 8'

Column Name: ss_demographics_freetxt_20_9
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 9'

Column Name: ss_demographics_free_txt_3
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 3

Column Name: ss_demographics_free_txt_4
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 4

Column Name: ss_demographics_freetxt_40_1
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 1

Column Name: ss_demographics_freetxt_40_10
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 10'

Column Name: ss_demographics_freetxt_40_11
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 11'

Column Name: ss_demographics_freetxt_40_12
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 12'

Column Name: ss_demographics_freetxt_40_13
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 13'

Column Name: ss_demographics_freetxt_40_14
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 14'

Column Name: ss_demographics_freetxt_40_15
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 15'

Column Name: ss_demographics_freetxt_40_2
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 2

Column Name: ss_demographics_freetxt_40_3
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 3

Column Name: ss_demographics_freetxt_40_4
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 4

Column Name: ss_demographics_freetxt_40_5
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 5

Column Name: ss_demographics_freetxt_40_6
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 6'

Column Name: ss_demographics_freetxt_40_7
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 7'

Column Name: ss_demographics_freetxt_40_8
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 8'

Column Name: ss_demographics_freetxt_40_9
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 9'

Column Name: ss_demographics_free_txt_5
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 5

Column Name: ss_demographics_free_txt_6
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 6'

Column Name: ss_demographics_free_txt_7
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 7'

Column Name: ss_demographics_free_txt_8
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 8'

Column Name: ss_demographics_freetxt_80_1
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 1'

Column Name: ss_demographics_freetxt_80_10
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 10'

Column Name: ss_demographics_freetxt_80_2
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 2'

Column Name: ss_demographics_freetxt_80_3
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 3'

Column Name: ss_demographics_freetxt_80_4
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 4'

Column Name: ss_demographics_freetxt_80_5
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 5'

Column Name: ss_demographics_freetxt_80_6
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 6'

Column Name: ss_demographics_freetxt_80_7
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 7'

Column Name: ss_demographics_freetxt_80_8
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 8'

Column Name: ss_demographics_freetxt_80_9
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 9'

Column Name: ss_demographics_free_txt_9
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 9'

Column Name: ss_demographics_mult_10_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 10 Code

Column Name: ss_demographics_mult_10_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 10 Short Value

Column Name: ss_demographics_mult_10_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 10 Value

Column Name: ss_demographics_mult_11_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 11' Code

Column Name: ss_demographics_mult_11_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_11_code limited to 255 characters. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_11_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_11_code. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_12_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 12' Code

Column Name: ss_demographics_mult_12_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_12_code limited to 255 characters. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_12_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_12_code. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_13_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 13' Code

Column Name: ss_demographics_mult_13_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_13_code limited to 255 characters. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_13_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_13_code. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_14_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 14' Code

Column Name: ss_demographics_mult_14_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_14_code limited to 255 characters. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_14_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_14_code. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_15_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 15' Code

Column Name: ss_demographics_mult_15_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_15_code limited to 255 characters. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_15_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_15_code. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_1_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 1 Code

Column Name: ss_demographics_mult_1_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 1 Short Value

Column Name: ss_demographics_mult_1_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 1 Value

Column Name: ss_demographics_mult_2_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 2 Code

Column Name: ss_demographics_mult_2_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 2 Short Value

Column Name: ss_demographics_mult_2_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 2 Value

Column Name: ss_demographics_mult_3_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 3 Code

Column Name: ss_demographics_mult_3_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 3 Short Value

Column Name: ss_demographics_mult_3_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 3 Value

Column Name: ss_demographics_mult_4_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 4 Code

Column Name: ss_demographics_mult_4_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 4 Short Value

Column Name: ss_demographics_mult_4_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 4 Value

Column Name: ss_demographics_mult_5_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 5 Code

Column Name: ss_demographics_mult_5_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 5 Short Value

Column Name: ss_demographics_mult_5_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 5 Value

Column Name: ss_demographics_mult_6_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 6 Code

Column Name: ss_demographics_mult_6_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 6 Short Value

Column Name: ss_demographics_mult_6_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 6 Value

Column Name: ss_demographics_mult_7_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 7 Code

Column Name: ss_demographics_mult_7_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 7 Short Value

Column Name: ss_demographics_mult_7_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 7 Value

Column Name: ss_demographics_mult_8_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 8 Code

Column Name: ss_demographics_mult_8_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 8 Short Value

Column Name: ss_demographics_mult_8_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 8 Value

Column Name: ss_demographics_mult_9_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 9 Code

Column Name: ss_demographics_mult_9_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 9 Short Value

Column Name: ss_demographics_mult_9_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 9 Value

Column Name: ss_demographics_phone_1
Column Type: varchar
Max Length: 50
Site Specific Phone Number 1

Column Name: ss_demographics_phone_2
Column Type: varchar
Max Length: 50
Site Specific Phone Number 2

Column Name: ss_demographics_phone_3
Column Type: varchar
Max Length: 50
Site Specific Phone Number 3

Column Name: ss_demographics_phone_4
Column Type: varchar
Max Length: 50
Site Specific Phone Number 4

Column Name: ss_demographics_phone_5
Column Type: varchar
Max Length: 50
Site Specific Phone Number 5

Column Name: ss_demographics_staff_1
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 1

Column Name: ss_demographics_staff_2
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 2

Column Name: ss_demographics_staff_3
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 3

Column Name: ss_demographics_staff_4
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 4

Column Name: ss_demographics_staff_5
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 5

Column Name: ss_demographics_time_1
Column Type: varchar
Max Length: 10
SS Demographics Time 1

Column Name: ss_demographics_time_2
Column Type: varchar
Max Length: 10
SS Demographics Time 2

Column Name: ss_demographics_time_3
Column Type: varchar
Max Length: 10
SS Demographics Time 3

Column Name: ss_demographics_time_4
Column Type: varchar
Max Length: 10
SS Demographics Time 4

Column Name: ss_demographics_time_5
Column Type: varchar
Max Length: 10
SS Demographics Time 5

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Update_Client_Data

Table Name: SYSTEM.patient_demographic_history

Table Description: Patient Demographic History

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

Facility

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: MPI_uniqueid

Column Type: varchar

Max Length: 12

MPI unique ID

Column Name: patient_name

Column Type: varchar

Max Length: 40

Patient Name

Column Name: sex_code

Column Type: varchar

Max Length: 5

Sex

Column Name: sex_value

Column Type: varchar

Max Length: 40

Sex

Column Name: ethnic_origin_code

Column Type: varchar

Max Length: 5

Ethnic Origin

Column Name: ethnic_origin_value

Column Type: varchar

Max Length: 255

Ethnic Origin

Column Name: date_of_birth
Column Type: date
Date Of Birth

Column Name: patient_street_1
Column Type: varchar
Max Length: 40
Patient's Address - Street

Column Name: patient_city
Column Type: varchar
Max Length: 20
Patients Address - City

Column Name: patient_state
Column Type: varchar
Max Length: 40
Patient's Address - State

Column Name: patient_county_code
Column Type: varchar
Max Length: 5
Patient's Address - County

Column Name: patient_county_value
Column Type: varchar
Max Length: 40
patient's Address - County

Column Name: patient_zipcode
Column Type: varchar
Max Length: 60
Patient's Address - Zipcode

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
Patient's Home Phone

Column Name: patient_street_2
Column Type: varchar
Max Length: 40
Patient's Address - Street 2

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_by

Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: social_security_number
Column Type: varchar
Max Length: 15
SS Number (6)

Column Name: religion_code
Column Type: varchar
Max Length: 5
Client Religion (9)

Column Name: religion_value
Column Type: varchar
Max Length: 255
Religion Value (9)

Column Name: marital_status_code
Column Type: varchar
Max Length: 10
Marital status code (10)

Column Name: marital_status_value
Column Type: varchar
Max Length: 40
Marital Status Value (10)

Column Name: client_work_phone
Column Type: varchar
Max Length: 60
Work Phone

Column Name: maiden_name
Column Type: varchar
Max Length: 40
Maiden Name

Column Name: client_race_Code

Column Type: varchar
Max Length: 10
Client Race - Code (116)

Column Name: client_race_value
Column Type: varchar
Max Length: 40
Client Race - Value (116)

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
Facility Chart Number

Column Name: client_alias
Column Type: varchar
Max Length: 80
Client Alias

Column Name: employment_status_code
Column Type: varchar
Max Length: 10
Employment Status - Code (517)

Column Name: employment_status_value
Column Type: varchar
Max Length: 255
Employment Status - Value (517)

Column Name: occupation_code
Column Type: varchar
Max Length: 10
Occupation - Code (610)

Column Name: occupation_value
Column Type: varchar
Max Length: 255
Occupation - Value (610)

Column Name: education_code
Column Type: varchar
Max Length: 10
Education - Code (625)

Column Name: education_value
Column Type: varchar
Max Length: 255
education - Value (625)

Column Name: place_of_birth

Column Type: varchar
Max Length: 40
Place of Birth

Column Name: GUID
Column Type: varchar
Max Length: 50
GUID

Column Name: InfoScribLegacyID
Column Type: varchar
Max Length: 50
InfoScribLegacyID

Column Name: UTCTimestamp
Column Type: timestamp
UTCTimestamp

Column Name: address_start_date
Column Type: date
Address Start Date

Column Name: citizenship_code
Column Type: varchar
Max Length: 50
Citizenship

Column Name: citizenship_value
Column Type: varchar
Max Length: 50
Citizenship

Column Name: client_alias_10
Column Type: varchar
Max Length: 80
Client Alias 10

Column Name: client_alias_2
Column Type: varchar
Max Length: 80
Client Alias 2

Column Name: client_alias_3
Column Type: varchar
Max Length: 80
Client Alias 3

Column Name: client_alias_4
Column Type: varchar
Max Length: 80

Client Alias 4

Column Name: client_alias_5
Column Type: varchar
Max Length: 80
Client Alias 5

Column Name: client_alias_6
Column Type: varchar
Max Length: 80
Client Alias 6

Column Name: client_alias_7
Column Type: varchar
Max Length: 80
Client Alias 7

Column Name: client_alias_8
Column Type: varchar
Max Length: 80
Client Alias 8

Column Name: client_alias_9
Column Type: varchar
Max Length: 80
Client Alias 9

Column Name: client_conf_city
Column Type: varchar
Max Length: 50
Client Confidential Address - City

Column Name: client_conf_cntry_code
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Code

Column Name: client_conf_cntry_value
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Value

Column Name: client_conf_phone
Column Type: varchar
Max Length: 50
Client Confidential Address - Phone Number

Column Name: client_conf_state_code
Column Type: varchar
Max Length: 50

Client Confidential Address - State Code

Column Name: client_conf_state_value

Column Type: varchar

Max Length: 50

Client Confidential Address - State Value

Column Name: client_conf_street

Column Type: varchar

Max Length: 50

Client Confidential Address - Street

Column Name: client_conf_street2

Column Type: varchar

Max Length: 50

Client Confidential Address - Street 2

Column Name: client_conf_zipcode

Column Type: varchar

Max Length: 50

Client Confidential Address - Zip code

Column Name: client_email_addr

Column Type: varchar

Max Length: 50

Client's Email Address

Column Name: client_mail_city

Column Type: varchar

Max Length: 50

Client's Mailing Address - City

Column Name: client_mail_cntry_code

Column Type: varchar

Max Length: 50

Client's Mailing Address - Country

Column Name: client_mail_cntry_value

Column Type: varchar

Max Length: 50

Client's Mailing Address - Country

Column Name: client_mail_state_code

Column Type: varchar

Max Length: 50

Client's Mailing Address - State

Column Name: client_mail_state_value

Column Type: varchar

Max Length: 50

Client's Mailing Address - State

Column Name: client_mail_street

Column Type: varchar

Max Length: 50

Client's Mailing Address - Street 1

Column Name: client_mail_street2

Column Type: varchar

Max Length: 50

Client's Mailing Address - Street 2

Column Name: client_mail_zipcode

Column Type: varchar

Max Length: 50

Client's Mailing Address - Zip Code

Column Name: communication_pref_code

Column Type: varchar

Max Length: 50

Communication Preference Code

Column Name: communication_pref_value

Column Type: varchar

Max Length: 50

Communication Preference Value

Column Name: country_of_origin_code

Column Type: varchar

Max Length: 50

Country of Origin

Column Name: country_of_origin_value

Column Type: varchar

Max Length: 50

Country of Origin

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

Data Entry Source (30015)

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: decline_prov_code
Column Type: varchar
Max Length: 50
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_long
Column Type: varchar
Max Length: 4096
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_short
Column Type: varchar
Max Length: 255
Client Declined To Provide Information On The Following

Column Name: ethnic_origin_X_NRI_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI

Column Name: ethnic_origin_X_NRI_value
Column Type: varchar
Max Length: 255
Ethnic Origin X NRI

Column Name: eth_orig_X_NRI_2014_value

Column Type: varchar
Max Length: 255
Ethnic Origin X NRI 2014

Column Name: eth_orig_X_NRI_2014_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI 2014

Column Name: expected_due_date
Column Type: date
Expected Due Date

Column Name: external_mpi_id
Column Type: varchar
Max Length: 50
External MPI ID

Column Name: fam_agric_worker_code
Column Type: varchar
Max Length: 5
'Do you have family members that are agricultural workers?'

Column Name: fam_agric_worker_value
Column Type: varchar
Max Length: 40
description for 'Do you have family members that are agricultural workers?'

Column Name: former_agric_worker_code
Column Type: varchar
Max Length: 5
'Are you an aged and disabled former migratory agricultural worker?'

Column Name: former_agric_worker_value
Column Type: varchar
Max Length: 40
description for 'Are you an aged and disabled former migratory agricultural worker?'

Column Name: gender_identity_code
Column Type: varchar
Max Length: 5
Gender Identity code

Column Name: gender_identity_value
Column Type: varchar
Max Length: 40
Gender Identity value

Column Name: guarantor_1
Column Type: varchar

Max Length: 10
Guarantor 1

Column Name: guarantor_10
Column Type: varchar
Max Length: 10
Guarantor 10

Column Name: guarantor_2
Column Type: varchar
Max Length: 10
Guarantor 2

Column Name: guarantor_3
Column Type: varchar
Max Length: 10
Guarantor 3

Column Name: guarantor_4
Column Type: varchar
Max Length: 10
Guarantor 4

Column Name: guarantor_5
Column Type: varchar
Max Length: 10
Guarantor 5

Column Name: guarantor_6
Column Type: varchar
Max Length: 10
Guarantor 6

Column Name: guarantor_7
Column Type: varchar
Max Length: 10
Guarantor 7

Column Name: guarantor_8
Column Type: varchar
Max Length: 10
Guarantor 8

Column Name: guarantor_9
Column Type: varchar
Max Length: 10
Guarantor 9

Column Name: guarantor_name_1
Column Type: varchar

Max Length: 40
Guarantor Name 1

Column Name: guarantor_name_10
Column Type: varchar
Max Length: 40
Guarantor Name 10

Column Name: guarantor_name_2
Column Type: varchar
Max Length: 40
Guarantor Name 2

Column Name: guarantor_name_3
Column Type: varchar
Max Length: 40
Guarantor Name 3

Column Name: guarantor_name_4
Column Type: varchar
Max Length: 40
Guarantor Name 4

Column Name: guarantor_name_5
Column Type: varchar
Max Length: 40
Guarantor Name 5

Column Name: guarantor_name_6
Column Type: varchar
Max Length: 40
Guarantor Name 6

Column Name: guarantor_name_7
Column Type: varchar
Max Length: 40
Guarantor Name 7

Column Name: guarantor_name_8
Column Type: varchar
Max Length: 40
Guarantor Name 8

Column Name: guarantor_name_9
Column Type: varchar
Max Length: 40
Guarantor Name 9

Column Name: lactating_status_code
Column Type: varchar

Max Length: 50
Lactating Status

Column Name: lactating_status_value
Column Type: varchar
Max Length: 50

Column Name: marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
Marital Status X NRI

Column Name: marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
Marital Status X NRI

Column Name: medicaid_number
Column Type: varchar
Max Length: 20
Medicaid Number

Column Name: mothers_maiden_name
Column Type: varchar
Max Length: 100
Mother's Maiden Name

Column Name: name_qualifier_code
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: name_qualifier_value
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 50
Option Identifier

Column Name: other_eth_org_code
Column Type: varchar

Max Length: 50
Other Ethnic Origin

Column Name: other_eth_org_value_long
Column Type: varchar
Max Length: 4096
Other Ethnic Origin

Column Name: other_eth_org_value_short
Column Type: varchar
Max Length: 255
Other Ethnic Origin

Column Name: other_lang_code
Column Type: varchar
Max Length: 50
Other Language

Column Name: other_lang_shval
Column Type: varchar
Max Length: 255
Other Language

Column Name: other_lang_val
Column Type: varchar
Max Length: 4096
Other Language

Column Name: other_race_code
Column Type: varchar
Max Length: 50
Other Race

Column Name: other_race_value_long
Column Type: varchar
Max Length: 4096
Other Race

Column Name: other_race_value_short
Column Type: varchar
Max Length: 255
Other Race

Column Name: patient_cell_phone
Column Type: varchar
Max Length: 60
Patient cell phone

Column Name: patient_country_code
Column Type: varchar

Max Length: 20
Patient Address Country Code

Column Name: patient_country_value
Column Type: varchar
Max Length: 40
Patient Address Country Value

Column Name: patient_name_first
Column Type: varchar
Max Length: 100
Patient Name First

Column Name: patient_name_last
Column Type: varchar
Max Length: 40
Patient Last Name

Column Name: patient_name_middle
Column Type: varchar
Max Length: 40
Patient Middle Name

Column Name: patient_name_prefix_code
Column Type: varchar
Max Length: 40
Patient Name Prefix Code

Column Name: patient_name_prefix_value
Column Type: varchar
Max Length: 40
Patient Name Prefix Value

Column Name: patient_name_suffix_code
Column Type: varchar
Max Length: 40
Patient Name Suffix Code

Column Name: patient_name_suffix_value
Column Type: varchar
Max Length: 40
Patient Name Suffix Value

Column Name: personal_pronouns
Column Type: varchar
Max Length: 40
'Personal Pronouns'

Column Name: policy_number_1
Column Type: varchar

Max Length: 20
policy number 1

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
policy number 10

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
policy number 2

Column Name: policy_number_3
Column Type: varchar
Max Length: 20
policy number 3

Column Name: policy_number_4
Column Type: varchar
Max Length: 20
policy number 4

Column Name: policy_number_5
Column Type: varchar
Max Length: 20
policy number 5

Column Name: policy_number_6
Column Type: varchar
Max Length: 20
policy number 6

Column Name: policy_number_7
Column Type: varchar
Max Length: 20
policy number 7

Column Name: policy_number_8
Column Type: varchar
Max Length: 20
policy number 8

Column Name: policy_number_9
Column Type: varchar
Max Length: 20
policy number 9

Column Name: preferred_name
Column Type: varchar

Max Length: 40
'Preferred Name'

Column Name: pref_prov_eth_org_code
Column Type: varchar
Max Length: 5
Preferred Provider's Ethnic origin

Column Name: pref_prov_eth_org_value
Column Type: varchar
Max Length: 255
Preferred Provider's Ethnic Origin value

Column Name: pref_prov_sex_code
Column Type: varchar
Max Length: 5
Preferred provider's sex

Column Name: pref_prov_sex_value
Column Type: varchar
Max Length: 15
Preferred provider's sex value

Column Name: pregnancy_status_code
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: pregnancy_status_value
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: primary_language_code
Column Type: varchar
Max Length: 50
Primary Language

Column Name: primary_language_value
Column Type: varchar
Max Length: 50
Primary Language

Column Name: protection_indicator_code
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: protection_indicator_date
Column Type: date

Protection Indicator Effective Date

Column Name: protection_indicator_val
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 5
Sexual Orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
Sex

Column Name: sex_X_NRI_code
Column Type: varchar
Max Length: 10
Sex X NRI

Column Name: sex_X_NRI_value
Column Type: varchar
Max Length: 40
Sex X NRI

Column Name: smoker_code
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoker_value
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoking_stat_assess_date
Column Type: date
Smoking Status Assessment Date

Column Name: social_security_number_2
Column Type: varchar
Max Length: 15
SS Number 2 (6)

Column Name: social_security_number_3
Column Type: varchar
Max Length: 15
SS Number 3 (6)

Column Name: social_security_number_4
Column Type: varchar
Max Length: 15
SS Number 4 (6)

Column Name: ss_demographics_date_1
Column Type: date
SS Demographics Date 1

Column Name: ss_demographics_date_2
Column Type: date
SS Demographics Date 2

Column Name: ss_demographics_date_3
Column Type: date
SS Demographics Date 3

Column Name: ss_demographics_date_4
Column Type: date
SS Demographics Date 4

Column Name: ss_demographics_date_5
Column Type: date
SS Demographics Date 5

Column Name: ss_demographics_dict_10_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 10 Code

Column Name: ss_demographics_dict_10_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 10 Value

Column Name: ss_demographics_dict_11_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 11 Code

Column Name: ss_demographics_dict_11_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 11 Value

Column Name: ss_demographics_dict_12_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 12 Code

Column Name: ss_demographics_dict_12_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 12 Value

Column Name: ss_demographics_dict_13_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 13 Code

Column Name: ss_demographics_dict_13_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 13 Value

Column Name: ss_demographics_dict_14_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 14 Code

Column Name: ss_demographics_dict_14_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 14 Value

Column Name: ss_demographics_dict_15_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 15 Code

Column Name: ss_demographics_dict_15_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 15 Value

Column Name: ss_demographics_dict_16_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 16' Code

Column Name: ss_demographics_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_16_code. See ss_demographics_dict_16_code for more information.

Column Name: ss_demographics_dict_17_code
Column Type: varchar
Max Length: 50

'SS Demographics Single Select Dictionary 17' Code

Column Name: ss_demographics_dict_17_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_17_code. See ss_demographics_dict_17_code for more information.

Column Name: ss_demographics_dict_18_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 18' Code

Column Name: ss_demographics_dict_18_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_18_code. See ss_demographics_dict_18_code for more information.

Column Name: ss_demographics_dict_19_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 19' Code

Column Name: ss_demographics_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_19_code. See ss_demographics_dict_19_code for more information.

Column Name: ss_demographics_dict_1_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 1 Code

Column Name: ss_demographics_dict_1_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 1 Value

Column Name: ss_demographics_dict_20_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 20' Code

Column Name: ss_demographics_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_20_code. See ss_demographics_dict_20_code for more information.

Column Name: ss_demographics_dict_2_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 2 Code

Column Name: ss_demographics_dict_2_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 2 Value

Column Name: ss_demographics_dict_3_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 3 Code

Column Name: ss_demographics_dict_3_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 3 Value

Column Name: ss_demographics_dict_4_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 4 Code

Column Name: ss_demographics_dict_4_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 4 Value

Column Name: ss_demographics_dict_5_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 5 Code

Column Name: ss_demographics_dict_5_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 5 Value

Column Name: ss_demographics_dict_6_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 6 Code

Column Name: ss_demographics_dict_6_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 6 Value

Column Name: ss_demographics_dict_7_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 7 Code

Column Name: ss_demographics_dict_7_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 7 Value

Column Name: ss_demographics_dict_8_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 8 Code

Column Name: ss_demographics_dict_8_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 8 Value

Column Name: ss_demographics_dict_9_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 9 Code

Column Name: ss_demographics_dict_9_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 9 Value

Column Name: ss_demographics_free_txt_1
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 1

Column Name: ss_demographics_free_txt_10
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 10'

Column Name: ss_demographics_free_txt_11
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 11'

Column Name: ss_demographics_free_txt_12
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 12'

Column Name: ss_demographics_free_txt_13
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 13'

Column Name: ss_demographics_free_txt_14
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 14'

Column Name: ss_demographics_free_txt_15
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 15'

Column Name: ss_demographics_free_txt_2
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 2

Column Name: ss_demographics_freetxt_20_1
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 1

Column Name: ss_demographics_freetxt_20_10
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 10'

Column Name: ss_demographics_freetxt_20_11
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 11'

Column Name: ss_demographics_freetxt_20_12
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 12'

Column Name: ss_demographics_freetxt_20_13
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 13'

Column Name: ss_demographics_freetxt_20_14
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 14'

Column Name: ss_demographics_freetxt_20_15
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 15'

Column Name: ss_demographics_freetxt_20_2
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 2

Column Name: ss_demographics_freetxt_20_3
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 3

Column Name: ss_demographics_freetxt_20_4
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 4

Column Name: ss_demographics_freetxt_20_5
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 5

Column Name: ss_demographics_freetxt_20_6
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 6'

Column Name: ss_demographics_freetxt_20_7
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 7'

Column Name: ss_demographics_freetxt_20_8
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 8'

Column Name: ss_demographics_freetxt_20_9
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 9'

Column Name: ss_demographics_free_txt_3
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 3

Column Name: ss_demographics_free_txt_4
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 4

Column Name: ss_demographics_freetxt_40_1
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 1

Column Name: ss_demographics_freetxt_40_10
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 10'

Column Name: ss_demographics_freetxt_40_11
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 11'

Column Name: ss_demographics_freetxt_40_12
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 12'

Column Name: ss_demographics_freetxt_40_13
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 13'

Column Name: ss_demographics_freetxt_40_14
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 14'

Column Name: ss_demographics_freetxt_40_15
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 15'

Column Name: ss_demographics_freetxt_40_2
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 2

Column Name: ss_demographics_freetxt_40_3
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 3

Column Name: ss_demographics_freetxt_40_4
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 4

Column Name: ss_demographics_freetxt_40_5
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 5

Column Name: ss_demographics_freetxt_40_6
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 6'

Column Name: ss_demographics_freetxt_40_7
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 7'

Column Name: ss_demographics_freetxt_40_8
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 8'

Column Name: ss_demographics_freetxt_40_9
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 9'

Column Name: ss_demographics_free_txt_5
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 5

Column Name: ss_demographics_free_txt_6
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 6'

Column Name: ss_demographics_free_txt_7
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 7'

Column Name: ss_demographics_free_txt_8
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 8'

Column Name: ss_demographics_freetxt_80_1
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 1'

Column Name: ss_demographics_freetxt_80_10
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 10'

Column Name: ss_demographics_freetxt_80_2
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 2'

Column Name: ss_demographics_freetxt_80_3
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 3'

Column Name: ss_demographics_freetxt_80_4
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 4'

Column Name: ss_demographics_freetxt_80_5
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 5'

Column Name: ss_demographics_freetxt_80_6
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 6'

Column Name: ss_demographics_freetxt_80_7
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 7'

Column Name: ss_demographics_freetxt_80_8
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 8'

Column Name: ss_demographics_freetxt_80_9
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 9'

Column Name: ss_demographics_free_txt_9

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 9'

Column Name: ss_demographics_mult_10_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 10 Code

Column Name: ss_demographics_mult_10_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 10 Short Value

Column Name: ss_demographics_mult_10_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 10 Value

Column Name: ss_demographics_mult_11_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 11' Code

Column Name: ss_demographics_mult_11_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_11_code limited to 255 characters. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_11_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_11_code. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_12_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 12' Code

Column Name: ss_demographics_mult_12_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_12_code limited to 255 characters. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_12_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_12_code. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_13_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 13' Code

Column Name: ss_demographics_mult_13_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_13_code limited to 255 characters. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_13_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_13_code. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_14_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 14' Code

Column Name: ss_demographics_mult_14_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_14_code limited to 255 characters. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_14_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_14_code. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_15_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 15' Code

Column Name: ss_demographics_mult_15_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_15_code limited to 255 characters. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_15_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_15_code. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_1_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 1 Code

Column Name: ss_demographics_mult_1_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 1 Short Value

Column Name: ss_demographics_mult_1_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 1 Value

Column Name: ss_demographics_mult_2_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 2 Code

Column Name: ss_demographics_mult_2_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 2 Short Value

Column Name: ss_demographics_mult_2_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 2 Value

Column Name: ss_demographics_mult_3_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 3 Code

Column Name: ss_demographics_mult_3_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 3 Short Value

Column Name: ss_demographics_mult_3_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 3 Value

Column Name: ss_demographics_mult_4_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 4 Code

Column Name: ss_demographics_mult_4_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 4 Short Value

Column Name: ss_demographics_mult_4_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 4 Value

Column Name: ss_demographics_mult_5_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 5 Code

Column Name: ss_demographics_mult_5_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 5 Short Value

Column Name: ss_demographics_mult_5_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 5 Value

Column Name: ss_demographics_mult_6_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 6 Code

Column Name: ss_demographics_mult_6_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 6 Short Value

Column Name: ss_demographics_mult_6_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 6 Value

Column Name: ss_demographics_mult_7_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 7 Code

Column Name: ss_demographics_mult_7_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 7 Short Value

Column Name: ss_demographics_mult_7_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 7 Value

Column Name: ss_demographics_mult_8_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 8 Code

Column Name: ss_demographics_mult_8_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 8 Short Value

Column Name: ss_demographics_mult_8_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 8 Value

Column Name: ss_demographics_mult_9_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 9 Code

Column Name: ss_demographics_mult_9_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 9 Short Value

Column Name: ss_demographics_mult_9_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 9 Value

Column Name: ss_demographics_phone_1
Column Type: varchar
Max Length: 50
Site Specific Phone Number 1

Column Name: ss_demographics_phone_2
Column Type: varchar
Max Length: 50
Site Specific Phone Number 2

Column Name: ss_demographics_phone_3
Column Type: varchar
Max Length: 50
Site Specific Phone Number 3

Column Name: ss_demographics_phone_4
Column Type: varchar
Max Length: 50
Site Specific Phone Number 4

Column Name: ss_demographics_phone_5
Column Type: varchar
Max Length: 50
Site Specific Phone Number 5

Column Name: ss_demographics_staff_1
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 1

Column Name: ss_demographics_staff_2
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 2

Column Name: ss_demographics_staff_3
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 3

Column Name: ss_demographics_staff_4
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 4

Column Name: ss_demographics_staff_5
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 5

Column Name: ss_demographics_time_1
Column Type: varchar
Max Length: 10
SS Demographics Time 1

Column Name: ss_demographics_time_2
Column Type: varchar
Max Length: 10
SS Demographics Time 2

Column Name: ss_demographics_time_3
Column Type: varchar
Max Length: 10
SS Demographics Time 3

Column Name: ss_demographics_time_4
Column Type: varchar
Max Length: 10
SS Demographics Time 4

Column Name: ss_demographics_time_5
Column Type: varchar
Max Length: 10
SS Demographics Time 5

Documentation for form: Update_Client_Data

Table Name: SYSTEM.pce_client_mapping
Table Description: This table returns information on ProviderConnect Enterprise client mappings.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: external_PATID
Column Type: varchar
Max Length: 20
The client ID used at the external system

Column Name: local_PATID
Column Type: varchar
Max Length: 20
The client ID used on the local system

Column Name: managing_organization_ID
Column Type: integer
The external PCE organization

Documentation for form: Practitioner_Assignment_-_Other

Table Name: SYSTEM.history_oth_practitioner

Table Description: Practitioner Assignment - Other history

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number (12345)

Column Name: FACILITY
Column Type: integer
Facility

Column Name: OTH_uniqueid
Column Type: varchar
Max Length: 12
Unique row id

Column Name: PATID
Column Type: varchar
Max Length: 20
patient id

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By (30001)

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option) (30003)

Column Name: data_entry_date
Column Type: date
Data Entry Date (30000)

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time (30002)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id (30009)

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 50
Option Identifier (30010)

Column Name: pract_assignment_date
Column Type: date

Practitioner Assignment Date (14103)

Column Name: pract_assignment_time

Column Type: varchar

Max Length: 40

Practitioner Assignment Time (14104)

Column Name: practitioner_code

Column Type: varchar

Max Length: 10

Practitioner (14102)

Column Name: practitioner_type_code

Column Type: varchar

Max Length: 5

Type of Practitioner(14101)

Column Name: practitioner_type_value

Column Type: varchar

Max Length: 40

Type of Practitioner value

Column Name: practitioner_value

Column Type: varchar

Max Length: 40

Practitioner value

Documentation for form: UB-92/UB-04/837I_Billing_Maintenance_Screen

Table Name: SYSTEM.billing_maint_hist_ub92

Table Description: This table returns the information stored in the 'UB-92/UB-04/837I Billing Maintenance Screen' form.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

FACILITY

Column Name: PATID

Column Type: varchar

Max Length: 20
PATID

Column Name: BMH_uniqueid
Column Type: varchar
Max Length: 10
Billing Maintenance History Unique Identifier

Column Name: principal_procedure_code
Column Type: varchar
Max Length: 40
'Principal Procedure Code (2300-HI:Principal Procedure Information/UB-04 Form Locator 74)'

Column Name: principal_procedure_date
Column Type: date
'Principal Procedure Date (2300-HI:Principal Procedure Information-01-4/UB-04 Form Locator 74)'

Column Name: other_procedure_code_1
Column Type: varchar
Max Length: 40
'Other Procedure Code 1 (2300-HI:Other Procedure Information-01-2/UB-04 Form Locator 74-A)'

Column Name: other_procedure_date_1
Column Type: date
'Other Procedure Date 1 (2300-HI:Other Procedure Information-01-4/UB-04 Form Locator 74-A)'

Column Name: other_procedure_code_2
Column Type: varchar
Max Length: 40
'Other Procedure Code 2 (2300-HI:Other Procedure Information-02-2/UB-04 Form Locator 74-B)'

Column Name: other_procedure_date_2
Column Type: date
'Other Procedure Date 2 (2300-HI:Other Procedure Information-02-4/UB-04 Form Locator 74-B)'

Column Name: other_procedure_code_3
Column Type: varchar
Max Length: 40
'Other Procedure Code 3 (2300-HI:Other Procedure Information-03-2/UB-04 Form Locator 74-C)'

Column Name: other_procedure_date_3
Column Type: date
'Other Procedure Date 3 (2300-HI:Other Procedure Information-03-4/UB-04 Form Locator 74-C)'

Column Name: other_procedure_code_4
Column Type: varchar
Max Length: 40
'Other Procedure Code 4 (2300-HI:Other Procedure Information-04-2/UB-04 Form Locator 74-D)'

Column Name: other_procedure_date_4

Column Type: date

'Other Procedure Date 4 (2300-HI:Other Procedure Information-04-4/UB-04 Form Locator 74-D)'

Column Name: other_procedure_code_5

Column Type: varchar

Max Length: 40

'Other Procedure Code 5 (2300-HI:Other Procedure Information-05-2/UB-04 Form Locator 74-E)'

Column Name: other_procedure_date_5

Column Type: date

'Other Procedure Date 5 (2300-HI:Other Procedure Information-05-4/UB-04 Form Locator 74-E)'

Column Name: covered_days

Column Type: varchar

Max Length: 4

'Covered Days (UB-92 FL 7/UB-04 FL 39)'

Column Name: noncovered_days

Column Type: varchar

Max Length: 4

'Non-Covered Days (UB-92 FL 8/UB-04 FL 39)'

Column Name: coinsurance_days

Column Type: varchar

Max Length: 4

'Coinsurance Days (UB-92 FL 9/UB-04 FL 39)'

Column Name: guarantor_code

Column Type: varchar

Max Length: 5

Guarantor ID

Column Name: guarantor_value

Column Type: varchar

Max Length: 40

The description associated with guarantor_code. See guarantor_code for more information.

Column Name: form_locator_49

Column Type: varchar

Max Length: 5

'Form Locator 49'

Column Name: EPISODE_NUMBER

Column Type: integer

Episode Number

Column Name: principal_procedure_code_value

Column Type: varchar

Max Length: 80

The description associated with principal_procedure_code. See principal_procedure_code for more information.

Column Name: other_procedure_code_1_value

Column Type: varchar

Max Length: 80

The description associated with other_procedure_code_1. See other_procedure_code_1 for more information.

Column Name: other_procedure_code_2_value

Column Type: varchar

Max Length: 80

The description associated with other_procedure_code_2. See other_procedure_code_2 for more information.

Column Name: other_procedure_code_3_value

Column Type: varchar

Max Length: 80

The description associated with other_procedure_code_3. See other_procedure_code_3 for more information.

Column Name: other_procedure_code_4_value

Column Type: varchar

Max Length: 80

The description associated with other_procedure_code_4. See other_procedure_code_4 for more information.

Column Name: other_procedure_code_5_value

Column Type: varchar

Max Length: 80

The description associated with other_procedure_code_5. See other_procedure_code_5 for more information.

Column Name: accident_state_code

Column Type: varchar

Max Length: 50

'Accident State'

Column Name: accident_state_value

Column Type: varchar

Max Length: 40

The description associated with accident_state_code. See accident_state_code for more information.

Column Name: adm_date_override

Column Type: date

'Admission Date Override'

Column Name: admission_type_code

Column Type: varchar

Max Length: 50

'Admission Type (2300-CL1-01/UB92-FL 19/UB04-FL 14)'

Column Name: admission_type_value

Column Type: varchar

Max Length: 50

The description associated with admission_type_code. See admission_type_code for more information.

Column Name: attachment_desc_837i

Column Type: varchar

Max Length: 50

'Attachment Description (2300-PWK-07)'

Column Name: auth_code_ref_code

Column Type: varchar

Max Length: 50

'Service Authorization Exception Code Reference Identification (2300-REF-02)'

Column Name: auth_code_ref_value

Column Type: varchar

Max Length: 50

The description associated with auth_code_ref_code. See auth_code_ref_code for more information.

Column Name: billing_date_of_birth

Column Type: date

'Billing Date of Birth'

Column Name: billing_name

Column Type: varchar

Max Length: 87

'Billing Name'

Column Name: bill_note_ref_837i_code

Column Type: varchar

Max Length: 50

'Billing Note Reference Code (2300-NTE-01)'

Column Name: bill_note_ref_837i_value

Column Type: varchar

Max Length: 50

The description associated with bill_note_ref_837i_code. See bill_note_ref_837i_code for more information.

Column Name: bill_note_text_837i

Column Type: varchar

Max Length: 50

'Billing Note Text (2300-NTE-02)'

Column Name: claim_note_ref_837i_code

Column Type: varchar

Max Length: 50

'Claim Note Reference Code (2300-NTE-01)' (Code)

Column Name: claim_note_ref_837i_value

Column Type: varchar

Max Length: 50

'Claim Note Reference Code (2300-NTE-01)' (Value)

Column Name: claim_note_text_837i

Column Type: varchar

Max Length: 50

'Claim Note Text (2300-NTE-02)'

Column Name: claim_orig_ref_number

Column Type: varchar

Max Length: 50

'Claim Original Reference Number'

Column Name: form_locator_11_bottom

Column Type: varchar

Max Length: 50

'Form Locator 11 (Bottom)'

Column Name: form_locator_11_top

Column Type: varchar

Max Length: 50

'Form Locator 11 (Top)'

Column Name: form_locator_31_bottom

Column Type: varchar

Max Length: 50

'Form Locator 31 (Bottom)'

Column Name: form_locator_31_top

Column Type: varchar

Max Length: 50

'Form Locator 31 (Top)'

Column Name: form_locator_37_a

Column Type: varchar

Max Length: 50

'Form Locator 37-A'

Column Name: form_locator_37_b

Column Type: varchar

Max Length: 50

'Form Locator 37-B'

Column Name: form_locator_37_c

Column Type: varchar

Max Length: 50

'Form Locator 37-C'

Column Name: form_locator_54_a_override

Column Type: varchar

Max Length: 50

'Form Locator 54-A Over-Ride (Prior Payments)'

Column Name: form_locator_54_b_override

Column Type: varchar

Max Length: 50

'Form Locator 54-B Over-Ride (Prior Payments)'

Column Name: form_locator_54_c_override

Column Type: varchar

Max Length: 50

'Form Locator 54-C Over-Ride (Prior Payments)'

Column Name: form_locator_54_sp_prior_pay

Column Type: varchar

Max Length: 50

'Form Locator 54-Self Pay Over-Ride (Prior Payments)'

Column Name: form_locator_55_a_override

Column Type: varchar

Max Length: 50

'Form Locator 55-A Over-Ride (Est. Amount Due)'

Column Name: form_locator_55_b_override

Column Type: varchar

Max Length: 50

'Form Locator 55-B Over-Ride (Est. Amount Due)'

Column Name: form_locator_55_c_override

Column Type: varchar

Max Length: 50

'Form Locator 55-C Over-Ride (Est. Amount Due)'

Column Name: form_locator_55_sp_amt_due

Column Type: varchar

Max Length: 50

'Form Locator 55-Self Pay Over-Ride (Prior Payments)'

Column Name: form_locator_56_line_1

Column Type: varchar

Max Length: 50

'Form Locator 56 (Line 1)'

Column Name: form_locator_56_line_2

Column Type: varchar

Max Length: 50

'Form Locator 56 (Line 2)'

Column Name: form_locator_56_line_3

Column Type: varchar

Max Length: 50

'Form Locator 56 (Line 3)'

Column Name: form_locator_56_line_4

Column Type: varchar

Max Length: 50

'Form Locator 56 (Line 4)'

Column Name: form_locator_56_line_5

Column Type: varchar

Max Length: 50

'Form Locator 56 (Line 5)'

Column Name: form_locator_77_e_code

Column Type: varchar

Max Length: 50

'Form Locator 77 (E-Code) (2300-HI: Patient's Reason For Visit)'

Column Name: form_locator_77_e_value

Column Type: varchar

Max Length: 50

The description associated with form_locator_77_e_code. See form_locator_77_e_code for more information.

Column Name: form_locator_78_bottom

Column Type: varchar

Max Length: 50

'Form Locator 78 (Bottom)'

Column Name: form_locator_79_override

Column Type: varchar

Max Length: 50

'Form Locator 79 (Procedure Coding Method Used)'

Column Name: form_locator_84_a

Column Type: varchar

Max Length: 50

'Form Locator 84-A (UB-92) Form Locator 80-A (UB-04)'

Column Name: form_locator_84_b

Column Type: varchar

Max Length: 50

'Form Locator 84-B (UB-92) Form Locator 80-B (UB-04)'

Column Name: form_locator_84_c

Column Type: varchar

Max Length: 50
'Form Locator 84-C (UB-92) Form Locator 80-C (UB-04)'

Column Name: form_locator_84_d
Column Type: varchar
Max Length: 50
'Form Locator 84-D (UB-92) Form Locator 80-A (UB-04)'

Column Name: hipps_code
Column Type: varchar
Max Length: 50
'HIPPS Code'

Column Name: hipps_value
Column Type: varchar
Max Length: 250
The description associated with hipps_code. See hipps_code for more information.

Column Name: ident_code_837i
Column Type: varchar
Max Length: 50
'Identification Code (2300-PWK-06)'

Column Name: operating_prov_ub04_fl_77
Column Type: varchar
Max Length: 50
'Operating Provider (UB-04 Form Locator 77)'

Column Name: other_payer_paid_amt
Column Type: varchar
Max Length: 50
'Other Payer Patient Paid Amount (2320-AMT:Payer Prior Payment-02)'

Column Name: other_prac_npi_ub04_fl_78
Column Type: varchar
Max Length: 50
'Other Provider NPI Number (UB-04 Form Locator 78)'

Column Name: other_qual_ub04_78_code
Column Type: varchar
Max Length: 50
'Other Provider Type Qualifier (UB-04 Form Locator 78)'

Column Name: other_qual_ub04_78_value
Column Type: varchar
Max Length: 50
The description associated with other_qual_ub04_78_code. See other_qual_ub04_78_code for more information.

Column Name: other_qual_ub04_79_code

Column Type: varchar
Max Length: 50
'Other Provider Type Qualifier (UB-04 Form Locator 79)'

Column Name: other_qual_ub04_79_value
Column Type: varchar
Max Length: 50
The description associated with other_qual_ub04_79_code. See other_qual_ub04_79_code for more information.

Column Name: oth_prov_frst_ub04_fl_79
Column Type: varchar
Max Length: 50
'Other Provider First Name (UB-04 Form Locator 79)'

Column Name: oth_prov_last_ub04_fl_79
Column Type: varchar
Max Length: 50
'Other Provider Last Name (UB-04 Form Locator 79)'

Column Name: oth_prov_npi_ub04_fl_79
Column Type: varchar
Max Length: 50
'Other Provider NPI Number(UB-04 Form Locator 79)'

Column Name: oth_pr_ub04_79_code
Column Type: varchar
Max Length: 50
'Other Provider Identification Code (UB-04 Form Locator 79)'

Column Name: oth_pr_ub04_79_qual_code
Column Type: varchar
Max Length: 50
'Other Provider Identification Code Qualifier (UB-04 Form Locator 79)'

Column Name: oth_pr_ub04_79_qual_value
Column Type: varchar
Max Length: 50
The description associated with oth_pr_ub04_79_qual_code. See oth_pr_ub04_79_qual_code for more information.

Column Name: oth_prv_2nd_id_ref_id
Column Type: varchar
Max Length: 50
'Other Provider Secondary Identifier Reference Identification (837-2310C-REF-02)'

Column Name: oth_prv_2nd_ref_id_qual_code
Column Type: varchar
Max Length: 50
'Other Provider Secondary Reference Identification Qualifier'

Column Name: oth_prv_2nd_ref_id_qual_value

Column Type: varchar

Max Length: 50

The description associated with oth_prv_2nd_ref_id_qual_code. See oth_prv_2nd_ref_id_qual_code for more information.

Column Name: oth_prv_entity_typ_qual_code

Column Type: varchar

Max Length: 50

'Other Provider Entity Type Qualifier (837-2310C-NM1-02)'

Column Name: oth_prv_entity_typ_qual_value

Column Type: varchar

Max Length: 50

The description associated with oth_prv_entity_typ_qual_code. See oth_prv_entity_typ_qual_code for more information.

Column Name: oth_prv_id_code

Column Type: varchar

Max Length: 50

'Other Provider Identification Code (UB-04 Form Locator 79)'

Column Name: oth_prv_id_code_qual_code

Column Type: varchar

Max Length: 50

'Other Provider Identification Code Qualifier (UB-04 Form Locator 79)'

Column Name: oth_prv_id_code_qual_value

Column Type: varchar

Max Length: 50

The description associated with oth_prv_id_code_qual_code. See oth_prv_id_code_qual_code for more information.

Column Name: oth_prv_last_name_or_org

Column Type: varchar

Max Length: 50

'Other Provider Name Last Or Organization Name (837-2310C-NM1-03/UB-04 Form Locator 78)'

Column Name: oth_prv_name_first

Column Type: varchar

Max Length: 50

'Other Provider Name First (837-2310C-NM1-04/UB-04 Form Locator 78)'

Column Name: oth_prv_name_middle

Column Type: varchar

Max Length: 50

'Other Provider Name Middle (837-2310C-NM1-05)'

Column Name: oth_prv_name_suffix

Column Type: varchar
Max Length: 50
'Other Provider Name Suffix (837-2310C-NM1-07)'

Column Name: patient_estimated_amt_due
Column Type: varchar
Max Length: 50
'Patient Estimated Amount Due (2300-AMT-02)'

Column Name: patient_status_override_code
Column Type: varchar
Max Length: 50
'Patient Status Over-Ride (2300-CL1-03)'

Column Name: patient_status_override_value
Column Type: varchar
Max Length: 50
The description associated with patient_status_override_code. See patient_status_override_code for more information.

Column Name: payor_data_locators_50_66_a
Column Type: varchar
Max Length: 50
'Payor Data Form Locators 50-66-A (Over-Ride Current Guarantor)'

Column Name: payor_data_locators_50_66_b
Column Type: varchar
Max Length: 50
'Payor Data Form Locators 50-66-B'

Column Name: payor_data_locators_50_66_c
Column Type: varchar
Max Length: 50
'Payor Data Form Locators 50-66-C'

Column Name: peer_review_auth_num_837i
Column Type: varchar
Max Length: 50
'Peer Review Authorization Number (2300-REF-02)'

Column Name: pps_per_diem_adjustment_day
Column Type: integer
'First Day Of Stay To Be Considered For Variable Per-Diem Adjustment'

Column Name: proc_list_qual_code
Column Type: varchar
Max Length: 50
'Principal Procedure Code List Qualifier (2300-HI-01)'

Column Name: proc_list_qual_value

Column Type: varchar

Max Length: 50

The description associated with proc_list_qual_code. See proc_list_qual_code for more information.

Column Name: prop_cas_clm_id_qlf_code

Column Type: varchar

Max Length: 50

'Property And Casualty Claim Number ID Qualifier' (837 Billing)

Column Name: prop_cas_clm_id_qlf_value

Column Type: varchar

Max Length: 50

The description associated with prop_cas_clm_id_qlf_code. See prop_cas_clm_id_qlf_code for more information.

Column Name: prop_cas_clm_num

Column Type: varchar

Max Length: 50

'Property And Casualty Claim Number' (837 Billing)

Column Name: prv_2nd_id_ref_id

Column Type: varchar

Max Length: 50

'Referring Provider Secondary Reference Identification Qualifier'

Column Name: prv_2nd_ref_id_qual_code

Column Type: varchar

Max Length: 50

'Referring Provider Secondary Reference Identification Qualifier'

Column Name: prv_2nd_ref_id_qual_value

Column Type: varchar

Max Length: 50

The description associated with prv_2nd_ref_id_qual_code. See prv_2nd_ref_id_qual_code for more information.

Column Name: prv_entity_typ_qual_code

Column Type: varchar

Max Length: 50

'Referring Provider Entity Type Qualifier'

Column Name: prv_entity_typ_qual_value

Column Type: varchar

Max Length: 50

The description associated with prv_entity_typ_qual_code. See prv_entity_typ_qual_code for more information.

Column Name: prv_id_code

Column Type: varchar

Max Length: 50

'Referring Provider Identification Code'

Column Name: prv_id_code_qual_code

Column Type: varchar

Max Length: 50

'Referring Provider Identification Code Qualifier'

Column Name: prv_id_code_qual_value

Column Type: varchar

Max Length: 50

The description associated with prv_id_code_qual_code. See prv_id_code_qual_code for more information.

Column Name: prv_last_name_or_org

Column Type: varchar

Max Length: 50

'Referring Provider Name Last Or Organization Name'

Column Name: prv_name_first

Column Type: varchar

Max Length: 50

'Referring Provider Name First'

Column Name: prv_name_middle

Column Type: varchar

Max Length: 50

'Referring Provider Name Middle'

Column Name: prv_name_suffix

Column Type: varchar

Max Length: 50

'Referring Provider Name Suffix'

Column Name: prv_ref_id

Column Type: varchar

Max Length: 50

'Referring Provider Reference Identification'

Column Name: report_trans_837i_code

Column Type: varchar

Max Length: 50

'Report Transmission Code (2300-PWK-02)'

Column Name: report_trans_837i_value

Column Type: varchar

Max Length: 50

The description associated with report_trans_837i_code. See report_trans_837i_code for more information.

Column Name: report_type_837i_code

Column Type: varchar

Max Length: 50

'Report Type Code (2300-PWK-01)'

Column Name: report_type_837i_value

Column Type: varchar

Max Length: 50

The description associated with report_type_837i_code. See report_type_837i_code for more information.

Column Name: source_of_admission_code

Column Type: varchar

Max Length: 50

'Source Of Admission (2300-CL1-02/UB92-FL 20/UB04-FL 15)'

Column Name: source_of_admission_value

Column Type: varchar

Max Length: 50

The description associated with source_of_admission_code. See source_of_admission_code for more information.

Column Name: subs_sec_id_837

Column Type: varchar

Max Length: 50

'Subscriber Secondary Identification' (837 Billing)

Column Name: subs_sec_id_qfl_837_code

Column Type: varchar

Max Length: 50

'Subscriber Secondary Identification ID Qualifier' (837 Billing)

Column Name: subs_sec_id_qfl_837_value

Column Type: varchar

Max Length: 50

The description associated with subs_sec_id_qfl_837_code. See subs_sec_id_qfl_837_code for more information.

Column Name: type_of_bill_over_ride

Column Type: varchar

Max Length: 50

'Type Of Bill Over-Ride (2300-CLM-05)'

Column Name: ub04_fl_72_a_poa_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator' (UB-04 Form Locator 72 (ECI)-A)

Column Name: ub04_fl_72_a_poa_value

Column Type: varchar

Max Length: 50

The description associated with ub04_fl_72_a_poa_code. See ub04_fl_72_a_poa_code for more information.

Column Name: ub04_fl_72_b_poa_code
Column Type: varchar
Max Length: 50
'Present On Admission Indicator' (UB-04 Form Locator 72 (ECI)-B)

Column Name: ub04_fl_72_b_poa_value
Column Type: varchar
Max Length: 50
The description associated with ub04_fl_72_b_poa_code. See ub04_fl_72_b_poa_code for more information.

Column Name: ub04_fl_72_c_poa_code
Column Type: varchar
Max Length: 50
'Present On Admission Indicator' UB-04 Form Locator 72 (ECI)-C)

Column Name: ub04_fl_72_c_poa_value
Column Type: varchar
Max Length: 50
The description associated with ub04_fl_72_c_poa_code. See ub04_fl_72_c_poa_code for more information.

Column Name: ub04_frm_loc_57
Column Type: varchar
Max Length: 50
'Form Locator 57 (Other Billing Provider ID)'

Column Name: ub04_frm_loc_70_a_code
Column Type: varchar
Max Length: 50
'UB-04 Form Locator 70 (Patient Reason Dx)-A'

Column Name: ub04_frm_loc_70_a_value
Column Type: varchar
Max Length: 50
The description associated with ub04_frm_loc_70_a_code. See ub04_frm_loc_70_a_code for more information.

Column Name: ub04_frm_loc_70_b_code
Column Type: varchar
Max Length: 50
'UB-04 Form Locator 70 (Patient Reason Dx)-B'

Column Name: ub04_frm_loc_70_b_value
Column Type: varchar
Max Length: 50
The description associated with ub04_frm_loc_70_b_code. See ub04_frm_loc_70_b_code for more information.

Column Name: ub04_frm_loc_70_c_code

Column Type: varchar
Max Length: 50
'UB-04 Form Locator 70 (Patient Reason Dx)-C'

Column Name: ub04_frm_loc_70_c_value
Column Type: varchar
Max Length: 50
The description associated with ub04_frm_loc_70_c_code. See ub04_frm_loc_70_c_code for more information.

Column Name: ub04_frm_loc_71_drg_code
Column Type: varchar
Max Length: 50
'UB-04 Form Locator 71 (DRG Code)'

Column Name: ub04_frm_loc_71_drg_value
Column Type: varchar
Max Length: 50
The description associated with ub04_frm_loc_71_drg_code. See ub04_frm_loc_71_drg_code for more information.

Column Name: ub04_frm_loc_72_a_code
Column Type: varchar
Max Length: 50
'UB-04 Form Locator 72 (ECI)-A'

Column Name: ub04_frm_loc_72_a_value
Column Type: varchar
Max Length: 50
The description associated with ub04_frm_loc_72_a_code. See ub04_frm_loc_72_a_code for more information.

Column Name: ub04_frm_loc_72_b_code
Column Type: varchar
Max Length: 50
'UB-04 Form Locator 72 (ECI)-B'

Column Name: ub04_frm_loc_72_b_value
Column Type: varchar
Max Length: 50
The description associated with ub04_frm_loc_72_b_code. See ub04_frm_loc_72_b_code for more information.

Column Name: ub04_frm_loc_72_c_code
Column Type: varchar
Max Length: 50
'UB-04 Form Locator 72 (ECI)-C'

Column Name: ub04_frm_loc_72_c_value
Column Type: varchar

Max Length: 50

The description associated with ub04_frm_loc_72_c_code. See ub04_frm_loc_72_c_code for more information.

Column Name: ub04_frm_loc_81_a1_code

Column Type: varchar

Max Length: 50

'UB-04 Form Locator 81A-1'

Column Name: ub04_frm_loc_81_a1_value

Column Type: varchar

Max Length: 50

The description associated with ub04_frm_loc_81_a1_code. See ub04_frm_loc_81_a1_code for more information.

Column Name: ub04_frm_loc_81_a2

Column Type: varchar

Max Length: 50

'UB-04 Form Locator 81A-2'

Column Name: ub04_frm_loc_81_a3

Column Type: varchar

Max Length: 50

'UB-04 Form Locator 81A-3'

Column Name: ub04_frm_loc_81_b1_code

Column Type: varchar

Max Length: 50

'UB-04 Form Locator 81B-1'

Column Name: ub04_frm_loc_81_b1_value

Column Type: varchar

Max Length: 50

The description associated with ub04_frm_loc_81_b1_code. See ub04_frm_loc_81_b1_code for more information.

Column Name: ub04_frm_loc_81_b2

Column Type: varchar

Max Length: 50

'UB-04 Form Locator 81B-2'

Column Name: ub04_frm_loc_81_b3

Column Type: varchar

Max Length: 50

'UB-04 Form Locator 81B-3'

Column Name: ub04_frm_loc_81_c1_code

Column Type: varchar

Max Length: 50

'UB-04 Form Locator 81C-1'

Column Name: ub04_frm_loc_81_c1_value

Column Type: varchar

Max Length: 50

The description associated with b04_frm_loc_81_c1_code. See b04_frm_loc_81_c1_code for more information.

Column Name: ub04_frm_loc_81_c2

Column Type: varchar

Max Length: 50

'UB-04 Form Locator 81C-2'

Column Name: ub04_frm_loc_81_c3

Column Type: varchar

Max Length: 50

Column Name: ub04_frm_loc_81_d1_code

Column Type: varchar

Max Length: 50

'UB-04 Form Locator 81D-1'

Column Name: ub04_frm_loc_81_d1_value

Column Type: varchar

Max Length: 50

The description associated with ub04_frm_loc_81_d1_code. See ub04_frm_loc_81_d1_code for more information.

Column Name: ub04_frm_loc_81_d2

Column Type: varchar

Max Length: 50

'UB-04 Form Locator 81D-2'

Column Name: ub04_frm_loc_81_d3

Column Type: varchar

Max Length: 50

'UB-04 Form Locator 81D-3'

Column Name: ub04_type_of_bill_ovr_ride

Column Type: varchar

Max Length: 50

'Type Of Bill Override (UB-04 Form Locator 4)'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: HCFA-1500/837P_Billing_Maintenance_Screen

Table Name: SYSTEM.billing_maint_hist_hcfa

Table Description: This table returns the information stored in the 'HCFA-1500/837P Billing Maintenance Screen' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: EPSDT_referral_code
Column Type: varchar
Max Length: 50
'Was An EPSDT Referral Given To The Patient (2300-CRC-02)'

Column Name: EPSDT_referral_value
Column Type: varchar
Max Length: 50
The description associated with EPSDT_referral_code. See EPSDT_referral_code for more information.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: accident_hour_code
Column Type: varchar
Max Length: 50
'Accident Hour (Electronic HCFA-1500 Only)'

Column Name: accident_hour_value
Column Type: varchar
Max Length: 50
The description associated with accident_hour_code. See accident_hour_code for more information.

Column Name: adjudication_date_837p
Column Type: date

'Adjudication Or Payment Date (2330B-DTP-03)'

Column Name: billing_date_of_birth

Column Type: date

'Billing Date of Birth'

Column Name: billing_name

Column Type: varchar

Max Length: 87

'Billing Name'

Column Name: claim_note_ref_837p_code

Column Type: varchar

Max Length: 50

'Claim Note Reference Code (837P-2300-NTE-01)'

Column Name: claim_note_ref_837p_value

Column Type: varchar

Max Length: 50

The description associated with claim_note_ref_837p_code. See claim_note_ref_837p_code for more information.

Column Name: claim_note_text_837p

Column Type: varchar

Max Length: 80

'Claim Note Text (837P-2300-NTE-02)'

Column Name: condition_1_crc03_code

Column Type: varchar

Max Length: 50

'Condition Code (2300-CRC-03)'

Column Name: condition_1_crc03_value

Column Type: varchar

Max Length: 50

The description associated with condition_1_crc03_code. See condition_1_crc03_code for more information.

Column Name: condition_2_crc04_code

Column Type: varchar

Max Length: 50

'Condition Code (2300-CRC-04)'

Column Name: condition_2_crc04_value

Column Type: varchar

Max Length: 50

The description associated with condition_2_crc04_code. See condition_2_crc04_code for more information.

Column Name: condition_3_crc05_code

Column Type: varchar
Max Length: 50
'Condition Code (2300-CRC-05)'

Column Name: condition_3_crc05_value
Column Type: varchar
Max Length: 50
The description associated with condition_3_crc05_code. See condition_3_crc05_code for more information.

Column Name: curr_illness_injury_date
Column Type: date
'Onset of Current Illness or Injury Date (2300-DTP-03)'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_last_seen
Column Type: date
'Date Last Seen (2300-DTP-03)'

Column Name: date_menstrual_period
Column Type: date
'Date Of Last Menstrual Period (2300-DTP-03)'

Column Name: date_of_accident_837p
Column Type: date
'Date Of Accident (2300-DTP-03)'

Column Name: disability_type_code
Column Type: varchar
Max Length: 50
'Disability Type (Electronic HCFA-1500 Only)'

Column Name: disability_type_value
Column Type: varchar
Max Length: 50
The description associated with disability_type_code. See disability_type_code for more information.

Column Name: external_cause_of_accident
Column Type: varchar
Max Length: 50
'External Cause Of Accident (Electronic HCFA-1500 Only)'

Column Name: guarantor_code
Column Type: varchar
Max Length: 50

'Guarantor'

Column Name: HCF_uniqueid

Column Type: varchar

Max Length: 50

A unique ID used to identify a row of data.

Column Name: ident_code_837p

Column Type: varchar

Max Length: 50

'Identification Code (2300-PWK-06)'

Column Name: initial_treatment_date

Column Type: date

'Initial Treatment Date (2300-DTP-03)'

Column Name: loc_10_auto_accident_code

Column Type: varchar

Max Length: 50

'Form Locator 10 (Auto Accident)'

Column Name: loc_10_auto_accident_place

Column Type: varchar

Max Length: 50

'Form Locator 10 (Auto Accident, Place)'

Column Name: loc_10_auto_accident_value

Column Type: varchar

Max Length: 50

The description associated with loc_10_auto_accident_code. See loc_10_auto_accident_code for more information.

Column Name: loc_10_employment_code

Column Type: varchar

Max Length: 50

'Form Locator 10 (Employment)'

Column Name: loc_10_employment_value

Column Type: varchar

Max Length: 50

The description associated with loc_10_employment_code. See loc_10_employment_code for more information.

Column Name: loc_10_other_accident_code

Column Type: varchar

Max Length: 50

'Form Locator 10 (Other Accident)'

Column Name: loc_10_other_accident_value

Column Type: varchar

Max Length: 50

The description associated with loc_10_other_accident_code. See loc_10_other_accident_code for more information.

Column Name: loc_15_first_date_illness

Column Type: date

'Other Date (Form Locator 15)'

Column Name: loc_16_unable_to_work_from

Column Type: date

'Form Locator 16 (Date Patient Unable To Work, From)'

Column Name: loc_16_unable_to_work_to

Column Type: date

'Form Locator 16 (Date Patient Unable To Work, To)'

Column Name: loc_17_a_referring_id

Column Type: varchar

Max Length: 50

'ID # Of Referring Provider (Form Locator 17)'

Column Name: loc_17_referring_name

Column Type: varchar

Max Length: 50

'Name of Referring Provider (Form Locator 17)'

Column Name: loc_18_hospitalization_from

Column Type: date

'Form Locator 18 (Hospitalization Dates, From)'

Column Name: loc_18_hospitalization_to

Column Type: varchar

Max Length: 50

'Form Locator 18 (Hospitalization Dates, To)'

Column Name: loc_19

Column Type: varchar

Max Length: 50

'Form Locator 19'

Column Name: loc_20_outside_lab_charges

Column Type: varchar

Max Length: 50

'Form Locator 20 (Outside Lab Charges)'

Column Name: loc_20_outside_lab_code

Column Type: varchar

Max Length: 50

'Form Locator 20 (Outside Lab)'

Column Name: loc_20_outside_lab_value

Column Type: varchar

Max Length: 50

The description associated with loc_20_outside_lab_code. See loc_20_outside_lab_code for more information.

Column Name: loc_22_original_ref_no

Column Type: varchar

Max Length: 50

'Form Locator 22 (Medicaid Resubmission Original Ref No)'

Column Name: loc_22_resubmission_code

Column Type: varchar

Max Length: 50

'Form Locator 22 (Medicaid Resubmission Code)'

Column Name: loc_27_accept_assignment_code

Column Type: varchar

Max Length: 50

'Form Locator 27 (Accept Assignment)'

Column Name: loc_27_accept_assignment_value

Column Type: varchar

Max Length: 50

The description associated with loc_27_accept_assignment_code. See loc_27_accept_assignment_code for more information.

Column Name: loc_9_override_guarantor

Column Type: varchar

Max Length: 50

'Form Locator 9 Over-Ride Guarantor'

Column Name: npi_loc_17a_other_id

Column Type: varchar

Max Length: 50

'Form Locator 17-A (Other ID # Of Referring Physician) (HCFA-1500-NPI Version Only)'

Column Name: npi_loc_17a_qual_code

Column Type: varchar

Max Length: 50

'Form Locator 17-A (Other ID # Qualifier Of Referring Physician) (HCFA-1500-NPI Version Only)'

Column Name: npi_loc_17a_qual_value

Column Type: varchar

Max Length: 50

The description associated with npi_loc_17a_qual_code. See npi_loc_17a_qual_code for more information.

Column Name: npi_loc_17b_npi_num

Column Type: varchar

Max Length: 50

'Form Locator 17-B (NPI # Of Referring Physician) (HCFA-1500-NPI Version Only)'

Column Name: oth_date_qual_code

Column Type: varchar

Max Length: 50

'Other Date Code Qualifier (Form Locator 15)'

Column Name: oth_date_qual_value

Column Type: varchar

Max Length: 50

The description associated with oth_date_qual_code. See oth_date_qual_code for more information.

Column Name: oth_payor_2nd_ident_837p

Column Type: varchar

Max Length: 50

'Other Payer Secondary Identifier (2330B-REF-02)'

Column Name: oth_sub_sec_id

Column Type: varchar

Max Length: 50

'Other Subscriber Secondary Identification (2330A-REF-02)'

Column Name: pregnancy_ind_code

Column Type: varchar

Max Length: 50

'Pregnancy Indicator (2000B/2000C-PAT-09)'

Column Name: pregnancy_ind_value

Column Type: varchar

Max Length: 50

The description associated with pregnancy_ind_code. See pregnancy_ind_code for more information.

Column Name: prop_cas_clm_id_qlf_code

Column Type: varchar

Max Length: 50

'Property And Casualty Claim Number ID Qualifier (837 Billing)'

Column Name: prop_cas_clm_id_qlf_value

Column Type: varchar

Max Length: 50

The description associated with prop_cas_clm_id_qlf_code. See prop_cas_clm_id_qlf_code for more information.

Column Name: prop_cas_clm_num

Column Type: varchar

Max Length: 50

'Property And Casualty Claim Number (837 Billing)'

Column Name: prv_2nd_id_ref_id

Column Type: varchar

Max Length: 50
'Referring Provider Secondary Identifier Reference Identification (2310A-REF-02)'

Column Name: prv_2nd_ref_id_qual_code
Column Type: varchar
Max Length: 50
'Referring Provider Secondary Reference Identification Qualifier (2310A-REF-01)'

Column Name: prv_2nd_ref_id_qual_value
Column Type: varchar
Max Length: 50
The description associated with prv_2nd_ref_id_qual_code. See prv_2nd_ref_id_qual_code for more information.

Column Name: prv_entity_typ_qual_code
Column Type: varchar
Max Length: 50
'Referring Provider Entity Type Qualifier (2310A-NM1-02)'

Column Name: prv_entity_typ_qual_value
Column Type: varchar
Max Length: 50
The description associated with prv_entity_typ_qual_code. See prv_entity_typ_qual_code for more information.

Column Name: prv_id_code
Column Type: varchar
Max Length: 50
'Referring Provider Identification Code (2310A-NM1-09)'

Column Name: prv_id_code_qual_code
Column Type: varchar
Max Length: 50
'Referring Provider Identification Code Qualifier (2310A-NM1-08)'

Column Name: prv_id_code_qual_value
Column Type: varchar
Max Length: 50
The description associated with prv_id_code_qual_code. See prv_id_code_qual_code for more information.

Column Name: prv_last_name_or_org
Column Type: varchar
Max Length: 50
'Referring Provider Name Last or Organization Name (2310A-NM1-03)'

Column Name: prv_name_first
Column Type: varchar
Max Length: 50
'Referring Provider Name First (2310A-NM1-04)'

Column Name: prv_name_middle
Column Type: varchar
Max Length: 50
'Referring Provider Name Middle (2310A-NM1-05)'

Column Name: prv_name_suffix
Column Type: varchar
Max Length: 50
'Referring Provider Name Suffix (2310A-NM1-07)'

Column Name: prv_ref_id
Column Type: varchar
Max Length: 50
'Referring Provider Reference Identification (2310A-PRV-03)'

Column Name: ref_ident_qua_837p_code
Column Type: varchar
Max Length: 50
'Reference Identification Qualifier (2330B-REF-01)'

Column Name: ref_ident_qua_837p_value
Column Type: varchar
Max Length: 50
The description associated with ref_ident_qua_837p_code. See ref_ident_qua_837p_code for more information.

Column Name: ref_prv_qual_code
Column Type: varchar
Max Length: 50
'Referring Provider Or Other Source Code Qualifier (Form Locator 17)'

Column Name: ref_prv_qual_value
Column Type: varchar
Max Length: 50
The description associated with ref_prv_qual_code. See ref_prv_qual_code for more information.

Column Name: related_causes_837p_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'

Column Name: related_causes_837p_shval
Column Type: varchar
Max Length: 255
The short description (255 bytes) associated with related_causes_837p_code. See related_causes_837p_code for more information.

Column Name: related_causes_837p_value
Column Type: varchar
Max Length: 4096

The long description (4096 bytes) associated with related_causes_837p_code. See related_causes_837p_code for more information.

Column Name: report_trans_837p_code
Column Type: varchar
Max Length: 50
'Report Transmission Code (2300-PWK-02)'

Column Name: report_trans_837p_value
Column Type: varchar
Max Length: 50
The description associated with report_trans_837p_code. See report_trans_837p_code for more information.

Column Name: report_type_837p_code
Column Type: varchar
Max Length: 50
'Report Type Code (2300-PWK-01)'

Column Name: report_type_837p_value
Column Type: varchar
Max Length: 50
The description associated with report_type_837p_code. See report_type_837p_code for more information.

Column Name: responsibility_indicator_code
Column Type: varchar
Max Length: 50
'Responsibility Indicator (Electronic HCFA-1500 Only)'

Column Name: responsibility_indicator_value
Column Type: varchar
Max Length: 50
The description associated with responsibility_indicator_code. See responsibility_indicator_code for more information.

Column Name: subs_sec_id_837
Column Type: varchar
Max Length: 50
'Subscriber Secondary Identification (837 Billing)'

Column Name: subs_sec_id_qfl_837_code
Column Type: varchar
Max Length: 50
'Subscriber Secondary Identification ID Qualifier (837 Billing)'

Column Name: subs_sec_id_qfl_837_value
Column Type: varchar
Max Length: 50

'The description associated with subs_sec_id_qfl_837_code. See subs_sec_id_qfl_837_code for more information.

Column Name: svc_note_ref_837p_code

Column Type: varchar

Max Length: 50

'Service Note Reference Code (837P-2400-NTE-01)'

Column Name: svc_note_ref_837p_value

Column Type: varchar

Max Length: 50

The description associated with svc_note_ref_837p_code. See svc_note_ref_837p_code for more information.

Column Name: svc_note_text_837p

Column Type: varchar

Max Length: 80

'Service Note Text (837P-2400-NTE-02)'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Claim_Follow-Up

Table Name: SYSTEM.claim_follow_up

Table Description: This table returns denial information stored in the 'Claim Follow-Up' form.

Column Name: claim_follow_up

Column Type: varchar

Max Length: 254

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

'Claim'

Column Name: DEN_stuff

Column Type: varchar

Max Length: 15

A unique ID used to identify a row of data.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
'Guarantor'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: amount_billed
Column Type: varchar
Max Length: 40
'Amount Billed'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: denial_reason_code

Column Type: varchar

Max Length: 50

'Insurance Based Denial Reason'

Column Name: denial_reason_value_long

Column Type: varchar

Max Length: 4096

The description associated with denial_reason_code up to 4096 characters. See denial_reason_code for more information.

Column Name: denial_reason_value_short

Column Type: varchar

Max Length: 255

The description associated with denial_reason_code up to 255 characters. See denial_reason_code for more information.

Column Name: denial_type_code

Column Type: varchar

Max Length: 40

'Denial Type'

Column Name: denial_type_value

Column Type: varchar

Max Length: 40

The description associated with denial_type_code. See denial_type_code for more information.

Column Name: den_patient_account_num

Column Type: varchar

Max Length: 32000

'Patient Account Numbers Denied'

Column Name: den_reas_835_code

Column Type: varchar

Max Length: 50

'835 Denial Reason'

Column Name: den_reas_835_value_long

Column Type: varchar

Max Length: 4096

The description associated with den_reas_835_code up to 4096 characters. See den_reas_835_code for more information.

Column Name: den_reas_835_value_short

Column Type: varchar

Max Length: 255

The description associated with den_reas_835_code up to 255 characters. See den_reas_835_code for more information.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: void_repl_complete_date

Column Type: date

'Void/Replace Completed Date'

Column Name: void_repl_complete_user

Column Type: varchar
Max Length: 40
'Void/Replace Completed User'

Column Name: void_repl_mso
Column Type: varchar
Max Length: 1
'Void/Replace MSO'

Column Name: void_repl_pending_date
Column Type: date
'Void/Replace Pending Date'

Column Name: void_repl_pending_user
Column Type: varchar
Max Length: 40
'Void/Replace Pending User'

Column Name: void_repl_remit_rcvd_date
Column Type: date
'Void/Replace Remittance Received Date'

Column Name: void_repl_remit_rcvd_user
Column Type: varchar
Max Length: 40
'Void/Replace Remittance Received User'

Documentation for form: Claim_Follow-Up

Table Name: SYSTEM.claim_follow_up_data

Table Description: This table returns the claim follow-up records stored via the 'Claim Follow-up' form.

Column Name: claim_follow_up_data
Column Type: varchar
Max Length: 254

Column Name: CFU_stuff
Column Type: varchar
Max Length: 15
The unique identifier for the client's follow-up record.

Column Name: DEN_stuff
Column Type: varchar
Max Length: 15
The unique identifier for the client's denial record with which this follow-up is associated.

Column Name: FACILITY
Column Type: integer
The system code in which the follow-up was created.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the follow-up was created.

Column Name: comments
Column Type: varchar
Max Length: 32766
'Comments'

Column Name: completion_date
Column Type: date
'Completion Date'

Column Name: current_crn
Column Type: varchar
Max Length: 40
"Current CRN#"

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The name of the user who last updated the follow-up record.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The name of the user who last updated the follow-up record.

Column Name: data_entry_date
Column Type: date
The date the follow-up record was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that was last used to update the follow-up record.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

The time of day the follow-up record was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The ID of the user who last updated the follow-up record.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The name of the user who last updated the follow-up record.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: denial_crn

Column Type: varchar

Max Length: 40

'Denial CRN#'

Column Name: followed_up_code

Column Type: varchar

Max Length: 40

'Claim Followed Up'

Column Name: followed_up_value

Column Type: varchar

Max Length: 40

The description associated with claim_followed_up. See claim_followed_up for more information.

Column Name: follow_up_date

Column Type: date

'Follow-Up Date'

Column Name: follow_up_status_code

Column Type: varchar
Max Length: 40
'Follow-Up Status'

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 40
The description associated with follow_up_status_code. See follow_up_status_code for more information.

Column Name: next_follow_up_date
Column Type: date
'Next Follow-Up Date'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that was last used to update the follow-up record.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that was last used to update the follow-up record.

Documentation for form: NCPDP_Intermediary_Authorizations

Table Name: SYSTEM.ncdpd_intermediary_auths
Table Description: The table returns 'Intermediary Authorizations (NCPDP)' data

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: IAU_uniqueid
Column Type: varchar
Max Length: 12
IAU unique ID

Column Name: EPISODE_NUMBER

Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
Facility

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By (30001)

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By Option (30003)

Column Name: data_entry_date
Column Type: date
Data Entry Date (30000)

Column Name: data_entry_offset
Column Type: numeric
Data Entry Offset (30033)

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (300015)

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
Data Entry Time (30002)

Column Name: data_entry_time_j
Column Type: time
Data Entry Local Time (30032)

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
Data Entry Workstation Timezone (30031)

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
Data Entry Calculated Timezone (30034)

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
Data Entry User Id (30009)

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
Data Entry UTC Timestamp (30030)

Column Name: effective_date
Column Type: date
Effective Date

Column Name: expiration_date
Column Type: date
Expiration Date

Column Name: int_auth_id
Column Type: varchar
Max Length: 50
Intermediary Authorization ID

Column Name: int_auth_type_code
Column Type: varchar
Max Length: 50
Intermediary Authorization Type code

Column Name: int_auth_type_value
Column Type: varchar
Max Length: 80
Intermediary Authorization Type code value

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 20
Option Identifier (30010)

Column Name: prescription_num
Column Type: varchar
Max Length: 50
Prescription Number

Column Name: service_codes
Column Type: varchar
Max Length: 50
Service Code(s)

Column Name: service_codes_shval
Column Type: varchar
Max Length: 255
Service Code(s) value (short)

Column Name: service_codes_value
Column Type: varchar
Max Length: 4096
Service Code(s) value

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Bed_Assignment

Table Name: SYSTEM.history_bed_assignment

Table Description: This table returns information about client bed assignments.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BA_uniqueid
Column Type: varchar
Max Length: 12

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: PATID

Column Type: varchar
Max Length: 20

Column Name: admission_charge_code
Column Type: varchar
Max Length: 10

Column Name: admission_charge_value
Column Type: varchar
Max Length: 40

Column Name: bed
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code2
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value2
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code3
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value3
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code4

Column Type: varchar
Max Length: 10

Column Name: daily_charge_value4
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code5
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value5
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar

Max Length: 40

Column Name: date_of_bed_assignment

Column Type: date

Column Name: end_date_of_bed_assignment

Column Type: date

Column Name: licensed_unlicensed_code

Column Type: varchar

Max Length: 5

Column Name: licensed_unlicensed_value

Column Type: varchar

Max Length: 40

Column Name: notes

Column Type: varchar

Max Length: 4096

Column Name: option_desc

Column Type: varchar

Max Length: 80

Column Name: option_id

Column Type: varchar

Max Length: 20

Column Name: room

Column Type: varchar

Max Length: 40

Column Name: room_board_billing_code

Column Type: varchar

Max Length: 10

Column Name: room_board_billing_value

Column Type: varchar

Max Length: 40

Column Name: time_of_bed_assign
Column Type: varchar
Max Length: 40

Column Name: unit_X_NRI_code
Column Type: varchar
Max Length: 10

Column Name: unit_X_NRI_value
Column Type: varchar
Max Length: 40

Column Name: unit_code
Column Type: varchar
Max Length: 10

Column Name: unit_value
Column Type: varchar
Max Length: 40

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: notesstream
Column Type: longvarchar
Max Length: 2147483647

Documentation for form: Cross_Episode_Financial_Eligibility

Table Name: SYSTEM.billing_guar_subs_data_no_ep
Table Description: This table returns 'Cross Episode Financial Eligibility' subscriber data.

Column Name: subs_data_row_id
Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: PAY_INDEX

Column Type: varchar

Max Length: 10

The unique historic associated with the data.

Column Name: subs_name

Column Type: varchar

Max Length: 87

'Subscriber's Name'

Column Name: client_relation_to_subcode

Column Type: varchar

Max Length: 5

'Client's Relationship To Subscriber'.

Column Name: client_relation_to_subvalue

Column Type: varchar

Max Length: 40

The description associated with client_relation_to_subcode. See client_relation_to_subcode for more information.

Column Name: subs_address_street1

Column Type: varchar

Max Length: 40

'Subscriber's Address - Street Line 1'.

Column Name: subs_address_street2

Column Type: varchar

Max Length: 40

'Subscriber's Address - Street Line 2'.

Column Name: subs_address_city

Column Type: varchar

Max Length: 40

'Subscriber Address - City (250)'.

Column Name: subs_address_state

Column Type: varchar

Max Length: 2
'Subscriber Address - State'.

Column Name: subs_address_zip
Column Type: varchar
Max Length: 60
'Subscriber's Address - Zipcode'

Column Name: subs_phone_number
Column Type: varchar
Max Length: 60
'Subscriber's Phone Number'.

Column Name: subs_ss_number
Column Type: varchar
Max Length: 15
'Subscriber's Social Security #'.

Column Name: subs_sex_code
Column Type: varchar
Max Length: 5
'Subscriber's Sex'.

Column Name: subs_sex_value
Column Type: varchar
Max Length: 40
The description associated with subs_sex_code. See subs_sex_code for more information.

Column Name: subs_policy
Column Type: varchar
Max Length: 20
'Subscriber's Policy #'.

Column Name: subs_group_name
Column Type: varchar
Max Length: 40
'Subscriber's Group Name'.

Column Name: subs_group
Column Type: varchar
Max Length: 40
'Subscriber's Group #'.

Column Name: subs_branch_service_code
Column Type: varchar
Max Length: 5
'Subscriber's Branch Of Service'

Column Name: subs_branch_service_value
Column Type: varchar

Max Length: 40

The description associated with subs_branch_service_code. See subs_branch_service_code for more information.

Column Name: subs_military_status_code

Column Type: varchar

Max Length: 5

'Subscriber's Military Status'.

Column Name: subs_military_status_value

Column Type: varchar

Max Length: 40

The description associated with subs_military_status_code. See subs_military_status_code for more information.

Column Name: subs_tx_auth_code

Column Type: varchar

Max Length: 5

'Subscriber's Treatment Authorization'.

Column Name: subs_tx_auth_value

Column Type: varchar

Max Length: 40

The description associated with subs_tx_auth_code. See subs_tx_auth_code for more information.

Column Name: subs_assignment_benefits_code

Column Type: varchar

Max Length: 5

'Subscriber's Assignment Of Benefits'.

Column Name: subs_assignment_benefits_value

Column Type: varchar

Max Length: 40

The description associated with subs_assignment_benefits_code. See subs_assignment_benefits_code for more information.

Column Name: subs_release_info_code

Column Type: varchar

Max Length: 5

'Subscriber's Release Of Information'.

Column Name: subs_release_info_value

Column Type: varchar

Max Length: 40

The description associated with subs_release_info_code. See subs_release_info_code for more information.

Column Name: subs_birth_date

Column Type: date

'Subscriber's Birth Date'.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
The guarantor ID associated with the data.

Column Name: subs_medicare_number
Column Type: varchar
Max Length: 20
'Subscriber Medicare #'.

Column Name: subs_work_phone
Column Type: varchar
Max Length: 60
'Subscriber's Work Phone'.

Column Name: subs_address_county_code
Column Type: varchar
Max Length: 5
'Subscriber Address - County'.

Column Name: subs_address_county_value
Column Type: varchar
Max Length: 40
The description associated with subs_address_county_code. See subs_address_county_code for more information.

Column Name: subs_mcaid_number
Column Type: varchar
Max Length: 20
'Subscriber Medicaid #'.

Column Name: subs_covered_days
Column Type: numeric
'Subscriber's Covered Days'.

Column Name: subs_max_covered_dollars
Column Type: numeric
'Maximum Covered Dollars'.

Column Name: client_rel_sub_X_bill_code
Column Type: varchar
Max Length: 50
'Billing Patient's Relationship To Insured'.

Column Name: client_rel_sub_X_bill_value
Column Type: varchar
Max Length: 50
The description associated with client_rel_sub_X_bill_code. See client_rel_sub_X_bill_code for more information.

Column Name: contract_code
Column Type: varchar
Max Length: 50
'Contract Code (2300-CN1-04)'.

Column Name: contract_type_code
Column Type: varchar
Max Length: 50
'Contract Type Code (2300-CN1-01)'.

Column Name: contract_type_value
Column Type: varchar
Max Length: 50
The description associated with contract_type_code. See contract_type_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The 'User Description' of the user that last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' of the user that last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the user that last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: guarantor_name

Column Type: varchar

Max Length: 40

The name associated with GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: guarantor_order

Column Type: integer

The guarantor order for this GUARANTOR_ID.

Column Name: ins_plan_prog_name_fl_11c

Column Type: varchar

Max Length: 50

'Insurance Plan Name Or Program Name (HCFA-1500 Form Locator 11-C)'.

Column Name: insurance_type_code

Column Type: varchar

Max Length: 50

'Insurance Type Code (2000B/2320-SBR-05)'.

Column Name: insurance_type_value

Column Type: varchar

Max Length: 50

The description associated with insurance_type_code. See insurance_type_code for more information.

Column Name: lifetime_reserve_days

Column Type: varchar

Max Length: 50

'Lifetime Reserve Days'.

Column Name: maint_rsn_834_ins04_code
Column Type: varchar
Max Length: 5
'Maintenance Reason Code (834-2000-INS-04)'

Column Name: maint_rsn_834_ins04_value
Column Type: varchar
Max Length: 60
The description associated with maint_rsn_834_ins04_code. See maint_rsn_834_ins04_code for more information.

Column Name: ncpdp_e1_req_response
Column Type: varchar
Max Length: 999
'NCPDP Eligibility Verification (E1) Request Response'.

Column Name: ncpdp_e1_req_status_code
Column Type: varchar
Max Length: 50
'NCPDP Eligibility Verification (E1) Request Status'.

Column Name: ncpdp_e1_req_status_val
Column Type: varchar
Max Length: 40
The description associated with ncpdp_e1_req_status_code. See ncpdp_e1_req_status_code for more information.

Column Name: pat_signature_src_code
Column Type: varchar
Max Length: 50
'Patient Signature Source Code (2300-CLM-10 and 2320-OI-04)'.

Column Name: pat_signature_src_value
Column Type: varchar
Max Length: 50
The description associated with pat_signature_src_code. See pat_signature_src_code for more information.

Column Name: prg_override_code
Column Type: varchar
Max Length: 50
'Program Override For Eligibility Inquiry (270) Submission'.

Column Name: prg_override_value_long
Column Type: varchar
Max Length: 4096
The description associated with prg_override_code. See prg_override_code for more information.

Column Name: prg_override_value_short
Column Type: varchar
Max Length: 255

The description associated with prg_override_code. See prg_override_code for more information.

Column Name: sub_add_id_ident

Column Type: varchar

Max Length: 50

'Subscriber Additional Id Identifier (270-2100C-REF-02)'.

Column Name: sub_add_id_qua_code

Column Type: varchar

Max Length: 50

'Subscriber Additional Id Qualifier (270-2100C-REF-01)'.

Column Name: sub_add_id_qua_value

Column Type: varchar

Max Length: 50

The description associated with sub_add_id_qua_code. See sub_add_id_qua_code for more information.

Column Name: sub_client_index_num

Column Type: varchar

Max Length: 50

'Subscriber Client Index Number'.

Column Name: subs_address_country_code

Column Type: varchar

Max Length: 20

'Subscriber Address Country Code'.

Column Name: subs_address_country_value

Column Type: varchar

Max Length: 40

The description associated with subs_address_country_code. See subs_address_country_code for more information.

Column Name: subs_ethnicity_code

Column Type: varchar

Max Length: 5

'Subscriber's Ethnicity'.

Column Name: subs_ethnicity_value

Column Type: varchar

Max Length: 40

The description associated with subs_ethnicity_code. See subs_ethnicity_code for more information.

Column Name: subs_id_card_issue_date

Column Type: date

'Subscriber ID Card Issue Date'

Column Name: subs_marital_stat_code

Column Type: varchar

Max Length: 5

'Subscriber's Marital Status'

Column Name: subs_marital_stat_value

Column Type: varchar

Max Length: 40

The description associated with subs_marital_stat_code. See subs_marital_stat_code for more information.

Column Name: subs_name_first

Column Type: varchar

Max Length: 40

'Subscriber's First Name'.

Column Name: subs_name_last

Column Type: varchar

Max Length: 40

'Subscriber's Last Name'.

Column Name: subs_name_middle

Column Type: varchar

Max Length: 40

'Subscriber's Middle Name'.

Column Name: subs_name_prefix_code

Column Type: varchar

Max Length: 40

'Subscriber's Prefix'.

Column Name: subs_name_prefix_value

Column Type: varchar

Max Length: 40

The description associated with subs_name_prefix_code. See subs_name_prefix_code for more information.

Column Name: subs_name_suffix_code

Column Type: varchar

Max Length: 40

'Subscriber's Suffix'.

Column Name: subs_name_suffix_value

Column Type: varchar

Max Length: 40

The description associated with subs_name_suffix_code. See subs_name_suffix_code for more information.

Column Name: subs_policy_override

Column Type: varchar

Max Length: 50

'Subscriber Policy Number Override'.

Column Name: subs_policy_suffix

Column Type: varchar

Max Length: 2
'Subscriber's Policy # Suffix'.

Column Name: subs_race_code
Column Type: varchar
Max Length: 5
'Subscriber's Race'

Column Name: subs_race_value
Column Type: varchar
Max Length: 40
The description associated with subs_race_code. See subs_race_code for more information.

Column Name: subs_secondary_id
Column Type: varchar
Max Length: 50
'Subscriber Secondary Identification (837 Billing)'

Column Name: subs_secondary_id2
Column Type: varchar
Max Length: 50
'Property And Casualty Claim Number (837 Billing)'

Column Name: subs_secondary_id2_bill
Column Type: varchar
Max Length: 50
'Subscriber Secondary Identifier - 2 (837 Electronic Billing)'

Column Name: subs_secondary_id_qual_code
Column Type: varchar
Max Length: 50
'Subscriber Secondary Identification ID Qualifier (837 Billing)'

Column Name: subs_secondary_id_qual_value
Column Type: varchar
Max Length: 50
The description associated with subs_secondary_id_qual_code. See subs_secondary_id_qual_code for more information.

Column Name: subs_second_id_qual2_code
Column Type: varchar
Max Length: 50
'Property And Casualty Claim Number ID Qualifier (837 Billing)'

Column Name: subs_second_id_qual2_val
Column Type: varchar
Max Length: 50
The description associated with subs_second_id_qual2_code. See subs_second_id_qual2_code for more information.

Column Name: supplement_identifier_q4
Column Type: varchar
Max Length: 50
'Supplemental Identifier (Q4 - Prior Identifier Number)'.

Column Name: supplement_identifier_qq
Column Type: varchar
Max Length: 50
'Supplemental Identifier (QQ - Unit Number)'.

Column Name: supplement_identifier_zz
Column Type: varchar
Max Length: 50
'Supplemental Identifier (ZZ - Mutually Defined)'.

Column Name: title_XX_area_assigned_code
Column Type: varchar
Max Length: 12
'Title XX Area Assigned'.

Column Name: title_XX_area_assigned_value
Column Type: varchar
Max Length: 40
The description associated with title_XX_area_assigned_code. See title_XX_area_assigned_code for more information.

Column Name: title_XX_date_verified
Column Type: date
'Title XX Date Verified'.

Column Name: title_XX_elig_criteria_code
Column Type: varchar
Max Length: 12
'Title XX Eligibility Criteria'.

Column Name: title_XX_elig_criteria_value
Column Type: varchar
Max Length: 40
The description associated with title_XX_elig_criteria_code. See title_XX_elig_criteria_code for more information.

Column Name: tmhp_waiver_ref_num
Column Type: varchar
Max Length: 50
'TMHP Waiver Reference Number'

Documentation for form: Client_Self_Pay_Dunning_Messages

Table Name: SYSTEM.billing_client_sp_dunn_msg

Table Description: This table returns information filed in 'Client Self Pay Dunning Messages Information' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: v_patient_name
Column Type: varchar
Max Length: 100
Client Name

Column Name: EPISODE_NUMBER
Column Type: numeric
Episode Number

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
Guarantor ID

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: SDMuniqueid
Column Type: varchar
Max Length: 50
SDM Unique ID

Column Name: balance_msg_0
Column Type: varchar
Max Length: 80
\$0.00 Balance Message

Column Name: contact_information
Column Type: varchar
Max Length: 80
Contract Information

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
Data Entry Time

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data Entry User ID

Column Name: data_entry_user_name
Column Type: varchar

Max Length: 40
Data Entry User Name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: guarantor_description
Column Type: varchar
Max Length: 50
The Guarantor name associated with the GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: intro_bill_msg
Column Type: varchar
Max Length: 80
Introduction Bill Message

Column Name: message_override_for_all
Column Type: varchar
Max Length: 80
Message Override For All Categories

Column Name: no_payment_msg_120
Column Type: varchar
Max Length: 80
120 Day No Payment Message

Column Name: no_payment_msg_150
Column Type: varchar
Max Length: 80
150 Day No Payment Message

Column Name: no_payment_msg_30
Column Type: varchar
Max Length: 80
30 Day No Payment Message

Column Name: no_payment_msg_60
Column Type: varchar
Max Length: 80
60 Day No Payment Message

Column Name: no_payment_msg_90
Column Type: varchar
Max Length: 80
90 Day No Payment Message

Column Name: option_desc
Column Type: varchar
Max Length: 80

Option Description

Column Name: option_id

Column Type: varchar

Max Length: 20

Option Identifier

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Self_Pay_Payment_Arrangement

Table Name: SYSTEM.billing_sp_pay_arrangement

Table Description: This table returns information filed in 'Self Pay Payment Arrangement Information' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: v_patient_name

Column Type: varchar

Max Length: 100

Client Name

Column Name: EPISODE_NUMBER

Column Type: numeric

Episode Number

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 10

Guarantor ID

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: SPAuniqueid
Column Type: varchar
Max Length: 50
Unique ID

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
Data Entry Time

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Data Entry User ID

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Data Entry User Name

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: effective_date

Column Type: date

Effective Date

Column Name: expiration_date

Column Type: date

Expiration Date

Column Name: guarantor_description

Column Type: varchar

Max Length: 50

The Guarantor name associated with the GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: min_payment_amount

Column Type: numeric

Minimum Payment Amount

Column Name: option_desc

Column Type: varchar

Max Length: 80

Option Description

Column Name: option_id

Column Type: varchar

Max Length: 20

Option Identifier

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Consent_For_Access

Table Name: SYSTEM.audit_consent_for_access

Table Description: This table audits information on client's HIE consents.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: audit_data_entry_action

Column Type: varchar

Max Length: 50

The user who last updated the row.

Column Name: audit_data_entry_by

Column Type: varchar

Max Length: 50

The user who last updated the row.

Column Name: audit_data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: audit_data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: audit_data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID that last updated the row.

Column Name: audit_data_entry_user_name

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: audit_date

Column Type: date

The date the row was updated.

Column Name: audit_option_desc

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: audit_option_id

Column Type: varchar

Max Length: 50

The unique ID for the form that last updated the row.

Column Name: audit_time

Column Type: time

The time the row was updated.

Column Name: cah_unique_id

Column Type: varchar

Max Length: 20

hst uniqueid

Column Name: consent_for_code

Column Type: varchar

Max Length: 50

'Consent For' - Determines if the consent is for Network or Organization

Column Name: consent_for_value

Column Type: varchar

Max Length: 50

Dictionary value for the column 'consent_for_code'

Column Name: consent_send_code

Column Type: varchar

Max Length: 50

'Consent to Send' for the HIE consent

Column Name: consent_send_value

Column Type: varchar

Max Length: 50

Dictionary value for the column 'consent_send_code'

Column Name: consent_type_code

Column Type: varchar

Max Length: 50

'Consent to Query' for the HIE consent

Column Name: consent_type_value

Column Type: varchar

Max Length: 50

Dictionary value for the column 'consent_type_code'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row. entry_by

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row. entry_by_option

Column Name: data_entry_date

Column Type: date

The date the row was last updated. entry_date

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated. entry_time

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row. entry_user_id

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row. entry_user_name

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: end_date
Column Type: date
End date for the consent

Column Name: hie_access_code
Column Type: varchar
Max Length: 50
HIE to Access

Column Name: hie_access_scopeid
Column Type: varchar
Max Length: 50
Scope ID for the column 'hie_access_code'

Column Name: hie_access_value
Column Type: varchar
Max Length: 50
Dictionary value for the column 'hie_access_code'

Column Name: organization
Column Type: varchar
Max Length: 50
Organization ID (when the consent for Organization)

Column Name: organization_name
Column Type: varchar
Max Length: 50
Organization Name for 'organization'

Column Name: organization_scopeid
Column Type: varchar
Max Length: 50
Organization Scope ID for 'organization'

Column Name: provider_code
Column Type: varchar
Max Length: 10000
'Agencies Specified' for the HIE consent

Column Name: provider_value
Column Type: varchar
Max Length: 30000
& delimited dictionary values for the column 'provider_code'

Column Name: recorded_by
Column Type: varchar
Max Length: 40
Recorded by user id

Column Name: recorded_by_user_name
Column Type: varchar
Max Length: 40
Recorded by user name

Column Name: start_date
Column Type: date
Start date for the consent

Documentation for form: Consent_For_Access

Table Name: SYSTEM.audit_referral_consent

Table Description: This table audits the information on client's referral consents.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: audit_data_entry_action
Column Type: varchar
Max Length: 50
The user who last updated the row.

Column Name: audit_data_entry_by
Column Type: varchar
Max Length: 50
The user who last updated the row.

Column Name: audit_data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: audit_data_entry_source
Column Type: varchar
Max Length: 50

The name of the form that last updated the row.

Column Name: audit_data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID that last updated the row.

Column Name: audit_data_entry_user_name

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: audit_date

Column Type: date

The date the row was updated.

Column Name: audit_option_desc

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: audit_option_id

Column Type: varchar

Max Length: 50

The unique ID for the form that last updated the row.

Column Name: audit_time

Column Type: time

The time the row was updated.

Column Name: car_unique_id

Column Type: varchar

Max Length: 20

Historic unique id

Column Name: cfr_code

Column Type: varchar

Max Length: 50

This is on the main tab of the 'Consent for Access' form

Column Name: cfr_value

Column Type: varchar

Max Length: 80

Dictionary value for the column 'cfr_code'

Column Name: consent_send_code

Column Type: varchar

Max Length: 50

'Consent to Send' for the Referral consent

Column Name: consent_send_value
Column Type: varchar
Max Length: 50
Dictionary value for the column 'consent_send_code'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: end_date

Column Type: date

End date for the consent

Column Name: provider_code

Column Type: varchar

Max Length: 10000

& delimited providers

Column Name: provider_scopeid

Column Type: varchar

Max Length: 30000

& delimited provider scope ids for the column 'provider_code'

Column Name: provider_value

Column Type: varchar

Max Length: 30000

& delimited provider names for the column 'provider_code'

Column Name: start_date

Column Type: date

Start date for the consent

Documentation for form: Consent_For_Access

Table Name: SYSTEM.consent_for_access

Table Description: This table returns information on client's HIE consents.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: cah_unique_id
Column Type: varchar
Max Length: 20
hst uniqueid

Column Name: consent_for_code
Column Type: varchar
Max Length: 50
'Consent For' - Determines if the consent is for Network or Organization

Column Name: consent_for_value
Column Type: varchar
Max Length: 50
Dictionary value for the column 'consent_for_code'

Column Name: consent_send_code
Column Type: varchar
Max Length: 50
'Consent to Send' for the HIE consent

Column Name: consent_send_value
Column Type: varchar
Max Length: 50
Dictionary value for the column 'consent_send_code'

Column Name: consent_type_code
Column Type: varchar
Max Length: 50
'Consent to Query' for the HIE consent

Column Name: consent_type_value
Column Type: varchar
Max Length: 50
Dictionary value for the column 'consent_type_code'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row. entry_by

Column Name: data_entry_by_option

Column Type: varchar
Max Length: 40
The user name that last updated the row. entry_by_option

Column Name: data_entry_date
Column Type: date
The date the row was last updated. entry_date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated. entry_time

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row. entry_user_id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row. entry_user_name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: end_date
Column Type: date
End date for the consent

Column Name: hie_access_code

Column Type: varchar
Max Length: 50
HIE to Access

Column Name: hie_access_scopeid
Column Type: varchar
Max Length: 50
Scope ID for the column 'hie_access_code'

Column Name: hie_access_value
Column Type: varchar
Max Length: 50
Dictionary value for the column 'hie_access_code'

Column Name: organization
Column Type: varchar
Max Length: 50
Organization ID (when the consent for Organization)

Column Name: organization_name
Column Type: varchar
Max Length: 50
Organization Name for 'organization'

Column Name: organization_scopeid
Column Type: varchar
Max Length: 50
Organization Scope ID for 'organization'

Column Name: provider_code
Column Type: varchar
Max Length: 10000
'Agencies Specified' for the HIE consent

Column Name: provider_value
Column Type: varchar
Max Length: 30000
& delimited dictionary values for the column 'provider_code'

Column Name: recorded_by
Column Type: varchar
Max Length: 40
Recorded by user id

Column Name: recorded_by_user_name
Column Type: varchar
Max Length: 40
Recorded by user name

Column Name: start_date

Column Type: date
Start date for the consent

Documentation for form: Consent_For_Access

Table Name: SYSTEM.referral_consent

Table Description: This table returns information on client's referral consents.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: car_unique_id
Column Type: varchar
Max Length: 20
Historic unique id

Column Name: cfr_code
Column Type: varchar
Max Length: 50
This is on the main tab of the 'Consent for Access' form

Column Name: cfr_value
Column Type: varchar
Max Length: 80
Dictionary value for the column 'cfr_code'

Column Name: consent_send_code
Column Type: varchar
Max Length: 50
'Consent to Send' for the Referral consent

Column Name: consent_send_value
Column Type: varchar
Max Length: 50
Dictionary value for the column 'consent_send_code'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: end_date

Column Type: date

End date for the consent

Column Name: provider_code

Column Type: varchar

Max Length: 10000

& delimited providers

Column Name: provider_scopeid

Column Type: varchar

Max Length: 30000

& delimited provider scope ids for the column 'provider_code'

Column Name: provider_value

Column Type: varchar

Max Length: 30000

& delimited provider names for the column 'provider_code'

Column Name: start_date

Column Type: date

Start date for the consent

Documentation for form: Disclosure_Management

Table Name: SYSTEM.disclo_mgmt

Table Description: This table returns information filed in 'Disclosure Management' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: DMGuniqueid

Column Type: varchar

Max Length: 50

Unique ID for the client Disclosure Management record.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: agency
Column Type: varchar
Max Length: 50
'Department'.

Column Name: agency_city
Column Type: varchar
Max Length: 50
'City'.

Column Name: agency_contact
Column Type: varchar
Max Length: 50
'Contact'.

Column Name: agency_fax_number
Column Type: varchar
Max Length: 50
'Fax Number'.

Column Name: agency_phone_number
Column Type: varchar
Max Length: 50
'Phone Number'.

Column Name: agency_state
Column Type: varchar
Max Length: 50
'State'.

Column Name: agency_street_1
Column Type: varchar
Max Length: 50
'Street Address 1'

Column Name: agency_street_2
Column Type: varchar
Max Length: 50
'Street Address 2'

Column Name: agency_zip_code
Column Type: varchar
Max Length: 50
'Zip Code'.

Column Name: authorization_end_date
Column Type: date
'Authorization End Date'.

Column Name: authorization_episodes
Column Type: varchar
Max Length: 4096
'Authorization Episode(s)'

Column Name: authorization_start_date
Column Type: date
'Authorization Start Date'.

Column Name: authorization_status_code
Column Type: varchar
Max Length: 50

Column Name: authorization_status_val
Column Type: varchar
Max Length: 80
The description associated with authorization_status_code. See authorization_status_code for more information.

Column Name: authorizatio_origin_code
Column Type: varchar
Max Length: 50
'Authorization Origin'.

Column Name: authorizatio_origin_value
Column Type: varchar
Max Length: 50
The description associated with authorizatio_origin_code. See authorizatio_origin_code for more information.

Column Name: authorized_other_code
Column Type: varchar
Max Length: 50
'Specify Other - Authorized For Disclosure'.

Column Name: authorized_other_info
Column Type: varchar
Max Length: 32766
'Specify Other - Authorized For Disclosure Info'.

Column Name: authorized_other_value

Column Type: varchar

Max Length: 50

The description associated with authorized_other_code. See authorized_other_code for more information.

Column Name: client_name

Column Type: varchar

Max Length: 100

Client name associated with the PATID.

Column Name: cost

Column Type: varchar

Max Length: 50

'Cost'.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_denial

Column Type: date

'Date of Denial'.

Column Name: discl_denied_reason_code

Column Type: varchar

Max Length: 50

'Disclosure Denied Reason'.

Column Name: discl_denied_reason_value

Column Type: varchar

Max Length: 50

The description associated with discl_denied_reason_code. See discl_denied_reason_code for more information.

Column Name: disclo_processed_by_desc

Column Type: varchar

Max Length: 32766

The description associated with disclo_processed_by_user or disclosure_processed_by. See disclo_processed_by_user and disclosure_processed_by for more information.

Column Name: disclo_processed_by_user

Column Type: varchar

Max Length: 50

'Disclosure Processed By'.

Column Name: disclos_method_spec_other

Column Type: varchar

Max Length: 50

'Disclosure Method - Specify Other'.

Column Name: disclosure_comments
Column Type: varchar
Max Length: 32766
'Disclosure Comments'.

Column Name: disclosure_date
Column Type: date
'Disclosure Date'.

Column Name: disclosure_denied_code
Column Type: varchar
Max Length: 50
'Disclosure Denied?'.

Column Name: disclosure_denied_value
Column Type: varchar
Max Length: 50
The description associated with disclosure_denied_code. See disclosure_denied_code for more information.

Column Name: disclosure_doc_images
Column Type: varchar
Max Length: 4096
'Disclosure Images'.

Column Name: disclosure_doc_images_val
Column Type: varchar
Max Length: 4096
value associated with codes in 'disclosure_doc_images'

Column Name: disclosure_info_end_date
Column Type: date
'Disclosure Information End Date'.

Column Name: disclosure_informat_code
Column Type: varchar
Max Length: 4096
'Chart Disclosure Information'.

Column Name: disclosure_informat_shval
Column Type: varchar
Max Length: 255
The short description associated with disclosure_informat_code. See disclosure_informat_code for more information.

Column Name: disclosure_informat_value
Column Type: varchar
Max Length: 32766

The description associated with disclosure_informat_code. See disclosure_informat_code for more information.

Column Name: disclosure_info_strt_date
Column Type: date
'Disclosure Information Start Date'.

Column Name: disclosure_method_code
Column Type: varchar
Max Length: 50
'Disclosure Method'.

Column Name: disclosure_method_value
Column Type: varchar
Max Length: 50
The description associated with disclosure_method_code. See disclosure_method_code for more information.

Column Name: disclosure_num_of_pages
Column Type: varchar
Max Length: 50
'Disclosure # of Pages'.

Column Name: disclosure_processed_by
Column Type: varchar
Max Length: 50
'Disclosure Processed By'.

Column Name: disclosure_status_code
Column Type: varchar
Max Length: 50
'Status' field in Disclosure Tab.

Column Name: disclosure_status_val
Column Type: varchar
Max Length: 80
The description associated with disclosure_status_code. See disclosure_status_code for more information.

Column Name: disclosure_time
Column Type: varchar
Max Length: 50
'Disclosure Time'.

Column Name: disclosur_info_spec_other
Column Type: varchar
Max Length: 32766
'Disclosure Information - Specify Other'.

Column Name: do_not_disclo_info_code
Column Type: varchar

Max Length: 50
'Do Not Disclose Information'.

Column Name: do_not_disclo_info_shval
Column Type: varchar
Max Length: 255
The short description associated with do_not_disclo_info_code. See do_not_disclo_info_code for more information.

Column Name: do_not_disclo_info_value
Column Type: varchar
Max Length: 4096
The description associated with do_not_disclo_info_code. See do_not_disclo_info_code for more information.

Column Name: do_not_disclose_specify
Column Type: varchar
Max Length: 32766
'Do Not Disclose Information - Specify Other'.

Column Name: mean_use_cli_inf_dis_code
Column Type: varchar
Max Length: 50
'Meaningful Use Clinical Info Exchange' from Disclosure Tab.

Column Name: mean_use_cli_inf_dis_val
Column Type: varchar
Max Length: 50
The description associated with mean_use_cli_inf_dis_code. See mean_use_cli_inf_dis_code for more information.

Column Name: mean_use_cli_inf_req_code
Column Type: varchar
Max Length: 50
'Meaningful Use Clinical Info Exchange' from Request Tab.

Column Name: mean_use_cli_inf_req_val
Column Type: varchar
Max Length: 50
The description associated with mean_use_cli_inf_req_code. See mean_use_cli_inf_req_code for more information.

Column Name: option_desc
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50

The unique ID of the form that last updated the row.

Column Name: organization

Column Type: varchar

Max Length: 4096

'Organization'.

Column Name: payment_received_code

Column Type: varchar

Max Length: 50

'Payment Received'.

Column Name: payment_received_val

Column Type: varchar

Max Length: 40

The description associated with payment_received_code. See payment_received_code for more information.

Column Name: process_type_code

Column Type: varchar

Max Length: 50

'Disclosure Process'.

Column Name: process_type_value

Column Type: varchar

Max Length: 50

The description associated with process_type_code. See process_type_code for more information.

Column Name: purpose_of_informat_code

Column Type: varchar

Max Length: 50

'Purpose of Disclosure'.

Column Name: purpose_of_informat_shval

Column Type: varchar

Max Length: 255

The short description associated with purpose_of_informat_code. See purpose_of_informat_code for more information.

Column Name: purpose_of_informat_value

Column Type: varchar

Max Length: 4096

The description associated with purpose_of_informat_code. See purpose_of_informat_code for more information.

Column Name: reason_for_denial

Column Type: varchar

Max Length: 32766

'Reason For Denial Notes'.

Column Name: reason_for_denial_code
Column Type: varchar
Max Length: 50
'Reason for Denial'.

Column Name: reason_for_denial_shval
Column Type: varchar
Max Length: 255
The short description associated with reason_for_denial_code. See reason_for_denial_code for more information.

Column Name: reason_for_denial_value
Column Type: varchar
Max Length: 4096
The description associated with reason_for_denial_code. See reason_for_denial_code for more information.

Column Name: request_assigned_to
Column Type: varchar
Max Length: 80
'Assigned To'.

Column Name: request_assigned_to_name
Column Type: varchar
Max Length: 40
The description associated with request_assigned_to. See request_assigned_to for more information.

Column Name: request_date
Column Type: date
'Request Date'.

Column Name: requested_chart_items
Column Type: varchar
Max Length: 4096
'Requested Chart Items'.

Column Name: requested_chart_items_val
Column Type: varchar
Max Length: 32766
The description associated with requested_chart_items. See requested_chart_items for more information.

Column Name: requested_doc_images
Column Type: varchar
Max Length: 4096
'Requested Document Images'.

Column Name: requested_doc_images_val
Column Type: varchar
Max Length: 4096
value associated with codes in 'requested_doc_images'

Column Name: requested_episodes
Column Type: varchar
Max Length: 4096
'Request Episode(s)'.

Column Name: requested_status_code
Column Type: varchar
Max Length: 50
Request Tab
DOCUMENTATION requested_status_code - 'Status' field in Request tab.

Column Name: requested_status_val
Column Type: varchar
Max Length: 80
The description associated with requested_status_code. See requested_status_code for more information.

Column Name: requester_notified_code
Column Type: varchar
Max Length: 50
'Requester Notified'.

Column Name: requester_notified_val
Column Type: varchar
Max Length: 40
The description associated with requester_notified_code. See requester_notified_code for more information.

Column Name: request_info_end_date
Column Type: date
'Request Information End Date'.

Column Name: request_information_code
Column Type: varchar
Max Length: 50
'Request Information'.

Column Name: request_information_shval
Column Type: varchar
Max Length: 255
The short description associated with request_information_code. See request_information_code for more information.

Column Name: request_information_value
Column Type: varchar
Max Length: 4096
The description associated with request_information_code. See request_information_code for more information.

Column Name: request_info_spec_other
Column Type: varchar

Max Length: 32766
'Request Information - Specify Other'.

Column Name: request_info_start_date
Column Type: date
'Request Information Start Date'.

Column Name: revoke_code
Column Type: varchar
Max Length: 50
'Revoke?'.

Column Name: revoke_date
Column Type: date
'Revoke Date'.

Column Name: revoke_reason_code
Column Type: varchar
Max Length: 50
'Revoke Reason'.

Column Name: revoke_reason_value
Column Type: varchar
Max Length: 50
The description associated with revoke_reason_code. See revoke_reason_code for more information.

Column Name: revoke_value
Column Type: varchar
Max Length: 50
The description associated with revoke_code. See revoke_code for more information.

Column Name: signed_authorization_code
Column Type: varchar
Max Length: 50
Authorization Tab
DOCUMENTATION signed_authorization_code - 'Signed Authorization on file'.

Column Name: signed_authorization_val
Column Type: varchar
Max Length: 80
The description associated with signed_authorization_code. See signed_authorization_code for more information.

Column Name: tracking_number
Column Type: varchar
Max Length: 40
'Tracking Number'.

Documentation for form: Disclosure_Management

Table Name: SYSTEM.disclo_mgmt_req_org

Table Description: This table stores Requesting Organization information from Disclosure Management form to support 'Requesting Organization or Individual' custom search.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: city
Column Type: varchar
Max Length: 50
'City'

Column Name: contact_name
Column Type: varchar
Max Length: 50
'Contact Name'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: department
Column Type: varchar
Max Length: 50
'Department'.

Column Name: fax_number
Column Type: varchar
Max Length: 50
'Fax Number'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: organization
Column Type: varchar
Max Length: 50
'Organization'.

Column Name: phone_number
Column Type: varchar
Max Length: 50
'Phone Number'.

Column Name: state
Column Type: varchar
Max Length: 50
'State'.

Column Name: street_address_1
Column Type: varchar
Max Length: 50
'Street Address 1'

Column Name: street_address_2
Column Type: varchar
Max Length: 50

Column Name: zip_code
Column Type: varchar
Max Length: 50
'Zip Code'

Documentation for form: Financial_Eligibility

Table Name: SYSTEM.billing_guar_emp_data
Table Description: This table returns subscriber employer information stored in the 'Financial Eligibility' form.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: S_INDEX
Column Type: varchar
Max Length: 15
Unique ID for this row of guarantor coverage information.

Column Name: date_benefits_terminated
Column Type: date
'Date Benefits Terminated'

Column Name: date_benefits_denied
Column Type: date
'Date Benefits Denied'

Column Name: denial_code
Column Type: varchar
Max Length: 10
'Denial Code'

Column Name: denial_value

Column Type: varchar

Max Length: 40

The description associated with denial_code. See denial_code for more information.

Column Name: lifetime_reserve_days

Column Type: varchar

Max Length: 5

'Lifetime Reserve Days'

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

'Guarantor #'

Column Name: cov_effective_date

Column Type: date

'Coverage Effective Date'

Column Name: cov_expiration_date

Column Type: date

'Coverage Expiration Date'

Column Name: contract_effective_date

Column Type: date

'Effective Date Of Contract'

Column Name: contract_expiration_date

Column Type: date

'Expiration Date Of Contract'

Column Name: managed_care_contract_code

Column Type: varchar

Max Length: 5

'Is This A Managed Care Contract'

Column Name: managed_care_contract_value

Column Type: varchar

Max Length: 40

The description associated with managed_care_contract_code. See managed_care_contract_code for more information.

Column Name: ins_code_mcaid_tape

Column Type: varchar

Max Length: 40

'Insurance Code/Medicaid Tape'

Column Name: eligibility_verified_code

Column Type: varchar

Max Length: 5

'Eligibility Verified'

Column Name: eligibility_verified_value

Column Type: varchar

Max Length: 40

The description associated with eligibility_verified_code. See eligibility_verified_code for more information.

Column Name: coordination_benefits_code

Column Type: varchar

Max Length: 5

'Coordination Of Benefits'

Column Name: coordination_benefits_value

Column Type: varchar

Max Length: 40

The description associated with coordination_benefits_code. See coordination_benefits_code for more information.

Column Name: date_of_accident

Column Type: date

'Date Of Accident'

Column Name: interim_billing_days

Column Type: numeric

'Number Of Days For Interim Billing'

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: subs_employer

Column Type: varchar

Max Length: 50

'Subscriber Employer Name'

Column Name: subs_emp_address_city

Column Type: varchar

Max Length: 40

'Subscriber Employer 's Add - City'

Column Name: subs_emp_address_county_code

Column Type: varchar

Max Length: 2

'Subscriber Employer Add - County'

Column Name: subs_emp_address_street

Column Type: varchar

Max Length: 40

'Subscriber Employer 's Add - Street'

Column Name: subs_emp_address_zip

Column Type: varchar
Max Length: 10
'Subscriber Employer Add - Zip'

Column Name: subs_employee_id_number
Column Type: varchar
Max Length: 20
'Subscriber Employee ID #'

Column Name: subs_emp_address_state
Column Type: varchar
Max Length: 2
'Subscriber Employer 's Add - State'

Column Name: subs_emp_status_code
Column Type: varchar
Max Length: 5
'Subscriber's Employment Status'

Column Name: subs_emp_status_value
Column Type: varchar
Max Length: 40
The description associated with subs_emp_status_code. See subs_emp_status_code for more information.

Column Name: subs_emp_address_county_value
Column Type: varchar
Max Length: 40
The description associated with subs_emp_address_county_code. See subs_emp_address_county_code for more information.

Column Name: subs_employer_id_number
Column Type: varchar
Max Length: 20
'Subscriber Employer ID Number'

Column Name: inquiry_270_status_code
Column Type: varchar
Max Length: 50
'Eligibility Inquiry (270) Status'

Column Name: inquiry_270_status_value
Column Type: varchar
Max Length: 50
The description associated with inquiry_270_status_code. See inquiry_270_status_code for more information.

Column Name: resp_271_rej_rea_code
Column Type: varchar
Max Length: 50
'Eligibility Response (271) Reject Reason Code'

Column Name: resp_271_rej_rea_value

Column Type: varchar

Max Length: 50

The description associated with resp_271_rej_rea_code. See resp_271_rej_rea_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Financial_Eligibility

Table Name: SYSTEM.billing_guar_subs_data

Table Description: This table returns 'Financial Eligibility' subscriber data.

Column Name: subs_data_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: S_INDEX

Column Type: varchar

Max Length: 15

The unique historic associated with the data.

Column Name: subs_name

Column Type: varchar

Max Length: 87

'Subscriber's Name'

Column Name: client_relation_to_subs_code

Column Type: varchar

Max Length: 5

'Client's Relationship To Subscriber'.

Column Name: client_relation_to_subs_value

Column Type: varchar

Max Length: 40

The description associated with client_relation_to_subs_code. See client_relation_to_subs_code for more information.

Column Name: subs_address_street1

Column Type: varchar

Max Length: 40

'Subscriber's Address - Street Line 1'.

Column Name: subs_address_street2

Column Type: varchar

Max Length: 40

'Subscriber's Address - Street Line 2'.

Column Name: subs_address_city

Column Type: varchar

Max Length: 40

'Subscriber Address - City (250)'.

Column Name: subs_address_state

Column Type: varchar

Max Length: 2

'Subscriber Address - State'.

Column Name: subs_address_zip

Column Type: varchar

Max Length: 60

'Subscriber's Address - Zipcode'

Column Name: subs_phone_number

Column Type: varchar

Max Length: 60

'Subscriber's Phone Number'.

Column Name: subs_ss_number

Column Type: varchar

Max Length: 15

'Subscriber's Social Security #'.

Column Name: subs_sex_code

Column Type: varchar

Max Length: 5

'Subscriber's Sex'.

Column Name: subs_sex_value

Column Type: varchar

Max Length: 40

The description associated with subs_sex_code. See subs_sex_code for more information.

Column Name: subs_policy
Column Type: varchar
Max Length: 20
'Subscriber's Policy #'.

Column Name: subs_group_name
Column Type: varchar
Max Length: 40
'Subscriber's Group Name'.

Column Name: subs_group
Column Type: varchar
Max Length: 40
'Subscriber's Group #'.

Column Name: subs_branch_service_code
Column Type: varchar
Max Length: 5
'Subscriber's Branch Of Service'

Column Name: subs_branch_service_value
Column Type: varchar
Max Length: 40
The description associated with subs_branch_service_code. See subs_branch_service_code for more information.

Column Name: subs_military_status_code
Column Type: varchar
Max Length: 5
'Subscriber's Military Status'.

Column Name: subs_military_status_value
Column Type: varchar
Max Length: 40
The description associated with subs_military_status_code. See subs_military_status_code for more information.

Column Name: subs_tx_auth_code
Column Type: varchar
Max Length: 5
'Subscriber's Treatment Authorization'.

Column Name: subs_tx_auth_value
Column Type: varchar
Max Length: 40
The description associated with subs_tx_auth_code. See subs_tx_auth_code for more information.

Column Name: subs_assignment_benefits_code
Column Type: varchar

Max Length: 5
'Subscriber's Assignment Of Benefits'.

Column Name: subs_assignment_benefits_value
Column Type: varchar
Max Length: 40
The description associated with subs_assignment_benefits_code. See subs_assignment_benefits_code for more information.

Column Name: subs_release_info_code
Column Type: varchar
Max Length: 5
'Subscriber's Release Of Information'.

Column Name: subs_release_info_value
Column Type: varchar
Max Length: 40
The description associated with subs_release_info_code. See subs_release_info_code for more information.

Column Name: subs_birth_date
Column Type: date
'Subscriber's Birth Date'.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
The guarantor ID associated with the data.

Column Name: subs_medicare_number
Column Type: varchar
Max Length: 20
'Subscriber Medicare #'.

Column Name: subs_work_phone
Column Type: varchar
Max Length: 60
'Subscriber's Work Phone'.

Column Name: subs_address_county_code
Column Type: varchar
Max Length: 5
'Subscriber Address - County'.

Column Name: subs_address_county_value
Column Type: varchar
Max Length: 40
The description associated with subs_address_county_code. See subs_address_county_code for more information.

Column Name: subs_mcaid_number

Column Type: varchar
Max Length: 20
'Subscriber Medicaid #'.

Column Name: subs_covered_days
Column Type: numeric
'Subscriber's Covered Days'.

Column Name: subs_max_covered_dollars
Column Type: numeric
'Maximum Covered Dollars'.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode associated with the data.

Column Name: client_rel_sub_X_bill_code
Column Type: varchar
Max Length: 50
'Billing Patient's Relationship To Insured'.

Column Name: client_rel_sub_X_bill_value
Column Type: varchar
Max Length: 50
The description associated with client_rel_sub_X_bill_code. See client_rel_sub_X_bill_code for more information.

Column Name: contract_code
Column Type: varchar
Max Length: 50
'Contract Code (2300-CN1-04)'.

Column Name: contract_type_code
Column Type: varchar
Max Length: 50
'Contract Type Code (2300-CN1-01)'.

Column Name: contract_type_value
Column Type: varchar
Max Length: 50
The description associated with contract_type_code. See contract_type_code for more information.

Column Name: guarantor_name
Column Type: varchar
Max Length: 40
The name associated with GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: guarantor_order
Column Type: integer
The guarantor order for this GUARANTOR_ID.

Column Name: ins_plan_prog_name_fl_11c
Column Type: varchar
Max Length: 50
'Insurance Plan Name Or Program Name (HCFA-1500 Form Locator 11-C)'.

Column Name: insurance_type_code
Column Type: varchar
Max Length: 50
'Insurance Type Code (2000B/2320-SBR-05)'.

Column Name: insurance_type_value
Column Type: varchar
Max Length: 50
The description associated with insurance_type_code. See insurance_type_code for more information.

Column Name: lifetime_reserve_days
Column Type: varchar
Max Length: 50
'Lifetime Reserve Days'.

Column Name: maint_rsn_834_ins04_code
Column Type: varchar
Max Length: 5
'Maintenance Reason Code (834-2000-INS-04)'

Column Name: maint_rsn_834_ins04_value
Column Type: varchar
Max Length: 60
The description associated with maint_rsn_834_ins04_code. See maint_rsn_834_ins04_code for more information.

Column Name: ncpdp_e1_req_response
Column Type: varchar
Max Length: 999
'NCPDP Eligibility Verification (E1) Request Response'.

Column Name: ncpdp_e1_req_status_code
Column Type: varchar
Max Length: 50
'NCPDP Eligibility Verification (E1) Request Status'.

Column Name: ncpdp_e1_req_status_val
Column Type: varchar
Max Length: 40
The description associated with ncpdp_e1_req_status_code. See ncpdp_e1_req_status_code for more information.

Column Name: pat_signature_src_code
Column Type: varchar

Max Length: 50
'Patient Signature Source Code (2300-CLM-10 and 2320-OI-04)'.

Column Name: pat_signature_src_value
Column Type: varchar
Max Length: 50
The description associated with pat_signature_src_code. See pat_signature_src_code for more information.

Column Name: prg_override_code
Column Type: varchar
Max Length: 50
'Program Override For Eligibility Inquiry (270) Submission'.

Column Name: prg_override_value_long
Column Type: varchar
Max Length: 4096
The description associated with prg_override_code. See prg_override_code for more information.

Column Name: prg_override_value_short
Column Type: varchar
Max Length: 255
The description associated with prg_override_code. See prg_override_code for more information.

Column Name: sub_add_id_ident
Column Type: varchar
Max Length: 50
'Subscriber Additional Id Identifier (270-2100C-REF-02)'.

Column Name: sub_add_id_qua_code
Column Type: varchar
Max Length: 50
'Subscriber Additional Id Qualifier (270-2100C-REF-01)'.

Column Name: sub_add_id_qua_value
Column Type: varchar
Max Length: 50
The description associated with sub_add_id_qua_code. See sub_add_id_qua_code for more information.

Column Name: sub_client_index_num
Column Type: varchar
Max Length: 50
'Subscriber Client Index Number'.

Column Name: subs_address_country_code
Column Type: varchar
Max Length: 20
'Subscriber Address Country Code'.

Column Name: subs_address_country_value
Column Type: varchar

Max Length: 40

The description associated with subs_address_country_code. See subs_address_country_code for more information.

Column Name: subs_ethnicity_code

Column Type: varchar

Max Length: 5

'Subscriber's Ethnicity'.

Column Name: subs_ethnicity_value

Column Type: varchar

Max Length: 40

The description associated with subs_ethnicity_code. See subs_ethnicity_code for more information.

Column Name: subs_id_card_issue_date

Column Type: date

'Subscriber ID Card Issue Date'

Column Name: subs_marital_stat_code

Column Type: varchar

Max Length: 5

'Subscriber's Marital Status'

Column Name: subs_marital_stat_value

Column Type: varchar

Max Length: 40

The description associated with subs_marital_stat_code. See subs_marital_stat_code for more information.

Column Name: subs_name_first

Column Type: varchar

Max Length: 40

'Subscriber's First Name'.

Column Name: subs_name_last

Column Type: varchar

Max Length: 40

'Subscriber's Last Name'.

Column Name: subs_name_middle

Column Type: varchar

Max Length: 40

'Subscriber's Middle Name'.

Column Name: subs_name_prefix_code

Column Type: varchar

Max Length: 40

'Subscriber's Prefix'.

Column Name: subs_name_prefix_value

Column Type: varchar

Max Length: 40

The description associated with subs_name_prefix_code. See subs_name_prefix_code for more information.

Column Name: subs_name_suffix_code

Column Type: varchar

Max Length: 40

'Subscriber's Suffix'.

Column Name: subs_name_suffix_value

Column Type: varchar

Max Length: 40

The description associated with subs_name_suffix_code. See subs_name_suffix_code for more information.

Column Name: subs_policy_override

Column Type: varchar

Max Length: 50

'Subscriber Policy Number Override'.

Column Name: subs_policy_suffix

Column Type: varchar

Max Length: 2

'Subscriber's Policy # Suffix'.

Column Name: subs_race_code

Column Type: varchar

Max Length: 5

'Subscriber's Race'

Column Name: subs_race_value

Column Type: varchar

Max Length: 40

The description associated with subs_race_code. See subs_race_code for more information.

Column Name: subs_secondary_id

Column Type: varchar

Max Length: 50

'Subscriber Secondary Identification (837 Billing)'

Column Name: subs_secondary_id2

Column Type: varchar

Max Length: 50

'Property And Casualty Claim Number (837 Billing)'

Column Name: subs_secondary_id2_bill

Column Type: varchar

Max Length: 50

'Subscriber Secondary Identifier - 2 (837 Electronic Billing)'

Column Name: subs_secondary_id_qual_code

Column Type: varchar
Max Length: 50
'Subscriber Secondary Identification ID Qualifier (837 Billing)'

Column Name: subs_secondary_id_qual_value
Column Type: varchar
Max Length: 50
The description associated with subs_secondary_id_qual_code. See subs_secondary_id_qual_code for more information.

Column Name: subs_second_id_qual2_code
Column Type: varchar
Max Length: 50
'Property And Casualty Claim Number ID Qualifier (837 Billing)'

Column Name: subs_second_id_qual2_val
Column Type: varchar
Max Length: 50
The description associated with subs_second_id_qual2_code. See subs_second_id_qual2_code for more information.

Column Name: supplement_identifier_q4
Column Type: varchar
Max Length: 50
'Supplemental Identifier (Q4 - Prior Identifier Number)'.

Column Name: supplement_identifier_qq
Column Type: varchar
Max Length: 50
'Supplemental Identifier (QQ - Unit Number)'.

Column Name: supplement_identifier_zz
Column Type: varchar
Max Length: 50
'Supplemental Identifier (ZZ - Mutually Defined)'.

Column Name: title_XX_area_assigned_code
Column Type: varchar
Max Length: 12
'Title XX Area Assigned'.

Column Name: title_XX_area_assigned_value
Column Type: varchar
Max Length: 40
The description associated with title_XX_area_assigned_code. See title_XX_area_assigned_code for more information.

Column Name: title_XX_date_verified
Column Type: date
'Title XX Date Verified'.

Column Name: title_XX_elig_criteria_code

Column Type: varchar

Max Length: 12

'Title XX Eligibility Criteria'.

Column Name: title_XX_elig_criteria_value

Column Type: varchar

Max Length: 40

The description associated with title_XX_elig_criteria_code. See title_XX_elig_criteria_code for more information.

Column Name: tmhp_waiver_ref_num

Column Type: varchar

Max Length: 50

'TMHP Waiver Reference Number'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Fast_Financial_Eligibility

Table Name: SYSTEM.billing_guar_emp_data

Table Description: This table returns subscriber employer information stored in the 'Financial Eligibility' form.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: S_INDEX

Column Type: varchar

Max Length: 15

Unique ID for this row of guarantor coverage information.

Column Name: date_benefits_terminated
Column Type: date
'Date Benefits Terminated'

Column Name: date_benefits_denied
Column Type: date
'Date Benefits Denied'

Column Name: denial_code
Column Type: varchar
Max Length: 10
'Denial Code'

Column Name: denial_value
Column Type: varchar
Max Length: 40
The description associated with denial_code. See denial_code for more information.

Column Name: lifetime_reserve_days
Column Type: varchar
Max Length: 5
'Lifetime Reserve Days'

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
'Guarantor #'

Column Name: cov_effective_date
Column Type: date
'Coverage Effective Date'

Column Name: cov_expiration_date
Column Type: date
'Coverage Expiration Date'

Column Name: contract_effective_date
Column Type: date
'Effective Date Of Contract'

Column Name: contract_expiration_date
Column Type: date
'Expiration Date Of Contract'

Column Name: managed_care_contract_code
Column Type: varchar
Max Length: 5
'Is This A Managed Care Contract'

Column Name: managed_care_contract_value

Column Type: varchar

Max Length: 40

The description associated with managed_care_contract_code. See managed_care_contract_code for more information.

Column Name: ins_code_mcaid_tape

Column Type: varchar

Max Length: 40

'Insurance Code/Medicaid Tape'

Column Name: eligibility_verified_code

Column Type: varchar

Max Length: 5

'Eligibility Verified'

Column Name: eligibility_verified_value

Column Type: varchar

Max Length: 40

The description associated with eligibility_verified_code. See eligibility_verified_code for more information.

Column Name: coordination_benefits_code

Column Type: varchar

Max Length: 5

'Coordination Of Benefits'

Column Name: coordination_benefits_value

Column Type: varchar

Max Length: 40

The description associated with coordination_benefits_code. See coordination_benefits_code for more information.

Column Name: date_of_accident

Column Type: date

'Date Of Accident'

Column Name: interim_billing_days

Column Type: numeric

'Number Of Days For Interim Billing'

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: subs_employer

Column Type: varchar

Max Length: 50

'Subscriber Employer Name'

Column Name: subs_emp_address_city
Column Type: varchar
Max Length: 40
'Subscriber Employer 's Add - City'

Column Name: subs_emp_address_county_code
Column Type: varchar
Max Length: 2
'Subscriber Employer Add - County'

Column Name: subs_emp_address_street
Column Type: varchar
Max Length: 40
'Subscriber Employer 's Add - Street'

Column Name: subs_emp_address_zip
Column Type: varchar
Max Length: 10
'Subscriber Employer Add - Zip'

Column Name: subs_employee_id_number
Column Type: varchar
Max Length: 20
'Subscriber Employee ID #'

Column Name: subs_emp_address_state
Column Type: varchar
Max Length: 2
'Subscriber Employer 's Add - State'

Column Name: subs_emp_status_code
Column Type: varchar
Max Length: 5
'Subscriber's Employment Status'

Column Name: subs_emp_status_value
Column Type: varchar
Max Length: 40
The description associated with subs_emp_status_code. See subs_emp_status_code for more information.

Column Name: subs_emp_address_county_value
Column Type: varchar
Max Length: 40
The description associated with subs_emp_address_county_code. See subs_emp_address_county_code for more information.

Column Name: subs_employer_id_number
Column Type: varchar
Max Length: 20
'Subscriber Employer ID Number'

Column Name: inquiry_270_status_code

Column Type: varchar

Max Length: 50

'Eligibility Inquiry (270) Status'

Column Name: inquiry_270_status_value

Column Type: varchar

Max Length: 50

The description associated with inquiry_270_status_code. See inquiry_270_status_code for more information.

Column Name: resp_271_rej_rea_code

Column Type: varchar

Max Length: 50

'Eligibility Response (271) Reject Reason Code'

Column Name: resp_271_rej_rea_value

Column Type: varchar

Max Length: 50

The description associated with resp_271_rej_rea_code. See resp_271_rej_rea_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Admission

Table Name: SYSTEM.admission_data

Table Description: This table returns information filed in 'Admission', 'Admission (Outpatient)', 'Back Dated Admission/Discharge', and 'Pre Admit' forms.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

Facility

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: AH_uniqueid

Column Type: varchar

Max Length: 12

AH Unique ID

Column Name: type_of_admission_code

Column Type: varchar

Max Length: 5

Type Of Admission

Column Name: type_of_admission_value

Column Type: varchar

Max Length: 40

The description for the type_of_admission_code. See type_of_admission_code for more information.

Column Name: EPISODE_NUMBER

Column Type: integer

Episode Number

Column Name: data_entry_date

Column Type: date

Data Entry Date

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Data Entry By

Column Name: admission_time

Column Type: varchar

Max Length: 10

Preadmit/Admission Time

Column Name: admission_date

Column Type: date

Preadmit/Admission Date

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

Data Entry Time

Column Name: military_related_dis_code

Column Type: varchar

Max Length: 10

Military Related Disability

Column Name: military_related_dis_value

Column Type: varchar

Max Length: 40

The description for the military_related_dis_code. See military_related_dis_code for more information.

Column Name: military_branch_code

Column Type: varchar

Max Length: 10

Military Branch Of Service

Column Name: military_service_from_date

Column Type: date

Military Service From

Column Name: military_service_through_date

Column Type: date

Military Service To

Column Name: veteran_code

Column Type: varchar

Max Length: 10

Veteran

Column Name: veteran_value

Column Type: varchar

Max Length: 40

The description for the veteran_code. See veteran_code for more information.

Column Name: military_branch_value

Column Type: varchar

Max Length: 40

The description for the military_branch_code. See military_branch_code for more information.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Data Entry By (Option)

Column Name: decision_to_admit_date

Column Type: date

Decision To Admit Date

Column Name: decision_to_admit_time

Column Type: varchar

Max Length: 26

Decision To Admit Time

Column Name: GUID

Column Type: varchar

Max Length: 50

GUID

Column Name: UTCTimeStamp
Column Type: timestamp
UTCTimestamp

Column Name: client_name
Column Type: varchar
Max Length: 100
Client Name

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data Entry User ID

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
Data Entry User Name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: expected_discharge_date
Column Type: date
Expected Discharge Date

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 20
Option Identifier

Column Name: program_code
Column Type: varchar
Max Length: 10
Program

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: provid
Column Type: varchar
Max Length: 50
PROVID

Column Name: provider_name
Column Type: varchar
Max Length: 50
Provider Name

Column Name: source_of_admission_code
Column Type: varchar
Max Length: 50
Source of Admission

Column Name: source_of_admission_value
Column Type: varchar
Max Length: 50
The description for the source_of_admission_code. See source_of_admission_code for more information.

Column Name: type_of_adm_X_ub92_code
Column Type: varchar
Max Length: 50
Admission Type (2300-CL1-01/UB92-FL 19/UB04-FL 14)

Column Name: type_of_adm_X_ub92_value
Column Type: varchar
Max Length: 50
The description for the type_of_adm_X_ub92_code. See type_of_adm_X_ub92_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Admission

Table Name: SYSTEM.episode_history

Table Description: This table returns Episode History.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPN_uniqueid

Column Type: varchar

Max Length: 10

EPN_uniqueid

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode

Column Name: program_code

Column Type: varchar

Max Length: 10

Program

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with the program_code. See program_code for more information.

Column Name: preadmit_admission_date

Column Type: date

Preadmit/Admission Date

Column Name: date_of_discharge
Column Type: date
Date Of Discharge

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: episode_select_for_query
Column Type: varchar
Max Length: 70
The field to use to select episodes in queries.

Column Name: v_patient_name
Column Type: varchar
Max Length: 100
Client name associated with the PATID.

Column Name: program_X_tx_setting_code
Column Type: varchar
Max Length: 10
Program Treatment Setting

Column Name: program_X_tx_setting_value
Column Type: varchar
Max Length: 40
The description associated with the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_RRG_code
Column Type: varchar
Max Length: 10
Program RRG Code

Column Name: program_X_type_code
Column Type: varchar
Max Length: 10
Program Type Code

Column Name: program_X_tax_id
Column Type: varchar
Max Length: 40
Program Tax ID

Column Name: program_X_street_address
Column Type: varchar
Max Length: 40
Program Street Address

Column Name: program_X_HCFA_POS
Column Type: varchar
Max Length: 40
Place Of Service (HCFA 24-B)

Column Name: program_X_location_code
Column Type: varchar
Max Length: 40
Program Location

Column Name: program_X_location_value
Column Type: varchar
Max Length: 40
The description associated with the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_type_value
Column Type: varchar
Max Length: 40
The description associated with the program_X_type_code. See program_X_type_code for more information.

Column Name: program_X_RRG_value
Column Type: varchar
Max Length: 40
The description associated with the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: JOIN_TO_Enrollment
Column Type: integer
Join to Enrollment

Column Name: alert_access_options
Column Type: varchar

Max Length: 50

The description associated with the alert_access. See alert_access for more information.

Column Name: alert_access_type

Column Type: varchar

Max Length: 50

Alert Access Type

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

Data Entry Source (30015)

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: fill_gaps_code

Column Type: varchar

Max Length: 5

Program Fill gaps in service entry record for duration of service?

Column Name: fill_gaps_service_code
Column Type: varchar
Max Length: 50
Service Code to use to fill gaps

Column Name: fill_gaps_service_value
Column Type: varchar
Max Length: 50
The description associated with the fill_gaps_service_code. See fill_gaps_service_code for more information.

Column Name: fill_gaps_staff_id
Column Type: varchar
Max Length: 10
Program Service Practitioner to use to fill gaps

Column Name: fill_gaps_staff_name
Column Type: varchar
Max Length: 50
The description associated with the fill_gaps_staff_id. See fill_gaps_staff_id for more information.

Column Name: fill_gaps_value
Column Type: varchar
Max Length: 10
The description associated with the fill_gaps_code. See fill_gaps_code for more information.

Column Name: last_date_of_service
Column Type: date
Last Date Of Service

Column Name: program_X_city_state_zip
Column Type: varchar
Max Length: 40
Program City, State Zip

Column Name: program_X_HCO_ID
Column Type: varchar
Max Length: 40
Program HCO ID

Column Name: program_X_phone_number
Column Type: varchar
Max Length: 40
Program Phone Number

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Admission

Table Name: SYSTEM.history_bed_assignment

Table Description: This table returns information about client bed assignments.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BA_uniqueid
Column Type: varchar
Max Length: 12

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: admission_charge_code
Column Type: varchar
Max Length: 10

Column Name: admission_charge_value
Column Type: varchar
Max Length: 40

Column Name: bed
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code2
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value2
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code3
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value3
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code4
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value4
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code5
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value5
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: date_of_bed_assignment
Column Type: date

Column Name: end_date_of_bed_assignment
Column Type: date

Column Name: licensed_unlicensed_code
Column Type: varchar
Max Length: 5

Column Name: licensed_unlicensed_value
Column Type: varchar
Max Length: 40

Column Name: notes
Column Type: varchar

Max Length: 4096

Column Name: option_desc

Column Type: varchar

Max Length: 80

Column Name: option_id

Column Type: varchar

Max Length: 20

Column Name: room

Column Type: varchar

Max Length: 40

Column Name: room_board_billing_code

Column Type: varchar

Max Length: 10

Column Name: room_board_billing_value

Column Type: varchar

Max Length: 40

Column Name: time_of_bed_assign

Column Type: varchar

Max Length: 40

Column Name: unit_X_NRI_code

Column Type: varchar

Max Length: 10

Column Name: unit_X_NRI_value

Column Type: varchar

Max Length: 40

Column Name: unit_code

Column Type: varchar

Max Length: 10

Column Name: unit_value

Column Type: varchar

Max Length: 40

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: notesstream

Column Type: longvarchar

Max Length: 2147483647

Documentation for form: Admission

Table Name: SYSTEM.history_partial_hosp

Table Description: This table returns partial hospitalization history.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The facility of the service.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service.

Column Name: PAH_uniqueid

Column Type: varchar

Max Length: 12

The PAH_uniqueid.

Column Name: days_code

Column Type: varchar

Max Length: 5

The partial hospitalization days (1200).

Column Name: partial_SERVICE_CODE

Column Type: varchar

Max Length: 40

Partial hospital billing code (1208).

Column Name: admission_charge_SERVICE_CODE
Column Type: varchar
Max Length: 40
Default service code for admission Charge Code (200).

Column Name: hours
Column Type: varchar
Max Length: 10
Partial hospitalization hours (1166).

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode of the service.

Column Name: effective_date
Column Type: date
The partial hospitalization effective date (1199).

Column Name: program_transferred_from
Column Type: varchar
Max Length: 6
Program transferred from (10059).

Column Name: expected_monday
Column Type: varchar
Max Length: 5
Expected in program monday (1231).

Column Name: expected_tuesday
Column Type: varchar
Max Length: 5
Expected in program tuesday (1232).

Column Name: expected_wednesday
Column Type: varchar
Max Length: 5
Expected in program wednesday (1233).

Column Name: expected_thursday
Column Type: varchar

Max Length: 5
Expected in program thursday (1234).

Column Name: expected_friday
Column Type: varchar
Max Length: 5
Expected in program friday (1235).

Column Name: expected_saturday
Column Type: varchar
Max Length: 5
Expected in program saturday (1236).

Column Name: expected_sunday
Column Type: varchar
Max Length: 5
Expected in program sunday (1237).

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: partial_SERVICE_CODE_2
Column Type: varchar
Max Length: 50
Partial hospital billing code 2.

Column Name: user_row_access_code
Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Admission

Table Name: SYSTEM.history_patient_movement

Table Description: This table returns client episode movement information filed via the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: join_to_admission_data
Column Type: varchar
Max Length: 12
Joins table to admission data.

Column Name: join_to_discharge_data
Column Type: varchar
Max Length: 12
Joins table to discharge data.

Column Name: join_to_leave_history
Column Type: varchar
Max Length: 12
Joins table to leaves history out on.

Column Name: join_to_program_transfer
Column Type: varchar
Max Length: 50

Joins table to program transfer.

Column Name: join_to_return_from_leave

Column Type: varchar

Max Length: 12

Joins table to leaves history return.

Column Name: movement_date

Column Type: date

'Movement Date'

Column Name: movement_time

Column Type: varchar

Max Length: 10

'Movement Time'

Column Name: movement_type_code

Column Type: varchar

Max Length: 50

'Movement Type'

Column Name: movement_type_value

Column Type: varchar

Max Length: 20

The description associated with movement_type_code. See movement_type_code for more information.

Column Name: movementuniqueid

Column Type: varchar

Max Length: 12

A unique ID used to identify a row of data.

Column Name: program_from

Column Type: varchar

Max Length: 20

'Program From'

Column Name: program_from_value

Column Type: varchar

Max Length: 40

The description associated with program_from_code. See program_from_code for more information.

Column Name: program_to

Column Type: varchar

Max Length: 40

'Program To'

Column Name: program_to_value

Column Type: varchar

Max Length: 40

The description associated with program_to_code. See program_to_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Admission

Table Name: SYSTEM.patient_current_demographics

Table Description: Patient Current Demographics

Column Name: patient_current_demographics

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

Facility

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: date_of_birth

Column Type: date

Patient Date of birth

Column Name: ethnic_origin_code

Column Type: varchar

Max Length: 5

Patient Ethnic origin

Column Name: patient_add_city

Column Type: varchar

Max Length: 40

Patient address city

Column Name: patient_add_county_code

Column Type: varchar

Max Length: 5

Patient address county

Column Name: patient_home_phone

Column Type: varchar
Max Length: 60
Patient home phone

Column Name: patient_name
Column Type: varchar
Max Length: 100
Patient Name

Column Name: patient_add_state_code
Column Type: varchar
Max Length: 10
Patient address state code

Column Name: patient_add_street_1
Column Type: varchar
Max Length: 40
Patient street address 1

Column Name: patient_add_street_2
Column Type: varchar
Max Length: 40
Patients address street 2

Column Name: patient_add_zipcode
Column Type: varchar
Max Length: 60
Patients address zipcode

Column Name: patient_sex_code
Column Type: varchar
Max Length: 5
Patients sex

Column Name: client_alias
Column Type: varchar
Max Length: 80
Client Alias

Column Name: employment_status_code
Column Type: varchar
Max Length: 10
Employment Status - Code (517)

Column Name: employment_status_value
Column Type: varchar
Max Length: 255
Employment Status - Value (517)

Column Name: occupation_code

Column Type: varchar
Max Length: 10
Occupation - Code (610)

Column Name: occupation_value
Column Type: varchar
Max Length: 255
Occupation - Value (610)

Column Name: education_code
Column Type: varchar
Max Length: 10
Education - Code (625)

Column Name: patient_ssn
Column Type: varchar
Max Length: 15
Patient's social security number

Column Name: religion_code
Column Type: varchar
Max Length: 20
Patient's religion code

Column Name: marital_status_code
Column Type: varchar
Max Length: 15
Patient's marital status

Column Name: patient_work_phone
Column Type: varchar
Max Length: 60
Patient's work phone

Column Name: patient_maiden_name
Column Type: varchar
Max Length: 40
Patient's maiden name

Column Name: race_code
Column Type: varchar
Max Length: 20
Patient's race code

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
Facility chart number

Column Name: patient_place_of_birth

Column Type: varchar
Max Length: 40
Patient's place of birth

Column Name: patient_sex_value
Column Type: varchar
Max Length: 40
Patient's sex value

Column Name: ethnic_origin_value
Column Type: varchar
Max Length: 255
Ethnic Origin

Column Name: religion_value
Column Type: varchar
Max Length: 255
Patient's Religion

Column Name: marital_status_value
Column Type: varchar
Max Length: 40
Patient's Marital Status

Column Name: race_value
Column Type: varchar
Max Length: 255
Patient's Race

Column Name: patient_add_county_value
Column Type: varchar
Max Length: 20
Patients address - County

Column Name: patient_add_state_value
Column Type: varchar
Max Length: 40
Patient Address - State - Value

Column Name: FAMID
Column Type: integer
Family ID

Column Name: address_start_date
Column Type: date
Address Start Date

Column Name: alert_access_options
Column Type: varchar
Max Length: 50

Alert Access Options

Column Name: alert_access_type

Column Type: varchar

Max Length: 50

Alert Access Type

Column Name: citizenship_code

Column Type: varchar

Max Length: 50

Citizenship

Column Name: citizenship_value

Column Type: varchar

Max Length: 50

Citizenship

Column Name: client_alias_10

Column Type: varchar

Max Length: 80

Client Alias 10

Column Name: client_alias_2

Column Type: varchar

Max Length: 80

Client Alias 2

Column Name: client_alias_3

Column Type: varchar

Max Length: 80

Client Alias 3

Column Name: client_alias_4

Column Type: varchar

Max Length: 80

Client Alias 4

Column Name: client_alias_5

Column Type: varchar

Max Length: 80

Client Alias 5

Column Name: client_alias_6

Column Type: varchar

Max Length: 80

Client Alias 6

Column Name: client_alias_7

Column Type: varchar

Max Length: 80

Client Alias 7

Column Name: client_alias_8
Column Type: varchar
Max Length: 80
Client Alias 8

Column Name: client_alias_9
Column Type: varchar
Max Length: 80
Client Alias 9

Column Name: client_conf_city
Column Type: varchar
Max Length: 50
Client Confidential Address - City

Column Name: client_conf_cntry_code
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Code

Column Name: client_conf_cntry_value
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Value

Column Name: client_conf_phone
Column Type: varchar
Max Length: 50
Client Confidential Address - Phone Number

Column Name: client_conf_state_code
Column Type: varchar
Max Length: 50
Client Confidential Address - State Code

Column Name: client_conf_state_value
Column Type: varchar
Max Length: 50
Client Confidential Address - State Value

Column Name: client_conf_street
Column Type: varchar
Max Length: 50
Client Confidential Address - Street

Column Name: client_conf_street2
Column Type: varchar
Max Length: 50

Client Confidential Address - Street 2

Column Name: client_conf_zipcode
Column Type: varchar
Max Length: 50
Client Confidential Address - Zip code

Column Name: client_email_addr
Column Type: varchar
Max Length: 50
Client's Email Address

Column Name: client_mail_city
Column Type: varchar
Max Length: 50
Client's Address - City

Column Name: client_mail_cntry_code
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_cntry_value
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_state_code
Column Type: varchar
Max Length: 50
Client's Address - State

Column Name: client_mail_state_value
Column Type: varchar
Max Length: 50
Client's Address - State

Column Name: client_mail_street
Column Type: varchar
Max Length: 50
Client's Address - Street 1

Column Name: client_mail_street2
Column Type: varchar
Max Length: 50
Client's Address - Street 2

Column Name: client_mail_zipcode
Column Type: varchar
Max Length: 50

Client's Address - Zip Code

Column Name: communication_pref_code
Column Type: varchar
Max Length: 50
Communication Preference Code

Column Name: communication_pref_value
Column Type: varchar
Max Length: 50
Communication Preference Value

Column Name: country_of_origin_code
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: country_of_origin_value
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: decline_prov_code
Column Type: varchar
Max Length: 50
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_long
Column Type: varchar
Max Length: 4096
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_short
Column Type: varchar
Max Length: 255
Client Declined To Provide Information On The Following

Column Name: education_value
Column Type: varchar
Max Length: 255
education - Value (625)

Column Name: ethnic_origin_X_NRI_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI

Column Name: ethnic_origin_X_NRI_value
Column Type: varchar
Max Length: 255

Ethnic Origin X NRI

Column Name: eth_orig_X_NRI_2014_value

Column Type: varchar

Max Length: 255

Ethnic Origin X NRI 2014

Column Name: eth_orig_X_NRI_2014_code

Column Type: varchar

Max Length: 10

Ethnic Origin X NRI 2014

Column Name: expected_due_date

Column Type: date

Expected Due Date

Column Name: external_mpi_id

Column Type: varchar

Max Length: 50

External MPI ID

Column Name: fam_agric_worker_code

Column Type: varchar

Max Length: 5

'Do you have family members that are agricultural workers?'

Column Name: fam_agric_worker_value

Column Type: varchar

Max Length: 40

description for 'Do you have family members that are agricultural workers?'

Column Name: family_name

Column Type: varchar

Max Length: 50

Family name

Column Name: former_agric_worker_code

Column Type: varchar

Max Length: 5

'Are you an aged and disabled former migratory agricultural worker?'

Column Name: former_agric_worker_value

Column Type: varchar

Max Length: 40

description for 'Are you an aged and disabled former migratory agricultural worker?'

Column Name: gender_identity_code

Column Type: varchar

Max Length: 5

Patient's Gender Identity code

Column Name: gender_identity_value
Column Type: varchar
Max Length: 40
Patient's Gender Identity value

Column Name: guarantor_1
Column Type: varchar
Max Length: 10
Guarantor 1

Column Name: guarantor_10
Column Type: varchar
Max Length: 10
Guarantor 10

Column Name: guarantor_2
Column Type: varchar
Max Length: 10
Guarantor 2

Column Name: guarantor_3
Column Type: varchar
Max Length: 10
Guarantor 3

Column Name: guarantor_4
Column Type: varchar
Max Length: 10
Guarantor 4

Column Name: guarantor_5
Column Type: varchar
Max Length: 10
Guarantor 5

Column Name: guarantor_6
Column Type: varchar
Max Length: 10
Guarantor 6

Column Name: guarantor_7
Column Type: varchar
Max Length: 10
Guarantor 7

Column Name: guarantor_8
Column Type: varchar
Max Length: 10
Guarantor 8

Column Name: guarantor_9
Column Type: varchar
Max Length: 10
Guarantor 9

Column Name: guarantor_name_1
Column Type: varchar
Max Length: 40
Guarantor Name 1

Column Name: guarantor_name_10
Column Type: varchar
Max Length: 40
Guarantor Name 10

Column Name: guarantor_name_2
Column Type: varchar
Max Length: 40
Guarantor Name 2

Column Name: guarantor_name_3
Column Type: varchar
Max Length: 40
Guarantor Name 3

Column Name: guarantor_name_4
Column Type: varchar
Max Length: 40
Guarantor Name 4

Column Name: guarantor_name_5
Column Type: varchar
Max Length: 40
Guarantor Name 5

Column Name: guarantor_name_6
Column Type: varchar
Max Length: 40
Guarantor Name 6

Column Name: guarantor_name_7
Column Type: varchar
Max Length: 40
Guarantor Name 7

Column Name: guarantor_name_8
Column Type: varchar
Max Length: 40
Guarantor Name 8

Column Name: guarantor_name_9
Column Type: varchar
Max Length: 40
Guarantor Name 9

Column Name: lactating_status_code
Column Type: varchar
Max Length: 50
Lactating Status

Column Name: lactating_status_value
Column Type: varchar
Max Length: 50

Column Name: marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
Marital Status X NRI

Column Name: marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
Marital Status X NRI

Column Name: medicaid_number
Column Type: varchar
Max Length: 20
Medicaid Number

Column Name: medi_cal_policy_number
Column Type: varchar
Max Length: 20
'Medi-Cal Policy Number' used by the 'LA Provider Integration' module

Column Name: mothers_maiden_name
Column Type: varchar
Max Length: 100
Mother's Maiden Name

Column Name: name_qualifier_code
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: name_qualifier_value
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: other_eth_org_code

Column Type: varchar

Max Length: 50

Other Ethnic Origin

Column Name: other_eth_org_value_long

Column Type: varchar

Max Length: 4096

Other Ethnic Origin

Column Name: other_eth_org_value_short

Column Type: varchar

Max Length: 255

Other Ethnic Origin

Column Name: other_lang_code

Column Type: varchar

Max Length: 50

Other Language Code

Column Name: other_lang_shval

Column Type: varchar

Max Length: 255

Other Language Code

Column Name: other_lang_val

Column Type: varchar

Max Length: 4096

Other Language Code

Column Name: other_race_code

Column Type: varchar

Max Length: 50

Other Race Code

Column Name: other_race_value_long

Column Type: varchar

Max Length: 4096

Other Race Code

Column Name: other_race_value_short

Column Type: varchar

Max Length: 255

Other Race Code

Column Name: patient_add_country_code

Column Type: varchar

Max Length: 20

Patient Address Country Code

Column Name: patient_add_country_value
Column Type: varchar
Max Length: 40
Patient Address Country Value

Column Name: patient_cell_phone
Column Type: varchar
Max Length: 60
Patient cell phone

Column Name: patient_name_first
Column Type: varchar
Max Length: 40
Patient Name First

Column Name: patient_name_last
Column Type: varchar
Max Length: 40
Patient Last Name

Column Name: patient_name_middle
Column Type: varchar
Max Length: 40
Patient Middle Name

Column Name: patient_name_prefix_code
Column Type: varchar
Max Length: 40
Patient Name Prefix Code

Column Name: patient_name_prefix_value
Column Type: varchar
Max Length: 40
Patient Name Prefix Value

Column Name: patient_name_suffix_code
Column Type: varchar
Max Length: 40
Patient Name Suffix Code

Column Name: patient_name_suffix_value
Column Type: varchar
Max Length: 40
Patient Name Suffix Value

Column Name: patient_sex_X_NRI_code
Column Type: varchar
Max Length: 10
Patient Sex X NRI

Column Name: patient_sex_X_NRI_value
Column Type: varchar
Max Length: 40
Patient Sex X NRI

Column Name: patient_ssn_2
Column Type: varchar
Max Length: 15
Patient's social security number 2

Column Name: patient_ssn_3
Column Type: varchar
Max Length: 15
Patient's social security number 3

Column Name: patient_ssn_4
Column Type: varchar
Max Length: 15
Patient's social security number 4

Column Name: personal_pronouns
Column Type: varchar
Max Length: 40
'Personal Pronouns'

Column Name: policy_number_1
Column Type: varchar
Max Length: 20
policy number 1

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
policy number 10

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
policy number 2

Column Name: policy_number_3
Column Type: varchar
Max Length: 20
policy number 3

Column Name: policy_number_4
Column Type: varchar
Max Length: 20
policy number 4

Column Name: policy_number_5
Column Type: varchar
Max Length: 20
policy number 5

Column Name: policy_number_6
Column Type: varchar
Max Length: 20
policy number 6

Column Name: policy_number_7
Column Type: varchar
Max Length: 20
policy number 7

Column Name: policy_number_8
Column Type: varchar
Max Length: 20
policy number 8

Column Name: policy_number_9
Column Type: varchar
Max Length: 20
policy number 9

Column Name: preferred_name
Column Type: varchar
Max Length: 40
'Preferred Name'

Column Name: pref_prov_eth_org_code
Column Type: varchar
Max Length: 5
Preferred Provider's Ethnic origin

Column Name: pref_prov_eth_org_value
Column Type: varchar
Max Length: 255
Preferred Provider's Ethnic Origin value

Column Name: pref_prov_sex_code
Column Type: varchar
Max Length: 5
Preferred provider's sex

Column Name: pref_prov_sex_value
Column Type: varchar
Max Length: 15
Preferred provider's sex value

Column Name: pregnancy_status_code
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: pregnancy_status_value
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: primary_language_code
Column Type: varchar
Max Length: 50
Primary Language

Column Name: primary_language_value
Column Type: varchar
Max Length: 50
Primary Language

Column Name: protection_indicator_code
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: protection_indicator_date
Column Type: date
Protection Indicator Effective Date

Column Name: protection_indicator_val
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 5
Patients Sexual Orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
Patient's Sexual Orientation value

Column Name: smoker_code
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoker_value
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoking_stat_assess_date
Column Type: date
Smoking Status Assessment Date

Column Name: ss_demographics_date_1
Column Type: date
SS Demographics Date 1

Column Name: ss_demographics_date_2
Column Type: date
SS Demographics Date 2

Column Name: ss_demographics_date_3
Column Type: date
SS Demographics Date 3

Column Name: ss_demographics_date_4
Column Type: date
SS Demographics Date 4

Column Name: ss_demographics_date_5
Column Type: date
SS Demographics Date 5

Column Name: ss_demographics_dict_10_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 10 Code

Column Name: ss_demographics_dict_10_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 10 Value

Column Name: ss_demographics_dict_11_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 11 Code

Column Name: ss_demographics_dict_11_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 11 Value

Column Name: ss_demographics_dict_12_code

Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 12 Code

Column Name: ss_demographics_dict_12_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 12 Value

Column Name: ss_demographics_dict_13_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 13 Code

Column Name: ss_demographics_dict_13_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 13 Value

Column Name: ss_demographics_dict_14_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 14 Code

Column Name: ss_demographics_dict_14_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 14 Value

Column Name: ss_demographics_dict_15_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 15 Code

Column Name: ss_demographics_dict_15_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 15 Value

Column Name: ss_demographics_dict_16_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 16' Code

Column Name: ss_demographics_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_16_code. See ss_demographics_dict_16_code for more information.

Column Name: ss_demographics_dict_17_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 17' Code

Column Name: ss_demographics_dict_17_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_17_code. See ss_demographics_dict_17_code for more information.

Column Name: ss_demographics_dict_18_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 18' Code

Column Name: ss_demographics_dict_18_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_18_code. See ss_demographics_dict_18_code for more information.

Column Name: ss_demographics_dict_19_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 19' Code

Column Name: ss_demographics_dict_19_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_19_code. See ss_demographics_dict_19_code for more information.

Column Name: ss_demographics_dict_1_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 1 Code

Column Name: ss_demographics_dict_1_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 1 Value

Column Name: ss_demographics_dict_20_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 20' Code

Column Name: ss_demographics_dict_20_value
Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_20_code. See ss_demographics_dict_20_code for more information.

Column Name: ss_demographics_dict_2_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 2 Code

Column Name: ss_demographics_dict_2_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 2 Value

Column Name: ss_demographics_dict_3_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 3 Code

Column Name: ss_demographics_dict_3_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 3 Value

Column Name: ss_demographics_dict_4_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 4 Code

Column Name: ss_demographics_dict_4_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 4 Value

Column Name: ss_demographics_dict_5_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 5 Code

Column Name: ss_demographics_dict_5_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 5 Value

Column Name: ss_demographics_dict_6_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 6 Code

Column Name: ss_demographics_dict_6_value

Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 6 Value

Column Name: ss_demographics_dict_7_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 7 Code

Column Name: ss_demographics_dict_7_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 7 Value

Column Name: ss_demographics_dict_8_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 8 Code

Column Name: ss_demographics_dict_8_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 8 Value

Column Name: ss_demographics_dict_9_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 9 Code

Column Name: ss_demographics_dict_9_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 9 Value

Column Name: ss_demographics_free_txt_1
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 1

Column Name: ss_demographics_free_txt_10
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 10'

Column Name: ss_demographics_free_txt_11
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 11'

Column Name: ss_demographics_free_txt_12

Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 12'

Column Name: ss_demographics_free_txt_13
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 13'

Column Name: ss_demographics_free_txt_14
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 14'

Column Name: ss_demographics_free_txt_15
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 15'

Column Name: ss_demographics_free_txt_2
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 2

Column Name: ss_demographics_freetxt_20_1
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 1

Column Name: ss_demographics_freetxt_20_10
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 10'

Column Name: ss_demographics_freetxt_20_11
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 11'

Column Name: ss_demographics_freetxt_20_12
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 12'

Column Name: ss_demographics_freetxt_20_13
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 13'

Column Name: ss_demographics_freetxt_20_14

Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 14'

Column Name: ss_demographics_freetxt_20_15
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 15'

Column Name: ss_demographics_freetxt_20_2
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 2

Column Name: ss_demographics_freetxt_20_3
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 3

Column Name: ss_demographics_freetxt_20_4
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 4

Column Name: ss_demographics_freetxt_20_5
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 5

Column Name: ss_demographics_freetxt_20_6
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 6'

Column Name: ss_demographics_freetxt_20_7
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 7'

Column Name: ss_demographics_freetxt_20_8
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 8'

Column Name: ss_demographics_freetxt_20_9
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 9'

Column Name: ss_demographics_free_txt_3

Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 3

Column Name: ss_demographics_free_txt_4
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 4

Column Name: ss_demographics_freetxt_40_1
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 1

Column Name: ss_demographics_freetxt_40_10
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 10'

Column Name: ss_demographics_freetxt_40_11
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 11'

Column Name: ss_demographics_freetxt_40_12
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 12'

Column Name: ss_demographics_freetxt_40_13
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 13'

Column Name: ss_demographics_freetxt_40_14
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 14'

Column Name: ss_demographics_freetxt_40_15
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 15'

Column Name: ss_demographics_freetxt_40_2
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 2

Column Name: ss_demographics_freetxt_40_3

Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 3

Column Name: ss_demographics_freetxt_40_4
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 4

Column Name: ss_demographics_freetxt_40_5
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 5

Column Name: ss_demographics_freetxt_40_6
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 6'

Column Name: ss_demographics_freetxt_40_7
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 7'

Column Name: ss_demographics_freetxt_40_8
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 8'

Column Name: ss_demographics_freetxt_40_9
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 9'

Column Name: ss_demographics_free_txt_5
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 5

Column Name: ss_demographics_free_txt_6
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 6'

Column Name: ss_demographics_free_txt_7
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 7'

Column Name: ss_demographics_free_txt_8

Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 8'

Column Name: ss_demographics_freetxt_80_1
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 1'

Column Name: ss_demographics_freetxt_80_10
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 10'

Column Name: ss_demographics_freetxt_80_2
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 2'

Column Name: ss_demographics_freetxt_80_3
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 3'

Column Name: ss_demographics_freetxt_80_4
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 4'

Column Name: ss_demographics_freetxt_80_5
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 5'

Column Name: ss_demographics_freetxt_80_6
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 6'

Column Name: ss_demographics_freetxt_80_7
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 7'

Column Name: ss_demographics_freetxt_80_8
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 8'

Column Name: ss_demographics_freetxt_80_9

Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 9'

Column Name: ss_demographics_free_txt_9
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 9'

Column Name: ss_demographics_mult_10_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 10 Code

Column Name: ss_demographics_mult_10_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 10 Short Value

Column Name: ss_demographics_mult_10_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 10 Value

Column Name: ss_demographics_mult_11_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 11' Code

Column Name: ss_demographics_mult_11_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_11_code limited to 255 characters. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_11_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_11_code. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_12_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 12' Code

Column Name: ss_demographics_mult_12_shval
Column Type: varchar
Max Length: 255

The description associated with `ss_demographics_mult_12_code` limited to 255 characters. See `ss_demographics_mult_12_code` for more information.

Column Name: `ss_demographics_mult_12_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_12_code`. See `ss_demographics_mult_12_code` for more information.

Column Name: `ss_demographics_mult_13_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 13' Code

Column Name: `ss_demographics_mult_13_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_13_code` limited to 255 characters. See `ss_demographics_mult_13_code` for more information.

Column Name: `ss_demographics_mult_13_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_13_code`. See `ss_demographics_mult_13_code` for more information.

Column Name: `ss_demographics_mult_14_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 14' Code

Column Name: `ss_demographics_mult_14_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_14_code` limited to 255 characters. See `ss_demographics_mult_14_code` for more information.

Column Name: `ss_demographics_mult_14_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_14_code`. See `ss_demographics_mult_14_code` for more information.

Column Name: `ss_demographics_mult_15_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 15' Code

Column Name: `ss_demographics_mult_15_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_15_code` limited to 255 characters. See `ss_demographics_mult_15_code` for more information.

Column Name: `ss_demographics_mult_15_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_15_code`. See `ss_demographics_mult_15_code` for more information.

Column Name: `ss_demographics_mult_1_code`

Column Type: `varchar`

Max Length: 50

SS Demographics Multiple Select Dictionary 1 Code

Column Name: `ss_demographics_mult_1_shval`

Column Type: `varchar`

Max Length: 255

SS Demographics Multiple Select Dictionary 1 Short Value

Column Name: `ss_demographics_mult_1_value`

Column Type: `varchar`

Max Length: 4096

SS Demographics Multiple Select Dictionary 1 Value

Column Name: `ss_demographics_mult_2_code`

Column Type: `varchar`

Max Length: 50

SS Demographics Multiple Select Dictionary 2 Code

Column Name: `ss_demographics_mult_2_shval`

Column Type: `varchar`

Max Length: 255

SS Demographics Multiple Select Dictionary 2 Short Value

Column Name: `ss_demographics_mult_2_value`

Column Type: `varchar`

Max Length: 4096

SS Demographics Multiple Select Dictionary 2 Value

Column Name: `ss_demographics_mult_3_code`

Column Type: `varchar`

Max Length: 50

SS Demographics Multiple Select Dictionary 3 Code

Column Name: `ss_demographics_mult_3_shval`

Column Type: `varchar`

Max Length: 255

SS Demographics Multiple Select Dictionary 3 Short Value

Column Name: ss_demographics_mult_3_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 3 Value

Column Name: ss_demographics_mult_4_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 4 Code

Column Name: ss_demographics_mult_4_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 4 Short Value

Column Name: ss_demographics_mult_4_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 4 Value

Column Name: ss_demographics_mult_5_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 5 Code

Column Name: ss_demographics_mult_5_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 5 Short Value

Column Name: ss_demographics_mult_5_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 5 Value

Column Name: ss_demographics_mult_6_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 6 Code

Column Name: ss_demographics_mult_6_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 6 Short Value

Column Name: ss_demographics_mult_6_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 6 Value

Column Name: ss_demographics_mult_7_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 7 Code

Column Name: ss_demographics_mult_7_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 7 Short Value

Column Name: ss_demographics_mult_7_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 7 Value

Column Name: ss_demographics_mult_8_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 8 Code

Column Name: ss_demographics_mult_8_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 8 Short Value

Column Name: ss_demographics_mult_8_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 8 Value

Column Name: ss_demographics_mult_9_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 9 Code

Column Name: ss_demographics_mult_9_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 9 Short Value

Column Name: ss_demographics_mult_9_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 9 Value

Column Name: ss_demographics_phone_1
Column Type: varchar
Max Length: 50
Site Specific Phone Number 1

Column Name: ss_demographics_phone_2
Column Type: varchar
Max Length: 50
Site Specific Phone Number 2

Column Name: ss_demographics_phone_3
Column Type: varchar
Max Length: 50
Site Specific Phone Number 3

Column Name: ss_demographics_phone_4
Column Type: varchar
Max Length: 50
Site Specific Phone Number 4

Column Name: ss_demographics_phone_5
Column Type: varchar
Max Length: 50
Site Specific Phone Number 5

Column Name: ss_demographics_staff_1
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 1

Column Name: ss_demographics_staff_2
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 2

Column Name: ss_demographics_staff_3
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 3

Column Name: ss_demographics_staff_4
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 4

Column Name: ss_demographics_staff_5
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 5

Column Name: ss_demographics_time_1
Column Type: varchar
Max Length: 10
SS Demographics Time 1

Column Name: ss_demographics_time_2
Column Type: varchar
Max Length: 10
SS Demographics Time 2

Column Name: ss_demographics_time_3
Column Type: varchar
Max Length: 10
SS Demographics Time 3

Column Name: ss_demographics_time_4
Column Type: varchar
Max Length: 10
SS Demographics Time 4

Column Name: ss_demographics_time_5
Column Type: varchar
Max Length: 10
SS Demographics Time 5

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Admission

Table Name: SYSTEM.patient_demographic_history

Table Description: Patient Demographic History

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: MPI_uniqueid

Column Type: varchar
Max Length: 12
MPI unique ID

Column Name: patient_name
Column Type: varchar
Max Length: 40
Patient Name

Column Name: sex_code
Column Type: varchar
Max Length: 5
Sex

Column Name: sex_value
Column Type: varchar
Max Length: 40
Sex

Column Name: ethnic_origin_code
Column Type: varchar
Max Length: 5
Ethnic Origin

Column Name: ethnic_origin_value
Column Type: varchar
Max Length: 255
Ethnic Origin

Column Name: date_of_birth
Column Type: date
Date Of Birth

Column Name: patient_street_1
Column Type: varchar
Max Length: 40
Patient's Address - Street

Column Name: patient_city
Column Type: varchar
Max Length: 20
Patients Address - City

Column Name: patient_state
Column Type: varchar
Max Length: 40
Patient's Address - State

Column Name: patient_county_code
Column Type: varchar

Max Length: 5
Patient's Address - County

Column Name: patient_county_value
Column Type: varchar
Max Length: 40
patient's Address - County

Column Name: patient_zipcode
Column Type: varchar
Max Length: 60
Patient's Address - Zipcode

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
Patient's Home Phone

Column Name: patient_street_2
Column Type: varchar
Max Length: 40
Patient's Address - Street 2

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: social_security_number
Column Type: varchar
Max Length: 15
SS Number (6)

Column Name: religion_code
Column Type: varchar
Max Length: 5

Client Religion (9)

Column Name: religion_value
Column Type: varchar
Max Length: 255
Religion Value (9)

Column Name: marital_status_code
Column Type: varchar
Max Length: 10
Marital status code (10)

Column Name: marital_status_value
Column Type: varchar
Max Length: 40
Marital Status Value (10)

Column Name: client_work_phone
Column Type: varchar
Max Length: 60
Work Phone

Column Name: maiden_name
Column Type: varchar
Max Length: 40
Maiden Name

Column Name: client_race_Code
Column Type: varchar
Max Length: 10
Client Race - Code (116)

Column Name: client_race_value
Column Type: varchar
Max Length: 40
Client Race - Value (116)

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
Facility Chart Number

Column Name: client_alias
Column Type: varchar
Max Length: 80
Client Alias

Column Name: employment_status_code
Column Type: varchar
Max Length: 10

Employment Status - Code (517)

Column Name: employment_status_value

Column Type: varchar

Max Length: 255

Employment Status - Value (517)

Column Name: occupation_code

Column Type: varchar

Max Length: 10

Occupation - Code (610)

Column Name: occupation_value

Column Type: varchar

Max Length: 255

Occupation - Value (610)

Column Name: education_code

Column Type: varchar

Max Length: 10

Education - Code (625)

Column Name: education_value

Column Type: varchar

Max Length: 255

education - Value (625)

Column Name: place_of_birth

Column Type: varchar

Max Length: 40

Place of Birth

Column Name: GUID

Column Type: varchar

Max Length: 50

GUID

Column Name: InfoScribLegacyID

Column Type: varchar

Max Length: 50

InfoScribLegacyID

Column Name: UTCTimestamp

Column Type: timestamp

UTCTimestamp

Column Name: address_start_date

Column Type: date

Address Start Date

Column Name: citizenship_code
Column Type: varchar
Max Length: 50
Citizenship

Column Name: citizenship_value
Column Type: varchar
Max Length: 50
Citizenship

Column Name: client_alias_10
Column Type: varchar
Max Length: 80
Client Alias 10

Column Name: client_alias_2
Column Type: varchar
Max Length: 80
Client Alias 2

Column Name: client_alias_3
Column Type: varchar
Max Length: 80
Client Alias 3

Column Name: client_alias_4
Column Type: varchar
Max Length: 80
Client Alias 4

Column Name: client_alias_5
Column Type: varchar
Max Length: 80
Client Alias 5

Column Name: client_alias_6
Column Type: varchar
Max Length: 80
Client Alias 6

Column Name: client_alias_7
Column Type: varchar
Max Length: 80
Client Alias 7

Column Name: client_alias_8
Column Type: varchar
Max Length: 80
Client Alias 8

Column Name: client_alias_9
Column Type: varchar
Max Length: 80
Client Alias 9

Column Name: client_conf_city
Column Type: varchar
Max Length: 50
Client Confidential Address - City

Column Name: client_conf_cntry_code
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Code

Column Name: client_conf_cntry_value
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Value

Column Name: client_conf_phone
Column Type: varchar
Max Length: 50
Client Confidential Address - Phone Number

Column Name: client_conf_state_code
Column Type: varchar
Max Length: 50
Client Confidential Address - State Code

Column Name: client_conf_state_value
Column Type: varchar
Max Length: 50
Client Confidential Address - State Value

Column Name: client_conf_street
Column Type: varchar
Max Length: 50
Client Confidential Address - Street

Column Name: client_conf_street2
Column Type: varchar
Max Length: 50
Client Confidential Address - Street 2

Column Name: client_conf_zipcode
Column Type: varchar
Max Length: 50
Client Confidential Address - Zip code

Column Name: client_email_addr
Column Type: varchar
Max Length: 50
Client's Email Address

Column Name: client_mail_city
Column Type: varchar
Max Length: 50
Client's Mailing Address - City

Column Name: client_mail_cntry_code
Column Type: varchar
Max Length: 50
Client's Mailing Address - Country

Column Name: client_mail_cntry_value
Column Type: varchar
Max Length: 50
Client's Mailing Address - Country

Column Name: client_mail_state_code
Column Type: varchar
Max Length: 50
Client's Mailing Address - State

Column Name: client_mail_state_value
Column Type: varchar
Max Length: 50
Client's Mailing Address - State

Column Name: client_mail_street
Column Type: varchar
Max Length: 50
Client's Mailing Address - Street 1

Column Name: client_mail_street2
Column Type: varchar
Max Length: 50
Client's Mailing Address - Street 2

Column Name: client_mail_zipcode
Column Type: varchar
Max Length: 50
Client's Mailing Address - Zip Code

Column Name: communication_pref_code
Column Type: varchar
Max Length: 50
Communication Preference Code

Column Name: communication_pref_value
Column Type: varchar
Max Length: 50
Communication Preference Value

Column Name: country_of_origin_code
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: country_of_origin_value
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp

the UTC date and time the data was saved.

Column Name: decline_prov_code

Column Type: varchar

Max Length: 50

Client Declined To Provide Information On The Following

Column Name: decline_prov_value_long

Column Type: varchar

Max Length: 4096

Client Declined To Provide Information On The Following

Column Name: decline_prov_value_short

Column Type: varchar

Max Length: 255

Client Declined To Provide Information On The Following

Column Name: ethnic_origin_X_NRI_code

Column Type: varchar

Max Length: 10

Ethnic Origin X NRI

Column Name: ethnic_origin_X_NRI_value

Column Type: varchar

Max Length: 255

Ethnic Origin X NRI

Column Name: eth_orig_X_NRI_2014_value

Column Type: varchar

Max Length: 255

Ethnic Origin X NRI 2014

Column Name: eth_orig_X_NRI_2014_code

Column Type: varchar

Max Length: 10

Ethnic Origin X NRI 2014

Column Name: expected_due_date

Column Type: date

Expected Due Date

Column Name: external_mpi_id

Column Type: varchar

Max Length: 50

External MPI ID

Column Name: fam_agric_worker_code

Column Type: varchar

Max Length: 5

'Do you have family members that are agricultural workers?'

Column Name: fam_agric_worker_value
Column Type: varchar
Max Length: 40
description for 'Do you have family members that are agricultural workers?'

Column Name: former_agric_worker_code
Column Type: varchar
Max Length: 5
'Are you an aged and disabled former migratory agricultural worker?'

Column Name: former_agric_worker_value
Column Type: varchar
Max Length: 40
description for 'Are you an aged and disabled former migratory agricultural worker?'

Column Name: gender_identity_code
Column Type: varchar
Max Length: 5
Gender Identity code

Column Name: gender_identity_value
Column Type: varchar
Max Length: 40
Gender Identity value

Column Name: guarantor_1
Column Type: varchar
Max Length: 10
Guarantor 1

Column Name: guarantor_10
Column Type: varchar
Max Length: 10
Guarantor 10

Column Name: guarantor_2
Column Type: varchar
Max Length: 10
Guarantor 2

Column Name: guarantor_3
Column Type: varchar
Max Length: 10
Guarantor 3

Column Name: guarantor_4
Column Type: varchar
Max Length: 10
Guarantor 4

Column Name: guarantor_5
Column Type: varchar
Max Length: 10
Guarantor 5

Column Name: guarantor_6
Column Type: varchar
Max Length: 10
Guarantor 6

Column Name: guarantor_7
Column Type: varchar
Max Length: 10
Guarantor 7

Column Name: guarantor_8
Column Type: varchar
Max Length: 10
Guarantor 8

Column Name: guarantor_9
Column Type: varchar
Max Length: 10
Guarantor 9

Column Name: guarantor_name_1
Column Type: varchar
Max Length: 40
Guarantor Name 1

Column Name: guarantor_name_10
Column Type: varchar
Max Length: 40
Guarantor Name 10

Column Name: guarantor_name_2
Column Type: varchar
Max Length: 40
Guarantor Name 2

Column Name: guarantor_name_3
Column Type: varchar
Max Length: 40
Guarantor Name 3

Column Name: guarantor_name_4
Column Type: varchar
Max Length: 40
Guarantor Name 4

Column Name: guarantor_name_5
Column Type: varchar
Max Length: 40
Guarantor Name 5

Column Name: guarantor_name_6
Column Type: varchar
Max Length: 40
Guarantor Name 6

Column Name: guarantor_name_7
Column Type: varchar
Max Length: 40
Guarantor Name 7

Column Name: guarantor_name_8
Column Type: varchar
Max Length: 40
Guarantor Name 8

Column Name: guarantor_name_9
Column Type: varchar
Max Length: 40
Guarantor Name 9

Column Name: lactating_status_code
Column Type: varchar
Max Length: 50
Lactating Status

Column Name: lactating_status_value
Column Type: varchar
Max Length: 50

Column Name: marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
Marital Status X NRI

Column Name: marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
Marital Status X NRI

Column Name: medicaid_number
Column Type: varchar
Max Length: 20
Medicaid Number

Column Name: mothers_maiden_name
Column Type: varchar
Max Length: 100
Mother's Maiden Name

Column Name: name_qualifier_code
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: name_qualifier_value
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 50
Option Identifier

Column Name: other_eth_org_code
Column Type: varchar
Max Length: 50
Other Ethnic Origin

Column Name: other_eth_org_value_long
Column Type: varchar
Max Length: 4096
Other Ethnic Origin

Column Name: other_eth_org_value_short
Column Type: varchar
Max Length: 255
Other Ethnic Origin

Column Name: other_lang_code
Column Type: varchar
Max Length: 50
Other Language

Column Name: other_lang_shval
Column Type: varchar
Max Length: 255
Other Language

Column Name: other_lang_val
Column Type: varchar
Max Length: 4096
Other Language

Column Name: other_race_code
Column Type: varchar
Max Length: 50
Other Race

Column Name: other_race_value_long
Column Type: varchar
Max Length: 4096
Other Race

Column Name: other_race_value_short
Column Type: varchar
Max Length: 255
Other Race

Column Name: patient_cell_phone
Column Type: varchar
Max Length: 60
Patient cell phone

Column Name: patient_country_code
Column Type: varchar
Max Length: 20
Patient Address Country Code

Column Name: patient_country_value
Column Type: varchar
Max Length: 40
Patient Address Country Value

Column Name: patient_name_first
Column Type: varchar
Max Length: 100
Patient Name First

Column Name: patient_name_last
Column Type: varchar
Max Length: 40
Patient Last Name

Column Name: patient_name_middle
Column Type: varchar
Max Length: 40
Patient Middle Name

Column Name: patient_name_prefix_code
Column Type: varchar
Max Length: 40
Patient Name Prefix Code

Column Name: patient_name_prefix_value
Column Type: varchar
Max Length: 40
Patient Name Prefix Value

Column Name: patient_name_suffix_code
Column Type: varchar
Max Length: 40
Patient Name Suffix Code

Column Name: patient_name_suffix_value
Column Type: varchar
Max Length: 40
Patient Name Suffix Value

Column Name: personal_pronouns
Column Type: varchar
Max Length: 40
'Personal Pronouns'

Column Name: policy_number_1
Column Type: varchar
Max Length: 20
policy number 1

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
policy number 10

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
policy number 2

Column Name: policy_number_3
Column Type: varchar
Max Length: 20
policy number 3

Column Name: policy_number_4
Column Type: varchar
Max Length: 20
policy number 4

Column Name: policy_number_5
Column Type: varchar
Max Length: 20
policy number 5

Column Name: policy_number_6
Column Type: varchar
Max Length: 20
policy number 6

Column Name: policy_number_7
Column Type: varchar
Max Length: 20
policy number 7

Column Name: policy_number_8
Column Type: varchar
Max Length: 20
policy number 8

Column Name: policy_number_9
Column Type: varchar
Max Length: 20
policy number 9

Column Name: preferred_name
Column Type: varchar
Max Length: 40
'Preferred Name'

Column Name: pref_prov_eth_org_code
Column Type: varchar
Max Length: 5
Preferred Provider's Ethnic origin

Column Name: pref_prov_eth_org_value
Column Type: varchar
Max Length: 255
Preferred Provider's Ethnic Origin value

Column Name: pref_prov_sex_code
Column Type: varchar
Max Length: 5
Preferred provider's sex

Column Name: pref_prov_sex_value
Column Type: varchar
Max Length: 15
Preferred provider's sex value

Column Name: pregnancy_status_code
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: pregnancy_status_value
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: primary_language_code
Column Type: varchar
Max Length: 50
Primary Language

Column Name: primary_language_value
Column Type: varchar
Max Length: 50
Primary Language

Column Name: protection_indicator_code
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: protection_indicator_date
Column Type: date
Protection Indicator Effective Date

Column Name: protection_indicator_val
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 5
Sexual Orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
Sex

Column Name: sex_X_NRI_code
Column Type: varchar
Max Length: 10
Sex X NRI

Column Name: sex_X_NRI_value
Column Type: varchar
Max Length: 40
Sex X NRI

Column Name: smoker_code
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoker_value
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoking_stat_assess_date
Column Type: date
Smoking Status Assessment Date

Column Name: social_security_number_2
Column Type: varchar
Max Length: 15
SS Number 2 (6)

Column Name: social_security_number_3
Column Type: varchar
Max Length: 15
SS Number 3 (6)

Column Name: social_security_number_4
Column Type: varchar
Max Length: 15
SS Number 4 (6)

Column Name: ss_demographics_date_1
Column Type: date
SS Demographics Date 1

Column Name: ss_demographics_date_2
Column Type: date
SS Demographics Date 2

Column Name: ss_demographics_date_3
Column Type: date
SS Demographics Date 3

Column Name: ss_demographics_date_4
Column Type: date
SS Demographics Date 4

Column Name: ss_demographics_date_5

Column Type: date

SS Demographics Date 5

Column Name: ss_demographics_dict_10_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 10 Code

Column Name: ss_demographics_dict_10_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 10 Value

Column Name: ss_demographics_dict_11_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 11 Code

Column Name: ss_demographics_dict_11_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 11 Value

Column Name: ss_demographics_dict_12_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 12 Code

Column Name: ss_demographics_dict_12_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 12 Value

Column Name: ss_demographics_dict_13_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 13 Code

Column Name: ss_demographics_dict_13_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 13 Value

Column Name: ss_demographics_dict_14_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 14 Code

Column Name: ss_demographics_dict_14_value

Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 14 Value

Column Name: ss_demographics_dict_15_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 15 Code

Column Name: ss_demographics_dict_15_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 15 Value

Column Name: ss_demographics_dict_16_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 16' Code

Column Name: ss_demographics_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_16_code. See ss_demographics_dict_16_code for more information.

Column Name: ss_demographics_dict_17_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 17' Code

Column Name: ss_demographics_dict_17_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_17_code. See ss_demographics_dict_17_code for more information.

Column Name: ss_demographics_dict_18_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 18' Code

Column Name: ss_demographics_dict_18_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_18_code. See ss_demographics_dict_18_code for more information.

Column Name: ss_demographics_dict_19_code
Column Type: varchar
Max Length: 50

'SS Demographics Single Select Dictionary 19' Code

Column Name: ss_demographics_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_19_code. See ss_demographics_dict_19_code for more information.

Column Name: ss_demographics_dict_1_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 1 Code

Column Name: ss_demographics_dict_1_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 1 Value

Column Name: ss_demographics_dict_20_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 20' Code

Column Name: ss_demographics_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_20_code. See ss_demographics_dict_20_code for more information.

Column Name: ss_demographics_dict_2_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 2 Code

Column Name: ss_demographics_dict_2_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 2 Value

Column Name: ss_demographics_dict_3_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 3 Code

Column Name: ss_demographics_dict_3_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 3 Value

Column Name: ss_demographics_dict_4_code

Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 4 Code

Column Name: ss_demographics_dict_4_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 4 Value

Column Name: ss_demographics_dict_5_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 5 Code

Column Name: ss_demographics_dict_5_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 5 Value

Column Name: ss_demographics_dict_6_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 6 Code

Column Name: ss_demographics_dict_6_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 6 Value

Column Name: ss_demographics_dict_7_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 7 Code

Column Name: ss_demographics_dict_7_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 7 Value

Column Name: ss_demographics_dict_8_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 8 Code

Column Name: ss_demographics_dict_8_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 8 Value

Column Name: ss_demographics_dict_9_code

Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 9 Code

Column Name: ss_demographics_dict_9_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 9 Value

Column Name: ss_demographics_free_txt_1
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 1

Column Name: ss_demographics_free_txt_10
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 10'

Column Name: ss_demographics_free_txt_11
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 11'

Column Name: ss_demographics_free_txt_12
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 12'

Column Name: ss_demographics_free_txt_13
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 13'

Column Name: ss_demographics_free_txt_14
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 14'

Column Name: ss_demographics_free_txt_15
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 15'

Column Name: ss_demographics_free_txt_2
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 2

Column Name: ss_demographics_freetxt_20_1

Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 1

Column Name: ss_demographics_freetxt_20_10
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 10'

Column Name: ss_demographics_freetxt_20_11
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 11'

Column Name: ss_demographics_freetxt_20_12
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 12'

Column Name: ss_demographics_freetxt_20_13
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 13'

Column Name: ss_demographics_freetxt_20_14
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 14'

Column Name: ss_demographics_freetxt_20_15
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 15'

Column Name: ss_demographics_freetxt_20_2
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 2

Column Name: ss_demographics_freetxt_20_3
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 3

Column Name: ss_demographics_freetxt_20_4
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 4

Column Name: ss_demographics_freetxt_20_5

Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 5

Column Name: ss_demographics_freetxt_20_6
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 6'

Column Name: ss_demographics_freetxt_20_7
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 7'

Column Name: ss_demographics_freetxt_20_8
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 8'

Column Name: ss_demographics_freetxt_20_9
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 9'

Column Name: ss_demographics_free_txt_3
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 3

Column Name: ss_demographics_free_txt_4
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 4

Column Name: ss_demographics_freetxt_40_1
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 1

Column Name: ss_demographics_freetxt_40_10
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 10'

Column Name: ss_demographics_freetxt_40_11
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 11'

Column Name: ss_demographics_freetxt_40_12

Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 12'

Column Name: ss_demographics_freetxt_40_13
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 13'

Column Name: ss_demographics_freetxt_40_14
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 14'

Column Name: ss_demographics_freetxt_40_15
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 15'

Column Name: ss_demographics_freetxt_40_2
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 2

Column Name: ss_demographics_freetxt_40_3
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 3

Column Name: ss_demographics_freetxt_40_4
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 4

Column Name: ss_demographics_freetxt_40_5
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 5

Column Name: ss_demographics_freetxt_40_6
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 6'

Column Name: ss_demographics_freetxt_40_7
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 7'

Column Name: ss_demographics_freetxt_40_8

Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 8'

Column Name: ss_demographics_freetxt_40_9
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 9'

Column Name: ss_demographics_free_txt_5
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 5

Column Name: ss_demographics_free_txt_6
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 6'

Column Name: ss_demographics_free_txt_7
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 7'

Column Name: ss_demographics_free_txt_8
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 8'

Column Name: ss_demographics_freetxt_80_1
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 1'

Column Name: ss_demographics_freetxt_80_10
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 10'

Column Name: ss_demographics_freetxt_80_2
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 2'

Column Name: ss_demographics_freetxt_80_3
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 3'

Column Name: ss_demographics_freetxt_80_4

Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 4'

Column Name: ss_demographics_freetxt_80_5
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 5'

Column Name: ss_demographics_freetxt_80_6
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 6'

Column Name: ss_demographics_freetxt_80_7
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 7'

Column Name: ss_demographics_freetxt_80_8
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 8'

Column Name: ss_demographics_freetxt_80_9
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 9'

Column Name: ss_demographics_free_txt_9
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 9'

Column Name: ss_demographics_mult_10_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 10 Code

Column Name: ss_demographics_mult_10_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 10 Short Value

Column Name: ss_demographics_mult_10_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 10 Value

Column Name: ss_demographics_mult_11_code

Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 11' Code

Column Name: ss_demographics_mult_11_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_11_code limited to 255 characters. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_11_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_11_code. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_12_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 12' Code

Column Name: ss_demographics_mult_12_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_12_code limited to 255 characters. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_12_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_12_code. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_13_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 13' Code

Column Name: ss_demographics_mult_13_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_13_code limited to 255 characters. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_13_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_13_code. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_14_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 14' Code

Column Name: ss_demographics_mult_14_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_14_code limited to 255 characters. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_14_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_14_code. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_15_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 15' Code

Column Name: ss_demographics_mult_15_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_15_code limited to 255 characters. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_15_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_15_code. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_1_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 1 Code

Column Name: ss_demographics_mult_1_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 1 Short Value

Column Name: ss_demographics_mult_1_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 1 Value

Column Name: ss_demographics_mult_2_code

Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 2 Code

Column Name: ss_demographics_mult_2_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 2 Short Value

Column Name: ss_demographics_mult_2_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 2 Value

Column Name: ss_demographics_mult_3_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 3 Code

Column Name: ss_demographics_mult_3_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 3 Short Value

Column Name: ss_demographics_mult_3_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 3 Value

Column Name: ss_demographics_mult_4_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 4 Code

Column Name: ss_demographics_mult_4_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 4 Short Value

Column Name: ss_demographics_mult_4_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 4 Value

Column Name: ss_demographics_mult_5_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 5 Code

Column Name: ss_demographics_mult_5_shval

Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 5 Short Value

Column Name: ss_demographics_mult_5_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 5 Value

Column Name: ss_demographics_mult_6_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 6 Code

Column Name: ss_demographics_mult_6_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 6 Short Value

Column Name: ss_demographics_mult_6_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 6 Value

Column Name: ss_demographics_mult_7_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 7 Code

Column Name: ss_demographics_mult_7_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 7 Short Value

Column Name: ss_demographics_mult_7_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 7 Value

Column Name: ss_demographics_mult_8_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 8 Code

Column Name: ss_demographics_mult_8_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 8 Short Value

Column Name: ss_demographics_mult_8_value

Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 8 Value

Column Name: ss_demographics_mult_9_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 9 Code

Column Name: ss_demographics_mult_9_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 9 Short Value

Column Name: ss_demographics_mult_9_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 9 Value

Column Name: ss_demographics_phone_1
Column Type: varchar
Max Length: 50
Site Specific Phone Number 1

Column Name: ss_demographics_phone_2
Column Type: varchar
Max Length: 50
Site Specific Phone Number 2

Column Name: ss_demographics_phone_3
Column Type: varchar
Max Length: 50
Site Specific Phone Number 3

Column Name: ss_demographics_phone_4
Column Type: varchar
Max Length: 50
Site Specific Phone Number 4

Column Name: ss_demographics_phone_5
Column Type: varchar
Max Length: 50
Site Specific Phone Number 5

Column Name: ss_demographics_staff_1
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 1

Column Name: ss_demographics_staff_2

Column Type: varchar
Max Length: 20
SS Demographics Practitioner 2

Column Name: ss_demographics_staff_3
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 3

Column Name: ss_demographics_staff_4
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 4

Column Name: ss_demographics_staff_5
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 5

Column Name: ss_demographics_time_1
Column Type: varchar
Max Length: 10
SS Demographics Time 1

Column Name: ss_demographics_time_2
Column Type: varchar
Max Length: 10
SS Demographics Time 2

Column Name: ss_demographics_time_3
Column Type: varchar
Max Length: 10
SS Demographics Time 3

Column Name: ss_demographics_time_4
Column Type: varchar
Max Length: 10
SS Demographics Time 4

Column Name: ss_demographics_time_5
Column Type: varchar
Max Length: 10
SS Demographics Time 5

Documentation for form: Admission

Table Name: [SYSTEM.pce_client_mapping](#)

Table Description: This table returns information on ProviderConnect Enterprise client mappings.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: external_PATID
Column Type: varchar
Max Length: 20
The client ID used at the external system

Column Name: local_PATID
Column Type: varchar
Max Length: 20
The client ID used on the local system

Column Name: managing_organization_ID
Column Type: integer
The external PCE organization

Documentation for form: Admission

Table Name: [SYSTEM.pce_episode_mapping](#)

Table Description: This table returns information on ProviderConnect Enterprise episode mappings.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: external_EPISODE_NUMBER
Column Type: varchar
Max Length: 20
The episode number used in the external PCE system.

Column Name: external_PATID

Column Type: varchar
Max Length: 20
The client ID used in the external PCE system.

Column Name: external_discharge_ID
Column Type: varchar
Max Length: 20
The movement ID associated with the discharge movement of the external episode.

Column Name: external_movement_ID
Column Type: varchar
Max Length: 20
The movement ID associated with the external episode admission.

Column Name: local_EPISODE_NUMBER
Column Type: integer
The episode number used in the local system.

Column Name: local_PATID
Column Type: varchar
Max Length: 20
The client ID used in the local system.

Column Name: managing_organization_ID
Column Type: integer
The external PCE organization.

Column Name: secondary_mapping
Column Type: bit
The local episode is the second or later episode mapped to this external episode. Prevents sending this episode data and overwriting the primary.

Documentation for form: Admission

Table Name: SYSTEM.program_active_clients

Table Description: This table returns active clients in each program code.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PROGRAM

Column Type: varchar

Max Length: 10

The program code in which the patient is active in.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPISODENUMBER

Column Type: integer

'Episode Number'

Documentation for form: Admission

Table Name: [SYSTEM.view_episode_summary_admit](#)

Table Description: This table returns client episode admission information.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPN_uniqueid

Column Type: varchar

Max Length: 10

Unique ID for the episode record.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: program_code

Column Type: varchar

Max Length: 10

The program code associated with the data.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description associated with program_code. See program_code for more information.

Column Name: preadmit_admission_date

Column Type: date

'Pre-Admit/Admission Date'

Column Name: date_of_discharge

Column Type: date

'Date Of Discharge'

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 10

'Admission Program Treatment Setting'

Column Name: program_X_tx_service_code

Column Type: varchar

Max Length: 10

'Admission Program Treatment Service'

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 10

'Admission Program RRG'

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Admission Program Tax ID'

Column Name: program_X_street_address

Column Type: varchar

Max Length: 40

'Admission Program Street Address'

Column Name: program_X_HCFA_POS

Column Type: varchar

Max Length: 40

'Admission Program Place Of Service'

Column Name: program_X_dflt_location_code

Column Type: varchar

Max Length: 10

'Admission Program Default Location'

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description associated with program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_tx_service_value

Column Type: varchar

Max Length: 40

The description associated with program_X_tx_service_code. See program_X_tx_service_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description associated with program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description associated with program_X_type_code. See program_X_type_code for more information.

Column Name: program_X_dflt_location_value

Column Type: varchar

Max Length: 40

The description associated with program_X_dflt_location_code. See program_X_dflt_location_code for more information.

Column Name: c_zip

Column Type: varchar

Max Length: 60

'Client Address - ZIP'

Column Name: c_ethnicity_code

Column Type: varchar

Max Length: 10

'Client Ethnicity'

Column Name: c_ethnicity_value

Column Type: varchar

Max Length: 40

The description associated with c_ethnicity_code. See c_ethnicity_code for more information.

Column Name: c_race_code

Column Type: varchar

Max Length: 10

'Client Race'

Column Name: c_county_code

Column Type: varchar
Max Length: 10
'Client Address - County'

Column Name: c_religion_code
Column Type: varchar
Max Length: 10
'Client Religion'

Column Name: c_marital_status_code
Column Type: varchar
Max Length: 10
'Client Marital Status'

Column Name: c_date_of_birth
Column Type: date
'Client Date Of Birth'

Column Name: patient_name
Column Type: varchar
Max Length: 100
'Client Name'

Column Name: patient_gender_code
Column Type: varchar
Max Length: 10
'Client Gender'

Column Name: c_county_value
Column Type: varchar
Max Length: 40
The description associated with c_county_code. See c_county_code for more information.

Column Name: c_marital_status_value
Column Type: varchar
Max Length: 40
The description associated with c_marital_status_code. See c_marital_status_code for more information.

Column Name: c_race_value
Column Type: varchar
Max Length: 40
The description associated with c_race_code. See c_race_code for more information.

Column Name: c_religion_value
Column Type: varchar
Max Length: 40
The description associated with c_religion_code. See c_religion_code for more information.

Column Name: patient_gender_value
Column Type: varchar

Max Length: 40

The description associated with patient_gender_code. See patient_gender_code for more information.

Column Name: admit_legal_status_code

Column Type: varchar

Max Length: 10

'Admission Legal Status'

Column Name: admit_principal_diag_code

Column Type: varchar

Max Length: 10

'Admission Principal Diagnosis'

Column Name: admit_practitioner_id

Column Type: varchar

Max Length: 10

'Admitting Practitioner ID'

Column Name: admit_unit_code

Column Type: varchar

Max Length: 10

'Admission Unit'

Column Name: admit_source_of_code

Column Type: varchar

Max Length: 10

'Source Of Admission'

Column Name: admit_legal_status_value

Column Type: varchar

Max Length: 40

The description associated with admit_legal_status_code. See admit_legal_status_code for more information.

Column Name: admit_practitioner_name

Column Type: varchar

Max Length: 40

'Admitting Practitioner Name'

Column Name: admit_principal_diag_value

Column Type: varchar

Max Length: 200

The description associated with admit_principal_diag_code. See admit_principal_diag_code for more information.

Column Name: admit_source_of_value

Column Type: varchar

Max Length: 40

The description associated with admit_source_of_code. See admit_source_of_code for more information.

Column Name: admit_unit_value

Column Type: varchar

Max Length: 40

The description associated with admit_unit_code. See admit_unit_code for more information.

Column Name: c_city

Column Type: varchar

Max Length: 40

'Client Address - City'

Column Name: program_X_type_code

Column Type: varchar

Max Length: 10

'Admission Program Type'

Column Name: c_ss_number

Column Type: varchar

Max Length: 15

'Client Social Security Number'

Column Name: c_age

Column Type: numeric

'Client current age'

Column Name: admit_age_at

Column Type: numeric

'Client Age At Admission'

Column Name: admit_time_of

Column Type: varchar

Max Length: 10

'Time Of Admission'

Column Name: admit_attend_prac_id

Column Type: varchar

Max Length: 10

'Admission Attending Practitioner ID'

Column Name: admit_attend_prac_name

Column Type: varchar

Max Length: 40

'Admission Attending Practitioner Name'

Column Name: admit_detail_age_at

Column Type: varchar

Max Length: 50

'Detail Age on Date of Admission'

Column Name: admit_legal_status_X_NRI_code

Column Type: varchar

Max Length: 10
'Admission Legal Status (NRI)'

Column Name: admit_legal_status_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with admit_legal_status_X_NRI_code. See admit_legal_status_X_NRI_code for more information.

Column Name: admit_type_of_code
Column Type: varchar
Max Length: 10
'Type Of Admission'

Column Name: admit_type_of_value
Column Type: varchar
Max Length: 40
The description associated with admit_type_of_code. See admit_type_of_code for more information.

Column Name: admit_unit_X_NRI_code
Column Type: varchar
Max Length: 10
'Admission Unit (NRI)'

Column Name: admit_unit_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with admit_unit_X_NRI_code. See admit_unit_X_NRI_code for more information.

Column Name: adm_legal_status_X_NRI_2014_code
Column Type: varchar
Max Length: 10
'Admission Legal Status (NRI 2014)'

Column Name: adm_legal_status_X_NRI_2014_value
Column Type: varchar
Max Length: 40
The description associated with adm_legal_status_X_NRI_2014_code. See adm_legal_status_X_NRI_2014_code for more information.

Column Name: c_country_code
Column Type: varchar
Max Length: 20
'Client Address - Country'

Column Name: c_country_value
Column Type: varchar
Max Length: 40
The description associated with c_country_code. See c_country_code for more information.

Column Name: c_detail_age
Column Type: varchar
Max Length: 50
'Detailed Current Client Age'

Column Name: c_ethnicity_X_NRI_code
Column Type: varchar
Max Length: 10
'Client Ethnicity (NRI)'

Column Name: c_ethnicity_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with c_ethnicity_X_NRI_code. See c_ethnicity_X_NRI_code for more information.

Column Name: c_ethnic_X_NRI_2014_code
Column Type: varchar
Max Length: 10
'Client Ethnicity (NRI 2014)'

Column Name: c_ethnic_X_NRI_2014_value
Column Type: varchar
Max Length: 255
The description associated with c_ethnic_X_NRI_2014_code. See c_ethnic_X_NRI_2014_code for more information.

Column Name: c_marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
'Client Marital Status (NRI)'

Column Name: c_marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with c_marital_status_X_NRI_code. See c_marital_status_X_NRI_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date

Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: gender_identity_code
Column Type: varchar
Max Length: 20
'Gender Identity'

Column Name: gender_identity_value
Column Type: varchar
Max Length: 40
The description associated with gender_identity_code. See gender_identity_code for more information.

Column Name: last_date_of_service
Column Type: date
'Last Date Of Service'

Column Name: patient_gender_X_NRI_code
Column Type: varchar
Max Length: 10
'Client Gender (NRI)'

Column Name: patient_gender_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with patient_gender_X_NRI_code. See patient_gender_X_NRI_code for more information.

Column Name: program_X_city_state_zip
Column Type: varchar

Max Length: 40
'Admission Program City, State ZIP'

Column Name: program_X_HCO_ID
Column Type: varchar
Max Length: 40
'HCO ID'

Column Name: program_X_phone_number
Column Type: varchar
Max Length: 40
'Admission Program Phone Number'

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 20
The patient's sexual orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
The description associated with sex_orientation_code. See sex_orientation_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Admission

Table Name: SYSTEM.view_episode_summary_current

Table Description: This table returns the information stored in the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: episode_active_only
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID

Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: preadmit_admission_date
Column Type: date
'Preadmit/Admission Date'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: program_code
Column Type: varchar
Max Length: 10
The program code associated with the data.

Column Name: c_date_of_birth
Column Type: date
'Date Of Birth'

Column Name: c_age
Column Type: numeric
'Client Age'

Column Name: c_ss_number
Column Type: varchar
Max Length: 15
'Social Security Number'

Column Name: EPN_uniqueid

Column Type: varchar
Max Length: 50
A unique ID used to identify a row of data.

Column Name: c_address_state_code
Column Type: varchar
Max Length: 50
'Client's Address - State'

Column Name: c_address_state_value
Column Type: varchar
Max Length: 50
The description associated with c_address_state_code. See c_address_state_code for more information.

Column Name: c_address_str_1
Column Type: varchar
Max Length: 50
'Client's Address - Street 1'

Column Name: c_address_str_2
Column Type: varchar
Max Length: 50
'Client's Address - Street 2'

Column Name: c_admit_practitioner_id
Column Type: varchar
Max Length: 50
'Admitting Practitioner'

Column Name: c_admit_practitioner_name
Column Type: varchar
Max Length: 50
The admitting practitioner name associated with c_admit_practitioner_id.

Column Name: c_admit_source_of_code
Column Type: varchar
Max Length: 50
'Source of Admission'

Column Name: c_admit_source_of_value
Column Type: varchar
Max Length: 50
The description associated with c_admit_source_of_code. See c_admit_source_of_code for more information.

Column Name: c_admit_time_of
Column Type: varchar
Max Length: 50
'Preadmit/Admission Time'

Column Name: c_admit_type_of_code
Column Type: varchar
Max Length: 50
'Type Of Admission'

Column Name: c_admit_type_of_value
Column Type: varchar
Max Length: 50
The description associated with c_admit_type_of_code. See c_admit_type_of_code for more information.

Column Name: c_attend_practitioner_id
Column Type: varchar
Max Length: 50
'Attending Practitioner'

Column Name: c_attend_practitioner_name
Column Type: varchar
Max Length: 50
The name associated with c_attend_practitioner_id.

Column Name: c_city
Column Type: varchar
Max Length: 50
'Client's Address - City'

Column Name: c_country_code
Column Type: varchar
Max Length: 50
'Client's Address - Country'

Column Name: c_country_value
Column Type: varchar
Max Length: 50
The description associated with c_country_code. See c_country_code for more information.

Column Name: c_county_code
Column Type: varchar
Max Length: 50
'Client's Address - County'

Column Name: c_county_value
Column Type: varchar
Max Length: 50
The description associated with c_county_code. See c_county_code for more information.

Column Name: c_detail_age
Column Type: varchar
Max Length: 50
'Client Detail Age'

Column Name: c_ethnicity_code
Column Type: varchar
Max Length: 50
'Client Ethnicity'

Column Name: c_ethnicity_value
Column Type: varchar
Max Length: 50
The description associated with c_ethnicity_code. See c_ethnicity_code for more information.

Column Name: c_ethnicity_X_NRI_code
Column Type: varchar
Max Length: 10
'Client Ethnicity (NRI)'

Column Name: c_ethnicity_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with c_ethnicity_X_NRI_code. See c_ethnicity_X_NRI_code for more information.

Column Name: c_ethnic_X_NRI_2014_code
Column Type: varchar
Max Length: 10
'Client Ethnicity (NRI 2014)'

Column Name: c_ethnic_X_NRI_2014_value
Column Type: varchar
Max Length: 255
The description associated with c_ethnic_X_NRI_2014_code. See c_ethnic_X_NRI_2014_code for more information.

Column Name: c_legal_status_code
Column Type: varchar
Max Length: 50
'Client Legal Status'

Column Name: c_legal_status_value
Column Type: varchar
Max Length: 50
The description associated with c_legal_status_code. See c_legal_status_code for more information.

Column Name: c_leg_stat_X_NRI_2014_value
Column Type: varchar
Max Length: 40
The description associated with c_leg_stat_X_NRI_2014_code. See c_leg_stat_X_NRI_2014_code for more information.

Column Name: c_legal_status_X_NRI_code
Column Type: varchar

Max Length: 10
'Client Legal Status (NRI)'

Column Name: c_legal_status_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with c_legal_status_X_NRI_code. See c_legal_status_X_NRI_code for more information.

Column Name: c_leg_stat_X_NRI_2014_code
Column Type: varchar
Max Length: 10
'Client Legal Status (NRI 2014)'

Column Name: c_marital_status_code
Column Type: varchar
Max Length: 50
'Client Marital Status'

Column Name: c_marital_status_value
Column Type: varchar
Max Length: 50
The description associated with c_marital_status_code. See c_marital_status_code for more information.

Column Name: c_marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
'Client Marital Status (NRI)'

Column Name: c_marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with c_marital_status_X_NRI_code. See c_marital_status_X_NRI_code for more information.

Column Name: c_principal_diagnosis_code
Column Type: varchar
Max Length: 50
'Client Principal Diagnosis'

Column Name: c_principal_diagnosis_value
Column Type: varchar
Max Length: 200
The description associated with c_principal_diagnosis_code. See c_principal_diagnosis_code for more information.

Column Name: c_race_code
Column Type: varchar
Max Length: 50
'Client Race'

Column Name: c_race_value

Column Type: varchar

Max Length: 50

The description associated with c_race_code. See c_race_code for more information.

Column Name: c_religion_code

Column Type: varchar

Max Length: 50

'Client Religion'

Column Name: c_religion_value

Column Type: varchar

Max Length: 50

The description associated with c_religion_code. See c_religion_code for more information.

Column Name: c_unit_code

Column Type: varchar

Max Length: 10

'Unit'

Column Name: c_unit_value

Column Type: varchar

Max Length: 50

The description associated with c_unit_code. See c_unit_code for more information.

Column Name: c_unit_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Unit (NRI)'

Column Name: c_unit_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_unit_X_NRI_code. See c_unit_X_NRI_code for more information.

Column Name: c_zip

Column Type: varchar

Max Length: 60

'Client's Address - Zip'

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
'Facility Chart Number (148)'

Column Name: gender_identity_code
Column Type: varchar
Max Length: 20
'Gender Identity'

Column Name: gender_identity_value
Column Type: varchar
Max Length: 40
The description associated with gender_identity_code. See gender_identity_code for more information.

Column Name: last_date_of_service
Column Type: date
'Last Date Of Service'

Column Name: patient_gender_code
Column Type: varchar
Max Length: 50
'Gender'

Column Name: patient_gender_value
Column Type: varchar
Max Length: 50
The description associated with patient_gender_code. See patient_gender_code for more information.

Column Name: patient_gender_X_NRI_code
Column Type: varchar
Max Length: 10
'Gender (NRI)'

Column Name: patient_gender_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with patient_gender_X_NRI_code. See patient_gender_X_NRI_code for more information.

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
'Home Phone'

Column Name: patient_name
Column Type: varchar
Max Length: 100
'Client Name'

Column Name: patient_name_first
Column Type: varchar
Max Length: 50
'Client First Name'

Column Name: patient_name_last
Column Type: varchar
Max Length: 50
'Client Last Name'

Column Name: program_X_HCFA_POS
Column Type: varchar
Max Length: 50
'HCFA'

Column Name: program_X_RRG_code
Column Type: varchar
Max Length: 50
'RRG'

Column Name: program_X_RRG_value
Column Type: varchar
Max Length: 50
The description associated with program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_city_state_zip
Column Type: varchar
Max Length: 50
'City, State, Zip Code'

Column Name: program_X_dflt_location_code
Column Type: varchar
Max Length: 50
'Location'

Column Name: program_X_dflt_location_value
Column Type: varchar
Max Length: 50
The description associated with program_X_dflt_location_code. See program_X_dflt_location_code for more information.

Column Name: program_X_HCO_ID
Column Type: varchar
Max Length: 40

'HCO ID'

Column Name: program_X_phone_number

Column Type: varchar

Max Length: 50

'Phone Number'

Column Name: program_X_street_address

Column Type: varchar

Max Length: 50

'Street Address'

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 50

'Tax ID'

Column Name: program_X_tx_service_code

Column Type: varchar

Max Length: 50

'Treatment Service'

Column Name: program_X_tx_service_value

Column Type: varchar

Max Length: 50

The description associated with program_X_tx_service_code. See program_X_tx_service_code for more information.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 50

'Treatment Setting'

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 50

The description associated with program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 50

'Type'

Column Name: program_X_type_value

Column Type: varchar

Max Length: 50

The description associated with program_X_type_code. See program_X_type_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description associated with program_code. See program_code for more information.

Column Name: sex_orientation_code

Column Type: varchar

Max Length: 20

The patient's sexual orientation code

Column Name: sex_orientation_value

Column Type: varchar

Max Length: 40

The description associated with sex_orientation_code. See sex_orientation_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Admission_(OutPatient)

Table Name: SYSTEM.admission_data

Table Description: This table returns information filed in 'Admission', 'Admission (Outpatient)', 'Back Dated Admission/Discharge', and 'Pre Admit' forms.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

Facility

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: AH_uniqueid

Column Type: varchar

Max Length: 12

AH Unique ID

Column Name: type_of_admission_code

Column Type: varchar
Max Length: 5
Type Of Admission

Column Name: type_of_admission_value
Column Type: varchar
Max Length: 40
The description for the type_of_admission_code. See type_of_admission_code for more information.

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: admission_time
Column Type: varchar
Max Length: 10
Preadmit/Admission Time

Column Name: admission_date
Column Type: date
Preadmit/Admission Date

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: military_related_dis_code
Column Type: varchar
Max Length: 10
Military Related Disability

Column Name: military_related_dis_value
Column Type: varchar
Max Length: 40
The description for the military_related_dis_code. See military_related_dis_code for more information.

Column Name: military_branch_code
Column Type: varchar
Max Length: 10
Military Branch Of Service

Column Name: military_service_from_date
Column Type: date
Military Service From

Column Name: military_service_through_date
Column Type: date
Military Service To

Column Name: veteran_code
Column Type: varchar
Max Length: 10
Veteran

Column Name: veteran_value
Column Type: varchar
Max Length: 40
The description for the veteran_code. See veteran_code for more information.

Column Name: military_branch_value
Column Type: varchar
Max Length: 40
The description for the military_branch_code. See military_branch_code for more information.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: decision_to_admit_date
Column Type: date
Decision To Admit Date

Column Name: decision_to_admit_time
Column Type: varchar
Max Length: 26
Decision To Admit Time

Column Name: GUID
Column Type: varchar
Max Length: 50
GUID

Column Name: UTCTimeStamp
Column Type: timestamp
UTCTimestamp

Column Name: client_name
Column Type: varchar
Max Length: 100

Client Name

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

Data Entry Source (30015)

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Data Entry User ID

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Data Entry User Name

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: expected_discharge_date

Column Type: date

Expected Discharge Date

Column Name: option_desc

Column Type: varchar

Max Length: 80

Option Description

Column Name: option_id

Column Type: varchar

Max Length: 20
Option Identifier

Column Name: program_code
Column Type: varchar
Max Length: 10
Program

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: provid
Column Type: varchar
Max Length: 50
PROVID

Column Name: provider_name
Column Type: varchar
Max Length: 50
Provider Name

Column Name: source_of_admission_code
Column Type: varchar
Max Length: 50
Source of Admission

Column Name: source_of_admission_value
Column Type: varchar
Max Length: 50
The description for the source_of_admission_code. See source_of_admission_code for more information.

Column Name: type_of_adm_X_ub92_code
Column Type: varchar
Max Length: 50
Admission Type (2300-CL1-01/UB92-FL 19/UB04-FL 14)

Column Name: type_of_adm_X_ub92_value
Column Type: varchar
Max Length: 50
The description for the type_of_adm_X_ub92_code. See type_of_adm_X_ub92_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Admission_(OutPatient)

Table Name: SYSTEM.episode_history

Table Description: This table returns Episode History.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPN_uniqueid

Column Type: varchar

Max Length: 10

EPN_uniqueid

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode

Column Name: program_code

Column Type: varchar

Max Length: 10

Program

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with the program_code. See program_code for more information.

Column Name: preadmit_admission_date

Column Type: date

Preadmit/Admission Date

Column Name: date_of_discharge

Column Type: date

Date Of Discharge

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: episode_select_for_query

Column Type: varchar

Max Length: 70

The field to use to select episodes in queries.

Column Name: v_patient_name

Column Type: varchar

Max Length: 100

Client name associated with the PATID.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 10

Program Treatment Setting

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description associated with the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 10

Program RRG Code

Column Name: program_X_type_code

Column Type: varchar

Max Length: 10

Program Type Code

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

Program Tax ID

Column Name: program_X_street_address

Column Type: varchar

Max Length: 40
Program Street Address

Column Name: program_X_HCFA_POS
Column Type: varchar
Max Length: 40
Place Of Service (HCFA 24-B)

Column Name: program_X_location_code
Column Type: varchar
Max Length: 40
Program Location

Column Name: program_X_location_value
Column Type: varchar
Max Length: 40
The description associated with the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_type_value
Column Type: varchar
Max Length: 40
The description associated with the program_X_type_code. See program_X_type_code for more information.

Column Name: program_X_RRG_value
Column Type: varchar
Max Length: 40
The description associated with the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: JOIN_TO_Enrollment
Column Type: integer
Join to Enrollment

Column Name: alert_access_options
Column Type: varchar
Max Length: 50
The description associated with the alert_access. See alert_access for more information.

Column Name: alert_access_type
Column Type: varchar
Max Length: 50
Alert Access Type

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: fill_gaps_code
Column Type: varchar
Max Length: 5
Program Fill gaps in service entry record for duration of service?

Column Name: fill_gaps_service_code
Column Type: varchar
Max Length: 50
Service Code to use to fill gaps

Column Name: fill_gaps_service_value
Column Type: varchar
Max Length: 50

The description associated with the fill_gaps_service_code. See fill_gaps_service_code for more information.

Column Name: fill_gaps_staff_id

Column Type: varchar

Max Length: 10

Program Service Practitioner to use to fill gaps

Column Name: fill_gaps_staff_name

Column Type: varchar

Max Length: 50

The description associated with the fill_gaps_staff_id. See fill_gaps_staff_id for more information.

Column Name: fill_gaps_value

Column Type: varchar

Max Length: 10

The description associated with the fill_gaps_code. See fill_gaps_code for more information.

Column Name: last_date_of_service

Column Type: date

Last Date Of Service

Column Name: program_X_city_state_zip

Column Type: varchar

Max Length: 40

Program City, State Zip

Column Name: program_X_HCO_ID

Column Type: varchar

Max Length: 40

Program HCO ID

Column Name: program_X_phone_number

Column Type: varchar

Max Length: 40

Program Phone Number

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Admission_(OutPatient)

Table Name: SYSTEM.pce_client_mapping

Table Description: This table returns information on ProviderConnect Enterprise client mappings.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: external_PATID
Column Type: varchar
Max Length: 20
The client ID used at the external system

Column Name: local_PATID
Column Type: varchar
Max Length: 20
The client ID used on the local system

Column Name: managing_organization_ID
Column Type: integer
The external PCE organization

Documentation for form: Admission_(OutPatient)

Table Name: SYSTEM.pce_episode_mapping
Table Description: This table returns information on ProviderConnect Enterprise episode mappings.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: external_EPISODE_NUMBER
Column Type: varchar
Max Length: 20
The episode number used in the external PCE system.

Column Name: external_PATID
Column Type: varchar
Max Length: 20
The client ID used in the external PCE system.

Column Name: external_discharge_ID
Column Type: varchar
Max Length: 20
The movement ID associated with the discharge movement of the external episode.

Column Name: external_movement_ID
Column Type: varchar
Max Length: 20
The movement ID associated with the external episode admission.

Column Name: local_EPISODE_NUMBER
Column Type: integer
The episode number used in the local system.

Column Name: local_PATID
Column Type: varchar
Max Length: 20
The client ID used in the local system.

Column Name: managing_organization_ID
Column Type: integer
The external PCE organization.

Column Name: secondary_mapping
Column Type: bit
The local episode is the second or later episode mapped to this external episode. Prevents sending this episode data and overwriting the primary.

Documentation for form: Admission_(OutPatient)

Table Name: SYSTEM.program_active_clients

Table Description: This table returns active clients in each program code.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PROGRAM

Column Type: varchar

Max Length: 10

The program code in which the patient is active in.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPISODENUMBER

Column Type: integer

'Episode Number'

Documentation for form: Admission_(OutPatient)

Table Name: [SYSTEM.view_episode_summary_admit](#)

Table Description: This table returns client episode admission information.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPN_uniqueid

Column Type: varchar

Max Length: 10

Unique ID for the episode record.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: program_code

Column Type: varchar

Max Length: 10

The program code associated with the data.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description associated with program_code. See program_code for more information.

Column Name: preadmit_admission_date

Column Type: date

'Pre-Admit/Admission Date'

Column Name: date_of_discharge

Column Type: date

'Date Of Discharge'

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 10

'Admission Program Treatment Setting'

Column Name: program_X_tx_service_code

Column Type: varchar

Max Length: 10

'Admission Program Treatment Service'

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 10

'Admission Program RRG'

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Admission Program Tax ID'

Column Name: program_X_street_address

Column Type: varchar

Max Length: 40

'Admission Program Street Address'

Column Name: program_X_HCFA_POS

Column Type: varchar

Max Length: 40

'Admission Program Place Of Service'

Column Name: program_X_dflt_location_code

Column Type: varchar

Max Length: 10

'Admission Program Default Location'

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description associated with program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_tx_service_value

Column Type: varchar

Max Length: 40

The description associated with program_X_tx_service_code. See program_X_tx_service_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description associated with program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description associated with program_X_type_code. See program_X_type_code for more information.

Column Name: program_X_dflt_location_value

Column Type: varchar

Max Length: 40

The description associated with program_X_dflt_location_code. See program_X_dflt_location_code for more information.

Column Name: c_zip

Column Type: varchar

Max Length: 60

'Client Address - ZIP'

Column Name: c_ethnicity_code

Column Type: varchar

Max Length: 10

'Client Ethnicity'

Column Name: c_ethnicity_value

Column Type: varchar

Max Length: 40

The description associated with c_ethnicity_code. See c_ethnicity_code for more information.

Column Name: c_race_code

Column Type: varchar

Max Length: 10

'Client Race'

Column Name: c_county_code

Column Type: varchar

Max Length: 10
'Client Address - County'

Column Name: c_religion_code
Column Type: varchar
Max Length: 10
'Client Religion'

Column Name: c_marital_status_code
Column Type: varchar
Max Length: 10
'Client Marital Status'

Column Name: c_date_of_birth
Column Type: date
'Client Date Of Birth'

Column Name: patient_name
Column Type: varchar
Max Length: 100
'Client Name'

Column Name: patient_gender_code
Column Type: varchar
Max Length: 10
'Client Gender'

Column Name: c_county_value
Column Type: varchar
Max Length: 40
The description associated with c_county_code. See c_county_code for more information.

Column Name: c_marital_status_value
Column Type: varchar
Max Length: 40
The description associated with c_marital_status_code. See c_marital_status_code for more information.

Column Name: c_race_value
Column Type: varchar
Max Length: 40
The description associated with c_race_code. See c_race_code for more information.

Column Name: c_religion_value
Column Type: varchar
Max Length: 40
The description associated with c_religion_code. See c_religion_code for more information.

Column Name: patient_gender_value
Column Type: varchar
Max Length: 40

The description associated with patient_gender_code. See patient_gender_code for more information.

Column Name: admit_legal_status_code

Column Type: varchar

Max Length: 10

'Admission Legal Status'

Column Name: admit_principal_diag_code

Column Type: varchar

Max Length: 10

'Admission Principal Diagnosis'

Column Name: admit_practitioner_id

Column Type: varchar

Max Length: 10

'Admitting Practitioner ID'

Column Name: admit_unit_code

Column Type: varchar

Max Length: 10

'Admission Unit'

Column Name: admit_source_of_code

Column Type: varchar

Max Length: 10

'Source Of Admission'

Column Name: admit_legal_status_value

Column Type: varchar

Max Length: 40

The description associated with admit_legal_status_code. See admit_legal_status_code for more information.

Column Name: admit_practitioner_name

Column Type: varchar

Max Length: 40

'Admitting Practitioner Name'

Column Name: admit_principal_diag_value

Column Type: varchar

Max Length: 200

The description associated with admit_principal_diag_code. See admit_principal_diag_code for more information.

Column Name: admit_source_of_value

Column Type: varchar

Max Length: 40

The description associated with admit_source_of_code. See admit_source_of_code for more information.

Column Name: admit_unit_value

Column Type: varchar

Max Length: 40

The description associated with admit_unit_code. See admit_unit_code for more information.

Column Name: c_city

Column Type: varchar

Max Length: 40

'Client Address - City'

Column Name: program_X_type_code

Column Type: varchar

Max Length: 10

'Admission Program Type'

Column Name: c_ss_number

Column Type: varchar

Max Length: 15

'Client Social Security Number'

Column Name: c_age

Column Type: numeric

'Client current age'

Column Name: admit_age_at

Column Type: numeric

'Client Age At Admission'

Column Name: admit_time_of

Column Type: varchar

Max Length: 10

'Time Of Admission'

Column Name: admit_attend_prac_id

Column Type: varchar

Max Length: 10

'Admission Attending Practitioner ID'

Column Name: admit_attend_prac_name

Column Type: varchar

Max Length: 40

'Admission Attending Practitioner Name'

Column Name: admit_detail_age_at

Column Type: varchar

Max Length: 50

'Detail Age on Date of Admission'

Column Name: admit_legal_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Admission Legal Status (NRI)'

Column Name: admit_legal_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with admit_legal_status_X_NRI_code. See admit_legal_status_X_NRI_code for more information.

Column Name: admit_type_of_code

Column Type: varchar

Max Length: 10

'Type Of Admission'

Column Name: admit_type_of_value

Column Type: varchar

Max Length: 40

The description associated with admit_type_of_code. See admit_type_of_code for more information.

Column Name: admit_unit_X_NRI_code

Column Type: varchar

Max Length: 10

'Admission Unit (NRI)'

Column Name: admit_unit_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with admit_unit_X_NRI_code. See admit_unit_X_NRI_code for more information.

Column Name: adm_legal_status_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'Admission Legal Status (NRI 2014)'

Column Name: adm_legal_status_X_NRI_2014_value

Column Type: varchar

Max Length: 40

The description associated with adm_legal_status_X_NRI_2014_code. See adm_legal_status_X_NRI_2014_code for more information.

Column Name: c_country_code

Column Type: varchar

Max Length: 20

'Client Address - Country'

Column Name: c_country_value

Column Type: varchar

Max Length: 40

The description associated with c_country_code. See c_country_code for more information.

Column Name: c_detail_age
Column Type: varchar
Max Length: 50
'Detailed Current Client Age'

Column Name: c_ethnicity_X_NRI_code
Column Type: varchar
Max Length: 10
'Client Ethnicity (NRI)'

Column Name: c_ethnicity_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with c_ethnicity_X_NRI_code. See c_ethnicity_X_NRI_code for more information.

Column Name: c_ethnic_X_NRI_2014_code
Column Type: varchar
Max Length: 10
'Client Ethnicity (NRI 2014)'

Column Name: c_ethnic_X_NRI_2014_value
Column Type: varchar
Max Length: 255
The description associated with c_ethnic_X_NRI_2014_code. See c_ethnic_X_NRI_2014_code for more information.

Column Name: c_marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
'Client Marital Status (NRI)'

Column Name: c_marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with c_marital_status_X_NRI_code. See c_marital_status_X_NRI_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: gender_identity_code

Column Type: varchar

Max Length: 20

'Gender Identity'

Column Name: gender_identity_value

Column Type: varchar

Max Length: 40

The description associated with gender_identity_code. See gender_identity_code for more information.

Column Name: last_date_of_service

Column Type: date

'Last Date Of Service'

Column Name: patient_gender_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Gender (NRI)'

Column Name: patient_gender_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with patient_gender_X_NRI_code. See patient_gender_X_NRI_code for more information.

Column Name: program_X_city_state_zip

Column Type: varchar

Max Length: 40

'Admission Program City, State ZIP'

Column Name: program_X_HCO_ID
Column Type: varchar
Max Length: 40
'HCO ID'

Column Name: program_X_phone_number
Column Type: varchar
Max Length: 40
'Admission Program Phone Number'

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 20
The patient's sexual orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
The description associated with sex_orientation_code. See sex_orientation_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Back_Dated_Admission/Discharge

Table Name: SYSTEM.admission_data

Table Description: This table returns information filed in 'Admission', 'Admission (Outpatient)', 'Back Dated Admission/Discharge', and 'Pre Admit' forms.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: PATID
Column Type: varchar
Max Length: 20

Patient ID

Column Name: AH_uniqueid

Column Type: varchar

Max Length: 12

AH Unique ID

Column Name: type_of_admission_code

Column Type: varchar

Max Length: 5

Type Of Admission

Column Name: type_of_admission_value

Column Type: varchar

Max Length: 40

The description for the type_of_admission_code. See type_of_admission_code for more information.

Column Name: EPISODE_NUMBER

Column Type: integer

Episode Number

Column Name: data_entry_date

Column Type: date

Data Entry Date

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Data Entry By

Column Name: admission_time

Column Type: varchar

Max Length: 10

Preadmit/Admission Time

Column Name: admission_date

Column Type: date

Preadmit/Admission Date

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

Data Entry Time

Column Name: military_related_dis_code

Column Type: varchar

Max Length: 10

Military Related Disability

Column Name: military_related_dis_value

Column Type: varchar

Max Length: 40

The description for the military_related_dis_code. See military_related_dis_code for more information.

Column Name: military_branch_code

Column Type: varchar

Max Length: 10

Military Branch Of Service

Column Name: military_service_from_date

Column Type: date

Military Service From

Column Name: military_service_through_date

Column Type: date

Military Service To

Column Name: veteran_code

Column Type: varchar

Max Length: 10

Veteran

Column Name: veteran_value

Column Type: varchar

Max Length: 40

The description for the veteran_code. See veteran_code for more information.

Column Name: military_branch_value

Column Type: varchar

Max Length: 40

The description for the military_branch_code. See military_branch_code for more information.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Data Entry By (Option)

Column Name: decision_to_admit_date

Column Type: date

Decision To Admit Date

Column Name: decision_to_admit_time

Column Type: varchar

Max Length: 26

Decision To Admit Time

Column Name: GUID

Column Type: varchar

Max Length: 50

GUID

Column Name: UTCTimeStamp
Column Type: timestamp
UTCTimestamp

Column Name: client_name
Column Type: varchar
Max Length: 100
Client Name

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data Entry User ID

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
Data Entry User Name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: expected_discharge_date
Column Type: date
Expected Discharge Date

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 20
Option Identifier

Column Name: program_code
Column Type: varchar
Max Length: 10
Program

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: provid
Column Type: varchar
Max Length: 50
PROVID

Column Name: provider_name
Column Type: varchar
Max Length: 50
Provider Name

Column Name: source_of_admission_code
Column Type: varchar
Max Length: 50
Source of Admission

Column Name: source_of_admission_value
Column Type: varchar
Max Length: 50
The description for the source_of_admission_code. See source_of_admission_code for more information.

Column Name: type_of_adm_X_ub92_code
Column Type: varchar
Max Length: 50
Admission Type (2300-CL1-01/UB92-FL 19/UB04-FL 14)

Column Name: type_of_adm_X_ub92_value
Column Type: varchar
Max Length: 50
The description for the type_of_adm_X_ub92_code. See type_of_adm_X_ub92_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Back_Dated_Admission/Discharge

Table Name: SYSTEM.episode_history

Table Description: This table returns Episode History.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPN_uniqueid

Column Type: varchar

Max Length: 10

EPN_uniqueid

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode

Column Name: program_code

Column Type: varchar

Max Length: 10

Program

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with the program_code. See program_code for more information.

Column Name: preadmit_admission_date

Column Type: date
Preadmit/Admission Date

Column Name: date_of_discharge
Column Type: date
Date Of Discharge

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: episode_select_for_query
Column Type: varchar
Max Length: 70
The field to use to select episodes in queries.

Column Name: v_patient_name
Column Type: varchar
Max Length: 100
Client name associated with the PATID.

Column Name: program_X_tx_setting_code
Column Type: varchar
Max Length: 10
Program Treatment Setting

Column Name: program_X_tx_setting_value
Column Type: varchar
Max Length: 40
The description associated with the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_RRG_code
Column Type: varchar
Max Length: 10
Program RRG Code

Column Name: program_X_type_code
Column Type: varchar
Max Length: 10

Program Type Code

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

Program Tax ID

Column Name: program_X_street_address

Column Type: varchar

Max Length: 40

Program Street Address

Column Name: program_X_HCFA_POS

Column Type: varchar

Max Length: 40

Place Of Service (HCFA 24-B)

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

Program Location

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description associated with the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description associated with the program_X_type_code. See program_X_type_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description associated with the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: JOIN_TO_Enrollment

Column Type: integer

Join to Enrollment

Column Name: alert_access_options

Column Type: varchar

Max Length: 50

The description associated with the alert_access. See alert_access for more information.

Column Name: alert_access_type

Column Type: varchar

Max Length: 50

Alert Access Type

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

Data Entry Source (30015)

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: fill_gaps_code

Column Type: varchar

Max Length: 5

Program Fill gaps in service entry record for duration of service?

Column Name: fill_gaps_service_code

Column Type: varchar

Max Length: 50

Service Code to use to fill gaps

Column Name: fill_gaps_service_value

Column Type: varchar

Max Length: 50

The description associated with the fill_gaps_service_code. See fill_gaps_service_code for more information.

Column Name: fill_gaps_staff_id

Column Type: varchar

Max Length: 10

Program Service Practitioner to use to fill gaps

Column Name: fill_gaps_staff_name

Column Type: varchar

Max Length: 50

The description associated with the fill_gaps_staff_id. See fill_gaps_staff_id for more information.

Column Name: fill_gaps_value

Column Type: varchar

Max Length: 10

The description associated with the fill_gaps_code. See fill_gaps_code for more information.

Column Name: last_date_of_service

Column Type: date

Last Date Of Service

Column Name: program_X_city_state_zip

Column Type: varchar

Max Length: 40

Program City, State Zip

Column Name: program_X_HCO_ID

Column Type: varchar

Max Length: 40

Program HCO ID

Column Name: program_X_phone_number

Column Type: varchar

Max Length: 40

Program Phone Number

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Back_Dated_Admission/Discharge

Table Name: SYSTEM.history_bed_assignment

Table Description: This table returns information about client bed assignments.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BA_uniqueid
Column Type: varchar
Max Length: 12

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: admission_charge_code
Column Type: varchar
Max Length: 10

Column Name: admission_charge_value
Column Type: varchar
Max Length: 40

Column Name: bed
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code2
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value2
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code3
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value3
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code4
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value4
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code5
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value5
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: date_of_bed_assignment
Column Type: date

Column Name: end_date_of_bed_assignment
Column Type: date

Column Name: licensed_unlicensed_code
Column Type: varchar
Max Length: 5

Column Name: licensed_unlicensed_value
Column Type: varchar
Max Length: 40

Column Name: notes
Column Type: varchar
Max Length: 4096

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: room
Column Type: varchar
Max Length: 40

Column Name: room_board_billing_code
Column Type: varchar
Max Length: 10

Column Name: room_board_billing_value
Column Type: varchar
Max Length: 40

Column Name: time_of_bed_assign
Column Type: varchar
Max Length: 40

Column Name: unit_X_NRI_code
Column Type: varchar
Max Length: 10

Column Name: unit_X_NRI_value
Column Type: varchar
Max Length: 40

Column Name: unit_code
Column Type: varchar
Max Length: 10

Column Name: unit_value
Column Type: varchar
Max Length: 40

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: notesstream
Column Type: longvarchar
Max Length: 2147483647

Documentation for form: Back_Dated_Admission/Discharge

Table Name: SYSTEM.history_patient_movement

Table Description: This table returns client episode movement information filed via the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: join_to_admission_data
Column Type: varchar
Max Length: 12

Joins table to admission data.

Column Name: join_to_discharge_data

Column Type: varchar

Max Length: 12

Joins table to discharge data.

Column Name: join_to_leave_history

Column Type: varchar

Max Length: 12

Joins table to leaves history out on.

Column Name: join_to_program_transfer

Column Type: varchar

Max Length: 50

Joins table to program transfer.

Column Name: join_to_return_from_leave

Column Type: varchar

Max Length: 12

Joins table to leaves history return.

Column Name: movement_date

Column Type: date

'Movement Date'

Column Name: movement_time

Column Type: varchar

Max Length: 10

'Movement Time'

Column Name: movement_type_code

Column Type: varchar

Max Length: 50

'Movement Type'

Column Name: movement_type_value

Column Type: varchar

Max Length: 20

The description associated with movement_type_code. See movement_type_code for more information.

Column Name: movementuniqueid

Column Type: varchar

Max Length: 12

A unique ID used to identify a row of data.

Column Name: program_from

Column Type: varchar

Max Length: 20

'Program From'

Column Name: program_from_value

Column Type: varchar

Max Length: 40

The description associated with program_from_code. See program_from_code for more information.

Column Name: program_to

Column Type: varchar

Max Length: 40

'Program To'

Column Name: program_to_value

Column Type: varchar

Max Length: 40

The description associated with program_to_code. See program_to_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Back_Dated_Admission/Discharge

Table Name: SYSTEM.view_episode_summary_current

Table Description: This table returns the information stored in the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: episode_active_only

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode Number'

Column Name: preadmit_admission_date
Column Type: date
'Preadmit/Admission Date'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: program_code
Column Type: varchar
Max Length: 10
The program code associated with the data.

Column Name: c_date_of_birth
Column Type: date
'Date Of Birth'

Column Name: c_age
Column Type: numeric
'Client Age'

Column Name: c_ss_number
Column Type: varchar
Max Length: 15
'Social Security Number'

Column Name: EPN_uniqueid
Column Type: varchar
Max Length: 50
A unique ID used to identify a row of data.

Column Name: c_address_state_code
Column Type: varchar
Max Length: 50

'Client's Address - State'

Column Name: c_address_state_value

Column Type: varchar

Max Length: 50

The description associated with c_address_state_code. See c_address_state_code for more information.

Column Name: c_address_str_1

Column Type: varchar

Max Length: 50

'Client's Address - Street 1'

Column Name: c_address_str_2

Column Type: varchar

Max Length: 50

'Client's Address - Street 2'

Column Name: c_admit_practitioner_id

Column Type: varchar

Max Length: 50

'Admitting Practitioner'

Column Name: c_admit_practitioner_name

Column Type: varchar

Max Length: 50

The admitting practitioner name associated with c_admit_practitioner_id.

Column Name: c_admit_source_of_code

Column Type: varchar

Max Length: 50

'Source of Admission'

Column Name: c_admit_source_of_value

Column Type: varchar

Max Length: 50

The description associated with c_admit_source_of_code. See c_admit_source_of_code for more information.

Column Name: c_admit_time_of

Column Type: varchar

Max Length: 50

'Preadmit/Admission Time'

Column Name: c_admit_type_of_code

Column Type: varchar

Max Length: 50

'Type Of Admission'

Column Name: c_admit_type_of_value

Column Type: varchar

Max Length: 50

The description associated with c_admit_type_of_code. See c_admit_type_of_code for more information.

Column Name: c_attend_practitioner_id

Column Type: varchar

Max Length: 50

'Attending Practitioner'

Column Name: c_attend_practitioner_name

Column Type: varchar

Max Length: 50

The name associated with c_attend_practitioner_id.

Column Name: c_city

Column Type: varchar

Max Length: 50

'Client's Address - City'

Column Name: c_country_code

Column Type: varchar

Max Length: 50

'Client's Address - Country'

Column Name: c_country_value

Column Type: varchar

Max Length: 50

The description associated with c_country_code. See c_country_code for more information.

Column Name: c_county_code

Column Type: varchar

Max Length: 50

'Client's Address - County'

Column Name: c_county_value

Column Type: varchar

Max Length: 50

The description associated with c_county_code. See c_county_code for more information.

Column Name: c_detail_age

Column Type: varchar

Max Length: 50

'Client Detail Age'

Column Name: c_ethnicity_code

Column Type: varchar

Max Length: 50

'Client Ethnicity'

Column Name: c_ethnicity_value

Column Type: varchar

Max Length: 50

The description associated with c_ethnicity_code. See c_ethnicity_code for more information.

Column Name: c_ethnicity_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Ethnicity (NRI)'

Column Name: c_ethnicity_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_ethnicity_X_NRI_code. See c_ethnicity_X_NRI_code for more information.

Column Name: c_ethnic_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'Client Ethnicity (NRI 2014)'

Column Name: c_ethnic_X_NRI_2014_value

Column Type: varchar

Max Length: 255

The description associated with c_ethnic_X_NRI_2014_code. See c_ethnic_X_NRI_2014_code for more information.

Column Name: c_legal_status_code

Column Type: varchar

Max Length: 50

'Client Legal Status'

Column Name: c_legal_status_value

Column Type: varchar

Max Length: 50

The description associated with c_legal_status_code. See c_legal_status_code for more information.

Column Name: c_leg_stat_X_NRI_2014_value

Column Type: varchar

Max Length: 40

The description associated with c_leg_stat_X_NRI_2014_code. See c_leg_stat_X_NRI_2014_code for more information.

Column Name: c_legal_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Legal Status (NRI)'

Column Name: c_legal_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_legal_status_X_NRI_code. See c_legal_status_X_NRI_code for more information.

Column Name: c_leg_stat_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'Client Legal Status (NRI 2014)'

Column Name: c_marital_status_code

Column Type: varchar

Max Length: 50

'Client Marital Status'

Column Name: c_marital_status_value

Column Type: varchar

Max Length: 50

The description associated with c_marital_status_code. See c_marital_status_code for more information.

Column Name: c_marital_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Marital Status (NRI)'

Column Name: c_marital_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_marital_status_X_NRI_code. See c_marital_status_X_NRI_code for more information.

Column Name: c_principal_diagnosis_code

Column Type: varchar

Max Length: 50

'Client Principal Diagnosis'

Column Name: c_principal_diagnosis_value

Column Type: varchar

Max Length: 200

The description associated with c_principal_diagnosis_code. See c_principal_diagnosis_code for more information.

Column Name: c_race_code

Column Type: varchar

Max Length: 50

'Client Race'

Column Name: c_race_value

Column Type: varchar

Max Length: 50

The description associated with c_race_code. See c_race_code for more information.

Column Name: c_religion_code
Column Type: varchar
Max Length: 50
'Client Religion'

Column Name: c_religion_value
Column Type: varchar
Max Length: 50
The description associated with c_religion_code. See c_religion_code for more information.

Column Name: c_unit_code
Column Type: varchar
Max Length: 10
'Unit'

Column Name: c_unit_value
Column Type: varchar
Max Length: 50
The description associated with c_unit_code. See c_unit_code for more information.

Column Name: c_unit_X_NRI_code
Column Type: varchar
Max Length: 10
'Client Unit (NRI)'

Column Name: c_unit_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with c_unit_X_NRI_code. See c_unit_X_NRI_code for more information.

Column Name: c_zip
Column Type: varchar
Max Length: 60
'Client's Address - Zip'

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
'Facility Chart Number (148)'

Column Name: gender_identity_code
Column Type: varchar
Max Length: 20
'Gender Identity'

Column Name: gender_identity_value
Column Type: varchar
Max Length: 40
The description associated with gender_identity_code. See gender_identity_code for more information.

Column Name: last_date_of_service
Column Type: date
'Last Date Of Service'

Column Name: patient_gender_code
Column Type: varchar
Max Length: 50
'Gender'

Column Name: patient_gender_value
Column Type: varchar
Max Length: 50
The description associated with patient_gender_code. See patient_gender_code for more information.

Column Name: patient_gender_X_NRI_code
Column Type: varchar
Max Length: 10
'Gender (NRI)'

Column Name: patient_gender_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with patient_gender_X_NRI_code. See patient_gender_X_NRI_code for more information.

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
'Home Phone'

Column Name: patient_name
Column Type: varchar
Max Length: 100
'Client Name'

Column Name: patient_name_first
Column Type: varchar
Max Length: 50
'Client First Name'

Column Name: patient_name_last
Column Type: varchar
Max Length: 50
'Client Last Name'

Column Name: program_X_HCFA_POS
Column Type: varchar
Max Length: 50
'HCFA'

Column Name: program_X_RRG_code
Column Type: varchar
Max Length: 50
'RRG'

Column Name: program_X_RRG_value
Column Type: varchar
Max Length: 50
The description associated with program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_city_state_zip
Column Type: varchar
Max Length: 50
'City, State, Zip Code'

Column Name: program_X_dflt_location_code
Column Type: varchar
Max Length: 50
'Location'

Column Name: program_X_dflt_location_value
Column Type: varchar
Max Length: 50
The description associated with program_X_dflt_location_code. See program_X_dflt_location_code for more information.

Column Name: program_X_HCO_ID
Column Type: varchar
Max Length: 40
'HCO ID'

Column Name: program_X_phone_number
Column Type: varchar
Max Length: 50
'Phone Number'

Column Name: program_X_street_address
Column Type: varchar
Max Length: 50
'Street Address'

Column Name: program_X_tax_id
Column Type: varchar
Max Length: 50
'Tax ID'

Column Name: program_X_tx_service_code
Column Type: varchar
Max Length: 50
'Treatment Service'

Column Name: program_X_tx_service_value
Column Type: varchar
Max Length: 50
The description associated with program_X_tx_service_code. See program_X_tx_service_code for more information.

Column Name: program_X_tx_setting_code
Column Type: varchar
Max Length: 50
'Treatment Setting'

Column Name: program_X_tx_setting_value
Column Type: varchar
Max Length: 50
The description associated with program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_code
Column Type: varchar
Max Length: 50
'Type'

Column Name: program_X_type_value
Column Type: varchar
Max Length: 50
The description associated with program_X_type_code. See program_X_type_code for more information.

Column Name: program_value
Column Type: varchar
Max Length: 50
The description associated with program_code. See program_code for more information.

Column Name: sex_orientation_code
Column Type: varchar

Max Length: 20

The patient's sexual orientation code

Column Name: sex_orientation_value

Column Type: varchar

Max Length: 40

The description associated with sex_orientation_code. See sex_orientation_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Discharge

Table Name: SYSTEM.history_patient_movement

Table Description: This table returns client episode movement information filed via the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode Number'

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: join_to_admission_data

Column Type: varchar

Max Length: 12

Joins table to admission data.

Column Name: join_to_discharge_data

Column Type: varchar

Max Length: 12
Joins table to discharge data.

Column Name: join_to_leave_history
Column Type: varchar
Max Length: 12
Joins table to leaves history out on.

Column Name: join_to_program_transfer
Column Type: varchar
Max Length: 50
Joins table to program transfer.

Column Name: join_to_return_from_leave
Column Type: varchar
Max Length: 12
Joins table to leaves history return.

Column Name: movement_date
Column Type: date
'Movement Date'

Column Name: movement_time
Column Type: varchar
Max Length: 10
'Movement Time'

Column Name: movement_type_code
Column Type: varchar
Max Length: 50
'Movement Type'

Column Name: movement_type_value
Column Type: varchar
Max Length: 20
The description associated with movement_type_code. See movement_type_code for more information.

Column Name: movementuniqueid
Column Type: varchar
Max Length: 12
A unique ID used to identify a row of data.

Column Name: program_from
Column Type: varchar
Max Length: 20
'Program From'

Column Name: program_from_value
Column Type: varchar
Max Length: 40

The description associated with program_from_code. See program_from_code for more information.

Column Name: program_to
Column Type: varchar
Max Length: 40
'Program To'

Column Name: program_to_value
Column Type: varchar
Max Length: 40
The description associated with program_to_code. See program_to_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Discharge

Table Name: SYSTEM.patient_current_demographics

Table Description: Patient Current Demographics

Column Name: patient_current_demographics
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: date_of_birth
Column Type: date
Patient Date of birth

Column Name: ethnic_origin_code
Column Type: varchar
Max Length: 5
Patient Ethnic origin

Column Name: patient_add_city

Column Type: varchar
Max Length: 40
Patient address city

Column Name: patient_add_county_code
Column Type: varchar
Max Length: 5
Patient address county

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
Patient home phone

Column Name: patient_name
Column Type: varchar
Max Length: 100
Patient Name

Column Name: patient_add_state_code
Column Type: varchar
Max Length: 10
Patient address state code

Column Name: patient_add_street_1
Column Type: varchar
Max Length: 40
Patient street address 1

Column Name: patient_add_street_2
Column Type: varchar
Max Length: 40
Patients address street 2

Column Name: patient_add_zipcode
Column Type: varchar
Max Length: 60
Patients address zipcode

Column Name: patient_sex_code
Column Type: varchar
Max Length: 5
Patients sex

Column Name: client_alias
Column Type: varchar
Max Length: 80
Client Alias

Column Name: employment_status_code

Column Type: varchar
Max Length: 10
Employment Status - Code (517)

Column Name: employment_status_value
Column Type: varchar
Max Length: 255
Employment Status - Value (517)

Column Name: occupation_code
Column Type: varchar
Max Length: 10
Occupation - Code (610)

Column Name: occupation_value
Column Type: varchar
Max Length: 255
Occupation - Value (610)

Column Name: education_code
Column Type: varchar
Max Length: 10
Education - Code (625)

Column Name: patient_ssn
Column Type: varchar
Max Length: 15
Patient's social security number

Column Name: religion_code
Column Type: varchar
Max Length: 20
Patient's religion code

Column Name: marital_status_code
Column Type: varchar
Max Length: 15
Patient's marital status

Column Name: patient_work_phone
Column Type: varchar
Max Length: 60
Patient's work phone

Column Name: patient_maiden_name
Column Type: varchar
Max Length: 40
Patient's maiden name

Column Name: race_code

Column Type: varchar
Max Length: 20
Patient's race code

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
Facility chart number

Column Name: patient_place_of_birth
Column Type: varchar
Max Length: 40
Patient's place of birth

Column Name: patient_sex_value
Column Type: varchar
Max Length: 40
Patient's sex value

Column Name: ethnic_origin_value
Column Type: varchar
Max Length: 255
Ethnic Origin

Column Name: religion_value
Column Type: varchar
Max Length: 255
Patient's Religion

Column Name: marital_status_value
Column Type: varchar
Max Length: 40
Patient's Marital Status

Column Name: race_value
Column Type: varchar
Max Length: 255
Patient's Race

Column Name: patient_add_county_value
Column Type: varchar
Max Length: 20
Patients address - County

Column Name: patient_add_state_value
Column Type: varchar
Max Length: 40
Patient Address - State - Value

Column Name: FAMID

Column Type: integer
Family ID

Column Name: address_start_date
Column Type: date
Address Start Date

Column Name: alert_access_options
Column Type: varchar
Max Length: 50
Alert Access Options

Column Name: alert_access_type
Column Type: varchar
Max Length: 50
Alert Access Type

Column Name: citizenship_code
Column Type: varchar
Max Length: 50
Citizenship

Column Name: citizenship_value
Column Type: varchar
Max Length: 50
Citizenship

Column Name: client_alias_10
Column Type: varchar
Max Length: 80
Client Alias 10

Column Name: client_alias_2
Column Type: varchar
Max Length: 80
Client Alias 2

Column Name: client_alias_3
Column Type: varchar
Max Length: 80
Client Alias 3

Column Name: client_alias_4
Column Type: varchar
Max Length: 80
Client Alias 4

Column Name: client_alias_5
Column Type: varchar
Max Length: 80

Client Alias 5

Column Name: client_alias_6
Column Type: varchar
Max Length: 80
Client Alias 6

Column Name: client_alias_7
Column Type: varchar
Max Length: 80
Client Alias 7

Column Name: client_alias_8
Column Type: varchar
Max Length: 80
Client Alias 8

Column Name: client_alias_9
Column Type: varchar
Max Length: 80
Client Alias 9

Column Name: client_conf_city
Column Type: varchar
Max Length: 50
Client Confidential Address - City

Column Name: client_conf_cntry_code
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Code

Column Name: client_conf_cntry_value
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Value

Column Name: client_conf_phone
Column Type: varchar
Max Length: 50
Client Confidential Address - Phone Number

Column Name: client_conf_state_code
Column Type: varchar
Max Length: 50
Client Confidential Address - State Code

Column Name: client_conf_state_value
Column Type: varchar
Max Length: 50

Client Confidential Address - State Value

Column Name: client_conf_street
Column Type: varchar
Max Length: 50
Client Confidential Address - Street

Column Name: client_conf_street2
Column Type: varchar
Max Length: 50
Client Confidential Address - Street 2

Column Name: client_conf_zipcode
Column Type: varchar
Max Length: 50
Client Confidential Address - Zip code

Column Name: client_email_addr
Column Type: varchar
Max Length: 50
Client's Email Address

Column Name: client_mail_city
Column Type: varchar
Max Length: 50
Client's Address - City

Column Name: client_mail_cntry_code
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_cntry_value
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_state_code
Column Type: varchar
Max Length: 50
Client's Address - State

Column Name: client_mail_state_value
Column Type: varchar
Max Length: 50
Client's Address - State

Column Name: client_mail_street
Column Type: varchar
Max Length: 50

Client's Address - Street 1

Column Name: client_mail_street2

Column Type: varchar

Max Length: 50

Client's Address - Street 2

Column Name: client_mail_zipcode

Column Type: varchar

Max Length: 50

Client's Address - Zip Code

Column Name: communication_pref_code

Column Type: varchar

Max Length: 50

Communication Preference Code

Column Name: communication_pref_value

Column Type: varchar

Max Length: 50

Communication Preference Value

Column Name: country_of_origin_code

Column Type: varchar

Max Length: 50

Country of Origin

Column Name: country_of_origin_value

Column Type: varchar

Max Length: 50

Country of Origin

Column Name: decline_prov_code

Column Type: varchar

Max Length: 50

Client Declined To Provide Information On The Following

Column Name: decline_prov_value_long

Column Type: varchar

Max Length: 4096

Client Declined To Provide Information On The Following

Column Name: decline_prov_value_short

Column Type: varchar

Max Length: 255

Client Declined To Provide Information On The Following

Column Name: education_value

Column Type: varchar

Max Length: 255

education - Value (625)

Column Name: ethnic_origin_X_NRI_code

Column Type: varchar

Max Length: 10

Ethnic Origin X NRI

Column Name: ethnic_origin_X_NRI_value

Column Type: varchar

Max Length: 255

Ethnic Origin X NRI

Column Name: eth_orig_X_NRI_2014_value

Column Type: varchar

Max Length: 255

Ethnic Origin X NRI 2014

Column Name: eth_orig_X_NRI_2014_code

Column Type: varchar

Max Length: 10

Ethnic Origin X NRI 2014

Column Name: expected_due_date

Column Type: date

Expected Due Date

Column Name: external_mpi_id

Column Type: varchar

Max Length: 50

External MPI ID

Column Name: fam_agric_worker_code

Column Type: varchar

Max Length: 5

'Do you have family members that are agricultural workers?'

Column Name: fam_agric_worker_value

Column Type: varchar

Max Length: 40

description for 'Do you have family members that are agricultural workers?'

Column Name: family_name

Column Type: varchar

Max Length: 50

Family name

Column Name: former_agric_worker_code

Column Type: varchar

Max Length: 5

'Are you an aged and disabled former migratory agricultural worker?'

Column Name: former_agric_worker_value

Column Type: varchar

Max Length: 40

description for 'Are you an aged and disabled former migratory agricultural worker?'

Column Name: gender_identity_code

Column Type: varchar

Max Length: 5

Patient's Gender Identity code

Column Name: gender_identity_value

Column Type: varchar

Max Length: 40

Patient's Gender Identity value

Column Name: guarantor_1

Column Type: varchar

Max Length: 10

Guarantor 1

Column Name: guarantor_10

Column Type: varchar

Max Length: 10

Guarantor 10

Column Name: guarantor_2

Column Type: varchar

Max Length: 10

Guarantor 2

Column Name: guarantor_3

Column Type: varchar

Max Length: 10

Guarantor 3

Column Name: guarantor_4

Column Type: varchar

Max Length: 10

Guarantor 4

Column Name: guarantor_5

Column Type: varchar

Max Length: 10

Guarantor 5

Column Name: guarantor_6

Column Type: varchar

Max Length: 10

Guarantor 6

Column Name: guarantor_7
Column Type: varchar
Max Length: 10
Guarantor 7

Column Name: guarantor_8
Column Type: varchar
Max Length: 10
Guarantor 8

Column Name: guarantor_9
Column Type: varchar
Max Length: 10
Guarantor 9

Column Name: guarantor_name_1
Column Type: varchar
Max Length: 40
Guarantor Name 1

Column Name: guarantor_name_10
Column Type: varchar
Max Length: 40
Guarantor Name 10

Column Name: guarantor_name_2
Column Type: varchar
Max Length: 40
Guarantor Name 2

Column Name: guarantor_name_3
Column Type: varchar
Max Length: 40
Guarantor Name 3

Column Name: guarantor_name_4
Column Type: varchar
Max Length: 40
Guarantor Name 4

Column Name: guarantor_name_5
Column Type: varchar
Max Length: 40
Guarantor Name 5

Column Name: guarantor_name_6
Column Type: varchar
Max Length: 40
Guarantor Name 6

Column Name: guarantor_name_7
Column Type: varchar
Max Length: 40
Guarantor Name 7

Column Name: guarantor_name_8
Column Type: varchar
Max Length: 40
Guarantor Name 8

Column Name: guarantor_name_9
Column Type: varchar
Max Length: 40
Guarantor Name 9

Column Name: lactating_status_code
Column Type: varchar
Max Length: 50
Lactating Status

Column Name: lactating_status_value
Column Type: varchar
Max Length: 50

Column Name: marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
Marital Status X NRI

Column Name: marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
Marital Status X NRI

Column Name: medicaid_number
Column Type: varchar
Max Length: 20
Medicaid Number

Column Name: medi_cal_policy_number
Column Type: varchar
Max Length: 20
'Medi-Cal Policy Number' used by the 'LA Provider Integration' module

Column Name: mothers_maiden_name
Column Type: varchar
Max Length: 100
Mother's Maiden Name

Column Name: name_qualifier_code
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: name_qualifier_value
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: other_eth_org_code
Column Type: varchar
Max Length: 50
Other Ethnic Origin

Column Name: other_eth_org_value_long
Column Type: varchar
Max Length: 4096
Other Ethnic Origin

Column Name: other_eth_org_value_short
Column Type: varchar
Max Length: 255
Other Ethnic Origin

Column Name: other_lang_code
Column Type: varchar
Max Length: 50
Other Language Code

Column Name: other_lang_shval
Column Type: varchar
Max Length: 255
Other Language Code

Column Name: other_lang_val
Column Type: varchar
Max Length: 4096
Other Language Code

Column Name: other_race_code
Column Type: varchar
Max Length: 50
Other Race Code

Column Name: other_race_value_long
Column Type: varchar
Max Length: 4096
Other Race Code

Column Name: other_race_value_short
Column Type: varchar
Max Length: 255
Other Race Code

Column Name: patient_add_country_code
Column Type: varchar
Max Length: 20
Patient Address Country Code

Column Name: patient_add_country_value
Column Type: varchar
Max Length: 40
Patient Address Country Value

Column Name: patient_cell_phone
Column Type: varchar
Max Length: 60
Patient cell phone

Column Name: patient_name_first
Column Type: varchar
Max Length: 40
Patient Name First

Column Name: patient_name_last
Column Type: varchar
Max Length: 40
Patient Last Name

Column Name: patient_name_middle
Column Type: varchar
Max Length: 40
Patient Middle Name

Column Name: patient_name_prefix_code
Column Type: varchar
Max Length: 40
Patient Name Prefix Code

Column Name: patient_name_prefix_value
Column Type: varchar
Max Length: 40
Patient Name Prefix Value

Column Name: patient_name_suffix_code
Column Type: varchar
Max Length: 40
Patient Name Suffix Code

Column Name: patient_name_suffix_value
Column Type: varchar
Max Length: 40
Patient Name Suffix Value

Column Name: patient_sex_X_NRI_code
Column Type: varchar
Max Length: 10
Patient Sex X NRI

Column Name: patient_sex_X_NRI_value
Column Type: varchar
Max Length: 40
Patient Sex X NRI

Column Name: patient_ssn_2
Column Type: varchar
Max Length: 15
Patient's social security number 2

Column Name: patient_ssn_3
Column Type: varchar
Max Length: 15
Patient's social security number 3

Column Name: patient_ssn_4
Column Type: varchar
Max Length: 15
Patient's social security number 4

Column Name: personal_pronouns
Column Type: varchar
Max Length: 40
'Personal Pronouns'

Column Name: policy_number_1
Column Type: varchar
Max Length: 20
policy number 1

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
policy number 10

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
policy number 2

Column Name: policy_number_3
Column Type: varchar
Max Length: 20
policy number 3

Column Name: policy_number_4
Column Type: varchar
Max Length: 20
policy number 4

Column Name: policy_number_5
Column Type: varchar
Max Length: 20
policy number 5

Column Name: policy_number_6
Column Type: varchar
Max Length: 20
policy number 6

Column Name: policy_number_7
Column Type: varchar
Max Length: 20
policy number 7

Column Name: policy_number_8
Column Type: varchar
Max Length: 20
policy number 8

Column Name: policy_number_9
Column Type: varchar
Max Length: 20
policy number 9

Column Name: preferred_name
Column Type: varchar
Max Length: 40
'Preferred Name'

Column Name: pref_prov_eth_org_code
Column Type: varchar
Max Length: 5
Preferred Provider's Ethnic origin

Column Name: pref_prov_eth_org_value
Column Type: varchar
Max Length: 255
Preferred Provider's Ethnic Origin value

Column Name: pref_prov_sex_code
Column Type: varchar
Max Length: 5
Preferred provider's sex

Column Name: pref_prov_sex_value
Column Type: varchar
Max Length: 15
Preferred provider's sex value

Column Name: pregnancy_status_code
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: pregnancy_status_value
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: primary_language_code
Column Type: varchar
Max Length: 50
Primary Language

Column Name: primary_language_value
Column Type: varchar
Max Length: 50
Primary Language

Column Name: protection_indicator_code
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: protection_indicator_date
Column Type: date
Protection Indicator Effective Date

Column Name: protection_indicator_val
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 5
Patients Sexual Orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
Patient's Sexual Orientation value

Column Name: smoker_code
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoker_value
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoking_stat_assess_date
Column Type: date
Smoking Status Assessment Date

Column Name: ss_demographics_date_1
Column Type: date
SS Demographics Date 1

Column Name: ss_demographics_date_2
Column Type: date
SS Demographics Date 2

Column Name: ss_demographics_date_3
Column Type: date
SS Demographics Date 3

Column Name: ss_demographics_date_4
Column Type: date
SS Demographics Date 4

Column Name: ss_demographics_date_5
Column Type: date
SS Demographics Date 5

Column Name: ss_demographics_dict_10_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 10 Code

Column Name: ss_demographics_dict_10_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 10 Value

Column Name: ss_demographics_dict_11_code

Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 11 Code

Column Name: ss_demographics_dict_11_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 11 Value

Column Name: ss_demographics_dict_12_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 12 Code

Column Name: ss_demographics_dict_12_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 12 Value

Column Name: ss_demographics_dict_13_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 13 Code

Column Name: ss_demographics_dict_13_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 13 Value

Column Name: ss_demographics_dict_14_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 14 Code

Column Name: ss_demographics_dict_14_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 14 Value

Column Name: ss_demographics_dict_15_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 15 Code

Column Name: ss_demographics_dict_15_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 15 Value

Column Name: ss_demographics_dict_16_code

Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 16' Code

Column Name: ss_demographics_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_16_code. See ss_demographics_dict_16_code for more information.

Column Name: ss_demographics_dict_17_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 17' Code

Column Name: ss_demographics_dict_17_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_17_code. See ss_demographics_dict_17_code for more information.

Column Name: ss_demographics_dict_18_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 18' Code

Column Name: ss_demographics_dict_18_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_18_code. See ss_demographics_dict_18_code for more information.

Column Name: ss_demographics_dict_19_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 19' Code

Column Name: ss_demographics_dict_19_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_19_code. See ss_demographics_dict_19_code for more information.

Column Name: ss_demographics_dict_1_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 1 Code

Column Name: ss_demographics_dict_1_value
Column Type: varchar

Max Length: 255
SS Demographics Single Select Dictionary 1 Value

Column Name: ss_demographics_dict_20_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 20' Code

Column Name: ss_demographics_dict_20_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_20_code. See ss_demographics_dict_20_code for more information.

Column Name: ss_demographics_dict_2_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 2 Code

Column Name: ss_demographics_dict_2_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 2 Value

Column Name: ss_demographics_dict_3_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 3 Code

Column Name: ss_demographics_dict_3_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 3 Value

Column Name: ss_demographics_dict_4_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 4 Code

Column Name: ss_demographics_dict_4_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 4 Value

Column Name: ss_demographics_dict_5_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 5 Code

Column Name: ss_demographics_dict_5_value

Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 5 Value

Column Name: ss_demographics_dict_6_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 6 Code

Column Name: ss_demographics_dict_6_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 6 Value

Column Name: ss_demographics_dict_7_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 7 Code

Column Name: ss_demographics_dict_7_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 7 Value

Column Name: ss_demographics_dict_8_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 8 Code

Column Name: ss_demographics_dict_8_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 8 Value

Column Name: ss_demographics_dict_9_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 9 Code

Column Name: ss_demographics_dict_9_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 9 Value

Column Name: ss_demographics_free_txt_1
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 1

Column Name: ss_demographics_free_txt_10

Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 10'

Column Name: ss_demographics_free_txt_11
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 11'

Column Name: ss_demographics_free_txt_12
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 12'

Column Name: ss_demographics_free_txt_13
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 13'

Column Name: ss_demographics_free_txt_14
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 14'

Column Name: ss_demographics_free_txt_15
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 15'

Column Name: ss_demographics_free_txt_2
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 2

Column Name: ss_demographics_freetxt_20_1
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 1

Column Name: ss_demographics_freetxt_20_10
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 10'

Column Name: ss_demographics_freetxt_20_11
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 11'

Column Name: ss_demographics_freetxt_20_12

Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 12'

Column Name: ss_demographics_freetxt_20_13
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 13'

Column Name: ss_demographics_freetxt_20_14
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 14'

Column Name: ss_demographics_freetxt_20_15
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 15'

Column Name: ss_demographics_freetxt_20_2
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 2

Column Name: ss_demographics_freetxt_20_3
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 3

Column Name: ss_demographics_freetxt_20_4
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 4

Column Name: ss_demographics_freetxt_20_5
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 5

Column Name: ss_demographics_freetxt_20_6
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 6'

Column Name: ss_demographics_freetxt_20_7
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 7'

Column Name: ss_demographics_freetxt_20_8

Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 8'

Column Name: ss_demographics_freetxt_20_9
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 9'

Column Name: ss_demographics_free_txt_3
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 3

Column Name: ss_demographics_free_txt_4
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 4

Column Name: ss_demographics_freetxt_40_1
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 1

Column Name: ss_demographics_freetxt_40_10
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 10'

Column Name: ss_demographics_freetxt_40_11
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 11'

Column Name: ss_demographics_freetxt_40_12
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 12'

Column Name: ss_demographics_freetxt_40_13
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 13'

Column Name: ss_demographics_freetxt_40_14
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 14'

Column Name: ss_demographics_freetxt_40_15

Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 15'

Column Name: ss_demographics_freetxt_40_2
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 2

Column Name: ss_demographics_freetxt_40_3
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 3

Column Name: ss_demographics_freetxt_40_4
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 4

Column Name: ss_demographics_freetxt_40_5
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 5

Column Name: ss_demographics_freetxt_40_6
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 6'

Column Name: ss_demographics_freetxt_40_7
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 7'

Column Name: ss_demographics_freetxt_40_8
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 8'

Column Name: ss_demographics_freetxt_40_9
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 9'

Column Name: ss_demographics_free_txt_5
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 5

Column Name: ss_demographics_free_txt_6

Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 6'

Column Name: ss_demographics_free_txt_7
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 7'

Column Name: ss_demographics_free_txt_8
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 8'

Column Name: ss_demographics_freetxt_80_1
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 1'

Column Name: ss_demographics_freetxt_80_10
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 10'

Column Name: ss_demographics_freetxt_80_2
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 2'

Column Name: ss_demographics_freetxt_80_3
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 3'

Column Name: ss_demographics_freetxt_80_4
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 4'

Column Name: ss_demographics_freetxt_80_5
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 5'

Column Name: ss_demographics_freetxt_80_6
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 6'

Column Name: ss_demographics_freetxt_80_7

Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 7'

Column Name: ss_demographics_freetxt_80_8
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 8'

Column Name: ss_demographics_freetxt_80_9
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 9'

Column Name: ss_demographics_free_txt_9
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 9'

Column Name: ss_demographics_mult_10_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 10 Code

Column Name: ss_demographics_mult_10_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 10 Short Value

Column Name: ss_demographics_mult_10_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 10 Value

Column Name: ss_demographics_mult_11_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 11' Code

Column Name: ss_demographics_mult_11_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_11_code limited to 255 characters. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_11_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_11_code. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_12_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 12' Code

Column Name: ss_demographics_mult_12_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_12_code limited to 255 characters. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_12_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_12_code. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_13_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 13' Code

Column Name: ss_demographics_mult_13_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_13_code limited to 255 characters. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_13_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_13_code. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_14_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 14' Code

Column Name: ss_demographics_mult_14_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_14_code limited to 255 characters. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_14_value
Column Type: varchar
Max Length: 4096

The description associated with `ss_demographics_mult_14_code`. See `ss_demographics_mult_14_code` for more information.

Column Name: `ss_demographics_mult_15_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 15' Code

Column Name: `ss_demographics_mult_15_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_15_code` limited to 255 characters. See `ss_demographics_mult_15_code` for more information.

Column Name: `ss_demographics_mult_15_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_15_code`. See `ss_demographics_mult_15_code` for more information.

Column Name: `ss_demographics_mult_1_code`

Column Type: `varchar`

Max Length: 50

SS Demographics Multiple Select Dictionary 1 Code

Column Name: `ss_demographics_mult_1_shval`

Column Type: `varchar`

Max Length: 255

SS Demographics Multiple Select Dictionary 1 Short Value

Column Name: `ss_demographics_mult_1_value`

Column Type: `varchar`

Max Length: 4096

SS Demographics Multiple Select Dictionary 1 Value

Column Name: `ss_demographics_mult_2_code`

Column Type: `varchar`

Max Length: 50

SS Demographics Multiple Select Dictionary 2 Code

Column Name: `ss_demographics_mult_2_shval`

Column Type: `varchar`

Max Length: 255

SS Demographics Multiple Select Dictionary 2 Short Value

Column Name: `ss_demographics_mult_2_value`

Column Type: `varchar`

Max Length: 4096

SS Demographics Multiple Select Dictionary 2 Value

Column Name: ss_demographics_mult_3_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 3 Code

Column Name: ss_demographics_mult_3_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 3 Short Value

Column Name: ss_demographics_mult_3_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 3 Value

Column Name: ss_demographics_mult_4_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 4 Code

Column Name: ss_demographics_mult_4_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 4 Short Value

Column Name: ss_demographics_mult_4_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 4 Value

Column Name: ss_demographics_mult_5_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 5 Code

Column Name: ss_demographics_mult_5_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 5 Short Value

Column Name: ss_demographics_mult_5_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 5 Value

Column Name: ss_demographics_mult_6_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 6 Code

Column Name: ss_demographics_mult_6_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 6 Short Value

Column Name: ss_demographics_mult_6_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 6 Value

Column Name: ss_demographics_mult_7_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 7 Code

Column Name: ss_demographics_mult_7_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 7 Short Value

Column Name: ss_demographics_mult_7_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 7 Value

Column Name: ss_demographics_mult_8_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 8 Code

Column Name: ss_demographics_mult_8_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 8 Short Value

Column Name: ss_demographics_mult_8_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 8 Value

Column Name: ss_demographics_mult_9_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 9 Code

Column Name: ss_demographics_mult_9_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 9 Short Value

Column Name: ss_demographics_mult_9_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 9 Value

Column Name: ss_demographics_phone_1
Column Type: varchar
Max Length: 50
Site Specific Phone Number 1

Column Name: ss_demographics_phone_2
Column Type: varchar
Max Length: 50
Site Specific Phone Number 2

Column Name: ss_demographics_phone_3
Column Type: varchar
Max Length: 50
Site Specific Phone Number 3

Column Name: ss_demographics_phone_4
Column Type: varchar
Max Length: 50
Site Specific Phone Number 4

Column Name: ss_demographics_phone_5
Column Type: varchar
Max Length: 50
Site Specific Phone Number 5

Column Name: ss_demographics_staff_1
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 1

Column Name: ss_demographics_staff_2
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 2

Column Name: ss_demographics_staff_3
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 3

Column Name: ss_demographics_staff_4
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 4

Column Name: ss_demographics_staff_5
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 5

Column Name: ss_demographics_time_1
Column Type: varchar
Max Length: 10
SS Demographics Time 1

Column Name: ss_demographics_time_2
Column Type: varchar
Max Length: 10
SS Demographics Time 2

Column Name: ss_demographics_time_3
Column Type: varchar
Max Length: 10
SS Demographics Time 3

Column Name: ss_demographics_time_4
Column Type: varchar
Max Length: 10
SS Demographics Time 4

Column Name: ss_demographics_time_5
Column Type: varchar
Max Length: 10
SS Demographics Time 5

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Discharge

Table Name: SYSTEM.patient_demographic_history

Table Description: Patient Demographic History

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: MPI_uniqueid
Column Type: varchar
Max Length: 12
MPI unique ID

Column Name: patient_name
Column Type: varchar
Max Length: 40
Patient Name

Column Name: sex_code
Column Type: varchar
Max Length: 5
Sex

Column Name: sex_value
Column Type: varchar
Max Length: 40
Sex

Column Name: ethnic_origin_code
Column Type: varchar
Max Length: 5
Ethnic Origin

Column Name: ethnic_origin_value
Column Type: varchar
Max Length: 255
Ethnic Origin

Column Name: date_of_birth
Column Type: date
Date Of Birth

Column Name: patient_street_1
Column Type: varchar
Max Length: 40
Patient's Address - Street

Column Name: patient_city
Column Type: varchar

Max Length: 20
Patients Address - City

Column Name: patient_state
Column Type: varchar
Max Length: 40
Patient's Address - State

Column Name: patient_county_code
Column Type: varchar
Max Length: 5
Patient's Address - County

Column Name: patient_county_value
Column Type: varchar
Max Length: 40
patient's Address - County

Column Name: patient_zipcode
Column Type: varchar
Max Length: 60
Patient's Address - Zipcode

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
Patient's Home Phone

Column Name: patient_street_2
Column Type: varchar
Max Length: 40
Patient's Address - Street 2

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Data Entry By (Option)

Column Name: social_security_number
Column Type: varchar
Max Length: 15
SS Number (6)

Column Name: religion_code
Column Type: varchar
Max Length: 5
Client Religion (9)

Column Name: religion_value
Column Type: varchar
Max Length: 255
Religion Value (9)

Column Name: marital_status_code
Column Type: varchar
Max Length: 10
Marital status code (10)

Column Name: marital_status_value
Column Type: varchar
Max Length: 40
Marital Status Value (10)

Column Name: client_work_phone
Column Type: varchar
Max Length: 60
Work Phone

Column Name: maiden_name
Column Type: varchar
Max Length: 40
Maiden Name

Column Name: client_race_Code
Column Type: varchar
Max Length: 10
Client Race - Code (116)

Column Name: client_race_value
Column Type: varchar
Max Length: 40
Client Race - Value (116)

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40

Facility Chart Number

Column Name: client_alias

Column Type: varchar

Max Length: 80

Client Alias

Column Name: employment_status_code

Column Type: varchar

Max Length: 10

Employment Status - Code (517)

Column Name: employment_status_value

Column Type: varchar

Max Length: 255

Employment Status - Value (517)

Column Name: occupation_code

Column Type: varchar

Max Length: 10

Occupation - Code (610)

Column Name: occupation_value

Column Type: varchar

Max Length: 255

Occupation - Value (610)

Column Name: education_code

Column Type: varchar

Max Length: 10

Education - Code (625)

Column Name: education_value

Column Type: varchar

Max Length: 255

education - Value (625)

Column Name: place_of_birth

Column Type: varchar

Max Length: 40

Place of Birth

Column Name: GUID

Column Type: varchar

Max Length: 50

GUID

Column Name: InfoScribLegacyID

Column Type: varchar

Max Length: 50

InfoScribLegacyID

Column Name: UTCTimestamp

Column Type: timestamp

UTCTimestamp

Column Name: address_start_date

Column Type: date

Address Start Date

Column Name: citizenship_code

Column Type: varchar

Max Length: 50

Citizenship

Column Name: citizenship_value

Column Type: varchar

Max Length: 50

Citizenship

Column Name: client_alias_10

Column Type: varchar

Max Length: 80

Client Alias 10

Column Name: client_alias_2

Column Type: varchar

Max Length: 80

Client Alias 2

Column Name: client_alias_3

Column Type: varchar

Max Length: 80

Client Alias 3

Column Name: client_alias_4

Column Type: varchar

Max Length: 80

Client Alias 4

Column Name: client_alias_5

Column Type: varchar

Max Length: 80

Client Alias 5

Column Name: client_alias_6

Column Type: varchar

Max Length: 80

Client Alias 6

Column Name: client_alias_7
Column Type: varchar
Max Length: 80
Client Alias 7

Column Name: client_alias_8
Column Type: varchar
Max Length: 80
Client Alias 8

Column Name: client_alias_9
Column Type: varchar
Max Length: 80
Client Alias 9

Column Name: client_conf_city
Column Type: varchar
Max Length: 50
Client Confidential Address - City

Column Name: client_conf_cntry_code
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Code

Column Name: client_conf_cntry_value
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Value

Column Name: client_conf_phone
Column Type: varchar
Max Length: 50
Client Confidential Address - Phone Number

Column Name: client_conf_state_code
Column Type: varchar
Max Length: 50
Client Confidential Address - State Code

Column Name: client_conf_state_value
Column Type: varchar
Max Length: 50
Client Confidential Address - State Value

Column Name: client_conf_street
Column Type: varchar
Max Length: 50
Client Confidential Address - Street

Column Name: client_conf_street2
Column Type: varchar
Max Length: 50
Client Confidential Address - Street 2

Column Name: client_conf_zipcode
Column Type: varchar
Max Length: 50
Client Confidential Address - Zip code

Column Name: client_email_addr
Column Type: varchar
Max Length: 50
Client's Email Address

Column Name: client_mail_city
Column Type: varchar
Max Length: 50
Client's Mailing Address - City

Column Name: client_mail_cntry_code
Column Type: varchar
Max Length: 50
Client's Mailing Address - Country

Column Name: client_mail_cntry_value
Column Type: varchar
Max Length: 50
Client's Mailing Address - Country

Column Name: client_mail_state_code
Column Type: varchar
Max Length: 50
Client's Mailing Address - State

Column Name: client_mail_state_value
Column Type: varchar
Max Length: 50
Client's Mailing Address - State

Column Name: client_mail_street
Column Type: varchar
Max Length: 50
Client's Mailing Address - Street 1

Column Name: client_mail_street2
Column Type: varchar
Max Length: 50
Client's Mailing Address - Street 2

Column Name: client_mail_zipcode
Column Type: varchar
Max Length: 50
Client's Mailing Address - Zip Code

Column Name: communication_pref_code
Column Type: varchar
Max Length: 50
Communication Preference Code

Column Name: communication_pref_value
Column Type: varchar
Max Length: 50
Communication Preference Value

Column Name: country_of_origin_code
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: country_of_origin_value
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar

Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: decline_prov_code
Column Type: varchar
Max Length: 50
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_long
Column Type: varchar
Max Length: 4096
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_short
Column Type: varchar
Max Length: 255
Client Declined To Provide Information On The Following

Column Name: ethnic_origin_X_NRI_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI

Column Name: ethnic_origin_X_NRI_value
Column Type: varchar
Max Length: 255
Ethnic Origin X NRI

Column Name: eth_orig_X_NRI_2014_value
Column Type: varchar
Max Length: 255
Ethnic Origin X NRI 2014

Column Name: eth_orig_X_NRI_2014_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI 2014

Column Name: expected_due_date
Column Type: date
Expected Due Date

Column Name: external_mpi_id
Column Type: varchar
Max Length: 50
External MPI ID

Column Name: fam_agric_worker_code
Column Type: varchar
Max Length: 5
'Do you have family members that are agricultural workers?'

Column Name: fam_agric_worker_value
Column Type: varchar
Max Length: 40
description for 'Do you have family members that are agricultural workers?'

Column Name: former_agric_worker_code
Column Type: varchar
Max Length: 5
'Are you an aged and disabled former migratory agricultural worker?'

Column Name: former_agric_worker_value
Column Type: varchar
Max Length: 40
description for 'Are you an aged and disabled former migratory agricultural worker?'

Column Name: gender_identity_code
Column Type: varchar
Max Length: 5
Gender Identity code

Column Name: gender_identity_value
Column Type: varchar
Max Length: 40
Gender Identity value

Column Name: guarantor_1
Column Type: varchar
Max Length: 10
Guarantor 1

Column Name: guarantor_10
Column Type: varchar
Max Length: 10
Guarantor 10

Column Name: guarantor_2
Column Type: varchar
Max Length: 10
Guarantor 2

Column Name: guarantor_3
Column Type: varchar
Max Length: 10
Guarantor 3

Column Name: guarantor_4
Column Type: varchar
Max Length: 10
Guarantor 4

Column Name: guarantor_5
Column Type: varchar
Max Length: 10
Guarantor 5

Column Name: guarantor_6
Column Type: varchar
Max Length: 10
Guarantor 6

Column Name: guarantor_7
Column Type: varchar
Max Length: 10
Guarantor 7

Column Name: guarantor_8
Column Type: varchar
Max Length: 10
Guarantor 8

Column Name: guarantor_9
Column Type: varchar
Max Length: 10
Guarantor 9

Column Name: guarantor_name_1
Column Type: varchar
Max Length: 40
Guarantor Name 1

Column Name: guarantor_name_10
Column Type: varchar
Max Length: 40
Guarantor Name 10

Column Name: guarantor_name_2
Column Type: varchar
Max Length: 40
Guarantor Name 2

Column Name: guarantor_name_3
Column Type: varchar
Max Length: 40
Guarantor Name 3

Column Name: guarantor_name_4
Column Type: varchar
Max Length: 40
Guarantor Name 4

Column Name: guarantor_name_5
Column Type: varchar
Max Length: 40
Guarantor Name 5

Column Name: guarantor_name_6
Column Type: varchar
Max Length: 40
Guarantor Name 6

Column Name: guarantor_name_7
Column Type: varchar
Max Length: 40
Guarantor Name 7

Column Name: guarantor_name_8
Column Type: varchar
Max Length: 40
Guarantor Name 8

Column Name: guarantor_name_9
Column Type: varchar
Max Length: 40
Guarantor Name 9

Column Name: lactating_status_code
Column Type: varchar
Max Length: 50
Lactating Status

Column Name: lactating_status_value
Column Type: varchar
Max Length: 50

Column Name: marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
Marital Status X NRI

Column Name: marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
Marital Status X NRI

Column Name: medicaid_number
Column Type: varchar
Max Length: 20
Medicaid Number

Column Name: mothers_maiden_name
Column Type: varchar
Max Length: 100
Mother's Maiden Name

Column Name: name_qualifier_code
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: name_qualifier_value
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 50
Option Identifier

Column Name: other_eth_org_code
Column Type: varchar
Max Length: 50
Other Ethnic Origin

Column Name: other_eth_org_value_long
Column Type: varchar
Max Length: 4096
Other Ethnic Origin

Column Name: other_eth_org_value_short
Column Type: varchar
Max Length: 255
Other Ethnic Origin

Column Name: other_lang_code
Column Type: varchar
Max Length: 50
Other Language

Column Name: other_lang_shval
Column Type: varchar
Max Length: 255
Other Language

Column Name: other_lang_val
Column Type: varchar
Max Length: 4096
Other Language

Column Name: other_race_code
Column Type: varchar
Max Length: 50
Other Race

Column Name: other_race_value_long
Column Type: varchar
Max Length: 4096
Other Race

Column Name: other_race_value_short
Column Type: varchar
Max Length: 255
Other Race

Column Name: patient_cell_phone
Column Type: varchar
Max Length: 60
Patient cell phone

Column Name: patient_country_code
Column Type: varchar
Max Length: 20
Patient Address Country Code

Column Name: patient_country_value
Column Type: varchar
Max Length: 40
Patient Address Country Value

Column Name: patient_name_first
Column Type: varchar
Max Length: 100
Patient Name First

Column Name: patient_name_last
Column Type: varchar
Max Length: 40
Patient Last Name

Column Name: patient_name_middle
Column Type: varchar
Max Length: 40
Patient Middle Name

Column Name: patient_name_prefix_code
Column Type: varchar
Max Length: 40
Patient Name Prefix Code

Column Name: patient_name_prefix_value
Column Type: varchar
Max Length: 40
Patient Name Prefix Value

Column Name: patient_name_suffix_code
Column Type: varchar
Max Length: 40
Patient Name Suffix Code

Column Name: patient_name_suffix_value
Column Type: varchar
Max Length: 40
Patient Name Suffix Value

Column Name: personal_pronouns
Column Type: varchar
Max Length: 40
'Personal Pronouns'

Column Name: policy_number_1
Column Type: varchar
Max Length: 20
policy number 1

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
policy number 10

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
policy number 2

Column Name: policy_number_3
Column Type: varchar
Max Length: 20
policy number 3

Column Name: policy_number_4
Column Type: varchar
Max Length: 20
policy number 4

Column Name: policy_number_5
Column Type: varchar
Max Length: 20
policy number 5

Column Name: policy_number_6
Column Type: varchar
Max Length: 20
policy number 6

Column Name: policy_number_7
Column Type: varchar
Max Length: 20
policy number 7

Column Name: policy_number_8
Column Type: varchar
Max Length: 20
policy number 8

Column Name: policy_number_9
Column Type: varchar
Max Length: 20
policy number 9

Column Name: preferred_name
Column Type: varchar
Max Length: 40
'Preferred Name'

Column Name: pref_prov_eth_org_code
Column Type: varchar
Max Length: 5
Preferred Provider's Ethnic origin

Column Name: pref_prov_eth_org_value
Column Type: varchar
Max Length: 255
Preferred Provider's Ethnic Origin value

Column Name: pref_prov_sex_code
Column Type: varchar
Max Length: 5
Preferred provider's sex

Column Name: pref_prov_sex_value
Column Type: varchar
Max Length: 15
Preferred provider's sex value

Column Name: pregnancy_status_code
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: pregnancy_status_value
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: primary_language_code
Column Type: varchar
Max Length: 50
Primary Language

Column Name: primary_language_value
Column Type: varchar
Max Length: 50
Primary Language

Column Name: protection_indicator_code
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: protection_indicator_date
Column Type: date
Protection Indicator Effective Date

Column Name: protection_indicator_val
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 5
Sexual Orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
Sex

Column Name: sex_X_NRI_code
Column Type: varchar
Max Length: 10
Sex X NRI

Column Name: sex_X_NRI_value
Column Type: varchar
Max Length: 40
Sex X NRI

Column Name: smoker_code
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoker_value
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoking_stat_assess_date
Column Type: date
Smoking Status Assessment Date

Column Name: social_security_number_2
Column Type: varchar
Max Length: 15
SS Number 2 (6)

Column Name: social_security_number_3
Column Type: varchar
Max Length: 15
SS Number 3 (6)

Column Name: social_security_number_4
Column Type: varchar
Max Length: 15
SS Number 4 (6)

Column Name: ss_demographics_date_1
Column Type: date
SS Demographics Date 1

Column Name: ss_demographics_date_2
Column Type: date

SS Demographics Date 2

Column Name: ss_demographics_date_3

Column Type: date

SS Demographics Date 3

Column Name: ss_demographics_date_4

Column Type: date

SS Demographics Date 4

Column Name: ss_demographics_date_5

Column Type: date

SS Demographics Date 5

Column Name: ss_demographics_dict_10_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 10 Code

Column Name: ss_demographics_dict_10_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 10 Value

Column Name: ss_demographics_dict_11_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 11 Code

Column Name: ss_demographics_dict_11_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 11 Value

Column Name: ss_demographics_dict_12_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 12 Code

Column Name: ss_demographics_dict_12_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 12 Value

Column Name: ss_demographics_dict_13_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 13 Code

Column Name: ss_demographics_dict_13_value

Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 13 Value

Column Name: ss_demographics_dict_14_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 14 Code

Column Name: ss_demographics_dict_14_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 14 Value

Column Name: ss_demographics_dict_15_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 15 Code

Column Name: ss_demographics_dict_15_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 15 Value

Column Name: ss_demographics_dict_16_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 16' Code

Column Name: ss_demographics_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_16_code. See ss_demographics_dict_16_code for more information.

Column Name: ss_demographics_dict_17_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 17' Code

Column Name: ss_demographics_dict_17_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_17_code. See ss_demographics_dict_17_code for more information.

Column Name: ss_demographics_dict_18_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 18' Code

Column Name: ss_demographics_dict_18_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_18_code. See ss_demographics_dict_18_code for more information.

Column Name: ss_demographics_dict_19_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 19' Code

Column Name: ss_demographics_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_19_code. See ss_demographics_dict_19_code for more information.

Column Name: ss_demographics_dict_1_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 1 Code

Column Name: ss_demographics_dict_1_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 1 Value

Column Name: ss_demographics_dict_20_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 20' Code

Column Name: ss_demographics_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_20_code. See ss_demographics_dict_20_code for more information.

Column Name: ss_demographics_dict_2_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 2 Code

Column Name: ss_demographics_dict_2_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 2 Value

Column Name: ss_demographics_dict_3_code

Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 3 Code

Column Name: ss_demographics_dict_3_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 3 Value

Column Name: ss_demographics_dict_4_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 4 Code

Column Name: ss_demographics_dict_4_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 4 Value

Column Name: ss_demographics_dict_5_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 5 Code

Column Name: ss_demographics_dict_5_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 5 Value

Column Name: ss_demographics_dict_6_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 6 Code

Column Name: ss_demographics_dict_6_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 6 Value

Column Name: ss_demographics_dict_7_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 7 Code

Column Name: ss_demographics_dict_7_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 7 Value

Column Name: ss_demographics_dict_8_code

Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 8 Code

Column Name: ss_demographics_dict_8_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 8 Value

Column Name: ss_demographics_dict_9_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 9 Code

Column Name: ss_demographics_dict_9_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 9 Value

Column Name: ss_demographics_free_txt_1
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 1

Column Name: ss_demographics_free_txt_10
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 10'

Column Name: ss_demographics_free_txt_11
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 11'

Column Name: ss_demographics_free_txt_12
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 12'

Column Name: ss_demographics_free_txt_13
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 13'

Column Name: ss_demographics_free_txt_14
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 14'

Column Name: ss_demographics_free_txt_15

Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 15'

Column Name: ss_demographics_free_txt_2
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 2

Column Name: ss_demographics_freetxt_20_1
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 1

Column Name: ss_demographics_freetxt_20_10
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 10'

Column Name: ss_demographics_freetxt_20_11
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 11'

Column Name: ss_demographics_freetxt_20_12
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 12'

Column Name: ss_demographics_freetxt_20_13
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 13'

Column Name: ss_demographics_freetxt_20_14
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 14'

Column Name: ss_demographics_freetxt_20_15
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 15'

Column Name: ss_demographics_freetxt_20_2
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 2

Column Name: ss_demographics_freetxt_20_3

Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 3

Column Name: ss_demographics_freetxt_20_4
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 4

Column Name: ss_demographics_freetxt_20_5
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 5

Column Name: ss_demographics_freetxt_20_6
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 6'

Column Name: ss_demographics_freetxt_20_7
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 7'

Column Name: ss_demographics_freetxt_20_8
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 8'

Column Name: ss_demographics_freetxt_20_9
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 9'

Column Name: ss_demographics_free_txt_3
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 3

Column Name: ss_demographics_free_txt_4
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 4

Column Name: ss_demographics_freetxt_40_1
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 1

Column Name: ss_demographics_freetxt_40_10

Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 10'

Column Name: ss_demographics_freetxt_40_11
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 11'

Column Name: ss_demographics_freetxt_40_12
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 12'

Column Name: ss_demographics_freetxt_40_13
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 13'

Column Name: ss_demographics_freetxt_40_14
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 14'

Column Name: ss_demographics_freetxt_40_15
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 15'

Column Name: ss_demographics_freetxt_40_2
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 2

Column Name: ss_demographics_freetxt_40_3
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 3

Column Name: ss_demographics_freetxt_40_4
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 4

Column Name: ss_demographics_freetxt_40_5
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 5

Column Name: ss_demographics_freetxt_40_6

Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 6'

Column Name: ss_demographics_freetxt_40_7
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 7'

Column Name: ss_demographics_freetxt_40_8
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 8'

Column Name: ss_demographics_freetxt_40_9
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 9'

Column Name: ss_demographics_free_txt_5
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 5

Column Name: ss_demographics_free_txt_6
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 6'

Column Name: ss_demographics_free_txt_7
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 7'

Column Name: ss_demographics_free_txt_8
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 8'

Column Name: ss_demographics_freetxt_80_1
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 1'

Column Name: ss_demographics_freetxt_80_10
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 10'

Column Name: ss_demographics_freetxt_80_2

Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 2'

Column Name: ss_demographics_freetxt_80_3
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 3'

Column Name: ss_demographics_freetxt_80_4
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 4'

Column Name: ss_demographics_freetxt_80_5
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 5'

Column Name: ss_demographics_freetxt_80_6
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 6'

Column Name: ss_demographics_freetxt_80_7
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 7'

Column Name: ss_demographics_freetxt_80_8
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 8'

Column Name: ss_demographics_freetxt_80_9
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 9'

Column Name: ss_demographics_free_txt_9
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 9'

Column Name: ss_demographics_mult_10_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 10 Code

Column Name: ss_demographics_mult_10_shval

Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 10 Short Value

Column Name: ss_demographics_mult_10_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 10 Value

Column Name: ss_demographics_mult_11_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 11' Code

Column Name: ss_demographics_mult_11_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_11_code limited to 255 characters. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_11_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_11_code. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_12_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 12' Code

Column Name: ss_demographics_mult_12_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_12_code limited to 255 characters. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_12_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_12_code. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_13_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 13' Code

Column Name: ss_demographics_mult_13_shval
Column Type: varchar

Max Length: 255

The description associated with `ss_demographics_mult_13_code` limited to 255 characters. See `ss_demographics_mult_13_code` for more information.

Column Name: `ss_demographics_mult_13_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_13_code`. See `ss_demographics_mult_13_code` for more information.

Column Name: `ss_demographics_mult_14_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 14' Code

Column Name: `ss_demographics_mult_14_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_14_code` limited to 255 characters. See `ss_demographics_mult_14_code` for more information.

Column Name: `ss_demographics_mult_14_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_14_code`. See `ss_demographics_mult_14_code` for more information.

Column Name: `ss_demographics_mult_15_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 15' Code

Column Name: `ss_demographics_mult_15_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_15_code` limited to 255 characters. See `ss_demographics_mult_15_code` for more information.

Column Name: `ss_demographics_mult_15_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_15_code`. See `ss_demographics_mult_15_code` for more information.

Column Name: `ss_demographics_mult_1_code`

Column Type: `varchar`

Max Length: 50

SS Demographics Multiple Select Dictionary 1 Code

Column Name: `ss_demographics_mult_1_shval`

Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 1 Short Value

Column Name: ss_demographics_mult_1_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 1 Value

Column Name: ss_demographics_mult_2_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 2 Code

Column Name: ss_demographics_mult_2_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 2 Short Value

Column Name: ss_demographics_mult_2_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 2 Value

Column Name: ss_demographics_mult_3_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 3 Code

Column Name: ss_demographics_mult_3_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 3 Short Value

Column Name: ss_demographics_mult_3_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 3 Value

Column Name: ss_demographics_mult_4_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 4 Code

Column Name: ss_demographics_mult_4_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 4 Short Value

Column Name: ss_demographics_mult_4_value

Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 4 Value

Column Name: ss_demographics_mult_5_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 5 Code

Column Name: ss_demographics_mult_5_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 5 Short Value

Column Name: ss_demographics_mult_5_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 5 Value

Column Name: ss_demographics_mult_6_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 6 Code

Column Name: ss_demographics_mult_6_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 6 Short Value

Column Name: ss_demographics_mult_6_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 6 Value

Column Name: ss_demographics_mult_7_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 7 Code

Column Name: ss_demographics_mult_7_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 7 Short Value

Column Name: ss_demographics_mult_7_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 7 Value

Column Name: ss_demographics_mult_8_code

Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 8 Code

Column Name: ss_demographics_mult_8_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 8 Short Value

Column Name: ss_demographics_mult_8_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 8 Value

Column Name: ss_demographics_mult_9_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 9 Code

Column Name: ss_demographics_mult_9_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 9 Short Value

Column Name: ss_demographics_mult_9_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 9 Value

Column Name: ss_demographics_phone_1
Column Type: varchar
Max Length: 50
Site Specific Phone Number 1

Column Name: ss_demographics_phone_2
Column Type: varchar
Max Length: 50
Site Specific Phone Number 2

Column Name: ss_demographics_phone_3
Column Type: varchar
Max Length: 50
Site Specific Phone Number 3

Column Name: ss_demographics_phone_4
Column Type: varchar
Max Length: 50
Site Specific Phone Number 4

Column Name: ss_demographics_phone_5

Column Type: varchar
Max Length: 50
Site Specific Phone Number 5

Column Name: ss_demographics_staff_1
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 1

Column Name: ss_demographics_staff_2
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 2

Column Name: ss_demographics_staff_3
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 3

Column Name: ss_demographics_staff_4
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 4

Column Name: ss_demographics_staff_5
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 5

Column Name: ss_demographics_time_1
Column Type: varchar
Max Length: 10
SS Demographics Time 1

Column Name: ss_demographics_time_2
Column Type: varchar
Max Length: 10
SS Demographics Time 2

Column Name: ss_demographics_time_3
Column Type: varchar
Max Length: 10
SS Demographics Time 3

Column Name: ss_demographics_time_4
Column Type: varchar
Max Length: 10
SS Demographics Time 4

Column Name: ss_demographics_time_5

Column Type: varchar
Max Length: 10
SS Demographics Time 5

Documentation for form: Discharge

Table Name: SYSTEM.program_active_clients

Table Description: This table returns active clients in each program code.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PROGRAM
Column Type: varchar
Max Length: 10
The program code in which the patient is active in.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: EPISODENUMBER
Column Type: integer
'Episode Number'

Documentation for form: Discharge

Table Name: SYSTEM.view_episode_summary_current

Table Description: This table returns the information stored in the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: episode_active_only
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: preadmit_admission_date
Column Type: date
'Preadmit/Admission Date'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: program_code
Column Type: varchar
Max Length: 10
The program code associated with the data.

Column Name: c_date_of_birth
Column Type: date
'Date Of Birth'

Column Name: c_age
Column Type: numeric
'Client Age'

Column Name: c_ss_number

Column Type: varchar

Max Length: 15

'Social Security Number'

Column Name: EPN_uniqueid

Column Type: varchar

Max Length: 50

A unique ID used to identify a row of data.

Column Name: c_address_state_code

Column Type: varchar

Max Length: 50

'Client's Address - State'

Column Name: c_address_state_value

Column Type: varchar

Max Length: 50

The description associated with c_address_state_code. See c_address_state_code for more information.

Column Name: c_address_str_1

Column Type: varchar

Max Length: 50

'Client's Address - Street 1'

Column Name: c_address_str_2

Column Type: varchar

Max Length: 50

'Client's Address - Street 2'

Column Name: c_admit_practitioner_id

Column Type: varchar

Max Length: 50

'Admitting Practitioner'

Column Name: c_admit_practitioner_name

Column Type: varchar

Max Length: 50

The admitting practitioner name associated with c_admit_practitioner_id.

Column Name: c_admit_source_of_code

Column Type: varchar

Max Length: 50

'Source of Admission'

Column Name: c_admit_source_of_value

Column Type: varchar

Max Length: 50

The description associated with c_admit_source_of_code. See c_admit_source_of_code for more information.

Column Name: c_admit_time_of

Column Type: varchar

Max Length: 50

'Preadmit/Admission Time'

Column Name: c_admit_type_of_code

Column Type: varchar

Max Length: 50

'Type Of Admission'

Column Name: c_admit_type_of_value

Column Type: varchar

Max Length: 50

The description associated with c_admit_type_of_code. See c_admit_type_of_code for more information.

Column Name: c_attend_practitioner_id

Column Type: varchar

Max Length: 50

'Attending Practitioner'

Column Name: c_attend_practitioner_name

Column Type: varchar

Max Length: 50

The name associated with c_attend_practitioner_id.

Column Name: c_city

Column Type: varchar

Max Length: 50

'Client's Address - City'

Column Name: c_country_code

Column Type: varchar

Max Length: 50

'Client's Address - Country'

Column Name: c_country_value

Column Type: varchar

Max Length: 50

The description associated with c_country_code. See c_country_code for more information.

Column Name: c_county_code

Column Type: varchar

Max Length: 50

'Client's Address - County'

Column Name: c_county_value

Column Type: varchar

Max Length: 50

The description associated with c_county_code. See c_county_code for more information.

Column Name: c_detail_age

Column Type: varchar

Max Length: 50

'Client Detail Age'

Column Name: c_ethnicity_code

Column Type: varchar

Max Length: 50

'Client Ethnicity'

Column Name: c_ethnicity_value

Column Type: varchar

Max Length: 50

The description associated with c_ethnicity_code. See c_ethnicity_code for more information.

Column Name: c_ethnicity_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Ethnicity (NRI)'

Column Name: c_ethnicity_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_ethnicity_X_NRI_code. See c_ethnicity_X_NRI_code for more information.

Column Name: c_ethnic_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'Client Ethnicity (NRI 2014)'

Column Name: c_ethnic_X_NRI_2014_value

Column Type: varchar

Max Length: 255

The description associated with c_ethnic_X_NRI_2014_code. See c_ethnic_X_NRI_2014_code for more information.

Column Name: c_legal_status_code

Column Type: varchar

Max Length: 50

'Client Legal Status'

Column Name: c_legal_status_value

Column Type: varchar

Max Length: 50

The description associated with c_legal_status_code. See c_legal_status_code for more information.

Column Name: c_leg_stat_X_NRI_2014_value

Column Type: varchar

Max Length: 40

The description associated with c_leg_stat_X_NRI_2014_code. See c_leg_stat_X_NRI_2014_code for more information.

Column Name: c_legal_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Legal Status (NRI)'

Column Name: c_legal_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_legal_status_X_NRI_code. See c_legal_status_X_NRI_code for more information.

Column Name: c_leg_stat_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'Client Legal Status (NRI 2014)'

Column Name: c_marital_status_code

Column Type: varchar

Max Length: 50

'Client Marital Status'

Column Name: c_marital_status_value

Column Type: varchar

Max Length: 50

The description associated with c_marital_status_code. See c_marital_status_code for more information.

Column Name: c_marital_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Marital Status (NRI)'

Column Name: c_marital_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_marital_status_X_NRI_code. See c_marital_status_X_NRI_code for more information.

Column Name: c_principal_diagnosis_code

Column Type: varchar

Max Length: 50

'Client Principal Diagnosis'

Column Name: c_principal_diagnosis_value

Column Type: varchar

Max Length: 200

The description associated with c_principal_diagnosis_code. See c_principal_diagnosis_code for more information.

Column Name: c_race_code

Column Type: varchar

Max Length: 50

'Client Race'

Column Name: c_race_value

Column Type: varchar

Max Length: 50

The description associated with c_race_code. See c_race_code for more information.

Column Name: c_religion_code

Column Type: varchar

Max Length: 50

'Client Religion'

Column Name: c_religion_value

Column Type: varchar

Max Length: 50

The description associated with c_religion_code. See c_religion_code for more information.

Column Name: c_unit_code

Column Type: varchar

Max Length: 10

'Unit'

Column Name: c_unit_value

Column Type: varchar

Max Length: 50

The description associated with c_unit_code. See c_unit_code for more information.

Column Name: c_unit_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Unit (NRI)'

Column Name: c_unit_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_unit_X_NRI_code. See c_unit_X_NRI_code for more information.

Column Name: c_zip

Column Type: varchar

Max Length: 60

'Client's Address - Zip'

Column Name: data_entry_source

Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
'Facility Chart Number (148)'

Column Name: gender_identity_code
Column Type: varchar
Max Length: 20
'Gender Identity'

Column Name: gender_identity_value
Column Type: varchar
Max Length: 40
The description associated with gender_identity_code. See gender_identity_code for more information.

Column Name: last_date_of_service
Column Type: date
'Last Date Of Service'

Column Name: patient_gender_code
Column Type: varchar
Max Length: 50
'Gender'

Column Name: patient_gender_value
Column Type: varchar
Max Length: 50
The description associated with patient_gender_code. See patient_gender_code for more information.

Column Name: patient_gender_X_NRI_code
Column Type: varchar
Max Length: 10
'Gender (NRI)'

Column Name: patient_gender_X_NRI_value
Column Type: varchar

Max Length: 40

The description associated with patient_gender_X_NRI_code. See patient_gender_X_NRI_code for more information.

Column Name: patient_home_phone

Column Type: varchar

Max Length: 60

'Home Phone'

Column Name: patient_name

Column Type: varchar

Max Length: 100

'Client Name'

Column Name: patient_name_first

Column Type: varchar

Max Length: 50

'Client First Name'

Column Name: patient_name_last

Column Type: varchar

Max Length: 50

'Client Last Name'

Column Name: program_X_HCFA_POS

Column Type: varchar

Max Length: 50

'HCFA'

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 50

'RRG'

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 50

The description associated with program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_city_state_zip

Column Type: varchar

Max Length: 50

'City, State, Zip Code'

Column Name: program_X_dflt_location_code

Column Type: varchar

Max Length: 50

'Location'

Column Name: program_X_dflt_location_value

Column Type: varchar

Max Length: 50

The description associated with program_X_dflt_location_code. See program_X_dflt_location_code for more information.

Column Name: program_X_HCO_ID

Column Type: varchar

Max Length: 40

'HCO ID'

Column Name: program_X_phone_number

Column Type: varchar

Max Length: 50

'Phone Number'

Column Name: program_X_street_address

Column Type: varchar

Max Length: 50

'Street Address'

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 50

'Tax ID'

Column Name: program_X_tx_service_code

Column Type: varchar

Max Length: 50

'Treatment Service'

Column Name: program_X_tx_service_value

Column Type: varchar

Max Length: 50

The description associated with program_X_tx_service_code. See program_X_tx_service_code for more information.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 50

'Treatment Setting'

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 50

The description associated with program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 50

'Type'

Column Name: program_X_type_value

Column Type: varchar

Max Length: 50

The description associated with program_X_type_code. See program_X_type_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description associated with program_code. See program_code for more information.

Column Name: sex_orientation_code

Column Type: varchar

Max Length: 20

The patient's sexual orientation code

Column Name: sex_orientation_value

Column Type: varchar

Max Length: 40

The description associated with sex_orientation_code. See sex_orientation_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Discharge

Table Name: [SYSTEM.view_episode_summary_discharge](#)

Table Description: This table returns client episode discharge information.

Column Name: episode_summary_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: date_of_discharge

Column Type: date

'Date Of Discharge'

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: EPN_uniqueid
Column Type: varchar
Max Length: 10
Unique ID for the episode record.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: preadmit_admission_date
Column Type: date
'Pre-Admit/Admission Date'

Column Name: program_code
Column Type: varchar
Max Length: 10
The program code associated with the data.

Column Name: c_ethnicity_code
Column Type: varchar
Max Length: 40
'Client Ethnicity'

Column Name: c_race_code
Column Type: varchar
Max Length: 10
'Client Race'

Column Name: c_zip
Column Type: varchar
Max Length: 60
'Client Address - ZIP'

Column Name: c_city
Column Type: varchar
Max Length: 40
'Client Address - City'

Column Name: c_county_code
Column Type: varchar
Max Length: 40
'Client Address - County'

Column Name: c_religion_code
Column Type: varchar

Max Length: 10
'Client Religion'

Column Name: c_marital_status
Column Type: varchar
Max Length: 10
'Client Marital Status'

Column Name: patient_name
Column Type: varchar
Max Length: 100
'Client Name'

Column Name: patient_gender_code
Column Type: varchar
Max Length: 10
'Client Gender'

Column Name: c_ethnicity_value
Column Type: varchar
Max Length: 40
The description associated with c_ethnicity_code. See c_ethnicity_code for more information.

Column Name: c_race_value
Column Type: varchar
Max Length: 40
The description associated with c_race_code. See c_race_code for more information.

Column Name: c_county_value
Column Type: varchar
Max Length: 40
The description associated with c_county_code. See c_county_code for more information.

Column Name: c_religion_value
Column Type: varchar
Max Length: 40
The description associated with c_religion_code. See c_religion_code for more information.

Column Name: patient_gender_value
Column Type: varchar
Max Length: 40
The description associated with patient_gender_code. See patient_gender_code for more information.

Column Name: disc_legal_status_code
Column Type: varchar
Max Length: 10
'Discharge Legal Status'

Column Name: disc_principal_diagnosis_code
Column Type: varchar

Max Length: 10
'Discharge Principal Diagnosis'

Column Name: disc_practitioner_staff_id
Column Type: varchar
Max Length: 10
'Discharge Practitioner ID'

Column Name: disc_unit_code
Column Type: varchar
Max Length: 10
'Discharge Unit'

Column Name: disc_type_of_code
Column Type: varchar
Max Length: 10
'Type Of Discharge'

Column Name: disc_legal_status_value
Column Type: varchar
Max Length: 40
The description associated with disc_legal_status_code. See disc_legal_status_code for more information.

Column Name: disc_type_of_value
Column Type: varchar
Max Length: 50
The description associated with disc_type_of_code. See disc_type_of_code for more information.

Column Name: disc_unit_value
Column Type: varchar
Max Length: 40
The description associated with disc_unit_code. See disc_unit_code for more information.

Column Name: c_marital_status_value
Column Type: varchar
Max Length: 40
The description associated with c_marital_status_code. See c_marital_status_code for more information.

Column Name: disc_practitioner_staff_name
Column Type: varchar
Max Length: 40
'Discharge Practitioner Name'

Column Name: disc_principal_diagnosis_value
Column Type: varchar
Max Length: 200
The description associated with disc_principal_diagnosis_code. See disc_principal_diagnosis_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: program_X_HCFA_POS

Column Type: varchar

Max Length: 40

'Discharge Program Place Of Service'

Column Name: program_X_dflt_location_code

Column Type: varchar

Max Length: 10

'Discharge Program Default Location'

Column Name: program_X_type_code

Column Type: varchar

Max Length: 10

'Discharge Program Type'

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 10

'Discharge Program RRG'

Column Name: program_X_street_address

Column Type: varchar

Max Length: 40

'Discharge Program Street Address'

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Discharge Program Tax ID'

Column Name: program_X_tx_service_code

Column Type: varchar

Max Length: 10

'Discharge Program Treatment Service'

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 10

'Discharge Program Treatment Setting'

Column Name: program_X_dflt_location_value

Column Type: varchar

Max Length: 40

The description associated with program_X_dflt_location_code. See program_X_dflt_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description associated with program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description associated with program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_tx_service_value

Column Type: varchar

Max Length: 40

The description associated with program_X_tx_service_code. See program_X_tx_service_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description associated with program_X_type_code. See program_X_type_code for more information.

Column Name: episode_length_of_stay

Column Type: numeric

'Episode Length Of Stay'

Column Name: c_date_of_birth

Column Type: date

'Client Date Of Birth'

Column Name: c_age

Column Type: numeric

'Client Age'

Column Name: c_ss_number

Column Type: varchar

Max Length: 15

'Client Social Security Number'

Column Name: disc_age_at

Column Type: numeric

'Client Age At Discharge'

Column Name: disc_time_of

Column Type: varchar

Max Length: 10

'Time Of Discharge'

Column Name: c_country_code

Column Type: varchar

Max Length: 20

'Client Address - Country'

Column Name: c_country_value

Column Type: varchar

Max Length: 40

The description associated with c_country_code. See c_country_code for more information.

Column Name: c_detail_age

Column Type: varchar

Max Length: 50

'Detail Current Client Age'

Column Name: c_ethnicity_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Ethnicity (NRI)'

Column Name: c_ethnicity_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_ethnicity_X_NRI_code. See c_ethnicity_X_NRI_code for more information.

Column Name: c_ethnic_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'Client Ethnicity (NRI 2014)'

Column Name: c_ethnic_X_NRI_2014_value

Column Type: varchar

Max Length: 255

The description associated with c_ethnic_X_NRI_2014_code. See c_ethnic_X_NRI_2014_code for more information.

Column Name: c_marital_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Marital Status (NRI)'

Column Name: c_marital_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_marital_status_X_NRI_code. See c_marital_status_X_NRI_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp

the UTC date and time the data was saved.

Column Name: disc_detail_age_at
Column Type: varchar
Max Length: 50
'Detail Age at Date of Discharge'

Column Name: disc_leg_stat_X_NRI_2014_value
Column Type: varchar
Max Length: 40
The description associated with disc_leg_stat_X_NRI_2014_code. See disc_leg_stat_X_NRI_2014_code for more information.

Column Name: disc_legal_status_X_NRI_code
Column Type: varchar
Max Length: 10
'Discharge Legal Status (NRI)'

Column Name: disc_legal_status_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with disc_legal_status_X_NRI_code. See disc_legal_status_X_NRI_code for more information.

Column Name: disc_leg_stat_X_NRI_2014_code
Column Type: varchar
Max Length: 10
'Discharge Legal Status (NRI 2014)'

Column Name: disc_unit_X_NRI_code
Column Type: varchar
Max Length: 10
'Discharge Unit (NRI)'

Column Name: disc_unit_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with disc_unit_X_NRI_code. See disc_unit_X_NRI_code for more information.

Column Name: gender_identity_code
Column Type: varchar
Max Length: 20
'Gender Identity'

Column Name: gender_identity_value
Column Type: varchar
Max Length: 40
The description associated with gender_identity_code. See gender_identity_code for more information.

Column Name: last_date_of_service

Column Type: date
'Last Date Of Service'

Column Name: patient_gender_X_NRI_code
Column Type: varchar
Max Length: 10
'Client Gender (NRI)'

Column Name: patient_gender_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with patient_gender_X_NRI_code. See patient_gender_X_NRI_code for more information.

Column Name: program_X_city_state_zip
Column Type: varchar
Max Length: 40
'Discharge Program City, State ZIP'

Column Name: program_X_HCO_ID
Column Type: varchar
Max Length: 40
'HCO ID'

Column Name: program_X_phone_number
Column Type: varchar
Max Length: 40
'Discharge Program Phone Number'

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 20
The patient's sexual orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
The description associated with sex_orientation_code. See sex_orientation_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Program_Transfer

Table Name: SYSTEM.episode_history

Table Description: This table returns Episode History.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPN_uniqueid

Column Type: varchar

Max Length: 10

EPN_uniqueid

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode

Column Name: program_code

Column Type: varchar

Max Length: 10

Program

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with the program_code. See program_code for more information.

Column Name: preadmit_admission_date

Column Type: date

Preadmit/Admission Date

Column Name: date_of_discharge

Column Type: date

Date Of Discharge

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: episode_select_for_query

Column Type: varchar

Max Length: 70

The field to use to select episodes in queries.

Column Name: v_patient_name

Column Type: varchar

Max Length: 100

Client name associated with the PATID.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 10

Program Treatment Setting

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description associated with the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 10

Program RRG Code

Column Name: program_X_type_code

Column Type: varchar

Max Length: 10

Program Type Code

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

Program Tax ID

Column Name: program_X_street_address

Column Type: varchar

Max Length: 40
Program Street Address

Column Name: program_X_HCFA_POS
Column Type: varchar
Max Length: 40
Place Of Service (HCFA 24-B)

Column Name: program_X_location_code
Column Type: varchar
Max Length: 40
Program Location

Column Name: program_X_location_value
Column Type: varchar
Max Length: 40
The description associated with the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_type_value
Column Type: varchar
Max Length: 40
The description associated with the program_X_type_code. See program_X_type_code for more information.

Column Name: program_X_RRG_value
Column Type: varchar
Max Length: 40
The description associated with the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: JOIN_TO_Enrollment
Column Type: integer
Join to Enrollment

Column Name: alert_access_options
Column Type: varchar
Max Length: 50
The description associated with the alert_access. See alert_access for more information.

Column Name: alert_access_type
Column Type: varchar
Max Length: 50
Alert Access Type

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: fill_gaps_code
Column Type: varchar
Max Length: 5
Program Fill gaps in service entry record for duration of service?

Column Name: fill_gaps_service_code
Column Type: varchar
Max Length: 50
Service Code to use to fill gaps

Column Name: fill_gaps_service_value
Column Type: varchar
Max Length: 50

The description associated with the fill_gaps_service_code. See fill_gaps_service_code for more information.

Column Name: fill_gaps_staff_id

Column Type: varchar

Max Length: 10

Program Service Practitioner to use to fill gaps

Column Name: fill_gaps_staff_name

Column Type: varchar

Max Length: 50

The description associated with the fill_gaps_staff_id. See fill_gaps_staff_id for more information.

Column Name: fill_gaps_value

Column Type: varchar

Max Length: 10

The description associated with the fill_gaps_code. See fill_gaps_code for more information.

Column Name: last_date_of_service

Column Type: date

Last Date Of Service

Column Name: program_X_city_state_zip

Column Type: varchar

Max Length: 40

Program City, State Zip

Column Name: program_X_HCO_ID

Column Type: varchar

Max Length: 40

Program HCO ID

Column Name: program_X_phone_number

Column Type: varchar

Max Length: 40

Program Phone Number

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Program_Transfer

Table Name: SYSTEM.history_bed_assignment

Table Description: This table returns information about client bed assignments.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BA_uniqueid
Column Type: varchar
Max Length: 12

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: admission_charge_code
Column Type: varchar
Max Length: 10

Column Name: admission_charge_value
Column Type: varchar
Max Length: 40

Column Name: bed
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code2
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value2
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code3
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value3
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code4
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value4
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code5
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value5
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: date_of_bed_assignment
Column Type: date

Column Name: end_date_of_bed_assignment
Column Type: date

Column Name: licensed_unlicensed_code
Column Type: varchar
Max Length: 5

Column Name: licensed_unlicensed_value
Column Type: varchar
Max Length: 40

Column Name: notes
Column Type: varchar
Max Length: 4096

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: room
Column Type: varchar
Max Length: 40

Column Name: room_board_billing_code
Column Type: varchar
Max Length: 10

Column Name: room_board_billing_value
Column Type: varchar
Max Length: 40

Column Name: time_of_bed_assign
Column Type: varchar
Max Length: 40

Column Name: unit_X_NRI_code
Column Type: varchar
Max Length: 10

Column Name: unit_X_NRI_value
Column Type: varchar
Max Length: 40

Column Name: unit_code
Column Type: varchar
Max Length: 10

Column Name: unit_value
Column Type: varchar
Max Length: 40

Column Name: user_row_access_code
Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: notesstream
Column Type: longvarchar
Max Length: 2147483647

Documentation for form: Program_Transfer

Table Name: SYSTEM.history_patient_movement

Table Description: This table returns client episode movement information filed via the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: join_to_admission_data
Column Type: varchar
Max Length: 12
Joins table to admission data.

Column Name: join_to_discharge_data
Column Type: varchar
Max Length: 12
Joins table to discharge data.

Column Name: join_to_leave_history
Column Type: varchar
Max Length: 12
Joins table to leaves history out on.

Column Name: join_to_program_transfer
Column Type: varchar
Max Length: 50
Joins table to program transfer.

Column Name: join_to_return_from_leave
Column Type: varchar
Max Length: 12
Joins table to leaves history return.

Column Name: movement_date
Column Type: date
'Movement Date'

Column Name: movement_time
Column Type: varchar
Max Length: 10
'Movement Time'

Column Name: movement_type_code
Column Type: varchar
Max Length: 50
'Movement Type'

Column Name: movement_type_value
Column Type: varchar
Max Length: 20
The description associated with movement_type_code. See movement_type_code for more information.

Column Name: movementuniqueid
Column Type: varchar
Max Length: 12
A unique ID used to identify a row of data.

Column Name: program_from
Column Type: varchar
Max Length: 20
'Program From'

Column Name: program_from_value
Column Type: varchar
Max Length: 40
The description associated with program_from_code. See program_from_code for more information.

Column Name: program_to

Column Type: varchar
Max Length: 40
'Program To'

Column Name: program_to_value
Column Type: varchar
Max Length: 40
The description associated with program_to_code. See program_to_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Program_Transfer

Table Name: SYSTEM.program_active_clients

Table Description: This table returns active clients in each program code.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PROGRAM
Column Type: varchar
Max Length: 10
The program code in which the patient is active in.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: EPISODENUMBER
Column Type: integer
'Episode Number'

Documentation for form: Program_Transfer

Table Name: SYSTEM.view_episode_summary_current

Table Description: This table returns the information stored in the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: episode_active_only

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode Number'

Column Name: preadmit_admission_date

Column Type: date

'Preadmit/Admission Date'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: program_code
Column Type: varchar
Max Length: 10
The program code associated with the data.

Column Name: c_date_of_birth
Column Type: date
'Date Of Birth'

Column Name: c_age
Column Type: numeric
'Client Age'

Column Name: c_ss_number
Column Type: varchar
Max Length: 15
'Social Security Number'

Column Name: EPN_uniqueid
Column Type: varchar
Max Length: 50
A unique ID used to identify a row of data.

Column Name: c_address_state_code
Column Type: varchar
Max Length: 50
'Client's Address - State'

Column Name: c_address_state_value
Column Type: varchar
Max Length: 50
The description associated with c_address_state_code. See c_address_state_code for more information.

Column Name: c_address_str_1
Column Type: varchar
Max Length: 50
'Client's Address - Street 1'

Column Name: c_address_str_2
Column Type: varchar
Max Length: 50
'Client's Address - Street 2'

Column Name: c_admit_practitioner_id
Column Type: varchar
Max Length: 50
'Admitting Practitioner'

Column Name: c_admit_practitioner_name
Column Type: varchar

Max Length: 50

The admitting practitioner name associated with c_admit_practitioner_id.

Column Name: c_admit_source_of_code

Column Type: varchar

Max Length: 50

'Source of Admission'

Column Name: c_admit_source_of_value

Column Type: varchar

Max Length: 50

The description associated with c_admit_source_of_code. See c_admit_source_of_code for more information.

Column Name: c_admit_time_of

Column Type: varchar

Max Length: 50

'Preadmit/Admission Time'

Column Name: c_admit_type_of_code

Column Type: varchar

Max Length: 50

'Type Of Admission'

Column Name: c_admit_type_of_value

Column Type: varchar

Max Length: 50

The description associated with c_admit_type_of_code. See c_admit_type_of_code for more information.

Column Name: c_attend_practitioner_id

Column Type: varchar

Max Length: 50

'Attending Practitioner'

Column Name: c_attend_practitioner_name

Column Type: varchar

Max Length: 50

The name associated with c_attend_practitioner_id.

Column Name: c_city

Column Type: varchar

Max Length: 50

'Client's Address - City'

Column Name: c_country_code

Column Type: varchar

Max Length: 50

'Client's Address - Country'

Column Name: c_country_value

Column Type: varchar

Max Length: 50

The description associated with c_country_code. See c_country_code for more information.

Column Name: c_county_code

Column Type: varchar

Max Length: 50

'Client's Address - County'

Column Name: c_county_value

Column Type: varchar

Max Length: 50

The description associated with c_county_code. See c_county_code for more information.

Column Name: c_detail_age

Column Type: varchar

Max Length: 50

'Client Detail Age'

Column Name: c_ethnicity_code

Column Type: varchar

Max Length: 50

'Client Ethnicity'

Column Name: c_ethnicity_value

Column Type: varchar

Max Length: 50

The description associated with c_ethnicity_code. See c_ethnicity_code for more information.

Column Name: c_ethnicity_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Ethnicity (NRI)'

Column Name: c_ethnicity_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_ethnicity_X_NRI_code. See c_ethnicity_X_NRI_code for more information.

Column Name: c_ethnic_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'Client Ethnicity (NRI 2014)'

Column Name: c_ethnic_X_NRI_2014_value

Column Type: varchar

Max Length: 255

The description associated with c_ethnic_X_NRI_2014_code. See c_ethnic_X_NRI_2014_code for more information.

Column Name: c_legal_status_code

Column Type: varchar

Max Length: 50

'Client Legal Status'

Column Name: c_legal_status_value

Column Type: varchar

Max Length: 50

The description associated with c_legal_status_code. See c_legal_status_code for more information.

Column Name: c_leg_stat_X_NRI_2014_value

Column Type: varchar

Max Length: 40

The description associated with c_leg_stat_X_NRI_2014_code. See c_leg_stat_X_NRI_2014_code for more information.

Column Name: c_legal_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Legal Status (NRI)'

Column Name: c_legal_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_legal_status_X_NRI_code. See c_legal_status_X_NRI_code for more information.

Column Name: c_leg_stat_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'Client Legal Status (NRI 2014)'

Column Name: c_marital_status_code

Column Type: varchar

Max Length: 50

'Client Marital Status'

Column Name: c_marital_status_value

Column Type: varchar

Max Length: 50

The description associated with c_marital_status_code. See c_marital_status_code for more information.

Column Name: c_marital_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Marital Status (NRI)'

Column Name: c_marital_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_marital_status_X_NRI_code. See c_marital_status_X_NRI_code for more information.

Column Name: c_principal_diagnosis_code

Column Type: varchar

Max Length: 50

'Client Principal Diagnosis'

Column Name: c_principal_diagnosis_value

Column Type: varchar

Max Length: 200

The description associated with c_principal_diagnosis_code. See c_principal_diagnosis_code for more information.

Column Name: c_race_code

Column Type: varchar

Max Length: 50

'Client Race'

Column Name: c_race_value

Column Type: varchar

Max Length: 50

The description associated with c_race_code. See c_race_code for more information.

Column Name: c_religion_code

Column Type: varchar

Max Length: 50

'Client Religion'

Column Name: c_religion_value

Column Type: varchar

Max Length: 50

The description associated with c_religion_code. See c_religion_code for more information.

Column Name: c_unit_code

Column Type: varchar

Max Length: 10

'Unit'

Column Name: c_unit_value

Column Type: varchar

Max Length: 50

The description associated with c_unit_code. See c_unit_code for more information.

Column Name: c_unit_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Unit (NRI)'

Column Name: c_unit_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_unit_X_NRI_code. See c_unit_X_NRI_code for more information.

Column Name: c_zip

Column Type: varchar

Max Length: 60

'Client's Address - Zip'

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: facility_chart_number

Column Type: varchar

Max Length: 40

'Facility Chart Number (148)'

Column Name: gender_identity_code

Column Type: varchar

Max Length: 20

'Gender Identity'

Column Name: gender_identity_value

Column Type: varchar

Max Length: 40

The description associated with gender_identity_code. See gender_identity_code for more information.

Column Name: last_date_of_service

Column Type: date

'Last Date Of Service'

Column Name: patient_gender_code

Column Type: varchar

Max Length: 50

'Gender'

Column Name: patient_gender_value

Column Type: varchar

Max Length: 50

The description associated with patient_gender_code. See patient_gender_code for more information.

Column Name: patient_gender_X_NRI_code

Column Type: varchar

Max Length: 10

'Gender (NRI)'

Column Name: patient_gender_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with patient_gender_X_NRI_code. See patient_gender_X_NRI_code for more information.

Column Name: patient_home_phone

Column Type: varchar

Max Length: 60

'Home Phone'

Column Name: patient_name

Column Type: varchar

Max Length: 100

'Client Name'

Column Name: patient_name_first

Column Type: varchar

Max Length: 50

'Client First Name'

Column Name: patient_name_last

Column Type: varchar

Max Length: 50

'Client Last Name'

Column Name: program_X_HCFA_POS

Column Type: varchar

Max Length: 50

'HCFA'

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 50

'RRG'

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 50

The description associated with program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_city_state_zip
Column Type: varchar
Max Length: 50
'City, State, Zip Code'

Column Name: program_X_dflt_location_code
Column Type: varchar
Max Length: 50
'Location'

Column Name: program_X_dflt_location_value
Column Type: varchar
Max Length: 50
The description associated with program_X_dflt_location_code. See program_X_dflt_location_code for more information.

Column Name: program_X_HCO_ID
Column Type: varchar
Max Length: 40
'HCO ID'

Column Name: program_X_phone_number
Column Type: varchar
Max Length: 50
'Phone Number'

Column Name: program_X_street_address
Column Type: varchar
Max Length: 50
'Street Address'

Column Name: program_X_tax_id
Column Type: varchar
Max Length: 50
'Tax ID'

Column Name: program_X_tx_service_code
Column Type: varchar
Max Length: 50
'Treatment Service'

Column Name: program_X_tx_service_value
Column Type: varchar
Max Length: 50
The description associated with program_X_tx_service_code. See program_X_tx_service_code for more information.

Column Name: program_X_tx_setting_code
Column Type: varchar
Max Length: 50

'Treatment Setting'

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 50

The description associated with program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 50

'Type'

Column Name: program_X_type_value

Column Type: varchar

Max Length: 50

The description associated with program_X_type_code. See program_X_type_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description associated with program_code. See program_code for more information.

Column Name: sex_orientation_code

Column Type: varchar

Max Length: 20

The patient's sexual orientation code

Column Name: sex_orientation_value

Column Type: varchar

Max Length: 40

The description associated with sex_orientation_code. See sex_orientation_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Leaves

Table Name: SYSTEM.leaves_history_outon

Table Description: Patient Leave History

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: LEA_uniqueid
Column Type: varchar
Max Length: 12
'LEA unique ID'

Column Name: leave_location_address
Column Type: varchar
Max Length: 40
'Leave Location Address'

Column Name: mode_of_transportation
Column Type: varchar
Max Length: 40
'Mode Of Transportation'

Column Name: date_guardian_notified
Column Type: date
'Date Guardian Notified'

Column Name: notified_by_whom
Column Type: varchar
Max Length: 40
'Notified By Whom?'

Column Name: type_of_outside_service
Column Type: varchar
Max Length: 40
'Type Of Outside Service'

Column Name: leave_comments
Column Type: varchar
Max Length: 32766
'Leave Comments'

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: data_entry_date
Column Type: date

'Data Entry Date'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

'Data Entry By'

Column Name: leave_date

Column Type: date

'Leave Date'

Column Name: leave_time

Column Type: varchar

Max Length: 10

'Leave Time'

Column Name: type_of_leave_code

Column Type: varchar

Max Length: 10

'Type Of Leave From' Code

Column Name: type_of_leave_value

Column Type: varchar

Max Length: 40

The description associated with type_of_leave_code. See type_of_leave_code for more information.

Column Name: reason_for_leave_code

Column Type: varchar

Max Length: 10

'Reason For Leave' Code

Column Name: reason_for_leave_value

Column Type: varchar

Max Length: 40

The description associated with reason_for_leave_code. See reason_for_leave_code for more information.

Column Name: leave_responsible_person

Column Type: varchar

Max Length: 40

'Leave Responsible Person'

Column Name: leave_location

Column Type: varchar

Max Length: 40

'Leave Location'

Column Name: leave_unit_from

Column Type: varchar

Max Length: 40

'Unit From'

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
'Data Entry Time'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
'Data Entry By Option'

Column Name: JOIN_TO_SSL_HISTORY
Column Type: varchar
Max Length: 40
'JOIN_TO_SSL_HISTORY'

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
'Data Entry Source (30015)'

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
'Data Entry User ID'

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
'Data Entry User Name'

Column Name: data_entry_utc

Column Type: timestamp
The UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 50
Option Identifier

Column Name: reason_for_leave_X_NRI_code
Column Type: varchar
Max Length: 10
'NRI Reason for Leave' Code

Column Name: reason_for_leave_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with reason_for_leave_X_NRI_code. See reason_for_leave_X_NRI_code for more information.

Column Name: type_of_leave_X_NRI_code
Column Type: varchar
Max Length: 10
'NRI Type of Leave' Code

Column Name: type_of_leave_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with type_of_leave_X_NRI_code. See type_of_leave_X_NRI_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Leaves

Table Name: SYSTEM.site_specific_leave

Table Description: Site Specific Leave

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
'Facility'

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: data_entry_date
Column Type: date
'Data Entry Date'

Column Name: JOIN_TO_LEA_HISTORY
Column Type: varchar
Max Length: 40
'JOIN_TO_LEA_HISTORY'

Column Name: PATID
Column Type: varchar
Max Length: 20
'Patient ID'

Column Name: SSL_uniqueid
Column Type: varchar
Max Length: 20
'SSL unique ID'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
'Data Entry By'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
'Data Entry By'

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
'Data Entry Source (30015)'

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

'Data Entry Time'

Column Name: data_entry_time_j

Column Type: time

The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

The time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

The short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

'Data Entry User ID'

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

'Data Entry User Name'

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: ss_leave_date_1

Column Type: date

'SS Leave Date 1'

Column Name: ss_leave_date_2

Column Type: date

'SS Leave Date 2'

Column Name: ss_leave_date_3

Column Type: date

'SS Leave Date 3'

Column Name: ss_leave_date_4

Column Type: date

'SS Leave Date 4'

Column Name: ss_leave_date_5
Column Type: date
'SS Leave Date 5'

Column Name: ss_leave_dict_10_code
Column Type: varchar
Max Length: 20
'SS Leave Dictionary 10' Code

Column Name: ss_leave_dict_10_value
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_dict_10_code. See ss_leave_dict_10_code for more information.

Column Name: ss_leave_dict_1_code
Column Type: varchar
Max Length: 20
'SS Leave Dictionary 1' Code

Column Name: ss_leave_dict_1_value
Column Type: varchar
Max Length: 40
The description associated with ss_leave_dict_1_code. See ss_leave_dict_1_code for more information.

Column Name: ss_leave_dict_2_code
Column Type: varchar
Max Length: 20
'SS Leave Dictionary 2' Code

Column Name: ss_leave_dict_2_value
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_dict_2_code. See ss_leave_dict_2_code for more information.

Column Name: ss_leave_dict_3_code
Column Type: varchar
Max Length: 20
'SS Leave Dictionary 3' Code

Column Name: ss_leave_dict_3_value
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_dict_3_code. See ss_leave_dict_3_code for more information.

Column Name: ss_leave_dict_4_code
Column Type: varchar
Max Length: 20
'SS Leave Dictionary 4' Code

Column Name: ss_leave_dict_4_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_4_code. See ss_leave_dict_4_code for more information.

Column Name: ss_leave_dict_5_code

Column Type: varchar

Max Length: 20

'SS Leave Dictionary 5' Code

Column Name: ss_leave_dict_5_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_5_code. See ss_leave_dict_5_code for more information.

Column Name: ss_leave_dict_6_code

Column Type: varchar

Max Length: 20

'SS Leave Dictionary 6' Code

Column Name: ss_leave_dict_6_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_6_code. See ss_leave_dict_6_code for more information.

Column Name: ss_leave_dict_7_code

Column Type: varchar

Max Length: 20

'SS Leave Dictionary 7' Code

Column Name: ss_leave_dict_7_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_7_code. See ss_leave_dict_7_code for more information.

Column Name: ss_leave_dict_8_code

Column Type: varchar

Max Length: 20

'SS Leave Dictionary 8' Code

Column Name: ss_leave_dict_8_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_8_code. See ss_leave_dict_8_code for more information.

Column Name: ss_leave_dict_9_code

Column Type: varchar

Max Length: 20

'SS Leave Dictionary 9' Code

Column Name: ss_leave_dict_9_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_9_code. See ss_leave_dict_9_code for more information.

Column Name: ss_leave_free_txt_1

Column Type: varchar

Max Length: 32766

'SS Leave Scrolling Free Text 1'

Column Name: ss_leave_free_txt_2

Column Type: varchar

Max Length: 32766

'SS Leave Scrolling Free Text 2'

Column Name: ss_leave_free_txt_3

Column Type: varchar

Max Length: 32766

'SS Leave Scrolling Free Text 3'

Column Name: ss_leave_free_txt_4

Column Type: varchar

Max Length: 32766

'SS Leave Scrolling Free Text 4'

Column Name: ss_leave_free_txt_5

Column Type: varchar

Max Length: 32766

'SS Leave Scrolling Free Text 5'

Column Name: ss_leave_mult_10_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 10' Code

Column Name: ss_leave_mult_10_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_10_code limited to 255 characters. See ss_leave_mult_10_code for more information.

Column Name: ss_leave_mult_10_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_10_code. See ss_leave_mult_10_code for more information.

Column Name: ss_leave_mult_1_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 1' Code

Column Name: ss_leave_mult_1_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_1_code limited to 255 characters. See ss_leave_mult_1_code for more information.

Column Name: ss_leave_mult_1_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_1_code. See ss_leave_mult_1_code for more information.

Column Name: ss_leave_mult_2_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 2' Code

Column Name: ss_leave_mult_2_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_2_code limited to 255 characters. See ss_leave_mult_2_code for more information.

Column Name: ss_leave_mult_2_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_2_code. See ss_leave_mult_2_code for more information.

Column Name: ss_leave_mult_3_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 3' Code

Column Name: ss_leave_mult_3_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_3_code limited to 255 characters. See ss_leave_mult_3_code for more information.

Column Name: ss_leave_mult_3_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_3_code. See ss_leave_mult_3_code for more information.

Column Name: ss_leave_mult_4_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 4' Code

Column Name: ss_leave_mult_4_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_4_code limited to 255 characters. See ss_leave_mult_4_code for more information.

Column Name: ss_leave_mult_4_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_4_code. See ss_leave_mult_4_code for more information.

Column Name: ss_leave_mult_5_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 5' Code

Column Name: ss_leave_mult_5_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_5_code limited to 255 characters. See ss_leave_mult_5_code for more information.

Column Name: ss_leave_mult_5_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_5_code. See ss_leave_mult_5_code for more information.

Column Name: ss_leave_mult_6_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 6' Code

Column Name: ss_leave_mult_6_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_6_code limited to 255 characters. See ss_leave_mult_6_code for more information.

Column Name: ss_leave_mult_6_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_6_code. See ss_leave_mult_6_code for more information.

Column Name: ss_leave_mult_7_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 7' Code

Column Name: ss_leave_mult_7_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_7_code limited to 255 characters. See ss_leave_mult_7_code for more information.

Column Name: ss_leave_mult_7_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_7_code. See ss_leave_mult_7_code for more information.

Column Name: ss_leave_mult_8_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 8' Code

Column Name: ss_leave_mult_8_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_8_code limited to 255 characters. See ss_leave_mult_8_code for more information.

Column Name: ss_leave_mult_8_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_8_code. See ss_leave_mult_8_code for more information.

Column Name: ss_leave_mult_9_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 9' Code

Column Name: ss_leave_mult_9_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_9_code limited to 255 characters. See ss_leave_mult_9_code for more information.

Column Name: ss_leave_mult_9_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_9_code. See ss_leave_mult_9_code for more information.

Column Name: ss_leave_name_1

Column Type: varchar

Max Length: 60

'SS Leave Name 1'

Column Name: ss_leave_name_2

Column Type: varchar

Max Length: 60

'SS Leave Name 2'

Column Name: ss_leave_name_3
Column Type: varchar
Max Length: 60
'SS Leave Name 3'

Column Name: ss_leave_name_4
Column Type: varchar
Max Length: 60
'SS Leave Name 4'

Column Name: ss_leave_name_5
Column Type: varchar
Max Length: 60
'SS Leave Name 5'

Column Name: ss_leave_phone_1
Column Type: varchar
Max Length: 60
'SS Leave Phone 1'

Column Name: ss_leave_phone_2
Column Type: varchar
Max Length: 60
'SS Leave Phone 2'

Column Name: ss_leave_phone_3
Column Type: varchar
Max Length: 60
'SS Leave Phone 3'

Column Name: ss_leave_phone_4
Column Type: varchar
Max Length: 60
'SS Leave Phone 4'

Column Name: ss_leave_phone_5
Column Type: varchar
Max Length: 60
'SS Leave Phone 5'

Column Name: ss_leave_staff_1
Column Type: varchar
Max Length: 20
'SS Leave Practitioner 1'

Column Name: ss_leave_staff_2
Column Type: varchar
Max Length: 20
'SS Leave Practitioner 2'

Column Name: ss_leave_staff_3
Column Type: varchar
Max Length: 20
'SS Leave Practitioner 3'

Column Name: ss_leave_staff_4
Column Type: varchar
Max Length: 20
'SS Leave Practitioner 4'

Column Name: ss_leave_staff_5
Column Type: varchar
Max Length: 20
'SS Leave Practitioner 5'

Column Name: ss_leave_time_1
Column Type: varchar
Max Length: 10
'SS Leave Time 1'

Column Name: ss_leave_time_2
Column Type: varchar
Max Length: 10
'SS Leave Time 2'

Column Name: ss_leave_time_3
Column Type: varchar
Max Length: 10
'SS Leave Time 3'

Column Name: ss_leave_time_4
Column Type: varchar
Max Length: 10
'SS Leave Time 4'

Column Name: ss_leave_time_5
Column Type: varchar
Max Length: 10
'SS Leave Time 5'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Return_From_Leaves

Table Name: SYSTEM.history_bed_assignment

Table Description: This table returns information about client bed assignments.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BA_uniqueid
Column Type: varchar
Max Length: 12

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: admission_charge_code
Column Type: varchar
Max Length: 10

Column Name: admission_charge_value
Column Type: varchar
Max Length: 40

Column Name: bed
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value

Column Type: varchar
Max Length: 40

Column Name: daily_charge_code2
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value2
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code3
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value3
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code4
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value4
Column Type: varchar
Max Length: 40

Column Name: daily_charge_code5
Column Type: varchar
Max Length: 10

Column Name: daily_charge_value5
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: date_of_bed_assignment
Column Type: date

Column Name: end_date_of_bed_assignment
Column Type: date

Column Name: licensed_unlicensed_code
Column Type: varchar
Max Length: 5

Column Name: licensed_unlicensed_value
Column Type: varchar
Max Length: 40

Column Name: notes
Column Type: varchar
Max Length: 4096

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: room
Column Type: varchar
Max Length: 40

Column Name: room_board_billing_code
Column Type: varchar
Max Length: 10

Column Name: room_board_billing_value
Column Type: varchar
Max Length: 40

Column Name: time_of_bed_assign
Column Type: varchar
Max Length: 40

Column Name: unit_X_NRI_code
Column Type: varchar
Max Length: 10

Column Name: unit_X_NRI_value
Column Type: varchar
Max Length: 40

Column Name: unit_code
Column Type: varchar
Max Length: 10

Column Name: unit_value
Column Type: varchar
Max Length: 40

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: notesstream

Column Type: longvarchar

Max Length: 2147483647

Documentation for form: Pre_Admit

Table Name: SYSTEM.admission_data

Table Description: This table returns information filed in 'Admission', 'Admission (Outpatient)', 'Back Dated Admission/Discharge', and 'Pre Admit' forms.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

Facility

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: AH_uniqueid

Column Type: varchar

Max Length: 12

AH Unique ID

Column Name: type_of_admission_code

Column Type: varchar

Max Length: 5

Type Of Admission

Column Name: type_of_admission_value

Column Type: varchar

Max Length: 40

The description for the type_of_admission_code. See type_of_admission_code for more information.

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: admission_time
Column Type: varchar
Max Length: 10
Preadmit/Admission Time

Column Name: admission_date
Column Type: date
Preadmit/Admission Date

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: military_related_dis_code
Column Type: varchar
Max Length: 10
Military Related Disability

Column Name: military_related_dis_value
Column Type: varchar
Max Length: 40
The description for the military_related_dis_code. See military_related_dis_code for more information.

Column Name: military_branch_code
Column Type: varchar
Max Length: 10
Military Branch Of Service

Column Name: military_service_from_date
Column Type: date
Military Service From

Column Name: military_service_through_date
Column Type: date
Military Service To

Column Name: veteran_code

Column Type: varchar

Max Length: 10

Veteran

Column Name: veteran_value

Column Type: varchar

Max Length: 40

The description for the veteran_code. See veteran_code for more information.

Column Name: military_branch_value

Column Type: varchar

Max Length: 40

The description for the military_branch_code. See military_branch_code for more information.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Data Entry By (Option)

Column Name: decision_to_admit_date

Column Type: date

Decision To Admit Date

Column Name: decision_to_admit_time

Column Type: varchar

Max Length: 26

Decision To Admit Time

Column Name: GUID

Column Type: varchar

Max Length: 50

GUID

Column Name: UTCTimeStamp

Column Type: timestamp

UTCTimestamp

Column Name: client_name

Column Type: varchar

Max Length: 100

Client Name

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

Data Entry Source (30015)

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Data Entry User ID

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Data Entry User Name

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: expected_discharge_date

Column Type: date

Expected Discharge Date

Column Name: option_desc

Column Type: varchar

Max Length: 80

Option Description

Column Name: option_id

Column Type: varchar

Max Length: 20

Option Identifier

Column Name: program_code

Column Type: varchar

Max Length: 10

Program

Column Name: program_value

Column Type: varchar

Max Length: 50

The description for the program_code. See program_code for more information.

Column Name: provid

Column Type: varchar

Max Length: 50

PROVID

Column Name: provider_name

Column Type: varchar

Max Length: 50

Provider Name

Column Name: source_of_admission_code

Column Type: varchar

Max Length: 50

Source of Admission

Column Name: source_of_admission_value

Column Type: varchar

Max Length: 50

The description for the source_of_admission_code. See source_of_admission_code for more information.

Column Name: type_of_adm_X_ub92_code

Column Type: varchar

Max Length: 50

Admission Type (2300-CL1-01/UB92-FL 19/UB04-FL 14)

Column Name: type_of_adm_X_ub92_value

Column Type: varchar

Max Length: 50

The description for the type_of_adm_X_ub92_code. See type_of_adm_X_ub92_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Pre_Admit

Table Name: SYSTEM.episode_history

Table Description: This table returns Episode History.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: EPN_uniqueid
Column Type: varchar
Max Length: 10
EPN_uniqueid

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode

Column Name: program_code
Column Type: varchar
Max Length: 10
Program

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with the program_code. See program_code for more information.

Column Name: preadmit_admission_date
Column Type: date
Preadmit/Admission Date

Column Name: date_of_discharge
Column Type: date
Date Of Discharge

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: episode_select_for_query
Column Type: varchar
Max Length: 70
The field to use to select episodes in queries.

Column Name: v_patient_name
Column Type: varchar
Max Length: 100
Client name associated with the PATID.

Column Name: program_X_tx_setting_code
Column Type: varchar
Max Length: 10
Program Treatment Setting

Column Name: program_X_tx_setting_value
Column Type: varchar
Max Length: 40
The description associated with the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_RRG_code
Column Type: varchar
Max Length: 10
Program RRG Code

Column Name: program_X_type_code
Column Type: varchar
Max Length: 10
Program Type Code

Column Name: program_X_tax_id
Column Type: varchar
Max Length: 40
Program Tax ID

Column Name: program_X_street_address
Column Type: varchar
Max Length: 40
Program Street Address

Column Name: program_X_HCFA_POS
Column Type: varchar
Max Length: 40
Place Of Service (HCFA 24-B)

Column Name: program_X_location_code
Column Type: varchar
Max Length: 40

Program Location

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description associated with the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description associated with the program_X_type_code. See program_X_type_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description associated with the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: JOIN_TO_Enrollment

Column Type: integer

Join to Enrollment

Column Name: alert_access_options

Column Type: varchar

Max Length: 50

The description associated with the alert_access. See alert_access for more information.

Column Name: alert_access_type

Column Type: varchar

Max Length: 50

Alert Access Type

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

Data Entry Source (30015)

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: fill_gaps_code
Column Type: varchar
Max Length: 5
Program Fill gaps in service entry record for duration of service?

Column Name: fill_gaps_service_code
Column Type: varchar
Max Length: 50
Service Code to use to fill gaps

Column Name: fill_gaps_service_value
Column Type: varchar
Max Length: 50
The description associated with the fill_gaps_service_code. See fill_gaps_service_code for more information.

Column Name: fill_gaps_staff_id
Column Type: varchar
Max Length: 10
Program Service Practitioner to use to fill gaps

Column Name: fill_gaps_staff_name
Column Type: varchar
Max Length: 50
The description associated with the fill_gaps_staff_id. See fill_gaps_staff_id for more information.

Column Name: fill_gaps_value

Column Type: varchar

Max Length: 10

The description associated with the fill_gaps_code. See fill_gaps_code for more information.

Column Name: last_date_of_service

Column Type: date

Last Date Of Service

Column Name: program_X_city_state_zip

Column Type: varchar

Max Length: 40

Program City, State Zip

Column Name: program_X_HCO_ID

Column Type: varchar

Max Length: 40

Program HCO ID

Column Name: program_X_phone_number

Column Type: varchar

Max Length: 40

Program Phone Number

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Pre_Admit

Table Name: SYSTEM.history_patient_movement

Table Description: This table returns client episode movement information filed via the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode Number'

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: join_to_admission_data
Column Type: varchar
Max Length: 12
Joins table to admission data.

Column Name: join_to_discharge_data
Column Type: varchar
Max Length: 12
Joins table to discharge data.

Column Name: join_to_leave_history
Column Type: varchar
Max Length: 12
Joins table to leaves history out on.

Column Name: join_to_program_transfer
Column Type: varchar
Max Length: 50
Joins table to program transfer.

Column Name: join_to_return_from_leave
Column Type: varchar
Max Length: 12
Joins table to leaves history return.

Column Name: movement_date
Column Type: date
'Movement Date'

Column Name: movement_time
Column Type: varchar
Max Length: 10
'Movement Time'

Column Name: movement_type_code
Column Type: varchar
Max Length: 50
'Movement Type'

Column Name: movement_type_value

Column Type: varchar

Max Length: 20

The description associated with movement_type_code. See movement_type_code for more information.

Column Name: movementuniqueid

Column Type: varchar

Max Length: 12

A unique ID used to identify a row of data.

Column Name: program_from

Column Type: varchar

Max Length: 20

'Program From'

Column Name: program_from_value

Column Type: varchar

Max Length: 40

The description associated with program_from_code. See program_from_code for more information.

Column Name: program_to

Column Type: varchar

Max Length: 40

'Program To'

Column Name: program_to_value

Column Type: varchar

Max Length: 40

The description associated with program_to_code. See program_to_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Pre_Admit

Table Name: SYSTEM.patient_current_demographics

Table Description: Patient Current Demographics

Column Name: patient_current_demographics

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer
Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: date_of_birth
Column Type: date
Patient Date of birth

Column Name: ethnic_origin_code
Column Type: varchar
Max Length: 5
Patient Ethnic origin

Column Name: patient_add_city
Column Type: varchar
Max Length: 40
Patient address city

Column Name: patient_add_county_code
Column Type: varchar
Max Length: 5
Patient address county

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
Patient home phone

Column Name: patient_name
Column Type: varchar
Max Length: 100
Patient Name

Column Name: patient_add_state_code
Column Type: varchar
Max Length: 10
Patient address state code

Column Name: patient_add_street_1
Column Type: varchar
Max Length: 40
Patient street address 1

Column Name: patient_add_street_2
Column Type: varchar
Max Length: 40

Patients address street 2

Column Name: patient_add_zipcode
Column Type: varchar
Max Length: 60
Patients address zipcode

Column Name: patient_sex_code
Column Type: varchar
Max Length: 5
Patients sex

Column Name: client_alias
Column Type: varchar
Max Length: 80
Client Alias

Column Name: employment_status_code
Column Type: varchar
Max Length: 10
Employment Status - Code (517)

Column Name: employment_status_value
Column Type: varchar
Max Length: 255
Employment Status - Value (517)

Column Name: occupation_code
Column Type: varchar
Max Length: 10
Occupation - Code (610)

Column Name: occupation_value
Column Type: varchar
Max Length: 255
Occupation - Value (610)

Column Name: education_code
Column Type: varchar
Max Length: 10
Education - Code (625)

Column Name: patient_ssn
Column Type: varchar
Max Length: 15
Patient's social security number

Column Name: religion_code
Column Type: varchar
Max Length: 20

Patient's religion code

Column Name: marital_status_code

Column Type: varchar

Max Length: 15

Patient's marital status

Column Name: patient_work_phone

Column Type: varchar

Max Length: 60

Patient's work phone

Column Name: patient_maiden_name

Column Type: varchar

Max Length: 40

Patient's maiden name

Column Name: race_code

Column Type: varchar

Max Length: 20

Patient's race code

Column Name: facility_chart_number

Column Type: varchar

Max Length: 40

Facility chart number

Column Name: patient_place_of_birth

Column Type: varchar

Max Length: 40

Patient's place of birth

Column Name: patient_sex_value

Column Type: varchar

Max Length: 40

Patient's sex value

Column Name: ethnic_origin_value

Column Type: varchar

Max Length: 255

Ethnic Origin

Column Name: religion_value

Column Type: varchar

Max Length: 255

Patient's Religion

Column Name: marital_status_value

Column Type: varchar

Max Length: 40

Patient's Marital Status

Column Name: race_value

Column Type: varchar

Max Length: 255

Patient's Race

Column Name: patient_add_county_value

Column Type: varchar

Max Length: 20

Patients address - County

Column Name: patient_add_state_value

Column Type: varchar

Max Length: 40

Patient Address - State - Value

Column Name: FAMID

Column Type: integer

Familij ID

Column Name: address_start_date

Column Type: date

Address Start Date

Column Name: alert_access_options

Column Type: varchar

Max Length: 50

Alert Access Options

Column Name: alert_access_type

Column Type: varchar

Max Length: 50

Alert Access Type

Column Name: citizenship_code

Column Type: varchar

Max Length: 50

Citizenship

Column Name: citizenship_value

Column Type: varchar

Max Length: 50

Citizenship

Column Name: client_alias_10

Column Type: varchar

Max Length: 80

Client Alias 10

Column Name: client_alias_2
Column Type: varchar
Max Length: 80
Client Alias 2

Column Name: client_alias_3
Column Type: varchar
Max Length: 80
Client Alias 3

Column Name: client_alias_4
Column Type: varchar
Max Length: 80
Client Alias 4

Column Name: client_alias_5
Column Type: varchar
Max Length: 80
Client Alias 5

Column Name: client_alias_6
Column Type: varchar
Max Length: 80
Client Alias 6

Column Name: client_alias_7
Column Type: varchar
Max Length: 80
Client Alias 7

Column Name: client_alias_8
Column Type: varchar
Max Length: 80
Client Alias 8

Column Name: client_alias_9
Column Type: varchar
Max Length: 80
Client Alias 9

Column Name: client_conf_city
Column Type: varchar
Max Length: 50
Client Confidential Address - City

Column Name: client_conf_cntry_code
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Code

Column Name: client_conf_cntry_value
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Value

Column Name: client_conf_phone
Column Type: varchar
Max Length: 50
Client Confidential Address - Phone Number

Column Name: client_conf_state_code
Column Type: varchar
Max Length: 50
Client Confidential Address - State Code

Column Name: client_conf_state_value
Column Type: varchar
Max Length: 50
Client Confidential Address - State Value

Column Name: client_conf_street
Column Type: varchar
Max Length: 50
Client Confidential Address - Street

Column Name: client_conf_street2
Column Type: varchar
Max Length: 50
Client Confidential Address - Street 2

Column Name: client_conf_zipcode
Column Type: varchar
Max Length: 50
Client Confidential Address - Zip code

Column Name: client_email_addr
Column Type: varchar
Max Length: 50
Client's Email Address

Column Name: client_mail_city
Column Type: varchar
Max Length: 50
Client's Address - City

Column Name: client_mail_cntry_code
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_cntry_value
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_state_code
Column Type: varchar
Max Length: 50
Client's Address - State

Column Name: client_mail_state_value
Column Type: varchar
Max Length: 50
Client's Address - State

Column Name: client_mail_street
Column Type: varchar
Max Length: 50
Client's Address - Street 1
Column Name: client_mail_street2
Column Type: varchar
Max Length: 50
Client's Address - Street 2

Column Name: client_mail_zipcode
Column Type: varchar
Max Length: 50
Client's Address - Zip Code

Column Name: communication_pref_code
Column Type: varchar
Max Length: 50
Communication Preference Code

Column Name: communication_pref_value
Column Type: varchar
Max Length: 50
Communication Preference Value

Column Name: country_of_origin_code
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: country_of_origin_value
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: decline_prov_code

Column Type: varchar
Max Length: 50
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_long
Column Type: varchar
Max Length: 4096
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_short
Column Type: varchar
Max Length: 255
Client Declined To Provide Information On The Following

Column Name: education_value
Column Type: varchar
Max Length: 255
education - Value (625)

Column Name: ethnic_origin_X_NRI_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI

Column Name: ethnic_origin_X_NRI_value
Column Type: varchar
Max Length: 255
Ethnic Origin X NRI

Column Name: eth_orig_X_NRI_2014_value
Column Type: varchar
Max Length: 255
Ethnic Origin X NRI 2014

Column Name: eth_orig_X_NRI_2014_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI 2014

Column Name: expected_due_date
Column Type: date
Expected Due Date

Column Name: external_mpi_id
Column Type: varchar
Max Length: 50
External MPI ID

Column Name: fam_agric_worker_code
Column Type: varchar

Max Length: 5

'Do you have family members that are agricultural workers?'

Column Name: fam_agric_worker_value

Column Type: varchar

Max Length: 40

description for 'Do you have family members that are agricultural workers?'

Column Name: family_name

Column Type: varchar

Max Length: 50

Family name

Column Name: former_agric_worker_code

Column Type: varchar

Max Length: 5

'Are you an aged and disabled former migratory agricultural worker?'

Column Name: former_agric_worker_value

Column Type: varchar

Max Length: 40

description for 'Are you an aged and disabled former migratory agricultural worker?'

Column Name: gender_identity_code

Column Type: varchar

Max Length: 5

Patient's Gender Identity code

Column Name: gender_identity_value

Column Type: varchar

Max Length: 40

Patient's Gender Identity value

Column Name: guarantor_1

Column Type: varchar

Max Length: 10

Guarantor 1

Column Name: guarantor_10

Column Type: varchar

Max Length: 10

Guarantor 10

Column Name: guarantor_2

Column Type: varchar

Max Length: 10

Guarantor 2

Column Name: guarantor_3

Column Type: varchar

Max Length: 10
Guarantor 3

Column Name: guarantor_4
Column Type: varchar
Max Length: 10
Guarantor 4

Column Name: guarantor_5
Column Type: varchar
Max Length: 10
Guarantor 5

Column Name: guarantor_6
Column Type: varchar
Max Length: 10
Guarantor 6

Column Name: guarantor_7
Column Type: varchar
Max Length: 10
Guarantor 7

Column Name: guarantor_8
Column Type: varchar
Max Length: 10
Guarantor 8

Column Name: guarantor_9
Column Type: varchar
Max Length: 10
Guarantor 9

Column Name: guarantor_name_1
Column Type: varchar
Max Length: 40
Guarantor Name 1

Column Name: guarantor_name_10
Column Type: varchar
Max Length: 40
Guarantor Name 10

Column Name: guarantor_name_2
Column Type: varchar
Max Length: 40
Guarantor Name 2

Column Name: guarantor_name_3
Column Type: varchar

Max Length: 40
Guarantor Name 3

Column Name: guarantor_name_4
Column Type: varchar
Max Length: 40
Guarantor Name 4

Column Name: guarantor_name_5
Column Type: varchar
Max Length: 40
Guarantor Name 5

Column Name: guarantor_name_6
Column Type: varchar
Max Length: 40
Guarantor Name 6

Column Name: guarantor_name_7
Column Type: varchar
Max Length: 40
Guarantor Name 7

Column Name: guarantor_name_8
Column Type: varchar
Max Length: 40
Guarantor Name 8

Column Name: guarantor_name_9
Column Type: varchar
Max Length: 40
Guarantor Name 9

Column Name: lactating_status_code
Column Type: varchar
Max Length: 50
Lactating Status

Column Name: lactating_status_value
Column Type: varchar
Max Length: 50

Column Name: marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
Marital Status X NRI

Column Name: marital_status_X_NRI_value
Column Type: varchar

Max Length: 40
Marital Status X NRI

Column Name: medicaid_number
Column Type: varchar
Max Length: 20
Medicaid Number

Column Name: medi_cal_policy_number
Column Type: varchar
Max Length: 20
'Medi-Cal Policy Number' used by the 'LA Provider Integration' module

Column Name: mothers_maiden_name
Column Type: varchar
Max Length: 100
Mother's Maiden Name

Column Name: name_qualifier_code
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: name_qualifier_value
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: other_eth_org_code
Column Type: varchar
Max Length: 50
Other Ethnic Origin

Column Name: other_eth_org_value_long
Column Type: varchar
Max Length: 4096
Other Ethnic Origin

Column Name: other_eth_org_value_short
Column Type: varchar
Max Length: 255
Other Ethnic Origin

Column Name: other_lang_code
Column Type: varchar
Max Length: 50
Other Language Code

Column Name: other_lang_shval
Column Type: varchar

Max Length: 255
Other Language Code

Column Name: other_lang_val
Column Type: varchar
Max Length: 4096
Other Language Code

Column Name: other_race_code
Column Type: varchar
Max Length: 50
Other Race Code

Column Name: other_race_value_long
Column Type: varchar
Max Length: 4096
Other Race Code

Column Name: other_race_value_short
Column Type: varchar
Max Length: 255
Other Race Code

Column Name: patient_add_country_code
Column Type: varchar
Max Length: 20
Patient Address Country Code

Column Name: patient_add_country_value
Column Type: varchar
Max Length: 40
Patient Address Country Value

Column Name: patient_cell_phone
Column Type: varchar
Max Length: 60
Patient cell phone

Column Name: patient_name_first
Column Type: varchar
Max Length: 40
Patient Name First

Column Name: patient_name_last
Column Type: varchar
Max Length: 40
Patient Last Name

Column Name: patient_name_middle
Column Type: varchar

Max Length: 40
Patient Middle Name

Column Name: patient_name_prefix_code
Column Type: varchar
Max Length: 40
Patient Name Prefix Code

Column Name: patient_name_prefix_value
Column Type: varchar
Max Length: 40
Patient Name Prefix Value

Column Name: patient_name_suffix_code
Column Type: varchar
Max Length: 40
Patient Name Suffix Code

Column Name: patient_name_suffix_value
Column Type: varchar
Max Length: 40
Patient Name Suffix Value

Column Name: patient_sex_X_NRI_code
Column Type: varchar
Max Length: 10
Patient Sex X NRI

Column Name: patient_sex_X_NRI_value
Column Type: varchar
Max Length: 40
Patient Sex X NRI

Column Name: patient_ssn_2
Column Type: varchar
Max Length: 15
Patient's social security number 2

Column Name: patient_ssn_3
Column Type: varchar
Max Length: 15
Patient's social security number 3

Column Name: patient_ssn_4
Column Type: varchar
Max Length: 15
Patient's social security number 4

Column Name: personal_pronouns
Column Type: varchar

Max Length: 40
'Personal Pronouns'

Column Name: policy_number_1
Column Type: varchar
Max Length: 20
policy number 1

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
policy number 10

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
policy number 2

Column Name: policy_number_3
Column Type: varchar
Max Length: 20
policy number 3

Column Name: policy_number_4
Column Type: varchar
Max Length: 20
policy number 4

Column Name: policy_number_5
Column Type: varchar
Max Length: 20
policy number 5

Column Name: policy_number_6
Column Type: varchar
Max Length: 20
policy number 6

Column Name: policy_number_7
Column Type: varchar
Max Length: 20
policy number 7

Column Name: policy_number_8
Column Type: varchar
Max Length: 20
policy number 8

Column Name: policy_number_9
Column Type: varchar

Max Length: 20
policy number 9

Column Name: preferred_name
Column Type: varchar
Max Length: 40
'Preferred Name'

Column Name: pref_prov_eth_org_code
Column Type: varchar
Max Length: 5
Preferred Provider's Ethnic origin

Column Name: pref_prov_eth_org_value
Column Type: varchar
Max Length: 255
Preferred Provider's Ethnic Origin value

Column Name: pref_prov_sex_code
Column Type: varchar
Max Length: 5
Preferred provider's sex

Column Name: pref_prov_sex_value
Column Type: varchar
Max Length: 15
Preferred provider's sex value

Column Name: pregnancy_status_code
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: pregnancy_status_value
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: primary_language_code
Column Type: varchar
Max Length: 50
Primary Language

Column Name: primary_language_value
Column Type: varchar
Max Length: 50
Primary Language

Column Name: protection_indicator_code
Column Type: varchar

Max Length: 50
Protection Indicator

Column Name: protection_indicator_date
Column Type: date
Protection Indicator Effective Date

Column Name: protection_indicator_val
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 5
Patients Sexual Orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
Patient's Sexual Orientation value

Column Name: smoker_code
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoker_value
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoking_stat_assess_date
Column Type: date
Smoking Status Assessment Date

Column Name: ss_demographics_date_1
Column Type: date
SS Demographics Date 1

Column Name: ss_demographics_date_2
Column Type: date
SS Demographics Date 2

Column Name: ss_demographics_date_3
Column Type: date
SS Demographics Date 3

Column Name: ss_demographics_date_4
Column Type: date

SS Demographics Date 4

Column Name: ss_demographics_date_5

Column Type: date

SS Demographics Date 5

Column Name: ss_demographics_dict_10_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 10 Code

Column Name: ss_demographics_dict_10_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 10 Value

Column Name: ss_demographics_dict_11_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 11 Code

Column Name: ss_demographics_dict_11_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 11 Value

Column Name: ss_demographics_dict_12_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 12 Code

Column Name: ss_demographics_dict_12_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 12 Value

Column Name: ss_demographics_dict_13_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 13 Code

Column Name: ss_demographics_dict_13_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 13 Value

Column Name: ss_demographics_dict_14_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 14 Code

Column Name: ss_demographics_dict_14_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 14 Value

Column Name: ss_demographics_dict_15_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 15 Code

Column Name: ss_demographics_dict_15_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 15 Value

Column Name: ss_demographics_dict_16_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 16' Code

Column Name: ss_demographics_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_16_code. See ss_demographics_dict_16_code for more information.

Column Name: ss_demographics_dict_17_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 17' Code

Column Name: ss_demographics_dict_17_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_17_code. See ss_demographics_dict_17_code for more information.

Column Name: ss_demographics_dict_18_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 18' Code

Column Name: ss_demographics_dict_18_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_18_code. See ss_demographics_dict_18_code for more information.

Column Name: ss_demographics_dict_19_code

Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 19' Code

Column Name: ss_demographics_dict_19_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_19_code. See ss_demographics_dict_19_code for more information.

Column Name: ss_demographics_dict_1_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 1 Code

Column Name: ss_demographics_dict_1_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 1 Value

Column Name: ss_demographics_dict_20_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 20' Code

Column Name: ss_demographics_dict_20_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_20_code. See ss_demographics_dict_20_code for more information.

Column Name: ss_demographics_dict_2_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 2 Code

Column Name: ss_demographics_dict_2_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 2 Value

Column Name: ss_demographics_dict_3_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 3 Code

Column Name: ss_demographics_dict_3_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 3 Value

Column Name: ss_demographics_dict_4_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 4 Code

Column Name: ss_demographics_dict_4_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 4 Value

Column Name: ss_demographics_dict_5_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 5 Code

Column Name: ss_demographics_dict_5_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 5 Value

Column Name: ss_demographics_dict_6_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 6 Code

Column Name: ss_demographics_dict_6_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 6 Value

Column Name: ss_demographics_dict_7_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 7 Code

Column Name: ss_demographics_dict_7_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 7 Value

Column Name: ss_demographics_dict_8_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 8 Code

Column Name: ss_demographics_dict_8_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 8 Value

Column Name: ss_demographics_dict_9_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 9 Code

Column Name: ss_demographics_dict_9_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 9 Value

Column Name: ss_demographics_free_txt_1
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 1

Column Name: ss_demographics_free_txt_10
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 10'

Column Name: ss_demographics_free_txt_11
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 11'

Column Name: ss_demographics_free_txt_12
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 12'

Column Name: ss_demographics_free_txt_13
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 13'

Column Name: ss_demographics_free_txt_14
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 14'

Column Name: ss_demographics_free_txt_15
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 15'

Column Name: ss_demographics_free_txt_2
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 2

Column Name: ss_demographics_freetxt_20_1
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 1

Column Name: ss_demographics_freetxt_20_10
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 10'

Column Name: ss_demographics_freetxt_20_11
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 11'

Column Name: ss_demographics_freetxt_20_12
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 12'

Column Name: ss_demographics_freetxt_20_13
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 13'

Column Name: ss_demographics_freetxt_20_14
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 14'

Column Name: ss_demographics_freetxt_20_15
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 15'

Column Name: ss_demographics_freetxt_20_2
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 2

Column Name: ss_demographics_freetxt_20_3
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 3

Column Name: ss_demographics_freetxt_20_4
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 4

Column Name: ss_demographics_freetxt_20_5
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 5

Column Name: ss_demographics_freetxt_20_6
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 6'

Column Name: ss_demographics_freetxt_20_7
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 7'

Column Name: ss_demographics_freetxt_20_8
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 8'

Column Name: ss_demographics_freetxt_20_9
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 9'

Column Name: ss_demographics_free_txt_3
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 3

Column Name: ss_demographics_free_txt_4
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 4

Column Name: ss_demographics_freetxt_40_1
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 1

Column Name: ss_demographics_freetxt_40_10
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 10'

Column Name: ss_demographics_freetxt_40_11
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 11'

Column Name: ss_demographics_freetxt_40_12
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 12'

Column Name: ss_demographics_freetxt_40_13
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 13'

Column Name: ss_demographics_freetxt_40_14
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 14'

Column Name: ss_demographics_freetxt_40_15
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 15'

Column Name: ss_demographics_freetxt_40_2
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 2

Column Name: ss_demographics_freetxt_40_3
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 3

Column Name: ss_demographics_freetxt_40_4
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 4

Column Name: ss_demographics_freetxt_40_5
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 5

Column Name: ss_demographics_freetxt_40_6
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 6'

Column Name: ss_demographics_freetxt_40_7
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 7'

Column Name: ss_demographics_freetxt_40_8
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 8'

Column Name: ss_demographics_freetxt_40_9
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 9'

Column Name: ss_demographics_free_txt_5
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 5

Column Name: ss_demographics_free_txt_6
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 6'

Column Name: ss_demographics_free_txt_7
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 7'

Column Name: ss_demographics_free_txt_8
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 8'

Column Name: ss_demographics_freetxt_80_1
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 1'

Column Name: ss_demographics_freetxt_80_10
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 10'

Column Name: ss_demographics_freetxt_80_2
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 2'

Column Name: ss_demographics_freetxt_80_3
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 3'

Column Name: ss_demographics_freetxt_80_4
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 4'

Column Name: ss_demographics_freetxt_80_5
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 5'

Column Name: ss_demographics_freetxt_80_6
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 6'

Column Name: ss_demographics_freetxt_80_7
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 7'

Column Name: ss_demographics_freetxt_80_8
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 8'

Column Name: ss_demographics_freetxt_80_9
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 9'

Column Name: ss_demographics_free_txt_9
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 9'

Column Name: ss_demographics_mult_10_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 10 Code

Column Name: ss_demographics_mult_10_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 10 Short Value

Column Name: ss_demographics_mult_10_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 10 Value

Column Name: ss_demographics_mult_11_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 11' Code

Column Name: ss_demographics_mult_11_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_11_code limited to 255 characters. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_11_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_11_code. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_12_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 12' Code

Column Name: ss_demographics_mult_12_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_12_code limited to 255 characters. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_12_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_12_code. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_13_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 13' Code

Column Name: ss_demographics_mult_13_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_13_code limited to 255 characters. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_13_value
Column Type: varchar
Max Length: 4096

The description associated with `ss_demographics_mult_13_code`. See `ss_demographics_mult_13_code` for more information.

Column Name: `ss_demographics_mult_14_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 14' Code

Column Name: `ss_demographics_mult_14_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_14_code` limited to 255 characters. See `ss_demographics_mult_14_code` for more information.

Column Name: `ss_demographics_mult_14_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_14_code`. See `ss_demographics_mult_14_code` for more information.

Column Name: `ss_demographics_mult_15_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 15' Code

Column Name: `ss_demographics_mult_15_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_15_code` limited to 255 characters. See `ss_demographics_mult_15_code` for more information.

Column Name: `ss_demographics_mult_15_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_15_code`. See `ss_demographics_mult_15_code` for more information.

Column Name: `ss_demographics_mult_1_code`

Column Type: `varchar`

Max Length: 50

SS Demographics Multiple Select Dictionary 1 Code

Column Name: `ss_demographics_mult_1_shval`

Column Type: `varchar`

Max Length: 255

SS Demographics Multiple Select Dictionary 1 Short Value

Column Name: `ss_demographics_mult_1_value`

Column Type: `varchar`

Max Length: 4096

SS Demographics Multiple Select Dictionary 1 Value

Column Name: ss_demographics_mult_2_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 2 Code

Column Name: ss_demographics_mult_2_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 2 Short Value

Column Name: ss_demographics_mult_2_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 2 Value

Column Name: ss_demographics_mult_3_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 3 Code

Column Name: ss_demographics_mult_3_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 3 Short Value

Column Name: ss_demographics_mult_3_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 3 Value

Column Name: ss_demographics_mult_4_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 4 Code

Column Name: ss_demographics_mult_4_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 4 Short Value

Column Name: ss_demographics_mult_4_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 4 Value

Column Name: ss_demographics_mult_5_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 5 Code

Column Name: ss_demographics_mult_5_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 5 Short Value

Column Name: ss_demographics_mult_5_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 5 Value

Column Name: ss_demographics_mult_6_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 6 Code

Column Name: ss_demographics_mult_6_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 6 Short Value

Column Name: ss_demographics_mult_6_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 6 Value

Column Name: ss_demographics_mult_7_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 7 Code

Column Name: ss_demographics_mult_7_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 7 Short Value

Column Name: ss_demographics_mult_7_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 7 Value

Column Name: ss_demographics_mult_8_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 8 Code

Column Name: ss_demographics_mult_8_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 8 Short Value

Column Name: ss_demographics_mult_8_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 8 Value

Column Name: ss_demographics_mult_9_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 9 Code

Column Name: ss_demographics_mult_9_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 9 Short Value

Column Name: ss_demographics_mult_9_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 9 Value

Column Name: ss_demographics_phone_1

Column Type: varchar

Max Length: 50

Site Specific Phone Number 1

Column Name: ss_demographics_phone_2

Column Type: varchar

Max Length: 50

Site Specific Phone Number 2

Column Name: ss_demographics_phone_3

Column Type: varchar

Max Length: 50

Site Specific Phone Number 3

Column Name: ss_demographics_phone_4

Column Type: varchar

Max Length: 50

Site Specific Phone Number 4

Column Name: ss_demographics_phone_5

Column Type: varchar

Max Length: 50

Site Specific Phone Number 5

Column Name: ss_demographics_staff_1

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 1

Column Name: ss_demographics_staff_2

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 2

Column Name: ss_demographics_staff_3

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 3

Column Name: ss_demographics_staff_4

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 4

Column Name: ss_demographics_staff_5

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 5

Column Name: ss_demographics_time_1

Column Type: varchar

Max Length: 10

SS Demographics Time 1

Column Name: ss_demographics_time_2

Column Type: varchar

Max Length: 10

SS Demographics Time 2

Column Name: ss_demographics_time_3

Column Type: varchar

Max Length: 10

SS Demographics Time 3

Column Name: ss_demographics_time_4

Column Type: varchar

Max Length: 10

SS Demographics Time 4

Column Name: ss_demographics_time_5

Column Type: varchar

Max Length: 10

SS Demographics Time 5

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Pre_Admit

Table Name: SYSTEM.patient_demographic_history

Table Description: Patient Demographic History

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: MPI_uniqueid
Column Type: varchar
Max Length: 12
MPI unique ID

Column Name: patient_name
Column Type: varchar
Max Length: 40
Patient Name

Column Name: sex_code
Column Type: varchar
Max Length: 5
Sex

Column Name: sex_value
Column Type: varchar
Max Length: 40
Sex

Column Name: ethnic_origin_code
Column Type: varchar
Max Length: 5

Ethnic Origin

Column Name: ethnic_origin_value
Column Type: varchar
Max Length: 255
Ethnic Origin

Column Name: date_of_birth
Column Type: date
Date Of Birth

Column Name: patient_street_1
Column Type: varchar
Max Length: 40
Patient's Address - Street

Column Name: patient_city
Column Type: varchar
Max Length: 20
Patients Address - City

Column Name: patient_state
Column Type: varchar
Max Length: 40
Patient's Address - State

Column Name: patient_county_code
Column Type: varchar
Max Length: 5
Patient's Address - County

Column Name: patient_county_value
Column Type: varchar
Max Length: 40
patient's Address - County

Column Name: patient_zipcode
Column Type: varchar
Max Length: 60
Patient's Address - Zipcode

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
Patient's Home Phone

Column Name: patient_street_2
Column Type: varchar
Max Length: 40
Patient's Address - Street 2

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: social_security_number
Column Type: varchar
Max Length: 15
SS Number (6)

Column Name: religion_code
Column Type: varchar
Max Length: 5
Client Religion (9)

Column Name: religion_value
Column Type: varchar
Max Length: 255
Religion Value (9)

Column Name: marital_status_code
Column Type: varchar
Max Length: 10
Marital status code (10)

Column Name: marital_status_value
Column Type: varchar
Max Length: 40
Marital Status Value (10)

Column Name: client_work_phone
Column Type: varchar
Max Length: 60
Work Phone

Column Name: maiden_name
Column Type: varchar
Max Length: 40
Maiden Name

Column Name: client_race_Code
Column Type: varchar
Max Length: 10
Client Race - Code (116)

Column Name: client_race_value
Column Type: varchar
Max Length: 40
Client Race - Value (116)

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
Facility Chart Number

Column Name: client_alias
Column Type: varchar
Max Length: 80
Client Alias

Column Name: employment_status_code
Column Type: varchar
Max Length: 10
Employment Status - Code (517)

Column Name: employment_status_value
Column Type: varchar
Max Length: 255
Employment Status - Value (517)

Column Name: occupation_code
Column Type: varchar
Max Length: 10
Occupation - Code (610)

Column Name: occupation_value
Column Type: varchar
Max Length: 255
Occupation - Value (610)

Column Name: education_code
Column Type: varchar
Max Length: 10
Education - Code (625)

Column Name: education_value
Column Type: varchar
Max Length: 255
education - Value (625)

Column Name: place_of_birth
Column Type: varchar
Max Length: 40
Place of Birth

Column Name: GUID
Column Type: varchar
Max Length: 50
GUID

Column Name: InfoScribLegacyID
Column Type: varchar
Max Length: 50
InfoScribLegacyID

Column Name: UTCTimestamp
Column Type: timestamp
UTCTimestamp

Column Name: address_start_date
Column Type: date
Address Start Date

Column Name: citizenship_code
Column Type: varchar
Max Length: 50
Citizenship

Column Name: citizenship_value
Column Type: varchar
Max Length: 50
Citizenship

Column Name: client_alias_10
Column Type: varchar
Max Length: 80
Client Alias 10

Column Name: client_alias_2
Column Type: varchar
Max Length: 80
Client Alias 2

Column Name: client_alias_3
Column Type: varchar

Max Length: 80
Client Alias 3

Column Name: client_alias_4
Column Type: varchar
Max Length: 80
Client Alias 4

Column Name: client_alias_5
Column Type: varchar
Max Length: 80
Client Alias 5

Column Name: client_alias_6
Column Type: varchar
Max Length: 80
Client Alias 6

Column Name: client_alias_7
Column Type: varchar
Max Length: 80
Client Alias 7

Column Name: client_alias_8
Column Type: varchar
Max Length: 80
Client Alias 8

Column Name: client_alias_9
Column Type: varchar
Max Length: 80
Client Alias 9

Column Name: client_conf_city
Column Type: varchar
Max Length: 50
Client Confidential Address - City

Column Name: client_conf_cntry_code
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Code

Column Name: client_conf_cntry_value
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Value

Column Name: client_conf_phone
Column Type: varchar

Max Length: 50
Client Confidential Address - Phone Number

Column Name: client_conf_state_code
Column Type: varchar
Max Length: 50
Client Confidential Address - State Code

Column Name: client_conf_state_value
Column Type: varchar
Max Length: 50
Client Confidential Address - State Value

Column Name: client_conf_street
Column Type: varchar
Max Length: 50
Client Confidential Address - Street

Column Name: client_conf_street2
Column Type: varchar
Max Length: 50
Client Confidential Address - Street 2

Column Name: client_conf_zipcode
Column Type: varchar
Max Length: 50
Client Confidential Address - Zip code

Column Name: client_email_addr
Column Type: varchar
Max Length: 50
Client's Email Address

Column Name: client_mail_city
Column Type: varchar
Max Length: 50
Client's Mailing Address - City

Column Name: client_mail_cntry_code
Column Type: varchar
Max Length: 50
Client's Mailing Address - Country

Column Name: client_mail_cntry_value
Column Type: varchar
Max Length: 50
Client's Mailing Address - Country

Column Name: client_mail_state_code
Column Type: varchar

Max Length: 50
Client's Mailing Address - State

Column Name: client_mail_state_value
Column Type: varchar
Max Length: 50
Client's Mailing Address - State

Column Name: client_mail_street
Column Type: varchar
Max Length: 50
Client's Mailing Address - Street 1

Column Name: client_mail_street2
Column Type: varchar
Max Length: 50
Client's Mailing Address - Street 2

Column Name: client_mail_zipcode
Column Type: varchar
Max Length: 50
Client's Mailing Address - Zip Code

Column Name: communication_pref_code
Column Type: varchar
Max Length: 50
Communication Preference Code

Column Name: communication_pref_value
Column Type: varchar
Max Length: 50
Communication Preference Value

Column Name: country_of_origin_code
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: country_of_origin_value
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Data Entry Source (30015)

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

data entry user id

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

data entry user name

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: decline_prov_code

Column Type: varchar

Max Length: 50

Client Declined To Provide Information On The Following

Column Name: decline_prov_value_long

Column Type: varchar

Max Length: 4096

Client Declined To Provide Information On The Following

Column Name: decline_prov_value_short

Column Type: varchar

Max Length: 255

Client Declined To Provide Information On The Following

Column Name: ethnic_origin_X_NRI_code

Column Type: varchar

Max Length: 10

Ethnic Origin X NRI

Column Name: ethnic_origin_X_NRI_value
Column Type: varchar
Max Length: 255
Ethnic Origin X NRI

Column Name: eth_orig_X_NRI_2014_value
Column Type: varchar
Max Length: 255
Ethnic Origin X NRI 2014

Column Name: eth_orig_X_NRI_2014_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI 2014

Column Name: expected_due_date
Column Type: date
Expected Due Date

Column Name: external_mpi_id
Column Type: varchar
Max Length: 50
External MPI ID

Column Name: fam_agric_worker_code
Column Type: varchar
Max Length: 5
'Do you have family members that are agricultural workers?'

Column Name: fam_agric_worker_value
Column Type: varchar
Max Length: 40
description for 'Do you have family members that are agricultural workers?'

Column Name: former_agric_worker_code
Column Type: varchar
Max Length: 5
'Are you an aged and disabled former migratory agricultural worker?'

Column Name: former_agric_worker_value
Column Type: varchar
Max Length: 40
description for 'Are you an aged and disabled former migratory agricultural worker?'

Column Name: gender_identity_code
Column Type: varchar
Max Length: 5
Gender Identity code

Column Name: gender_identity_value

Column Type: varchar
Max Length: 40
Gender Identity value

Column Name: guarantor_1
Column Type: varchar
Max Length: 10
Guarantor 1

Column Name: guarantor_10
Column Type: varchar
Max Length: 10
Guarantor 10

Column Name: guarantor_2
Column Type: varchar
Max Length: 10
Guarantor 2

Column Name: guarantor_3
Column Type: varchar
Max Length: 10
Guarantor 3

Column Name: guarantor_4
Column Type: varchar
Max Length: 10
Guarantor 4

Column Name: guarantor_5
Column Type: varchar
Max Length: 10
Guarantor 5

Column Name: guarantor_6
Column Type: varchar
Max Length: 10
Guarantor 6

Column Name: guarantor_7
Column Type: varchar
Max Length: 10
Guarantor 7

Column Name: guarantor_8
Column Type: varchar
Max Length: 10
Guarantor 8

Column Name: guarantor_9

Column Type: varchar
Max Length: 10
Guarantor 9

Column Name: guarantor_name_1
Column Type: varchar
Max Length: 40
Guarantor Name 1

Column Name: guarantor_name_10
Column Type: varchar
Max Length: 40
Guarantor Name 10

Column Name: guarantor_name_2
Column Type: varchar
Max Length: 40
Guarantor Name 2

Column Name: guarantor_name_3
Column Type: varchar
Max Length: 40
Guarantor Name 3

Column Name: guarantor_name_4
Column Type: varchar
Max Length: 40
Guarantor Name 4

Column Name: guarantor_name_5
Column Type: varchar
Max Length: 40
Guarantor Name 5

Column Name: guarantor_name_6
Column Type: varchar
Max Length: 40
Guarantor Name 6

Column Name: guarantor_name_7
Column Type: varchar
Max Length: 40
Guarantor Name 7

Column Name: guarantor_name_8
Column Type: varchar
Max Length: 40
Guarantor Name 8

Column Name: guarantor_name_9

Column Type: varchar
Max Length: 40
Guarantor Name 9

Column Name: lactating_status_code
Column Type: varchar
Max Length: 50
Lactating Status

Column Name: lactating_status_value
Column Type: varchar
Max Length: 50

Column Name: marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
Marital Status X NRI

Column Name: marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
Marital Status X NRI

Column Name: medicaid_number
Column Type: varchar
Max Length: 20
Medicaid Number

Column Name: mothers_maiden_name
Column Type: varchar
Max Length: 100
Mother's Maiden Name

Column Name: name_qualifier_code
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: name_qualifier_value
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id

Column Type: varchar
Max Length: 50
Option Identifier

Column Name: other_eth_org_code
Column Type: varchar
Max Length: 50
Other Ethnic Origin

Column Name: other_eth_org_value_long
Column Type: varchar
Max Length: 4096
Other Ethnic Origin

Column Name: other_eth_org_value_short
Column Type: varchar
Max Length: 255
Other Ethnic Origin

Column Name: other_lang_code
Column Type: varchar
Max Length: 50
Other Language

Column Name: other_lang_shval
Column Type: varchar
Max Length: 255
Other Language

Column Name: other_lang_val
Column Type: varchar
Max Length: 4096
Other Language

Column Name: other_race_code
Column Type: varchar
Max Length: 50
Other Race

Column Name: other_race_value_long
Column Type: varchar
Max Length: 4096
Other Race

Column Name: other_race_value_short
Column Type: varchar
Max Length: 255
Other Race

Column Name: patient_cell_phone

Column Type: varchar
Max Length: 60
Patient cell phone

Column Name: patient_country_code
Column Type: varchar
Max Length: 20
Patient Address Country Code

Column Name: patient_country_value
Column Type: varchar
Max Length: 40
Patient Address Country Value

Column Name: patient_name_first
Column Type: varchar
Max Length: 100
Patient Name First

Column Name: patient_name_last
Column Type: varchar
Max Length: 40
Patient Last Name

Column Name: patient_name_middle
Column Type: varchar
Max Length: 40
Patient Middle Name

Column Name: patient_name_prefix_code
Column Type: varchar
Max Length: 40
Patient Name Prefix Code

Column Name: patient_name_prefix_value
Column Type: varchar
Max Length: 40
Patient Name Prefix Value

Column Name: patient_name_suffix_code
Column Type: varchar
Max Length: 40
Patient Name Suffix Code

Column Name: patient_name_suffix_value
Column Type: varchar
Max Length: 40
Patient Name Suffix Value

Column Name: personal_pronouns

Column Type: varchar
Max Length: 40
'Personal Pronouns'

Column Name: policy_number_1
Column Type: varchar
Max Length: 20
policy number 1

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
policy number 10

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
policy number 2

Column Name: policy_number_3
Column Type: varchar
Max Length: 20
policy number 3

Column Name: policy_number_4
Column Type: varchar
Max Length: 20
policy number 4

Column Name: policy_number_5
Column Type: varchar
Max Length: 20
policy number 5

Column Name: policy_number_6
Column Type: varchar
Max Length: 20
policy number 6

Column Name: policy_number_7
Column Type: varchar
Max Length: 20
policy number 7

Column Name: policy_number_8
Column Type: varchar
Max Length: 20
policy number 8

Column Name: policy_number_9

Column Type: varchar
Max Length: 20
policy number 9

Column Name: preferred_name
Column Type: varchar
Max Length: 40
'Preferred Name'

Column Name: pref_prov_eth_org_code
Column Type: varchar
Max Length: 5
Preferred Provider's Ethnic origin

Column Name: pref_prov_eth_org_value
Column Type: varchar
Max Length: 255
Preferred Provider's Ethnic Origin value

Column Name: pref_prov_sex_code
Column Type: varchar
Max Length: 5
Preferred provider's sex

Column Name: pref_prov_sex_value
Column Type: varchar
Max Length: 15
Preferred provider's sex value

Column Name: pregnancy_status_code
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: pregnancy_status_value
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: primary_language_code
Column Type: varchar
Max Length: 50
Primary Language

Column Name: primary_language_value
Column Type: varchar
Max Length: 50
Primary Language

Column Name: protection_indicator_code

Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: protection_indicator_date
Column Type: date
Protection Indicator Effective Date

Column Name: protection_indicator_val
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 5
Sexual Orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
Sex

Column Name: sex_X_NRI_code
Column Type: varchar
Max Length: 10
Sex X NRI

Column Name: sex_X_NRI_value
Column Type: varchar
Max Length: 40
Sex X NRI

Column Name: smoker_code
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoker_value
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoking_stat_assess_date
Column Type: date
Smoking Status Assessment Date

Column Name: social_security_number_2
Column Type: varchar
Max Length: 15

SS Number 2 (6)

Column Name: social_security_number_3

Column Type: varchar

Max Length: 15

SS Number 3 (6)

Column Name: social_security_number_4

Column Type: varchar

Max Length: 15

SS Number 4 (6)

Column Name: ss_demographics_date_1

Column Type: date

SS Demographics Date 1

Column Name: ss_demographics_date_2

Column Type: date

SS Demographics Date 2

Column Name: ss_demographics_date_3

Column Type: date

SS Demographics Date 3

Column Name: ss_demographics_date_4

Column Type: date

SS Demographics Date 4

Column Name: ss_demographics_date_5

Column Type: date

SS Demographics Date 5

Column Name: ss_demographics_dict_10_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 10 Code

Column Name: ss_demographics_dict_10_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 10 Value

Column Name: ss_demographics_dict_11_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 11 Code

Column Name: ss_demographics_dict_11_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 11 Value

Column Name: ss_demographics_dict_12_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 12 Code

Column Name: ss_demographics_dict_12_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 12 Value

Column Name: ss_demographics_dict_13_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 13 Code

Column Name: ss_demographics_dict_13_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 13 Value

Column Name: ss_demographics_dict_14_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 14 Code

Column Name: ss_demographics_dict_14_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 14 Value

Column Name: ss_demographics_dict_15_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 15 Code

Column Name: ss_demographics_dict_15_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 15 Value

Column Name: ss_demographics_dict_16_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 16' Code

Column Name: ss_demographics_dict_16_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_16_code. See ss_demographics_dict_16_code for more information.

Column Name: ss_demographics_dict_17_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 17' Code

Column Name: ss_demographics_dict_17_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_17_code. See ss_demographics_dict_17_code for more information.

Column Name: ss_demographics_dict_18_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 18' Code

Column Name: ss_demographics_dict_18_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_18_code. See ss_demographics_dict_18_code for more information.

Column Name: ss_demographics_dict_19_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 19' Code

Column Name: ss_demographics_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_19_code. See ss_demographics_dict_19_code for more information.

Column Name: ss_demographics_dict_1_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 1 Code

Column Name: ss_demographics_dict_1_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 1 Value

Column Name: ss_demographics_dict_20_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 20' Code

Column Name: ss_demographics_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_20_code. See ss_demographics_dict_20_code for more information.

Column Name: ss_demographics_dict_2_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 2 Code

Column Name: ss_demographics_dict_2_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 2 Value

Column Name: ss_demographics_dict_3_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 3 Code

Column Name: ss_demographics_dict_3_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 3 Value

Column Name: ss_demographics_dict_4_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 4 Code

Column Name: ss_demographics_dict_4_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 4 Value

Column Name: ss_demographics_dict_5_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 5 Code

Column Name: ss_demographics_dict_5_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 5 Value

Column Name: ss_demographics_dict_6_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 6 Code

Column Name: ss_demographics_dict_6_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 6 Value

Column Name: ss_demographics_dict_7_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 7 Code

Column Name: ss_demographics_dict_7_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 7 Value

Column Name: ss_demographics_dict_8_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 8 Code

Column Name: ss_demographics_dict_8_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 8 Value

Column Name: ss_demographics_dict_9_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 9 Code

Column Name: ss_demographics_dict_9_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 9 Value

Column Name: ss_demographics_free_txt_1

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 1

Column Name: ss_demographics_free_txt_10

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 10'

Column Name: ss_demographics_free_txt_11

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 11'

Column Name: ss_demographics_free_txt_12

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 12'

Column Name: ss_demographics_free_txt_13

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 13'

Column Name: ss_demographics_free_txt_14

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 14'

Column Name: ss_demographics_free_txt_15

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 15'

Column Name: ss_demographics_free_txt_2

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 2

Column Name: ss_demographics_freetxt_20_1

Column Type: varchar

Max Length: 20

SS Demographics Free Text (20) 1

Column Name: ss_demographics_freetxt_20_10

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 10'

Column Name: ss_demographics_freetxt_20_11

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 11'

Column Name: ss_demographics_freetxt_20_12

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 12'

Column Name: ss_demographics_freetxt_20_13

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 13'

Column Name: ss_demographics_freetxt_20_14

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 14'

Column Name: ss_demographics_freetxt_20_15

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 15'

Column Name: ss_demographics_freetxt_20_2

Column Type: varchar

Max Length: 20

SS Demographics Free Text (20) 2

Column Name: ss_demographics_freetxt_20_3

Column Type: varchar

Max Length: 20

SS Demographics Free Text (20) 3

Column Name: ss_demographics_freetxt_20_4

Column Type: varchar

Max Length: 20

SS Demographics Free Text (20) 4

Column Name: ss_demographics_freetxt_20_5

Column Type: varchar

Max Length: 20

SS Demographics Free Text (20) 5

Column Name: ss_demographics_freetxt_20_6

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 6'

Column Name: ss_demographics_freetxt_20_7

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 7'

Column Name: ss_demographics_freetxt_20_8

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 8'

Column Name: ss_demographics_freetxt_20_9

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 9'

Column Name: ss_demographics_free_txt_3

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 3

Column Name: ss_demographics_free_txt_4

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 4

Column Name: ss_demographics_freetxt_40_1

Column Type: varchar

Max Length: 40

SS Demographics Free Text (40) 1

Column Name: ss_demographics_freetxt_40_10

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 10'

Column Name: ss_demographics_freetxt_40_11

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 11'

Column Name: ss_demographics_freetxt_40_12

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 12'

Column Name: ss_demographics_freetxt_40_13

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 13'

Column Name: ss_demographics_freetxt_40_14

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 14'

Column Name: ss_demographics_freetxt_40_15

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 15'

Column Name: ss_demographics_freetxt_40_2

Column Type: varchar

Max Length: 40

SS Demographics Free Text (40) 2

Column Name: ss_demographics_freetxt_40_3

Column Type: varchar

Max Length: 40

SS Demographics Free Text (40) 3

Column Name: ss_demographics_freetxt_40_4

Column Type: varchar

Max Length: 40

SS Demographics Free Text (40) 4

Column Name: ss_demographics_freetxt_40_5

Column Type: varchar

Max Length: 40

SS Demographics Free Text (40) 5

Column Name: ss_demographics_freetxt_40_6

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 6'

Column Name: ss_demographics_freetxt_40_7

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 7'

Column Name: ss_demographics_freetxt_40_8

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 8'

Column Name: ss_demographics_freetxt_40_9

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 9'

Column Name: ss_demographics_free_txt_5

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 5

Column Name: ss_demographics_free_txt_6

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 6'

Column Name: ss_demographics_free_txt_7

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 7'

Column Name: ss_demographics_free_txt_8

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 8'

Column Name: ss_demographics_freetxt_80_1

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 1'

Column Name: ss_demographics_freetxt_80_10

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 10'

Column Name: ss_demographics_freetxt_80_2

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 2'

Column Name: ss_demographics_freetxt_80_3

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 3'

Column Name: ss_demographics_freetxt_80_4

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 4'

Column Name: ss_demographics_freetxt_80_5

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 5'

Column Name: ss_demographics_freetxt_80_6

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 6'

Column Name: ss_demographics_freetxt_80_7

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 7'

Column Name: ss_demographics_freetxt_80_8

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 8'

Column Name: ss_demographics_freetxt_80_9

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 9'

Column Name: ss_demographics_free_txt_9

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 9'

Column Name: ss_demographics_mult_10_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 10 Code

Column Name: ss_demographics_mult_10_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 10 Short Value

Column Name: ss_demographics_mult_10_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 10 Value

Column Name: ss_demographics_mult_11_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 11' Code

Column Name: ss_demographics_mult_11_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_11_code limited to 255 characters. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_11_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_11_code. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_12_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 12' Code

Column Name: ss_demographics_mult_12_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_12_code limited to 255 characters. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_12_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_12_code. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_13_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 13' Code

Column Name: ss_demographics_mult_13_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_13_code limited to 255 characters. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_13_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_13_code. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_14_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 14' Code

Column Name: ss_demographics_mult_14_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_14_code limited to 255 characters. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_14_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_14_code. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_15_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 15' Code

Column Name: ss_demographics_mult_15_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_15_code limited to 255 characters. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_15_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_15_code. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_1_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 1 Code

Column Name: ss_demographics_mult_1_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 1 Short Value

Column Name: ss_demographics_mult_1_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 1 Value

Column Name: ss_demographics_mult_2_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 2 Code

Column Name: ss_demographics_mult_2_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 2 Short Value

Column Name: ss_demographics_mult_2_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 2 Value

Column Name: ss_demographics_mult_3_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 3 Code

Column Name: ss_demographics_mult_3_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 3 Short Value

Column Name: ss_demographics_mult_3_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 3 Value

Column Name: ss_demographics_mult_4_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 4 Code

Column Name: ss_demographics_mult_4_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 4 Short Value

Column Name: ss_demographics_mult_4_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 4 Value

Column Name: ss_demographics_mult_5_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 5 Code

Column Name: ss_demographics_mult_5_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 5 Short Value

Column Name: ss_demographics_mult_5_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 5 Value

Column Name: ss_demographics_mult_6_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 6 Code

Column Name: ss_demographics_mult_6_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 6 Short Value

Column Name: ss_demographics_mult_6_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 6 Value

Column Name: ss_demographics_mult_7_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 7 Code

Column Name: ss_demographics_mult_7_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 7 Short Value

Column Name: ss_demographics_mult_7_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 7 Value

Column Name: ss_demographics_mult_8_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 8 Code

Column Name: ss_demographics_mult_8_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 8 Short Value

Column Name: ss_demographics_mult_8_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 8 Value

Column Name: ss_demographics_mult_9_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 9 Code

Column Name: ss_demographics_mult_9_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 9 Short Value

Column Name: ss_demographics_mult_9_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 9 Value

Column Name: ss_demographics_phone_1

Column Type: varchar

Max Length: 50

Site Specific Phone Number 1

Column Name: ss_demographics_phone_2

Column Type: varchar

Max Length: 50

Site Specific Phone Number 2

Column Name: ss_demographics_phone_3

Column Type: varchar

Max Length: 50

Site Specific Phone Number 3

Column Name: ss_demographics_phone_4

Column Type: varchar

Max Length: 50

Site Specific Phone Number 4

Column Name: ss_demographics_phone_5

Column Type: varchar

Max Length: 50

Site Specific Phone Number 5

Column Name: ss_demographics_staff_1

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 1

Column Name: ss_demographics_staff_2

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 2

Column Name: ss_demographics_staff_3

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 3

Column Name: ss_demographics_staff_4

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 4

Column Name: ss_demographics_staff_5

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 5

Column Name: ss_demographics_time_1

Column Type: varchar

Max Length: 10

SS Demographics Time 1

Column Name: ss_demographics_time_2

Column Type: varchar

Max Length: 10

SS Demographics Time 2

Column Name: ss_demographics_time_3

Column Type: varchar

Max Length: 10

SS Demographics Time 3

Column Name: ss_demographics_time_4

Column Type: varchar

Max Length: 10

SS Demographics Time 4

Column Name: ss_demographics_time_5

Column Type: varchar

Max Length: 10

SS Demographics Time 5

Documentation for form: Pre_Admit

Table Name: SYSTEM.site_specific_pre_admission

Table Description: Site Specific Pre Admission

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

'Facility'

Column Name: PATID

Column Type: varchar

Max Length: 20

'Patient ID'

Column Name: SSP_uniqueid

Column Type: varchar

Max Length: 20

'SSP unique ID'

Column Name: EPISODE_NUMBER

Column Type: integer
'Episode Number'

Column Name: ss_pre_adm_dict_1_code
Column Type: varchar
Max Length: 20
'SS Pre Adm Dictionary 1 Code'

Column Name: ss_pre_adm_dict_1_value
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_dict_1_code. See ss_pre_adm_dict_1_code for more information.

Column Name: ss_pre_adm_dict_2_code
Column Type: varchar
Max Length: 20
'SS Pre Adm Dictionary 2'

Column Name: ss_pre_adm_dict_2_value
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_dict_2_code. See ss_pre_adm_dict_2_code for more information.

Column Name: ss_pre_adm_dict_3_code
Column Type: varchar
Max Length: 20
'SS Pre Adm Dictionary 3'

Column Name: ss_pre_adm_dict_3_value
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_dict_3_code. See ss_pre_adm_dict_3_code for more information.

Column Name: ss_pre_adm_dict_4_code
Column Type: varchar
Max Length: 20
'SS Pre Adm Dictionary 4'

Column Name: ss_pre_adm_dict_4_value
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_dict_4_code. See ss_pre_adm_dict_4_code for more information.

Column Name: ss_pre_adm_dict_5_code
Column Type: varchar
Max Length: 20

'SS Pre Adm Dictionary 5'

Column Name: ss_pre_adm_dict_5_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_5_code. See ss_pre_adm_dict_5_code for more information.

Column Name: ss_pre_adm_dict_6_code

Column Type: varchar

Max Length: 20

'SS Pre Adm Dictionary 6'

Column Name: ss_pre_adm_dict_6_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_6_code. See ss_pre_adm_dict_6_code for more information.

Column Name: ss_pre_adm_dict_7_code

Column Type: varchar

Max Length: 20

'SS Pre Adm Dictionary 7'

Column Name: ss_pre_adm_dict_7_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_7_code. See ss_pre_adm_dict_7_code for more information.

Column Name: ss_pre_adm_dict_8_code

Column Type: varchar

Max Length: 20

'SS Pre Adm Dictionary 8'

Column Name: ss_pre_adm_dict_8_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_8_code. See ss_pre_adm_dict_8_code for more information.

Column Name: ss_pre_adm_dict_9_code

Column Type: varchar

Max Length: 20

'SS Pre Adm Dictionary 9'

Column Name: ss_pre_adm_dict_9_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_9_code. See ss_pre_adm_dict_9_code for more information.

Column Name: ss_pre_adm_staff_1
Column Type: varchar
Max Length: 20
'SS Pre Adm Practitioner 1'

Column Name: ss_pre_adm_staff_2
Column Type: varchar
Max Length: 20
'SS Pre Adm Practitioner 2'

Column Name: ss_pre_adm_staff_3
Column Type: varchar
Max Length: 20
'SS Pre Adm Practitioner 3'

Column Name: ss_pre_adm_staff_4
Column Type: varchar
Max Length: 20
'SS Pre Adm Practitioner 4'

Column Name: ss_pre_adm_staff_5
Column Type: varchar
Max Length: 20
'SS Pre Adm Practitioner 5'

Column Name: ss_pre_adm_free_txt_1
Column Type: varchar
Max Length: 32766
'SS Pre Adm Scrolling Free Text 1'

Column Name: ss_pre_adm_free_txt_2
Column Type: varchar
Max Length: 32766
'SS Pre Adm Scrolling Free Text 2'

Column Name: ss_pre_adm_free_txt_3
Column Type: varchar
Max Length: 32766
'SS Pre Adm Scrolling Free Text 3'

Column Name: ss_pre_adm_free_txt_4
Column Type: varchar
Max Length: 32766
'SS Pre Adm Scrolling Free Text 4'

Column Name: ss_pre_adm_free_txt_5
Column Type: varchar

Max Length: 32766
'SS Pre Adm Scrolling Free Text 5'

Column Name: data_entry_date
Column Type: date
'Data Entry Date'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
'Data Entry By'

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
'Data Entry Time'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
'Data Entry By'

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
'Data Entry Source (30015)'

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
'Data Entry User ID'

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
'Data Entry User Name'

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: ss_pre_adm_date_1
Column Type: date
'SS Pre Adm Dictionary 1'

Column Name: ss_pre_adm_date_2
Column Type: date
'SS Pre Adm Dictionary 2'

Column Name: ss_pre_adm_date_3
Column Type: date
'SS Pre Adm Dictionary 3'

Column Name: ss_pre_adm_date_4
Column Type: date
'SS Pre Adm Dictionary 4'

Column Name: ss_pre_adm_date_5
Column Type: date
'SS Pre Adm Dictionary 5'

Column Name: ss_pre_adm_dict_10_code
Column Type: varchar
Max Length: 20
'SS Pre Adm Dictionary 10' Code

Column Name: ss_pre_adm_dict_10_value
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_dict_10_code. See ss_pre_adm_dict_10_code for more information.

Column Name: ss_pre_adm_dict_11_code
Column Type: varchar
Max Length: 20
'SS Pre Adm Dictionary 11' Code

Column Name: ss_pre_adm_dict_11_value
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_dict_11_code. See ss_pre_adm_dict_11_code for more information.

Column Name: ss_pre_adm_dict_12_code

Column Type: varchar

Max Length: 20

'SS Pre Adm Dictionary 12' Code

Column Name: ss_pre_adm_dict_12_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_12_code. See ss_pre_adm_dict_12_code for more information.

Column Name: ss_pre_adm_dict_13_code

Column Type: varchar

Max Length: 20

'SS Pre Adm Dictionary 13' Code

Column Name: ss_pre_adm_dict_13_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_13_code. See ss_pre_adm_dict_13_code for more information.

Column Name: ss_pre_adm_dict_14_code

Column Type: varchar

Max Length: 20

'SS Pre Adm Dictionary 14' Code

Column Name: ss_pre_adm_dict_14_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_14_code. See ss_pre_adm_dict_14_code for more information.

Column Name: ss_pre_adm_free_txt_10

Column Type: varchar

Max Length: 32766

'SS Pre Adm Scrolling Free Text 10'

Column Name: ss_pre_adm_free_txt_11

Column Type: varchar

Max Length: 32766

'SS Pre Adm Scrolling Free Text 11'

Column Name: ss_pre_adm_free_txt_12

Column Type: varchar

Max Length: 32766

'SS Pre Adm Scrolling Free Text 12'

Column Name: ss_pre_adm_free_txt_13

Column Type: varchar
Max Length: 32766
'SS Pre Adm Scrolling Free Text 13'

Column Name: ss_pre_adm_free_txt_14
Column Type: varchar
Max Length: 32766
'SS Pre Adm Scrolling Free Text 14'

Column Name: ss_pre_adm_free_txt_15
Column Type: varchar
Max Length: 32766
'SS Pre Adm Scrolling Free Text 15'

Column Name: ss_pre_adm_freetxt_20_1
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 1'

Column Name: ss_pre_adm_freetxt_20_10
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 10'

Column Name: ss_pre_adm_freetxt_20_11
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 11'

Column Name: ss_pre_adm_freetxt_20_12
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 12'

Column Name: ss_pre_adm_freetxt_20_13
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 13'

Column Name: ss_pre_adm_freetxt_20_14
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 14'

Column Name: ss_pre_adm_freetxt_20_15
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 15'

Column Name: ss_pre_adm_freetxt_20_16

Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 16'

Column Name: ss_pre_adm_freetxt_20_17
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 17'

Column Name: ss_pre_adm_freetxt_20_18
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 18'

Column Name: ss_pre_adm_freetxt_20_19
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 19'

Column Name: ss_pre_adm_freetxt_20_2
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 2'

Column Name: ss_pre_adm_freetxt_20_20
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 20'

Column Name: ss_pre_adm_freetxt_20_21
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 21'

Column Name: ss_pre_adm_freetxt_20_22
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 22'

Column Name: ss_pre_adm_freetxt_20_23
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 23'

Column Name: ss_pre_adm_freetxt_20_24
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 24'

Column Name: ss_pre_adm_freetxt_20_25

Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 25'

Column Name: ss_pre_adm_freetxt_20_26
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 26'

Column Name: ss_pre_adm_freetxt_20_27
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 27'

Column Name: ss_pre_adm_freetxt_20_28
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 28'

Column Name: ss_pre_adm_freetxt_20_29
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 29'

Column Name: ss_pre_adm_freetxt_20_3
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 3'

Column Name: ss_pre_adm_freetxt_20_30
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 30'

Column Name: ss_pre_adm_freetxt_20_4
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 4'

Column Name: ss_pre_adm_freetxt_20_5
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 5'

Column Name: ss_pre_adm_freetxt_20_6
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 6'

Column Name: ss_pre_adm_freetxt_20_7

Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 7'

Column Name: ss_pre_adm_freetxt_20_8
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 8'

Column Name: ss_pre_adm_freetxt_20_9
Column Type: varchar
Max Length: 20
'SS Pre Adm Free Text (20) 9'

Column Name: ss_pre_adm_freetxt_40_1
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 1'

Column Name: ss_pre_adm_freetxt_40_10
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 10'

Column Name: ss_pre_adm_freetxt_40_11
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 11'

Column Name: ss_pre_adm_freetxt_40_12
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 12'

Column Name: ss_pre_adm_freetxt_40_13
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 13'

Column Name: ss_pre_adm_freetxt_40_14
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 14'

Column Name: ss_pre_adm_freetxt_40_15
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 15'

Column Name: ss_pre_adm_freetxt_40_16

Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 16'

Column Name: ss_pre_adm_freetxt_40_17
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 17'

Column Name: ss_pre_adm_freetxt_40_18
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 18'

Column Name: ss_pre_adm_freetxt_40_19
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 19'

Column Name: ss_pre_adm_freetxt_40_2
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 2'

Column Name: ss_pre_adm_freetxt_40_20
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 20'

Column Name: ss_pre_adm_freetxt_40_21
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 21'

Column Name: ss_pre_adm_freetxt_40_22
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 22'

Column Name: ss_pre_adm_freetxt_40_23
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 23'

Column Name: ss_pre_adm_freetxt_40_24
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 24'

Column Name: ss_pre_adm_freetxt_40_25

Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 25'

Column Name: ss_pre_adm_freetxt_40_26
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 26'

Column Name: ss_pre_adm_freetxt_40_27
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 27'

Column Name: ss_pre_adm_freetxt_40_28
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 28'

Column Name: ss_pre_adm_freetxt_40_29
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 29'

Column Name: ss_pre_adm_freetxt_40_3
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 3'

Column Name: ss_pre_adm_freetxt_40_30
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 30'

Column Name: ss_pre_adm_freetxt_40_4
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 4'

Column Name: ss_pre_adm_freetxt_40_5
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 5'

Column Name: ss_pre_adm_freetxt_40_6
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 6'

Column Name: ss_pre_adm_freetxt_40_7

Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 7'

Column Name: ss_pre_adm_freetxt_40_8
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 8'

Column Name: ss_pre_adm_freetxt_40_9
Column Type: varchar
Max Length: 40
'SS Pre Adm Free Text (40) 9'

Column Name: ss_pre_adm_free_txt_6
Column Type: varchar
Max Length: 32766
'SS Pre Adm Scrolling Free Text 6'

Column Name: ss_pre_adm_free_txt_7
Column Type: varchar
Max Length: 32766
'SS Pre Adm Scrolling Free Text 7'

Column Name: ss_pre_adm_free_txt_8
Column Type: varchar
Max Length: 32766
'SS Pre Adm Scrolling Free Text 8'

Column Name: ss_pre_adm_free_txt_9
Column Type: varchar
Max Length: 32766
'SS Pre Adm Scrolling Free Text 9'

Column Name: ss_pre_adm_mult_1_code
Column Type: varchar
Max Length: 255
'SS Pre Adm Multiple Select Dictionary 1 Code'

Column Name: ss_pre_adm_mult_1_shval
Column Type: varchar
Max Length: 255
The description associated with ss_pre_adm_mult_1_code limited to 255 characters. See ss_pre_adm_mult_1_code for more information.

Column Name: ss_pre_adm_mult_1_value
Column Type: varchar
Max Length: 4096
The description associated with ss_pre_adm_mult_1_code. See ss_pre_adm_mult_1_code for more information.

Column Name: ss_pre_adm_mult_2_code
Column Type: varchar
Max Length: 255
'SS Pre Adm Multiple Select Dictionary 2 Code'

Column Name: ss_pre_adm_mult_2_shval
Column Type: varchar
Max Length: 255
The description associated with ss_pre_adm_mult_2_code limited to 255 characters. See ss_pre_adm_mult_2_code for more information.

Column Name: ss_pre_adm_mult_2_value
Column Type: varchar
Max Length: 4096
The description associated with ss_pre_adm_mult_2_code. See ss_pre_adm_mult_2_code for more information.

Column Name: ss_pre_adm_mult_3_code
Column Type: varchar
Max Length: 20
'SS Pre Adm Multiple Select Dictionary 3'
Column Name: ss_pre_adm_mult_3_shval
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_mult_3_code limited to 255 characters. See ss_pre_adm_mult_3_code for more information.

Column Name: ss_pre_adm_mult_3_value
Column Type: varchar
Max Length: 4096
The description associated with ss_pre_adm_mult_3_code. See ss_pre_adm_mult_3_code for more information.

Column Name: ss_pre_adm_mult_4_code
Column Type: varchar
Max Length: 20
'SS Pre Adm Multiple Select Dictionary 4'

Column Name: ss_pre_adm_mult_4_shval
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_mult_4_code limited to 255 characters. See ss_pre_adm_mult_4_code for more information.

Column Name: ss_pre_adm_mult_4_value
Column Type: varchar
Max Length: 4096
The description associated with ss_pre_adm_mult_4_code. See ss_pre_adm_mult_4_code for more information.

Column Name: ss_pre_adm_mult_5_code

Column Type: varchar

Max Length: 20

'SS Pre Adm Multiple Select Dictionary 5'

Column Name: ss_pre_adm_mult_5_shval

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_mult_5_code limited to 255 characters. See ss_pre_adm_mult_5_code for more information.

Column Name: ss_pre_adm_mult_5_value

Column Type: varchar

Max Length: 4096

The description associated with ss_pre_adm_mult_5_code. See ss_pre_adm_mult_5_code for more information.

Column Name: ss_pre_adm_mult_6_code

Column Type: varchar

Max Length: 20

'SS Pre Adm Multiple Select Dictionary 6'

Column Name: ss_pre_adm_mult_6_shval

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_mult_6_code limited to 255 characters. See ss_pre_adm_mult_6_code for more information.

Column Name: ss_pre_adm_mult_6_value

Column Type: varchar

Max Length: 4096

The description associated with ss_pre_adm_mult_6_code. See ss_pre_adm_mult_6_code for more information.

Column Name: ss_pre_adm_mult_7_code

Column Type: varchar

Max Length: 20

'SS Pre Adm Multiple Select Dictionary 7'

Column Name: ss_pre_adm_mult_7_shval

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_mult_7_code limited to 255 characters. See ss_pre_adm_mult_7_code for more information.

Column Name: ss_pre_adm_mult_7_value

Column Type: varchar

Max Length: 4096

The description associated with ss_pre_adm_mult_7_code. See ss_pre_adm_mult_7_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Pre_Admit

Table Name: SYSTEM.view_episode_summary_current

Table Description: This table returns the information stored in the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: episode_active_only

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode Number'

Column Name: preadmit_admission_date

Column Type: date

'Preadmit/Admission Date'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: program_code
Column Type: varchar
Max Length: 10
The program code associated with the data.

Column Name: c_date_of_birth
Column Type: date
'Date Of Birth'

Column Name: c_age
Column Type: numeric
'Client Age'

Column Name: c_ss_number
Column Type: varchar
Max Length: 15
'Social Security Number'

Column Name: EPN_uniqueid
Column Type: varchar
Max Length: 50
A unique ID used to identify a row of data.

Column Name: c_address_state_code
Column Type: varchar
Max Length: 50
'Client's Address - State'

Column Name: c_address_state_value
Column Type: varchar
Max Length: 50
The description associated with c_address_state_code. See c_address_state_code for more information.

Column Name: c_address_str_1
Column Type: varchar
Max Length: 50
'Client's Address - Street 1'

Column Name: c_address_str_2
Column Type: varchar

Max Length: 50
'Client's Address - Street 2'

Column Name: c_admit_practitioner_id
Column Type: varchar
Max Length: 50
'Admitting Practitioner'

Column Name: c_admit_practitioner_name
Column Type: varchar
Max Length: 50
The admitting practitioner name associated with c_admit_practitioner_id.

Column Name: c_admit_source_of_code
Column Type: varchar
Max Length: 50
'Source of Admission'

Column Name: c_admit_source_of_value
Column Type: varchar
Max Length: 50
The description associated with c_admit_source_of_code. See c_admit_source_of_code for more information.

Column Name: c_admit_time_of
Column Type: varchar
Max Length: 50
'Preadmit/Admission Time'

Column Name: c_admit_type_of_code
Column Type: varchar
Max Length: 50
'Type Of Admission'

Column Name: c_admit_type_of_value
Column Type: varchar
Max Length: 50
The description associated with c_admit_type_of_code. See c_admit_type_of_code for more information.

Column Name: c_attend_practitioner_id
Column Type: varchar
Max Length: 50
'Attending Practitioner'

Column Name: c_attend_practitioner_name
Column Type: varchar
Max Length: 50
The name associated with c_attend_practitioner_id.

Column Name: c_city

Column Type: varchar
Max Length: 50
'Client's Address - City'

Column Name: c_country_code
Column Type: varchar
Max Length: 50
'Client's Address - Country'

Column Name: c_country_value
Column Type: varchar
Max Length: 50
The description associated with c_country_code. See c_country_code for more information.

Column Name: c_county_code
Column Type: varchar
Max Length: 50
'Client's Address - County'

Column Name: c_county_value
Column Type: varchar
Max Length: 50
The description associated with c_county_code. See c_county_code for more information.

Column Name: c_detail_age
Column Type: varchar
Max Length: 50
'Client Detail Age'

Column Name: c_ethnicity_code
Column Type: varchar
Max Length: 50
'Client Ethnicity'

Column Name: c_ethnicity_value
Column Type: varchar
Max Length: 50
The description associated with c_ethnicity_code. See c_ethnicity_code for more information.

Column Name: c_ethnicity_X_NRI_code
Column Type: varchar
Max Length: 10
'Client Ethnicity (NRI)'

Column Name: c_ethnicity_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with c_ethnicity_X_NRI_code. See c_ethnicity_X_NRI_code for more information.

Column Name: c_ethnic_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'Client Ethnicity (NRI 2014)'

Column Name: c_ethnic_X_NRI_2014_value

Column Type: varchar

Max Length: 255

The description associated with c_ethnic_X_NRI_2014_code. See c_ethnic_X_NRI_2014_code for more information.

Column Name: c_legal_status_code

Column Type: varchar

Max Length: 50

'Client Legal Status'

Column Name: c_legal_status_value

Column Type: varchar

Max Length: 50

The description associated with c_legal_status_code. See c_legal_status_code for more information.

Column Name: c_leg_stat_X_NRI_2014_value

Column Type: varchar

Max Length: 40

The description associated with c_leg_stat_X_NRI_2014_code. See c_leg_stat_X_NRI_2014_code for more information.

Column Name: c_legal_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Legal Status (NRI)'

Column Name: c_legal_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_legal_status_X_NRI_code. See c_legal_status_X_NRI_code for more information.

Column Name: c_leg_stat_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'Client Legal Status (NRI 2014)'

Column Name: c_marital_status_code

Column Type: varchar

Max Length: 50

'Client Marital Status'

Column Name: c_marital_status_value

Column Type: varchar

Max Length: 50

The description associated with c_marital_status_code. See c_marital_status_code for more information.

Column Name: c_marital_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Marital Status (NRI)'

Column Name: c_marital_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_marital_status_X_NRI_code. See c_marital_status_X_NRI_code for more information.

Column Name: c_principal_diagnosis_code

Column Type: varchar

Max Length: 50

'Client Principal Diagnosis'

Column Name: c_principal_diagnosis_value

Column Type: varchar

Max Length: 200

The description associated with c_principal_diagnosis_code. See c_principal_diagnosis_code for more information.

Column Name: c_race_code

Column Type: varchar

Max Length: 50

'Client Race'

Column Name: c_race_value

Column Type: varchar

Max Length: 50

The description associated with c_race_code. See c_race_code for more information.

Column Name: c_religion_code

Column Type: varchar

Max Length: 50

'Client Religion'

Column Name: c_religion_value

Column Type: varchar

Max Length: 50

The description associated with c_religion_code. See c_religion_code for more information.

Column Name: c_unit_code

Column Type: varchar

Max Length: 10

'Unit'

Column Name: c_unit_value

Column Type: varchar

Max Length: 50

The description associated with c_unit_code. See c_unit_code for more information.

Column Name: c_unit_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Unit (NRI)'

Column Name: c_unit_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_unit_X_NRI_code. See c_unit_X_NRI_code for more information.

Column Name: c_zip

Column Type: varchar

Max Length: 60

'Client's Address - Zip'

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: facility_chart_number

Column Type: varchar

Max Length: 40

'Facility Chart Number (148)'

Column Name: gender_identity_code

Column Type: varchar

Max Length: 20

'Gender Identity'

Column Name: gender_identity_value

Column Type: varchar

Max Length: 40

The description associated with gender_identity_code. See gender_identity_code for more information.

Column Name: last_date_of_service
Column Type: date
'Last Date Of Service'

Column Name: patient_gender_code
Column Type: varchar
Max Length: 50
'Gender'

Column Name: patient_gender_value
Column Type: varchar
Max Length: 50
The description associated with patient_gender_code. See patient_gender_code for more information.

Column Name: patient_gender_X_NRI_code
Column Type: varchar
Max Length: 10
'Gender (NRI)'

Column Name: patient_gender_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with patient_gender_X_NRI_code. See patient_gender_X_NRI_code for more information.

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
'Home Phone'

Column Name: patient_name
Column Type: varchar
Max Length: 100
'Client Name'

Column Name: patient_name_first
Column Type: varchar
Max Length: 50
'Client First Name'

Column Name: patient_name_last
Column Type: varchar
Max Length: 50
'Client Last Name'

Column Name: program_X_HCFA_POS
Column Type: varchar
Max Length: 50
'HCFA'

Column Name: program_X_RRG_code
Column Type: varchar
Max Length: 50
'RRG'

Column Name: program_X_RRG_value
Column Type: varchar
Max Length: 50
The description associated with program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_city_state_zip
Column Type: varchar
Max Length: 50
'City, State, Zip Code'

Column Name: program_X_dflt_location_code
Column Type: varchar
Max Length: 50
'Location'

Column Name: program_X_dflt_location_value
Column Type: varchar
Max Length: 50
The description associated with program_X_dflt_location_code. See program_X_dflt_location_code for more information.

Column Name: program_X_HCO_ID
Column Type: varchar
Max Length: 40
'HCO ID'

Column Name: program_X_phone_number
Column Type: varchar
Max Length: 50
'Phone Number'

Column Name: program_X_street_address
Column Type: varchar
Max Length: 50
'Street Address'

Column Name: program_X_tax_id
Column Type: varchar
Max Length: 50
'Tax ID'

Column Name: program_X_tx_service_code
Column Type: varchar
Max Length: 50
'Treatment Service'

Column Name: program_X_tx_service_value

Column Type: varchar

Max Length: 50

The description associated with program_X_tx_service_code. See program_X_tx_service_code for more information.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 50

'Treatment Setting'

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 50

The description associated with program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 50

'Type'

Column Name: program_X_type_value

Column Type: varchar

Max Length: 50

The description associated with program_X_type_code. See program_X_type_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description associated with program_code. See program_code for more information.

Column Name: sex_orientation_code

Column Type: varchar

Max Length: 20

The patient's sexual orientation code

Column Name: sex_orientation_value

Column Type: varchar

Max Length: 40

The description associated with sex_orientation_code. See sex_orientation_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Pre_Admit_Discharge_

Table Name: SYSTEM.history_patient_movement

Table Description: This table returns client episode movement information filed via the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: join_to_admission_data
Column Type: varchar
Max Length: 12
Joins table to admission data.

Column Name: join_to_discharge_data
Column Type: varchar
Max Length: 12
Joins table to discharge data.

Column Name: join_to_leave_history
Column Type: varchar
Max Length: 12
Joins table to leaves history out on.

Column Name: join_to_program_transfer
Column Type: varchar
Max Length: 50
Joins table to program transfer.

Column Name: join_to_return_from_leave
Column Type: varchar
Max Length: 12

Joins table to leaves history return.

Column Name: movement_date
Column Type: date
'Movement Date'

Column Name: movement_time
Column Type: varchar
Max Length: 10
'Movement Time'

Column Name: movement_type_code
Column Type: varchar
Max Length: 50
'Movement Type'

Column Name: movement_type_value
Column Type: varchar
Max Length: 20
The description associated with movement_type_code. See movement_type_code for more information.

Column Name: movementuniqueid
Column Type: varchar
Max Length: 12
A unique ID used to identify a row of data.

Column Name: program_from
Column Type: varchar
Max Length: 20
'Program From'

Column Name: program_from_value
Column Type: varchar
Max Length: 40
The description associated with program_from_code. See program_from_code for more information.

Column Name: program_to
Column Type: varchar
Max Length: 40
'Program To'

Column Name: program_to_value
Column Type: varchar
Max Length: 40
The description associated with program_to_code. See program_to_code for more information.

Column Name: user_row_access_code
Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Pre_Admit_Discharge_

Table Name: SYSTEM.patient_current_demographics

Table Description: Patient Current Demographics

Column Name: patient_current_demographics
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: date_of_birth
Column Type: date
Patient Date of birth

Column Name: ethnic_origin_code
Column Type: varchar
Max Length: 5
Patient Ethnic origin

Column Name: patient_add_city
Column Type: varchar
Max Length: 40
Patient address city

Column Name: patient_add_county_code
Column Type: varchar
Max Length: 5
Patient address county

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
Patient home phone

Column Name: patient_name
Column Type: varchar
Max Length: 100
Patient Name

Column Name: patient_add_state_code
Column Type: varchar
Max Length: 10
Patient address state code

Column Name: patient_add_street_1
Column Type: varchar
Max Length: 40
Patient street address 1

Column Name: patient_add_street_2
Column Type: varchar
Max Length: 40
Patients address street 2

Column Name: patient_add_zipcode
Column Type: varchar
Max Length: 60
Patients address zipcode

Column Name: patient_sex_code
Column Type: varchar
Max Length: 5
Patients sex

Column Name: client_alias
Column Type: varchar
Max Length: 80
Client Alias

Column Name: employment_status_code
Column Type: varchar
Max Length: 10
Employment Status - Code (517)

Column Name: employment_status_value
Column Type: varchar
Max Length: 255
Employment Status - Value (517)

Column Name: occupation_code
Column Type: varchar
Max Length: 10
Occupation - Code (610)

Column Name: occupation_value
Column Type: varchar
Max Length: 255
Occupation - Value (610)

Column Name: education_code
Column Type: varchar
Max Length: 10
Education - Code (625)

Column Name: patient_ssn
Column Type: varchar
Max Length: 15
Patient's social security number

Column Name: religion_code
Column Type: varchar
Max Length: 20
Patient's religion code

Column Name: marital_status_code
Column Type: varchar
Max Length: 15
Patient's marital status

Column Name: patient_work_phone
Column Type: varchar
Max Length: 60
Patient's work phone

Column Name: patient_maiden_name
Column Type: varchar
Max Length: 40
Patient's maiden name

Column Name: race_code
Column Type: varchar
Max Length: 20
Patient's race code

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
Facility chart number

Column Name: patient_place_of_birth
Column Type: varchar
Max Length: 40
Patient's place of birth

Column Name: patient_sex_value
Column Type: varchar
Max Length: 40
Patient's sex value

Column Name: ethnic_origin_value
Column Type: varchar
Max Length: 255
Ethnic Origin

Column Name: religion_value
Column Type: varchar
Max Length: 255
Patient's Religion

Column Name: marital_status_value
Column Type: varchar
Max Length: 40
Patient's Marital Status

Column Name: race_value
Column Type: varchar
Max Length: 255
Patient's Race

Column Name: patient_add_county_value
Column Type: varchar
Max Length: 20
Patients address - County

Column Name: patient_add_state_value
Column Type: varchar
Max Length: 40
Patient Address - State - Value

Column Name: FAMID
Column Type: integer
Family ID

Column Name: address_start_date
Column Type: date
Address Start Date

Column Name: alert_access_options
Column Type: varchar
Max Length: 50
Alert Access Options

Column Name: alert_access_type

Column Type: varchar
Max Length: 50
Alert Access Type

Column Name: citizenship_code
Column Type: varchar
Max Length: 50
Citizenship

Column Name: citizenship_value
Column Type: varchar
Max Length: 50
Citizenship

Column Name: client_alias_10
Column Type: varchar
Max Length: 80
Client Alias 10

Column Name: client_alias_2
Column Type: varchar
Max Length: 80
Client Alias 2

Column Name: client_alias_3
Column Type: varchar
Max Length: 80
Client Alias 3

Column Name: client_alias_4
Column Type: varchar
Max Length: 80
Client Alias 4

Column Name: client_alias_5
Column Type: varchar
Max Length: 80
Client Alias 5

Column Name: client_alias_6
Column Type: varchar
Max Length: 80
Client Alias 6

Column Name: client_alias_7
Column Type: varchar
Max Length: 80
Client Alias 7

Column Name: client_alias_8

Column Type: varchar
Max Length: 80
Client Alias 8

Column Name: client_alias_9
Column Type: varchar
Max Length: 80
Client Alias 9

Column Name: client_conf_city
Column Type: varchar
Max Length: 50
Client Confidential Address - City

Column Name: client_conf_cntry_code
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Code

Column Name: client_conf_cntry_value
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Value

Column Name: client_conf_phone
Column Type: varchar
Max Length: 50
Client Confidential Address - Phone Number

Column Name: client_conf_state_code
Column Type: varchar
Max Length: 50
Client Confidential Address - State Code

Column Name: client_conf_state_value
Column Type: varchar
Max Length: 50
Client Confidential Address - State Value

Column Name: client_conf_street
Column Type: varchar
Max Length: 50
Client Confidential Address - Street

Column Name: client_conf_street2
Column Type: varchar
Max Length: 50
Client Confidential Address - Street 2

Column Name: client_conf_zipcode

Column Type: varchar
Max Length: 50
Client Confidential Address - Zip code

Column Name: client_email_addr
Column Type: varchar
Max Length: 50
Client's Email Address

Column Name: client_mail_city
Column Type: varchar
Max Length: 50
Client's Address - City

Column Name: client_mail_cntry_code
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_cntry_value
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_state_code
Column Type: varchar
Max Length: 50
Client's Address - State

Column Name: client_mail_state_value
Column Type: varchar
Max Length: 50
Client's Address - State

Column Name: client_mail_street
Column Type: varchar
Max Length: 50
Client's Address - Street 1

Column Name: client_mail_street2
Column Type: varchar
Max Length: 50
Client's Address - Street 2

Column Name: client_mail_zipcode
Column Type: varchar
Max Length: 50
Client's Address - Zip Code

Column Name: communication_pref_code

Column Type: varchar
Max Length: 50
Communication Preference Code

Column Name: communication_pref_value
Column Type: varchar
Max Length: 50
Communication Preference Value

Column Name: country_of_origin_code
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: country_of_origin_value
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: decline_prov_code
Column Type: varchar
Max Length: 50
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_long
Column Type: varchar
Max Length: 4096
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_short
Column Type: varchar
Max Length: 255
Client Declined To Provide Information On The Following

Column Name: education_value
Column Type: varchar
Max Length: 255
education - Value (625)

Column Name: ethnic_origin_X_NRI_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI

Column Name: ethnic_origin_X_NRI_value
Column Type: varchar
Max Length: 255
Ethnic Origin X NRI

Column Name: eth_orig_X_NRI_2014_value

Column Type: varchar
Max Length: 255
Ethnic Origin X NRI 2014

Column Name: eth_orig_X_NRI_2014_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI 2014

Column Name: expected_due_date
Column Type: date
Expected Due Date

Column Name: external_mpi_id
Column Type: varchar
Max Length: 50
External MPI ID

Column Name: fam_agric_worker_code
Column Type: varchar
Max Length: 5
'Do you have family members that are agricultural workers?'

Column Name: fam_agric_worker_value
Column Type: varchar
Max Length: 40
description for 'Do you have family members that are agricultural workers?'

Column Name: family_name
Column Type: varchar
Max Length: 50
Family name

Column Name: former_agric_worker_code
Column Type: varchar
Max Length: 5
'Are you an aged and disabled former migratory agricultural worker?'

Column Name: former_agric_worker_value
Column Type: varchar
Max Length: 40
description for 'Are you an aged and disabled former migratory agricultural worker?'

Column Name: gender_identity_code
Column Type: varchar
Max Length: 5
Patient's Gender Identity code

Column Name: gender_identity_value
Column Type: varchar

Max Length: 40
Patient's Gender Identity value

Column Name: guarantor_1
Column Type: varchar
Max Length: 10
Guarantor 1

Column Name: guarantor_10
Column Type: varchar
Max Length: 10
Guarantor 10

Column Name: guarantor_2
Column Type: varchar
Max Length: 10
Guarantor 2

Column Name: guarantor_3
Column Type: varchar
Max Length: 10
Guarantor 3

Column Name: guarantor_4
Column Type: varchar
Max Length: 10
Guarantor 4

Column Name: guarantor_5
Column Type: varchar
Max Length: 10
Guarantor 5

Column Name: guarantor_6
Column Type: varchar
Max Length: 10
Guarantor 6

Column Name: guarantor_7
Column Type: varchar
Max Length: 10
Guarantor 7

Column Name: guarantor_8
Column Type: varchar
Max Length: 10
Guarantor 8

Column Name: guarantor_9
Column Type: varchar

Max Length: 10
Guarantor 9

Column Name: guarantor_name_1
Column Type: varchar
Max Length: 40
Guarantor Name 1

Column Name: guarantor_name_10
Column Type: varchar
Max Length: 40
Guarantor Name 10

Column Name: guarantor_name_2
Column Type: varchar
Max Length: 40
Guarantor Name 2

Column Name: guarantor_name_3
Column Type: varchar
Max Length: 40
Guarantor Name 3

Column Name: guarantor_name_4
Column Type: varchar
Max Length: 40
Guarantor Name 4

Column Name: guarantor_name_5
Column Type: varchar
Max Length: 40
Guarantor Name 5

Column Name: guarantor_name_6
Column Type: varchar
Max Length: 40
Guarantor Name 6

Column Name: guarantor_name_7
Column Type: varchar
Max Length: 40
Guarantor Name 7

Column Name: guarantor_name_8
Column Type: varchar
Max Length: 40
Guarantor Name 8

Column Name: guarantor_name_9
Column Type: varchar

Max Length: 40
Guarantor Name 9

Column Name: lactating_status_code
Column Type: varchar
Max Length: 50
Lactating Status

Column Name: lactating_status_value
Column Type: varchar
Max Length: 50

Column Name: marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
Marital Status X NRI

Column Name: marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
Marital Status X NRI

Column Name: medicaid_number
Column Type: varchar
Max Length: 20
Medicaid Number

Column Name: medi_cal_policy_number
Column Type: varchar
Max Length: 20
'Medi-Cal Policy Number' used by the 'LA Provider Integration' module

Column Name: mothers_maiden_name
Column Type: varchar
Max Length: 100
Mother's Maiden Name

Column Name: name_qualifier_code
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: name_qualifier_value
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: other_eth_org_code
Column Type: varchar

Max Length: 50
Other Ethnic Origin

Column Name: other_eth_org_value_long
Column Type: varchar
Max Length: 4096
Other Ethnic Origin

Column Name: other_eth_org_value_short
Column Type: varchar
Max Length: 255
Other Ethnic Origin

Column Name: other_lang_code
Column Type: varchar
Max Length: 50
Other Language Code

Column Name: other_lang_shval
Column Type: varchar
Max Length: 255
Other Language Code

Column Name: other_lang_val
Column Type: varchar
Max Length: 4096
Other Language Code

Column Name: other_race_code
Column Type: varchar
Max Length: 50
Other Race Code

Column Name: other_race_value_long
Column Type: varchar
Max Length: 4096
Other Race Code

Column Name: other_race_value_short
Column Type: varchar
Max Length: 255
Other Race Code

Column Name: patient_add_country_code
Column Type: varchar
Max Length: 20
Patient Address Country Code

Column Name: patient_add_country_value
Column Type: varchar

Max Length: 40
Patient Address Country Value

Column Name: patient_cell_phone
Column Type: varchar
Max Length: 60
Patient cell phone

Column Name: patient_name_first
Column Type: varchar
Max Length: 40
Patient Name First

Column Name: patient_name_last
Column Type: varchar
Max Length: 40
Patient Last Name

Column Name: patient_name_middle
Column Type: varchar
Max Length: 40
Patient Middle Name

Column Name: patient_name_prefix_code
Column Type: varchar
Max Length: 40
Patient Name Prefix Code

Column Name: patient_name_prefix_value
Column Type: varchar
Max Length: 40
Patient Name Prefix Value

Column Name: patient_name_suffix_code
Column Type: varchar
Max Length: 40
Patient Name Suffix Code

Column Name: patient_name_suffix_value
Column Type: varchar
Max Length: 40
Patient Name Suffix Value

Column Name: patient_sex_X_NRI_code
Column Type: varchar
Max Length: 10
Patient Sex X NRI

Column Name: patient_sex_X_NRI_value
Column Type: varchar

Max Length: 40
Patient Sex X NRI

Column Name: patient_ssn_2
Column Type: varchar
Max Length: 15
Patient's social security number 2

Column Name: patient_ssn_3
Column Type: varchar
Max Length: 15
Patient's social security number 3

Column Name: patient_ssn_4
Column Type: varchar
Max Length: 15
Patient's social security number 4

Column Name: personal_pronouns
Column Type: varchar
Max Length: 40
'Personal Pronouns'

Column Name: policy_number_1
Column Type: varchar
Max Length: 20
policy number 1

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
policy number 10

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
policy number 2

Column Name: policy_number_3
Column Type: varchar
Max Length: 20
policy number 3

Column Name: policy_number_4
Column Type: varchar
Max Length: 20
policy number 4

Column Name: policy_number_5
Column Type: varchar

Max Length: 20
policy number 5

Column Name: policy_number_6
Column Type: varchar
Max Length: 20
policy number 6

Column Name: policy_number_7
Column Type: varchar
Max Length: 20
policy number 7

Column Name: policy_number_8
Column Type: varchar
Max Length: 20
policy number 8

Column Name: policy_number_9
Column Type: varchar
Max Length: 20
policy number 9

Column Name: preferred_name
Column Type: varchar
Max Length: 40
'Preferred Name'

Column Name: pref_prov_eth_org_code
Column Type: varchar
Max Length: 5
Preferred Provider's Ethnic origin

Column Name: pref_prov_eth_org_value
Column Type: varchar
Max Length: 255
Preferred Provider's Ethnic Origin value

Column Name: pref_prov_sex_code
Column Type: varchar
Max Length: 5
Preferred provider's sex

Column Name: pref_prov_sex_value
Column Type: varchar
Max Length: 15
Preferred provider's sex value

Column Name: pregnancy_status_code
Column Type: varchar

Max Length: 50
Pregnancy Status

Column Name: pregnancy_status_value
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: primary_language_code
Column Type: varchar
Max Length: 50
Primary Language

Column Name: primary_language_value
Column Type: varchar
Max Length: 50
Primary Language

Column Name: protection_indicator_code
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: protection_indicator_date
Column Type: date
Protection Indicator Effective Date

Column Name: protection_indicator_val
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 5
Patients Sexual Orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
Patient's Sexual Orientation value

Column Name: smoker_code
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoker_value
Column Type: varchar
Max Length: 50

Patient's Smoker Status

Column Name: smoking_stat_assess_date
Column Type: date
Smoking Status Assessment Date

Column Name: ss_demographics_date_1
Column Type: date
SS Demographics Date 1

Column Name: ss_demographics_date_2
Column Type: date
SS Demographics Date 2

Column Name: ss_demographics_date_3
Column Type: date
SS Demographics Date 3

Column Name: ss_demographics_date_4
Column Type: date
SS Demographics Date 4

Column Name: ss_demographics_date_5
Column Type: date
SS Demographics Date 5

Column Name: ss_demographics_dict_10_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 10 Code

Column Name: ss_demographics_dict_10_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 10 Value

Column Name: ss_demographics_dict_11_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 11 Code

Column Name: ss_demographics_dict_11_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 11 Value

Column Name: ss_demographics_dict_12_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 12 Code

Column Name: ss_demographics_dict_12_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 12 Value

Column Name: ss_demographics_dict_13_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 13 Code

Column Name: ss_demographics_dict_13_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 13 Value

Column Name: ss_demographics_dict_14_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 14 Code

Column Name: ss_demographics_dict_14_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 14 Value

Column Name: ss_demographics_dict_15_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 15 Code

Column Name: ss_demographics_dict_15_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 15 Value

Column Name: ss_demographics_dict_16_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 16' Code

Column Name: ss_demographics_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_16_code. See ss_demographics_dict_16_code for more information.

Column Name: ss_demographics_dict_17_code
Column Type: varchar
Max Length: 50

'SS Demographics Single Select Dictionary 17' Code

Column Name: ss_demographics_dict_17_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_17_code. See ss_demographics_dict_17_code for more information.

Column Name: ss_demographics_dict_18_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 18' Code

Column Name: ss_demographics_dict_18_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_18_code. See ss_demographics_dict_18_code for more information.

Column Name: ss_demographics_dict_19_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 19' Code

Column Name: ss_demographics_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_19_code. See ss_demographics_dict_19_code for more information.

Column Name: ss_demographics_dict_1_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 1 Code

Column Name: ss_demographics_dict_1_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 1 Value

Column Name: ss_demographics_dict_20_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 20' Code

Column Name: ss_demographics_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_20_code. See ss_demographics_dict_20_code for more information.

Column Name: ss_demographics_dict_2_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 2 Code

Column Name: ss_demographics_dict_2_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 2 Value

Column Name: ss_demographics_dict_3_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 3 Code

Column Name: ss_demographics_dict_3_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 3 Value

Column Name: ss_demographics_dict_4_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 4 Code

Column Name: ss_demographics_dict_4_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 4 Value

Column Name: ss_demographics_dict_5_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 5 Code

Column Name: ss_demographics_dict_5_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 5 Value

Column Name: ss_demographics_dict_6_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 6 Code

Column Name: ss_demographics_dict_6_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 6 Value

Column Name: ss_demographics_dict_7_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 7 Code

Column Name: ss_demographics_dict_7_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 7 Value

Column Name: ss_demographics_dict_8_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 8 Code

Column Name: ss_demographics_dict_8_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 8 Value

Column Name: ss_demographics_dict_9_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 9 Code

Column Name: ss_demographics_dict_9_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 9 Value

Column Name: ss_demographics_free_txt_1
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 1

Column Name: ss_demographics_free_txt_10
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 10'

Column Name: ss_demographics_free_txt_11
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 11'

Column Name: ss_demographics_free_txt_12
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 12'

Column Name: ss_demographics_free_txt_13
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 13'

Column Name: ss_demographics_free_txt_14
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 14'

Column Name: ss_demographics_free_txt_15
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 15'

Column Name: ss_demographics_free_txt_2
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 2

Column Name: ss_demographics_freetxt_20_1
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 1

Column Name: ss_demographics_freetxt_20_10
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 10'

Column Name: ss_demographics_freetxt_20_11
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 11'

Column Name: ss_demographics_freetxt_20_12
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 12'

Column Name: ss_demographics_freetxt_20_13
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 13'

Column Name: ss_demographics_freetxt_20_14
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 14'

Column Name: ss_demographics_freetxt_20_15
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 15'

Column Name: ss_demographics_freetxt_20_2
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 2

Column Name: ss_demographics_freetxt_20_3
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 3

Column Name: ss_demographics_freetxt_20_4
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 4

Column Name: ss_demographics_freetxt_20_5
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 5

Column Name: ss_demographics_freetxt_20_6
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 6'

Column Name: ss_demographics_freetxt_20_7
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 7'

Column Name: ss_demographics_freetxt_20_8
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 8'

Column Name: ss_demographics_freetxt_20_9
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 9'

Column Name: ss_demographics_free_txt_3
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 3

Column Name: ss_demographics_free_txt_4
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 4

Column Name: ss_demographics_freetxt_40_1
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 1

Column Name: ss_demographics_freetxt_40_10
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 10'

Column Name: ss_demographics_freetxt_40_11
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 11'

Column Name: ss_demographics_freetxt_40_12
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 12'

Column Name: ss_demographics_freetxt_40_13
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 13'

Column Name: ss_demographics_freetxt_40_14
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 14'

Column Name: ss_demographics_freetxt_40_15
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 15'

Column Name: ss_demographics_freetxt_40_2
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 2

Column Name: ss_demographics_freetxt_40_3
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 3

Column Name: ss_demographics_freetxt_40_4
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 4

Column Name: ss_demographics_freetxt_40_5
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 5

Column Name: ss_demographics_freetxt_40_6
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 6'

Column Name: ss_demographics_freetxt_40_7
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 7'

Column Name: ss_demographics_freetxt_40_8
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 8'

Column Name: ss_demographics_freetxt_40_9
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 9'

Column Name: ss_demographics_free_txt_5
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 5

Column Name: ss_demographics_free_txt_6
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 6'

Column Name: ss_demographics_free_txt_7
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 7'

Column Name: ss_demographics_free_txt_8
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 8'

Column Name: ss_demographics_freetxt_80_1
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 1'

Column Name: ss_demographics_freetxt_80_10
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 10'

Column Name: ss_demographics_freetxt_80_2
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 2'

Column Name: ss_demographics_freetxt_80_3
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 3'

Column Name: ss_demographics_freetxt_80_4
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 4'

Column Name: ss_demographics_freetxt_80_5
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 5'

Column Name: ss_demographics_freetxt_80_6
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 6'

Column Name: ss_demographics_freetxt_80_7
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 7'

Column Name: ss_demographics_freetxt_80_8
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 8'

Column Name: ss_demographics_freetxt_80_9
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 9'

Column Name: ss_demographics_free_txt_9

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 9'

Column Name: ss_demographics_mult_10_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 10 Code

Column Name: ss_demographics_mult_10_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 10 Short Value

Column Name: ss_demographics_mult_10_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 10 Value

Column Name: ss_demographics_mult_11_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 11' Code

Column Name: ss_demographics_mult_11_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_11_code limited to 255 characters. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_11_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_11_code. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_12_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 12' Code

Column Name: ss_demographics_mult_12_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_12_code limited to 255 characters. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_12_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_12_code. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_13_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 13' Code

Column Name: ss_demographics_mult_13_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_13_code limited to 255 characters. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_13_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_13_code. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_14_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 14' Code

Column Name: ss_demographics_mult_14_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_14_code limited to 255 characters. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_14_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_14_code. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_15_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 15' Code

Column Name: ss_demographics_mult_15_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_15_code limited to 255 characters. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_15_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_15_code. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_1_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 1 Code

Column Name: ss_demographics_mult_1_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 1 Short Value

Column Name: ss_demographics_mult_1_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 1 Value

Column Name: ss_demographics_mult_2_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 2 Code

Column Name: ss_demographics_mult_2_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 2 Short Value

Column Name: ss_demographics_mult_2_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 2 Value

Column Name: ss_demographics_mult_3_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 3 Code

Column Name: ss_demographics_mult_3_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 3 Short Value

Column Name: ss_demographics_mult_3_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 3 Value

Column Name: ss_demographics_mult_4_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 4 Code

Column Name: ss_demographics_mult_4_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 4 Short Value

Column Name: ss_demographics_mult_4_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 4 Value

Column Name: ss_demographics_mult_5_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 5 Code

Column Name: ss_demographics_mult_5_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 5 Short Value

Column Name: ss_demographics_mult_5_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 5 Value

Column Name: ss_demographics_mult_6_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 6 Code

Column Name: ss_demographics_mult_6_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 6 Short Value

Column Name: ss_demographics_mult_6_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 6 Value

Column Name: ss_demographics_mult_7_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 7 Code

Column Name: ss_demographics_mult_7_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 7 Short Value

Column Name: ss_demographics_mult_7_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 7 Value

Column Name: ss_demographics_mult_8_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 8 Code

Column Name: ss_demographics_mult_8_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 8 Short Value

Column Name: ss_demographics_mult_8_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 8 Value

Column Name: ss_demographics_mult_9_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 9 Code

Column Name: ss_demographics_mult_9_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 9 Short Value

Column Name: ss_demographics_mult_9_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 9 Value

Column Name: ss_demographics_phone_1
Column Type: varchar
Max Length: 50
Site Specific Phone Number 1

Column Name: ss_demographics_phone_2
Column Type: varchar
Max Length: 50
Site Specific Phone Number 2

Column Name: ss_demographics_phone_3
Column Type: varchar
Max Length: 50
Site Specific Phone Number 3

Column Name: ss_demographics_phone_4
Column Type: varchar
Max Length: 50
Site Specific Phone Number 4

Column Name: ss_demographics_phone_5
Column Type: varchar
Max Length: 50
Site Specific Phone Number 5

Column Name: ss_demographics_staff_1
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 1

Column Name: ss_demographics_staff_2
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 2

Column Name: ss_demographics_staff_3
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 3

Column Name: ss_demographics_staff_4
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 4

Column Name: ss_demographics_staff_5
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 5

Column Name: ss_demographics_time_1
Column Type: varchar
Max Length: 10
SS Demographics Time 1

Column Name: ss_demographics_time_2
Column Type: varchar
Max Length: 10
SS Demographics Time 2

Column Name: ss_demographics_time_3
Column Type: varchar
Max Length: 10
SS Demographics Time 3

Column Name: ss_demographics_time_4
Column Type: varchar
Max Length: 10
SS Demographics Time 4

Column Name: ss_demographics_time_5
Column Type: varchar
Max Length: 10
SS Demographics Time 5

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Pre_Admit_Discharge_

Table Name: SYSTEM.patient_demographic_history

Table Description: Patient Demographic History

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: MPI_uniqueid
Column Type: varchar
Max Length: 12
MPI unique ID

Column Name: patient_name
Column Type: varchar
Max Length: 40
Patient Name

Column Name: sex_code
Column Type: varchar
Max Length: 5
Sex

Column Name: sex_value
Column Type: varchar
Max Length: 40
Sex

Column Name: ethnic_origin_code
Column Type: varchar
Max Length: 5
Ethnic Origin

Column Name: ethnic_origin_value
Column Type: varchar
Max Length: 255
Ethnic Origin

Column Name: date_of_birth
Column Type: date
Date Of Birth

Column Name: patient_street_1
Column Type: varchar
Max Length: 40
Patient's Address - Street

Column Name: patient_city
Column Type: varchar
Max Length: 20
Patients Address - City

Column Name: patient_state
Column Type: varchar
Max Length: 40
Patient's Address - State

Column Name: patient_county_code
Column Type: varchar
Max Length: 5
Patient's Address - County

Column Name: patient_county_value

Column Type: varchar
Max Length: 40
patient's Address - County

Column Name: patient_zipcode
Column Type: varchar
Max Length: 60
Patient's Address - Zipcode

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
Patient's Home Phone

Column Name: patient_street_2
Column Type: varchar
Max Length: 40
Patient's Address - Street 2

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: social_security_number
Column Type: varchar
Max Length: 15
SS Number (6)

Column Name: religion_code
Column Type: varchar
Max Length: 5
Client Religion (9)

Column Name: religion_value
Column Type: varchar

Max Length: 255
Religion Value (9)

Column Name: marital_status_code
Column Type: varchar
Max Length: 10
Marital status code (10)

Column Name: marital_status_value
Column Type: varchar
Max Length: 40
Marital Status Value (10)

Column Name: client_work_phone
Column Type: varchar
Max Length: 60
Work Phone

Column Name: maiden_name
Column Type: varchar
Max Length: 40
Maiden Name

Column Name: client_race_Code
Column Type: varchar
Max Length: 10
Client Race - Code (116)

Column Name: client_race_value
Column Type: varchar
Max Length: 40
Client Race - Value (116)

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
Facility Chart Number

Column Name: client_alias
Column Type: varchar
Max Length: 80
Client Alias

Column Name: employment_status_code
Column Type: varchar
Max Length: 10
Employment Status - Code (517)

Column Name: employment_status_value
Column Type: varchar

Max Length: 255
Employment Status - Value (517)

Column Name: occupation_code
Column Type: varchar
Max Length: 10
Occupation - Code (610)

Column Name: occupation_value
Column Type: varchar
Max Length: 255
Occupation - Value (610)

Column Name: education_code
Column Type: varchar
Max Length: 10
Education - Code (625)

Column Name: education_value
Column Type: varchar
Max Length: 255
education - Value (625)

Column Name: place_of_birth
Column Type: varchar
Max Length: 40
Place of Birth

Column Name: GUID
Column Type: varchar
Max Length: 50
GUID

Column Name: InfoScribLegacyID
Column Type: varchar
Max Length: 50
InfoScribLegacyID

Column Name: UTCTimestamp
Column Type: timestamp
UTCTimestamp

Column Name: address_start_date
Column Type: date
Address Start Date

Column Name: citizenship_code
Column Type: varchar
Max Length: 50
Citizenship

Column Name: citizenship_value
Column Type: varchar
Max Length: 50
Citizenship

Column Name: client_alias_10
Column Type: varchar
Max Length: 80
Client Alias 10

Column Name: client_alias_2
Column Type: varchar
Max Length: 80
Client Alias 2

Column Name: client_alias_3
Column Type: varchar
Max Length: 80
Client Alias 3

Column Name: client_alias_4
Column Type: varchar
Max Length: 80
Client Alias 4

Column Name: client_alias_5
Column Type: varchar
Max Length: 80
Client Alias 5

Column Name: client_alias_6
Column Type: varchar
Max Length: 80
Client Alias 6

Column Name: client_alias_7
Column Type: varchar
Max Length: 80
Client Alias 7

Column Name: client_alias_8
Column Type: varchar
Max Length: 80
Client Alias 8

Column Name: client_alias_9
Column Type: varchar
Max Length: 80
Client Alias 9

Column Name: client_conf_city
Column Type: varchar
Max Length: 50
Client Confidential Address - City

Column Name: client_conf_cntry_code
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Code

Column Name: client_conf_cntry_value
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Value

Column Name: client_conf_phone
Column Type: varchar
Max Length: 50
Client Confidential Address - Phone Number

Column Name: client_conf_state_code
Column Type: varchar
Max Length: 50
Client Confidential Address - State Code

Column Name: client_conf_state_value
Column Type: varchar
Max Length: 50
Client Confidential Address - State Value

Column Name: client_conf_street
Column Type: varchar
Max Length: 50
Client Confidential Address - Street

Column Name: client_conf_street2
Column Type: varchar
Max Length: 50
Client Confidential Address - Street 2

Column Name: client_conf_zipcode
Column Type: varchar
Max Length: 50
Client Confidential Address - Zip code

Column Name: client_email_addr
Column Type: varchar
Max Length: 50
Client's Email Address

Column Name: client_mail_city
Column Type: varchar
Max Length: 50
Client's Mailing Address - City

Column Name: client_mail_cntry_code
Column Type: varchar
Max Length: 50
Client's Mailing Address - Country

Column Name: client_mail_cntry_value
Column Type: varchar
Max Length: 50
Client's Mailing Address - Country

Column Name: client_mail_state_code
Column Type: varchar
Max Length: 50
Client's Mailing Address - State

Column Name: client_mail_state_value
Column Type: varchar
Max Length: 50
Client's Mailing Address - State

Column Name: client_mail_street
Column Type: varchar
Max Length: 50
Client's Mailing Address - Street 1

Column Name: client_mail_street2
Column Type: varchar
Max Length: 50
Client's Mailing Address - Street 2

Column Name: client_mail_zipcode
Column Type: varchar
Max Length: 50
Client's Mailing Address - Zip Code

Column Name: communication_pref_code
Column Type: varchar
Max Length: 50
Communication Preference Code

Column Name: communication_pref_value
Column Type: varchar
Max Length: 50
Communication Preference Value

Column Name: country_of_origin_code
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: country_of_origin_value
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: decline_prov_code
Column Type: varchar

Max Length: 50

Client Declined To Provide Information On The Following

Column Name: decline_prov_value_long

Column Type: varchar

Max Length: 4096

Client Declined To Provide Information On The Following

Column Name: decline_prov_value_short

Column Type: varchar

Max Length: 255

Client Declined To Provide Information On The Following

Column Name: ethnic_origin_X_NRI_code

Column Type: varchar

Max Length: 10

Ethnic Origin X NRI

Column Name: ethnic_origin_X_NRI_value

Column Type: varchar

Max Length: 255

Ethnic Origin X NRI

Column Name: eth_orig_X_NRI_2014_value

Column Type: varchar

Max Length: 255

Ethnic Origin X NRI 2014

Column Name: eth_orig_X_NRI_2014_code

Column Type: varchar

Max Length: 10

Ethnic Origin X NRI 2014

Column Name: expected_due_date

Column Type: date

Expected Due Date

Column Name: external_mpi_id

Column Type: varchar

Max Length: 50

External MPI ID

Column Name: fam_agric_worker_code

Column Type: varchar

Max Length: 5

'Do you have family members that are agricultural workers?'

Column Name: fam_agric_worker_value

Column Type: varchar

Max Length: 40

description for 'Do you have family members that are agricultural workers?'

Column Name: former_agric_worker_code

Column Type: varchar

Max Length: 5

'Are you an aged and disabled former migratory agricultural worker?'

Column Name: former_agric_worker_value

Column Type: varchar

Max Length: 40

description for 'Are you an aged and disabled former migratory agricultural worker?'

Column Name: gender_identity_code

Column Type: varchar

Max Length: 5

Gender Identity code

Column Name: gender_identity_value

Column Type: varchar

Max Length: 40

Gender Identity value

Column Name: guarantor_1

Column Type: varchar

Max Length: 10

Guarantor 1

Column Name: guarantor_10

Column Type: varchar

Max Length: 10

Guarantor 10

Column Name: guarantor_2

Column Type: varchar

Max Length: 10

Guarantor 2

Column Name: guarantor_3

Column Type: varchar

Max Length: 10

Guarantor 3

Column Name: guarantor_4

Column Type: varchar

Max Length: 10

Guarantor 4

Column Name: guarantor_5

Column Type: varchar

Max Length: 10

Guarantor 5

Column Name: guarantor_6
Column Type: varchar
Max Length: 10
Guarantor 6

Column Name: guarantor_7
Column Type: varchar
Max Length: 10
Guarantor 7

Column Name: guarantor_8
Column Type: varchar
Max Length: 10
Guarantor 8

Column Name: guarantor_9
Column Type: varchar
Max Length: 10
Guarantor 9

Column Name: guarantor_name_1
Column Type: varchar
Max Length: 40
Guarantor Name 1

Column Name: guarantor_name_10
Column Type: varchar
Max Length: 40
Guarantor Name 10

Column Name: guarantor_name_2
Column Type: varchar
Max Length: 40
Guarantor Name 2

Column Name: guarantor_name_3
Column Type: varchar
Max Length: 40
Guarantor Name 3

Column Name: guarantor_name_4
Column Type: varchar
Max Length: 40
Guarantor Name 4

Column Name: guarantor_name_5
Column Type: varchar
Max Length: 40

Guarantor Name 5

Column Name: guarantor_name_6
Column Type: varchar
Max Length: 40
Guarantor Name 6

Column Name: guarantor_name_7
Column Type: varchar
Max Length: 40
Guarantor Name 7

Column Name: guarantor_name_8
Column Type: varchar
Max Length: 40
Guarantor Name 8

Column Name: guarantor_name_9
Column Type: varchar
Max Length: 40
Guarantor Name 9

Column Name: lactating_status_code
Column Type: varchar
Max Length: 50
Lactating Status

Column Name: lactating_status_value
Column Type: varchar
Max Length: 50

Column Name: marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
Marital Status X NRI

Column Name: marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
Marital Status X NRI

Column Name: medicaid_number
Column Type: varchar
Max Length: 20
Medicaid Number

Column Name: mothers_maiden_name
Column Type: varchar
Max Length: 100

Mother's Maiden Name

Column Name: name_qualifier_code
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: name_qualifier_value
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 50
Option Identifier

Column Name: other_eth_org_code
Column Type: varchar
Max Length: 50
Other Ethnic Origin

Column Name: other_eth_org_value_long
Column Type: varchar
Max Length: 4096
Other Ethnic Origin

Column Name: other_eth_org_value_short
Column Type: varchar
Max Length: 255
Other Ethnic Origin

Column Name: other_lang_code
Column Type: varchar
Max Length: 50
Other Language

Column Name: other_lang_shval
Column Type: varchar
Max Length: 255
Other Language

Column Name: other_lang_val
Column Type: varchar
Max Length: 4096

Other Language

Column Name: other_race_code

Column Type: varchar

Max Length: 50

Other Race

Column Name: other_race_value_long

Column Type: varchar

Max Length: 4096

Other Race

Column Name: other_race_value_short

Column Type: varchar

Max Length: 255

Other Race

Column Name: patient_cell_phone

Column Type: varchar

Max Length: 60

Patient cell phone

Column Name: patient_country_code

Column Type: varchar

Max Length: 20

Patient Address Country Code

Column Name: patient_country_value

Column Type: varchar

Max Length: 40

Patient Address Country Value

Column Name: patient_name_first

Column Type: varchar

Max Length: 100

Patient Name First

Column Name: patient_name_last

Column Type: varchar

Max Length: 40

Patient Last Name

Column Name: patient_name_middle

Column Type: varchar

Max Length: 40

Patient Middle Name

Column Name: patient_name_prefix_code

Column Type: varchar

Max Length: 40

Patient Name Prefix Code

Column Name: patient_name_prefix_value
Column Type: varchar
Max Length: 40
Patient Name Prefix Value

Column Name: patient_name_suffix_code
Column Type: varchar
Max Length: 40
Patient Name Suffix Code

Column Name: patient_name_suffix_value
Column Type: varchar
Max Length: 40
Patient Name Suffix Value

Column Name: personal_pronouns
Column Type: varchar
Max Length: 40
'Personal Pronouns'

Column Name: policy_number_1
Column Type: varchar
Max Length: 20
policy number 1

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
policy number 10

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
policy number 2

Column Name: policy_number_3
Column Type: varchar
Max Length: 20
policy number 3

Column Name: policy_number_4
Column Type: varchar
Max Length: 20
policy number 4

Column Name: policy_number_5
Column Type: varchar
Max Length: 20

policy number 5

Column Name: policy_number_6
Column Type: varchar
Max Length: 20
policy number 6

Column Name: policy_number_7
Column Type: varchar
Max Length: 20
policy number 7

Column Name: policy_number_8
Column Type: varchar
Max Length: 20
policy number 8

Column Name: policy_number_9
Column Type: varchar
Max Length: 20
policy number 9

Column Name: preferred_name
Column Type: varchar
Max Length: 40
'Preferred Name'

Column Name: pref_prov_eth_org_code
Column Type: varchar
Max Length: 5
Preferred Provider's Ethnic origin

Column Name: pref_prov_eth_org_value
Column Type: varchar
Max Length: 255
Preferred Provider's Ethnic Origin value

Column Name: pref_prov_sex_code
Column Type: varchar
Max Length: 5
Preferred provider's sex

Column Name: pref_prov_sex_value
Column Type: varchar
Max Length: 15
Preferred provider's sex value

Column Name: pregnancy_status_code
Column Type: varchar
Max Length: 50

Pregnancy Status

Column Name: pregnancy_status_value
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: primary_language_code
Column Type: varchar
Max Length: 50
Primary Language

Column Name: primary_language_value
Column Type: varchar
Max Length: 50
Primary Language

Column Name: protection_indicator_code
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: protection_indicator_date
Column Type: date
Protection Indicator Effective Date

Column Name: protection_indicator_val
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 5
Sexual Orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
Sex

Column Name: sex_X_NRI_code
Column Type: varchar
Max Length: 10
Sex X NRI

Column Name: sex_X_NRI_value
Column Type: varchar
Max Length: 40
Sex X NRI

Column Name: smoker_code
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoker_value
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoking_stat_assess_date
Column Type: date
Smoking Status Assessment Date

Column Name: social_security_number_2
Column Type: varchar
Max Length: 15
SS Number 2 (6)

Column Name: social_security_number_3
Column Type: varchar
Max Length: 15
SS Number 3 (6)

Column Name: social_security_number_4
Column Type: varchar
Max Length: 15
SS Number 4 (6)

Column Name: ss_demographics_date_1
Column Type: date
SS Demographics Date 1

Column Name: ss_demographics_date_2
Column Type: date
SS Demographics Date 2

Column Name: ss_demographics_date_3
Column Type: date
SS Demographics Date 3

Column Name: ss_demographics_date_4
Column Type: date
SS Demographics Date 4

Column Name: ss_demographics_date_5
Column Type: date
SS Demographics Date 5

Column Name: ss_demographics_dict_10_code

Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 10 Code

Column Name: ss_demographics_dict_10_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 10 Value

Column Name: ss_demographics_dict_11_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 11 Code

Column Name: ss_demographics_dict_11_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 11 Value

Column Name: ss_demographics_dict_12_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 12 Code

Column Name: ss_demographics_dict_12_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 12 Value

Column Name: ss_demographics_dict_13_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 13 Code

Column Name: ss_demographics_dict_13_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 13 Value

Column Name: ss_demographics_dict_14_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 14 Code

Column Name: ss_demographics_dict_14_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 14 Value

Column Name: ss_demographics_dict_15_code

Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 15 Code

Column Name: ss_demographics_dict_15_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 15 Value

Column Name: ss_demographics_dict_16_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 16' Code

Column Name: ss_demographics_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_16_code. See ss_demographics_dict_16_code for more information.

Column Name: ss_demographics_dict_17_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 17' Code
Column Name: ss_demographics_dict_17_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_17_code. See ss_demographics_dict_17_code for more information.

Column Name: ss_demographics_dict_18_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 18' Code

Column Name: ss_demographics_dict_18_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_18_code. See ss_demographics_dict_18_code for more information.

Column Name: ss_demographics_dict_19_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 19' Code

Column Name: ss_demographics_dict_19_value
Column Type: varchar
Max Length: 255

The description associated with ss_demographics_dict_19_code. See ss_demographics_dict_19_code for more information.

Column Name: ss_demographics_dict_1_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 1 Code

Column Name: ss_demographics_dict_1_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 1 Value

Column Name: ss_demographics_dict_20_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 20' Code

Column Name: ss_demographics_dict_20_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_20_code. See ss_demographics_dict_20_code for more information.

Column Name: ss_demographics_dict_2_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 2 Code

Column Name: ss_demographics_dict_2_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 2 Value

Column Name: ss_demographics_dict_3_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 3 Code

Column Name: ss_demographics_dict_3_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 3 Value

Column Name: ss_demographics_dict_4_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 4 Code

Column Name: ss_demographics_dict_4_value

Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 4 Value

Column Name: ss_demographics_dict_5_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 5 Code

Column Name: ss_demographics_dict_5_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 5 Value

Column Name: ss_demographics_dict_6_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 6 Code

Column Name: ss_demographics_dict_6_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 6 Value

Column Name: ss_demographics_dict_7_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 7 Code

Column Name: ss_demographics_dict_7_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 7 Value

Column Name: ss_demographics_dict_8_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 8 Code

Column Name: ss_demographics_dict_8_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 8 Value

Column Name: ss_demographics_dict_9_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 9 Code

Column Name: ss_demographics_dict_9_value

Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 9 Value

Column Name: ss_demographics_free_txt_1
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 1

Column Name: ss_demographics_free_txt_10
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 10'

Column Name: ss_demographics_free_txt_11
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 11'

Column Name: ss_demographics_free_txt_12
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 12'

Column Name: ss_demographics_free_txt_13
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 13'

Column Name: ss_demographics_free_txt_14
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 14'

Column Name: ss_demographics_free_txt_15
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 15'

Column Name: ss_demographics_free_txt_2
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 2

Column Name: ss_demographics_freetxt_20_1
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 1

Column Name: ss_demographics_freetxt_20_10

Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 10'

Column Name: ss_demographics_freetxt_20_11
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 11'

Column Name: ss_demographics_freetxt_20_12
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 12'

Column Name: ss_demographics_freetxt_20_13
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 13'

Column Name: ss_demographics_freetxt_20_14
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 14'

Column Name: ss_demographics_freetxt_20_15
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 15'

Column Name: ss_demographics_freetxt_20_2
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 2

Column Name: ss_demographics_freetxt_20_3
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 3

Column Name: ss_demographics_freetxt_20_4
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 4

Column Name: ss_demographics_freetxt_20_5
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 5

Column Name: ss_demographics_freetxt_20_6

Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 6'

Column Name: ss_demographics_freetxt_20_7
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 7'

Column Name: ss_demographics_freetxt_20_8
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 8'

Column Name: ss_demographics_freetxt_20_9
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 9'

Column Name: ss_demographics_free_txt_3
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 3

Column Name: ss_demographics_free_txt_4
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 4

Column Name: ss_demographics_freetxt_40_1
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 1

Column Name: ss_demographics_freetxt_40_10
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 10'

Column Name: ss_demographics_freetxt_40_11
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 11'

Column Name: ss_demographics_freetxt_40_12
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 12'

Column Name: ss_demographics_freetxt_40_13

Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 13'

Column Name: ss_demographics_freetxt_40_14
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 14'

Column Name: ss_demographics_freetxt_40_15
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 15'

Column Name: ss_demographics_freetxt_40_2
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 2

Column Name: ss_demographics_freetxt_40_3
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 3

Column Name: ss_demographics_freetxt_40_4
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 4

Column Name: ss_demographics_freetxt_40_5
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 5

Column Name: ss_demographics_freetxt_40_6
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 6'

Column Name: ss_demographics_freetxt_40_7
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 7'

Column Name: ss_demographics_freetxt_40_8
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 8'

Column Name: ss_demographics_freetxt_40_9

Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 9'

Column Name: ss_demographics_free_txt_5
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 5

Column Name: ss_demographics_free_txt_6
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 6'

Column Name: ss_demographics_free_txt_7
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 7'

Column Name: ss_demographics_free_txt_8
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 8'

Column Name: ss_demographics_freetxt_80_1
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 1'

Column Name: ss_demographics_freetxt_80_10
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 10'

Column Name: ss_demographics_freetxt_80_2
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 2'

Column Name: ss_demographics_freetxt_80_3
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 3'

Column Name: ss_demographics_freetxt_80_4
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 4'

Column Name: ss_demographics_freetxt_80_5

Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 5'

Column Name: ss_demographics_freetxt_80_6
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 6'

Column Name: ss_demographics_freetxt_80_7
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 7'

Column Name: ss_demographics_freetxt_80_8
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 8'

Column Name: ss_demographics_freetxt_80_9
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 9'

Column Name: ss_demographics_free_txt_9
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 9'

Column Name: ss_demographics_mult_10_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 10 Code

Column Name: ss_demographics_mult_10_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 10 Short Value

Column Name: ss_demographics_mult_10_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 10 Value

Column Name: ss_demographics_mult_11_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 11' Code

Column Name: ss_demographics_mult_11_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_11_code limited to 255 characters. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_11_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_11_code. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_12_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 12' Code

Column Name: ss_demographics_mult_12_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_12_code limited to 255 characters. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_12_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_12_code. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_13_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 13' Code

Column Name: ss_demographics_mult_13_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_13_code limited to 255 characters. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_13_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_13_code. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_14_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 14' Code

Column Name: ss_demographics_mult_14_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_14_code limited to 255 characters. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_14_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_14_code. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_15_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 15' Code

Column Name: ss_demographics_mult_15_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_15_code limited to 255 characters. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_15_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_15_code. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_1_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 1 Code

Column Name: ss_demographics_mult_1_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 1 Short Value

Column Name: ss_demographics_mult_1_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 1 Value

Column Name: ss_demographics_mult_2_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 2 Code

Column Name: ss_demographics_mult_2_shval

Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 2 Short Value

Column Name: ss_demographics_mult_2_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 2 Value

Column Name: ss_demographics_mult_3_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 3 Code

Column Name: ss_demographics_mult_3_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 3 Short Value

Column Name: ss_demographics_mult_3_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 3 Value

Column Name: ss_demographics_mult_4_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 4 Code

Column Name: ss_demographics_mult_4_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 4 Short Value

Column Name: ss_demographics_mult_4_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 4 Value

Column Name: ss_demographics_mult_5_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 5 Code

Column Name: ss_demographics_mult_5_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 5 Short Value

Column Name: ss_demographics_mult_5_value

Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 5 Value

Column Name: ss_demographics_mult_6_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 6 Code

Column Name: ss_demographics_mult_6_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 6 Short Value

Column Name: ss_demographics_mult_6_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 6 Value

Column Name: ss_demographics_mult_7_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 7 Code

Column Name: ss_demographics_mult_7_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 7 Short Value

Column Name: ss_demographics_mult_7_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 7 Value

Column Name: ss_demographics_mult_8_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 8 Code

Column Name: ss_demographics_mult_8_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 8 Short Value

Column Name: ss_demographics_mult_8_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 8 Value

Column Name: ss_demographics_mult_9_code

Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 9 Code

Column Name: ss_demographics_mult_9_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 9 Short Value

Column Name: ss_demographics_mult_9_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 9 Value

Column Name: ss_demographics_phone_1
Column Type: varchar
Max Length: 50
Site Specific Phone Number 1

Column Name: ss_demographics_phone_2
Column Type: varchar
Max Length: 50
Site Specific Phone Number 2

Column Name: ss_demographics_phone_3
Column Type: varchar
Max Length: 50
Site Specific Phone Number 3

Column Name: ss_demographics_phone_4
Column Type: varchar
Max Length: 50
Site Specific Phone Number 4

Column Name: ss_demographics_phone_5
Column Type: varchar
Max Length: 50
Site Specific Phone Number 5

Column Name: ss_demographics_staff_1
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 1

Column Name: ss_demographics_staff_2
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 2

Column Name: ss_demographics_staff_3

Column Type: varchar
Max Length: 20
SS Demographics Practitioner 3

Column Name: ss_demographics_staff_4
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 4

Column Name: ss_demographics_staff_5
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 5

Column Name: ss_demographics_time_1
Column Type: varchar
Max Length: 10
SS Demographics Time 1

Column Name: ss_demographics_time_2
Column Type: varchar
Max Length: 10
SS Demographics Time 2

Column Name: ss_demographics_time_3
Column Type: varchar
Max Length: 10
SS Demographics Time 3

Column Name: ss_demographics_time_4
Column Type: varchar
Max Length: 10
SS Demographics Time 4

Column Name: ss_demographics_time_5
Column Type: varchar
Max Length: 10
SS Demographics Time 5

Documentation for form: Pre_Admit_Discharge_

Table Name: [SYSTEM.view_episode_summary_current](#)

Table Description: This table returns the information stored in the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: episode_active_only
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: preadmit_admission_date
Column Type: date
'Preadmit/Admission Date'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: program_code
Column Type: varchar
Max Length: 10
The program code associated with the data.

Column Name: c_date_of_birth
Column Type: date
'Date Of Birth'

Column Name: c_age
Column Type: numeric
'Client Age'

Column Name: c_ss_number
Column Type: varchar
Max Length: 15
'Social Security Number'

Column Name: EPN_uniqueid
Column Type: varchar
Max Length: 50
A unique ID used to identify a row of data.

Column Name: c_address_state_code
Column Type: varchar
Max Length: 50
'Client's Address - State'

Column Name: c_address_state_value
Column Type: varchar
Max Length: 50
The description associated with c_address_state_code. See c_address_state_code for more information.

Column Name: c_address_str_1
Column Type: varchar
Max Length: 50
'Client's Address - Street 1'

Column Name: c_address_str_2
Column Type: varchar
Max Length: 50
'Client's Address - Street 2'

Column Name: c_admit_practitioner_id
Column Type: varchar
Max Length: 50
'Admitting Practitioner'

Column Name: c_admit_practitioner_name
Column Type: varchar
Max Length: 50
The admitting practitioner name associated with c_admit_practitioner_id.

Column Name: c_admit_source_of_code
Column Type: varchar
Max Length: 50
'Source of Admission'

Column Name: c_admit_source_of_value

Column Type: varchar

Max Length: 50

The description associated with c_admit_source_of_code. See c_admit_source_of_code for more information.

Column Name: c_admit_time_of

Column Type: varchar

Max Length: 50

'Preadmit/Admission Time'

Column Name: c_admit_type_of_code

Column Type: varchar

Max Length: 50

'Type Of Admission'

Column Name: c_admit_type_of_value

Column Type: varchar

Max Length: 50

The description associated with c_admit_type_of_code. See c_admit_type_of_code for more information.

Column Name: c_attend_practitioner_id

Column Type: varchar

Max Length: 50

'Attending Practitioner'

Column Name: c_attend_practitioner_name

Column Type: varchar

Max Length: 50

The name associated with c_attend_practitioner_id.

Column Name: c_city

Column Type: varchar

Max Length: 50

'Client's Address - City'

Column Name: c_country_code

Column Type: varchar

Max Length: 50

'Client's Address - Country'

Column Name: c_country_value

Column Type: varchar

Max Length: 50

The description associated with c_country_code. See c_country_code for more information.

Column Name: c_county_code

Column Type: varchar

Max Length: 50

'Client's Address - County'

Column Name: c_county_value

Column Type: varchar

Max Length: 50

The description associated with c_county_code. See c_county_code for more information.

Column Name: c_detail_age

Column Type: varchar

Max Length: 50

'Client Detail Age'

Column Name: c_ethnicity_code

Column Type: varchar

Max Length: 50

'Client Ethnicity'

Column Name: c_ethnicity_value

Column Type: varchar

Max Length: 50

The description associated with c_ethnicity_code. See c_ethnicity_code for more information.

Column Name: c_ethnicity_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Ethnicity (NRI)'

Column Name: c_ethnicity_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_ethnicity_X_NRI_code. See c_ethnicity_X_NRI_code for more information.

Column Name: c_ethnic_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'Client Ethnicity (NRI 2014)'

Column Name: c_ethnic_X_NRI_2014_value

Column Type: varchar

Max Length: 255

The description associated with c_ethnic_X_NRI_2014_code. See c_ethnic_X_NRI_2014_code for more information.

Column Name: c_legal_status_code

Column Type: varchar

Max Length: 50

'Client Legal Status'

Column Name: c_legal_status_value

Column Type: varchar

Max Length: 50

The description associated with c_legal_status_code. See c_legal_status_code for more information.

Column Name: c_leg_stat_X_NRI_2014_value

Column Type: varchar

Max Length: 40

The description associated with c_leg_stat_X_NRI_2014_code. See c_leg_stat_X_NRI_2014_code for more information.

Column Name: c_legal_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Legal Status (NRI)'

Column Name: c_legal_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_legal_status_X_NRI_code. See c_legal_status_X_NRI_code for more information.

Column Name: c_leg_stat_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'Client Legal Status (NRI 2014)'

Column Name: c_marital_status_code

Column Type: varchar

Max Length: 50

'Client Marital Status'

Column Name: c_marital_status_value

Column Type: varchar

Max Length: 50

The description associated with c_marital_status_code. See c_marital_status_code for more information.

Column Name: c_marital_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Marital Status (NRI)'

Column Name: c_marital_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_marital_status_X_NRI_code. See c_marital_status_X_NRI_code for more information.

Column Name: c_principal_diagnosis_code

Column Type: varchar

Max Length: 50

'Client Principal Diagnosis'

Column Name: c_principal_diagnosis_value

Column Type: varchar

Max Length: 200

The description associated with c_principal_diagnosis_code. See c_principal_diagnosis_code for more information.

Column Name: c_race_code

Column Type: varchar

Max Length: 50

'Client Race'

Column Name: c_race_value

Column Type: varchar

Max Length: 50

The description associated with c_race_code. See c_race_code for more information.

Column Name: c_religion_code

Column Type: varchar

Max Length: 50

'Client Religion'

Column Name: c_religion_value

Column Type: varchar

Max Length: 50

The description associated with c_religion_code. See c_religion_code for more information.

Column Name: c_unit_code

Column Type: varchar

Max Length: 10

'Unit'

Column Name: c_unit_value

Column Type: varchar

Max Length: 50

The description associated with c_unit_code. See c_unit_code for more information.

Column Name: c_unit_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Unit (NRI)'

Column Name: c_unit_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_unit_X_NRI_code. See c_unit_X_NRI_code for more information.

Column Name: c_zip

Column Type: varchar

Max Length: 60

'Client's Address - Zip'

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
'Facility Chart Number (148)'

Column Name: gender_identity_code
Column Type: varchar
Max Length: 20
'Gender Identity'

Column Name: gender_identity_value
Column Type: varchar
Max Length: 40
The description associated with gender_identity_code. See gender_identity_code for more information.

Column Name: last_date_of_service
Column Type: date
'Last Date Of Service'

Column Name: patient_gender_code
Column Type: varchar
Max Length: 50
'Gender'

Column Name: patient_gender_value
Column Type: varchar
Max Length: 50
The description associated with patient_gender_code. See patient_gender_code for more information.

Column Name: patient_gender_X_NRI_code
Column Type: varchar
Max Length: 10
'Gender (NRI)'

Column Name: patient_gender_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with patient_gender_X_NRI_code. See patient_gender_X_NRI_code for more information.

Column Name: patient_home_phone

Column Type: varchar

Max Length: 60

'Home Phone'

Column Name: patient_name

Column Type: varchar

Max Length: 100

'Client Name'

Column Name: patient_name_first

Column Type: varchar

Max Length: 50

'Client First Name'

Column Name: patient_name_last

Column Type: varchar

Max Length: 50

'Client Last Name'

Column Name: program_X_HCFA_POS

Column Type: varchar

Max Length: 50

'HCFA'

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 50

'RRG'

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 50

The description associated with program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_city_state_zip

Column Type: varchar

Max Length: 50

'City, State, Zip Code'

Column Name: program_X_dflt_location_code

Column Type: varchar

Max Length: 50

'Location'

Column Name: program_X_dflt_location_value

Column Type: varchar

Max Length: 50

The description associated with program_X_dflt_location_code. See program_X_dflt_location_code for more information.

Column Name: program_X_HCO_ID

Column Type: varchar

Max Length: 40

'HCO ID'

Column Name: program_X_phone_number

Column Type: varchar

Max Length: 50

'Phone Number'

Column Name: program_X_street_address

Column Type: varchar

Max Length: 50

'Street Address'

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 50

'Tax ID'

Column Name: program_X_tx_service_code

Column Type: varchar

Max Length: 50

'Treatment Service'

Column Name: program_X_tx_service_value

Column Type: varchar

Max Length: 50

The description associated with program_X_tx_service_code. See program_X_tx_service_code for more information.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 50

'Treatment Setting'

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 50

The description associated with program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 50
'Type'

Column Name: program_X_type_value

Column Type: varchar

Max Length: 50

The description associated with program_X_type_code. See program_X_type_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description associated with program_code. See program_code for more information.

Column Name: sex_orientation_code

Column Type: varchar

Max Length: 20

The patient's sexual orientation code

Column Name: sex_orientation_value

Column Type: varchar

Max Length: 40

The description associated with sex_orientation_code. See sex_orientation_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Call_Intake

Table Name: SYSTEM.call_intake_financial_inv

Table Description: This table returns the information stored in the 'Call Intake' and 'Financial Investigation' forms.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20
The client ID associated with the data.

Column Name: IBE_uniqueid
Column Type: varchar
Max Length: 12
A unique ID used to identify a row of data.

Column Name: income_resp_income
Column Type: varchar
Max Length: 40
'Income-Responsible Party Annual Income'

Column Name: household_gannual_inc
Column Type: varchar
Max Length: 40
'Income-Household Gross Annual Income'

Column Name: incomevalidation_code
Column Type: varchar
Max Length: 5
'Income-Validation'

Column Name: incomevalidation_value
Column Type: varchar
Max Length: 40
The description associated with incomevalidation_code. See incomevalidation_code for more information.

Column Name: medicare_number
Column Type: varchar
Max Length: 20
'Financial Investigation Medicare Number'

Column Name: medicaid_number
Column Type: varchar
Max Length: 14
'Financial Investigation Medicaid Number'

Column Name: rec_ssi_ben_code
Column Type: varchar
Max Length: 5
'Receiving SSI Benefits'

Column Name: rec_ssi_ben_value
Column Type: varchar
Max Length: 40
The description associated with rec_ssi_ben_code. See rec_ssi_ben_code for more information.

Column Name: rec_ssdi_ben_code
Column Type: varchar

Max Length: 5
'Receiving SSDI Benefits'

Column Name: rec_ssdi_ben_value
Column Type: varchar
Max Length: 40
The description associated with rec_ssdi_ben_code. See rec_ssdi_ben_code for more information.

Column Name: rec_afdc_ben_code
Column Type: varchar
Max Length: 5
'Receiving AFDC Benefits'

Column Name: rec_afdc_ben_value
Column Type: varchar
Max Length: 40
The description associated with rec_afdc_ben_code. See rec_afdc_ben_code for more information.

Column Name: rec_foodstamps_ben_code
Column Type: varchar
Max Length: 5
'Receiving Food Stamps Benefits '

Column Name: rec_foodstamps_ben_value
Column Type: varchar
Max Length: 40
The description associated with rec_foodstamps_ben_code. See rec_foodstamps_ben_code for more information.

Column Name: cash_ben_socsec_code
Column Type: varchar
Max Length: 5
'Cash Benefits - Social Security '

Column Name: cash_ben_socsec_value
Column Type: varchar
Max Length: 40
The description associated with cash_ben_socsec_code. See cash_ben_socsec_code for more information.

Column Name: rec_mil_va_ben_code
Column Type: varchar
Max Length: 5
'Receiving Military V/A Benefits'

Column Name: rec_mil_va_ben_value
Column Type: varchar
Max Length: 40
The description associated with rec_mil_va_ben_code. See rec_mil_va_ben_code for more information.

Column Name: other_benefits_code

Column Type: varchar
Max Length: 5
'Other Benefits'

Column Name: other_benefits_value
Column Type: varchar
Max Length: 40
The description associated with other_benefits_code. See other_benefits_code for more information.

Column Name: bho_code
Column Type: varchar
Max Length: 5
'Behavioral Health Organization'

Column Name: bho_value
Column Type: varchar
Max Length: 40
The description associated with bho_code. See bho_code for more information.

Column Name: mco_code
Column Type: varchar
Max Length: 5
'Managed Care Organization'

Column Name: mco_value
Column Type: varchar
Max Length: 40
The description associated with mco_code. See mco_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: fin_invest_eff_date
Column Type: date
'Financial Investigation Effective Date'

Column Name: number_of_dependents
Column Type: varchar
Max Length: 10
'Number Of Dependents'

Column Name: value_of_allowable_assets
Column Type: varchar
Max Length: 12
'Value Of Allowable Assets'

Column Name: annual_valid_expenses
Column Type: varchar

Max Length: 12
'Annual Valid Expenses'

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The form the service was last edited on.
Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'

Column Name: data_entry_utc

Column Type: timestamp
The UTC date and time the data was saved.

Column Name: family_size
Column Type: integer
'Family Size'

Column Name: program_code
Column Type: varchar
Max Length: 10
The program code information associated with the 'SYSTEM.billing_tx_history' table.

Column Name: program_shval
Column Type: varchar
Max Length: 255
The description associated with program_code limited to 255 characters. See program_code for more information.

Column Name: program_val
Column Type: varchar
Max Length: 4096
The description associated with program_code limited to 4096 characters. See program_code for more information.

Column Name: sliding_fee_family_size
Column Type: varchar
Max Length: 50
'Sliding Fee Family Size'

Column Name: sliding_fee_fmsizerec_code
Column Type: varchar
Max Length: 50
Divide Sliding Fee Scale Amount by Number of Family Members Receiving Services

Column Name: sliding_fee_fmsizerec_num
Column Type: varchar
Max Length: 50
Sliding Fee Scale - Number of Family Members Receiving Services

Column Name: sliding_fee_fmsizerec_value
Column Type: varchar
Max Length: 40
The description associated with the column 'sliding_fee_fmsizerec_code'.

Column Name: sliding_fee_income
Column Type: numeric
'Sliding Fee Income'

Column Name: sliding_fee_num_of_depend
Column Type: integer

'Sliding Fee Number Of Dependents'

Documentation for form: Call_Intake

Table Name: SYSTEM.patient_current_demographics

Table Description: Patient Current Demographics

Column Name: patient_current_demographics

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

Facility

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID

Column Name: date_of_birth

Column Type: date

Patient Date of birth

Column Name: ethnic_origin_code

Column Type: varchar

Max Length: 5

Patient Ethnic origin

Column Name: patient_add_city

Column Type: varchar

Max Length: 40

Patient address city

Column Name: patient_add_county_code

Column Type: varchar

Max Length: 5

Patient address county

Column Name: patient_home_phone

Column Type: varchar

Max Length: 60

Patient home phone

Column Name: patient_name

Column Type: varchar
Max Length: 100
Patient Name

Column Name: patient_add_state_code
Column Type: varchar
Max Length: 10
Patient address state code

Column Name: patient_add_street_1
Column Type: varchar
Max Length: 40
Patient street address 1

Column Name: patient_add_street_2
Column Type: varchar
Max Length: 40
Patients address street 2

Column Name: patient_add_zipcode
Column Type: varchar
Max Length: 60
Patients address zipcode

Column Name: patient_sex_code
Column Type: varchar
Max Length: 5
Patients sex

Column Name: client_alias
Column Type: varchar
Max Length: 80
Client Alias

Column Name: employment_status_code
Column Type: varchar
Max Length: 10
Employment Status - Code (517)

Column Name: employment_status_value
Column Type: varchar
Max Length: 255
Employment Status - Value (517)

Column Name: occupation_code
Column Type: varchar
Max Length: 10
Occupation - Code (610)

Column Name: occupation_value

Column Type: varchar
Max Length: 255
Occupation - Value (610)

Column Name: education_code
Column Type: varchar
Max Length: 10
Education - Code (625)

Column Name: patient_ssn
Column Type: varchar
Max Length: 15
Patient's social security number

Column Name: religion_code
Column Type: varchar
Max Length: 20
Patient's religion code

Column Name: marital_status_code
Column Type: varchar
Max Length: 15
Patient's marital status

Column Name: patient_work_phone
Column Type: varchar
Max Length: 60
Patient's work phone

Column Name: patient_maiden_name
Column Type: varchar
Max Length: 40
Patient's maiden name

Column Name: race_code
Column Type: varchar
Max Length: 20
Patient's race code

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
Facility chart number

Column Name: patient_place_of_birth
Column Type: varchar
Max Length: 40
Patient's place of birth

Column Name: patient_sex_value

Column Type: varchar
Max Length: 40
Patient's sex value

Column Name: ethnic_origin_value
Column Type: varchar
Max Length: 255
Ethnic Origin

Column Name: religion_value
Column Type: varchar
Max Length: 255
Patient's Religion

Column Name: marital_status_value
Column Type: varchar
Max Length: 40
Patient's Marital Status

Column Name: race_value
Column Type: varchar
Max Length: 255
Patient's Race

Column Name: patient_add_county_value
Column Type: varchar
Max Length: 20
Patients address - County

Column Name: patient_add_state_value
Column Type: varchar
Max Length: 40
Patient Address - State - Value

Column Name: FAMID
Column Type: integer
Familiy ID

Column Name: address_start_date
Column Type: date
Address Start Date

Column Name: alert_access_options
Column Type: varchar
Max Length: 50
Alert Access Options

Column Name: alert_access_type
Column Type: varchar
Max Length: 50

Alert Access Type

Column Name: citizenship_code
Column Type: varchar
Max Length: 50
Citizenship

Column Name: citizenship_value
Column Type: varchar
Max Length: 50
Citizenship

Column Name: client_alias_10
Column Type: varchar
Max Length: 80
Client Alias 10

Column Name: client_alias_2
Column Type: varchar
Max Length: 80
Client Alias 2

Column Name: client_alias_3
Column Type: varchar
Max Length: 80
Client Alias 3

Column Name: client_alias_4
Column Type: varchar
Max Length: 80
Client Alias 4

Column Name: client_alias_5
Column Type: varchar
Max Length: 80
Client Alias 5

Column Name: client_alias_6
Column Type: varchar
Max Length: 80
Client Alias 6

Column Name: client_alias_7
Column Type: varchar
Max Length: 80
Client Alias 7

Column Name: client_alias_8
Column Type: varchar
Max Length: 80

Client Alias 8

Column Name: client_alias_9

Column Type: varchar

Max Length: 80

Client Alias 9

Column Name: client_conf_city

Column Type: varchar

Max Length: 50

Client Confidential Address - City

Column Name: client_conf_cntry_code

Column Type: varchar

Max Length: 50

Client Confidential Address - Country Code

Column Name: client_conf_cntry_value

Column Type: varchar

Max Length: 50

Client Confidential Address - Country Value

Column Name: client_conf_phone

Column Type: varchar

Max Length: 50

Client Confidential Address - Phone Number

Column Name: client_conf_state_code

Column Type: varchar

Max Length: 50

Client Confidential Address - State Code

Column Name: client_conf_state_value

Column Type: varchar

Max Length: 50

Client Confidential Address - State Value

Column Name: client_conf_street

Column Type: varchar

Max Length: 50

Client Confidential Address - Street

Column Name: client_conf_street2

Column Type: varchar

Max Length: 50

Client Confidential Address - Street 2

Column Name: client_conf_zipcode

Column Type: varchar

Max Length: 50

Client Confidential Address - Zip code

Column Name: client_email_addr
Column Type: varchar
Max Length: 50
Client's Email Address

Column Name: client_mail_city
Column Type: varchar
Max Length: 50
Client's Address - City

Column Name: client_mail_cntry_code
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_cntry_value
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_state_code
Column Type: varchar
Max Length: 50
Client's Address - State

Column Name: client_mail_state_value
Column Type: varchar
Max Length: 50
Client's Address - State

Column Name: client_mail_street
Column Type: varchar
Max Length: 50
Client's Address - Street 1

Column Name: client_mail_street2
Column Type: varchar
Max Length: 50
Client's Address - Street 2

Column Name: client_mail_zipcode
Column Type: varchar
Max Length: 50
Client's Address - Zip Code

Column Name: communication_pref_code
Column Type: varchar
Max Length: 50

Communication Preference Code

Column Name: communication_pref_value
Column Type: varchar
Max Length: 50
Communication Preference Value

Column Name: country_of_origin_code
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: country_of_origin_value
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: decline_prov_code
Column Type: varchar
Max Length: 50
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_long
Column Type: varchar
Max Length: 4096
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_short
Column Type: varchar
Max Length: 255
Client Declined To Provide Information On The Following

Column Name: education_value
Column Type: varchar
Max Length: 255
education - Value (625)

Column Name: ethnic_origin_X_NRI_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI

Column Name: ethnic_origin_X_NRI_value
Column Type: varchar
Max Length: 255
Ethnic Origin X NRI

Column Name: eth_orig_X_NRI_2014_value
Column Type: varchar
Max Length: 255

Ethnic Origin X NRI 2014

Column Name: eth_orig_X_NRI_2014_code

Column Type: varchar

Max Length: 10

Ethnic Origin X NRI 2014

Column Name: expected_due_date

Column Type: date

Expected Due Date

Column Name: external_mpi_id

Column Type: varchar

Max Length: 50

External MPI ID

Column Name: fam_agric_worker_code

Column Type: varchar

Max Length: 5

'Do you have family members that are agricultural workers?'

Column Name: fam_agric_worker_value

Column Type: varchar

Max Length: 40

description for 'Do you have family members that are agricultural workers?'

Column Name: family_name

Column Type: varchar

Max Length: 50

Family name

Column Name: former_agric_worker_code

Column Type: varchar

Max Length: 5

'Are you an aged and disabled former migratory agricultural worker?'

Column Name: former_agric_worker_value

Column Type: varchar

Max Length: 40

description for 'Are you an aged and disabled former migratory agricultural worker?'

Column Name: gender_identity_code

Column Type: varchar

Max Length: 5

Patient's Gender Identity code

Column Name: gender_identity_value

Column Type: varchar

Max Length: 40

Patient's Gender Identity value

Column Name: guarantor_1
Column Type: varchar
Max Length: 10
Guarantor 1

Column Name: guarantor_10
Column Type: varchar
Max Length: 10
Guarantor 10

Column Name: guarantor_2
Column Type: varchar
Max Length: 10
Guarantor 2

Column Name: guarantor_3
Column Type: varchar
Max Length: 10
Guarantor 3

Column Name: guarantor_4
Column Type: varchar
Max Length: 10
Guarantor 4

Column Name: guarantor_5
Column Type: varchar
Max Length: 10
Guarantor 5

Column Name: guarantor_6
Column Type: varchar
Max Length: 10
Guarantor 6

Column Name: guarantor_7
Column Type: varchar
Max Length: 10
Guarantor 7

Column Name: guarantor_8
Column Type: varchar
Max Length: 10
Guarantor 8

Column Name: guarantor_9
Column Type: varchar
Max Length: 10
Guarantor 9

Column Name: guarantor_name_1
Column Type: varchar
Max Length: 40
Guarantor Name 1

Column Name: guarantor_name_10
Column Type: varchar
Max Length: 40
Guarantor Name 10

Column Name: guarantor_name_2
Column Type: varchar
Max Length: 40
Guarantor Name 2

Column Name: guarantor_name_3
Column Type: varchar
Max Length: 40
Guarantor Name 3

Column Name: guarantor_name_4
Column Type: varchar
Max Length: 40
Guarantor Name 4

Column Name: guarantor_name_5
Column Type: varchar
Max Length: 40
Guarantor Name 5

Column Name: guarantor_name_6
Column Type: varchar
Max Length: 40
Guarantor Name 6

Column Name: guarantor_name_7
Column Type: varchar
Max Length: 40
Guarantor Name 7

Column Name: guarantor_name_8
Column Type: varchar
Max Length: 40
Guarantor Name 8

Column Name: guarantor_name_9
Column Type: varchar
Max Length: 40
Guarantor Name 9

Column Name: lactating_status_code
Column Type: varchar
Max Length: 50
Lactating Status

Column Name: lactating_status_value
Column Type: varchar
Max Length: 50

Column Name: marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
Marital Status X NRI

Column Name: marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
Marital Status X NRI

Column Name: medicaid_number
Column Type: varchar
Max Length: 20
Medicaid Number

Column Name: medi_cal_policy_number
Column Type: varchar
Max Length: 20
'Medi-Cal Policy Number' used by the 'LA Provider Integration' module

Column Name: mothers_maiden_name
Column Type: varchar
Max Length: 100
Mother's Maiden Name

Column Name: name_qualifier_code
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: name_qualifier_value
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: other_eth_org_code
Column Type: varchar
Max Length: 50
Other Ethnic Origin

Column Name: other_eth_org_value_long
Column Type: varchar
Max Length: 4096
Other Ethnic Origin

Column Name: other_eth_org_value_short
Column Type: varchar
Max Length: 255
Other Ethnic Origin

Column Name: other_lang_code
Column Type: varchar
Max Length: 50
Other Language Code

Column Name: other_lang_shval
Column Type: varchar
Max Length: 255
Other Language Code

Column Name: other_lang_val
Column Type: varchar
Max Length: 4096
Other Language Code
Column Name: other_race_code
Column Type: varchar
Max Length: 50
Other Race Code

Column Name: other_race_value_long
Column Type: varchar
Max Length: 4096
Other Race Code

Column Name: other_race_value_short
Column Type: varchar
Max Length: 255
Other Race Code

Column Name: patient_add_country_code
Column Type: varchar
Max Length: 20
Patient Address Country Code

Column Name: patient_add_country_value
Column Type: varchar
Max Length: 40
Patient Address Country Value

Column Name: patient_cell_phone
Column Type: varchar
Max Length: 60
Patient cell phone

Column Name: patient_name_first
Column Type: varchar
Max Length: 40
Patient Name First

Column Name: patient_name_last
Column Type: varchar
Max Length: 40
Patient Last Name

Column Name: patient_name_middle
Column Type: varchar
Max Length: 40
Patient Middle Name

Column Name: patient_name_prefix_code
Column Type: varchar
Max Length: 40
Patient Name Prefix Code

Column Name: patient_name_prefix_value
Column Type: varchar
Max Length: 40
Patient Name Prefix Value

Column Name: patient_name_suffix_code
Column Type: varchar
Max Length: 40
Patient Name Suffix Code

Column Name: patient_name_suffix_value
Column Type: varchar
Max Length: 40
Patient Name Suffix Value

Column Name: patient_sex_X_NRI_code
Column Type: varchar
Max Length: 10
Patient Sex X NRI

Column Name: patient_sex_X_NRI_value
Column Type: varchar
Max Length: 40
Patient Sex X NRI

Column Name: patient_ssn_2
Column Type: varchar
Max Length: 15
Patient's social security number 2

Column Name: patient_ssn_3
Column Type: varchar
Max Length: 15
Patient's social security number 3

Column Name: patient_ssn_4
Column Type: varchar
Max Length: 15
Patient's social security number 4

Column Name: personal_pronouns
Column Type: varchar
Max Length: 40
'Personal Pronouns'

Column Name: policy_number_1
Column Type: varchar
Max Length: 20
policy number 1

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
policy number 10

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
policy number 2

Column Name: policy_number_3
Column Type: varchar
Max Length: 20
policy number 3

Column Name: policy_number_4
Column Type: varchar
Max Length: 20
policy number 4

Column Name: policy_number_5
Column Type: varchar
Max Length: 20
policy number 5

Column Name: policy_number_6
Column Type: varchar
Max Length: 20
policy number 6

Column Name: policy_number_7
Column Type: varchar
Max Length: 20
policy number 7

Column Name: policy_number_8
Column Type: varchar
Max Length: 20
policy number 8

Column Name: policy_number_9
Column Type: varchar
Max Length: 20
policy number 9

Column Name: preferred_name
Column Type: varchar
Max Length: 40
'Preferred Name'

Column Name: pref_prov_eth_org_code
Column Type: varchar
Max Length: 5
Preferred Provider's Ethnic origin

Column Name: pref_prov_eth_org_value
Column Type: varchar
Max Length: 255
Preferred Provider's Ethnic Origin value

Column Name: pref_prov_sex_code
Column Type: varchar
Max Length: 5
Preferred provider's sex

Column Name: pref_prov_sex_value
Column Type: varchar
Max Length: 15
Preferred provider's sex value

Column Name: pregnancy_status_code
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: pregnancy_status_value
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: primary_language_code
Column Type: varchar
Max Length: 50
Primary Language

Column Name: primary_language_value
Column Type: varchar
Max Length: 50
Primary Language

Column Name: protection_indicator_code
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: protection_indicator_date
Column Type: date
Protection Indicator Effective Date

Column Name: protection_indicator_val
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 5
Patients Sexual Orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
Patient's Sexual Orientation value

Column Name: smoker_code
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoker_value
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoking_stat_assess_date

Column Type: date
Smoking Status Assessment Date

Column Name: ss_demographics_date_1
Column Type: date
SS Demographics Date 1

Column Name: ss_demographics_date_2
Column Type: date
SS Demographics Date 2

Column Name: ss_demographics_date_3
Column Type: date
SS Demographics Date 3

Column Name: ss_demographics_date_4
Column Type: date
SS Demographics Date 4

Column Name: ss_demographics_date_5
Column Type: date
SS Demographics Date 5

Column Name: ss_demographics_dict_10_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 10 Code

Column Name: ss_demographics_dict_10_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 10 Value

Column Name: ss_demographics_dict_11_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 11 Code

Column Name: ss_demographics_dict_11_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 11 Value

Column Name: ss_demographics_dict_12_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 12 Code

Column Name: ss_demographics_dict_12_value
Column Type: varchar

Max Length: 255
SS Demographics Single Select Dictionary 12 Value

Column Name: ss_demographics_dict_13_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 13 Code

Column Name: ss_demographics_dict_13_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 13 Value

Column Name: ss_demographics_dict_14_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 14 Code

Column Name: ss_demographics_dict_14_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 14 Value

Column Name: ss_demographics_dict_15_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 15 Code

Column Name: ss_demographics_dict_15_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 15 Value

Column Name: ss_demographics_dict_16_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 16' Code

Column Name: ss_demographics_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_16_code. See ss_demographics_dict_16_code for more information.

Column Name: ss_demographics_dict_17_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 17' Code

Column Name: ss_demographics_dict_17_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_17_code. See ss_demographics_dict_17_code for more information.

Column Name: ss_demographics_dict_18_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 18' Code

Column Name: ss_demographics_dict_18_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_18_code. See ss_demographics_dict_18_code for more information.

Column Name: ss_demographics_dict_19_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 19' Code

Column Name: ss_demographics_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_19_code. See ss_demographics_dict_19_code for more information.

Column Name: ss_demographics_dict_1_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 1 Code

Column Name: ss_demographics_dict_1_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 1 Value

Column Name: ss_demographics_dict_20_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 20' Code

Column Name: ss_demographics_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_20_code. See ss_demographics_dict_20_code for more information.

Column Name: ss_demographics_dict_2_code

Column Type: varchar

Max Length: 50
SS Demographics Single Select Dictionary 2 Code

Column Name: ss_demographics_dict_2_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 2 Value

Column Name: ss_demographics_dict_3_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 3 Code

Column Name: ss_demographics_dict_3_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 3 Value

Column Name: ss_demographics_dict_4_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 4 Code

Column Name: ss_demographics_dict_4_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 4 Value

Column Name: ss_demographics_dict_5_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 5 Code

Column Name: ss_demographics_dict_5_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 5 Value

Column Name: ss_demographics_dict_6_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 6 Code

Column Name: ss_demographics_dict_6_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 6 Value

Column Name: ss_demographics_dict_7_code
Column Type: varchar

Max Length: 50
SS Demographics Single Select Dictionary 7 Code

Column Name: ss_demographics_dict_7_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 7 Value

Column Name: ss_demographics_dict_8_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 8 Code

Column Name: ss_demographics_dict_8_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 8 Value

Column Name: ss_demographics_dict_9_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 9 Code

Column Name: ss_demographics_dict_9_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 9 Value

Column Name: ss_demographics_free_txt_1
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 1

Column Name: ss_demographics_free_txt_10
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 10'

Column Name: ss_demographics_free_txt_11
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 11'

Column Name: ss_demographics_free_txt_12
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 12'

Column Name: ss_demographics_free_txt_13
Column Type: varchar

Max Length: 32766
SS Demographics Scrolling Free Text 13'

Column Name: ss_demographics_free_txt_14
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 14'

Column Name: ss_demographics_free_txt_15
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 15'

Column Name: ss_demographics_free_txt_2
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 2

Column Name: ss_demographics_freetxt_20_1
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 1

Column Name: ss_demographics_freetxt_20_10
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 10'

Column Name: ss_demographics_freetxt_20_11
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 11'

Column Name: ss_demographics_freetxt_20_12
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 12'

Column Name: ss_demographics_freetxt_20_13
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 13'

Column Name: ss_demographics_freetxt_20_14
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 14'

Column Name: ss_demographics_freetxt_20_15
Column Type: varchar

Max Length: 20
'SS Demographics Free Text (20) 15'

Column Name: ss_demographics_freetxt_20_2
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 2

Column Name: ss_demographics_freetxt_20_3
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 3

Column Name: ss_demographics_freetxt_20_4
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 4

Column Name: ss_demographics_freetxt_20_5
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 5

Column Name: ss_demographics_freetxt_20_6
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 6'

Column Name: ss_demographics_freetxt_20_7
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 7'

Column Name: ss_demographics_freetxt_20_8
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 8'

Column Name: ss_demographics_freetxt_20_9
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 9'

Column Name: ss_demographics_free_txt_3
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 3

Column Name: ss_demographics_free_txt_4
Column Type: varchar

Max Length: 32766
SS Demographics Scrolling Free Text 4

Column Name: ss_demographics_freetxt_40_1
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 1

Column Name: ss_demographics_freetxt_40_10
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 10'

Column Name: ss_demographics_freetxt_40_11
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 11'

Column Name: ss_demographics_freetxt_40_12
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 12'

Column Name: ss_demographics_freetxt_40_13
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 13'

Column Name: ss_demographics_freetxt_40_14
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 14'

Column Name: ss_demographics_freetxt_40_15
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 15'

Column Name: ss_demographics_freetxt_40_2
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 2

Column Name: ss_demographics_freetxt_40_3
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 3

Column Name: ss_demographics_freetxt_40_4
Column Type: varchar

Max Length: 40
SS Demographics Free Text (40) 4

Column Name: ss_demographics_freetxt_40_5
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 5

Column Name: ss_demographics_freetxt_40_6
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 6'

Column Name: ss_demographics_freetxt_40_7
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 7'

Column Name: ss_demographics_freetxt_40_8
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 8'

Column Name: ss_demographics_freetxt_40_9
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 9'

Column Name: ss_demographics_free_txt_5
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 5

Column Name: ss_demographics_free_txt_6
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 6'

Column Name: ss_demographics_free_txt_7
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 7'

Column Name: ss_demographics_free_txt_8
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 8'

Column Name: ss_demographics_freetxt_80_1
Column Type: varchar

Max Length: 80
'SS Demographics Free Text (80) 1'

Column Name: ss_demographics_freetxt_80_10
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 10'

Column Name: ss_demographics_freetxt_80_2
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 2'

Column Name: ss_demographics_freetxt_80_3
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 3'

Column Name: ss_demographics_freetxt_80_4
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 4'

Column Name: ss_demographics_freetxt_80_5
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 5'

Column Name: ss_demographics_freetxt_80_6
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 6'

Column Name: ss_demographics_freetxt_80_7
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 7'

Column Name: ss_demographics_freetxt_80_8
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 8'

Column Name: ss_demographics_freetxt_80_9
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 9'

Column Name: ss_demographics_free_txt_9
Column Type: varchar

Max Length: 32766
SS Demographics Scrolling Free Text 9'

Column Name: ss_demographics_mult_10_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 10 Code

Column Name: ss_demographics_mult_10_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 10 Short Value

Column Name: ss_demographics_mult_10_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 10 Value

Column Name: ss_demographics_mult_11_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 11' Code

Column Name: ss_demographics_mult_11_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_11_code limited to 255 characters. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_11_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_11_code. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_12_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 12' Code

Column Name: ss_demographics_mult_12_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_12_code limited to 255 characters. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_12_value
Column Type: varchar
Max Length: 4096

The description associated with `ss_demographics_mult_12_code`. See `ss_demographics_mult_12_code` for more information.

Column Name: `ss_demographics_mult_13_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 13' Code

Column Name: `ss_demographics_mult_13_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_13_code` limited to 255 characters. See `ss_demographics_mult_13_code` for more information.

Column Name: `ss_demographics_mult_13_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_13_code`. See `ss_demographics_mult_13_code` for more information.

Column Name: `ss_demographics_mult_14_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 14' Code

Column Name: `ss_demographics_mult_14_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_14_code` limited to 255 characters. See `ss_demographics_mult_14_code` for more information.

Column Name: `ss_demographics_mult_14_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_14_code`. See `ss_demographics_mult_14_code` for more information.

Column Name: `ss_demographics_mult_15_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 15' Code

Column Name: `ss_demographics_mult_15_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_15_code` limited to 255 characters. See `ss_demographics_mult_15_code` for more information.

Column Name: `ss_demographics_mult_15_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_15_code`. See `ss_demographics_mult_15_code` for more information.

Column Name: `ss_demographics_mult_1_code`

Column Type: `varchar`

Max Length: 50

SS Demographics Multiple Select Dictionary 1 Code

Column Name: `ss_demographics_mult_1_shval`

Column Type: `varchar`

Max Length: 255

SS Demographics Multiple Select Dictionary 1 Short Value

Column Name: `ss_demographics_mult_1_value`

Column Type: `varchar`

Max Length: 4096

SS Demographics Multiple Select Dictionary 1 Value

Column Name: `ss_demographics_mult_2_code`

Column Type: `varchar`

Max Length: 50

SS Demographics Multiple Select Dictionary 2 Code

Column Name: `ss_demographics_mult_2_shval`

Column Type: `varchar`

Max Length: 255

SS Demographics Multiple Select Dictionary 2 Short Value

Column Name: `ss_demographics_mult_2_value`

Column Type: `varchar`

Max Length: 4096

SS Demographics Multiple Select Dictionary 2 Value

Column Name: `ss_demographics_mult_3_code`

Column Type: `varchar`

Max Length: 50

SS Demographics Multiple Select Dictionary 3 Code

Column Name: `ss_demographics_mult_3_shval`

Column Type: `varchar`

Max Length: 255

SS Demographics Multiple Select Dictionary 3 Short Value

Column Name: `ss_demographics_mult_3_value`

Column Type: `varchar`

Max Length: 4096

SS Demographics Multiple Select Dictionary 3 Value

Column Name: `ss_demographics_mult_4_code`

Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 4 Code

Column Name: ss_demographics_mult_4_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 4 Short Value

Column Name: ss_demographics_mult_4_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 4 Value

Column Name: ss_demographics_mult_5_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 5 Code

Column Name: ss_demographics_mult_5_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 5 Short Value

Column Name: ss_demographics_mult_5_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 5 Value

Column Name: ss_demographics_mult_6_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 6 Code

Column Name: ss_demographics_mult_6_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 6 Short Value

Column Name: ss_demographics_mult_6_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 6 Value

Column Name: ss_demographics_mult_7_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 7 Code

Column Name: ss_demographics_mult_7_shval

Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 7 Short Value

Column Name: ss_demographics_mult_7_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 7 Value

Column Name: ss_demographics_mult_8_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 8 Code

Column Name: ss_demographics_mult_8_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 8 Short Value

Column Name: ss_demographics_mult_8_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 8 Value

Column Name: ss_demographics_mult_9_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 9 Code

Column Name: ss_demographics_mult_9_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 9 Short Value

Column Name: ss_demographics_mult_9_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 9 Value

Column Name: ss_demographics_phone_1
Column Type: varchar
Max Length: 50
Site Specific Phone Number 1

Column Name: ss_demographics_phone_2
Column Type: varchar
Max Length: 50
Site Specific Phone Number 2

Column Name: ss_demographics_phone_3

Column Type: varchar
Max Length: 50
Site Specific Phone Number 3

Column Name: ss_demographics_phone_4
Column Type: varchar
Max Length: 50
Site Specific Phone Number 4

Column Name: ss_demographics_phone_5
Column Type: varchar
Max Length: 50
Site Specific Phone Number 5

Column Name: ss_demographics_staff_1
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 1

Column Name: ss_demographics_staff_2
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 2

Column Name: ss_demographics_staff_3
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 3

Column Name: ss_demographics_staff_4
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 4

Column Name: ss_demographics_staff_5
Column Type: varchar
Max Length: 20
SS Demographics Practitioner 5

Column Name: ss_demographics_time_1
Column Type: varchar
Max Length: 10
SS Demographics Time 1

Column Name: ss_demographics_time_2
Column Type: varchar
Max Length: 10
SS Demographics Time 2

Column Name: ss_demographics_time_3

Column Type: varchar
Max Length: 10
SS Demographics Time 3

Column Name: ss_demographics_time_4
Column Type: varchar
Max Length: 10
SS Demographics Time 4

Column Name: ss_demographics_time_5
Column Type: varchar
Max Length: 10
SS Demographics Time 5

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Call_Intake

Table Name: SYSTEM.patient_demographic_history

Table Description: Patient Demographic History

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: MPI_uniqueid
Column Type: varchar
Max Length: 12
MPI unique ID

Column Name: patient_name
Column Type: varchar

Max Length: 40
Patient Name

Column Name: sex_code
Column Type: varchar
Max Length: 5
Sex

Column Name: sex_value
Column Type: varchar
Max Length: 40
Sex

Column Name: ethnic_origin_code
Column Type: varchar
Max Length: 5
Ethnic Origin

Column Name: ethnic_origin_value
Column Type: varchar
Max Length: 255
Ethnic Origin

Column Name: date_of_birth
Column Type: date
Date Of Birth

Column Name: patient_street_1
Column Type: varchar
Max Length: 40
Patient's Address - Street

Column Name: patient_city
Column Type: varchar
Max Length: 20
Patients Address - City

Column Name: patient_state
Column Type: varchar
Max Length: 40
Patient's Address - State

Column Name: patient_county_code
Column Type: varchar
Max Length: 5
Patient's Address - County

Column Name: patient_county_value
Column Type: varchar
Max Length: 40

patient's Address - County

Column Name: patient_zipcode

Column Type: varchar

Max Length: 60

Patient's Address - Zipcode

Column Name: patient_home_phone

Column Type: varchar

Max Length: 60

Patient's Home Phone

Column Name: patient_street_2

Column Type: varchar

Max Length: 40

Patient's Address - Street 2

Column Name: data_entry_date

Column Type: date

Data Entry Date

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Data Entry By

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

Data Entry Time

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Data Entry By (Option)

Column Name: social_security_number

Column Type: varchar

Max Length: 15

SS Number (6)

Column Name: religion_code

Column Type: varchar

Max Length: 5

Client Religion (9)

Column Name: religion_value

Column Type: varchar

Max Length: 255

Religion Value (9)

Column Name: marital_status_code
Column Type: varchar
Max Length: 10
Marital status code (10)

Column Name: marital_status_value
Column Type: varchar
Max Length: 40
Marital Status Value (10)

Column Name: client_work_phone
Column Type: varchar
Max Length: 60
Work Phone

Column Name: maiden_name
Column Type: varchar
Max Length: 40
Maiden Name

Column Name: client_race_Code
Column Type: varchar
Max Length: 10
Client Race - Code (116)

Column Name: client_race_value
Column Type: varchar
Max Length: 40
Client Race - Value (116)

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
Facility Chart Number

Column Name: client_alias
Column Type: varchar
Max Length: 80
Client Alias

Column Name: employment_status_code
Column Type: varchar
Max Length: 10
Employment Status - Code (517)

Column Name: employment_status_value
Column Type: varchar
Max Length: 255
Employment Status - Value (517)

Column Name: occupation_code
Column Type: varchar
Max Length: 10
Occupation - Code (610)

Column Name: occupation_value
Column Type: varchar
Max Length: 255
Occupation - Value (610)

Column Name: education_code
Column Type: varchar
Max Length: 10
Education - Code (625)

Column Name: education_value
Column Type: varchar
Max Length: 255
education - Value (625)

Column Name: place_of_birth
Column Type: varchar
Max Length: 40
Place of Birth

Column Name: GUID
Column Type: varchar
Max Length: 50
GUID

Column Name: InfoScribLegacyID
Column Type: varchar
Max Length: 50
InfoScribLegacyID

Column Name: UTCTimestamp
Column Type: timestamp
UTCTimestamp

Column Name: address_start_date
Column Type: date
Address Start Date

Column Name: citizenship_code
Column Type: varchar
Max Length: 50
Citizenship

Column Name: citizenship_value

Column Type: varchar
Max Length: 50
Citizenship

Column Name: client_alias_10
Column Type: varchar
Max Length: 80
Client Alias 10

Column Name: client_alias_2
Column Type: varchar
Max Length: 80
Client Alias 2

Column Name: client_alias_3
Column Type: varchar
Max Length: 80
Client Alias 3

Column Name: client_alias_4
Column Type: varchar
Max Length: 80
Client Alias 4

Column Name: client_alias_5
Column Type: varchar
Max Length: 80
Client Alias 5

Column Name: client_alias_6
Column Type: varchar
Max Length: 80
Client Alias 6

Column Name: client_alias_7
Column Type: varchar
Max Length: 80
Client Alias 7

Column Name: client_alias_8
Column Type: varchar
Max Length: 80
Client Alias 8

Column Name: client_alias_9
Column Type: varchar
Max Length: 80
Client Alias 9

Column Name: client_conf_city

Column Type: varchar
Max Length: 50
Client Confidential Address - City

Column Name: client_conf_cntry_code
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Code

Column Name: client_conf_cntry_value
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Value

Column Name: client_conf_phone
Column Type: varchar
Max Length: 50
Client Confidential Address - Phone Number

Column Name: client_conf_state_code
Column Type: varchar
Max Length: 50
Client Confidential Address - State Code

Column Name: client_conf_state_value
Column Type: varchar
Max Length: 50
Client Confidential Address - State Value

Column Name: client_conf_street
Column Type: varchar
Max Length: 50
Client Confidential Address - Street

Column Name: client_conf_street2
Column Type: varchar
Max Length: 50
Client Confidential Address - Street 2

Column Name: client_conf_zipcode
Column Type: varchar
Max Length: 50
Client Confidential Address - Zip code

Column Name: client_email_addr
Column Type: varchar
Max Length: 50
Client's Email Address

Column Name: client_mail_city

Column Type: varchar
Max Length: 50
Client's Mailing Address - City

Column Name: client_mail_cntry_code
Column Type: varchar
Max Length: 50
Client's Mailing Address - Country

Column Name: client_mail_cntry_value
Column Type: varchar
Max Length: 50
Client's Mailing Address - Country

Column Name: client_mail_state_code
Column Type: varchar
Max Length: 50
Client's Mailing Address - State

Column Name: client_mail_state_value
Column Type: varchar
Max Length: 50
Client's Mailing Address - State

Column Name: client_mail_street
Column Type: varchar
Max Length: 50
Client's Mailing Address - Street 1

Column Name: client_mail_street2
Column Type: varchar
Max Length: 50
Client's Mailing Address - Street 2

Column Name: client_mail_zipcode
Column Type: varchar
Max Length: 50
Client's Mailing Address - Zip Code

Column Name: communication_pref_code
Column Type: varchar
Max Length: 50
Communication Preference Code

Column Name: communication_pref_value
Column Type: varchar
Max Length: 50
Communication Preference Value

Column Name: country_of_origin_code

Column Type: varchar
Max Length: 50
Country of Origin

Column Name: country_of_origin_value
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: decline_prov_code
Column Type: varchar
Max Length: 50
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_long
Column Type: varchar
Max Length: 4096
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_short
Column Type: varchar
Max Length: 255
Client Declined To Provide Information On The Following

Column Name: ethnic_origin_X_NRI_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI

Column Name: ethnic_origin_X_NRI_value
Column Type: varchar
Max Length: 255
Ethnic Origin X NRI

Column Name: eth_orig_X_NRI_2014_value
Column Type: varchar
Max Length: 255
Ethnic Origin X NRI 2014

Column Name: eth_orig_X_NRI_2014_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI 2014

Column Name: expected_due_date
Column Type: date
Expected Due Date

Column Name: external_mpi_id
Column Type: varchar
Max Length: 50
External MPI ID

Column Name: fam_agric_worker_code
Column Type: varchar
Max Length: 5
'Do you have family members that are agricultural workers?'

Column Name: fam_agric_worker_value
Column Type: varchar
Max Length: 40
description for 'Do you have family members that are agricultural workers?'

Column Name: former_agric_worker_code

Column Type: varchar

Max Length: 5

'Are you an aged and disabled former migratory agricultural worker?'

Column Name: former_agric_worker_value

Column Type: varchar

Max Length: 40

description for 'Are you an aged and disabled former migratory agricultural worker?'

Column Name: gender_identity_code

Column Type: varchar

Max Length: 5

Gender Identity code

Column Name: gender_identity_value

Column Type: varchar

Max Length: 40

Gender Identity value

Column Name: guarantor_1

Column Type: varchar

Max Length: 10

Guarantor 1

Column Name: guarantor_10

Column Type: varchar

Max Length: 10

Guarantor 10

Column Name: guarantor_2

Column Type: varchar

Max Length: 10

Guarantor 2

Column Name: guarantor_3

Column Type: varchar

Max Length: 10

Guarantor 3

Column Name: guarantor_4

Column Type: varchar

Max Length: 10

Guarantor 4

Column Name: guarantor_5

Column Type: varchar

Max Length: 10

Guarantor 5

Column Name: guarantor_6
Column Type: varchar
Max Length: 10
Guarantor 6

Column Name: guarantor_7
Column Type: varchar
Max Length: 10
Guarantor 7

Column Name: guarantor_8
Column Type: varchar
Max Length: 10
Guarantor 8

Column Name: guarantor_9
Column Type: varchar
Max Length: 10
Guarantor 9

Column Name: guarantor_name_1
Column Type: varchar
Max Length: 40
Guarantor Name 1

Column Name: guarantor_name_10
Column Type: varchar
Max Length: 40
Guarantor Name 10

Column Name: guarantor_name_2
Column Type: varchar
Max Length: 40
Guarantor Name 2

Column Name: guarantor_name_3
Column Type: varchar
Max Length: 40
Guarantor Name 3

Column Name: guarantor_name_4
Column Type: varchar
Max Length: 40
Guarantor Name 4

Column Name: guarantor_name_5
Column Type: varchar
Max Length: 40
Guarantor Name 5

Column Name: guarantor_name_6
Column Type: varchar
Max Length: 40
Guarantor Name 6

Column Name: guarantor_name_7
Column Type: varchar
Max Length: 40
Guarantor Name 7

Column Name: guarantor_name_8
Column Type: varchar
Max Length: 40
Guarantor Name 8

Column Name: guarantor_name_9
Column Type: varchar
Max Length: 40
Guarantor Name 9

Column Name: lactating_status_code
Column Type: varchar
Max Length: 50
Lactating Status

Column Name: lactating_status_value
Column Type: varchar
Max Length: 50

Column Name: marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
Marital Status X NRI

Column Name: marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
Marital Status X NRI

Column Name: medicaid_number
Column Type: varchar
Max Length: 20
Medicaid Number

Column Name: mothers_maiden_name
Column Type: varchar
Max Length: 100
Mother's Maiden Name

Column Name: name_qualifier_code
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: name_qualifier_value
Column Type: varchar
Max Length: 50
Name Qualifier

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 50
Option Identifier

Column Name: other_eth_org_code
Column Type: varchar
Max Length: 50
Other Ethnic Origin

Column Name: other_eth_org_value_long
Column Type: varchar
Max Length: 4096
Other Ethnic Origin

Column Name: other_eth_org_value_short
Column Type: varchar
Max Length: 255
Other Ethnic Origin

Column Name: other_lang_code
Column Type: varchar
Max Length: 50
Other Language

Column Name: other_lang_shval
Column Type: varchar
Max Length: 255
Other Language

Column Name: other_lang_val
Column Type: varchar
Max Length: 4096
Other Language

Column Name: other_race_code
Column Type: varchar
Max Length: 50
Other Race

Column Name: other_race_value_long
Column Type: varchar
Max Length: 4096
Other Race

Column Name: other_race_value_short
Column Type: varchar
Max Length: 255
Other Race

Column Name: patient_cell_phone
Column Type: varchar
Max Length: 60
Patient cell phone

Column Name: patient_country_code
Column Type: varchar
Max Length: 20
Patient Address Country Code

Column Name: patient_country_value
Column Type: varchar
Max Length: 40
Patient Address Country Value

Column Name: patient_name_first
Column Type: varchar
Max Length: 100
Patient Name First

Column Name: patient_name_last
Column Type: varchar
Max Length: 40
Patient Last Name

Column Name: patient_name_middle
Column Type: varchar
Max Length: 40
Patient Middle Name

Column Name: patient_name_prefix_code
Column Type: varchar
Max Length: 40
Patient Name Prefix Code

Column Name: patient_name_prefix_value
Column Type: varchar
Max Length: 40
Patient Name Prefix Value

Column Name: patient_name_suffix_code
Column Type: varchar
Max Length: 40
Patient Name Suffix Code

Column Name: patient_name_suffix_value
Column Type: varchar
Max Length: 40
Patient Name Suffix Value

Column Name: personal_pronouns
Column Type: varchar
Max Length: 40
'Personal Pronouns'

Column Name: policy_number_1
Column Type: varchar
Max Length: 20
policy number 1

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
policy number 10

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
policy number 2

Column Name: policy_number_3
Column Type: varchar
Max Length: 20
policy number 3

Column Name: policy_number_4
Column Type: varchar
Max Length: 20
policy number 4

Column Name: policy_number_5
Column Type: varchar
Max Length: 20
policy number 5

Column Name: policy_number_6
Column Type: varchar
Max Length: 20
policy number 6

Column Name: policy_number_7
Column Type: varchar
Max Length: 20
policy number 7

Column Name: policy_number_8
Column Type: varchar
Max Length: 20
policy number 8

Column Name: policy_number_9
Column Type: varchar
Max Length: 20
policy number 9

Column Name: preferred_name
Column Type: varchar
Max Length: 40
'Preferred Name'

Column Name: pref_prov_eth_org_code
Column Type: varchar
Max Length: 5
Preferred Provider's Ethnic origin

Column Name: pref_prov_eth_org_value
Column Type: varchar
Max Length: 255
Preferred Provider's Ethnic Origin value

Column Name: pref_prov_sex_code
Column Type: varchar
Max Length: 5
Preferred provider's sex

Column Name: pref_prov_sex_value
Column Type: varchar
Max Length: 15
Preferred provider's sex value

Column Name: pregnancy_status_code
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: pregnancy_status_value
Column Type: varchar
Max Length: 50
Pregnancy Status

Column Name: primary_language_code
Column Type: varchar
Max Length: 50
Primary Language

Column Name: primary_language_value
Column Type: varchar
Max Length: 50
Primary Language

Column Name: protection_indicator_code
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: protection_indicator_date
Column Type: date
Protection Indicator Effective Date

Column Name: protection_indicator_val
Column Type: varchar
Max Length: 50
Protection Indicator

Column Name: sex_orientation_code
Column Type: varchar
Max Length: 5
Sexual Orientation code

Column Name: sex_orientation_value
Column Type: varchar
Max Length: 40
Sex

Column Name: sex_X_NRI_code
Column Type: varchar
Max Length: 10
Sex X NRI

Column Name: sex_X_NRI_value
Column Type: varchar
Max Length: 40
Sex X NRI

Column Name: smoker_code

Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoker_value
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoking_stat_assess_date
Column Type: date
Smoking Status Assessment Date

Column Name: social_security_number_2
Column Type: varchar
Max Length: 15
SS Number 2 (6)

Column Name: social_security_number_3
Column Type: varchar
Max Length: 15
SS Number 3 (6)
Column Name: social_security_number_4
Column Type: varchar
Max Length: 15
SS Number 4 (6)

Column Name: ss_demographics_date_1
Column Type: date
SS Demographics Date 1

Column Name: ss_demographics_date_2
Column Type: date
SS Demographics Date 2

Column Name: ss_demographics_date_3
Column Type: date
SS Demographics Date 3

Column Name: ss_demographics_date_4
Column Type: date
SS Demographics Date 4

Column Name: ss_demographics_date_5
Column Type: date
SS Demographics Date 5

Column Name: ss_demographics_dict_10_code
Column Type: varchar
Max Length: 50

SS Demographics Single Select Dictionary 10 Code

Column Name: ss_demographics_dict_10_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 10 Value

Column Name: ss_demographics_dict_11_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 11 Code

Column Name: ss_demographics_dict_11_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 11 Value

Column Name: ss_demographics_dict_12_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 12 Code

Column Name: ss_demographics_dict_12_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 12 Value

Column Name: ss_demographics_dict_13_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 13 Code

Column Name: ss_demographics_dict_13_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 13 Value

Column Name: ss_demographics_dict_14_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 14 Code

Column Name: ss_demographics_dict_14_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 14 Value

Column Name: ss_demographics_dict_15_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 15 Code

Column Name: ss_demographics_dict_15_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 15 Value

Column Name: ss_demographics_dict_16_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 16' Code

Column Name: ss_demographics_dict_16_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_16_code. See ss_demographics_dict_16_code for more information.

Column Name: ss_demographics_dict_17_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 17' Code

Column Name: ss_demographics_dict_17_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_17_code. See ss_demographics_dict_17_code for more information.

Column Name: ss_demographics_dict_18_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 18' Code

Column Name: ss_demographics_dict_18_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_18_code. See ss_demographics_dict_18_code for more information.

Column Name: ss_demographics_dict_19_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 19' Code

Column Name: ss_demographics_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_19_code. See ss_demographics_dict_19_code for more information.

Column Name: ss_demographics_dict_1_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 1 Code

Column Name: ss_demographics_dict_1_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 1 Value

Column Name: ss_demographics_dict_20_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 20' Code

Column Name: ss_demographics_dict_20_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_20_code. See ss_demographics_dict_20_code for more information.

Column Name: ss_demographics_dict_2_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 2 Code

Column Name: ss_demographics_dict_2_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 2 Value

Column Name: ss_demographics_dict_3_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 3 Code

Column Name: ss_demographics_dict_3_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 3 Value

Column Name: ss_demographics_dict_4_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 4 Code

Column Name: ss_demographics_dict_4_value
Column Type: varchar
Max Length: 255

SS Demographics Single Select Dictionary 4 Value

Column Name: ss_demographics_dict_5_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 5 Code

Column Name: ss_demographics_dict_5_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 5 Value

Column Name: ss_demographics_dict_6_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 6 Code

Column Name: ss_demographics_dict_6_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 6 Value

Column Name: ss_demographics_dict_7_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 7 Code

Column Name: ss_demographics_dict_7_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 7 Value

Column Name: ss_demographics_dict_8_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 8 Code

Column Name: ss_demographics_dict_8_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 8 Value

Column Name: ss_demographics_dict_9_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 9 Code

Column Name: ss_demographics_dict_9_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 9 Value

Column Name: ss_demographics_free_txt_1
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 1

Column Name: ss_demographics_free_txt_10
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 10'

Column Name: ss_demographics_free_txt_11
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 11'

Column Name: ss_demographics_free_txt_12
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 12'

Column Name: ss_demographics_free_txt_13
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 13'

Column Name: ss_demographics_free_txt_14
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 14'

Column Name: ss_demographics_free_txt_15
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 15'

Column Name: ss_demographics_free_txt_2
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 2

Column Name: ss_demographics_freetxt_20_1
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 1

Column Name: ss_demographics_freetxt_20_10
Column Type: varchar
Max Length: 20

'SS Demographics Free Text (20) 10'

Column Name: ss_demographics_freetxt_20_11

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 11'

Column Name: ss_demographics_freetxt_20_12

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 12'

Column Name: ss_demographics_freetxt_20_13

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 13'

Column Name: ss_demographics_freetxt_20_14

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 14'

Column Name: ss_demographics_freetxt_20_15

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 15'

Column Name: ss_demographics_freetxt_20_2

Column Type: varchar

Max Length: 20

SS Demographics Free Text (20) 2

Column Name: ss_demographics_freetxt_20_3

Column Type: varchar

Max Length: 20

SS Demographics Free Text (20) 3

Column Name: ss_demographics_freetxt_20_4

Column Type: varchar

Max Length: 20

SS Demographics Free Text (20) 4

Column Name: ss_demographics_freetxt_20_5

Column Type: varchar

Max Length: 20

SS Demographics Free Text (20) 5

Column Name: ss_demographics_freetxt_20_6

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 6'

Column Name: ss_demographics_freetxt_20_7

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 7'

Column Name: ss_demographics_freetxt_20_8

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 8'

Column Name: ss_demographics_freetxt_20_9

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 9'

Column Name: ss_demographics_free_txt_3

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 3

Column Name: ss_demographics_free_txt_4

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 4

Column Name: ss_demographics_freetxt_40_1

Column Type: varchar

Max Length: 40

SS Demographics Free Text (40) 1

Column Name: ss_demographics_freetxt_40_10

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 10'

Column Name: ss_demographics_freetxt_40_11

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 11'

Column Name: ss_demographics_freetxt_40_12

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 12'

Column Name: ss_demographics_freetxt_40_13

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 13'

Column Name: ss_demographics_freetxt_40_14

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 14'

Column Name: ss_demographics_freetxt_40_15

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 15'

Column Name: ss_demographics_freetxt_40_2

Column Type: varchar

Max Length: 40

SS Demographics Free Text (40) 2

Column Name: ss_demographics_freetxt_40_3

Column Type: varchar

Max Length: 40

SS Demographics Free Text (40) 3

Column Name: ss_demographics_freetxt_40_4

Column Type: varchar

Max Length: 40

SS Demographics Free Text (40) 4

Column Name: ss_demographics_freetxt_40_5

Column Type: varchar

Max Length: 40

SS Demographics Free Text (40) 5

Column Name: ss_demographics_freetxt_40_6

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 6'

Column Name: ss_demographics_freetxt_40_7

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 7'

Column Name: ss_demographics_freetxt_40_8

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 8'

Column Name: ss_demographics_freetxt_40_9

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 9'

Column Name: ss_demographics_free_txt_5
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 5

Column Name: ss_demographics_free_txt_6
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 6'

Column Name: ss_demographics_free_txt_7
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 7'

Column Name: ss_demographics_free_txt_8
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 8'

Column Name: ss_demographics_freetxt_80_1
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 1'

Column Name: ss_demographics_freetxt_80_10
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 10'

Column Name: ss_demographics_freetxt_80_2
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 2'

Column Name: ss_demographics_freetxt_80_3
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 3'

Column Name: ss_demographics_freetxt_80_4
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 4'

Column Name: ss_demographics_freetxt_80_5
Column Type: varchar
Max Length: 80

'SS Demographics Free Text (80) 5'

Column Name: ss_demographics_freetxt_80_6

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 6'

Column Name: ss_demographics_freetxt_80_7

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 7'

Column Name: ss_demographics_freetxt_80_8

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 8'

Column Name: ss_demographics_freetxt_80_9

Column Type: varchar

Max Length: 80

'SS Demographics Free Text (80) 9'

Column Name: ss_demographics_free_txt_9

Column Type: varchar

Max Length: 32766

SS Demographics Scrolling Free Text 9'

Column Name: ss_demographics_mult_10_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 10 Code

Column Name: ss_demographics_mult_10_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 10 Short Value

Column Name: ss_demographics_mult_10_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 10 Value

Column Name: ss_demographics_mult_11_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 11' Code

Column Name: ss_demographics_mult_11_shval

Column Type: varchar

Max Length: 255

The description associated with `ss_demographics_mult_11_code` limited to 255 characters. See `ss_demographics_mult_11_code` for more information.

Column Name: `ss_demographics_mult_11_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_11_code`. See `ss_demographics_mult_11_code` for more information.

Column Name: `ss_demographics_mult_12_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 12' Code

Column Name: `ss_demographics_mult_12_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_12_code` limited to 255 characters. See `ss_demographics_mult_12_code` for more information.

Column Name: `ss_demographics_mult_12_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_12_code`. See `ss_demographics_mult_12_code` for more information.

Column Name: `ss_demographics_mult_13_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 13' Code

Column Name: `ss_demographics_mult_13_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_13_code` limited to 255 characters. See `ss_demographics_mult_13_code` for more information.

Column Name: `ss_demographics_mult_13_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_13_code`. See `ss_demographics_mult_13_code` for more information.

Column Name: `ss_demographics_mult_14_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 14' Code

Column Name: `ss_demographics_mult_14_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_14_code` limited to 255 characters. See `ss_demographics_mult_14_code` for more information.

Column Name: `ss_demographics_mult_14_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_14_code`. See `ss_demographics_mult_14_code` for more information.

Column Name: `ss_demographics_mult_15_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 15' Code

Column Name: `ss_demographics_mult_15_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_15_code` limited to 255 characters. See `ss_demographics_mult_15_code` for more information.

Column Name: `ss_demographics_mult_15_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_15_code`. See `ss_demographics_mult_15_code` for more information.

Column Name: `ss_demographics_mult_1_code`

Column Type: `varchar`

Max Length: 50

SS Demographics Multiple Select Dictionary 1 Code

Column Name: `ss_demographics_mult_1_shval`

Column Type: `varchar`

Max Length: 255

SS Demographics Multiple Select Dictionary 1 Short Value

Column Name: `ss_demographics_mult_1_value`

Column Type: `varchar`

Max Length: 4096

SS Demographics Multiple Select Dictionary 1 Value

Column Name: `ss_demographics_mult_2_code`

Column Type: `varchar`

Max Length: 50

SS Demographics Multiple Select Dictionary 2 Code

Column Name: `ss_demographics_mult_2_shval`

Column Type: `varchar`

Max Length: 255

SS Demographics Multiple Select Dictionary 2 Short Value

Column Name: ss_demographics_mult_2_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 2 Value

Column Name: ss_demographics_mult_3_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 3 Code

Column Name: ss_demographics_mult_3_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 3 Short Value

Column Name: ss_demographics_mult_3_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 3 Value

Column Name: ss_demographics_mult_4_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 4 Code

Column Name: ss_demographics_mult_4_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 4 Short Value

Column Name: ss_demographics_mult_4_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 4 Value

Column Name: ss_demographics_mult_5_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 5 Code

Column Name: ss_demographics_mult_5_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 5 Short Value

Column Name: ss_demographics_mult_5_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 5 Value

Column Name: ss_demographics_mult_6_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 6 Code

Column Name: ss_demographics_mult_6_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 6 Short Value

Column Name: ss_demographics_mult_6_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 6 Value

Column Name: ss_demographics_mult_7_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 7 Code

Column Name: ss_demographics_mult_7_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 7 Short Value

Column Name: ss_demographics_mult_7_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 7 Value

Column Name: ss_demographics_mult_8_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 8 Code

Column Name: ss_demographics_mult_8_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 8 Short Value

Column Name: ss_demographics_mult_8_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 8 Value

Column Name: ss_demographics_mult_9_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 9 Code

Column Name: ss_demographics_mult_9_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 9 Short Value

Column Name: ss_demographics_mult_9_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 9 Value

Column Name: ss_demographics_phone_1

Column Type: varchar

Max Length: 50

Site Specific Phone Number 1

Column Name: ss_demographics_phone_2

Column Type: varchar

Max Length: 50

Site Specific Phone Number 2

Column Name: ss_demographics_phone_3

Column Type: varchar

Max Length: 50

Site Specific Phone Number 3

Column Name: ss_demographics_phone_4

Column Type: varchar

Max Length: 50

Site Specific Phone Number 4

Column Name: ss_demographics_phone_5

Column Type: varchar

Max Length: 50

Site Specific Phone Number 5

Column Name: ss_demographics_staff_1

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 1

Column Name: ss_demographics_staff_2

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 2

Column Name: ss_demographics_staff_3

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 3

Column Name: ss_demographics_staff_4

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 4

Column Name: ss_demographics_staff_5

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 5

Column Name: ss_demographics_time_1

Column Type: varchar

Max Length: 10

SS Demographics Time 1

Column Name: ss_demographics_time_2

Column Type: varchar

Max Length: 10

SS Demographics Time 2

Column Name: ss_demographics_time_3

Column Type: varchar

Max Length: 10

SS Demographics Time 3

Column Name: ss_demographics_time_4

Column Type: varchar

Max Length: 10

SS Demographics Time 4

Column Name: ss_demographics_time_5

Column Type: varchar

Max Length: 10

SS Demographics Time 5

Documentation for form: Leave_Status_Change

Table Name: SYSTEM.leaves_history_outon

Table Description: Patient Leave History

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: LEA_uniqueid
Column Type: varchar
Max Length: 12
'LEA unique ID'

Column Name: leave_location_address
Column Type: varchar
Max Length: 40
'Leave Location Address'

Column Name: mode_of_transportation
Column Type: varchar
Max Length: 40
'Mode Of Transportation'

Column Name: date_guardian_notified
Column Type: date
'Date Guardian Notified'

Column Name: notified_by_whom
Column Type: varchar
Max Length: 40
'Notified By Whom?'

Column Name: type_of_outside_service
Column Type: varchar
Max Length: 40
'Type Of Outside Service'

Column Name: leave_comments
Column Type: varchar
Max Length: 32766
'Leave Comments'

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: data_entry_date
Column Type: date

'Data Entry Date'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

'Data Entry By'

Column Name: leave_date

Column Type: date

'Leave Date'

Column Name: leave_time

Column Type: varchar

Max Length: 10

'Leave Time'

Column Name: type_of_leave_code

Column Type: varchar

Max Length: 10

'Type Of Leave From' Code

Column Name: type_of_leave_value

Column Type: varchar

Max Length: 40

The description associated with type_of_leave_code. See type_of_leave_code for more information.

Column Name: reason_for_leave_code

Column Type: varchar

Max Length: 10

'Reason For Leave' Code

Column Name: reason_for_leave_value

Column Type: varchar

Max Length: 40

The description associated with reason_for_leave_code. See reason_for_leave_code for more information.

Column Name: leave_responsible_person

Column Type: varchar

Max Length: 40

'Leave Responsible Person'

Column Name: leave_location

Column Type: varchar

Max Length: 40

'Leave Location'

Column Name: leave_unit_from

Column Type: varchar

Max Length: 40

'Unit From'

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
'Data Entry Time'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
'Data Entry By Option'

Column Name: JOIN_TO_SSL_HISTORY
Column Type: varchar
Max Length: 40
'JOIN_TO_SSL_HISTORY'

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
'Data Entry Source (30015)'

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
'Data Entry User ID'

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
'Data Entry User Name'

Column Name: data_entry_utc

Column Type: timestamp
The UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 50
Option Identifier

Column Name: reason_for_leave_X_NRI_code
Column Type: varchar
Max Length: 10
'NRI Reason for Leave' Code

Column Name: reason_for_leave_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with reason_for_leave_X_NRI_code. See reason_for_leave_X_NRI_code for more information.

Column Name: type_of_leave_X_NRI_code
Column Type: varchar
Max Length: 10
'NRI Type of Leave' Code

Column Name: type_of_leave_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with type_of_leave_X_NRI_code. See type_of_leave_X_NRI_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Leave_Status_Change

Table Name: SYSTEM.site_specific_leave

Table Description: Site Specific Leave

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
'Facility'

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: data_entry_date
Column Type: date
'Data Entry Date'

Column Name: JOIN_TO_LEA_HISTORY
Column Type: varchar
Max Length: 40
'JOIN_TO_LEA_HISTORY'

Column Name: PATID
Column Type: varchar
Max Length: 20
'Patient ID'

Column Name: SSL_uniqueid
Column Type: varchar
Max Length: 20
'SSL unique ID'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
'Data Entry By'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
'Data Entry By'

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
'Data Entry Source (30015)'

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
'Data Entry Time'

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
'Data Entry User ID'

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
'Data Entry User Name'

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: ss_leave_date_1
Column Type: date
'SS Leave Date 1'

Column Name: ss_leave_date_2
Column Type: date
'SS Leave Date 2'

Column Name: ss_leave_date_3
Column Type: date
'SS Leave Date 3'

Column Name: ss_leave_date_4
Column Type: date
'SS Leave Date 4'

Column Name: ss_leave_date_5

Column Type: date
'SS Leave Date 5'

Column Name: ss_leave_dict_10_code
Column Type: varchar
Max Length: 20
'SS Leave Dictionary 10' Code

Column Name: ss_leave_dict_10_value
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_dict_10_code. See ss_leave_dict_10_code for more information.

Column Name: ss_leave_dict_1_code
Column Type: varchar
Max Length: 20
'SS Leave Dictionary 1' Code

Column Name: ss_leave_dict_1_value
Column Type: varchar
Max Length: 40
The description associated with ss_leave_dict_1_code. See ss_leave_dict_1_code for more information.

Column Name: ss_leave_dict_2_code
Column Type: varchar
Max Length: 20
'SS Leave Dictionary 2' Code

Column Name: ss_leave_dict_2_value
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_dict_2_code. See ss_leave_dict_2_code for more information.

Column Name: ss_leave_dict_3_code
Column Type: varchar
Max Length: 20
'SS Leave Dictionary 3' Code

Column Name: ss_leave_dict_3_value
Column Type: varchar
Max Length: 40
The description associated with ss_pre_adm_dict_3_code. See ss_leave_dict_3_code for more information.

Column Name: ss_leave_dict_4_code
Column Type: varchar
Max Length: 20
'SS Leave Dictionary 4' Code

Column Name: ss_leave_dict_4_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_4_code. See ss_leave_dict_4_code for more information.

Column Name: ss_leave_dict_5_code

Column Type: varchar

Max Length: 20

'SS Leave Dictionary 5' Code

Column Name: ss_leave_dict_5_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_5_code. See ss_leave_dict_5_code for more information.

Column Name: ss_leave_dict_6_code

Column Type: varchar

Max Length: 20

'SS Leave Dictionary 6' Code

Column Name: ss_leave_dict_6_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_6_code. See ss_leave_dict_6_code for more information.

Column Name: ss_leave_dict_7_code

Column Type: varchar

Max Length: 20

'SS Leave Dictionary 7' Code

Column Name: ss_leave_dict_7_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_7_code. See ss_leave_dict_7_code for more information.

Column Name: ss_leave_dict_8_code

Column Type: varchar

Max Length: 20

'SS Leave Dictionary 8' Code

Column Name: ss_leave_dict_8_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_8_code. See ss_leave_dict_8_code for more information.

Column Name: ss_leave_dict_9_code

Column Type: varchar

Max Length: 20

'SS Leave Dictionary 9' Code

Column Name: ss_leave_dict_9_value

Column Type: varchar

Max Length: 40

The description associated with ss_pre_adm_dict_9_code. See ss_leave_dict_9_code for more information.

Column Name: ss_leave_free_txt_1

Column Type: varchar

Max Length: 32766

'SS Leave Scrolling Free Text 1'

Column Name: ss_leave_free_txt_2

Column Type: varchar

Max Length: 32766

'SS Leave Scrolling Free Text 2'

Column Name: ss_leave_free_txt_3

Column Type: varchar

Max Length: 32766

'SS Leave Scrolling Free Text 3'

Column Name: ss_leave_free_txt_4

Column Type: varchar

Max Length: 32766

'SS Leave Scrolling Free Text 4'

Column Name: ss_leave_free_txt_5

Column Type: varchar

Max Length: 32766

'SS Leave Scrolling Free Text 5'

Column Name: ss_leave_mult_10_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 10' Code

Column Name: ss_leave_mult_10_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_10_code limited to 255 characters. See ss_leave_mult_10_code for more information.

Column Name: ss_leave_mult_10_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_10_code. See ss_leave_mult_10_code for more information.

Column Name: ss_leave_mult_1_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 1' Code

Column Name: ss_leave_mult_1_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_1_code limited to 255 characters. See ss_leave_mult_1_code for more information.

Column Name: ss_leave_mult_1_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_1_code. See ss_leave_mult_1_code for more information.

Column Name: ss_leave_mult_2_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 2' Code

Column Name: ss_leave_mult_2_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_2_code limited to 255 characters. See ss_leave_mult_2_code for more information.

Column Name: ss_leave_mult_2_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_2_code. See ss_leave_mult_2_code for more information.

Column Name: ss_leave_mult_3_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 3' Code

Column Name: ss_leave_mult_3_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_3_code limited to 255 characters. See ss_leave_mult_3_code for more information.

Column Name: ss_leave_mult_3_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_3_code. See ss_leave_mult_3_code for more information.

Column Name: ss_leave_mult_4_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 4' Code

Column Name: ss_leave_mult_4_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_4_code limited to 255 characters. See ss_leave_mult_4_code for more information.

Column Name: ss_leave_mult_4_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_4_code. See ss_leave_mult_4_code for more information.

Column Name: ss_leave_mult_5_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 5' Code

Column Name: ss_leave_mult_5_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_5_code limited to 255 characters. See ss_leave_mult_5_code for more information.

Column Name: ss_leave_mult_5_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_5_code. See ss_leave_mult_5_code for more information.

Column Name: ss_leave_mult_6_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 6' Code

Column Name: ss_leave_mult_6_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_6_code limited to 255 characters. See ss_leave_mult_6_code for more information.

Column Name: ss_leave_mult_6_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_6_code. See ss_leave_mult_6_code for more information.

Column Name: ss_leave_mult_7_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 7' Code

Column Name: ss_leave_mult_7_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_7_code limited to 255 characters. See ss_leave_mult_7_code for more information.

Column Name: ss_leave_mult_7_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_7_code. See ss_leave_mult_7_code for more information.

Column Name: ss_leave_mult_8_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 8' Code

Column Name: ss_leave_mult_8_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_8_code limited to 255 characters. See ss_leave_mult_8_code for more information.

Column Name: ss_leave_mult_8_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_8_code. See ss_leave_mult_8_code for more information.

Column Name: ss_leave_mult_9_code

Column Type: varchar

Max Length: 255

'SS Leave Multiple Select Dictionary 9' Code

Column Name: ss_leave_mult_9_shval

Column Type: varchar

Max Length: 255

The description associated with ss_leave_mult_9_code limited to 255 characters. See ss_leave_mult_9_code for more information.

Column Name: ss_leave_mult_9_value

Column Type: varchar

Max Length: 4096

The description associated with ss_leave_mult_9_code. See ss_leave_mult_9_code for more information.

Column Name: ss_leave_name_1

Column Type: varchar

Max Length: 60

'SS Leave Name 1'

Column Name: ss_leave_name_2

Column Type: varchar

Max Length: 60

'SS Leave Name 2'

Column Name: ss_leave_name_3
Column Type: varchar
Max Length: 60
'SS Leave Name 3'

Column Name: ss_leave_name_4
Column Type: varchar
Max Length: 60
'SS Leave Name 4'

Column Name: ss_leave_name_5
Column Type: varchar
Max Length: 60
'SS Leave Name 5'

Column Name: ss_leave_phone_1
Column Type: varchar
Max Length: 60
'SS Leave Phone 1'

Column Name: ss_leave_phone_2
Column Type: varchar
Max Length: 60
'SS Leave Phone 2'

Column Name: ss_leave_phone_3
Column Type: varchar
Max Length: 60
'SS Leave Phone 3'

Column Name: ss_leave_phone_4
Column Type: varchar
Max Length: 60
'SS Leave Phone 4'

Column Name: ss_leave_phone_5
Column Type: varchar
Max Length: 60
'SS Leave Phone 5'

Column Name: ss_leave_staff_1
Column Type: varchar
Max Length: 20
'SS Leave Practitioner 1'

Column Name: ss_leave_staff_2
Column Type: varchar
Max Length: 20
'SS Leave Practitioner 2'

Column Name: ss_leave_staff_3
Column Type: varchar
Max Length: 20
'SS Leave Practitioner 3'

Column Name: ss_leave_staff_4
Column Type: varchar
Max Length: 20
'SS Leave Practitioner 4'

Column Name: ss_leave_staff_5
Column Type: varchar
Max Length: 20
'SS Leave Practitioner 5'

Column Name: ss_leave_time_1
Column Type: varchar
Max Length: 10
'SS Leave Time 1'

Column Name: ss_leave_time_2
Column Type: varchar
Max Length: 10
'SS Leave Time 2'

Column Name: ss_leave_time_3
Column Type: varchar
Max Length: 10
'SS Leave Time 3'

Column Name: ss_leave_time_4
Column Type: varchar
Max Length: 10
'SS Leave Time 4'

Column Name: ss_leave_time_5
Column Type: varchar
Max Length: 10
'SS Leave Time 5'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Program_Transfer_(OutPatient)

Table Name: SYSTEM.episode_history

Table Description: This table returns Episode History.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPN_uniqueid

Column Type: varchar

Max Length: 10

EPN_uniqueid

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode

Column Name: program_code

Column Type: varchar

Max Length: 10

Program

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with the program_code. See program_code for more information.

Column Name: preadmit_admission_date

Column Type: date

Preadmit/Admission Date

Column Name: date_of_discharge

Column Type: date

Date Of Discharge

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: episode_select_for_query
Column Type: varchar
Max Length: 70
The field to use to select episodes in queries.

Column Name: v_patient_name
Column Type: varchar
Max Length: 100
Client name associated with the PATID.

Column Name: program_X_tx_setting_code
Column Type: varchar
Max Length: 10
Program Treatment Setting

Column Name: program_X_tx_setting_value
Column Type: varchar
Max Length: 40
The description associated with the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_RRG_code
Column Type: varchar
Max Length: 10
Program RRG Code

Column Name: program_X_type_code
Column Type: varchar
Max Length: 10
Program Type Code

Column Name: program_X_tax_id
Column Type: varchar
Max Length: 40
Program Tax ID

Column Name: program_X_street_address
Column Type: varchar
Max Length: 40

Program Street Address

Column Name: program_X_HCFA_POS

Column Type: varchar

Max Length: 40

Place Of Service (HCFA 24-B)

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

Program Location

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description associated with the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description associated with the program_X_type_code. See program_X_type_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description associated with the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: JOIN_TO_Enrollment

Column Type: integer

Join to Enrollment

Column Name: alert_access_options

Column Type: varchar

Max Length: 50

The description associated with the alert_access. See alert_access for more information.

Column Name: alert_access_type

Column Type: varchar

Max Length: 50

Alert Access Type

Column Name: data_entry_offset

Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: fill_gaps_code
Column Type: varchar
Max Length: 5
Program Fill gaps in service entry record for duration of service?

Column Name: fill_gaps_service_code
Column Type: varchar
Max Length: 50
Service Code to use to fill gaps

Column Name: fill_gaps_service_value
Column Type: varchar
Max Length: 50

The description associated with the fill_gaps_service_code. See fill_gaps_service_code for more information.

Column Name: fill_gaps_staff_id

Column Type: varchar

Max Length: 10

Program Service Practitioner to use to fill gaps

Column Name: fill_gaps_staff_name

Column Type: varchar

Max Length: 50

The description associated with the fill_gaps_staff_id. See fill_gaps_staff_id for more information.

Column Name: fill_gaps_value

Column Type: varchar

Max Length: 10

The description associated with the fill_gaps_code. See fill_gaps_code for more information.

Column Name: last_date_of_service

Column Type: date

Last Date Of Service

Column Name: program_X_city_state_zip

Column Type: varchar

Max Length: 40

Program City, State Zip

Column Name: program_X_HCO_ID

Column Type: varchar

Max Length: 40

Program HCO ID

Column Name: program_X_phone_number

Column Type: varchar

Max Length: 40

Program Phone Number

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Program_Transfer_(OutPatient)

Table Name: SYSTEM.history_patient_movement

Table Description: This table returns client episode movement information filed via the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: join_to_admission_data
Column Type: varchar
Max Length: 12
Joins table to admission data.

Column Name: join_to_discharge_data
Column Type: varchar
Max Length: 12
Joins table to discharge data.

Column Name: join_to_leave_history
Column Type: varchar
Max Length: 12
Joins table to leaves history out on.

Column Name: join_to_program_transfer
Column Type: varchar
Max Length: 50
Joins table to program transfer.

Column Name: join_to_return_from_leave
Column Type: varchar
Max Length: 12
Joins table to leaves history return.

Column Name: movement_date
Column Type: date
'Movement Date'

Column Name: movement_time
Column Type: varchar
Max Length: 10
'Movement Time'

Column Name: movement_type_code
Column Type: varchar
Max Length: 50
'Movement Type'

Column Name: movement_type_value
Column Type: varchar
Max Length: 20
The description associated with movement_type_code. See movement_type_code for more information.

Column Name: movementuniqueid
Column Type: varchar
Max Length: 12
A unique ID used to identify a row of data.

Column Name: program_from
Column Type: varchar
Max Length: 20
'Program From'

Column Name: program_from_value
Column Type: varchar
Max Length: 40
The description associated with program_from_code. See program_from_code for more information.

Column Name: program_to
Column Type: varchar
Max Length: 40
'Program To'

Column Name: program_to_value
Column Type: varchar
Max Length: 40
The description associated with program_to_code. See program_to_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Program_Transfer_(OutPatient)

Table Name: SYSTEM.program_active_clients

Table Description: This table returns active clients in each program code.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PROGRAM
Column Type: varchar
Max Length: 10
The program code in which the patient is active in.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: EPISODENUMBER
Column Type: integer
'Episode Number'

Documentation for form: Program_Transfer_(OutPatient)

Table Name: SYSTEM.view_episode_summary_current

Table Description: This table returns the information stored in the 'Admission', 'Back Dated Admission/Discharge', 'Discharge', 'Program Transfer', 'Pre-Admit', 'Pre-Admit Discharge', and 'Program Transfer (Outpatient)' forms.

Column Name: episode_active_only
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode Number'

Column Name: preadmit_admission_date

Column Type: date

'Preadmit/Admission Date'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: program_code

Column Type: varchar

Max Length: 10

The program code associated with the data.

Column Name: c_date_of_birth

Column Type: date

'Date Of Birth'

Column Name: c_age

Column Type: numeric

'Client Age'

Column Name: c_ss_number

Column Type: varchar

Max Length: 15

'Social Security Number'

Column Name: EPN_uniqueid

Column Type: varchar

Max Length: 50

A unique ID used to identify a row of data.

Column Name: c_address_state_code

Column Type: varchar

Max Length: 50

'Client's Address - State'

Column Name: c_address_state_value

Column Type: varchar

Max Length: 50

The description associated with c_address_state_code. See c_address_state_code for more information.

Column Name: c_address_str_1

Column Type: varchar

Max Length: 50

'Client's Address - Street 1'

Column Name: c_address_str_2

Column Type: varchar

Max Length: 50

'Client's Address - Street 2'

Column Name: c_admit_practitioner_id

Column Type: varchar

Max Length: 50

'Admitting Practitioner'

Column Name: c_admit_practitioner_name

Column Type: varchar

Max Length: 50

The admitting practitioner name associated with c_admit_practitioner_id.

Column Name: c_admit_source_of_code

Column Type: varchar

Max Length: 50

'Source of Admission'

Column Name: c_admit_source_of_value

Column Type: varchar

Max Length: 50

The description associated with c_admit_source_of_code. See c_admit_source_of_code for more information.

Column Name: c_admit_time_of

Column Type: varchar

Max Length: 50
'Preadmit/Admission Time'

Column Name: c_admit_type_of_code
Column Type: varchar
Max Length: 50
'Type Of Admission'

Column Name: c_admit_type_of_value
Column Type: varchar
Max Length: 50
The description associated with c_admit_type_of_code. See c_admit_type_of_code for more information.

Column Name: c_attend_practitioner_id
Column Type: varchar
Max Length: 50
'Attending Practitioner'

Column Name: c_attend_practitioner_name
Column Type: varchar
Max Length: 50
The name associated with c_attend_practitioner_id.

Column Name: c_city
Column Type: varchar
Max Length: 50
'Client's Address - City'

Column Name: c_country_code
Column Type: varchar
Max Length: 50
'Client's Address - Country'

Column Name: c_country_value
Column Type: varchar
Max Length: 50
The description associated with c_country_code. See c_country_code for more information.

Column Name: c_county_code
Column Type: varchar
Max Length: 50
'Client's Address - County'

Column Name: c_county_value
Column Type: varchar
Max Length: 50
The description associated with c_county_code. See c_county_code for more information.

Column Name: c_detail_age
Column Type: varchar

Max Length: 50
'Client Detail Age'

Column Name: c_ethnicity_code
Column Type: varchar
Max Length: 50
'Client Ethnicity'

Column Name: c_ethnicity_value
Column Type: varchar
Max Length: 50
The description associated with c_ethnicity_code. See c_ethnicity_code for more information.

Column Name: c_ethnicity_X_NRI_code
Column Type: varchar
Max Length: 10
'Client Ethnicity (NRI)'

Column Name: c_ethnicity_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with c_ethnicity_X_NRI_code. See c_ethnicity_X_NRI_code for more information.

Column Name: c_ethnic_X_NRI_2014_code
Column Type: varchar
Max Length: 10
'Client Ethnicity (NRI 2014)'

Column Name: c_ethnic_X_NRI_2014_value
Column Type: varchar
Max Length: 255
The description associated with c_ethnic_X_NRI_2014_code. See c_ethnic_X_NRI_2014_code for more information.

Column Name: c_legal_status_code
Column Type: varchar
Max Length: 50
'Client Legal Status'

Column Name: c_legal_status_value
Column Type: varchar
Max Length: 50
The description associated with c_legal_status_code. See c_legal_status_code for more information.

Column Name: c_leg_stat_X_NRI_2014_value
Column Type: varchar
Max Length: 40
The description associated with c_leg_stat_X_NRI_2014_code. See c_leg_stat_X_NRI_2014_code for more information.

Column Name: c_legal_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Legal Status (NRI)'

Column Name: c_legal_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_legal_status_X_NRI_code. See c_legal_status_X_NRI_code for more information.

Column Name: c_leg_stat_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'Client Legal Status (NRI 2014)'

Column Name: c_marital_status_code

Column Type: varchar

Max Length: 50

'Client Marital Status'

Column Name: c_marital_status_value

Column Type: varchar

Max Length: 50

The description associated with c_marital_status_code. See c_marital_status_code for more information.

Column Name: c_marital_status_X_NRI_code

Column Type: varchar

Max Length: 10

'Client Marital Status (NRI)'

Column Name: c_marital_status_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with c_marital_status_X_NRI_code. See c_marital_status_X_NRI_code for more information.

Column Name: c_principal_diagnosis_code

Column Type: varchar

Max Length: 50

'Client Principal Diagnosis'

Column Name: c_principal_diagnosis_value

Column Type: varchar

Max Length: 200

The description associated with c_principal_diagnosis_code. See c_principal_diagnosis_code for more information.

Column Name: c_race_code

Column Type: varchar
Max Length: 50
'Client Race'

Column Name: c_race_value
Column Type: varchar
Max Length: 50
The description associated with c_race_code. See c_race_code for more information.

Column Name: c_religion_code
Column Type: varchar
Max Length: 50
'Client Religion'

Column Name: c_religion_value
Column Type: varchar
Max Length: 50
The description associated with c_religion_code. See c_religion_code for more information.

Column Name: c_unit_code
Column Type: varchar
Max Length: 10
'Unit'

Column Name: c_unit_value
Column Type: varchar
Max Length: 50
The description associated with c_unit_code. See c_unit_code for more information.

Column Name: c_unit_X_NRI_code
Column Type: varchar
Max Length: 10
'Client Unit (NRI)'

Column Name: c_unit_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with c_unit_X_NRI_code. See c_unit_X_NRI_code for more information.

Column Name: c_zip
Column Type: varchar
Max Length: 60
'Client's Address - Zip'

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
'Facility Chart Number (148)'

Column Name: gender_identity_code
Column Type: varchar
Max Length: 20
'Gender Identity'

Column Name: gender_identity_value
Column Type: varchar
Max Length: 40
The description associated with gender_identity_code. See gender_identity_code for more information.

Column Name: last_date_of_service
Column Type: date
'Last Date Of Service'

Column Name: patient_gender_code
Column Type: varchar
Max Length: 50
'Gender'

Column Name: patient_gender_value
Column Type: varchar
Max Length: 50
The description associated with patient_gender_code. See patient_gender_code for more information.

Column Name: patient_gender_X_NRI_code
Column Type: varchar
Max Length: 10
'Gender (NRI)'

Column Name: patient_gender_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with patient_gender_X_NRI_code. See patient_gender_X_NRI_code for more information.

Column Name: patient_home_phone

Column Type: varchar
Max Length: 60
'Home Phone'

Column Name: patient_name
Column Type: varchar
Max Length: 100
'Client Name'

Column Name: patient_name_first
Column Type: varchar
Max Length: 50
'Client First Name'

Column Name: patient_name_last
Column Type: varchar
Max Length: 50
'Client Last Name'

Column Name: program_X_HCFA_POS
Column Type: varchar
Max Length: 50
'HCFA'

Column Name: program_X_RRG_code
Column Type: varchar
Max Length: 50
'RRG'

Column Name: program_X_RRG_value
Column Type: varchar
Max Length: 50
The description associated with program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_city_state_zip
Column Type: varchar
Max Length: 50
'City, State, Zip Code'

Column Name: program_X_dflt_location_code
Column Type: varchar
Max Length: 50
'Location'

Column Name: program_X_dflt_location_value
Column Type: varchar
Max Length: 50
The description associated with program_X_dflt_location_code. See program_X_dflt_location_code for more information.

Column Name: program_X_HCO_ID
Column Type: varchar
Max Length: 40
'HCO ID'

Column Name: program_X_phone_number
Column Type: varchar
Max Length: 50
'Phone Number'

Column Name: program_X_street_address
Column Type: varchar
Max Length: 50
'Street Address'

Column Name: program_X_tax_id
Column Type: varchar
Max Length: 50
'Tax ID'

Column Name: program_X_tx_service_code
Column Type: varchar
Max Length: 50
'Treatment Service'

Column Name: program_X_tx_service_value
Column Type: varchar
Max Length: 50
The description associated with program_X_tx_service_code. See program_X_tx_service_code for more information.

Column Name: program_X_tx_setting_code
Column Type: varchar
Max Length: 50
'Treatment Setting'

Column Name: program_X_tx_setting_value
Column Type: varchar
Max Length: 50
The description associated with program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_code
Column Type: varchar
Max Length: 50
'Type'

Column Name: program_X_type_value
Column Type: varchar
Max Length: 50

The description associated with program_X_type_code. See program_X_type_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description associated with program_code. See program_code for more information.

Column Name: sex_orientation_code

Column Type: varchar

Max Length: 20

The patient's sexual orientation code

Column Name: sex_orientation_value

Column Type: varchar

Max Length: 40

The description associated with sex_orientation_code. See sex_orientation_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Risk_Level_Update

Table Name: SYSTEM.risk_level_update_data

Table Description: Risk Level Update Data

Column Name: ID

Column Type: integer

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored. FACILITY

Column Name: PATID

Column Type: varchar

Max Length: 20

The client Id

Column Name: comment

Column Type: varchar

Max Length: 32700
The risk level change comment.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: date_of_change
Column Type: date
The date on which the risk level is being changed.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: reason_for_change_code

Column Type: varchar

Max Length: 40

The reason for risk level change code.

Column Name: reason_for_change_value

Column Type: varchar

Max Length: 80

The dictionary value of reasonForChangeCode.

Column Name: risk_level_code

Column Type: varchar

Max Length: 80

The risk level associated with the table entry. Same as riskLevelFromCode by default, same as riskLevelToCode if present.

Column Name: risk_level_from_code

Column Type: varchar

Max Length: 40

The prior risk level code.

Column Name: risk_level_from_value

Column Type: varchar

Max Length: 80

The dictionary value of riskLevelFromCode.

Column Name: risk_level_to_code

Column Type: varchar

Max Length: 40

The updated risk level code.

Column Name: risk_level_to_value

Column Type: varchar

Max Length: 80

The dictionary value of riskLevelToCode.

Column Name: risk_level_value

Column Type: varchar

Max Length: 80

The dictionary value of riskLevelCode.

Column Name: status_code

Column Type: varchar

Max Length: 40

The status code of the row. Used to void rows.

Column Name: status_value

Column Type: varchar

Max Length: 80

The dictionary value of status.

Documentation for form: Risk_Level_Update

Table Name: SYSTEM.risk_level_update_data_audit

Table Description: Risk Level Update Data Audit

Column Name: ID

Column Type: integer

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored. FACILITY

Column Name: JOIN_TO_CURRENT

Column Type: integer

A pointer to the Current value

Column Name: PATID

Column Type: varchar

Max Length: 20

The client Id

Column Name: comment

Column Type: varchar

Max Length: 32700

The risk level change comment.

Column Name: data_entry_action

Column Type: varchar

Max Length: 40

The action that was performed.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: date_of_change
Column Type: date
The date on which the risk level is being changed.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: reason_for_change_code
Column Type: varchar
Max Length: 40
The reason for risk level change code.

Column Name: reason_for_change_value
Column Type: varchar
Max Length: 80
The dictionary value of reasonForChangeCode.

Column Name: risk_level_code
Column Type: varchar

Max Length: 80

The risk level associated with the table entry. Same as riskLevelFromCode by default, same as riskLevelToCode if present.

Column Name: risk_level_from_code

Column Type: varchar

Max Length: 40

The prior risk level code.

Column Name: risk_level_from_value

Column Type: varchar

Max Length: 80

The dictionary value of riskLevelFromCode.

Column Name: risk_level_to_code

Column Type: varchar

Max Length: 40

The updated risk level code.

Column Name: risk_level_to_value

Column Type: varchar

Max Length: 80

The dictionary value of riskLevelToCode.

Column Name: risk_level_value

Column Type: varchar

Max Length: 80

The dictionary value of riskLevelCode.

Column Name: status_code

Column Type: varchar

Max Length: 40

The status code of the row. Used to void rows.

Column Name: status_value

Column Type: varchar

Max Length: 80

The dictionary value of status.

Documentation for form: Diagnosis

Table Name: [SYSTEM.Audit_client_diagnosis_record](#)

Table Description: This table returns the previously information stored in the 'Diagnosis' form.

Column Name: ID

Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: LINK_TO_HISTORIC
Column Type: varchar
Max Length: 50
A unique ID used to identify a row of data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: audit_data_entry_by
Column Type: varchar
Max Length: 50
The user who last updated the audit row.

Column Name: audit_data_entry_by_option
Column Type: varchar
Max Length: 50
The user who last updated the audit row.

Column Name: audit_data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row on the original SYSTEM.ccbhc_population_history table.

Column Name: audit_data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID that created the audit record.

Column Name: audit_data_entry_user_name
Column Type: varchar
Max Length: 50
The user name that created the audit record.

Column Name: audit_date
Column Type: date
The date the audit row was created.

Column Name: audit_option_desc
Column Type: varchar

Max Length: 255

The description of the form that created the audit row.

Column Name: audit_option_id

Column Type: varchar

Max Length: 50

The ID of the form that created the audit row.

Column Name: audit_time

Column Type: time

The time the audit row was created.

Column Name: axis_IV_eco_code

Column Type: varchar

Max Length: 5

'Axis IV: Economic'

Column Name: axis_IV_eco_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Economic Remarks'

Column Name: axis_IV_eco_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_eco_code. See axis_IV_eco_code for more information.

Column Name: axis_IV_educ_code

Column Type: varchar

Max Length: 5

'Axis IV: Educational'

Column Name: axis_IV_educ_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_educ_code. See axis_IV_educ_code for more information.

Column Name: axis_IV_edu_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Educational Remarks'

Column Name: axis_IV_health_serv_code

Column Type: varchar

Max Length: 5

'Axis IV: Health Care Services'

Column Name: axis_IV_health_serv_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Health Care Services Remarks'

Column Name: axis_IV_health_serv_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_health_serv_code. See axis_IV_health_serv_code for more information.

Column Name: axis_IV_housing_code

Column Type: varchar

Max Length: 5

'Axis IV: Housing'

Column Name: axis_IV_housing_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Housing Remarks'

Column Name: axis_IV_housing_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_housing_code. See axis_IV_housing_code for more information.

Column Name: axis_IV_legsys_code

Column Type: varchar

Max Length: 5

'Axis IV: Legal System/Crime'

Column Name: axis_IV_legsys_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Legal System/Crime Remarks'

Column Name: axis_IV_legsys_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_legsys_code. See axis_IV_legsys_code for more information.

Column Name: axis_IV_occ_code

Column Type: varchar

Max Length: 5

'Axis IV: Occupational'

Column Name: axis_IV_occ_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Occupational Remarks'

Column Name: axis_IV_occ_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_occ_code. See axis_IV_occ_code for more information.

Column Name: axis_IV_other_prob_code

Column Type: varchar

Max Length: 5

'Axis IV: Other Problems'

Column Name: axis_IV_other_prob_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Other Problems Remarks'

Column Name: axis_IV_other_prob_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_other_prob_code. See axis_IV_other_prob_code for more information.

Column Name: axis_IV_prim_sup_grp_code

Column Type: varchar

Max Length: 5

'Axis IV: Primary Support Group'

Column Name: axis_IV_prim_sup_grp_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Primary Support Group Remarks'

Column Name: axis_IV_prim_sup_grp_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_prim_sup_grp_code. See axis_IV_prim_sup_grp_code for more information.

Column Name: axis_IV_soc_env_code

Column Type: varchar

Max Length: 5

'Axis IV: Social Environment'

Column Name: axis_IV_soc_env_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Social Environment Remarks'

Column Name: axis_IV_soc_env_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_soc_env_code. See axis_IV_soc_env_code for more information.

Column Name: axis_V_gaf_code
Column Type: varchar
Max Length: 5
'Diagnosis - Axis V Current GAF Rating'

Column Name: axis_V_gaf_value
Column Type: varchar
Max Length: 90
The description associated with axis_V_gaf_code. See axis_V_gaf_code for more information.

Column Name: cgas_code
Column Type: varchar
Max Length: 20
'Children Global Assessment Scale (CGAS)'

Column Name: cgas_value
Column Type: varchar
Max Length: 40
The description associated with cgas_code. See cgas_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: date_of_diagnosis
Column Type: date
'Date Of Diagnosis'

Column Name: dc03_code
Column Type: varchar
Max Length: 20
'Diagnostic Classification Infancy and Early Childhood (DC03)'

Column Name: dc03_value
Column Type: varchar
Max Length: 40
The description associated with dc03_code. See dc03_code for more information.

Column Name: diagnosis_type_code
Column Type: varchar
Max Length: 5
'Type Of Diagnosis'

Column Name: diagnosis_type_value
Column Type: varchar
Max Length: 40
The description associated with diagnosis_type_code. See diagnosis_type_code for more information.

Column Name: drg10_code
Column Type: varchar
Max Length: 10
'DRG Code (ICD-10)'

Column Name: drg10_value
Column Type: varchar
Max Length: 50
The description associated with drg10_code. See drg10_code for more information.

Column Name: drg_code
Column Type: varchar
Max Length: 10
'DRG Code'

Column Name: drg_value
Column Type: varchar
Max Length: 50
The description associated with drg_code. See drg_code for more information.

Column Name: estimated_discharge_date
Column Type: date

'Estimated Discharge Date'

Column Name: gen_med_csi_code

Column Type: varchar

Max Length: 50

'General Medical Condition Summary Code (CSI)'

Column Name: gen_med_csi_value

Column Type: varchar

Max Length: 200

The description associated with gen_med_csi_code. See gen_med_csi_code for more information.

Column Name: la_diagnosis_unique_id

Column Type: varchar

Max Length: 40

LA diagnosis unique identifier.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 40

The unique ID of the form that last updated the row.

Column Name: original_record_id

Column Type: varchar

Max Length: 50

The link to original SYSTEM.client_diagnosis_record row ID.

Column Name: prev_12_mos_highlev_code

Column Type: varchar

Max Length: 5

'GAF - Highest Level Last 12 Months'

Column Name: prev_12_mos_highlev_value

Column Type: varchar

Max Length: 90

The description associated with prev_12_mos_highlev_code. See prev_12_mos_highlev_code for more information.

Column Name: prev_12_mos_lowlev_code

Column Type: varchar

Max Length: 5

'GAF - Lowest Level Last 12 Months'

Column Name: prev_12_mos_lowlev_value

Column Type: varchar

Max Length: 90

The description associated with prev_12_mos_lowlev_code. See prev_12_mos_lowlev_code for more information.

Column Name: prognosis

Column Type: varchar

Max Length: 500

'Prognosis'

Column Name: ss_diagnosis_date_1

Column Type: date

'SS Diagnosis Date 1'

Column Name: ss_diagnosis_date_2

Column Type: date

'SS Diagnosis Date 2'

Column Name: ss_diagnosis_date_3

Column Type: date

'SS Diagnosis Date 3'

Column Name: ss_diagnosis_date_4

Column Type: date

'SS Diagnosis Date 4'

Column Name: ss_diagnosis_date_5

Column Type: date

'SS Diagnosis Date 5'

Column Name: ss_diagnosis_dict_10_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 10'

Column Name: ss_diagnosis_dict_10_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_10_code. See ss_diagnosis_dict_10_code for more information.

Column Name: ss_diagnosis_dict_11_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 11'

Column Name: ss_diagnosis_dict_11_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_11_code. See ss_diagnosis_dict_11_code for more information.

Column Name: ss_diagnosis_dict_12_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 12'

Column Name: ss_diagnosis_dict_12_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_12_code. See ss_diagnosis_dict_12_code for more information.

Column Name: ss_diagnosis_dict_13_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 13'

Column Name: ss_diagnosis_dict_13_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_13_code. See ss_diagnosis_dict_13_code for more information.

Column Name: ss_diagnosis_dict_14_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 14'

Column Name: ss_diagnosis_dict_14_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_14_code. See ss_diagnosis_dict_14_code for more information.

Column Name: ss_diagnosis_dict_15_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 15'

Column Name: ss_diagnosis_dict_15_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_15_code. See ss_diagnosis_dict_15_code for more information.

Column Name: ss_diagnosis_dict_16_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 16'

Column Name: ss_diagnosis_dict_16_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_16_code. See ss_diagnosis_dict_16_code for more information.

Column Name: ss_diagnosis_dict_17_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 17'

Column Name: ss_diagnosis_dict_17_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_17_code. See ss_diagnosis_dict_17_code for more information.

Column Name: ss_diagnosis_dict_18_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 18'

Column Name: ss_diagnosis_dict_18_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_18_code. See ss_diagnosis_dict_18_code for more information.

Column Name: ss_diagnosis_dict_19_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 19'

Column Name: ss_diagnosis_dict_19_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_19_code. See ss_diagnosis_dict_19_code for more information.

Column Name: ss_diagnosis_dict_1_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 1'

Column Name: ss_diagnosis_dict_1_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_1_code. See ss_diagnosis_dict_1_code for more information.

Column Name: ss_diagnosis_dict_20_code
Column Type: varchar
Max Length: 20
'SS Diagnosis Dictionary 20'

Column Name: ss_diagnosis_dict_20_value
Column Type: varchar
Max Length: 40
The description associated with ss_diagnosis_dict_20_code. See ss_diagnosis_dict_20_code for more information.

Column Name: ss_diagnosis_dict_2_code
Column Type: varchar
Max Length: 20
'SS Diagnosis Dictionary 2'

Column Name: ss_diagnosis_dict_2_value
Column Type: varchar
Max Length: 40
The description associated with ss_diagnosis_dict_2_code. See ss_diagnosis_dict_2_code for more information.

Column Name: ss_diagnosis_dict_3_code
Column Type: varchar
Max Length: 20
'SS Diagnosis Dictionary 3'

Column Name: ss_diagnosis_dict_3_value
Column Type: varchar
Max Length: 40
The description associated with ss_diagnosis_dict_3_code. See ss_diagnosis_dict_3_code for more information.

Column Name: ss_diagnosis_dict_4_code
Column Type: varchar
Max Length: 20
'SS Diagnosis Dictionary 4'

Column Name: ss_diagnosis_dict_4_value
Column Type: varchar
Max Length: 40
The description associated with ss_diagnosis_dict_4_code. See ss_diagnosis_dict_4_code for more information.

Column Name: ss_diagnosis_dict_5_code
Column Type: varchar
Max Length: 20
'SS Diagnosis Dictionary 5'

Column Name: ss_diagnosis_dict_5_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_5_code. See ss_diagnosis_dict_5_code for more information.

Column Name: ss_diagnosis_dict_6_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 6'

Column Name: ss_diagnosis_dict_6_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_6_code. See ss_diagnosis_dict_6_code for more information.

Column Name: ss_diagnosis_dict_7_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 7'

Column Name: ss_diagnosis_dict_7_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_7_code. See ss_diagnosis_dict_7_code for more information.

Column Name: ss_diagnosis_dict_8_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 8'

Column Name: ss_diagnosis_dict_8_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_8_code. See ss_diagnosis_dict_8_code for more information.

Column Name: ss_diagnosis_dict_9_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 9'

Column Name: ss_diagnosis_dict_9_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_9_code. See ss_diagnosis_dict_9_code for more information.

Column Name: ss_diagnosis_freetxt_20_1

Column Type: varchar
Max Length: 20
'SS Diagnosis Free Text (20) 1'

Column Name: ss_diagnosis_freetxt_20_2
Column Type: varchar
Max Length: 20
'SS Diagnosis Free Text (20) 2'

Column Name: ss_diagnosis_freetxt_20_3
Column Type: varchar
Max Length: 20
'SS Diagnosis Free Text (20) 3'

Column Name: ss_diagnosis_freetxt_20_4
Column Type: varchar
Max Length: 20
'SS Diagnosis Free Text (20) 4'

Column Name: ss_diagnosis_freetxt_20_5
Column Type: varchar
Max Length: 20
'SS Diagnosis Free Text (20) 5'

Column Name: ss_diagnosis_freetxt_40_1
Column Type: varchar
Max Length: 40
'SS Diagnosis Free Text (40) 1'

Column Name: ss_diagnosis_freetxt_40_2
Column Type: varchar
Max Length: 40
'SS Diagnosis Free Text (40) 2'

Column Name: ss_diagnosis_freetxt_40_3
Column Type: varchar
Max Length: 40
'SS Diagnosis Free Text (40) 3'

Column Name: ss_diagnosis_freetxt_40_4
Column Type: varchar
Max Length: 40
'SS Diagnosis Free Text (40) 4'

Column Name: ss_diagnosis_freetxt_40_5
Column Type: varchar
Max Length: 40
'SS Diagnosis Free Text (40) 5'

Column Name: ss_diagnosis_mult_1_code

Column Type: varchar
Max Length: 255
'SS Diagnosis Multiple Select Dictionary 1'

Column Name: ss_diagnosis_mult_1_shval
Column Type: varchar
Max Length: 255
The description associated with ss_diagnosis_mult_1_code limited to 255 characters. See ss_diagnosis_mult_1_code for more information.

Column Name: ss_diagnosis_mult_1_value
Column Type: longvarchar
Max Length: 2147483647
The description associated with ss_diagnosis_mult_1_code. See ss_diagnosis_mult_1_code for more information.

Column Name: ss_diagnosis_mult_2_code
Column Type: varchar
Max Length: 255
'SS Diagnosis Multiple Select Dictionary 2'

Column Name: ss_diagnosis_mult_2_shval
Column Type: varchar
Max Length: 255
The description associated with ss_diagnosis_mult_2_code limited to 255 characters. See ss_diagnosis_mult_2_code for more information.

Column Name: ss_diagnosis_mult_2_value
Column Type: longvarchar
Max Length: 2147483647
The description associated with ss_diagnosis_mult_2_code. See ss_diagnosis_mult_2_code for more information.

Column Name: ss_diagnosis_mult_3_code
Column Type: varchar
Max Length: 255
'SS Diagnosis Multiple Select Dictionary 3'

Column Name: ss_diagnosis_mult_3_shval
Column Type: varchar
Max Length: 255
The description associated with ss_diagnosis_mult_3_code limited to 255 characters. See ss_diagnosis_mult_3_code for more information.

Column Name: ss_diagnosis_mult_3_value
Column Type: longvarchar
Max Length: 2147483647
The description associated with ss_diagnosis_mult_3_code. See ss_diagnosis_mult_3_code for more information.

Column Name: ss_diagnosis_mult_4_code
Column Type: varchar
Max Length: 255
'SS Diagnosis Multiple Select Dictionary 4'

Column Name: ss_diagnosis_mult_4_shval
Column Type: varchar
Max Length: 255
The description associated with ss_diagnosis_mult_4_code limited to 255 characters. See ss_diagnosis_mult_4_code for more information.

Column Name: ss_diagnosis_mult_4_value
Column Type: longvarchar
Max Length: 2147483647
The description associated with ss_diagnosis_mult_4_code. See ss_diagnosis_mult_4_code for more information.

Column Name: ss_diagnosis_mult_5_code
Column Type: varchar
Max Length: 255
'SS Diagnosis Multiple Select Dictionary 5'

Column Name: ss_diagnosis_mult_5_shval
Column Type: varchar
Max Length: 255
The description associated with ss_diagnosis_mult_5_code limited to 255 characters. See ss_diagnosis_mult_5_code for more information.

Column Name: ss_diagnosis_mult_5_value
Column Type: longvarchar
Max Length: 2147483647
The description associated with ss_diagnosis_mult_5_code. See ss_diagnosis_mult_5_code for more information.

Column Name: ss_diagnosis_time_1
Column Type: varchar
Max Length: 10
'SS Diagnosis Time 1'

Column Name: ss_diagnosis_time_2
Column Type: varchar
Max Length: 10
'SS Diagnosis Time 2'

Column Name: ss_diagnosis_time_3
Column Type: varchar
Max Length: 10
'SS Diagnosis Time 3'

Column Name: ss_diagnosis_time_4

Column Type: varchar
Max Length: 10
'SS Diagnosis Time 4'

Column Name: ss_diagnosis_time_5
Column Type: varchar
Max Length: 10
'SS Diagnosis Time 5'

Column Name: ss_diag_scrolling_text_1
Column Type: varchar
Max Length: 32768
'SS Diagnosis Scrolling Text 1'

Column Name: ss_diag_scrolling_text_2
Column Type: varchar
Max Length: 32768
'SS Diagnosis Scrolling Text 2'

Column Name: ss_diag_scrolling_text_3
Column Type: varchar
Max Length: 32768
'SS Diagnosis Scrolling Text 3'

Column Name: ss_diag_scrolling_text_4
Column Type: varchar
Max Length: 32768
'SS Diagnosis Scrolling Text 4'

Column Name: ss_diag_scrolling_text_5
Column Type: varchar
Max Length: 32768
'SS Diagnosis Scrolling Text 5'

Column Name: sub_ab_dep_csi_code
Column Type: varchar
Max Length: 50
'Substance Abuse / Dependence (CSI)'

Column Name: sub_ab_dep_csi_value
Column Type: varchar
Max Length: 50
The description associated with sub_ab_dep_csi_code. See sub_ab_dep_csi_code for more information.

Column Name: sub_dep_diag
Column Type: varchar
Max Length: 150
'Substance Abuse / Dependence Diagnosis (CSI)'

Column Name: sub_dep_icd10_diag

Column Type: varchar
Max Length: 150
'Substance Abuse / Dependence Diagnosis (CSI) [ICD-10]'

Column Name: sub_dep_icd10_diag_val
Column Type: varchar
Max Length: 150
The description associated with sub_dep_icd10_diag. See sub_dep_icd10_diag for more information.

Column Name: sub_dep_icd9_diag
Column Type: varchar
Max Length: 150

Column Name: sub_dep_icd9_diag_val
Column Type: varchar
Max Length: 150
The description associated with sub_dep_icd9_diag. See sub_dep_icd9_diag for more information.

Column Name: time_of_diagnosis
Column Type: varchar
Max Length: 40
'Time Of Diagnosis'

Column Name: trauma_csi_code
Column Type: varchar
Max Length: 50
'Trauma (CSI)'

Column Name: trauma_csi_value
Column Type: varchar
Max Length: 50
The description associated with trauma_csi_code. See trauma_csi_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Diagnosis

Table Name: SYSTEM.client_diagnosis_entry

Table Description: This table returns the history of client diagnoses.

Column Name: DiagnosisRecord

Column Type: integer
The 'DiagnosisRecord'

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The Episode Number

Column Name: FACILITY
Column Type: integer
The Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
The PATID

Column Name: add_prob_list_code
Column Type: varchar
Max Length: 20
The Add to Problem List Code

Column Name: add_prob_list_value
Column Type: varchar
Max Length: 40
The Add to Problem List Value
Column Name: axis_code
Column Type: varchar
Max Length: 50
The Axis Code

Column Name: axis_value
Column Type: varchar
Max Length: 50
The Axis Value

Column Name: billing_order
Column Type: varchar
Max Length: 50
The Billing Order

Column Name: classification_code
Column Type: varchar
Max Length: 50
The Classification Code

Column Name: classification_value
Column Type: varchar
Max Length: 50
The Classification Value

Column Name: clinical_search_term
Column Type: varchar
Max Length: 4096
The Clinical Search Term

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The Data Entry By Option

Column Name: data_entry_date
Column Type: date
The Data Entry Date

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The 'data_entry_source'

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The Data Entry Time

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The Date Entry User ID

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The Data Entry User Name

Column Name: date_resolved
Column Type: date
The Date Resolved

Column Name: diagnosing_clinician_code
Column Type: varchar

Max Length: 20
The Diagnosing Clinician Code

Column Name: diagnosing_clinician_value
Column Type: varchar
Max Length: 40
The Diagnosing Clinician Value

Column Name: diagnosis_status_code
Column Type: varchar
Max Length: 50
The Diagnosis Status Code

Column Name: diagnosis_status_value
Column Type: varchar
Max Length: 50
The Diagnosis Status Value

Column Name: first_ever_dx_code
Column Type: varchar
Max Length: 50
Is this the first ever diagnosis?

Column Name: first_ever_dx_value
Column Type: varchar
Max Length: 50
The description for 'Is this the first ever diagnosis?'

Column Name: icd_code
Column Type: varchar
Max Length: 50
The 'icd_code'

Column Name: imo_code
Column Type: varchar
Max Length: 50
The 'imo_code'

Column Name: imo_date
Column Type: varchar
Max Length: 50
The 'imo_date'

Column Name: la_row_id
Column Type: varchar
Max Length: 50
The DOCUMENTATION la_row_id - Populated from the 'LA Provider Integration Module' field "DiagnosisCodeEntryRowID" with the LA County Unique Row ID.

Column Name: onset_date

Column Type: date
The Onset Date

Column Name: onset_time
Column Type: varchar
Max Length: 50
The Onset Time

Column Name: option_desc
Column Type: varchar
Max Length: 80
The Option Description

Column Name: option_id
Column Type: varchar
Max Length: 40
The Option Id

Column Name: pc_diag_ongoing
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Ongoing

Column Name: pc_diag_rank_code
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Rank Code

Column Name: pc_diag_rank_value
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Rank Value

Column Name: pc_diag_severity_code
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Severity Code

Column Name: pc_diag_severity_value
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Severity Value

Column Name: pc_diag_status_code
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Status Code

Column Name: pc_diag_status_value
Column Type: varchar

Max Length: 50
The Primary Care Diagnosis Status Value

Column Name: pc_diag_terminated
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Terminated

Column Name: pc_diag_type_code
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Type Code

Column Name: pc_diag_type_value
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Type Value

Column Name: pclassification_code
Column Type: varchar
Max Length: 50
The Problem Classification Code

Column Name: pclassification_value
Column Type: varchar
Max Length: 50
The Problem Classification Value

Column Name: present_on_admission_code
Column Type: varchar
Max Length: 50
The Present On Admission Code

Column Name: present_on_admission_value
Column Type: varchar
Max Length: 50
The Present On Admission Value

Column Name: ranking_code
Column Type: varchar
Max Length: 50
The Ranking Code

Column Name: ranking_value
Column Type: varchar
Max Length: 50
The Ranking Value

Column Name: remarks
Column Type: varchar

Max Length: 32000

The Remarks

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: childsub

Column Type: integer

Documentation for form: Diagnosis

Table Name: SYSTEM.client_diagnosis_record

Table Description: This table returns the information stored in the 'Diagnosis' form.

Column Name: ID

Column Type: integer

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: LINK_TO_HISTORIC

Column Type: varchar

Max Length: 50

A unique ID used to identify a row of data.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: axis_IV_eco_code

Column Type: varchar

Max Length: 5

'Axis IV: Economic'

Column Name: axis_IV_eco_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Economic Remarks'

Column Name: axis_IV_eco_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_eco_code. See axis_IV_eco_code for more information.

Column Name: axis_IV_educ_code

Column Type: varchar

Max Length: 5

'Axis IV: Educational'

Column Name: axis_IV_educ_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_educ_code. See axis_IV_educ_code for more information.

Column Name: axis_IV_edu_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Educational Remarks'

Column Name: axis_IV_health_serv_code

Column Type: varchar

Max Length: 5

'Axis IV: Health Care Services'

Column Name: axis_IV_health_serv_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Health Care Services Remarks'

Column Name: axis_IV_health_serv_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_health_serv_code. See axis_IV_health_serv_code for more information.

Column Name: axis_IV_housing_code

Column Type: varchar

Max Length: 5

'Axis IV: Housing'

Column Name: axis_IV_housing_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Housing Remarks'

Column Name: axis_IV_housing_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_housing_code. See axis_IV_housing_code for more information.

Column Name: axis_IV_legsys_code

Column Type: varchar

Max Length: 5

'Axis IV: Legal System/Crime'

Column Name: axis_IV_legsys_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Legal System/Crime Remarks'

Column Name: axis_IV_legsys_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_legsys_code. See axis_IV_legsys_code for more information.

Column Name: axis_IV_occ_code

Column Type: varchar

Max Length: 5

'Axis IV: Occupational'

Column Name: axis_IV_occ_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Occupational Remarks'

Column Name: axis_IV_occ_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_occ_code. See axis_IV_occ_code for more information.

Column Name: axis_IV_other_prob_code

Column Type: varchar

Max Length: 5

'Axis IV: Other Problems'

Column Name: axis_IV_other_prob_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Other Problems Remarks'

Column Name: axis_IV_other_prob_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_other_prob_code. See axis_IV_other_prob_code for more information.

Column Name: axis_IV_prim_sup_grp_code

Column Type: varchar
Max Length: 5
'Axis IV: Primary Support Group'

Column Name: axis_IV_prim_sup_grp_remarks
Column Type: varchar
Max Length: 80
'Axis IV: Primary Support Group Remarks'

Column Name: axis_IV_prim_sup_grp_value
Column Type: varchar
Max Length: 40
The description associated with axis_IV_prim_sup_grp_code. See axis_IV_prim_sup_grp_code for more information.

Column Name: axis_IV_soc_env_code
Column Type: varchar
Max Length: 5
'Axis IV: Social Environment'

Column Name: axis_IV_soc_env_remarks
Column Type: varchar
Max Length: 80
'Axis IV: Social Environment Remarks'

Column Name: axis_IV_soc_env_value
Column Type: varchar
Max Length: 40
The description associated with axis_IV_soc_env_code. See axis_IV_soc_env_code for more information.

Column Name: axis_V_gaf_code
Column Type: varchar
Max Length: 5
'Diagnosis - Axis V Current GAF Rating'

Column Name: axis_V_gaf_value
Column Type: varchar
Max Length: 90
The description associated with axis_V_gaf_code. See axis_V_gaf_code for more information.

Column Name: cgas_code
Column Type: varchar
Max Length: 20
'Children Global Assessment Scale (CGAS)'

Column Name: cgas_value
Column Type: varchar
Max Length: 40
The description associated with cgas_code. See cgas_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_diagnosis

Column Type: date

'Date Of Diagnosis'

Column Name: dc03_code

Column Type: varchar

Max Length: 20

'Diagnostic Classification Infancy and Early Childhood (DC03)'

Column Name: dc03_value

Column Type: varchar

Max Length: 40

The description associated with dc03_code. See dc03_code for more information.

Column Name: diagnosis_type_code

Column Type: varchar

Max Length: 5

'Type Of Diagnosis'

Column Name: diagnosis_type_value

Column Type: varchar

Max Length: 40

The description associated with diagnosis_type_code. See diagnosis_type_code for more information.

Column Name: drg10_code

Column Type: varchar

Max Length: 10

'DRG Code (ICD-10)'

Column Name: drg10_value

Column Type: varchar

Max Length: 50

The description associated with drg10_code. See drg10_code for more information.

Column Name: drg_code

Column Type: varchar

Max Length: 10

'DRG Code'

Column Name: drg_value

Column Type: varchar

Max Length: 50

The description associated with drg_code. See drg_code for more information.

Column Name: estimated_discharge_date
Column Type: date
'Estimated Discharge Date'

Column Name: gen_med_csi_code
Column Type: varchar
Max Length: 50
'General Medical Condition Summary Code (CSI)'

Column Name: gen_med_csi_value
Column Type: varchar
Max Length: 200
The description associated with gen_med_csi_code. See gen_med_csi_code for more information.

Column Name: la_diagnosis_unique_id
Column Type: varchar
Max Length: 40
LA diagnosis unique identifier.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row.

Column Name: prev_12_mos_highlev_code
Column Type: varchar
Max Length: 5
'GAF - Highest Level Last 12 Months'

Column Name: prev_12_mos_highlev_value
Column Type: varchar
Max Length: 90
The description associated with prev_12_mos_highlev_code. See prev_12_mos_highlev_code for more information.

Column Name: prev_12_mos_lowlev_code
Column Type: varchar
Max Length: 5
'GAF - Lowest Level Last 12 Months'

Column Name: prev_12_mos_lowlev_value
Column Type: varchar
Max Length: 90
The description associated with prev_12_mos_lowlev_code. See prev_12_mos_lowlev_code for more information.

Column Name: prognosis
Column Type: varchar
Max Length: 4096
'Prognosis'

Column Name: ss_diagnosis_date_1
Column Type: date
'SS Diagnosis Date 1'

Column Name: ss_diagnosis_date_2
Column Type: date
'SS Diagnosis Date 2'

Column Name: ss_diagnosis_date_3
Column Type: date
'SS Diagnosis Date 3'

Column Name: ss_diagnosis_date_4
Column Type: date
'SS Diagnosis Date 4'

Column Name: ss_diagnosis_date_5
Column Type: date
'SS Diagnosis Date 5'

Column Name: ss_diagnosis_dict_10_code
Column Type: varchar
Max Length: 20
'SS Diagnosis Dictionary 10'

Column Name: ss_diagnosis_dict_10_value
Column Type: varchar
Max Length: 40
The description associated with ss_diagnosis_dict_10_code. See ss_diagnosis_dict_10_code for more information.

Column Name: ss_diagnosis_dict_11_code
Column Type: varchar
Max Length: 20
'SS Diagnosis Dictionary 11'

Column Name: ss_diagnosis_dict_11_value
Column Type: varchar
Max Length: 40
The description associated with ss_diagnosis_dict_11_code. See ss_diagnosis_dict_11_code for more information.

Column Name: ss_diagnosis_dict_12_code
Column Type: varchar
Max Length: 20

'SS Diagnosis Dictionary 12'

Column Name: ss_diagnosis_dict_12_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_12_code. See ss_diagnosis_dict_12_code for more information.

Column Name: ss_diagnosis_dict_13_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 13'

Column Name: ss_diagnosis_dict_13_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_13_code. See ss_diagnosis_dict_13_code for more information.

Column Name: ss_diagnosis_dict_14_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 14'

Column Name: ss_diagnosis_dict_14_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_14_code. See ss_diagnosis_dict_14_code for more information.

Column Name: ss_diagnosis_dict_15_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 15'

Column Name: ss_diagnosis_dict_15_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_15_code. See ss_diagnosis_dict_15_code for more information.

Column Name: ss_diagnosis_dict_16_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 16'

Column Name: ss_diagnosis_dict_16_value

Column Type: varchar

Max Length: 40

The description associated with `ss_diagnosis_dict_16_code`. See `ss_diagnosis_dict_16_code` for more information.

Column Name: `ss_diagnosis_dict_17_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 17'

Column Name: `ss_diagnosis_dict_17_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_17_code`. See `ss_diagnosis_dict_17_code` for more information.

Column Name: `ss_diagnosis_dict_18_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 18'

Column Name: `ss_diagnosis_dict_18_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_18_code`. See `ss_diagnosis_dict_18_code` for more information.

Column Name: `ss_diagnosis_dict_19_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 19'

Column Name: `ss_diagnosis_dict_19_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_19_code`. See `ss_diagnosis_dict_19_code` for more information.

Column Name: `ss_diagnosis_dict_1_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 1'

Column Name: `ss_diagnosis_dict_1_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_1_code`. See `ss_diagnosis_dict_1_code` for more information.

Column Name: `ss_diagnosis_dict_20_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 20'

Column Name: ss_diagnosis_dict_20_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_20_code. See ss_diagnosis_dict_20_code for more information.

Column Name: ss_diagnosis_dict_2_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 2'

Column Name: ss_diagnosis_dict_2_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_2_code. See ss_diagnosis_dict_2_code for more information.

Column Name: ss_diagnosis_dict_3_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 3'

Column Name: ss_diagnosis_dict_3_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_3_code. See ss_diagnosis_dict_3_code for more information.

Column Name: ss_diagnosis_dict_4_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 4'

Column Name: ss_diagnosis_dict_4_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_4_code. See ss_diagnosis_dict_4_code for more information.

Column Name: ss_diagnosis_dict_5_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 5'

Column Name: ss_diagnosis_dict_5_value

Column Type: varchar

Max Length: 40

The description associated with `ss_diagnosis_dict_5_code`. See `ss_diagnosis_dict_5_code` for more information.

Column Name: `ss_diagnosis_dict_6_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 6'

Column Name: `ss_diagnosis_dict_6_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_6_code`. See `ss_diagnosis_dict_6_code` for more information.

Column Name: `ss_diagnosis_dict_7_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 7'

Column Name: `ss_diagnosis_dict_7_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_7_code`. See `ss_diagnosis_dict_7_code` for more information.

Column Name: `ss_diagnosis_dict_8_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 8'

Column Name: `ss_diagnosis_dict_8_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_8_code`. See `ss_diagnosis_dict_8_code` for more information.

Column Name: `ss_diagnosis_dict_9_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 9'

Column Name: `ss_diagnosis_dict_9_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_9_code`. See `ss_diagnosis_dict_9_code` for more information.

Column Name: `ss_diagnosis_freetxt_20_1`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Free Text (20) 1'

Column Name: ss_diagnosis_freetxt_20_2

Column Type: varchar

Max Length: 20

'SS Diagnosis Free Text (20) 2'

Column Name: ss_diagnosis_freetxt_20_3

Column Type: varchar

Max Length: 20

'SS Diagnosis Free Text (20) 3'

Column Name: ss_diagnosis_freetxt_20_4

Column Type: varchar

Max Length: 20

'SS Diagnosis Free Text (20) 4'

Column Name: ss_diagnosis_freetxt_20_5

Column Type: varchar

Max Length: 20

'SS Diagnosis Free Text (20) 5'

Column Name: ss_diagnosis_freetxt_40_1

Column Type: varchar

Max Length: 40

'SS Diagnosis Free Text (40) 1'

Column Name: ss_diagnosis_freetxt_40_2

Column Type: varchar

Max Length: 40

'SS Diagnosis Free Text (40) 2'

Column Name: ss_diagnosis_freetxt_40_3

Column Type: varchar

Max Length: 40

'SS Diagnosis Free Text (40) 3'

Column Name: ss_diagnosis_freetxt_40_4

Column Type: varchar

Max Length: 40

'SS Diagnosis Free Text (40) 4'

Column Name: ss_diagnosis_freetxt_40_5

Column Type: varchar

Max Length: 40

'SS Diagnosis Free Text (40) 5'

Column Name: ss_diagnosis_mult_1_code

Column Type: varchar

Max Length: 255

'SS Diagnosis Multiple Select Dictionary 1'

Column Name: ss_diagnosis_mult_1_shval

Column Type: varchar

Max Length: 255

The description associated with ss_diagnosis_mult_1_code limited to 255 characters. See ss_diagnosis_mult_1_code for more information.

Column Name: ss_diagnosis_mult_1_value

Column Type: varchar

Max Length: 4096

The description associated with ss_diagnosis_mult_1_code. See ss_diagnosis_mult_1_code for more information.

Column Name: ss_diagnosis_mult_2_code

Column Type: varchar

Max Length: 255

'SS Diagnosis Multiple Select Dictionary 2'

Column Name: ss_diagnosis_mult_2_shval

Column Type: varchar

Max Length: 255

The description associated with ss_diagnosis_mult_2_code limited to 255 characters. See ss_diagnosis_mult_2_code for more information.

Column Name: ss_diagnosis_mult_2_value

Column Type: varchar

Max Length: 4096

The description associated with ss_diagnosis_mult_2_code. See ss_diagnosis_mult_2_code for more information.

Column Name: ss_diagnosis_mult_3_code

Column Type: varchar

Max Length: 255

'SS Diagnosis Multiple Select Dictionary 3'

Column Name: ss_diagnosis_mult_3_shval

Column Type: varchar

Max Length: 255

The description associated with ss_diagnosis_mult_3_code limited to 255 characters. See ss_diagnosis_mult_3_code for more information.

Column Name: ss_diagnosis_mult_3_value

Column Type: varchar

Max Length: 4096

The description associated with ss_diagnosis_mult_3_code. See ss_diagnosis_mult_3_code for more information.

Column Name: ss_diagnosis_mult_4_code

Column Type: varchar

Max Length: 255

'SS Diagnosis Multiple Select Dictionary 4'

Column Name: ss_diagnosis_mult_4_shval

Column Type: varchar

Max Length: 255

The description associated with ss_diagnosis_mult_4_code limited to 255 characters. See ss_diagnosis_mult_4_code for more information.

Column Name: ss_diagnosis_mult_4_value

Column Type: varchar

Max Length: 4096

The description associated with ss_diagnosis_mult_4_code. See ss_diagnosis_mult_4_code for more information.

Column Name: ss_diagnosis_mult_5_code

Column Type: varchar

Max Length: 255

'SS Diagnosis Multiple Select Dictionary 5'

Column Name: ss_diagnosis_mult_5_shval

Column Type: varchar

Max Length: 255

The description associated with ss_diagnosis_mult_5_code limited to 255 characters. See ss_diagnosis_mult_5_code for more information.

Column Name: ss_diagnosis_mult_5_value

Column Type: varchar

Max Length: 4096

The description associated with ss_diagnosis_mult_5_code. See ss_diagnosis_mult_5_code for more information.

Column Name: ss_diagnosis_time_1

Column Type: varchar

Max Length: 10

'SS Diagnosis Time 1'

Column Name: ss_diagnosis_time_2

Column Type: varchar

Max Length: 10

'SS Diagnosis Time 2'

Column Name: ss_diagnosis_time_3

Column Type: varchar

Max Length: 10

'SS Diagnosis Time 3'

Column Name: ss_diagnosis_time_4

Column Type: varchar

Max Length: 10

'SS Diagnosis Time 4'

Column Name: ss_diagnosis_time_5

Column Type: varchar

Max Length: 10

'SS Diagnosis Time 5'

Column Name: ss_diag_scrolling_text_1

Column Type: varchar

Max Length: 32768

'SS Diagnosis Scrolling Text 1'

Column Name: ss_diag_scrolling_text_2

Column Type: varchar

Max Length: 32768

'SS Diagnosis Scrolling Text 2'

Column Name: ss_diag_scrolling_text_3

Column Type: varchar

Max Length: 32768

'SS Diagnosis Scrolling Text 3'

Column Name: ss_diag_scrolling_text_4

Column Type: varchar

Max Length: 32768

'SS Diagnosis Scrolling Text 4'

Column Name: ss_diag_scrolling_text_5

Column Type: varchar

Max Length: 32768

'SS Diagnosis Scrolling Text 5'

Column Name: sub_ab_dep_csi_code

Column Type: varchar

Max Length: 50

'Substance Abuse / Dependence (CSI)'

Column Name: sub_ab_dep_csi_value

Column Type: varchar

Max Length: 50

The description associated with sub_ab_dep_csi_code. See sub_ab_dep_csi_code for more information.

Column Name: sub_dep_diag

Column Type: varchar

Max Length: 150

'Substance Abuse / Dependence Diagnosis (CSI)'

Column Name: sub_dep_icd10_diag

Column Type: varchar

Max Length: 150

'Substance Abuse / Dependence Diagnosis (CSI) [ICD-10]'

Column Name: sub_dep_icd10_diag_val

Column Type: varchar

Max Length: 150

The description associated with sub_dep_icd10_diag. See sub_dep_icd10_diag for more information.

Column Name: sub_dep_icd9_diag

Column Type: varchar

Max Length: 150

Column Name: sub_dep_icd9_diag_val

Column Type: varchar

Max Length: 150

The description associated with sub_dep_icd9_diag. See sub_dep_icd9_diag for more information.

Column Name: time_of_diagnosis

Column Type: varchar

Max Length: 40

'Time Of Diagnosis'

Column Name: trauma_csi_code

Column Type: varchar

Max Length: 50

'Trauma (CSI)'

Column Name: trauma_csi_value

Column Type: varchar

Max Length: 50

The description associated with trauma_csi_code. See trauma_csi_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Diagnosis

Table Name: [SYSTEM.pce_record_mapping](#)

Table Description: This table returns information on ProviderConnect Enterprise general record mappings (e.g., Diagnosis).

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored

Column Name: external_PATID

Column Type: varchar

Max Length: 20

The client ID used in the external PCE system.

Column Name: external_RECORD_ID

Column Type: varchar

Max Length: 100

The external record ID associated with the local record mapped here.

Column Name: local_EPISODE_NUMBER

Column Type: integer

The episode number used in the local system.

Column Name: local_PATID

Column Type: varchar

Max Length: 20

The client ID used in the local system.

Column Name: local_RECORD_ID

Column Type: varchar

Max Length: 100

The local ID of the data (NOTE: If the ID contains | it will be translated to ! to store in the index)

Column Name: managing_organization_ID

Column Type: integer

The external PCE organization.

Column Name: record_type

Column Type: varchar

Max Length: 50

The type of data being mapped here

Documentation for form: Enrollment_Diagnosis

Table Name: SYSTEM.client_diagnosis_entry

Table Description: This table returns the history of client diagnoses.

Column Name: DiagnosisRecord

Column Type: integer

The 'DiagnosisRecord'

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The Episode Number

Column Name: FACILITY
Column Type: integer
The Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
The PATID

Column Name: add_prob_list_code
Column Type: varchar
Max Length: 20
The Add to Problem List Code

Column Name: add_prob_list_value
Column Type: varchar
Max Length: 40
The Add to Problem List Value

Column Name: axis_code
Column Type: varchar
Max Length: 50
The Axis Code

Column Name: axis_value
Column Type: varchar
Max Length: 50
The Axis Value

Column Name: billing_order
Column Type: varchar
Max Length: 50
The Billing Order

Column Name: classification_code
Column Type: varchar
Max Length: 50
The Classification Code

Column Name: classification_value

Column Type: varchar
Max Length: 50
The Classification Value

Column Name: clinical_search_term
Column Type: varchar
Max Length: 4096
The Clinical Search Term

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The Data Entry By Option

Column Name: data_entry_date
Column Type: date
The Data Entry Date

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The 'data_entry_source'

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The Data Entry Time
Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The Date Entry User ID

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The Data Entry User Name

Column Name: date_resolved
Column Type: date
The Date Resolved

Column Name: diagnosing_clinician_code
Column Type: varchar
Max Length: 20
The Diagnosing Clinician Code

Column Name: diagnosing_clinician_value

Column Type: varchar

Max Length: 40

The Diagnosing Clinician Value

Column Name: diagnosis_status_code

Column Type: varchar

Max Length: 50

The Diagnosis Status Code

Column Name: diagnosis_status_value

Column Type: varchar

Max Length: 50

The Diagnosis Status Value

Column Name: first_ever_dx_code

Column Type: varchar

Max Length: 50

Is this the first ever diagnosis?

Column Name: first_ever_dx_value

Column Type: varchar

Max Length: 50

The description for 'Is this the first ever diagnosis?'

Column Name: icd_code

Column Type: varchar

Max Length: 50

The 'icd_code'

Column Name: imo_code

Column Type: varchar

Max Length: 50

The 'imo_code'

Column Name: imo_date

Column Type: varchar

Max Length: 50

The 'imo_date'

Column Name: la_row_id

Column Type: varchar

Max Length: 50

The DOCUMENTATION la_row_id - Populated from the 'LA Provider Integration Module' field "DiagnosisCodeEntryRowID" with the LA County Unique Row ID.

Column Name: onset_date

Column Type: date

The Onset Date

Column Name: onset_time
Column Type: varchar
Max Length: 50
The Onset Time

Column Name: option_desc
Column Type: varchar
Max Length: 80
The Option Description

Column Name: option_id
Column Type: varchar
Max Length: 40
The Option Id

Column Name: pc_diag_ongoing
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Ongoing

Column Name: pc_diag_rank_code
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Rank Code

Column Name: pc_diag_rank_value
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Rank Value

Column Name: pc_diag_severity_code
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Severity Code

Column Name: pc_diag_severity_value
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Severity Value

Column Name: pc_diag_status_code
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Status Code

Column Name: pc_diag_status_value
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Status Value

Column Name: pc_diag_terminated
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Terminated

Column Name: pc_diag_type_code
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Type Code

Column Name: pc_diag_type_value
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Type Value

Column Name: pclassification_code
Column Type: varchar
Max Length: 50
The Problem Classification Code

Column Name: pclassification_value
Column Type: varchar
Max Length: 50
The Problem Classification Value

Column Name: present_on_admission_code
Column Type: varchar
Max Length: 50
The Present On Admission Code

Column Name: present_on_admission_value
Column Type: varchar
Max Length: 50
The Present On Admission Value

Column Name: ranking_code
Column Type: varchar
Max Length: 50
The Ranking Code

Column Name: ranking_value
Column Type: varchar
Max Length: 50
The Ranking Value

Column Name: remarks
Column Type: varchar
Max Length: 32000
The Remarks

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: childsub

Column Type: integer

Documentation for form: Enrollment_Diagnosis

Table Name: SYSTEM.client_enroll_diag_entry

Table Description: This table returns the history of client enrollment diagnoses.

Column Name: DiagnosisRecord

Column Type: integer

The 'DiagnosisRecord'

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: ENROLLMENT_NUMBER

Column Type: integer

The enrollment number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored. Facility

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID.

Column Name: add_prob_list_code

Column Type: varchar

Max Length: 20

The Add to Problem List Code

Column Name: add_prob_list_value

Column Type: varchar

Max Length: 40

The Add to Problem List Value

Column Name: axis_code
Column Type: varchar
Max Length: 50
The Axis Code

Column Name: axis_value
Column Type: varchar
Max Length: 50
The Axis Value

Column Name: billing_order
Column Type: varchar
Max Length: 50
The Billing Order

Column Name: classification_code
Column Type: varchar
Max Length: 50
The Classification Code

Column Name: classification_value
Column Type: varchar
Max Length: 50
The Classification Value

Column Name: clinical_search_term
Column Type: varchar
Max Length: 4096
The Clinical Search Term

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: date_resolved
Column Type: date
The Date Resolved

Column Name: diagnosing_clinician_code
Column Type: varchar
Max Length: 20
The Diagnosing Clinician Code

Column Name: diagnosing_clinician_value
Column Type: varchar
Max Length: 40
The Diagnosing Clinician Value

Column Name: diagnosis_status_code
Column Type: varchar
Max Length: 50
The Diagnosis Status Code

Column Name: diagnosis_status_value
Column Type: varchar
Max Length: 50
The Diagnosis Status Value

Column Name: first_ever_dx_code
Column Type: varchar
Max Length: 50
Is this the first ever diagnosis?

Column Name: first_ever_dx_value
Column Type: varchar
Max Length: 50
The description for 'Is this the first ever diagnosis?'

Column Name: icd_code
Column Type: varchar
Max Length: 50
The 'icd_code'

Column Name: imo_code
Column Type: varchar
Max Length: 50
The 'imo_code'

Column Name: imo_date
Column Type: varchar
Max Length: 50
The 'imo_date'

Column Name: la_row_id
Column Type: varchar
Max Length: 50
Populated from the 'LA Provider Integration Module' field "DiagnosisCodeEntryRowID" with the LA County Unique Row ID.

Column Name: onset_date
Column Type: date
The Onset Date

Column Name: onset_time
Column Type: varchar
Max Length: 50
The Onset Time

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 40
Option Id

Column Name: pc_diag_ongoing
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Ongoing

Column Name: pc_diag_rank_code
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Rank Code

Column Name: pc_diag_rank_value
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Rank Value

Column Name: pc_diag_severity_code
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Severity Code

Column Name: pc_diag_severity_value
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Severity Value

Column Name: pc_diag_status_code
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Status Code

Column Name: pc_diag_status_value
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Status Value

Column Name: pc_diag_terminated
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Terminated

Column Name: pc_diag_type_code
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Type Code

Column Name: pc_diag_type_value
Column Type: varchar
Max Length: 50
The Primary Care Diagnosis Type Value

Column Name: pclassification_code
Column Type: varchar
Max Length: 50
The Problem Classification Code

Column Name: pclassification_value
Column Type: varchar
Max Length: 50
The Problem Classification Value

Column Name: present_on_admission_code
Column Type: varchar
Max Length: 50
The Present On Admission Code

Column Name: present_on_admission_value
Column Type: varchar
Max Length: 50
The Present On Admission Value

Column Name: ranking_code
Column Type: varchar
Max Length: 50
The Ranking Code

Column Name: ranking_value
Column Type: varchar
Max Length: 50
The Ranking Value

Column Name: remarks
Column Type: varchar
Max Length: 32000
Remarks

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: childsub
Column Type: integer

Documentation for form: Enrollment_Diagnosis

Table Name: SYSTEM.client_enroll_diag_record

Table Description: This table returns the information stored in the 'Enrollment Diagnosis' form.

Column Name: ID
Column Type: integer

Column Name: ENROLLMENT_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: LINK_TO_HISTORIC
Column Type: varchar
Max Length: 50
A unique ID used to identify a row of data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: axis_IV_eco_code
Column Type: varchar
Max Length: 5
'Axis IV: Economic'

Column Name: axis_IV_eco_remarks
Column Type: varchar
Max Length: 80
'Axis IV: Economic Remarks'

Column Name: axis_IV_eco_value
Column Type: varchar
Max Length: 40
The description associated with axis_IV_eco_code. See axis_IV_eco_code for more information.

Column Name: axis_IV_educ_code
Column Type: varchar
Max Length: 5
'Axis IV: Educational'

Column Name: axis_IV_educ_value
Column Type: varchar
Max Length: 40
The description associated with axis_IV_educ_code. See axis_IV_educ_code for more information.

Column Name: axis_IV_edu_remarks
Column Type: varchar
Max Length: 80
'Axis IV: Educational Remarks'

Column Name: axis_IV_health_serv_code
Column Type: varchar
Max Length: 5
'Axis IV: Health Care Services'

Column Name: axis_IV_health_serv_remarks
Column Type: varchar
Max Length: 80
'Axis IV: Health Care Services Remarks'

Column Name: axis_IV_health_serv_value
Column Type: varchar
Max Length: 40
The description associated with axis_IV_health_serv_code. See axis_IV_health_serv_code for more information.

Column Name: axis_IV_housing_code
Column Type: varchar
Max Length: 5
'Axis IV: Housing'

Column Name: axis_IV_housing_remarks
Column Type: varchar
Max Length: 80
'Axis IV: Housing Remarks'

Column Name: axis_IV_housing_value
Column Type: varchar
Max Length: 40
The description associated with axis_IV_housing_code. See axis_IV_housing_code for more information.

Column Name: axis_IV_legsys_code
Column Type: varchar
Max Length: 5
'Axis IV: Legal System/Crime'

Column Name: axis_IV_legsys_remarks
Column Type: varchar
Max Length: 80
'Axis IV: Legal System/Crime Remarks'

Column Name: axis_IV_legsys_value
Column Type: varchar
Max Length: 40
The description associated with axis_IV_legsys_code. See axis_IV_legsys_code for more information.

Column Name: axis_IV_occ_code
Column Type: varchar
Max Length: 5
'Axis IV: Occupational'

Column Name: axis_IV_occ_remarks
Column Type: varchar
Max Length: 80
'Axis IV: Occupational Remarks'

Column Name: axis_IV_occ_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_occ_code. See axis_IV_occ_code for more information.

Column Name: axis_IV_other_prob_code

Column Type: varchar

Max Length: 5

'Axis IV: Other Problems'

Column Name: axis_IV_other_prob_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Other Problems Remarks'

Column Name: axis_IV_other_prob_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_other_prob_code. See axis_IV_other_prob_code for more information.

Column Name: axis_IV_prim_sup_grp_code

Column Type: varchar

Max Length: 5

'Axis IV: Primary Support Group'

Column Name: axis_IV_prim_sup_grp_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Primary Support Group Remarks'

Column Name: axis_IV_prim_sup_grp_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_prim_sup_grp_code. See axis_IV_prim_sup_grp_code for more information.

Column Name: axis_IV_soc_env_code

Column Type: varchar

Max Length: 5

'Axis IV: Social Environment'

Column Name: axis_IV_soc_env_remarks

Column Type: varchar

Max Length: 80

'Axis IV: Social Environment Remarks'

Column Name: axis_IV_soc_env_value

Column Type: varchar

Max Length: 40

The description associated with axis_IV_soc_env_code. See axis_IV_soc_env_code for more information.

Column Name: axis_V_gaf_code

Column Type: varchar

Max Length: 5

'Diagnosis - Axis V Current GAF Rating'

Column Name: axis_V_gaf_value

Column Type: varchar

Max Length: 90

The description associated with axis_V_gaf_code. See axis_V_gaf_code for more information.

Column Name: cgas_code

Column Type: varchar

Max Length: 20

'Children Global Assessment Scale (CGAS)'

Column Name: cgas_value

Column Type: varchar

Max Length: 40

The description associated with cgas_code. See cgas_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: date_of_diagnosis
Column Type: date
'Date Of Diagnosis'

Column Name: dc03_code
Column Type: varchar
Max Length: 20
'Diagnostic Classification Infancy and Early Childhood (DC03)'

Column Name: dc03_value
Column Type: varchar
Max Length: 40
The description associated with dc03_code. See dc03_code for more information.

Column Name: diagnosis_type_code
Column Type: varchar
Max Length: 5
'Type Of Diagnosis'

Column Name: diagnosis_type_value
Column Type: varchar
Max Length: 40
The description associated with diagnosis_type_code. See diagnosis_type_code for more information.

Column Name: drg10_code
Column Type: varchar
Max Length: 10
'DRG Code (ICD-10)'

Column Name: drg10_value
Column Type: varchar
Max Length: 50
The description associated with drg10_code. See drg10_code for more information.

Column Name: drg_code
Column Type: varchar
Max Length: 10
'DRG Code'

Column Name: drg_value
Column Type: varchar
Max Length: 50
The description associated with drg_code. See drg_code for more information.

Column Name: estimated_discharge_date
Column Type: date
'Estimated Discharge Date'

Column Name: gen_med_csi_code
Column Type: varchar
Max Length: 50
'General Medical Condition Summary Code (CSI)'

Column Name: gen_med_csi_value
Column Type: varchar
Max Length: 200
The description associated with gen_med_csi_code. See gen_med_csi_code for more information.

Column Name: la_diagnosis_unique_id
Column Type: varchar
Max Length: 40
LA diagnosis unique identifier.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row.

Column Name: prev_12_mos_highlev_code
Column Type: varchar
Max Length: 5
'GAF - Highest Level Last 12 Months'

Column Name: prev_12_mos_highlev_value
Column Type: varchar
Max Length: 90
The description associated with prev_12_mos_highlev_code. See prev_12_mos_highlev_code for more information.

Column Name: prev_12_mos_lowlev_code
Column Type: varchar
Max Length: 5
'GAF - Lowest Level Last 12 Months'

Column Name: prev_12_mos_lowlev_value
Column Type: varchar
Max Length: 90
The description associated with prev_12_mos_lowlev_code. See prev_12_mos_lowlev_code for more information.

Column Name: prognosis
Column Type: varchar
Max Length: 4096
'Prognosis'

Column Name: ss_diagnosis_date_1
Column Type: date
'SS Diagnosis Date 1'

Column Name: ss_diagnosis_date_2
Column Type: date
'SS Diagnosis Date 2'

Column Name: ss_diagnosis_date_3
Column Type: date
'SS Diagnosis Date 3'

Column Name: ss_diagnosis_date_4
Column Type: date
'SS Diagnosis Date 4'

Column Name: ss_diagnosis_date_5
Column Type: date
'SS Diagnosis Date 5'

Column Name: ss_diagnosis_dict_10_code
Column Type: varchar
Max Length: 20
'SS Diagnosis Dictionary 10'

Column Name: ss_diagnosis_dict_10_value
Column Type: varchar
Max Length: 40
The description associated with ss_diagnosis_dict_10_code. See ss_diagnosis_dict_10_code for more information.

Column Name: ss_diagnosis_dict_11_code
Column Type: varchar
Max Length: 20
'SS Diagnosis Dictionary 11'

Column Name: ss_diagnosis_dict_11_value
Column Type: varchar
Max Length: 40
The description associated with ss_diagnosis_dict_11_code. See ss_diagnosis_dict_11_code for more information.

Column Name: ss_diagnosis_dict_12_code
Column Type: varchar

Max Length: 20
'SS Diagnosis Dictionary 12'

Column Name: ss_diagnosis_dict_12_value
Column Type: varchar
Max Length: 40
The description associated with ss_diagnosis_dict_12_code. See ss_diagnosis_dict_12_code for more information.

Column Name: ss_diagnosis_dict_13_code
Column Type: varchar
Max Length: 20
'SS Diagnosis Dictionary 13'

Column Name: ss_diagnosis_dict_13_value
Column Type: varchar
Max Length: 40
The description associated with ss_diagnosis_dict_13_code. See ss_diagnosis_dict_13_code for more information.

Column Name: ss_diagnosis_dict_14_code
Column Type: varchar
Max Length: 20
'SS Diagnosis Dictionary 14'

Column Name: ss_diagnosis_dict_14_value
Column Type: varchar
Max Length: 40
The description associated with ss_diagnosis_dict_14_code. See ss_diagnosis_dict_14_code for more information.

Column Name: ss_diagnosis_dict_15_code
Column Type: varchar
Max Length: 20
'SS Diagnosis Dictionary 15'

Column Name: ss_diagnosis_dict_15_value
Column Type: varchar
Max Length: 40
The description associated with ss_diagnosis_dict_15_code. See ss_diagnosis_dict_15_code for more information.

Column Name: ss_diagnosis_dict_16_code
Column Type: varchar
Max Length: 20
'SS Diagnosis Dictionary 16'

Column Name: ss_diagnosis_dict_16_value
Column Type: varchar
Max Length: 40

The description associated with `ss_diagnosis_dict_16_code`. See `ss_diagnosis_dict_16_code` for more information.

Column Name: `ss_diagnosis_dict_17_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 17'

Column Name: `ss_diagnosis_dict_17_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_17_code`. See `ss_diagnosis_dict_17_code` for more information.

Column Name: `ss_diagnosis_dict_18_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 18'

Column Name: `ss_diagnosis_dict_18_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_18_code`. See `ss_diagnosis_dict_18_code` for more information.

Column Name: `ss_diagnosis_dict_19_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 19'

Column Name: `ss_diagnosis_dict_19_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_19_code`. See `ss_diagnosis_dict_19_code` for more information.

Column Name: `ss_diagnosis_dict_1_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 1'

Column Name: `ss_diagnosis_dict_1_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_1_code`. See `ss_diagnosis_dict_1_code` for more information.

Column Name: `ss_diagnosis_dict_20_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 20'

Column Name: ss_diagnosis_dict_20_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_20_code. See ss_diagnosis_dict_20_code for more information.

Column Name: ss_diagnosis_dict_2_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 2'

Column Name: ss_diagnosis_dict_2_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_2_code. See ss_diagnosis_dict_2_code for more information.

Column Name: ss_diagnosis_dict_3_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 3'

Column Name: ss_diagnosis_dict_3_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_3_code. See ss_diagnosis_dict_3_code for more information.

Column Name: ss_diagnosis_dict_4_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 4'

Column Name: ss_diagnosis_dict_4_value

Column Type: varchar

Max Length: 40

The description associated with ss_diagnosis_dict_4_code. See ss_diagnosis_dict_4_code for more information.

Column Name: ss_diagnosis_dict_5_code

Column Type: varchar

Max Length: 20

'SS Diagnosis Dictionary 5'

Column Name: ss_diagnosis_dict_5_value

Column Type: varchar

Max Length: 40

The description associated with `ss_diagnosis_dict_5_code`. See `ss_diagnosis_dict_5_code` for more information.

Column Name: `ss_diagnosis_dict_6_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 6'

Column Name: `ss_diagnosis_dict_6_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_6_code`. See `ss_diagnosis_dict_6_code` for more information.

Column Name: `ss_diagnosis_dict_7_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 7'

Column Name: `ss_diagnosis_dict_7_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_7_code`. See `ss_diagnosis_dict_7_code` for more information.

Column Name: `ss_diagnosis_dict_8_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 8'

Column Name: `ss_diagnosis_dict_8_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_8_code`. See `ss_diagnosis_dict_8_code` for more information.

Column Name: `ss_diagnosis_dict_9_code`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Dictionary 9'

Column Name: `ss_diagnosis_dict_9_value`

Column Type: `varchar`

Max Length: 40

The description associated with `ss_diagnosis_dict_9_code`. See `ss_diagnosis_dict_9_code` for more information.

Column Name: `ss_diagnosis_freetxt_20_1`

Column Type: `varchar`

Max Length: 20

'SS Diagnosis Free Text (20) 1'

Column Name: ss_diagnosis_freetxt_20_2

Column Type: varchar

Max Length: 20

'SS Diagnosis Free Text (20) 2'

Column Name: ss_diagnosis_freetxt_20_3

Column Type: varchar

Max Length: 20

'SS Diagnosis Free Text (20) 3'

Column Name: ss_diagnosis_freetxt_20_4

Column Type: varchar

Max Length: 20

'SS Diagnosis Free Text (20) 4'

Column Name: ss_diagnosis_freetxt_20_5

Column Type: varchar

Max Length: 20

'SS Diagnosis Free Text (20) 5'

Column Name: ss_diagnosis_freetxt_40_1

Column Type: varchar

Max Length: 40

'SS Diagnosis Free Text (40) 1'

Column Name: ss_diagnosis_freetxt_40_2

Column Type: varchar

Max Length: 40

'SS Diagnosis Free Text (40) 2'

Column Name: ss_diagnosis_freetxt_40_3

Column Type: varchar

Max Length: 40

'SS Diagnosis Free Text (40) 3'

Column Name: ss_diagnosis_freetxt_40_4

Column Type: varchar

Max Length: 40

'SS Diagnosis Free Text (40) 4'

Column Name: ss_diagnosis_freetxt_40_5

Column Type: varchar

Max Length: 40

'SS Diagnosis Free Text (40) 5'

Column Name: ss_diagnosis_mult_1_code

Column Type: varchar

Max Length: 255

'SS Diagnosis Multiple Select Dictionary 1'

Column Name: ss_diagnosis_mult_1_shval

Column Type: varchar

Max Length: 255

The description associated with ss_diagnosis_mult_1_code limited to 255 characters. See ss_diagnosis_mult_1_code for more information.

Column Name: ss_diagnosis_mult_1_value

Column Type: varchar

Max Length: 4096

The description associated with ss_diagnosis_mult_1_code. See ss_diagnosis_mult_1_code for more information.

Column Name: ss_diagnosis_mult_2_code

Column Type: varchar

Max Length: 255

'SS Diagnosis Multiple Select Dictionary 2'

Column Name: ss_diagnosis_mult_2_shval

Column Type: varchar

Max Length: 255

The description associated with ss_diagnosis_mult_2_code limited to 255 characters. See ss_diagnosis_mult_2_code for more information.

Column Name: ss_diagnosis_mult_2_value

Column Type: varchar

Max Length: 4096

The description associated with ss_diagnosis_mult_2_code. See ss_diagnosis_mult_2_code for more information.

Column Name: ss_diagnosis_mult_3_code

Column Type: varchar

Max Length: 255

'SS Diagnosis Multiple Select Dictionary 3'

Column Name: ss_diagnosis_mult_3_shval

Column Type: varchar

Max Length: 255

The description associated with ss_diagnosis_mult_3_code limited to 255 characters. See ss_diagnosis_mult_3_code for more information.

Column Name: ss_diagnosis_mult_3_value

Column Type: varchar

Max Length: 4096

The description associated with ss_diagnosis_mult_3_code. See ss_diagnosis_mult_3_code for more information.

Column Name: ss_diagnosis_mult_4_code

Column Type: varchar

Max Length: 255

'SS Diagnosis Multiple Select Dictionary 4'

Column Name: ss_diagnosis_mult_4_shval

Column Type: varchar

Max Length: 255

The description associated with ss_diagnosis_mult_4_code limited to 255 characters. See ss_diagnosis_mult_4_code for more information.

Column Name: ss_diagnosis_mult_4_value

Column Type: varchar

Max Length: 4096

The description associated with ss_diagnosis_mult_4_code. See ss_diagnosis_mult_4_code for more information.

Column Name: ss_diagnosis_mult_5_code

Column Type: varchar

Max Length: 255

'SS Diagnosis Multiple Select Dictionary 5'

Column Name: ss_diagnosis_mult_5_shval

Column Type: varchar

Max Length: 255

The description associated with ss_diagnosis_mult_5_code limited to 255 characters. See ss_diagnosis_mult_5_code for more information.

Column Name: ss_diagnosis_mult_5_value

Column Type: varchar

Max Length: 4096

The description associated with ss_diagnosis_mult_5_code. See ss_diagnosis_mult_5_code for more information.

Column Name: ss_diagnosis_time_1

Column Type: varchar

Max Length: 10

'SS Diagnosis Time 1'

Column Name: ss_diagnosis_time_2

Column Type: varchar

Max Length: 10

'SS Diagnosis Time 2'

Column Name: ss_diagnosis_time_3

Column Type: varchar

Max Length: 10

'SS Diagnosis Time 3'

Column Name: ss_diagnosis_time_4

Column Type: varchar

Max Length: 10

'SS Diagnosis Time 4'

Column Name: ss_diagnosis_time_5

Column Type: varchar

Max Length: 10

'SS Diagnosis Time 5'

Column Name: ss_diag_scrolling_text_1

Column Type: varchar

Max Length: 32768

'SS Diagnosis Scrolling Text 1'

Column Name: ss_diag_scrolling_text_2

Column Type: varchar

Max Length: 32768

'SS Diagnosis Scrolling Text 2'

Column Name: ss_diag_scrolling_text_3

Column Type: varchar

Max Length: 32768

'SS Diagnosis Scrolling Text 3'

Column Name: ss_diag_scrolling_text_4

Column Type: varchar

Max Length: 32768

'SS Diagnosis Scrolling Text 4'

Column Name: ss_diag_scrolling_text_5

Column Type: varchar

Max Length: 32768

'SS Diagnosis Scrolling Text 5'

Column Name: sub_ab_dep_csi_code

Column Type: varchar

Max Length: 50

'Substance Abuse / Dependence (CSI)'

Column Name: sub_ab_dep_csi_value

Column Type: varchar

Max Length: 50

The description associated with sub_ab_dep_csi_code. See sub_ab_dep_csi_code for more information.

Column Name: sub_dep_diag

Column Type: varchar

Max Length: 150

'Substance Abuse / Dependence Diagnosis (CSI)'

Column Name: sub_dep_icd9_diag

Column Type: varchar

Max Length: 150

Column Name: time_of_diagnosis
Column Type: varchar
Max Length: 40
'Time Of Diagnosis'

Column Name: trauma_csi_code
Column Type: varchar
Max Length: 50
'Trauma (CSI)'

Column Name: trauma_csi_value
Column Type: varchar
Max Length: 50
The description associated with trauma_csi_code. See trauma_csi_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Delete_Last_Movement

Table Name: SYSTEM.audit_deleted_mvmt

Table Description: Delete Last Movement

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code where this is being defined in.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID.

Column Name: staff_name
Column Type: varchar
Max Length: 40
Deleted movement's associated staff name.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: STAFFID
Column Type: varchar
Max Length: 40
The staff ID associated with the data.

Column Name: data_control_identifier
Column Type: varchar
Max Length: 40
Data Control Identifier.

Column Name: deleted_by_user
Column Type: varchar
Max Length: 20
The user who deleted the movement.

Column Name: deleted_date
Column Type: date
Date of delete.

Column Name: deleted_time
Column Type: varchar
Max Length: 50
Time of delete.

Column Name: index1
Column Type: varchar
Max Length: 50
Deleted movement unique ID
Column Name: index2
Column Type: varchar
Max Length: 50
Deletion date and time (julian)

Column Name: mvmt_date
Column Type: date
Deleted movement's date.

Column Name: mvmt_time
Column Type: varchar
Max Length: 10
Deleted movement's time.

Column Name: mvmt_type_code
Column Type: varchar
Max Length: 5

Deleted movement's type code.

Column Name: mvmt_type_value

Column Type: varchar

Max Length: 20

Deleted movement's type value.

Column Name: patient_name

Column Type: varchar

Max Length: 100

Client Name

Column Name: program_code

Column Type: varchar

Max Length: 10

Deleted movement's program code.

Column Name: program_value

Column Type: varchar

Max Length: 50

Deleted movement's program value.

Column Name: treatment_setting_code

Column Type: varchar

Max Length: 3

Deleted movement's treatment setting code.

Column Name: treatment_setting_value

Column Type: varchar

Max Length: 15

Deleted movement's treatment setting value.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Delete_Last_Movement

Table Name: SYSTEM.program_active_clients

Table Description: This table returns active clients in each program code.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PROGRAM
Column Type: varchar
Max Length: 10
The program code in which the patient is active in.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: EPISODENUMBER
Column Type: integer
'Episode Number'

Documentation for form: Recurring_Client_Charge_Input

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID
Column Type: varchar
Max Length: 254
Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: total_closed_charges
Column Type: numeric
Total dollar amount for all closed services in the episode.

Column Name: total_open_charges
Column Type: numeric
Total dollar amount for all open services in the episode.

Column Name: total_payments
Column Type: numeric
Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance
Column Type: numeric
Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date
Column Type: date
The admission date for the client's episode.

Column Name: v_discharge_date
Column Type: date
The discharge date for the client's episode.

Column Name: v_program_code
Column Type: varchar
Max Length: 10
The program of admission for the client's episode.

Column Name: v_program_value
Column Type: varchar
Max Length: 40
The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code
Column Type: varchar
Max Length: 10
The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value
Column Type: varchar
Max Length: 40
The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name
Column Type: varchar
Max Length: 40
The client's name.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Recurring_Client_Charge_Input

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the service was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID for which the service is entered.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability

Column Type: numeric

The guarantor's liability.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The claim number assigned to a client's service.

Column Name: guarantor_total_payments

Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40

'Program'

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 10

'Practitioner'

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 100

The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value

Column Type: varchar

Max Length: 40

The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service'

Column Name: v_accounting_period

Column Type: date

The accounting period for the service.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the client ID.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date

Column Type: date

Date of entry

Column Name: v_claim_date

Column Type: date

'Date of Claim'

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc

Column Type: varchar

Max Length: 50

This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc

Column Type: varchar

Max Length: 50

This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: billing_units

Column Type: numeric

'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number

Column Type: varchar

Max Length: 50

'Claimed Authorization Number'

Column Name: date_of_svc_close

Column Type: date

'Date of Service Closed'

Column Name: re_bill_claim_number

Column Type: varchar

Max Length: 50

This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance

Column Type: double

Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level

Column Type: varchar

Max Length: 5

'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code

Column Type: varchar

Max Length: 10

'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value

Column Type: varchar

Max Length: 40

The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage

Column Type: varchar

Max Length: 10

'Sliding Fee Coverage'

Column Name: split_units

Column Type: numeric

'Split Units'

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration
Column Type: varchar
Max Length: 20
'Duration'

Column Name: v_location_code
Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers
Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form: Recurring_Client_Charge_Input

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge

Column Type: numeric

The full charge for the service.

Column Name: total_payments

Column Type: numeric

Total payments for service

Column Name: date_charge_closed

Column Type: date

Date the service was closed.

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period

Column Type: date

Accounting Period

Column Name: client_name

Column Type: varchar

Max Length: 40

The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date

Column Type: date
The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Recurring_Client_Charge_Input

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode of the service.

Column Name: FACILITY
Column Type: integer
The facility of the service.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID of the service.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code of the service.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique row id.

Column Name: program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
The practitioner ID of the service.

Column Name: duration
Column Type: numeric
The duration of the service.

Column Name: appointment_status_code
Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.
Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar
Max Length: 15
The number of clients in the group if this is a group service.

Column Name: cost_of_service

Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: co_staff_member_2
Column Type: varchar
Max Length: 20
The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
The original service code if the service is now deleted.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description for the program_code. See program_code for more information.

Column Name: appointment_status_value
Column Type: varchar
Max Length: 40
The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description for the location_code. See location_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 100
The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name of the PROVIDER_ID of the service.

Column Name: date_of_service

Column Type: date

The date of the service.

Column Name: billable_value

Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 15

'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code
Column Type: varchar
Max Length: 15
'Program Type' for the program_code of the service.

Column Name: program_X_location_value
Column Type: varchar
Max Length: 40
The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value
Column Type: varchar
Max Length: 40
The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value
Column Type: varchar
Max Length: 40
The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value
Column Type: varchar
Max Length: 40
The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name
Column Type: varchar
Max Length: 40
The name of the PATID of the service.

Column Name: age_on_date_of_service_
Column Type: numeric
The client's age at the time of service.
Column Name: appt_site_name
Column Type: varchar
Max Length: 40
The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC
Column Type: varchar
Max Length: 40
The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV
Column Type: varchar
Max Length: 100
The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID
Column Type: varchar
Max Length: 20
The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number
Column Type: varchar
Max Length: 15
The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20
Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Original Unique row id

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768
'Add-On Notes'.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
'Additional Service Information'.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program
Column Type: varchar
Max Length: 10
The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time
Column Type: varchar
Max Length: 50

The 'Appointment End Time' related to this service.

Column Name: appt_group_id

Column Type: varchar

Max Length: 50

The 'Group #' related to this service.

Column Name: apt_group_name

Column Type: varchar

Max Length: 40

The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id

Column Type: varchar

Max Length: 50

The 'Appointment Site' related to this service.

Column Name: appt_start_time

Column Type: varchar

Max Length: 50

The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code

Column Type: varchar

Max Length: 50

'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val

Column Type: varchar

Max Length: 50

The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

'Service Status'.

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units

Column Type: numeric

'Cal Billing Units'

Column Name: confidential_service_code

Column Type: varchar

Max Length: 50

'Confidential Service' from Avatar PH.

Column Name: confidential_service_val

Column Type: varchar

Max Length: 50

The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration

Column Type: numeric

'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member

Column Type: varchar

Max Length: 15

The 'Co-Practitioner' of the service.

Column Name: data_control_identifier

Column Type: varchar

Max Length: 40

'Data Control Identifier'.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_accident

Column Type: date

'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service

Column Type: date

Date To Bill Roll-Up Service.

Column Name: delay_reason_code

Column Type: varchar

Max Length: 15

'Delay Reason Code '.

Column Name: delay_reason_value

Column Type: varchar

Max Length: 50

The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc

Column Type: varchar

Max Length: 50

The client's age in days, months and years at the time of service.

Column Name: discipline_code

Column Type: varchar

Max Length: 255

'Discipline'.

Column Name: discipline_value

Column Type: varchar

Max Length: 255

The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code

Column Type: varchar

Max Length: 255

'Evidence Based Practices'

Column Name: ebps_sh_val

Column Type: varchar

Max Length: 255

'The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value

Column Type: varchar

Max Length: 4096

'The description associated with ebps_code. See ebps_code for more information.

Column Name: emergency_ind_code

Column Type: varchar

Max Length: 50

'Emergency Indicator'.

Column Name: emergency_ind_value

Column Type: varchar

Max Length: 50

The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time

Column Type: varchar

Max Length: 10

The end time of the service.

Column Name: fee_override_indicator

Column Type: varchar

Max Length: 50

Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date

Column Type: date

'First Billing Date'.

Column Name: has_global_period_flag

Column Type: varchar

Max Length: 15

This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id

Column Type: varchar

Max Length: 15

The incident-to practitioner ID.

Column Name: incident_to_pract_name

Column Type: varchar

Max Length: 40

The name of the incident-to practitioner.

Column Name: initial_treatment_date

Column Type: date

'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code
Column Type: varchar
Max Length: 5
Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value
Column Type: varchar
Max Length: 10
The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi
Column Type: bit
Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code
Column Type: varchar
Max Length: 5
Was this service created as an overage service.

Column Name: is_overage_service_value
Column Type: varchar
Max Length: 10
The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code
Column Type: varchar
Max Length: 5
Was this service created as a roll-up service.

Column Name: is_roll_up_service_value
Column Type: varchar
Max Length: 10
The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon
Column Type: varchar
Max Length: 40
Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 100
The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes
Column Type: varchar
Max Length: 32766
'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers
Column Type: varchar
Max Length: 50
'Modifiers'.

Column Name: mso_eob_number
Column Type: integer
The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code
Column Type: varchar
Max Length: 50
'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value
Column Type: varchar
Max Length: 50
The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837
Column Type: varchar
Max Length: 80
'Note Reference Text (837 Billing)'.

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes' from Avatar Appointment Scheduling.
Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code

Column Type: varchar
Max Length: 50
'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value
Column Type: varchar
Max Length: 50
The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by
Column Type: varchar
Max Length: 50
The username that first entered the service into the system.

Column Name: orig_entry_date
Column Type: date
The date the service was first entered into the system.

Column Name: orig_entry_option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time
Column Type: varchar
Max Length: 50
The time the service was first entered into the system.

Column Name: orig_entry_user
Column Type: varchar
Max Length: 50
The username that first entered the service into the system.

Column Name: orig_entry_user_id
Column Type: varchar
Max Length: 50
The user ID that first entered the service into the system.

Column Name: original_tx_code
Column Type: varchar
Max Length: 10
'Original Scheduled Service'.

Column Name: original_tx_value
Column Type: varchar
Max Length: 40
The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date
Column Type: date

'Orthodontic Banding Date'.

Column Name: primary_guarantor
Column Type: varchar
Max Length: 40
'Primary Guarantor'.

Column Name: prior_placement_date
Column Type: date
'Prior Placement Date'.

Column Name: prosth_crown_inlay_code
Column Type: varchar
Max Length: 50
'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value
Column Type: varchar
Max Length: 50
The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration
Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner'.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
The name of the referring_practitioner_code.
Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the referring_provider_code.

Column Name: related_causes_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value

Column Type: varchar

Max Length: 255

The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS

Column Type: varchar

Max Length: 40

The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc

Column Type: timestamp

the End of Service as UTC date and time.

Column Name: service_start_utc

Column Type: timestamp

the Start of Service as UTC date and time.

Column Name: service_status_code

Column Type: varchar

Max Length: 7

Is the service open or closed.

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone

Column Type: varchar

Max Length: 255

the timezone for the service used to determine the offset from UTC.

Column Name: start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: task_event_id

Column Type: varchar

Max Length: 40

The id of the task list event that created this service

Column Name: tooth_number

Column Type: varchar

Max Length: 50

'Tooth Number'.

Column Name: tooth_status_code

Column Type: varchar

Max Length: 50

'Tooth Status Code'.

Column Name: tooth_status_value

Column Type: varchar

Max Length: 50

The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code

Column Type: varchar

Max Length: 50

'Tooth Surface Code'.

Column Name: tooth_surface_shvalue

Column Type: varchar

Max Length: 255

The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value

Column Type: varchar

Max Length: 4096

The description for the tooth_surface_code. See tooth_surface_code for more information.

Column Name: total_duration_crisis_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Crisis".

Column Name: total_duration_other_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Other".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

Is this a transfer service.

Column Name: treatment_service_code

Column Type: varchar

Max Length: 50

'Treatment Service' for the program_code of the service.

Column Name: treatment_service_value

Column Type: varchar

Max Length: 50

The description for the treatment_service_code. See treatment_service_code for more information.

Column Name: units_of_service

Column Type: numeric

The units of the service.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_deleted_service_value

Column Type: varchar

Max Length: 40

The description for the deleted_service_code. See deleted_service_code for more information.

Documentation for form: Recurring_Client_Charge_Input

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: STAFFID

Column Type: varchar

Max Length: 10

The staff ID associated with the data.

Column Name: STREG_INDEX

Column Type: varchar

Max Length: 20

A unique ID used to identify a row of data.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code (10002)'

Column Name: location_code

Column Type: varchar

Max Length: 15

'Location (10006)'

Column Name: PATID

Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: program_code
Column Type: varchar
Max Length: 15
The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10
'Cost Of Service (19999)'

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
'Insurance Charge Category (10021)'

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code. See location_code for more information.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40
The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service
Column Type: date
'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
Joins table to treatment history.

Column Name: CO_STAFFID

Column Type: varchar
Max Length: 40
'Co Staffid (10007)'

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode (12345)'

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 40

The description associated with `medical_diagnosis2_code`. See `medical_diagnosis2_code` for more information.

Column Name: `medical_diag_1_icd10_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 1 ICD-10'

Column Name: `medical_diag_1_icd10_value`

Column Type: `varchar`

Max Length: 40

The description associated with `medical_diag_1_icd10_code`. See `medical_diag_1_icd10_code` for more information.

Column Name: `medical_diag_1_icd9_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: `medical_diag_1_icd9_value`

Column Type: `varchar`

Max Length: 40

The description associated with `medical_diag_1_icd9_code`. See `medical_diag_1_icd9_code` for more information.

Column Name: `medical_diag_1_imo_value`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: `medical_diag_2_icd10_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: `medical_diag_2_icd10_value`

Column Type: `varchar`

Max Length: 40

The description associated with `medical_diag_2_icd10_code`. See `medical_diag_2_icd10_code` for more information.

Column Name: `medical_diag_2_icd9_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: `medical_diag_2_icd9_value`

Column Type: `varchar`

Max Length: 40

The description associated with `medical_diag_2_icd9_code`. See `medical_diag_2_icd9_code` for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes Memo'

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes Text'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: provider_only_service

Column Type: integer

'Is this a provider only service?'

Column Name: referring_practitioner_code

Column Type: varchar

Max Length: 10

'Referring Practitioner Code'

Column Name: referring_practitioner_name

Column Type: varchar

Max Length: 50

'Referring Practitioner Name'

Column Name: referring_provider_code

Column Type: varchar

Max Length: 10

'Referring Provider Code'

Column Name: referring_provider_name

Column Type: varchar

Max Length: 50

'Referring Provider Name'

Column Name: start_time

Column Type: varchar

Max Length: 10

'Service Start Time (60021)'

Column Name: units_of_service

Column Type: numeric

'Units Of Service (10014)'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Recurring_Client_Charge_Input_(Charge_Fee_Access)

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: total_closed_charges
Column Type: numeric
Total dollar amount for all closed services in the episode.

Column Name: total_open_charges
Column Type: numeric
Total dollar amount for all open services in the episode.

Column Name: total_payments
Column Type: numeric
Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance
Column Type: numeric
Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date
Column Type: date

The admission date for the client's episode.

Column Name: v_discharge_date

Column Type: date

The discharge date for the client's episode.

Column Name: v_program_code

Column Type: varchar

Max Length: 10

The program of admission for the client's episode.

Column Name: v_program_value

Column Type: varchar

Max Length: 40

The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name

Column Type: varchar

Max Length: 40

The client's name.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Recurring_Client_Charge_Input_(Charge_Fee_Access)

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the service is entered.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability
Column Type: numeric
The guarantor's liability.

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 25
The claim number assigned to a client's service.

Column Name: guarantor_total_payments
Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40

'Program'

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 10

'Practitioner'

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 100

The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value

Column Type: varchar

Max Length: 40

The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service'

Column Name: v_accounting_period

Column Type: date

The accounting period for the service.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the client ID.

Column Name: v_PROVIDER_NAME
Column Type: varchar
Max Length: 40
The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date
Column Type: date
Date of entry

Column Name: v_claim_date
Column Type: date
'Date of Claim'

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid
Column Type: varchar
Max Length: 50
This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc
Column Type: varchar
Max Length: 50
This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc
Column Type: varchar
Max Length: 50
This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number

Column Type: varchar
Max Length: 50
'Authorization Number'

Column Name: billing_units
Column Type: numeric
'Billing Units'

Column Name: claimed_CER_uniqueid
Column Type: varchar
Max Length: 50
This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number
Column Type: varchar
Max Length: 50
'Claimed Authorization Number'

Column Name: date_of_svc_close
Column Type: date
'Date of Service Closed'

Column Name: re_bill_claim_number
Column Type: varchar
Max Length: 50
This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status
Column Type: varchar
Max Length: 50
This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value
Column Type: varchar
Max Length: 50
This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance
Column Type: double
Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level
Column Type: varchar
Max Length: 5
'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code
Column Type: varchar

Max Length: 10
'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value
Column Type: varchar
Max Length: 40
The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage
Column Type: varchar
Max Length: 10
'Sliding Fee Coverage'

Column Name: split_units
Column Type: numeric
'Split Units'

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration
Column Type: varchar
Max Length: 20
'Duration'

Column Name: v_location_code
Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers
Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form:

Recurring_Client_Charge_Input_(Charge_Fee_Access)

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the service was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge

Column Type: numeric

The full charge for the service.

Column Name: total_payments

Column Type: numeric

Total payments for service

Column Name: date_charge_closed

Column Type: date

Date the service was closed.

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period

Column Type: date

Accounting Period

Column Name: client_name

Column Type: varchar

Max Length: 40

The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date

Column Type: date

The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Recurring_Client_Charge_Input_(Charge_Fee_Access)

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: FACILITY

Column Type: integer

The facility of the service.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code of the service.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Unique row id.

Column Name: program_code

Column Type: varchar

Max Length: 15

The program of the service.

Column Name: PROVIDER_ID

Column Type: varchar

Max Length: 15
The practitioner ID of the service.

Column Name: duration
Column Type: numeric
The duration of the service.

Column Name: appointment_status_code
Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar
Max Length: 15
The number of clients in the group if this is a group service.

Column Name: cost_of_service
Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: co_staff_member_2
Column Type: varchar
Max Length: 20
The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
The original service code if the service is now deleted.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description for the program_code. See program_code for more information.

Column Name: appointment_status_value
Column Type: varchar
Max Length: 40
The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description for the location_code. See location_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 100
The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME
Column Type: varchar
Max Length: 40
The name of the PROVIDER_ID of the service.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: billable_value
Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 15

'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 15

'Program Type' for the program_code of the service.

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name

Column Type: varchar

Max Length: 40

The name of the PATID of the service.

Column Name: age_on_date_of_service_

Column Type: numeric

The client's age at the time of service.

Column Name: appt_site_name

Column Type: varchar

Max Length: 40

The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC

Column Type: varchar

Max Length: 40

The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Original Unique row id

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768
'Add-On Notes'.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
'Additional Service Information'.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program
Column Type: varchar
Max Length: 10
The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time
Column Type: varchar
Max Length: 50
The 'Appointment End Time' related to this service.

Column Name: appt_group_id
Column Type: varchar
Max Length: 50
The 'Group #' related to this service.

Column Name: apt_group_name
Column Type: varchar
Max Length: 40
The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id
Column Type: varchar
Max Length: 50
The 'Appointment Site' related to this service.

Column Name: appt_start_time
Column Type: varchar
Max Length: 50
The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code
Column Type: varchar
Max Length: 50
'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val
Column Type: varchar
Max Length: 50
The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'.

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units
Column Type: numeric
'Cal Billing Units'

Column Name: confidential_service_code
Column Type: varchar
Max Length: 50
'Confidential Service' from Avatar PH.

Column Name: confidential_service_val
Column Type: varchar
Max Length: 50
The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration
Column Type: numeric
'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member
Column Type: varchar
Max Length: 15
The 'Co-Practitioner' of the service.

Column Name: data_control_identifier

Column Type: varchar
Max Length: 40
'Data Control Identifier'.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.
Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_accident
Column Type: date
'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service

Column Type: date
Date To Bill Roll-Up Service.

Column Name: delay_reason_code
Column Type: varchar
Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc
Column Type: varchar
Max Length: 50
The client's age in days, months and years at the time of service.

Column Name: discipline_code
Column Type: varchar
Max Length: 255
'Discipline'.

Column Name: discipline_value
Column Type: varchar
Max Length: 255
The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: emergency_ind_code
Column Type: varchar
Max Length: 50
'Emergency Indicator'.

Column Name: emergency_ind_value
Column Type: varchar

Max Length: 50

The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time

Column Type: varchar

Max Length: 10

The end time of the service.

Column Name: fee_override_indicator

Column Type: varchar

Max Length: 50

Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date

Column Type: date

'First Billing Date'.

Column Name: has_global_period_flag

Column Type: varchar

Max Length: 15

This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id

Column Type: varchar

Max Length: 15

The incident-to practitioner ID.

Column Name: incident_to_pract_name

Column Type: varchar

Max Length: 40

The name of the incident-to practitioner.

Column Name: initial_treatment_date

Column Type: date

'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code

Column Type: varchar

Max Length: 5

Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value

Column Type: varchar

Max Length: 10

The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi

Column Type: bit

Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code
Column Type: varchar
Max Length: 5
Was this service created as an overage service.

Column Name: is_overage_service_value
Column Type: varchar
Max Length: 10
The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code
Column Type: varchar
Max Length: 5
Was this service created as a roll-up service.

Column Name: is_roll_up_service_value
Column Type: varchar
Max Length: 10
The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon
Column Type: varchar
Max Length: 40
Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value

Column Type: varchar

Max Length: 100

The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes
Column Type: varchar
Max Length: 32766
'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers
Column Type: varchar
Max Length: 50
'Modifiers'.

Column Name: mso_eob_number
Column Type: integer
The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code

Column Type: varchar
Max Length: 50
'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value
Column Type: varchar
Max Length: 50
The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837
Column Type: varchar
Max Length: 80
'Note Reference Text (837 Billing)'.

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code
Column Type: varchar
Max Length: 50
'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value
Column Type: varchar
Max Length: 50
The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by
Column Type: varchar
Max Length: 50
The username that first entered the service into the system.

Column Name: orig_entry_date

Column Type: date

The date the service was first entered into the system.

Column Name: orig_entry_option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time

Column Type: varchar

Max Length: 50

The time the service was first entered into the system.

Column Name: orig_entry_user

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_user_id

Column Type: varchar

Max Length: 50

The user ID that first entered the service into the system.

Column Name: original_tx_code

Column Type: varchar

Max Length: 10

'Original Scheduled Service'.

Column Name: original_tx_value

Column Type: varchar

Max Length: 40

The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date

Column Type: date

'Orthodontic Banding Date'.

Column Name: primary_guarantor

Column Type: varchar

Max Length: 40

'Primary Guarantor'.

Column Name: prior_placement_date

Column Type: date

'Prior Placement Date'.

Column Name: prosth_crown_inlay_code

Column Type: varchar

Max Length: 50

'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value

Column Type: varchar

Max Length: 50

The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration

Column Type: integer

'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code

Column Type: varchar

Max Length: 10

'Referring Practitioner'.

Column Name: referring_practitioner_name

Column Type: varchar

Max Length: 50

The name of the referring_practitioner_code.

Column Name: referring_provider_code

Column Type: varchar

Max Length: 10

'Referring Provider'.

Column Name: referring_provider_name

Column Type: varchar

Max Length: 50

The name of the referring_provider_code.

Column Name: related_causes_code

Column Type: varchar

Max Length: 50

'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value

Column Type: varchar

Max Length: 255

The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS

Column Type: varchar

Max Length: 40

The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc

Column Type: timestamp

the End of Service as UTC date and time.

Column Name: service_start_utc

Column Type: timestamp

the Start of Service as UTC date and time.

Column Name: service_status_code

Column Type: varchar

Max Length: 7

Is the service open or closed.

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone

Column Type: varchar

Max Length: 255

the timezone for the service used to determine the offset from UTC.

Column Name: start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: task_event_id

Column Type: varchar

Max Length: 40

The id of the task list event that created this service

Column Name: tooth_number

Column Type: varchar

Max Length: 50

'Tooth Number'.

Column Name: tooth_status_code

Column Type: varchar

Max Length: 50

'Tooth Status Code'.

Column Name: tooth_status_value

Column Type: varchar

Max Length: 50

The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code

Column Type: varchar

Max Length: 50

'Tooth Surface Code'.

Column Name: tooth_surface_shvalue

Column Type: varchar

Max Length: 255

The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value

Column Type: varchar

Max Length: 4096

The description for the tooth_surface_code. See tooth_surface_code for more information.

Column Name: total_duration_crisis_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Crisis".

Column Name: total_duration_other_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Other".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

Is this a transfer service.

Column Name: treatment_service_code

Column Type: varchar

Max Length: 50

'Treatment Service' for the program_code of the service.

Column Name: treatment_service_value

Column Type: varchar

Max Length: 50

The description for the treatment_service_code. See treatment_service_code for more information.

Column Name: units_of_service

Column Type: numeric

The units of the service.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_deleted_service_value

Column Type: varchar

Max Length: 40

The description for the deleted_service_code. See deleted_service_code for more information.

Documentation for form:

Recurring_Client_Charge_Input_(Charge_Fee_Access)

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data.

Column Name: STREG_INDEX
Column Type: varchar
Max Length: 20
A unique ID used to identify a row of data.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
'Service Code (10002)'

Column Name: location_code
Column Type: varchar
Max Length: 15
'Location (10006)'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: program_code
Column Type: varchar
Max Length: 15
The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10

'Cost Of Service (19999)'

Column Name: insurance_category_code

Column Type: varchar

Max Length: 15

'Insurance Charge Category (10021)'

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

Joins table to treatment history.

Column Name: CO_STAFFID

Column Type: varchar

Max Length: 40

'Co Staffid (10007)'

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode (12345)'

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1

Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers
Column Type: varchar
Max Length: 50
'Modifiers'

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes Memo'

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes Text'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provider_only_service
Column Type: integer
'Is this a provider only service?'

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Recurring_Client_Charge_Input_(Diagnosis_Entry)

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID
Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID associated with the data.

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode number.

Column Name: total_closed_charges

Column Type: numeric

Total dollar amount for all closed services in the episode.

Column Name: total_open_charges

Column Type: numeric

Total dollar amount for all open services in the episode.

Column Name: total_payments

Column Type: numeric

Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance

Column Type: numeric

Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date

Column Type: date

The admission date for the client's episode.

Column Name: v_discharge_date

Column Type: date

The discharge date for the client's episode.

Column Name: v_program_code

Column Type: varchar

Max Length: 10

The program of admission for the client's episode.

Column Name: v_program_value

Column Type: varchar

Max Length: 40

The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name

Column Type: varchar

Max Length: 40

The client's name.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Recurring_Client_Charge_Input_(Diagnosis_Entry)

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the service was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID for which the service is entered.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability

Column Type: numeric

The guarantor's liability.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The claim number assigned to a client's service.

Column Name: guarantor_total_payments

Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40

'Program'

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 10

'Practitioner'

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 100

The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value

Column Type: varchar

Max Length: 40

The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service'

Column Name: v_accounting_period

Column Type: date

The accounting period for the service.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the client ID.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date

Column Type: date

Date of entry

Column Name: v_claim_date
Column Type: date
'Date of Claim'

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid
Column Type: varchar
Max Length: 50
This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc
Column Type: varchar
Max Length: 50
This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc
Column Type: varchar
Max Length: 50
This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number
Column Type: varchar
Max Length: 50
'Authorization Number'

Column Name: billing_units
Column Type: numeric
'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar
Max Length: 50
This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number
Column Type: varchar
Max Length: 50
'Claimed Authorization Number'

Column Name: date_of_svc_close
Column Type: date
'Date of Service Closed'

Column Name: re_bill_claim_number
Column Type: varchar
Max Length: 50
This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status
Column Type: varchar
Max Length: 50
This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value
Column Type: varchar
Max Length: 50
This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance
Column Type: double
Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level
Column Type: varchar
Max Length: 5
'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code
Column Type: varchar
Max Length: 10
'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value
Column Type: varchar
Max Length: 40
The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage

Column Type: varchar
Max Length: 10
'Sliding Fee Coverage'

Column Name: split_units
Column Type: numeric
'Split Units'

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration
Column Type: varchar
Max Length: 20
'Duration'

Column Name: v_location_code
Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers
Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form:

[Recurring_Client_Charge_Input_\(Diagnosis_Entry\)](#)

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge
Column Type: numeric
The full charge for the service.

Column Name: total_payments
Column Type: numeric
Total payments for service
Column Name: date_charge_closed
Column Type: date
Date the service was closed.

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period

Column Type: date
Accounting Period

Column Name: client_name
Column Type: varchar
Max Length: 40
The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date
Column Type: date
The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Recurring_Client_Charge_Input_(Diagnosis_Entry)

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode of the service.

Column Name: FACILITY
Column Type: integer
The facility of the service.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID of the service.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code of the service.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique row id.

Column Name: program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
The practitioner ID of the service.

Column Name: duration
Column Type: numeric
The duration of the service.

Column Name: appointment_status_code
Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar
Max Length: 15
The number of clients in the group if this is a group service.

Column Name: cost_of_service
Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: co_staff_member_2
Column Type: varchar
Max Length: 20
The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

The user name that last updated this data row.

Column Name: deleted_service_code

Column Type: varchar

Max Length: 20

The original service code if the service is now deleted.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description for the program_code. See program_code for more information.

Column Name: appointment_status_value

Column Type: varchar

Max Length: 40

The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description for the location_code. See location_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 100

The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name of the PROVIDER_ID of the service.

Column Name: date_of_service

Column Type: date

The date of the service.

Column Name: billable_value

Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 15

'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 15

'Program Type' for the program_code of the service.

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name

Column Type: varchar

Max Length: 40

The name of the PATID of the service.

Column Name: age_on_date_of_service_

Column Type: numeric

The client's age at the time of service.

Column Name: appt_site_name

Column Type: varchar

Max Length: 40

The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC

Column Type: varchar

Max Length: 40

The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Original Unique row id

Column Name: add_on_notes

Column Type: varchar
Max Length: 32768
'Add-On Notes'.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
'Additional Service Information'.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program
Column Type: varchar
Max Length: 10
The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time
Column Type: varchar
Max Length: 50
The 'Appointment End Time' related to this service.

Column Name: appt_group_id
Column Type: varchar
Max Length: 50
The 'Group #' related to this service.

Column Name: apt_group_name
Column Type: varchar
Max Length: 40
The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id
Column Type: varchar
Max Length: 50
The 'Appointment Site' related to this service.

Column Name: appt_start_time
Column Type: varchar
Max Length: 50
The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code
Column Type: varchar
Max Length: 50
'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val
Column Type: varchar
Max Length: 50
The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'.

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units
Column Type: numeric
'Cal Billing Units'

Column Name: confidential_service_code
Column Type: varchar
Max Length: 50
'Confidential Service' from Avatar PH.

Column Name: confidential_service_val
Column Type: varchar
Max Length: 50
The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration
Column Type: numeric
'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member
Column Type: varchar
Max Length: 15
The 'Co-Practitioner' of the service.

Column Name: data_control_identifier
Column Type: varchar
Max Length: 40
'Data Control Identifier'.

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_accident

Column Type: date

'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service

Column Type: date

Date To Bill Roll-Up Service.

Column Name: delay_reason_code

Column Type: varchar

Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc
Column Type: varchar
Max Length: 50
The client's age in days, months and years at the time of service.

Column Name: discipline_code
Column Type: varchar
Max Length: 255
'Discipline'.

Column Name: discipline_value
Column Type: varchar
Max Length: 255
The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.

Column Name: emergency_ind_code
Column Type: varchar
Max Length: 50
'Emergency Indicator'.

Column Name: emergency_ind_value
Column Type: varchar
Max Length: 50
The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time
Column Type: varchar

Max Length: 10
The end time of the service.

Column Name: fee_override_indicator
Column Type: varchar
Max Length: 50
Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date
Column Type: date
'First Billing Date'.

Column Name: has_global_period_flag
Column Type: varchar
Max Length: 15
This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id
Column Type: varchar
Max Length: 15
The incident-to practitioner ID.

Column Name: incident_to_pract_name
Column Type: varchar
Max Length: 40
The name of the incident-to practitioner.

Column Name: initial_treatment_date
Column Type: date
'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code
Column Type: varchar
Max Length: 5
Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value
Column Type: varchar
Max Length: 10
The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.
Column Name: is_cqi
Column Type: bit
Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code
Column Type: varchar
Max Length: 5
Was this service created as an overage service.

Column Name: is_overage_service_value

Column Type: varchar

Max Length: 10

The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code

Column Type: varchar

Max Length: 5

Was this service created as a roll-up service.

Column Name: is_roll_up_service_value

Column Type: varchar

Max Length: 10

The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon

Column Type: varchar

Max Length: 40

Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code

Column Type: varchar
Max Length: 10
'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 100
The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes

Column Type: varchar

Max Length: 32766

'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'.

Column Name: mso_eob_number

Column Type: integer

The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code

Column Type: varchar

Max Length: 50

'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value

Column Type: varchar

Max Length: 50

The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837

Column Type: varchar

Max Length: 80

'Note Reference Text (837 Billing)'.

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 40

The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code

Column Type: varchar

Max Length: 50

'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value

Column Type: varchar

Max Length: 50

The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_date

Column Type: date

The date the service was first entered into the system.

Column Name: orig_entry_option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time

Column Type: varchar

Max Length: 50

The time the service was first entered into the system.

Column Name: orig_entry_user

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_user_id

Column Type: varchar

Max Length: 50

The user ID that first entered the service into the system.

Column Name: original_tx_code

Column Type: varchar

Max Length: 10

'Original Scheduled Service'.

Column Name: original_tx_value

Column Type: varchar

Max Length: 40

The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date

Column Type: date

'Orthodontic Banding Date'.

Column Name: primary_guarantor

Column Type: varchar

Max Length: 40

'Primary Guarantor'.

Column Name: prior_placement_date

Column Type: date

'Prior Placement Date'.

Column Name: prosth_crown_inlay_code

Column Type: varchar

Max Length: 50

'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value

Column Type: varchar

Max Length: 50

The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration
Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner'.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
The name of the referring_practitioner_code.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the referring_provider_code.

Column Name: related_causes_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value
Column Type: varchar
Max Length: 255
The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS
Column Type: varchar
Max Length: 40
The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc
Column Type: timestamp
the End of Service as UTC date and time.

Column Name: service_start_utc
Column Type: timestamp
the Start of Service as UTC date and time.

Column Name: service_status_code
Column Type: varchar
Max Length: 7

Is the service open or closed.

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone

Column Type: varchar

Max Length: 255

the timezone for the service used to determine the offset from UTC.

Column Name: start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: task_event_id

Column Type: varchar

Max Length: 40

The id of the task list event that created this service

Column Name: tooth_number

Column Type: varchar

Max Length: 50

'Tooth Number'.

Column Name: tooth_status_code

Column Type: varchar

Max Length: 50

'Tooth Status Code'.

Column Name: tooth_status_value

Column Type: varchar

Max Length: 50

The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code

Column Type: varchar

Max Length: 50

'Tooth Surface Code'.

Column Name: tooth_surface_shvalue

Column Type: varchar

Max Length: 255

The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value

Column Type: varchar

Max Length: 4096

The description for the `tooth_surface_code`. See `tooth_surface_code` for more information.

Column Name: `total_duration_crisis_svc`

Column Type: `varchar`

Max Length: 40

Total duration if 'Service Code Type' of `SERVICE_CODE` is "Crisis".

Column Name: `total_duration_other_svc`

Column Type: `varchar`

Max Length: 40

Total duration if 'Service Code Type' of `SERVICE_CODE` is "Other".

Column Name: `transferred_service`

Column Type: `varchar`

Max Length: 10

Is this a transfer service.

Column Name: `treatment_service_code`

Column Type: `varchar`

Max Length: 50

'Treatment Service' for the `program_code` of the service.

Column Name: `treatment_service_value`

Column Type: `varchar`

Max Length: 50

The description for the `treatment_service_code`. See `treatment_service_code` for more information.

Column Name: `units_of_service`

Column Type: `numeric`

The units of the service.

Column Name: `user_row_access_code`

Column Type: `integer`

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: `v_deleted_service_value`

Column Type: `varchar`

Max Length: 40

The description for the `deleted_service_code`. See `deleted_service_code` for more information.

Documentation for form:

Recurring_Client_Charge_Input_(Diagnosis_Entry)

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data.

Column Name: STREG_INDEX
Column Type: varchar
Max Length: 20
A unique ID used to identify a row of data.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
'Service Code (10002)'

Column Name: location_code
Column Type: varchar
Max Length: 15
'Location (10006)'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: program_code
Column Type: varchar
Max Length: 15
The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10

'Cost Of Service (19999)'

Column Name: insurance_category_code

Column Type: varchar

Max Length: 15

'Insurance Charge Category (10021)'

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

Joins table to treatment history.

Column Name: CO_STAFFID

Column Type: varchar

Max Length: 40

'Co Staffid (10007)'

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode (12345)'

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar

Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10
'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers
Column Type: varchar
Max Length: 50
'Modifiers'

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes Memo'

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes Text'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provider_only_service
Column Type: integer
'Is this a provider only service?'

Column Name: referring_practitioner_code

Column Type: varchar
Max Length: 10
'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

[Recurring_Client_Charge_Input_\(Charge_Fee_Access_and_Diagnosis_Entry\)](#)

Table Name: [SYSTEM.billing_episode_totals](#)

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: total_closed_charges
Column Type: numeric
Total dollar amount for all closed services in the episode.

Column Name: total_open_charges
Column Type: numeric
Total dollar amount for all open services in the episode.

Column Name: total_payments
Column Type: numeric
Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance
Column Type: numeric
Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date
Column Type: date
The admission date for the client's episode.

Column Name: v_discharge_date
Column Type: date
The discharge date for the client's episode.

Column Name: v_program_code
Column Type: varchar
Max Length: 10
The program of admission for the client's episode.

Column Name: v_program_value
Column Type: varchar

Max Length: 40

The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name

Column Type: varchar

Max Length: 40

The client's name.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Recurring_Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry)

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the service was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID for which the service is entered.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability

Column Type: numeric

The guarantor's liability.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The claim number assigned to a client's service.

Column Name: guarantor_total_payments

Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40

'Program'

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 10

'Practitioner'

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 100

The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value

Column Type: varchar

Max Length: 40

The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service'

Column Name: v_accounting_period

Column Type: date

The accounting period for the service.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the client ID.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name associated with the v_PROVIDER_ID

Column Name: data_entry_date

Column Type: date

Date of entry

Column Name: v_claim_date

Column Type: date
'Date of Claim'

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid
Column Type: varchar
Max Length: 50
This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc
Column Type: varchar
Max Length: 50
This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc
Column Type: varchar
Max Length: 50
This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number
Column Type: varchar
Max Length: 50
'Authorization Number'

Column Name: billing_units
Column Type: numeric
'Billing Units'

Column Name: claimed_CER_uniqueid
Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number

Column Type: varchar

Max Length: 50

'Claimed Authorization Number'

Column Name: date_of_svc_close

Column Type: date

'Date of Service Closed'

Column Name: re_bill_claim_number

Column Type: varchar

Max Length: 50

This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance

Column Type: double

Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level

Column Type: varchar

Max Length: 5

'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code

Column Type: varchar

Max Length: 10

'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value

Column Type: varchar

Max Length: 40

The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage

Column Type: varchar

Max Length: 10
'Sliding Fee Coverage'

Column Name: split_units
Column Type: numeric
'Split Units'

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration
Column Type: varchar
Max Length: 20
'Duration'

Column Name: v_location_code
Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers
Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form:

[Recurring_Client_Charge_Input_\(Charge_Fee_Access_and_Diagnosis_Entry\)](#)

Table Name: [SYSTEM.billing_tx_charge_totals](#)

Table Description: This table returns the billing service totals

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge
Column Type: numeric
The full charge for the service.

Column Name: total_payments
Column Type: numeric
Total payments for service

Column Name: date_charge_closed
Column Type: date
Date the service was closed.
Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period

Column Type: date
Accounting Period

Column Name: client_name
Column Type: varchar
Max Length: 40
The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date
Column Type: date
The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Recurring_Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry)

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: FACILITY

Column Type: integer

The facility of the service.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code of the service.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Unique row id.

Column Name: program_code

Column Type: varchar

Max Length: 15

The program of the service.

Column Name: PROVIDER_ID

Column Type: varchar

Max Length: 15

The practitioner ID of the service.

Column Name: duration

Column Type: numeric

The duration of the service.

Column Name: appointment_status_code
Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar
Max Length: 15
The number of clients in the group if this is a group service.

Column Name: cost_of_service
Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: co_staff_member_2
Column Type: varchar
Max Length: 20
The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.
Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

The user name that last updated this data row.

Column Name: deleted_service_code

Column Type: varchar

Max Length: 20

The original service code if the service is now deleted.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description for the program_code. See program_code for more information.

Column Name: appointment_status_value

Column Type: varchar

Max Length: 40

The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description for the location_code. See location_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 100

The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name of the PROVIDER_ID of the service.

Column Name: date_of_service

Column Type: date

The date of the service.

Column Name: billable_value

Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 15

'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 15

'Program Type' for the program_code of the service.

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name

Column Type: varchar

Max Length: 40

The name of the PATID of the service.

Column Name: age_on_date_of_service_

Column Type: numeric

The client's age at the time of service.

Column Name: appt_site_name

Column Type: varchar

Max Length: 40

The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC

Column Type: varchar

Max Length: 40

The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Original Unique row id

Column Name: add_on_notes

Column Type: varchar
Max Length: 32768
'Add-On Notes'.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
'Additional Service Information'.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program
Column Type: varchar
Max Length: 10
The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time
Column Type: varchar
Max Length: 50
The 'Appointment End Time' related to this service.

Column Name: appt_group_id
Column Type: varchar
Max Length: 50
The 'Group #' related to this service.

Column Name: apt_group_name
Column Type: varchar
Max Length: 40
The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id
Column Type: varchar
Max Length: 50
The 'Appointment Site' related to this service.
Column Name: appt_start_time
Column Type: varchar
Max Length: 50
The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code

Column Type: varchar
Max Length: 50
'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val
Column Type: varchar
Max Length: 50
The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'.

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units
Column Type: numeric
'Cal Billing Units'

Column Name: confidential_service_code
Column Type: varchar
Max Length: 50
'Confidential Service' from Avatar PH.

Column Name: confidential_service_val
Column Type: varchar
Max Length: 50
The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration
Column Type: numeric
'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member
Column Type: varchar
Max Length: 15
The 'Co-Practitioner' of the service.

Column Name: data_control_identifier
Column Type: varchar
Max Length: 40
'Data Control Identifier'.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_accident

Column Type: date

'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service

Column Type: date

Date To Bill Roll-Up Service.

Column Name: delay_reason_code

Column Type: varchar

Max Length: 15

'Delay Reason Code '.

Column Name: delay_reason_value

Column Type: varchar

Max Length: 50

The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc

Column Type: varchar

Max Length: 50

The client's age in days, months and years at the time of service.

Column Name: discipline_code

Column Type: varchar

Max Length: 255

'Discipline'.

Column Name: discipline_value

Column Type: varchar

Max Length: 255

The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code

Column Type: varchar

Max Length: 255

'Evidence Based Practices'

Column Name: ebps_sh_val

Column Type: varchar

Max Length: 255

'The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value

Column Type: varchar

Max Length: 4096

'The description associated with ebps_code. See ebps_code for more information.

Column Name: emergency_ind_code

Column Type: varchar

Max Length: 50

'Emergency Indicator'.

Column Name: emergency_ind_value

Column Type: varchar

Max Length: 50

The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time

Column Type: varchar

Max Length: 10

The end time of the service.

Column Name: fee_override_indicator

Column Type: varchar

Max Length: 50

Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date

Column Type: date

'First Billing Date'.

Column Name: has_global_period_flag

Column Type: varchar

Max Length: 15

This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id

Column Type: varchar

Max Length: 15

The incident-to practitioner ID.

Column Name: incident_to_pract_name

Column Type: varchar

Max Length: 40

The name of the incident-to practitioner.

Column Name: initial_treatment_date

Column Type: date

'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code

Column Type: varchar

Max Length: 5

Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value

Column Type: varchar

Max Length: 10

The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi

Column Type: bit

Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code

Column Type: varchar

Max Length: 5

Was this service created as an overage service.

Column Name: is_overage_service_value

Column Type: varchar

Max Length: 10

The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code

Column Type: varchar

Max Length: 5

Was this service created as a roll-up service.

Column Name: is_roll_up_service_value

Column Type: varchar

Max Length: 10

The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon

Column Type: varchar

Max Length: 40

Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code

Column Type: varchar
Max Length: 10
'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 100
The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes

Column Type: varchar

Max Length: 32766

'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'.

Column Name: mso_eob_number

Column Type: integer

The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code

Column Type: varchar

Max Length: 50

'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value

Column Type: varchar

Max Length: 50

The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837

Column Type: varchar

Max Length: 80

'Note Reference Text (837 Billing)'.

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 40

The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code

Column Type: varchar

Max Length: 50

'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value

Column Type: varchar

Max Length: 50

The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_date

Column Type: date

The date the service was first entered into the system.

Column Name: orig_entry_option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time

Column Type: varchar

Max Length: 50

The time the service was first entered into the system.

Column Name: orig_entry_user

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_user_id

Column Type: varchar

Max Length: 50

The user ID that first entered the service into the system.

Column Name: original_tx_code

Column Type: varchar

Max Length: 10

'Original Scheduled Service'.

Column Name: original_tx_value

Column Type: varchar

Max Length: 40

The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date

Column Type: date

'Orthodontic Banding Date'.

Column Name: primary_guarantor

Column Type: varchar

Max Length: 40

'Primary Guarantor'.

Column Name: prior_placement_date

Column Type: date

'Prior Placement Date'.

Column Name: prosth_crown_inlay_code

Column Type: varchar

Max Length: 50

'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value

Column Type: varchar

Max Length: 50

The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration

Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner'.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
The name of the referring_practitioner_code.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the referring_provider_code.

Column Name: related_causes_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value
Column Type: varchar
Max Length: 255
The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS
Column Type: varchar
Max Length: 40
The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc
Column Type: timestamp
the End of Service as UTC date and time.

Column Name: service_start_utc
Column Type: timestamp
the Start of Service as UTC date and time.

Column Name: service_status_code
Column Type: varchar
Max Length: 7
Is the service open or closed.

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone

Column Type: varchar

Max Length: 255

the timezone for the service used to determine the offset from UTC.

Column Name: start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: task_event_id

Column Type: varchar

Max Length: 40

The id of the task list event that created this service

Column Name: tooth_number

Column Type: varchar

Max Length: 50

'Tooth Number'.

Column Name: tooth_status_code

Column Type: varchar

Max Length: 50

'Tooth Status Code'.

Column Name: tooth_status_value

Column Type: varchar

Max Length: 50

The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code

Column Type: varchar

Max Length: 50

'Tooth Surface Code'.

Column Name: tooth_surface_shvalue

Column Type: varchar

Max Length: 255

The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value

Column Type: varchar

Max Length: 4096

The description for the `tooth_surface_code`. See `tooth_surface_code` for more information.

Column Name: `total_duration_crisis_svc`

Column Type: `varchar`

Max Length: 40

Total duration if 'Service Code Type' of `SERVICE_CODE` is "Crisis".

Column Name: `total_duration_other_svc`

Column Type: `varchar`

Max Length: 40

Total duration if 'Service Code Type' of `SERVICE_CODE` is "Other".

Column Name: `transferred_service`

Column Type: `varchar`

Max Length: 10

Is this a transfer service.

Column Name: `treatment_service_code`

Column Type: `varchar`

Max Length: 50

'Treatment Service' for the `program_code` of the service.

Column Name: `treatment_service_value`

Column Type: `varchar`

Max Length: 50

The description for the `treatment_service_code`. See `treatment_service_code` for more information.

Column Name: `units_of_service`

Column Type: `numeric`

The units of the service.

Column Name: `user_row_access_code`

Column Type: `integer`

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: `v_deleted_service_value`

Column Type: `varchar`

Max Length: 40

The description for the `deleted_service_code`. See `deleted_service_code` for more information.

Documentation for form:

Recurring_Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry)

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: STAFFID

Column Type: varchar

Max Length: 10

The staff ID associated with the data.

Column Name: STREG_INDEX

Column Type: varchar

Max Length: 20

A unique ID used to identify a row of data.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code (10002)'

Column Name: location_code

Column Type: varchar

Max Length: 15

'Location (10006)'

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: program_code

Column Type: varchar

Max Length: 15

The code for the program in which the data is stored.

Column Name: cost_of_service

Column Type: varchar

Max Length: 10
'Cost Of Service (19999)'

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
'Insurance Charge Category (10021)'

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code. See location_code for more information.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40
The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service
Column Type: date
'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
Joins table to treatment history.

Column Name: CO_STAFFID
Column Type: varchar
Max Length: 40
'Co Staffid (10007)'

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode (12345)'

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1

Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar
Max Length: 10
'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers
Column Type: varchar
Max Length: 50
'Modifiers'

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes Memo'

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes Text'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provider_only_service
Column Type: integer
'Is this a provider only service?'

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Women's_Health_History

Table Name: SYSTEM.client_condition_delivery

Table Description: This table returns data stored by the 'Woman Health History' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: birth_weight
Column Type: varchar

Max Length: 20
The delivery birth weight

Column Name: DEL_uniqueid
Column Type: varchar
Max Length: 20
A unique ID used to identify a row of data.

Column Name: Data_Entry_By_Login
Column Type: varchar
Max Length: 40
The name of the user that last updated this row of data.

Column Name: Data_Entry_By_Option
Column Type: varchar
Max Length: 40
The name of the user that last updated this row of data.

Column Name: Data_Entry_Date
Column Type: date
The date this row of data was last updated.

Column Name: Data_Entry_Time
Column Type: varchar
Max Length: 10
The time this row of data was last updated.

Column Name: Data_Entry_User_Id
Column Type: varchar
Max Length: 40
The user ID that last updated this row of data.

Column Name: delivery_date
Column Type: date
The date of delivery.

Column Name: delivery_method
Column Type: varchar
Max Length: 20
The method of delivery.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated to the pregnancy condition.

Column Name: FACILITY
Column Type: integer
The system code the client is defined in.

Column Name: Option_Desc

Column Type: varchar
Max Length: 80
The description of the option that last updated the row of data.

Column Name: Option_Id
Column Type: varchar
Max Length: 20
The ID of the form that last updated the row of data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client's ID.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated this row of data.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: delivery_outcome_code
Column Type: varchar
Max Length: 50
Delivery Outcome Code

Column Name: delivery_outcome_value
Column Type: varchar
Max Length: 50
Delivery Outcome Value

Column Name: ethnicity_code
Column Type: varchar
Max Length: 32000
Ethnicity code

Column Name: ethnicity_value
Column Type: varchar
Max Length: 32000
Race value

Column Name: race_code
Column Type: varchar
Max Length: 32000
Race code

Column Name: race_value
Column Type: varchar
Max Length: 32000
Race value

Documentation for form: Women's_Health_History

Table Name: SYSTEM.client_condition_preg

Table Description: This table returns data stored by the 'Woman Health History' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: abortions
Column Type: varchar
Max Length: 40
The client's abortion(s) value.

Column Name: abortions_value
Column Type: varchar
Max Length: 50
Abortion(s)

Column Name: assessment_date
Column Type: date
The client's assessment date.

Column Name: been_pregnant
Column Type: varchar
Max Length: 10

Has the client been pregnant.

Column Name: been_pregnant_value

Column Type: varchar

Max Length: 50

Have you ever been pregnant?

Column Name: contraception

Column Type: varchar

Max Length: 40

The client's contraception used.

Column Name: contraception_value

Column Type: varchar

Max Length: 50

The client's contraception used.

Column Name: Data_Entry_By_Login

Column Type: varchar

Max Length: 40

The name of the user that last updated this row of data.

Column Name: Data_Entry_By_Option

Column Type: varchar

Max Length: 40

The name of the user that last updated this row of data.

Column Name: Data_Entry_Date

Column Type: date

The date this row of data was last updated.

Column Name: Data_Entry_Time

Column Type: varchar

Max Length: 10

The time this row of data was last updated.

Column Name: Data_Entry_User_Id

Column Type: varchar

Max Length: 40

The user ID that last updated this row of data.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated to the pregnancy condition.

Column Name: expected_due_date

Column Type: date

The client's expected due date.

Column Name: FACILITY

Column Type: integer
The system code the client is defined in.

Column Name: gravida
Column Type: varchar
Max Length: 40
The client's gravida value.

Column Name: initial_treatment_date
Column Type: date
The date the client was initially seen in regards to their pregnancy.

Column Name: lactating_status
Column Type: varchar
Max Length: 40
The client's lactating status.

Column Name: lactating_status_value
Column Type: varchar
Max Length: 50
Lactating Status

Column Name: last_menstrual_date
Column Type: date
The date of the client's last menstruation.

Column Name: living_children
Column Type: varchar
Max Length: 40
The client's living childred.

Column Name: Imp_date
Column Type: date
The client's Imp date.

Column Name: Imp_frequency
Column Type: varchar
Max Length: 10
The client's last know menstrual period frequency measurement code.

Column Name: Imp_frequency_value
Column Type: varchar
Max Length: 50
The client's last know menstrual period frequency measurement value.

Column Name: Imp_unit
Column Type: integer
The client's last know menstrual period value.

Column Name: Imp_unknown

Column Type: integer

The client's Imp flag.

Column Name: Imp_unknown_value

Column Type: varchar

Max Length: 50

The client's Imp flag value.

Column Name: menarche

Column Type: varchar

Max Length: 40

The client's menarche value.

Column Name: menopause

Column Type: varchar

Max Length: 40

The client's menopause code.

Column Name: menopause_value

Column Type: varchar

Max Length: 50

The client's menopause value.

Column Name: miscarriage

Column Type: varchar

Max Length: 40

Have you ever had a miscarriage code.

Column Name: miscarriage_value

Column Type: varchar

Max Length: 50

Have you ever had a miscarriage value.

Column Name: notes

Column Type: varchar

Max Length: 32000

The client's notes.

Column Name: number_of_abortions

Column Type: varchar

Max Length: 40

Number of Abortion(s)

Column Name: number_of_miscarriages

Column Type: varchar

Max Length: 40

Number of Miscarriages

Column Name: onset_age

Column Type: integer

The client's onset age.

Column Name: Option_Desc

Column Type: varchar

Max Length: 80

The description of the option that last updated the row of data.

Column Name: Option_Id

Column Type: varchar

Max Length: 20

The ID of the form that last updated the row of data.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client's ID.

Column Name: PRG_uniqueid

Column Type: varchar

Max Length: 20

A unique ID used to identify a row of data.

Column Name: para

Column Type: varchar

Max Length: 40

The client's to term deliveries.

Column Name: preg_end_date

Column Type: date

The client's pregnancy end date, if applicable.

Column Name: preg_start_date

Column Type: date

The client's pregnancy start date.

Column Name: pregnant_status

Column Type: varchar

Max Length: 40

The client's current pregnancy status code.

Column Name: pregnant_status_value

Column Type: varchar

Max Length: 50

The client's current pregnancy status value.

Column Name: premenstrual_symptoms

Column Type: varchar

Max Length: 40

The client's premenstrual symptoms.

Column Name: premenstrual_sympto_value
Column Type: varchar
Max Length: 50
Premenstrual Symptoms

Column Name: std
Column Type: varchar
Max Length: 40
The client's STDs.

Column Name: std_value
Column Type: varchar
Max Length: 50
Have you ever been treated for a sexually transmitted disease?

Column Name: sexually_active
Column Type: varchar
Max Length: 10
Is client sexually active.

Column Name: sexually_active_value
Column Type: varchar
Max Length: 50
Sexually Active

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated this row of data.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_utc
Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_last_mammogram
Column Type: date
Date of Last Mammogram

Column Name: date_of_last_pap
Column Type: date
Date Of Last PAP

Column Name: date_of_prenatal_care
Column Type: date
Date of prenatal care (at other facility)

Column Name: ectopic_pregnancy_code
Column Type: varchar
Max Length: 50
Have you ever had an ectopic pregnancy?

Column Name: ectopic_pregnancy_value
Column Type: varchar
Max Length: 50
'Have you ever had an ectopic pregnancy?' value

Column Name: hpv_vaccine_code
Column Type: varchar
Max Length: 50
Received HPV Vaccine?

Column Name: hpv_vaccine_value
Column Type: varchar
Max Length: 50
'Received HPV Vaccine?' value

Column Name: la_pregnancy_unique_id
Column Type: varchar
Max Length: 50
LA Provider Integration pointer associated with this row of data.

Column Name: mammogram_performing
Column Type: varchar
Max Length: 50
Performing Provider/Site

Column Name: mammogram_results_code
Column Type: varchar
Max Length: 50
Results

Column Name: mammogram_results_value

Column Type: varchar
Max Length: 50
'Results' value

Column Name: pap_performing
Column Type: varchar
Max Length: 50
Performing Provider/Site

Column Name: pap_results_code
Column Type: varchar
Max Length: 50
Results

Column Name: pap_results_value
Column Type: varchar
Max Length: 50
'Results' value

Column Name: prenatal_care_code
Column Type: varchar
Max Length: 50
Have you started prenatal care at another facility?

Column Name: prenatal_care_value
Column Type: varchar
Max Length: 50
'Have you started prenatal care at another facility?' value

Column Name: ss_whh_date_1
Column Type: date
SS Women's Health History Date 1

Column Name: ss_whh_date_10
Column Type: date
SS Women's Health History Date 10

Column Name: ss_whh_date_2
Column Type: date
SS Women's Health History Date 2

Column Name: ss_whh_date_3
Column Type: date
SS Women's Health History Date 3

Column Name: ss_whh_date_4
Column Type: date
SS Women's Health History Date 4

Column Name: ss_whh_date_5

Column Type: date
SS Women's Health History Date 5

Column Name: ss_whh_date_6
Column Type: date
SS Women's Health History Date 6

Column Name: ss_whh_date_7
Column Type: date
SS Women's Health History Date 7

Column Name: ss_whh_date_8
Column Type: date
SS Women's Health History Date 8

Column Name: ss_whh_date_9
Column Type: date
SS Women's Health History Date 9

Column Name: ss_whh_dict_10_code
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 10

Column Name: ss_whh_dict_10_value
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 10 value

Column Name: ss_whh_dict_1_code
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 1

Column Name: ss_whh_dict_1_value
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 1 value

Column Name: ss_whh_dict_2_code
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 2

Column Name: ss_whh_dict_2_value
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 2 value

Column Name: ss_whh_dict_3_code

Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 3

Column Name: ss_whh_dict_3_value
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 3 value

Column Name: ss_whh_dict_4_code
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 4

Column Name: ss_whh_dict_4_value
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 4 value

Column Name: ss_whh_dict_5_code
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 5

Column Name: ss_whh_dict_5_value
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 5 value

Column Name: ss_whh_dict_6_code
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 6

Column Name: ss_whh_dict_6_value
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 6 value

Column Name: ss_whh_dict_7_code
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 7

Column Name: ss_whh_dict_7_value
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 7 value

Column Name: ss_whh_dict_8_code

Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 8

Column Name: ss_whh_dict_8_value
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 8 value

Column Name: ss_whh_dict_9_code
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 9

Column Name: ss_whh_dict_9_value
Column Type: varchar
Max Length: 50
SS Women's Health History Single Select Dictionary 9 value

Column Name: ss_whh_fdate_1
Column Type: date
SS Women's Health History Future Date 1

Column Name: ss_whh_fdate_10
Column Type: date
SS Women's Health History Future Date 10

Column Name: ss_whh_fdate_2
Column Type: date
SS Women's Health History Future Date 2

Column Name: ss_whh_fdate_3
Column Type: date
SS Women's Health History Future Date 3

Column Name: ss_whh_fdate_4
Column Type: date
SS Women's Health History Future Date 4

Column Name: ss_whh_fdate_5
Column Type: date
SS Women's Health History Future Date 5

Column Name: ss_whh_fdate_6
Column Type: date
SS Women's Health History Future Date 6

Column Name: ss_whh_fdate_7
Column Type: date
SS Women's Health History Future Date 7

Column Name: ss_whh_fdate_8
Column Type: date
SS Women's Health History Future Date 8

Column Name: ss_whh_fdate_9
Column Type: date
SS Women's Health History Future Date 9

Column Name: ss_whh_free_stxt_1
Column Type: varchar
Max Length: 32000
SS Women's Health History Scrolling Free Text 1

Column Name: ss_whh_free_stxt_10
Column Type: varchar
Max Length: 32000
SS Women's Health History Scrolling Free Text 10

Column Name: ss_whh_free_stxt_2
Column Type: varchar
Max Length: 32000
SS Women's Health History Scrolling Free Text 2

Column Name: ss_whh_free_stxt_3
Column Type: varchar
Max Length: 32000
SS Women's Health History Scrolling Free Text 3

Column Name: ss_whh_free_stxt_4
Column Type: varchar
Max Length: 32000
SS Women's Health History Scrolling Free Text 4

Column Name: ss_whh_free_stxt_5
Column Type: varchar
Max Length: 32000
SS Women's Health History Scrolling Free Text 5

Column Name: ss_whh_free_stxt_6
Column Type: varchar
Max Length: 32000
SS Women's Health History Scrolling Free Text 6

Column Name: ss_whh_free_stxt_7
Column Type: varchar
Max Length: 32000
SS Women's Health History Scrolling Free Text 7

Column Name: ss_whh_free_stxt_8
Column Type: varchar

Max Length: 32000
SS Women's Health History Scrolling Free Text 8

Column Name: ss_whh_free_stxt_9
Column Type: varchar
Max Length: 32000
SS Women's Health History Scrolling Free Text 9

Column Name: ss_whh_free_txt_40_1
Column Type: varchar
Max Length: 40
SS Women's Health History Free Text Short 1

Column Name: ss_whh_free_txt_40_10
Column Type: varchar
Max Length: 40
SS Women's Health History Free Text Short 10

Column Name: ss_whh_free_txt_40_2
Column Type: varchar
Max Length: 40
SS Women's Health History Free Text Short 2

Column Name: ss_whh_free_txt_40_3
Column Type: varchar
Max Length: 40
SS Women's Health History Free Text Short 3

Column Name: ss_whh_free_txt_40_4
Column Type: varchar
Max Length: 40
SS Women's Health History Free Text Short 4

Column Name: ss_whh_free_txt_40_5
Column Type: varchar
Max Length: 40
SS Women's Health History Free Text Short 5

Column Name: ss_whh_free_txt_40_6
Column Type: varchar
Max Length: 40
SS Women's Health History Free Text Short 6

Column Name: ss_whh_free_txt_40_7
Column Type: varchar
Max Length: 40
SS Women's Health History Free Text Short 7

Column Name: ss_whh_free_txt_40_8
Column Type: varchar

Max Length: 40
SS Women's Health History Free Text Short 8

Column Name: ss_whh_free_txt_40_9
Column Type: varchar
Max Length: 40
SS Women's Health History Free Text Short 9

Column Name: ss_whh_free_txt_80_1
Column Type: varchar
Max Length: 80
SS Women's Health History Free Text Long 1

Column Name: ss_whh_free_txt_80_10
Column Type: varchar
Max Length: 80
SS Women's Health History Free Text Long 10

Column Name: ss_whh_free_txt_80_2
Column Type: varchar
Max Length: 80
SS Women's Health History Free Text Long 2

Column Name: ss_whh_free_txt_80_3
Column Type: varchar
Max Length: 80
SS Women's Health History Free Text Long 3

Column Name: ss_whh_free_txt_80_4
Column Type: varchar
Max Length: 80
SS Women's Health History Free Text Long 4

Column Name: ss_whh_free_txt_80_5
Column Type: varchar
Max Length: 80
SS Women's Health History Free Text Long 5

Column Name: ss_whh_free_txt_80_6
Column Type: varchar
Max Length: 80
SS Women's Health History Free Text Long 6

Column Name: ss_whh_free_txt_80_7
Column Type: varchar
Max Length: 80
SS Women's Health History Free Text Long 7

Column Name: ss_whh_free_txt_80_8
Column Type: varchar

Max Length: 80
SS Women's Health History Free Text Long 8

Column Name: ss_whh_free_txt_80_9
Column Type: varchar
Max Length: 80
SS Women's Health History Free Text Long 9

Column Name: ss_whh_mdct_10_code
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 10

Column Name: ss_whh_mdct_10_value
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 10 value

Column Name: ss_whh_mdct_1_code
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 1

Column Name: ss_whh_mdct_1_value
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 1 value

Column Name: ss_whh_mdct_2_code
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 2

Column Name: ss_whh_mdct_2_value
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 2 value

Column Name: ss_whh_mdct_3_code
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 3

Column Name: ss_whh_mdct_3_value
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 3 value

Column Name: ss_whh_mdct_4_code
Column Type: varchar

Max Length: 32000
SS Women's Health History Multiple Select Dictionary 4

Column Name: ss_whh_mdct_4_value
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 4 value

Column Name: ss_whh_mdct_5_code
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 5

Column Name: ss_whh_mdct_5_value
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 5 value

Column Name: ss_whh_mdct_6_code
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 6

Column Name: ss_whh_mdct_6_value
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 6 value

Column Name: ss_whh_mdct_7_code
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 7

Column Name: ss_whh_mdct_7_value
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 7 value

Column Name: ss_whh_mdct_8_code
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 8

Column Name: ss_whh_mdct_8_value
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 8 value

Column Name: ss_whh_mdct_9_code
Column Type: varchar

Max Length: 32000
SS Women's Health History Multiple Select Dictionary 9

Column Name: ss_whh_mdct_9_value
Column Type: varchar
Max Length: 32000
SS Women's Health History Multiple Select Dictionary 9 value

Column Name: ss_whh_pract_1
Column Type: varchar
Max Length: 50
SS Women's Health History Practitioner 1

Column Name: ss_whh_pract_10
Column Type: varchar
Max Length: 50
SS Women's Health History Practitioner 10

Column Name: ss_whh_pract_2
Column Type: varchar
Max Length: 50
SS Women's Health History Practitioner 2

Column Name: ss_whh_pract_3
Column Type: varchar
Max Length: 50
SS Women's Health History Practitioner 3

Column Name: ss_whh_pract_4
Column Type: varchar
Max Length: 50
SS Women's Health History Practitioner 4

Column Name: ss_whh_pract_5
Column Type: varchar
Max Length: 50
SS Women's Health History Practitioner 5

Column Name: ss_whh_pract_6
Column Type: varchar
Max Length: 50
SS Women's Health History Practitioner 6

Column Name: ss_whh_pract_7
Column Type: varchar
Max Length: 50
SS Women's Health History Practitioner 7

Column Name: ss_whh_pract_8
Column Type: varchar

Max Length: 50
SS Women's Health History Practitioner 8

Column Name: ss_whh_pract_9
Column Type: varchar
Max Length: 50
SS Women's Health History Practitioner 9

Column Name: ss_whh_time_1
Column Type: varchar
Max Length: 50
SS Women's Health History Time 1

Column Name: ss_whh_time_10
Column Type: varchar
Max Length: 50
SS Women's Health History Time 10

Column Name: ss_whh_time_2
Column Type: varchar
Max Length: 50
SS Women's Health History Time 2

Column Name: ss_whh_time_3
Column Type: varchar
Max Length: 50
SS Women's Health History Time 3

Column Name: ss_whh_time_4
Column Type: varchar
Max Length: 50
SS Women's Health History Time 4

Column Name: ss_whh_time_5
Column Type: varchar
Max Length: 50
SS Women's Health History Time 5

Column Name: ss_whh_time_6
Column Type: varchar
Max Length: 50
SS Women's Health History Time 6

Column Name: ss_whh_time_7
Column Type: varchar
Max Length: 50
SS Women's Health History Time 7

Column Name: ss_whh_time_8
Column Type: varchar

Max Length: 50
SS Women's Health History Time 8

Column Name: ss_whh_time_9
Column Type: varchar
Max Length: 50
SS Women's Health History Time 9

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Women's_Health_History

Table Name: SYSTEM.patient_current_demographics

Table Description: Patient Current Demographics

Column Name: patient_current_demographics
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: date_of_birth
Column Type: date
Patient Date of birth

Column Name: ethnic_origin_code
Column Type: varchar
Max Length: 5
Patient Ethnic origin

Column Name: patient_add_city
Column Type: varchar
Max Length: 40
Patient address city

Column Name: patient_add_county_code
Column Type: varchar
Max Length: 5
Patient address county

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
Patient home phone

Column Name: patient_name
Column Type: varchar
Max Length: 100
Patient Name

Column Name: patient_add_state_code
Column Type: varchar
Max Length: 10
Patient address state code

Column Name: patient_add_street_1
Column Type: varchar
Max Length: 40
Patient street address 1

Column Name: patient_add_street_2
Column Type: varchar
Max Length: 40
Patients address street 2

Column Name: patient_add_zipcode
Column Type: varchar
Max Length: 60
Patients address zipcode

Column Name: patient_sex_code
Column Type: varchar
Max Length: 5
Patients sex

Column Name: client_alias
Column Type: varchar
Max Length: 80
Client Alias

Column Name: employment_status_code
Column Type: varchar
Max Length: 10
Employment Status - Code (517)

Column Name: employment_status_value
Column Type: varchar
Max Length: 255
Employment Status - Value (517)

Column Name: occupation_code
Column Type: varchar
Max Length: 10
Occupation - Code (610)

Column Name: occupation_value
Column Type: varchar
Max Length: 255
Occupation - Value (610)

Column Name: education_code
Column Type: varchar
Max Length: 10
Education - Code (625)

Column Name: patient_ssn
Column Type: varchar
Max Length: 15
Patient's social security number

Column Name: religion_code
Column Type: varchar
Max Length: 20
Patient's religion code

Column Name: marital_status_code
Column Type: varchar
Max Length: 15
Patient's marital status

Column Name: patient_work_phone
Column Type: varchar
Max Length: 60
Patient's work phone

Column Name: patient_maiden_name
Column Type: varchar
Max Length: 40
Patient's maiden name

Column Name: race_code
Column Type: varchar
Max Length: 20
Patient's race code

Column Name: facility_chart_number
Column Type: varchar
Max Length: 40
Facility chart number

Column Name: patient_place_of_birth
Column Type: varchar
Max Length: 40
Patient's place of birth

Column Name: patient_sex_value
Column Type: varchar
Max Length: 40
Patient's sex value

Column Name: ethnic_origin_value
Column Type: varchar
Max Length: 255
Ethnic Origin

Column Name: religion_value
Column Type: varchar
Max Length: 255
Patient's Religion

Column Name: marital_status_value
Column Type: varchar
Max Length: 40
Patient's Marital Status

Column Name: race_value
Column Type: varchar
Max Length: 255
Patient's Race

Column Name: patient_add_county_value
Column Type: varchar
Max Length: 20
Patients address - County

Column Name: patient_add_state_value
Column Type: varchar
Max Length: 40
Patient Address - State - Value

Column Name: FAMID
Column Type: integer
Familiy ID

Column Name: address_start_date

Column Type: date
Address Start Date

Column Name: alert_access_options
Column Type: varchar
Max Length: 50
Alert Access Options

Column Name: alert_access_type
Column Type: varchar
Max Length: 50
Alert Access Type

Column Name: citizenship_code
Column Type: varchar
Max Length: 50
Citizenship

Column Name: citizenship_value
Column Type: varchar
Max Length: 50
Citizenship

Column Name: client_alias_10
Column Type: varchar
Max Length: 80
Client Alias 10

Column Name: client_alias_2
Column Type: varchar
Max Length: 80
Client Alias 2

Column Name: client_alias_3
Column Type: varchar
Max Length: 80
Client Alias 3

Column Name: client_alias_4
Column Type: varchar
Max Length: 80
Client Alias 4

Column Name: client_alias_5
Column Type: varchar
Max Length: 80
Client Alias 5

Column Name: client_alias_6
Column Type: varchar

Max Length: 80
Client Alias 6

Column Name: client_alias_7
Column Type: varchar
Max Length: 80
Client Alias 7

Column Name: client_alias_8
Column Type: varchar
Max Length: 80
Client Alias 8

Column Name: client_alias_9
Column Type: varchar
Max Length: 80
Client Alias 9

Column Name: client_conf_city
Column Type: varchar
Max Length: 50
Client Confidential Address - City

Column Name: client_conf_cntry_code
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Code

Column Name: client_conf_cntry_value
Column Type: varchar
Max Length: 50
Client Confidential Address - Country Value

Column Name: client_conf_phone
Column Type: varchar
Max Length: 50
Client Confidential Address - Phone Number

Column Name: client_conf_state_code
Column Type: varchar
Max Length: 50
Client Confidential Address - State Code

Column Name: client_conf_state_value
Column Type: varchar
Max Length: 50
Client Confidential Address - State Value

Column Name: client_conf_street
Column Type: varchar

Max Length: 50
Client Confidential Address - Street

Column Name: client_conf_street2
Column Type: varchar
Max Length: 50
Client Confidential Address - Street 2

Column Name: client_conf_zipcode
Column Type: varchar
Max Length: 50
Client Confidential Address - Zip code

Column Name: client_email_addr
Column Type: varchar
Max Length: 50
Client's Email Address

Column Name: client_mail_city
Column Type: varchar
Max Length: 50
Client's Address - City

Column Name: client_mail_cntry_code
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_cntry_value
Column Type: varchar
Max Length: 50
Client's Address - Country

Column Name: client_mail_state_code
Column Type: varchar
Max Length: 50
Client's Address - State

Column Name: client_mail_state_value
Column Type: varchar
Max Length: 50
Client's Address - State

Column Name: client_mail_street
Column Type: varchar
Max Length: 50
Client's Address - Street 1

Column Name: client_mail_street2
Column Type: varchar

Max Length: 50
Client's Address - Street 2

Column Name: client_mail_zipcode
Column Type: varchar
Max Length: 50
Client's Address - Zip Code

Column Name: communication_pref_code
Column Type: varchar
Max Length: 50
Communication Preference Code

Column Name: communication_pref_value
Column Type: varchar
Max Length: 50
Communication Preference Value

Column Name: country_of_origin_code
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: country_of_origin_value
Column Type: varchar
Max Length: 50
Country of Origin

Column Name: decline_prov_code
Column Type: varchar
Max Length: 50
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_long
Column Type: varchar
Max Length: 4096
Client Declined To Provide Information On The Following

Column Name: decline_prov_value_short
Column Type: varchar
Max Length: 255
Client Declined To Provide Information On The Following

Column Name: education_value
Column Type: varchar
Max Length: 255
education - Value (625)

Column Name: ethnic_origin_X_NRI_code
Column Type: varchar

Max Length: 10
Ethnic Origin X NRI

Column Name: ethnic_origin_X_NRI_value
Column Type: varchar
Max Length: 255
Ethnic Origin X NRI

Column Name: eth_orig_X_NRI_2014_value
Column Type: varchar
Max Length: 255
Ethnic Origin X NRI 2014

Column Name: eth_orig_X_NRI_2014_code
Column Type: varchar
Max Length: 10
Ethnic Origin X NRI 2014

Column Name: expected_due_date
Column Type: date
Expected Due Date

Column Name: external_mpi_id
Column Type: varchar
Max Length: 50
External MPI ID

Column Name: fam_agric_worker_code
Column Type: varchar
Max Length: 5
'Do you have family members that are agricultural workers?'

Column Name: fam_agric_worker_value
Column Type: varchar
Max Length: 40
description for 'Do you have family members that are agricultural workers?'

Column Name: family_name
Column Type: varchar
Max Length: 50
Family name

Column Name: former_agric_worker_code
Column Type: varchar
Max Length: 5
'Are you an aged and disabled former migratory agricultural worker?'

Column Name: former_agric_worker_value
Column Type: varchar
Max Length: 40

description for 'Are you an aged and disabled former migratory agricultural worker?'

Column Name: gender_identity_code
Column Type: varchar
Max Length: 5
Patient's Gender Identity code

Column Name: gender_identity_value
Column Type: varchar
Max Length: 40
Patient's Gender Identity value

Column Name: guarantor_1
Column Type: varchar
Max Length: 10
Guarantor 1

Column Name: guarantor_10
Column Type: varchar
Max Length: 10
Guarantor 10

Column Name: guarantor_2
Column Type: varchar
Max Length: 10
Guarantor 2

Column Name: guarantor_3
Column Type: varchar
Max Length: 10
Guarantor 3

Column Name: guarantor_4
Column Type: varchar
Max Length: 10
Guarantor 4

Column Name: guarantor_5
Column Type: varchar
Max Length: 10
Guarantor 5

Column Name: guarantor_6
Column Type: varchar
Max Length: 10
Guarantor 6

Column Name: guarantor_7
Column Type: varchar
Max Length: 10

Guarantor 7

Column Name: guarantor_8

Column Type: varchar

Max Length: 10

Guarantor 8

Column Name: guarantor_9

Column Type: varchar

Max Length: 10

Guarantor 9

Column Name: guarantor_name_1

Column Type: varchar

Max Length: 40

Guarantor Name 1

Column Name: guarantor_name_10

Column Type: varchar

Max Length: 40

Guarantor Name 10

Column Name: guarantor_name_2

Column Type: varchar

Max Length: 40

Guarantor Name 2

Column Name: guarantor_name_3

Column Type: varchar

Max Length: 40

Guarantor Name 3

Column Name: guarantor_name_4

Column Type: varchar

Max Length: 40

Guarantor Name 4

Column Name: guarantor_name_5

Column Type: varchar

Max Length: 40

Guarantor Name 5

Column Name: guarantor_name_6

Column Type: varchar

Max Length: 40

Guarantor Name 6

Column Name: guarantor_name_7

Column Type: varchar

Max Length: 40

Guarantor Name 7

Column Name: guarantor_name_8

Column Type: varchar

Max Length: 40

Guarantor Name 8

Column Name: guarantor_name_9

Column Type: varchar

Max Length: 40

Guarantor Name 9

Column Name: lactating_status_code

Column Type: varchar

Max Length: 50

Lactating Status

Column Name: lactating_status_value

Column Type: varchar

Max Length: 50

Column Name: marital_status_X_NRI_code

Column Type: varchar

Max Length: 10

Marital Status X NRI

Column Name: marital_status_X_NRI_value

Column Type: varchar

Max Length: 40

Marital Status X NRI

Column Name: medicaid_number

Column Type: varchar

Max Length: 20

Medicaid Number

Column Name: medi_cal_policy_number

Column Type: varchar

Max Length: 20

'Medi-Cal Policy Number' used by the 'LA Provider Integration' module

Column Name: mothers_maiden_name

Column Type: varchar

Max Length: 100

Mother's Maiden Name

Column Name: name_qualifier_code

Column Type: varchar

Max Length: 50

Name Qualifier

Column Name: name_qualifier_value

Column Type: varchar

Max Length: 50

Name Qualifier

Column Name: other_eth_org_code

Column Type: varchar

Max Length: 50

Other Ethnic Origin

Column Name: other_eth_org_value_long

Column Type: varchar

Max Length: 4096

Other Ethnic Origin

Column Name: other_eth_org_value_short

Column Type: varchar

Max Length: 255

Other Ethnic Origin

Column Name: other_lang_code

Column Type: varchar

Max Length: 50

Other Language Code

Column Name: other_lang_shval

Column Type: varchar

Max Length: 255

Other Language Code

Column Name: other_lang_val

Column Type: varchar

Max Length: 4096

Other Language Code

Column Name: other_race_code

Column Type: varchar

Max Length: 50

Other Race Code

Column Name: other_race_value_long

Column Type: varchar

Max Length: 4096

Other Race Code

Column Name: other_race_value_short

Column Type: varchar

Max Length: 255

Other Race Code

Column Name: patient_add_country_code

Column Type: varchar

Max Length: 20

Patient Address Country Code

Column Name: patient_add_country_value

Column Type: varchar

Max Length: 40

Patient Address Country Value

Column Name: patient_cell_phone

Column Type: varchar

Max Length: 60

Patient cell phone

Column Name: patient_name_first

Column Type: varchar

Max Length: 40

Patient Name First

Column Name: patient_name_last

Column Type: varchar

Max Length: 40

Patient Last Name

Column Name: patient_name_middle

Column Type: varchar

Max Length: 40

Patient Middle Name

Column Name: patient_name_prefix_code

Column Type: varchar

Max Length: 40

Patient Name Prefix Code

Column Name: patient_name_prefix_value

Column Type: varchar

Max Length: 40

Patient Name Prefix Value

Column Name: patient_name_suffix_code

Column Type: varchar

Max Length: 40

Patient Name Suffix Code

Column Name: patient_name_suffix_value

Column Type: varchar

Max Length: 40

Patient Name Suffix Value

Column Name: patient_sex_X_NRI_code
Column Type: varchar
Max Length: 10
Patient Sex X NRI

Column Name: patient_sex_X_NRI_value
Column Type: varchar
Max Length: 40
Patient Sex X NRI

Column Name: patient_ssn_2
Column Type: varchar
Max Length: 15
Patient's social security number 2

Column Name: patient_ssn_3
Column Type: varchar
Max Length: 15
Patient's social security number 3

Column Name: patient_ssn_4
Column Type: varchar
Max Length: 15
Patient's social security number 4

Column Name: personal_pronouns
Column Type: varchar
Max Length: 40
'Personal Pronouns'

Column Name: policy_number_1
Column Type: varchar
Max Length: 20
policy number 1

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
policy number 10

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
policy number 2

Column Name: policy_number_3
Column Type: varchar
Max Length: 20

policy number 3

Column Name: policy_number_4

Column Type: varchar

Max Length: 20

policy number 4

Column Name: policy_number_5

Column Type: varchar

Max Length: 20

policy number 5

Column Name: policy_number_6

Column Type: varchar

Max Length: 20

policy number 6

Column Name: policy_number_7

Column Type: varchar

Max Length: 20

policy number 7

Column Name: policy_number_8

Column Type: varchar

Max Length: 20

policy number 8

Column Name: policy_number_9

Column Type: varchar

Max Length: 20

policy number 9

Column Name: preferred_name

Column Type: varchar

Max Length: 40

'Preferred Name'

Column Name: pref_prov_eth_org_code

Column Type: varchar

Max Length: 5

Preferred Provider's Ethnic origin

Column Name: pref_prov_eth_org_value

Column Type: varchar

Max Length: 255

Preferred Provider's Ethnic Origin value

Column Name: pref_prov_sex_code

Column Type: varchar

Max Length: 5

Preferred provider's sex

Column Name: pref_prov_sex_value

Column Type: varchar

Max Length: 15

Preferred provider's sex value

Column Name: pregnancy_status_code

Column Type: varchar

Max Length: 50

Pregnancy Status

Column Name: pregnancy_status_value

Column Type: varchar

Max Length: 50

Pregnancy Status

Column Name: primary_language_code

Column Type: varchar

Max Length: 50

Primary Language

Column Name: primary_language_value

Column Type: varchar

Max Length: 50

Primary Language

Column Name: protection_indicator_code

Column Type: varchar

Max Length: 50

Protection Indicator

Column Name: protection_indicator_date

Column Type: date

Protection Indicator Effective Date

Column Name: protection_indicator_val

Column Type: varchar

Max Length: 50

Protection Indicator

Column Name: sex_orientation_code

Column Type: varchar

Max Length: 5

Patients Sexual Orientation code

Column Name: sex_orientation_value

Column Type: varchar

Max Length: 40

Patient's Sexual Orientation value

Column Name: smoker_code
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoker_value
Column Type: varchar
Max Length: 50
Patient's Smoker Status

Column Name: smoking_stat_assess_date
Column Type: date
Smoking Status Assessment Date

Column Name: ss_demographics_date_1
Column Type: date
SS Demographics Date 1

Column Name: ss_demographics_date_2
Column Type: date
SS Demographics Date 2

Column Name: ss_demographics_date_3
Column Type: date
SS Demographics Date 3

Column Name: ss_demographics_date_4
Column Type: date
SS Demographics Date 4

Column Name: ss_demographics_date_5
Column Type: date
SS Demographics Date 5

Column Name: ss_demographics_dict_10_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 10 Code

Column Name: ss_demographics_dict_10_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 10 Value

Column Name: ss_demographics_dict_11_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 11 Code

Column Name: ss_demographics_dict_11_value

Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 11 Value

Column Name: ss_demographics_dict_12_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 12 Code

Column Name: ss_demographics_dict_12_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 12 Value

Column Name: ss_demographics_dict_13_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 13 Code

Column Name: ss_demographics_dict_13_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 13 Value

Column Name: ss_demographics_dict_14_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 14 Code

Column Name: ss_demographics_dict_14_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 14 Value

Column Name: ss_demographics_dict_15_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 15 Code

Column Name: ss_demographics_dict_15_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 15 Value

Column Name: ss_demographics_dict_16_code
Column Type: varchar
Max Length: 50
'SS Demographics Single Select Dictionary 16' Code

Column Name: ss_demographics_dict_16_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_16_code. See ss_demographics_dict_16_code for more information.

Column Name: ss_demographics_dict_17_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 17' Code

Column Name: ss_demographics_dict_17_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_17_code. See ss_demographics_dict_17_code for more information.

Column Name: ss_demographics_dict_18_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 18' Code

Column Name: ss_demographics_dict_18_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_18_code. See ss_demographics_dict_18_code for more information.

Column Name: ss_demographics_dict_19_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 19' Code

Column Name: ss_demographics_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_19_code. See ss_demographics_dict_19_code for more information.

Column Name: ss_demographics_dict_1_code

Column Type: varchar

Max Length: 50

SS Demographics Single Select Dictionary 1 Code

Column Name: ss_demographics_dict_1_value

Column Type: varchar

Max Length: 255

SS Demographics Single Select Dictionary 1 Value

Column Name: ss_demographics_dict_20_code

Column Type: varchar

Max Length: 50
'SS Demographics Single Select Dictionary 20' Code

Column Name: ss_demographics_dict_20_value
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_dict_20_code. See ss_demographics_dict_20_code for more information.

Column Name: ss_demographics_dict_2_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 2 Code

Column Name: ss_demographics_dict_2_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 2 Value

Column Name: ss_demographics_dict_3_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 3 Code

Column Name: ss_demographics_dict_3_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 3 Value

Column Name: ss_demographics_dict_4_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 4 Code

Column Name: ss_demographics_dict_4_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 4 Value

Column Name: ss_demographics_dict_5_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 5 Code

Column Name: ss_demographics_dict_5_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 5 Value

Column Name: ss_demographics_dict_6_code

Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 6 Code

Column Name: ss_demographics_dict_6_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 6 Value

Column Name: ss_demographics_dict_7_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 7 Code

Column Name: ss_demographics_dict_7_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 7 Value

Column Name: ss_demographics_dict_8_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 8 Code

Column Name: ss_demographics_dict_8_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 8 Value

Column Name: ss_demographics_dict_9_code
Column Type: varchar
Max Length: 50
SS Demographics Single Select Dictionary 9 Code

Column Name: ss_demographics_dict_9_value
Column Type: varchar
Max Length: 255
SS Demographics Single Select Dictionary 9 Value

Column Name: ss_demographics_free_txt_1
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 1

Column Name: ss_demographics_free_txt_10
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 10'

Column Name: ss_demographics_free_txt_11

Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 11'

Column Name: ss_demographics_free_txt_12
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 12'

Column Name: ss_demographics_free_txt_13
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 13'

Column Name: ss_demographics_free_txt_14
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 14'

Column Name: ss_demographics_free_txt_15
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 15'

Column Name: ss_demographics_free_txt_2
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 2

Column Name: ss_demographics_freetxt_20_1
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 1

Column Name: ss_demographics_freetxt_20_10
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 10'

Column Name: ss_demographics_freetxt_20_11
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 11'

Column Name: ss_demographics_freetxt_20_12
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 12'

Column Name: ss_demographics_freetxt_20_13

Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 13'

Column Name: ss_demographics_freetxt_20_14
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 14'

Column Name: ss_demographics_freetxt_20_15
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 15'

Column Name: ss_demographics_freetxt_20_2
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 2

Column Name: ss_demographics_freetxt_20_3
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 3

Column Name: ss_demographics_freetxt_20_4
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 4

Column Name: ss_demographics_freetxt_20_5
Column Type: varchar
Max Length: 20
SS Demographics Free Text (20) 5

Column Name: ss_demographics_freetxt_20_6
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 6'

Column Name: ss_demographics_freetxt_20_7
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 7'

Column Name: ss_demographics_freetxt_20_8
Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 8'

Column Name: ss_demographics_freetxt_20_9

Column Type: varchar
Max Length: 20
'SS Demographics Free Text (20) 9'

Column Name: ss_demographics_free_txt_3
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 3

Column Name: ss_demographics_free_txt_4
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 4

Column Name: ss_demographics_freetxt_40_1
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 1

Column Name: ss_demographics_freetxt_40_10
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 10'

Column Name: ss_demographics_freetxt_40_11
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 11'

Column Name: ss_demographics_freetxt_40_12
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 12'

Column Name: ss_demographics_freetxt_40_13
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 13'

Column Name: ss_demographics_freetxt_40_14
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 14'

Column Name: ss_demographics_freetxt_40_15
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 15'

Column Name: ss_demographics_freetxt_40_2

Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 2

Column Name: ss_demographics_freetxt_40_3
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 3

Column Name: ss_demographics_freetxt_40_4
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 4

Column Name: ss_demographics_freetxt_40_5
Column Type: varchar
Max Length: 40
SS Demographics Free Text (40) 5

Column Name: ss_demographics_freetxt_40_6
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 6'

Column Name: ss_demographics_freetxt_40_7
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 7'

Column Name: ss_demographics_freetxt_40_8
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 8'

Column Name: ss_demographics_freetxt_40_9
Column Type: varchar
Max Length: 40
'SS Demographics Free Text (40) 9'

Column Name: ss_demographics_free_txt_5
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 5

Column Name: ss_demographics_free_txt_6
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 6'

Column Name: ss_demographics_free_txt_7

Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 7'

Column Name: ss_demographics_free_txt_8
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 8'

Column Name: ss_demographics_freetxt_80_1
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 1'

Column Name: ss_demographics_freetxt_80_10
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 10'

Column Name: ss_demographics_freetxt_80_2
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 2'

Column Name: ss_demographics_freetxt_80_3
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 3'

Column Name: ss_demographics_freetxt_80_4
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 4'

Column Name: ss_demographics_freetxt_80_5
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 5'

Column Name: ss_demographics_freetxt_80_6
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 6'

Column Name: ss_demographics_freetxt_80_7
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 7'

Column Name: ss_demographics_freetxt_80_8

Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 8'

Column Name: ss_demographics_freetxt_80_9
Column Type: varchar
Max Length: 80
'SS Demographics Free Text (80) 9'

Column Name: ss_demographics_free_txt_9
Column Type: varchar
Max Length: 32766
SS Demographics Scrolling Free Text 9'

Column Name: ss_demographics_mult_10_code
Column Type: varchar
Max Length: 50
SS Demographics Multiple Select Dictionary 10 Code

Column Name: ss_demographics_mult_10_shval
Column Type: varchar
Max Length: 255
SS Demographics Multiple Select Dictionary 10 Short Value

Column Name: ss_demographics_mult_10_value
Column Type: varchar
Max Length: 4096
SS Demographics Multiple Select Dictionary 10 Value

Column Name: ss_demographics_mult_11_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 11' Code

Column Name: ss_demographics_mult_11_shval
Column Type: varchar
Max Length: 255
The description associated with ss_demographics_mult_11_code limited to 255 characters. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_11_value
Column Type: varchar
Max Length: 4096
The description associated with ss_demographics_mult_11_code. See ss_demographics_mult_11_code for more information.

Column Name: ss_demographics_mult_12_code
Column Type: varchar
Max Length: 50
'SS Demographics Multiple Select Dictionary 12' Code

Column Name: ss_demographics_mult_12_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_12_code limited to 255 characters. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_12_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_12_code. See ss_demographics_mult_12_code for more information.

Column Name: ss_demographics_mult_13_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 13' Code

Column Name: ss_demographics_mult_13_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_13_code limited to 255 characters. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_13_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_13_code. See ss_demographics_mult_13_code for more information.

Column Name: ss_demographics_mult_14_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 14' Code

Column Name: ss_demographics_mult_14_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_14_code limited to 255 characters. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_14_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_14_code. See ss_demographics_mult_14_code for more information.

Column Name: ss_demographics_mult_15_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 15' Code

Column Name: ss_demographics_mult_15_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_15_code limited to 255 characters. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_15_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_15_code. See ss_demographics_mult_15_code for more information.

Column Name: ss_demographics_mult_1_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 1 Code

Column Name: ss_demographics_mult_1_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 1 Short Value

Column Name: ss_demographics_mult_1_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 1 Value

Column Name: ss_demographics_mult_2_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 2 Code

Column Name: ss_demographics_mult_2_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 2 Short Value

Column Name: ss_demographics_mult_2_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 2 Value

Column Name: ss_demographics_mult_3_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 3 Code

Column Name: ss_demographics_mult_3_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 3 Short Value

Column Name: ss_demographics_mult_3_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 3 Value

Column Name: ss_demographics_mult_4_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 4 Code

Column Name: ss_demographics_mult_4_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 4 Short Value

Column Name: ss_demographics_mult_4_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 4 Value

Column Name: ss_demographics_mult_5_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 5 Code

Column Name: ss_demographics_mult_5_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 5 Short Value

Column Name: ss_demographics_mult_5_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 5 Value

Column Name: ss_demographics_mult_6_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 6 Code

Column Name: ss_demographics_mult_6_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 6 Short Value

Column Name: ss_demographics_mult_6_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 6 Value

Column Name: ss_demographics_mult_7_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 7 Code

Column Name: ss_demographics_mult_7_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 7 Short Value

Column Name: ss_demographics_mult_7_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 7 Value

Column Name: ss_demographics_mult_8_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 8 Code

Column Name: ss_demographics_mult_8_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 8 Short Value

Column Name: ss_demographics_mult_8_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 8 Value

Column Name: ss_demographics_mult_9_code

Column Type: varchar

Max Length: 50

SS Demographics Multiple Select Dictionary 9 Code

Column Name: ss_demographics_mult_9_shval

Column Type: varchar

Max Length: 255

SS Demographics Multiple Select Dictionary 9 Short Value

Column Name: ss_demographics_mult_9_value

Column Type: varchar

Max Length: 4096

SS Demographics Multiple Select Dictionary 9 Value

Column Name: ss_demographics_phone_1

Column Type: varchar

Max Length: 50

Site Specific Phone Number 1

Column Name: ss_demographics_phone_2

Column Type: varchar

Max Length: 50

Site Specific Phone Number 2

Column Name: ss_demographics_phone_3

Column Type: varchar

Max Length: 50

Site Specific Phone Number 3

Column Name: ss_demographics_phone_4

Column Type: varchar

Max Length: 50

Site Specific Phone Number 4

Column Name: ss_demographics_phone_5

Column Type: varchar

Max Length: 50

Site Specific Phone Number 5

Column Name: ss_demographics_staff_1

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 1

Column Name: ss_demographics_staff_2

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 2

Column Name: ss_demographics_staff_3

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 3

Column Name: ss_demographics_staff_4

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 4

Column Name: ss_demographics_staff_5

Column Type: varchar

Max Length: 20

SS Demographics Practitioner 5

Column Name: ss_demographics_time_1

Column Type: varchar

Max Length: 10

SS Demographics Time 1

Column Name: ss_demographics_time_2

Column Type: varchar

Max Length: 10

SS Demographics Time 2

Column Name: ss_demographics_time_3

Column Type: varchar

Max Length: 10

SS Demographics Time 3

Column Name: ss_demographics_time_4

Column Type: varchar

Max Length: 10

SS Demographics Time 4

Column Name: ss_demographics_time_5

Column Type: varchar

Max Length: 10

SS Demographics Time 5

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Financial_Determination

Table Name: SYSTEM.fin_determ

Table Description: 'Financial Determination'

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: JOIN_TO_CONFIG

Column Type: varchar

Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: active_code
Column Type: varchar
Max Length: 50

Column Name: active_value
Column Type: varchar
Max Length: 255

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: effective_date

Column Type: date

Column Name: expiration_date

Column Type: date

Column Name: option_id

Column Type: varchar

Max Length: 50

Column Name: residence_type_code

Column Type: varchar

Max Length: 50

Column Name: residence_type_value

Column Type: varchar

Max Length: 255

Column Name: submitter

Column Type: varchar

Max Length: 50

Column Name: submitter_name

Column Type: varchar

Max Length: 50

Column Name: total_monthly_atp

Column Type: varchar

Max Length: 50

Documentation for form: Financial_Determination

Table Name: SYSTEM.fin_determ_exc_assets

Table Description: 'Financial Determination' Excluded Assets

Column Name: ID

Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_DETERM
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_DETERM_INFO
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: additional_asset
Column Type: varchar
Max Length: 50

Column Name: asset_liability
Column Type: varchar
Max Length: 50

Column Name: asset_type_code
Column Type: varchar
Max Length: 50

Column Name: asset_type_value
Column Type: varchar
Max Length: 255

Column Name: asset_value
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: description
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Documentation for form: Financial_Determination

Table Name: SYSTEM.fin_determ_expense

Table Description: 'Financial Determination' Expenses

Column Name: ID
Column Type: integer
Column Name: FACILITY

Column Type: integer

Column Name: JOIN_TO_DETERM

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_DETERM_INFO

Column Type: varchar

Max Length: 50

Column Name: PATID

Column Type: varchar

Max Length: 20

Column Name: additional_expense

Column Type: varchar

Max Length: 50

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: description
Column Type: varchar
Max Length: 50

Column Name: expense_time_code
Column Type: varchar
Max Length: 50

Column Name: expense_time_value
Column Type: varchar
Max Length: 255

Column Name: expense_type_code
Column Type: varchar
Max Length: 50

Column Name: expense_type_value
Column Type: varchar
Max Length: 255

Column Name: expense_value
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Documentation for form: Financial_Determination

Table Name: SYSTEM.fin_determ_inc_assets

Table Description: 'Financial Determination' Included Assets

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_DETERM
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_DETERM_INFO
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: additional_asset
Column Type: varchar
Max Length: 50

Column Name: asset_liability
Column Type: varchar
Max Length: 50

Column Name: asset_type_code
Column Type: varchar
Max Length: 50

Column Name: asset_type_value
Column Type: varchar
Max Length: 255

Column Name: asset_value
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: description
Column Type: varchar
Max Length: 50

Column Name: financial_institution
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Documentation for form: Financial_Determination

Table Name: SYSTEM.fin_determ_income

Table Description: 'Financial Determination' Other Income

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_DETERM
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_DETERM_INFO
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: additional_income
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: description
Column Type: varchar
Max Length: 50

Column Name: income_type_code
Column Type: varchar
Max Length: 50

Column Name: income_type_value
Column Type: varchar
Max Length: 255

Column Name: income_value
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Documentation for form: Financial_Determination

Table Name: SYSTEM.fin_determ_info

Table Description: 'Financial Determination' Determination Information

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_DETERM
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: annual_atp
Column Type: varchar
Max Length: 50

Column Name: annual_liability
Column Type: varchar
Max Length: 50

Column Name: apply_additional_code
Column Type: varchar
Max Length: 50

Column Name: apply_additional_value
Column Type: varchar
Max Length: 255

Column Name: apply_add_override_code
Column Type: varchar
Max Length: 50

Column Name: apply_add_override_value
Column Type: varchar
Max Length: 255

Column Name: apply_special_code
Column Type: varchar
Max Length: 50

Column Name: apply_special_value
Column Type: varchar
Max Length: 255

Column Name: calc_annual_atp
Column Type: varchar
Max Length: 50

Column Name: calc_annual_liability
Column Type: varchar
Max Length: 50

Column Name: calc_calc_monthly_atp
Column Type: varchar
Max Length: 50

Column Name: calc_lump_sum
Column Type: varchar
Max Length: 50

Column Name: calc_monthly_atp
Column Type: varchar
Max Length: 50

Column Name: calc_net_assets
Column Type: varchar
Max Length: 50

Column Name: calc_net_income
Column Type: varchar
Max Length: 50

Column Name: calc_protected_assets
Column Type: varchar
Max Length: 50

Column Name: calc_protected_income
Column Type: varchar
Max Length: 50

Column Name: calc_spend_down
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: dependents
Column Type: varchar
Max Length: 50

Column Name: determ_class_code
Column Type: varchar
Max Length: 50

Column Name: determ_class_value
Column Type: varchar
Max Length: 255

Column Name: determ_for_code

Column Type: varchar
Max Length: 50

Column Name: determ_for_value
Column Type: varchar
Max Length: 255

Column Name: determ_method_code
Column Type: varchar
Max Length: 50

Column Name: determ_method_value
Column Type: varchar
Max Length: 255

Column Name: determ_type_code
Column Type: varchar
Max Length: 50

Column Name: determ_type_value
Column Type: varchar
Max Length: 255

Column Name: guarantor
Column Type: varchar
Max Length: 50

Column Name: lump_sum
Column Type: varchar
Max Length: 50

Column Name: manual_override_reason
Column Type: varchar
Max Length: 32766

Column Name: monthly_atp
Column Type: varchar
Max Length: 50

Column Name: net_assets

Column Type: varchar
Max Length: 50

Column Name: net_income
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: override
Column Type: varbinary
Max Length: 50

Column Name: protected_assets
Column Type: varchar
Max Length: 50

Column Name: protected_income
Column Type: varchar
Max Length: 50

Column Name: remarks
Column Type: varchar
Max Length: 32766

Column Name: spend_down
Column Type: varchar
Max Length: 50

Column Name: ss_info_date_1
Column Type: date

Column Name: ss_info_date_10
Column Type: date

Column Name: ss_info_date_2
Column Type: date

Column Name: ss_info_date_3
Column Type: date

Column Name: ss_info_date_4
Column Type: date

Column Name: ss_info_date_5
Column Type: date

Column Name: ss_info_date_6
Column Type: date

Column Name: ss_info_date_7
Column Type: date

Column Name: ss_info_date_8
Column Type: date

Column Name: ss_info_date_9
Column Type: date

Column Name: ss_info_dict_1_code
Column Type: varchar
Max Length: 50

Column Name: ss_info_dict_1_value
Column Type: varchar
Max Length: 255

Column Name: ss_info_dict_2_code
Column Type: varchar
Max Length: 50

Column Name: ss_info_dict_2_value
Column Type: varchar
Max Length: 255

Column Name: ss_info_dict_3_code

Column Type: varchar
Max Length: 50

Column Name: ss_info_dict_3_value
Column Type: varchar
Max Length: 255

Column Name: ss_info_dict_4_code
Column Type: varchar
Max Length: 50

Column Name: ss_info_dict_4_value
Column Type: varchar
Max Length: 255

Column Name: ss_info_dict_5_code
Column Type: varchar
Max Length: 50

Column Name: ss_info_dict_5_value
Column Type: varchar
Max Length: 255

Column Name: ss_info_free_txt_1
Column Type: varchar
Max Length: 50

Column Name: ss_info_free_txt_2
Column Type: varchar
Max Length: 50

Column Name: ss_info_freetxt_20_1
Column Type: varchar
Max Length: 20

Column Name: ss_info_freetxt_20_2
Column Type: varchar
Max Length: 20

Column Name: ss_info_freetxt_20_3

Column Type: varchar
Max Length: 20

Column Name: ss_info_freetxt_20_4
Column Type: varchar
Max Length: 20

Column Name: ss_info_freetxt_20_5
Column Type: varchar
Max Length: 20

Column Name: ss_info_free_txt_3
Column Type: varchar
Max Length: 50

Column Name: ss_info_free_txt_4
Column Type: varchar
Max Length: 50

Column Name: ss_info_freetxt_40_1
Column Type: varchar
Max Length: 40

Column Name: ss_info_freetxt_40_2
Column Type: varchar
Max Length: 40

Column Name: ss_info_freetxt_40_3
Column Type: varchar
Max Length: 40

Column Name: ss_info_freetxt_40_4
Column Type: varchar
Max Length: 40

Column Name: ss_info_freetxt_40_5
Column Type: varchar
Max Length: 40

Column Name: ss_info_free_txt_5

Column Type: varchar
Max Length: 50

Column Name: ss_info_mult_1_code
Column Type: varchar
Max Length: 50

Column Name: ss_info_mult_1_shval
Column Type: varchar
Max Length: 255

Column Name: ss_info_mult_1_value
Column Type: varchar
Max Length: 4096

Column Name: ss_info_mult_2_code
Column Type: varchar
Max Length: 50

Column Name: ss_info_mult_2_shval
Column Type: varchar
Max Length: 255

Column Name: ss_info_mult_2_value
Column Type: varchar
Max Length: 4096

Column Name: ss_info_mult_3_code
Column Type: varchar
Max Length: 50

Column Name: ss_info_mult_3_shval
Column Type: varchar
Max Length: 255

Column Name: ss_info_mult_3_value
Column Type: varchar
Max Length: 4096

Column Name: ss_info_mult_4_code

Column Type: varchar
Max Length: 50

Column Name: ss_info_mult_4_shval
Column Type: varchar
Max Length: 255

Column Name: ss_info_mult_4_value
Column Type: varchar
Max Length: 4096

Column Name: ss_info_mult_5_code
Column Type: varchar
Max Length: 50

Column Name: ss_info_mult_5_shval
Column Type: varchar
Max Length: 255

Column Name: ss_info_mult_5_value
Column Type: varchar
Max Length: 4096

Column Name: ss_info_time_1
Column Type: varchar
Max Length: 10

Column Name: ss_info_time_2
Column Type: varchar
Max Length: 10

Column Name: ss_info_time_3
Column Type: varchar
Max Length: 10

Column Name: ss_info_time_4
Column Type: varchar
Max Length: 10

Column Name: ss_info_time_5

Column Type: varchar
Max Length: 10

Column Name: total_excluded_assets
Column Type: varchar
Max Length: 50

Column Name: total_expenses
Column Type: varchar
Max Length: 50

Column Name: total_included_assets
Column Type: varchar
Max Length: 50

Column Name: total_income
Column Type: varchar
Max Length: 50

Column Name: total_liabilities
Column Type: varchar
Max Length: 50

Documentation for form: Financial_Determination

Table Name: SYSTEM.fin_determ_wages

Table Description: 'Financial Determination' Wages and Income

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
Facility

Column Name: JOIN_TO_DETERM
Column Type: varchar
Max Length: 50
JOIN_TO_DETERM

Column Name: JOIN_TO_DETERM_INFO
Column Type: varchar
Max Length: 50
JOIN_TO_DETERM_INFO

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By (30001)

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By option (30003)

Column Name: data_entry_date
Column Type: date
Data Entry Date (30000)

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
data entry source

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time (30002)

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
Data Entry User ID (30009)

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: description
Column Type: varchar
Max Length: 50
Description (7155)

Column Name: end_date

Column Type: date
End Date (7124)

Column Name: gross_wages
Column Type: varchar
Max Length: 50
Gross Wages (7125)

Column Name: option_id
Column Type: varchar
Max Length: 50
Option ID (30010)

Column Name: start_date
Column Type: date
Start Date (7123)

Documentation for form: Financial_Investigation

Table Name: SYSTEM.call_intake_financial_inv

Table Description: This table returns the information stored in the 'Call Intake' and 'Financial Investigation' forms.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: IBE_uniqueid
Column Type: varchar
Max Length: 12
A unique ID used to identify a row of data.

Column Name: income_resp_income
Column Type: varchar
Max Length: 40
'Income-Responsible Party Annual Income'

Column Name: household_gannual_inc
Column Type: varchar
Max Length: 40
'Income-Household Gross Annual Income'

Column Name: incomevalidation_code
Column Type: varchar
Max Length: 5
'Income-Validation'

Column Name: incomevalidation_value
Column Type: varchar
Max Length: 40
The description associated with incomevalidation_code. See incomevalidation_code for more information.

Column Name: medicare_number
Column Type: varchar
Max Length: 20
'Financial Investigation Medicare Number'

Column Name: medicaid_number
Column Type: varchar
Max Length: 14
'Financial Investigation Medicaid Number'

Column Name: rec_ssi_ben_code
Column Type: varchar
Max Length: 5
'Receiving SSI Benefits'

Column Name: rec_ssi_ben_value
Column Type: varchar
Max Length: 40
The description associated with rec_ssi_ben_code. See rec_ssi_ben_code for more information.

Column Name: rec_ssdi_ben_code
Column Type: varchar
Max Length: 5
'Receiving SSDI Benefits'

Column Name: rec_ssdi_ben_value
Column Type: varchar
Max Length: 40
The description associated with rec_ssdi_ben_code. See rec_ssdi_ben_code for more information.

Column Name: rec_afdc_ben_code
Column Type: varchar
Max Length: 5
'Receiving AFDC Benefits'

Column Name: rec_afdc_ben_value

Column Type: varchar

Max Length: 40

The description associated with rec_afdc_ben_code. See rec_afdc_ben_code for more information.

Column Name: rec_foodstamps_ben_code

Column Type: varchar

Max Length: 5

'Receiving Food Stamps Benefits '

Column Name: rec_foodstamps_ben_value

Column Type: varchar

Max Length: 40

The description associated with rec_foodstamps_ben_code. See rec_foodstamps_ben_code for more information.

Column Name: cash_ben_socsec_code

Column Type: varchar

Max Length: 5

'Cash Benefits - Social Security '

Column Name: cash_ben_socsec_value

Column Type: varchar

Max Length: 40

The description associated with cash_ben_socsec_code. See cash_ben_socsec_code for more information.

Column Name: rec_mil_va_ben_code

Column Type: varchar

Max Length: 5

'Receiving Military V/A Benefits'

Column Name: rec_mil_va_ben_value

Column Type: varchar

Max Length: 40

The description associated with rec_mil_va_ben_code. See rec_mil_va_ben_code for more information.

Column Name: other_benefits_code

Column Type: varchar

Max Length: 5

'Other Benefits'

Column Name: other_benefits_value

Column Type: varchar

Max Length: 40

The description associated with other_benefits_code. See other_benefits_code for more information.

Column Name: bho_code

Column Type: varchar

Max Length: 5

'Behavioral Health Organization'

Column Name: bho_value
Column Type: varchar
Max Length: 40
The description associated with bho_code. See bho_code for more information.

Column Name: mco_code
Column Type: varchar
Max Length: 5
'Managed Care Organization'

Column Name: mco_value
Column Type: varchar
Max Length: 40
The description associated with mco_code. See mco_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: fin_invest_eff_date
Column Type: date
'Financial Investigation Effective Date'

Column Name: number_of_dependents
Column Type: varchar
Max Length: 10
'Number Of Dependents'

Column Name: value_of_allowable_assets
Column Type: varchar
Max Length: 12
'Value Of Allowable Assets'

Column Name: annual_valid_expenses
Column Type: varchar
Max Length: 12
'Annual Valid Expenses'

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_offset

Column Type: numeric

The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The form the service was last edited on.

Column Name: data_entry_time_j

Column Type: time

The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

The time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

The short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the 'User ID'

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: family_size

Column Type: integer

'Family Size'

Column Name: program_code

Column Type: varchar

Max Length: 10

The program code information associated with the 'SYSTEM.billing_tx_history' table.

Column Name: program_shval

Column Type: varchar

Max Length: 255

The description associated with program_code limited to 255 characters. See program_code for more information.

Column Name: program_val

Column Type: varchar

Max Length: 4096

The description associated with program_code limited to 4096 characters. See program_code for more information.

Column Name: sliding_fee_family_size

Column Type: varchar

Max Length: 50

'Sliding Fee Family Size'

Column Name: sliding_fee_fmsizerec_code

Column Type: varchar

Max Length: 50

Divide Sliding Fee Scale Amount by Number of Family Members Receiving Services

Column Name: sliding_fee_fmsizerec_num

Column Type: varchar

Max Length: 50

Sliding Fee Scale - Number of Family Members Receiving Services

Column Name: sliding_fee_fmsizerec_value

Column Type: varchar

Max Length: 40

The description associated with the column 'sliding_fee_fmsizerec_code'.

Column Name: sliding_fee_income

Column Type: numeric

'Sliding Fee Income'

Column Name: sliding_fee_num_of_depend

Column Type: integer

'Sliding Fee Number Of Dependents'

Documentation for form: Client_Enrollment

Table Name: SYSTEM.client_enrollment

Table Description: Client Enrollment Information

Column Name: ID

Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description'.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored. FACILITY

Column Name: JOINTOEnrollment
Column Type: integer
'JOINTOEnrollment'

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The username that last updated the row.

Column Name: end_date
Column Type: date
'Enrollment End Date'.

Column Name: start_date
Column Type: date
'Enrollment Start Date'.

Column Name: type_code
Column Type: varchar
Max Length: 50
'Enrollment Type'.

Column Name: type_value
Column Type: varchar
Max Length: 50
The description associated with type_code. See type_value for more information.

Documentation for form: Client_Charge_Input

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: total_closed_charges
Column Type: numeric
Total dollar amount for all closed services in the episode.

Column Name: total_open_charges
Column Type: numeric
Total dollar amount for all open services in the episode.

Column Name: total_payments

Column Type: numeric

Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance

Column Type: numeric

Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date

Column Type: date

The admission date for the client's episode.

Column Name: v_discharge_date

Column Type: date

The discharge date for the client's episode.

Column Name: v_program_code

Column Type: varchar

Max Length: 10

The program of admission for the client's episode.

Column Name: v_program_value

Column Type: varchar

Max Length: 40

The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name

Column Type: varchar

Max Length: 40

The client's name.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Client_Charge_Input

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the service was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID for which the service is entered.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability

Column Type: numeric

The guarantor's liability.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The claim number assigned to a client's service.

Column Name: guarantor_total_payments

Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40

'Program'

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 10

'Practitioner'

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 100

The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value

Column Type: varchar

Max Length: 40

The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service'

Column Name: v_accounting_period

Column Type: date

The accounting period for the service.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the client ID.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date

Column Type: date

Date of entry

Column Name: v_claim_date

Column Type: date

'Date of Claim'

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc

Column Type: varchar

Max Length: 50

This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc

Column Type: varchar

Max Length: 50

This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: billing_units

Column Type: numeric

'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number

Column Type: varchar

Max Length: 50

'Claimed Authorization Number'

Column Name: date_of_svc_close

Column Type: date

'Date of Service Closed'

Column Name: re_bill_claim_number

Column Type: varchar

Max Length: 50

This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance

Column Type: double

Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level

Column Type: varchar

Max Length: 5

'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code

Column Type: varchar

Max Length: 10

'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value

Column Type: varchar

Max Length: 40

The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage

Column Type: varchar

Max Length: 10

'Sliding Fee Coverage'

Column Name: split_units

Column Type: numeric

'Split Units'

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration
Column Type: varchar
Max Length: 20
'Duration'

Column Name: v_location_code
Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers
Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form: Client_Charge_Input

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge

Column Type: numeric

The full charge for the service.

Column Name: total_payments

Column Type: numeric

Total payments for service

Column Name: date_charge_closed

Column Type: date

Date the service was closed.

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period

Column Type: date

Accounting Period

Column Name: client_name

Column Type: varchar

Max Length: 40

The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date

Column Type: date

The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Client_Charge_Input

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: FACILITY

Column Type: integer

The facility of the service.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code of the service.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique row id.

Column Name: program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
The practitioner ID of the service.

Column Name: duration
Column Type: numeric
The duration of the service.

Column Name: appointment_status_code
Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar
Max Length: 15
The number of clients in the group if this is a group service.

Column Name: cost_of_service
Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: co_staff_member_2
Column Type: varchar

Max Length: 20
The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
The original service code if the service is now deleted.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description for the program_code. See program_code for more information.

Column Name: appointment_status_value
Column Type: varchar
Max Length: 40
The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description for the location_code. See location_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 100
The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME
Column Type: varchar
Max Length: 40
The name of the PROVIDER_ID of the service.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: billable_value
Column Type: varchar
Max Length: 20
The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state
Column Type: varchar
Max Length: 40
'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code
Column Type: varchar
Max Length: 40
'Location' for the program_code of the service.

Column Name: program_X_RRG_code
Column Type: varchar
Max Length: 15
'RRG' for the program_code of the service.

Column Name: program_X_address_street
Column Type: varchar
Max Length: 40
'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id
Column Type: varchar
Max Length: 40
'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code
Column Type: varchar
Max Length: 15
'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code
Column Type: varchar
Max Length: 15
'Program Type' for the program_code of the service.

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name

Column Type: varchar

Max Length: 40

The name of the PATID of the service.

Column Name: age_on_date_of_service_

Column Type: numeric

The client's age at the time of service.

Column Name: appt_site_name

Column Type: varchar

Max Length: 40

The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC

Column Type: varchar

Max Length: 40

The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Original Unique row id

Column Name: add_on_notes

Column Type: varchar

Max Length: 32768

'Add-On Notes'.

Column Name: add_svc_info_code

Column Type: varchar

Max Length: 50

'Additional Service Information'.

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program

Column Type: varchar

Max Length: 10

The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time

Column Type: varchar

Max Length: 50

The 'Appointment End Time' related to this service.

Column Name: appt_group_id

Column Type: varchar

Max Length: 50

The 'Group #' related to this service.

Column Name: apt_group_name

Column Type: varchar

Max Length: 40

The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id

Column Type: varchar

Max Length: 50

The 'Appointment Site' related to this service.

Column Name: appt_start_time

Column Type: varchar

Max Length: 50

The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code

Column Type: varchar

Max Length: 50

'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val

Column Type: varchar

Max Length: 50

The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

'Service Status'.

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units

Column Type: numeric

'Cal Billing Units'

Column Name: confidential_service_code

Column Type: varchar

Max Length: 50

'Confidential Service' from Avatar PH.

Column Name: confidential_service_val

Column Type: varchar

Max Length: 50

The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration

Column Type: numeric
'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member
Column Type: varchar
Max Length: 15
The 'Co-Practitioner' of the service.

Column Name: data_control_identifier
Column Type: varchar
Max Length: 40
'Data Control Identifier'.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_accident
Column Type: date
'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service
Column Type: date
Date To Bill Roll-Up Service.

Column Name: delay_reason_code
Column Type: varchar
Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc
Column Type: varchar
Max Length: 50
The client's age in days, months and years at the time of service.

Column Name: discipline_code
Column Type: varchar
Max Length: 255
'Discipline'.

Column Name: discipline_value
Column Type: varchar
Max Length: 255
The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value
Column Type: varchar
Max Length: 4096

'The description associated with ebps_code. See ebps_code for more information.

Column Name: emergency_ind_code

Column Type: varchar

Max Length: 50

'Emergency Indicator'.

Column Name: emergency_ind_value

Column Type: varchar

Max Length: 50

The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time

Column Type: varchar

Max Length: 10

The end time of the service.

Column Name: fee_override_indicator

Column Type: varchar

Max Length: 50

Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date

Column Type: date

'First Billing Date'.

Column Name: has_global_period_flag

Column Type: varchar

Max Length: 15

This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id

Column Type: varchar

Max Length: 15

The incident-to practitioner ID.

Column Name: incident_to_pract_name

Column Type: varchar

Max Length: 40

The name of the incident-to practitioner.

Column Name: initial_treatment_date

Column Type: date

'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code

Column Type: varchar

Max Length: 5

Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value

Column Type: varchar

Max Length: 10

The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi

Column Type: bit

Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code

Column Type: varchar

Max Length: 5

Was this service created as an overage service.

Column Name: is_overage_service_value

Column Type: varchar

Max Length: 10

The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code

Column Type: varchar

Max Length: 5

Was this service created as a roll-up service.

Column Name: is_roll_up_service_value

Column Type: varchar

Max Length: 10

The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon

Column Type: varchar
Max Length: 40
Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 100
The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code

Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code

Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes
Column Type: varchar
Max Length: 32766
'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers

Column Type: varchar
Max Length: 50
'Modifiers'.

Column Name: mso_eob_number
Column Type: integer
The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code
Column Type: varchar
Max Length: 50
'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value
Column Type: varchar
Max Length: 50
The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837
Column Type: varchar
Max Length: 80
'Note Reference Text (837 Billing)'.

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code
Column Type: varchar
Max Length: 50
'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value
Column Type: varchar

Max Length: 50

The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_date

Column Type: date

The date the service was first entered into the system.

Column Name: orig_entry_option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time

Column Type: varchar

Max Length: 50

The time the service was first entered into the system.

Column Name: orig_entry_user

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_user_id

Column Type: varchar

Max Length: 50

The user ID that first entered the service into the system.

Column Name: original_tx_code

Column Type: varchar

Max Length: 10

'Original Scheduled Service'.

Column Name: original_tx_value

Column Type: varchar

Max Length: 40

The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date

Column Type: date

'Orthodontic Banding Date'.

Column Name: primary_guarantor

Column Type: varchar

Max Length: 40

'Primary Guarantor'.

Column Name: prior_placement_date
Column Type: date
'Prior Placement Date'.

Column Name: prosth_crown_inlay_code
Column Type: varchar
Max Length: 50
'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value
Column Type: varchar
Max Length: 50
The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration
Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner'.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
The name of the referring_practitioner_code.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the referring_provider_code.

Column Name: related_causes_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value
Column Type: varchar
Max Length: 255
The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS
Column Type: varchar

Max Length: 40

The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc

Column Type: timestamp

the End of Service as UTC date and time.

Column Name: service_start_utc

Column Type: timestamp

the Start of Service as UTC date and time.

Column Name: service_status_code

Column Type: varchar

Max Length: 7

Is the service open or closed.

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone

Column Type: varchar

Max Length: 255

the timezone for the service used to determine the offset from UTC.

Column Name: start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: task_event_id

Column Type: varchar

Max Length: 40

The id of the task list event that created this service

Column Name: tooth_number

Column Type: varchar

Max Length: 50

'Tooth Number'.

Column Name: tooth_status_code

Column Type: varchar

Max Length: 50

'Tooth Status Code'.

Column Name: tooth_status_value

Column Type: varchar

Max Length: 50

The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code

Column Type: varchar

Max Length: 50

'Tooth Surface Code'.

Column Name: tooth_surface_shvalue

Column Type: varchar

Max Length: 255

The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value

Column Type: varchar

Max Length: 4096

The description for the tooth_surface_code. See tooth_surface_code for more information.

Column Name: total_duration_crisis_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Crisis".

Column Name: total_duration_other_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Other".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

Is this a transfer service.

Column Name: treatment_service_code

Column Type: varchar

Max Length: 50

'Treatment Service' for the program_code of the service.

Column Name: treatment_service_value

Column Type: varchar

Max Length: 50

The description for the treatment_service_code. See treatment_service_code for more information.

Column Name: units_of_service

Column Type: numeric

The units of the service.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_deleted_service_value

Column Type: varchar

Max Length: 40

The description for the deleted_service_code. See deleted_service_code for more information.

Documentation for form: Client_Charge_Input

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: STAFFID

Column Type: varchar

Max Length: 10

The staff ID associated with the data.

Column Name: STREG_INDEX

Column Type: varchar

Max Length: 20

A unique ID used to identify a row of data.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code (10002)'

Column Name: location_code

Column Type: varchar

Max Length: 15

'Location (10006)'

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: program_code

Column Type: varchar

Max Length: 15

The code for the program in which the data is stored.

Column Name: cost_of_service

Column Type: varchar

Max Length: 10

'Cost Of Service (19999)'

Column Name: insurance_category_code

Column Type: varchar

Max Length: 15

'Insurance Charge Category (10021)'

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

Joins table to treatment history.

Column Name: CO_STAFFID

Column Type: varchar

Max Length: 40

'Co Staffid (10007)'

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode (12345)'

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar

Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code

Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value
Column Type: varchar

Max Length: 40
'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers
Column Type: varchar
Max Length: 50
'Modifiers'

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes Memo'

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes Text'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provider_only_service
Column Type: integer
'Is this a provider only service?'

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Client_Charge_Input_(Charge_Fee_Access)

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID

Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: total_closed_charges
Column Type: numeric
Total dollar amount for all closed services in the episode.

Column Name: total_open_charges
Column Type: numeric
Total dollar amount for all open services in the episode.

Column Name: total_payments
Column Type: numeric
Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance
Column Type: numeric
Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date
Column Type: date
The admission date for the client's episode.

Column Name: v_discharge_date
Column Type: date
The discharge date for the client's episode.

Column Name: v_program_code
Column Type: varchar
Max Length: 10
The program of admission for the client's episode.

Column Name: v_program_value

Column Type: varchar

Max Length: 40

The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name

Column Type: varchar

Max Length: 40

The client's name.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Client_Charge_Input_(Charge_Fee_Access)

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the service was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID for which the service is entered.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability

Column Type: numeric

The guarantor's liability.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The claim number assigned to a client's service.

Column Name: guarantor_total_payments

Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40

'Program'

Column Name: v_PROVIDER_ID
Column Type: varchar
Max Length: 10
'Practitioner'

Column Name: v_program_X_rrg_code
Column Type: varchar
Max Length: 10
The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value
Column Type: varchar
Max Length: 40
The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value
Column Type: varchar
Max Length: 100
The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value
Column Type: varchar
Max Length: 40
The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service
Column Type: date
'Date Of Service'

Column Name: v_accounting_period
Column Type: date
The accounting period for the service.

Column Name: v_client_name
Column Type: varchar
Max Length: 40
The name associated with the client ID.

Column Name: v_PROVIDER_NAME
Column Type: varchar
Max Length: 40
The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date
Column Type: date
Date of entry

Column Name: v_claim_date
Column Type: date

'Date of Claim'

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc

Column Type: varchar

Max Length: 50

This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc

Column Type: varchar

Max Length: 50

This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: billing_units

Column Type: numeric

'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number
Column Type: varchar
Max Length: 50
'Claimed Authorization Number'

Column Name: date_of_svc_close
Column Type: date
'Date of Service Closed'

Column Name: re_bill_claim_number
Column Type: varchar
Max Length: 50
This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status
Column Type: varchar
Max Length: 50
This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value
Column Type: varchar
Max Length: 50
This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance
Column Type: double
Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level
Column Type: varchar
Max Length: 5
'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code
Column Type: varchar
Max Length: 10
'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value
Column Type: varchar
Max Length: 40
The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage
Column Type: varchar
Max Length: 10

'Sliding Fee Coverage'

Column Name: split_units

Column Type: numeric

'Split Units'

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration

Column Type: varchar

Max Length: 20

'Duration'

Column Name: v_location_code

Column Type: varchar

Max Length: 20

'Location'

Column Name: v_modifiers

Column Type: varchar

Max Length: 20

'Modifiers'

Documentation for form: Client_Charge_Input_(Charge_Fee_Access)

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge
Column Type: numeric
The full charge for the service.

Column Name: total_payments
Column Type: numeric
Total payments for service

Column Name: date_charge_closed
Column Type: date
Date the service was closed.

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period
Column Type: date
Accounting Period

Column Name: client_name
Column Type: varchar
Max Length: 40
The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date
Column Type: date
The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Client_Charge_Input_(Charge_Fee_Access)

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode of the service.

Column Name: FACILITY
Column Type: integer
The facility of the service.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID of the service.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code of the service.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique row id.

Column Name: program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
The practitioner ID of the service.

Column Name: duration
Column Type: numeric
The duration of the service.

Column Name: appointment_status_code
Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar
Max Length: 15
The number of clients in the group if this is a group service.

Column Name: cost_of_service
Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: co_staff_member_2
Column Type: varchar
Max Length: 20
The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
The original service code if the service is now deleted.

Column Name: program_value
Column Type: varchar
Max Length: 40

The description for the program_code. See program_code for more information.

Column Name: appointment_status_value

Column Type: varchar

Max Length: 40

The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description for the location_code. See location_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 100

The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name of the PROVIDER_ID of the service.

Column Name: date_of_service

Column Type: date

The date of the service.

Column Name: billable_value

Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 15

'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 15

'Program Type' for the program_code of the service.

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name

Column Type: varchar

Max Length: 40

The name of the PATID of the service.

Column Name: age_on_date_of_service_

Column Type: numeric

The client's age at the time of service.

Column Name: appt_site_name

Column Type: varchar

Max Length: 40

The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC

Column Type: varchar

Max Length: 40

The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Original Unique row id

Column Name: add_on_notes

Column Type: varchar

Max Length: 32768

'Add-On Notes'.

Column Name: add_svc_info_code

Column Type: varchar

Max Length: 50

'Additional Service Information'.

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program

Column Type: varchar

Max Length: 10

The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time

Column Type: varchar

Max Length: 50

The 'Appointment End Time' related to this service.

Column Name: appt_group_id

Column Type: varchar

Max Length: 50

The 'Group #' related to this service.

Column Name: apt_group_name

Column Type: varchar

Max Length: 40

The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id

Column Type: varchar

Max Length: 50

The 'Appointment Site' related to this service.

Column Name: appt_start_time

Column Type: varchar

Max Length: 50

The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code

Column Type: varchar

Max Length: 50

'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val

Column Type: varchar

Max Length: 50

The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code

Column Type: varchar

Max Length: 50
'Service Status'.

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units
Column Type: numeric
'Cal Billing Units'

Column Name: confidential_service_code
Column Type: varchar
Max Length: 50
'Confidential Service' from Avatar PH.

Column Name: confidential_service_val
Column Type: varchar
Max Length: 50
The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration
Column Type: numeric
'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member
Column Type: varchar
Max Length: 15
The 'Co-Practitioner' of the service.

Column Name: data_control_identifier
Column Type: varchar
Max Length: 40
'Data Control Identifier'.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_accident
Column Type: date
'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service
Column Type: date
Date To Bill Roll-Up Service.

Column Name: delay_reason_code
Column Type: varchar
Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc
Column Type: varchar
Max Length: 50
The client's age in days, months and years at the time of service.

Column Name: discipline_code
Column Type: varchar
Max Length: 255
'Discipline'.

Column Name: discipline_value
Column Type: varchar
Max Length: 255
The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: emergency_ind_code
Column Type: varchar
Max Length: 50
'Emergency Indicator'.

Column Name: emergency_ind_value
Column Type: varchar
Max Length: 50
The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time
Column Type: varchar
Max Length: 10
The end time of the service.

Column Name: fee_override_indicator
Column Type: varchar
Max Length: 50
Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date
Column Type: date
'First Billing Date'.

Column Name: has_global_period_flag

Column Type: varchar
Max Length: 15
This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id
Column Type: varchar
Max Length: 15
The incident-to practitioner ID.

Column Name: incident_to_pract_name
Column Type: varchar
Max Length: 40
The name of the incident-to practitioner.

Column Name: initial_treatment_date
Column Type: date
'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code
Column Type: varchar
Max Length: 5
Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value
Column Type: varchar
Max Length: 10
The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi
Column Type: bit
Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code
Column Type: varchar
Max Length: 5
Was this service created as an overage service.

Column Name: is_overage_service_value
Column Type: varchar
Max Length: 10
The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code
Column Type: varchar
Max Length: 5
Was this service created as a roll-up service.

Column Name: is_roll_up_service_value
Column Type: varchar
Max Length: 10

The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon
Column Type: varchar
Max Length: 40
Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 100
The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40

'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes

Column Type: varchar

Max Length: 32766

'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'.

Column Name: mso_eob_number

Column Type: integer

The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code

Column Type: varchar

Max Length: 50

'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value

Column Type: varchar

Max Length: 50

The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837

Column Type: varchar

Max Length: 80

'Note Reference Text (837 Billing)'.

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 40

The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code

Column Type: varchar

Max Length: 50

'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value

Column Type: varchar

Max Length: 50

The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_date

Column Type: date

The date the service was first entered into the system.

Column Name: orig_entry_option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time

Column Type: varchar

Max Length: 50

The time the service was first entered into the system.

Column Name: orig_entry_user

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_user_id

Column Type: varchar
Max Length: 50
The user ID that first entered the service into the system.

Column Name: original_tx_code
Column Type: varchar
Max Length: 10
'Original Scheduled Service'.

Column Name: original_tx_value
Column Type: varchar
Max Length: 40
The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date
Column Type: date
'Orthodontic Banding Date'.

Column Name: primary_guarantor
Column Type: varchar
Max Length: 40
'Primary Guarantor'.

Column Name: prior_placement_date
Column Type: date
'Prior Placement Date'.

Column Name: prosth_crown_inlay_code
Column Type: varchar
Max Length: 50
'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value
Column Type: varchar
Max Length: 50
The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration
Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner'.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
The name of the referring_practitioner_code.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the referring_provider_code.

Column Name: related_causes_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value
Column Type: varchar
Max Length: 255
The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS
Column Type: varchar
Max Length: 40
The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc
Column Type: timestamp
the End of Service as UTC date and time.

Column Name: service_start_utc
Column Type: timestamp
the Start of Service as UTC date and time.

Column Name: service_status_code
Column Type: varchar
Max Length: 7
Is the service open or closed.

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone
Column Type: varchar
Max Length: 255
the timezone for the service used to determine the offset from UTC.

Column Name: start_time
Column Type: varchar

Max Length: 10
The start time of the service.

Column Name: task_event_id
Column Type: varchar
Max Length: 40
The id of the task list event that created this service

Column Name: tooth_number
Column Type: varchar
Max Length: 50
'Tooth Number'.

Column Name: tooth_status_code
Column Type: varchar
Max Length: 50
'Tooth Status Code'.

Column Name: tooth_status_value
Column Type: varchar
Max Length: 50
The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code
Column Type: varchar
Max Length: 50
'Tooth Surface Code'.

Column Name: tooth_surface_shvalue
Column Type: varchar
Max Length: 255
The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value
Column Type: varchar
Max Length: 4096
The description for the tooth_surface_code. See tooth_surface_code for more information.

Column Name: total_duration_crisis_svc
Column Type: varchar
Max Length: 40
Total duration if 'Service Code Type' of SERVICE_CODE is "Crisis".

Column Name: total_duration_other_svc
Column Type: varchar
Max Length: 40
Total duration if 'Service Code Type' of SERVICE_CODE is "Other".

Column Name: transferred_service

Column Type: varchar
Max Length: 10
Is this a transfer service.

Column Name: treatment_service_code
Column Type: varchar
Max Length: 50
'Treatment Service' for the program_code of the service.

Column Name: treatment_service_value
Column Type: varchar
Max Length: 50
The description for the treatment_service_code. See treatment_service_code for more information.

Column Name: units_of_service
Column Type: numeric
The units of the service.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_deleted_service_value
Column Type: varchar
Max Length: 40
The description for the deleted_service_code. See deleted_service_code for more information.

Documentation for form: Client_Charge_Input_(Charge_Fee_Access)

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data.

Column Name: STREG_INDEX
Column Type: varchar
Max Length: 20
A unique ID used to identify a row of data.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
'Service Code (10002)'

Column Name: location_code
Column Type: varchar
Max Length: 15
'Location (10006)'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: program_code
Column Type: varchar
Max Length: 15
The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10
'Cost Of Service (19999)'

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
'Insurance Charge Category (10021)'

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code. See location_code for more information.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

Joins table to treatment history.

Column Name: CO_STAFFID

Column Type: varchar

Max Length: 40

'Co Staffid (10007)'

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode (12345)'

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: accounting_period

Column Type: date

'Accounting Period (10032)'

Column Name: deleted_service_code

Column Type: varchar

Max Length: 20

'Deleted Service Code (10033)'

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the service

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the service.

Column Name: duration

Column Type: varchar

Max Length: 50

'Duration'

Column Name: end_time

Column Type: varchar

Max Length: 10

'Service End Time (60022)'

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code

Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers
Column Type: varchar

Max Length: 50

'Modifiers'

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes Memo'

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes Text'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: provider_only_service

Column Type: integer

'Is this a provider only service?'

Column Name: referring_practitioner_code

Column Type: varchar

Max Length: 10

'Referring Practitioner Code'

Column Name: referring_practitioner_name

Column Type: varchar

Max Length: 50

'Referring Practitioner Name'

Column Name: referring_provider_code

Column Type: varchar

Max Length: 10

'Referring Provider Code'

Column Name: referring_provider_name

Column Type: varchar

Max Length: 50

'Referring Provider Name'

Column Name: start_time

Column Type: varchar

Max Length: 10

'Service Start Time (60021)'

Column Name: units_of_service

Column Type: numeric

'Units Of Service (10014)'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Client_Charge_Input_With_Diagnosis_Entry

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID associated with the data.

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode number.

Column Name: total_closed_charges

Column Type: numeric

Total dollar amount for all closed services in the episode.

Column Name: total_open_charges

Column Type: numeric

Total dollar amount for all open services in the episode.

Column Name: total_payments

Column Type: numeric

Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance

Column Type: numeric

Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date

Column Type: date

The admission date for the client's episode.

Column Name: v_discharge_date

Column Type: date

The discharge date for the client's episode.

Column Name: v_program_code

Column Type: varchar

Max Length: 10

The program of admission for the client's episode.

Column Name: v_program_value

Column Type: varchar

Max Length: 40

The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name

Column Type: varchar

Max Length: 40

The client's name.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Client_Charge_Input_With_Diagnosis_Entry

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the service was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID for which the service is entered.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability
Column Type: numeric
The guarantor's liability.

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 25
The claim number assigned to a client's service.

Column Name: guarantor_total_payments
Column Type: numeric
The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE
Column Type: varchar
Max Length: 20
'Service Code'

Column Name: v_program_of_visit_code
Column Type: varchar
Max Length: 40
'Program'

Column Name: v_PROVIDER_ID
Column Type: varchar
Max Length: 10
'Practitioner'

Column Name: v_program_X_rrg_code
Column Type: varchar
Max Length: 10
The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value
Column Type: varchar
Max Length: 40
The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value
Column Type: varchar
Max Length: 100
The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value
Column Type: varchar
Max Length: 40
The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service

Column Type: date
'Date Of Service'

Column Name: v_accounting_period
Column Type: date
The accounting period for the service.

Column Name: v_client_name
Column Type: varchar
Max Length: 40
The name associated with the client ID.

Column Name: v_PROVIDER_NAME
Column Type: varchar
Max Length: 40
The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date
Column Type: date
Date of entry

Column Name: v_claim_date
Column Type: date
'Date of Claim'

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid
Column Type: varchar
Max Length: 50
This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc
Column Type: varchar
Max Length: 50
This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc

Column Type: varchar

Max Length: 50

This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: billing_units

Column Type: numeric

'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number

Column Type: varchar

Max Length: 50

'Claimed Authorization Number'

Column Name: date_of_svc_close

Column Type: date

'Date of Service Closed'

Column Name: re_bill_claim_number

Column Type: varchar

Max Length: 50

This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance

Column Type: double

Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level

Column Type: varchar

Max Length: 5

'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code

Column Type: varchar

Max Length: 10

'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value

Column Type: varchar

Max Length: 40

The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage

Column Type: varchar

Max Length: 10

'Sliding Fee Coverage'

Column Name: split_units

Column Type: numeric

'Split Units'

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration

Column Type: varchar

Max Length: 20

'Duration'

Column Name: v_location_code

Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers
Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form: Client_Charge_Input_With_Diagnosis_Entry

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge
Column Type: numeric
The full charge for the service.

Column Name: total_payments
Column Type: numeric
Total payments for service

Column Name: date_charge_closed
Column Type: date
Date the service was closed.

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period
Column Type: date
Accounting Period

Column Name: client_name
Column Type: varchar
Max Length: 40
The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date
Column Type: date
The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code
Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Client_Charge_Input_With_Diagnosis_Entry

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: FACILITY

Column Type: integer

The facility of the service.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code of the service.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Unique row id.

Column Name: program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
The practitioner ID of the service.

Column Name: duration
Column Type: numeric
The duration of the service.

Column Name: appointment_status_code
Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar
Max Length: 15
The number of clients in the group if this is a group service.

Column Name: cost_of_service
Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: co_staff_member_2
Column Type: varchar
Max Length: 20
The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code
Column Type: varchar

Max Length: 15

The 'Covered Charge Category' for the service code.

Column Name: accounting_period

Column Type: date

The accounting period of the service.

Column Name: data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: deleted_service_code

Column Type: varchar

Max Length: 20

The original service code if the service is now deleted.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description for the program_code. See program_code for more information.

Column Name: appointment_status_value

Column Type: varchar

Max Length: 40

The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description for the location_code. See location_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 100

The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name of the PROVIDER_ID of the service.

Column Name: date_of_service

Column Type: date

The date of the service.

Column Name: billable_value

Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 15

'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 15

'Program Type' for the program_code of the service.

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name

Column Type: varchar

Max Length: 40

The name of the PATID of the service.

Column Name: age_on_date_of_service_

Column Type: numeric

The client's age at the time of service.

Column Name: appt_site_name

Column Type: varchar

Max Length: 40

The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC

Column Type: varchar

Max Length: 40

The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20
Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Original Unique row id

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768
'Add-On Notes'.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
'Additional Service Information'.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program
Column Type: varchar
Max Length: 10
The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time
Column Type: varchar
Max Length: 50
The 'Appointment End Time' related to this service.

Column Name: appt_group_id
Column Type: varchar
Max Length: 50
The 'Group #' related to this service.

Column Name: apt_group_name
Column Type: varchar
Max Length: 40
The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id
Column Type: varchar
Max Length: 50
The 'Appointment Site' related to this service.

Column Name: appt_start_time
Column Type: varchar
Max Length: 50
The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code
Column Type: varchar
Max Length: 50
'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val
Column Type: varchar
Max Length: 50
The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'.

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units
Column Type: numeric
'Cal Billing Units'

Column Name: confidential_service_code
Column Type: varchar
Max Length: 50
'Confidential Service' from Avatar PH.

Column Name: confidential_service_val
Column Type: varchar
Max Length: 50
The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration
Column Type: numeric
'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member
Column Type: varchar

Max Length: 15
The 'Co-Practitioner' of the service.

Column Name: data_control_identifier
Column Type: varchar
Max Length: 40
'Data Control Identifier'.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_accident
Column Type: date
'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service
Column Type: date
Date To Bill Roll-Up Service.

Column Name: delay_reason_code
Column Type: varchar
Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc
Column Type: varchar
Max Length: 50
The client's age in days, months and years at the time of service.

Column Name: discipline_code
Column Type: varchar
Max Length: 255
'Discipline'.

Column Name: discipline_value
Column Type: varchar
Max Length: 255
The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.

Column Name: emergency_ind_code
Column Type: varchar

Max Length: 50
'Emergency Indicator'.

Column Name: emergency_ind_value
Column Type: varchar
Max Length: 50
The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time
Column Type: varchar
Max Length: 10
The end time of the service.

Column Name: fee_override_indicator
Column Type: varchar
Max Length: 50
Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date
Column Type: date
'First Billing Date'.

Column Name: has_global_period_flag
Column Type: varchar
Max Length: 15
This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id
Column Type: varchar
Max Length: 15
The incident-to practitioner ID.

Column Name: incident_to_pract_name
Column Type: varchar
Max Length: 40
The name of the incident-to practitioner.

Column Name: initial_treatment_date
Column Type: date
'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code
Column Type: varchar
Max Length: 5
Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value
Column Type: varchar
Max Length: 10
The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi
Column Type: bit
Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code
Column Type: varchar
Max Length: 5
Was this service created as an overage service.

Column Name: is_overage_service_value
Column Type: varchar
Max Length: 10
The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code
Column Type: varchar
Max Length: 5
Was this service created as a roll-up service.

Column Name: is_roll_up_service_value
Column Type: varchar
Max Length: 10
The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon
Column Type: varchar
Max Length: 40
Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code

Column Type: varchar
Max Length: 10
'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 100
The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes

Column Type: varchar

Max Length: 32766

'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'.

Column Name: mso_eob_number

Column Type: integer
The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code
Column Type: varchar
Max Length: 50
'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value
Column Type: varchar
Max Length: 50
The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837
Column Type: varchar
Max Length: 80
'Note Reference Text (837 Billing)'.

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code
Column Type: varchar
Max Length: 50
'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value
Column Type: varchar
Max Length: 50
The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by
Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_date

Column Type: date

The date the service was first entered into the system.

Column Name: orig_entry_option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time

Column Type: varchar

Max Length: 50

The time the service was first entered into the system.

Column Name: orig_entry_user

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_user_id

Column Type: varchar

Max Length: 50

The user ID that first entered the service into the system.

Column Name: original_tx_code

Column Type: varchar

Max Length: 10

'Original Scheduled Service'.

Column Name: original_tx_value

Column Type: varchar

Max Length: 40

The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date

Column Type: date

'Orthodontic Banding Date'.

Column Name: primary_guarantor

Column Type: varchar

Max Length: 40

'Primary Guarantor'.

Column Name: prior_placement_date

Column Type: date

'Prior Placement Date'.

Column Name: prosth_crown_inlay_code
Column Type: varchar
Max Length: 50
'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value
Column Type: varchar
Max Length: 50
The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration
Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner'.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
The name of the referring_practitioner_code.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the referring_provider_code.

Column Name: related_causes_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value
Column Type: varchar
Max Length: 255
The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS
Column Type: varchar
Max Length: 40
The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc

Column Type: timestamp
the End of Service as UTC date and time.

Column Name: service_start_utc
Column Type: timestamp
the Start of Service as UTC date and time.

Column Name: service_status_code
Column Type: varchar
Max Length: 7
Is the service open or closed.

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone
Column Type: varchar
Max Length: 255
the timezone for the service used to determine the offset from UTC.

Column Name: start_time
Column Type: varchar
Max Length: 10
The start time of the service.

Column Name: task_event_id
Column Type: varchar
Max Length: 40
The id of the task list event that created this service

Column Name: tooth_number
Column Type: varchar
Max Length: 50
'Tooth Number'.

Column Name: tooth_status_code
Column Type: varchar
Max Length: 50
'Tooth Status Code'.

Column Name: tooth_status_value
Column Type: varchar
Max Length: 50
The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code
Column Type: varchar
Max Length: 50

'Tooth Surface Code'.

Column Name: tooth_surface_shvalue

Column Type: varchar

Max Length: 255

The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value

Column Type: varchar

Max Length: 4096

The description for the tooth_surface_code. See tooth_surface_code for more information.

Column Name: total_duration_crisis_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Crisis".

Column Name: total_duration_other_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Other".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

Is this a transfer service.

Column Name: treatment_service_code

Column Type: varchar

Max Length: 50

'Treatment Service' for the program_code of the service.

Column Name: treatment_service_value

Column Type: varchar

Max Length: 50

The description for the treatment_service_code. See treatment_service_code for more information.

Column Name: units_of_service

Column Type: numeric

The units of the service.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_deleted_service_value

Column Type: varchar

Max Length: 40

The description for the deleted_service_code. See deleted_service_code for more information.

Documentation for form: Client_Charge_Input_With_Diagnosis_Entry

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: STAFFID

Column Type: varchar

Max Length: 10

The staff ID associated with the data.

Column Name: STREG_INDEX

Column Type: varchar

Max Length: 20

A unique ID used to identify a row of data.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code (10002)'

Column Name: location_code

Column Type: varchar

Max Length: 15

'Location (10006)'

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: program_code

Column Type: varchar

Max Length: 15

The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10
'Cost Of Service (19999)'

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
'Insurance Charge Category (10021)'

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code. See location_code for more information.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40
The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service
Column Type: date
'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
Joins table to treatment history.

Column Name: CO_STAFFID
Column Type: varchar
Max Length: 40
'Co Staffid (10007)'

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode (12345)'

Column Name: data_entry_date

Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10

'Service End Time (60022)'

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40
'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes Memo'

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes Text'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: provider_only_service

Column Type: integer
'Is this a provider only service?'

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry)

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: total_closed_charges
Column Type: numeric
Total dollar amount for all closed services in the episode.

Column Name: total_open_charges
Column Type: numeric
Total dollar amount for all open services in the episode.

Column Name: total_payments
Column Type: numeric
Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance
Column Type: numeric
Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date
Column Type: date
The admission date for the client's episode.

Column Name: v_discharge_date
Column Type: date
The discharge date for the client's episode.

Column Name: v_program_code
Column Type: varchar
Max Length: 10

The program of admission for the client's episode.

Column Name: v_program_value

Column Type: varchar

Max Length: 40

The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name

Column Type: varchar

Max Length: 40

The client's name.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry)

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the service was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID for which the service is entered.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability

Column Type: numeric

The guarantor's liability.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The claim number assigned to a client's service.

Column Name: guarantor_total_payments

Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code
Column Type: varchar
Max Length: 40
'Program'

Column Name: v_PROVIDER_ID
Column Type: varchar
Max Length: 10
'Practitioner'

Column Name: v_program_X_rrg_code
Column Type: varchar
Max Length: 10
The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value
Column Type: varchar
Max Length: 40
The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value
Column Type: varchar
Max Length: 100
The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value
Column Type: varchar
Max Length: 40
The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service
Column Type: date
'Date Of Service'

Column Name: v_accounting_period
Column Type: date
The accounting period for the service.

Column Name: v_client_name
Column Type: varchar
Max Length: 40
The name associated with the client ID.

Column Name: v_PROVIDER_NAME
Column Type: varchar
Max Length: 40
The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date

Column Type: date
Date of entry

Column Name: v_claim_date
Column Type: date
'Date of Claim'

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid
Column Type: varchar
Max Length: 50
This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc
Column Type: varchar
Max Length: 50
This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc
Column Type: varchar
Max Length: 50
This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number
Column Type: varchar
Max Length: 50
'Authorization Number'

Column Name: billing_units
Column Type: numeric

'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number

Column Type: varchar

Max Length: 50

'Claimed Authorization Number'

Column Name: date_of_svc_close

Column Type: date

'Date of Service Closed'

Column Name: re_bill_claim_number

Column Type: varchar

Max Length: 50

This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance

Column Type: double

Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level

Column Type: varchar

Max Length: 5

'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code

Column Type: varchar

Max Length: 10

'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value

Column Type: varchar

Max Length: 40

The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage
Column Type: varchar
Max Length: 10
'Sliding Fee Coverage'

Column Name: split_units
Column Type: numeric
'Split Units'

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration
Column Type: varchar
Max Length: 20
'Duration'

Column Name: v_location_code
Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers
Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form:

[Client_Charge_Input_\(Charge_Fee_Access_and_Diagnosis_Entry\)](#)

Table Name: [SYSTEM.billing_tx_charge_totals](#)

Table Description: This table returns the billing service totals

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge
Column Type: numeric
The full charge for the service.

Column Name: total_payments
Column Type: numeric
Total payments for service

Column Name: date_charge_closed
Column Type: date
Date the service was closed.

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period

Column Type: date

Accounting Period

Column Name: client_name

Column Type: varchar

Max Length: 40

The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date

Column Type: date

The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Client_Charge_Input_(Charge_Fee_Access_and_Diagnosis_Entry)

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode of the service.

Column Name: FACILITY
Column Type: integer
The facility of the service.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID of the service.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code of the service.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique row id.

Column Name: program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
The practitioner ID of the service.

Column Name: duration
Column Type: numeric
The duration of the service.

Column Name: appointment_status_code
Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar
Max Length: 15
The number of clients in the group if this is a group service.

Column Name: cost_of_service
Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: co_staff_member_2
Column Type: varchar
Max Length: 20
The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

The user name that last updated this data row.

Column Name: deleted_service_code

Column Type: varchar

Max Length: 20

The original service code if the service is now deleted.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description for the program_code. See program_code for more information.

Column Name: appointment_status_value

Column Type: varchar

Max Length: 40

The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description for the location_code. See location_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 100

The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name of the PROVIDER_ID of the service.

Column Name: date_of_service

Column Type: date

The date of the service.

Column Name: billable_value

Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 15

'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 15

'Program Type' for the program_code of the service.

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name

Column Type: varchar

Max Length: 40

The name of the PATID of the service.

Column Name: age_on_date_of_service_

Column Type: numeric

The client's age at the time of service.

Column Name: appt_site_name

Column Type: varchar

Max Length: 40

The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC

Column Type: varchar

Max Length: 40

The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Original Unique row id

Column Name: add_on_notes

Column Type: varchar
Max Length: 32768
'Add-On Notes'.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
'Additional Service Information'.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program
Column Type: varchar
Max Length: 10
The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time
Column Type: varchar
Max Length: 50
The 'Appointment End Time' related to this service.

Column Name: appt_group_id
Column Type: varchar
Max Length: 50
The 'Group #' related to this service.

Column Name: apt_group_name
Column Type: varchar
Max Length: 40
The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id
Column Type: varchar
Max Length: 50
The 'Appointment Site' related to this service.

Column Name: appt_start_time
Column Type: varchar
Max Length: 50
The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code
Column Type: varchar
Max Length: 50
'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val
Column Type: varchar
Max Length: 50
The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'.

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units
Column Type: numeric
'Cal Billing Units'

Column Name: confidential_service_code
Column Type: varchar
Max Length: 50
'Confidential Service' from Avatar PH.

Column Name: confidential_service_val
Column Type: varchar
Max Length: 50
The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration
Column Type: numeric
'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member
Column Type: varchar
Max Length: 15
The 'Co-Practitioner' of the service.

Column Name: data_control_identifier
Column Type: varchar
Max Length: 40
'Data Control Identifier'.

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_accident

Column Type: date

'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service

Column Type: date

Date To Bill Roll-Up Service.

Column Name: delay_reason_code

Column Type: varchar

Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc
Column Type: varchar
Max Length: 50
The client's age in days, months and years at the time of service.

Column Name: discipline_code
Column Type: varchar
Max Length: 255
'Discipline'.

Column Name: discipline_value
Column Type: varchar
Max Length: 255
The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.

Column Name: emergency_ind_code
Column Type: varchar
Max Length: 50
'Emergency Indicator'.

Column Name: emergency_ind_value
Column Type: varchar
Max Length: 50
The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time
Column Type: varchar

Max Length: 10
The end time of the service.

Column Name: fee_override_indicator
Column Type: varchar
Max Length: 50
Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date
Column Type: date
'First Billing Date'.

Column Name: has_global_period_flag
Column Type: varchar
Max Length: 15
This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id
Column Type: varchar
Max Length: 15
The incident-to practitioner ID.

Column Name: incident_to_pract_name
Column Type: varchar
Max Length: 40
The name of the incident-to practitioner.

Column Name: initial_treatment_date
Column Type: date
'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code
Column Type: varchar
Max Length: 5
Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value
Column Type: varchar
Max Length: 10
The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi
Column Type: bit
Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code
Column Type: varchar
Max Length: 5
Was this service created as an overage service.

Column Name: is_overage_service_value

Column Type: varchar

Max Length: 10

The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code

Column Type: varchar

Max Length: 5

Was this service created as a roll-up service.

Column Name: is_roll_up_service_value

Column Type: varchar

Max Length: 10

The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon

Column Type: varchar

Max Length: 40

Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 100
The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes

Column Type: varchar

Max Length: 32766

'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'.

Column Name: mso_eob_number

Column Type: integer

The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code

Column Type: varchar

Max Length: 50

'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value

Column Type: varchar

Max Length: 50

The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837

Column Type: varchar

Max Length: 80

'Note Reference Text (837 Billing)'.

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 40

The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code

Column Type: varchar

Max Length: 50

'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value

Column Type: varchar

Max Length: 50

The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_date

Column Type: date

The date the service was first entered into the system.

Column Name: orig_entry_option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time

Column Type: varchar

Max Length: 50

The time the service was first entered into the system.

Column Name: orig_entry_user

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_user_id

Column Type: varchar

Max Length: 50

The user ID that first entered the service into the system.

Column Name: original_tx_code

Column Type: varchar

Max Length: 10

'Original Scheduled Service'.

Column Name: original_tx_value

Column Type: varchar

Max Length: 40

The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date

Column Type: date

'Orthodontic Banding Date'.

Column Name: primary_guarantor

Column Type: varchar

Max Length: 40

'Primary Guarantor'.

Column Name: prior_placement_date

Column Type: date

'Prior Placement Date'.

Column Name: prosth_crown_inlay_code

Column Type: varchar

Max Length: 50

'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value

Column Type: varchar

Max Length: 50

The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration
Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner'.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
The name of the referring_practitioner_code.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the referring_provider_code.

Column Name: related_causes_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value
Column Type: varchar
Max Length: 255
The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS
Column Type: varchar
Max Length: 40
The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc
Column Type: timestamp
the End of Service as UTC date and time.

Column Name: service_start_utc
Column Type: timestamp
the Start of Service as UTC date and time.

Column Name: service_status_code
Column Type: varchar

Max Length: 7

Is the service open or closed.

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone

Column Type: varchar

Max Length: 255

the timezone for the service used to determine the offset from UTC.

Column Name: start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: task_event_id

Column Type: varchar

Max Length: 40

The id of the task list event that created this service

Column Name: tooth_number

Column Type: varchar

Max Length: 50

'Tooth Number'.

Column Name: tooth_status_code

Column Type: varchar

Max Length: 50

'Tooth Status Code'.

Column Name: tooth_status_value

Column Type: varchar

Max Length: 50

The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code

Column Type: varchar

Max Length: 50

'Tooth Surface Code'.

Column Name: tooth_surface_shvalue

Column Type: varchar

Max Length: 255

The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value

Column Type: varchar

Max Length: 4096

The description for the tooth_surface_code. See tooth_surface_code for more information.

Column Name: total_duration_crisis_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Crisis".

Column Name: total_duration_other_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Other".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

Is this a transfer service.

Column Name: treatment_service_code

Column Type: varchar

Max Length: 50

'Treatment Service' for the program_code of the service.

Column Name: treatment_service_value

Column Type: varchar

Max Length: 50

The description for the treatment_service_code. See treatment_service_code for more information.

Column Name: units_of_service

Column Type: numeric

The units of the service.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_deleted_service_value

Column Type: varchar

Max Length: 40

The description for the deleted_service_code. See deleted_service_code for more information.

Documentation for form:

[Client_Charge_Input_\(Charge_Fee_Access_and_Diagnosis_Entry\)](#)

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: STAFFID

Column Type: varchar

Max Length: 10

The staff ID associated with the data.

Column Name: STREG_INDEX

Column Type: varchar

Max Length: 20

A unique ID used to identify a row of data.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code (10002)'

Column Name: location_code

Column Type: varchar

Max Length: 15

'Location (10006)'

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: program_code

Column Type: varchar

Max Length: 15

The code for the program in which the data is stored.

Column Name: cost_of_service

Column Type: varchar

Max Length: 10

'Cost Of Service (19999)'

Column Name: insurance_category_code

Column Type: varchar

Max Length: 15
'Insurance Charge Category (10021)'

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code. See location_code for more information.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40
The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service
Column Type: date
'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
Joins table to treatment history.

Column Name: CO_STAFFID
Column Type: varchar
Max Length: 40
'Co Staffid (10007)'

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode (12345)'

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2

Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes Memo'

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes Text'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: provider_only_service

Column Type: integer

'Is this a provider only service?'

Column Name: referring_practitioner_code

Column Type: varchar

Max Length: 10

'Referring Practitioner Code'

Column Name: referring_practitioner_name

Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Edit_Service_Information

Table Name: SYSTEM.audit_deleted_treatment

Table Description: This table represents audit trail data of client specific deleted services.

Column Name: deleted_treatment_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID of the service that was deleted.

Column Name: deleted_service_index
Column Type: varchar
Max Length: 10
This is an unique ID for the deleted service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 40
The practitioner ID who performed the service which was deleted.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code associated with the deleted service.

Column Name: date_of_service
Column Type: date
The date of service associated with the deleted service.

Column Name: date_service_deleted
Column Type: date
The date the service was deleted.

Column Name: time_service_deleted
Column Type: varchar
Max Length: 10
The time the service was deleted.

Column Name: user_who_deleted_service
Column Type: varchar
Max Length: 40
The user name who deleted the service.

Documentation for form: Edit_Service_Information

Table Name: SYSTEM.billing_claim_address

Table Description: This table returns any alternative service locations filed in the 'Facility Location' fields of the 'Edit Service Information' or 'Edit Service Information (Charge Fee Access)' forms.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the alternative service location was entered.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 20

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID for which the alternative service location was filed.

Column Name: address_1

Column Type: varchar

Max Length: 50

'Facility Location Address - Street'

Column Name: address_2

Column Type: varchar

Max Length: 50

'Facility Location Address - Street 2'

Column Name: city

Column Type: varchar

Max Length: 50

'Facility Location City'

Column Name: id_code

Column Type: varchar

Max Length: 50

'Facility Location Code Identifier'

Column Name: id_code_qual

Column Type: varchar

Max Length: 50

'Facility Location Code Qualifier'

Column Name: name

Column Type: varchar

Max Length: 50

'Facility Location Name'

Column Name: state

Column Type: varchar

Max Length: 50

'Facility Location State'

Column Name: zip_code

Column Type: varchar

Max Length: 50

'Facility Location Zip Code'

Documentation for form: Edit_Service_Information

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: total_closed_charges
Column Type: numeric
Total dollar amount for all closed services in the episode.

Column Name: total_open_charges
Column Type: numeric
Total dollar amount for all open services in the episode.

Column Name: total_payments
Column Type: numeric
Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance
Column Type: numeric
Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date
Column Type: date
The admission date for the client's episode.

Column Name: v_discharge_date
Column Type: date
The discharge date for the client's episode.

Column Name: v_program_code
Column Type: varchar
Max Length: 10
The program of admission for the client's episode.

Column Name: v_program_value
Column Type: varchar
Max Length: 40
The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code
Column Type: varchar
Max Length: 10
The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value
Column Type: varchar
Max Length: 40
The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name
Column Type: varchar
Max Length: 40
The client's name.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Edit_Service_Information

Table Name: SYSTEM.billing_tx_address

Table Description: This table returns any alternative service locations filed in the 'Facility Location' fields of the 'Edit Service Information' or 'Edit Service Information (Charge Fee Access)' forms.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the alternative service location was entered.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 20

The unique ID assigned to the specific client's service. It will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID for which the alternative service location was filed.

Column Name: address_1

Column Type: varchar

Max Length: 50

'Facility Location Address - Street'

Column Name: address_2

Column Type: varchar

Max Length: 50

'Facility Location Address - Street 2'

Column Name: city

Column Type: varchar

Max Length: 50

'Facility Location City'

Column Name: id_code

Column Type: varchar

Max Length: 50

'Facility Location Code Identifier'

Column Name: id_code_qual

Column Type: varchar

Max Length: 50

'Facility Location Code Qualifier'

Column Name: name

Column Type: varchar

Max Length: 50

'Facility Location Name'

Column Name: state

Column Type: varchar

Max Length: 50

'Facility Location State'

Column Name: zip_code

Column Type: varchar

Max Length: 50

'Facility Location Zip Code'

Documentation for form: Edit_Service_Information

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: FACILITY

Column Type: integer

The facility of the service.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code of the service.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Unique row id.

Column Name: program_code

Column Type: varchar

Max Length: 15

The program of the service.

Column Name: PROVIDER_ID

Column Type: varchar

Max Length: 15
The practitioner ID of the service.

Column Name: duration
Column Type: numeric
The duration of the service.

Column Name: appointment_status_code
Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar
Max Length: 15
The number of clients in the group if this is a group service.

Column Name: cost_of_service
Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: co_staff_member_2
Column Type: varchar
Max Length: 20
The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
The original service code if the service is now deleted.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description for the program_code. See program_code for more information.

Column Name: appointment_status_value
Column Type: varchar
Max Length: 40
The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description for the location_code. See location_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 100
The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME
Column Type: varchar
Max Length: 40
The name of the PROVIDER_ID of the service.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: billable_value
Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 15

'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 15

'Program Type' for the program_code of the service.

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name

Column Type: varchar

Max Length: 40

The name of the PATID of the service.

Column Name: age_on_date_of_service_

Column Type: numeric

The client's age at the time of service.

Column Name: appt_site_name

Column Type: varchar

Max Length: 40

The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC

Column Type: varchar

Max Length: 40

The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar
Max Length: 40
Original Unique row id

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768
'Add-On Notes'.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
'Additional Service Information'.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program
Column Type: varchar
Max Length: 10
The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time
Column Type: varchar
Max Length: 50
The 'Appointment End Time' related to this service.

Column Name: appt_group_id
Column Type: varchar
Max Length: 50
The 'Group #' related to this service.

Column Name: apt_group_name
Column Type: varchar
Max Length: 40
The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id
Column Type: varchar
Max Length: 50
The 'Appointment Site' related to this service.

Column Name: appt_start_time
Column Type: varchar
Max Length: 50
The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code
Column Type: varchar
Max Length: 50
'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val
Column Type: varchar
Max Length: 50
The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'.

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units
Column Type: numeric
'Cal Billing Units'

Column Name: confidential_service_code
Column Type: varchar
Max Length: 50
'Confidential Service' from Avatar PH.

Column Name: confidential_service_val
Column Type: varchar
Max Length: 50
The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration
Column Type: numeric
'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member
Column Type: varchar
Max Length: 15
The 'Co-Practitioner' of the service.

Column Name: data_control_identifier
Column Type: varchar

Max Length: 40
'Data Control Identifier'.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_accident
Column Type: date
'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service

Column Type: date
Date To Bill Roll-Up Service.

Column Name: delay_reason_code
Column Type: varchar
Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc
Column Type: varchar
Max Length: 50
The client's age in days, months and years at the time of service.

Column Name: discipline_code
Column Type: varchar
Max Length: 255
'Discipline'.

Column Name: discipline_value
Column Type: varchar
Max Length: 255
The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.

Column Name: emergency_ind_code
Column Type: varchar
Max Length: 50
'Emergency Indicator'.

Column Name: emergency_ind_value
Column Type: varchar

Max Length: 50

The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time

Column Type: varchar

Max Length: 10

The end time of the service.

Column Name: fee_override_indicator

Column Type: varchar

Max Length: 50

Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date

Column Type: date

'First Billing Date'.

Column Name: has_global_period_flag

Column Type: varchar

Max Length: 15

This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id

Column Type: varchar

Max Length: 15

The incident-to practitioner ID.

Column Name: incident_to_pract_name

Column Type: varchar

Max Length: 40

The name of the incident-to practitioner.

Column Name: initial_treatment_date

Column Type: date

'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code

Column Type: varchar

Max Length: 5

Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value

Column Type: varchar

Max Length: 10

The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi

Column Type: bit

Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code
Column Type: varchar
Max Length: 5
Was this service created as an overage service.

Column Name: is_overage_service_value
Column Type: varchar
Max Length: 10
The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code
Column Type: varchar
Max Length: 5
Was this service created as a roll-up service.

Column Name: is_roll_up_service_value
Column Type: varchar
Max Length: 10
The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon
Column Type: varchar
Max Length: 40
Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value

Column Type: varchar

Max Length: 100

The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes
Column Type: varchar
Max Length: 32766
'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers
Column Type: varchar
Max Length: 50
'Modifiers'.

Column Name: mso_eob_number
Column Type: integer
The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code

Column Type: varchar
Max Length: 50
'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value
Column Type: varchar
Max Length: 50
The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837
Column Type: varchar
Max Length: 80
'Note Reference Text (837 Billing)'.

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code
Column Type: varchar
Max Length: 50
'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value
Column Type: varchar
Max Length: 50
The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by
Column Type: varchar
Max Length: 50
The username that first entered the service into the system.

Column Name: orig_entry_date

Column Type: date

The date the service was first entered into the system.

Column Name: orig_entry_option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time

Column Type: varchar

Max Length: 50

The time the service was first entered into the system.

Column Name: orig_entry_user

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_user_id

Column Type: varchar

Max Length: 50

The user ID that first entered the service into the system.

Column Name: original_tx_code

Column Type: varchar

Max Length: 10

'Original Scheduled Service'.

Column Name: original_tx_value

Column Type: varchar

Max Length: 40

The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date

Column Type: date

'Orthodontic Banding Date'.

Column Name: primary_guarantor

Column Type: varchar

Max Length: 40

'Primary Guarantor'.

Column Name: prior_placement_date

Column Type: date

'Prior Placement Date'.

Column Name: prosth_crown_inlay_code

Column Type: varchar

Max Length: 50

'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value

Column Type: varchar

Max Length: 50

The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration

Column Type: integer

'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code

Column Type: varchar

Max Length: 10

'Referring Practitioner'.

Column Name: referring_practitioner_name

Column Type: varchar

Max Length: 50

The name of the referring_practitioner_code.

Column Name: referring_provider_code

Column Type: varchar

Max Length: 10

'Referring Provider'.

Column Name: referring_provider_name

Column Type: varchar

Max Length: 50

The name of the referring_provider_code.

Column Name: related_causes_code

Column Type: varchar

Max Length: 50

'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value

Column Type: varchar

Max Length: 255

The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS

Column Type: varchar

Max Length: 40

The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc

Column Type: timestamp

the End of Service as UTC date and time.

Column Name: service_start_utc

Column Type: timestamp
the Start of Service as UTC date and time.

Column Name: service_status_code
Column Type: varchar
Max Length: 7
Is the service open or closed.

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone
Column Type: varchar
Max Length: 255
the timezone for the service used to determine the offset from UTC.

Column Name: start_time
Column Type: varchar
Max Length: 10
The start time of the service.

Column Name: task_event_id
Column Type: varchar
Max Length: 40
The id of the task list event that created this service

Column Name: tooth_number
Column Type: varchar
Max Length: 50
'Tooth Number'.

Column Name: tooth_status_code
Column Type: varchar
Max Length: 50
'Tooth Status Code'.

Column Name: tooth_status_value
Column Type: varchar
Max Length: 50
The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code
Column Type: varchar
Max Length: 50
'Tooth Surface Code'.

Column Name: tooth_surface_shvalue
Column Type: varchar

Max Length: 255

The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value

Column Type: varchar

Max Length: 4096

The description for the tooth_surface_code. See tooth_surface_code for more information.

Column Name: total_duration_crisis_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Crisis".

Column Name: total_duration_other_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Other".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

Is this a transfer service.

Column Name: treatment_service_code

Column Type: varchar

Max Length: 50

'Treatment Service' for the program_code of the service.

Column Name: treatment_service_value

Column Type: varchar

Max Length: 50

The description for the treatment_service_code. See treatment_service_code for more information.

Column Name: units_of_service

Column Type: numeric

The units of the service.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_deleted_service_value

Column Type: varchar

Max Length: 40

The description for the deleted_service_code. See deleted_service_code for more information.

Documentation for form:

Edit_Service_Information_(Charge_Fee_Access)

Table Name: SYSTEM.audit_deleted_treatment

Table Description: This table represents audit trail data of client specific deleted services.

Column Name: deleted_treatment_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service that was deleted.

Column Name: deleted_service_index

Column Type: varchar

Max Length: 10

This is an unique ID for the deleted service.

Column Name: PROVIDER_ID

Column Type: varchar

Max Length: 40

The practitioner ID who performed the service which was deleted.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code associated with the deleted service.

Column Name: date_of_service

Column Type: date

The date of service associated with the deleted service.

Column Name: date_service_deleted

Column Type: date

The date the service was deleted.

Column Name: time_service_deleted

Column Type: varchar

Max Length: 10

The time the service was deleted.

Column Name: user_who_deleted_service
Column Type: varchar
Max Length: 40
The user name who deleted the service.

Documentation for form:

Edit_Service_Information_(Charge_Fee_Access)

Table Name: SYSTEM.billing_claim_address

Table Description: This table returns any alternative service locations filed in the 'Facility Location' fields of the 'Edit Service Information' or 'Edit Service Information (Charge Fee Access)' forms.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the alternative service location was entered.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 20
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the alternative service location was filed.

Column Name: address_1
Column Type: varchar
Max Length: 50
'Facility Location Address - Street'

Column Name: address_2
Column Type: varchar
Max Length: 50
'Facility Location Address - Street 2'

Column Name: city
Column Type: varchar
Max Length: 50
'Facility Location City'

Column Name: id_code
Column Type: varchar
Max Length: 50
'Facility Location Code Identifier'

Column Name: id_code_qual
Column Type: varchar
Max Length: 50
'Facility Location Code Qualifier'

Column Name: name
Column Type: varchar
Max Length: 50
'Facility Location Name'

Column Name: state
Column Type: varchar
Max Length: 50
'Facility Location State'

Column Name: zip_code
Column Type: varchar
Max Length: 50
'Facility Location Zip Code'

Documentation for form:

Edit_Service_Information_(Charge_Fee_Access)

Table Name: SYSTEM.billing_tx_address

Table Description: This table returns any alternative service locations filed in the 'Facility Location' fields of the 'Edit Service Information' or 'Edit Service Information (Charge Fee Access)' forms.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the alternative service location was entered.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 20
The unique ID assigned to the specific client's service. It will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the alternative service location was filed.

Column Name: address_1
Column Type: varchar
Max Length: 50
'Facility Location Address - Street'

Column Name: address_2
Column Type: varchar
Max Length: 50
'Facility Location Address - Street 2'

Column Name: city
Column Type: varchar
Max Length: 50
'Facility Location City'

Column Name: id_code
Column Type: varchar
Max Length: 50
'Facility Location Code Identifier'

Column Name: id_code_qual
Column Type: varchar
Max Length: 50
'Facility Location Code Qualifier'

Column Name: name
Column Type: varchar
Max Length: 50
'Facility Location Name'

Column Name: state
Column Type: varchar
Max Length: 50
'Facility Location State'

Column Name: zip_code
Column Type: varchar
Max Length: 50
'Facility Location Zip Code'

Documentation for form: [Service_Panel_Charge_Input](#)

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: total_closed_charges
Column Type: numeric
Total dollar amount for all closed services in the episode.

Column Name: total_open_charges
Column Type: numeric
Total dollar amount for all open services in the episode.

Column Name: total_payments
Column Type: numeric
Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance
Column Type: numeric
Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date
Column Type: date
The admission date for the client's episode.

Column Name: v_discharge_date

Column Type: date

The discharge date for the client's episode.

Column Name: v_program_code

Column Type: varchar

Max Length: 10

The program of admission for the client's episode.

Column Name: v_program_value

Column Type: varchar

Max Length: 40

The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name

Column Type: varchar

Max Length: 40

The client's name.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Service_Panel_Charge_Input

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the service is entered.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability
Column Type: numeric
The guarantor's liability.

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 25
The claim number assigned to a client's service.

Column Name: guarantor_total_payments
Column Type: numeric
The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar
Max Length: 20
'Service Code'

Column Name: v_program_of_visit_code
Column Type: varchar
Max Length: 40
'Program'

Column Name: v_PROVIDER_ID
Column Type: varchar
Max Length: 10
'Practitioner'

Column Name: v_program_X_rrg_code
Column Type: varchar
Max Length: 10
The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value
Column Type: varchar
Max Length: 40
The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value
Column Type: varchar
Max Length: 100
The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value
Column Type: varchar
Max Length: 40
The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service
Column Type: date
'Date Of Service'

Column Name: v_accounting_period
Column Type: date
The accounting period for the service.

Column Name: v_client_name
Column Type: varchar
Max Length: 40
The name associated with the client ID.

Column Name: v_PROVIDER_NAME
Column Type: varchar

Max Length: 40

The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date

Column Type: date

Date of entry

Column Name: v_claim_date

Column Type: date

'Date of Claim'

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc

Column Type: varchar

Max Length: 50

This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc

Column Type: varchar

Max Length: 50

This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: billing_units

Column Type: numeric

'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number

Column Type: varchar

Max Length: 50

'Claimed Authorization Number'

Column Name: date_of_svc_close

Column Type: date

'Date of Service Closed'

Column Name: re_bill_claim_number

Column Type: varchar

Max Length: 50

This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance

Column Type: double

Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level

Column Type: varchar

Max Length: 5

'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code

Column Type: varchar

Max Length: 10

'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value

Column Type: varchar

Max Length: 40

The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage

Column Type: varchar

Max Length: 10

'Sliding Fee Coverage'

Column Name: split_units

Column Type: numeric

'Split Units'

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration

Column Type: varchar

Max Length: 20

'Duration'

Column Name: v_location_code

Column Type: varchar

Max Length: 20

'Location'

Column Name: v_modifiers

Column Type: varchar

Max Length: 20

'Modifiers'

Documentation for form: Service_Panel_Charge_Input

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the service was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge

Column Type: numeric

The full charge for the service.

Column Name: total_payments

Column Type: numeric

Total payments for service

Column Name: date_charge_closed

Column Type: date

Date the service was closed.

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period

Column Type: date

Accounting Period

Column Name: client_name

Column Type: varchar

Max Length: 40

The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date

Column Type: date

The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Service_Panel_Charge_Input

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: FACILITY

Column Type: integer

The facility of the service.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code of the service.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Unique row id.

Column Name: program_code

Column Type: varchar

Max Length: 15

The program of the service.

Column Name: PROVIDER_ID

Column Type: varchar

Max Length: 15

The practitioner ID of the service.

Column Name: duration
Column Type: numeric
The duration of the service.

Column Name: appointment_status_code
Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar
Max Length: 15
The number of clients in the group if this is a group service.

Column Name: cost_of_service
Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: co_staff_member_2
Column Type: varchar
Max Length: 20
The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
The original service code if the service is now deleted.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description for the program_code. See program_code for more information.

Column Name: appointment_status_value
Column Type: varchar
Max Length: 40
The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description for the location_code. See location_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 100
The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME
Column Type: varchar
Max Length: 40
The name of the PROVIDER_ID of the service.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: billable_value
Column Type: varchar
Max Length: 20
The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 15

'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 15

'Program Type' for the program_code of the service.

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name

Column Type: varchar

Max Length: 40

The name of the PATID of the service.

Column Name: age_on_date_of_service_

Column Type: numeric

The client's age at the time of service.

Column Name: appt_site_name

Column Type: varchar

Max Length: 40

The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC

Column Type: varchar

Max Length: 40

The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Original Unique row id

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768
'Add-On Notes'.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
'Additional Service Information'.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program
Column Type: varchar
Max Length: 10
The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time
Column Type: varchar
Max Length: 50
The 'Appointment End Time' related to this service.

Column Name: appt_group_id
Column Type: varchar
Max Length: 50
The 'Group #' related to this service.

Column Name: apt_group_name
Column Type: varchar
Max Length: 40
The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id
Column Type: varchar
Max Length: 50
The 'Appointment Site' related to this service.

Column Name: appt_start_time
Column Type: varchar
Max Length: 50
The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code
Column Type: varchar
Max Length: 50
'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val
Column Type: varchar
Max Length: 50
The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'.

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units
Column Type: numeric
'Cal Billing Units'

Column Name: confidential_service_code
Column Type: varchar
Max Length: 50
'Confidential Service' from Avatar PH.

Column Name: confidential_service_val
Column Type: varchar
Max Length: 50
The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration
Column Type: numeric
'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member
Column Type: varchar
Max Length: 15
The 'Co-Practitioner' of the service.

Column Name: data_control_identifier
Column Type: varchar
Max Length: 40
'Data Control Identifier'.

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_accident

Column Type: date

'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service

Column Type: date

Date To Bill Roll-Up Service.

Column Name: delay_reason_code

Column Type: varchar

Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc
Column Type: varchar
Max Length: 50
The client's age in days, months and years at the time of service.

Column Name: discipline_code
Column Type: varchar
Max Length: 255
'Discipline'.

Column Name: discipline_value
Column Type: varchar
Max Length: 255
The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.

Column Name: emergency_ind_code
Column Type: varchar
Max Length: 50
'Emergency Indicator'.

Column Name: emergency_ind_value
Column Type: varchar
Max Length: 50
The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time
Column Type: varchar

Max Length: 10
The end time of the service.

Column Name: fee_override_indicator
Column Type: varchar
Max Length: 50
Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date
Column Type: date
'First Billing Date'.

Column Name: has_global_period_flag
Column Type: varchar
Max Length: 15
This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id
Column Type: varchar
Max Length: 15
The incident-to practitioner ID.

Column Name: incident_to_pract_name
Column Type: varchar
Max Length: 40
The name of the incident-to practitioner.

Column Name: initial_treatment_date
Column Type: date
'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code
Column Type: varchar
Max Length: 5
Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value
Column Type: varchar
Max Length: 10
The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi
Column Type: bit
Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code
Column Type: varchar
Max Length: 5
Was this service created as an overage service.

Column Name: is_overage_service_value

Column Type: varchar

Max Length: 10

The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code

Column Type: varchar

Max Length: 5

Was this service created as a roll-up service.

Column Name: is_roll_up_service_value

Column Type: varchar

Max Length: 10

The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon

Column Type: varchar

Max Length: 40

Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 100
The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes

Column Type: varchar

Max Length: 32766

'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'.

Column Name: mso_eob_number

Column Type: integer

The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code

Column Type: varchar

Max Length: 50

'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value

Column Type: varchar

Max Length: 50

The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837

Column Type: varchar

Max Length: 80

'Note Reference Text (837 Billing)'.

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 40

The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code

Column Type: varchar

Max Length: 50

'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value

Column Type: varchar

Max Length: 50

The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_date

Column Type: date

The date the service was first entered into the system.

Column Name: orig_entry_option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time

Column Type: varchar

Max Length: 50

The time the service was first entered into the system.

Column Name: orig_entry_user

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_user_id

Column Type: varchar

Max Length: 50

The user ID that first entered the service into the system.

Column Name: original_tx_code

Column Type: varchar

Max Length: 10

'Original Scheduled Service'.

Column Name: original_tx_value

Column Type: varchar

Max Length: 40

The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date

Column Type: date

'Orthodontic Banding Date'.

Column Name: primary_guarantor

Column Type: varchar

Max Length: 40

'Primary Guarantor'.

Column Name: prior_placement_date

Column Type: date

'Prior Placement Date'.

Column Name: prosth_crown_inlay_code

Column Type: varchar

Max Length: 50

'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value

Column Type: varchar

Max Length: 50

The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration
Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner'.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
The name of the referring_practitioner_code.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the referring_provider_code.

Column Name: related_causes_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value
Column Type: varchar
Max Length: 255
The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS
Column Type: varchar
Max Length: 40
The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc
Column Type: timestamp
the End of Service as UTC date and time.

Column Name: service_start_utc
Column Type: timestamp
the Start of Service as UTC date and time.

Column Name: service_status_code
Column Type: varchar
Max Length: 7

Is the service open or closed.

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone

Column Type: varchar

Max Length: 255

the timezone for the service used to determine the offset from UTC.

Column Name: start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: task_event_id

Column Type: varchar

Max Length: 40

The id of the task list event that created this service

Column Name: tooth_number

Column Type: varchar

Max Length: 50

'Tooth Number'.

Column Name: tooth_status_code

Column Type: varchar

Max Length: 50

'Tooth Status Code'.

Column Name: tooth_status_value

Column Type: varchar

Max Length: 50

The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code

Column Type: varchar

Max Length: 50

'Tooth Surface Code'.

Column Name: tooth_surface_shvalue

Column Type: varchar

Max Length: 255

The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value

Column Type: varchar

Max Length: 4096

The description for the tooth_surface_code. See tooth_surface_code for more information.

Column Name: total_duration_crisis_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Crisis".

Column Name: total_duration_other_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Other".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

Is this a transfer service.

Column Name: treatment_service_code

Column Type: varchar

Max Length: 50

'Treatment Service' for the program_code of the service.

Column Name: treatment_service_value

Column Type: varchar

Max Length: 50

The description for the treatment_service_code. See treatment_service_code for more information.

Column Name: units_of_service

Column Type: numeric

The units of the service.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_deleted_service_value

Column Type: varchar

Max Length: 40

The description for the deleted_service_code. See deleted_service_code for more information.

Documentation for form: Service_Panel_Charge_Input

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data.

Column Name: STREG_INDEX
Column Type: varchar
Max Length: 20
A unique ID used to identify a row of data.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
'Service Code (10002)'

Column Name: location_code
Column Type: varchar
Max Length: 15
'Location (10006)'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: program_code
Column Type: varchar
Max Length: 15
The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10
'Cost Of Service (19999)'

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
'Insurance Charge Category (10021)'

Column Name: v_service_value
Column Type: varchar

Max Length: 40

The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

Joins table to treatment history.

Column Name: CO_STAFFID

Column Type: varchar

Max Length: 40

'Co Staffid (10007)'

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode (12345)'

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3

Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40

The description associated with `medical_diag_1_icd9_code`. See `medical_diag_1_icd9_code` for more information.

Column Name: `medical_diag_1_imo_value`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: `medical_diag_2_icd10_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: `medical_diag_2_icd10_value`

Column Type: `varchar`

Max Length: 40

The description associated with `medical_diag_2_icd10_code`. See `medical_diag_2_icd10_code` for more information.

Column Name: `medical_diag_2_icd9_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: `medical_diag_2_icd9_value`

Column Type: `varchar`

Max Length: 40

The description associated with `medical_diag_2_icd9_code`. See `medical_diag_2_icd9_code` for more information.

Column Name: `medical_diag_2_imo_value`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: `medical_diag_3_icd10_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 3 ICD-10'

Column Name: `medical_diag_3_icd10_value`

Column Type: `varchar`

Max Length: 40

The description associated with `medical_diag_3_icd10_code`. See `medical_diag_3_icd10_code` for more information.

Column Name: `medical_diag_3_icd9_code`

Column Type: `varchar`

Max Length: 40

'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar
Max Length: 10
'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers
Column Type: varchar
Max Length: 50
'Modifiers'

Column Name: notes_memo
Column Type: varchar
Max Length: 32766
'Appointment Notes Memo'

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes Text'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provider_only_service
Column Type: integer
'Is this a provider only service?'

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code

Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Medical_Coding

Table Name: SYSTEM.coding_chart

Table Description: Medical coding chart main table.

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
Episode number.

Column Name: FACILITY
Column Type: integer
System code.

Column Name: PATID
Column Type: varchar
Max Length: 20
Avatar patient identifier.

Column Name: STAFFID

Column Type: varchar
Max Length: 20
Service/encounter performing staff member.

Column Name: corrections_comments
Column Type: longvarchar
Max Length: 2147483647
Corrections comments added when the chart was marked for corrections.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was submitted

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 40
the time zone information for when the data was saved

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved

Column Name: date_of_service
Column Type: date
Service/encounter date.

Column Name: diag_record_date
Column Type: date
Date the diagnosis record was generated after the coding chart was submitted.

Column Name: diag_record_id
Column Type: varchar
Max Length: 20
Id of the related record in SYSTEM.client_diagnosis_record.

Column Name: diag_record_time
Column Type: varchar
Max Length: 40
Time the diagnosis record was generated after the coding chart was submitted.

Column Name: diag_record_time_h
Column Type: time
Time the diagnosis record was generated after the coding chart was submitted.

Column Name: in_corrections
Column Type: bit
Whether or not the coding chart has been marked for correction via the 'Coding Chart Corrections' form and is editable.

Column Name: location_code
Column Type: varchar
Max Length: 50
Service/encounter location.

Column Name: location_value
Column Type: varchar
Max Length: 40
Service/encounter location value.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: program_code
Column Type: varchar
Max Length: 50
Service/encounter program.

Column Name: program_value
Column Type: varchar
Max Length: 40
Service/encounter program value.

Column Name: supp_service_flag
Column Type: varchar
Max Length: 20
Supplemental service

Documentation for form: Medical_Coding

Table Name: SYSTEM.coding_chart_audit

Table Description: Medical coding chart audit table.

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
Episode number.

Column Name: FACILITY
Column Type: integer
System code.

Column Name: JOIN_TO_CURRENT
Column Type: varchar
Max Length: 50
A pointer to the Current value

Column Name: PATID
Column Type: varchar
Max Length: 20
Avatar patient identifier.

Column Name: STAFFID
Column Type: varchar
Max Length: 20
Service/encounter performing staff member.

Column Name: data_entry_action
Column Type: varchar
Max Length: 40
The action that was performed.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: date_of_service

Column Type: date
Service/encounter date.

Column Name: location_code
Column Type: varchar
Max Length: 50
Service/encounter location.

Column Name: location_value
Column Type: varchar
Max Length: 40
Service/encounter location value.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: program_code
Column Type: varchar
Max Length: 50
Service/encounter program.

Column Name: program_value
Column Type: varchar
Max Length: 40
Service/encounter program value.

Documentation for form: Medical_Coding

Table Name: SYSTEM.coding_diagnoses

Table Description: Diagnosis recorded as part of the medical coding chart (SYSTEM.coding_chart).

Column Name: chartid
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer

System code.

Column Name: bill_order
Column Type: varchar
Max Length: 5
Diagnosis bill order position in the claim.

Column Name: classification_code
Column Type: varchar
Max Length: 50
The Classification Code

Column Name: classification_value
Column Type: varchar
Max Length: 255
The Classification Value

Column Name: diag_icd10_code
Column Type: varchar
Max Length: 40
The ICD10 diagnosis code.

Column Name: diag_icd10_value
Column Type: varchar
Max Length: 255
The ICD10 diagnosis code value.

Column Name: diag_imo_code
Column Type: varchar
Max Length: 255
The IMO diagnosis code.

Column Name: diag_imo_value
Column Type: varchar
Max Length: 255
The IMO diagnosis code value.

Column Name: inc_dxchg_to_dx_code
Column Type: varchar
Max Length: 10
Include Diagnosis Changes to Existing Diagnosis Record

Column Name: inc_dxchg_to_dx_value
Column Type: varchar
Max Length: 50
Description for 'inc_dxchg_to_dx_code'

Column Name: matches_int_care_dx
Column Type: varchar
Max Length: 255

Matches Integrated Care Diagnosis ID (SYSTEM.client_diagnosis_entry)

Column Name: page

Column Type: varchar

Max Length: 200

Encounter document page that contains evidence for the diagnosis.

Column Name: remarks

Column Type: varchar

Max Length: 32000

Diagnosis additional remarks

Column Name: status_code

Column Type: varchar

Max Length: 40

The Status Code

Column Name: status_value

Column Type: varchar

Max Length: 255

The Status Value

Column Name: childsub

Column Type: integer

Documentation for form: Medical_Coding

Table Name: SYSTEM.coding_diagnoses_audit

Table Description: Diagnosis recorded as part of the medical coding chart (SYSTEM.coding_chart) audit table.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

System code.

Column Name: JOIN_TO_CURRENT

Column Type: varchar

Max Length: 50

A pointer to the Current value

Column Name: bill_order

Column Type: varchar

Max Length: 5
Diagnosis bill order position in the claim.

Column Name: classification_code
Column Type: varchar
Max Length: 50
The Classification Code

Column Name: classification_value
Column Type: varchar
Max Length: 255
The Classification Value

Column Name: data_entry_action
Column Type: varchar
Max Length: 40
The action that was performed.

Column Name: diag_icd10_code
Column Type: varchar
Max Length: 40
The ICD10 diagnosis code.

Column Name: diag_icd10_value
Column Type: varchar
Max Length: 255
The ICD10 diagnosis code value.

Column Name: diag_imo_code
Column Type: varchar
Max Length: 255
The IMO diagnosis code.

Column Name: diag_imo_value
Column Type: varchar
Max Length: 255
The IMO diagnosis code value.

Column Name: inc_dxchg_to_dx_code
Column Type: varchar
Max Length: 10
Include Diagnosis Changes to Existing Diagnosis Record

Column Name: inc_dxchg_to_dx_value
Column Type: varchar
Max Length: 50
Description for 'inc_dxchg_to_dx_code'

Column Name: matches_int_care_dx
Column Type: varchar

Max Length: 255

Matches Integrated Care Diagnosis ID (SYSTEM.client_diagnosis_entry)

Column Name: page

Column Type: varchar

Max Length: 200

Encounter document page that contains evidence for the diagnosis.

Column Name: remarks

Column Type: varchar

Max Length: 32000

Diagnosis additional remarks

Documentation for form: Medical_Coding

Table Name: SYSTEM.coding_services

Table Description: Service recorded as part of the medical coding chart (SYSTEM.coding_chart).

Column Name: chartid

Column Type: integer

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

System code.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 50

The unique ID that joins the chart item to the charge entry (SYSTEM.billing_tx_history)

Column Name: diagnosis_pointer_1

Column Type: integer

Service diagnosis pointer (position 1).

Column Name: diagnosis_pointer_2

Column Type: integer

Service diagnosis pointer (position 2).

Column Name: diagnosis_pointer_3

Column Type: integer

Service diagnosis pointer (position 3).

Column Name: diagnosis_pointer_4
Column Type: integer
Service diagnosis pointer (position 4).

Column Name: duration
Column Type: varchar
Max Length: 10
Service duration (in minutes).

Column Name: modifiers
Column Type: varchar
Max Length: 50
Service modifiers.

Column Name: service_code
Column Type: varchar
Max Length: 50
Service code.

Column Name: service_value
Column Type: varchar
Max Length: 40
Service code value.

Column Name: childsub
Column Type: integer

Documentation for form: Medical_Coding

Table Name: SYSTEM.coding_services_audit

Table Description: Service recorded as part of the medical coding chart (SYSTEM.coding_chart) audit table.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
System code.

Column Name: JOIN_TO_CURRENT
Column Type: varchar
Max Length: 50
A pointer to the Current value

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 50

The unique ID that joins the chart item to the charge entry (SYSTEM.billing_tx_history)

Column Name: data_entry_action

Column Type: varchar

Max Length: 40

The action that was performed.

Column Name: diagnosis_pointer_1

Column Type: integer

Service diagnosis pointer (position 1).

Column Name: diagnosis_pointer_2

Column Type: integer

Service diagnosis pointer (position 2).

Column Name: diagnosis_pointer_3

Column Type: integer

Service diagnosis pointer (position 3).

Column Name: diagnosis_pointer_4

Column Type: integer

Service diagnosis pointer (position 4).

Column Name: duration

Column Type: varchar

Max Length: 10

Service duration (in minutes).

Column Name: modifiers

Column Type: varchar

Max Length: 50

Service modifiers.

Column Name: service_code

Column Type: varchar

Max Length: 50

Service code.

Column Name: service_value

Column Type: varchar

Max Length: 40

Service code value.

Documentation for form: Client_Alerts

Table Name: SYSTEM.RADplus_client_alerts

Table Description: Client Alerts

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: Disabled_code
Column Type: varchar
Max Length: 50
Set to "Y" if alert is disabled.

Column Name: Disabled_value
Column Type: varchar
Max Length: 50
Description for Disabledcode

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: Option_Desc
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: Option_Id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID.

Column Name: SYSTEM_ALERT_ID
Column Type: varchar
Max Length: 50
Alert Id defined in 'Alerty Types'

Column Name: USER_ALERT_ID
Column Type: varchar
Max Length: 10
User alert Id

Column Name: active_range_code
Column Type: varchar
Max Length: 50
Active Range Code

Column Name: active_range_value
Column Type: varchar
Max Length: 50
Description for Active Range Code field.

Column Name: alert_type_code
Column Type: varchar
Max Length: 50
Alert type code

Column Name: alert_type_value
Column Type: varchar
Max Length: 50
The description for the alert type code

Column Name: applicable_opts_code
Column Type: varchar
Max Length: 32000
Applicable form codes

Column Name: applicable_opts_value
Column Type: varchar
Max Length: 32000
Applicable form names

Column Name: community_alert_code
Column Type: varchar
Max Length: 50
Set to "Y" if alert is community alert.

Column Name: community_alert_value
Column Type: varchar
Max Length: 50
Description for communityalertcode

Column Name: custom_message
Column Type: varchar
Max Length: 200
Custom Message

Column Name: data_entry_by_login
Column Type: varchar
Max Length: 50
The user name that last updated the row (logged into Avatar).

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row. data entry source

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: end_date
Column Type: date
End date of alert.

Column Name: selected_episodes
Column Type: varchar
Max Length: 500
Selected episode numbers

Column Name: start_date
Column Type: date
Start date for the alert to appear.

Column Name: system_alert_desc
Column Type: varchar
Max Length: 50
System alert description

Column Name: uniqueid
Column Type: varchar
Max Length: 50
Alert unique id.

Column Name: user_alert_desc
Column Type: varchar
Max Length: 40
User alert description

Documentation for form: Internal_Client_Conse

Table Name: SYSTEM.RADplus_client_conse

Table Description: This table returns all data filed via the 'Client Consent' Form

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUID
Column Type: varchar
Max Length: 50
Used by ProviderConnect.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data

Column Name: allow_all_users
Column Type: bit
'Allow Consent for all users'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_option
Column Type: varchar
Max Length: 50
The ID of the form that updated the row.

Column Name: data_entry_time
Column Type: time
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: expiration_date
Column Type: date
Date the consent is valid through.

Column Name: organizations_code
Column Type: varchar
Max Length: 32000
'Organization'

Column Name: organization_values
Column Type: varchar
Max Length: 32000
The descriptions associated to organizations_code.

Column Name: org_facilities_code
Column Type: varchar
Max Length: 32000
'Organization Facilities'

Column Name: org_facilities_value
Column Type: varchar
Max Length: 32000
The descriptions associated to org_facilities_code.

Column Name: user_ids
Column Type: varchar
Max Length: 32000
'Currently Selected Users'

Documentation for form: Routing_Worklist_Item

Table Name: DocR.assignment_tracking

Table Description: This table tracks the history of document routing assignments made by the system.

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number of the patient.

Column Name: FACILITY
Column Type: integer
The system code where this is being defined in.

Column Name: PATID
Column Type: varchar
Max Length: 20
The patient id that the document belongs to.

Column Name: action_from_id
Column Type: varchar
Max Length: 40
The action ID that triggered this assignment to be made.

Column Name: assignment_error_msg
Column Type: varchar
Max Length: 32000
Message detailing why an assignment error occurred.

Column Name: assignment_error_occurred
Column Type: bit
Boolean representing whether an assignment error occurred.

Column Name: assignment_warning_msg
Column Type: varchar
Max Length: 32000
Message detailing why an alternative assignment occurred.

Column Name: assignments_searched
Column Type: varchar
Max Length: 4096
A list of assignments/alternative assignment IDs searched (not including the one that got used).

Column Name: auto_assignment_id
Column Type: varchar
Max Length: 40
Auto-reassignment assignment ID.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 40
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 40
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar

Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 80
The user name who last updated the row.

Column Name: document_historic
Column Type: varchar
Max Length: 40
The historic of the finalized DocR.Document ID that this workflow item is related to.

Column Name: document_id
Column Type: varchar
Max Length: 256
The document ID which the assignment involves.

Column Name: last_assignment_id
Column Type: varchar
Max Length: 40
The assignment definition via which the assignment was assigned.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: queue_from_id
Column Type: varchar
Max Length: 40
The queue ID from which the assignment was made.

Column Name: queue_to_id
Column Type: varchar
Max Length: 40
The queue ID to which the assignment was assigned (if any).

Column Name: rule_based_routing_id
Column Type: varchar
Max Length: 40
The rule based routing ID which the assignment was born from.

Column Name: status_id
Column Type: varchar

Max Length: 40

The current status ID of the assignment.

Column Name: user_from

Column Type: varchar

Max Length: 80

The user from which the assignment was made.

Column Name: user_from_link

Column Type: varchar

Max Length: 40

The active linked user calculated from user_from

Column Name: user_to

Column Type: varchar

Max Length: 80

The user to which the assignment was assigned.

Column Name: user_to_link

Column Type: varchar

Max Length: 40

The active linked user calculated from user_to

Documentation for form: Routing_Worklist_Item

Table Name: DocR.query_definition

Table Description: This tables stores user-defined queries created via the 'Query Definition' GSI for Rule-Based Routing.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code where this is being defined in.

Column Name: JOIN_TO_CURRENT

Column Type: varchar

Max Length: 1000

A pointer to the Current value, only used by Audit table

Column Name: appends_added

Column Type: bit

Checkbox that indicates whether or not a question was addressed via an amendment.

Column Name: data_entry_action

Column Type: varchar
Max Length: 40
The action that was performed, only used by Audit table

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 40
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 80
The user name who last updated the row.

Column Name: document_id
Column Type: varchar
Max Length: 256
The document ID associated with this query.

Column Name: grid_row_num
Column Type: varchar
Max Length: 40
The row in the TDE in which the query resides.

Column Name: option_desc
Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: query_reason_code

Column Type: varchar

Max Length: 40

Dictionary code for the query reason.

Column Name: query_reason_value

Column Type: varchar

Max Length: 80

Dictionary value for 'query_reason_code'.

Column Name: question_text

Column Type: varchar

Max Length: 500

The question for the query that will be displayed to the user

Column Name: queue_id

Column Type: varchar

Max Length: 40

The queue associated with this query.

Column Name: response_text

Column Type: varchar

Max Length: 500

The response text for the query.

Documentation for form: Routing_Worklist_Item

Table Name: DocR.query_definition_audit

Table Description: This table contains audit information for the 'DocR.query_definition' table.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code where this is being defined in.

Column Name: JOIN_TO_CURRENT

Column Type: varchar
Max Length: 1000
A pointer to the Current value, only used by Audit table

Column Name: appends_added
Column Type: bit
Checkbox that indicates whether or not a question was addressed via an amendment.

Column Name: data_entry_action
Column Type: varchar
Max Length: 40
The action that was performed, only used by Audit table

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 40
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 80
The user name who last updated the row.

Column Name: document_id
Column Type: varchar
Max Length: 256

The document ID associated with this query.

Column Name: grid_row_num

Column Type: varchar

Max Length: 40

The row in the TDE in which the query resides.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: query_reason_code

Column Type: varchar

Max Length: 40

Dictionary code for the query reason.

Column Name: query_reason_value

Column Type: varchar

Max Length: 80

Dictionary value for 'query_reason_code'.

Column Name: question_text

Column Type: varchar

Max Length: 500

The question for the query that will be displayed to the user

Column Name: queue_id

Column Type: varchar

Max Length: 40

The queue associated with this query.

Column Name: response_text

Column Type: varchar

Max Length: 500

The response text for the query.

Documentation for form: Routing_Worklist_Item

Table Name: DocR.rule_based_forms

Table Description: This table maintains the relationship between the rule based document and the form data filed from worklist item form.

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number of the patient.

Column Name: FACILITY
Column Type: integer
The system code where this is being defined in.

Column Name: JOIN_TO_CURRENT
Column Type: varchar
Max Length: 1000
A pointer to the Current value, only used by Audit table

Column Name: JOIN_TO_UNIQUE_ID
Column Type: varchar
Max Length: 40
The row id of the data filed from the form (historic).

Column Name: PATID
Column Type: varchar
Max Length: 20
The patient id that the form belongs to.

Column Name: QUEUEID
Column Type: varchar
Max Length: 40
The queue id that the document was in when the form was filed.

Column Name: chart_id
Column Type: varchar
Max Length: 40
The chart id that was filed (if the core form was used).

Column Name: data_entry_action
Column Type: varchar
Max Length: 40
The action that was performed, only used by Audit table

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 40
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 80
The user name who last updated the row.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: original_USERID
Column Type: varchar
Max Length: 40
The id of the user that first filed the form.

Column Name: original_USERID_link
Column Type: varchar
Max Length: 40
The active linked user calculated from original_USERID

Column Name: queue_option_id
Column Type: varchar
Max Length: 40

The option id of the form filed from the queue.

Column Name: rule_based_doc_id

Column Type: varchar

Max Length: 40

The rule based routing document id that this form data belongs to.

Documentation for form: Routing_Worklist_Item

Table Name: DocR.rule_based_forms_audit

Table Description: This table maintains the audit of the relationship between the rule based document and the form data filed from worklist item form.

Column Name: ID

Column Type: integer

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number of the patient.

Column Name: FACILITY

Column Type: integer

The system code where this is being defined in.

Column Name: JOIN_TO_CURRENT

Column Type: varchar

Max Length: 1000

A pointer to the Current value, only used by Audit table

Column Name: JOIN_TO_UNIQUE_ID

Column Type: varchar

Max Length: 40

The row id of the data filed from the form (historic).

Column Name: PATID

Column Type: varchar

Max Length: 20

The patient id that the form belongs to.

Column Name: QUEUEID

Column Type: varchar

Max Length: 40

The queue id that the document was in when the form was filed.

Column Name: chart_id

Column Type: varchar

Max Length: 40

The chart id that was filed (if the core form was used).

Column Name: data_entry_action

Column Type: varchar

Max Length: 40

The action that was performed, only used by Audit table

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 40

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 80

The user name who last updated the row.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: original_USERID

Column Type: varchar

Max Length: 40

The id of the user that first filed the form.

Column Name: original_USERID_link

Column Type: varchar

Max Length: 40

The active linked user calculated from original_USERID

Column Name: queue_option_id

Column Type: varchar

Max Length: 40

The option id of the form filed from the queue.

Column Name: rule_based_doc_id

Column Type: varchar

Max Length: 40

The rule based routing document id that this form data belongs to.

Documentation for form: Routing_Worklist_Item

Table Name: DocR.rule_based_routing

Table Description: This is the main tracking table for document routing documents in the rule based workflow.

Column Name: ID

Column Type: integer

Column Name: DOCUMENTID

Column Type: varchar

Max Length: 256

The finalized DocR.Document ID that this workflow item is related to.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number of the patient.

Column Name: JOIN_TO_CURRENT

Column Type: varchar

Max Length: 1000

A pointer to the Current value, only used by Audit table

Column Name: PATID

Column Type: varchar
Max Length: 20
The patient id that the document belongs to.

Column Name: USERID
Column Type: varchar
Max Length: 40
The currently assigned user id for the document.

Column Name: USERID_link
Column Type: varchar
Max Length: 40
The active linked user calculated from USREID

Column Name: current_QUEUEID
Column Type: varchar
Max Length: 40
The queue that the document is currently in.

Column Name: current_STATUSID
Column Type: varchar
Max Length: 40
The status that the document is currently in.

Column Name: data_entry_action
Column Type: varchar
Max Length: 40
The action that was performed, only used by Audit table

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The form the row was updated by

Column Name: data_entry_date
Column Type: date
The date the last row was updated

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was submitted

Column Name: data_entry_source
Column Type: varchar
Max Length: 40

the name of the last form that updated the row

Column Name: data_entry_time

Column Type: varchar

Max Length: 40

The time the row was last updated

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 40

the time zone information for when the data was saved

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

the user id that last filed a row

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

the username of the last filed row

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved

Column Name: doc_author_USERID

Column Type: varchar

Max Length: 40

The ID of the user who originally finalized the document.

Column Name: doc_author_USERID_link

Column Type: varchar

Max Length: 40

The active linked user calculated from USREID

Column Name: doc_finalization_date

Column Type: date

The date the document was originally finalized.

Column Name: doc_historic

Column Type: varchar

Max Length: 40

The historic of the finalized DocR.Document ID that this workflow item is related to.

Column Name: doc_option_id

Column Type: varchar

Max Length: 40

The option id of the assessment that originally generated the document.

Column Name: doc_program_code

Column Type: varchar

Max Length: 40

The program code that the document was originally filed under.

Column Name: doc_program_value

Column Type: varchar

Max Length: 80

The dictionary value of the program code that the document was originally filed under.

Column Name: encounter_date

Column Type: date

The encounter date calculated from the original Document Routing document.

Column Name: is_complete

Column Type: bit

Whether or not this document has completed all stages in the workflow.

Column Name: last_ACTIONID

Column Type: varchar

Max Length: 40

The last action that modified the document.

Column Name: last_ASSIGNMENTID

Column Type: varchar

Max Length: 40

The last assignment that modified the document.

Column Name: last_action_reason

Column Type: varchar

Max Length: 256

The reason the last action was applied (if any).

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 40

the unique ID of the form that last updated the row

Documentation for form: Routing_Worklist_Item

Table Name: DocR.rule_based_routing_audit

Table Description: This is the audit for the main tracking table for document routing documents in the rule based workflow.

Column Name: ID

Column Type: integer

Column Name: DOCUMENTID

Column Type: varchar

Max Length: 256

The finalized DocR.Document ID that this workflow item is related to.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number of the patient.

Column Name: JOIN_TO_CURRENT

Column Type: varchar

Max Length: 1000

A pointer to the Current value, only used by Audit table

Column Name: PATID

Column Type: varchar

Max Length: 20

The patient id that the document belongs to.

Column Name: USERID

Column Type: varchar

Max Length: 40

The currently assigned user id for the document.

Column Name: USERID_link

Column Type: varchar

Max Length: 40

The active linked user calculated from USREID

Column Name: current_QUEUEID

Column Type: varchar

Max Length: 40

The queue that the document is currently in.

Column Name: current_STATUSID

Column Type: varchar
Max Length: 40
The status that the document is currently in.

Column Name: data_entry_action
Column Type: varchar
Max Length: 40
The action that was performed, only used by Audit table

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The form the row was updated by

Column Name: data_entry_date
Column Type: date
The date the last row was updated

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was submitted

Column Name: data_entry_source
Column Type: varchar
Max Length: 40
the name of the last form that updated the row

Column Name: data_entry_time
Column Type: varchar
Max Length: 40
The time the row was last updated

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 40
the time zone information for when the data was saved

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
the user id that last filed a row

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
the username of the last filed row

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved

Column Name: doc_author_USERID
Column Type: varchar
Max Length: 40
The ID of the user who originally finalized the document.

Column Name: doc_author_USERID_link
Column Type: varchar
Max Length: 40
The active linked user calculated from USREID

Column Name: doc_finalization_date
Column Type: date
The date the document was originally finalized.

Column Name: doc_historic
Column Type: varchar
Max Length: 40
The historic of the finalized DocR.Document ID that this workflow item is related to.

Column Name: doc_option_id
Column Type: varchar
Max Length: 40
The option id of the assessment that originally generated the document.

Column Name: doc_program_code
Column Type: varchar
Max Length: 40
The program code that the document was originally filed under.

Column Name: doc_program_value
Column Type: varchar
Max Length: 80
The dictionary value of the program code that the document was originally filed under.

Column Name: encounter_date
Column Type: date

The encounter date calculated from the original Document Routing document.

Column Name: is_complete

Column Type: bit

Whether or not this document has completed all stages in the workflow.

Column Name: last_ACTIONID

Column Type: varchar

Max Length: 40

The last action that modified the document.

Column Name: last_ASSIGNMENTID

Column Type: varchar

Max Length: 40

The last assignment that modified the document.

Column Name: last_action_reason

Column Type: varchar

Max Length: 256

The reason the last action was applied (if any).

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 40

the unique ID of the form that last updated the row

Documentation for form: Client_Acuity

Table Name: SYSTEM.acuity_comment

Table Description: This table returns client acuity comment data.

Column Name: Compile

Column Type: integer

The compile record id for this comment.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: comment

Column Type: longvarchar

Max Length: 2147483647
Acuity comment for this compile record and client ID.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option name that last updated this data row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The option identifier that last updated this data_row.

Column Name: childsub

Column Type: integer

Documentation for form: Client_Acuity

Table Name: SYSTEM.acuity_compile

Table Description: This table returns acuity compile metadata.

Column Name: ID

Column Type: integer

Column Name: compile_date

Column Type: date

The date that this compile record was run for.

Column Name: compile_end_time

Column Type: varchar

Max Length: 50

The date/time when this compile record completed compiling.

Column Name: compile_start_time

Column Type: varchar

Max Length: 50

The date/time when this compile record started compiling.

Column Name: compile_time

Column Type: varchar

Max Length: 50

The time that this compile record was run for.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The patient identification number. Present if the compile was run for an individual patient record.

Column Name: post_end_time
Column Type: varchar
Max Length: 50
The date/time when this compile record completed posting.

Column Name: post_start_time
Column Type: varchar
Max Length: 50
The date/time when this compile record started posting.

Column Name: program
Column Type: varchar
Max Length: 3200
The '&' delimited list of program codes that this compile was run for.

Column Name: status
Column Type: varchar
Max Length: 50
The current status of this compile record.

Column Name: unit
Column Type: varchar
Max Length: 500
The '&' delimited list of unit codes that this compile was run for.

Column Name: data_entry_offset

Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option name that last updated this data row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The option identifier that last updated this data_row.

Documentation for form: Client_Acuity

Table Name: SYSTEM.acuity_compile_error

Table Description: This table returns errors produced by the acuity compile process.

Column Name: Compile
Column Type: integer
The compile record id which produced this error.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: action
Column Type: varchar

Max Length: 400

The compile action that was executing when this error occurred.

Column Name: error

Column Type: varchar

Max Length: 400

The error message.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: rule_id

Column Type: varchar

Max Length: 50

The rule id (if applicable) that this error occurred for.

Column Name: childsub

Column Type: integer

Documentation for form: Client_Acuity

Table Name: SYSTEM.acuity_domain_score

Table Description: This view returns acuity score totals by practitioner category and acuity domain.

Column Name: FACILITY

Column Type: integer

Column Name: practitioner_cat_code

Column Type: varchar

Max Length: 50

Column Name: practitioner_cat_value

Column Type: varchar

Max Length: 50

Column Name: PATID

Column Type: varchar

Max Length: 20

Column Name: compile
Column Type: integer

Column Name: compile_date
Column Type: date

Column Name: posted
Column Type: bit

Column Name: domain_code
Column Type: varchar
Max Length: 50

Column Name: domain_value
Column Type: varchar
Max Length: 50

Column Name: rule_id
Column Type: integer

Column Name: uncalculated_score
Column Type: double

Column Name: score
Column Type: double

Documentation for form: Client_Acuity

Table Name: SYSTEM.acuity_score

Table Description: The table returns acuity scores created by the acuity compile process.

Column Name: ID
Column Type: integer

Column Name: compile
Column Type: integer
The compile record id which produced this score.

Column Name: compile_date
Column Type: date
The date this score was created for.

Column Name: domain_code
Column Type: varchar
Max Length: 50
The domain that this score is categorized under.

Column Name: domain_value
Column Type: varchar
Max Length: 50
The dictionary value for the domain code.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The patient identification number for this score record.

Column Name: posted
Column Type: bit
The posted (finalized) status of this score record.

Column Name: practitioner_cat_code
Column Type: varchar
Max Length: 50
Practitioner category dictionary code for the acuity rule that produced this score.

Column Name: practitioner_cat_value
Column Type: varchar
Max Length: 50
Practitioner category dictionary value.

Column Name: rule_id
Column Type: integer
The acuity rule record id which produced this score.

Column Name: score
Column Type: numeric
The score value.

Column Name: subdomain
Column Type: varchar
Max Length: 50
The subdomain of the acuity rule that produced this score.

Column Name: uncalculated_score
Column Type: double
The uncalculated score value.

Documentation for form: Client_Acuity

Table Name: SYSTEM.acuity_subdomain_score

Table Description: This view returns acuity conditionally grouped score by facility, PATID, compile, domain, sub-domain, practitioner category.

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: compile
Column Type: integer

Column Name: compile_date
Column Type: date

Column Name: posted
Column Type: bit

Column Name: domain_code
Column Type: varchar
Max Length: 50

Column Name: domain_value
Column Type: varchar
Max Length: 50

Column Name: subdomain
Column Type: varchar
Max Length: 50

Column Name: practitioner_cat_code
Column Type: varchar
Max Length: 50

Column Name: practitioner_cat_value
Column Type: varchar
Max Length: 50

Column Name: rule_id
Column Type: integer

Column Name: uncalculated_score
Column Type: double

Column Name: score
Column Type: varchar
Max Length: 20

Documentation for form: Change_Program/Admission_Date

Table Name: SYSTEM.program_active_clients

Table Description: This table returns active clients in each program code.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PROGRAM
Column Type: varchar
Max Length: 10
The program code in which the patient is active in.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: EPISODENUMBER
Column Type: integer
'Episode Number'

Documentation for form: Post_Residential/Inpatient_Worklist

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data.

Column Name: STREG_INDEX
Column Type: varchar
Max Length: 20
A unique ID used to identify a row of data.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
'Service Code (10002)'

Column Name: location_code
Column Type: varchar
Max Length: 15
'Location (10006)'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: program_code
Column Type: varchar
Max Length: 15
The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10
'Cost Of Service (19999)'

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
'Insurance Charge Category (10021)'

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code. See location_code for more information.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40
The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service
Column Type: date
'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
Joins table to treatment history.

Column Name: CO_STAFFID
Column Type: varchar
Max Length: 40
'Co Staffid (10007)'

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode (12345)'

Column Name: data_entry_date

Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10

'Service End Time (60022)'

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40
'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes Memo'

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes Text'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: provider_only_service

Column Type: integer
'Is this a provider only service?'

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Post_Partial_Hospitalization/Day_Worklist

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data.

Column Name: STREG_INDEX
Column Type: varchar
Max Length: 20
A unique ID used to identify a row of data.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
'Service Code (10002)'

Column Name: location_code
Column Type: varchar
Max Length: 15
'Location (10006)'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: program_code
Column Type: varchar
Max Length: 15
The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10
'Cost Of Service (19999)'

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
'Insurance Charge Category (10021)'

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

Joins table to treatment history.

Column Name: CO_STAFFID

Column Type: varchar

Max Length: 40

'Co Staffid (10007)'

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode (12345)'

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: accounting_period

Column Type: date

'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes Memo'

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes Text'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: provider_only_service

Column Type: integer

'Is this a provider only service?'

Column Name: referring_practitioner_code

Column Type: varchar

Max Length: 10

'Referring Practitioner Code'

Column Name: referring_practitioner_name

Column Type: varchar

Max Length: 50

'Referring Practitioner Name'

Column Name: referring_provider_code

Column Type: varchar

Max Length: 10

'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Compile_And_Post_Residential/Inpatient_Charges

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data.

Column Name: STREG_INDEX
Column Type: varchar
Max Length: 20
A unique ID used to identify a row of data.

Column Name: SERVICE_CODE

Column Type: varchar
Max Length: 20
'Service Code (10002)'

Column Name: location_code
Column Type: varchar
Max Length: 15
'Location (10006)'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: program_code
Column Type: varchar
Max Length: 15
The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10
'Cost Of Service (19999)'

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
'Insurance Charge Category (10021)'

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code. See location_code for more information.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40
The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service
Column Type: date
'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
Joins table to treatment history.

Column Name: CO_STAFFID
Column Type: varchar
Max Length: 40
'Co Staffid (10007)'

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode (12345)'

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes Memo'

Column Name: notes_text
Column Type: varchar
Max Length: 255
'Appointment Notes Text'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provider_only_service
Column Type: integer
'Is this a provider only service?'

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: 99999_Services_Report

Table Name: SYSTEM.billing_tx_dist_fail_reason

Table Description: This table stores guarantors for which some or all liability failed to distribute, and the reasons why. This will only be stored if at least some liability ends up distributing to the guarantor of last resort.

Column Name: ID

Column Type: integer

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: date_of_service

Column Type: date

The date of the service.

Column Name: FACILITY

Column Type: integer

The system code in which the service was entered.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 10

The ID of the guarantor to which the service liability either partially or fully failed to distribute.

Column Name: PLAN_ID

Column Type: varchar

Max Length: 10

The ID of the benefit plan to which the service liability either partially or fully failed to distribute.

Column Name: PLAN_LEVEL

Column Type: varchar

Max Length: 10

The number of the benefit plan level to which the service liability either partially or fully failed to distribute.

Column Name: messagecount

Column Type: integer

The unique ID for this distribution failure message.

Column Name: reason

Column Type: varchar

Max Length: 255

The explanation for why service liability partially or fully failed to distribute to the associated guarantor.

Documentation for form: Client_Admission_Report_(PAS_44N)

Table Name: STATEFORM.nys_pas44_admit

Table Description: This table returns data filed using the 'Client Admission Report (PAS 44N)' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

Client episode.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PADuniqueid

Column Type: varchar

Max Length: 50

The unique ID for the current row of data.

Column Name: PATID

Column Type: varchar

Max Length: 20

Client ID.

Column Name: active_cps_case_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Active CPS Case' field.

Column Name: active_cps_case_value

Column Type: varchar

Max Length: 50
Dictionary value for the 'Active CPS Case' field.

Column Name: admission_date
Column Type: date
Date of client admission.

Column Name: admit_disposition_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Admission Disposition' field.

Column Name: admit_disposition_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Admission Disposition' field.

Column Name: alt_incarceration_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Alternative to Incarceration' field.

Column Name: alt_incarceration_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Alternative to Incarceration' field.

Column Name: arrests_6_mos_prior
Column Type: varchar
Max Length: 50
Value of the 'Arrests in Prior 6 Months' field.

Column Name: asi_alcohol
Column Type: varchar
Max Length: 50
Value of the 'ASI Composite Scores - Alcohol' field.

Column Name: asi_drug
Column Type: varchar
Max Length: 50
Value of the 'ASI Composite Scores - Drug' field.

Column Name: asi_employment
Column Type: varchar
Max Length: 50
Value of the 'ASI Composite Scores - Employment' field.

Column Name: asi_family_social
Column Type: varchar
Max Length: 50

Value of the 'ASI Composite Scores - Family/Social' field.

Column Name: asi_legal

Column Type: varchar

Max Length: 50

Value of the 'ASI Composite Scores - Legal' field.

Column Name: asi_medical

Column Type: varchar

Max Length: 50

Value of the 'ASI Composite Scores - Medical' field.

Column Name: asi_psychological

Column Type: varchar

Max Length: 50

Value of the 'ASI Composite Scores - Psychological' field.

Column Name: assess_visits_days

Column Type: varchar

Max Length: 50

Value of the 'Number Of Assessment Visits Or Days' field.

Column Name: asthma_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Asthma' field.

Column Name: asthma_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Asthma' field.

Column Name: brain_injury_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'ACQ Or Traumatic Brain Injury' field.

Column Name: brain_injury_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'ACQ Or Traumatic Brain Injury' field.

Column Name: case_child_proc_svc_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Case With Child Protective Services' field.

Column Name: case_child_proc_svc_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Case With Child Protective Services' field.

Column Name: child_foster_care_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Children Foster Care' field.

Column Name: child_foster_care_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Children Foster Care' field.

Column Name: child_in_foster_care

Column Type: integer

Value of the 'No. Of Children Living In Foster Care' field.

Column Name: child_of_alcoholsubs_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Child Of Alcohol/Substance Abuser' field.

Column Name: child_of_alcoholsubs_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Child Of Alcohol/Substance Abuser' field.

Column Name: cj_consent_date

Column Type: date

Value of the 'CJ Consent Date' field.

Column Name: cj_consent_revoke_date

Column Type: date

Value of the 'CJ Consent Revoke Date' field.

Column Name: client_id_no

Column Type: varchar

Max Length: 50

Value of the 'Client ID No.' field.

Column Name: county_of_residence_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'County Of Residence' field.

Column Name: county_of_residence_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'County Of Residence' field.

Column Name: criminal_just_stat_code

Column Type: varchar
Max Length: 50
Dictionary code for the 'Current Criminal Justice Status' field.

Column Name: criminal_just_value_long
Column Type: varchar
Max Length: 4096
Long dictionary value for the 'Current Criminal Justice Status' field.

Column Name: criminal_just_value_short
Column Type: varchar
Max Length: 255
Short dictionary value for the 'Current Criminal Justice Status' field.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date that the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time that the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_birth
Column Type: date
Value of the 'Date Of Birth' field.

Column Name: date_sent
Column Type: date
Value of the 'Date Sent' field.

Column Name: default_client_id_no_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Default Client Id No.' field.

Column Name: default_client_id_no_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Default Client Id No.' field.

Column Name: default_pru_no_from_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Default PRU No. From' field.

Column Name: default_pru_no_from_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Default PRU No. From' field.

Column Name: diabetes_code
Column Type: varchar
Max Length: 10

Dictionary code for the 'Diabetes' field.

Column Name: diabetes_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Diabetes' field.

Column Name: dsmiv_axis_i_diag_1

Column Type: varchar

Max Length: 50

Value of the 'DSM IV Axis I Diagnosis 1' field.

Column Name: dsmiv_axis_i_diag_2

Column Type: varchar

Max Length: 50

Value of the 'DSM IV Axis I Diagnosis 2' field.

Column Name: dsmiv_axis_i_diag_3

Column Type: varchar

Max Length: 50

Value of the 'DSM IV Axis I Diagnosis 3' field.

Column Name: element_of_care_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Element of Care' field.

Column Name: element_of_care_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Element of Care' field.

Column Name: employment_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Employment Status' field.

Column Name: employment_status_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Employment Status' field.

Column Name: ever_used_tobacco_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Ever Used Tobacco' field.

Column Name: ever_used_tobacco_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Ever Used Tobacco' field.

Column Name: experienced_trauma_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Client Ever Experience/Witness Trauma That Impacts Current Life Experience?' field.

Column Name: experienced_trauma_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Client Ever Experience/Witness Trauma That Impacts Current Life Experience?' field.

Column Name: first_name_current

Column Type: varchar

Max Length: 50

Value of the 'First Name Current' field.

Column Name: gambling_screening_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Gambling Screening Positive' field.

Column Name: gambling_screening_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Gambling Screening Positive' field.

Column Name: gender_identity_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Gender Identity' field.

Column Name: gender_identity_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Gender Identity' field.

Column Name: hearing_impairment_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Hearing Impairment' field.

Column Name: hearing_impairment_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Hearing Impairment' field.

Column Name: hepatitis_b_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Hepatitis B Status' field.

Column Name: hepatitis_b_status_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Hepatitis B Status' field.

Column Name: hepatitis_c_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Hepatitis C Status' field.

Column Name: hepatitis_c_status_value

Column Type: varchar

Max Length: 50

Dictionary code for the 'Hepatitis C Status' field.

Column Name: highest_grade_compl_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Highest Grade Completed' field.

Column Name: highest_grade_compl_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Highest Grade Completed' field.

Column Name: hispanic_origin_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Hispanic Origin' field.

Column Name: hispanic_origin_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Hispanic Origin' field.

Column Name: hiv_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'HIV Status' field.

Column Name: hiv_status_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'HIV Status' field.

Column Name: hypertension_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Hypertension' field.

Column Name: hypertension_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Hypertension' field.

Column Name: icd10_diagnosis

Column Type: varchar

Max Length: 50

'ICD-10 Code'.

Column Name: id_consent_date

Column Type: date

Value of the 'ID Consent Date' field.

Column Name: id_consent_revoke_date

Column Type: date

Value of the 'ID Consent Revoke Date' field.

Column Name: incarc_6_mos_prior

Column Type: varchar

Max Length: 50

Value of the 'Days Incarcerated 6 Mos. Prior To Admission' field.

Column Name: income_src_admit_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Primary Source Of Income At Admission' field.

Column Name: income_src_admit_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Primary Source Of Income At Admission' field.

Column Name: indiv_edu_plan_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Individual Education Plan' field.

Column Name: indiv_edu_plan_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Individual Education Plan' field.

Column Name: last_name_birth

Column Type: varchar

Max Length: 50

Value of the 'Last Name At Birth' field.

Column Name: last_name_current
Column Type: varchar
Max Length: 50
Value of the 'Last Name Current' field.

Column Name: last_name_first_2
Column Type: varchar
Max Length: 50
Value of the 'First Two Letters Of Last Name At Birth' field.

Column Name: last_name_first_2_current
Column Type: varchar
Max Length: 50
Value of the 'First Two Letters Of Current Last Name' field.

Column Name: last_tx_sa_emerg_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Last Alc/Subs Abuse Treatment or Emerg Svc.' field.

Column Name: last_tx_sa_emerg_code1
Column Type: varchar
Max Length: 50
Dictionary code for the 'Time Since Last Alc/Subs Abuse Treatment or Emerg Svc.' field.

Column Name: last_tx_sa_emerg_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Last Alc/Subs Abuse Treatment or Emerg Svc.' field.

Column Name: last_tx_sa_emerg_value1
Column Type: varchar
Max Length: 50
Dictionary value for the 'Time Since Last Alc/Subs Abuse Treatment or Emerg Svc.' field.

Column Name: living_arrangements_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Living Arrangements' field.

Column Name: living_arrangements_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Living Arrangements' field.

Column Name: locadtr_asmt_date
Column Type: date
'LOCADTR Assessment Date'.

Column Name: locadtr_asmt_id

Column Type: varchar
Max Length: 9
'LOCADTR Assessment ID'.

Column Name: marital_status_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Marital Status' field.

Column Name: marital_status_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Marital Status' field.

Column Name: mats_consent_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Consent Granted' field.

Column Name: mats_consent_eff_date
Column Type: date
Value of the 'Effective Date' field.

Column Name: mats_consent_exp_date
Column Type: date
Value of the 'Expiration Date' field.

Column Name: mats_consent_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Consent Granted' field.

Column Name: mats_county_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'County Of Residence Is A MATS County' field.

Column Name: mats_county_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'County Of Residence Is A MATS County' field.

Column Name: med_assist_opioid_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Medical Assistance Opioid Therapy' field.

Column Name: med_assist_opioid_value
Column Type: varchar
Max Length: 50

Dictionary value for the 'Medical Assistance Opioid Therapy' field.

Column Name: medicaid_client_id

Column Type: varchar

Max Length: 50

Value of the 'Medicaid Client ID' field.

Column Name: mental_illness_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Mental Illness(Co-existing Psychiatric Disorder)' field.

Column Name: mental_illness_hosp_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Ever Hospitalized For Mental Illness' field.

Column Name: mental_illness_hosp_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Ever Hospitalized For Mental Illness' field.

Column Name: mental_illness_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Mental Illness(Co-existing Psychiatric Disorder)' field.

Column Name: mental_illnes_tx_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Ever Treated For Mental Illness Problem' field.

Column Name: mental_illnes_tx_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Ever Treated For Mental Illness Problem' field.

Column Name: mental_retardation_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Intellectual Disability/Developmental Disability' field.

Column Name: mental_retardation_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Intellectual Disability/Developmental Disability' field.

Column Name: ment_ill_hosp_30_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Ever Hospitalized 30 Days Or More For Mental Illness' field.

Column Name: ment_ill_hosp_30_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Ever Hospitalized 30 Days Or More For Mental Illness' field.

Column Name: military_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Military Status' field.

Column Name: military_status_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Military Status' field.

Column Name: mobility_impairment_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Mobility Impairment' field.

Column Name: mobility_impairment_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Mobility Impairment' field.

Column Name: no_arrests_in_30days

Column Type: varchar

Max Length: 50

Value of the 'No. Of Arrests In Prior 30 Days To Admission' field.

Column Name: no_child_living_with_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Client's Children/No. Of Children Living With Client' field.

Column Name: no_child_living_with_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Client's Children/No. Of Children Living With Client' field.

Column Name: no_days_inpat_detox

Column Type: varchar

Max Length: 50

Value of the '6 Mo. Prior No. Of Days In Inpatient Detox' field.

Column Name: no_emerg_room_epis

Column Type: varchar

Max Length: 50

Value of the '6 Mo. Prior No. Of Emergency Room Episodes' field.

Column Name: no_hosp_non_detox_tx

Column Type: varchar

Max Length: 50

Value of the '6 Mo. Prior No. Days Hospitalized For Non-Detox Services' field.

Column Name: no_prior_tx_epis_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'No. Of Prior Treatment Episodes' field.

Column Name: no_prior_tx_epis_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'No. Of Prior Treatment Episodes' field.

Column Name: number_of_children_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Client's Children/Total Number Of Children' field.

Column Name: number_of_children_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Client's Children/Total Number Of Children' field.

Column Name: nysid

Column Type: varchar

Max Length: 50

Value of the 'NYSID' field.

Column Name: orient_to_change_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Orientation To Change (RRYP Providers Only)' field.

Column Name: orient_to_change_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Orientation To Change (RRYP Providers Only)' field.

Column Name: other_health_cond_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Other Major Phys. Health Conditions' field.

Column Name: other_health_cond_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Other Major Phys. Health Conditions' field.

Column Name: other_tobacco_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Other Tobacco' field.

Column Name: other_tobacco_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Other Tobacco' field.

Column Name: perp_dv_ipv_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Client Ever a Perpetrator of Domestic Violence/Intimate Partner Violence?' field.

Column Name: perp_dv_ipv_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Client Ever a Perpetrator of Domestic Violence/Intimate Partner Violence?' field.

Column Name: pregnant_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Pregnant' field.

Column Name: pregnant_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Pregnant' field.

Column Name: primary_lang_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Primary Language' field.

Column Name: primary_lang_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Primary Language' field.

Column Name: prim_substance_age

Column Type: varchar

Max Length: 50

Value of the 'Problem Substances Primary Age' field.

Column Name: prim_substance_freq_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Primary Frequency' field.

Column Name: prim_substance_freq_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Primary Frequency' field.

Column Name: prim_substance_route_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Primary Route' field.

Column Name: prim_substance_route_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Primary Route' field.

Column Name: prim_substance_type_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Primary Type' field.

Column Name: prim_substance_type_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Primary Type' field.

Column Name: princ_referral_src_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Principal Referral Source' field.

Column Name: princ_referral_src_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Principal Referral Source' field.

Column Name: pru_no

Column Type: varchar

Max Length: 50

Value of the 'PRU No.' field.

Column Name: race_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Race' field.

Column Name: race_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Race' field.

Column Name: reason_for_hospital_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Reason For Hospitalization' field.

Column Name: reason_for_hospital_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Reason For Hospitalization' field.

Column Name: reintegration_setng_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Reintegration Setting' field.

Column Name: reintegration_setng_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Reintegration Setting' field.

Column Name: resend_form_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Re-Send Form' field.

Column Name: resend_form_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Re-Send Form' field.

Column Name: sec_substance_age

Column Type: varchar

Max Length: 50

Value of the 'Problem Substances Secondary Age' field.

Column Name: sec_substance_freq_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Secondary Frequency' field.

Column Name: sec_substance_freq_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Secondary Frequency' field.

Column Name: sec_substance_route_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Secondary Route' field.

Column Name: sec_substance_route_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Secondary Route' field.

Column Name: sec_substance_type_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Secondary Type' field.

Column Name: sec_substance_type_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Secondary Type' field.

Column Name: self_help_ref_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Self Help Referral' field.

Column Name: self_help_ref_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Self Help Referral' field.

Column Name: sex_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Sex' field.

Column Name: sexual_orientation_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Sexual Orientation' field.

Column Name: sexual_orientation_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Sexual Orientation' field.

Column Name: sex_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Sex' field.

Column Name: sight_impairment_leg_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Sight Impairment (legally blind)' field.

Column Name: sight_impairment_leg_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Sight Impairment (legally blind)' field.

Column Name: significant_other_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Significant Other' field.

Column Name: significant_other_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Significant Other' field.

Column Name: smoked_tobacco_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Smoked Tobacco In Last Week' field.

Column Name: smoked_tobacco_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Smoked Tobacco In Last Week' field.

Column Name: smokeless_tobacco_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Used Smokeless Tobacco In Last Week' field.

Column Name: smokeless_tobacco_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Used Smokeless Tobacco In Last Week' field.

Column Name: special_project_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Special Project Code' field.

Column Name: special_project_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Special Project Code' field.

Column Name: speech_impairment_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Speech Impairment' field.

Column Name: speech_impairment_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Speech Impairment' field.

Column Name: ssn

Column Type: varchar

Max Length: 50

Value of the 'Social Security Number' field.

Column Name: ssn_last_4

Column Type: varchar

Max Length: 50

Value of the 'Last Four Digits Of Soc. Sec. No.' field.

Column Name: tb_test_result_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Result of TB Test' field.

Column Name: tb_test_result_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Result of TB Test' field.

Column Name: tert_substance_age

Column Type: varchar

Max Length: 50

Value of the 'Problem Substances Tertiary Age' field.

Column Name: tert_substance_freq_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Tertiary Frequency' field.

Column Name: tert_substance_freq_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Tertiary Frequency' field.

Column Name: tert_substance_route_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Tertiary Route' field.

Column Name: tert_substance_route_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Tertiary Route' field.

Column Name: tert_substance_type_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Tertiary Type' field.

Column Name: tert_substance_type_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Tertiary Type' field.

Column Name: tobacco_age_first_use

Column Type: varchar

Max Length: 50

Value of the 'Tobacco Age Of First Use' field.

Column Name: tobacco_frequ_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Tobacco Frequency' field.

Column Name: tobacco_frequ_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Tobacco Frequency' field.

Column Name: tobacco_last_u_date

Column Type: date

Value of the 'Tobacco Last Used Date' field.

Column Name: tobacco_route_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Tobacco Route' field.

Column Name: tobacco_route_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Tobacco Route' field.

Column Name: transaction_type_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Transaction Type' field.

Column Name: transaction_type_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Transaction Type' field.

Column Name: type_of_residence_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Type Of Residence' field.

Column Name: type_of_residence_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Type Of Residence' field.

Column Name: veteran_status_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Veteran Status' field.

Column Name: veteran_status_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Veteran Status' field.

Column Name: victim_dv_ipv_code
Column Type: varchar
Max Length: 10
Dictionary code for the 'Client Ever a Victim of Domestic Violence/Intimate Partner Violence?' field.

Column Name: victim_dv_ipv_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Client Ever a Victim of Domestic Violence/Intimate Partner Violence?' field.

Column Name: zip_code_of_residenc
Column Type: varchar
Max Length: 50
Value of the 'ZIP Code Of Residence' field.

Documentation for form: Client_Discharge_Report_(PAS_45N)

Table Name: STATEFORM.nys_pas45_discharge

Table Description: This table returns data filed using the 'Client Discharge Report (PAS 45N)' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer
Client episode.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID.

Column Name: PDSuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the current row of data.

Column Name: add_med_used_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Addiction Medication Used' field.

Column Name: add_med_used_value_long
Column Type: varchar
Max Length: 4096
Long dictionary value for the 'Addiction Medication Used' field.

Column Name: add_med_used_value_short
Column Type: varchar
Max Length: 255
Short dictionary value for the 'Addiction Medication Used' field.

Column Name: admission_date
Column Type: date
Date of client admission.

Column Name: alcohol_use_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Alcohol Use' field.

Column Name: alcohol_use_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Alcohol Use' field.

Column Name: asthma_code
Column Type: varchar
Max Length: 10
Dictionary code for the 'Asthma' field.

Column Name: asthma_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Asthma' field.

Column Name: client_id_no
Column Type: varchar
Max Length: 50
Value of the 'Client ID No.' field.

Column Name: criminal_just_st_adm_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Criminal Justice Status At Admission' field.

Column Name: criminal_just_value_long
Column Type: varchar
Max Length: 4096
Long dictionary value for the 'Criminal Justice Status At Admission' field.

Column Name: criminal_just_value_short
Column Type: varchar
Max Length: 255
Short dictionary value for the 'Criminal Justice Status At Admission' field.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date that the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar

Max Length: 50

The time that the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_last_treated

Column Type: date

Value of the 'Date Last Treated' field.

Column Name: date_of_birth

Column Type: date

Value of the 'Date Of Birth' field.

Column Name: date_sent

Column Type: date

Value of the 'Date Sent' field.

Column Name: days_hosp_detox

Column Type: varchar

Max Length: 50

Value of the 'No. Of Days Client Hospitalized For Drug And/Or Alc. Inpatient Detox, in past 6 months' field.

Column Name: days_hosp_non_detox

Column Type: varchar

Max Length: 50

Value of the 'No. Of Days Client Hospitalized For Non-Detox Services, in past 6 months' field.

Column Name: days_incarcerated

Column Type: varchar

Max Length: 50

Value of the 'No. Of Days Client Incarcerated, in past 6 months' field.

Column Name: default_client_id_no_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Default Client ID No. From' field.

Column Name: default_client_id_no_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Default Client ID No. From' field.

Column Name: default_pru_no_from_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Default PRU No. From' field.

Column Name: default_pru_no_from_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Default PRU No. From' field.

Column Name: diabetes_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Diabetes' field.

Column Name: diabetes_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Diabetes' field.

Column Name: discharge_date

Column Type: date

Value of the 'Discharge Date' field.

Column Name: discharge_disp_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Discharge Disposition' field.

Column Name: discharge_disp_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Discharge Disposition' field.

Column Name: discharge_reason_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Discharge Reason' field.

Column Name: discharge_reason_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Discharge Reason' field.

Column Name: discharge_stat_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Discharge Status' field.

Column Name: discharge_stat_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Discharge Status' field.

Column Name: domestic_viol_ptr_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Domestic Violence Perpetrator' field.

Column Name: domestic_viol_ptr_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Domestic Violence Perpetrator' field.

Column Name: domestic_viol_vtm_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Domestic Violence Victim' field.

Column Name: domestic_viol_vtm_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Domestic Violence Victim' field.

Column Name: drug_use_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Drug Use' field.

Column Name: drug_use_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Drug Use' field.

Column Name: emotional_functionin_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Emotional Functioning' field.

Column Name: emotional_functionin_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Emotional Functioning' field.

Column Name: employment_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Employment Status' field.

Column Name: employment_status_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Employment Status' field.

Column Name: experienced_trauma_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Client Ever Experience/Witness Trauma That Impacts Current Life Experience?' field.

Column Name: experienced_trauma_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Client Ever Experience/Witness Trauma That Impacts Current Life Experience?' field.

Column Name: family_counsel_sessions

Column Type: varchar

Max Length: 50

Value of the 'Family Counseling Sessions' field.

Column Name: family_situation_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Family Situation' field.

Column Name: family_situation_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Family Situation' field.

Column Name: first_subs_freq_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Frequency' field for the 'First Problem Substance'.

Column Name: first_subs_freq_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Frequency' field for the 'First Problem Substance'.

Column Name: first_subs_route_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Route' field for the 'First Problem Substance'.

Column Name: first_subs_route_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Route' field for the 'First Problem Substance'.

Column Name: first_subs_type_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Primary Type' field.

Column Name: first_subs_type_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Primary Type' field.

Column Name: gambling_screen_adm_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Gambling Screening Positive' field.

Column Name: gambling_screen_adm_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Gambling Screening Positive' field.

Column Name: gambl_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Gambling Status' field.

Column Name: gambl_status_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Gambling Status' field.

Column Name: group_counsel_sessions

Column Type: varchar

Max Length: 50

Value of the 'Group Counseling Sessions' field.

Column Name: hepatitis_b_status_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Hepatitis B Status' field.

Column Name: hepatitis_b_status_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Hepatitis B Status' field.

Column Name: hepatitis_b_test_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Hepatitis B Test' field.

Column Name: hepatitis_b_test_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Hepatitis B Test' field.

Column Name: hepatitis_c_status_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Hepatitis C Status' field.

Column Name: hepatitis_c_status_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Hepatitis C Status' field.

Column Name: hepatitis_c_test_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Hepatitis C Test' field.

Column Name: hepatitis_c_test_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Hepatitis C Test' field.

Column Name: highest_grade_comp_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Highest Grade Completed At Admission' field.

Column Name: highest_grade_comp_value
Column Type: varchar
Max Length: 50

Dictionary value for the 'Highest Grade Completed At Admission' field.

Column Name: high_grade_at_dis_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Highest Grade Completed At Discharge' field.

Column Name: high_grade_at_dis_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Highest Grade Completed At Discharge' field.

Column Name: hiv_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'HIV Status Code' field.

Column Name: hiv_status_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'HIV Status Code' field.

Column Name: hiv_test_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Test For HIV' field.

Column Name: hiv_test_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Test For HIV' field.

Column Name: hypertension_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Hypertension' field.

Column Name: hypertension_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Hypertension' field.

Column Name: indiv_counsel_sessions

Column Type: varchar

Max Length: 50

Value of the 'Individual Counseling Sessions' field.

Column Name: last_name_first_2

Column Type: varchar

Max Length: 50

Value of the 'First Two Letters Of Last Name' field.

Column Name: legal_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Legal Status' field.

Column Name: legal_status_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Legal Status' field.

Column Name: lgth_employment_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Length Of Employment' field.

Column Name: lgth_employment_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Length Of Employment' field.

Column Name: living_arrangements_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Living Arrangements' field.

Column Name: living_arrangements_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Living Arrangements' field.

Column Name: locadtr_asmt_date

Column Type: date

'LOCADTR Assessment Date'.

Column Name: locadtr_asmt_id

Column Type: varchar

Max Length: 9

'LOCADTR Assessment ID'.

Column Name: medical_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Medical' field.

Column Name: medical_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Medical' field.

Column Name: mental_hosp_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Mental Hospitalized' field.

Column Name: mental_hosp_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Mental Hospitalized' field.

Column Name: mental_treat_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Mental Treatment' field.

Column Name: mental_treat_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Mental Treatment' field.

Column Name: ment_hosp_gt_thirty_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Mental Hospitalized > 30 days' field.

Column Name: ment_hosp_gt_thirty_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Mental Hospitalized > 30 days' field.

Column Name: no_arrests_in_30days
Column Type: varchar
Max Length: 50
Value of the 'No. Of Arrest In Prior 30 Days' field.

Column Name: no_er_epis_tx
Column Type: varchar
Max Length: 50
Value of the 'No. Of Emergency Room Episodes Client Received Treatment, in past 6 months' field.

Column Name: no_times_arrested
Column Type: varchar
Max Length: 50
Value of the 'Number Of Times Client Arrested, in past 6 months' field.

Column Name: orient_to_change_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Orientation To Change (RRYP Providers Only)' field.

Column Name: orient_to_change_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Orientation To Change (RRYP Providers Only)' field.

Column Name: prim_payment_source_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Primary Payment Source' field.

Column Name: prim_payment_source_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Primary Payment Source' field.

Column Name: prim_sub_reported_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Primary Substance Reported At Admission' field.

Column Name: prim_sub_reported_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Primary Substance Reported At Admission' field.

Column Name: program_goals_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Clients Overall Program Goals' field.

Column Name: program_goals_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Clients Overall Program Goals' field.

Column Name: pru_no
Column Type: varchar
Max Length: 50
Value of the 'PRU No.' field.

Column Name: psychiatric_dis_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Psychiatric Disorder' field.

Column Name: psychiatric_dis_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Psychiatric Disorder' field.

Column Name: referral_category_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Referral Category' field.

Column Name: referral_category_value
Column Type: varchar
Max Length: 80
Dictionary value for the 'Referral Category' field.

Column Name: referral_disp_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Referral Disposition' field.

Column Name: referral_disp_value_long
Column Type: varchar
Max Length: 4096
Long dictionary value for the 'Referral Disposition' field.

Column Name: referral_disp_value_short
Column Type: varchar
Max Length: 255
Short dictionary value for the 'Referral Disposition' field.

Column Name: resend_form_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Re-Send Form' field.

Column Name: resend_form_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Re-Send Form' field.

Column Name: sec_sub_reported_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Secondary Substance Reported At Admission' field.

Column Name: sec_sub_reported_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Secondary Substance Reported At Admission' field.

Column Name: sec_subs_freq_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Frequency' field for the 'Second Problem Substance'.

Column Name: sec_subs_freq_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Frequency' field for the 'Second Problem Substance'.

Column Name: sec_subs_route_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Route' field for the 'Second Problem Substance'.

Column Name: sec_subs_route_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Route' field for the 'Second Problem Substance'.

Column Name: sec_subs_type_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Problem Substances Secondary Type' field.

Column Name: sec_subs_type_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Problem Substances Secondary Type' field.

Column Name: self_help_ref_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Self Help Referral' field.

Column Name: self_help_ref_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Self Help Referral' field.

Column Name: sex_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Sex' field.

Column Name: sex_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Sex' field.

Column Name: social_functioning_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Social Functioning' field.

Column Name: social_functioning_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Social Functioning' field.

Column Name: ssn_last_4
Column Type: varchar
Max Length: 50
Value of the 'Last 4 SSN' field.

Column Name: status_prim_adm_sub_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Frequency Of Use Of Primary Admission Substance' field.

Column Name: status_prim_adm_sub_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Frequency Of Use Of Primary Admission Substance' field.

Column Name: status_sec_adm_sub_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Frequency Of Use Of Secondary Admission Substance' field.

Column Name: status_sec_adm_sub_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Frequency Of Use Of Secondary Admission Substance' field.

Column Name: tb_test_result_code
Column Type: varchar
Max Length: 10
Dictionary code for the 'Result of TB Test' field.

Column Name: tb_test_result_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Result of TB Test' field.

Column Name: tert_freq_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Frequency Of Use Of Tertiary Admission Substance' field.

Column Name: tert_freq_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Frequency Of Use Of Tertiary Admission Substance' field.

Column Name: tert_sub_reported_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Tertiary Substance Reported At Admission' field.

Column Name: tert_sub_reported_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Tertiary Substance Reported At Admission' field.

Column Name: third_subs_freq_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Frequency' field for the 'Third Problem Substance'.

Column Name: third_subs_freq_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Frequency' field for the 'Third Problem Substance'.

Column Name: third_subs_route_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Route' field for the 'Third Problem Substance'.

Column Name: third_subs_route_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Route' field for the 'Third Problem Substance'.

Column Name: third_subs_type_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Problem Substances Tertiary Type' field.

Column Name: third_subs_type_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Problem Substances Tertiary Type' field.

Column Name: tobacco_frequ_30_day_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Tobacco Frequency (Last 30 Days)' field.

Column Name: tobacco_frequ_30_day_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Tobacco Frequency (Last 30 Days)' field.

Column Name: tobacco_frequ_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Tobacco Frequency At Admission' field.

Column Name: tobacco_frequ_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Tobacco Frequency At Admission' field.

Column Name: tobacco_last_30_day_date
Column Type: date
Value of the 'Tobacco Last Used Date (Last 30 Days)' field.

Column Name: tobacco_last_u_date
Column Type: date
Value of the 'Tobacco Last Used Date At Admission' field.

Column Name: tobacco_rout_30_day_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Tobacco Route (Last 30 Days)' field.

Column Name: tobacco_rout_30_day_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Tobacco Route (Last 30 Days)' field.

Column Name: tobacco_sta_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Tobacco Use Status' field.

Column Name: tobacco_sta_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Tobacco Use Status' field.

Column Name: total_tx_visits
Column Type: varchar
Max Length: 50
Value of the 'Total Treatment Visits' field.

Column Name: treated_asthma_code
Column Type: varchar
Max Length: 10
Dictionary code for the 'Treated for Asthma' field.

Column Name: treated_asthma_value
Column Type: varchar

Max Length: 50
Dictionary value for the 'Treated for Asthma' field.

Column Name: treated_diabetes_code
Column Type: varchar
Max Length: 10
Dictionary code for the 'Treated for Diabetes' field.

Column Name: treated_diabetes_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Treated for Diabetes' field.

Column Name: treated_for_tb_code
Column Type: varchar
Max Length: 10
Dictionary code for the 'Treated for Latent TB' field.

Column Name: treated_for_tb_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Treated for Latent TB' field.

Column Name: treated_for_trauma_code
Column Type: varchar
Max Length: 10
Dictionary code for the 'Client Treated for Trauma?' field.

Column Name: treated_for_trauma_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Client Treated for Trauma?' field.

Column Name: treated_hyprtension_code
Column Type: varchar
Max Length: 10
Dictionary code for the 'Treated for Hypertension' field.

Column Name: treated_hyprtension_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Treated for Hypertension' field.

Column Name: treated_perp_dv_ipv_code
Column Type: varchar
Max Length: 10
Dictionary code for the 'Client Treated for Perpetrating Domestic Violence/Intimate Partner Violence?' field.

Column Name: treated_perp_dv_ipv_value
Column Type: varchar

Max Length: 50

Dictionary value for the 'Client Treated for Perpetrating Domestic Violence/Intimate Partner Violence?' field.

Column Name: treated_vict_dv_ipv_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Client Treated for Domestic Violence/Intimate Partner Violence?' field.

Column Name: treated_vict_dv_ipv_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Client Treated for Domestic Violence/Intimate Partner Violence?' field.

Column Name: type_of_residence_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Type Of Residence' field.

Column Name: type_of_residence_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Type Of Residence' field.

Column Name: vocationaleducationa_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Vocational/Educational' field.

Column Name: vocationaleducationa_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Vocational/Educational' field.

Documentation for form:

Crisis_Episode_Client_Admission/Discharge_Report_(PAS_46N)

Table Name: STATEFORM.nys_pas46_crisis_episode

Table Description: This table returns data filed using the 'Crisis Episode Client Admission/Discharge Report (PAS 46N)' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer
Client episode.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID.

Column Name: PCEuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the current row of data.

Column Name: add_med_used_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Addiction Medication Used' field.

Column Name: add_med_used_value_long
Column Type: varchar
Max Length: 4096
Long dictionary value for the 'Addiction Medication Used' field.

Column Name: add_med_used_value_short
Column Type: varchar
Max Length: 255
Short dictionary value for the 'Addiction Medication Used' field.

Column Name: admission_date
Column Type: date
Date of client admission.

Column Name: alt_incarceration_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Alternative to Incarceration' field.

Column Name: alt_incarceration_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Alternative to Incarceration' field.

Column Name: cj_consent_date
Column Type: date
Value of the 'CJ Consent Date' field.

Column Name: cj_consent_revoke_date
Column Type: date
Value of the 'CJ Consent Revoke Date' field.

Column Name: client_id_no
Column Type: varchar
Max Length: 50
Value of the 'Client ID No.' field.

Column Name: county_of_residence_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'County Of Residence' field.

Column Name: county_of_residence_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'County Of Residence' field.

Column Name: criminal_just_stat_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Current Criminal Justice Status' field.

Column Name: criminal_just_value_long
Column Type: varchar
Max Length: 4096
Long dictionary value for the 'Current Criminal Justice Status' field.

Column Name: criminal_just_value_short
Column Type: varchar
Max Length: 255
Short dictionary value for the 'Current Criminal Justice Status' field.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date that the row was last updated.

Column Name: data_entry_offset
Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time that the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_last_treated

Column Type: date

Value of the 'Date Last Treated' field.

Column Name: date_of_birth

Column Type: date

Value of the 'Date Of Birth' field.

Column Name: date_sent

Column Type: date

Value of the 'Date Sent' field.

Column Name: default_pru_no_from_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Default PRU No. From' field.

Column Name: default_pru_no_from_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Default PRU No. From' field.

Column Name: deflt_client_id_no_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Default Client ID No. From' field.

Column Name: deflt_client_id_no_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Default Client ID No. From' field.

Column Name: discharge_disp_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Discharge Disposition' field.

Column Name: discharge_disp_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Discharge Disposition' field.

Column Name: discharge_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Discharge Status' field.

Column Name: discharge_status_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Discharge Status' field.

Column Name: employment_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Employment Status' field.

Column Name: employment_status_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Employment Status' field.

Column Name: ever_used_tobacco_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Ever Used Tobacco' field.

Column Name: ever_used_tobacco_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Ever Used Tobacco' field.

Column Name: first_name_current

Column Type: varchar

Max Length: 50

Value of the 'First Name Current' field.

Column Name: gender_identity_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Gender Identity' field.

Column Name: gender_identity_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Gender Identity' field.

Column Name: highest_grade_compl_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Highest Grade Completed' field.

Column Name: highest_grade_compl_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Highest Grade Completed' field.

Column Name: hispanic_origin_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Hispanic Origin' field.

Column Name: hispanic_origin_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Hispanic Origin' field.

Column Name: icd10_diagnosis

Column Type: varchar

Max Length: 50

'ICD-10 Code'.

Column Name: id_consent_date

Column Type: date

Value of the 'ID Consent Date' field.

Column Name: id_consent_revoke_date

Column Type: date

Value of the 'ID Consent Revoke Date' field.

Column Name: income_src_admit_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Primary Source Of Income At Admission' field.

Column Name: income_src_admit_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Primary Source Of Income At Admission' field.

Column Name: indiv_edu_plan_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Individual Education Plan' field.

Column Name: indiv_edu_plan_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Individual Education Plan' field.

Column Name: last_name_birth

Column Type: varchar

Max Length: 50

Value of the 'Last Name At Birth' field.

Column Name: last_name_current

Column Type: varchar

Max Length: 50

Value of the 'Last Name Current' field.

Column Name: last_name_first_2

Column Type: varchar

Max Length: 50

Value of the 'First Two Letters Of Last Name At Birth' field.

Column Name: last_name_first_2_current

Column Type: varchar

Max Length: 50

Value of the 'First Two Letters Of Current Last Name' field.

Column Name: locadtr_asmt_date
Column Type: date
'LOCADTR Assessment Date'.

Column Name: locadtr_asmt_id
Column Type: varchar
Max Length: 9
'LOCADTR Assessment ID'.

Column Name: mats_consent_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Consent Granted' field.

Column Name: mats_consent_eff_date
Column Type: date
Value of the 'Effective Date' field.

Column Name: mats_consent_exp_date
Column Type: date
Value of the 'Expiration Date' field.

Column Name: mats_consent_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Consent Granted' field.

Column Name: mats_county_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'County Of Residence Is A MATS County' field.

Column Name: mats_county_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'County Of Residence Is A MATS County' field.

Column Name: medicaid_client_id
Column Type: varchar
Max Length: 50
Value of the 'Medicaid Client ID' field.

Column Name: med_manage_detox_bed
Column Type: varchar
Max Length: 50
Value of the 'Med Managed Detox Bed' field.

Column Name: med_sup_wdrawal_bed
Column Type: varchar
Max Length: 50

Value of the 'Med Sup Withdrawal Bed' field.

Column Name: military_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Military Status' field.

Column Name: military_status_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Military Status' field.

Column Name: nysid

Column Type: varchar

Max Length: 50

Value of the 'NYSID' field.

Column Name: observation_bed

Column Type: varchar

Max Length: 50

Value of the 'Observation Bed' field.

Column Name: prim_payment_source_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Primary Payment Source' field.

Column Name: prim_payment_source_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Primary Payment Source' field.

Column Name: prim_substance_age

Column Type: varchar

Max Length: 50

Value of the 'Problem Substances Primary Age' field.

Column Name: prim_substance_freq_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Primary Frequency' field.

Column Name: prim_substance_freq_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Primary Frequency' field.

Column Name: prim_substance_route_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Primary Route' field.

Column Name: prim_substance_route_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Primary Route' field.

Column Name: prim_substance_type_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Primary Type' field.

Column Name: prim_substance_type_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Primary Type' field.

Column Name: princ_referral_src_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Principal Referral Source' field.

Column Name: princ_referral_src_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Principal Referral Source' field.

Column Name: pru_no

Column Type: varchar

Max Length: 50

Value of the 'PRU No.' field.

Column Name: race_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Race' field.

Column Name: race_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Race' field.

Column Name: referral_category_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Referral Category' field.

Column Name: referral_category_value

Column Type: varchar

Max Length: 80

Dictionary value for the 'Referral Category' field.

Column Name: referral_disp_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Referral Disposition' field.

Column Name: referral_disp_value_long

Column Type: varchar

Max Length: 4096

Long dictionary value for the 'Referral Disposition' field.

Column Name: referral_disp_value_short

Column Type: varchar

Max Length: 255

Short dictionary value for the 'Referral Disposition' field.

Column Name: resend_form_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Re-Send Form' field.

Column Name: resend_form_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Re-Send Form' field.

Column Name: sec_substance_age

Column Type: varchar

Max Length: 50

Value of the 'Problem Substances Secondary Age' field.

Column Name: sec_substance_freq_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Secondary Frequency' field.

Column Name: sec_substance_freq_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Secondary Frequency' field.

Column Name: sec_substance_route_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Secondary Route' field.

Column Name: sec_substance_route_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Secondary Route' field.

Column Name: sec_substance_type_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Secondary Type' field.

Column Name: sec_substance_type_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Secondary Type' field.

Column Name: self_help_ref_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Currently Attending Self Help Group Meetings (Last 30 days)' field.

Column Name: self_help_ref_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Currently Attending Self Help Group Meetings (Last 30 days)' field.

Column Name: sex_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Sex' field.

Column Name: sexual_orientation_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Sexual Orientation' field.

Column Name: sexual_orientation_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Sexual Orientation' field.

Column Name: sex_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Sex' field.

Column Name: special_project_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Special Project Code' field.

Column Name: special_project_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Special Project Code' field.

Column Name: ssn

Column Type: varchar

Max Length: 50

Value of the 'Social Security Number' field.

Column Name: ssn_last_4

Column Type: varchar

Max Length: 50

Value of the 'Last Four Digits Of Soc. Sec. No.' field.

Column Name: tert_substance_age

Column Type: varchar

Max Length: 50

Value of the 'Problem Substances Tertiary Age' field.

Column Name: tert_substance_freq_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Tertiary Frequency' field.

Column Name: tert_substance_freq_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Tertiary Frequency' field.

Column Name: tert_substance_route_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Tertiary Route' field.

Column Name: tert_substance_route_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Tertiary Route' field.

Column Name: tert_substance_type_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Problem Substances Tertiary Type' field.

Column Name: tert_substance_type_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Problem Substances Tertiary Type' field.

Column Name: tobacco_age_first_use

Column Type: varchar

Max Length: 50

Value of the 'Tobacco Age Of First Use' field.

Column Name: tobacco_frequ_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Tobacco Frequency' field.

Column Name: tobacco_frequ_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Tobacco Frequency' field.

Column Name: tobacco_last_u_date

Column Type: date

Value of the 'Tobacco Last Used Date' field.

Column Name: tobacco_route_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Tobacco Route' field.

Column Name: tobacco_route_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Tobacco Route' field.

Column Name: type_of_residence_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Type Of Residence' field.

Column Name: type_of_residence_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Type Of Residence' field.

Column Name: veteran_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Veteran Status' field.

Column Name: veteran_status_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Veteran Status' field.

Column Name: zip_code_of_residenc

Column Type: varchar

Max Length: 50

Value of the 'Zip Code Of Residence' field.

Documentation for form: Client_Transfer_Report_(PAS_47)

Table Name: STATEFORM.nys_pas47_transfer

Table Description: This table returns data filed using the 'Client Transfer Report (PAS 47)' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Client episode.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID.

Column Name: PXFuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the current row of data.

Column Name: client_id_no
Column Type: varchar
Max Length: 50
Value of the 'Client ID No.' field.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date that the row was last updated.

Column Name: data_entry_offset
Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time that the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_transfer

Column Type: date

Value of the 'Date Of Transfer' field.

Column Name: date_sent

Column Type: date

Value of the 'Date Sent' field.

Column Name: default_client_id_no_code

Column Type: varchar

Max Length: 50
Dictionary code for the 'Default Client ID No. From' field.

Column Name: default_client_id_no_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Default Client ID No. From' field.

Column Name: def_pru_xfer_from_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Default PRU No. Transferred From' field.

Column Name: def_pru_xfer_from_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Default PRU No. Transferred From' field.

Column Name: def_pru_xfer_to_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Default PRU No. Transferred To' field.

Column Name: def_pru_xfer_to_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Default PRU No. Transferred To' field.

Column Name: element_of_care_code
Column Type: varchar
Max Length: 10
Dictionary code for the 'Element of Care' field.

Column Name: element_of_care_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Element of Care' field.

Column Name: locadtr_asmt_date
Column Type: date
'LOCADTR Assessment Date'.

Column Name: locadtr_asmt_id
Column Type: varchar
Max Length: 9
'LOCADTR Assessment ID'.

Column Name: pru_no_xfer_from
Column Type: varchar
Max Length: 50

Value of the 'PRU No. Transferred From' field.

Column Name: pru_no_xfer_to

Column Type: varchar

Max Length: 50

Value of the 'PRU No. Transferred To' field.

Column Name: reintegration_setng_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Reintegration Setting' field.

Column Name: reintegration_setng_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Reintegration Setting' field.

Column Name: resend_form_code

Column Type: varchar

Max Length: 50

Dictionary code for the 'Re-Send Form' field.

Column Name: resend_form_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Re-Send Form' field.

Column Name: transfer_record

Column Type: varchar

Max Length: 50

Value of the 'Transfer Record' field.

Documentation for form: [Element_Transition_Report_\(PAS_125\)](#)

Table Name: [STATEFORM.nys_pas125_element_trans](#)

Table Description: This table returns data filed using the 'Element Transfer Report (PAS 125)' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

Client episode.

Column Name: FACILITY

Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID.

Column Name: PETuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the current row of data.

Column Name: client_id_no
Column Type: varchar
Max Length: 50
Value of the 'Client ID No.' field.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date that the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time that the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_birth
Column Type: date
Value of the 'Date Of Birth' field.

Column Name: date_sent
Column Type: date
Value of the 'Date Sent' field.

Column Name: default_client_id_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Default Client Id No.' field.

Column Name: default_client_id_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Default Client Id No.' field.

Column Name: default_pru_no_from_code
Column Type: varchar
Max Length: 50
Dictionary code for the 'Default PRU No. From' field.

Column Name: default_pru_no_from_value
Column Type: varchar
Max Length: 50

Dictionary value for the 'Default PRU No. From' field.

Column Name: element_of_care_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Element of Care' field.

Column Name: element_of_care_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Element of Care' field.

Column Name: last_name_first_two

Column Type: varchar

Max Length: 50

Value of the 'First Two Letters of Last Name at Birth' field.

Column Name: locadtr_asmt_date

Column Type: date

'LOCADTR Assessment Date'.

Column Name: locadtr_asmt_id

Column Type: varchar

Max Length: 9

'LOCADTR Assessment ID'.

Column Name: pru_no

Column Type: varchar

Max Length: 50

Value of the 'Current PRU No.' field.

Column Name: reintegration_setng_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Reintegration Setting' field.

Column Name: reintegration_setng_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Reintegration Setting' field.

Column Name: resend_form_code

Column Type: varchar

Max Length: 10

Dictionary code for the 'Re-Send Form' field.

Column Name: resend_form_value

Column Type: varchar

Max Length: 50

Dictionary value for the 'Re-Send Form' field.

Column Name: sex_code
Column Type: varchar
Max Length: 10
Dictionary code for the 'Sex' field.

Column Name: sex_value
Column Type: varchar
Max Length: 50
Dictionary value for the 'Sex' field.

Column Name: ssn_last_four
Column Type: varchar
Max Length: 50
Value of the 'Last Four Digits of SSN' field.

Column Name: transition_date
Column Type: date
Value of the 'Transition Date' field.

Documentation for form: Ohio_BH_Admission

Table Name: STATEFORM.oh_bh_admission

Table Description: This table returns client data filed by the 'Ohio BH Admission' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BHAuniqueid
Column Type: varchar
Max Length: 50
Row unique ID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was filed.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID.

Column Name: add_edit_sent_del_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'BH Add/Edit/Sent/Delete' field.

Column Name: add_edit_sent_del_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'BH Add/Edit/Sent/Delete' field.

Column Name: admission_type_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'BH Admission Type' field.

Column Name: admission_type_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'BH Admission Type' field.

Column Name: ads_rehab_episodes
Column Type: varchar
Max Length: 50
Value of the 'BH #ADA Rehab Episodes' field.

Column Name: age_first_intox
Column Type: varchar
Max Length: 50
Value of the 'BH Age of First Alcohol Intoxication' field.

Column Name: aod_involvement
Column Type: integer
Value of the 'AOD Involvement' field.

Column Name: arrested
Column Type: integer
Value of the 'Arrested' field.

Column Name: arrests_30_days
Column Type: varchar
Max Length: 50
Value of the 'BH # of Arrests in Past 30 Days' field.

Column Name: ass_com_treat_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Assertive Community Treatment' field.

Column Name: ass_com_treat_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Assertive Community Treatment' field.

Column Name: bh_admission_date
Column Type: date

Value of the 'BH Admission Date' field.

Column Name: bmi_type_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'BMI Type' field.

Column Name: bmi_type_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'BMI Type' field.

Column Name: bowel_obstruction_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'Bowel Obstruction' field.

Column Name: bowel_obstruction_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Bowel Obstruction' field.

Column Name: cancer_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'Cancer' field.

Column Name: cancer_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Cancer' field.

Column Name: cardiovas_disease_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'Cardiovascular Disease' field.

Column Name: cardiovas_disease_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Cardiovascular Disease' field.

Column Name: cgas

Column Type: integer

Value of the 'CGAS' field.

Column Name: child_birth_5_years_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'Child Birth Within The Last 5 Years?' field.

Column Name: child_birth_5_years_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Child Birth Within The Last 5 Years?' field.

Column Name: children_removed_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'Were Children Removed From Home?' field.

Column Name: children_removed_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Were Children Removed From Home?' field.

Column Name: children_under_18

Column Type: varchar

Max Length: 50

Value of the 'BH # of Children Under 18 in Household' field.

Column Name: client_group_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'Client Group' field.

Column Name: client_group_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Client Group' field.

Column Name: codepend_collat_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'BH Codependent/Collateral' field.

Column Name: codepend_collat_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'BH Codependent/Collateral' field.

Column Name: consistent_assess_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'Consistent With Assessment (AOD Only)' field.

Column Name: consistent_assess_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Consistent With Assessment (AOD Only)' field.

Column Name: consistent_reason_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'If No, Select Reason Below' field.

Column Name: consistent_reason_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'If No, Select Reason Below' field.

Column Name: curr_living_arrang_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Avatar Admission Current Living Arrangements' field.

Column Name: curr_living_arrang_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Avatar Admission Current Living Arrangements' field.

Column Name: custody_odhs_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'BH Is Child in Custody of ODHS/Child Srv' field.

Column Name: custody_odhs_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'BH Is Child in Custody of ODHS/Child Srv' field.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date that the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time that the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_service_request

Column Type: date

Value of the 'Date of First Contact' field.

Column Name: day_of_service_1

Column Type: date

Value of the '1st Day Of Service' field.

Column Name: days_from_ref_by_pcp

Column Type: varchar

Max Length: 50

Value of the 'Days from ref by PCP for SA Assessment' field.

Column Name: dental_visits

Column Type: varchar
Max Length: 50
Value of the 'BH # Regular Visits to Dentist' field.

Column Name: diabetes_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Diabetes' field.

Column Name: diabetes_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Diabetes' field.

Column Name: diagnosis_quater_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Quaternary Diagnosis' field.

Column Name: diagnosis_quater_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Quaternary Diagnosis' field.

Column Name: diagnosis_secondary_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Secondary Diagnosis' field.

Column Name: diagnosis_secondary_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Secondary Diagnosis' field.

Column Name: diagnosis_tertiary_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Tertiary Diagnosis' field.

Column Name: diagnosis_tertiary_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Tertiary Diagnosis' field.

Column Name: drug_use_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Drug Use' field.

Column Name: drug_use_value

Column Type: varchar
Max Length: 50
The dictionary value for the 'Drug Use' field.

Column Name: dual_eligible
Column Type: integer
Value of the 'Dual Eligible' field.

Column Name: education_enroll_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Education Enrollment' field.

Column Name: education_enroll_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Education Enrollment' field.

Column Name: education_level_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Education Level' field.

Column Name: education_level_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Education Level' field.

Column Name: education_type_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Education Type (MH Only,K-12th Enrollment)' field.

Column Name: education_type_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Education Type (MH Only,K-12th Enrollment)' field.

Column Name: emergency_room_admit
Column Type: varchar
Max Length: 50
Value of the 'BH # Emergency Room Admissions' field.

Column Name: employment_status_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Employment Status' field.

Column Name: employment_status_value
Column Type: varchar

Max Length: 50
The dictionary value for the 'Employment Status' field.

Column Name: family_pscho_edu_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Family Psycho Education' field.

Column Name: family_pscho_edu_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Family Psycho Education' field.

Column Name: function_fam_ther_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Functional Family Therapy' field.

Column Name: function_fam_ther_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Functional Family Therapy' field.

Column Name: gaf_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'GAF' field.

Column Name: gaf_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'GAF' field.

Column Name: gamb_disord_assess_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Gambling Disorder Assessment' field.

Column Name: gamb_disord_assess_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Gambling Disorder Assessment' field.

Column Name: gamb_disord_screen_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Gambling Disorder Screening' field.

Column Name: gamb_disord_screen_value
Column Type: varchar

Max Length: 50
The dictionary value for the 'Gambling Disorder Screening' field.

Column Name: gen_outpatient_eps
Column Type: varchar
Max Length: 50
Value of the 'BH #ADA General Outpatient Episodes' field.

Column Name: hb_484_participant_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'HB-484 Participant' field.

Column Name: hb_484_participant_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'HB-484 Participant' field.

Column Name: height_feet
Column Type: integer
Value of the 'Height Feet' field.

Column Name: height_inches
Column Type: integer
Value of the 'Height Inches' field.

Column Name: high_blood_pressure_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'High Blood Pressure' field.

Column Name: high_blood_pressure_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'High Blood Pressure' field.

Column Name: high_cholesterol_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'High Cholesterol' field.

Column Name: high_cholesterol_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'High Cholesterol' field.

Column Name: hospital_admits
Column Type: varchar
Max Length: 50
Value of the 'BH # of Hospital Admissions' field.

Column Name: illness_self_manage_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Illness Self Management' field.

Column Name: illness_self_manage_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Illness Self Management' field.

Column Name: income_source_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Primary Source Of Income/Support' field.

Column Name: income_source_shval
Column Type: varchar
Max Length: 255
The short dictionary value for the 'Primary Source Of Income/Support' field.

Column Name: income_source_value
Column Type: varchar
Max Length: 4096
The full dictionary value for the 'Primary Source Of Income/Support' field.

Column Name: inpatient_episodes
Column Type: varchar
Max Length: 50
Value of the 'BH #ADA Inpatient Episodes' field.

Column Name: integ_treatment_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Integrated Treatment' field.

Column Name: integ_treatment_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Integrated Treatment' field.

Column Name: int_home_base_treat_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Intensive Home Based Treatment' field.

Column Name: int_home_base_treat_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Intensive Home Based Treatment' field.

Column Name: kidney_disease_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Kidney Disease' field.

Column Name: kidney_disease_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Kidney Disease' field.

Column Name: last_grade_completed_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Avatar Admission Education' field.

Column Name: last_grade_completed_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Avatar Admission Education' field.

Column Name: legal_status_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'BH Legal Status' field.

Column Name: legal_status_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'BH Legal Status' field.

Column Name: level_of_care_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'BH Level of Care' field.

Column Name: level_of_care_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'BH Level of Care' field.

Column Name: living_arrangement_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Living Arrangements' field.

Column Name: living_arrangement_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Living Arrangements' field.

Column Name: med_dental_visits
Column Type: integer
Value of the 'Dental Visits' field.

Column Name: med_emergency_room_visits
Column Type: integer
Value of the 'Emergency Room Visits' field.

Column Name: med_hospital_visits
Column Type: integer
Value of the 'Hospital Visits' field.

Column Name: medicaid_hmo_ppo_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Is Client Medicaid/HMO/PPO?' field.

Column Name: medicaid_hmo_ppo_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Is Client Medicaid/HMO/PPO?' field.

Column Name: med_management_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Medication Management' field.

Column Name: med_management_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Medication Management' field.

Column Name: med_outpatient_visits
Column Type: integer
Value of the 'Outpatient Visits' field.

Column Name: mental_health_hist_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Select If MH Problem In Addition To AOD Problem' field.

Column Name: mental_health_hist_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Select If MH Problem In Addition To AOD Problem' field.

Column Name: methadone_used_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Opioid Replacement Therapy' field.

Column Name: methadone_used_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Opioid Replacement Therapy' field.

Column Name: mh_update_date
Column Type: date
Value of the 'Update Date' field.

Column Name: military_status_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Military Status' field.

Column Name: military_status_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Military Status' field.

Column Name: monthly_income
Column Type: numeric
Value of the 'Individual Monthly Income' field.

Column Name: multi_system_ther_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Multi Systemic Therapy' field.

Column Name: multi_system_ther_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Multi Systemic Therapy' field.

Column Name: none_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'None' field.

Column Name: none_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'None' field.

Column Name: outpat_care_visits
Column Type: varchar
Max Length: 50
Value of the 'BH # Outpatient Health Care Visits' field.

Column Name: outpatient_episodes
Column Type: varchar

Max Length: 50
Value of the 'BH #ADA Intensive Outpatient Episodes' field.

Column Name: paying_board_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Paying Board' field.

Column Name: paying_board_shval
Column Type: varchar
Max Length: 255
The short dictionary value for the 'Paying Board' field.

Column Name: paying_board_value
Column Type: varchar
Max Length: 4096
The full dictionary value for the 'Paying Board' field.

Column Name: physician_visits
Column Type: varchar
Max Length: 50
Value of the 'BH # Regular Visits to Physician' field.

Column Name: pregnant_admission_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'BH Client Pregnant on Admission' field.

Column Name: pregnant_admission_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'BH Client Pregnant on Admission' field.

Column Name: primary_reimburse_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Primary Reimbursement' field.

Column Name: primary_reimburse_shval
Column Type: varchar
Max Length: 255
The short dictionary value for the 'Primary Reimbursement' field.

Column Name: primary_reimburse_value
Column Type: varchar
Max Length: 4096
The full dictionary value for the 'Primary Reimbursement' field.

Column Name: prim_care_physician_code
Column Type: varchar

Max Length: 50

The dictionary code for the 'Primary Care Physician (1st Visit)' field.

Column Name: prim_care_physician_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Primary Care Physician (1st Visit)' field.

Column Name: principal_diagnosis_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'Primary Diagnosis' field.

Column Name: principal_diagnosis_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Primary Diagnosis' field.

Column Name: prior_aod_tx_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'Prior AOD Treatment Episodes With Any Agency' field.

Column Name: prior_aod_tx_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Prior AOD Treatment Episodes With Any Agency' field.

Column Name: referred_by_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'Referred By' field.

Column Name: referred_by_upin

Column Type: varchar

Max Length: 50

Value of the 'Referred by MACSIS Universal Provider ID (UPID)' field.

Column Name: referred_by_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Referred By' field.

Column Name: referred_to_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'BH Referred To' field.

Column Name: referred_to_macsis

Column Type: varchar

Max Length: 50
Value of the 'BH Referred to MACSIS Provider ID' field.

Column Name: referred_to_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'BH Referred To' field.

Column Name: reimburse_source1_code
Column Type: varchar
Max Length: 50
The dictionary code of the first 'BH Expected Source of Reimbursement'.

Column Name: reimburse_source1_value
Column Type: varchar
Max Length: 50
The dictionary value of the first 'BH Expected Source of Reimbursement'.

Column Name: reimburse_source2_code
Column Type: varchar
Max Length: 50
The dictionary code of the second 'BH Expected Source of Reimbursement'.

Column Name: reimburse_source2_value
Column Type: varchar
Max Length: 50
The dictionary value of the second 'BH Expected Source of Reimbursement'.

Column Name: reimburse_source3_code
Column Type: varchar
Max Length: 50
The dictionary code of the third 'BH Expected Source of Reimbursement'.

Column Name: reimburse_source3_value
Column Type: varchar
Max Length: 50
The dictionary value of the third 'BH Expected Source of Reimbursement'.

Column Name: reimburse_source4_code
Column Type: varchar
Max Length: 50
The dictionary code of the fourth 'BH Expected Source of Reimbursement'.

Column Name: reimburse_source4_value
Column Type: varchar
Max Length: 50
The dictionary value of the fourth 'BH Expected Source of Reimbursement'.

Column Name: reimburse_source5_code
Column Type: varchar

Max Length: 50

The dictionary code of the fifth 'BH Expected Source of Reimbursement'.

Column Name: reimburse_source5_value

Column Type: varchar

Max Length: 50

The dictionary value of the fifth 'BH Expected Source of Reimbursement'.

Column Name: reimburse_source_all

Column Type: varchar

Max Length: 50

Value of the 'BH Expected Source of Reimbursement' field.

Column Name: respiratory_disease_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'Respiratory Disease' field.

Column Name: respiratory_disease_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Respiratory Disease' field.

Column Name: self_help_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'Participation In Self-Help Groups, Support Groups, etc. (e.g. AA, NA, etc) In The Past 30 Days' field.

Column Name: self_help_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Participation In Self-Help Groups, Support Groups, etc. (e.g. AA, NA, etc) In The Past 30 Days' field.

Column Name: serv_paid_by_mcaid_code

Column Type: varchar

Max Length: 50

The dictionary code for the 'Services Completely Paid by Medicaid' field.

Column Name: serv_paid_by_mcaid_value

Column Type: varchar

Max Length: 50

The dictionary value for the 'Services Completely Paid by Medicaid' field.

Column Name: source_of_income1_code

Column Type: varchar

Max Length: 50

The dictionary code for the first 'Client's Source Of Income'.

Column Name: source_of_income1_value
Column Type: varchar
Max Length: 50
The dictionary value for the first 'Client's Source Of Income'.

Column Name: source_of_income2_code
Column Type: varchar
Max Length: 50
The dictionary code for the second 'Client's Source Of Income'.

Column Name: source_of_income2_value
Column Type: varchar
Max Length: 50
The dictionary value for the second 'Client's Source Of Income'.

Column Name: source_of_income3_code
Column Type: varchar
Max Length: 50
The dictionary code for the third 'Client's Source Of Income'.

Column Name: source_of_income3_value
Column Type: varchar
Max Length: 50
The dictionary value for the third 'Client's Source Of Income'.

Column Name: source_of_income4_code
Column Type: varchar
Max Length: 50
The dictionary code for the fourth 'Client's Source Of Income'.

Column Name: source_of_income4_value
Column Type: varchar
Max Length: 50
The dictionary value for the fourth 'Client's Source Of Income'.

Column Name: source_of_income5_code
Column Type: varchar
Max Length: 50
The dictionary code for the fifth 'Client's Source Of Income'.

Column Name: source_of_income5_value
Column Type: varchar
Max Length: 50
The dictionary value for the fifth 'Client's Source Of Income'.

Column Name: source_of_income_all
Column Type: varchar
Max Length: 50
Value of the 'Client's Source Of Income' field.

Column Name: special_pop_group_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Special Population Group' field.

Column Name: special_pop_group_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Special Population Group' field.

Column Name: stage_of_pregnancy_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Stage Of Pregnancy (If Client Is Pregnant)' field.

Column Name: stage_of_pregnancy_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Stage Of Pregnancy (If Client Is Pregnant)' field.

Column Name: star_si_participant_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'STAR-SI Participant?' field.

Column Name: star_si_participant_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'STAR-SI Participant?' field.

Column Name: supp_employment_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Supported Employment' field.

Column Name: supp_employment_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Supported Employment' field.

Column Name: supp_housing_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Supportive Housing' field.

Column Name: supp_housing_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Supportive Housing' field.

Column Name: suspended_expelled
Column Type: integer
Value of the 'Suspended Expelled' field.

Column Name: therap_foster_care_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Therapeutic Foster Care' field.

Column Name: therap_foster_care_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Therapeutic Foster Care' field.

Column Name: tobacco_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Tobacco' field.

Column Name: tobacco_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Tobacco' field.

Column Name: total_births
Column Type: varchar
Max Length: 50
Value of the 'Total Number Of Births (Live And Still)' field.

Column Name: type_referral_source_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Type of Referral Source' field.

Column Name: type_referral_source_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Type of Referral Source' field.

Column Name: unknown_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Unknown' field.

Column Name: unknown_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Unknown' field.

Column Name: upi_code

Column Type: varchar
Max Length: 50
The dictionary code for the 'UPI' field.

Column Name: upi_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'UPI' field.

Column Name: urinalysis_request_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'BH Urinalysis Requested' field.

Column Name: urinalysis_request_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'BH Urinalysis Requested' field.

Column Name: veteran_afghan_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Afghanistan Veteran' field.

Column Name: veteran_afghan_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Afghanistan Veteran' field.

Column Name: veteran_iraq_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Iraqi Veteran' field.

Column Name: veteran_iraq_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Iraqi Veteran' field.

Column Name: veteran_status_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Veteran Status' field.

Column Name: veteran_status_value
Column Type: varchar
Max Length: 50
The dictionary field for the 'Veteran Status' field.

Column Name: weight

Column Type: integer
Value of the 'Weight' field.

Column Name: women_interim_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Was Interim Services Provider Due To Client Being On Waiting List?' field.

Column Name: women_interim_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Was Interim Services Provider Due To Client Being On Waiting List?' field.

Column Name: women_percent_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'At Time Of Admission Was Program At Or Above 90%?' field.

Column Name: women_percent_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'At Time Of Admission Was Program At Or Above 90%?' field.

Column Name: women_program_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Involved In A Women's Program?' field.

Column Name: women_program_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Involved In A Women's Program?' field.

Column Name: women_waiting_list_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Is There A Waiting List?' field.

Column Name: women_waiting_list_value
Column Type: varchar
Max Length: 50
The dictionary value for the 'Is There A Waiting List?' field.

Documentation for form:

State_of_Illinois_DHS/DASA_Pharmacy_System

Table Name: STATEFORM.illinois_pharmacy

Table Description: This table returns data stored by the 'State of Illinois DHS/DASA Pharmacy System' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The Episode Number.

Column Name: FACILITY
Column Type: integer
The Facility.

Column Name: IPMUniqueid
Column Type: varchar
Max Length: 50
The IPM Unique Id.

Column Name: PATID
Column Type: varchar
Max Length: 20
The PATID.

Column Name: address
Column Type: varchar
Max Length: 50
The Address.

Column Name: city
Column Type: varchar
Max Length: 50
The City.

Column Name: client_id
Column Type: varchar
Max Length: 50
The Client Id.

Column Name: clinic_code
Column Type: varchar
Max Length: 50

The Clinic Code.

Column Name: clinic_value

Column Type: varchar

Max Length: 50

The Clinic Value.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user that entered the data.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The form identifier.

Column Name: data_entry_date

Column Type: date

The Data Entry Date.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The form the data was filed from.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The Data Entry Time.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
The data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The data entry user name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_sent
Column Type: date
The Date the file was sent.

Column Name: dispense_code
Column Type: varchar
Max Length: 50
The Dispensing Code.

Column Name: dispense_value
Column Type: varchar
Max Length: 50
The Dispensing Value.

Column Name: funding_code
Column Type: varchar
Max Length: 50
The Funding Code.

Column Name: funding_value
Column Type: varchar
Max Length: 50
The Funding Value.

Column Name: medication_code
Column Type: varchar
Max Length: 50
The Medication Code.

Column Name: medication_type
Column Type: varchar
Max Length: 50
The Medication Type.

Column Name: medication_value
Column Type: varchar
Max Length: 50

The Medication Value.

Column Name: modality_code
Column Type: varchar
Max Length: 50
The Modality Code.

Column Name: modality_value
Column Type: varchar
Max Length: 50
The Modality Value.

Column Name: mondays_date
Column Type: date
Mondays Date..

Column Name: name
Column Type: varchar
Max Length: 50
Client Name.

Column Name: patient_id
Column Type: varchar
Max Length: 50
The Patient Id.

Column Name: pregnant_status_code
Column Type: varchar
Max Length: 50
The Pregnant Status Code.

Column Name: pregnant_status_value
Column Type: varchar
Max Length: 50
The Pregnant Status Value.

Column Name: social_security_num
Column Type: varchar
Max Length: 50
The Social Security Number.

Column Name: state_code
Column Type: varchar
Max Length: 50
The State Code.

Column Name: state_value
Column Type: varchar
Max Length: 50
The TPL Status Code.

Column Name: tpl_due_patient
Column Type: varchar
Max Length: 50
The Amount Due from Patient.

Column Name: tpl_guar_code
Column Type: varchar
Max Length: 50
The TPL Guarantor Code.

Column Name: tpl_guar_name
Column Type: varchar
Max Length: 40
The TPL Guarantor Name.

Column Name: tpl_payer_amt
Column Type: varchar
Max Length: 50
The TPL Payer Amount.

Column Name: tpl_payer_date
Column Type: date
The TPL Payer Date.

Column Name: tpl_status_code
Column Type: varchar
Max Length: 50
The TPL Status Code.

Column Name: tpl_status_value
Column Type: varchar
Max Length: 50
The TPL Status Value.

Column Name: transaction_type_code
Column Type: varchar
Max Length: 50
The Transaction Type Code.

Column Name: transaction_type_value
Column Type: varchar
Max Length: 50
The Transaction Type Value.

Column Name: zip
Column Type: varchar
Max Length: 50
The Zip Code.

Documentation for form: PROS_Encounter_Form

Table Name: STATEFORM.PROS_Audit_Program_Part

Table Description: This table returns the audit information of the 'Program Participation' grid in the 'PROS Encounter Form'

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOINTOAuditProgramPartHistory
Column Type: integer
The table row id of the record.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: Program_Part_History_Id
Column Type: varchar
Max Length: 50
Link to the original STATEFORM.PROS_Program_Part_History table row id.

Column Name: audit_data_entry_by
Column Type: varchar
Max Length: 50
The user who last updated the row on the original STATEFORM.PROS_Program_Part_History table.

Column Name: audit_data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row on the original STATEFORM.PROS_Program_Part_History table.

Column Name: audit_data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: audit_data_entry_source
Column Type: varchar
Max Length: 50

The name of the form that last updated the row on the original STATEFORM.PROS_Program_Part_History table.

Column Name: audit_data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: audit_data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: audit_data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: audit_data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row on the original STATEFORM.PROS_Program_Part_History table.

Column Name: audit_data_entry_user_name

Column Type: varchar

Max Length: 50

The user name who last updated the row on the original STATEFORM.PROS_Program_Part_History table.

Column Name: audit_data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: audit_date

Column Type: date

The date the row was last updated on the original STATEFORM.PROS_Program_Part_History table.

Column Name: audit_option_desc

Column Type: varchar

Max Length: 255

The name of the form that last updated the row on the original STATEFORM.PROS_Program_Part_History table.

Column Name: audit_option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row on the original STATEFORM.PROS_Program_Part_History table.

Column Name: audit_time

Column Type: time

The time the row was last updated on the original STATEFORM.PROS_Program_Part_History table.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: days_code

Column Type: varchar

Max Length: 50

The days code of Program Participation. The associated codes are defined in the 'State Form Table' file, field #10253.

Column Name: days_value

Column Type: varchar

Max Length: 80

The description for the days_code. The associated descriptions are defined in the 'State Form Table' file, field #10253.

Column Name: effective_date

Column Type: varchar

Max Length: 50

Projected effective date for the participation.

Column Name: end_date

Column Type: date

Projected end date for the participation.

Column Name: end_time

Column Type: varchar

Max Length: 50

Projected end time for the Program Participation.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: participation_date

Column Type: date

Program Participation date.

Column Name: participation_row

Column Type: varchar

Max Length: 10

Program Participation row.

Column Name: participation_type
Column Type: varchar
Max Length: 80
Program Participation type.

Column Name: program
Column Type: varchar
Max Length: 50
The program code associated with the participation.

Column Name: selection_code
Column Type: varchar
Max Length: 50
The selection code of Program Participation. The associated codes are defined in the 'State Form Table' file, field #10250.

Column Name: selection_value
Column Type: varchar
Max Length: 80
The description for the selection_code. The associated descriptions are defined in the 'State Form Table' file, field #10250.

Column Name: start_time
Column Type: varchar
Max Length: 50
Start time for the Program Participation.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: PROS_Encounter_Form

Table Name: STATEFORM.PROS_Encounter_Prog_Part

Table Description: This table returns the information of the 'Program Participation' grid in the 'PROS Encounter Form'

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: date
Column Type: date
Program Participation date.

Column Name: days_code
Column Type: varchar
Max Length: 50
The days code of Program Participation. The associated codes are defined in the 'State Form Table' file, field #10253.

Column Name: days_value
Column Type: varchar
Max Length: 80
The description for the days_code. The associated descriptions are defined in the 'State Form Table' file, field #10253.

Column Name: effective_date
Column Type: varchar
Max Length: 50
Projected effective date for the participation.

Column Name: end_date
Column Type: date
Projected end date for the participation.

Column Name: end_time
Column Type: varchar
Max Length: 50
Projected end time for the Program Participation.

Column Name: program
Column Type: varchar
Max Length: 50
The program code associated with the participation.

Column Name: row
Column Type: varchar
Max Length: 10
Program Participation row.

Column Name: selection_code

Column Type: varchar

Max Length: 50

The selection code of Program Participation. The associated codes are defined in the 'State Form Table' file, field #10250.

Column Name: selection_value

Column Type: varchar

Max Length: 80

The description for the selection_code. The associated descriptions are defined in the 'State Form Table' file, field #10250.

Column Name: start_time

Column Type: varchar

Max Length: 50

Start time for the Program Participation.

Column Name: type

Column Type: varchar

Max Length: 80

Program Participation type.

Documentation for form: PROS_Encounter_Form

Table Name: STATEFORM.PROS_Program_Part_History

Table Description: This table returns the information of the 'Program Participation' grid with the audit fields in the 'PROS Encounter Form'

Column Name: ID

Column Type: integer

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOINTOProgramPartHistory

Column Type: integer

The table row id of the record.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: days_code

Column Type: varchar

Max Length: 50

The days code of Program Participation. The associated codes are defined in the 'State Form Table' file, field #10253.

Column Name: days_value

Column Type: varchar

Max Length: 80

The description for the days_code. The associated descriptions are defined in the 'State Form Table' file, field #10253.

Column Name: effective_date

Column Type: varchar

Max Length: 50

Projected effective date for the participation.

Column Name: end_date

Column Type: date

Projected end date for the participation.

Column Name: end_time

Column Type: varchar

Max Length: 50

Projected end time for the Program Participation.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: participation_date

Column Type: date

Program Participation date.

Column Name: participation_row

Column Type: varchar

Max Length: 10

Program Participation row.

Column Name: participation_type
Column Type: varchar
Max Length: 80
Program Participation type.

Column Name: program
Column Type: varchar
Max Length: 50
The program code associated with the participation.

Column Name: selection_code
Column Type: varchar
Max Length: 50
The selection code of Program Participation. The associated codes are defined in the 'State Form Table' file, field #10250.

Column Name: selection_value
Column Type: varchar
Max Length: 80
The description for the selection_code. The associated descriptions are defined in the 'State Form Table' file, field #10250.

Column Name: start_time
Column Type: varchar
Max Length: 50
Start time for the Program Participation.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: PROS_Compile/Post

Table Name: STATEFORM.PROS_Compile_Data

Table Description: This table returns the PROS Compile data.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The facility of the service.

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: HCPCS_code

Column Type: varchar

Max Length: 20

The HCPCS code.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID of the service.

Column Name: billing_category_code

Column Type: varchar

Max Length: 50

The billing tier code.

Column Name: billing_category_value

Column Type: varchar

Max Length: 50

The description for the billing_category_code. See billing_category_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated this data row.

Column Name: data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time when this data row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 80

The user name that last updated this data row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: medicaid_code

Column Type: varchar

Max Length: 20

The Medicaid code.

Column Name: modifier

Column Type: varchar

Max Length: 20

The Modifier code.

Column Name: month

Column Type: date

The compile month.

Column Name: number_of_units

Column Type: varchar

Max Length: 20

The number of units.

Column Name: option_desc

Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: pass_fail
Column Type: varchar
Max Length: 20
Indicates whether pass or fail.

Column Name: patient_name
Column Type: varchar
Max Length: 50
The name of the PATID of the service.

Column Name: program_code
Column Type: varchar
Max Length: 50
The program of the service.

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: reason_for_fail
Column Type: varchar
Max Length: 255
The reason why the service failed.

Column Name: service_code
Column Type: varchar
Max Length: 20
The service code of the service.

Column Name: service_fee
Column Type: varchar
Max Length: 20
The fee for the service.

Column Name: status
Column Type: varchar
Max Length: 50
The status of the compiled data.

Column Name: target_pop_member_code

Column Type: varchar
Max Length: 50
Target population member code.

Column Name: target_pop_member_value
Column Type: varchar
Max Length: 50
The description for the target_pop_member_code. See target_pop_member_code for more information.

Column Name: total_units
Column Type: integer
The total number of units.

Documentation for form: PROS_Compile/Post

Table Name: STATEFORM.pros_note_plan_reject_services

Table Description: returns rejected services from the PROS Compile

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
%CC

Column Name: compilation_date
Column Type: date
date that the PROS compile was ran

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID of the service.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique row id.

Column Name: EPISODE_NUMBER
Column Type: integer
episode number of the service

Column Name: exclusion_reason
Column Type: varchar

Max Length: 200

reason a given service is excluded based on the filing in the form Pros Note And Plan Requirements

Column Name: patient_name

Column Type: varchar

Max Length: 100

The name of the PATID of the service.

Column Name: program_code

Column Type: varchar

Max Length: 50

the service program of the service

Column Name: program_value

Column Type: varchar

Max Length: 50

The description for the program_code. See program_code for more information.

Column Name: service_code

Column Type: varchar

Max Length: 50

the service code of the service

Column Name: service_date

Column Type: varchar

Max Length: 20

the service date of the service

Column Name: service_value

Column Type: varchar

Max Length: 100

the value of the service

Documentation for form: Indiana_MRO

Table Name: STATEFORM.mro_file_record

Table Description: This table returns the data contained in Indiana MRO response files.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar
Max Length: 20
The Client ID for which this record will be submitted.

Column Name: RID
Column Type: varchar
Max Length: 12
The number that identifies the Medicaid program recipient.

Column Name: act_indicator
Column Type: varchar
Max Length: 1
ACT service package indicator.

Column Name: assessment_date
Column Type: date
Recipient assessment date.

Column Name: assess_tool_code
Column Type: varchar
Max Length: 1
Dictionary code for the Tool ID number (1,4,5,7 = CANS; 8 = ANSA).

Column Name: assess_tool_value
Column Type: varchar
Max Length: 50
Dictionary value for the Tool ID number.

Column Name: date_of_birth
Column Type: date
Client's Date of Birth from the MRO file.

Column Name: diagnosis_1
Column Type: varchar
Max Length: 8
Client diagnosis code 1.

Column Name: diagnosis_2
Column Type: varchar
Max Length: 8
Client diagnosis code 2.

Column Name: diagnosis_3
Column Type: varchar
Max Length: 8
Client diagnosis code 3.

Column Name: diagnosis_4
Column Type: varchar
Max Length: 8

Client diagnosis code 4.

Column Name: diagnosis_5

Column Type: varchar

Max Length: 8

Client diagnosis code 5.

Column Name: effective_date

Column Type: date

Effective date of the MRO PA.

Column Name: end_date

Column Type: date

End date of the MRO PA.

Column Name: error_code

Column Type: varchar

Max Length: 4

Code indicating the error value, if necessary; spaces if no error.

Column Name: file_id

Column Type: integer

Internal ID number for the MRO file in question.

Column Name: first_name

Column Type: varchar

Max Length: 25

Client's first name from the MRO file.

Column Name: gender

Column Type: varchar

Max Length: 1

Client's gender from the MRO file.

Column Name: last_name

Column Type: varchar

Max Length: 30

Client's last name from the MRO file.

Column Name: level_of_need_code

Column Type: varchar

Max Length: 2

Dictionary code for the Level of Need (LON) indicator.

Column Name: level_of_need_value

Column Type: varchar

Max Length: 50

Dictionary value for the Level of Need (LON) indicator.

Column Name: line_number

Column Type: integer
The line number on which this record appeared in its MRO file.

Column Name: package_status_code
Column Type: varchar
Max Length: 3
Indicates the resulting PA status.

Column Name: pa_number
Column Type: varchar
Max Length: 10
The unique number used to identify the PA segment.

Column Name: provider_id
Column Type: varchar
Max Length: 15
MCD/LPI provider ID.

Column Name: reason
Column Type: varchar
Max Length: 75
Description of package status or error/status code.

Column Name: social_security_number
Column Type: varchar
Max Length: 11
Client's social security number from the MRO file.

Column Name: submission_date
Column Type: date
Date segment was submitted on the daily MRO file.

Documentation for form: Michigan_County_Bill

Table Name: STATEFORM.mich_county_bill_census

Table Description: This table returns the census information for the Michigan County Bill

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The facility the bill was run for.

Column Name: FILE_NUMBER
Column Type: varchar

Max Length: 50

The file ID number associated with the compile.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The guarantor ID associated with the data.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: claim_numbers

Column Type: varchar

Max Length: 50

Claim numbers for the charges/transfers/payments/adjustments.

Column Name: client_active

Column Type: varchar

Max Length: 40

Is client active in any episodes during billing period.

Column Name: client_name

Column Type: varchar

Max Length: 40

'Client Name'

Column Name: current_admit_date

Column Type: date

The current admit date for the client.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

'Entry Person'.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

'Data Entry By (Option)'.

Column Name: data_entry_date

Column Type: date

'Date Of Entry'.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Source.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
'Data Entry Time'.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
User ID.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
User Name.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: financial_class_code
Column Type: varchar
Max Length: 10
'Financial Class'

Column Name: financial_class_value
Column Type: varchar
Max Length: 40
The description associated with financial_class_code. See financial_class_code for more information.

Column Name: forensic
Column Type: varchar

Max Length: 10
'Forensic'.

Column Name: guarantor_name
Column Type: varchar
Max Length: 40
The name associated with GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: option_desc
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: previous_balance
Column Type: numeric
The previous balance for the client/guarantor.

Documentation for form: Michigan_County_Bill

Table Name: STATEFORM.mich_county_bill_detail

Table Description: This table returns the detail information for the Michigan County Bill

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The facility the bill was run for.

Column Name: FILE_NUMBER
Column Type: varchar
Max Length: 50
The file ID number associated with the compile.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The guarantor ID associated with the data.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in Julian date format and a counter starting with ".001".

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Unique row id for a service.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: amount

Column Type: numeric

The amount of the charge/transfer/payment/adjustment.

Column Name: chg_tra_pay_adj_date

Column Type: date

The date of the charge, transfer, payment, or adjustment.

Column Name: claim_number

Column Type: varchar

Max Length: 40

'Claim Number'

Column Name: client_name

Column Type: varchar

Max Length: 40

'Client Name'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

'Entry Person'.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

'Data Entry By (Option)'.

Column Name: data_entry_date

Column Type: date

'Date Of Entry'.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Source.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
'Data Entry Time'.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
User ID.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
User Name.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: financial_class_code
Column Type: varchar
Max Length: 10
'Financial Class'

Column Name: financial_class_value
Column Type: varchar
Max Length: 40
The description associated with financial_class_code. See financial_class_code for more information.

Column Name: guarantor_name
Column Type: varchar

Max Length: 40

The name associated with GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: option_desc

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row.

Column Name: payadj_unique_row_id2

Column Type: varchar

Max Length: 15

The unique ID assigned to the posting for each service. Will be "CR" followed by the posting date (date of payment).

Column Name: type

Column Type: varchar

Max Length: 50

"Charges", "Transfers", "Pay", or "Adj".

Documentation for form: Michigan_County_Bill

Table Name: STATEFORM.mich_county_bill_header

Table Description: This table returns the header information for the Michigan County Bill

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The facility the bill was run for.

Column Name: FILE_NUMBER

Column Type: varchar

Max Length: 50

The file ID number associated with the compile.

Column Name: INTERIM_BATCH_NUMBER

Column Type: numeric

'Interim Batch Number'.

Column Name: claim_date

Column Type: date
'Date Of Claim'.

Column Name: compile_thru_date
Column Type: date
'Print Charges Thru'.

Column Name: create_claims_code
Column Type: varchar
Max Length: 10
'Create Claims Y/N'.

Column Name: create_claims_value
Column Type: varchar
Max Length: 40
The description for the associated create_claims_code. See create_claims_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
'Entry Person'.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
'Data Entry By (Option)'.

Column Name: data_entry_date
Column Type: date
'Date Of Entry'.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Source.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
'Data Entry Time'.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
User ID.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
User Name.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: file_deleted
Column Type: varchar
Max Length: 50
This is set to "Y" when a claimed file is deleted from within the 'Michigan County Bill' form.

Column Name: forensic_guar_code
Column Type: varchar
Max Length: 50
The Forensic Guarantor(s) selected in the form during compile.

Column Name: forensic_guar_shval
Column Type: varchar
Max Length: 256
The name(s) associated with forensic_guar_code. See forensic_guar_code for more information.

Column Name: forensic_guar_value
Column Type: varchar
Max Length: 4096
The name(s) associated with forensic_guar_code. See forensic_guar_code for more information.

Column Name: guarantor_code
Column Type: varchar
Max Length: 50
The guarantor(s) selected in the form during compile.

Column Name: guarantor_shval
Column Type: varchar

Max Length: 256

The name(s) associated with guarantor_code. See guarantor_code for more information.

Column Name: guarantor_value

Column Type: varchar

Max Length: 4096

The name(s) associated with guarantor_code. See guarantor_code for more information.

Column Name: individual_client_id

Column Type: varchar

Max Length: 20

The client ID selected in the form during compile.

Column Name: option_desc

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row.

Column Name: program_code

Column Type: varchar

Max Length: 2048

'Program'.

Column Name: program_shval

Column Type: varchar

Max Length: 255

The description associated with program_code limited to 255 characters. See program_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 4096

The description associated with program_code. See program_code for more information.

Column Name: statement_date

Column Type: date

Statement date calculated based on compile_thru_date.

Documentation for form: Michigan_County_Bill

Table Name: STATEFORM.mich_county_bill_leaves

Table Description: This table returns the leave information for the Michigan County Bill

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The facility the bill was run for.

Column Name: FILE_NUMBER
Column Type: varchar
Max Length: 50
The file ID number associated with the compile.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The guarantor ID associated with the data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: client_name
Column Type: varchar
Max Length: 40
'Client Name'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
'Entry Person'.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
'Data Entry By (Option)'.

Column Name: data_entry_date
Column Type: date
'Date Of Entry'.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Source.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
'Data Entry Time'.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
User ID.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
User Name.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: financial_class_code
Column Type: varchar
Max Length: 10
'Financial Class'

Column Name: financial_class_value
Column Type: varchar
Max Length: 40
The description associated with financial_class_code. See financial_class_code for more information.

Column Name: guarantor_name
Column Type: varchar
Max Length: 40
The name associated with GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: leave_date
Column Type: date

Date client went on leave.

Column Name: option_desc

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row.

Column Name: return_date

Column Type: date

Date client returned from leave.

Documentation for form: Michigan_County_Bill

Table Name: STATEFORM.mich_county_bill_stmt

Table Description: This table returns the bill information for the Michigan County Bill

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The facility the bill was run for.

Column Name: FILE_NUMBER

Column Type: varchar

Max Length: 50

The file ID number associated with the compile.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The guarantor ID associated with the data.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: amount

Column Type: numeric

The amount of the charge/transfer/payment/adjustment.

Column Name: begin_date

Column Type: date

The begin date of the charges/transfers or posting date of payments/adjustments.

Column Name: client_name

Column Type: varchar

Max Length: 40

'Client Name'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

'Entry Person'.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

'Data Entry By (Option)'.

Column Name: data_entry_date

Column Type: date

'Date Of Entry'.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

Source.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

'Data Entry Time'.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
User ID.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
User Name.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: days
Column Type: varchar
Max Length: 50
Number of service days.

Column Name: end_date
Column Type: date
The end date of the charges/transfers.

Column Name: financial_class_code
Column Type: varchar
Max Length: 10
'Financial Class'.

Column Name: financial_class_value
Column Type: varchar
Max Length: 40
The description associated with financial_class_code. See financial_class_code for more information.

Column Name: guarantor_name
Column Type: varchar
Max Length: 40
The name associated with GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: option_desc
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: type
Column Type: varchar

Max Length: 50
"Charges", "Transfers", "Pay", or "Adj".

Documentation for form: MA_Opiates_Client_Information

Table Name: STATEFORM.ma_opiate_client

Table Description: This table stores the ESM identifiers returned by the MA Opiates process

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: FACILITY
Column Type: integer
Facility.

Column Name: JOIN_TO_CURRENT
Column Type: varchar
Max Length: 1000
A pointer to the Current value, only used by Audit table

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: agency_enrollment_id
Column Type: varchar
Max Length: 50
Agency Enrollment ID.

Column Name: client_primary_id
Column Type: varchar
Max Length: 50
Client Primary ID.

Column Name: data_entry_action
Column Type: varchar
Max Length: 40
The action that was performed, only used by Audit table

Column Name: data_entry_by

Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 40
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 80
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: encounter_id
Column Type: integer
Encounter Id. Used to generate the agency enrollment id

Column Name: enrolling_organization_id
Column Type: varchar
Max Length: 50
Enrolling Organization ID.

Column Name: enrollment_date
Column Type: date
Enrollment Date.

Column Name: esm_client_id
Column Type: varchar
Max Length: 50
ESM Client ID. Used to identify the client when sending A08 messages.

Column Name: esm_enrollment_id
Column Type: varchar
Max Length: 50
ESM Enrollment ID. Used to identify the client when sending A08 messages.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: submission_date
Column Type: date
Submission Date.

Documentation for form: MA_Opiates_Client_Information

Table Name: STATEFORM.ma_opiate_client_audit

Table Description: This table stores an audit of the ESM identifiers returned by the MA Opiates process

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: FACILITY
Column Type: integer
Facility.

Column Name: JOIN_TO_CURRENT
Column Type: varchar
Max Length: 1000
A pointer to the Current value, only used by Audit table

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: agency_enrollment_id
Column Type: varchar
Max Length: 50
Agency Enrollment ID.

Column Name: client_primary_id
Column Type: varchar
Max Length: 50
Client Primary ID.

Column Name: data_entry_action
Column Type: varchar
Max Length: 40
The action that was performed, only used by Audit table

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 40
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 80
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: encounter_id
Column Type: integer
Encounter Id. Used to generate the agency enrollment id

Column Name: enrolling_organization_id
Column Type: varchar
Max Length: 50
Enrolling Organization ID.

Column Name: enrollment_date
Column Type: date
Enrollment Date.

Column Name: esm_client_id
Column Type: varchar
Max Length: 50
ESM Client ID. Used to identify the client when sending A08 messages.

Column Name: esm_enrollment_id
Column Type: varchar
Max Length: 50
ESM Enrollment ID. Used to identify the client when sending A08 messages.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: submission_date
Column Type: date
Submission Date.

Documentation for form: CA_DCR_Results_File_Import

Table Name: STATEFORM.ca_dcr_result_assessment

Table Description: This table stores a single assessment from a CA DCR Result File

Column Name: Header
Column Type: integer
DCR Result Header

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: PATID
Column Type: varchar
Max Length: 20
The Avatar Client Id.

Column Name: assessment_date
Column Type: varchar
Max Length: 50
Assessment Date.

Column Name: assessment_guid
Column Type: varchar
Max Length: 50
Assessment GUID.

Column Name: form_type
Column Type: varchar
Max Length: 50
Form Type (Child PAF, TAY KET, etc).

Column Name: operation
Column Type: varchar
Max Length: 50
Operation (New, Update, etc).

Column Name: status
Column Type: varchar
Max Length: 50
Status (Succeed, Failed).

Column Name: status_message
Column Type: varchar
Max Length: 200
Status Message.

Column Name: childsub
Column Type: integer

Documentation for form: CA_DCR_Results_File_Import

Table Name: STATEFORM.ca_dcr_result_error

Table Description: This table stores the errors for a single assessment from a CA DCR Result File

Column Name: Assessment
Column Type: varchar
Max Length: 254
DCR Result Assessment

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: category
Column Type: varchar
Max Length: 50
Error Category.

Column Name: message
Column Type: varchar
Max Length: 1000
Error Message.

Column Name: type
Column Type: varchar
Max Length: 50
Error Type (Fatal, Warning).

Column Name: childsub
Column Type: integer

Documentation for form: CA_DCR_Results_File_Import

Table Name: STATEFORM.ca_dcr_result_header

Table Description: This table stores the header information for a CA DCR Result File

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
Facility.

Column Name: batch_date_time
Column Type: timestamp
Datetime the batch was sent.

Column Name: batch_header
Column Type: varchar
Max Length: 50
Batch Header.

Column Name: batch_number
Column Type: varchar
Max Length: 50

Batch Number.

Column Name: batch_processed_date_time
Column Type: timestamp
Datetime the batch was processed.

Column Name: filename
Column Type: varchar
Max Length: 50
Filename of the loaded file.

Column Name: loaded_by
Column Type: varchar
Max Length: 50
User that loaded the file.

Column Name: loaded_by_user_id
Column Type: varchar
Max Length: 40
User ID of the user that loaded the file.

Column Name: loaded_by_user_name
Column Type: varchar
Max Length: 40
User name of the user that loaded the file.

Column Name: loaded_date
Column Type: date
Date the compile was completed.

Column Name: loaded_time
Column Type: varchar
Max Length: 50
Time the compile was completed.

Documentation for form: Kansas_AIMS_Compile

Table Name: STATEFORM.ks_aims_compile_data

Table Description: This table stores data created by the 'Kansas AIMS Compile' form.

Column Name: Header
Column Type: integer

Column Name: ID
Column Type: varchar

Max Length: 254

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client Id the data belongs to.

Column Name: data

Column Type: varchar

Max Length: 4096

The data created by the compile.

Column Name: childsub

Column Type: integer

Documentation for form: Kansas_AIMS_Compile

Table Name: STATEFORM.ks_aims_compile_error

Table Description: This table stores errors found during a compile done by the 'Kansas AIMS Compile' form.

Column Name: Header

Column Type: integer

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: PATID

Column Type: varchar

Max Length: 20

The client id associated with the error.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with the error.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 50

The guarantor number associated with the error.

Column Name: program

Column Type: varchar

Max Length: 50

The program code associated with the error.

Column Name: priority
Column Type: varchar
Max Length: 50
The error priority code.

Column Name: error_index
Column Type: varchar
Max Length: 50
The index level of the error.

Column Name: error_info
Column Type: varchar
Max Length: 4096
The error information.

Column Name: childsub
Column Type: integer

Documentation for form: Kansas_AIMS_Compile

Table Name: STATEFORM.ks_aims_compile_flag

Table Description: This table stores flagging information for the 'Kansas AIMS Compile' form.

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with the flag.

Column Name: FACILITY
Column Type: integer
The Facility number associated with the flag.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client id associated with the flag.

Column Name: file_id
Column Type: varchar
Max Length: 20
The unique file id of the file this flag was included in.

Column Name: file_types

Column Type: varchar

Max Length: 32749

The file types associated with the flag ([A]dmission, [U]pdate, [D]ischarge).

Column Name: flag_date

Column Type: date

The date the flag was created.

Documentation for form: Kansas_AIMS_Compile

Table Name: STATEFORM.ks_aims_compile_header

Table Description: This table stores the header information for compiles generated by the 'Kansas AIMS Compile' form.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The Facility number associated with the compile.

Column Name: compile_date

Column Type: date

The date the file was compiled.

Column Name: compiled_by_user_id

Column Type: varchar

Max Length: 50

The user id of the user that ran the compile.

Column Name: compiled_by_user_name

Column Type: varchar

Max Length: 40

The user name of the user that ran the compile.

Column Name: compile_time

Column Type: varchar

Max Length: 50

The time the file was compiled.

Column Name: end_date

Column Type: date

The end date of the compile.

Column Name: file_description
Column Type: varchar
Max Length: 50
The file description of the compile.

Column Name: status
Column Type: varchar
Max Length: 50
The status of the compile ([C]ompile, [P]osted).

Documentation for form: Kansas_AIMS_Compile

Table Name: STATEFORM.ks_aims_flag_data

Table Description: This table stores data that was flagged for the 'Kansas AIMS Compile' form.

Column Name: Flag
Column Type: integer
Foreign Key to STATEFORM.ks_aims_compile_flag table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: discharge_date
Column Type: date
Discharge Date.

Column Name: discharge_type
Column Type: varchar
Max Length: 50
Discharge Type.

Column Name: education
Column Type: varchar
Max Length: 50
Education code.

Column Name: last_contact_date
Column Type: date
Last Contact Date.

Column Name: payment_sources
Column Type: varchar
Max Length: 32749
List of payment sources.

Column Name: receiving_ssdi
Column Type: varchar
Max Length: 50
Receiving SSDI.

Column Name: receiving_ssi
Column Type: varchar
Max Length: 50
Receiving SSI.

Column Name: resident_county
Column Type: varchar
Max Length: 50
Resident County.

Column Name: responsible_county
Column Type: varchar
Max Length: 50
Responsible County

Column Name: services
Column Type: varchar
Max Length: 32749
List of services

Column Name: spmi_sed
Column Type: varchar
Max Length: 50
SPMI/SED code.

Column Name: spmi_sed_date
Column Type: date
SPMI/SED Date.

Column Name: services_override
Column Type: varchar
Max Length: 20
Flag indicating whether or not we will force services to be present in the file.

Column Name: targeted_change
Column Type: varchar
Max Length: 20
Flag indicating whether or not the client has had a change in their 'Targeted' status.

Column Name: childsub
Column Type: integer

Documentation for form: Kansas_AIMS_Compile

Table Name: STATEFORM.ks_aims_flag_data_diag

Table Description: This table stores diagnosis data that was flagged for the 'Kansas AIMS Compile' form.

Column Name: Data
Column Type: varchar
Max Length: 254

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: row_id
Column Type: varchar
Max Length: 50
Diagnosis row identifier.

Column Name: primary_diagnosis
Column Type: varchar
Max Length: 50
Primary diagnosis.

Column Name: secondary_diagnosis
Column Type: varchar
Max Length: 50
Secondary diagnosis.

Column Name: current_gaf
Column Type: varchar
Max Length: 50
Current GAF code.

Column Name: diagnosis_date
Column Type: date
Diagnosis date.

Column Name: childsub
Column Type: integer

Documentation for form: Kansas_AIMS_Compile

Table Name: STATEFORM.ks_aims_save_flag_data

Table Description: This table stores data the most recent value for various flag fields to compare to when determining whether new data should be flagged.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The Facility number associated with the data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client Id associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with the data

Column Name: spmi_sed
Column Type: varchar
Max Length: 50
The SPMI/SED value.

Column Name: payment_sources
Column Type: varchar
Max Length: 32749
A list of payment sources.

Documentation for form: CIMOR_Historic_Data_Import

Table Name: STATEFORM.mo_cimor_historic_file

Table Description: This table stores the high level information for a CIMOR Historic File

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
Facility.

Column Name: file_name
Column Type: varchar
Max Length: 50

File name of the loaded file.

Column Name: loaded_by
Column Type: varchar
Max Length: 50
User that loaded the file.

Column Name: loaded_by_user_id
Column Type: varchar
Max Length: 40
User ID of the user that loaded the file.

Column Name: loaded_by_user_name
Column Type: varchar
Max Length: 40
User name of the user that loaded the file.

Column Name: loaded_date
Column Type: date
Date the compile was completed.

Column Name: loaded_time
Column Type: varchar
Max Length: 50
Time the compile was completed.

Documentation for form: CIMOR_Historic_Data_Import

Table Name: STATEFORM.mo_cimor_historic_record

Table Description: This table stores a single record from a CIMOR Historic File

Column Name: CIMORFile
Column Type: integer
Parent CIMOR Historic File

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: PATID
Column Type: varchar
Max Length: 20
The Avatar Client Id.

Column Name: admission_date
Column Type: date

Admission Date.

Column Name: admission_time
Column Type: varchar
Max Length: 50
Admission Time.

Column Name: discharge_date
Column Type: date
Discharge Date.

Column Name: discharge_time
Column Type: varchar
Max Length: 50
Discharge Time.

Column Name: division
Column Type: varchar
Max Length: 50
Division.

Column Name: dmh_id
Column Type: varchar
Max Length: 50
The DMH Id.

Column Name: error
Column Type: varchar
Max Length: 50
Error message, if an error was encountered.

Column Name: historic_import_date
Column Type: varchar
Max Length: 50
The Historic Import Date.

Column Name: program
Column Type: varchar
Max Length: 50
Program.

Column Name: program_from_date
Column Type: date
Program From Date.

Column Name: program_from_time
Column Type: varchar
Max Length: 50
Program From Time.

Column Name: program_level
Column Type: varchar
Max Length: 50
Program Level.

Column Name: program_level_from_date
Column Type: date
Program Level From Date.

Column Name: program_level_from_time
Column Type: varchar
Max Length: 50
Program Level From Time.

Column Name: program_level_to_date
Column Type: date
Program Level To Date.

Column Name: program_to_date
Column Type: date
Program To Date.

Column Name: childsub
Column Type: integer

Documentation for form: BHHF_File_Import

Table Name: STATEFORM.wv_bhbf_file

Table Description: This table stores the high level information for a BHHF File

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
Facility.

Column Name: file_name
Column Type: varchar
Max Length: 50
File name of the loaded file.

Column Name: loaded_by
Column Type: varchar

Max Length: 50
User that loaded the file.

Column Name: loaded_by_user_id
Column Type: varchar
Max Length: 40
User ID of the user that loaded the file.

Column Name: loaded_by_user_name
Column Type: varchar
Max Length: 40
User name of the user that loaded the file.

Column Name: loaded_date
Column Type: date
Date the compile was completed.

Column Name: loaded_time
Column Type: varchar
Max Length: 50
Time the compile was completed.

Documentation for form: BHHF_File_Import

Table Name: STATEFORM.wv_bhhf_record

Table Description: This table stores a single record from a BHHF File

Column Name: BHHFFile
Column Type: integer
Parent BHHF File

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: PATID
Column Type: varchar
Max Length: 20
The Avatar Client Id.

Column Name: agency_id
Column Type: varchar
Max Length: 50
The Agency Id.

Column Name: begin_date
Column Type: date
Eligibility Begin Date.

Column Name: bhhf_id
Column Type: varchar
Max Length: 50
The BHHF Id.

Column Name: consumer_id
Column Type: varchar
Max Length: 50
The Consumer Id.

Column Name: eligible
Column Type: varchar
Max Length: 50
Is This Person Eligible (Y/N)?.

Column Name: end_date
Column Type: date
Eligibility End Date.

Column Name: error
Column Type: varchar
Max Length: 200
Error message, if record is invalid for any reason.

Column Name: medicaid_id
Column Type: varchar
Max Length: 50
Client's Medicaid Id.

Column Name: reason
Column Type: varchar
Max Length: 50
Reason for ineligibility.

Column Name: childsub
Column Type: integer

Documentation for form: WaMS_Response_File_Report

Table Name: STATEFORM.va_wams_outbound_file

Table Description: This table stores the response files returned by WaMS

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
Facility.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
Data entry user name

Column Name: file_type_code
Column Type: varchar
Max Length: 50
File Type Code.

Column Name: file_type_value
Column Type: varchar
Max Length: 50
File Type Value.

Column Name: modeled_form_id
Column Type: varchar
Max Length: 40
Unique identifier for the modeled form row that created the data

Column Name: record_id
Column Type: varchar
Max Length: 20
Unique id for the record.

Column Name: response_file_id
Column Type: integer
ID of the response file tied to this outbound file.

Column Name: send_date

Column Type: date
Date the file was sent.

Column Name: success
Column Type: bit
Flag indicating whether the response file contains any errors.

Column Name: xml_error
Column Type: varchar
Max Length: 50
XML Error.

Documentation for form: WaMS_Response_File_Report

Table Name: STATEFORM.va_wams_response_file

Table Description: This table stores the response files returned by WaMS

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
Facility.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: file_type_code
Column Type: varchar
Max Length: 50
File Type Code.

Column Name: file_type_value
Column Type: varchar
Max Length: 50
File Type Value.

Column Name: import_date
Column Type: date
Import Date.

Documentation for form: WaMS_Response_File_Report

Table Name: STATEFORM.va_wams_response_file_detail

Table Description: This table stores the response file data returned by WaMS

Column Name: ResponseFile

Column Type: integer

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: code

Column Type: varchar

Max Length: 50

Response Code.

Column Name: message

Column Type: varchar

Max Length: 200

Response Message.

Column Name: childsub

Column Type: integer

Documentation for form: CMBHS_Response_File_Import

Table Name: STATEFORM.tx_cmbhs_response_file

Table Description: This table stores the high level information for a CMBHS Response File

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

Facility.

Column Name: file_name

Column Type: varchar

Max Length: 50

File name of the loaded file.

Column Name: loaded_by
Column Type: varchar
Max Length: 50
User that loaded the file.

Column Name: loaded_by_user_id
Column Type: varchar
Max Length: 40
User ID of the user that loaded the file.

Column Name: loaded_by_user_name
Column Type: varchar
Max Length: 40
User name of the user that loaded the file.

Column Name: loaded_date
Column Type: date
Date the compile was completed.

Column Name: loaded_time
Column Type: varchar
Max Length: 50
Time the compile was completed.

Documentation for form: CMBHS_Response_File_Import

Table Name: STATEFORM.tx_cmbhs_response_file_record

Table Description: This table stores a single record from a CMBHS Response File

Column Name: CMBHSFile
Column Type: integer
Parent CMBHS Response File

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: PATID
Column Type: varchar
Max Length: 20
The Avatar Client Id.

Column Name: cmbhs_id

Column Type: varchar
Max Length: 20
The CMBHS Id.

Column Name: prior_alias_7_value
Column Type: varchar
Max Length: 20
The old value of the 'Client Alias 7' field.

Column Name: childsub
Column Type: integer

Documentation for form: FSR_Demographic_File_Generation

Table Name: STATEFORM.florida_fsr_dem_file_dump

Table Description: This table stores raw record data created by the 'FSR Demographic File Generation' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The Facility number associated with the compile.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client Id the record belongs to.

Column Name: contractor_id
Column Type: varchar
Max Length: 50
The Contractor ID the record belongs to.

Column Name: contractor_npi
Column Type: varchar
Max Length: 50
The Contractor NPI the record belongs to.

Column Name: file_name
Column Type: varchar
Max Length: 255
The file name on the server the record is included in.

Column Name: file_number
Column Type: integer
The internal file number.

Column Name: fsr_record_code
Column Type: varchar
Max Length: 50
The FSR record code.

Column Name: fsr_record_value
Column Type: varchar
Max Length: 50
The value of 'fsr_record_code'.

Column Name: historic_identifier
Column Type: varchar
Max Length: 50
The internal historic unique index associated to the record.

Column Name: record_data
Column Type: varchar
Max Length: 32000
The raw data created by the compile.

Column Name: record_type
Column Type: varchar
Max Length: 50
The record type of the record.

Column Name: reporting_entity_code
Column Type: varchar
Max Length: 50
The reporting entity code the record belongs to.

Column Name: reporting_entity_value
Column Type: varchar
Max Length: 50
The value of 'reporting_entity_code'.

Column Name: site_number
Column Type: varchar
Max Length: 50
The Site Number the record belongs to.

Column Name: unique_index_1
Column Type: varchar
Max Length: 50
The internal counter 1.

Column Name: unique_index_2
Column Type: varchar
Max Length: 50
The internal counter 2.

Documentation for form: FSR_Demographic_File_Generation

Table Name: STATEFORM.florida_fsr_dem_file_hdr

Table Description: This table stores header data created by the 'FSR Demographic File Generation' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The Facility number associated with the compile.

Column Name: compiled_by
Column Type: varchar
Max Length: 40
The user that ran the compile.

Column Name: compiled_by_user_id
Column Type: varchar
Max Length: 40
The user id of the user that ran the compile.

Column Name: compiled_by_user_name
Column Type: varchar
Max Length: 40
The user name of the user that ran the compile.

Column Name: compiled_date
Column Type: date
The date the file was compiled.

Column Name: compiled_time
Column Type: varchar
Max Length: 10
The time the file was compiled.

Column Name: created_by
Column Type: varchar
Max Length: 40

The user that created the file on the server.

Column Name: created_by_user_id

Column Type: varchar

Max Length: 40

The user id of the user that created the file on the server.

Column Name: created_by_user_name

Column Type: varchar

Max Length: 40

The user name of the user that created the file on the server.

Column Name: created_date

Column Type: date

The date the file was created on the server.

Column Name: created_time

Column Type: varchar

Max Length: 10

The time the file was created on the server.

Column Name: file_description

Column Type: varchar

Max Length: 50

The file description of the compile.

Column Name: file_number

Column Type: integer

The internal file number.

Column Name: from_date

Column Type: date

The from date of the compile.

Column Name: header_record

Column Type: varchar

Max Length: 255

The header record created by the compile.

Column Name: reporting_entity_code

Column Type: varchar

Max Length: 50

The reporting entities selected on compile.

Column Name: reporting_entity_shvalue

Column Type: varchar

Max Length: 255

The short value of 'reporting_entity_code'.

Column Name: reporting_entity_value

Column Type: varchar
Max Length: 4096
The value of 'reporting_entity_code'.

Column Name: through_date
Column Type: date
The through date of the compile.

Documentation for form: FSR_Demographic_File_Generation

Table Name: STATEFORM.florida_fsr_dem_file_rpt

Table Description: This table stores report data created by the 'FSR Demographic File Generation' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The Facility number associated with the compile.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client Id the record belongs to.

Column Name: contractor_id
Column Type: varchar
Max Length: 50
The Contractor ID the record belongs to.

Column Name: contractor_npi
Column Type: varchar
Max Length: 50
The Contractor NPI the record belongs to.

Column Name: counter
Column Type: integer
The internal counter.

Column Name: file_name
Column Type: varchar
Max Length: 255
The file name on the server the record is included in.

Column Name: file_number
Column Type: integer
The internal file number.

Column Name: fsr_record_code
Column Type: varchar
Max Length: 50
The FSR record code.

Column Name: fsr_record_value
Column Type: varchar
Max Length: 50
The value of 'fsr_record_code'.

Column Name: full_id
Column Type: varchar
Max Length: 50
The full id for the client/practitioner the record belongs to.

Column Name: name
Column Type: varchar
Max Length: 40
The name of the client/practitioner the record belongs to.

Column Name: record_data
Column Type: varchar
Max Length: 32000
The single report line created by the compile.

Column Name: report_category_code
Column Type: varchar
Max Length: 50
The report category code associated to the record.

Column Name: report_category_value
Column Type: varchar
Max Length: 50
The value of 'report_category_code'.

Column Name: reporting_entity_code
Column Type: varchar
Max Length: 50
The reporting entity code the record belongs to.

Column Name: reporting_entity_value
Column Type: varchar
Max Length: 50
The value of 'reporting_entity_code'.

Column Name: site_number

Column Type: varchar
Max Length: 50
The Site Number the record belongs to.

Column Name: unique_index_1
Column Type: varchar
Max Length: 50
The internal counter 1.

Column Name: unique_index_2
Column Type: varchar
Max Length: 50
The internal counter 2.

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_authorization

Table Description: This table stores a single authorization record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: consumer_id
Column Type: varchar
Max Length: 9
Consumer ID (CID)

Column Name: exported_record
Column Type: varchar
Max Length: 8163

Authorization exported record

Column Name: level_of_care

Column Type: varchar

Max Length: 50

Level Of Care.

Column Name: level_of_service

Column Type: varchar

Max Length: 2

Level Of Service (IP/OP)

Column Name: level_of_service_value

Column Type: varchar

Max Length: 50

Level Of Service Description (Inpatient/Outpatient)

Column Name: provider_internal_tag_id

Column Type: varchar

Max Length: 50

Provider Tag Id.

Column Name: provider_local_client_id

Column Type: varchar

Max Length: 15

Provider Local Client Id

Column Name: service_group_1

Column Type: varchar

Max Length: 3

Service Group 1

Column Name: service_group_10

Column Type: varchar

Max Length: 3

Service Group 10

Column Name: service_group_11

Column Type: varchar

Max Length: 3

Service Group 11

Column Name: service_group_12

Column Type: varchar

Max Length: 3

Service Group 12

Column Name: service_group_13

Column Type: varchar

Max Length: 3

Service Group 13

Column Name: service_group_14

Column Type: varchar

Max Length: 3

Service Group 14

Column Name: service_group_15

Column Type: varchar

Max Length: 3

Service Group 15

Column Name: service_group_16

Column Type: varchar

Max Length: 3

Service Group 16

Column Name: service_group_17

Column Type: varchar

Max Length: 3

Service Group 17

Column Name: service_group_18

Column Type: varchar

Max Length: 3

Service Group 18

Column Name: service_group_19

Column Type: varchar

Max Length: 3

Service Group 19

Column Name: service_group_2

Column Type: varchar

Max Length: 3

Service Group 2

Column Name: service_group_20

Column Type: varchar

Max Length: 3

Service Group 20

Column Name: service_group_3

Column Type: varchar

Max Length: 3

Service Group 3

Column Name: service_group_4

Column Type: varchar

Max Length: 3

Service Group 4

Column Name: service_group_5

Column Type: varchar

Max Length: 3

Service Group 5

Column Name: service_group_6

Column Type: varchar

Max Length: 3

Service Group 6

Column Name: service_group_7

Column Type: varchar

Max Length: 3

Service Group 7

Column Name: service_group_8

Column Type: varchar

Max Length: 3

Service Group 8

Column Name: service_group_9

Column Type: varchar

Max Length: 3

Service Group 9

Column Name: type_of_care

Column Type: varchar

Max Length: 50

Type Of Care.

Column Name: type_of_request

Column Type: varchar

Max Length: 1

Type of request (I = Initial, C = Concurrent, U = Update)

Column Name: type_of_service

Column Type: varchar

Max Length: 50

Type Of Service.

Column Name: childsub

Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_authorization_accepted

Table Description: This table stores a single authorization accepted record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: approved_visits_units_1
Column Type: integer
Approved Visits/Units 1

Column Name: approved_visits_units_10
Column Type: integer
Approved Visits/Units 10

Column Name: approved_visits_units_11
Column Type: integer
Approved Visits/Units 11

Column Name: approved_visits_units_12
Column Type: integer
Approved Visits/Units 12

Column Name: approved_visits_units_13
Column Type: integer
Approved Visits/Units 13

Column Name: approved_visits_units_14
Column Type: integer
Approved Visits/Units 14

Column Name: approved_visits_units_15
Column Type: integer
Approved Visits/Units 15

Column Name: approved_visits_units_16
Column Type: integer
Approved Visits/Units 16

Column Name: approved_visits_units_17
Column Type: integer
Approved Visits/Units 17

Column Name: approved_visits_units_18
Column Type: integer
Approved Visits/Units 18

Column Name: approved_visits_units_19
Column Type: integer
Approved Visits/Units 19

Column Name: approved_visits_units_2
Column Type: integer
Approved Visits/Units 2

Column Name: approved_visits_units_20
Column Type: integer
Approved Visits/Units 20

Column Name: approved_visits_units_3
Column Type: integer
Approved Visits/Units 3

Column Name: approved_visits_units_4
Column Type: integer
Approved Visits/Units 4

Column Name: approved_visits_units_5
Column Type: integer
Approved Visits/Units 5

Column Name: approved_visits_units_6
Column Type: integer
Approved Visits/Units 6

Column Name: approved_visits_units_7
Column Type: integer
Approved Visits/Units 7

Column Name: approved_visits_units_8
Column Type: integer

Approved Visits/Units 8

Column Name: approved_visits_units_9

Column Type: integer

Approved Visits/Units 9

Column Name: approve_reason_code_1

Column Type: varchar

Max Length: 4

Approved Reason Code 1

Column Name: approve_reason_code_10

Column Type: varchar

Max Length: 4

Approved Reason Code 10

Column Name: approve_reason_code_11

Column Type: varchar

Max Length: 4

Approved Reason Code 11

Column Name: approve_reason_code_12

Column Type: varchar

Max Length: 4

Approved Reason Code 12

Column Name: approve_reason_code_13

Column Type: varchar

Max Length: 4

Approved Reason Code 13

Column Name: approve_reason_code_14

Column Type: varchar

Max Length: 4

Approved Reason Code 14

Column Name: approve_reason_code_15

Column Type: varchar

Max Length: 4

Approved Reason Code 15

Column Name: approve_reason_code_16

Column Type: varchar

Max Length: 4

Approved Reason Code 16

Column Name: approve_reason_code_17

Column Type: varchar

Max Length: 4

Approved Reason Code 17

Column Name: approve_reason_code_18
Column Type: varchar
Max Length: 4
Approved Reason Code 18

Column Name: approve_reason_code_19
Column Type: varchar
Max Length: 4
Approved Reason Code 19

Column Name: approve_reason_code_2
Column Type: varchar
Max Length: 4
Approved Reason Code 2

Column Name: approve_reason_code_20
Column Type: varchar
Max Length: 4
Approved Reason Code 20

Column Name: approve_reason_code_3
Column Type: varchar
Max Length: 4
Approved Reason Code 3

Column Name: approve_reason_code_4
Column Type: varchar
Max Length: 4
Approved Reason Code 4

Column Name: approve_reason_code_5
Column Type: varchar
Max Length: 4
Approved Reason Code 5

Column Name: approve_reason_code_6
Column Type: varchar
Max Length: 4
Approved Reason Code 6

Column Name: approve_reason_code_7
Column Type: varchar
Max Length: 4
Approved Reason Code 7

Column Name: approve_reason_code_8
Column Type: varchar
Max Length: 4
Approved Reason Code 8

Column Name: approve_reason_code_9
Column Type: varchar
Max Length: 4
Approved Reason Code 9

Column Name: authorization_number
Column Type: varchar
Max Length: 25
Beacon Auth Number

Column Name: auth_start_date
Column Type: date
Authorization Start Date

Column Name: client_auth_number
Column Type: varchar
Max Length: 12
Billing Auth Number

Column Name: consumer_id
Column Type: varchar
Max Length: 9
Consumer ID (CID)

Column Name: effective_date_of_auth
Column Type: date
Effective Date of Authorization

Column Name: expiration_date_of_auth
Column Type: date
Expiration Date of Authorization

Column Name: exported_record
Column Type: varchar
Max Length: 8163
Authorization exported record

Column Name: level_of_care
Column Type: varchar
Max Length: 50
Level Of Care.

Column Name: level_of_service
Column Type: varchar
Max Length: 2
Level Of Service (IP/OP)

Column Name: level_of_service_value
Column Type: varchar

Max Length: 50
Level Of Service Description (Inpatient/Outpatient)

Column Name: provider_internal_tag_id
Column Type: varchar
Max Length: 50
Provider Tag Id.

Column Name: provider_local_client_id
Column Type: varchar
Max Length: 15
Provider Local Client Id

Column Name: rollback_auth_number
Column Type: varchar
Max Length: 12
Rollback Auth Number

Column Name: service_group_1
Column Type: varchar
Max Length: 3
Service Group 1

Column Name: service_group_10
Column Type: varchar
Max Length: 3
Service Group 10

Column Name: service_group_11
Column Type: varchar
Max Length: 3
Service Group 11

Column Name: service_group_12
Column Type: varchar
Max Length: 3
Service Group 12

Column Name: service_group_13
Column Type: varchar
Max Length: 3
Service Group 13

Column Name: service_group_14
Column Type: varchar
Max Length: 3
Service Group 14

Column Name: service_group_15
Column Type: varchar

Max Length: 3
Service Group 15

Column Name: service_group_16
Column Type: varchar
Max Length: 3
Service Group 16

Column Name: service_group_17
Column Type: varchar
Max Length: 3
Service Group 17

Column Name: service_group_18
Column Type: varchar
Max Length: 3
Service Group 18

Column Name: service_group_19
Column Type: varchar
Max Length: 3
Service Group 19

Column Name: service_group_2
Column Type: varchar
Max Length: 3
Service Group 2

Column Name: service_group_20
Column Type: varchar
Max Length: 3
Service Group 20

Column Name: service_group_3
Column Type: varchar
Max Length: 3
Service Group 3

Column Name: service_group_4
Column Type: varchar
Max Length: 3
Service Group 4

Column Name: service_group_5
Column Type: varchar
Max Length: 3
Service Group 5

Column Name: service_group_6
Column Type: varchar

Max Length: 3
Service Group 6

Column Name: service_group_7
Column Type: varchar
Max Length: 3
Service Group 7

Column Name: service_group_8
Column Type: varchar
Max Length: 3
Service Group 8

Column Name: service_group_9
Column Type: varchar
Max Length: 3
Service Group 9

Column Name: total_units_approved
Column Type: integer
Total Units Approved

Column Name: type_of_care
Column Type: varchar
Max Length: 50
Type Of Care.

Column Name: type_of_request
Column Type: varchar
Max Length: 1
Type of request (I = Initial, C = Concurrent, U = Update)

Column Name: type_of_service
Column Type: varchar
Max Length: 50
Type Of Service.

Column Name: upload_status
Column Type: varchar
Max Length: 50
Upload Status for the record (code).

Column Name: upload_status_value
Column Type: varchar
Max Length: 50
Upload Status for the record (value).

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_authorization_error

Table Description: This table stores a single authorization error record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile

Column Type: integer

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

Episode Number.

Column Name: PATID

Column Type: varchar

Max Length: 20

Client Id.

Column Name: client_auth_number

Column Type: varchar

Max Length: 12

Client Authorization Number

Column Name: consumer_id

Column Type: varchar

Max Length: 9

Consumer ID (CID)

Column Name: error_code_1

Column Type: varchar

Max Length: 50

Error Code 1.

Column Name: error_code_1_message

Column Type: varchar

Max Length: 350

Error Message 1.

Column Name: error_code_2

Column Type: varchar
Max Length: 50
Error Code 2.

Column Name: error_code_2_message
Column Type: varchar
Max Length: 350
Error Message 2.

Column Name: error_code_3
Column Type: varchar
Max Length: 50
Error Code 3.

Column Name: error_code_3_message
Column Type: varchar
Max Length: 350
Error Message 3.

Column Name: error_code_4
Column Type: varchar
Max Length: 50
Error Code 4.

Column Name: error_code_4_message
Column Type: varchar
Max Length: 350
Error Message 4.

Column Name: error_code_5
Column Type: varchar
Max Length: 50
Error Code 5.

Column Name: error_code_5_message
Column Type: varchar
Max Length: 350
Error Message 5.

Column Name: exported_record
Column Type: varchar
Max Length: 8163
Authorization exported record

Column Name: level_of_care
Column Type: varchar
Max Length: 50
Level Of Care.

Column Name: level_of_service

Column Type: varchar
Max Length: 2
Level Of Service (IP/OP)

Column Name: level_of_service_value
Column Type: varchar
Max Length: 50
Level Of Service Description (Inpatient/Outpatient)

Column Name: provider_internal_tag_id
Column Type: varchar
Max Length: 50
Provider Tag Id.

Column Name: provider_local_client_id
Column Type: varchar
Max Length: 15
Provider Local Client Id

Column Name: service_group_1
Column Type: varchar
Max Length: 3
Service Group 1

Column Name: service_group_10
Column Type: varchar
Max Length: 3
Service Group 10

Column Name: service_group_11
Column Type: varchar
Max Length: 3
Service Group 11

Column Name: service_group_12
Column Type: varchar
Max Length: 3
Service Group 12

Column Name: service_group_13
Column Type: varchar
Max Length: 3
Service Group 13

Column Name: service_group_14
Column Type: varchar
Max Length: 3
Service Group 14

Column Name: service_group_15

Column Type: varchar
Max Length: 3
Service Group 15

Column Name: service_group_16
Column Type: varchar
Max Length: 3
Service Group 16

Column Name: service_group_17
Column Type: varchar
Max Length: 3
Service Group 17

Column Name: service_group_18
Column Type: varchar
Max Length: 3
Service Group 18

Column Name: service_group_19
Column Type: varchar
Max Length: 3
Service Group 19

Column Name: service_group_2
Column Type: varchar
Max Length: 3
Service Group 2

Column Name: service_group_20
Column Type: varchar
Max Length: 3
Service Group 20

Column Name: service_group_3
Column Type: varchar
Max Length: 3
Service Group 3

Column Name: service_group_4
Column Type: varchar
Max Length: 3
Service Group 4

Column Name: service_group_5
Column Type: varchar
Max Length: 3
Service Group 5

Column Name: service_group_6

Column Type: varchar
Max Length: 3
Service Group 6

Column Name: service_group_7
Column Type: varchar
Max Length: 3
Service Group 7

Column Name: service_group_8
Column Type: varchar
Max Length: 3
Service Group 8

Column Name: service_group_9
Column Type: varchar
Max Length: 3
Service Group 9

Column Name: total_units_denied
Column Type: integer
Total Units Denied

Column Name: type_of_care
Column Type: varchar
Max Length: 50
Type Of Care.

Column Name: type_of_request
Column Type: varchar
Max Length: 1
Type of request (I = Initial, C = Concurrent, U = Update)

Column Name: type_of_service
Column Type: varchar
Max Length: 50
Type Of Service.

Column Name: upload_status
Column Type: varchar
Max Length: 50
Upload Status for the record (code).

Column Name: upload_status_value
Column Type: varchar
Max Length: 50
Upload Status for the record (value).

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_authorization_initial

Table Description: This table stores a single authorization accepted record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: approved_visits_units_1
Column Type: integer
Approved Visits/Units 1

Column Name: approved_visits_units_10
Column Type: integer
Approved Visits/Units 10

Column Name: approved_visits_units_11
Column Type: integer
Approved Visits/Units 11

Column Name: approved_visits_units_12
Column Type: integer
Approved Visits/Units 12

Column Name: approved_visits_units_13
Column Type: integer
Approved Visits/Units 13

Column Name: approved_visits_units_14
Column Type: integer
Approved Visits/Units 14

Column Name: approved_visits_units_15
Column Type: integer
Approved Visits/Units 15

Column Name: approved_visits_units_16
Column Type: integer
Approved Visits/Units 16

Column Name: approved_visits_units_17
Column Type: integer
Approved Visits/Units 17

Column Name: approved_visits_units_18
Column Type: integer
Approved Visits/Units 18

Column Name: approved_visits_units_19
Column Type: integer
Approved Visits/Units 19

Column Name: approved_visits_units_2
Column Type: integer
Approved Visits/Units 2

Column Name: approved_visits_units_20
Column Type: integer
Approved Visits/Units 20

Column Name: approved_visits_units_3
Column Type: integer
Approved Visits/Units 3

Column Name: approved_visits_units_4
Column Type: integer
Approved Visits/Units 4

Column Name: approved_visits_units_5
Column Type: integer
Approved Visits/Units 5

Column Name: approved_visits_units_6
Column Type: integer
Approved Visits/Units 6

Column Name: approved_visits_units_7
Column Type: integer

Approved Visits/Units 7

Column Name: approved_visits_units_8

Column Type: integer

Approved Visits/Units 8

Column Name: approved_visits_units_9

Column Type: integer

Approved Visits/Units 9

Column Name: approve_reason_code_1

Column Type: varchar

Max Length: 4

Approved Reason Code 1

Column Name: approve_reason_code_10

Column Type: varchar

Max Length: 4

Approved Reason Code 10

Column Name: approve_reason_code_11

Column Type: varchar

Max Length: 4

Approved Reason Code 11

Column Name: approve_reason_code_12

Column Type: varchar

Max Length: 4

Approved Reason Code 12

Column Name: approve_reason_code_13

Column Type: varchar

Max Length: 4

Approved Reason Code 13

Column Name: approve_reason_code_14

Column Type: varchar

Max Length: 4

Approved Reason Code 14

Column Name: approve_reason_code_15

Column Type: varchar

Max Length: 4

Approved Reason Code 15

Column Name: approve_reason_code_16

Column Type: varchar

Max Length: 4

Approved Reason Code 16

Column Name: approve_reason_code_17
Column Type: varchar
Max Length: 4
Approved Reason Code 17

Column Name: approve_reason_code_18
Column Type: varchar
Max Length: 4
Approved Reason Code 18

Column Name: approve_reason_code_19
Column Type: varchar
Max Length: 4
Approved Reason Code 19

Column Name: approve_reason_code_2
Column Type: varchar
Max Length: 4
Approved Reason Code 2

Column Name: approve_reason_code_20
Column Type: varchar
Max Length: 4
Approved Reason Code 20

Column Name: approve_reason_code_3
Column Type: varchar
Max Length: 4
Approved Reason Code 3

Column Name: approve_reason_code_4
Column Type: varchar
Max Length: 4
Approved Reason Code 4

Column Name: approve_reason_code_5
Column Type: varchar
Max Length: 4
Approved Reason Code 5

Column Name: approve_reason_code_6
Column Type: varchar
Max Length: 4
Approved Reason Code 6

Column Name: approve_reason_code_7
Column Type: varchar
Max Length: 4
Approved Reason Code 7

Column Name: approve_reason_code_8
Column Type: varchar
Max Length: 4
Approved Reason Code 8

Column Name: approve_reason_code_9
Column Type: varchar
Max Length: 4
Approved Reason Code 9

Column Name: authorization_number
Column Type: varchar
Max Length: 25
Beacon Auth Number

Column Name: client_auth_number
Column Type: varchar
Max Length: 12
Billing Auth Number

Column Name: consumer_id
Column Type: varchar
Max Length: 9
Consumer ID (CID)

Column Name: effective_date_of_auth
Column Type: date
Effective Date of Authorization

Column Name: expiration_date_of_auth
Column Type: date
Expiration Date of Authorization

Column Name: exported_record
Column Type: varchar
Max Length: 8163
Authorization exported record

Column Name: level_of_care
Column Type: varchar
Max Length: 50
Level Of Care.

Column Name: level_of_service
Column Type: varchar
Max Length: 2
Level Of Service (IP/OP)

Column Name: level_of_service_value
Column Type: varchar

Max Length: 50
Level Of Service Description (Inpatient/Outpatient)

Column Name: provider_internal_tag_id
Column Type: varchar
Max Length: 50
Provider Tag Id.

Column Name: provider_local_client_id
Column Type: varchar
Max Length: 15
Provider Local Client Id

Column Name: rollback_auth_number
Column Type: varchar
Max Length: 12
Rollback Auth Number

Column Name: service_group_1
Column Type: varchar
Max Length: 3
Service Group 1

Column Name: service_group_10
Column Type: varchar
Max Length: 3
Service Group 10

Column Name: service_group_11
Column Type: varchar
Max Length: 3
Service Group 11

Column Name: service_group_12
Column Type: varchar
Max Length: 3
Service Group 12

Column Name: service_group_13
Column Type: varchar
Max Length: 3
Service Group 13

Column Name: service_group_14
Column Type: varchar
Max Length: 3
Service Group 14

Column Name: service_group_15
Column Type: varchar

Max Length: 3
Service Group 15

Column Name: service_group_16
Column Type: varchar
Max Length: 3
Service Group 16

Column Name: service_group_17
Column Type: varchar
Max Length: 3
Service Group 17

Column Name: service_group_18
Column Type: varchar
Max Length: 3
Service Group 18

Column Name: service_group_19
Column Type: varchar
Max Length: 3
Service Group 19

Column Name: service_group_2
Column Type: varchar
Max Length: 3
Service Group 2

Column Name: service_group_20
Column Type: varchar
Max Length: 3
Service Group 20

Column Name: service_group_3
Column Type: varchar
Max Length: 3
Service Group 3

Column Name: service_group_4
Column Type: varchar
Max Length: 3
Service Group 4

Column Name: service_group_5
Column Type: varchar
Max Length: 3
Service Group 5

Column Name: service_group_6
Column Type: varchar

Max Length: 3
Service Group 6

Column Name: service_group_7
Column Type: varchar
Max Length: 3
Service Group 7

Column Name: service_group_8
Column Type: varchar
Max Length: 3
Service Group 8

Column Name: service_group_9
Column Type: varchar
Max Length: 3
Service Group 9

Column Name: total_units_approved
Column Type: integer
Total Units Approved

Column Name: type_of_care
Column Type: varchar
Max Length: 50
Type Of Care.

Column Name: type_of_request
Column Type: varchar
Max Length: 1
Type of request (I = Initial, C = Concurrent, U = Update)

Column Name: type_of_service
Column Type: varchar
Max Length: 50
Type Of Service.

Column Name: upload_status
Column Type: varchar
Max Length: 50
Upload Status for the record (code).

Column Name: upload_status_value
Column Type: varchar
Max Length: 50
Upload Status for the record (value).

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_authorization_pended

Table Description: This table stores a single authorization pended record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile

Column Type: integer

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

Episode Number.

Column Name: PATID

Column Type: varchar

Max Length: 20

Client Id.

Column Name: authorization_number

Column Type: varchar

Max Length: 25

Authorization Number

Column Name: client_auth_number

Column Type: varchar

Max Length: 50

Client Authorization Number

Column Name: consumer_id

Column Type: varchar

Max Length: 9

Consumer ID (CID)

Column Name: exported_record

Column Type: varchar

Max Length: 8163

Authorization exported record

Column Name: level_of_care

Column Type: varchar
Max Length: 50
Level Of Care.

Column Name: level_of_service
Column Type: varchar
Max Length: 2
Level Of Service (IP/OP)

Column Name: level_of_service_value
Column Type: varchar
Max Length: 50
Level Of Service Description (Inpatient/Outpatient)

Column Name: provider_internal_tag_id
Column Type: varchar
Max Length: 50
Provider Tag Id.

Column Name: provider_local_client_id
Column Type: varchar
Max Length: 15
Provider Local Client Id

Column Name: service_group_1
Column Type: varchar
Max Length: 3
Service Group 1

Column Name: service_group_10
Column Type: varchar
Max Length: 3
Service Group 10

Column Name: service_group_11
Column Type: varchar
Max Length: 3
Service Group 11

Column Name: service_group_12
Column Type: varchar
Max Length: 3
Service Group 12

Column Name: service_group_13
Column Type: varchar
Max Length: 3
Service Group 13

Column Name: service_group_14

Column Type: varchar
Max Length: 3
Service Group 14

Column Name: service_group_15
Column Type: varchar
Max Length: 3
Service Group 15

Column Name: service_group_16
Column Type: varchar
Max Length: 3
Service Group 16

Column Name: service_group_17
Column Type: varchar
Max Length: 3
Service Group 17

Column Name: service_group_18
Column Type: varchar
Max Length: 3
Service Group 18

Column Name: service_group_19
Column Type: varchar
Max Length: 3
Service Group 19

Column Name: service_group_2
Column Type: varchar
Max Length: 3
Service Group 2

Column Name: service_group_20
Column Type: varchar
Max Length: 3
Service Group 20

Column Name: service_group_3
Column Type: varchar
Max Length: 3
Service Group 3

Column Name: service_group_4
Column Type: varchar
Max Length: 3
Service Group 4

Column Name: service_group_5

Column Type: varchar
Max Length: 3
Service Group 5

Column Name: service_group_6
Column Type: varchar
Max Length: 3
Service Group 6

Column Name: service_group_7
Column Type: varchar
Max Length: 3
Service Group 7

Column Name: service_group_8
Column Type: varchar
Max Length: 3
Service Group 8

Column Name: service_group_9
Column Type: varchar
Max Length: 3
Service Group 9

Column Name: type_of_care
Column Type: varchar
Max Length: 50
Type Of Care.

Column Name: type_of_request
Column Type: varchar
Max Length: 1
Type of request (I = Initial, C = Concurrent, U = Update)

Column Name: type_of_service
Column Type: varchar
Max Length: 50
Type Of Service.

Column Name: upload_status
Column Type: varchar
Max Length: 50
Upload Status for the record (code).

Column Name: upload_status_value
Column Type: varchar
Max Length: 50
Upload Status for the record (value).

Column Name: childsub

Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_authorization_rejected

Table Description: This table stores a single authorization rejected record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile

Column Type: integer

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

Episode Number.

Column Name: PATID

Column Type: varchar

Max Length: 20

Client Id.

Column Name: authorization_number

Column Type: varchar

Max Length: 25

Authorization Number

Column Name: client_auth_number

Column Type: varchar

Max Length: 12

Client Authorization Number

Column Name: consumer_id

Column Type: varchar

Max Length: 9

Consumer ID (CID)

Column Name: denied_visits_units_1

Column Type: integer

Denied Visits/Units 1

Column Name: denied_visits_units_10

Column Type: integer

Denied Visits/Units 10

Column Name: denied_visits_units_11

Column Type: integer

Denied Visits/Units 11

Column Name: denied_visits_units_12

Column Type: integer

Denied Visits/Units 12

Column Name: denied_visits_units_13

Column Type: integer

Denied Visits/Units 13

Column Name: denied_visits_units_14

Column Type: integer

Denied Visits/Units 14

Column Name: denied_visits_units_15

Column Type: integer

Denied Visits/Units 15

Column Name: denied_visits_units_16

Column Type: integer

Denied Visits/Units 16

Column Name: denied_visits_units_17

Column Type: integer

Denied Visits/Units 17

Column Name: denied_visits_units_18

Column Type: integer

Denied Visits/Units 18

Column Name: denied_visits_units_19

Column Type: integer

Denied Visits/Units 19

Column Name: denied_visits_units_2

Column Type: integer

Denied Visits/Units 2

Column Name: denied_visits_units_20

Column Type: integer

Denied Visits/Units 20

Column Name: denied_visits_units_3

Column Type: integer

Denied Visits/Units 3

Column Name: denied_visits_units_4
Column Type: integer
Denied Visits/Units 4

Column Name: denied_visits_units_5
Column Type: integer
Denied Visits/Units 5

Column Name: denied_visits_units_6
Column Type: integer
Denied Visits/Units 6

Column Name: denied_visits_units_7
Column Type: integer
Denied Visits/Units 7

Column Name: denied_visits_units_8
Column Type: integer
Denied Visits/Units 8

Column Name: denied_visits_units_9
Column Type: integer
Denied Visits/Units 9

Column Name: deny_reason_code_1
Column Type: varchar
Max Length: 4
Deny Reason Code 1

Column Name: deny_reason_code_10
Column Type: varchar
Max Length: 4
Deny Reason Code 10

Column Name: deny_reason_code_11
Column Type: varchar
Max Length: 4
Deny Reason Code 11

Column Name: deny_reason_code_12
Column Type: varchar
Max Length: 4
Deny Reason Code 12

Column Name: deny_reason_code_13
Column Type: varchar
Max Length: 4
Deny Reason Code 13

Column Name: deny_reason_code_14

Column Type: varchar
Max Length: 4
Deny Reason Code 14

Column Name: deny_reason_code_15
Column Type: varchar
Max Length: 4
Deny Reason Code 15

Column Name: deny_reason_code_16
Column Type: varchar
Max Length: 4
Deny Reason Code 16

Column Name: deny_reason_code_17
Column Type: varchar
Max Length: 4
Deny Reason Code 17

Column Name: deny_reason_code_18
Column Type: varchar
Max Length: 4
Deny Reason Code 18

Column Name: deny_reason_code_19
Column Type: varchar
Max Length: 4
Deny Reason Code 19

Column Name: deny_reason_code_2
Column Type: varchar
Max Length: 4
Deny Reason Code 2

Column Name: deny_reason_code_20
Column Type: varchar
Max Length: 4
Deny Reason Code 20

Column Name: deny_reason_code_3
Column Type: varchar
Max Length: 4
Deny Reason Code 3

Column Name: deny_reason_code_4
Column Type: varchar
Max Length: 4
Deny Reason Code 4

Column Name: deny_reason_code_5

Column Type: varchar
Max Length: 4
Deny Reason Code 5

Column Name: deny_reason_code_6
Column Type: varchar
Max Length: 4
Deny Reason Code 6

Column Name: deny_reason_code_7
Column Type: varchar
Max Length: 4
Deny Reason Code 7

Column Name: deny_reason_code_8
Column Type: varchar
Max Length: 4
Deny Reason Code 8

Column Name: deny_reason_code_9
Column Type: varchar
Max Length: 4
Deny Reason Code 9

Column Name: error_code_1
Column Type: varchar
Max Length: 50
Error Code 1.

Column Name: error_code_1_message
Column Type: varchar
Max Length: 350
Error Message 1.

Column Name: error_code_2
Column Type: varchar
Max Length: 50
Error Code 2.

Column Name: error_code_2_message
Column Type: varchar
Max Length: 350
Error Message 2.

Column Name: error_code_3
Column Type: varchar
Max Length: 50
Error Code 3.

Column Name: error_code_3_message

Column Type: varchar
Max Length: 350
Error Message 3.

Column Name: error_code_4
Column Type: varchar
Max Length: 50
Error Code 4.

Column Name: error_code_4_message
Column Type: varchar
Max Length: 350
Error Message 4.

Column Name: error_code_5
Column Type: varchar
Max Length: 50
Error Code 5.

Column Name: error_code_5_message
Column Type: varchar
Max Length: 350
Error Message 5.

Column Name: exported_record
Column Type: varchar
Max Length: 8163
Authorization exported record

Column Name: level_of_care
Column Type: varchar
Max Length: 50
Level Of Care.

Column Name: level_of_service
Column Type: varchar
Max Length: 2
Level Of Service (IP/OP)

Column Name: level_of_service_value
Column Type: varchar
Max Length: 50
Level Of Service Description (Inpatient/Outpatient)

Column Name: provider_internal_tag_id
Column Type: varchar
Max Length: 50
Provider Tag Id.

Column Name: provider_local_client_id

Column Type: varchar
Max Length: 15
Provider Local Client Id

Column Name: service_group_1
Column Type: varchar
Max Length: 3
Service Group 1

Column Name: service_group_10
Column Type: varchar
Max Length: 3
Service Group 10

Column Name: service_group_11
Column Type: varchar
Max Length: 3
Service Group 11

Column Name: service_group_12
Column Type: varchar
Max Length: 3
Service Group 12

Column Name: service_group_13
Column Type: varchar
Max Length: 3
Service Group 13

Column Name: service_group_14
Column Type: varchar
Max Length: 3
Service Group 14

Column Name: service_group_15
Column Type: varchar
Max Length: 3
Service Group 15

Column Name: service_group_16
Column Type: varchar
Max Length: 3
Service Group 16

Column Name: service_group_17
Column Type: varchar
Max Length: 3
Service Group 17

Column Name: service_group_18

Column Type: varchar
Max Length: 3
Service Group 18

Column Name: service_group_19
Column Type: varchar
Max Length: 3
Service Group 19

Column Name: service_group_2
Column Type: varchar
Max Length: 3
Service Group 2

Column Name: service_group_20
Column Type: varchar
Max Length: 3
Service Group 20

Column Name: service_group_3
Column Type: varchar
Max Length: 3
Service Group 3

Column Name: service_group_4
Column Type: varchar
Max Length: 3
Service Group 4

Column Name: service_group_5
Column Type: varchar
Max Length: 3
Service Group 5

Column Name: service_group_6
Column Type: varchar
Max Length: 3
Service Group 6

Column Name: service_group_7
Column Type: varchar
Max Length: 3
Service Group 7

Column Name: service_group_8
Column Type: varchar
Max Length: 3
Service Group 8

Column Name: service_group_9

Column Type: varchar
Max Length: 3
Service Group 9

Column Name: total_units_denied
Column Type: integer
Total Units Denied

Column Name: type_of_care
Column Type: varchar
Max Length: 50
Type Of Care.

Column Name: type_of_request
Column Type: varchar
Max Length: 1
Type of request (I = Initial, C = Concurrent, U = Update)

Column Name: type_of_service
Column Type: varchar
Max Length: 50
Type Of Service.

Column Name: upload_status
Column Type: varchar
Max Length: 50
Upload Status for the record (code).

Column Name: upload_status_value
Column Type: varchar
Max Length: 50
Upload Status for the record (value).

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_corrected_pended

Table Description: This table stores a single registration corrected pended record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: batch_date
Column Type: date
Batch Date.

Column Name: batch_sequence
Column Type: varchar
Max Length: 50
Batch Sequence.

Column Name: date_of_birth
Column Type: date
Date of Birth.

Column Name: first_name
Column Type: varchar
Max Length: 35
First Name.

Column Name: individual_number
Column Type: varchar
Max Length: 15
Individual Number.

Column Name: last_name
Column Type: varchar
Max Length: 60
Last Name.

Column Name: mra_sequence_number
Column Type: varchar
Max Length: 50
MRA Sequence Number.

Column Name: provider_internal_tag_id
Column Type: varchar

Max Length: 50
Provider Tag Id.

Column Name: provider_number
Column Type: varchar
Max Length: 15
Provider Number.

Column Name: record_number
Column Type: integer
Record Number.

Column Name: resolution_code
Column Type: varchar
Max Length: 8
Resolution Code.

Column Name: resolution_description
Column Type: varchar
Max Length: 200
Resolution Description.

Column Name: sequence_number
Column Type: varchar
Max Length: 50
Sequence Number.

Column Name: temp_individual_number
Column Type: varchar
Max Length: 15
Temporary Individual Number.

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_discharge

Table Description: This table stores a single discharge record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: actualdischargedate
Column Type: date

Column Name: actualdischargeresidence
Column Type: varchar
Max Length: 50

Column Name: adultprotectiveservices
Column Type: varchar
Max Length: 1

Column Name: ansaacculturationcultural
Column Type: varchar
Max Length: 50

Column Name: ansaacculturationlanguage
Column Type: varchar
Max Length: 50

Column Name: ansaacculturationritual
Column Type: varchar
Max Length: 50

Column Name: ansaacculturationstress
Column Type: varchar
Max Length: 50

Column Name: ansacareeraspirations
Column Type: varchar

Max Length: 1

Column Name: ansacareerjobattendance

Column Type: varchar

Max Length: 1

Column Name: ansacareerjobperformance

Column Type: varchar

Max Length: 50

Column Name: ansacareerjobrelations

Column Type: varchar

Max Length: 50

Column Name: ansacareerjobskills

Column Type: varchar

Max Length: 50

Column Name: ansacareerjobtime

Column Type: varchar

Max Length: 50

Column Name: ansacaregiverfamilystress

Column Type: varchar

Max Length: 50

Column Name: ansacaregiverhealth

Column Type: varchar

Max Length: 50

Column Name: ansacaregiverinvolvement

Column Type: varchar

Max Length: 50

Column Name: ansacaregiverknowledge

Column Type: varchar

Max Length: 50

Column Name: ansacaregivernotappl

Column Type: varchar

Max Length: 1

Column Name: ansacaregiversafety

Column Type: varchar

Max Length: 50

Column Name: ansacaregiversocial

Column Type: varchar

Max Length: 50

Column Name: ansacrimearrests

Column Type: varchar

Max Length: 50

Column Name: ansacrimecommunitysafety

Column Type: varchar

Max Length: 50

Column Name: ansacrimeenvironmental

Column Type: varchar

Max Length: 50

Column Name: ansacrimehistory

Column Type: varchar

Max Length: 50

Column Name: ansacrimelegalcompliance

Column Type: varchar

Max Length: 50

Column Name: ansacrimepeerinfluences

Column Type: varchar

Max Length: 50

Column Name: ansacrimeplanning

Column Type: varchar

Max Length: 50

Column Name: ansacrimeseriousness

Column Type: varchar

Max Length: 50

Column Name: ansadangerawarepotential

Column Type: varchar

Max Length: 50

Column Name: ansadangerfrustrationmgmt

Column Type: varchar

Max Length: 50

Column Name: ansadangerhostility

Column Type: varchar

Max Length: 50

Column Name: ansadangerintent

Column Type: varchar

Max Length: 50

Column Name: ansadangerparanoidthink

Column Type: varchar

Max Length: 50

Column Name: ansadangerplanning

Column Type: varchar

Max Length: 50

Column Name: ansadangerresponseconseq

Column Type: varchar

Max Length: 50

Column Name: ansadangersecondarygains

Column Type: varchar

Max Length: 50

Column Name: ansadangerselfcontrol

Column Type: varchar

Max Length: 50

Column Name: ansadangertreatment

Column Type: varchar

Max Length: 50

Column Name: ansadangerviolencehistory

Column Type: varchar

Max Length: 50

Column Name: ansadangerviolentthinking

Column Type: varchar

Max Length: 50

Column Name: ansaddneedsognitive

Column Type: varchar

Max Length: 50

Column Name: ansaddneedscommunication

Column Type: varchar

Max Length: 50

Column Name: ansaddneedsdevelopmental

Column Type: varchar

Max Length: 50

Column Name: ansalifedecisionmaking

Column Type: varchar

Max Length: 50

Column Name: ansalifeemployment

Column Type: varchar

Max Length: 1

Column Name: ansalifefamilyfunctioning

Column Type: varchar

Max Length: 50

Column Name: ansalifeindependentliving

Column Type: varchar

Max Length: 50

Column Name: ansalifeintellectdevelop

Column Type: varchar

Max Length: 50

Column Name: ansalifeinvolveinrecovery

Column Type: varchar

Max Length: 50

Column Name: ansalifelegal

Column Type: varchar

Max Length: 50

Column Name: ansalifemedicationadhere

Column Type: varchar

Max Length: 50

Column Name: ansalifeparentalcaregiver

Column Type: varchar

Max Length: 50

Column Name: ansalifephysicalmedical

Column Type: varchar

Max Length: 50

Column Name: ansaliferecreational

Column Type: varchar

Max Length: 50

Column Name: ansaliferesidential

Column Type: varchar

Max Length: 50

Column Name: ansalifeselfcare

Column Type: varchar

Max Length: 50

Column Name: ansalifesexuality

Column Type: varchar

Max Length: 50

Column Name: ansalifesleep

Column Type: varchar

Max Length: 50

Column Name: ansalifesocialfunctioning

Column Type: varchar

Max Length: 50

Column Name: ansalifetransportation

Column Type: varchar

Max Length: 50

Column Name: ansaneedsadjusttotrauma

Column Type: varchar

Max Length: 50

Column Name: ansaneedsangercontrol

Column Type: varchar

Max Length: 50

Column Name: ansaneedsantisocial

Column Type: varchar

Max Length: 50

Column Name: ansaneedsanxiety

Column Type: varchar

Max Length: 50

Column Name: ansaneedsdepression

Column Type: varchar

Max Length: 50

Column Name: ansaneedseatdisturbance

Column Type: varchar

Max Length: 50

Column Name: ansaneedsimpulsecontrol

Column Type: varchar

Max Length: 50

Column Name: ansaneedsinterpersonal

Column Type: varchar

Max Length: 50

Column Name: ansaneedspsychosis

Column Type: varchar

Max Length: 50

Column Name: ansaparentinvolvementcare

Column Type: varchar

Max Length: 50

Column Name: ansaparentknowledgeneeds

Column Type: varchar

Max Length: 50

Column Name: ansaparentorganization

Column Type: varchar

Max Length: 50

Column Name: ansaparentsupervision

Column Type: varchar

Max Length: 50

Column Name: ansaparentviolencehome

Column Type: varchar

Max Length: 50

Column Name: ansariskcriminalbehavior

Column Type: varchar

Max Length: 50

Column Name: ansariskdangertothers

Column Type: varchar

Max Length: 50

Column Name: ansariskexploitation

Column Type: varchar

Max Length: 50

Column Name: ansariskgambling

Column Type: varchar

Max Length: 50

Column Name: ansariskotherselfharm

Column Type: varchar

Max Length: 50

Column Name: ansariskselfinjurious

Column Type: varchar

Max Length: 50

Column Name: ansarisksexualaggression

Column Type: varchar

Max Length: 50

Column Name: ansarisksuiciderisk

Column Type: varchar

Max Length: 50

Column Name: ansasabagedifferential

Column Type: varchar

Max Length: 50

Column Name: ansasabphysforcethreat

Column Type: varchar

Max Length: 50

Column Name: ansasabplanning

Column Type: varchar

Max Length: 50

Column Name: ansasabrelationship

Column Type: varchar

Max Length: 50

Column Name: ansasabresponseaccusation

Column Type: varchar

Max Length: 50

Column Name: ansasabtypeofsexact

Column Type: varchar

Max Length: 50

Column Name: ansastrengthscommunity

Column Type: varchar

Max Length: 50

Column Name: ansastrengthseducational

Column Type: varchar

Max Length: 1

Column Name: ansastrengthsfamily

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsjobhistory

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsnaturalsupp

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsoptimism

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsresiliency

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsresourceful

Column Type: varchar

Max Length: 50

Column Name: ansastrengthssocial

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsspiritual

Column Type: varchar

Max Length: 50

Column Name: ansastrengthstalents

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsvolunteering

Column Type: varchar

Max Length: 50

Column Name: ansasubstancedurationuse

Column Type: varchar

Max Length: 50

Column Name: ansasubstanceenvironment

Column Type: varchar

Max Length: 50

Column Name: ansasubstanceinfluences

Column Type: varchar

Max Length: 50

Column Name: ansasubstancepeer

Column Type: varchar

Max Length: 50

Column Name: ansasubstancerecovery

Column Type: varchar

Max Length: 50

Column Name: ansasubstanceseverityuse

Column Type: varchar

Max Length: 50

Column Name: ansasubstancetagerrecover

Column Type: varchar

Max Length: 50

Column Name: ansasubstancesubstanceuse

Column Type: varchar

Max Length: 50

Column Name: ansasuicide

Column Type: varchar

Max Length: 50

Column Name: ansasuicidehistory

Column Type: varchar

Max Length: 50

Column Name: ansasuicideintent

Column Type: varchar

Max Length: 50

Column Name: ansasuicideplanning

Column Type: varchar

Max Length: 50

Column Name: ansatraumaffectreg

Column Type: varchar

Max Length: 50

Column Name: ansatraumaattachment

Column Type: varchar

Max Length: 50

Column Name: ansatraumacommviolence

Column Type: varchar

Max Length: 50

Column Name: ansatraumadisaster

Column Type: varchar

Max Length: 50

Column Name: ansatraumadissociation

Column Type: varchar

Max Length: 50

Column Name: ansatraumaemotionalabuse

Column Type: varchar

Max Length: 50

Column Name: ansatraumafamilyviolence

Column Type: varchar

Max Length: 50

Column Name: ansatraumaintrusions

Column Type: varchar

Max Length: 50

Column Name: ansatraumamedicaltrauma

Column Type: varchar

Max Length: 50

Column Name: ansatraumaphysicalabuse

Column Type: varchar

Max Length: 50

Column Name: ansatraumasexualabuse

Column Type: varchar

Max Length: 50

Column Name: appointmentreminder

Column Type: varchar

Max Length: 1

Column Name: assessmentmeasure

Column Type: varchar

Max Length: 50

Column Name: assessmentmeasureother

Column Type: varchar

Max Length: 25

Column Name: assessmentscore

Column Type: varchar

Max Length: 6

Column Name: attendschoolpast90days

Column Type: varchar

Max Length: 1

Column Name: authorizationnumber

Column Type: varchar

Max Length: 25

Column Name: authorizeduser

Column Type: varchar

Max Length: 10

Column Name: babysstatusatbirth

Column Type: varchar

Max Length: 50

Column Name: behavioralhealthprovider

Column Type: varchar

Max Length: 50

Column Name: cansacculturationidentity

Column Type: varchar

Max Length: 50

Column Name: cansacculturationlanguage

Column Type: varchar

Max Length: 50

Column Name: cansacculturationritual

Column Type: varchar

Max Length: 50

Column Name: cansacculturationstress

Column Type: varchar

Max Length: 50

Column Name: canscaregiverdevelopment

Column Type: varchar

Max Length: 50

Column Name: canscaregiverinvolvement

Column Type: varchar

Max Length: 50

Column Name: canscaregiverknowledge

Column Type: varchar

Max Length: 50

Column Name: canscaregivermentalhealth

Column Type: varchar

Max Length: 50

Column Name: canscaregiverorganization

Column Type: varchar

Max Length: 50

Column Name: canscaregiverphysical

Column Type: varchar

Max Length: 50

Column Name: canscaregiverposttrauma

Column Type: varchar

Max Length: 50

Column Name: canscaregiverresidential

Column Type: varchar

Max Length: 50

Column Name: canscaregiverresources

Column Type: varchar

Max Length: 50

Column Name: canscaregiversafety

Column Type: varchar

Max Length: 50

Column Name: canscaregiversubabuse

Column Type: varchar

Max Length: 50

Column Name: canscaregiversupervision

Column Type: varchar

Max Length: 50

Column Name: canscaregiverviolence

Column Type: varchar

Max Length: 50

Column Name: canschild5birthweight

Column Type: varchar

Max Length: 50

Column Name: canschild5caregiver

Column Type: varchar

Max Length: 50

Column Name: canschild5communication

Column Type: varchar

Max Length: 50

Column Name: canschild5curiosity

Column Type: varchar

Max Length: 50

Column Name: canschild5daycare

Column Type: varchar

Max Length: 50

Column Name: canschild5failuretothrive

Column Type: varchar

Max Length: 50

Column Name: canschild5feeding

Column Type: varchar

Max Length: 50

Column Name: canschild5labordelivery

Column Type: varchar

Max Length: 50

Column Name: canschild5motor

Column Type: varchar

Max Length: 50

Column Name: canschild5parentsibling

Column Type: varchar

Max Length: 50

Column Name: canschild5playfulness

Column Type: varchar

Max Length: 50

Column Name: canschild5prenatalcare

Column Type: varchar

Max Length: 50

Column Name: canschild5sensory

Column Type: varchar

Max Length: 50

Column Name: canschild5substanceexpose

Column Type: varchar

Max Length: 50

Column Name: canschild5temperament

Column Type: varchar

Max Length: 50

Column Name: canseducation

Column Type: varchar

Max Length: 50

Column Name: cansindependentliving

Column Type: varchar

Max Length: 50

Column Name: cansintimaterelationships

Column Type: varchar

Max Length: 50

Column Name: cansjobfunctioning

Column Type: varchar

Max Length: 50

Column Name: canslifedevelopmental

Column Type: varchar

Max Length: 50

Column Name: canslifefamily

Column Type: varchar

Max Length: 50

Column Name: canslifelegal

Column Type: varchar

Max Length: 50

Column Name: canslifelivingsituation

Column Type: varchar

Max Length: 50

Column Name: canslifemedical

Column Type: varchar

Max Length: 50

Column Name: canslifephysical

Column Type: varchar

Max Length: 50

Column Name: cansliferecreational

Column Type: varchar

Max Length: 50

Column Name: canslifeschoolachievement

Column Type: varchar

Max Length: 50

Column Name: canslifeschoolattendance

Column Type: varchar

Max Length: 50

Column Name: canslifeschoolbehavior

Column Type: varchar

Max Length: 50

Column Name: canslifeseualdevelopment

Column Type: varchar

Max Length: 50

Column Name: canslifesleep

Column Type: varchar

Max Length: 50

Column Name: canslifesocialfunctioning

Column Type: varchar

Max Length: 50

Column Name: canslifesuiciderisk

Column Type: varchar

Max Length: 50

Column Name: cansmedicationcompliance

Column Type: varchar

Max Length: 50

Column Name: cansneedsangercontrol

Column Type: varchar

Max Length: 50

Column Name: cansneedsanxiety

Column Type: varchar

Max Length: 50

Column Name: cansneedsattachment

Column Type: varchar

Max Length: 50

Column Name: cansneedsattention

Column Type: varchar

Max Length: 50

Column Name: cansneedsconduct

Column Type: varchar

Max Length: 50

Column Name: cansneedsdepression

Column Type: varchar

Max Length: 50

Column Name: cansneedseatdisturbance

Column Type: varchar

Max Length: 50

Column Name: cansneedsimpulsivity

Column Type: varchar

Max Length: 50

Column Name: cansneedsoppositional

Column Type: varchar

Max Length: 50

Column Name: cansneedspsychosis

Column Type: varchar

Max Length: 50

Column Name: cansneedsregression

Column Type: varchar

Max Length: 50

Column Name: cansneedssomatization

Column Type: varchar

Max Length: 50

Column Name: cansparentingroles

Column Type: varchar

Max Length: 50

Column Name: cansriskdangertothers

Column Type: varchar

Max Length: 50

Column Name: cansriskdelinquency

Column Type: varchar

Max Length: 50

Column Name: cansriskfiresetting

Column Type: varchar

Max Length: 50

Column Name: cansriskjudgment

Column Type: varchar

Max Length: 50

Column Name: cansriskmisbehavior

Column Type: varchar

Max Length: 50

Column Name: cansriskotherselfharm

Column Type: varchar

Max Length: 50

Column Name: cansriskrunaway

Column Type: varchar

Max Length: 50

Column Name: cansriskselfinjury

Column Type: varchar

Max Length: 50

Column Name: cansrisksexualaggression

Column Type: varchar

Max Length: 50

Column Name: cansrisksexuallyreactive

Column Type: varchar

Max Length: 50

Column Name: cansstrengthscommunity

Column Type: varchar

Max Length: 50

Column Name: cansstrengthscoping

Column Type: varchar

Max Length: 50

Column Name: cansstrengthseducation

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsfamily

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsinterperson

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsoptimism

Column Type: varchar

Max Length: 50

Column Name: cansstrengthspermanence

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsrelations

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsresilience

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsspiritual

Column Type: varchar

Max Length: 50

Column Name: cansstrengthstalents

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsvocational

Column Type: varchar

Max Length: 50

Column Name: canssubstanceduration

Column Type: varchar

Max Length: 50

Column Name: canssubstanceenvironment

Column Type: varchar

Max Length: 50

Column Name: canssubstanceinfluences

Column Type: varchar

Max Length: 50

Column Name: canssubstancepeer

Column Type: varchar

Max Length: 50

Column Name: canssubstance recovery

Column Type: varchar

Max Length: 50

Column Name: canssubstance severity

Column Type: varchar

Max Length: 50

Column Name: canssubstance stagerecover

Column Type: varchar

Max Length: 50

Column Name: canssubstance substanceuse

Column Type: varchar

Max Length: 1

Column Name: canstransportation

Column Type: varchar

Max Length: 50

Column Name: canstraumaadjustment

Column Type: varchar

Max Length: 50

Column Name: canstraumaavoidance

Column Type: varchar

Max Length: 50

Column Name: canstraumacommviolence

Column Type: varchar

Max Length: 50

Column Name: canstraumacriminalwitness

Column Type: varchar

Max Length: 50

Column Name: canstraumadisasters

Column Type: varchar

Max Length: 50

Column Name: canstraumadisruptionincare

Column Type: varchar

Max Length: 50

Column Name: canstraumadissociation

Column Type: varchar

Max Length: 50

Column Name: canstraumadysfunction

Column Type: varchar

Max Length: 50

Column Name: canstraumaemotionalabuse

Column Type: varchar

Max Length: 50

Column Name: canstraumafamilyviolence

Column Type: varchar

Max Length: 50

Column Name: canstraumahyperarousal

Column Type: varchar

Max Length: 50

Column Name: canstraumamedicaltrauma

Column Type: varchar

Max Length: 50

Column Name: canstraumaneglect

Column Type: varchar

Max Length: 50

Column Name: canstraumanumbing

Column Type: varchar

Max Length: 50

Column Name: canstraumaparentalcriminal

Column Type: varchar

Max Length: 50

Column Name: canstraumaphysicalabuse

Column Type: varchar

Max Length: 50

Column Name: canstraumareexperiencing

Column Type: varchar

Max Length: 50

Column Name: canstraumaschoolviolence

Column Type: varchar

Max Length: 50

Column Name: canstraumasexualabuse

Column Type: varchar

Max Length: 50

Column Name: canstraumaterrorism

Column Type: varchar

Max Length: 50

Column Name: canstraumatraumaticgrief

Column Type: varchar

Max Length: 50

Column Name: canstraumawaraaffected

Column Type: varchar

Max Length: 50

Column Name: cansvictimization

Column Type: varchar

Max Length: 50

Column Name: careforcomorbidconditions

Column Type: varchar

Max Length: 1

Column Name: childdisordered

Column Type: varchar

Max Length: 1

Column Name: childprotectiveservices

Column Type: varchar

Max Length: 1

Column Name: chronicallyhomeless

Column Type: varchar

Max Length: 1

Column Name: cidparentcode

Column Type: varchar

Max Length: 4

Column Name: comorbidconditions

Column Type: varchar

Max Length: 1

Column Name: competitivedateemployed

Column Type: date

Column Name: competitivehoursweek

Column Type: varchar

Max Length: 50

Column Name: consumeridcid
Column Type: varchar
Max Length: 15

Column Name: currentcompletegrade
Column Type: varchar
Max Length: 50

Column Name: currentlypregnant
Column Type: varchar
Max Length: 1

Column Name: datefirstcontactemployer
Column Type: date

Column Name: dateofdeath
Column Type: date

Column Name: dateofdeathunknown
Column Type: varchar
Max Length: 1

Column Name: dateoflastservice
Column Type: date

Column Name: datereleasedjailprison
Column Type: date

Column Name: daysabsentpast30days
Column Type: varchar
Max Length: 50

Column Name: dayshomelessinpast90
Column Type: varchar
Max Length: 50

Column Name: dependentchildrenunder19
Column Type: varchar

Max Length: 50

Column Name: descotherlevelofcare

Column Type: varchar

Max Length: 25

Column Name: diagnosticcode1

Column Type: varchar

Max Length: 8

Column Name: diagnosticcode2

Column Type: varchar

Max Length: 8

Column Name: diagnosticcode3

Column Type: varchar

Max Length: 8

Column Name: diagnosticcode4

Column Type: varchar

Max Length: 8

Column Name: diagnosticcode5

Column Type: varchar

Max Length: 8

Column Name: dischargeplaninplace

Column Type: varchar

Max Length: 1

Column Name: dischargereason

Column Type: varchar

Max Length: 50

Column Name: educationalproblems

Column Type: varchar

Max Length: 1

Column Name: financialproblems

Column Type: varchar

Max Length: 1

Column Name: guardianparentparticipate

Column Type: varchar

Max Length: 1

Column Name: healthinsurance

Column Type: varchar

Max Length: 1

Column Name: healthinsurancetypes

Column Type: varchar

Max Length: 50

Column Name: hourlywagecompetitive

Column Type: varchar

Max Length: 50

Column Name: housingstabilityindicator

Column Type: varchar

Max Length: 50

Column Name: incomefromanysources

Column Type: varchar

Max Length: 1

Column Name: individualcurrentweight

Column Type: varchar

Max Length: 50

Column Name: individualfirstname

Column Type: varchar

Max Length: 35

Column Name: individualheightft

Column Type: varchar

Max Length: 50

Column Name: individualheightin

Column Type: varchar

Max Length: 50

Column Name: individuallastname

Column Type: varchar

Max Length: 60

Column Name: iner3timespriordischarge

Column Type: varchar

Max Length: 1

Column Name: inpatientadmissions90days

Column Type: varchar

Max Length: 50

Column Name: inpatientdaysinpast90days

Column Type: varchar

Max Length: 50

Column Name: inpatienthospital3times

Column Type: varchar

Max Length: 1

Column Name: jailprison6months

Column Type: varchar

Max Length: 1

Column Name: justicesysteminpastyear

Column Type: varchar

Max Length: 1

Column Name: legalcustody

Column Type: varchar

Max Length: 50

Column Name: legalinvolvement

Column Type: varchar

Max Length: 50

Column Name: legalstatus

Column Type: varchar

Max Length: 50

Column Name: lengthoftimeinresidence

Column Type: varchar

Max Length: 50

Column Name: levelofcaredischargedto

Column Type: varchar

Max Length: 8

Column Name: livebirthduringtreatment

Column Type: varchar

Max Length: 1

Column Name: medicaldiagnosticcode1

Column Type: varchar

Max Length: 8

Column Name: medicaldiagnosticcode2

Column Type: varchar

Max Length: 8

Column Name: medicaldiagnosticcode3

Column Type: varchar

Max Length: 8

Column Name: medicalphysicianapptdate

Column Type: date

Column Name: medicalphysicianapptremind

Column Type: varchar

Max Length: 1

Column Name: medicalphysicianappttime

Column Type: varchar

Max Length: 50

Column Name: medicalphysicianareacode

Column Type: varchar

Max Length: 50

Column Name: medicalphysicianexchange
Column Type: varchar
Max Length: 50

Column Name: medicalphysicianext
Column Type: varchar
Max Length: 50

Column Name: medicalphysiciansuffix
Column Type: varchar
Max Length: 50

Column Name: medphysicianname
Column Type: varchar
Max Length: 100

Column Name: mentalillnessspmi
Column Type: varchar
Max Length: 1

Column Name: monthlyalimonysupport
Column Type: varchar
Max Length: 50

Column Name: monthlychildsupport
Column Type: varchar
Max Length: 50

Column Name: monthlydisability
Column Type: varchar
Max Length: 50

Column Name: monthlyearnedincome
Column Type: varchar
Max Length: 50

Column Name: monthlyotherdescription
Column Type: varchar
Max Length: 25

Column Name: monthlyothersource
Column Type: varchar
Max Length: 50

Column Name: monthypensionorretire
Column Type: varchar
Max Length: 50

Column Name: monthlytanf
Column Type: varchar
Max Length: 50

Column Name: monthlytrustfundpayments
Column Type: varchar
Max Length: 50

Column Name: monthlyunemployment
Column Type: varchar
Max Length: 50

Column Name: monthlyvaservdisability
Column Type: varchar
Max Length: 50

Column Name: narrativeentryformed
Column Type: varchar
Max Length: 250

Column Name: noncashbenefitdesc
Column Type: varchar
Max Length: 100

Column Name: noncashbenefits
Column Type: varchar
Max Length: 1

Column Name: noncompetitivedateemploy
Column Type: date

Column Name: noncompetitivehoursweek
Column Type: varchar
Max Length: 50

Column Name: numarrestspast30days
Column Type: varchar
Max Length: 50

Column Name: numberdaystjailpast90days
Column Type: varchar
Max Length: 50

Column Name: numberselfhelpgroups30days
Column Type: varchar
Max Length: 50

Column Name: numbertiesjailpast90days
Column Type: varchar
Max Length: 50

Column Name: numcompetitivejobsleft
Column Type: varchar
Max Length: 1

Column Name: numcompetitivejobsstarted
Column Type: varchar
Max Length: 1

Column Name: occupationalproblems
Column Type: varchar
Max Length: 1

Column Name: otherhealthinsurancedesc
Column Type: varchar
Max Length: 25

Column Name: othersupportdetail
Column Type: varchar
Max Length: 65

Column Name: pcpsnotified
Column Type: varchar
Max Length: 1

Column Name: personcontactforfollowup
Column Type: varchar
Max Length: 100

Column Name: phonefollowupareacode
Column Type: varchar
Max Length: 50

Column Name: phonefollowupexchange
Column Type: varchar
Max Length: 50

Column Name: phonefollowupext
Column Type: varchar
Max Length: 50

Column Name: phonefollowupsuffix
Column Type: varchar
Max Length: 50

Column Name: physicianappointmentdate
Column Type: date

Column Name: physicianappointmenttime
Column Type: varchar
Max Length: 50

Column Name: physicianapptreminder
Column Type: varchar
Max Length: 1

Column Name: physiciancity
Column Type: varchar
Max Length: 30

Column Name: physicianoutsidedbhdd
Column Type: varchar
Max Length: 1

Column Name: physicianphoneareacode
Column Type: varchar
Max Length: 50

Column Name: physicianphoneexchange
Column Type: varchar
Max Length: 50

Column Name: physicianphoneext
Column Type: varchar
Max Length: 50

Column Name: physicianphonesuffix
Column Type: varchar
Max Length: 50

Column Name: physicianstate
Column Type: varchar
Max Length: 2

Column Name: physicianstreetaddress
Column Type: varchar
Max Length: 55

Column Name: physicianstreetaddress2
Column Type: varchar
Max Length: 55

Column Name: physicianzip
Column Type: varchar
Max Length: 50

Column Name: prescribephysician
Column Type: varchar
Max Length: 50

Column Name: prescribephysiciannname
Column Type: varchar
Max Length: 150

Column Name: primaryagefirstuse
Column Type: varchar
Max Length: 50

Column Name: primaryfrequencyuse
Column Type: varchar
Max Length: 50

Column Name: primaryroutadmin
Column Type: varchar
Max Length: 50

Column Name: primarysubstance
Column Type: varchar
Max Length: 50

Column Name: problemsaccesshealthcare
Column Type: varchar
Max Length: 1

Column Name: problemslegalsystemcrime
Column Type: varchar
Max Length: 1

Column Name: problemsprimarysupportgrp
Column Type: varchar
Max Length: 1

Column Name: problemssocialenvironment
Column Type: varchar
Max Length: 1

Column Name: provider
Column Type: varchar
Max Length: 150

Column Name: provideralternateid
Column Type: varchar
Max Length: 15

Column Name: providerappointmentdate
Column Type: date

Column Name: providerappointmenttime
Column Type: varchar
Max Length: 50

Column Name: providercity
Column Type: varchar
Max Length: 30

Column Name: providerid
Column Type: varchar
Max Length: 15

Column Name: provider_internal_tag_id
Column Type: varchar
Max Length: 50
Provider Tag Id.

Column Name: providername
Column Type: varchar
Max Length: 60

Column Name: provideroutsidedbhdd
Column Type: varchar
Max Length: 1

Column Name: providerphoneareacode
Column Type: varchar
Max Length: 50

Column Name: providerphoneexchange
Column Type: varchar
Max Length: 50

Column Name: providerphoneextension

Column Type: varchar
Max Length: 50

Column Name: providerphonesuffix
Column Type: varchar
Max Length: 50

Column Name: providerstate
Column Type: varchar
Max Length: 2

Column Name: providerstreetaddress
Column Type: varchar
Max Length: 55

Column Name: providerstreetaddress2
Column Type: varchar
Max Length: 55

Column Name: providertagid
Column Type: varchar
Max Length: 15

Column Name: providerzip
Column Type: varchar
Max Length: 50

Column Name: psychosocialenvironmental
Column Type: varchar
Max Length: 1

Column Name: reasonformedicalphysician
Column Type: varchar
Max Length: 50

Column Name: relationshipoffollowup
Column Type: varchar
Max Length: 50

Column Name: secondaryagefirstuse

Column Type: varchar
Max Length: 50

Column Name: secondaryassessmeasureother
Column Type: varchar
Max Length: 25

Column Name: secondaryassessmentmeasure
Column Type: varchar
Max Length: 50

Column Name: secondaryassessmentscore
Column Type: varchar
Max Length: 6

Column Name: secondaryfrequencyuse
Column Type: varchar
Max Length: 50

Column Name: secondaryrouteadmin
Column Type: varchar
Max Length: 50

Column Name: secondarysubstance
Column Type: varchar
Max Length: 50

Column Name: selfhelpgroupspast30days
Column Type: varchar
Max Length: 1

Column Name: socialelementsdiagnosis
Column Type: varchar
Max Length: 1

Column Name: sourcenoncashbenefits
Column Type: varchar
Max Length: 50

Column Name: statusofauthorization

Column Type: varchar
Max Length: 1

Column Name: statusvocationalrehab
Column Type: varchar
Max Length: 1

Column Name: statusvocationalrehabprev
Column Type: varchar
Max Length: 1

Column Name: tertiaryagefirstuse
Column Type: varchar
Max Length: 50

Column Name: tertiaryfrequencyuse
Column Type: varchar
Max Length: 50

Column Name: tertiaryrouteadmin
Column Type: varchar
Max Length: 50

Column Name: tertiarysubstance
Column Type: varchar
Max Length: 50

Column Name: txinvolvedadverseincident
Column Type: varchar
Max Length: 1

Column Name: txinvolvedfamily
Column Type: varchar
Max Length: 1

Column Name: txinvolvedlegalsystem
Column Type: varchar
Max Length: 1

Column Name: txinvolvednone

Column Type: varchar
Max Length: 1

Column Name: txinvolvedopprovider
Column Type: varchar
Max Length: 1

Column Name: txinvolvedothersupport
Column Type: varchar
Max Length: 1

Column Name: typenoncompetitiveemploy
Column Type: varchar
Max Length: 2

Column Name: typeofdischarge
Column Type: varchar
Max Length: 1

Column Name: typeofsubstancesused
Column Type: varchar
Max Length: 50

Column Name: unemployedavailablework
Column Type: varchar
Max Length: 1

Column Name: unemployednotavailable
Column Type: varchar
Max Length: 50

Column Name: unknown
Column Type: varchar
Max Length: 1

Column Name: vendorid
Column Type: varchar
Max Length: 15

Column Name: waistcircumference

Column Type: varchar
Max Length: 50

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_discharge_accepted

Table Description: This table stores a single discharge accepted record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: actualdischargedate
Column Type: date

Column Name: actualdischargeresidence
Column Type: varchar
Max Length: 50

Column Name: adultprotectiveservices
Column Type: varchar
Max Length: 1

Column Name: ansaacculturationcultural
Column Type: varchar
Max Length: 50

Column Name: ansaacculturationlanguage
Column Type: varchar
Max Length: 50

Column Name: ansaacculturationritual
Column Type: varchar
Max Length: 50

Column Name: ansaacculturationstress
Column Type: varchar
Max Length: 50

Column Name: ansacareeraspirations
Column Type: varchar
Max Length: 1

Column Name: ansacareerjobattendance
Column Type: varchar
Max Length: 1

Column Name: ansacareerjobperformance
Column Type: varchar
Max Length: 50

Column Name: ansacareerjobrelations
Column Type: varchar
Max Length: 50

Column Name: ansacareerjobskills
Column Type: varchar
Max Length: 50

Column Name: ansacareerjobtime
Column Type: varchar
Max Length: 50

Column Name: ansacaregiverfamilystress
Column Type: varchar
Max Length: 50

Column Name: ansacaregiverhealth
Column Type: varchar
Max Length: 50

Column Name: ansacaregiverinvolvement
Column Type: varchar
Max Length: 50

Column Name: ansacaregiverknowledge
Column Type: varchar
Max Length: 50

Column Name: ansacaregivernotappl
Column Type: varchar
Max Length: 1

Column Name: ansacaregiversafety
Column Type: varchar
Max Length: 50

Column Name: ansacaregiversocial
Column Type: varchar
Max Length: 50

Column Name: ansacrimearrests
Column Type: varchar
Max Length: 50

Column Name: ansacrimecommunitysafety
Column Type: varchar
Max Length: 50

Column Name: ansacrimeenvironmental
Column Type: varchar
Max Length: 50

Column Name: ansacrimehistory
Column Type: varchar
Max Length: 50

Column Name: ansacrimelegalcompliance
Column Type: varchar
Max Length: 50

Column Name: ansacrimepeerinfluences
Column Type: varchar
Max Length: 50

Column Name: ansacrimeplanning
Column Type: varchar
Max Length: 50

Column Name: ansacrimeseriousness
Column Type: varchar
Max Length: 50

Column Name: ansadangerawarepotential
Column Type: varchar
Max Length: 50

Column Name: ansadangerfrustrationmgmt
Column Type: varchar
Max Length: 50

Column Name: ansadangerhostility
Column Type: varchar
Max Length: 50

Column Name: ansadangerintent
Column Type: varchar
Max Length: 50

Column Name: ansadangerparanoidthink
Column Type: varchar
Max Length: 50

Column Name: ansadangerplanning
Column Type: varchar
Max Length: 50

Column Name: ansadangerresponseconseq
Column Type: varchar
Max Length: 50

Column Name: ansadangersecondarygains
Column Type: varchar
Max Length: 50

Column Name: ansadangerselfcontrol
Column Type: varchar
Max Length: 50

Column Name: ansadangertreatment
Column Type: varchar
Max Length: 50

Column Name: ansadangerviolencehistory
Column Type: varchar
Max Length: 50

Column Name: ansadangerviolentthinking
Column Type: varchar
Max Length: 50

Column Name: ansaddneedscoognitive
Column Type: varchar
Max Length: 50

Column Name: ansaddneedscommunication
Column Type: varchar
Max Length: 50

Column Name: ansaddneedsdevelopmental
Column Type: varchar
Max Length: 50

Column Name: ansalifedecisionmaking
Column Type: varchar
Max Length: 50

Column Name: ansalifeemployment
Column Type: varchar
Max Length: 1

Column Name: ansalifefamilyfunctioning
Column Type: varchar
Max Length: 50

Column Name: ansalifeindependentliving
Column Type: varchar
Max Length: 50

Column Name: ansalifeintellectdevelop
Column Type: varchar
Max Length: 50

Column Name: ansalifeinvolveinrecovery
Column Type: varchar
Max Length: 50

Column Name: ansalifelegal
Column Type: varchar
Max Length: 50

Column Name: ansalifemedicationadhere
Column Type: varchar
Max Length: 50

Column Name: ansalifeparentalcaregiver
Column Type: varchar
Max Length: 50

Column Name: ansalifephysicalmedical
Column Type: varchar
Max Length: 50

Column Name: ansaliferecreational
Column Type: varchar
Max Length: 50

Column Name: ansaliferesidential
Column Type: varchar
Max Length: 50

Column Name: ansalifeselfcare
Column Type: varchar
Max Length: 50

Column Name: ansalifese sexuality
Column Type: varchar
Max Length: 50

Column Name: ansalifesleep
Column Type: varchar
Max Length: 50

Column Name: ansalifesocialfunctioning
Column Type: varchar
Max Length: 50

Column Name: ansalifetransportation
Column Type: varchar
Max Length: 50

Column Name: ansaneedsadjusttotrauma
Column Type: varchar
Max Length: 50

Column Name: ansaneedsangercontrol
Column Type: varchar
Max Length: 50

Column Name: ansaneedsantisocial
Column Type: varchar
Max Length: 50

Column Name: ansaneedsanxiety
Column Type: varchar
Max Length: 50

Column Name: ansaneedsdepression
Column Type: varchar
Max Length: 50

Column Name: ansaneedseatdisturbance
Column Type: varchar
Max Length: 50

Column Name: ansaneedsimpulsecontrol
Column Type: varchar
Max Length: 50

Column Name: ansaneedsinterpersonal
Column Type: varchar
Max Length: 50

Column Name: ansaneedspsychosis
Column Type: varchar
Max Length: 50

Column Name: ansaparentinvolvementcare
Column Type: varchar
Max Length: 50

Column Name: ansaparentknowledgeneeds
Column Type: varchar
Max Length: 50

Column Name: ansaparentorganization
Column Type: varchar
Max Length: 50

Column Name: ansaparentsupervision
Column Type: varchar
Max Length: 50

Column Name: ansaparentviolencehome
Column Type: varchar
Max Length: 50

Column Name: ansariskcriminalbehavior
Column Type: varchar
Max Length: 50

Column Name: ansariskdangertothers
Column Type: varchar
Max Length: 50

Column Name: ansariskexploitation
Column Type: varchar
Max Length: 50

Column Name: ansariskgambling
Column Type: varchar
Max Length: 50

Column Name: ansariskotherselfharm
Column Type: varchar
Max Length: 50

Column Name: ansariskselfinjurious
Column Type: varchar
Max Length: 50

Column Name: ansarisksexualaggression
Column Type: varchar
Max Length: 50

Column Name: ansarisksuiciderisk
Column Type: varchar
Max Length: 50

Column Name: ansasabagedifferential
Column Type: varchar
Max Length: 50

Column Name: ansasabphysforcethreat
Column Type: varchar
Max Length: 50

Column Name: ansasabplanning
Column Type: varchar
Max Length: 50

Column Name: ansasabrelationship
Column Type: varchar
Max Length: 50

Column Name: ansasabresponseaccusation
Column Type: varchar
Max Length: 50

Column Name: ansasabtypeofsexact
Column Type: varchar
Max Length: 50

Column Name: ansastrengthscommunity
Column Type: varchar
Max Length: 50

Column Name: ansastrengthseducational
Column Type: varchar
Max Length: 1

Column Name: ansastrengthsfamily
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsjobhistory
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsnaturalsupp
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsoptimism
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsresiliency
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsresourceful
Column Type: varchar
Max Length: 50

Column Name: ansastrengthssocial
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsspiritual
Column Type: varchar
Max Length: 50

Column Name: ansastrengthstalents
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsvolunteering
Column Type: varchar
Max Length: 50

Column Name: ansasubstancedurationuse
Column Type: varchar
Max Length: 50

Column Name: ansasubstanceenvironment
Column Type: varchar
Max Length: 50

Column Name: ansasubstanceinfluences
Column Type: varchar
Max Length: 50

Column Name: ansasubstancepeer
Column Type: varchar
Max Length: 50

Column Name: ansasubstancerecovery
Column Type: varchar
Max Length: 50

Column Name: ansasubstanceseverityuse
Column Type: varchar
Max Length: 50

Column Name: ansasubstancetagerrecover
Column Type: varchar
Max Length: 50

Column Name: ansasubstancesubstanceuse
Column Type: varchar
Max Length: 50

Column Name: ansasuicide
Column Type: varchar
Max Length: 50

Column Name: ansasuicidehistory
Column Type: varchar
Max Length: 50

Column Name: ansasuicideintent
Column Type: varchar
Max Length: 50

Column Name: ansasuicideplanning
Column Type: varchar
Max Length: 50

Column Name: ansatraumaffectreg
Column Type: varchar
Max Length: 50

Column Name: ansatraumaattachment
Column Type: varchar
Max Length: 50

Column Name: ansatraumacommviolence
Column Type: varchar
Max Length: 50

Column Name: ansatraumadisaster
Column Type: varchar
Max Length: 50

Column Name: ansatraumadissociation
Column Type: varchar
Max Length: 50

Column Name: ansatraumaemotionalabuse
Column Type: varchar
Max Length: 50

Column Name: ansatraumafamilyviolence
Column Type: varchar
Max Length: 50

Column Name: ansatraumaintrusions
Column Type: varchar
Max Length: 50

Column Name: ansatraumamedicaltrauma
Column Type: varchar
Max Length: 50

Column Name: ansatraumaphysicalabuse
Column Type: varchar
Max Length: 50

Column Name: ansatraumasexualabuse
Column Type: varchar
Max Length: 50

Column Name: appointmentreminder
Column Type: varchar
Max Length: 1

Column Name: assessmentmeasure
Column Type: varchar
Max Length: 50

Column Name: assessmentmeasureother
Column Type: varchar
Max Length: 25

Column Name: assessmentscore
Column Type: varchar
Max Length: 6

Column Name: attendschoolpast90days
Column Type: varchar
Max Length: 1

Column Name: authorizationnumber
Column Type: varchar
Max Length: 25

Column Name: authorizeduser
Column Type: varchar
Max Length: 10

Column Name: babysstatusatbirth
Column Type: varchar
Max Length: 50

Column Name: behavioralhealthprovider
Column Type: varchar
Max Length: 50

Column Name: cansacculturationidentity
Column Type: varchar
Max Length: 50

Column Name: cansacculturationlanguage
Column Type: varchar
Max Length: 50

Column Name: cansacculturationritual
Column Type: varchar
Max Length: 50

Column Name: cansacculturationstress
Column Type: varchar
Max Length: 50

Column Name: canscaregiverdevelopment
Column Type: varchar
Max Length: 50

Column Name: canscaregiverinvolvement
Column Type: varchar
Max Length: 50

Column Name: canscaregiverknowledge
Column Type: varchar
Max Length: 50

Column Name: canscaregivermentalhealth
Column Type: varchar
Max Length: 50

Column Name: canscaregiverorganization
Column Type: varchar
Max Length: 50

Column Name: canscaregiverphysical
Column Type: varchar
Max Length: 50

Column Name: canscaregiverposttrauma
Column Type: varchar
Max Length: 50

Column Name: canscaregiverresidential
Column Type: varchar
Max Length: 50

Column Name: canscaregiverresources
Column Type: varchar
Max Length: 50

Column Name: canscaregiversafety
Column Type: varchar
Max Length: 50

Column Name: canscaregiversubabuse
Column Type: varchar
Max Length: 50

Column Name: canscaregiversupervision
Column Type: varchar
Max Length: 50

Column Name: canscaregiverviolence
Column Type: varchar
Max Length: 50

Column Name: canschild5birthweight
Column Type: varchar
Max Length: 50

Column Name: canschild5caregiver
Column Type: varchar
Max Length: 50

Column Name: canschild5communication
Column Type: varchar
Max Length: 50

Column Name: canschild5curiosity
Column Type: varchar
Max Length: 50

Column Name: canschild5daycare
Column Type: varchar
Max Length: 50

Column Name: canschild5failuretothrive
Column Type: varchar
Max Length: 50

Column Name: canschild5feeding
Column Type: varchar
Max Length: 50

Column Name: canschild5labordelivery
Column Type: varchar
Max Length: 50

Column Name: canschild5motor
Column Type: varchar
Max Length: 50

Column Name: canschild5parentsibling
Column Type: varchar
Max Length: 50

Column Name: canschild5playfulness
Column Type: varchar
Max Length: 50

Column Name: canschild5prenatalcare
Column Type: varchar
Max Length: 50

Column Name: canschild5sensory
Column Type: varchar
Max Length: 50

Column Name: canschild5substanceexpose
Column Type: varchar
Max Length: 50

Column Name: canschild5temperament
Column Type: varchar
Max Length: 50

Column Name: canseducation
Column Type: varchar
Max Length: 50

Column Name: cansindependentliving
Column Type: varchar
Max Length: 50

Column Name: cansintimaterelationships
Column Type: varchar
Max Length: 50

Column Name: cansjobfunctioning
Column Type: varchar
Max Length: 50

Column Name: canslifedevelopmental
Column Type: varchar
Max Length: 50

Column Name: canslifefamily
Column Type: varchar
Max Length: 50

Column Name: canslifelegal
Column Type: varchar
Max Length: 50

Column Name: canslifelivingsituation
Column Type: varchar
Max Length: 50

Column Name: canslifemedical
Column Type: varchar
Max Length: 50

Column Name: canslifephysical
Column Type: varchar
Max Length: 50

Column Name: cansliferecreational
Column Type: varchar
Max Length: 50

Column Name: canslifeschoolachievement
Column Type: varchar
Max Length: 50

Column Name: canslifeschoolattendance
Column Type: varchar
Max Length: 50

Column Name: canslifeschoolbehavior
Column Type: varchar
Max Length: 50

Column Name: canslifexualdevelopment
Column Type: varchar
Max Length: 50

Column Name: canslifesleep
Column Type: varchar
Max Length: 50

Column Name: canslifesocialfunctioning
Column Type: varchar
Max Length: 50

Column Name: canslifesuiciderisk
Column Type: varchar
Max Length: 50

Column Name: cansmedicationcompliance
Column Type: varchar
Max Length: 50

Column Name: cansneedsangercontrol
Column Type: varchar
Max Length: 50

Column Name: cansneedsanxiety
Column Type: varchar
Max Length: 50

Column Name: cansneedsattachment
Column Type: varchar
Max Length: 50

Column Name: cansneedsattention
Column Type: varchar
Max Length: 50

Column Name: cansneedsconduct
Column Type: varchar
Max Length: 50

Column Name: cansneedsdepression
Column Type: varchar
Max Length: 50

Column Name: cansneedseatdisturbance
Column Type: varchar
Max Length: 50

Column Name: cansneedsimpulsivity
Column Type: varchar
Max Length: 50

Column Name: cansneedsoppositional
Column Type: varchar
Max Length: 50

Column Name: cansneedspsychosis
Column Type: varchar
Max Length: 50

Column Name: cansneedsregression
Column Type: varchar
Max Length: 50

Column Name: cansneedssomatization
Column Type: varchar
Max Length: 50

Column Name: cansparentingroles
Column Type: varchar
Max Length: 50

Column Name: cansriskdangertothers
Column Type: varchar
Max Length: 50

Column Name: cansriskdelinquency
Column Type: varchar
Max Length: 50

Column Name: cansriskfiresetting
Column Type: varchar
Max Length: 50

Column Name: cansriskjudgment
Column Type: varchar
Max Length: 50

Column Name: cansriskmisbehavior
Column Type: varchar
Max Length: 50

Column Name: cansriskotherselfharm
Column Type: varchar
Max Length: 50

Column Name: cansriskrunaway
Column Type: varchar
Max Length: 50

Column Name: cansriskselfinjury
Column Type: varchar
Max Length: 50

Column Name: cansrisksexualaggression
Column Type: varchar
Max Length: 50

Column Name: cansrisksexuallyreactive
Column Type: varchar
Max Length: 50

Column Name: cansstrengthscommunity
Column Type: varchar
Max Length: 50

Column Name: cansstrengthscoping
Column Type: varchar
Max Length: 50

Column Name: cansstrengthseducation
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsfamily
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsinterperson
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsoptimism
Column Type: varchar
Max Length: 50

Column Name: cansstrengthspermanence
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsrelations
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsresilience
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsspiritual
Column Type: varchar
Max Length: 50

Column Name: cansstrengthstalents
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsvocational
Column Type: varchar
Max Length: 50

Column Name: canssubstanceduration
Column Type: varchar
Max Length: 50

Column Name: canssubstanceenvironment
Column Type: varchar
Max Length: 50

Column Name: canssubstanceinfluences
Column Type: varchar
Max Length: 50

Column Name: canssubstancepeer
Column Type: varchar
Max Length: 50

Column Name: canssubstancerecovery
Column Type: varchar
Max Length: 50

Column Name: cansubstanceseverity
Column Type: varchar
Max Length: 50

Column Name: cansubstancestagerecover
Column Type: varchar
Max Length: 50

Column Name: cansubstancesubstanceuse
Column Type: varchar
Max Length: 1

Column Name: cantransportation
Column Type: varchar
Max Length: 50

Column Name: cantraumaadjustment
Column Type: varchar
Max Length: 50

Column Name: cantraumaavoidance
Column Type: varchar
Max Length: 50

Column Name: cantraumacommviolence
Column Type: varchar
Max Length: 50

Column Name: cantraumacriminalwitness
Column Type: varchar
Max Length: 50

Column Name: cantraumadisasters
Column Type: varchar
Max Length: 50

Column Name: cantraumadisruptionincare
Column Type: varchar
Max Length: 50

Column Name: canstraumadissociation
Column Type: varchar
Max Length: 50

Column Name: canstraumadysfunction
Column Type: varchar
Max Length: 50

Column Name: canstraumaemotionalabuse
Column Type: varchar
Max Length: 50

Column Name: canstraumafamilyviolence
Column Type: varchar
Max Length: 50

Column Name: canstraumahyperarousal
Column Type: varchar
Max Length: 50

Column Name: canstraumamedicaltrauma
Column Type: varchar
Max Length: 50

Column Name: canstraumaneglect
Column Type: varchar
Max Length: 50

Column Name: canstraumanumbing
Column Type: varchar
Max Length: 50

Column Name: canstraumaparentalcriminal
Column Type: varchar
Max Length: 50

Column Name: canstraumaphysicalabuse
Column Type: varchar
Max Length: 50

Column Name: canstraumareexperiencing
Column Type: varchar
Max Length: 50

Column Name: canstraumaschoolviolence
Column Type: varchar
Max Length: 50

Column Name: canstraumasexualabuse
Column Type: varchar
Max Length: 50

Column Name: canstraumaterrorism
Column Type: varchar
Max Length: 50

Column Name: canstraumatraumaticgrief
Column Type: varchar
Max Length: 50

Column Name: canstraumawaraffected
Column Type: varchar
Max Length: 50

Column Name: cansvictimization
Column Type: varchar
Max Length: 50

Column Name: careforcomorbidconditions
Column Type: varchar
Max Length: 1

Column Name: childdisordered
Column Type: varchar
Max Length: 1

Column Name: childprotectiveservices
Column Type: varchar
Max Length: 1

Column Name: chronicallyhomeless
Column Type: varchar
Max Length: 1

Column Name: cidparentcode
Column Type: varchar
Max Length: 4

Column Name: comorbidconditions
Column Type: varchar
Max Length: 1

Column Name: competitivedateemployed
Column Type: date

Column Name: competitivehoursweek
Column Type: varchar
Max Length: 50

Column Name: consumeridcid
Column Type: varchar
Max Length: 15

Column Name: currentcompletegrade
Column Type: varchar
Max Length: 50

Column Name: currentlypregnant
Column Type: varchar
Max Length: 1

Column Name: datefirstcontactemployer
Column Type: date

Column Name: dateofdeath
Column Type: date

Column Name: dateofdeathunknown
Column Type: varchar
Max Length: 1

Column Name: dateoflastservice
Column Type: date

Column Name: datereleasedjailprison
Column Type: date

Column Name: daysabsentpast30days
Column Type: varchar
Max Length: 50

Column Name: dayshomelessinpast90
Column Type: varchar
Max Length: 50

Column Name: dependentchildrenunder19
Column Type: varchar
Max Length: 50

Column Name: descottherlevelofcare
Column Type: varchar
Max Length: 25

Column Name: diagnosticcode1
Column Type: varchar
Max Length: 8

Column Name: diagnosticcode2
Column Type: varchar
Max Length: 8

Column Name: diagnosticcode3
Column Type: varchar
Max Length: 8

Column Name: diagnosticcode4
Column Type: varchar
Max Length: 8

Column Name: diagnosticcode5
Column Type: varchar
Max Length: 8

Column Name: discharge_auth_number
Column Type: varchar
Max Length: 25
Authorization Number

Column Name: discharge_date
Column Type: date
Discharge Date

Column Name: discharge_number
Column Type: varchar
Max Length: 25
Discharge Number

Column Name: dischargeplaninplace
Column Type: varchar
Max Length: 1

Column Name: dischargereason
Column Type: varchar
Max Length: 50

Column Name: educationalproblems
Column Type: varchar
Max Length: 1

Column Name: financialproblems
Column Type: varchar
Max Length: 1

Column Name: guardianparentparticipate
Column Type: varchar
Max Length: 1

Column Name: healthinsurance
Column Type: varchar
Max Length: 1

Column Name: healthinsurancetypes

Column Type: varchar
Max Length: 50

Column Name: hourlywagecompetitive
Column Type: varchar
Max Length: 50

Column Name: housingstabilityindicator
Column Type: varchar
Max Length: 50

Column Name: incomefromanysources
Column Type: varchar
Max Length: 1

Column Name: individualcurrentweight
Column Type: varchar
Max Length: 50

Column Name: individualfirstname
Column Type: varchar
Max Length: 35

Column Name: individualheightft
Column Type: varchar
Max Length: 50

Column Name: individualheightin
Column Type: varchar
Max Length: 50

Column Name: individuallastname
Column Type: varchar
Max Length: 60

Column Name: iner3timespriordischarge
Column Type: varchar
Max Length: 1

Column Name: inpatientadmissions90days

Column Type: varchar
Max Length: 50

Column Name: inpatientdaysinpast90days
Column Type: varchar
Max Length: 50

Column Name: inpatienthospital3times
Column Type: varchar
Max Length: 1

Column Name: jailprison6months
Column Type: varchar
Max Length: 1

Column Name: justicesysteminpastyear
Column Type: varchar
Max Length: 1

Column Name: legalcustody
Column Type: varchar
Max Length: 50

Column Name: legalinvolvement
Column Type: varchar
Max Length: 50

Column Name: legalstatus
Column Type: varchar
Max Length: 50

Column Name: lengthoftimeinresidence
Column Type: varchar
Max Length: 50

Column Name: levelofcaredischargedto
Column Type: varchar
Max Length: 8

Column Name: livebirthduringtreatment

Column Type: varchar
Max Length: 1

Column Name: medicaldiagnosticcode1
Column Type: varchar
Max Length: 8

Column Name: medicaldiagnosticcode2
Column Type: varchar
Max Length: 8

Column Name: medicaldiagnosticcode3
Column Type: varchar
Max Length: 8

Column Name: medicalphysicianapptdate
Column Type: date

Column Name: medicalphysicianapptremind
Column Type: varchar
Max Length: 1

Column Name: medicalphysicianappttime
Column Type: varchar
Max Length: 50

Column Name: medicalphysicianareacode
Column Type: varchar
Max Length: 50

Column Name: medicalphysicianexchange
Column Type: varchar
Max Length: 50

Column Name: medicalphysicianext
Column Type: varchar
Max Length: 50

Column Name: medicalphysiciansuffix
Column Type: varchar

Max Length: 50

Column Name: medphysicianname

Column Type: varchar

Max Length: 100

Column Name: mentalillnessspmi

Column Type: varchar

Max Length: 1

Column Name: monthlyalimonysupport

Column Type: varchar

Max Length: 50

Column Name: monthlychildsupport

Column Type: varchar

Max Length: 50

Column Name: monthlydisability

Column Type: varchar

Max Length: 50

Column Name: monthlyearnedincome

Column Type: varchar

Max Length: 50

Column Name: monthlyotherdescription

Column Type: varchar

Max Length: 25

Column Name: monthlyothersource

Column Type: varchar

Max Length: 50

Column Name: monthlypensionorretire

Column Type: varchar

Max Length: 50

Column Name: monthlytanf

Column Type: varchar

Max Length: 50

Column Name: monthlytrustfundpayments

Column Type: varchar

Max Length: 50

Column Name: monthlyunemployment

Column Type: varchar

Max Length: 50

Column Name: monthlyvaservdisability

Column Type: varchar

Max Length: 50

Column Name: narrativeentryformed

Column Type: varchar

Max Length: 250

Column Name: noncashbenefitdesc

Column Type: varchar

Max Length: 100

Column Name: noncashbenefits

Column Type: varchar

Max Length: 1

Column Name: noncompetitivedateemploy

Column Type: date

Column Name: noncompetitivehoursweek

Column Type: varchar

Max Length: 50

Column Name: numarrestspast30days

Column Type: varchar

Max Length: 50

Column Name: numberdaystjailpast90days

Column Type: varchar

Max Length: 50

Column Name: numberselfhelpgroups30days
Column Type: varchar
Max Length: 50

Column Name: numbertiesjailpast90days
Column Type: varchar
Max Length: 50

Column Name: numcompetitivejobsleft
Column Type: varchar
Max Length: 1

Column Name: numcompetitivejobsstarted
Column Type: varchar
Max Length: 1

Column Name: occupationalproblems
Column Type: varchar
Max Length: 1

Column Name: otherhealthinsurancedesc
Column Type: varchar
Max Length: 25

Column Name: othersupportdetail
Column Type: varchar
Max Length: 65

Column Name: pcpsnotified
Column Type: varchar
Max Length: 1

Column Name: personcontactforfollowup
Column Type: varchar
Max Length: 100

Column Name: phonefollowupareacode
Column Type: varchar
Max Length: 50

Column Name: phonefollowupexchange
Column Type: varchar
Max Length: 50

Column Name: phonefollowupext
Column Type: varchar
Max Length: 50

Column Name: phonefollowupsuffix
Column Type: varchar
Max Length: 50

Column Name: physicianappointmentdate
Column Type: date

Column Name: physicianappointmenttime
Column Type: varchar
Max Length: 50

Column Name: physicianapptreminder
Column Type: varchar
Max Length: 1

Column Name: physiciancity
Column Type: varchar
Max Length: 30

Column Name: physicianoutsidedbhdd
Column Type: varchar
Max Length: 1

Column Name: physicianphoneareacode
Column Type: varchar
Max Length: 50

Column Name: physicianphoneexchange
Column Type: varchar
Max Length: 50

Column Name: physicianphoneext
Column Type: varchar
Max Length: 50

Column Name: physicianphonesuffix
Column Type: varchar
Max Length: 50

Column Name: physicianstate
Column Type: varchar
Max Length: 2

Column Name: physicianstreetaddress
Column Type: varchar
Max Length: 55

Column Name: physicianstreetaddress2
Column Type: varchar
Max Length: 55

Column Name: physicianzip
Column Type: varchar
Max Length: 50

Column Name: prescribephysician
Column Type: varchar
Max Length: 50

Column Name: prescribephysiciannname
Column Type: varchar
Max Length: 150

Column Name: primaryagefirstuse
Column Type: varchar
Max Length: 50

Column Name: primaryfrequencyuse
Column Type: varchar
Max Length: 50

Column Name: primaryroutadmin
Column Type: varchar
Max Length: 50

Column Name: primarysubstance
Column Type: varchar
Max Length: 50

Column Name: problemsaccesshealthcare
Column Type: varchar
Max Length: 1

Column Name: problemslegalsystemcrime
Column Type: varchar
Max Length: 1

Column Name: problemsprimarysupportgrp
Column Type: varchar
Max Length: 1

Column Name: problemssocialenvironment
Column Type: varchar
Max Length: 1

Column Name: provider
Column Type: varchar
Max Length: 150

Column Name: provideralternateid
Column Type: varchar
Max Length: 15

Column Name: providerappointmentdate
Column Type: date

Column Name: providerappointmenttime
Column Type: varchar
Max Length: 50

Column Name: providercity
Column Type: varchar
Max Length: 30

Column Name: providerid
Column Type: varchar
Max Length: 15

Column Name: provider_internal_tag_id
Column Type: varchar
Max Length: 50
Provider Tag Id.

Column Name: providername
Column Type: varchar
Max Length: 60

Column Name: provideroutsidedbhdd
Column Type: varchar
Max Length: 1

Column Name: providerphoneareacode
Column Type: varchar
Max Length: 50

Column Name: providerphoneexchange
Column Type: varchar
Max Length: 50

Column Name: providerphoneextension
Column Type: varchar
Max Length: 50

Column Name: providerphonesuffix
Column Type: varchar
Max Length: 50

Column Name: providerstate
Column Type: varchar
Max Length: 2

Column Name: providerstreetaddress
Column Type: varchar
Max Length: 55

Column Name: providerstreetaddress2
Column Type: varchar
Max Length: 55

Column Name: providertagid
Column Type: varchar
Max Length: 15

Column Name: providerzip
Column Type: varchar
Max Length: 50

Column Name: psychosocialenvironmental
Column Type: varchar
Max Length: 1

Column Name: reasonformedicalphysician
Column Type: varchar
Max Length: 50

Column Name: relationshipoffollowup
Column Type: varchar
Max Length: 50

Column Name: secondaryagefirstuse
Column Type: varchar
Max Length: 50

Column Name: secondaryassessmeasureother
Column Type: varchar
Max Length: 25

Column Name: secondaryassessmentmeasure
Column Type: varchar
Max Length: 50

Column Name: secondaryassessmentscore
Column Type: varchar
Max Length: 6

Column Name: secondaryfrequencyuse
Column Type: varchar
Max Length: 50

Column Name: secondaryrouteadmin
Column Type: varchar
Max Length: 50

Column Name: secondarysubstance
Column Type: varchar
Max Length: 50

Column Name: selfhelpgroupspast30days
Column Type: varchar
Max Length: 1

Column Name: socialelementsdiagnosis
Column Type: varchar
Max Length: 1

Column Name: sourcenoncashbenefits
Column Type: varchar
Max Length: 50

Column Name: statusofauthorization
Column Type: varchar
Max Length: 1

Column Name: statusvocationalrehab
Column Type: varchar
Max Length: 1

Column Name: statusvocationalrehabprev
Column Type: varchar
Max Length: 1

Column Name: tertiaryagefirstuse
Column Type: varchar
Max Length: 50

Column Name: tertiaryfrequencyuse
Column Type: varchar
Max Length: 50

Column Name: tertiaryrouteadmin
Column Type: varchar
Max Length: 50

Column Name: tertiarysubstance
Column Type: varchar
Max Length: 50

Column Name: txinvolvedadverseincident
Column Type: varchar
Max Length: 1

Column Name: txinvolvedfamily
Column Type: varchar
Max Length: 1

Column Name: txinvolvedlegalsystem
Column Type: varchar
Max Length: 1

Column Name: txinvolvednone
Column Type: varchar
Max Length: 1

Column Name: txinvolvedopprovider
Column Type: varchar
Max Length: 1

Column Name: txinvolvedothersupport
Column Type: varchar
Max Length: 1

Column Name: typenoncompetitiveemploy
Column Type: varchar
Max Length: 2

Column Name: typeofdischarge
Column Type: varchar
Max Length: 1

Column Name: typeofsubstancesused
Column Type: varchar
Max Length: 50

Column Name: unemployedavailablework
Column Type: varchar
Max Length: 1

Column Name: unemployednotavailable
Column Type: varchar
Max Length: 50

Column Name: unknown
Column Type: varchar
Max Length: 1

Column Name: upload_status
Column Type: varchar
Max Length: 50
Upload Status for the record (code).

Column Name: upload_status_value
Column Type: varchar
Max Length: 50
Upload Status for the record (value).

Column Name: vendorid
Column Type: varchar
Max Length: 15

Column Name: waistcircumference
Column Type: varchar
Max Length: 50

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_discharge_admin

Table Description: This table stores a single administrative discharge record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: actualdischargedate
Column Type: date

Column Name: actualdischargeresidence
Column Type: varchar
Max Length: 50

Column Name: adultprotectiveservices
Column Type: varchar
Max Length: 1

Column Name: ansaacculturationcultural
Column Type: varchar
Max Length: 50

Column Name: ansaacculturationlanguage
Column Type: varchar
Max Length: 50

Column Name: ansaacculturationritual
Column Type: varchar
Max Length: 50

Column Name: ansaacculturationstress
Column Type: varchar
Max Length: 50

Column Name: ansacareeraspirations
Column Type: varchar
Max Length: 1

Column Name: ansacareerjobattendance
Column Type: varchar
Max Length: 1

Column Name: ansacareerjobperformance
Column Type: varchar
Max Length: 50

Column Name: ansacareerjobrelations
Column Type: varchar
Max Length: 50

Column Name: ansacareerjobskills
Column Type: varchar
Max Length: 50

Column Name: ansacareerjobtime
Column Type: varchar
Max Length: 50

Column Name: ansacaregiverfamilystress
Column Type: varchar
Max Length: 50

Column Name: ansacaregiverhealth
Column Type: varchar
Max Length: 50

Column Name: ansacaregiverinvolvement
Column Type: varchar
Max Length: 50

Column Name: ansacaregiverknowledge
Column Type: varchar
Max Length: 50

Column Name: ansacaregivernotappl
Column Type: varchar
Max Length: 1

Column Name: ansacaregiversafety
Column Type: varchar
Max Length: 50

Column Name: ansacaregiversocial
Column Type: varchar
Max Length: 50

Column Name: ansacrimearrests
Column Type: varchar
Max Length: 50

Column Name: ansacrimecommunitysafety
Column Type: varchar
Max Length: 50

Column Name: ansacrimeenvironmental
Column Type: varchar
Max Length: 50

Column Name: ansacrimehistory
Column Type: varchar
Max Length: 50

Column Name: ansacrimelegalcompliance
Column Type: varchar
Max Length: 50

Column Name: ansacrimepeerinfluences
Column Type: varchar
Max Length: 50

Column Name: ansacrimeplanning
Column Type: varchar
Max Length: 50

Column Name: ansacrimeseriousness
Column Type: varchar
Max Length: 50

Column Name: ansadangerawarepotential
Column Type: varchar
Max Length: 50

Column Name: ansadangerfrustrationmgmt
Column Type: varchar
Max Length: 50

Column Name: ansadangerhostility
Column Type: varchar
Max Length: 50

Column Name: ansadangerintent
Column Type: varchar
Max Length: 50

Column Name: ansadangerparanoidthink
Column Type: varchar
Max Length: 50

Column Name: ansadangerplanning
Column Type: varchar
Max Length: 50

Column Name: ansadangerresponseconseq
Column Type: varchar
Max Length: 50

Column Name: ansadangersecondarygains
Column Type: varchar
Max Length: 50

Column Name: ansadangerselfcontrol
Column Type: varchar
Max Length: 50

Column Name: ansadangertreatment
Column Type: varchar
Max Length: 50

Column Name: ansadangerviolencehistory
Column Type: varchar
Max Length: 50

Column Name: ansadangerviolentthinking
Column Type: varchar
Max Length: 50

Column Name: ansaddneedsognitive
Column Type: varchar
Max Length: 50

Column Name: ansaddneedscommunication
Column Type: varchar
Max Length: 50

Column Name: ansaddneedsdevelopmental
Column Type: varchar
Max Length: 50

Column Name: ansalifedecisionmaking
Column Type: varchar
Max Length: 50

Column Name: ansalifeemployment
Column Type: varchar
Max Length: 1

Column Name: ansalifefamilyfunctioning
Column Type: varchar
Max Length: 50

Column Name: ansalifeindependentliving
Column Type: varchar
Max Length: 50

Column Name: ansalifeintellectdevelop
Column Type: varchar
Max Length: 50

Column Name: ansalifeinvolveinrecovery
Column Type: varchar
Max Length: 50

Column Name: ansalifelegal
Column Type: varchar
Max Length: 50

Column Name: ansalifemedicationadhere
Column Type: varchar
Max Length: 50

Column Name: ansalifeparentalcaregiver
Column Type: varchar
Max Length: 50

Column Name: ansalifephysicalmedical
Column Type: varchar
Max Length: 50

Column Name: ansaliferecreational
Column Type: varchar
Max Length: 50

Column Name: ansaliferesidential
Column Type: varchar
Max Length: 50

Column Name: ansalifefselfcare
Column Type: varchar
Max Length: 50

Column Name: ansalifese sexuality
Column Type: varchar
Max Length: 50

Column Name: ansalifesleep
Column Type: varchar
Max Length: 50

Column Name: ansalifesocialfunctioning
Column Type: varchar
Max Length: 50

Column Name: ansalifetransportation
Column Type: varchar
Max Length: 50

Column Name: ansaneedsadjusttotrauma
Column Type: varchar
Max Length: 50

Column Name: ansaneedsangercontrol
Column Type: varchar
Max Length: 50

Column Name: ansaneedsantisocial
Column Type: varchar
Max Length: 50

Column Name: ansaneedsanxiety
Column Type: varchar
Max Length: 50

Column Name: ansaneedsdepression
Column Type: varchar
Max Length: 50

Column Name: ansaneedseatdisturbance
Column Type: varchar
Max Length: 50

Column Name: ansaneedsimpulsecontrol
Column Type: varchar
Max Length: 50

Column Name: ansaneedsinterpersonal
Column Type: varchar
Max Length: 50

Column Name: ansaneedspsychosis
Column Type: varchar
Max Length: 50

Column Name: ansaparentinvolvementcare
Column Type: varchar
Max Length: 50

Column Name: ansaparentknowledgeneeds
Column Type: varchar
Max Length: 50

Column Name: ansaparentorganization
Column Type: varchar
Max Length: 50

Column Name: ansaparentsupervision
Column Type: varchar
Max Length: 50

Column Name: ansaparentviolencehome
Column Type: varchar
Max Length: 50

Column Name: ansariskcriminalbehavior
Column Type: varchar
Max Length: 50

Column Name: ansariskdangertothers
Column Type: varchar
Max Length: 50

Column Name: ansariskexploitation
Column Type: varchar
Max Length: 50

Column Name: ansariskgambling
Column Type: varchar
Max Length: 50

Column Name: ansariskotherselfharm
Column Type: varchar
Max Length: 50

Column Name: ansariskselfinjurious
Column Type: varchar
Max Length: 50

Column Name: ansarisksexualaggression
Column Type: varchar
Max Length: 50

Column Name: ansarisksuiciderisk
Column Type: varchar
Max Length: 50

Column Name: ansasabagedifferential
Column Type: varchar
Max Length: 50

Column Name: ansasabphysforcethreat
Column Type: varchar
Max Length: 50

Column Name: ansasabplanning
Column Type: varchar
Max Length: 50

Column Name: ansasabrelationship
Column Type: varchar
Max Length: 50

Column Name: ansasabresponseaccusation
Column Type: varchar
Max Length: 50

Column Name: ansasabtypeofsexact
Column Type: varchar
Max Length: 50

Column Name: ansastrengthscommunity
Column Type: varchar
Max Length: 50

Column Name: ansastrengthseducational
Column Type: varchar
Max Length: 1

Column Name: ansastrengthsfamily
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsjobhistory
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsnaturalsupp
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsoptimism
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsresiliency
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsresourceful
Column Type: varchar
Max Length: 50

Column Name: ansastrengthssocial
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsspiritual
Column Type: varchar
Max Length: 50

Column Name: ansastrengthstalents
Column Type: varchar
Max Length: 50

Column Name: ansastrengthsvolunteering
Column Type: varchar
Max Length: 50

Column Name: ansasubstancedurationuse
Column Type: varchar
Max Length: 50

Column Name: ansasubstanceenvironment
Column Type: varchar
Max Length: 50

Column Name: ansasubstanceinfluences
Column Type: varchar
Max Length: 50

Column Name: ansasubstancepeer
Column Type: varchar
Max Length: 50

Column Name: ansasubstancerecovery
Column Type: varchar
Max Length: 50

Column Name: ansasubstanceseverityuse
Column Type: varchar
Max Length: 50

Column Name: ansasubstancetagerrecover
Column Type: varchar
Max Length: 50

Column Name: ansasubstancesubstanceuse
Column Type: varchar
Max Length: 50

Column Name: ansasuicide
Column Type: varchar
Max Length: 50

Column Name: ansasuicidehistory
Column Type: varchar
Max Length: 50

Column Name: ansasuicideintent
Column Type: varchar
Max Length: 50

Column Name: ansasuicideplanning
Column Type: varchar
Max Length: 50

Column Name: ansatraumaffectreg
Column Type: varchar
Max Length: 50

Column Name: ansatraumaattachment
Column Type: varchar
Max Length: 50

Column Name: ansatraumacommviolence
Column Type: varchar
Max Length: 50

Column Name: ansatraumadisaster
Column Type: varchar
Max Length: 50

Column Name: ansatraumadissociation
Column Type: varchar
Max Length: 50

Column Name: ansatraumaemotionalabuse
Column Type: varchar
Max Length: 50

Column Name: ansatraumafamilyviolence
Column Type: varchar
Max Length: 50

Column Name: ansatraumaintrusions
Column Type: varchar
Max Length: 50

Column Name: ansatraumamedicaltrauma
Column Type: varchar
Max Length: 50

Column Name: ansatraumaphysicalabuse
Column Type: varchar
Max Length: 50

Column Name: ansatraumasexualabuse
Column Type: varchar
Max Length: 50

Column Name: appointmentreminder
Column Type: varchar
Max Length: 1

Column Name: assessmentmeasure
Column Type: varchar
Max Length: 50

Column Name: assessmentmeasureother
Column Type: varchar
Max Length: 25

Column Name: assessmentscore
Column Type: varchar
Max Length: 6

Column Name: attendschoolpast90days
Column Type: varchar
Max Length: 1

Column Name: authorizationnumber
Column Type: varchar
Max Length: 25

Column Name: authorizeduser
Column Type: varchar
Max Length: 10

Column Name: babysstatusatbirth
Column Type: varchar
Max Length: 50

Column Name: behavioralhealthprovider
Column Type: varchar
Max Length: 50

Column Name: cansacculturationidentity
Column Type: varchar
Max Length: 50

Column Name: cansacculturationlanguage
Column Type: varchar
Max Length: 50

Column Name: cansacculturationritual
Column Type: varchar
Max Length: 50

Column Name: cansacculturationstress
Column Type: varchar
Max Length: 50

Column Name: canscaregiverdevelopment
Column Type: varchar
Max Length: 50

Column Name: canscaregiverinvolvement
Column Type: varchar
Max Length: 50

Column Name: canscaregiverknowledge
Column Type: varchar
Max Length: 50

Column Name: canscaregivermentalhealth
Column Type: varchar
Max Length: 50

Column Name: canscaregiverorganization
Column Type: varchar
Max Length: 50

Column Name: canscaregiverphysical
Column Type: varchar
Max Length: 50

Column Name: canscaregiverposttrauma
Column Type: varchar
Max Length: 50

Column Name: canscaregiverresidential
Column Type: varchar
Max Length: 50

Column Name: canscaregiverresources
Column Type: varchar
Max Length: 50

Column Name: canscaregiversafety
Column Type: varchar
Max Length: 50

Column Name: canscaregiversubabuse
Column Type: varchar
Max Length: 50

Column Name: canscaregiversupervision
Column Type: varchar
Max Length: 50

Column Name: canscaregiverviolence
Column Type: varchar
Max Length: 50

Column Name: canschild5birthweight
Column Type: varchar
Max Length: 50

Column Name: canschild5caregiver
Column Type: varchar
Max Length: 50

Column Name: canschild5communication
Column Type: varchar
Max Length: 50

Column Name: canschild5curiosity
Column Type: varchar
Max Length: 50

Column Name: canschild5daycare
Column Type: varchar
Max Length: 50

Column Name: canschild5failuretothrive
Column Type: varchar
Max Length: 50

Column Name: canschild5feeding
Column Type: varchar
Max Length: 50

Column Name: canschild5labordelivery
Column Type: varchar
Max Length: 50

Column Name: canschild5motor
Column Type: varchar
Max Length: 50

Column Name: canschild5parentsibling
Column Type: varchar
Max Length: 50

Column Name: canschild5playfulness
Column Type: varchar
Max Length: 50

Column Name: canschild5prenatalcare
Column Type: varchar
Max Length: 50

Column Name: canschild5sensory
Column Type: varchar
Max Length: 50

Column Name: canschild5substanceexpose
Column Type: varchar
Max Length: 50

Column Name: canschild5temperament
Column Type: varchar
Max Length: 50

Column Name: canseducation
Column Type: varchar
Max Length: 50

Column Name: cansindependentliving
Column Type: varchar
Max Length: 50

Column Name: cansintimaterelationships
Column Type: varchar
Max Length: 50

Column Name: cansjobfunctioning
Column Type: varchar
Max Length: 50

Column Name: canslifedevelopmental
Column Type: varchar
Max Length: 50

Column Name: canslifefamily
Column Type: varchar
Max Length: 50

Column Name: canslifelegal
Column Type: varchar
Max Length: 50

Column Name: canslifelivingsituation
Column Type: varchar
Max Length: 50

Column Name: canslifemedical
Column Type: varchar
Max Length: 50

Column Name: canslifephysical
Column Type: varchar
Max Length: 50

Column Name: cansliferecreational
Column Type: varchar
Max Length: 50

Column Name: canslifeschoolachievement
Column Type: varchar
Max Length: 50

Column Name: canslifeschoolattendance
Column Type: varchar
Max Length: 50

Column Name: canslifeschoolbehavior
Column Type: varchar
Max Length: 50

Column Name: canslifexualdevelopment
Column Type: varchar
Max Length: 50

Column Name: canslifesleep
Column Type: varchar
Max Length: 50

Column Name: canslifesocialfunctioning
Column Type: varchar
Max Length: 50

Column Name: canslifesuiciderisk
Column Type: varchar
Max Length: 50

Column Name: cansmedicationcompliance
Column Type: varchar
Max Length: 50

Column Name: cansneedsangercontrol
Column Type: varchar
Max Length: 50

Column Name: cansneedsanxiety
Column Type: varchar
Max Length: 50

Column Name: cansneedsattachment
Column Type: varchar
Max Length: 50

Column Name: cansneedsattention
Column Type: varchar
Max Length: 50

Column Name: cansneedsconduct
Column Type: varchar
Max Length: 50

Column Name: cansneedsdepression
Column Type: varchar
Max Length: 50

Column Name: cansneedseatdisturbance
Column Type: varchar
Max Length: 50

Column Name: cansneedsimpulsivity
Column Type: varchar
Max Length: 50

Column Name: cansneedsoppositional
Column Type: varchar
Max Length: 50

Column Name: cansneedspsychosis
Column Type: varchar
Max Length: 50

Column Name: cansneedsregression
Column Type: varchar
Max Length: 50

Column Name: cansneedssomatization
Column Type: varchar
Max Length: 50

Column Name: cansparentingroles
Column Type: varchar
Max Length: 50

Column Name: cansriskdangertothers
Column Type: varchar
Max Length: 50

Column Name: cansriskdelinquency
Column Type: varchar
Max Length: 50

Column Name: cansriskfiresetting
Column Type: varchar
Max Length: 50

Column Name: cansriskjudgment
Column Type: varchar
Max Length: 50

Column Name: cansriskmisbehavior
Column Type: varchar
Max Length: 50

Column Name: cansriskotherselfharm
Column Type: varchar
Max Length: 50

Column Name: cansriskrunaway
Column Type: varchar
Max Length: 50

Column Name: cansriskselfinjury
Column Type: varchar
Max Length: 50

Column Name: cansrisksexualaggression
Column Type: varchar
Max Length: 50

Column Name: cansrisksexuallyreactive
Column Type: varchar
Max Length: 50

Column Name: cansstrengthscommunity
Column Type: varchar
Max Length: 50

Column Name: cansstrengthscoping
Column Type: varchar
Max Length: 50

Column Name: cansstrengthseducation
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsfamily
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsinterperson
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsoptimism
Column Type: varchar
Max Length: 50

Column Name: cansstrengthspermanence
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsrelations
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsresilience
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsspiritual
Column Type: varchar
Max Length: 50

Column Name: cansstrengthstalents
Column Type: varchar
Max Length: 50

Column Name: cansstrengthsvocational
Column Type: varchar
Max Length: 50

Column Name: canssubstanceduration
Column Type: varchar
Max Length: 50

Column Name: canssubstanceenvironment
Column Type: varchar
Max Length: 50

Column Name: canssubstanceinfluences
Column Type: varchar
Max Length: 50

Column Name: canssubstancepeer
Column Type: varchar
Max Length: 50

Column Name: canssubstancerecovery
Column Type: varchar
Max Length: 50

Column Name: canssubstanceseverity
Column Type: varchar
Max Length: 50

Column Name: cansubstancestagerecover
Column Type: varchar
Max Length: 50

Column Name: cansubstancesubstanceuse
Column Type: varchar
Max Length: 1

Column Name: canstransportation
Column Type: varchar
Max Length: 50

Column Name: canstraumaadjustment
Column Type: varchar
Max Length: 50

Column Name: canstraumaavoidance
Column Type: varchar
Max Length: 50

Column Name: canstraumacommviolence
Column Type: varchar
Max Length: 50

Column Name: canstraumacriminalwitness
Column Type: varchar
Max Length: 50

Column Name: canstraumadisasters
Column Type: varchar
Max Length: 50

Column Name: canstraumadisruptionincare
Column Type: varchar
Max Length: 50

Column Name: canstraumadissociation
Column Type: varchar
Max Length: 50

Column Name: canstraumadysfunction
Column Type: varchar
Max Length: 50

Column Name: canstraumaemotionalabuse
Column Type: varchar
Max Length: 50

Column Name: canstraumafamilyviolence
Column Type: varchar
Max Length: 50

Column Name: canstraumahyperarousal
Column Type: varchar
Max Length: 50

Column Name: canstraumamedicaltrauma
Column Type: varchar
Max Length: 50

Column Name: canstraumaneglect
Column Type: varchar
Max Length: 50

Column Name: canstraumanumbing
Column Type: varchar
Max Length: 50

Column Name: canstraumaparentalcriminal
Column Type: varchar
Max Length: 50

Column Name: canstraumaphysicalabuse
Column Type: varchar
Max Length: 50

Column Name: canstraumareexperiencing
Column Type: varchar
Max Length: 50

Column Name: canstraumaschoolviolence
Column Type: varchar
Max Length: 50

Column Name: canstraumasexualabuse
Column Type: varchar
Max Length: 50

Column Name: canstraumaterrorism
Column Type: varchar
Max Length: 50

Column Name: canstraumatraumaticgrief
Column Type: varchar
Max Length: 50

Column Name: canstraumawaraaffected
Column Type: varchar
Max Length: 50

Column Name: cansvictimization
Column Type: varchar
Max Length: 50

Column Name: careforcomorbidconditions
Column Type: varchar
Max Length: 1

Column Name: childdisordered
Column Type: varchar
Max Length: 1

Column Name: childprotectiveservices
Column Type: varchar
Max Length: 1

Column Name: chronicallyhomeless
Column Type: varchar
Max Length: 1

Column Name: cidparentcode
Column Type: varchar
Max Length: 4

Column Name: comorbidconditions
Column Type: varchar
Max Length: 1

Column Name: competitivedateemployed
Column Type: date

Column Name: competitivehoursweek
Column Type: varchar
Max Length: 50

Column Name: consumeridcid
Column Type: varchar
Max Length: 15

Column Name: currentcompletegrade
Column Type: varchar
Max Length: 50

Column Name: currentlypregnant
Column Type: varchar
Max Length: 1

Column Name: datefirstcontactemployer
Column Type: date

Column Name: dateofdeath
Column Type: date

Column Name: dateofdeathunknown
Column Type: varchar
Max Length: 1

Column Name: dateoflastservice
Column Type: date

Column Name: datereleasedjailprison
Column Type: date

Column Name: daysabsentpast30days
Column Type: varchar
Max Length: 50

Column Name: dayshomelessinpast90
Column Type: varchar
Max Length: 50

Column Name: dependentchildrenunder19
Column Type: varchar
Max Length: 50

Column Name: descotherlevelofcare
Column Type: varchar
Max Length: 25

Column Name: diagnosticcode1
Column Type: varchar
Max Length: 8

Column Name: diagnosticcode2
Column Type: varchar
Max Length: 8

Column Name: diagnosticcode3
Column Type: varchar
Max Length: 8

Column Name: diagnosticcode4
Column Type: varchar
Max Length: 8

Column Name: diagnosticcode5
Column Type: varchar
Max Length: 8

Column Name: dischargeplaninplace
Column Type: varchar
Max Length: 1

Column Name: dischargereason
Column Type: varchar
Max Length: 50

Column Name: educationalproblems
Column Type: varchar
Max Length: 1

Column Name: financialproblems
Column Type: varchar
Max Length: 1

Column Name: guardianparentparticipate
Column Type: varchar
Max Length: 1

Column Name: healthinsurance
Column Type: varchar
Max Length: 1

Column Name: healthinsurancetypes
Column Type: varchar
Max Length: 50

Column Name: hourlywagecompetitive
Column Type: varchar
Max Length: 50

Column Name: housingstabilityindicator
Column Type: varchar
Max Length: 50

Column Name: incomefromanysources
Column Type: varchar
Max Length: 1

Column Name: individualcurrentweight
Column Type: varchar
Max Length: 50

Column Name: individualfirstname
Column Type: varchar
Max Length: 35

Column Name: individualheightft
Column Type: varchar
Max Length: 50

Column Name: individualheightin
Column Type: varchar
Max Length: 50

Column Name: individuallastname
Column Type: varchar
Max Length: 60

Column Name: iner3timespriordischarge
Column Type: varchar
Max Length: 1

Column Name: inpatientadmissions90days
Column Type: varchar
Max Length: 50

Column Name: inpatientdaysinpast90days
Column Type: varchar
Max Length: 50

Column Name: inpatienthospital3times
Column Type: varchar
Max Length: 1

Column Name: jailprison6months
Column Type: varchar
Max Length: 1

Column Name: justicesysteminpastyear
Column Type: varchar
Max Length: 1

Column Name: legalcustody
Column Type: varchar
Max Length: 50

Column Name: legalinvolvement
Column Type: varchar
Max Length: 50

Column Name: legalstatus
Column Type: varchar
Max Length: 50

Column Name: lengthoftimeinresidence
Column Type: varchar
Max Length: 50

Column Name: levelofcaredischargedto
Column Type: varchar
Max Length: 8

Column Name: livebirthduringtreatment
Column Type: varchar
Max Length: 1

Column Name: medicaldiagnosticcode1
Column Type: varchar
Max Length: 8

Column Name: medicaldiagnosticcode2
Column Type: varchar
Max Length: 8

Column Name: medicaldiagnosticcode3
Column Type: varchar
Max Length: 8

Column Name: medicalphysicianapptdate
Column Type: date

Column Name: medicalphysicianapptremind
Column Type: varchar
Max Length: 1

Column Name: medicalphysicianappttime
Column Type: varchar
Max Length: 50

Column Name: medicalphysicianareacode
Column Type: varchar
Max Length: 50

Column Name: medicalphysicianexchange
Column Type: varchar
Max Length: 50

Column Name: medicalphysicianext
Column Type: varchar
Max Length: 50

Column Name: medicalphysiciansuffix
Column Type: varchar
Max Length: 50

Column Name: medphysiciannname
Column Type: varchar
Max Length: 100

Column Name: mentalillnessspmi
Column Type: varchar
Max Length: 1

Column Name: monthlyalimonysupport
Column Type: varchar
Max Length: 50

Column Name: monthlychildsupport
Column Type: varchar
Max Length: 50

Column Name: monthlydisability
Column Type: varchar
Max Length: 50

Column Name: monthlyearnedincome
Column Type: varchar
Max Length: 50

Column Name: monthlyotherdescription
Column Type: varchar
Max Length: 25

Column Name: monthlyothersource
Column Type: varchar
Max Length: 50

Column Name: monthlypensionorretire
Column Type: varchar
Max Length: 50

Column Name: monthlytanf
Column Type: varchar
Max Length: 50

Column Name: monthlytrustfundpayments
Column Type: varchar
Max Length: 50

Column Name: monthlyunemployment
Column Type: varchar
Max Length: 50

Column Name: monthlyvaservdisability
Column Type: varchar
Max Length: 50

Column Name: narrativeentryformed
Column Type: varchar
Max Length: 250

Column Name: noncashbenefitdesc
Column Type: varchar
Max Length: 100

Column Name: noncashbenefits
Column Type: varchar
Max Length: 1

Column Name: noncompetitivedateemploy
Column Type: date

Column Name: noncompetitivehoursweek
Column Type: varchar
Max Length: 50

Column Name: numarrestspast30days
Column Type: varchar
Max Length: 50

Column Name: numberdaystjailpast90days
Column Type: varchar
Max Length: 50

Column Name: numberselfhelpgroups30days
Column Type: varchar
Max Length: 50

Column Name: numbertimesjailpast90days
Column Type: varchar
Max Length: 50

Column Name: numcompetitivejobsleft
Column Type: varchar
Max Length: 1

Column Name: numcompetitivejobsstarted

Column Type: varchar
Max Length: 1

Column Name: occupationalproblems
Column Type: varchar
Max Length: 1

Column Name: otherhealthinsurancedesc
Column Type: varchar
Max Length: 25

Column Name: othersupportdetail
Column Type: varchar
Max Length: 65

Column Name: pcpnotified
Column Type: varchar
Max Length: 1

Column Name: personcontactforfollowup
Column Type: varchar
Max Length: 100

Column Name: phonefollowupareacode
Column Type: varchar
Max Length: 50

Column Name: phonefollowupexchange
Column Type: varchar
Max Length: 50

Column Name: phonefollowupext
Column Type: varchar
Max Length: 50

Column Name: phonefollowupsuffix
Column Type: varchar
Max Length: 50

Column Name: physicianappointmentdate

Column Type: date

Column Name: physicianappointmenttime

Column Type: varchar

Max Length: 50

Column Name: physicianapptreminder

Column Type: varchar

Max Length: 1

Column Name: physiciancity

Column Type: varchar

Max Length: 30

Column Name: physicianoutsidedbhdd

Column Type: varchar

Max Length: 1

Column Name: physicianphoneareacode

Column Type: varchar

Max Length: 50

Column Name: physicianphoneexchange

Column Type: varchar

Max Length: 50

Column Name: physicianphoneext

Column Type: varchar

Max Length: 50

Column Name: physicianphonesuffix

Column Type: varchar

Max Length: 50

Column Name: physicianstate

Column Type: varchar

Max Length: 2

Column Name: physicianstreetaddress

Column Type: varchar

Max Length: 55

Column Name: physicianstreetaddress2

Column Type: varchar

Max Length: 55

Column Name: physicianzip

Column Type: varchar

Max Length: 50

Column Name: prescribephysician

Column Type: varchar

Max Length: 50

Column Name: prescribephysiciannname

Column Type: varchar

Max Length: 150

Column Name: primaryagefirstuse

Column Type: varchar

Max Length: 50

Column Name: primaryfrequencyuse

Column Type: varchar

Max Length: 50

Column Name: primaryroutadmin

Column Type: varchar

Max Length: 50

Column Name: primarysubstance

Column Type: varchar

Max Length: 50

Column Name: problemsaccesshealthcare

Column Type: varchar

Max Length: 1

Column Name: problemslegalsystemcrime

Column Type: varchar

Max Length: 1

Column Name: problemsprimarysupportgrp

Column Type: varchar

Max Length: 1

Column Name: problemssocialenvironment

Column Type: varchar

Max Length: 1

Column Name: provider

Column Type: varchar

Max Length: 150

Column Name: provideralternateid

Column Type: varchar

Max Length: 15

Column Name: providerappointmentdate

Column Type: date

Column Name: providerappointmenttime

Column Type: varchar

Max Length: 50

Column Name: providercity

Column Type: varchar

Max Length: 30

Column Name: providerid

Column Type: varchar

Max Length: 15

Column Name: provider_internal_tag_id

Column Type: varchar

Max Length: 50

Provider Tag Id.

Column Name: providername

Column Type: varchar

Max Length: 60

Column Name: provideroutsidedbhdd
Column Type: varchar
Max Length: 1

Column Name: providerphoneareacode
Column Type: varchar
Max Length: 50

Column Name: providerphoneexchange
Column Type: varchar
Max Length: 50

Column Name: providerphoneextension
Column Type: varchar
Max Length: 50

Column Name: providerphonesuffix
Column Type: varchar
Max Length: 50

Column Name: providerstate
Column Type: varchar
Max Length: 2

Column Name: providerstreetaddress
Column Type: varchar
Max Length: 55

Column Name: providerstreetaddress2
Column Type: varchar
Max Length: 55

Column Name: providertagid
Column Type: varchar
Max Length: 15

Column Name: providerzip
Column Type: varchar
Max Length: 50

Column Name: psychosocialenvironmental
Column Type: varchar
Max Length: 1

Column Name: reasonformedicalphysician
Column Type: varchar
Max Length: 50

Column Name: relationshipoffollowup
Column Type: varchar
Max Length: 50

Column Name: secondaryagefirstuse
Column Type: varchar
Max Length: 50

Column Name: secondaryassessmeasureother
Column Type: varchar
Max Length: 25

Column Name: secondaryassessmentmeasure
Column Type: varchar
Max Length: 50

Column Name: secondaryassessmentscore
Column Type: varchar
Max Length: 6

Column Name: secondaryfrequencyuse
Column Type: varchar
Max Length: 50

Column Name: secondaryrouteadmin
Column Type: varchar
Max Length: 50

Column Name: secondarysubstance
Column Type: varchar
Max Length: 50

Column Name: selfhelpgroupspast30days
Column Type: varchar
Max Length: 1

Column Name: socialelementsdiagnosis
Column Type: varchar
Max Length: 1

Column Name: sourcenoncashbenefits
Column Type: varchar
Max Length: 50

Column Name: statusofauthorization
Column Type: varchar
Max Length: 1

Column Name: statusvocationalrehab
Column Type: varchar
Max Length: 1

Column Name: statusvocationalrehabprev
Column Type: varchar
Max Length: 1

Column Name: tertiaryagefirstuse
Column Type: varchar
Max Length: 50

Column Name: tertiaryfrequencyuse
Column Type: varchar
Max Length: 50

Column Name: tertiaryrouteadmin
Column Type: varchar
Max Length: 50

Column Name: tertiarysubstance
Column Type: varchar
Max Length: 50

Column Name: txinvolvedadverseincident
Column Type: varchar
Max Length: 1

Column Name: txinvolvedfamily
Column Type: varchar
Max Length: 1

Column Name: txinvolvedlegalsystem
Column Type: varchar
Max Length: 1

Column Name: txinvolvednone
Column Type: varchar
Max Length: 1

Column Name: txinvolvedopprovider
Column Type: varchar
Max Length: 1

Column Name: txinvolvedothersupport
Column Type: varchar
Max Length: 1

Column Name: typenoncompetitiveemploy
Column Type: varchar
Max Length: 2

Column Name: typeofdischarge
Column Type: varchar
Max Length: 1

Column Name: typeofsubstancesused
Column Type: varchar
Max Length: 50

Column Name: unemployedavailablework
Column Type: varchar
Max Length: 1

Column Name: unemployednotavailable
Column Type: varchar
Max Length: 50

Column Name: unknown
Column Type: varchar
Max Length: 1

Column Name: vendorid
Column Type: varchar
Max Length: 15

Column Name: waistcircumference
Column Type: varchar
Max Length: 50

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_discharge_rejected

Table Description: This table stores a single discharge rejected record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: PATID

Column Type: varchar
Max Length: 20
Client Id.

Column Name: actualdischargedate
Column Type: date

Column Name: actualdischargeresidence
Column Type: varchar
Max Length: 50

Column Name: adultprotectiveservices
Column Type: varchar
Max Length: 1

Column Name: ansaacculturationcultural
Column Type: varchar
Max Length: 50

Column Name: ansaacculturationlanguage
Column Type: varchar
Max Length: 50

Column Name: ansaacculturationritual
Column Type: varchar
Max Length: 50

Column Name: ansaacculturationstress
Column Type: varchar
Max Length: 50

Column Name: ansacareeraspirations
Column Type: varchar
Max Length: 1

Column Name: ansacareerjobattendance
Column Type: varchar
Max Length: 1

Column Name: ansacareerjobperformance
Column Type: varchar

Max Length: 50

Column Name: ansacareerjobrelations

Column Type: varchar

Max Length: 50

Column Name: ansacareerjobskills

Column Type: varchar

Max Length: 50

Column Name: ansacareerjobtime

Column Type: varchar

Max Length: 50

Column Name: ansacaregiverfamilystress

Column Type: varchar

Max Length: 50

Column Name: ansacaregiverhealth

Column Type: varchar

Max Length: 50

Column Name: ansacaregiverinvolvement

Column Type: varchar

Max Length: 50

Column Name: ansacaregiverknowledge

Column Type: varchar

Max Length: 50

Column Name: ansacaregivernotappl

Column Type: varchar

Max Length: 1

Column Name: ansacaregiversafety

Column Type: varchar

Max Length: 50

Column Name: ansacaregiversocial

Column Type: varchar

Max Length: 50

Column Name: ansacrimearrests

Column Type: varchar

Max Length: 50

Column Name: ansacrimecommunitysafety

Column Type: varchar

Max Length: 50

Column Name: ansacrimeenvironmental

Column Type: varchar

Max Length: 50

Column Name: ansacrimehistory

Column Type: varchar

Max Length: 50

Column Name: ansacrimelegalcompliance

Column Type: varchar

Max Length: 50

Column Name: ansacrimepeerinfluences

Column Type: varchar

Max Length: 50

Column Name: ansacrimeplanning

Column Type: varchar

Max Length: 50

Column Name: ansacrimeseriousness

Column Type: varchar

Max Length: 50

Column Name: ansadangerawarepotential

Column Type: varchar

Max Length: 50

Column Name: ansadangerfrustrationmgmt

Column Type: varchar

Max Length: 50

Column Name: ansadangerhostility

Column Type: varchar

Max Length: 50

Column Name: ansadangerintent

Column Type: varchar

Max Length: 50

Column Name: ansadangerparanoidthink

Column Type: varchar

Max Length: 50

Column Name: ansadangerplanning

Column Type: varchar

Max Length: 50

Column Name: ansadangerresponseconseq

Column Type: varchar

Max Length: 50

Column Name: ansadangersecondarygains

Column Type: varchar

Max Length: 50

Column Name: ansadangerselfcontrol

Column Type: varchar

Max Length: 50

Column Name: ansadangertreatment

Column Type: varchar

Max Length: 50

Column Name: ansadangerviolencehistory

Column Type: varchar

Max Length: 50

Column Name: ansadangerviolentthinking

Column Type: varchar

Max Length: 50

Column Name: ansaddneedsognitive

Column Type: varchar

Max Length: 50

Column Name: ansaddneedscommunication

Column Type: varchar

Max Length: 50

Column Name: ansaddneedsdevelopmental

Column Type: varchar

Max Length: 50

Column Name: ansalifedecisionmaking

Column Type: varchar

Max Length: 50

Column Name: ansalifeemployment

Column Type: varchar

Max Length: 1

Column Name: ansalifefamilyfunctioning

Column Type: varchar

Max Length: 50

Column Name: ansalifeindependentliving

Column Type: varchar

Max Length: 50

Column Name: ansalifeintellectdevelop

Column Type: varchar

Max Length: 50

Column Name: ansalifeinvolveinrecovery

Column Type: varchar

Max Length: 50

Column Name: ansalifelegal

Column Type: varchar

Max Length: 50

Column Name: ansalifemedicationadhere

Column Type: varchar

Max Length: 50

Column Name: ansalifeparentalcaregiver

Column Type: varchar

Max Length: 50

Column Name: ansalifephysicalmedical

Column Type: varchar

Max Length: 50

Column Name: ansaliferecreational

Column Type: varchar

Max Length: 50

Column Name: ansaliferesidential

Column Type: varchar

Max Length: 50

Column Name: ansalifeselfcare

Column Type: varchar

Max Length: 50

Column Name: ansalifesexuality

Column Type: varchar

Max Length: 50

Column Name: ansalifesleep

Column Type: varchar

Max Length: 50

Column Name: ansalifesocialfunctioning

Column Type: varchar

Max Length: 50

Column Name: ansalifetransportation

Column Type: varchar

Max Length: 50

Column Name: ansaneedsadjusttotrauma

Column Type: varchar

Max Length: 50

Column Name: ansaneedsangercontrol

Column Type: varchar

Max Length: 50

Column Name: ansaneedsantisocial

Column Type: varchar

Max Length: 50

Column Name: ansaneedsanxiety

Column Type: varchar

Max Length: 50

Column Name: ansaneedsdepression

Column Type: varchar

Max Length: 50

Column Name: ansaneedseatdisturbance

Column Type: varchar

Max Length: 50

Column Name: ansaneedsimpulsecontrol

Column Type: varchar

Max Length: 50

Column Name: ansaneedsinterpersonal

Column Type: varchar

Max Length: 50

Column Name: ansaneedspsychosis

Column Type: varchar

Max Length: 50

Column Name: ansaparentinvolvementcare

Column Type: varchar

Max Length: 50

Column Name: ansaparentknowledgeneeds

Column Type: varchar

Max Length: 50

Column Name: ansaparentorganization

Column Type: varchar

Max Length: 50

Column Name: ansaparentsupervision

Column Type: varchar

Max Length: 50

Column Name: ansaparentviolencehome

Column Type: varchar

Max Length: 50

Column Name: ansariskcriminalbehavior

Column Type: varchar

Max Length: 50

Column Name: ansariskdangertothers

Column Type: varchar

Max Length: 50

Column Name: ansariskexploitation

Column Type: varchar

Max Length: 50

Column Name: ansariskgambling

Column Type: varchar

Max Length: 50

Column Name: ansariskotherselfharm

Column Type: varchar

Max Length: 50

Column Name: ansariskselfinjurious

Column Type: varchar

Max Length: 50

Column Name: ansarisksexualaggression

Column Type: varchar

Max Length: 50

Column Name: ansarisksuiciderisk

Column Type: varchar

Max Length: 50

Column Name: ansasabagedifferential

Column Type: varchar

Max Length: 50

Column Name: ansasabphysforcethreat

Column Type: varchar

Max Length: 50

Column Name: ansasabplanning

Column Type: varchar

Max Length: 50

Column Name: ansasabrelationship

Column Type: varchar

Max Length: 50

Column Name: ansasabresponseaccusation

Column Type: varchar

Max Length: 50

Column Name: ansasabtypeofsexact

Column Type: varchar

Max Length: 50

Column Name: ansastrengthscommunity

Column Type: varchar

Max Length: 50

Column Name: ansastrengthseducational

Column Type: varchar

Max Length: 1

Column Name: ansastrengthsfamily

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsjobhistory

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsnaturalsupp

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsoptimism

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsresiliency

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsresourceful

Column Type: varchar

Max Length: 50

Column Name: ansastrengthssocial

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsspiritual

Column Type: varchar

Max Length: 50

Column Name: ansastrengthstalents

Column Type: varchar

Max Length: 50

Column Name: ansastrengthsvolunteering

Column Type: varchar

Max Length: 50

Column Name: ansasubstancedurationuse

Column Type: varchar

Max Length: 50

Column Name: ansasubstanceenvironment

Column Type: varchar

Max Length: 50

Column Name: ansasubstanceinfluences

Column Type: varchar

Max Length: 50

Column Name: ansasubstancepeer

Column Type: varchar

Max Length: 50

Column Name: ansasubstancerecovery

Column Type: varchar

Max Length: 50

Column Name: ansasubstanceseverityuse

Column Type: varchar

Max Length: 50

Column Name: ansasubstancetagerrecover

Column Type: varchar

Max Length: 50

Column Name: ansasubstancesubstanceuse

Column Type: varchar

Max Length: 50

Column Name: ansasuicide

Column Type: varchar

Max Length: 50

Column Name: ansasuicidehistory

Column Type: varchar

Max Length: 50

Column Name: ansasuicideintent

Column Type: varchar

Max Length: 50

Column Name: ansasuicideplanning

Column Type: varchar

Max Length: 50

Column Name: ansatraumaffectreg

Column Type: varchar

Max Length: 50

Column Name: ansatraumaattachment

Column Type: varchar

Max Length: 50

Column Name: ansatraumacommviolence

Column Type: varchar

Max Length: 50

Column Name: ansatraumadisaster

Column Type: varchar

Max Length: 50

Column Name: ansatraumadissociation

Column Type: varchar

Max Length: 50

Column Name: ansatraumaemotionalabuse

Column Type: varchar

Max Length: 50

Column Name: ansatraumafamilyviolence

Column Type: varchar

Max Length: 50

Column Name: ansatraumaintrusions

Column Type: varchar

Max Length: 50

Column Name: ansatraumamedicaltrauma

Column Type: varchar

Max Length: 50

Column Name: ansatraumaphysicalabuse

Column Type: varchar

Max Length: 50

Column Name: ansatraumasexualabuse

Column Type: varchar

Max Length: 50

Column Name: appointmentreminder

Column Type: varchar

Max Length: 1

Column Name: assessmentmeasure

Column Type: varchar

Max Length: 50

Column Name: assessmentmeasureother

Column Type: varchar

Max Length: 25

Column Name: assessmentscore

Column Type: varchar

Max Length: 6

Column Name: attendschoolpast90days

Column Type: varchar

Max Length: 1

Column Name: authorizationnumber

Column Type: varchar

Max Length: 25

Column Name: authorizeduser

Column Type: varchar

Max Length: 10

Column Name: babysstatusatbirth

Column Type: varchar

Max Length: 50

Column Name: behavioralhealthprovider

Column Type: varchar

Max Length: 50

Column Name: cansacculturationidentity

Column Type: varchar

Max Length: 50

Column Name: cansacculturationlanguage

Column Type: varchar

Max Length: 50

Column Name: cansacculturationritual

Column Type: varchar

Max Length: 50

Column Name: cansacculturationstress

Column Type: varchar

Max Length: 50

Column Name: canscaregiverdevelopment

Column Type: varchar

Max Length: 50

Column Name: canscaregiverinvolvement

Column Type: varchar

Max Length: 50

Column Name: canscaregiverknowledge

Column Type: varchar

Max Length: 50

Column Name: canscaregivermentalhealth

Column Type: varchar

Max Length: 50

Column Name: canscaregiverorganization

Column Type: varchar

Max Length: 50

Column Name: canscaregiverphysical

Column Type: varchar

Max Length: 50

Column Name: canscaregiverposttrauma

Column Type: varchar

Max Length: 50

Column Name: canscaregiverresidential

Column Type: varchar

Max Length: 50

Column Name: canscaregiverresources

Column Type: varchar

Max Length: 50

Column Name: canscaregiversafety

Column Type: varchar

Max Length: 50

Column Name: canscaregiversubabuse

Column Type: varchar

Max Length: 50

Column Name: canscaregiversupervision

Column Type: varchar

Max Length: 50

Column Name: canscaregiverviolence

Column Type: varchar

Max Length: 50

Column Name: canschild5birthweight

Column Type: varchar

Max Length: 50

Column Name: canschild5caregiver

Column Type: varchar

Max Length: 50

Column Name: canschild5communication

Column Type: varchar

Max Length: 50

Column Name: canschild5curiosity

Column Type: varchar

Max Length: 50

Column Name: canschild5daycare

Column Type: varchar

Max Length: 50

Column Name: canschild5failuretothrive

Column Type: varchar

Max Length: 50

Column Name: canschild5feeding

Column Type: varchar

Max Length: 50

Column Name: canschild5labordelivery

Column Type: varchar

Max Length: 50

Column Name: canschild5motor

Column Type: varchar

Max Length: 50

Column Name: canschild5parentsibling

Column Type: varchar

Max Length: 50

Column Name: canschild5playfulness

Column Type: varchar

Max Length: 50

Column Name: canschild5prenatalcare

Column Type: varchar

Max Length: 50

Column Name: canschild5sensory

Column Type: varchar

Max Length: 50

Column Name: canschild5substanceexpose

Column Type: varchar

Max Length: 50

Column Name: canschild5temperament

Column Type: varchar

Max Length: 50

Column Name: canseducation

Column Type: varchar

Max Length: 50

Column Name: cansindependentliving

Column Type: varchar

Max Length: 50

Column Name: cansintimaterelationships

Column Type: varchar

Max Length: 50

Column Name: cansjobfunctioning

Column Type: varchar

Max Length: 50

Column Name: canslifedevelopmental

Column Type: varchar

Max Length: 50

Column Name: canslifefamily

Column Type: varchar

Max Length: 50

Column Name: canslifelegal

Column Type: varchar

Max Length: 50

Column Name: canslifelivingsituation

Column Type: varchar

Max Length: 50

Column Name: canslifemedical

Column Type: varchar

Max Length: 50

Column Name: canslifephysical

Column Type: varchar

Max Length: 50

Column Name: cansliferecreational

Column Type: varchar

Max Length: 50

Column Name: canslifeschoolachievement

Column Type: varchar

Max Length: 50

Column Name: canslifeschoolattendance

Column Type: varchar

Max Length: 50

Column Name: canslifeschoolbehavior

Column Type: varchar

Max Length: 50

Column Name: canslifexualdevelopment

Column Type: varchar

Max Length: 50

Column Name: canslifesleep

Column Type: varchar

Max Length: 50

Column Name: canslifesocialfunctioning

Column Type: varchar

Max Length: 50

Column Name: canslifesuiciderisk

Column Type: varchar

Max Length: 50

Column Name: cansmedicationcompliance

Column Type: varchar

Max Length: 50

Column Name: cansneedsangercontrol

Column Type: varchar

Max Length: 50

Column Name: cansneedsanxiety

Column Type: varchar

Max Length: 50

Column Name: cansneedsattachment

Column Type: varchar

Max Length: 50

Column Name: cansneedsattention

Column Type: varchar

Max Length: 50

Column Name: cansneedsconduct

Column Type: varchar

Max Length: 50

Column Name: cansneedsdepression

Column Type: varchar

Max Length: 50

Column Name: cansneedseatdisturbance

Column Type: varchar

Max Length: 50

Column Name: cansneedsimpulsivity

Column Type: varchar

Max Length: 50

Column Name: cansneedsoppositional

Column Type: varchar

Max Length: 50

Column Name: cansneedspsychosis

Column Type: varchar

Max Length: 50

Column Name: cansneedsregression

Column Type: varchar

Max Length: 50

Column Name: cansneedssomatization

Column Type: varchar

Max Length: 50

Column Name: cansparentingroles

Column Type: varchar

Max Length: 50

Column Name: cansriskdangertothers

Column Type: varchar

Max Length: 50

Column Name: cansriskdelinquency

Column Type: varchar

Max Length: 50

Column Name: cansriskfiresetting

Column Type: varchar

Max Length: 50

Column Name: cansriskjudgment

Column Type: varchar

Max Length: 50

Column Name: cansriskmisbehavior

Column Type: varchar

Max Length: 50

Column Name: cansriskotherselfharm

Column Type: varchar

Max Length: 50

Column Name: cansriskrunaway

Column Type: varchar

Max Length: 50

Column Name: cansriskselfinjury

Column Type: varchar

Max Length: 50

Column Name: cansrisksexualaggression

Column Type: varchar

Max Length: 50

Column Name: cansrisksexuallyreactive

Column Type: varchar

Max Length: 50

Column Name: cansstrengthscommunity

Column Type: varchar

Max Length: 50

Column Name: cansstrengthscoping

Column Type: varchar

Max Length: 50

Column Name: cansstrengthseducation

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsfamily

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsinterperson

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsoptimism

Column Type: varchar

Max Length: 50

Column Name: cansstrengthspermanence

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsrelations

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsresilience

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsspiritual

Column Type: varchar

Max Length: 50

Column Name: cansstrengthstalents

Column Type: varchar

Max Length: 50

Column Name: cansstrengthsvocational

Column Type: varchar

Max Length: 50

Column Name: canssubstanceduration

Column Type: varchar

Max Length: 50

Column Name: canssubstanceenvironment

Column Type: varchar

Max Length: 50

Column Name: canssubstanceinfluences

Column Type: varchar

Max Length: 50

Column Name: canssubstancepeer

Column Type: varchar

Max Length: 50

Column Name: canssubstancecovery

Column Type: varchar

Max Length: 50

Column Name: canssubstanceverity

Column Type: varchar

Max Length: 50

Column Name: canssubstancestagerecover

Column Type: varchar

Max Length: 50

Column Name: canssubstancesubstanceuse

Column Type: varchar

Max Length: 1

Column Name: canstransportation

Column Type: varchar

Max Length: 50

Column Name: canstraumaadjustment

Column Type: varchar

Max Length: 50

Column Name: canstraumaavoidance

Column Type: varchar

Max Length: 50

Column Name: canstraumacommviolence

Column Type: varchar

Max Length: 50

Column Name: canstraumacriminalwitness

Column Type: varchar

Max Length: 50

Column Name: canstraumadisasters

Column Type: varchar

Max Length: 50

Column Name: canstraumadisruptionincare

Column Type: varchar

Max Length: 50

Column Name: canstraumadissociation

Column Type: varchar

Max Length: 50

Column Name: canstraumadysfunction

Column Type: varchar

Max Length: 50

Column Name: canstraumaemotionalabuse

Column Type: varchar

Max Length: 50

Column Name: canstraumafamilyviolence

Column Type: varchar

Max Length: 50

Column Name: canstraumahyperarousal

Column Type: varchar

Max Length: 50

Column Name: canstraumamedicaltrauma

Column Type: varchar

Max Length: 50

Column Name: canstraumaneglect

Column Type: varchar

Max Length: 50

Column Name: canstraumanumbing

Column Type: varchar

Max Length: 50

Column Name: canstraumaparentalcriminal

Column Type: varchar

Max Length: 50

Column Name: canstraumaphysicalabuse

Column Type: varchar

Max Length: 50

Column Name: canstraumareexperiencing

Column Type: varchar

Max Length: 50

Column Name: canstraumaschoolviolence

Column Type: varchar

Max Length: 50

Column Name: canstraumasexualabuse

Column Type: varchar

Max Length: 50

Column Name: canstraumaterrorism

Column Type: varchar

Max Length: 50

Column Name: canstraumatraumaticgrief

Column Type: varchar

Max Length: 50

Column Name: canstraumawaraffected

Column Type: varchar

Max Length: 50

Column Name: cansvictimization

Column Type: varchar

Max Length: 50

Column Name: careforcomorbidconditions

Column Type: varchar

Max Length: 1

Column Name: childdisordered

Column Type: varchar

Max Length: 1

Column Name: childprotectiveservices

Column Type: varchar

Max Length: 1

Column Name: chronicallyhomeless

Column Type: varchar

Max Length: 1

Column Name: cidparentcode

Column Type: varchar

Max Length: 4

Column Name: comorbidconditions

Column Type: varchar

Max Length: 1

Column Name: competitivedateemployed

Column Type: date

Column Name: competitivehoursweek

Column Type: varchar

Max Length: 50

Column Name: consumeridcid

Column Type: varchar

Max Length: 15

Column Name: currentcompletegrade

Column Type: varchar

Max Length: 50

Column Name: currentlypregnant
Column Type: varchar
Max Length: 1

Column Name: datefirstcontactemployer
Column Type: date

Column Name: dateofdeath
Column Type: date

Column Name: dateofdeathunknown
Column Type: varchar
Max Length: 1

Column Name: dateoflastservice
Column Type: date

Column Name: datereleasedjailprison
Column Type: date

Column Name: daysabsentpast30days
Column Type: varchar
Max Length: 50

Column Name: dayshomelessinpast90
Column Type: varchar
Max Length: 50

Column Name: dependentchildrenunder19
Column Type: varchar
Max Length: 50

Column Name: descotherlevelofcare
Column Type: varchar
Max Length: 25

Column Name: diagnosticcode1
Column Type: varchar

Max Length: 8

Column Name: diagnosticcode2

Column Type: varchar

Max Length: 8

Column Name: diagnosticcode3

Column Type: varchar

Max Length: 8

Column Name: diagnosticcode4

Column Type: varchar

Max Length: 8

Column Name: diagnosticcode5

Column Type: varchar

Max Length: 8

Column Name: dischargeplaninplace

Column Type: varchar

Max Length: 1

Column Name: dischargereason

Column Type: varchar

Max Length: 50

Column Name: educationalproblems

Column Type: varchar

Max Length: 1

Column Name: error_code_1

Column Type: varchar

Max Length: 50

Error Code 1.

Column Name: error_code_1_message

Column Type: varchar

Max Length: 350

Error Message 1.

Column Name: error_code_2

Column Type: integer

Error Code 2.

Column Name: error_code_2_message

Column Type: varchar

Max Length: 350

Error Message 2.

Column Name: error_code_3

Column Type: integer

Error Code 3.

Column Name: error_code_3_message

Column Type: varchar

Max Length: 350

Error Message 3.

Column Name: error_code_4

Column Type: integer

Error Code 4.

Column Name: error_code_4_message

Column Type: varchar

Max Length: 350

Error Message 4.

Column Name: error_code_5

Column Type: integer

Error Code 5.

Column Name: error_code_5_message

Column Type: varchar

Max Length: 350

Error Message 5.

Column Name: financialproblems

Column Type: varchar

Max Length: 1

Column Name: guardianparentparticipate

Column Type: varchar

Max Length: 1

Column Name: healthinsurance

Column Type: varchar

Max Length: 1

Column Name: healthinsurancetypes

Column Type: varchar
Max Length: 50

Column Name: hourlywagecompetitive
Column Type: varchar
Max Length: 50

Column Name: housingstabilityindicator
Column Type: varchar
Max Length: 50

Column Name: incomefromanysources
Column Type: varchar
Max Length: 1

Column Name: individualcurrentweight
Column Type: varchar
Max Length: 50

Column Name: individualfirstname
Column Type: varchar
Max Length: 35

Column Name: individualheightft
Column Type: varchar
Max Length: 50

Column Name: individualheightin
Column Type: varchar
Max Length: 50

Column Name: individuallastname
Column Type: varchar
Max Length: 60

Column Name: iner3timespriordischarge
Column Type: varchar
Max Length: 1

Column Name: inpatientadmissions90days

Column Type: varchar
Max Length: 50

Column Name: inpatientdaysinpast90days
Column Type: varchar
Max Length: 50

Column Name: inpatienthospital3times
Column Type: varchar
Max Length: 1

Column Name: jailprison6months
Column Type: varchar
Max Length: 1

Column Name: justicesysteminpastyear
Column Type: varchar
Max Length: 1

Column Name: legalcustody
Column Type: varchar
Max Length: 50

Column Name: legalinvolvement
Column Type: varchar
Max Length: 50

Column Name: legalstatus
Column Type: varchar
Max Length: 50

Column Name: lengthoftimeinresidence
Column Type: varchar
Max Length: 50

Column Name: levelofcaredischargedto
Column Type: varchar
Max Length: 8

Column Name: livebirthduringtreatment

Column Type: varchar
Max Length: 1

Column Name: medicaldiagnosticcode1
Column Type: varchar
Max Length: 8

Column Name: medicaldiagnosticcode2
Column Type: varchar
Max Length: 8

Column Name: medicaldiagnosticcode3
Column Type: varchar
Max Length: 8

Column Name: medicalphysicianapptdate
Column Type: date

Column Name: medicalphysicianapptremind
Column Type: varchar
Max Length: 1

Column Name: medicalphysicianappttime
Column Type: varchar
Max Length: 50

Column Name: medicalphysicianareacode
Column Type: varchar
Max Length: 50

Column Name: medicalphysicianexchange
Column Type: varchar
Max Length: 50

Column Name: medicalphysicianext
Column Type: varchar
Max Length: 50

Column Name: medicalphysiciansuffix
Column Type: varchar

Max Length: 50

Column Name: medphysicianname

Column Type: varchar

Max Length: 100

Column Name: mentalillnessspmi

Column Type: varchar

Max Length: 1

Column Name: monthlyalimonysupport

Column Type: varchar

Max Length: 50

Column Name: monthlychildsupport

Column Type: varchar

Max Length: 50

Column Name: monthlydisability

Column Type: varchar

Max Length: 50

Column Name: monthlyearnedincome

Column Type: varchar

Max Length: 50

Column Name: monthlyotherdescription

Column Type: varchar

Max Length: 25

Column Name: monthlyothersource

Column Type: varchar

Max Length: 50

Column Name: monthlypensionorretire

Column Type: varchar

Max Length: 50

Column Name: monthlytanf

Column Type: varchar

Max Length: 50

Column Name: monthlytrustfundpayments

Column Type: varchar

Max Length: 50

Column Name: monthlyunemployment

Column Type: varchar

Max Length: 50

Column Name: monthlyvaservdisability

Column Type: varchar

Max Length: 50

Column Name: narrativeentryformed

Column Type: varchar

Max Length: 250

Column Name: noncashbenefitdesc

Column Type: varchar

Max Length: 100

Column Name: noncashbenefits

Column Type: varchar

Max Length: 1

Column Name: noncompetitivedateemploy

Column Type: date

Column Name: noncompetitivehoursweek

Column Type: varchar

Max Length: 50

Column Name: numarrestspast30days

Column Type: varchar

Max Length: 50

Column Name: numberdaystjailpast90days

Column Type: varchar

Max Length: 50

Column Name: numberselfhelpgroups30days
Column Type: varchar
Max Length: 50

Column Name: numbertiesjailpast90days
Column Type: varchar
Max Length: 50

Column Name: numcompetitivejobsleft
Column Type: varchar
Max Length: 1

Column Name: numcompetitivejobsstarted
Column Type: varchar
Max Length: 1

Column Name: occupationalproblems
Column Type: varchar
Max Length: 1

Column Name: otherhealthinsurancedesc
Column Type: varchar
Max Length: 25

Column Name: othersupportdetail
Column Type: varchar
Max Length: 65

Column Name: pcpsnotified
Column Type: varchar
Max Length: 1

Column Name: personcontactforfollowup
Column Type: varchar
Max Length: 100

Column Name: phonefollowupareacode
Column Type: varchar
Max Length: 50

Column Name: phonefollowupexchange
Column Type: varchar
Max Length: 50

Column Name: phonefollowupext
Column Type: varchar
Max Length: 50

Column Name: phonefollowupsuffix
Column Type: varchar
Max Length: 50

Column Name: physicianappointmentdate
Column Type: date

Column Name: physicianappointmenttime
Column Type: varchar
Max Length: 50

Column Name: physicianapptreminder
Column Type: varchar
Max Length: 1

Column Name: physiciancity
Column Type: varchar
Max Length: 30

Column Name: physicianoutsidedbhdd
Column Type: varchar
Max Length: 1

Column Name: physicianphoneareacode
Column Type: varchar
Max Length: 50

Column Name: physicianphoneexchange
Column Type: varchar
Max Length: 50

Column Name: physicianphoneext
Column Type: varchar
Max Length: 50

Column Name: physicianphonesuffix
Column Type: varchar
Max Length: 50

Column Name: physicianstate
Column Type: varchar
Max Length: 2

Column Name: physicianstreetaddress
Column Type: varchar
Max Length: 55

Column Name: physicianstreetaddress2
Column Type: varchar
Max Length: 55

Column Name: physicianzip
Column Type: varchar
Max Length: 50

Column Name: prescribephysician
Column Type: varchar
Max Length: 50

Column Name: prescribephysiciannname
Column Type: varchar
Max Length: 150

Column Name: primaryagefirstuse
Column Type: varchar
Max Length: 50

Column Name: primaryfrequencyuse
Column Type: varchar
Max Length: 50

Column Name: primaryroutadmin
Column Type: varchar
Max Length: 50

Column Name: primarysubstance
Column Type: varchar
Max Length: 50

Column Name: problemsaccesshealthcare
Column Type: varchar
Max Length: 1

Column Name: problemslegalsystemcrime
Column Type: varchar
Max Length: 1

Column Name: problemsprimarysupportgrp
Column Type: varchar
Max Length: 1

Column Name: problemssocialenvironment
Column Type: varchar
Max Length: 1

Column Name: provider
Column Type: varchar
Max Length: 150

Column Name: provideralternateid
Column Type: varchar
Max Length: 15

Column Name: providerappointmentdate
Column Type: date

Column Name: providerappointmenttime
Column Type: varchar
Max Length: 50

Column Name: providercity
Column Type: varchar
Max Length: 30

Column Name: providerid
Column Type: varchar
Max Length: 15

Column Name: provider_internal_tag_id
Column Type: varchar
Max Length: 50
Provider Tag Id.

Column Name: providername
Column Type: varchar
Max Length: 60

Column Name: provideroutsidedbhdd
Column Type: varchar
Max Length: 1

Column Name: providerphoneareacode
Column Type: varchar
Max Length: 50

Column Name: providerphoneexchange
Column Type: varchar
Max Length: 50

Column Name: providerphoneextension
Column Type: varchar
Max Length: 50

Column Name: providerphonesuffix
Column Type: varchar
Max Length: 50

Column Name: providerstate
Column Type: varchar
Max Length: 2

Column Name: providerstreetaddress
Column Type: varchar
Max Length: 55

Column Name: providerstreetaddress2
Column Type: varchar
Max Length: 55

Column Name: providertagid
Column Type: varchar
Max Length: 15

Column Name: providerzip
Column Type: varchar
Max Length: 50

Column Name: psychosocialenvironmental
Column Type: varchar
Max Length: 1

Column Name: reasonformedicalphysician
Column Type: varchar
Max Length: 50

Column Name: relationshipoffollowup
Column Type: varchar
Max Length: 50

Column Name: secondaryagefirstuse
Column Type: varchar
Max Length: 50

Column Name: secondaryassessmeasureother
Column Type: varchar
Max Length: 25

Column Name: secondaryassessmentmeasure
Column Type: varchar
Max Length: 50

Column Name: secondaryassessmentscore
Column Type: varchar
Max Length: 6

Column Name: secondaryfrequencyuse
Column Type: varchar
Max Length: 50

Column Name: secondaryrouteadmin
Column Type: varchar
Max Length: 50

Column Name: secondarysubstance
Column Type: varchar
Max Length: 50

Column Name: selfhelpgroupspast30days
Column Type: varchar
Max Length: 1

Column Name: socialelementsdiagnosis
Column Type: varchar
Max Length: 1

Column Name: sourcenoncashbenefits
Column Type: varchar
Max Length: 50

Column Name: statusofauthorization
Column Type: varchar
Max Length: 1

Column Name: statusvocationalrehab
Column Type: varchar
Max Length: 1

Column Name: statusvocationalrehabprev
Column Type: varchar
Max Length: 1

Column Name: tertiaryagefirstuse
Column Type: varchar
Max Length: 50

Column Name: tertiaryfrequencyuse
Column Type: varchar
Max Length: 50

Column Name: tertiaryrouteadmin
Column Type: varchar
Max Length: 50

Column Name: tertiarysubstance
Column Type: varchar
Max Length: 50

Column Name: txinvolvedadverseincident
Column Type: varchar
Max Length: 1

Column Name: txinvolvedfamily
Column Type: varchar
Max Length: 1

Column Name: txinvolvedlegalsystem
Column Type: varchar
Max Length: 1

Column Name: txinvolvednone
Column Type: varchar
Max Length: 1

Column Name: txinvolvedopprovider
Column Type: varchar
Max Length: 1

Column Name: txinvolvedothersupport
Column Type: varchar
Max Length: 1

Column Name: typenoncompetitiveemploy
Column Type: varchar
Max Length: 2

Column Name: typeofdischarge
Column Type: varchar
Max Length: 1

Column Name: typeofsubstancesused
Column Type: varchar
Max Length: 50

Column Name: unemployedavailablework
Column Type: varchar
Max Length: 1

Column Name: unemployednotavailable
Column Type: varchar
Max Length: 50

Column Name: unknown
Column Type: varchar
Max Length: 1

Column Name: upload_status
Column Type: varchar
Max Length: 50
Upload Status for the record (code).

Column Name: upload_status_value
Column Type: varchar
Max Length: 50
Upload Status for the record (value).

Column Name: vendorid
Column Type: varchar
Max Length: 15

Column Name: waistcircumference
Column Type: varchar
Max Length: 50

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_error

Table Description: This table stores a single error generated by the 'Georgia ASO Response File Processing' form

Column Name: Record
Column Type: varchar
Max Length: 254

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: error_description
Column Type: varchar
Max Length: 4096
Error description.

Column Name: error_type_code
Column Type: integer
Error type (code).

Column Name: error_type_value
Column Type: varchar
Max Length: 50
Error type (value).

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_file

Table Description: This table stores the high level information for files generated from the 'Georgia ASO Response File Processing' form

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
Facility.

Column Name: compiled_by
Column Type: varchar
Max Length: 50
User that compiled the file.

Column Name: compiled_by_user_id
Column Type: varchar
Max Length: 40
User ID of the user that compiled the file.

Column Name: compiled_by_user_name
Column Type: varchar
Max Length: 40
User name of the user that compiled the file.

Column Name: compiled_date
Column Type: date
Date the compile was completed.

Column Name: compiled_time
Column Type: varchar
Max Length: 50
Time the compile was completed.

Column Name: file_date
Column Type: date
File date of the compiled file.

Column Name: file_description
Column Type: varchar
Max Length: 255
File description of the compile.

Column Name: file_name
Column Type: varchar
Max Length: 50
File name of the compiled file.

Column Name: posted_by
Column Type: varchar
Max Length: 50

User that posted the file.

Column Name: posted_by_user_id

Column Type: varchar

Max Length: 40

User ID of the user that posted the file.

Column Name: posted_by_user_name

Column Type: varchar

Max Length: 40

User name of the user that posted the file.

Column Name: posted_date

Column Type: date

Date the file was posted.

Column Name: posted_time

Column Type: varchar

Max Length: 50

Time the file was posted.

Column Name: status_code

Column Type: varchar

Max Length: 50

Status of the file (code).

Column Name: status_value

Column Type: varchar

Max Length: 50

Status of the file (value).

Column Name: type

Column Type: varchar

Max Length: 50

File type code.

Column Name: type_value

Column Type: varchar

Max Length: 50

File type value.

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_record

Table Description: This table stores a single record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: provider_internal_tag_id
Column Type: varchar
Max Length: 50
Provider Tag Id.

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_registration

Table Description: This table stores a single registration record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: altcontactstreetline1
Column Type: varchar
Max Length: 55

Column Name: altcontactstreetline2
Column Type: varchar
Max Length: 55

Column Name: altcontactzipext
Column Type: varchar
Max Length: 4

Column Name: alternatecontactcity
Column Type: varchar
Max Length: 30

Column Name: alternatecontactfirstname
Column Type: varchar
Max Length: 35

Column Name: alternatecontactlastname
Column Type: varchar
Max Length: 60

Column Name: alternatecontactstate
Column Type: varchar
Max Length: 2

Column Name: alternatecontactzip
Column Type: varchar
Max Length: 5

Column Name: altphoneareacode
Column Type: varchar
Max Length: 3

Column Name: altphoneexchnumber
Column Type: varchar
Max Length: 3

Column Name: altphonesuffix
Column Type: varchar
Max Length: 4

Column Name: birthdate
Column Type: date

Column Name: birthsurname
Column Type: varchar
Max Length: 60

Column Name: cbayfund
Column Type: varchar
Max Length: 1

Column Name: city
Column Type: varchar
Max Length: 30

Column Name: email
Column Type: varchar
Max Length: 100

Column Name: firstname
Column Type: varchar
Max Length: 35

Column Name: gender
Column Type: varchar
Max Length: 1

Column Name: guardianindicator
Column Type: varchar
Max Length: 1

Column Name: hearinglossotherid

Column Type: varchar
Max Length: 1

Column Name: hearinglossselfid
Column Type: varchar
Max Length: 1

Column Name: hispaniclatinoorigin
Column Type: varchar
Max Length: 1

Column Name: householdincome
Column Type: integer

Column Name: householdincomeunknown
Column Type: varchar
Max Length: 1

Column Name: householdsize
Column Type: varchar
Max Length: 1

Column Name: immediatesvcsreg
Column Type: varchar
Max Length: 1

Column Name: individualincome
Column Type: integer

Column Name: individualincomeunknown
Column Type: varchar
Max Length: 1

Column Name: individualishomeless
Column Type: varchar
Max Length: 1

Column Name: individualscidnumber
Column Type: varchar
Max Length: 9

Column Name: individualscounty
Column Type: varchar
Max Length: 3

Column Name: indivinfoknown
Column Type: varchar
Max Length: 1

Column Name: language
Column Type: varchar
Max Length: 1

Column Name: languagespecification
Column Type: varchar
Max Length: 2

Column Name: lastname
Column Type: varchar
Max Length: 60

Column Name: lawfulpresence
Column Type: varchar
Max Length: 1

Column Name: maritalstatus
Column Type: varchar
Max Length: 1

Column Name: medicaidid
Column Type: varchar
Max Length: 15

Column Name: medicaidstatus
Column Type: varchar
Max Length: 1

Column Name: medicareid
Column Type: varchar
Max Length: 15

Column Name: middleinitial
Column Type: varchar
Max Length: 1

Column Name: modesofcommunicationaids
Column Type: varchar
Max Length: 1

Column Name: modesofcommunicationasl
Column Type: varchar
Max Length: 1

Column Name: modesofcomother
Column Type: varchar
Max Length: 1

Column Name: modesofcomothermanual
Column Type: varchar
Max Length: 1

Column Name: modesofcomverbal
Column Type: varchar
Max Length: 1

Column Name: namesuffix
Column Type: varchar
Max Length: 3

Column Name: nophone
Column Type: varchar
Max Length: 1

Column Name: otherlanguage
Column Type: varchar
Max Length: 1

Column Name: othertempfundaccess
Column Type: varchar
Max Length: 100

Column Name: parentaddressline1
Column Type: varchar
Max Length: 55

Column Name: parentaddressline2
Column Type: varchar
Max Length: 55

Column Name: parentareacode
Column Type: varchar
Max Length: 3

Column Name: parentcity
Column Type: varchar
Max Length: 30

Column Name: parentemail
Column Type: varchar
Max Length: 100

Column Name: parentfirstname
Column Type: varchar
Max Length: 35

Column Name: parentlastname
Column Type: varchar
Max Length: 60

Column Name: parentphoneexchange
Column Type: varchar
Max Length: 3

Column Name: parentphonesuffix
Column Type: varchar
Max Length: 4

Column Name: parentstate
Column Type: varchar
Max Length: 2

Column Name: parentzipcode
Column Type: varchar
Max Length: 5

Column Name: parentzipcodeext
Column Type: varchar
Max Length: 4

Column Name: peachcareappstatus
Column Type: varchar
Max Length: 2

Column Name: preferredmodeofcom
Column Type: varchar
Max Length: 1

Column Name: preferredname
Column Type: varchar
Max Length: 35

Column Name: primaryhomephoneareacode
Column Type: varchar
Max Length: 3

Column Name: primaryhomephoneexchnum
Column Type: varchar
Max Length: 3

Column Name: primaryhomephonesuffix
Column Type: varchar
Max Length: 4

Column Name: privatehealthinsurance
Column Type: varchar
Max Length: 1

Column Name: provider_internal_tag_id
Column Type: varchar
Max Length: 50
Provider Tag Id.

Column Name: providertagid
Column Type: varchar
Max Length: 15

Column Name: racecode
Column Type: varchar
Max Length: 1

Column Name: recordnumber
Column Type: integer

Column Name: referralregistration
Column Type: varchar
Max Length: 1

Column Name: registrationindicator
Column Type: varchar
Max Length: 1

Column Name: registrationstartdate
Column Type: date

Column Name: relationshiptoindividual
Column Type: varchar
Max Length: 2

Column Name: secondaryphoneareacode
Column Type: varchar
Max Length: 3

Column Name: secondaryphoneexchnum
Column Type: varchar
Max Length: 3

Column Name: secondaryphonesuffix
Column Type: varchar
Max Length: 4

Column Name: ssn

Column Type: integer

Column Name: ssnunknown

Column Type: varchar

Max Length: 1

Column Name: state

Column Type: varchar

Max Length: 2

Column Name: streetaddressline1

Column Type: varchar

Max Length: 55

Column Name: streetaddressline2

Column Type: varchar

Max Length: 55

Column Name: treatmentcourtfund

Column Type: varchar

Max Length: 1

Column Name: unknownaddress

Column Type: varchar

Max Length: 1

Column Name: veteranstatus

Column Type: varchar

Max Length: 1

Column Name: visionlossotherid

Column Type: varchar

Max Length: 1

Column Name: visionlossselfid

Column Type: varchar

Max Length: 1

Column Name: womenstmntfundenddate

Column Type: date

Column Name: womenstreatmentfund
Column Type: varchar
Max Length: 1

Column Name: zipcode
Column Type: varchar
Max Length: 5

Column Name: zipcodeextension
Column Type: varchar
Max Length: 4

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_registration_accepted

Table Description: This table stores a single registration accepted record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: batch_date
Column Type: date
Batch Date.

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: PATID
Column Type: varchar

Max Length: 20
Client Id.

Column Name: altcontactstreetline1
Column Type: varchar
Max Length: 55

Column Name: altcontactstreetline2
Column Type: varchar
Max Length: 55

Column Name: altcontactzipext
Column Type: varchar
Max Length: 4

Column Name: alternatecontactcity
Column Type: varchar
Max Length: 30

Column Name: alternatecontactfirstname
Column Type: varchar
Max Length: 35

Column Name: alternatecontactlastname
Column Type: varchar
Max Length: 60

Column Name: alternatecontactstate
Column Type: varchar
Max Length: 2

Column Name: alternatecontactzip
Column Type: varchar
Max Length: 5

Column Name: altphoneareacode
Column Type: varchar
Max Length: 3

Column Name: altphoneexchnumber
Column Type: varchar

Max Length: 3

Column Name: altphonesuffix

Column Type: varchar

Max Length: 4

Column Name: batch_sequence

Column Type: varchar

Max Length: 50

Batch Sequence.

Column Name: birthdate

Column Type: date

Column Name: birthsurname

Column Type: varchar

Max Length: 60

Column Name: cbayfund

Column Type: varchar

Max Length: 1

Column Name: city

Column Type: varchar

Max Length: 30

Column Name: email

Column Type: varchar

Max Length: 100

Column Name: equal_calc_exp_date

Column Type: date

Registration Expiration Date.

Column Name: equal_reg_start_date

Column Type: date

Registration Start Date.

Column Name: firstname

Column Type: varchar

Max Length: 35

Column Name: funding_source
Column Type: varchar
Max Length: 50
Funding Source.

Column Name: gender
Column Type: varchar
Max Length: 1

Column Name: guardianindicator
Column Type: varchar
Max Length: 1

Column Name: hearinglossotherid
Column Type: varchar
Max Length: 1

Column Name: hearinglossselfid
Column Type: varchar
Max Length: 1

Column Name: hispaniclatinoorigin
Column Type: varchar
Max Length: 1

Column Name: householdincome
Column Type: integer

Column Name: householdincomeunknown
Column Type: varchar
Max Length: 1

Column Name: householdsiz
Column Type: varchar
Max Length: 1

Column Name: immediatesvcsreg
Column Type: varchar
Max Length: 1

Column Name: individualincome

Column Type: integer

Column Name: individualincomeunknown

Column Type: varchar

Max Length: 1

Column Name: individualishomeless

Column Type: varchar

Max Length: 1

Column Name: individualscidnumber

Column Type: varchar

Max Length: 9

Column Name: individualscounty

Column Type: varchar

Max Length: 3

Column Name: indivinfoknown

Column Type: varchar

Max Length: 1

Column Name: language

Column Type: varchar

Max Length: 1

Column Name: languagespecification

Column Type: varchar

Max Length: 2

Column Name: lastname

Column Type: varchar

Max Length: 60

Column Name: lawfulpresence

Column Type: varchar

Max Length: 1

Column Name: maritalstatus

Column Type: varchar

Max Length: 1

Column Name: medicaidid

Column Type: varchar

Max Length: 15

Column Name: medicaidstatus

Column Type: varchar

Max Length: 1

Column Name: medicareid

Column Type: varchar

Max Length: 15

Column Name: middleinitial

Column Type: varchar

Max Length: 1

Column Name: modesofcommunicationaids

Column Type: varchar

Max Length: 1

Column Name: modesofcommunicationasl

Column Type: varchar

Max Length: 1

Column Name: modesofcomother

Column Type: varchar

Max Length: 1

Column Name: modesofcomothermanual

Column Type: varchar

Max Length: 1

Column Name: modesofcomverbal

Column Type: varchar

Max Length: 1

Column Name: mra_sequence_number

Column Type: varchar

Max Length: 50
MRA Sequence Number.

Column Name: namesuffix
Column Type: varchar
Max Length: 3

Column Name: nophone
Column Type: varchar
Max Length: 1

Column Name: otherlanguage
Column Type: varchar
Max Length: 1

Column Name: othertempfundaccess
Column Type: varchar
Max Length: 100

Column Name: parentaddressline1
Column Type: varchar
Max Length: 55

Column Name: parentaddressline2
Column Type: varchar
Max Length: 55

Column Name: parentareacode
Column Type: varchar
Max Length: 3

Column Name: parentcity
Column Type: varchar
Max Length: 30

Column Name: parentemail
Column Type: varchar
Max Length: 100

Column Name: parentfirstname
Column Type: varchar

Max Length: 35

Column Name: parentlastname

Column Type: varchar

Max Length: 60

Column Name: parentphoneexchange

Column Type: varchar

Max Length: 3

Column Name: parentphonesuffix

Column Type: varchar

Max Length: 4

Column Name: parentstate

Column Type: varchar

Max Length: 2

Column Name: parentzipcode

Column Type: varchar

Max Length: 5

Column Name: parentzipcodeext

Column Type: varchar

Max Length: 4

Column Name: peachcareappstatus

Column Type: varchar

Max Length: 2

Column Name: preferredmodeofcom

Column Type: varchar

Max Length: 1

Column Name: preferredname

Column Type: varchar

Max Length: 35

Column Name: primaryhomephoneareacode

Column Type: varchar

Max Length: 3

Column Name: primaryhomephoneexchnum

Column Type: varchar

Max Length: 3

Column Name: primaryhomephonesuffix

Column Type: varchar

Max Length: 4

Column Name: privatehealthinsurance

Column Type: varchar

Max Length: 1

Column Name: provider_internal_tag_id

Column Type: varchar

Max Length: 50

Provider Tag Id.

Column Name: providertagid

Column Type: varchar

Max Length: 15

Column Name: racecode

Column Type: varchar

Max Length: 1

Column Name: recordnumber

Column Type: integer

Column Name: referralregistration

Column Type: varchar

Max Length: 1

Column Name: registration_code

Column Type: varchar

Max Length: 50

Registration Code.

Column Name: registration_comments

Column Type: varchar

Max Length: 1000

Registration Comments.

Column Name: registrationindicator
Column Type: varchar
Max Length: 1

Column Name: registrationstartdate
Column Type: date

Column Name: relationshiptoindividual
Column Type: varchar
Max Length: 2

Column Name: secondaryphoneareacode
Column Type: varchar
Max Length: 3

Column Name: secondaryphoneexchnum
Column Type: varchar
Max Length: 3

Column Name: secondaryphonesuffix
Column Type: varchar
Max Length: 4

Column Name: sequence_number
Column Type: varchar
Max Length: 50
Sequence Number.

Column Name: ssn
Column Type: integer

Column Name: ssunknown
Column Type: varchar
Max Length: 1

Column Name: state
Column Type: varchar
Max Length: 2

Column Name: streetaddressline1
Column Type: varchar
Max Length: 55

Column Name: streetaddressline2
Column Type: varchar
Max Length: 55

Column Name: temp_indiv_number
Column Type: varchar
Max Length: 50
Temporary Individual Number.

Column Name: treatmentcourtfund
Column Type: varchar
Max Length: 1

Column Name: unknownaddress
Column Type: varchar
Max Length: 1

Column Name: upload_status
Column Type: varchar
Max Length: 50
Upload Status for the record (code).

Column Name: upload_status_value
Column Type: varchar
Max Length: 50
Upload Status for the record (value).

Column Name: veteranstatus
Column Type: varchar
Max Length: 1

Column Name: visionlossotherid
Column Type: varchar
Max Length: 1

Column Name: visionlossselfid
Column Type: varchar
Max Length: 1

Column Name: womenstmntfundenddate
Column Type: date

Column Name: womenstreatmentfund
Column Type: varchar
Max Length: 1

Column Name: zipcode
Column Type: varchar
Max Length: 5

Column Name: zipcodeextension
Column Type: varchar
Max Length: 4

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_registration_pended

Table Description: This table stores a single registration pended record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: altcontactstreetline1
Column Type: varchar
Max Length: 55

Column Name: altcontactstreetline2
Column Type: varchar
Max Length: 55

Column Name: altcontactzipext
Column Type: varchar
Max Length: 4

Column Name: alternatecontactcity
Column Type: varchar
Max Length: 30

Column Name: alternatecontactfirstname
Column Type: varchar
Max Length: 35

Column Name: alternatecontactlastname
Column Type: varchar
Max Length: 60

Column Name: alternatecontactstate
Column Type: varchar
Max Length: 2

Column Name: alternatecontactzip
Column Type: varchar
Max Length: 5

Column Name: altphoneareacode
Column Type: varchar
Max Length: 3

Column Name: altphoneexchnumber
Column Type: varchar
Max Length: 3

Column Name: altphonesuffix
Column Type: varchar
Max Length: 4

Column Name: batch_date
Column Type: date
Batch Date.

Column Name: batch_sequence
Column Type: varchar
Max Length: 50
Batch Sequence.

Column Name: birthdate
Column Type: date

Column Name: birthsurname
Column Type: varchar
Max Length: 60

Column Name: cbayfund
Column Type: varchar
Max Length: 1

Column Name: city
Column Type: varchar
Max Length: 30

Column Name: email
Column Type: varchar
Max Length: 100

Column Name: equal_calc_exp_date
Column Type: date
Registration Expiration Date.

Column Name: equal_reg_start_date
Column Type: date
Registration Start Date.

Column Name: firstname
Column Type: varchar
Max Length: 35

Column Name: funding_source
Column Type: varchar
Max Length: 50
Funding Source.

Column Name: gender
Column Type: varchar
Max Length: 1

Column Name: guardianindicator
Column Type: varchar
Max Length: 1

Column Name: hearinglossotherid
Column Type: varchar
Max Length: 1

Column Name: hearinglossselfid
Column Type: varchar
Max Length: 1

Column Name: hispaniclatinoorigin
Column Type: varchar
Max Length: 1

Column Name: householdincome
Column Type: integer

Column Name: householdincomeunknown
Column Type: varchar
Max Length: 1

Column Name: householdsize
Column Type: varchar
Max Length: 1

Column Name: immediatesvcsreg
Column Type: varchar
Max Length: 1

Column Name: individualincome
Column Type: integer

Column Name: individualincomeunknown
Column Type: varchar
Max Length: 1

Column Name: individualishomeless
Column Type: varchar
Max Length: 1

Column Name: individualscidnumber
Column Type: varchar
Max Length: 9

Column Name: individualscounty
Column Type: varchar
Max Length: 3

Column Name: indivinfoknown
Column Type: varchar
Max Length: 1

Column Name: language
Column Type: varchar
Max Length: 1

Column Name: languagespecification
Column Type: varchar
Max Length: 2

Column Name: lastname
Column Type: varchar
Max Length: 60

Column Name: lawfulpresence
Column Type: varchar
Max Length: 1

Column Name: maritalstatus
Column Type: varchar
Max Length: 1

Column Name: medicaidid
Column Type: varchar
Max Length: 15

Column Name: medicaidstatus
Column Type: varchar
Max Length: 1

Column Name: medicareid
Column Type: varchar
Max Length: 15

Column Name: middleinitial
Column Type: varchar
Max Length: 1

Column Name: modesofcommunicationaids
Column Type: varchar
Max Length: 1

Column Name: modesofcommunicationasl
Column Type: varchar
Max Length: 1

Column Name: modesofcomother
Column Type: varchar
Max Length: 1

Column Name: modesofcomothermanual
Column Type: varchar
Max Length: 1

Column Name: modesofcomverbal
Column Type: varchar
Max Length: 1

Column Name: mra_sequence_number
Column Type: varchar
Max Length: 50
MRA Sequence Number.

Column Name: namesuffix
Column Type: varchar
Max Length: 3

Column Name: nophone
Column Type: varchar
Max Length: 1

Column Name: otherlanguage
Column Type: varchar
Max Length: 1

Column Name: othertempfundaccess
Column Type: varchar
Max Length: 100

Column Name: parentaddressline1
Column Type: varchar
Max Length: 55

Column Name: parentaddressline2
Column Type: varchar
Max Length: 55

Column Name: parentareacode
Column Type: varchar
Max Length: 3

Column Name: parentcity
Column Type: varchar
Max Length: 30

Column Name: parentemail
Column Type: varchar
Max Length: 100

Column Name: parentfirstname
Column Type: varchar
Max Length: 35

Column Name: parentlastname
Column Type: varchar
Max Length: 60

Column Name: parentphoneexchange
Column Type: varchar
Max Length: 3

Column Name: parentphonesuffix
Column Type: varchar
Max Length: 4

Column Name: parentstate
Column Type: varchar
Max Length: 2

Column Name: parentzipcode
Column Type: varchar
Max Length: 5

Column Name: parentzipcodeext
Column Type: varchar
Max Length: 4

Column Name: peachcareappstatus
Column Type: varchar
Max Length: 2

Column Name: preferredmodeofcom
Column Type: varchar
Max Length: 1

Column Name: preferredname
Column Type: varchar
Max Length: 35

Column Name: primaryhomephoneareacode
Column Type: varchar
Max Length: 3

Column Name: primaryhomephoneexchnum
Column Type: varchar
Max Length: 3

Column Name: primaryhomephonesuffix
Column Type: varchar
Max Length: 4

Column Name: privatehealthinsurance
Column Type: varchar
Max Length: 1

Column Name: provider_internal_tag_id
Column Type: varchar
Max Length: 50
Provider Tag Id.

Column Name: providertagid
Column Type: varchar
Max Length: 15

Column Name: racecode
Column Type: varchar
Max Length: 1

Column Name: recordnumber
Column Type: integer

Column Name: referralregistration
Column Type: varchar
Max Length: 1

Column Name: registrationindicator
Column Type: varchar
Max Length: 1

Column Name: registrationstartdate

Column Type: date

Column Name: relationshiptoindividual

Column Type: varchar

Max Length: 2

Column Name: secondaryphoneareacode

Column Type: varchar

Max Length: 3

Column Name: secondaryphoneexchnum

Column Type: varchar

Max Length: 3

Column Name: secondaryphonesuffix

Column Type: varchar

Max Length: 4

Column Name: sequence_number

Column Type: varchar

Max Length: 50

Sequence Number.

Column Name: ssn

Column Type: integer

Column Name: ssnunknown

Column Type: varchar

Max Length: 1

Column Name: state

Column Type: varchar

Max Length: 2

Column Name: streetaddressline1

Column Type: varchar

Max Length: 55

Column Name: streetaddressline2

Column Type: varchar

Max Length: 55

Column Name: temp_indiv_number
Column Type: varchar
Max Length: 50
Temporary Individual Number.

Column Name: treatmentcourtfund
Column Type: varchar
Max Length: 1

Column Name: unknownaddress
Column Type: varchar
Max Length: 1

Column Name: upload_status
Column Type: varchar
Max Length: 50
Upload Status for the record (code).

Column Name: upload_status_value
Column Type: varchar
Max Length: 50
Upload Status for the record (value).

Column Name: veteranstatus
Column Type: varchar
Max Length: 1

Column Name: visionlossotherid
Column Type: varchar
Max Length: 1

Column Name: visionlossselfid
Column Type: varchar
Max Length: 1

Column Name: womenstmntfundenddate
Column Type: date

Column Name: womenstreatmentfund
Column Type: varchar
Max Length: 1

Column Name: zipcode
Column Type: varchar
Max Length: 5

Column Name: zipcodeextension
Column Type: varchar
Max Length: 4

Column Name: childsub
Column Type: integer

Documentation for form: Georgia_ASO_Response_File_Processing

Table Name: STATEFORM.ga_aso_registration_rejected

Table Description: This table stores a single registration rejected record generated from the 'Georgia ASO Response File Processing' form

Column Name: AsoFile
Column Type: integer

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client Id.

Column Name: altcontactstreetline1
Column Type: varchar
Max Length: 55

Column Name: altcontactstreetline2
Column Type: varchar
Max Length: 55

Column Name: altcontactzipext
Column Type: varchar
Max Length: 4

Column Name: alternatecontactcity
Column Type: varchar
Max Length: 30

Column Name: alternatecontactfirstname
Column Type: varchar
Max Length: 35

Column Name: alternatecontactlastname
Column Type: varchar
Max Length: 60

Column Name: alternatecontactstate
Column Type: varchar
Max Length: 2

Column Name: alternatecontactzip
Column Type: varchar
Max Length: 5

Column Name: altphoneareacode
Column Type: varchar
Max Length: 3

Column Name: altphoneexchnumber
Column Type: varchar
Max Length: 3

Column Name: altphonesuffix
Column Type: varchar
Max Length: 4

Column Name: birthdate
Column Type: date

Column Name: birthsurname
Column Type: varchar
Max Length: 60

Column Name: cbayfund
Column Type: varchar
Max Length: 1

Column Name: city
Column Type: varchar
Max Length: 30

Column Name: email
Column Type: varchar
Max Length: 100

Column Name: error_code
Column Type: varchar
Max Length: 50
Error Code.

Column Name: error_description
Column Type: varchar
Max Length: 100
Error Description.

Column Name: firstname
Column Type: varchar
Max Length: 35

Column Name: gender
Column Type: varchar
Max Length: 1

Column Name: guardianindicator
Column Type: varchar
Max Length: 1

Column Name: hearinglossotherid
Column Type: varchar
Max Length: 1

Column Name: hearinglossselfid
Column Type: varchar
Max Length: 1

Column Name: hispaniclatinoorigin
Column Type: varchar
Max Length: 1

Column Name: householdincome
Column Type: integer

Column Name: householdincomeunknown
Column Type: varchar
Max Length: 1

Column Name: householdsize
Column Type: varchar
Max Length: 1

Column Name: immediatesvcsreg
Column Type: varchar
Max Length: 1

Column Name: individualincome
Column Type: integer

Column Name: individualincomeunknown
Column Type: varchar
Max Length: 1

Column Name: individualishomeless
Column Type: varchar
Max Length: 1

Column Name: individualscidnumber
Column Type: varchar
Max Length: 9

Column Name: individualscounty
Column Type: varchar

Max Length: 3

Column Name: indivinfoknown

Column Type: varchar

Max Length: 1

Column Name: language

Column Type: varchar

Max Length: 1

Column Name: languagespecification

Column Type: varchar

Max Length: 2

Column Name: lastname

Column Type: varchar

Max Length: 60

Column Name: lawfulpresence

Column Type: varchar

Max Length: 1

Column Name: maritalstatus

Column Type: varchar

Max Length: 1

Column Name: medicaidid

Column Type: varchar

Max Length: 15

Column Name: medicaidstatus

Column Type: varchar

Max Length: 1

Column Name: medicareid

Column Type: varchar

Max Length: 15

Column Name: middleinitial

Column Type: varchar

Max Length: 1

Column Name: modesofcommunicationaids

Column Type: varchar

Max Length: 1

Column Name: modesofcommunicationasl

Column Type: varchar

Max Length: 1

Column Name: modesofcomother

Column Type: varchar

Max Length: 1

Column Name: modesofcomothermanual

Column Type: varchar

Max Length: 1

Column Name: modesofcomverbal

Column Type: varchar

Max Length: 1

Column Name: namesuffix

Column Type: varchar

Max Length: 3

Column Name: nophone

Column Type: varchar

Max Length: 1

Column Name: otherlanguage

Column Type: varchar

Max Length: 1

Column Name: othertempfundaccess

Column Type: varchar

Max Length: 100

Column Name: parentaddressline1

Column Type: varchar

Max Length: 55

Column Name: parentaddressline2

Column Type: varchar

Max Length: 55

Column Name: parentareacode

Column Type: varchar

Max Length: 3

Column Name: parentcity

Column Type: varchar

Max Length: 30

Column Name: parentemail

Column Type: varchar

Max Length: 100

Column Name: parentfirstname

Column Type: varchar

Max Length: 35

Column Name: parentlastname

Column Type: varchar

Max Length: 60

Column Name: parentphoneexchange

Column Type: varchar

Max Length: 3

Column Name: parentphonesuffix

Column Type: varchar

Max Length: 4

Column Name: parentstate

Column Type: varchar

Max Length: 2

Column Name: parentzipcode

Column Type: varchar

Max Length: 5

Column Name: parentzipcodeext

Column Type: varchar

Max Length: 4

Column Name: peachcareappstatus

Column Type: varchar

Max Length: 2

Column Name: preferredmodeofcom

Column Type: varchar

Max Length: 1

Column Name: preferredname

Column Type: varchar

Max Length: 35

Column Name: primaryhomephoneareacode

Column Type: varchar

Max Length: 3

Column Name: primaryhomephoneexchnum

Column Type: varchar

Max Length: 3

Column Name: primaryhomephonesuffix

Column Type: varchar

Max Length: 4

Column Name: privatehealthinsurance

Column Type: varchar

Max Length: 1

Column Name: provider_internal_tag_id

Column Type: varchar

Max Length: 50

Provider Tag Id.

Column Name: providertagid

Column Type: varchar

Max Length: 15

Column Name: racecode

Column Type: varchar

Max Length: 1

Column Name: recordnumber

Column Type: integer

Column Name: referralregistration

Column Type: varchar

Max Length: 1

Column Name: registrationindicator

Column Type: varchar

Max Length: 1

Column Name: registrationstartdate

Column Type: date

Column Name: relationshiptoindividual

Column Type: varchar

Max Length: 2

Column Name: secondaryphoneareacode

Column Type: varchar

Max Length: 3

Column Name: secondaryphoneexchnum

Column Type: varchar

Max Length: 3

Column Name: secondaryphonesuffix

Column Type: varchar

Max Length: 4

Column Name: ssn

Column Type: integer

Column Name: ssunknown
Column Type: varchar
Max Length: 1

Column Name: state
Column Type: varchar
Max Length: 2

Column Name: streetaddressline1
Column Type: varchar
Max Length: 55

Column Name: streetaddressline2
Column Type: varchar
Max Length: 55

Column Name: treatmentcourtfund
Column Type: varchar
Max Length: 1

Column Name: unknownaddress
Column Type: varchar
Max Length: 1

Column Name: upload_status
Column Type: varchar
Max Length: 50
Upload Status for the record (code).

Column Name: upload_status_value
Column Type: varchar
Max Length: 50
Upload Status for the record (value).

Column Name: veteranstatus
Column Type: varchar
Max Length: 1

Column Name: visionlossotherid
Column Type: varchar
Max Length: 1

Column Name: visionlossselfid
Column Type: varchar
Max Length: 1

Column Name: womenstmntfundenddate
Column Type: date

Column Name: womenstreatmentfund
Column Type: varchar
Max Length: 1

Column Name: zipcode
Column Type: varchar
Max Length: 5

Column Name: zipcodeextension
Column Type: varchar
Max Length: 4

Column Name: childsub
Column Type: integer

Documentation for form: Maintain_Hospital_Bed_File

Table Name: SYSTEM.table_bed

Table Description: Bed table

Column Name: table_bed_row_ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored. FACILITY

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data. PATID of person in the bed

Column Name: unit_code
Column Type: varchar
Max Length: 10
Unit code

Column Name: room_number
Column Type: varchar
Max Length: 40
Room number in bed table

Column Name: bed_license_status_code
Column Type: varchar
Max Length: 40
Licensed or unlicensed bed?

Column Name: bed_identifier
Column Type: varchar
Max Length: 40
bed identifier in bed table

Column Name: bed_reserved_for_PATID
Column Type: varchar
Max Length: 10
If bed is reserved PATID of who reserved for

Column Name: bed_reserved_priority
Column Type: varchar
Max Length: 10
Priority of bed reservation

Column Name: unit_value
Column Type: varchar
Max Length: 40
The description associated with unit_code.

Column Name: bed_license_status_value
Column Type: varchar
Max Length: 40
Licensed or unlicensed bed?

Column Name: BA_uniqueid
Column Type: varchar
Max Length: 12
Unique ID of the bed assignment record. [Link to Bed Assignment History](#)

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID. Episode Number

Column Name: active_bed_code
Column Type: varchar
Max Length: 2
Active bed?

Column Name: active_bed_value
Column Type: varchar
Max Length: 5
Active bed?

Column Name: active_room_code
Column Type: varchar
Max Length: 2
Active Room?

Column Name: active_room_value
Column Type: varchar
Max Length: 5
Active Room?

Column Name: bed_reserved_for_client_name
Column Type: varchar
Max Length: 50
Reserved For Client Name

Column Name: bed_reserved_priority_value
Column Type: varchar
Max Length: 40
Priority of bed reservation value

Column Name: client_gender
Column Type: varchar
Max Length: 50
Client Gender (If bed is occupied it represents the client who is occupying the bed, if bed is reserved it represents the client who the bed is reserved for. If bed is empty this value is empty.

Column Name: client_gender_value
Column Type: varchar
Max Length: 40
Client Gender (If bed is occupied it represents the client who is occupying the bed, if bed is reserved it represents the client who the bed is reserved for. If bed is empty this value is unknown.

Column Name: client_name
Column Type: varchar
Max Length: 100
The name of the client identified by PATID. See PATID for more information. Client Name

Column Name: medicaid_certified_code
Column Type: varchar
Max Length: 50

Medicaid Certified

Column Name: medicaid_certified_value

Column Type: varchar

Max Length: 50

Medicaid Certified

Column Name: medicare_certified_code

Column Type: varchar

Max Length: 50

Medicare Certified

Column Name: medicare_certified_value

Column Type: varchar

Max Length: 50

Medicare Certified

Column Name: room_notes

Column Type: varchar

Max Length: 80

The notes for the room.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: [Advanced_Billing_Failed_Compliance_Report](#)

Table Name: [SYSTEM.billing_tx_failed_compliance](#)

Table Description: This table returns information filed in 'Advanced Billing Failed Compliance Report' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

Episode Number

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar
Max Length: 20
Patient ID

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
Guarantor ID

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
JOIN_TO_TX_HISTORY

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By (Option)

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: v_patient_name
Column Type: varchar
Max Length: 100
Client Name

Column Name: RuleUniqueId
Column Type: varchar
Max Length: 50
Rule Unique ID

Column Name: TFCUniqueId
Column Type: varchar
Max Length: 50
TFC Unique ID

Column Name: data_entry_offset
Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
Data Entry User ID

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
Data Entry User Name

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_service
Column Type: date
Date of Service

Column Name: fail_270_reason
Column Type: varchar
Max Length: 100
Failed reason from 270 compile

Column Name: fail_reason_code
Column Type: varchar
Max Length: 50
Failed reason

Column Name: fail_reason_value

Column Type: varchar

Max Length: 50

The description associated with the fail_reason_code. See fail_reason_code for more information.

Column Name: guarantor_name

Column Type: varchar

Max Length: 40

The Guarantor name associated with the GUARANTOR_ID. See GUARANTOR_ID for more information.

Column Name: override_rule_code

Column Type: varchar

Max Length: 50

Override Rule Code

Column Name: override_rule_value

Column Type: varchar

Max Length: 50

The description associated with the override_rule_code. See override_rule_code for more information.

Column Name: rule_override_comm

Column Type: varchar

Max Length: 32766

Rule Override Comments

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_allow_chrg_close_code

Column Type: varchar

Max Length: 50

Allow Charge Closure Code

Column Name: v_allow_chrg_close_value

Column Type: varchar

Max Length: 50

The description associated with the v_allow_chrg_close_code. See v_allow_chrg_close_code for more information.

Column Name: v_diagnosis_input_code

Column Type: varchar

Max Length: 50

Diagnosis Input code

Column Name: v_diagnosis_input_value

Column Type: varchar

Max Length: 50

The description associated with the v_diagnosis_input_code. See v_diagnosis_input_code for more information.

Column Name: v_diagnosis_source_code

Column Type: varchar

Max Length: 50

Diagnosis Source Code

Column Name: v_diagnosis_source_value

Column Type: varchar

Max Length: 100

The description associated with the v_diagnosis_source_code. See v_diagnosis_source_code for more information.

Column Name: v_medi_diag_input_code

Column Type: varchar

Max Length: 50

Medical Diagnosis Input code

Column Name: v_medi_diag_input_value

Column Type: varchar

Max Length: 50

The description associated with the v_medi_diag_input_code. See v_medi_diag_input_code for more information.

Column Name: v_pat_det_age_date_of_svc

Column Type: varchar

Max Length: 50

Patient Detailed Age At Date Of Service

Column Name: v_patient_age_on_date_of_svc

Column Type: numeric

Patient Age On Date Of Service

Column Name: v_patient_gender_code

Column Type: varchar

Max Length: 50

Patient Gender Code

Column Name: v_patient_gender_value

Column Type: varchar

Max Length: 50

The description associated with the v_patient_gender_code. See v_patient_gender_code for more information.

Column Name: v_patient_svc_diagnosis_code

Column Type: varchar

Max Length: 50

Dynamically show all diagnoses

Column Name: v_patient_svc_diagnosis_value

Column Type: varchar

Max Length: 50

The description associated with the v_patient_svc_diagnosis_code. See v_patient_svc_diagnosis_code for more information.

Column Name: v_primary_svc_diag_code

Column Type: varchar

Max Length: 50

Primary Service Diagnosis code

Column Name: v_primary_svc_diag_value

Column Type: varchar

Max Length: 50

The description associated with the v_primary_svc_diag_code. See v_primary_svc_diag_code for more information.

Column Name: v_quatnry_svc_diag_code

Column Type: varchar

Max Length: 50

Quaternary Service Diagnosis code

Column Name: v_quatnry_svc_diag_value

Column Type: varchar

Max Length: 50

The description associated with the v_quatnry_svc_diag_code. See v_quatnry_svc_diag_code for more information.

Column Name: v_rule_applies_to_code

Column Type: varchar

Max Length: 50

Rule Applies To Code

Column Name: v_rule_applies_to_value

Column Type: varchar

Max Length: 50

The description associated with the v_rule_applies_to_code. See v_rule_applies_to_code for more information.

Column Name: v_rule_category_code

Column Type: varchar

Max Length: 50

Rule Category Code

Column Name: v_rule_category_value

Column Type: varchar

Max Length: 50

The description associated with the v_rule_category_code. See v_rule_category_code for more information.

Column Name: v_rule_description

Column Type: varchar
Max Length: 50
Rule description

Column Name: v_rule_results_in_code
Column Type: varchar
Max Length: 50
Rule Results In Code

Column Name: v_rule_results_in_value
Column Type: varchar
Max Length: 50
The description associated with the v_rule_results_in_code. See v_rule_results_in_code for more information.

Column Name: v_second_svc_diag_code
Column Type: varchar
Max Length: 50
Secondary Service Diagnosis code.

Column Name: v_second_svc_diag_value
Column Type: varchar
Max Length: 50
The description associated with the v_second_svc_diag_code. See v_second_svc_diag_code for more information.

Column Name: v_service_code
Column Type: varchar
Max Length: 50
Secondary Service Diagnosis code.

Column Name: v_service_value
Column Type: varchar
Max Length: 50
The description associated with the v_service_code. See v_service_code for more information.

Column Name: v_tertry_svc_diag_code
Column Type: varchar
Max Length: 50
Tertiary Service Diagnosis code

Column Name: v_tertry_svc_diag_value
Column Type: varchar
Max Length: 50
The description associated with the v_tertry_svc_diag_code. See v_tertry_svc_diag_code for more information.

Documentation for form: CCBHC_PPS_Compile

Table Name: SYSTEM.ccbhc_service_audit

Table Description: This table returns the CCBHC PPS and component services and errors produced by the 'CCBHC PPS Compile' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode of the service.

Column Name: ERRORS
Column Type: varchar
Max Length: 1
A "Y" or "N" value based on ccbhc_error_message. See ccbhc_error_message for more information.

Column Name: FACILITY
Column Type: integer
The facility of the service.

Column Name: JOIN_TO_CCBHC
Column Type: varchar
Max Length: 40
The unique service ID for the CCBHC PPS Service

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique ID of service for the client and episode.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for the service.

Column Name: ccbhc_error_message
Column Type: varchar
Max Length: 255
The error message associated with the CCBHC audit row.

Column Name: ccbhc_service_charge
Column Type: numeric
The cost of the service.

Column Name: ccbhc_service_code
Column Type: varchar
Max Length: 50
Service code of the CCBHC service

Column Name: ccbhc_service_date
Column Type: date
The date of service.

Column Name: ccbhc_service_episode
Column Type: integer
The episode number assigned to the CCBHC PPS service.

Column Name: ccbhc_service_value
Column Type: varchar
Max Length: 50
The description associated with ccbhc_service_code. See ccbhc_service_code for more information.

Column Name: client_name
Column Type: varchar
Max Length: 40
The name of the client.

Column Name: compile_date
Column Type: date
The date the PPS Compile was run.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time of day when this data row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The ID of the user who last updated this row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The name of the user who last updated this row.

Column Name: deleted_service
Column Type: varchar
Max Length: 50
Flag indicating that the service has been deleted.

Column Name: is_ccbhc_service
Column Type: varchar
Max Length: 50

Column Name: pps_guarantor_charge
Column Type: numeric
The liability charge to the PPS guarantor.

Column Name: pps_guarantor_id
Column Type: varchar
Max Length: 40
The guarantor ID associated with the PPS service.

Column Name: pps_guarantor_name
Column Type: varchar
Max Length: 40
The name associated with guarantor_ID. See guarantor_ID for more information.

Column Name: pps_practitioner_id
Column Type: varchar
Max Length: 50
The ID of the practitioner assigned to the PPS service.

Column Name: pps_service_code
Column Type: varchar
Max Length: 50
Service code of the PPS service

Column Name: pps_service_value
Column Type: varchar
Max Length: 50
The description associated with ccbhc_service_code. See ccbhc_service_code for more information.

Column Name: practitioner_id
Column Type: varchar
Max Length: 50
The ID of the practitioner who provided the service.

Documentation for form: Front_Desk

Table Name: SYSTEM.AppointmentData

Table Description: Appointment Scheduling Data

Column Name: ID
Column Type: integer

Column Name: CO_STAFFID_1
Column Type: varchar
Max Length: 10
Co Staffid 1

Column Name: CO_STAFFID_2
Column Type: varchar
Max Length: 10
Co Staff Id 2

Column Name: duration
Column Type: varchar
Max Length: 10
Duration

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored. FACILITY

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
Group Id associated with the appointment.

Column Name: JOIN_TO_CO_STAFF_TX_HISTORY
Column Type: varchar
Max Length: 15
JOIN TO CO-STAFF TX STRING

Column Name: JOIN_TO_FOLLOW_UP_APD
Column Type: varchar
Max Length: 50

Join To Follow-up Appointment Link

Column Name: JOIN_TO_PREV_APD

Column Type: varchar

Max Length: 50

Join To Previous Appointment Link

Column Name: JOIN_TO_SECOND_CO_STAFF_TX_HISTORY

Column Type: varchar

Max Length: 15

JOIN TO SECOND CO-STAFF TX STRING

Column Name: JOIN_TO_STAFF_TX_HISTORY

Column Type: varchar

Max Length: 15

JOIN TO STAFF TX STRING

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

JOIN to Service Documentation (99970)

Column Name: ROOMID

Column Type: varchar

Max Length: 40

The room associated with the appointment.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 40

Service code.

Column Name: SITEID

Column Type: varchar

Max Length: 10

Site Id.

Column Name: STAFFID

Column Type: varchar

Max Length: 40

The staff ID associated with the appointment.

Column Name: add_on_notes

Column Type: varchar

Max Length: 4096

Add-On Notes (11507)

Column Name: add_on_notes_stream

Column Type: longvarchar

Max Length: 2147483647

Add-On Notes Stream

Column Name: add_svc_info_code

Column Type: varchar

Max Length: 50

Additional Service Information - Code (11505)

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

Additional Service Information - Short Value

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

Additional Service Information - Value

Column Name: add_svcs_grp_indicator

Column Type: varchar

Max Length: 32000

The individualized group members for the additional service entry

Column Name: add_svcs_indicator

Column Type: varchar

Max Length: 32000

The individualized group members for the additional service entry (recurring appointment)

Column Name: appointment_date

Column Type: date

Appointment date

Column Name: appointment_end_time

Column Type: varchar

Max Length: 50

Appointment end time

Column Name: appointment_end_time_j

Column Type: varchar

Max Length: 50

Appointment end time (julian)

Column Name: appointment_end_utc

Column Type: timestamp

the Appointment End as UTC date and time.

Column Name: appointment_notes

Column Type: varchar

Max Length: 4096

Appointment Notes (10100)

Column Name: appointment_notes_stream
Column Type: longvarchar
Max Length: 2147483647
Appointment Notes Stream

Column Name: appointment_start_time
Column Type: varchar
Max Length: 50
Appointment start time

Column Name: appointment_start_time_j
Column Type: varchar
Max Length: 50
Appointment start time (julian)

Column Name: appointment_start_utc
Column Type: timestamp
the Appointment Start as UTC date and time.

Column Name: appointment_utc_timezone
Column Type: varchar
Max Length: 255
the timezone for the appointment used to determine the offset from UTC.

Column Name: appt_req_follow_up_code
Column Type: varchar
Max Length: 5
Appointment Requires Follow-up

Column Name: appt_req_follow_up_value
Column Type: varchar
Max Length: 50
Appointment Requires Follow-up

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
Billing Status code

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The value of the 'billing_status_code'

Column Name: cancellation_reason_code
Column Type: varchar
Max Length: 40
The code for the appointment cancellation reason.

Column Name: cancellation_reason_value

Column Type: varchar
Max Length: 255
The description associated with cancellation reason_code.

Column Name: client_willing_pay_code
Column Type: varchar
Max Length: 50
Client Willing To Pay At Front Desk

Column Name: client_willing_pay_value
Column Type: varchar
Max Length: 50
Client Willing To Pay At Front Desk

Column Name: clinic_indicator
Column Type: integer
The clinical appointment flag. Set to 1 if this is a clinical appointment.

Column Name: costaff1_duration_min
Column Type: varchar
Max Length: 10
Duration (in minutes) - CoStaff

Column Name: co_staff_1_name
Column Type: varchar
Max Length: 40
Co Staff 1 Name

Column Name: costaff2_duration_min
Column Type: varchar
Max Length: 10
Duration (in minutes) - CoStaff2

Column Name: co_staff_2_name
Column Type: varchar
Max Length: 40
Co Staff 2 Name

Column Name: cost_of_service
Column Type: numeric
Cost of Service (field 19998)

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: duration_minutes

Column Type: varchar

Max Length: 10
Duration (in minutes)

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 200
Evidence-based Practices / Service Strategies (CSI)

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 200
Evidence-Based Practices / Service Strategies (CSI)

Column Name: ebpss_csi_value_long
Column Type: varchar
Max Length: 4096
Evidence-Based Practices / Service Strategies (CSI)

Column Name: external_appt_id
Column Type: varchar
Max Length: 4096
Appointment ID for the external source appointment (for example EVV sources)

Column Name: follow_up_appt_due_date
Column Type: date
Follow-up Appointment Due Date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50
Follow-up Status

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50
Follow-up Status value

Column Name: group_name
Column Type: varchar
Max Length: 40
Group name

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
Medical Diagnosis 1 JOIN (10050) and associated values

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40

Medical Diagnosis 2 JOIN (10051) and associated values

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

Medical Diagnosis 3 JOIN (10080) and associated values

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

Medical Diagnosis 4 JOIN (10081) and associated values

Column Name: location_code

Column Type: varchar

Max Length: 20

Appointment location code.

Column Name: location_value

Column Type: varchar

Max Length: 40

Appointment location description.

Column Name: medical_diagnosis1_code

Column Type: varchar

Max Length: 10

Medical Diagnosis 1 Code

Column Name: medical_diagnosis1_DSM_value

Column Type: varchar

Max Length: 80

Medical Diagnosis 1 DSM Value

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 80

Medical Diagnosis 1 Value

Column Name: medical_diagnosis2_code

Column Type: varchar

Max Length: 10

Medical Diagnosis 2 Code

Column Name: medical_diagnosis2_DSM_value

Column Type: varchar

Max Length: 80

Medical Diagnosis 2 DSM Value

Column Name: medical_diagnosis2_value

Column Type: varchar

Max Length: 80

Medical Diagnosis 2 Value

Column Name: medical_diagnosis3_DSM_value

Column Type: varchar

Max Length: 80

Medical Diagnosis 3 DSM Value

Column Name: medical_diagnosis4_DSM_value

Column Type: varchar

Max Length: 80

Medical Diagnosis 4 DSM Value

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

ICD10 code for the medical diagnosis 1

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

ICD10 description for the medical diagnosis 1

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

ICD9 code for the medical diagnosis 1

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

ICD9 description for the medical diagnosis 1

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

IMO description for the medical diagnosis 1

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

ICD10 code for the medical diagnosis 2

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

ICD10 description for the medical diagnosis 2

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

ICD9 code for the medical diagnosis 2

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

ICD9 description for the medical diagnosis 2

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

IMO description for the medical diagnosis2

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

ICD10 code for the medical diagnosis 3

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

ICD10 description for the medical diagnosis 3

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

ICD9 code for the medical diagnosis 3

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

ICD9 description for the medical diagnosis 3

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

IMO description for the medical diagnosis3

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

ICD10 code for the medical diagnosis 4

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

ICD10 description for the medical diagnosis 4

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

ICD9 code for the medical diagnosis 4

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

ICD9 description for the medical diagnosis 4

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

IMO description for the medical diagnosis4

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

Medical Diagnosis 3 Code

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 80

Medical Diagnosis 3 Value

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

Medical Diagnosis 4 Code

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 80

Medical Diagnosis 4 Value

Column Name: minute_time_override

Column Type: integer

When the appointment has an end time of 12:00 AM this will be set to 1.

Column Name: modifiers

Column Type: varchar

Max Length: 50

Billing modifiers

Column Name: number_of_clients

Column Type: varchar

Max Length: 10

Number of clients (members) of the appointment

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: orig_entry_date
Column Type: date
Original creation date of the appointment.

Column Name: orig_entry_time
Column Type: varchar
Max Length: 15
Original creation time of the appointment.

Column Name: orig_entry_user_name
Column Type: varchar
Max Length: 40
Original creator of the appointment.

Column Name: orig_sched_end_time
Column Type: varchar
Max Length: 50
Original end time of the appointment.

Column Name: orig_sched_start_time
Column Type: varchar
Max Length: 50
Original start time of the appointment.

Column Name: posted_as_service_code
Column Type: varchar
Max Length: 2
Posted as a service ?

Column Name: posted_as_service_value
Column Type: varchar
Max Length: 50
Posted as a service value

Column Name: posted_code
Column Type: varchar
Max Length: 2
Posted Appointment?

Column Name: posted_data_entry_by
Column Type: varchar
Max Length: 40
Appointment posted entry_by

Column Name: posted_data_entry_by_option
Column Type: varchar
Max Length: 40
Appointment posted entry_by_option

Column Name: posted_data_entry_date
Column Type: date
Appointment posted entry_date

Column Name: posted_data_entry_time
Column Type: varchar
Max Length: 15
Appointment posted entry_time

Column Name: posted_option_desc
Column Type: varchar
Max Length: 80
Appointment posted Option Description

Column Name: posted_option_id
Column Type: varchar
Max Length: 20
Appointment posted Option Id

Column Name: posted_value
Column Type: varchar
Max Length: 50
Posted appointment value

Column Name: posting_in_progress
Column Type: varchar
Max Length: 50
Posting in progress, this is for group appointments

Column Name: priority_code
Column Type: varchar
Max Length: 50
Appointment priority code

Column Name: priority_description
Column Type: varchar
Max Length: 50
Appointment priority description

Column Name: program_code
Column Type: varchar
Max Length: 10
Program Code

Column Name: program_value

Column Type: varchar
Max Length: 40
Program Value

Column Name: psycho_add_on_duration
Column Type: integer
Psychotherapy Add-On Duration (11506)

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096
Reason For Follow-up - String

Column Name: reason_for_follow_up_stream
Column Type: longvarchar
Max Length: 2147483647
Reason For Follow-up - Stream

Column Name: reason_svc_not_posted_code
Column Type: varchar
Max Length: 40
Reason Service Not Posted - Code

Column Name: reason_svc_not_posted_value
Column Type: varchar
Max Length: 50
Reason Service Not Posted - Value

Column Name: recurring_indicator
Column Type: integer
Flag for determining if this is a recurring appointment.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
Referring Practitioner Code

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
Referring Practitioner Name

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
Referring Provider Code

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50

Referring Provider Name

Column Name: room_number

Column Type: varchar

Max Length: 50

Appointment room number

Column Name: service_description

Column Type: varchar

Max Length: 40

Service Description

Column Name: service_documentation_ns

Column Type: varchar

Max Length: 40

Service Documentation Namespace (99971)

Column Name: site_name

Column Type: varchar

Max Length: 40

Site Name

Column Name: staff_name

Column Type: varchar

Max Length: 40

The staff name associated with STAFFID.

Column Name: status_code

Column Type: varchar

Max Length: 40

The code for the appointment status.

Column Name: status_value

Column Type: varchar

Max Length: 40

The description associated with status_code.

Column Name: team_description

Column Type: varchar

Max Length: 50

Team description

Column Name: team_id

Column Type: varchar

Max Length: 50

Team

Column Name: units_of_service

Column Type: numeric

Units of Service (field 10014)

Column Name: unsigned_appointment
Column Type: bit
Flag for determining if this is an unsigned appointment.

Column Name: verified_code
Column Type: varchar
Max Length: 2
Appointment Verified ?

Column Name: verified_data_entry_by
Column Type: varchar
Max Length: 40
Appointment Verified entry_by

Column Name: verified_data_entry_by_option
Column Type: varchar
Max Length: 40
Appointment Verified entry_by_option

Column Name: verified_data_entry_date
Column Type: date
Appointment Verified entry_date

Column Name: verified_data_entry_time
Column Type: varchar
Max Length: 15
Appointment Verified entry_time

Column Name: verified_option_desc
Column Type: varchar
Max Length: 80
Appointment Verified Option Description

Column Name: verified_option_id
Column Type: varchar
Max Length: 20
Appointment Verified Option Id

Column Name: verified_value
Column Type: varchar
Max Length: 50
Appointment Verified value

Documentation for form: Front_Desk

Table Name: SYSTEM.appt_data

Table Description: This table returns

person_unique_identifier,ID,CO_STAFFID_1,CO_STAFFID_2,EPIISODE_NUMBER,FACILITY,GROUP_ID,JOIN_TO_CO_STAFF_TX_HISTORY,JOIN_TO_FOLLOW_UP_APD,JOIN_TO_PREV_APD,JOIN_TO_SECOND_CO_STAFF_TX_HISTORY,JOIN_TO_STAFF_TX_HISTORY,JOIN_TO_TX_HISTORY,NOT_uniqueid,PATID,SERVICE_CODE,SITEID,team_id,team_description,STAFFID,accounting_period,appointment_date,appointment_end_time,appointment_notes,appointment_start_time,appt_req_follow_up_code,appt_req_follow_up_value,billable_code,billable_value,billing_status_code,billing_status_value,check_in_status,check_in_status_value,client_willing_pay_code,client_willing_pay_value,co_staff_1_name,co_staff_2_name,confirmation_notes,confirmed_code,confirmed_value,cost_of_service,costaff1_duration_min,costaff2_duration_min,data_entry_by,data_entry_by_option,data_entry_date,data_entry_time,data_entry_user_id,data_entry_user_name,disposition_code,disposition_value,duration,duration_minutes,follow_up_appt_due_date,follow_up_status_code,follow_up_status_value,group_name,insurance_category_code,insurance_category_value,location_code,location_value,medical_diagnosis1_code,medical_diagnosis1_value,medical_diagnosis1_DSM_value,medical_diagnosis2_code,medical_diagnosis2_value,medical_diagnosis2_DSM_value,medical_diagnosis3_code,medical_diagnosis3_value,medical_diagnosis3_DSM_value,medical_diagnosis4_code,medical_diagnosis4_value,medical_diagnosis4_DSM_value,missed_visit_code,missed_visit_notes,missed_visit_service_code,missed_visit_service_desc,missed_visit_value,modifiers,number_of_clients,option_desc,option_id,patient_name,posted_as_service_code,posted_as_service_value,posted_code,posted_data_entry_by,posted_data_entry_by_option,posted_data_entry_date,posted_data_entry_time,posted_option_desc,posted_option_id,posted_value,program_code,program_value,reason_for_follow_up,recurring_indicator,referring_practitioner_code,referring_practitioner_name,referring_provider_code,referring_provider_name,service_description,site_name,staff_name,status_code,status_value,time_of_arrival,units_of_service,user_row_access_code,verified_code,verified_data_entry_by,verified_data_entry_by_option,verified_data_entry_date,verified_data_entry_time,verified_option_desc,verified_option_id,verified_value,ebpss_csi_code,ebpss_csi_value,ebpss_csi_value_long,prog_note_indicator_code,prog_note_indicator_value,reason_for_visit_code,reason_for_visit_value,add_svc_info_code,add_svc_info_shval,add_svc_info_value,psycho_add_on_duration,add_on_notes,minute_time_override,unsigned_appointment,svc_prog_override_code,svc_prog_override_value from SYSTEM.AppointmentData and SYSTEM.AppointmentPerson

Column Name: person_unique_identifier

Column Type: varchar

Max Length: 50

Column Name: ID

Column Type: integer

Column Name: CO_STAFFID_1

Column Type: varchar

Max Length: 10

Column Name: CO_STAFFID_2

Column Type: varchar

Max Length: 10

Column Name: EPISODE_NUMBER

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: GROUP_ID

Column Type: varchar

Max Length: 10

Column Name: JOIN_TO_CO_STAFF_TX_HISTORY

Column Type: varchar

Max Length: 15

Column Name: JOIN_TO_FOLLOW_UP_APD

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_PREV_APD

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_SECOND_CO_STAFF_TX_HISTORY

Column Type: varchar

Max Length: 15

Column Name: JOIN_TO_STAFF_TX_HISTORY

Column Type: varchar

Max Length: 15

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40

Column Name: SITEID
Column Type: varchar
Max Length: 10

Column Name: team_id
Column Type: varchar
Max Length: 50

Column Name: team_description
Column Type: varchar
Max Length: 50

Column Name: STAFFID
Column Type: varchar
Max Length: 40

Column Name: accounting_period
Column Type: date

Column Name: appointment_date
Column Type: date

Column Name: appointment_end_time
Column Type: varchar
Max Length: 50

Column Name: appointment_notes
Column Type: varchar
Max Length: 4096

Column Name: appointment_start_time

Column Type: varchar
Max Length: 50

Column Name: appointment_end_time_j
Column Type: varchar
Max Length: 50

Column Name: appointment_start_time_j
Column Type: varchar
Max Length: 50

Column Name: appt_req_follow_up_code
Column Type: varchar
Max Length: 5

Column Name: appt_req_follow_up_value
Column Type: varchar
Max Length: 50

Column Name: billable_code
Column Type: varchar
Max Length: 5

Column Name: billable_value
Column Type: varchar
Max Length: 20

Column Name: billing_status_code
Column Type: varchar
Max Length: 50

Column Name: billing_status_value
Column Type: varchar
Max Length: 50

Column Name: check_in_status
Column Type: varchar
Max Length: 1

Column Name: check_in_status_value

Column Type: varchar
Max Length: 20

Column Name: client_willing_pay_code
Column Type: varchar
Max Length: 50

Column Name: client_willing_pay_value
Column Type: varchar
Max Length: 50

Column Name: co_staff_1_name
Column Type: varchar
Max Length: 40

Column Name: co_staff_2_name
Column Type: varchar
Max Length: 40

Column Name: confirmation_notes
Column Type: varchar
Max Length: 4096

Column Name: confirmed_code
Column Type: varchar
Max Length: 10

Column Name: confirmed_value
Column Type: varchar
Max Length: 40

Column Name: cost_of_service
Column Type: numeric

Column Name: costaff1_duration_min
Column Type: varchar
Max Length: 10

Column Name: costaff2_duration_min
Column Type: varchar

Max Length: 10

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

Column Name: disposition_code

Column Type: varchar

Max Length: 5

Column Name: disposition_value

Column Type: varchar

Max Length: 20

Column Name: duration

Column Type: varchar

Max Length: 10

Column Name: duration_minutes
Column Type: varchar
Max Length: 10

Column Name: follow_up_appt_due_date
Column Type: date

Column Name: follow_up_status_code
Column Type: varchar
Max Length: 50

Column Name: follow_up_status_value
Column Type: varchar
Max Length: 50

Column Name: group_name
Column Type: varchar
Max Length: 40

Column Name: insurance_category_code
Column Type: varchar
Max Length: 10

Column Name: insurance_category_value
Column Type: varchar
Max Length: 40

Column Name: location_code
Column Type: varchar
Max Length: 20

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis1_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis2_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis3_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis3_DSM_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_code
Column Type: varchar
Max Length: 10

Column Name: medical_diagnosis4_value
Column Type: varchar
Max Length: 80

Column Name: medical_diagnosis4_DSM_value
Column Type: varchar
Max Length: 80

Column Name: missed_visit_code
Column Type: varchar
Max Length: 10

Column Name: missed_visit_notes
Column Type: varchar
Max Length: 4096

Column Name: missed_visit_service_code
Column Type: varchar
Max Length: 40

Column Name: missed_visit_service_desc
Column Type: varchar
Max Length: 40

Column Name: missed_visit_value
Column Type: varchar
Max Length: 40

Column Name: modifiers
Column Type: varchar
Max Length: 50

Column Name: number_of_clients
Column Type: varchar
Max Length: 10

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: patient_name
Column Type: varchar
Max Length: 40

Column Name: posted_as_service_code
Column Type: varchar
Max Length: 2

Column Name: posted_as_service_value
Column Type: varchar
Max Length: 50

Column Name: posted_code
Column Type: varchar
Max Length: 2

Column Name: posted_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: posted_data_entry_date
Column Type: date

Column Name: posted_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: posted_option_desc
Column Type: varchar
Max Length: 80

Column Name: posted_option_id
Column Type: varchar
Max Length: 20

Column Name: posted_value
Column Type: varchar
Max Length: 50

Column Name: program_code
Column Type: varchar
Max Length: 10

Column Name: program_value
Column Type: varchar
Max Length: 40

Column Name: reason_for_follow_up
Column Type: varchar
Max Length: 4096

Column Name: reason_svc_not_posted_code
Column Type: varchar
Max Length: 40

Column Name: reason_svc_not_posted_value
Column Type: varchar
Max Length: 50

Column Name: recurring_indicator
Column Type: integer

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10

Column Name: referring_provider_name

Column Type: varchar
Max Length: 50

Column Name: service_description
Column Type: varchar
Max Length: 40

Column Name: site_name
Column Type: varchar
Max Length: 40

Column Name: staff_name
Column Type: varchar
Max Length: 40

Column Name: status_code
Column Type: varchar
Max Length: 40

Column Name: status_value
Column Type: varchar
Max Length: 40

Column Name: time_of_arrival
Column Type: varchar
Max Length: 50

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 20

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 20

Column Name: units_of_service
Column Type: numeric

Column Name: user_row_access_code
Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: verified_code
Column Type: varchar
Max Length: 2

Column Name: verified_data_entry_by
Column Type: varchar
Max Length: 40

Column Name: verified_data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: verified_data_entry_date
Column Type: date

Column Name: verified_data_entry_time
Column Type: varchar
Max Length: 15

Column Name: verified_option_desc
Column Type: varchar
Max Length: 80

Column Name: verified_option_id
Column Type: varchar
Max Length: 20

Column Name: verified_value
Column Type: varchar
Max Length: 50

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 200

Column Name: ebpss_csi_value
Column Type: varchar

Max Length: 200

Column Name: ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

Column Name: prog_note_indicator_code

Column Type: varchar

Max Length: 50

Column Name: prog_note_indicator_value

Column Type: varchar

Max Length: 50

Column Name: reason_for_visit_code

Column Type: varchar

Max Length: 255

Column Name: reason_for_visit_value

Column Type: varchar

Max Length: 255

Column Name: add_svc_info_code

Column Type: varchar

Max Length: 50

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

Column Name: psycho_add_on_duration

Column Type: integer

Column Name: add_on_notes

Column Type: varchar

Max Length: 4096

Column Name: minute_time_override
Column Type: integer

Column Name: reason_visit_note
Column Type: varchar
Max Length: 4096

Column Name: unsigned_appointment
Column Type: bit

Column Name: priority_code
Column Type: varchar
Max Length: 50

Column Name: priority_description
Column Type: varchar
Max Length: 50

Column Name: room_number
Column Type: varchar
Max Length: 50

Column Name: orig_entry_date
Column Type: date

Column Name: orig_entry_time
Column Type: varchar
Max Length: 15

Column Name: orig_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: svc_prog_override_code
Column Type: varchar
Max Length: 50

Column Name: svc_prog_override_value

Column Type: varchar
Max Length: 40

Column Name: external_appt_id
Column Type: varchar
Max Length: 4096

Column Name: person_location_code
Column Type: varchar
Max Length: 20

Column Name: person_location_value
Column Type: varchar
Max Length: 512

Column Name: cancellation_reason_code
Column Type: varchar
Max Length: 40

Column Name: cancellation_reason_value
Column Type: varchar
Max Length: 255

Column Name: canceled_date
Column Type: date

Column Name: canceled_time
Column Type: varchar
Max Length: 50

Column Name: carefabric_appt_stat_code
Column Type: varchar
Max Length: 50

Column Name: carefabric_appt_stat_value
Column Type: varchar
Max Length: 255

Documentation for form: Front_Desk

Table Name: SYSTEM.check_in_clients

Table Description: Check-In Clients

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code where this is being defined in.

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: Option_Id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
Practitioner

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40
Service Code

Column Name: SITEID
Column Type: varchar
Max Length: 10
Site ID

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data (for consistency)

Column Name: addt_staff_to_notify_code
Column Type: varchar
Max Length: 1
Selected Additional Staff to Notify

Column Name: addt_staff_to_notify_value
Column Type: varchar
Max Length: 1024
The description associated with addt_staff_to_notify_code.

Column Name: appointment_date
Column Type: date
The date of the appointment.

Column Name: appointment_end_time
Column Type: varchar
Max Length: 8
Appointment End Time

Column Name: appointment_object_id
Column Type: varchar
Max Length: 50
Appointment Object ID.

Column Name: appointment_start_time
Column Type: varchar
Max Length: 8
Appointment Start Time

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date

Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: duration
Column Type: varchar
Max Length: 50
Duration

Column Name: location_code
Column Type: varchar
Max Length: 50
Location Code

Column Name: notify_pract_of_arrival_code
Column Type: varchar
Max Length: 1
Notify Practitioner of Arrival

Column Name: notify_pract_of_arrival_value
Column Type: varchar
Max Length: 40
The description associated with notify_pract_of_arrival_code.

Column Name: patient_name
Column Type: varchar
Max Length: 100
Client Name

Column Name: program_code
Column Type: varchar
Max Length: 15
Program Code

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with program_code.

Column Name: site_name
Column Type: varchar
Max Length: 40
The description associated with SITEID.

Column Name: start_end_time_of_appt
Column Type: varchar
Max Length: 50
Start Time - End Time

Column Name: time_of_arrival
Column Type: varchar
Max Length: 50
Time Of Arrival

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code.

Documentation for form: Front_Desk

Table Name: SYSTEM.check_out_client_history

Table Description: Check-Out Client History

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code where this is being defined in.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 50
Guarantor ID

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique row id to service

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: Option_Id
Column Type: varchar
Max Length: 20

The unique ID of the form that last updated the row.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: PROVIDER_ID

Column Type: varchar

Max Length: 15

Practitioner

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 40

Service Code

Column Name: SITEID

Column Type: varchar

Max Length: 10

Site ID

Column Name: STAFFID

Column Type: varchar

Max Length: 10

The staff ID associated with the data (for consistency)

Column Name: appointment_date

Column Type: date

The date of the appointment.

Column Name: appointment_end_time

Column Type: varchar

Max Length: 8

Appointment End Time

Column Name: appointment_object_id

Column Type: varchar

Max Length: 50

Appointment Object ID.

Column Name: appointment_start_time

Column Type: varchar

Max Length: 8

Appointment Start Time

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: duration
Column Type: varchar
Max Length: 50
Duration

Column Name: encounter_start_time
Column Type: varchar
Max Length: 10
Encounter Start Time

Column Name: location
Column Type: varchar
Max Length: 50
Location Code

Column Name: location_code
Column Type: varchar
Max Length: 40
keeping field location in case its been used
DOCUMENTATION location_code - Location Code

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code.

Column Name: notify_pract_of_arrival_code
Column Type: varchar
Max Length: 1
Notify Practitioner of Arrival

Column Name: notify_pract_of_arrival_value
Column Type: varchar
Max Length: 40
The description associated with notify_pract_of_arrival_code.

Column Name: patient_name
Column Type: varchar
Max Length: 100
Client Name

Column Name: posting_code
Column Type: varchar
Max Length: 50
Posting Code

Column Name: program_code
Column Type: varchar
Max Length: 10
Program Code

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with program_code.

Column Name: self_pay_amount
Column Type: varchar
Max Length: 50
Self-Pay Amount

Column Name: site_name
Column Type: varchar
Max Length: 40
The description associated with SITEID.

Column Name: start_end_time_of_appt
Column Type: varchar
Max Length: 50
Start Time - End Time

Column Name: time_of_arrival
Column Type: varchar
Max Length: 50
Time Of Arrival

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code.

Documentation for form: Front_Desk

Table Name: SYSTEM.front_desk_payment_entry

Table Description: This table contains the payment information filed in 'Payment Entry Only' section of 'Front Desk' form

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'

Column Name: FACILITY
Column Type: integer
The system code in which the payment was filed.

Column Name: PATID
Column Type: varchar
Max Length: 20
'Client'

Column Name: SITEID
Column Type: varchar
Max Length: 10
'Site'

Column Name: check_ref_num
Column Type: varchar
Max Length: 50
'Check / Reference #'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description'.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The username that last updated the row.

Column Name: join_to_pay_adj_history
Column Type: varchar
Max Length: 40
Unique ID used as a link to SYSTEM.billing_pay_adj_history table. The format is "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: join_to_tx_history
Column Type: varchar
Max Length: 40
Unique ID used as a link to the 'SYSTEM.billing_tx_history' table. The format is date of service in Julian date format followed by a counter starting with ".001".

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: payment_amount
Column Type: varchar
Max Length: 50
'Payment Amount'

Column Name: payment_date
Column Type: date
The date the payment was made.

Column Name: posting_code
Column Type: varchar
Max Length: 50

'Posting Code'

Column Name: service_program_code

Column Type: varchar

Max Length: 15

'Service Program'

Column Name: service_program_value

Column Type: varchar

Max Length: 40

The value of service_program_code

Column Name: site_name

Column Type: varchar

Max Length: 40

The name associated to SITEID

Documentation for form: Front_Desk

Table Name: SYSTEM.site_specific_check_in

Table Description: Site Specific Client Check-In

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

Patient ID.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

Service Code.

Column Name: SITEID

Column Type: varchar
Max Length: 20
Site ID.

Column Name: appointment_date
Column Type: date
The date of the appointment.

Column Name: appointment_object_id
Column Type: varchar
Max Length: 50
Appointment Object ID.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: date_1
Column Type: date
Site specific date.

Column Name: date_10
Column Type: date
Site specific date.

Column Name: date_2
Column Type: date
Site specific date.

Column Name: date_3
Column Type: date
Site specific date.

Column Name: date_4
Column Type: date
Site specific date..

Column Name: date_5
Column Type: date
Site specific date.

Column Name: date_6
Column Type: date
Site specific date.

Column Name: date_7
Column Type: date
Site specific date.

Column Name: date_8
Column Type: date
Site specific date.

Column Name: date_9
Column Type: date
Site specific date.

Column Name: dictionary_10_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_10_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value.

Column Name: dictionary_1_code
Column Type: varchar
Max Length: 50
Dictionary Y/N.

Column Name: dictionary_1_value
Column Type: varchar
Max Length: 50
The description associated with dictionary_2_code. See dictionary_2_code for more information.

Column Name: dictionary_2_code
Column Type: varchar
Max Length: 50
Dictionary Y/N.

Column Name: dictionary_2_value
Column Type: varchar
Max Length: 50
The description associated with dictionary_2_code. See dictionary_2_code for more information.

Column Name: dictionary_3_code
Column Type: varchar
Max Length: 50
Dictionary Y/N.

Column Name: dictionary_3_value
Column Type: varchar
Max Length: 50
The description associated with dictionary_3_code. See dictionary_3_code for more information.

Column Name: dictionary_4_code

Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_4_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value.

Column Name: dictionary_5_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_5_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value

Column Name: dictionary_6_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_6_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value

Column Name: dictionary_7_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_7_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value.

Column Name: dictionary_8_code
Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_8_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value.

Column Name: dictionary_9_code

Column Type: varchar
Max Length: 50
Site specific single dictionary code.

Column Name: dictionary_9_value
Column Type: varchar
Max Length: 50
Site specific single dictionary value.

Column Name: free_text_20_1
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_10
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_2
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_3
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_4
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_5
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_6
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_7
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_8

Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_20_9
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_1
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_10
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_2
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_3
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_4
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_5
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_6
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_7
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_8

Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_40_9
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_1
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_10
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_2
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_3
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_4
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_5
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_6
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_7
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_8

Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: free_text_80_9
Column Type: varchar
Max Length: 50
Site specific free text.

Column Name: multi_dictionary_10_code
Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_10_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_10_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_1_code
Column Type: varchar
Max Length: 50
Site specific property.

Column Name: multi_dictionary_1_shval
Column Type: varchar
Max Length: 255
Site specific property.

Column Name: multi_dictionary_1_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_2_code
Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_2_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_2_value

Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_3_code
Column Type: varchar
Max Length: 50
Site specific property.

Column Name: multi_dictionary_3_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_3_value
Column Type: varchar
Max Length: 4096
Site specific property.

Column Name: multi_dictionary_4_code
Column Type: varchar
Max Length: 50
Site specific property.

Column Name: multi_dictionary_4_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_4_value
Column Type: varchar
Max Length: 4096
Site specific property.

Column Name: multi_dictionary_5_code
Column Type: varchar
Max Length: 50
Site specific property.

Column Name: multi_dictionary_5_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_5_value
Column Type: varchar
Max Length: 4096
Site specific property.

Column Name: multi_dictionary_6_code

Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_6_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_6_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_7_code
Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_7_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_7_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_8_code
Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_8_shval
Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_8_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: multi_dictionary_9_code
Column Type: varchar
Max Length: 50
Site specific multiple dictionary.

Column Name: multi_dictionary_9_shval

Column Type: varchar
Max Length: 255
Site specific multiple dictionary value (short).

Column Name: multi_dictionary_9_value
Column Type: varchar
Max Length: 4096
Site specific multiple dictionary value.

Column Name: scrolling_text_1
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_10
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_2
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_3
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_4
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_5
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_6
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_7
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_8

Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Column Name: scrolling_text_9
Column Type: varchar
Max Length: 32766
Site specific scrolling free text.

Documentation for form: Front_Desk

Table Name: SYSTEM.site_specific_check_out

Table Description: Site Spesific Client Check-out

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Joins table to treatment history.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
Service Code.

Column Name: SITEID
Column Type: varchar
Max Length: 10
Site ID

Column Name: appointment_date
Column Type: date
The date of the appointment.

Column Name: appointment_object_id
Column Type: varchar
Max Length: 50
Appointment Object ID.

Column Name: check_in_date_1
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_10
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_2
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_3
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_4
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_5
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_6
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_7
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_8
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_date_9
Column Type: date
Front Desk Check-In site specific date.

Column Name: check_in_free_text_20_1
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_10
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_2
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_3
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_4
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_5
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_6
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_7
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_8
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_20_9
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_1
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_10
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_2
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_3
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_4
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_5
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_6
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_7
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_8
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_40_9
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_1
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_10
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_2
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_3
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_4
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_5
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_6
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_7
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_8
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: check_in_free_text_80_9
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific free text.

Column Name: chk_in_dict_10_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_10_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_1_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_1_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_2_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_2_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_3_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_3_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_4_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_4_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_5_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_5_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_6_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_6_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_7_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_7_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_8_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_8_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_dict_9_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary code.

Column Name: chk_in_dict_9_value
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific single dictionary value.

Column Name: chk_in_multi_dict10_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict10_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict10_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict1_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict1_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict1_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict2_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict2_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict2_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict3_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict3_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict3_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict4_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict4_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict4_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict5_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict5_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict5_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict6_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict6_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict6_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict7_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict7_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict7_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict8_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict8_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict8_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_multi_dict9_code
Column Type: varchar
Max Length: 50
Front Desk Check-In site specific multiple dictionary.

Column Name: chk_in_multi_dict9_shval
Column Type: varchar
Max Length: 255
Front Desk Check-In site specific multiple dictionary value (short).

Column Name: chk_in_multi_dict9_value
Column Type: varchar
Max Length: 4096
Front Desk Check-In site specific multiple dictionary value.

Column Name: chk_in_scrollingtext_1
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_10
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_2
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_3
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_4
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_5
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_6
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_7
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_8
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: chk_in_scrollingtext_9
Column Type: varchar
Max Length: 32766
Front Desk Check-In site specific scrolling free text.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Documentation for form: Service_Fee/Cross_Reference_Maintenance

Table Name: SYSTEM.billing_amt_dis_guar_prac

Table Description: This table returns the information stored in the 'Guarantor Definitions' section of the 'Service Fee/Cross Reference Maintenance' form.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

Column Name: service_value

Column Type: varchar

Max Length: 40

Column Name: effective_date

Column Type: date

Column Name: STAFFID

Column Type: varchar

Max Length: 10

Column Name: staff_name

Column Type: varchar

Max Length: 10

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

Column Name: guarantor_description

Column Type: varchar

Max Length: 50

Column Name: amt_to_distribute

Column Type: numeric

Column Name: financial_class_code

Column Type: varchar

Max Length: 50

Documentation for form: Service_Fee/Cross_Reference_Maintenance

Table Name: SYSTEM.billing_max_lib_guar_prac

Table Description: This table returns the information stored in the 'Guarantor Definitions' section of the 'Service Fee/Cross Reference Maintenance' form.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

Column Name: service_value

Column Type: varchar

Max Length: 40

Column Name: effective_date

Column Type: date

Column Name: STAFFID

Column Type: varchar
Max Length: 10

Column Name: staff_name
Column Type: varchar
Max Length: 10

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40

Column Name: guarantor_description
Column Type: varchar
Max Length: 50

Column Name: max_amt_to_distribute
Column Type: numeric

Column Name: financial_class_code
Column Type: varchar
Max Length: 50

Documentation for form: Service_Fee/Cross_Reference_Maintenance

Table Name: SYSTEM.billing_tx_amt_to_dist_by_guar

Table Description: This table returns the information stored in the 'Guarantor Definitions' section of the 'Service Fee/Cross Reference Maintenance' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20

Column Name: service_value
Column Type: varchar
Max Length: 40

Column Name: effective_date
Column Type: date

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15

Column Name: practitioner_name
Column Type: varchar
Max Length: 40

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40

Column Name: guarantor_description
Column Type: varchar
Max Length: 50

Column Name: amt_to_distribute
Column Type: numeric

Column Name: financial_class_code
Column Type: varchar
Max Length: 50

Documentation for form: Service_Fee/Cross_Reference_Maintenance

Table Name: SYSTEM.billing_tx_fee_by_practitioner

Table Description: This table returns the information stored in the 'Service Fee/Cross Reference Maintenance' section of the 'Service Fee/Cross Reference Maintenance' form.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

Column Name: STAFFID

Column Type: varchar

Max Length: 10

Column Name: effective_date

Column Type: date

Column Name: fee

Column Type: numeric

Column Name: practitioner_name

Column Type: varchar

Max Length: 40

Column Name: service_value

Column Type: varchar

Max Length: 40

Column Name: PATID

Column Type: varchar

Max Length: 20

Column Name: fee_type_code

Column Type: varchar

Max Length: 15

Column Name: fee_type_value

Column Type: varchar

Max Length: 40

Documentation for form: Service_Fee/Cross_Reference_Maintenance

Table Name: SYSTEM.billing_tx_master_fee_audit

Table Description: This table returns the audit information stored in the 'Service Fee/Cross Reference Maintenance' section of the 'Service Fee/Cross Reference Maintenance' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the fee definition.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
The staff ID associated with the fee definition.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code associated with the fee definition.

Column Name: age_range
Column Type: varchar
Max Length: 20
Age range associated with the fee definition.

Column Name: alt_rev_code_desc
Column Type: varchar
Max Length: 50
'Alternate Revenue Code Description'

Column Name: charge
Column Type: numeric
Dollar amount of the fee definition.

Column Name: cpt_code
Column Type: varchar
Max Length: 50

CPT code associated with the fee definition.

Column Name: cpt_value

Column Type: varchar

Max Length: 120

The description associated with cpt_code. See cpt_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: duration_range
Column Type: varchar
Max Length: 20
Duration range associated with the fee definition.

Column Name: effective_date
Column Type: date
Effective date of the fee definition.

Column Name: end_date
Column Type: date
End date of the fee definition.

Column Name: fee_type_code
Column Type: varchar
Max Length: 15
'Fee Type'

Column Name: fee_type_value
Column Type: varchar
Max Length: 40
The description associated with fee_type_code. See fee_type_code for more information.

Column Name: file_information
Column Type: varchar
Max Length: 50
'File Information (2400-K3-01)'

Column Name: fixed_fee_units
Column Type: varchar
Max Length: 50
Fixed fee unites of the fee definition.

Column Name: inc_cov_cat_code
Column Type: varchar
Max Length: 32000
'Incident-To Category For Coverage'

Column Name: inc_cov_cat_value_long

Column Type: varchar

Max Length: 4096

The description associated with inc_cov_cat_code up to 4096 characters. See inc_cov_cat_code for more information.

Column Name: inc_cov_cat_value_short

Column Type: varchar

Max Length: 255

The description associated with inc_cov_cat_code up to 255 characters. See inc_cov_cat_code for more information.

Column Name: incident_to_svc_code

Column Type: varchar

Max Length: 50

'Is This An Incident-To Service?'

Column Name: incident_to_svc_value

Column Type: varchar

Max Length: 50

The description associated with incident_to_svc_code. See incident_to_svc_code for more information.

Column Name: inc_to_prac_cred_code

Column Type: varchar

Max Length: 15

'Incident-To Practitioner Credentials'

Column Name: inc_to_prac_cred_shval

Column Type: varchar

Max Length: 255

The description associated with inc_to_prac_cred_code up to 255 characters. See inc_to_prac_cred_code for more information.

Column Name: inc_to_prac_cred_value

Column Type: varchar

Max Length: 4096

The description associated with inc_to_prac_cred_code up to 4096 characters. See inc_to_prac_cred_code for more information.

Column Name: location_code

Column Type: varchar

Max Length: 50

'Location'

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: medicaid_rate_code_brf
Column Type: varchar
Max Length: 50
'Medicaid Rate Code - Brief'

Column Name: medicaid_rate_code_fam
Column Type: varchar
Max Length: 50
'Medicaid Rate Code - Family'

Column Name: medicaid_rate_code_grp
Column Type: varchar
Max Length: 50
'Medicaid Rate Code - Group'

Column Name: medicaid_rate_code_reg
Column Type: varchar
Max Length: 50
'Medicaid Rate Code - Regular'

Column Name: modifier
Column Type: varchar
Max Length: 2
Modifiers specific to the fee definition.

Column Name: modifier_x_ref
Column Type: varchar
Max Length: 50
'CPT-4 / HCPCS Modifier'

Column Name: mod_x_ref_frst_instance
Column Type: varchar
Max Length: 50
'CPT-4 / HCPCS Modifier If Not First Instance For Service Date'

Column Name: note_ref_code
Column Type: varchar
Max Length: 50
'Note Reference Code (837 Billing)'

Column Name: note_ref_text
Column Type: varchar
Max Length: 50
'Note Reference Text (2400-NTE-02)'

Column Name: note_ref_value
Column Type: varchar
Max Length: 50
The description associated with note_ref_code. See note_ref_code for more information.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: practitioner_category_code
Column Type: varchar
Max Length: 50
'Practitioner Category'

Column Name: practitioner_category_value
Column Type: varchar
Max Length: 50
The description associated with practitioner_category_code. See practitioner_category_code for more information.

Column Name: practitioner_name
Column Type: varchar
Max Length: 40
The description associated with practitioner_category_code. See practitioner_category_code for more information.

Column Name: pricing_method_code
Column Type: varchar
Max Length: 50
'Pricing/Re-Pricing Methodology (2300/2400-HCP-01)'

Column Name: pricing_method_value
Column Type: varchar
Max Length: 50
The description associated with pricing_method_code. See pricing_method_code for more information.

Column Name: pricing_org_id
Column Type: varchar
Max Length: 50
'Pricing/Re-Pricing Organization Identifier (2300/2400-HCP-04)'

Column Name: program_code
Column Type: varchar
Max Length: 15
The program code associated with the data.

Column Name: program_value
Column Type: varchar
Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: prorate_calc_code
Column Type: varchar
Max Length: 50
'Pro-Rated Fee Calculation'

Column Name: prorate_calc_value
Column Type: varchar
Max Length: 50
The description associated with prorate_calc_code. See prorate_calc_code for more information.

Column Name: prorate_code
Column Type: varchar
Max Length: 50
'Pro-Rate Fee For'

Column Name: prorate_value
Column Type: varchar
Max Length: 50
The description associated with prorate_code. See prorate_code for more information.

Column Name: prorate_year_code
Column Type: varchar
Max Length: 50
'Yearly Days Calculation'

Column Name: prorate_year_value
Column Type: varchar
Max Length: 50
The description associated with prorate_year_code. See prorate_year_code for more information.

Column Name: qual_ccbhc_service_code
Column Type: varchar
Max Length: 50
'Qualifies as a CCBHC Enumerated Service'

Column Name: qual_ccbhc_service_value
Column Type: varchar
Max Length: 40
The description associated with qual_ccbhc_service_code. See qual_ccbhc_service_code for more information.

Column Name: quantity
Column Type: varchar
Max Length: 50
'Quantity'

Column Name: service_code_description
Column Type: varchar

Max Length: 40

The description associated with SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: state_rp_code_1

Column Type: varchar

Max Length: 50

'State Reporting Code 1'

Column Name: state_rp_code_2

Column Type: varchar

Max Length: 50

'State Reporting Code 2'

Column Name: state_rp_code_3

Column Type: varchar

Max Length: 50

'State Reporting Code 3'

Column Name: state_rp_code_4

Column Type: varchar

Max Length: 50

'State Reporting Code 4'

Column Name: svc_id

Column Type: varchar

Max Length: 50

'Service ID (837P-2400-SV1-01)'

Column Name: svc_id_qual_code

Column Type: varchar

Max Length: 50

'Product/Service ID Qualifier (2400-SV101-1)'

Column Name: svc_id_qual_value

Column Type: varchar

Max Length: 50

The description associated with svc_id_qual_code. See svc_id_qual_code for more information.

Column Name: svc_unit_meas_837i_code

Column Type: varchar

Max Length: 50

'Service Unit Of Measurement Code (837I)'

Column Name: svc_unit_meas_837i_value

Column Type: varchar

Max Length: 50

The description associated with svc_unit_meas_837i_code. See svc_unit_meas_837i_code for more information.

Column Name: svc_unit_meas_code

Column Type: varchar
Max Length: 50
'Service Unit Of Measurement Code (837P)'

Column Name: svc_unit_meas_value
Column Type: varchar
Max Length: 50
The description associated with svc_unit_meas_code. See svc_unit_meas_code for more information.

Column Name: ub_04_code
Column Type: varchar
Max Length: 50
UB-04 code associated with the fee definition.

Column Name: ub_04_value
Column Type: varchar
Max Length: 50
The description associated with ub_04_code. See ub_04_code for more information.

Column Name: x_ref_name
Column Type: varchar
Max Length: 50
'Service Code Cross Reference Name'

Documentation for form: Service_Fee/Cross_Reference_Maintenance

Table Name: SYSTEM.billing_tx_master_fee_table

Table Description: This table returns the information stored in the 'Service Fee/Cross Reference Maintenance' section of the 'Service Fee/Cross Reference Maintenance' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the fee definition.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15

The staff ID associated with the fee definition.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code associated with the fee definition.

Column Name: STAFFID

Column Type: varchar

Max Length: 10

The staff ID associated with the fee definition.

Column Name: age_range

Column Type: varchar

Max Length: 20

Age range associated with the fee definition.

Column Name: alt_rev_code_desc

Column Type: varchar

Max Length: 50

'Alternate Revenue Code Description'

Column Name: charge

Column Type: numeric

Dollar amount of the fee definition.

Column Name: cpt_code

Column Type: varchar

Max Length: 50

CPT code associated with the fee definition.

Column Name: cpt_value

Column Type: varchar

Max Length: 120

The description associated with cpt_code. See cpt_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: duration_range
Column Type: varchar
Max Length: 20
Duration range associated with the fee definition.

Column Name: effective_date
Column Type: date
Effective date of the fee definition.

Column Name: end_date
Column Type: date
End date of the fee definition.

Column Name: fee
Column Type: numeric
Dollar amount of the fee definition.

Column Name: fee_type_code
Column Type: varchar
Max Length: 15
'Fee Type'

Column Name: fee_type_value
Column Type: varchar
Max Length: 40
The description associated with fee_type_code. See fee_type_code for more information.

Column Name: file_information
Column Type: varchar
Max Length: 50
'File Information (2400-K3-01)'

Column Name: fixed_fee_units
Column Type: varchar
Max Length: 50
Fixed fee unites of the fee definition.

Column Name: inc_cov_cat_code
Column Type: varchar
Max Length: 32000
'Incident-To Category For Coverage'

Column Name: inc_cov_cat_value_long
Column Type: varchar
Max Length: 4096
The description associated with inc_cov_cat_code up to 4096 characters. See inc_cov_cat_code for more information.

Column Name: inc_cov_cat_value_short
Column Type: varchar
Max Length: 255
The description associated with inc_cov_cat_code up to 255 characters. See inc_cov_cat_code for more information.

Column Name: incident_to_svc_code
Column Type: varchar
Max Length: 50
'Is This An Incident-To Service?'

Column Name: incident_to_svc_value

Column Type: varchar

Max Length: 50

The description associated with incident_to_svc_code. See incident_to_svc_code for more information.

Column Name: inc_to_prac_cred_code

Column Type: varchar

Max Length: 15

'Incident-To Practitioner Credentials'

Column Name: inc_to_prac_cred_shval

Column Type: varchar

Max Length: 255

The description associated with inc_to_prac_cred_code up to 255 characters. See inc_to_prac_cred_code for more information.

Column Name: inc_to_prac_cred_value

Column Type: varchar

Max Length: 4096

The description associated with inc_to_prac_cred_code up to 4096 characters. See inc_to_prac_cred_code for more information.

Column Name: location_code

Column Type: varchar

Max Length: 50

'Location'

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: medicaid_rate_code_brif

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Brief'

Column Name: medicaid_rate_code_fam

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Family'

Column Name: medicaid_rate_code_grp

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Group'

Column Name: medicaid_rate_code_reg

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Regular'

Column Name: modifier

Column Type: varchar

Max Length: 2

Modifiers specific to the fee definition.

Column Name: modifier_x_ref

Column Type: varchar

Max Length: 50

'CPT-4 / HCPCS Modifier'

Column Name: mod_x_ref_frst_instance

Column Type: varchar

Max Length: 50

'CPT-4 / HCPCS Modifier If Not First Instance For Service Date'

Column Name: note_ref_code

Column Type: varchar

Max Length: 50

'Note Reference Code (837 Billing)'

Column Name: note_ref_text

Column Type: varchar

Max Length: 50

'Note Reference Text (2400-NTE-02)'

Column Name: note_ref_value

Column Type: varchar

Max Length: 50

The description associated with note_ref_code. See note_ref_code for more information.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: practitioner_category_code

Column Type: varchar

Max Length: 50

'Practitioner Category'

Column Name: practitioner_category_value

Column Type: varchar

Max Length: 50

The description associated with practitioner_category_code. See practitioner_category_code for more information.

Column Name: practitioner_name
Column Type: varchar
Max Length: 40
Name associated with the staff ID.

Column Name: pricing_method_code
Column Type: varchar
Max Length: 50
'Pricing/Re-Pricing Methodology (2300/2400-HCP-01)'

Column Name: pricing_method_value
Column Type: varchar
Max Length: 50
The description associated with pricing_method_code. See pricing_method_code for more information.

Column Name: pricing_org_id
Column Type: varchar
Max Length: 50
'Pricing/Re-Pricing Organization Identifier (2300/2400-HCP-04)'

Column Name: program_code
Column Type: varchar
Max Length: 15
The program code associated with the data.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description associated with program_code. See program_code for more information.

Column Name: prorate_calc_code
Column Type: varchar
Max Length: 50
'Pro-Rated Fee Calculation'

Column Name: prorate_calc_value
Column Type: varchar
Max Length: 50
The description associated with prorate_calc_code. See prorate_calc_code for more information.

Column Name: prorate_code
Column Type: varchar
Max Length: 50
'Pro-Rate Fee For'

Column Name: prorate_value
Column Type: varchar

Max Length: 50

The description associated with `prorate_code`. See `prorate_code` for more information.

Column Name: `prorate_year_code`

Column Type: `varchar`

Max Length: 50

'Yearly Days Calculation'

Column Name: `prorate_year_value`

Column Type: `varchar`

Max Length: 50

The description associated with `prorate_year_code`. See `prorate_year_code` for more information.

Column Name: `qual_ccbhc_service_code`

Column Type: `varchar`

Max Length: 50

'Qualifies as a CCBHC Enumerated Service'

Column Name: `qual_ccbhc_service_value`

Column Type: `varchar`

Max Length: 40

The description associated with `qual_ccbhc_service_code`. See `qual_ccbhc_service_code` for more information.

Column Name: `quantity`

Column Type: `varchar`

Max Length: 50

'Quantity'

Column Name: `service_code_description`

Column Type: `varchar`

Max Length: 40

The description associated with `SERVICE_CODE`. See `SERVICE_CODE` for more information.

Column Name: `service_value`

Column Type: `varchar`

Max Length: 40

The description associated with `SERVICE_CODE`. See `SERVICE_CODE` for more information.

Column Name: `state_rp_code_1`

Column Type: `varchar`

Max Length: 50

'State Reporting Code 1'

Column Name: `state_rp_code_2`

Column Type: `varchar`

Max Length: 50

'State Reporting Code 2'

Column Name: `state_rp_code_3`

Column Type: varchar
Max Length: 50
'State Reporting Code 3'

Column Name: state_rp_code_4
Column Type: varchar
Max Length: 50
'State Reporting Code 4'

Column Name: svc_id
Column Type: varchar
Max Length: 50
'Service ID (837P-2400-SV1-01)'

Column Name: svc_id_qual_code
Column Type: varchar
Max Length: 50
'Product/Service ID Qualifier (2400-SV101-1)'

Column Name: svc_id_qual_value
Column Type: varchar
Max Length: 50
The description associated with svc_id_qual_code. See svc_id_qual_code for more information.

Column Name: svc_unit_meas_837i_code
Column Type: varchar
Max Length: 50
'Service Unit Of Measurement Code (837I)'

Column Name: svc_unit_meas_837i_value
Column Type: varchar
Max Length: 50
The description associated with svc_unit_meas_837i_code. See svc_unit_meas_837i_code for more information.

Column Name: svc_unit_meas_code
Column Type: varchar
Max Length: 50
'Service Unit Of Measurement Code (837P)'

Column Name: svc_unit_meas_value
Column Type: varchar
Max Length: 50
The description associated with svc_unit_meas_code. See svc_unit_meas_code for more information.

Column Name: ub_04_code
Column Type: varchar
Max Length: 50
UB-04 code associated with the fee definition.

Column Name: ub_04_value

Column Type: varchar

Max Length: 50

The description associated with ub_04_code. See ub_04_code for more information.

Column Name: x_ref_name

Column Type: varchar

Max Length: 50

'Service Code Cross Reference Name'

Documentation for form: Service_Fee/Cross_Reference_Maintenance

Table Name: SYSTEM.billing_tx_max_liab_by_guar

Table Description: This table returns the information stored in the 'Guarantor Definitions' section of the 'Service Fee/Cross Reference Maintenance' form.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The guarantor ID associated with the guarantor distribution definition.

Column Name: PROVIDER_ID

Column Type: varchar

Max Length: 15

The staff ID associated with the guarantor distribution definition.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code associated with the guarantor distribution definition.

Column Name: STAFFID

Column Type: varchar

Max Length: 10

The staff ID associated with the guarantor distribution definition.

Column Name: age_range

Column Type: varchar

Max Length: 20
Age range associated with the guarantor distribution definition.

Column Name: alt_rev_code_desc
Column Type: varchar
Max Length: 50
'Alternate Revenue Code Description'

Column Name: amt_to_distribute
Column Type: numeric
'Maximum Amount To Distribute Per Unit'

Column Name: amt_to_distribute_per_unit
Column Type: numeric
'Maximum Amount To Distribute Per Unit'

Column Name: contract_rate
Column Type: numeric
The contracted rate for the service

Column Name: cpt_code
Column Type: varchar
Max Length: 50
CPT code associated with the guarantor distribution definition.

Column Name: cpt_value
Column Type: varchar
Max Length: 120
The description associated with cpt_code. See cpt_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: duration_range

Column Type: varchar

Max Length: 20

Duration range associated with the guarantor distribution definition.

Column Name: effective_date

Column Type: date

Effective date of the guarantor distribution definition.

Column Name: end_date

Column Type: date

End date of the guarantor distribution definition.

Column Name: fee

Column Type: numeric
Dollar amount of the guarantor distribution definition.

Column Name: file_information
Column Type: varchar
Max Length: 50
'File Information (2400-K3-01)'

Column Name: financial_class_code
Column Type: varchar
Max Length: 50
'Financial Class'

Column Name: financial_class_value
Column Type: varchar
Max Length: 40
The description associated with financial_class_code. See financial_class_code for more information.

Column Name: fin_class_for_query
Column Type: varchar
Max Length: 50
'Financial Class'

Column Name: fixed_fee_units
Column Type: varchar
Max Length: 50
Fixed fee unites of the guarantor distribution definition.

Column Name: guarantor_description
Column Type: varchar
Max Length: 50
Description associated with the GUARANTOR_ID.

Column Name: ignore_for_liab_dis_code
Column Type: varchar
Max Length: 50
'Ignore Specified Amounts When Distributing Liability'

Column Name: ignore_for_liab_dis_value
Column Type: varchar
Max Length: 40
The description associated with ignore_for_liab_dis_code. See ignore_for_liab_dis_code for more information.

Column Name: inc_cov_cat_code
Column Type: varchar
Max Length: 32000
'Incident-To Category For Coverage'

Column Name: inc_cov_cat_value_long

Column Type: varchar

Max Length: 4096

The description associated with inc_cov_cat_code up to 4096 characters. See inc_cov_cat_code for more information.

Column Name: inc_cov_cat_value_short

Column Type: varchar

Max Length: 255

The description associated with inc_cov_cat_code up to 255 characters. See inc_cov_cat_code for more information.

Column Name: incident_to_svc_code

Column Type: varchar

Max Length: 50

'Is This An Incident-To Service?'

Column Name: incident_to_svc_value

Column Type: varchar

Max Length: 50

The description associated with incident_to_svc_code. See incident_to_svc_code for more information.

Column Name: inc_to_prac_cred_code

Column Type: varchar

Max Length: 15

'Incident-To Practitioner Credentials'

Column Name: inc_to_prac_cred_shval

Column Type: varchar

Max Length: 255

The description associated with inc_to_prac_cred_code up to 255 characters. See inc_to_prac_cred_code for more information.

Column Name: inc_to_prac_cred_value

Column Type: varchar

Max Length: 4096

The description associated with inc_to_prac_cred_code up to 4096 characters. See inc_to_prac_cred_code for more information.

Column Name: location_code

Column Type: varchar

Max Length: 50

'Location'

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: max_amt_assoc_guar_value_long

Column Type: varchar

Max Length: 4096

The description associated with max_amt_associated_guarantors up to 4096 characters. See max_amt_associated_guarantors for more information.

Column Name: max_amt_assoc_guar_value_short

Column Type: varchar

Max Length: 255

The description associated with max_amt_associated_guarantors up to 255 characters. See max_amt_associated_guarantors for more information.

Column Name: max_amt_associated_guarantors

Column Type: varchar

Max Length: 32768

'Associated Guarantor(s) Whose Liability In Combination With This Guarantor Will Not Exceed Maximum Amount To Distribute Per Service'

Column Name: max_amt_to_dist_per_month

Column Type: numeric

'Maximum Amount To Distribute Per Month'

Column Name: max_amt_to_distribute

Column Type: numeric

'Maximum Amount To Distribute Per Service'

Column Name: max_amt_to_distribute_per_svc

Column Type: numeric

'Maximum Amount To Distribute Per Service'

Column Name: medicaid_rate_code_brf

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Brief'

Column Name: medicaid_rate_code_fam

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Family'

Column Name: medicaid_rate_code_grp

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Group'

Column Name: medicaid_rate_code_reg

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Regular'

Column Name: min_amt_to_dist_per_unit

Column Type: numeric

'Minimum Amount To Distribute Per Unit'

Column Name: min_amt_to_distr_per_svc

Column Type: numeric

'Minimum Amount To Distribute Per Service'

Column Name: modifier_x_ref

Column Type: varchar

Max Length: 50

'CPT-4 / HCPCS Modifier'

Column Name: mod_x_ref_frst_instance

Column Type: varchar

Max Length: 50

'CPT-4 / HCPCS Modifier If Not First Instance For Service Date'

Column Name: note_ref_code

Column Type: varchar

Max Length: 50

'Note Reference Code (837 Billing)'

Column Name: note_ref_text

Column Type: varchar

Max Length: 50

'Note Reference Text (2400-NTE-02)'

Column Name: note_ref_value

Column Type: varchar

Max Length: 50

The description associated with note_ref_code. See note_ref_code for more information.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: practitioner_category_code

Column Type: varchar

Max Length: 50

'Practitioner Category'

Column Name: practitioner_category_value

Column Type: varchar

Max Length: 50

The description associated with practitioner_category_code. See practitioner_category_code for more information.

Column Name: practitioner_name

Column Type: varchar

Max Length: 40

Name associated with the staff ID.

Column Name: pricing_method_code

Column Type: varchar

Max Length: 50

'Pricing/Re-Pricing Methodology (2300/2400-HCP-01)'

Column Name: pricing_method_value

Column Type: varchar

Max Length: 50

The description associated with pricing_method_code. See pricing_method_code for more information.

Column Name: pricing_org_id

Column Type: varchar

Max Length: 50

'Pricing/Re-Pricing Organization Identifier (2300/2400-HCP-04)'

Column Name: program_code

Column Type: varchar

Max Length: 15

The program code associated with the data.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: qual_ccbhc_service_code

Column Type: varchar

Max Length: 50

'Qualifies as a CCBHC Enumerated Service'

Column Name: qual_ccbhc_service_value

Column Type: varchar

Max Length: 40

The description associated with qual_ccbhc_service_code. See qual_ccbhc_service_code for more information.

Column Name: quantity

Column Type: varchar

Max Length: 50

'Quantity'

Column Name: service_value

Column Type: varchar

Max Length: 40

The description associated with SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: staff_name

Column Type: varchar

Max Length: 10

Name associated with the staff ID.

Column Name: state_rp_code_1

Column Type: varchar

Max Length: 50

'State Reporting Code 1'

Column Name: state_rp_code_2

Column Type: varchar

Max Length: 50

'State Reporting Code 2'

Column Name: state_rp_code_3

Column Type: varchar

Max Length: 50

'State Reporting Code 3'

Column Name: state_rp_code_4

Column Type: varchar

Max Length: 50

'State Reporting Code 4'

Column Name: svc_id

Column Type: varchar

Max Length: 50

'Service ID (837P-2400-SV1-01)'

Column Name: svc_id_qual_code

Column Type: varchar

Max Length: 50

'Product/Service ID Qualifier (2400-SV101-1)'

Column Name: svc_id_qual_value

Column Type: varchar

Max Length: 50

The description associated with svc_id_qual_code. See svc_id_qual_code for more information.

Column Name: svc_unit_meas_837i_code

Column Type: varchar

Max Length: 50

'Service Unit Of Measurement Code (837I)'

Column Name: svc_unit_meas_837i_value

Column Type: varchar

Max Length: 50

The description associated with svc_unit_meas_837i_code. See svc_unit_meas_837i_code for more information.

Column Name: svc_unit_meas_code

Column Type: varchar

Max Length: 50

'Service Unit Of Measurement Code (837P)'

Column Name: svc_unit_meas_value

Column Type: varchar

Max Length: 50

The description associated with svc_unit_meas_code. See svc_unit_meas_code for more information.

Column Name: ub_04_code

Column Type: varchar

Max Length: 50

UB-04 code associated with the guarantor distribution definition.

Column Name: ub_04_value

Column Type: varchar

Max Length: 120

The description associated with ub_04_code. See ub_04_code for more information.

Column Name: write_off_remaining

Column Type: varchar

Max Length: 2

'Write-off Remaining Balance (Contract Guarantors Only)'

Column Name: write_off_remaining_value

Column Type: varchar

Max Length: 40

The description associated with write_off_remaining. See write_off_remaining for more information.

Column Name: x_ref_name

Column Type: varchar

Max Length: 50

'Service Code Cross Reference Name'

Documentation for form: Service_Fee/Cross_Reference_Maintenance

Table Name: SYSTEM.billing_tx_max_liab_by_guar_audit

Table Description: This table returns the audit information for entries edited in the 'Guarantor Definitions' section of the 'Service Fee/Cross Reference Maintenance' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The guarantor ID associated with the guarantor distribution definition.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
The staff ID associated with the guarantor distribution definition.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code associated with the guarantor distribution definition.

Column Name: age_range
Column Type: varchar
Max Length: 20
Age range associated with the guarantor distribution definition.

Column Name: alt_rev_code_desc
Column Type: varchar
Max Length: 50
'Alternate Revenue Code Description'

Column Name: amt_to_distribute_per_unit
Column Type: numeric
'Maximum Amount To Distribute Per Unit'

Column Name: contract_rate
Column Type: numeric
The contracted rate for the service

Column Name: cpt_code
Column Type: varchar
Max Length: 50
CPT code associated with the guarantor distribution definition.

Column Name: cpt_value
Column Type: varchar
Max Length: 120
The description associated with cpt_code. See cpt_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: duration_range

Column Type: varchar

Max Length: 20

Duration range associated with the guarantor distribution definition.

Column Name: effective_date

Column Type: date

Effective date of the guarantor distribution definition.

Column Name: end_date

Column Type: date

End date of the guarantor distribution definition.

Column Name: fee

Column Type: numeric

Dollar amount of the guarantor distribution definition.

Column Name: file_information

Column Type: varchar

Max Length: 50

'File Information (2400-K3-01)'

Column Name: financial_class_code

Column Type: varchar

Max Length: 50

'Financial Class'

Column Name: financial_class_value

Column Type: varchar

Max Length: 40

The description associated with financial_class_code. See financial_class_code for more information.

Column Name: fin_class_for_query

Column Type: varchar

Max Length: 50

'Financial Class'

Column Name: fixed_fee_units

Column Type: varchar

Max Length: 50

Fixed fee unites of the guarantor distribution definition.

Column Name: guarantor_description

Column Type: varchar
Max Length: 50
Description associated with the GUARANTOR_ID.

Column Name: ignore_for_liab_dis_code
Column Type: varchar
Max Length: 50
'Ignore Specified Amounts When Distributing Liability'

Column Name: ignore_for_liab_dis_value
Column Type: varchar
Max Length: 40
The description associated with ignore_for_liab_dis_code. See ignore_for_liab_dis_code for more information.

Column Name: inc_cov_cat_code
Column Type: varchar
Max Length: 32000
'Incident-To Category For Coverage'

Column Name: inc_cov_cat_value_long
Column Type: varchar
Max Length: 4096
The description associated with inc_cov_cat_code up to 4096 characters. See inc_cov_cat_code for more information.

Column Name: inc_cov_cat_value_short
Column Type: varchar
Max Length: 255
The description associated with inc_cov_cat_code up to 255 characters. See inc_cov_cat_code for more information.

Column Name: incident_to_svc_code
Column Type: varchar
Max Length: 50
'Is This An Incident-To Service?'

Column Name: incident_to_svc_value
Column Type: varchar
Max Length: 50
The description associated with incident_to_svc_code. See incident_to_svc_code for more information.

Column Name: inc_to_prac_cred_code
Column Type: varchar
Max Length: 15
'Incident-To Practitioner Credentials'

Column Name: inc_to_prac_cred_shval
Column Type: varchar
Max Length: 255

The description associated with inc_to_prac_cred_code up to 255 characters. See inc_to_prac_cred_code for more information.

Column Name: inc_to_prac_cred_value

Column Type: varchar

Max Length: 4096

The description associated with inc_to_prac_cred_code up to 4096 characters. See inc_to_prac_cred_code for more information.

Column Name: location_code

Column Type: varchar

Max Length: 50

'Location'

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: max_amt_assoc_guar_value_long

Column Type: varchar

Max Length: 4096

The description associated with max_amt_associated_guarantors up to 4096 characters. See max_amt_associated_guarantors for more information.

Column Name: max_amt_assoc_guar_value_short

Column Type: varchar

Max Length: 255

The description associated with max_amt_associated_guarantors up to 255 characters. See max_amt_associated_guarantors for more information.

Column Name: max_amt_associated_guarantors

Column Type: varchar

Max Length: 1044

'Associated Guarantor(s) Whose Liability In Combination With This Guarantor Will Not Exceed Maximum Amount To Distribute Per Service'

Column Name: max_amt_to_dist_per_month

Column Type: numeric

'Maximum Amount To Distribute Per Month'

Column Name: max_amt_to_distribute_per_svc

Column Type: numeric

'Maximum Amount To Distribute Per Service'

Column Name: medicaid_rate_code_brif

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Brief'

Column Name: medicaid_rate_code_fam
Column Type: varchar
Max Length: 50
'Medicaid Rate Code - Family'

Column Name: medicaid_rate_code_grp
Column Type: varchar
Max Length: 50
'Medicaid Rate Code - Group'

Column Name: medicaid_rate_code_reg
Column Type: varchar
Max Length: 50
'Medicaid Rate Code - Regular'

Column Name: min_amt_to_dist_per_unit
Column Type: numeric
'Minimum Amount To Distribute Per Unit'

Column Name: min_amt_to_distr_per_svc
Column Type: numeric
'Minimum Amount To Distribute Per Service'

Column Name: modifier_x_ref
Column Type: varchar
Max Length: 50
'CPT-4 / HCPCS Modifier'

Column Name: mod_x_ref_frst_instance
Column Type: varchar
Max Length: 50
'CPT-4 / HCPCS Modifier If Not First Instance For Service Date'

Column Name: note_ref_code
Column Type: varchar
Max Length: 50
'Note Reference Code (837 Billing)'

Column Name: note_ref_text
Column Type: varchar
Max Length: 50
'Note Reference Text (2400-NTE-02)'

Column Name: note_ref_value
Column Type: varchar
Max Length: 50
The description associated with note_ref_code. See note_ref_code for more information.

Column Name: option_desc
Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: practitioner_category_code

Column Type: varchar

Max Length: 50

'Practitioner Category'

Column Name: practitioner_category_value

Column Type: varchar

Max Length: 50

The description associated with practitioner_category_code. See practitioner_category_code for more information.

Column Name: practitioner_name

Column Type: varchar

Max Length: 40

Name associated with the staff ID.

Column Name: pricing_method_code

Column Type: varchar

Max Length: 50

'Pricing/Re-Pricing Methodology (2300/2400-HCP-01)'

Column Name: pricing_method_value

Column Type: varchar

Max Length: 50

The description associated with pricing_method_code. See pricing_method_code for more information.

Column Name: pricing_org_id

Column Type: varchar

Max Length: 50

'Pricing/Re-Pricing Organization Identifier (2300/2400-HCP-04)'

Column Name: program_code

Column Type: varchar

Max Length: 15

The program code associated with the data.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: qual_ccbhc_service_code

Column Type: varchar
Max Length: 50
'Qualifies as a CCBHC Enumerated Service'

Column Name: qual_ccbhc_service_value
Column Type: varchar
Max Length: 40
The description associated with qual_ccbhc_service_code. See qual_ccbhc_service_code for more information.

Column Name: quantity
Column Type: varchar
Max Length: 50
'Quantity'

Column Name: service_value
Column Type: varchar
Max Length: 40
The description associated with SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: state_rp_code_1
Column Type: varchar
Max Length: 50
'State Reporting Code 1'

Column Name: state_rp_code_2
Column Type: varchar
Max Length: 50
'State Reporting Code 2'

Column Name: state_rp_code_3
Column Type: varchar
Max Length: 50
'State Reporting Code 3'

Column Name: state_rp_code_4
Column Type: varchar
Max Length: 50
'State Reporting Code 4'

Column Name: svc_id
Column Type: varchar
Max Length: 50
'Service ID (837P-2400-SV1-01)'

Column Name: svc_id_qual_code
Column Type: varchar
Max Length: 50
'Product/Service ID Qualifier (2400-SV101-1)'

Column Name: svc_id_qual_value

Column Type: varchar

Max Length: 50

The description associated with svc_id_qual_code. See svc_id_qual_code for more information.

Column Name: svc_unit_meas_837i_code

Column Type: varchar

Max Length: 50

'Service Unit Of Measurement Code (837I)'

Column Name: svc_unit_meas_837i_value

Column Type: varchar

Max Length: 50

The description associated with svc_unit_meas_837i_code. See svc_unit_meas_837i_code for more information.

Column Name: svc_unit_meas_code

Column Type: varchar

Max Length: 50

'Service Unit Of Measurement Code (837P)'

Column Name: svc_unit_meas_value

Column Type: varchar

Max Length: 50

The description associated with svc_unit_meas_code. See svc_unit_meas_code for more information.

Column Name: ub_04_code

Column Type: varchar

Max Length: 50

UB-04 code associated with the guarantor distribution definition.

Column Name: ub_04_value

Column Type: varchar

Max Length: 120

The description associated with ub_04_code. See ub_04_code for more information.

Column Name: write_off_remaining

Column Type: varchar

Max Length: 2

'Write-off Remaining Balance (Contract Guarantors Only)'

Column Name: write_off_remaining_value

Column Type: varchar

Max Length: 40

The description associated with write_off_remaining. See write_off_remaining for more information.

Column Name: x_ref_name

Column Type: varchar

Max Length: 50

'Service Code Cross Reference Name'

Documentation for form: Service_Fee/Cross_Reference_Maintenance

Table Name: SYSTEM.billing_tx_xref_table

Table Description: This table will return service code cross references (CPT and Revenue Codes, Modifiers, etc.) defined in the Service Fee/Cross Reference Maintenance form.

Column Name: billing_tx_xref_table

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The facility ID in which the service code cross reference definition was created.

Column Name: SERVICE_CODE

Column Type: varchar

Max Length: 20

The service code, used in the field 'Service Code' of the Service Fee/Cross Reference Maintenance form when the cross reference definition was created.

Column Name: financial_class_code

Column Type: varchar

Max Length: 10

The code for the financial class assigned to the guarantor selected in the field 'Guarantor' of the Service Fee/Cross Reference Maintenance form when the cross reference definition was created . Will be the dictionary code for the financial class in Dictionary File: Payor, Data Element: 1000

Column Name: service_xref_index

Column Type: varchar

Max Length: 10

The ID assigned to the field within the Service Fee/Cross Reference Maintenance form. Will be the index for the value in the service_xref_value_or_code column.

Column Name: financial_class_value

Column Type: varchar

Max Length: 40

The description for the financial_class_code. See financial_class_code for more information.

Column Name: service_xref_name

Column Type: varchar

Max Length: 40

The description for the service_xref_index. Also the name of the field within the Service Fee/Cross Reference Maintenance form.

Column Name: service_xref_value_or_code

Column Type: varchar

Max Length: 40

The value entered in the associated field within the Service Fee/Cross Reference Maintenance form. The field can be identified by viewing the service_xref_name.

Column Name: service_xref_value_for_code

Column Type: varchar

Max Length: 40

The description for the service_xref_value_or_code. See service_xref_value_or_code for more information.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 10

The Guarantor ID with which the service code cross reference definition was created.

Column Name: fin_class_guar_index

Column Type: varchar

Max Length: 50

This field is used for the financial class guarantor index. Similar to the financial class code.

Column Name: guarantor_name

Column Type: varchar

Max Length: 50

The Guarantor name with which the service code cross reference definition was created.

Column Name: service_code_value

Column Type: varchar

Max Length: 40

The service code value.

Documentation for form: Delete_Service

Table Name: SYSTEM.audit_deleted_treatment

Table Description: This table represents audit trail data of client specific deleted services.

Column Name: deleted_treatment_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar
Max Length: 20
The client ID of the service that was deleted.

Column Name: deleted_service_index
Column Type: varchar
Max Length: 10
This is an unique ID for the deleted service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 40
The practitioner ID who performed the service which was deleted.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code associated with the deleted service.

Column Name: date_of_service
Column Type: date
The date of service associated with the deleted service.

Column Name: date_service_deleted
Column Type: date
The date the service was deleted.

Column Name: time_service_deleted
Column Type: varchar
Max Length: 10
The time the service was deleted.

Column Name: user_who_deleted_service
Column Type: varchar
Max Length: 40
The user name who deleted the service.

Documentation for form: Delete_Service_(Open_Service_Only)

Table Name: SYSTEM.audit_deleted_treatment

Table Description: This table represents audit trail data of client specific deleted services.

Column Name: deleted_treatment_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID of the service that was deleted.

Column Name: deleted_service_index
Column Type: varchar
Max Length: 10
This is an unique ID for the deleted service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 40
The practitioner ID who performed the service which was deleted.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code associated with the deleted service.

Column Name: date_of_service
Column Type: date
The date of service associated with the deleted service.

Column Name: date_service_deleted
Column Type: date
The date the service was deleted.

Column Name: time_service_deleted
Column Type: varchar
Max Length: 10
The time the service was deleted.

Column Name: user_who_deleted_service
Column Type: varchar
Max Length: 40
The user name who deleted the service.

Documentation for form: Change_MR#

Table Name: SYSTEM.RADplus_change_id_calls

Table Description: This table tracks the progress and calls being executed in the jobbed process of Change MR

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored

Column Name: job_id
Column Type: varchar
Max Length: 50
The ID of the job executing the change ID calls

Column Name: new_entity_id
Column Type: varchar
Max Length: 50
The new patient ID

Column Name: old_entity_id
Column Type: varchar
Max Length: 50
The old patient ID

Column Name: session_id
Column Type: varchar
Max Length: 50
The NX session ID where the change ID call was executed

Column Name: total_completion_status
Column Type: varchar
Max Length: 50
The number of calls remaining in the Change ID Job Process

Column Name: user_id
Column Type: varchar
Max Length: 50
The user ID that kicked off the change ID call

Documentation for form: Change_MR#

Table Name: SYSTEM.audit_deleted_treatment

Table Description: This table represents audit trail data of client specific deleted services.

Column Name: deleted_treatment_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID of the service that was deleted.

Column Name: deleted_service_index
Column Type: varchar
Max Length: 10
This is an unique ID for the deleted service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 40
The practitioner ID who performed the service which was deleted.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code associated with the deleted service.

Column Name: date_of_service
Column Type: date
The date of service associated with the deleted service.

Column Name: date_service_deleted
Column Type: date
The date the service was deleted.

Column Name: time_service_deleted
Column Type: varchar
Max Length: 10
The time the service was deleted.

Column Name: user_who_deleted_service
Column Type: varchar
Max Length: 40
The user name who deleted the service.

Documentation for form: Appointment_Move/Delete

Table Name: SYSTEM.appt_move_delete

Table Description: Appointment Move/Delete Data

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: AMD_uniqueid
Column Type: varchar
Max Length: 20
The unique ID associated with the appointment move/delete action.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GROUP_ID
Column Type: varchar
Max Length: 20
Group Id associated with the appointment move/delete action.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 40
Service code.

Column Name: SITEID
Column Type: varchar
Max Length: 20
Site Id.

Column Name: STAFFID
Column Type: varchar
Max Length: 20
The original staff ID associated with the appointment.

Column Name: STAFFID_moved_to
Column Type: varchar
Max Length: 20
The new staff ID associated with the appointment.

Column Name: action_taken_code
Column Type: varchar
Max Length: 10
The appointment move/delete action code.

Column Name: action_taken_value
Column Type: varchar
Max Length: 40
The appointment move/delete action description.

Column Name: appointment_date
Column Type: date
Appointment date

Column Name: as_costaff_value
Column Type: varchar
Max Length: 15
Description indicating whether the appointment move/delete action was by co-practitioner.

Column Name: client_name
Column Type: varchar
Max Length: 40
The name associated with the client ID.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: group_name
Column Type: varchar
Max Length: 40
The group name associated with the appointment move/delete action.

Column Name: service_description

Column Type: varchar
Max Length: 40
Service Description

Column Name: site_name
Column Type: varchar
Max Length: 40
Site Name

Column Name: staff_moved_to_name
Column Type: varchar
Max Length: 40
The new staff name associated with the appointment.

Column Name: staff_name
Column Type: varchar
Max Length: 40
The staff name associated with STAFFID.

Column Name: start_time
Column Type: varchar
Max Length: 20
Appointment start time

Documentation for form: Client_Purge

Table Name: [SYSTEM.client_purge_detail](#)

Table Description: This table returns client purge clients to be purged data.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_HEADER
Column Type: integer
Join to the SYSTEM.client_purge_hdr table

Column Name: PATID
Column Type: varchar
Max Length: 20
The patient identification number. Each PATID represents a client who is eligible to be purged

Documentation for form: Client_Purge

Table Name: SYSTEM.client_purge_error

Table Description: This table returns errors produced by the client purge process.

Column Name: compile

Column Type: integer

The compile header id which produced this error.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: action

Column Type: varchar

Max Length: 400

The compile action that was executing when this error occurred.

Column Name: error

Column Type: varchar

Max Length: 400

The error message.

Column Name: rule_id

Column Type: varchar

Max Length: 50

The rule id (if applicable) that this error occurred for.

Column Name: childsub

Column Type: integer

Documentation for form: Client_Purge

Table Name: SYSTEM.client_purge_excluded

Table Description: This table returns client purge data.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The patient identification number.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: exclusion_reason_code
Column Type: varchar
Max Length: 50
The dictionary code for the 'Reason For Exclusion'.

Column Name: exclusion_reason_value
Column Type: varchar

Max Length: 50
The dictionary value for the exclusion_reason_code.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option name that last updated this data row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The option identifier that last updated this data_row.

Documentation for form: Client_Purge

Table Name: SYSTEM.client_purge_hdr

Table Description: This table returns client purge data.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: compile_end_time
Column Type: varchar
Max Length: 50
The date/time when this compile record completed compiling.

Column Name: compile_start_time
Column Type: varchar
Max Length: 50
The date/time when this compile record started compiling.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: from_date
Column Type: date
'From Date'.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option name that last updated this data row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The option identifier that last updated this data_row.

Column Name: purge_end_time
Column Type: varchar
Max Length: 50
The date/time when this compile record completed purging.

Column Name: purge_size
Column Type: varchar
Max Length: 50
The size in Megabytes of the data purged from the system.

Column Name: purge_start_time
Column Type: varchar
Max Length: 50
The date/time when this compile record started purging.

Column Name: status
Column Type: varchar

Max Length: 50

The current status of this compile record.

Documentation for form: Client_Purge

Table Name: SYSTEM.client_purge_history

Table Description: This table returns clients who have been purged using the 'Client Purge' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: FAMID

Column Type: integer

'Most Recent Family ID'

Column Name: PATID

Column Type: varchar

Max Length: 20

The patient identification number. Each PATID represents a client who has been purged

Column Name: citizenship_code

Column Type: varchar

Max Length: 50

'Citizenship'

Column Name: citizenship_value

Column Type: varchar

Max Length: 50

The description associated with citizenship_code. See citizenship_code for more information.

Column Name: client_alias

Column Type: varchar

Max Length: 80

'Alias'

Column Name: client_alias_10

Column Type: varchar

Max Length: 80

'Alias 10'

Column Name: client_alias_2
Column Type: varchar
Max Length: 80
'Alias 2'

Column Name: client_alias_3
Column Type: varchar
Max Length: 80
'Alias 3'

Column Name: client_alias_4
Column Type: varchar
Max Length: 80
'Alias 4'

Column Name: client_alias_5
Column Type: varchar
Max Length: 80
'Alias 5'

Column Name: client_alias_6
Column Type: varchar
Max Length: 80
'Alias 6'

Column Name: client_alias_7
Column Type: varchar
Max Length: 80
'Alias 7'

Column Name: client_alias_8
Column Type: varchar
Max Length: 80
'Alias 8'

Column Name: client_alias_9
Column Type: varchar
Max Length: 80
'Alias 9'

Column Name: client_conf_city
Column Type: varchar
Max Length: 50
'Client's Confidential Address - City'

Column Name: client_conf_cntry_code
Column Type: varchar
Max Length: 50
'Client's Confidential Address - Country'

Column Name: client_conf_cntry_value

Column Type: varchar

Max Length: 50

The description associated with client_conf_cntry_code. See client_conf_cntry_code for more information.

Column Name: client_conf_phone

Column Type: varchar

Max Length: 50

'Client Confidential Phone Number'

Column Name: client_conf_state_code

Column Type: varchar

Max Length: 50

'Client Confidential Address - State'

Column Name: client_conf_state_value

Column Type: varchar

Max Length: 50

The description associated with client_conf_state_code. See client_conf_state_code for more information.

Column Name: client_conf_street

Column Type: varchar

Max Length: 50

'Client Confidential Address - Street'

Column Name: client_conf_street2

Column Type: varchar

Max Length: 50

'Client Confidential Address - Street 2'

Column Name: client_conf_zipcode

Column Type: varchar

Max Length: 50

'Client Confidential Address - Zipcode'

Column Name: client_email_addr

Column Type: varchar

Max Length: 50

'Client's Email Address'

Column Name: client_mail_city

Column Type: varchar

Max Length: 50

'Client's Mailing Address - City'

Column Name: client_mail_cntry_code

Column Type: varchar

Max Length: 50

'Client's Mailing Address - Country'

Column Name: client_mail_cntry_value

Column Type: varchar

Max Length: 50

The description associated with client_mail_cntry_code. See client_mail_cntry_code for more information.

Column Name: client_mail_state_code

Column Type: varchar

Max Length: 50

'Client's Mailing Address - State'

Column Name: client_mail_state_value

Column Type: varchar

Max Length: 50

The description associated with client_mail_state_code. See client_mail_state_code for more information.

Column Name: client_mail_street

Column Type: varchar

Max Length: 50

'Client's Mailing Address - Street'

Column Name: client_mail_street2

Column Type: varchar

Max Length: 50

'Client's Mailing Address - Street 2'

Column Name: client_mail_zipcode

Column Type: varchar

Max Length: 50

'Client's Mailing Address - Zipcode'

Column Name: communication_pref_code

Column Type: varchar

Max Length: 50

'Communication Preference'

Column Name: communication_pref_value

Column Type: varchar

Max Length: 50

The description associated with communication_pref_code. See communication_pref_code for more information.

Column Name: country_of_origin_code

Column Type: varchar

Max Length: 50

'Country Of Origin'

Column Name: country_of_origin_value

Column Type: varchar

Max Length: 50

The description associated with country_of_origin_code. See country_of_origin_code for more information.

Column Name: date_of_birth
Column Type: date
'Date Of Birth'

Column Name: decline_prov_code
Column Type: varchar
Max Length: 50
'Client Declined To Provide Information On The Following'

Column Name: decline_prov_value_long
Column Type: varchar
Max Length: 4096
The description associated with decline_prov_code. See decline_prov_code for more information.

Column Name: decline_prov_value_short
Column Type: varchar
Max Length: 255
The description associated with decline_prov_code limited to 255 characters. See decline_prov_code for more information.

Column Name: education_code
Column Type: varchar
Max Length: 10
'Education'

Column Name: education_value
Column Type: varchar
Max Length: 255
The description associated with education_code. See education_code for more information.

Column Name: employment_status_code
Column Type: varchar
Max Length: 10
'Employment Status'

Column Name: employment_status_value
Column Type: varchar
Max Length: 255
The description associated with employment_status_code. See employment_status_code for more information.

Column Name: ethnic_origin_code
Column Type: varchar
Max Length: 5
'Ethnic Origin'

Column Name: ethnic_origin_value
Column Type: varchar
Max Length: 255

The description associated with ethnic_origin_code. See ethnic_origin_code for more information.

Column Name: ethnic_origin_X_NRI_code

Column Type: varchar

Max Length: 10

'NRI Ethnicity - 2013 and Before'

Column Name: ethnic_origin_X_NRI_value

Column Type: varchar

Max Length: 255

The description associated with ethnic_origin_X_NRI_code. See ethnic_origin_X_NRI_code for more information.

Column Name: eth_orig_X_NRI_2014_value

Column Type: varchar

Max Length: 255

The description associated with eth_orig_X_NRI_2014_code. See eth_orig_X_NRI_2014_code for more information.

Column Name: eth_orig_X_NRI_2014_code

Column Type: varchar

Max Length: 10

'NRI Ethnicity - 2014'

Column Name: expected_due_date

Column Type: date

'Expected Due Date'

Column Name: facility_chart_number

Column Type: varchar

Max Length: 40

'Facility Chart Number'

Column Name: family_name

Column Type: varchar

Max Length: 50

The name associated with FAMID. See FAMID for more information.

Column Name: gender_identity_code

Column Type: varchar

Max Length: 5

'Gender Identity'

Column Name: gender_identity_value

Column Type: varchar

Max Length: 40

The description associated with gender_identity_code. See gender_identity_code for more information.

Column Name: guarantor_1

Column Type: varchar

Max Length: 10
'Guarantor 1'

Column Name: guarantor_10
Column Type: varchar
Max Length: 10
'Guarantor 10'

Column Name: guarantor_2
Column Type: varchar
Max Length: 10
'Guarantor 2'

Column Name: guarantor_3
Column Type: varchar
Max Length: 10
'Guarantor 3'

Column Name: guarantor_4
Column Type: varchar
Max Length: 10
'Guarantor 4'

Column Name: guarantor_5
Column Type: varchar
Max Length: 10
'Guarantor 5'

Column Name: guarantor_6
Column Type: varchar
Max Length: 10
'Guarantor 6'

Column Name: guarantor_7
Column Type: varchar
Max Length: 10
'Guarantor 7'

Column Name: guarantor_8
Column Type: varchar
Max Length: 10
'Guarantor 8'

Column Name: guarantor_9
Column Type: varchar
Max Length: 10
'Guarantor 9'

Column Name: guarantor_name_1
Column Type: varchar

Max Length: 40

The name associated with guarantor_1. See guarantor_1 for more information.

Column Name: guarantor_name_10

Column Type: varchar

Max Length: 40

The name associated with guarantor_10. See guarantor_10 for more information.

Column Name: guarantor_name_2

Column Type: varchar

Max Length: 40

The name associated with guarantor_2. See guarantor_2 for more information.

Column Name: guarantor_name_3

Column Type: varchar

Max Length: 40

The name associated with guarantor_3. See guarantor_3 for more information.

Column Name: guarantor_name_4

Column Type: varchar

Max Length: 40

The name associated with guarantor_4. See guarantor_4 for more information.

Column Name: guarantor_name_5

Column Type: varchar

Max Length: 40

The name associated with guarantor_5. See guarantor_5 for more information.

Column Name: guarantor_name_6

Column Type: varchar

Max Length: 40

The name associated with guarantor_6. See guarantor_6 for more information.

Column Name: guarantor_name_7

Column Type: varchar

Max Length: 40

The name associated with guarantor_7. See guarantor_7 for more information.

Column Name: guarantor_name_8

Column Type: varchar

Max Length: 40

The name associated with guarantor_8. See guarantor_8 for more information.

Column Name: guarantor_name_9

Column Type: varchar

Max Length: 40

The name associated with guarantor_9. See guarantor_9 for more information.

Column Name: lactating_status_code

Column Type: varchar

Max Length: 50
'Lactating Status'

Column Name: lactating_status_value
Column Type: varchar
Max Length: 50
The description associated with lactating_status_code. See lactating_status_code for more information.

Column Name: marital_status_code
Column Type: varchar
Max Length: 15
'Marital Status'

Column Name: marital_status_value
Column Type: varchar
Max Length: 40
The description associated with marital_status_code. See marital_status_code for more information.

Column Name: marital_status_X_NRI_code
Column Type: varchar
Max Length: 10
'NRI Marital Status'

Column Name: marital_status_X_NRI_value
Column Type: varchar
Max Length: 40
The description associated with marital_status_X_NRI_code. See marital_status_X_NRI_code for more information.

Column Name: medi_cal_policy_number
Column Type: varchar
Max Length: 20
'Medi-Cal Policy Number'

Column Name: mothers_maiden_name
Column Type: varchar
Max Length: 100
'Mother's Maiden Name'

Column Name: name_qualifier_code
Column Type: varchar
Max Length: 50
'Name Qualifier'

Column Name: name_qualifier_value
Column Type: varchar
Max Length: 50
The description associated with name_qualifier_code. See name_qualifier_code for more information.

Column Name: occupation_code

Column Type: varchar
Max Length: 10
'Occupation'

Column Name: occupation_value
Column Type: varchar
Max Length: 255
The description associated with occupation_code. See occupation_code for more information.

Column Name: other_eth_org_code
Column Type: varchar
Max Length: 50
'Other Ethnic Origin(s)'

Column Name: other_eth_org_value_long
Column Type: varchar
Max Length: 4096
The description associated with other_eth_org_code. See other_eth_org_code for more information.

Column Name: other_eth_org_value_short
Column Type: varchar
Max Length: 255
The description associated with other_eth_org_code limited to 255 characters. See other_eth_org_code for more information.

Column Name: other_lang_code
Column Type: varchar
Max Length: 50
'Other Language(s)'

Column Name: other_lang_shval
Column Type: varchar
Max Length: 255
The description associated with other_lang_code limited to 255 characters. See other_lang_code for more information.

Column Name: other_lang_val
Column Type: varchar
Max Length: 4096
The description associated with other_lang_code. See other_lang_code for more information.

Column Name: other_race_code
Column Type: varchar
Max Length: 50
'Other Race(s)'

Column Name: other_race_value_long
Column Type: varchar
Max Length: 4096
The description associated with other_race_code. See other_race_code for more information.

Column Name: other_race_value_short

Column Type: varchar

Max Length: 255

The description associated with other_race_code limited to 255 characters. See other_race_code for more information.

Column Name: patient_add_city

Column Type: varchar

Max Length: 20

'Client's Address - City'

Column Name: patient_add_country_code

Column Type: varchar

Max Length: 20

'Client's Address - Country'

Column Name: patient_add_country_value

Column Type: varchar

Max Length: 40

The description associated with patient_add_country_code. See patient_add_country_code for more information.

Column Name: patient_add_county_code

Column Type: varchar

Max Length: 5

'Client's Address - County'

Column Name: patient_add_county_value

Column Type: varchar

Max Length: 20

The description associated with patient_add_county_code. See patient_add_county_code for more information.

Column Name: patient_add_state_code

Column Type: varchar

Max Length: 10

'Client's Address - State'

Column Name: patient_add_state_value

Column Type: varchar

Max Length: 40

The description associated with patient_add_state_code. See patient_add_state_code for more information.

Column Name: patient_add_street_1

Column Type: varchar

Max Length: 40

'Client's Address - Street'

Column Name: patient_add_street_2
Column Type: varchar
Max Length: 40
'Client's Address - Street 2'

Column Name: patient_add_zipcode
Column Type: varchar
Max Length: 60
'Client's Address - Zipcode'

Column Name: patient_cell_phone
Column Type: varchar
Max Length: 60
'Client's Cell Phone'

Column Name: patient_home_phone
Column Type: varchar
Max Length: 60
'Client's Home Phone'

Column Name: patient_maiden_name
Column Type: varchar
Max Length: 40
'Maiden Name'

Column Name: patient_name
Column Type: varchar
Max Length: 40
'Client Name'

Column Name: patient_name_first
Column Type: varchar
Max Length: 40
'Client First Name'

Column Name: patient_name_last
Column Type: varchar
Max Length: 40
'Client Last Name'

Column Name: patient_name_middle
Column Type: varchar
Max Length: 40
'Client Middle Name'

Column Name: patient_name_prefix_code
Column Type: varchar
Max Length: 40
'Client Prefix'

Column Name: patient_name_prefix_value

Column Type: varchar

Max Length: 40

The description associated with patient_name_prefix_code. See patient_name_prefix_code for more information.

Column Name: patient_name_suffix_code

Column Type: varchar

Max Length: 40

'Client Suffix'

Column Name: patient_name_suffix_value

Column Type: varchar

Max Length: 40

The description associated with patient_name_suffix_code. See patient_name_suffix_code for more information.

Column Name: patient_place_of_birth

Column Type: varchar

Max Length: 40

'Place Of Birth'

Column Name: patient_sex_code

Column Type: varchar

Max Length: 5

'Sex'

Column Name: patient_sex_value

Column Type: varchar

Max Length: 40

The description associated with patient_sex_code. See patient_sex_code for more information.

Column Name: patient_sex_X_NRI_code

Column Type: varchar

Max Length: 10

'NRI Gender'

Column Name: patient_sex_X_NRI_value

Column Type: varchar

Max Length: 40

The description associated with patient_sex_X_NRI_code. See patient_sex_X_NRI_code for more information.

Column Name: patient_ssn

Column Type: varchar

Max Length: 15

'Social Security Number'

Column Name: patient_ssn_2

Column Type: varchar

Max Length: 15
'Social Security Number - 2'

Column Name: patient_ssn_3
Column Type: varchar
Max Length: 15
'Social Security Number - 3'

Column Name: patient_ssn_4
Column Type: varchar
Max Length: 15
'Social Security Number - 4'

Column Name: patient_work_phone
Column Type: varchar
Max Length: 60
'Client's Work Phone'

Column Name: personal_pronouns
Column Type: varchar
Max Length: 40
'Personal Pronouns'

Column Name: policy_number_1
Column Type: varchar
Max Length: 20
'Policy Number 1'

Column Name: policy_number_10
Column Type: varchar
Max Length: 20
'Policy Number 10'

Column Name: policy_number_2
Column Type: varchar
Max Length: 20
'Policy Number 2'

Column Name: policy_number_3
Column Type: varchar
Max Length: 20
'Policy Number 3'

Column Name: policy_number_4
Column Type: varchar
Max Length: 20
'Policy Number 4'

Column Name: policy_number_5
Column Type: varchar

Max Length: 20
'Policy Number 5'

Column Name: policy_number_6
Column Type: varchar
Max Length: 20
'Policy Number 6'

Column Name: policy_number_7
Column Type: varchar
Max Length: 20
'Policy Number 7'

Column Name: policy_number_8
Column Type: varchar
Max Length: 20
'Policy Number 8'

Column Name: policy_number_9
Column Type: varchar
Max Length: 20
'Policy Number 9'

Column Name: preferred_name
Column Type: varchar
Max Length: 40
'Preferred Name'

Column Name: pref_prov_eth_org_code
Column Type: varchar
Max Length: 5
'Preferred Provider's Ethnic Origin'

Column Name: pref_prov_eth_org_value
Column Type: varchar
Max Length: 255
The description associated with pref_prov_eth_org_code. See pref_prov_eth_org_code for more information.

Column Name: pref_prov_sex_code
Column Type: varchar
Max Length: 5
'Preferred Provider's Sex'

Column Name: pref_prov_sex_value
Column Type: varchar
Max Length: 15
The description associated with pref_prov_sex_code. See pref_prov_sex_code for more information.

Column Name: pregnancy_status_code

Column Type: varchar
Max Length: 50
'Pregnancy Status'

Column Name: pregnancy_status_value
Column Type: varchar
Max Length: 50
The description associated with pregnancy_status_code. See pregnancy_status_code for more information.

Column Name: primary_language_code
Column Type: varchar
Max Length: 50
'Primary Language'

Column Name: primary_language_value
Column Type: varchar
Max Length: 50
The description associated with primary_language_code. See primary_language_code for more information.

Column Name: protection_indicator_code
Column Type: varchar
Max Length: 50
'Protection Indicator'

Column Name: protection_indicator_date
Column Type: date
'Protection Indicator Effective Date'

Column Name: protection_indicator_val
Column Type: varchar
Max Length: 50
The description associated with protection_indicator_code. See protection_indicator_code for more information.

Column Name: purge_date
Column Type: date
The date the client was purged.

Column Name: race_code
Column Type: varchar
Max Length: 20
'Client Race'

Column Name: race_value
Column Type: varchar
Max Length: 255
The description associated with race_code. See race_code for more information.

Column Name: religion_code
Column Type: varchar

Max Length: 20

'Religion'

Column Name: religion_value

Column Type: varchar

Max Length: 255

The description associated with religion_code. See religion_code for more information.

Column Name: sex_orientation_code

Column Type: varchar

Max Length: 5

'Sexual Orientation'

Column Name: sex_orientation_value

Column Type: varchar

Max Length: 40

The description associated with sex_orientation_code. See sex_orientation_code for more information.

Column Name: smoker_code

Column Type: varchar

Max Length: 50

'Smoker'

Column Name: smoker_value

Column Type: varchar

Max Length: 50

The description associated with smoker_code. See smoker_code for more information.

Column Name: smoking_stat_assess_date

Column Type: date

'Smoking Status Assessment Date'

Column Name: ss_demographics_date_1

Column Type: date

'SS Demographics Date 1'

Column Name: ss_demographics_date_2

Column Type: date

'SS Demographics Date 2'

Column Name: ss_demographics_date_3

Column Type: date

'SS Demographics Date 3'

Column Name: ss_demographics_date_4

Column Type: date

'SS Demographics Date 4'

Column Name: ss_demographics_date_5

Column Type: date

'SS Demographics Date 5'

Column Name: ss_demographics_dict_10_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 10'

Column Name: ss_demographics_dict_10_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_10_code. See ss_demographics_dict_10_code for more information.

Column Name: ss_demographics_dict_11_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 11'

Column Name: ss_demographics_dict_11_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_11_code. See ss_demographics_dict_11_code for more information.

Column Name: ss_demographics_dict_12_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 12'

Column Name: ss_demographics_dict_12_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_12_code. See ss_demographics_dict_12_code for more information.

Column Name: ss_demographics_dict_13_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 13'

Column Name: ss_demographics_dict_13_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_13_code. See ss_demographics_dict_13_code for more information.

Column Name: ss_demographics_dict_14_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 14'

Column Name: ss_demographics_dict_14_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_14_code. See ss_demographics_dict_14_code for more information.

Column Name: ss_demographics_dict_15_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 15'

Column Name: ss_demographics_dict_15_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_15_code. See ss_demographics_dict_15_code for more information.

Column Name: ss_demographics_dict_1_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 1'

Column Name: ss_demographics_dict_1_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_1_code. See ss_demographics_dict_1_code for more information.

Column Name: ss_demographics_dict_2_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 2'

Column Name: ss_demographics_dict_2_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_2_code. See ss_demographics_dict_2_code for more information.

Column Name: ss_demographics_dict_3_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 3'

Column Name: ss_demographics_dict_3_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_3_code. See ss_demographics_dict_3_code for more information.

Column Name: ss_demographics_dict_4_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 4'

Column Name: ss_demographics_dict_4_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_4_code. See ss_demographics_dict_4_code for more information.

Column Name: ss_demographics_dict_5_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 5'

Column Name: ss_demographics_dict_5_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_5_code. See ss_demographics_dict_5_code for more information.

Column Name: ss_demographics_dict_6_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 6'

Column Name: ss_demographics_dict_6_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_6_code. See ss_demographics_dict_6_code for more information.

Column Name: ss_demographics_dict_7_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 7'

Column Name: ss_demographics_dict_7_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_7_code. See ss_demographics_dict_7_code for more information.

Column Name: ss_demographics_dict_8_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 8'

Column Name: ss_demographics_dict_8_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_8_code. See ss_demographics_dict_8_code for more information.

Column Name: ss_demographics_dict_9_code

Column Type: varchar

Max Length: 50

'SS Demographics Single Select Dictionary 9'

Column Name: ss_demographics_dict_9_value

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_dict_9_code. See ss_demographics_dict_9_code for more information.

Column Name: ss_demographics_free_txt_1

Column Type: varchar

Max Length: 32766

'SS Demographics Scrolling Free Text 1'

Column Name: ss_demographics_free_txt_2

Column Type: varchar

Max Length: 32766

'SS Demographics Scrolling Free Text 2'

Column Name: ss_demographics_freetxt_20_1

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 1'

Column Name: ss_demographics_freetxt_20_2

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 2'

Column Name: ss_demographics_freetxt_20_3

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 3'

Column Name: ss_demographics_freetxt_20_4

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 4'

Column Name: ss_demographics_freetxt_20_5

Column Type: varchar

Max Length: 20

'SS Demographics Free Text (20) 5'

Column Name: ss_demographics_free_txt_3

Column Type: varchar

Max Length: 32766

'SS Demographics Scrolling Free Text 3'

Column Name: ss_demographics_free_txt_4

Column Type: varchar

Max Length: 32766

'SS Demographics Scrolling Free Text 4'

Column Name: ss_demographics_freetxt_40_1

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 1'

Column Name: ss_demographics_freetxt_40_2

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 2'

Column Name: ss_demographics_freetxt_40_3

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 3'

Column Name: ss_demographics_freetxt_40_4

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 4'

Column Name: ss_demographics_freetxt_40_5

Column Type: varchar

Max Length: 40

'SS Demographics Free Text (40) 5'

Column Name: ss_demographics_free_txt_5

Column Type: varchar

Max Length: 32766

'SS Demographics Scrolling Free Text 5'

Column Name: ss_demographics_mult_10_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 10'

Column Name: ss_demographics_mult_10_shval

Column Type: varchar

Max Length: 255

The description associated with `ss_demographics_mult_10_code` limited to 255 characters. See `ss_demographics_mult_10_code` for more information.

Column Name: `ss_demographics_mult_10_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_10_code`. See `ss_demographics_mult_10_code` for more information.

Column Name: `ss_demographics_mult_1_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 1'

Column Name: `ss_demographics_mult_1_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_1_code` limited to 255 characters. See `ss_demographics_mult_1_code` for more information.

Column Name: `ss_demographics_mult_1_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_1_code`. See `ss_demographics_mult_1_code` for more information.

Column Name: `ss_demographics_mult_2_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 2'

Column Name: `ss_demographics_mult_2_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_2_code` limited to 255 characters. See `ss_demographics_mult_2_code` for more information.

Column Name: `ss_demographics_mult_2_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_2_code`. See `ss_demographics_mult_2_code` for more information.

Column Name: `ss_demographics_mult_3_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 3'

Column Name: `ss_demographics_mult_3_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_3_code` limited to 255 characters. See `ss_demographics_mult_3_code` for more information.

Column Name: `ss_demographics_mult_3_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_3_code`. See `ss_demographics_mult_3_code` for more information.

Column Name: `ss_demographics_mult_4_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 4'

Column Name: `ss_demographics_mult_4_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_4_code` limited to 255 characters. See `ss_demographics_mult_4_code` for more information.

Column Name: `ss_demographics_mult_4_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_4_code`. See `ss_demographics_mult_4_code` for more information.

Column Name: `ss_demographics_mult_5_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 5'

Column Name: `ss_demographics_mult_5_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_demographics_mult_5_code` limited to 255 characters. See `ss_demographics_mult_5_code` for more information.

Column Name: `ss_demographics_mult_5_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_demographics_mult_5_code`. See `ss_demographics_mult_5_code` for more information.

Column Name: `ss_demographics_mult_6_code`

Column Type: `varchar`

Max Length: 50

'SS Demographics Multiple Select Dictionary 6'

Column Name: `ss_demographics_mult_6_shval`

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_6_code limited to 255 characters. See ss_demographics_mult_6_code for more information.

Column Name: ss_demographics_mult_6_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_6_code. See ss_demographics_mult_6_code for more information.

Column Name: ss_demographics_mult_7_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 7'

Column Name: ss_demographics_mult_7_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_7_code limited to 255 characters. See ss_demographics_mult_7_code for more information.

Column Name: ss_demographics_mult_7_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_7_code. See ss_demographics_mult_7_code for more information.

Column Name: ss_demographics_mult_8_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 8'

Column Name: ss_demographics_mult_8_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_8_code limited to 255 characters. See ss_demographics_mult_8_code for more information.

Column Name: ss_demographics_mult_8_value

Column Type: varchar

Max Length: 4096

ss_demographics_mult_8_code. See ss_demographics_mult_8_code for more information.

Column Name: ss_demographics_mult_9_code

Column Type: varchar

Max Length: 50

'SS Demographics Multiple Select Dictionary 9'

Column Name: ss_demographics_mult_9_shval

Column Type: varchar

Max Length: 255

The description associated with ss_demographics_mult_9_code limited to 255 characters. See ss_demographics_mult_9_code for more information.

Column Name: ss_demographics_mult_9_value

Column Type: varchar

Max Length: 4096

The description associated with ss_demographics_mult_9_code. See ss_demographics_mult_9_code for more information.

Column Name: ss_demographics_phone_1

Column Type: varchar

Max Length: 50

'SS Demographics Phone Number 1'

Column Name: ss_demographics_phone_2

Column Type: varchar

Max Length: 50

'SS Demographics Phone Number 2'

Column Name: ss_demographics_phone_3

Column Type: varchar

Max Length: 50

'SS Demographics Phone Number 3'

Column Name: ss_demographics_phone_4

Column Type: varchar

Max Length: 50

'SS Demographics Phone Number 4'

Column Name: ss_demographics_phone_5

Column Type: varchar

Max Length: 50

'SS Demographics Phone Number 5'

Column Name: ss_demographics_staff_1

Column Type: varchar

Max Length: 20

'SS Demographics Practitioner 1'

Column Name: ss_demographics_staff_2

Column Type: varchar

Max Length: 20

'SS Demographics Practitioner 2'

Column Name: ss_demographics_staff_3

Column Type: varchar

Max Length: 20

'SS Demographics Practitioner 3'

Column Name: ss_demographics_staff_4
Column Type: varchar
Max Length: 20
'SS Demographics Practitioner 4'

Column Name: ss_demographics_staff_5
Column Type: varchar
Max Length: 20
'SS Demographics Practitioner 5'

Column Name: ss_demographics_time_1
Column Type: varchar
Max Length: 10
'SS Demographics Time 1'

Column Name: ss_demographics_time_2
Column Type: varchar
Max Length: 10
'SS Demographics Time 2'

Column Name: ss_demographics_time_3
Column Type: varchar
Max Length: 10
'SS Demographics Time 3'

Column Name: ss_demographics_time_4
Column Type: varchar
Max Length: 10
'SS Demographics Time 4'

Column Name: ss_demographics_time_5
Column Type: varchar
Max Length: 10
'SS Demographics Time 5'

Documentation for form: File_Import

Table Name: CWSOrderEntry.file_import_order_code_setup

Table Description: This table returns information stored in the 'File Import' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY

Column Type: integer
The system code in which the data was stored.

Column Name: FILE_ID
Column Type: integer
FILE ID

Column Name: add_edit_code
Column Type: varchar
Max Length: 50
Add/Edit Order Code Code

Column Name: add_edit_value
Column Type: varchar
Max Length: 50
Add/Edit Order Code Value

Column Name: administration_route
Column Type: varchar
Max Length: 50
Route of Administration

Column Name: administration_route_val
Column Type: varchar
Max Length: 50
Route of Administration Value

Column Name: alert_client_above_age
Column Type: integer
Alert When Client Is Above Age

Column Name: alert_client_below_age
Column Type: integer
Alert When Client Is Below Age

Column Name: alert_cli_prob_code
Column Type: varchar
Max Length: 4096
Alert When Client Has Any Of These Active Problems Code

Column Name: alert_cli_prob_sh_value
Column Type: varchar
Max Length: 255
Alert When Client Has Any Of These Active Problems Short Value

Column Name: alert_cli_prob_value
Column Type: varchar
Max Length: 4096
Alert When Client Has Any Of These Active Problems Value

Column Name: allow_open_end_ord_code
Column Type: varchar
Max Length: 50
Allow Open-Ended Orders Code

Column Name: allow_open_end_ord_value
Column Type: varchar
Max Length: 50
Allow Open-Ended Orders Value

Column Name: allow_rnw_exp_ord_code
Column Type: varchar
Max Length: 50
Allow Expired Orders To Be Renewed Code

Column Name: allow_rnw_exp_ord_value
Column Type: varchar
Max Length: 50
Allow Expired Orders To Be Renewed Value

Column Name: arra_denom_exclude_code
Column Type: varchar
Max Length: 4096
Exclude Code in ARRA Measures Denominator Code

Column Name: arra_denom_exclude_shval
Column Type: varchar
Max Length: 255
Exclude Code in ARRA Measures Denominator Short Value

Column Name: arra_denom_exclude_value
Column Type: varchar
Max Length: 4096
Exclude Code in ARRA Measures Denominator Value

Column Name: arra_denom_include_code
Column Type: varchar
Max Length: 4096
Include Code in ARRA Measures Denominator Code

Column Name: arra_denom_include_shval
Column Type: varchar
Max Length: 255
Include Code in ARRA Measures Denominator Short Value

Column Name: arra_denom_include_value
Column Type: varchar
Max Length: 4096
Include Code in ARRA Measures Denominator Value

Column Name: arra_exclusionary_code
Column Type: varchar
Max Length: 4096
Include Code in Exclusionary Value for the following ARRA Measures Code

Column Name: arra_exclusionary_shval
Column Type: varchar
Max Length: 255
Include Code in Exclusionary Value for the following ARRA Measures Short Value

Column Name: arra_exclusionary_value
Column Type: varchar
Max Length: 4096
Include Code in Exclusionary Value for the following ARRA Measures Value

Column Name: arra_numer_exclude_code
Column Type: varchar
Max Length: 4096
Exclude Code in ARRA Measures Numerator Code

Column Name: arra_numer_exclude_shval
Column Type: varchar
Max Length: 255
Exclude Code in ARRA Measures Numerator Short Value

Column Name: arra_numer_exclude_value
Column Type: varchar
Max Length: 4096
Exclude Code in ARRA Measures Numerator Value

Column Name: arra_numer_include_code
Column Type: varchar
Max Length: 4096
Include Code in ARRA Measures Numerator Code

Column Name: arra_numer_include_shval
Column Type: varchar
Max Length: 255
Include Code in ARRA Measures Numerator Short Value

Column Name: arra_numer_include_value
Column Type: varchar
Max Length: 4096
Include Code in ARRA Measures Numerator Value

Column Name: associated_cpt_code
Column Type: varchar
Max Length: 50
Associated CPT Code

Column Name: associated_cpt_code_value
Column Type: varchar
Max Length: 50
Associated CPT Code Value

Column Name: associated_cvx_code
Column Type: varchar
Max Length: 50
Associated CVX Code

Column Name: associated_cvx_val
Column Type: varchar
Max Length: 50
Associated CVX Value

Column Name: associated_loinc_code
Column Type: varchar
Max Length: 50
Associated LOINC Code

Column Name: associated_loinc_val
Column Type: varchar
Max Length: 50
Associated LOINC Value

Column Name: auto_dc_order_type_codes
Column Type: varchar
Max Length: 50
Order Codes to Auto Discontinue when this Order Code is used;

Column Name: auto_dc_order_typ_val_lng
Column Type: varchar
Max Length: 4096
the auto_dc_order_type_codes long value

Column Name: auto_dc_ord_type_codes_val_sh
Column Type: varchar
Max Length: 255
the auto_dc_order_type_codes short value

Column Name: brand_or_generic_code
Column Type: varchar
Max Length: 50
Brand Or Generic Item Code

Column Name: brand_or_generic_value
Column Type: varchar
Max Length: 50
Brand Or Generic Item Value

Column Name: collection_volume
Column Type: varchar
Max Length: 50
Collection Volume

Column Name: collection_volume_unit
Column Type: varchar
Max Length: 50
Collection Volume Units of Measure

Column Name: compound_med_code
Column Type: varchar
Max Length: 50
Is A Compound Medication Orderable?

Column Name: compound_med_value
Column Type: varchar
Max Length: 50
Is A Compound Medication Orderable? Value

Column Name: consent_required_code
Column Type: varchar
Max Length: 50
'Require Consent'

Column Name: consent_required_value
Column Type: varchar
Max Length: 50
'Require Consent' Value

Column Name: consent_text
Column Type: varchar
Max Length: 32766
'Consent Text'

Column Name: consult_category_codes
Column Type: varchar
Max Length: 1000

Column Name: consult_category_val_long
Column Type: varchar
Max Length: 4096

Column Name: consult_category_val_sh
Column Type: varchar
Max Length: 4096

Column Name: consult_team_codes

Column Type: varchar

Max Length: 1000

The codes for consult teams that may take consults for this order code

Column Name: consult_teams_val_long

Column Type: varchar

Max Length: 4096

the consult_team_codes long value

Column Name: consult_teams_val_short

Column Type: varchar

Max Length: 255

the consult_team_codes short value

Column Name: contains_errors

Column Type: varchar

Max Length: 50

Contains Errors

Column Name: deactivate_code

Column Type: varchar

Max Length: 50

Deactivate Order Code

Column Name: deactivate_value

Column Type: varchar

Max Length: 50

Deactivate Order Value

Column Name: dea_schedule_code

Column Type: varchar

Max Length: 50

DEA Schedule Code

Column Name: dea_schedule_value

Column Type: varchar

Max Length: 50

DEA Schedule Value

Column Name: default_comments

Column Type: varchar

Max Length: 32766

Default Comments

Column Name: default_duration_days

Column Type: varchar

Max Length: 50

Default Duration (Days)

Column Name: default_duration_doses
Column Type: varchar
Max Length: 50
Default Duration (Doses)

Column Name: default_duration_hours
Column Type: varchar
Max Length: 50
Default Duration (Hours)

Column Name: default_duration_minutes
Column Type: varchar
Max Length: 50
Default Duration (Minutes)

Column Name: default_iv_rate
Column Type: varchar
Max Length: 50
Default IV Rate

Column Name: default_iv_rateunit_code
Column Type: varchar
Max Length: 50
Default IV Rate Unit Code

Column Name: default_iv_rateunit_value
Column Type: varchar
Max Length: 50
Default IV Rate Unit Value

Column Name: default_order_text
Column Type: varchar
Max Length: 32766
Default Order Text

Column Name: default_quantity
Column Type: varchar
Max Length: 50
Default Quantity

Column Name: default_reason_code
Column Type: varchar
Max Length: 50
Default Reason Code

Column Name: default_reason_text
Column Type: varchar
Max Length: 32766
Default Reason Text

Column Name: default_reason_value
Column Type: varchar
Max Length: 50
Default Reason Value

Column Name: default_spec_addl_instr
Column Type: varchar
Max Length: 32766
Default Special/Additional Instructions

Column Name: def_dispense_quan
Column Type: varchar
Max Length: 20
Default Dispense Quantity

Column Name: def_dispense_quan_unit
Column Type: varchar
Max Length: 50
Default Dispense Quantity Unit

Column Name: def_dispense_quan_unitval
Column Type: varchar
Max Length: 50
Default Dispense Quantity Unit Value

Column Name: def_dur_to_num_doses
Column Type: varchar
Max Length: 50
Default Duration to Number of Doses (code)

Column Name: def_dur_to_num_doses_val
Column Type: varchar
Max Length: 50
Default Duration to Number of Doses (code)

Column Name: description
Column Type: varchar
Max Length: 255
Description

Column Name: dflt_iv_adm_method_code
Column Type: varchar
Max Length: 50
Default IV Admin Method Code

Column Name: dflt_iv_adm_method_value
Column Type: varchar
Max Length: 50
Default IV Admin Method Value

Column Name: dflt_oto_ord_dur_code
Column Type: varchar
Max Length: 50
Default New One-Time-Only Orders To Duration Of 1 Day Code

Column Name: dflt_oto_ord_dur_value
Column Type: varchar
Max Length: 50
Default New One-Time-Only Orders To Duration Of 1 Day Value

Column Name: dflt_pca_unit_code
Column Type: varchar
Max Length: 50
Default PCA Dose Unit code

Column Name: dflt_pca_unit_val
Column Type: varchar
Max Length: 50
Default PCA Dose Unit value

Column Name: dflt_titr_rate_code
Column Type: varchar
Max Length: 50
Default Titration Rate code

Column Name: dflt_titr_rate_val
Column Type: varchar
Max Length: 50
Default Titration Rate value

Column Name: disc_reason_auto_disc_code
Column Type: varchar
Max Length: 50
The discontinue reason code to default in for auto_dc_order_type_values that are automatically discontinued

Column Name: disc_reason_auto_disc_val
Column Type: varchar
Max Length: 50
This discontinue reason value to default in for auto_dc_order_type_val

Column Name: dosage_form
Column Type: varchar
Max Length: 50
Dosage Form

Column Name: dosing_instructions
Column Type: varchar
Max Length: 32766
Dosing Instructions

Column Name: eMAR_admin_window
Column Type: integer
eMAR Administration Window (Minutes)

Column Name: eMAR_alerts_code
Column Type: varchar
Max Length: 50
eMAR Alerts Code

Column Name: eMAR_alerts_long_value
Column Type: varchar
Max Length: 4096
eMAR Alerts Value

Column Name: eMAR_alerts_short_value
Column Type: varchar
Max Length: 255
eMAR Alerts Value

Column Name: eMAR_fds_incl_adm_code
Column Type: varchar
Max Length: 50
Additional Data Elements To Include In Avatar eMAR (Administration) Code

Column Name: eMAR_fds_incl_adm_lval
Column Type: varchar
Max Length: 4096
Additional Data Elements To Include In Avatar eMAR (Administration) Long Value

Column Name: eMAR_fds_incl_adm_sval
Column Type: varchar
Max Length: 255
Additional Data Elements To Include In Avatar eMAR (Administration) Short Value

Column Name: eMAR_fds_incl_res_code
Column Type: varchar
Max Length: 50
Additional Data Elements To Include In Avatar eMAR (Results) Code

Column Name: eMAR_fds_incl_res_lval
Column Type: varchar
Max Length: 4096
Additional Data Elements To Include In Avatar eMAR (Results) Long Value

Column Name: eMAR_fds_incl_res_sval
Column Type: varchar
Max Length: 255
Additional Data Elements To Include In Avatar eMAR (Results) Short Value

Column Name: eMAR_flds_req_adm_code
Column Type: varchar
Max Length: 50
Additional Data Elements To Require In Avatar eMAR (Administration) Code

Column Name: eMAR_flds_req_adm_lval
Column Type: varchar
Max Length: 4096
Additional Data Elements To Require In Avatar eMAR (Administration) Long Value

Column Name: eMAR_flds_req_adm_sval
Column Type: varchar
Max Length: 255
Additional Data Elements To Require In Avatar eMAR (Administration) Short Value

Column Name: eMAR_flds_req_res_code
Column Type: varchar
Max Length: 50
Additional Data Elements To Require In Avatar eMAR (Results) Code

Column Name: eMAR_flds_req_res_lval
Column Type: varchar
Max Length: 4096
Additional Data Elements To Require In Avatar eMAR (Results) Long Value

Column Name: eMAR_flds_req_res_sval
Column Type: varchar
Max Length: 255
Additional Data Elements To Require In Avatar eMAR (Results) Short Value

Column Name: eMAR_followup_code
Column Type: varchar
Max Length: 50
eMAR Follow-Up Reminder Code

Column Name: eMAR_followup_head_code
Column Type: varchar
Max Length: 50
eMAR Follow-Up Reminder Heading Code

Column Name: eMAR_followup_head_val
Column Type: varchar
Max Length: 50
eMAR Follow-Up Reminder Heading Value

Column Name: eMAR_followup_interval
Column Type: varchar
Max Length: 50
Time Interval For Follow-Up Reminder (Minutes)

Column Name: eMAR_followup_supp_code
Column Type: varchar
Max Length: 50
Suppress Follow-Up Reminders for the Following Types of Orders Code

Column Name: eMAR_followup_supp_lval
Column Type: varchar
Max Length: 4096
Suppress Follow-Up Reminders for the Following Types of Orders Long Value

Column Name: eMAR_followup_supp_sval
Column Type: varchar
Max Length: 255
Suppress Follow-Up Reminders for the Following Types of Orders Short Value

Column Name: eMAR_followup_val
Column Type: varchar
Max Length: 50
eMAR Follow-Up Reminder Value

Column Name: eMAR_incl_pain_scale_code
Column Type: varchar
Max Length: 50
Include Pain Scale In Avatar eMAR Code

Column Name: eMAR_incl_pain_scale_val
Column Type: varchar
Max Length: 60
Include Pain Scale In Avatar eMAR Value

Column Name: eMAR_req_result_txt_code
Column Type: varchar
Max Length: 50
Require Result Text on Administration Event Result (code)

Column Name: eMAR_req_result_txt_val
Column Type: varchar
Max Length: 50
Require Result Text on Administration Event Result (value)

Column Name: eMAR_suppress_tasks_freq
Column Type: varchar
Max Length: 50
Suppress eMAR Tasks if More Frequent than Every N Minutes

Column Name: eMAR_witness_req_code
Column Type: varchar
Max Length: 50
Require a Witness in Avatar eMAR Code

Column Name: eMAR_witness_req_value
Column Type: varchar
Max Length: 50
Require a Witness in Avatar eMAR Value

Column Name: enable_ssi_instruction_code
Column Type: varchar
Max Length: 50
Enable Sliding Scale Insulin Instructions Code

Column Name: enable_ssi_instruction_value
Column Type: varchar
Max Length: 50
Enable Sliding Scale Insulin Instructions Value

Column Name: equivalent_dose_code
Column Type: varchar
Max Length: 50
Equivalent Dose for Product Substitution Code

Column Name: equivalent_dose_value
Column Type: varchar
Max Length: 50
Equivalent Dose for Product Substitution Value

Column Name: excl_clinical_scr_code
Column Type: varchar
Max Length: 50
Exclude this item from Clinical Screening processes Code

Column Name: excl_clinical_scr_value
Column Type: varchar
Max Length: 50
Exclude this item from Clinical Screening processes Value

Column Name: existing_order_code
Column Type: varchar
Max Length: 50
Existing Order Code

Column Name: ext_pharm_output_opt
Column Type: varchar
Max Length: 50
External Pharmacy Output Option

Column Name: file_date
Column Type: date
File Date

Column Name: file_name

Column Type: varchar
Max Length: 50
File Name

Column Name: file_status
Column Type: varchar
Max Length: 50
File Status

Column Name: file_time
Column Type: time
File Time

Column Name: filetype
Column Type: varchar
Max Length: 50
File Type

Column Name: frequency_code
Column Type: varchar
Max Length: 50
Default Frequency Code

Column Name: frequency_description
Column Type: varchar
Max Length: 50
Frequency Description

Column Name: fulfill_form
Column Type: varchar
Max Length: 50
Fulfillment Form

Column Name: fulfill_form_id
Column Type: varchar
Max Length: 50
Fulfillment Form ID

Column Name: fulfill_required_code
Column Type: varchar
Max Length: 50
Fulfillment Required Code

Column Name: fulfill_required_value
Column Type: varchar
Max Length: 50
Fulfillment Required Value

Column Name: future_start_time
Column Type: varchar

Max Length: 50
Future Start Time will be used to default a start time in the future.

Column Name: individual_display_code
Column Type: varchar
Max Length: 50
Display Individually in Non-Product-Based Ordering code

Column Name: individual_display_val
Column Type: varchar
Max Length: 50
Display Individually in Non-Product-Based Ordering value

Column Name: inf_amount
Column Type: varchar
Max Length: 50
Infuse Amount (mL)

Column Name: inf_time
Column Type: varchar
Max Length: 50
Infuse Over Time

Column Name: inf_time_unit_code
Column Type: varchar
Max Length: 50
Infuse Over Time Unit code

Column Name: inf_time_unit_val
Column Type: varchar
Max Length: 50
Infuse Over Time Unit value

Column Name: interface_code
Column Type: varchar
Max Length: 50
Interface Code

Column Name: is_additive_code
Column Type: varchar
Max Length: 50
Is an IV Additive Component Code

Column Name: is_additive_value
Column Type: varchar
Max Length: 50
Is an IV Additive Component Value

Column Name: is_diluent_code
Column Type: varchar

Max Length: 50
Is an IV Diluent/Base Component Code

Column Name: is_diluent_value
Column Type: varchar
Max Length: 50
Is an IV Diluent/Base Component Value

Column Name: line
Column Type: integer
Line

Column Name: max_basal_rate
Column Type: varchar
Max Length: 50
Max Basal Rate

Column Name: max_break_dose
Column Type: varchar
Max Length: 50
Maximim Breakthrough Dose

Column Name: max_dose_4hr_limit
Column Type: varchar
Max Length: 50
Max Dose per 4 Hours Limit

Column Name: max_dose_limit
Column Type: varchar
Max Length: 50
Max Dose per Hour Limit

Column Name: max_duration_days
Column Type: varchar
Max Length: 50
Maximum Duration (Days)

Column Name: max_duration_doses
Column Type: varchar
Max Length: 50
Maximum Duration (Doses)

Column Name: max_duration_hours
Column Type: varchar
Max Length: 50
Maximum Duration (Hours)

Column Name: max_duration_minutes
Column Type: varchar
Max Length: 50

Maximum Duration (Minutes)

Column Name: max_loading_dose
Column Type: varchar
Max Length: 50
Max Loading Dose

Column Name: max_pca_dose
Column Type: varchar
Max Length: 50
Max PCA Dose

Column Name: med_category_code
Column Type: varchar
Max Length: 255
Medication Category Code

Column Name: med_category_value_long
Column Type: varchar
Max Length: 4096
Medication Category Long Value

Column Name: med_category_value_short
Column Type: varchar
Max Length: 255
Medication Category Short Value

Column Name: medication_formulary_code
Column Type: varchar
Max Length: 50
Is this Medication a Formulary Item Code

Column Name: medication_formulary_value
Column Type: varchar
Max Length: 50
Is this Medication a Formulary Item Value

Column Name: medication_treatment_code
Column Type: varchar
Max Length: 50
Is this Medication a "Treatment" Code

Column Name: medication_treatment_value
Column Type: varchar
Max Length: 50
Is this Medication a "Treatment" Value

Column Name: method_for_product_sub_code
Column Type: varchar
Max Length: 50

Method for Product Substitution Code

Column Name: method_for_product_sub_value

Column Type: varchar

Max Length: 50

Method for Product Substitution Value

Column Name: microbiology_code

Column Type: varchar

Max Length: 50

Microbiology Code (Y/N)

Column Name: microbiology_value

Column Type: varchar

Max Length: 50

Microbiology Value (Yes/No)

Column Name: min_lockout

Column Type: varchar

Max Length: 50

Minimum Lockout

Column Name: ndc

Column Type: varchar

Max Length: 50

NDC

Column Name: new_order_code

Column Type: varchar

Max Length: 50

New Order Code

Column Name: order_guidelines

Column Type: varchar

Max Length: 32766

Order Guidelines

Column Name: order_type_code

Column Type: varchar

Max Length: 50

Order Type Code

Column Name: order_type_value

Column Type: varchar

Max Length: 50

Order Type Value

Column Name: perf_basic_dup_chk_code

Column Type: varchar

Max Length: 50

Perform Basic Duplicate Order Code Checking Code

Column Name: perf_basic_dup_chk_value

Column Type: varchar

Max Length: 50

Perform Basic Duplicate Order Code Checking Value

Column Name: posted_value

Column Type: varchar

Max Length: 50

Posted Value

Column Name: preferred_dose

Column Type: varchar

Max Length: 32000

Preferred Dose

Column Name: product_substitution_code

Column Type: varchar

Max Length: 50

Product Substitution Code

Column Name: product_substitution_value

Column Type: varchar

Max Length: 50

Product Substitution Value

Column Name: prvnt_if_autodc_ordtyp_cd

Column Type: varchar

Max Length: 50

Prevent Entry of Auto-DC Order Types When Active Order Exists? code

Column Name: prvnt_if_autodc_ordtyp_vl

Column Type: varchar

Max Length: 50

Prevent Entry of Auto-DC Order Types When Active Order Exists? value

Column Name: quantity_unit

Column Type: varchar

Max Length: 50

Default Quantity Unit

Column Name: ra_code

Column Type: varchar

Max Length: 50

RA Code (MDS Medications List)

Column Name: report_to_codes

Column Type: varchar

Max Length: 50

Report To Codes

Column Name: report_to_value_long

Column Type: varchar

Max Length: 4096

Report To Long Value

Column Name: report_to_value_short

Column Type: varchar

Max Length: 255

Report To Short Value

Column Name: req_data_emar_admin_code

Column Type: varchar

Max Length: 50

Require Product Data During eMAR Administration Event Code

Column Name: req_data_emar_admin_value

Column Type: varchar

Max Length: 50

Require Product Data During eMAR Administration Event Value

Column Name: req_qty_and_qtyunit_code

Column Type: varchar

Max Length: 50

Require Quantity and Quantity Unit Code

Column Name: req_qty_and_qtyunit_value

Column Type: varchar

Max Length: 50

Require Quantity and Quantity Unit Value

Column Name: req_spec_addl_instr_code

Column Type: varchar

Max Length: 10

Require Special/Additional Instructions Code

Column Name: req_spec_addl_instr_value

Column Type: varchar

Max Length: 10

Require Special/Additional Instructions Value

Column Name: restrict_to_std_reas_code

Column Type: varchar

Max Length: 50

Restrict Users to Selecting Only Standard/Preferred Reason Codes Code

Column Name: restrict_to_std_reas_val

Column Type: varchar

Max Length: 50

Restrict Users to Selecting Only Standard/Preferred Reason Codes Value

Column Name: specimen_container_code
Column Type: varchar
Max Length: 50
Specimen Container Code

Column Name: specimen_container_value
Column Type: varchar
Max Length: 50
Specimen Container Value

Column Name: specimen_type_code
Column Type: varchar
Max Length: 50
Specimen Type Code

Column Name: specimen_type_value
Column Type: varchar
Max Length: 50
Specimen Type Value

Column Name: spec_types_allowed_code
Column Type: varchar
Max Length: 1000
Specimen Type Code

Column Name: spec_types_allowed_value
Column Type: varchar
Max Length: 4096
specimen type value

Column Name: std_pref_freq_codes
Column Type: varchar
Max Length: 1000
Standard/Preferred Frequency Codes

Column Name: std_pref_freq_value_long
Column Type: varchar
Max Length: 4096
Standard/Preferred Frequency Long Value

Column Name: std_pref_freq_value_short
Column Type: varchar
Max Length: 255
Standard/Preferred Frequency Short Value

Column Name: std_pref_reas_codes
Column Type: varchar
Max Length: 1000

Standard/Preferred Reason Codes

Column Name: std_pref_reas_value_long
Column Type: varchar
Max Length: 4096
Standard/Preferred Reason Long Value

Column Name: std_pref_reas_value_short
Column Type: varchar
Max Length: 255
Standard/Preferred Reason Short Value

Column Name: stop_end_of_day_code
Column Type: varchar
Max Length: 50
Stop Time to be set at end of Calendar Day? code.

Column Name: stop_end_of_day_val
Column Type: varchar
Max Length: 50
Stop Time to be set at end of Calendar Day? value.

Column Name: strength
Column Type: varchar
Max Length: 50
Strength

Column Name: strength_unit
Column Type: varchar
Max Length: 255
Strength Unit

Column Name: synonyms
Column Type: varchar
Max Length: 32000
Order Code Synonyms

Column Name: text_required_code
Column Type: varchar
Max Length: 50
Is Order Text Required With This Order Code Code

Column Name: text_required_value
Column Type: varchar
Max Length: 50
Is Order Text Required With This Order Code Value

Column Name: vent_modes_codes
Column Type: varchar
Max Length: 32766

Ventilator Modes Codes.

Column Name: vent_modes_value_long
Column Type: varchar
Max Length: 32766
Ventilator Modes Long Value

Column Name: vent_modes_value_short
Column Type: varchar
Max Length: 255
Ventilator Modes Short Value

Documentation for form: File_Import

Table Name: SYSTEM.File_Import_Hospital_Bed

Table Description: File import for bed

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_ID
Column Type: integer
The file ID of the import.

Column Name: active_bed_code
Column Type: varchar
Max Length: 50
Code for 'Active bed' field.

Column Name: active_bed_value
Column Type: varchar
Max Length: 50
Description for 'Active bed' field

Column Name: active_room_code
Column Type: varchar
Max Length: 50
Code for 'Active Room' field.

Column Name: active_room_value

Column Type: varchar
Max Length: 50
Code for 'Active Room' field.

Column Name: add_edit_bed_code
Column Type: varchar
Max Length: 50
Code for 'Add Edit Bed Code' field

Column Name: add_edit_bed_value
Column Type: varchar
Max Length: 50
Description for 'Add Edit Bed Code' field

Column Name: bed
Column Type: varchar
Max Length: 50
Code for 'Bed' field.

Column Name: contains_errors
Column Type: varchar
Max Length: 50
If the imported file contains errors.

Column Name: filetype
Column Type: integer
The type of file being imported.

Column Name: licen_unlicen_code
Column Type: varchar
Max Length: 50
Code for 'Licensed/Unlicensed' field

Column Name: licen_unlicen_value
Column Type: varchar
Max Length: 50
Description for 'Licensed/Unlicensed' field

Column Name: line
Column Type: integer
The line number associated with the import.

Column Name: medicaid_cert_code
Column Type: varchar
Max Length: 50
Code for 'Medicaid Certified' field

Column Name: medicaid_cert_value
Column Type: varchar
Max Length: 50

Description for 'Medicaid Certified' field

Column Name: medicare_cert_code

Column Type: varchar

Max Length: 50

Code for 'Medicare Certified' field

Column Name: medicare_cert_value

Column Type: varchar

Max Length: 50

Description for 'Medicare Certified' field

Column Name: new_bed

Column Type: varchar

Max Length: 50

Code for 'New Bed' field

Column Name: new_room

Column Type: varchar

Max Length: 50

Code for 'New Room' field

Column Name: posted_value

Column Type: varchar

Max Length: 50

If posted or not.

Column Name: room

Column Type: varchar

Max Length: 50

Code for 'Room' field.

Column Name: room_notes

Column Type: varchar

Max Length: 80

The notes for the room.

Column Name: unit_code

Column Type: varchar

Max Length: 50

Code for 'Unit code' field.

Column Name: unit_value

Column Type: varchar

Max Length: 50

The description associated with unit_code.

Documentation for form: File_Import

Table Name: SYSTEM.audit_outreach_client

Table Description: This table contains audit records for outreach targets.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
System code where the outreach client will be admitted to.

Column Name: GUID
Column Type: varchar
Max Length: 50
GUID

Column Name: PATID
Column Type: varchar
Max Length: 20
Avatar patient identifier. Present if the person referenced by the external id has ever been admitted to a program.

Column Name: UTCTimestamp
Column Type: timestamp
UTCTimestamp

Column Name: address_city
Column Type: varchar
Max Length: 30
Target's address - city.

Column Name: address_county
Column Type: varchar
Max Length: 60
Target's address - county.

Column Name: address_state
Column Type: varchar
Max Length: 40
Target's address - state.

Column Name: address_street
Column Type: varchar
Max Length: 100
Target's address - street.

Column Name: address_street2
Column Type: varchar
Max Length: 60
Target's address - apartment/unit.

Column Name: address_zipcode
Column Type: varchar
Max Length: 10
Target's Zipcode.

Column Name: audit_action
Column Type: varchar
Max Length: 50
The type of action that caused the change to the SYSTEM.OutreachClient row.

Column Name: cell_phone
Column Type: varchar
Max Length: 60
Target's cell phone.

Column Name: communication_pref
Column Type: varchar
Max Length: 40
Target's communication preference

Column Name: communication_pref_val
Column Type: varchar
Max Length: 40
Target's specified admission type to be added to the admission record on appointment creation.

Column Name: contact_email
Column Type: varchar
Max Length: 60
Target's email address.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_offset

Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_birth
Column Type: date
Target's date of birth.

Column Name: eligibility_end_date_1
Column Type: date
Target's financial eligibility end date postition 1.

Column Name: eligibility_end_date_2

Column Type: date
Target's financial eligibility end date postition 2.

Column Name: eligibility_end_date_3
Column Type: date
Target's financial eligibility end date postition 3.

Column Name: eligibility_end_date_4
Column Type: date
Target's financial eligibility end date postition 4.

Column Name: eligibility_end_date_5
Column Type: date
Target's financial eligibility end date postition 5.

Column Name: eligibility_start_date_1
Column Type: date
Target's financial eligibility start date postition 1.

Column Name: eligibility_start_date_2
Column Type: date
Target's financial eligibility start date postition 2.

Column Name: eligibility_start_date_3
Column Type: date
Target's financial eligibility start date postition 3.

Column Name: eligibility_start_date_4
Column Type: date
Target's financial eligibility start date postition 4.

Column Name: eligibility_start_date_5
Column Type: date
Target's financial eligibility start date postition 5.

Column Name: external_id
Column Type: varchar
Max Length: 100
External organizational identifier for the person.

Column Name: first_name
Column Type: varchar
Max Length: 40
Target's first name.

Column Name: guarantor_id_1
Column Type: varchar
Max Length: 40
Target's primary guarantor (coded value).

Column Name: guarantor_id_2
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 2.

Column Name: guarantor_id_3
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 3.

Column Name: guarantor_id_4
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 4.

Column Name: guarantor_id_5
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 5.

Column Name: guarantor_val_1
Column Type: varchar
Max Length: 40
Target's primary guarantor.

Column Name: guarantor_val_2
Column Type: varchar
Max Length: 40
Target's guarantor position 2.

Column Name: guarantor_val_3
Column Type: varchar
Max Length: 40
Target's guarantor position 3.

Column Name: guarantor_val_4
Column Type: varchar
Max Length: 40
Target's guarantor position 4.

Column Name: guarantor_val_5
Column Type: varchar
Max Length: 40
Target's guarantor position 5.

Column Name: home_phone
Column Type: varchar
Max Length: 60
Target's home phone.

Column Name: join_to_outreach_id
Column Type: varchar
Max Length: 50
Links to ID in SYSTEM.OutreachClient.

Column Name: last_name
Column Type: varchar
Max Length: 40
Target's last name.

Column Name: medicaid_id_1
Column Type: varchar
Max Length: 40
Target's primary Medicaid ID number.

Column Name: medicaid_id_2
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 2.

Column Name: medicaid_id_3
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 3.

Column Name: medicaid_id_4
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 4.

Column Name: medicaid_id_5
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 5.

Column Name: medicare_id_1
Column Type: varchar
Max Length: 40
Target's primary Medicare ID number.

Column Name: medicare_id_2
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 2.

Column Name: medicare_id_3
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 3.

Column Name: medicare_id_4
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 4.

Column Name: medicare_id_5
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 5.

Column Name: middle_name
Column Type: varchar
Max Length: 40
Target's middle name.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: outside_facility_code
Column Type: varchar
Max Length: 50
Target's outside living facility (coded value). The address definition for the outside facility entity definition will denote target's address fields if they are not defined.

Column Name: outside_facility_value
Column Type: varchar
Max Length: 40
Target's outside living facility. The address definition for the outside facility entity definition will denote target's address fields if they are not defined.

Column Name: permission_to_text
Column Type: varchar
Max Length: 40
Target's permission to text.

Column Name: plan_id_1
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_id_2
Column Type: varchar
Max Length: 40

Target's primary guarantor plan (coded value).

Column Name: plan_id_3

Column Type: varchar

Max Length: 40

Target's primary guarantor plan (coded value).

Column Name: plan_id_4

Column Type: varchar

Max Length: 40

Target's primary guarantor plan (coded value).

Column Name: plan_id_5

Column Type: varchar

Max Length: 40

Target's primary guarantor plan (coded value).

Column Name: plan_val_1

Column Type: varchar

Max Length: 40

Target's primary guarantor plan.

Column Name: plan_val_2

Column Type: varchar

Max Length: 40

Target's primary guarantor plan.

Column Name: plan_val_3

Column Type: varchar

Max Length: 40

Target's primary guarantor plan.

Column Name: plan_val_4

Column Type: varchar

Max Length: 40

Target's primary guarantor plan.

Column Name: plan_val_5

Column Type: varchar

Max Length: 40

Target's primary guarantor plan.

Column Name: policy_number_1

Column Type: varchar

Max Length: 40

Target's primary insurance policy number.

Column Name: policy_number_2

Column Type: varchar

Max Length: 40

Target's insurance policy number position 2.

Column Name: policy_number_3

Column Type: varchar

Max Length: 40

Target's insurance policy number position 3.

Column Name: policy_number_4

Column Type: varchar

Max Length: 40

Target's insurance policy number position 4.

Column Name: policy_number_5

Column Type: varchar

Max Length: 40

Target's insurance policy number position 5.

Column Name: primary_care_physician_id

Column Type: varchar

Max Length: 40

Target's primary care physician id.

Column Name: protocol_code

Column Type: varchar

Max Length: 50

Target's protocol (coded value) to apply to the appointment created on successful outreach.

Column Name: protocol_shval

Column Type: varchar

Max Length: 40

Target's protocol to apply to the appointment created on successful outreach.

Column Name: protocol_value

Column Type: varchar

Max Length: 40

Target's protocol to apply to the appointment created on successful outreach.

Column Name: risk_level_code

Column Type: varchar

Max Length: 50

Target's risk level (coded value).

Column Name: risk_level_value

Column Type: varchar

Max Length: 40

Target's risk level.

Column Name: sex_code

Column Type: varchar

Max Length: 5

Target's sex (coded value).

Column Name: sex_value

Column Type: varchar

Max Length: 40

Target's sex.

Column Name: subscriber_city_1

Column Type: varchar

Max Length: 30

Subscriber's address - city position 1.

Column Name: subscriber_city_2

Column Type: varchar

Max Length: 30

Subscriber's address - city position 2.

Column Name: subscriber_city_3

Column Type: varchar

Max Length: 30

Subscriber's address - city position 3.

Column Name: subscriber_city_4

Column Type: varchar

Max Length: 30

Subscriber's address - city position 4.

Column Name: subscriber_city_5

Column Type: varchar

Max Length: 30

Subscriber's address - city position 5.

Column Name: subscriber_county_1

Column Type: varchar

Max Length: 60

Subscriber's address - county position 1.

Column Name: subscriber_county_2

Column Type: varchar

Max Length: 60

Subscriber's address - county position 2.

Column Name: subscriber_county_3

Column Type: varchar

Max Length: 60

Subscriber's address - county position 3.

Column Name: subscriber_county_4

Column Type: varchar

Max Length: 60

Subscriber's address - county position 4.

Column Name: subscriber_county_5

Column Type: varchar

Max Length: 60

Subscriber's address - county position 5.

Column Name: subscriber_dob_1

Column Type: date

Subscriber's date of birth position 1.

Column Name: subscriber_dob_2

Column Type: date

Subscriber's date of birth position 2.

Column Name: subscriber_dob_3

Column Type: date

Subscriber's date of birth position 3.

Column Name: subscriber_dob_4

Column Type: date

Subscriber's date of birth position 4.

Column Name: subscriber_dob_5

Column Type: date

Subscriber's date of birth position 5.

Column Name: subscriber_first_name_1

Column Type: varchar

Max Length: 40

Subscriber's first name position 1.

Column Name: subscriber_first_name_2

Column Type: varchar

Max Length: 40

Subscriber's first name position 2.

Column Name: subscriber_first_name_3

Column Type: varchar

Max Length: 40

Subscriber's first name position 3.

Column Name: subscriber_first_name_4

Column Type: varchar

Max Length: 40

Subscriber's first name position 4.

Column Name: subscriber_first_name_5

Column Type: varchar

Max Length: 40

Subscriber's first name position 5.

Column Name: subscriber_last_name_1
Column Type: varchar
Max Length: 40
Subscriber's last name position 1.

Column Name: subscriber_last_name_2
Column Type: varchar
Max Length: 40
Subscriber's last name position 2.

Column Name: subscriber_last_name_3
Column Type: varchar
Max Length: 40
Subscriber's last name position 3.

Column Name: subscriber_last_name_4
Column Type: varchar
Max Length: 40
Subscriber's last name position 4.

Column Name: subscriber_last_name_5
Column Type: varchar
Max Length: 40
Subscriber's last name position 5.

Column Name: subscriber_middle_name_1
Column Type: varchar
Max Length: 40
Subscriber's middle name position 1.

Column Name: subscriber_middle_name_2
Column Type: varchar
Max Length: 40
Subscriber's middle name position 2.

Column Name: subscriber_middle_name_3
Column Type: varchar
Max Length: 40
Subscriber's middle name position 3.

Column Name: subscriber_middle_name_4
Column Type: varchar
Max Length: 40
Subscriber's middle name position 4.

Column Name: subscriber_middle_name_5
Column Type: varchar
Max Length: 40

Subscriber's middle name position 5.

Column Name: subscriber_phone_1

Column Type: varchar

Max Length: 60

Subscriber's contact phone number position 1.

Column Name: subscriber_phone_2

Column Type: varchar

Max Length: 60

Subscriber's contact phone number position 2.

Column Name: subscriber_phone_3

Column Type: varchar

Max Length: 60

Subscriber's contact phone number position 3.

Column Name: subscriber_phone_4

Column Type: varchar

Max Length: 60

Subscriber's contact phone number position 4.

Column Name: subscriber_phone_5

Column Type: varchar

Max Length: 60

Subscriber's contact phone number position 5.

Column Name: subscriber_relationship_1

Column Type: varchar

Max Length: 20

Target's relationship to subscriber (coded value) position 1.

Column Name: subscriber_relationship_2

Column Type: varchar

Max Length: 20

Target's relationship to subscriber (coded value) position 2.

Column Name: subscriber_relationship_3

Column Type: varchar

Max Length: 20

Target's relationship to subscriber (coded value) position 3.

Column Name: subscriber_relationship_4

Column Type: varchar

Max Length: 20

Target's relationship to subscriber (coded value) position 4.

Column Name: subscriber_relationship_5

Column Type: varchar

Max Length: 20

Target's relationship to subscriber (coded value) position 5.

Column Name: subscriber_relation_val_1

Column Type: varchar

Max Length: 40

Target's relationship to subscriber (coded value) position 1.

Column Name: subscriber_relation_val_2

Column Type: varchar

Max Length: 40

Target's relationship to subscriber (coded value) position 2.

Column Name: subscriber_relation_val_3

Column Type: varchar

Max Length: 40

Target's relationship to subscriber (coded value) position 3.

Column Name: subscriber_relation_val_4

Column Type: varchar

Max Length: 40

Target's relationship to subscriber (coded value) position 4.

Column Name: subscriber_relation_val_5

Column Type: varchar

Max Length: 40

Target's relationship to subscriber (coded value) position 5.

Column Name: subscriber_sex_code_1

Column Type: varchar

Max Length: 5

Subscriber's sex (coded value), position 1.

Column Name: subscriber_sex_code_2

Column Type: varchar

Max Length: 5

Subscriber's sex (coded value), position 2.

Column Name: subscriber_sex_code_3

Column Type: varchar

Max Length: 5

Subscriber's sex (coded value), position 3.

Column Name: subscriber_sex_code_4

Column Type: varchar

Max Length: 5

Subscriber's sex (coded value), position 4.

Column Name: subscriber_sex_code_5

Column Type: varchar

Max Length: 5

Subscriber's sex (coded value), position 5.

Column Name: subscriber_sex_value_1
Column Type: varchar
Max Length: 40
Subscriber's sex, position 1.

Column Name: subscriber_sex_value_2
Column Type: varchar
Max Length: 40
Subscriber's sex, position 2.

Column Name: subscriber_sex_value_3
Column Type: varchar
Max Length: 40
Subscriber's sex, position 3.

Column Name: subscriber_sex_value_4
Column Type: varchar
Max Length: 40
Subscriber's sex, position 4.

Column Name: subscriber_sex_value_5
Column Type: varchar
Max Length: 40
Subscriber's sex, position 5.

Column Name: subscriber_state_1
Column Type: varchar
Max Length: 40
Subscriber's address - state position 1.

Column Name: subscriber_state_2
Column Type: varchar
Max Length: 40
Subscriber's address - state position 2.

Column Name: subscriber_state_3
Column Type: varchar
Max Length: 40
Subscriber's address - state position 3.

Column Name: subscriber_state_4
Column Type: varchar
Max Length: 40
Subscriber's address - state position 4.

Column Name: subscriber_state_5
Column Type: varchar
Max Length: 40

Subscriber's address - state position 5.

Column Name: subscriber_street_1

Column Type: varchar

Max Length: 100

Subscriber's address - street position 1.

Column Name: subscriber_street_2

Column Type: varchar

Max Length: 100

Subscriber's address - street position 2.

Column Name: subscriber_street2_1

Column Type: varchar

Max Length: 60

Subscriber's address - apartment/unit position 1.

Column Name: subscriber_street2_2

Column Type: varchar

Max Length: 60

Subscriber's address - apartment/unit position 2.

Column Name: subscriber_street2_3

Column Type: varchar

Max Length: 60

Subscriber's address - apartment/unit position 3.

Column Name: subscriber_street2_4

Column Type: varchar

Max Length: 60

Subscriber's address - apartment/unit position 4.

Column Name: subscriber_street2_5

Column Type: varchar

Max Length: 60

Subscriber's address - apartment/unit position 5.

Column Name: subscriber_street_3

Column Type: varchar

Max Length: 100

Subscriber's address - street position 3.

Column Name: subscriber_street_4

Column Type: varchar

Max Length: 100

Subscriber's address - street position 4.

Column Name: subscriber_street_5

Column Type: varchar

Max Length: 100

Subscriber's address - street position 5.

Column Name: subscriber_zipcode_1
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 1.

Column Name: subscriber_zipcode_2
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 2.

Column Name: subscriber_zipcode_3
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 3.

Column Name: subscriber_zipcode_4
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 4.

Column Name: subscriber_zipcode_5
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 5.

Column Name: target_adm_type_code
Column Type: varchar
Max Length: 50
Target's specified admission type (coded value) to be added to the admission record on appointment creation.

Column Name: target_adm_type_value
Column Type: varchar
Max Length: 40
Target's specified admission type to be added to the admission record on appointment creation.

Column Name: target_pre_program_code
Column Type: varchar
Max Length: 40
Target's specified pre-admit program (coded value) to be admitted to on appointment creation.

Column Name: target_pre_program_value
Column Type: varchar
Max Length: 40
Target's specified pre-admit program to be admitted to on appointment creation.

Column Name: target_program_code
Column Type: varchar

Max Length: 50

Target's specified admission program (coded value) to be admitted to on appointment creation.

Column Name: target_program_value

Column Type: varchar

Max Length: 40

Target's specified admission program to be admitted to on appointment creation.

Column Name: target_service_code

Column Type: varchar

Max Length: 50

Target's specified service (coded value) to be rendered at outreach appointment.

Column Name: target_service_value

Column Type: varchar

Max Length: 40

Target's specified service to be rendered at outreach appointment.

Column Name: target_status_code

Column Type: varchar

Max Length: 50

The current activity status of this target (coded value).

Column Name: target_status_value

Column Type: varchar

Max Length: 40

The current activity status of this target.

Column Name: work_phone

Column Type: varchar

Max Length: 60

Target's work phone.

Column Name: zone_code

Column Type: varchar

Max Length: 50

Target's assigned zone (coded value).

Column Name: zone_value

Column Type: varchar

Max Length: 40

Target's assigned zone.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_ccbhc_pop

Table Description: This table returns the information stored in the 'File Import' form for the 'CCBHC Population' selection.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_ID
Column Type: integer
The file ID associated with the import.

Column Name: contains_errors
Column Type: varchar
Max Length: 50
The errors that occurred for the import.

Column Name: date_of_birth
Column Type: date
Client's Date Of Birth

Column Name: effective_date
Column Type: date
'Effective Date'

Column Name: end_date
Column Type: date
'End Date'

Column Name: filetype
Column Type: integer
The file type associated with the import.

Column Name: first_name
Column Type: varchar
Max Length: 50
Client's First Name

Column Name: gender
Column Type: varchar
Max Length: 50
Client's Gender

Column Name: last_name
Column Type: varchar
Max Length: 50

Client's Last Name

Column Name: line

Column Type: integer

The line associated with the import.

Column Name: medicaid_id

Column Type: varchar

Max Length: 50

Client's Medicaid ID

Column Name: middle_initial

Column Type: varchar

Max Length: 50

Client's Middle Initial

Column Name: population_code

Column Type: varchar

Max Length: 50

Population Assigned

Column Name: population_value

Column Type: varchar

Max Length: 50

The description associated with population_code. See population_code for more information.

Column Name: posted_value

Column Type: varchar

Max Length: 50

The posted value associated with the import.

Column Name: ssn

Column Type: varchar

Max Length: 50

Client's Social Security Number

Documentation for form: File_Import

Table Name: SYSTEM.file_import_clm_adj_grp

Table Description: This table returns the information stored in the 'File Import' form for the 'Claim Adjustment/Group Reason Code Definition' selection.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored

Column Name: FILE_ID
Column Type: integer
The ID of the file to be uploaded

Column Name: add_delete
Column Type: varchar
Max Length: 50
The action being preformed

Column Name: clm_adj_grp_code
Column Type: varchar
Max Length: 50
The claim adjustment group code of the definition being added or deleted

Column Name: clm_adj_rea_code
Column Type: varchar
Max Length: 50
The claim adjustment reason codes of the definition being added or deleted

Column Name: clm_filing_id_code
Column Type: varchar
Max Length: 50
The claim filing indicator code of the definition being added

Column Name: compiledonotpost
Column Type: varchar
Max Length: 50
The answer to the 'Compile but do not post adjustments (CAS) associated with the indicated Claim Adjustment Group/Reason codes when processing an 835' question of the definition being added

Column Name: contains_errors
Column Type: varchar
Max Length: 50
The error status of the file

Column Name: filetype
Column Type: integer
The type of file to be uploaded

Column Name: fin_class
Column Type: varchar
Max Length: 50
The financial class of the definition being added or deleted

Column Name: guarantor

Column Type: varchar
Max Length: 50
The guarantor of the definition being added or deleted

Column Name: line
Column Type: integer
The line number of the file to be uploaded

Column Name: posting_code
Column Type: varchar
Max Length: 50
The posting code of the definition being added

Column Name: posting_code_cr_code_ovrd
Column Type: varchar
Max Length: 50
The credit posting code override of the definition being added

Column Name: posting_code_credit
Column Type: varchar
Max Length: 50
The credit posting code of the definition being added or deleted

Column Name: posting_code_db_code_ovrd
Column Type: varchar
Max Length: 50
The debit posting code override of the definition being added

Column Name: posting_code_debit
Column Type: varchar
Max Length: 50
The debit posting code of the definition being added or deleted

Column Name: posting_code_override
Column Type: varchar
Max Length: 50
The posting code override of the definition being added

Column Name: remark_codes
Column Type: varchar
Max Length: 50
The remark codes of the definition being added or deleted

Column Name: transfer_csm_default
Column Type: varchar
Max Length: 50
The answer to the 'If no guarantor found to transfer the remaining balance, then do you want to transfer the remaining balance to CSM Default Payor (99999)?' of the definition being added

Column Name: transfer_fin_class_start

Column Type: varchar

Max Length: 50

The answer to the 'Start at the following financial class when determining the guarantor for remaining balance transfer' question of the definition being added

Column Name: transfer_fin_cls_exclude

Column Type: varchar

Max Length: 50

The answer to the 'Exclude the following financial class(es) when determining the guarantor for remaining balance transfer' question of the definition being added

Column Name: transfer_guar_exclude

Column Type: varchar

Max Length: 50

The answer to the 'Exclude the following guarantor(s) when determining the guarantor for remaining balance transfer' question of the definition being added

Column Name: transfer_liability_skip

Column Type: varchar

Max Length: 50

The answer to the 'Should a guarantor with liability distributed to them for the exact adjustment amount be skipped?' question of the definition being added

Column Name: transfer_method

Column Type: varchar

Max Length: 50

The answer to the 'In case of a remaining balance, select method to use for determining the order in which the guarantor(s) should be selected for the remaining balance transfer' question of the definition being added

Column Name: transfer_pay_post_skip

Column Type: varchar

Max Length: 50

The answer to the 'Should a guarantor with payment(s) posted against them for the service being adjudicated be skipped?' question of the definition being added

Documentation for form: File_Import

Table Name: SYSTEM.file_import_clm_follow_up

Table Description: This table returns the information stored in the 'File Import' form for the 'Claim Follow-Up Notes' selection.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The claim number for the follow-up note.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: FILE_ID

Column Type: integer

The file ID associated with the import.

Column Name: client_ID

Column Type: varchar

Max Length: 50

Client ID

Column Name: client_name

Column Type: varchar

Max Length: 50

Client's Name

Column Name: comments

Column Type: varchar

Max Length: 32766

Claim follow up comments

Column Name: completion_date

Column Type: date

Claim follow-up completion date

Column Name: contains_errors

Column Type: varchar

Max Length: 50

The errors that occurred for the import.

Column Name: current_crn

Column Type: varchar

Max Length: 50

Current claim reference number (CRN)

Column Name: denial_crn

Column Type: varchar

Max Length: 50

Denial claim reference number (CRN)

Column Name: denial_reason_code

Column Type: varchar

Max Length: 50

The insurance based denial reason code(s).

Column Name: denial_reason_value

Column Type: varchar

Max Length: 4096

The description associated with denial_reason_code. See denial_reason_code for more information.

Column Name: filetype

Column Type: integer

The file type associated with the import.

Column Name: followed_up

Column Type: varchar

Max Length: 50

Claim followed up

Column Name: follow_up_date

Column Type: date

Claim follow-up date

Column Name: follow_up_status

Column Type: varchar

Max Length: 50

The claim follow-up status code

Column Name: line

Column Type: integer

The line associated with the import.

Column Name: next_follow_up_date

Column Type: date

Next claim follow-up date

Column Name: posted_value

Column Type: varchar

Max Length: 50

The posted value associated with the import.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_diag_mapping

Table Description: This table is used to upload files from the form 'File Upload' in Avatar

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored

Column Name: FILE_ID

Column Type: integer

The ID of the file to be uploaded

Column Name: client_mrn

Column Type: varchar

Max Length: 50

The Client's ID

Column Name: filetype

Column Type: varchar

Max Length: 50

The type of file to be uploaded

Column Name: line

Column Type: integer

The line number of the file to be uploaded

Column Name: new_code

Column Type: varchar

Max Length: 50

The new Diagnosis code relating to ICD-9, ICD-10, DSM-4

Column Name: new_code_set

Column Type: varchar

Max Length: 50

The new Diagnosis code set for searching on if one does not previously exist or to edit existing

Column Name: new_value

Column Type: varchar

Max Length: 4096

The description of new_code

Column Name: search_code

Column Type: varchar

Max Length: 50

The code correlated to the search of diagnosis code relating to ICD-9, ICD-10, DSM-4

Column Name: search_code_set

Column Type: varchar

Max Length: 50

the provided diagnosis code set for searching on

Documentation for form: File_Import

Table Name: SYSTEM.file_import_diagnosis_codes

Table Description: This table is used to upload files from the Avatar form 'File Import'

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered

Column Name: FILE_ID
Column Type: integer
The ID of the file to be uploaded

Column Name: add_edit_code
Column Type: varchar
Max Length: 50
The diagnosis code to be added or edited

Column Name: add_edit_value
Column Type: varchar
Max Length: 250
The description for the add_edit_code

Column Name: code_set_code
Column Type: varchar
Max Length: 50
The diagnosis code set to be searched on

Column Name: diagnosis_code
Column Type: varchar
Max Length: 50
The code correlated to the patients diagnosis

Column Name: diagnosis_value
Column Type: varchar
Max Length: 50
The description of the diagnosis_code

Column Name: drg_code
Column Type: varchar
Max Length: 50

The code correlated to the patients diagnosis code related to DSM-4

Column Name: filetype

Column Type: varchar

Max Length: 50

The type of file to be uploaded

Column Name: line

Column Type: integer

The files import line number

Column Name: secondary_drg_code

Column Type: varchar

Max Length: 32000

The code correlated to the patients secondary DRG

Documentation for form: File_Import

Table Name: SYSTEM.file_import_drg_weights

Table Description: This table is used to upload drg weight definitions via the Avatar form 'File Upload'

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored

Column Name: FILE_ID

Column Type: integer

The Id of the file to be uploaded

Column Name: add_edit_code

Column Type: varchar

Max Length: 50

The diagnosis code to either be added or edited

Column Name: add_edit_value

Column Type: varchar

Max Length: 250

The description of the add_edit_code

Column Name: code_set_code

Column Type: varchar

Max Length: 50
type of ICD

Column Name: drg_code
Column Type: varchar
Max Length: 50
unique DRG ID

Column Name: end_date
Column Type: date
expiration date of wieght definition

Column Name: filetype
Column Type: varchar
Max Length: 50
The type of file to be uploaded

Column Name: line
Column Type: integer
The line number of the file to be uploaded

Column Name: start_date
Column Type: date
effective date of weight definition

Column Name: weight
Column Type: varchar
Max Length: 50
DRG weight value

Documentation for form: File_Import

Table Name: SYSTEM.file_import_error

Table Description: This table returns the File Import Errors

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The facility where the file was imported.

Column Name: FILEID
Column Type: integer

The file ID of the file that was imported.

Column Name: counter

Column Type: integer

Unique ID for each error for specific record.

Column Name: error_message

Column Type: varchar

Max Length: 200

The description of the error.

Column Name: field_location

Column Type: integer

.

Column Name: field_name

Column Type: varchar

Max Length: 100

The description of the field that encountered the error.

Column Name: field_number

Column Type: varchar

Max Length: 50

The field number of the field that encountered the error.

Column Name: field_value

Column Type: varchar

Max Length: 50

The value of the field that encountered the error.

Column Name: file_name

Column Type: varchar

Max Length: 50

The name of the file that was imported.

Column Name: file_status

Column Type: varchar

Max Length: 50

The status of the file that was imported.

Column Name: file_type_code

Column Type: varchar

Max Length: 50

The type of file that was imported.

Column Name: file_type_value

Column Type: varchar

Max Length: 50

The type of file that was imported.

Column Name: line
Column Type: integer
Unique ID for each record.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_flowsheet_map

Table Description: This table returns the information stored in the 'File Import' form for the 'Lab Results Flowsheet Mapping' selection.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_ID
Column Type: integer
Unique Id for the file imported.

Column Name: contains_errors
Column Type: varchar
Max Length: 50
Flag for determining if the file has errors.

Column Name: flowsheet_id
Column Type: varchar
Max Length: 50
'Flowsheet Observation/Test ID'.

Column Name: flowsheet_id_value
Column Type: varchar
Max Length: 50
The description for the system_of_care_code. See system_of_care_code for more information.

Column Name: id_type_code
Column Type: varchar
Max Length: 50
'Observation/Test ID Type'.

Column Name: id_type_value
Column Type: varchar
Max Length: 50

The description for the id_type_code. See id_type_code for more information.

Column Name: line
Column Type: integer
Line (helper)

Column Name: mapping_type_code
Column Type: varchar
Max Length: 50
'Mapping Type'.

Column Name: mapping_type_value
Column Type: varchar
Max Length: 50
The description for the mapping_type_code. See mapping_type_code for more information.

Column Name: observation_test_id
Column Type: varchar
Max Length: 50
'Observation/Test ID'.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_gpbdt

Table Description: This table returns the information stored in the 'File Import' form for the 'Guarantor/Program Billing Defaults Template' selection.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_ID
Column Type: integer
The file ID associated with the import.

Column Name: add_edit_code
Column Type: varchar
Max Length: 50
'Add/Edit'

Column Name: add_edit_value
Column Type: varchar

Max Length: 250

The description associated with add_edit_code. See add_edit_code for more information.

Column Name: ccbhc_template

Column Type: varchar

Max Length: 50

'CCBHC Template'

Column Name: contains_errors

Column Type: varchar

Max Length: 50

The errors that occurred for the import.

Column Name: disp_codes_for_hipaa_code

Column Type: varchar

Max Length: 50

'Display Codes/Values For HIPAA'

Column Name: disp_codes_for_hipaa_value

Column Type: varchar

Max Length: 250

The description associated with disp_codes_for_hipaa_code. See disp_codes_for_hipaa_code for more information.

Column Name: filetype

Column Type: integer

The file type associated with the import.

Column Name: line

Column Type: integer

The line associated with the import.

Column Name: posted_value

Column Type: varchar

Max Length: 50

The posted value associated with the import.

Column Name: tab_id_code

Column Type: integer

'Tab Id'

Column Name: tab_id_value

Column Type: varchar

Max Length: 50

The description associated with tab_id_code. See tab_id_code for more information.

Column Name: template_id

Column Type: varchar

Max Length: 50

'Template ID'

Column Name: template_name
Column Type: varchar
Max Length: 50
'Template Name'

Documentation for form: File_Import

Table Name: SYSTEM.file_import_gpbdt_i837

Table Description: This table returns the information stored in the 'File Import' form for the '837 Institutional' section of the 'Guarantor/Program Billing Defaults Template' selection.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_ID
Column Type: integer
The file ID associated with the import.

Column Name: LX_sort_criteria_code
Column Type: varchar
Max Length: 50
'Additional Sort To LX Segment Based On Following Avatar PM Treatment String Value(s)'

Column Name: LX_sort_criteria_value
Column Type: varchar
Max Length: 250
The description associated with LX_sort_criteria_code. See LX_sort_criteria_code for more information.

Column Name: ack_requested_code
Column Type: varchar
Max Length: 50
'Acknowledgment Requested (ISA-14)'

Column Name: ack_requested_value
Column Type: varchar
Max Length: 250
The description associated with ack_requested_code. See ack_requested_code for more information.

Column Name: add_edit_code

Column Type: varchar
Max Length: 50
'Add/Edit'

Column Name: add_edit_value
Column Type: varchar
Max Length: 250
The description associated with add_edit_code. See add_edit_code for more information.

Column Name: add_leave_rev_sort_code
Column Type: varchar
Max Length: 50
'Add Leave Revenue To Sort'

Column Name: add_leave_rev_sort_value
Column Type: varchar
Max Length: 50
The description associated with add_leave_rev_sort_code. See add_leave_rev_sort_code for more information.

Column Name: admsrc_or_trfr_code
Column Type: varchar
Max Length: 50
'Admission Source (2300-CL1-02) Override For Transfer Program'

Column Name: admsrc_or_trfr_value
Column Type: varchar
Max Length: 250
The description associated with admsrc_or_trfr_code. See admsrc_or_trfr_code for more information.

Column Name: admtyp_or_trfr_code
Column Type: varchar
Max Length: 50
'Admission Type (2300-CL1-01) Override For Transfer Program'

Column Name: admtyp_or_trfr_value
Column Type: varchar
Max Length: 250
The description associated with admtyp_or_trfr_code. See admtyp_or_trfr_code for more information.

Column Name: allow_period_code
Column Type: varchar
Max Length: 50
'Allow Periods In Diagnosis Codes (837I)'

Column Name: allow_period_value
Column Type: varchar
Max Length: 250
The description associated with allow_period_code. See allow_period_code for more information.

Column Name: amt_due_disp_code
Column Type: varchar
Max Length: 50
'Patient Amount Due Information To Display In 2300-AMT'

Column Name: amt_due_disp_value
Column Type: varchar
Max Length: 250
The description associated with amt_due_disp_code. See amt_due_disp_code for more information.

Column Name: amt_paid_disp_code
Column Type: varchar
Max Length: 50
'Patient Paid Amount Information To Display In 2300-AMT'

Column Name: amt_paid_disp_value
Column Type: varchar
Max Length: 250
The description associated with amt_paid_disp_code See amt_paid_disp_code for more information.

Column Name: app_receiver_code
Column Type: varchar
Max Length: 50
'Application Receiver's Code (GS-03)'

Column Name: app_sender_code
Column Type: varchar
Max Length: 50
'Application Sender's Code (GS-02)'

Column Name: attending_entity_code
Column Type: varchar
Max Length: 50
'Attending Provider Entity Type Qualifier (2310A/2420A-NM1-02)'

Column Name: attending_entity_value
Column Type: varchar
Max Length: 250
The description associated with attending_entity_code. See attending_entity_code for more information.

Column Name: attending_first_name
Column Type: varchar
Max Length: 50
'Attending Provider First Name (2310A/2420A-NM1-04)'

Column Name: attending_id
Column Type: varchar
Max Length: 50
'Attending Provider Identification Code (2310A/2420A-NM1-09)'

Column Name: attending_id_qual_code
Column Type: varchar
Max Length: 50
'Attending Provider Identification Code Qualifier (2310A/2420A-NM1-08)'

Column Name: attending_id_qual_value
Column Type: varchar
Max Length: 250
The description associated with attending_id_qual_code. See attending_id_qual_code for more information.

Column Name: attending_last_org_name
Column Type: varchar
Max Length: 50
'Attending Provider Last Or Organization Name (2310A/2420A-NM1-02)'

Column Name: attending_middle_name
Column Type: varchar
Max Length: 50
'Attending Provider Middle Name (2310A/2420A-NM1-05)'

Column Name: attending_ref_id
Column Type: varchar
Max Length: 50
'Attending Provider Reference Identification (2310A/2420A-REF-02)'

Column Name: attending_ref_id2
Column Type: varchar
Max Length: 50
'Attending Provider Reference Identification-2 (2310A/2420A-REF-01)'

Column Name: attending_ref_qual2_code
Column Type: varchar
Max Length: 50
'Attending Provider Reference Identification Qualifier-2 (2310A/2420A-REF-01)'

Column Name: attending_ref_qual2_value
Column Type: varchar
Max Length: 250
The description associated with attending_ref_qual2_code. See attending_ref_qual2_code for more information.

Column Name: attending_ref_qual_code
Column Type: varchar
Max Length: 50
'Attending Provider Reference Identification Qualifier (2310A/2420A-REF-01)'

Column Name: attending_ref_qual_value
Column Type: varchar
Max Length: 250

The description associated with attending_ref_qual_code. See attending_ref_qual_code for more information.

Column Name: attending_suffix

Column Type: varchar

Max Length: 50

'Attending Provider Name Suffix (2310A/2420A-NM1-07)'

Column Name: attending_taxonomy

Column Type: varchar

Max Length: 50

'Attending Provider Taxonomy Code (2310A/2420A-PRV-03)'

Column Name: auth_code_ref_code

Column Type: varchar

Max Length: 50

'Service Authorization Exception Code Reference Identification (2300-REF-02)'

Column Name: auth_code_ref_value

Column Type: varchar

Max Length: 250

The description associated with auth_code_ref_code. See auth_code_ref_code for more information.

Column Name: auth_determ_code

Column Type: varchar

Max Length: 50

'Determine Managed Care Authorizations (2300-REF-02)'

Column Name: auth_determ_value

Column Type: varchar

Max Length: 250

The description associated with auth_determ_code. See auth_determ_code for more information.

Column Name: auth_info

Column Type: varchar

Max Length: 50

'Authorization Information (ISA-02)'

Column Name: auth_info_qua_code

Column Type: varchar

Max Length: 50

'Authorization Information Qualifier (ISA-01)'

Column Name: auth_info_qua_value

Column Type: varchar

Max Length: 250

The description associated with auth_info_qua_code. See auth_info_qua_code for more information.

Column Name: bill_clia_loop_code

Column Type: varchar

Max Length: 50
'Billing/Rendering CLIA Loop/Segment And Qualifier Location'

Column Name: bill_clia_loop_value
Column Type: varchar
Max Length: 250
The description associated with bill_clia_loop_code. See bill_clia_loop_code for more information.

Column Name: bill_clia_num_code
Column Type: varchar
Max Length: 50
'Billing/Rendering CLIA Number Code Qualifier (2300-NTE-01)'

Column Name: bill_clia_num_value
Column Type: varchar
Max Length: 250
The description associated with bill_clia_num_code. See bill_clia_num_code for more information.

Column Name: bill_comp_svcs_code
Column Type: varchar
Max Length: 50
'Bill Component Services When A Roll Up Service Is Found'

Column Name: bill_comp_svcs_value
Column Type: varchar
Max Length: 250
The description associated with bill_comp_svcs_code. See bill_comp_svcs_code for more information.

Column Name: bill_note_ref_code
Column Type: varchar
Max Length: 50
'Billing Note Reference Code (837I-2300-NTE-01)'

Column Name: bill_note_ref_value
Column Type: varchar
Max Length: 250
The description associated with bill_note_ref_code. See bill_note_ref_code for more information.

Column Name: bill_note_text
Column Type: varchar
Max Length: 50
'Billing Note Text (837I-2300-NTE-02)'

Column Name: bill_note_text_for_npy
Column Type: varchar
Max Length: 50
'Billing note text (2300-NTE-02) (No-Pay ##0 Claims)'

Column Name: bill_pro_sec_id_num
Column Type: varchar

Max Length: 50
'Billing Provider Secondary Identification Number (2010BB-REF-02)'

Column Name: bill_pro_sec_id_qua_code
Column Type: varchar
Max Length: 50
'Billing Provider Secondary Identification Code Qualifier (2010BB-REF-01)'

Column Name: bill_pro_sec_id_qua_value
Column Type: varchar
Max Length: 50
The description associated with bill_pro_sec_id_qua_code. See bill_pro_sec_id_qua_code for more information.

Column Name: bill_prov_tax_ident_num
Column Type: varchar
Max Length: 50
'Billing Provider Tax Identification Number (2010AA-REF-02)'

Column Name: ccbhc_claim_group_code
Column Type: varchar
Max Length: 50
Field 13216: CCBHC Claim Grouping

Column Name: ccbhc_claim_group_value
Column Type: varchar
Max Length: 50
Field 13216: CCBHC Claim Grouping

Column Name: claim_freq_2300clm
Column Type: varchar
Max Length: 50
'Claim Frequency Code (2300-CLM-05-3) Override'

Column Name: claim_freq_2300clm_value
Column Type: varchar
Max Length: 250
The description associated with claim_freq_2300clm. See claim_freq_2300clm for more information.

Column Name: claim_note_ref_code
Column Type: varchar
Max Length: 50
'Claim Note Reference Code (837I-2300-NTE-01)'

Column Name: claim_note_ref_value
Column Type: varchar
Max Length: 250
The description associated with claim_note_ref_code. See claim_note_ref_code for more information.

Column Name: claim_note_text

Column Type: varchar
Max Length: 50
'Claim Note Text (837I-2300-NTE-02)'

Column Name: claim_or_enc_indic_code
Column Type: varchar
Max Length: 50
'Claim or Encounter Indicator (BHT-06)'

Column Name: claim_or_enc_indic_value
Column Type: varchar
Max Length: 250
The description associated with claim_or_enc_indic_code. See claim_or_enc_indic_code for more information.

Column Name: clm_adj_grp_cas_code
Column Type: varchar
Max Length: 50
'Claim Adjustment Group Code (2320-CAS-01)'

Column Name: clm_adj_grp_cas_val
Column Type: varchar
Max Length: 30
The description associated with clm_adj_grp_cas_code. See clm_adj_grp_cas_code for more information.

Column Name: clm_adj_reas_cas_code
Column Type: varchar
Max Length: 50
'Claim Adjustment Reason Code (2320-CAS-02)'

Column Name: clm_adj_reas_cas_val
Column Type: varchar
Max Length: 250
The description associated with clm_adj_reas_cas_code. See clm_adj_reas_cas_code for more information.

Column Name: clm_hi_cond_for_npy_code
Column Type: varchar
Max Length: 50
'2300-HI:Condition Information-2 (No-Pay ##0 Claims)'

Column Name: clm_hi_cond_for_npy_value
Column Type: varchar
Max Length: 4096
The description associated with clm_hi_cond_for_npy_code. See clm_hi_cond_for_npy_code for more information.

Column Name: clm_id_ovrride_code
Column Type: varchar
Max Length: 50
'Claim Submitter Identifier / Patient Account Number Override (2300-CLM-01)'

Column Name: clm_id_override_value

Column Type: varchar

Max Length: 250

The description associated with clm_id_override_code. See clm_id_override_code for more information.

Column Name: clm_rd8_check_code

Column Type: varchar

Max Length: 50

'Express Claim Statement Dates In RD8 (CCYYMMDD-CCYYMMDD) Format'

Column Name: clm_rd8_check_value

Column Type: varchar

Max Length: 250

The description associated with clm_rd8_check_code. See clm_rd8_check_code for more information.

Column Name: clm_statement_date_code

Column Type: varchar

Max Length: 50

'Date To Use In Claim Statement To Date (2300-DTP)'

Column Name: clm_statement_date_value

Column Type: varchar

Max Length: 250

The description associated with clm_statement_date_code. See clm_statement_date_code for more information.

Column Name: cob_2320_allowd_amt_code

Column Type: varchar

Max Length: 50

'Amount To Display (2320-AMT:Total Allowed Amount-02)'

Column Name: cob_2320_allowd_amt_value

Column Type: varchar

Max Length: 250

The description associated with cob_2320_allowd_amt_code. See cob_2320_allowd_amt_code for more information.

Column Name: cob_fin_cls_code

Column Type: varchar

Max Length: 50

'Enable Coordination Of Benefits (COB) Allowed Amount (2320-AMT) For The Following Financial Class(es)'

Column Name: cob_fin_cls_value

Column Type: varchar

Max Length: 250

The description associated with cob_fin_cls_code. See cob_fin_cls_code for more information.

Column Name: compile_as_op_code

Column Type: varchar

Max Length: 50

'Compile As Outpatient Bill Type If There Are No Room And Board Charges Included'

Column Name: compile_as_op_value

Column Type: varchar

Max Length: 250

The description associated with compile_as_op_code. See compile_as_op_code for more information.

Column Name: contains_errors

Column Type: varchar

Max Length: 50

The errors that occurred for the import.

Column Name: contract_code

Column Type: varchar

Max Length: 50

'Contract Code (2400-CN1-04)'

Column Name: contract_type_code

Column Type: varchar

Max Length: 50

'Contract Type Code (2400-CN1-01)'

Column Name: contract_type_value

Column Type: varchar

Max Length: 250

The description associated with contract_type_code. See contract_type_code for more information.

Column Name: copract_note_ref_code

Column Type: varchar

Max Length: 50

'Use Co-Practitioner Note Reference Code and Text'

Column Name: copract_note_ref_value

Column Type: varchar

Max Length: 250

The description associated with copract_note_ref_code. See copract_note_ref_code for more information.

Column Name: cpt_by_rev_code

Column Type: varchar

Max Length: 50

'Only Include HCPCS For The Following Revenue Code(s): (HCPCS Will Be Required For Item(s) Selected)'

Column Name: cpt_by_rev_code_desc

Column Type: varchar

Max Length: 2000

The description associated with cpt_by_rev_code. See cpt_by_rev_code for more information.

Column Name: d8_date_format_code

Column Type: varchar

Max Length: 50

'If The Begin/From Date Is The Same As The End/To Date In A DTP Segment That Supports D8 (CCYYMMDD) And RD8(CCYYMMDD-CCYYMMDD) Formats, Do You Want To Express The Date Range In The D8 (CCYYMMDD) Format?'

Column Name: d8_date_format_value

Column Type: varchar

Max Length: 250

The description associated with d8_date_format_code. See d8_date_format_code for more information.

Column Name: def_cost_svc_units_code

Column Type: varchar

Max Length: 50

'Default Cost of Service/Units (2400-HCP-02/11/12)'

Column Name: def_cost_svc_units_value

Column Type: varchar

Max Length: 50

The description associated with def_cost_svc_units_code. See def_cost_svc_units_code for more information.

Column Name: def_tot_clm_chg_amt_code

Column Type: varchar

Max Length: 50

'Default Total Claim Charge Amount (2300-HCP-02)'

Column Name: def_tot_clm_chg_amt_value

Column Type: varchar

Max Length: 50

The description associated with def_tot_clm_chg_amt_code. See def_tot_clm_chg_amt_code for more information.

Column Name: demon_project_ident

Column Type: varchar

Max Length: 50

'Demonstration Project Identifier (2300-REF-02)'

Column Name: discharge_hour

Column Type: varchar

Max Length: 50

'Discharge Hour (2300-DTP)'

Column Name: dis_oth_subs_prim_id_code

Column Type: varchar

Max Length: 50

'Specify Information To Display In Other Subscriber Primary ID (2330A-NM1-09)'

Column Name: dis_oth_subs_prim_id_value

Column Type: varchar

Max Length: 250

The description associated with `dis_oth_subs_prim_id_code`. See `dis_oth_subs_prim_id_code` for more information.

Column Name: `disp_clia_num_code`

Column Type: `varchar`

Max Length: 50

'Display CLIA Number In NTE Segment At Claim Level'

Column Name: `disp_clia_num_value`

Column Type: `varchar`

Max Length: 250

The description associated with `disp_clia_num_code`. See `disp_clia_num_code` for more information.

Column Name: `disp_codes_for_hipaa_code`

Column Type: `varchar`

Max Length: 50

'Display Codes/Values For HIPAA'

Column Name: `disp_codes_for_hipaa_value`

Column Type: `varchar`

Max Length: 250

The description associated with `disp_codes_for_hipaa_code`. See `disp_codes_for_hipaa_code` for more information.

Column Name: `disp_nte_clm_code`

Column Type: `varchar`

Max Length: 50

'Display NTE Segment At Claim Level'

Column Name: `disp_nte_clm_value`

Column Type: `varchar`

Max Length: 250

The description associated with `disp_nte_clm_code`. See `disp_nte_clm_code` for more information.

Column Name: `disp_opayer_amt_code`

Column Type: `varchar`

Max Length: 50

'Amount To Display (2320-AMT:Other Payer Patient Paid Amount-02)'

Column Name: `disp_opayer_amt_value`

Column Type: `varchar`

Max Length: 250

The description associated with `disp_opayer_amt_code`. See `disp_opayer_amt_code` for more information.

Column Name: `disp_zero_amt_code`

Column Type: `varchar`

Max Length: 50

'Suppress AMT Segments When AMT-02 Is Zero'

Column Name: `disp_zero_amt_value`

Column Type: varchar

Max Length: 250

The description associated with disp_zero_amt_code. See disp_zero_amt_code for more information.

Column Name: enable_daily_clm_code

Column Type: varchar

Max Length: 50

'Enable Daily Claim Logic'

Column Name: enable_daily_clm_value

Column Type: varchar

Max Length: 50

The description associated with enable_daily_clm_code. See enable_daily_clm_code for more information.

Column Name: enb_dem_proj_ident_code

Column Type: varchar

Max Length: 50

'Enable Demonstration Project Identifier (2300-REF)'

Column Name: enb_dem_proj_ident_value

Column Type: varchar

Max Length: 50

The description associated with enb_dem_proj_ident_code. See enb_dem_proj_ident_code for more information.

Column Name: enb_drug_ident_code

Column Type: varchar

Max Length: 50

'Enable Drug Identification (2410)'

Column Name: enb_drug_ident_value

Column Type: varchar

Max Length: 250

The description associated with enb_drug_ident_code. See enb_drug_ident_code for more information.

Column Name: enb_using_drg_code

Column Type: varchar

Max Length: 50

'Enable Using DRG Code In 2300-HI-Diagnosis Related Group (DRG) Information'

Column Name: enb_using_drg_value

Column Type: varchar

Max Length: 50

The description associated with enb_using_drg_code. See enb_using_drg_code for more information.

Column Name: enfst_bill_dt_code

Column Type: varchar

Max Length: 50

'Enable First Billing Date Logic'

Column Name: en_fst_bill_dt_value

Column Type: varchar

Max Length: 250

The description associated with en_fst_bill_dt_code. See en_fst_bill_dt_code for more information.

Column Name: exclud_maint_for_npy_code

Column Type: varchar

Max Length: 50

'Exclude entries from the 'UB-92/UB-04/837I Billing Maintenance Screen' when generating No-Pay ##0 Claims'

Column Name: exclud_maint_for_npy_value

Column Type: varchar

Max Length: 50

The description associated with exclud_maint_for_npy_code. See exclud_maint_for_npy_code for more information.

Column Name: ext_char_set_code

Column Type: varchar

Max Length: 50

'Allow Extended Character Set In Data'

Column Name: ext_char_set_value

Column Type: varchar

Max Length: 250

The description associated with ext_char_set_code. See ext_char_set_code for more information.

Column Name: fac_id

Column Type: varchar

Max Length: 50

'Facility Identification Code (2310E-NM1-09)'

Column Name: fac_id_qua_code

Column Type: varchar

Max Length: 50

'Facility Identification Code Qualifier (2310E-NM1-08)'

Column Name: fac_id_qua_value

Column Type: varchar

Max Length: 250

The description associated with fac_id_qua_code. See fac_id_qua_code for more information.

Column Name: fac_ind_2310E_disp_cd

Column Type: varchar

Max Length: 50

Field 12649: Facility Identification Code information to display in 2310E-NM1-09

Column Name: fac_ind_2310E_disp_val

Column Type: varchar

Max Length: 50

Field 12649: Facility Identification Code information to display in 2310E-NM1-09

Column Name: fac_ref_id
Column Type: varchar
Max Length: 50
'Facility Reference Identification (2310E-REF-02)'

Column Name: fac_ref_id_2
Column Type: varchar
Max Length: 50
'Facility Reference Identification - 2 (2310E-REF-02)'

Column Name: fac_ref_id_3
Column Type: varchar
Max Length: 50
'Facility Reference Identification - 3 (2310E-REF-02)'

Column Name: fac_ref_id_q_2_code
Column Type: varchar
Max Length: 50
'Facility Reference Identification Qualifier - 2 (2310E-REF-01)'

Column Name: fac_ref_id_q_2_value
Column Type: varchar
Max Length: 250
The description associated with fac_ref_id_q_2_code. See fac_ref_id_q_2_code for more information.

Column Name: fac_ref_id_q_3_code
Column Type: varchar
Max Length: 50
'Facility Reference Identification Qualifier - 3 (2310E-REF-01)'

Column Name: fac_ref_id_q_3_value
Column Type: varchar
Max Length: 250
The description associated with fac_ref_id_q_3_code. See fac_ref_id_q_3_code for more information.

Column Name: fac_ref_id_qua_code
Column Type: varchar
Max Length: 50
'Facility Reference Identification Qualifier (2310E-REF-01)'

Column Name: fac_ref_id_qua_value
Column Type: varchar
Max Length: 250
The description associated with fac_ref_id_qua_code. See fac_ref_id_qua_code for more information.

Column Name: filetype
Column Type: integer
The file type associated with the import.

Column Name: fin_cls_override_code
Column Type: varchar
Max Length: 1
'Financial Classes To Override Other Payer Information (2330B)'

Column Name: fin_cls_override_value
Column Type: varchar
Max Length: 250
The description associated with fin_cls_override_code. See fin_cls_override_code for more information.

Column Name: gen_2310c_loop_code
Column Type: varchar
Max Length: 50
'Select Type Of Information To Include In Loop 2310C'

Column Name: gen_2310c_loop_value
Column Type: varchar
Max Length: 250
The description associated with gen_2310c_loop_code. See gen_2310c_loop_code for more information.

Column Name: gs_time_format_code
Column Type: varchar
Max Length: 50
'Time Format (GS-05)'

Column Name: gs_time_format_value
Column Type: varchar
Max Length: 250
The description associated with gs_time_format_code. See gs_time_format_code for more information.

Column Name: ident_qual_code
Column Type: varchar
Max Length: 50
'Pay-to Provider Identification Code Qualifier (2010AB-NM1-08)'

Column Name: ident_qual_value
Column Type: varchar
Max Length: 250
The description associated with ident_qual_code. See ident_qual_code for more information.

Column Name: inc_bill_guarin_other_subscriber
Column Type: varchar
Max Length: 50
'Include Billing Guarantor In Other Subscriber Information'

Column Name: inc_bill_guarin_other_subscriber_val
Column Type: varchar
Max Length: 250

The description associated with inc_bill_guarin_other_subscriber. See inc_bill_guarin_other_subscriber for more information.

Column Name: inc_dis_dt_2300_dtp_code

Column Type: varchar

Max Length: 50

'Include Discharge Date In Statement To Date (2300-DTP)'

Column Name: inc_dis_dt_2300_dtp_value

Column Type: varchar

Max Length: 50

The description associated with inc_dis_dt_2300_dtp_code. See inc_dis_dt_2300_dtp_code for more information.

Column Name: incld_pat_rem_liab_code

Column Type: varchar

Max Length: 50

'Select Type Of Information To Include In Patient Remaining Liability'

Column Name: incld_pat_rem_liab_value

Column Type: varchar

Max Length: 200

The description associated with incld_pat_rem_liab_code. See incld_pat_rem_liab_code for more information.

Column Name: include_clm_adj_code

Column Type: varchar

Max Length: 50

'Include Claim Level Adjustments (2320-CAS: Claim Level Adjustments)'

Column Name: include_clm_adj_value

Column Type: varchar

Max Length: 250

The description associated with include_clm_adj_code. See include_clm_adj_code for more information.

Column Name: include_dis_date_code

Column Type: varchar

Max Length: 50

'Include Discharge Date In Occurrence Information (2300-HI:Occurrence Information-01)'

Column Name: include_dis_date_value

Column Type: varchar

Max Length: 250

The description associated with include_dis_date_code. See include_dis_date_code for more information.

Column Name: include_poa_code

Column Type: varchar

Max Length: 50

'Include Present On Admission Indicator? (2300-K3-01)'

Column Name: include_poa_value

Column Type: varchar

Max Length: 250

The description associated with include_poa_code. See include_poa_code for more information.

Column Name: include_remit_date_code

Column Type: varchar

Max Length: 50

'Include Remittance Date (2330B-DTP-03/2430-DTP-03)'

Column Name: include_remit_date_value

Column Type: varchar

Max Length: 50

The description associated with include_remit_date_code. See include_remit_date_code for more information.

Column Name: include_svc_adj_code

Column Type: varchar

Max Length: 50

'Include Service Level Adjudication Information (2430)'

Column Name: include_svc_adj_value

Column Type: varchar

Max Length: 250

The description associated with include_svc_adj_code. See include_svc_adj_code for more information.

Column Name: include_unauth_code

Column Type: varchar

Max Length: 50

'Include Un-Authorized Services (2300-REF-02)'

Column Name: include_unauth_value

Column Type: varchar

Max Length: 250

The description associated with include_unauth_code. See include_unauth_code for more information.

Column Name: inc_ncvrldamt_insvc_code

Column Type: varchar

Max Length: 50

'Include Billable Leave Days Charge Amount(2400-SV2-07) in the Service Line Charge Amount(2400-SV2-03)
(Include Billable Leave Amt In Svc Amt)'

Column Name: inc_ncvrldamt_insvc_value

Column Type: varchar

Max Length: 50

The description associated with inc_ncvrldamt_insvc_code. See inc_ncvrldamt_insvc_code for more information.

Column Name: inc_pmts_cas_code

Column Type: varchar

Max Length: 1

'Include Prior Payer Paid Amount In Claim Level Adjustments/Service Level Adjustments (2320/2430-CAS)'

Column Name: inc_pmts_cas_value

Column Type: varchar

Max Length: 10

The description associated with inc_pmts_cas_code. See inc_pmts_cas_code for more information.

Column Name: inc_repic_rec_date_code

Column Type: varchar

Max Length: 50

'Include Repricer Received Date (2300-DTP)'

Column Name: inc_repic_rec_date_value

Column Type: varchar

Max Length: 50

The description associated with inc_repic_rec_date_code. See inc_repic_rec_date_code for more information.

Column Name: inc_subs_pol_num_ovrd

Column Type: varchar

Max Length: 50

'Include Subscriber Policy Number Override In:'

Column Name: inc_subs_pol_num_ovrd_value

Column Type: varchar

Max Length: 250

The description associated with inc_subs_pol_num_ovrd. See inc_subs_pol_num_ovrd for more information.

Column Name: inc_svc_line_date_code

Column Type: varchar

Max Length: 50

'Include Service Line Date (2400-DTP) for Inpatient Services'

Column Name: inc_svc_line_date_value

Column Type: varchar

Max Length: 50

The description associated with inc_svc_line_date_code. See inc_svc_line_date_code for more information.

Column Name: inc_trans_cas_code

Column Type: varchar

Max Length: 50

'Include Transfers In Claim Level Adjustments/Service Level Adjustments (2320/2430-CAS)'

Column Name: inc_trans_cas_value

Column Type: varchar

Max Length: 250

The description associated with inc_trans_cas_code. See inc_trans_cas_code for more information.

Column Name: info_in_2010ba_ref_code

Column Type: varchar

Max Length: 50

'Specify Information To Include in Subscriber Secondary ID Information (2010BA-REF) - Report Only'

Column Name: info_in_2010ba_ref_value

Column Type: varchar

Max Length: 50

The description associated with info_in_2010ba_ref_code. See info_in_2010ba_ref_code for more information.

Column Name: info_in_k3_code

Column Type: varchar

Max Length: 50

Column Name: info_in_k3_value

Column Type: varchar

Max Length: 250

The description associated with race_ethnicity_ssn.

Column Name: info_oth_pyr_sec_id_code

Column Type: varchar

Max Length: 50

Specify Information To Display In Other Payer Secondary Identification # (2330B-REF-02)

Column Name: info_oth_pyr_sec_id_value

Column Type: varchar

Max Length: 250

The description associated with info_oth_pyr_sec_id_code. See info_oth_pyr_sec_id_code for more information.

Column Name: int_rece_id

Column Type: varchar

Max Length: 50

'Interchange Receiver ID (ISA-08)'

Column Name: int_rece_id_qua_code

Column Type: varchar

Max Length: 50

'Interchange Receiver ID Qualifier (ISA-07)'

Column Name: int_rece_id_qua_value

Column Type: varchar

Max Length: 250

The description associated with int_rece_id_qua_code. See int_rece_id_qua_code for more information.

Column Name: int_send_id

Column Type: varchar

Max Length: 50

'Interchange Sender ID (ISA-06)'

Column Name: int_send_id_qua_code

Column Type: varchar

Max Length: 50

'Interchange Sender ID Qualifier (ISA-05)'

Column Name: int_send_id_qua_value

Column Type: varchar

Max Length: 250

The description associated with int_send_id_qua_code. See int_send_id_qua_code for more information.

Column Name: limit_claims_code

Column Type: varchar

Max Length: 50

'Generate One System Claim Number Per Guarantor, Program, Client, and Episode Combination'

Column Name: limit_claims_value

Column Type: varchar

Max Length: 250

The description associated with limit_claims_code. See limit_claims_code for more information.

Column Name: line

Column Type: integer

The line associated with the import.

Column Name: max_clm_per_sub

Column Type: varchar

Max Length: 50

'Maximum Claim Information Per Subscriber Information (Maximum CLM Per Subscriber HL)'

Column Name: max_clm_per_sub_rb

Column Type: varchar

Max Length: 50

'Maximum Claim Information Per Subscriber Information For Re-Billing (Maximum CLM Per Subscriber HL)'

Column Name: max_sub_per_st

Column Type: varchar

Max Length: 50

'Maximum Subscriber Information Per Transaction (Maximum Subscriber SBR Per ST/SE)'

Column Name: max_sub_per_st_rb

Column Type: varchar

Max Length: 50

'Maximum Subscriber Information Per Transaction For Re-Billing (Maximum Subscriber SBR Per ST/SE)'

Column Name: max_svc_per_claim

Column Type: varchar

Max Length: 50

'Maximum Service Information Per Claim Information (Maximum LX Per CLM)'

Column Name: max_svc_per_clm_rb

Column Type: varchar

Max Length: 50

'Maximum Service Information Per Claim Information For Re-Billing (Maximum LX Per CLM)'

Column Name: mult_sv2_cvr_d_code

Column Type: varchar

Max Length: 50

'Create Multiple Institutional Service Line (2400-SV2) Segment (Covered and Non-Covered Charges)'

Column Name: mult_sv2_cvr_d_value

Column Type: varchar

Max Length: 50

The description associated with mult_sv2_cvr_d_code. See add_leave_rev_sort_code for more information.

Column Name: non_cov_chg_cas_code

Column Type: varchar

Max Length: 1

'Create CAS Segment For Prior Guarantor(s) For Non-Covered Charges'

Column Name: non_cov_chg_cas_value

Column Type: varchar

Max Length: 10

The description associated with non_cov_chg_cas_code. See non_cov_chg_cas_code for more information.

Column Name: non_cov_chg_int_stay_code

Column Type: varchar

Max Length: 50

'Include Non-covered Charge Amount on R&B and Ancillary Charges for Interrupted Stays'

Column Name: non_cov_chg_int_stay_val

Column Type: varchar

Max Length: 250

The description associated with non_cov_chg_int_stay_code. See non_cov_chg_int_stay_code for more information.

Column Name: noncov_chg_sv2_code

Column Type: varchar

Max Length: 50

'Include Non-Covered Charge Amount In The Service Line Non-Covered Charge Amount (2400-SV2-07) For Room & Board Services'

Column Name: noncov_chg_sv2_ip_code

Column Type: varchar

Max Length: 50

'Include Non-Covered Charge Amount In The Service Line Non-Covered Charge Amount (2400-SV2-07) For Inpatient Services'

Column Name: noncov_chg_sv2_ip_value

Column Type: varchar

Max Length: 50

The description associated with noncov_chg_sv2_ip_code. See noncov_chg_sv2_ip_code for more information.

Column Name: noncov_chg_sv2_op_code

Column Type: varchar

Max Length: 50

'Include Non-Covered Charge Amount In The Service Line Non-Covered Charge Amount (2400-SV2-07) For Outpatient Services'

Column Name: noncov_chg_sv2_op_value

Column Type: varchar

Max Length: 250

The description associated with noncov_chg_sv2_op_code. See noncov_chg_sv2_op_code for more information.

Column Name: noncov_chg_sv2_value

Column Type: varchar

Max Length: 250

'Include Non-Covered Charge Amount In The Service Line Non-Covered Charge Amount (2400-SV2-07) For Room & Board Services'

Column Name: num_days_hold_xover

Column Type: varchar

Max Length: 50

'Number of Days to Hold Billing of Crossover Claims'

Column Name: num_rev_code_digits_code

Column Type: varchar

Max Length: 50

'Specify Number Of Digits For Service Line Revenue Code (2400-SV2-01)'

Column Name: num_rev_code_digits_value

Column Type: varchar

Max Length: 250

The description associated with num_rev_code_digits_code. See num_rev_code_digits_code for more information.

Column Name: occ_span_ovr_code

Column Type: varchar

Max Length: 50

'Use Extended Dictionary Value Off Of 'Type Of Leave' To Populate Occurrence Span Code (2300-HI:Occurrence Span Information) For Leaves'

Column Name: occ_span_ovr_value

Column Type: varchar

Max Length: 250

The description associated with occ_span_ovr_code. See occ_span_ovr_code for more information.

Column Name: oth_payer_sec_id_num
Column Type: varchar
Max Length: 50
'Other Payer Secondary Identification # (2330B-REF-02)'

Column Name: oth_payr_last_or_org_name
Column Type: varchar
Max Length: 50
'Other Payer Last or Organization Name (2330B-NM1-03)'

Column Name: oth_payr_prim_ident_num
Column Type: varchar
Max Length: 50
'Other Payer Primary Identification # (2330B-NM1-09)'

Column Name: oth_payr_sec_id_qua_code
Column Type: varchar
Max Length: 50
'Other Payer Secondary Identification Qualifier (2330B-REF-01)'

Column Name: oth_payr_sec_id_qua_value
Column Type: varchar
Max Length: 250
The description associated with oth_payr_sec_id_qua_code. See oth_payr_sec_id_qua_code for more information.

Column Name: oth_pyr_prim_id_qua_code
Column Type: varchar
Max Length: 50
'Other Payer Primary Identification Code Qualifier (2330B-NM1-08)'

Column Name: oth_pyr_prim_id_qua_value
Column Type: varchar
Max Length: 250
The description associated with oth_pyr_prim_id_qua_code. See oth_pyr_prim_id_qua_code for more information.

Column Name: out_clia_loop_code
Column Type: varchar
Max Length: 50
'Outsourced Lab CLIA Loop/Segment And Qualifier Location'

Column Name: out_clia_loop_value
Column Type: varchar
Max Length: 250
The description associated with out_clia_loop_code. See out_clia_loop_code for more information.

Column Name: out_clia_num_code
Column Type: varchar
Max Length: 50

'Outsourced LAB CLIA Number Code Qualifier (2300-NTE-01)'

Column Name: out_clia_num_value

Column Type: varchar

Max Length: 250

The description associated with out_clia_num_code. See out_clia_num_code for more information.

Column Name: ovd_pat_st_dis_leav_code

Column Type: varchar

Max Length: 50

'Override Patient Status Code (2300-CL1-03) For Client's Discharged On Leave'

Column Name: ovd_pat_st_dis_leav_value

Column Type: varchar

Max Length: 50

The description associated with ovd_pat_st_dis_leav_code. See ovd_pat_st_dis_leav_code for more information.

Column Name: ovd_pat_st_n_svc_rev_code

Column Type: varchar

Max Length: 50

'Override Patient Status Code (2300-CL1-03) And Service Line Revenue Code (2400-SV2-01)'

Column Name: ovd_pat_st_n_svc_rev_value

Column Type: varchar

Max Length: 250

The description associated with ovd_pat_st_n_svc_rev_code. See ovd_pat_st_n_svc_rev_code for more information.

Column Name: ovrd_fds_to_zero_code

Column Type: varchar

Max Length: 50

'Override Following Fields To Zero'

Column Name: ovrd_fds_to_zero_value

Column Type: varchar

Max Length: 90

The description associated with ovrd_fds_to_zero_code. See ovrd_fds_to_zero_code for more information.

Column Name: ovr_occ_date_code

Column Type: varchar

Max Length: 50

'Specify Occurrence Span Through Date (2300-HI:Occurrence Span Information) As Last Date On Leave'

Column Name: ovr_occ_date_value

Column Type: varchar

Max Length: 250

The description associated with ovr_occ_date_code. See ovr_occ_date_code for more information.

Column Name: pat_status_code

Column Type: varchar
Max Length: 50
'Patient Status Code (2300-CL1-03)'

Column Name: pat_status_value
Column Type: varchar
Max Length: 250
The description associated with pat_status_code. See pat_status_code for more information.

Column Name: payer_sec_id_num
Column Type: varchar
Max Length: 50
'Payer Secondary Identification # (2010BC/2330B-REF-02)'

Column Name: payer_sec_id_qua_code
Column Type: varchar
Max Length: 50
'Payer Secondary Identification Qualifier (2010BC/2330B-REF-01)'

Column Name: payer_sec_id_qua_value
Column Type: varchar
Max Length: 250
The description associated with payer_sec_id_qua_code. See payer_sec_id_qua_code for more information.

Column Name: payor_id
Column Type: varchar
Max Length: 50
'Payer Identification # (2010BC/2330B-NM1-09)'

Column Name: payor_id_qua_code
Column Type: varchar
Max Length: 50
'Payer Identification Code Qualifier (2010BC/2330B-NM1-08)'

Column Name: payor_id_qua_value
Column Type: varchar
Max Length: 250
The description associated with payor_id_qua_code. See payor_id_qua_code for more information.

Column Name: payto_additional_id
Column Type: varchar
Max Length: 50
'Pay-to Provider Additional Identifier (2010AB-REF-02)'

Column Name: payto_address_1
Column Type: varchar
Max Length: 50
'Pay-to Provider Address Line 1 (2010AB-N3-01)'

Column Name: payto_address_2

Column Type: varchar
Max Length: 50
'Pay-to Provider Address Line 2 (2010AB-N3-02)'

Column Name: payto_city
Column Type: varchar
Max Length: 50
'Pay-to Provider City (2010AB-N4-01)'

Column Name: payto_identifier
Column Type: varchar
Max Length: 50
'Pay-to Provider Identifier (2010AB-NM1-09)'

Column Name: payto_last_org_name
Column Type: varchar
Max Length: 50
'Pay-to Provider Last Or Organization Name (2010AB-NM1-03)'

Column Name: payto_ref_id_qual_code
Column Type: varchar
Max Length: 50
'Pay-to Provider Reference Identification Qualifier (2010AB-REF-01)'

Column Name: payto_ref_id_qual_value
Column Type: varchar
Max Length: 250
The description associated with payto_ref_id_qual_code. See payto_ref_id_qual_code for more information.

Column Name: payto_state
Column Type: varchar
Max Length: 50
'Pay-to Provider State (2010AB-N4-02)'

Column Name: payto_state_value
Column Type: varchar
Max Length: 50
The description associated with payto_state. See payto_state for more information.

Column Name: payto_zip_code
Column Type: varchar
Max Length: 50
'Pay-to Provider Zip Code (2010AB-N4-03)'

Column Name: per_diem_code
Column Type: varchar
Max Length: 50
'Use Per Diem Rate To Determine Charge Amount For Outpatient Per Diem Services'

Column Name: per_diem_value

Column Type: varchar

Max Length: 250

The description associated with per_diem_code. See per_diem_code for more information.

Column Name: pop_cob_tot_med_am_code

Column Type: varchar

Max Length: 50

'Populate Coordination Of Benefits (COB) Total Medicare Paid Amount (2320-AMT)'

Column Name: pop_cob_tot_med_am_value

Column Type: varchar

Max Length: 250

The description associated with pop_cob_tot_med_am_code. See pop_cob_tot_med_am_code for more information.

Column Name: posted_value

Column Type: varchar

Max Length: 50

The posted value associated with the import.

Column Name: prefix_clm_sub_id

Column Type: varchar

Max Length: 50

'Specify A Prefix Value For Claim Submitter ID / Patient Account Number (2300-CLM-01)'

Column Name: pricing_hcp_loops_code

Column Type: varchar

Max Length: 50

'Select Loops To Include Pricing/Re-Pricing Information (HCP)'

Column Name: pricing_hcp_loops_value

Column Type: varchar

Max Length: 250

The description associated with pricing_hcp_loops_code. See pricing_hcp_loops_code for more information.

Column Name: pricing_method_value

Column Type: varchar

Max Length: 50

The description associated with pricing_method_code. See pricing_method_code for more information.

Column Name: pricing_method_code

Column Type: varchar

Max Length: 50

'Pricing/Re-Pricing Methodology (2300/2400-HCP-01)'

Column Name: pricing_org_id

Column Type: varchar

Max Length: 50

'Pricing/Re-Pricing Organization Identifier (2300/2400-HCP-04)'

Column Name: prov_address_1
Column Type: varchar
Max Length: 50
'Billing Provider Address 1 (2010AA-N3-01)'

Column Name: prov_address_2
Column Type: varchar
Max Length: 50
'Billing Provider Address 2 (2010AA-N3-02)'

Column Name: prov_city
Column Type: varchar
Max Length: 50
'Billing Provider City (2010AA-N4-01)'

Column Name: prov_contact_name
Column Type: varchar
Max Length: 50
'Billing Provider Contact Name (2010AA-PER-02)'

Column Name: provider_code_code
Column Type: varchar
Max Length: 50
'Provider Code (2000A-PRV-01)'

Column Name: provider_code_value
Column Type: varchar
Max Length: 250
The description associated with provider_code_code. See provider_code_code for more information.

Column Name: prov_name
Column Type: varchar
Max Length: 50
'Billing Provider Name (2010AA-NM1-03)'

Column Name: prov_nm_addr_info_disp_cd
Column Type: varchar
Max Length: 50
Field 1318: Billing Provider Name and Address information to display in 2010AA-NM1-09

Column Name: prov_nm_addr_info_disp_val
Column Type: varchar
Max Length: 50
Field 1318: Billing Provider Name and Address information to display in 2010AA-NM1-09

Column Name: prov_nm_prim_id_disp_cd
Column Type: varchar
Max Length: 50
Field 1319: Billing Provider Primary Identification # to display in 2010AA-NM1-09

Column Name: prov_nm_prim_id_disp_val
Column Type: varchar
Max Length: 50
Field 1319: Billing Provider Primary Identification # to display in 2010AA-NM1-09

Column Name: prov_phone
Column Type: varchar
Max Length: 50
'Billing Provider Phone # (2010AA-PER-04)'

Column Name: prov_prim_id
Column Type: varchar
Max Length: 50
'Billing Provider Primary Identification # (2010AA-NM1-09)'

Column Name: prov_prim_id_qua_code
Column Type: varchar
Max Length: 50
'Billing Provider Primary Identification Code Qualifier (2010AA-NM1-08)'

Column Name: prov_prim_id_qua_value
Column Type: varchar
Max Length: 250
The description associated with prov_prim_id_qua_code. See prov_prim_id_qua_code for more information.

Column Name: prov_sec_id
Column Type: varchar
Max Length: 50
'Billing Provider Secondary Identification # (2010AA-REF-02)'

Column Name: prov_sec_id_qua_code
Column Type: varchar
Max Length: 50
'Billing Provider Secondary Identification Code Qualifier (2010AA-REF-01)'

Column Name: prov_sec_id_qua_value
Column Type: varchar
Max Length: 250
The description associated with prov_sec_id_qua_code. See prov_sec_id_qua_code for more information.

Column Name: prov_state
Column Type: varchar
Max Length: 50
'Billing Provider State (2010AA-N4-02)'

Column Name: prov_state_value
Column Type: varchar
Max Length: 50

The description associated with prov_state. See prov_state for more information.

Column Name: prov_taxid_to_disp_code

Column Type: varchar

Max Length: 50

'Billing Provider Tax Qualifier/ID to Display (2010AA-REF-01/02)'

Column Name: prov_taxid_to_disp_value

Column Type: varchar

Max Length: 50

The description associated with prov_taxid_to_disp_code. See prov_taxid_to_disp_code for more information.

Column Name: prov_taxon_to_disp_code

Column Type: varchar

Max Length: 50

'Provider Taxonomy Code to Display (2000A-PRV-03)'

Column Name: prov_taxon_to_disp_value

Column Type: varchar

Max Length: 50

The description associated with prov_taxon_to_disp_code. See prov_taxon_to_disp_code for more information.

Column Name: prov_zip_code

Column Type: varchar

Max Length: 50

'Billing Provider Zip Code (2010AA-N4-03)'

Column Name: prv_secid_num_2

Column Type: varchar

Max Length: 50

'Billing Provider Secondary Identification # - 2 (2010AA-REF-02)'

Column Name: prv_secid_num_3

Column Type: varchar

Max Length: 50

'Billing Provider Secondary Identification # - 3 (2010AA-REF-02)'

Column Name: prv_secid_qua2_code

Column Type: varchar

Max Length: 50

'Billing Provider Secondary Identification Code Qualifier - 2 (2010AA-REF-01)'

Column Name: prv_secid_qua2_value

Column Type: varchar

Max Length: 250

The description associated with prv_secid_qua2_code. See prv_secid_qua2_code for more information.

Column Name: prv_secid_qua3_code

Column Type: varchar
Max Length: 50
'Billing Provider Secondary Identification Code Qualifier - 3 (2010AA-REF-01)'

Column Name: prv_secid_qua3_value
Column Type: varchar
Max Length: 250
The description associated with prv_secid_qua3_code. See prv_secid_qua3_code for more information.

Column Name: ptstat_or_trfr_code
Column Type: varchar
Max Length: 50
'Patient Status (2300-CL1-03) Override For Transfer Program'

Column Name: ptstat_or_trfr_value
Column Type: varchar
Max Length: 250
The description associated with ptstat_or_trfr_code. See ptstat_or_trfr_code for more information.

Column Name: qty_coveredday_code
Column Type: varchar
Max Length: 50
'Include Claim Quantity Segment (QTY) For Covered Days'

Column Name: qty_coveredday_value
Column Type: varchar
Max Length: 250
The description associated with qty_coveredday_code. See qty_coveredday_code for more information.

Column Name: receiver_name
Column Type: varchar
Max Length: 50
'Receiver Name (1000B-NM1-03)'

Column Name: rec_primary_id_num
Column Type: varchar
Max Length: 50
'Receiver Primary Identification # (1000B-NM1-09)'

Column Name: reference_ident
Column Type: varchar
Max Length: 50
'Reference Identification (2000A-PRV-03)'

Column Name: repetition_separator
Column Type: varchar
Max Length: 50
'Repetition Separator (ISA-11)'

Column Name: rept_sep_ovrd_code

Column Type: varchar
Max Length: 50
'Repetition Separator Override'

Column Name: rept_sep_ovrd_value
Column Type: varchar
Max Length: 50
The description associated with rept_sep_ovrd_code. See rept_sep_ovrd_code for more information.

Column Name: rev_code_ovr_code
Column Type: varchar
Max Length: 50
'Use Extended Dictionary Value Off Of 'Type Of Leave' To Populate Revenue Code (2400-SV2-01) For Leaves'

Column Name: rev_code_ovr_value
Column Type: varchar
Max Length: 250
The description associated with rev_code_ovr_code. See rev_code_ovr_code for more information.

Column Name: secu_info
Column Type: varchar
Max Length: 50
'Security Information (ISA-04)'

Column Name: secu_info_qua_code
Column Type: varchar
Max Length: 50
'Security Information Qualifier (ISA-03)'

Column Name: secu_info_qua_value
Column Type: varchar
Max Length: 250
The description associated with secu_info_qua_code. See secu_info_qua_code for more information.

Column Name: sel_sub_ident_num_code
Column Type: varchar
Max Length: 50
'Select Subscriber Identification Number (2010BA-NM109)'

Column Name: sel_sub_ident_num_value
Column Type: varchar
Max Length: 50
'Select Subscriber Identification Number (2010BA-NM109)'

Column Name: sgmnts_to_include_code
Column Type: varchar
Max Length: 50
'Select Segments To Include (I)'

Column Name: sgmnts_to_include_value

Column Type: varchar

Max Length: 4096

The description associated with sgmnts_to_include_code. See sgmnts_to_include_code for more information.

Column Name: skip_loop_seg_code

Column Type: varchar

Max Length: 50

'If The Loop/Segment Information At The Service Level Is The Same As The Loop/Segment Information At The Claim Level (e.g. Service Facility Location Loop), Do You Want The Loop/Segment At The Service Level To Be Skipped?'

Column Name: skip_loop_seg_value

Column Type: varchar

Max Length: 250

The description associated with skip_loop_seg_code. See skip_loop_seg_code for more information.

Column Name: sort_claims_by_code

Column Type: varchar

Max Length: 50

'Sort Claims By'

Column Name: sort_claims_by_value_long

Column Type: varchar

Max Length: 4096

The long description associated with sort_claims_by_code. See sort_claims_by_code for more information.

Column Name: sort_claims_by_value_sh

Column Type: varchar

Max Length: 255

The short description associated with sort_claims_by_code. See sort_claims_by_code for more information.

Column Name: sort_clms_by_month_code

Column Type: varchar

Max Length: 50

'Sort Claims by Month'

Column Name: sort_clms_by_month_value

Column Type: varchar

Max Length: 50

The description associated with sort_clms_by_month_code. See sort_clms_by_month_code for more information.

Column Name: spec_prog_ind_code

Column Type: varchar

Max Length: 50

'Special Program Indicator Code (2300-CLM-12)'

Column Name: spec_prog_ind_value

Column Type: varchar

Max Length: 250

The description associated with spec_prog_ind_code. See spec_prog_ind_code for more information.

Column Name: srtclm_medrtcd_code

Column Type: varchar

Max Length: 50

'Sort Claim By Medicaid Rate Code'

Column Name: srtclm_medrtcd_value

Column Type: varchar

Max Length: 250

The description associated with srtclm_medrtcd_code. See srtclm_medrtcd_code for more information.

Column Name: submitter_contact_name

Column Type: varchar

Max Length: 50

'Submitter Contact Name (1000A-PER-02)'

Column Name: submitter_name

Column Type: varchar

Max Length: 50

'Submitter Name (1000A-NM1-03)'

Column Name: submitter_telephone

Column Type: varchar

Max Length: 50

'Submitter Telephone Number (1000A-PER-04)'

Column Name: sub_primary_id_num

Column Type: varchar

Max Length: 50

'Submitter Primary Identification # (1000A-NM1-09)'

Column Name: supp_adm_date_diag_code

Column Type: varchar

Max Length: 1

'Suppress Admission Date/Hour (2300-DTP) and Admitting Diagnosis (2300-HI) For The Following Claim Frequency Codes:'

Column Name: supp_adm_date_diag_value

Column Type: varchar

Max Length: 250

The description associated with supp_adm_date_diag_code. See supp_adm_date_diag_code for more information.

Column Name: sup_phys_mid_name_code

Column Type: varchar

Max Length: 50

'Suppress Attending Physician Middle Name (2310A/2420A-NM1-05)'

Column Name: sup_phys_mid_name_value

Column Type: varchar

Max Length: 250

The description associated with sup_phys_mid_name_code. See sup_phys_mid_name_code for more information.

Column Name: supp_lea_sv2_no_pay_code

Column Type: varchar

Max Length: 50

'Suppress Non-Billable Leave Days Charge Amount (2400-SV2-07) (No-Pay ##0 Claims)'

Column Name: supp_lea_sv2_no_pay_value

Column Type: varchar

Max Length: 50

The description associated with supp_lea_sv2_no_pay_code. See supp_lea_sv2_no_pay_code for more information.

Column Name: supp_non_bill_leave_code

Column Type: varchar

Max Length: 50

'Suppress Non-Billable Leaves'

Column Name: supp_non_bill_leave_value

Column Type: varchar

Max Length: 250

The description associated with supp_non_bill_leave_code. See supp_non_bill_leave_code for more information.

Column Name: supp_opayer_amt_code

Column Type: varchar

Max Length: 50

'Suppress Payer Paid Amount (2320-AMT)'

Column Name: supp_opayer_amt_value

Column Type: varchar

Max Length: 250

The description associated with supp_opayer_amt_code. See supp_opayer_amt_code for more information.

Column Name: suppress_leave_sv2_code

Column Type: varchar

Max Length: 50

'Suppress Non-Billable Leave Days Charge Amount (2400-SV2-07)'

Column Name: suppress_leave_sv2_value

Column Type: varchar

Max Length: 50

The description associated with suppress_leave_sv2_code. See suppress_leave_sv2_code for more information.

Column Name: suppress_zero_cas_code

Column Type: varchar
Max Length: 50
'Suppress Claim Level Adjustments/Service Level Adjustments When Total Is Zero'

Column Name: suppress_zero_cas_value
Column Type: varchar
Max Length: 50
The description associated with suppress_zero_cas_code. See suppress_zero_cas_code for more information.

Column Name: suppress_zero_day_code
Column Type: varchar
Max Length: 50
'Suppress Non-Covered Days (2300-HI) If Non-Covered Days Are Zero'

Column Name: suppress_zero_day_value
Column Type: varchar
Max Length: 50
The description associated with suppress_zero_day_code. See suppress_zero_day_code for more information.

Column Name: sup_ren_prov_enroll_code
Column Type: varchar
Max Length: 50
'Suppress Rendering Provider Name if Practitioner is Not Required to be Enrolled with Guarantor (2310D/2420C)'

Column Name: sup_ren_prov_enroll_value
Column Type: varchar
Max Length: 250
The description associated with sup_ren_prov_enroll_code. See sup_ren_prov_enroll_code for more information.

Column Name: sup_serv_fac_name_code
Column Type: varchar
Max Length: 50
'Suppress Service Facility Name (2310E)'

Column Name: sup_serv_fac_name_value
Column Type: varchar
Max Length: 250
The description associated with sup_serv_fac_name_code. See sup_serv_fac_name_code for more information.

Column Name: svc_clm_not_dis_code
Column Type: varchar
Max Length: 50
'If A Service Is Specified To Be Claimed But Not Displayed On The 837 File, Then Do You Want The Service To Be Claimed But Not Displayed On The 837 File?'

Column Name: svc_clm_not_dis_value

Column Type: varchar

Max Length: 250

The description associated with svc_clm_not_dis_code. See svc_clm_not_dis_code for more information.

Column Name: svc_prv_as_attend_code

Column Type: varchar

Max Length: 50

'Specify Rendering Practitioner As Attending Practitioner In Loop 2310A (Attending Physician Name)'

Column Name: svc_prv_as_attend_value

Column Type: varchar

Max Length: 250

The description associated with svc_prv_as_attend_code. See svc_prv_as_attend_code for more information.

Column Name: tab_id_code

Column Type: integer

'Tab Id'

Column Name: tab_id_value

Column Type: varchar

Max Length: 50

The description associated with tab_id_code. See tab_id_code for more information.

Column Name: template_id

Column Type: varchar

Max Length: 50

'Template ID'

Column Name: template_name

Column Type: varchar

Max Length: 50

'Template Name'

Column Name: type_of_bill_code

Column Type: varchar

Max Length: 50

'Type Of Bill (First Two Digits)'

Column Name: type_of_bill_value

Column Type: varchar

Max Length: 50

The description associated with type_of_bill_code. See type_of_bill_code for more information.

Column Name: usage_ind_code

Column Type: varchar

Max Length: 50

'Usage Indicator (ISA-15)'

Column Name: usage_ind_value

Column Type: varchar

Max Length: 250

The description associated with usage_ind_code. See usage_ind_code for more information.

Column Name: use_adm_pgm_code

Column Type: varchar

Max Length: 50

'If The Service Program Is Different From The Admission Program, Do You Want To Sort The Bill By Admission Program?'

Column Name: use_adm_pgm_value

Column Type: varchar

Max Length: 250

The description associated with use_adm_pgm_code. See use_adm_pgm_code for more information.

Column Name: use_att_if_notfound_code

Column Type: varchar

Max Length: 50

'Specify How Attending Provider Information Should Be Populated'

Column Name: use_att_if_notfound_value

Column Type: varchar

Max Length: 250

The description associated with use_att_if_notfound_code. See use_att_if_notfound_code for more information.

Column Name: xover_guar_code

Column Type: varchar

Max Length: 50

'Select Guarantor(s) Responsible For Crossover Claim Submission'

Column Name: xover_guar_value

Column Type: varchar

Max Length: 2000

The description associated with xover_guar_code. See xover_guar_code for more information.

Column Name: zero_dol_svc_code

Column Type: varchar

Max Length: 50

'Include Zero Dollar Services'

Column Name: zero_dol_svc_nopay_code

Column Type: varchar

Max Length: 50

'Include Zero Dollar Services In No-Pay ##0 Claims'

Column Name: zero_dol_svc_nopay_value

Column Type: varchar

Max Length: 50

The description associated with zero_dol_svc_code. See zero_dol_svc_code for more information.

Column Name: zero_dol_svc_value

Column Type: varchar

Max Length: 250

The description associated with zero_dol_svc_code. See zero_dol_svc_code for more information.

Column Name: zerofill_logic_code

Column Type: varchar

Max Length: 50

'Enable 'Cost Avoidance Override/Zero Fill' Logic (2000B-SBR-04)'

Column Name: zerofill_logic_value

Column Type: varchar

Max Length: 250

The description associated with zerofill_logic_code. See zerofill_logic_code for more information.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_gpbd_t_p837

Table Description: This table returns the information stored in the 'File Import' form for the '837 Professional' section of the 'Guarantor/Program Billing Defaults Template' selection.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: EPSDT_referral_code

Column Type: varchar

Max Length: 50

'EPSDT Referral (2300-CRC)'

Column Name: EPSDT_referral_value

Column Type: varchar

Max Length: 250

The description associated with EPSDT_referral_code. See EPSDT_referral_code for more information.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: FILE_ID

Column Type: integer

The file ID associated with the import.

Column Name: ack_requested_code
Column Type: varchar
Max Length: 50
'Acknowledgment Requested (ISA-14)'

Column Name: ack_requested_value
Column Type: varchar
Max Length: 250
The description associated with ack_requested_code. See ack_requested_code for more information.

Column Name: add_edit_code
Column Type: varchar
Max Length: 50
'Add/Edit'

Column Name: add_edit_value
Column Type: varchar
Max Length: 250
The description associated with add_edit_code. See add_edit_code for more information.

Column Name: allow_period_code
Column Type: varchar
Max Length: 50
'Allow Periods In Diagnosis Codes (837P)'

Column Name: allow_period_value
Column Type: varchar
Max Length: 250
The description associated with allow_period_code. See allow_period_code for more information.

Column Name: amount_to_display
Column Type: varchar
Max Length: 50
'Amount To Display (2320-AMT:Patient Responsibility Amount-02)'

Column Name: app_receiver_code
Column Type: varchar
Max Length: 50
'Application Receiver's Code (GS-03)'

Column Name: approved_amt_code
Column Type: varchar
Max Length: 50
'Approved Amount (2400-AMT-02)'

Column Name: approved_amt_value
Column Type: varchar
Max Length: 250
The description associated with approved_amt_code. See approved_amt_code for more information.

Column Name: app_sender_code
Column Type: varchar
Max Length: 50
'Application Sender's Code (GS-02)'

Column Name: auth_info
Column Type: varchar
Max Length: 50
'Authorization Information (ISA-02)'

Column Name: auth_info_qua_code
Column Type: varchar
Max Length: 50
'Authorization Information Qualifier (ISA-01)'

Column Name: auth_info_qua_value
Column Type: varchar
Max Length: 250
The description associated with auth_info_qua_code. See auth_info_qua_code for more information.

Column Name: bill_comp_svcs_code
Column Type: varchar
Max Length: 50
'Bill Component Services When A Roll Up Service Is Found'

Column Name: bill_comp_svcs_value
Column Type: varchar
Max Length: 250
The description associated with bill_comp_svcs_code. See bill_comp_svcs_code for more information.

Column Name: bill_pr_first_name
Column Type: varchar
Max Length: 50
'Billing Provider First Name (2010AA-NM1-04)'

Column Name: bill_pr_mid_name
Column Type: varchar
Max Length: 50
'Billing Provider Middle Name (2010AA-NM1-05)'

Column Name: bill_prov_sec_id
Column Type: varchar
Max Length: 50
Billing Provider Secondary Identification Number

Column Name: bill_prov_sec_id_qua_code
Column Type: varchar
Max Length: 50
Billing Provider Secondary Identification Code Qualifier

Column Name: bill_prov_sec_id_qua_value

Column Type: varchar

Max Length: 250

The description associated with bill_prov_sec_id_qua_code. See bill_prov_sec_id_qua_code for more information.

Column Name: bill_pr_suffix

Column Type: varchar

Max Length: 50

'Billing Provider Name Suffix (2010AA-NM1-07)'

Column Name: calc_hi_per_svc_clm_code

Column Type: varchar

Max Length: 50

'When Generating A Medical Diagnosis Bill, If 'Maximum Service Information Per Claim Information (Maximum LX Per CLM)' Is Set To "1" And No Diagnosis Information Is Specified In The 'Medical Diagnosis' Option, Then Should The Health Care Diagnosis Code (2300-HI) Segment Be Populated With Only The Medical Diagnosis Associated With The Particular Service And CLM?'

Column Name: calc_hi_per_svc_clm_value

Column Type: varchar

Max Length: 250

The description associated with calc_hi_per_svc_clm_code. See bill_prov_sec_id_qua_code for more information.

Column Name: ccbhc_claim_group_code

Column Type: varchar

Max Length: 50

Field 12049: CCBHC Claim Grouping

Column Name: ccbhc_claim_group_value

Column Type: varchar

Max Length: 50

Field 12049: CCBHC Claim Grouping

Column Name: claim_note_alt_code

Column Type: varchar

Max Length: 50

Claim Note Text (837P-2300-NTE-02) Alternate Value

Column Name: claim_note_alt_value

Column Type: varchar

Max Length: 50

The description associated with claim_note_alt_code. See claim_note_alt_code for more information.

Column Name: claim_note_ref_code

Column Type: varchar

Max Length: 50

'Claim Note Reference Code (837P-2300-NTE-01)'

Column Name: claim_note_ref_value

Column Type: varchar

Max Length: 250

The description associated with claim_note_ref_code. See claim_note_ref_code for more information.

Column Name: claim_note_text

Column Type: varchar

Max Length: 50

'Claim Note Text (837P-2300-NTE-02)'

Column Name: claim_or_enc_indic_code

Column Type: varchar

Max Length: 50

'Claim or Encounter Indicator (BHT-06)'

Column Name: claim_or_enc_indic_value

Column Type: varchar

Max Length: 250

The description associated with claim_or_enc_indic_code. See claim_or_enc_indic_code for more information.

Column Name: clm_adj_grp_cas_code

Column Type: varchar

Max Length: 50

'Claim Adjustment Group Code (2320-CAS-01)'

Column Name: clm_adj_grp_cas_val

Column Type: varchar

Max Length: 30

The description associated with clm_adj_grp_cas_code. See clm_adj_grp_cas_code for more information.

Column Name: clm_adj_reas_cas_code

Column Type: varchar

Max Length: 50

'Claim Adjustment Reason Code (2320-CAS-02)'

Column Name: clm_adj_reas_cas_val

Column Type: varchar

Max Length: 250

The description associated with clm_adj_reas_cas_code. See clm_adj_reas_cas_code for more information.

Column Name: clm_id_override_code

Column Type: varchar

Max Length: 50

'Claim Submitter Identifier / Patient Account Number Override (2300-CLM-01)'

Column Name: clm_id_override_value

Column Type: varchar

Max Length: 250

The description associated with clm_id_override_code. See clm_id_override_code for more information.

Column Name: clm_id_suffix_code
Column Type: varchar
Max Length: 50
'Claim Submitter Identifier / Patient Account Number Suffix (2300-CLM-01)'

Column Name: clm_id_suffix_value
Column Type: varchar
Max Length: 250
The description associated with clm_id_suffix_code. See clm_id_suffix_code for more information.

Column Name: clm_sort_code
Column Type: varchar
Max Length: 50
'Sort Claim Information By Treatment String Values'

Column Name: clm_sort_value
Column Type: varchar
Max Length: 250
The description associated with clm_sort_code. See clm_sort_code for more information.

Column Name: cob_2320_apprvd_amt_code
Column Type: varchar
Max Length: 50
'Amount To Display (2320-AMT:Approved Amount-02)'

Column Name: cob_2320_apprvd_amt_value
Column Type: varchar
Max Length: 250
The description associated with cob_2320_apprvd_amt_code. See cob_2320_apprvd_amt_code for more information.

Column Name: cob_fin_cls_code
Column Type: varchar
Max Length: 50
'Enable Coordination Of Benefits (COB) Allowed Amount (2320-AMT) For The Following Financial Class(es)'

Column Name: cob_fin_cls_value
Column Type: varchar
Max Length: 250
The description associated with cob_fin_cls_code. See cob_fin_cls_code for more information.

Column Name: contains_errors
Column Type: varchar
Max Length: 50
The errors that occurred for the import.

Column Name: contract_2300_rep_code
Column Type: varchar
Max Length: 50

'Contract Code (2300-CN1-04) - Report Only'

Column Name: contract_2400_code

Column Type: varchar

Max Length: 50

'Contract Code (2400-CN1-04)'

Column Name: contract_2400_rep_code

Column Type: varchar

Max Length: 50

'Contract Code (2400-CN1-04) - Report Only'

Column Name: contract_code

Column Type: varchar

Max Length: 50

'Contract Code (2300-CN1-04)'

Column Name: contract_type_2400_code

Column Type: varchar

Max Length: 50

'Contract Type Code (2400-CN1-01)'

Column Name: contract_type_2400_value

Column Type: varchar

Max Length: 250

The description associated with contract_type_2400_code. See contract_type_2400_code for more information.

Column Name: contract_type_code

Column Type: varchar

Max Length: 50

'Contract Type Code (2300-CN1-01)'

Column Name: contract_type_value

Column Type: varchar

Max Length: 250

The description associated with contract_type_code. See contract_type_code for more information.

Column Name: cont_type_2300_rep_code

Column Type: varchar

Max Length: 50

'Contract Type Code (2300-CN1-01) - Report Only'

Column Name: cont_type_2300_rep_value

Column Type: varchar

Max Length: 50

The description associated with cont_type_2300_rep_code. See cont_type_2300_rep_code for more information.

Column Name: cont_type_2400_rep_code

Column Type: varchar
Max Length: 50
'Contract Type Code (2400-CN1-01) - Report Only'

Column Name: cont_type_2400_rep_value
Column Type: varchar
Max Length: 50
The description associated with cont_type_2400_rep_code. See cont_type_2400_rep_code for more information.

Column Name: copract_note_ref_code
Column Type: varchar
Max Length: 50
'Use Co-Practitioner Note Reference Code and Text'

Column Name: copract_note_ref_value
Column Type: varchar
Max Length: 250
The description associated with copract_note_ref_code. See copract_note_ref_code for more information.

Column Name: d8_date_format_code
Column Type: varchar
Max Length: 50
'If The Begin/From Date Is The Same As The End/To Date In A DTP Segment That Supports D8 (CCYYMMDD) And RD8(CCYYMMDD-CCYYMMDD) Formats, Do You Want To Express The Date Range In The D8 (CCYYMMDD) Format?'

Column Name: d8_date_format_value
Column Type: varchar
Max Length: 250
The description associated with d8_date_format_code. See d8_date_format_code for more information.

Column Name: def_cost_svc_units_code
Column Type: varchar
Max Length: 50
'Default Cost of Service/Units (2400-HCP-02/11/12)'

Column Name: def_cost_svc_units_value
Column Type: varchar
Max Length: 50
The description associated with def_cost_svc_units_code. See def_cost_svc_units_code for more information.

Column Name: def_tot_clm_chg_amt_code
Column Type: varchar
Max Length: 50
'Default Total Claim Charge Amount (2300-HCP-02)'

Column Name: def_tot_clm_chg_amt_value
Column Type: varchar

Max Length: 50

The description associated with def_tot_clm_chg_amt_code. See def_tot_clm_chg_amt_code for more information.

Column Name: demon_project_ident

Column Type: varchar

Max Length: 50

'Demonstration Project Identifier (2300-REF-02)'

Column Name: dis_oth_subs_prim_id_code

Column Type: varchar

Max Length: 50

'Specify Information To Display In Other Subscriber Primary ID (2330A-NM1-09)'

Column Name: dis_oth_subs_prim_id_value

Column Type: varchar

Max Length: 250

The description associated with dis_oth_subs_prim_id_code. See dis_oth_subs_prim_id_code for more information.

Column Name: disp_clia_num_code

Column Type: varchar

Max Length: 50

'Include Clinical Laboratory Improvement Amendment Number'

Column Name: disp_clia_num_value

Column Type: varchar

Max Length: 250

The description associated with disp_clia_num_code. See disp_clia_num_code for more information.

Column Name: disp_clia_svc_code

Column Type: varchar

Max Length: 50

'Display Rendering/Billing CLIA Number At Service Level If No Outsourced Laboratory Is Identified'

Column Name: disp_clia_svc_value

Column Type: varchar

Max Length: 250

The description associated with disp_clia_svc_code. See disp_clia_svc_code for more information.

Column Name: disp_codes_for_hipaa_code

Column Type: varchar

Max Length: 50

'Display Codes/Values For HIPAA'

Column Name: disp_codes_for_hipaa_value

Column Type: varchar

Max Length: 250

The description associated with disp_codes_for_hipaa_code. See disp_codes_for_hipaa_code for more information.

Column Name: disp_nte_clm_code
Column Type: varchar
Max Length: 50
'Display NTE Segment At Claim Level'

Column Name: disp_nte_clm_value
Column Type: varchar
Max Length: 250
The description associated with disp_nte_clm_code. See disp_nte_clm_code for more information.

Column Name: disp_nte_svc_code
Column Type: varchar
Max Length: 50
'Display NTE Segment At Service Level'

Column Name: disp_nte_svc_value
Column Type: varchar
Max Length: 250
The description associated with disp_nte_svc_code. See disp_nte_svc_code for more information.

Column Name: disp_opayer_amt_code
Column Type: varchar
Max Length: 50
'Amount To Display (2320-AMT:Payer Patient Paid Amount-02)'

Column Name: disp_opayer_amt_value
Column Type: varchar
Max Length: 250
The description associated with disp_opayer_amt_code. See disp_opayer_amt_code for more information.

Column Name: enb_dem_proj_ident_code
Column Type: varchar
Max Length: 50
'Enable Demonstration Project Identifier (2300-REF)'

Column Name: enb_dem_proj_ident_value
Column Type: varchar
Max Length: 50
The description associated with enb_dem_proj_ident_code. See enb_dem_proj_ident_code for more information.

Column Name: enb_drug_ident_code
Column Type: varchar
Max Length: 50
'Enable Drug Identification (2410)'

Column Name: enb_drug_ident_value
Column Type: varchar
Max Length: 250

The description associated with enb_drug_ident_code. See enb_drug_ident_code for more information.

Column Name: enb_ohio_mrdd_code

Column Type: varchar

Max Length: 50

'Enable Service Level Adjudication (Loop 2430) Logic (Ohio MRDD)'

Column Name: enb_ohio_mrdd_value

Column Type: varchar

Max Length: 250

The description associated with enb_ohio_mrdd_code. See enb_ohio_mrdd_code for more information.

Column Name: en_fst_bill_dt_code

Column Type: varchar

Max Length: 50

'Enable First Billing Date Logic'

Column Name: en_fst_bill_dt_value

Column Type: varchar

Max Length: 250

The description associated with en_fst_bill_dt_code. See en_fst_bill_dt_code for more information.

Column Name: entity_bill_p_code

Column Type: varchar

Max Length: 50

'Billing Provider Entity Type Qualifier (2010AA-NM1-02)'

Column Name: entity_bill_p_value

Column Type: varchar

Max Length: 250

The description associated with entity_bill_p_code. See entity_bill_p_code for more information.

Column Name: entity_type_code

Column Type: varchar

Max Length: 50

'Pay-to Address Entity Type Qualifier'

Column Name: entity_type_value

Column Type: varchar

Max Length: 250

The description associated with entity_type_code. See entity_type_code for more information.

Column Name: ext_char_set_code

Column Type: varchar

Max Length: 50

'Allow Extended Character Set In Submission File'

Column Name: ext_char_set_value

Column Type: varchar

Max Length: 250

The description associated with ext_char_set_code. See ext_char_set_code for more information.

Column Name: fac_entity_id_code
Column Type: varchar
Max Length: 50
'Facility Entity Identifier Code'

Column Name: fac_entity_id_value
Column Type: varchar
Max Length: 250
The description associated with fac_entity_id_code. See fac_entity_id_code for more information.

Column Name: fac_id
Column Type: varchar
Max Length: 50
'Facility Identification Code'

Column Name: fac_id_qua_code
Column Type: varchar
Max Length: 50
'Facility Identification Code Qualifier'

Column Name: fac_id_qua_value
Column Type: varchar
Max Length: 250
The description associated with fac_id_qua_code. See fac_id_qua_code for more information.

Column Name: fac_ind_2310C_2420C_disp_cd
Column Type: varchar
Max Length: 50
Field 12648: Facility Identification Code information to display in 2310C-NM1-09 and 2420-NM1-09

Column Name: fac_ind_2310C_2420C_disp_val
Column Type: varchar
Max Length: 50
Field 12648: Facility Identification Code information to display in 2310C-NM1-09 and 2420-NM1-09

Column Name: fac_ref_id
Column Type: varchar
Max Length: 50
'Facility Reference Identification'

Column Name: fac_ref_id2
Column Type: varchar
Max Length: 50
'Facility Reference Identification - 2'

Column Name: fac_ref_id3
Column Type: varchar
Max Length: 50

'Facility Reference Identification - 3 (2310E-REF-02)'

Column Name: fac_ref_id_qua_code

Column Type: varchar

Max Length: 50

'Facility Reference Identification Qualifier'

Column Name: fac_ref_id_qua_code2

Column Type: varchar

Max Length: 50

'FacilityReference Identification Qualifier - 2'

Column Name: fac_ref_id_qua_code3

Column Type: varchar

Max Length: 50

'FacilityReference Identification Qualifier - 3'

Column Name: fac_ref_id_qua_value

Column Type: varchar

Max Length: 250

The description associated with fac_ref_id_qua_code. See fac_ref_id_qua_code for more information.

Column Name: fac_ref_id_qua_value2

Column Type: varchar

Max Length: 250

The description associated with fac_ref_id_qua_code2. See fac_ref_id_qua_code2 for more information.

Column Name: fac_ref_id_qua_value3

Column Type: varchar

Max Length: 250

The description associated with fac_ref_id_qua_code3. See fac_ref_id_qua_code3 for more information.

Column Name: file_information

Column Type: varchar

Max Length: 50

'File Information (2400-K3-01)'

Column Name: filetype

Column Type: integer

The file type associated with the import.

Column Name: fin_cls_override_code

Column Type: varchar

Max Length: 1

'Financial Classes To Override Other Payer Information (2330B)'

Column Name: fin_cls_override_value

Column Type: varchar

Max Length: 250

The description associated with fin_cls_override_code. See fin_cls_override_code for more information.

Column Name: gs_time_format_code

Column Type: varchar

Max Length: 50

'Time Format (GS-05)'

Column Name: gs_time_format_value

Column Type: varchar

Max Length: 250

The description associated with gs_time_format_code. See gs_time_format_code for more information.

Column Name: guar_appear_2010bb

Column Type: varchar

Max Length: 50

'Guarantor To Appear In Payer Name (2010BB)'

Column Name: ident_qual_code

Column Type: varchar

Max Length: 50

'Pay-to Address Identification Code Qualifier'

Column Name: ident_qual_value

Column Type: varchar

Max Length: 250

The description associated with ident_qual_code. See ident_qual_code for more information.

Column Name: inc_bill_gua_oth_sub_code

Column Type: varchar

Max Length: 50

'Include Billing Guarantor In Other Subscriber Information'

Column Name: inc_bill_gua_oth_sub_value

Column Type: varchar

Max Length: 250

The description associated with inc_bill_gua_oth_sub_code. See inc_bill_gua_oth_sub_code for more information.

Column Name: inc_guar_prog_comb_code

Column Type: varchar

Max Length: 50

'Include This Guarantor and Program Combination For Report Only Guarantors'

Column Name: inc_guar_prog_comb_value

Column Type: varchar

Max Length: 250

The description associated with inc_guar_prog_comb_code. See inc_guar_prog_comb_code for more information.

Column Name: incld_pat_rem_liab_code

Column Type: varchar

Max Length: 50

'Select Type Of Information To Include In Patient Remaining Liability'

Column Name: incld_pat_rem_liab_value

Column Type: varchar

Max Length: 200

The description associated with incld_pat_rem_liab_code. See incld_pat_rem_liab_code for more information.

Column Name: include_clm_adj_code

Column Type: varchar

Max Length: 50

'Include Claim Level Adjustments (2320-CAS: Claim Level Adjustments)'

Column Name: include_clm_adj_value

Column Type: varchar

Max Length: 250

The description associated with include_clm_adj_code. See include_clm_adj_code for more information.

Column Name: include_ref_prov_code

Column Type: varchar

Max Length: 50

'Select Type Of Information To Include In Referring Provider Name (2310A/2420F)'

Column Name: include_ref_prov_value

Column Type: varchar

Max Length: 250

The description associated with include_ref_prov_code. See include_ref_prov_code for more information.

Column Name: include_remit_date_code

Column Type: varchar

Max Length: 50

'Include Remittance Date (2330B-DTP-03/2430-DTP-03)'

Column Name: include_remit_date_value

Column Type: varchar

Max Length: 50

The description associated with include_remit_date_code. See include_remit_date_code for more information.

Column Name: include_svc_adj_code

Column Type: varchar

Max Length: 50

'Include Service Level Adjudication Information (2430)'

Column Name: include_svc_adj_value

Column Type: varchar

Max Length: 250

The description associated with include_svc_adj_code. See include_svc_adj_code for more information.

Column Name: inc_pmts_cas_code

Column Type: varchar

Max Length: 1

'Include Prior Payer Paid Amount In Claim Level Adjustments/Service Level Adjustments (2320/2430-CAS)'

Column Name: inc_pmts_cas_value

Column Type: varchar

Max Length: 10

The description associated with inc_pmts_cas_code. See inc_pmts_cas_code for more information.

Column Name: inc_repic_rec_date_code

Column Type: varchar

Max Length: 50

'Include Repricer Received Date (2300-DTP)'

Column Name: inc_repic_rec_date_value

Column Type: varchar

Max Length: 50

The description associated with inc_repic_rec_date_code. See inc_repic_rec_date_code for more information.

Column Name: inc_subs_pol_num_ovrd

Column Type: varchar

Max Length: 50

'Include Subscriber Policy Number Override In:'

Column Name: inc_subs_pol_num_ovrd_value

Column Type: varchar

Max Length: 250

The description associated with inc_subs_pol_num_ovrd. See inc_subs_pol_num_ovrd for more information.

Column Name: inc_svc_start_time_code

Column Type: varchar

Max Length: 50

'Include Service Start Time In Reference Identification (2400-REF-02)'

Column Name: inc_svc_start_time_value

Column Type: varchar

Max Length: 50

The description associated with inc_svc_start_time_code. See inc_svc_start_time_code for more information.

Column Name: inc_trans_cas_code

Column Type: varchar

Max Length: 50

'Include Transfers In Claim Level Adjustments/Service Level Adjustments (2320/2430-CAS)'

Column Name: inc_trans_cas_value

Column Type: varchar

Max Length: 250

The description associated with inc_trans_cas_code. See inc_trans_cas_code for more information.

Column Name: info_in_2010ba_ref_code

Column Type: varchar

Max Length: 50

'Specify Information To Include in Subscriber Secondary ID Information (2010BA-REF) - Report Only'

Column Name: info_in_2010ba_ref_value

Column Type: varchar

Max Length: 50

The description associated with info_in_2010ba_ref_code. See info_in_2010ba_ref_code for more information.

Column Name: info_in_2310b_code

Column Type: varchar

Max Length: 50

'Select Type Of Information To Include In Rendering Provider Name (2310B)'

Column Name: info_in_2310b_value

Column Type: varchar

Max Length: 250

The description associated with info_in_2310b_code. See info_in_2310b_code for more information.

Column Name: info_in_2420a_code

Column Type: varchar

Max Length: 50

'Select Type Of Information To Include In Rendering Provider Name (2420A)'

Column Name: info_in_2420a_value

Column Type: varchar

Max Length: 250

The description associated with info_in_2420_code. See info_in_2420_code for more information.

Column Name: info_in_k3_code

Column Type: varchar

Max Length: 50

Column Name: info_in_k3_value

Column Type: varchar

Max Length: 250

The description associated with race_ethnicity_ssn.

Column Name: info_oth_pyr_sec_id_code

Column Type: varchar

Max Length: 50

Specify Information To Display In Other Payer Secondary Identification # (2330B-REF-02)

Column Name: info_oth_pyr_sec_id_value

Column Type: varchar

Max Length: 250

The description associated with info_oth_pyr_sec_id_code. See info_oth_pyr_sec_id_code for more information.

Column Name: int_rece_id

Column Type: varchar

Max Length: 50

'Interchange Receiver ID (ISA-08)'

Column Name: int_rece_id_qua_code

Column Type: varchar

Max Length: 50

'Interchange Receiver ID Qualifier (ISA-07)'

Column Name: int_rece_id_qua_value

Column Type: varchar

Max Length: 250

The description associated with int_rece_id_qua_code. See int_rece_id_qua_code for more information.

Column Name: int_send_id

Column Type: varchar

Max Length: 50

'Interchange Sender ID (ISA-06)'

Column Name: int_send_id_qua_code

Column Type: varchar

Max Length: 50

'Interchange Sender ID Qualifier (ISA-05)'

Column Name: int_send_id_qua_value

Column Type: varchar

Max Length: 250

The description associated with int_send_id_qua_code. See int_send_id_qua_code for more information.

Column Name: line

Column Type: integer

The line associated with the import.

Column Name: max_clm_per_sub

Column Type: varchar

Max Length: 50

'Maximum Claim Information Per Subscriber Information (Maximum CLM Per Subscriber HL)'

Column Name: max_clm_per_sub_rb

Column Type: varchar

Max Length: 50

'Maximum Claim Information Per Subscriber Information For Re-Billing (Maximum CLM Per Subscriber HL)'

Column Name: max_diag_per_hi
Column Type: integer
'Number Of Diagnosis Codes To Include In The Health Care Diagnosis Code Segment (2300-HI)'

Column Name: max_len_sub_prim_id
Column Type: varchar
Max Length: 50
'Maximum Length for Subscriber Primary Identifier (2010BA-NM1-09)'

Column Name: max_sub_per_st
Column Type: varchar
Max Length: 50
'Maximum Subscriber Information Per Transaction (Maximum Subscriber SBR Per ST/SE)'

Column Name: max_sub_per_st_rb
Column Type: varchar
Max Length: 50
'Maximum Subscriber Information Per Transaction For Re-Billing (Maximum Subscriber SBR Per ST/SE)'

Column Name: max_svc_per_claim
Column Type: varchar
Max Length: 50
'Maximum Service Information Per Claim Information (Maximum LX Per CLM)'

Column Name: max_svc_per_clm_rb
Column Type: varchar
Max Length: 50
'Maximum Service Information Per Claim Information For Re-Billing (Maximum LX Per CLM)'

Column Name: no_guar_prog_rend_prov_code
Column Type: varchar
Max Length: 50
'Do Not Use Rendering Provider Information Defined At The Guarantor/Program Level'

Column Name: no_guar_prog_rend_prov_value
Column Type: varchar
Max Length: 250
The description associated with no_guar_prov_rend_prov_code. See no_guar_prov_rend_prov_code for more information.

Column Name: non_cov_chg_cas_code
Column Type: varchar
Max Length: 1
'Create CAS Segment For Prior Guarantor(s) For Non-Covered Charges'

Column Name: non_cov_chg_cas_value
Column Type: varchar
Max Length: 10
The description associated with non_cov_chg_cas_code. See non_cov_chg_cas_code for more information.

Column Name: num_days_hold_xover
Column Type: varchar
Max Length: 50
'Number of Days to Hold Billing of Crossover Claims'

Column Name: oh_mrdd_adj_amt
Column Type: varchar
Max Length: 50
'Adjustment Amount (2430-CAS-03) for Service Level Adjudication (Loop 2430) Logic (Ohio MRDD)'

Column Name: oh_mrdd_adj_grp_code
Column Type: varchar
Max Length: 50
'Adjustment Group Code (2430-CAS-01) for Service Level Adjudication (Loop 2430) Logic (Ohio MRDD)'

Column Name: oh_mrdd_adj_grp_value
Column Type: varchar
Max Length: 250
The description associated with oh_mrdd_adj_grp_code. See oh_mrdd_adj_grp_code for more information.

Column Name: oh_mrdd_adj_rsn_code
Column Type: varchar
Max Length: 50
'Adjustment Reason Code (2430-CAS-02) for Service Level Adjudication (Loop 2430) Logic (Ohio MRDD)'

Column Name: oh_mrdd_adj_rsn_value
Column Type: varchar
Max Length: 250
The description associated with oh_mrdd_adj_rsn_code. See oh_mrdd_adj_rsn_code for more information.

Column Name: oh_mrdd_fin_cls_code
Column Type: varchar
Max Length: 50
'Specify Financial Class(es) for Service Level Adjudication (Loop 2430) Logic (Ohio MRDD)'

Column Name: oh_mrdd_fin_cls_value
Column Type: varchar
Max Length: 250
The description associated with oh_mrdd_fin_cls_code. See oh_mrdd_fin_cls_code for more information.

Column Name: oth_payer_sec_id_num
Column Type: varchar
Max Length: 50
'Other Payer Secondary Identification # (2330B-REF-02)'

Column Name: oth_payr_last_or_org_name
Column Type: varchar
Max Length: 50
'Other Payer Last or Organization Name (2330B-NM1-03)'

Column Name: oth_payr_prim_ident_num
Column Type: varchar
Max Length: 50
'Other Payer Primary Identification # (2330B-NM1-09)'

Column Name: oth_payr_sec_id_qua_code
Column Type: varchar
Max Length: 50
'Other Payer Secondary Identification Qualifier (2330B-REF-01)'

Column Name: oth_payr_sec_id_qua_value
Column Type: varchar
Max Length: 250
The description associated with oth_payr_sec_id_qua_code. See oth_payr_sec_id_qua_code for more information.

Column Name: oth_pyr_prim_id_qua_code
Column Type: varchar
Max Length: 50
'Other Payer Primary Identification Code Qualifier (2330B-NM1-08)'

Column Name: oth_pyr_prim_id_qua_value
Column Type: varchar
Max Length: 250
The description associated with oth_pyr_prim_id_qua_code. See oth_pyr_prim_id_qua_code for more information.

Column Name: oth_ref_logic_code
Column Type: varchar
Max Length: 50
'Enable Other Subscriber Secondary Reference Identification (2330A-REF-02) Logic'

Column Name: oth_ref_logic_value
Column Type: varchar
Max Length: 250
The description associated with oth_ref_logic_code. See oth_ref_logic_code for more information.

Column Name: othsubsec_id
Column Type: varchar
Max Length: 50
'Other Subscriber Secondary Identification (2330A-REF-02)'

Column Name: othsubsec_idq_code
Column Type: varchar
Max Length: 50
Other Subscriber Secondary Identification Qualifier (2330A-REF-01)

Column Name: othsubsec_idq_value
Column Type: varchar
Max Length: 250

The description associated with othsubsec_idq_code. See othsubsec_idq_code for more information.

Column Name: ovrd_flds_to_zero_code

Column Type: varchar

Max Length: 50

'Override Following Fields To Zero'

Column Name: ovrd_flds_to_zero_value

Column Type: varchar

Max Length: 90

The description associated with ovrd_flds_to_zero_code. See ovrd_flds_to_zero_code for more information.

Column Name: p837_2320_allwd_amt_code

Column Type: varchar

Max Length: 50

'Amount To Display (2320-AMT:Allowed Amount-02)'

Column Name: p837_2320_allwd_amt_value

Column Type: varchar

Max Length: 250

The description associated with p837_2320_allwd_amt_code. See p837_2320_allwd_amt_code for more information.

Column Name: patient_paid_amt_code

Column Type: varchar

Max Length: 50

'Amount To Display (2300-AMT:Patient Amount Paid)'

Column Name: patient_paid_amt_value

Column Type: varchar

Max Length: 250

The description associated with patient_paid_amt_code. See patient_paid_amt_code for more information.

Column Name: pat_sig_source_code

Column Type: varchar

Max Length: 50

'Patient Signature Source Code (2300-CLM-10 and 2320-OI-04)'

Column Name: pat_sig_source_value

Column Type: varchar

Max Length: 250

The description associated with pat_sig_source_code. See pat_sig_source_code for more information.

Column Name: payer_sec_id_num

Column Type: varchar

Max Length: 50

'Payer Secondary Identification # (2010BB/2330B-REF-02)'

Column Name: payer_sec_id_qua_code

Column Type: varchar

Max Length: 50
Payer Secondary Identification Qualifier (2010BB/2330B-REF-01)

Column Name: payer_sec_id_qua_value
Column Type: varchar
Max Length: 250
The description associated with payer_sec_id_qua_code. See payer_sec_id_qua_code for more information.

Column Name: payor_id
Column Type: varchar
Max Length: 50
'Payer Identification # (2010BB/2330B-NM1-09)'

Column Name: payor_id_qua_code
Column Type: varchar
Max Length: 50
'Payer Identification Code Qualifier (2010BB/2330B-NM1-08)'

Column Name: payor_id_qua_value
Column Type: varchar
Max Length: 250
The description associated with payor_id_qua_code. See payor_id_qua_code for more information.

Column Name: payto_address_1
Column Type: varchar
Max Length: 50
'Pay-to Address Line 1'

Column Name: payto_address_2
Column Type: varchar
Max Length: 50
'Pay-to Address Line 2'

Column Name: payto_adtl_ident
Column Type: varchar
Max Length: 50
'Pay-to Address Additional Identifier'

Column Name: payto_city
Column Type: varchar
Max Length: 50
'Pay-to Address City'

Column Name: payto_first_name
Column Type: varchar
Max Length: 50
'Pay-to Address First Name'

Column Name: payto_identifier
Column Type: varchar

Max Length: 50
'Pay-to Address Identifier'

Column Name: payto_last_org_name
Column Type: varchar
Max Length: 50
'Pay-to Address Last Or Organization Name'

Column Name: payto_middle_name
Column Type: varchar
Max Length: 50
'Pay-to Address Middle Name'

Column Name: payto_name_suffix
Column Type: varchar
Max Length: 50
'Pay-to Address Suffix'

Column Name: payto_state
Column Type: varchar
Max Length: 50
'Pay-to Address State'

Column Name: payto_state_value
Column Type: varchar
Max Length: 50
The description associated with payto_state. See payto_state for more information.

Column Name: payto_zip_code
Column Type: varchar
Max Length: 50
'Pay-to Address Zip Code'

Column Name: pop_nte_ebp_value
Column Type: varchar
Max Length: 50
'Populate 2400-NTE-02 With EBP Information' value

Column Name: pop_nte_ebp_code
Column Type: varchar
Max Length: 50
'Populate 2400-NTE-02 With EBP Information' code

Column Name: posted_value
Column Type: varchar
Max Length: 50
The posted value associated with the import.

Column Name: prefix_clm_sub_id
Column Type: varchar

Max Length: 50

'Specify A Prefix Value For Claim Submitter ID / Patient Account Number (2300-CLM-01)'

Column Name: pricing_hcp_loops_code

Column Type: varchar

Max Length: 50

'Select Loops To Include Pricing/Re-Pricing Information (HCP)'

Column Name: pricing_hcp_loops_value

Column Type: varchar

Max Length: 250

The description associated with pricing_hcp_loops_code. See pricing_hcp_loops_code for more information.

Column Name: pricing_method_value

Column Type: varchar

Max Length: 50

The description associated with pricing_method_code. See pricing_method_code for more information.

Column Name: pricing_method_code

Column Type: varchar

Max Length: 50

'Pricing/Re-Pricing Methodology (2300/2400-HCP-01)'

Column Name: pricing_org_id

Column Type: varchar

Max Length: 50

'Pricing/Re-Pricing Organization Identifier (2300/2400-HCP-04)'

Column Name: principal_diagnosis_code

Column Type: varchar

Max Length: 50

'Specify Principle Diagnosis (2300-HI-01)'

Column Name: prov_address_1

Column Type: varchar

Max Length: 50

'Billing Provider Address 1 (2010AA-N3-01)'

Column Name: prov_address_2

Column Type: varchar

Max Length: 50

'Billing Provider Address 2 (2010AA-N3-02)'

Column Name: prov_city

Column Type: varchar

Max Length: 50

'Billing Provider City (2010AA-N4-01)'

Column Name: prov_contact_name

Column Type: varchar

Max Length: 50
'Billing Provider Contact Name (2010AA-PER-02)'

Column Name: provider_code_code
Column Type: varchar
Max Length: 50
'Provider Code (2000A-PRV-01)'

Column Name: provider_code_value
Column Type: varchar
Max Length: 250
The description associated with provider_code_code. See provider_code_code for more information.

Column Name: prov_name
Column Type: varchar
Max Length: 50
'Billing Provider Last Or Organization Name (2010AA-NM1-03)'

Column Name: prov_nm_addr_info_disp_cd
Column Type: varchar
Max Length: 50
Field 1308: Billing Provider Name and Address information to display in 2010AA-NM1, N3, N4

Column Name: prov_nm_addr_info_disp_val
Column Type: varchar
Max Length: 50
Field 1308: Billing Provider Name and Address information to display in 2010AA-NM1, N3, N4

Column Name: prov_nm_prim_id_disp_cd
Column Type: varchar
Max Length: 50
Field 1309: Billing Provider Primary Identification # to display in 2010AA-NM1-09

Column Name: prov_nm_prim_id_disp_val
Column Type: varchar
Max Length: 50
Field 1309: Billing Provider Primary Identification # to display in 2010AA-NM1-09

Column Name: prov_phone
Column Type: varchar
Max Length: 50
'Billing Provider Phone # (2010AA-PER-04)'

Column Name: prov_prim_id
Column Type: varchar
Max Length: 50
'Billing Provider Primary Identification # (2010AA-NM1-09)'

Column Name: prov_prim_id_qua_code
Column Type: varchar

Max Length: 50

'Billing Provider Primary Identification Code Qualifier (2010AA-NM1-08)'

Column Name: prov_prim_id_qua_value

Column Type: varchar

Max Length: 250

The description associated with prov_prim_id_qua_code. See prov_prim_id_qua_code for more information.

Column Name: prov_sec_id

Column Type: varchar

Max Length: 50

'Billing Provider Tax Identification Number'

Column Name: prov_sec_id_2

Column Type: varchar

Max Length: 50

'Billing Provider UPIN/License Information'

Column Name: prov_sec_id_3

Column Type: varchar

Max Length: 50

'Billing Provider UPIN/License Information - 2'

Column Name: prov_secid_qua2_code

Column Type: varchar

Max Length: 50

Billing Provider UPIN/License Information Code Qualifier

Column Name: prov_secid_qua2_value

Column Type: varchar

Max Length: 250

The description associated with prov_secid_qua2_code. See prov_secid_qua2_code for more information.

Column Name: prov_secid_qua3_code

Column Type: varchar

Max Length: 50

'Billing Provider UPIN/License Information Code Qualifier - 2'

Column Name: prov_secid_qua3_value

Column Type: varchar

Max Length: 250

The description associated with prov_secid_qua3_code. See prov_secid_qua3_code for more information.

Column Name: prov_sec_id_qua_code

Column Type: varchar

Max Length: 50

'Billing Provider Tax Identification Code Qualifier'

Column Name: prov_sec_id_qua_value

Column Type: varchar

Max Length: 250

The description associated with prov_sec_id_qua_code. See prov_sec_id_qua_code for more information.

Column Name: prov_state

Column Type: varchar

Max Length: 50

'Billing Provider State (2010AA-N4-02)'

Column Name: prov_state_value

Column Type: varchar

Max Length: 50

The description associated with prov_state. See prov_state for more information.

Column Name: prov_taxid_to_disp_code

Column Type: varchar

Max Length: 50

'Billing Provider Tax Qualifier/ID to Display (2010AA-REF-01/02)'

Column Name: prov_taxid_to_disp_value

Column Type: varchar

Max Length: 50

The description associated with prov_taxid_to_disp_code. See prov_taxid_to_disp_code for more information.

Column Name: prov_taxon_to_disp_code

Column Type: varchar

Max Length: 50

'Provider Taxonomy Code to Display (2000A-PRV-03)'

Column Name: prov_taxon_to_disp_value

Column Type: varchar

Max Length: 50

The description associated with prov_taxon_to_disp_code. See prov_taxon_to_disp_code for more information.

Column Name: prov_zip_code

Column Type: varchar

Max Length: 50

'Billing Provider Zip Code (2010AA-N4-03)'

Column Name: receiver_name

Column Type: varchar

Max Length: 50

'Receiver Name (1000B-NM1-03)'

Column Name: rec_primary_id_num

Column Type: varchar

Max Length: 50

'Receiver Primary Identification # (1000B-NM1-09)'

Column Name: reference_ident
Column Type: varchar
Max Length: 50
'Reference Identification (2000A-PRV-03)'

Column Name: ref_id_q_code
Column Type: varchar
Max Length: 50
'Pay-to Address Reference Identification Qualifier'

Column Name: ref_id_q_value
Column Type: varchar
Max Length: 250
The description associated with ref_id_q_code. See ref_id_q_code for more information.

Column Name: rendering_entity_code
Column Type: varchar
Max Length: 50
'Rendering Provider Entity Type Qualifier (2310B/2420A-NM1-02)'

Column Name: rendering_entity_value
Column Type: varchar
Max Length: 250
The description associated with rendering_entity_code. See rendering_entity_code for more information.

Column Name: rendering_first_name
Column Type: varchar
Max Length: 50
'Rendering Provider First Name (2310B/2420A-NM1-04)'

Column Name: rendering_id
Column Type: varchar
Max Length: 50
'Rendering Provider Identification Code (2310B/2420A-NM1-09)'

Column Name: rendering_id_qual_code
Column Type: varchar
Max Length: 50
'Rendering Provider Identification Code Qualifier (2310B/2420A-NM1-08)'

Column Name: rendering_id_qual_value
Column Type: varchar
Max Length: 250
The description associated with rendering_id_qual_code. See rendering_id_qual_code for more information.

Column Name: rendering_last_org_name
Column Type: varchar
Max Length: 50

'Rendering Provider Last Or Organization Name (2310B/2420A-NM1-03)'

Column Name: rendering_middle_name

Column Type: varchar

Max Length: 50

'Rendering Provider Middle Name (2310B/2420A-NM1-05)'

Column Name: rendering_ref_id

Column Type: varchar

Max Length: 50

'Rendering Provider Reference Identification (2310B/2420A-REF-01)'

Column Name: rendering_ref_id2

Column Type: varchar

Max Length: 50

'Rendering Provider Identification Code-2 (2310B/2420A-REF-02)'

Column Name: rendering_ref_qual2_code

Column Type: varchar

Max Length: 50

'Rendering Provider Reference Identification Qualifier-2 (2310B/2420A-REF-01)'

Column Name: rendering_ref_qual2_value

Column Type: varchar

Max Length: 250

The description associated with rendering_ref_qual2_code. See rendering_ref_qual2_code for more information.

Column Name: rendering_ref_qual_code

Column Type: varchar

Max Length: 50

'Rendering Provider Reference Identification Qualifier (2310B/2420A-REF-01)'

Column Name: rendering_ref_qual_value

Column Type: varchar

Max Length: 250

The description associated with rendering_ref_qual_code. See rendering_ref_qual_code for more information.

Column Name: rendering_suffix

Column Type: varchar

Max Length: 50

'Rendering Provider Name Suffix (2310B/2420A-NM1-07)'

Column Name: rendering_taxonomy

Column Type: varchar

Max Length: 50

'Rendering Provider Taxonomy Code (2310B/2420A-PRV-03)'

Column Name: repetition_separator

Column Type: varchar
Max Length: 50
'Repetition Separator (ISA-11)'

Column Name: rept_sep_ovrd_code
Column Type: varchar
Max Length: 50
'Repetition Separator Override'

Column Name: rept_sep_ovrd_value
Column Type: varchar
Max Length: 50
The description associated with rept_sep_ovrd_code. See rept_sep_ovrd_code for more information.

Column Name: secu_info
Column Type: varchar
Max Length: 50
'Security Information (ISA-04)'

Column Name: secu_info_qua_code
Column Type: varchar
Max Length: 50
'Security Information Qualifier (ISA-03)'

Column Name: secu_info_qua_value
Column Type: varchar
Max Length: 250
The description associated with secu_info_qua_code. See secu_info_qua_code for more information.

Column Name: sel_sub_ident_num_code
Column Type: varchar
Max Length: 50
'Select Subscriber Identification Number (2010BA-NM109)'

Column Name: sel_sub_ident_num_value
Column Type: varchar
Max Length: 50
'Select Subscriber Identification Number (2010BA-NM109)'

Column Name: sgmnts_to_include_code
Column Type: varchar
Max Length: 50
'Select Segments To Include'

Column Name: sgmnts_to_include_value
Column Type: varchar
Max Length: 4096
The description associated with sgmnts_to_include_code. See sgmnts_to_include_code for more information.

Column Name: skip_loop_seg_code

Column Type: varchar

Max Length: 50

'If The Loop/Segment Information At The Service Level Is The Same As The Loop/Segment Information At The Claim Level (e.g. Service Facility Location Loop), Do You Want The Loop/Segment At The Service Level To Be Skipped?'

Column Name: skip_loop_seg_value

Column Type: varchar

Max Length: 250

The description associated with skip_loop_seg_code. See skip_loop_seg_code for more information.

Column Name: sort_by_prac_code

Column Type: varchar

Max Length: 50

'Sort Billing Pay To Provider Group By Rendering Practitioner'

Column Name: sort_by_prac_value

Column Type: varchar

Max Length: 250

The description associated with sort_by_prac_code. See sort_by_prac_code for more information.

Column Name: sort_clms_by_month_code

Column Type: varchar

Max Length: 50

'Sort Claims by Month'

Column Name: sort_clms_by_month_value

Column Type: varchar

Max Length: 50

The description associated with sort_clms_by_month_code. See sort_clms_by_month_code for more information.

Column Name: spec_prog_ind_code

Column Type: varchar

Max Length: 50

'Special Program Indicator Code (2300-CLM-12)'

Column Name: spec_prog_ind_value

Column Type: varchar

Max Length: 250

The description associated with spec_prog_ind_code. See spec_prog_ind_code for more information.

Column Name: submitter_contact_name

Column Type: varchar

Max Length: 50

'Submitter Contact Name (1000A-PER-02)'

Column Name: submitter_name

Column Type: varchar

Max Length: 50
'Submitter Name (1000A-NM1-03)'

Column Name: submitter_telephone
Column Type: varchar
Max Length: 50
'Submitter Telephone Number (1000A-PER-04)'

Column Name: sub_primary_id_num
Column Type: varchar
Max Length: 50
'Submitter Primary Identification # (1000A-NM1-09)'

Column Name: subscriber_group_number
Column Type: varchar
Max Length: 50
'Subscriber Group Number (2000B-SBR-03)'

Column Name: suffix_clm_sub_id
Column Type: varchar
Max Length: 50
'Specify A Suffix Value For Claim Submitter ID / Patient Account Number (2300-CLM-01)'

Column Name: supp_disc_date_seg_fornon_mode
Column Type: varchar
Max Length: 50
'Suppress Discharge Date Segment (2300-DTP) For Non-Mode 05 Services'

Column Name: supp_disc_date_seg_fornon_mode_value
Column Type: varchar
Max Length: 250
The description associated with supp_disc_date_seg_fornon_mode. See supp_disc_date_seg_fornon_mode for more information.

Column Name: supp_opayer_amt_code
Column Type: varchar
Max Length: 50
'Suppress Payer Paid Amount (2320-AMT)'

Column Name: supp_opayer_amt_value
Column Type: varchar
Max Length: 250
The description associated with supp_opayer_amt_code. See supp_opayer_amt_code for more information.

Column Name: suppress_zero_cas_code
Column Type: varchar
Max Length: 50
'Suppress Claim Level Adjustments/Service Level Adjustments When Total Is Zero'

Column Name: suppress_zero_cas_value

Column Type: varchar

Max Length: 50

The description associated with suppress_zero_cas_code. See suppress_zero_cas_code for more information.

Column Name: supr_adm_dis_code

Column Type: varchar

Max Length: 50

'Suppress Admission And Discharge Date Segment (2300-DTP)'

Column Name: supr_adm_dis_value

Column Type: varchar

Max Length: 250

The description associated with supr_adm_dis_code. See supr_adm_dis_code for more information.

Column Name: sup_ren_prov_enroll_code

Column Type: varchar

Max Length: 50

'Suppress Rendering Provider Name if Practitioner is Not Required to be Enrolled with Guarantor (2310B/2420A)'

Column Name: sup_ren_prov_enroll_value

Column Type: varchar

Max Length: 250

The description associated with sup_ren_prov_enroll_code. See sup_ren_prov_enroll_code for more information.

Column Name: supr_rend_prov_code

Column Type: varchar

Max Length: 50

'Suppress Rendering Provider Name (2310B/2420A)'

Column Name: supr_rend_prov_value

Column Type: varchar

Max Length: 250

The description associated with supr_rend_prov_code. See supr_rend_prov_code fore more information.

Column Name: supr_svc_fac_code

Column Type: varchar

Max Length: 50

Suppress Service Facility Location

Column Name: supr_svc_fac_value

Column Type: varchar

Max Length: 250

The description associated with supr_svc_fac_code. See supr_svc_fac_code for more information.

Column Name: svc_note_ref_code

Column Type: varchar

Max Length: 50

'Service Note Reference Code (837P-2400-NTE-01)'

Column Name: svc_note_ref_value

Column Type: varchar

Max Length: 250

The description associated with svc_note_ref_code. See svc_note_ref_code for more information.

Column Name: svc_note_text

Column Type: varchar

Max Length: 50

'Service Note Text (837P-2400-NTE-02)'

Column Name: tab_id_code

Column Type: integer

'Tab Id'

Column Name: tab_id_value

Column Type: varchar

Max Length: 50

The description associated with tab_id_code. See tab_id_code for more information.

Column Name: template_id

Column Type: varchar

Max Length: 50

'Template ID'

Column Name: template_name

Column Type: varchar

Max Length: 50

'Template Name'

Column Name: usage_ind_code

Column Type: varchar

Max Length: 50

'Usage Indicator (ISA-15)'

Column Name: usage_ind_value

Column Type: varchar

Max Length: 250

The description associated with usage_ind_code. See usage_ind_code for more information.

Column Name: use_rnd_if_notfound_code

Column Type: varchar

Max Length: 50

'Specify How Rendering Provider Information Should Be Populated'

Column Name: use_rnd_if_notfound_value

Column Type: varchar

Max Length: 250

The description associated with use_rnd_if_notfound_code. See use_rnd_if_notfound_code for more information.

Column Name: use_rollup_dts_code

Column Type: varchar

Max Length: 50

'Use Roll-Up Component First And Last Dates Of Service (2400-DTP)'

Column Name: use_rollup_dts_value

Column Type: varchar

Max Length: 250

The description associated with use_rollup_dts_code. See use_rollup_dts_code for more information.

Column Name: xover_guar_code

Column Type: varchar

Max Length: 50

'Select Guarantor(s) Responsible For Crossover Claim Submission'

Column Name: xover_guar_value

Column Type: varchar

Max Length: 2000

The description associated with xover_guar_code. See xover_guar_code for more information.

Column Name: zero_dol_svc_code

Column Type: varchar

Max Length: 50

'Include Zero Dollar Services'

Column Name: zero_dol_svc_value

Column Type: varchar

Max Length: 250

The description associated with zero_dol_svc_code. See zero_dol_svc_code for more information.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_gpbd_t_paperhcfa

Table Description: This table returns the information stored in the 'File Import' form for the 'Paper CMS 1500' section of the 'Guarantor/Program Billing Defaults Template' selection.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

Column Name: FILE_ID
Column Type: integer

Column Name: add_edit_code
Column Type: varchar
Max Length: 50
5000 - Add/Edit

Column Name: add_edit_value
Column Type: varchar
Max Length: 250

Column Name: contains_errors
Column Type: varchar
Max Length: 50

Column Name: disp_codes_for_hipaa_code
Column Type: varchar
Max Length: 50
14268 - Display Codes/Values For HIPAA

Column Name: disp_codes_for_hipaa_value
Column Type: varchar
Max Length: 250

Column Name: enable_drug_ident_code
Column Type: varchar
Max Length: 50
14610 - Enable Drug Identification (Form Locator 24)

Column Name: enable_drug_ident_value
Column Type: varchar
Max Length: 250

Column Name: enable_form_loc_17_code
Column Type: varchar
Max Length: 50

Column Name: enable_form_loc_17_value
Column Type: varchar
Max Length: 50

Column Name: enable_ndi_format_code
Column Type: varchar
Max Length: 50
14611 - Drug Identification Quantity Format (Form Locator 24)

Column Name: enable_ndi_format_value
Column Type: varchar
Max Length: 250

Column Name: filetype
Column Type: integer

Column Name: form_loc_19_alt_code
Column Type: varchar
Max Length: 50
Form Locator 19 Alternate Value

Column Name: form_loc_19_alt_value
Column Type: varchar
Max Length: 50
The description associated with form_loc_19_alt_code. See form_loc_19_alt_code for more information.

Column Name: hcfa_box9_fin_cls_code
Column Type: varchar
Max Length: 1
12161 Financial Classes To Override Other Payer Information (2330B)

Column Name: hcfa_box9_fin_cls_value
Column Type: varchar
Max Length: 250

Column Name: hcfa_first_bill_dt_code
Column Type: varchar
Max Length: 50
1430 - Enable First Billing Date Logic

Column Name: hcfa_first_bill_dt_value
Column Type: varchar
Max Length: 250

Column Name: hcfa_npi_loc_24i_code
Column Type: varchar
Max Length: 50
13430 - Rendering Provider ID Qualifier (Form Locator 24-I HCFA-1500-NPI Version Only)

Column Name: hcfa_npi_loc_24i_value
Column Type: varchar
Max Length: 250

Column Name: hcfa_npi_loc_24j_npi
Column Type: varchar
Max Length: 50
13432 - Rendering Provider NPI Number (Form Locator 24-J HCFA-1500-NPI Version Only)

Column Name: hcfa_npi_loc_24j_other
Column Type: varchar
Max Length: 50
13431 - Rendering Provider ID (Form Locator 24-J HCFA-1500-NPI Version Only)

Column Name: hcfa_ref_prv_qual_code
Column Type: varchar
Max Length: 50

Column Name: hcfa_ref_prv_qual_value
Column Type: varchar
Max Length: 50

Column Name: hcfa_use_rollup_dts_code
Column Type: varchar
Max Length: 50
13101 - Use Roll-Up Component First And Last Dates Of Service (Form Locator 24-A)

Column Name: hcfa_use_rollup_dts_value
Column Type: varchar
Max Length: 250

Column Name: line
Column Type: integer

Column Name: paper_hcfa_24a_spce_code
Column Type: varchar
Max Length: 1
1119 - Include Spaces in FL 24-A (Two Digit Years Only)

Column Name: paper_hcfa_24a_spce_value
Column Type: varchar
Max Length: 3

Column Name: paper_hcfa_32_pos_code

Column Type: varchar
Max Length: 50
Use Client's Address for Service Facility Location (Form Locator 32) if the 'Place Of Service' is '12-Home'

Column Name: paper_hcfa_32_pos_value
Column Type: varchar
Max Length: 50
Use Client's Address for Service Facility Location (Form Locator 32) if the 'Place Of Service' is '12-Home'

Column Name: paper_hcfa_box_10d_code
Column Type: varchar
Max Length: 50
1296 - Display For Form Locator 10-D

Column Name: paper_hcfa_box_10d_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_box_11_pr_code
Column Type: varchar
Max Length: 50
1297 - Display For Form Locator 11, If Primary Guarantor

Column Name: paper_hcfa_box_11_pr_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_box_18_code
Column Type: varchar
Max Length: 50
1455 - Form Locator 18 Display Admission/Discharge Date

Column Name: paper_hcfa_box_18_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_box_26_code
Column Type: varchar
Max Length: 50
13340 - Display For Form Locator 26 (Patient Account No.)

Column Name: paper_hcfa_box_26_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_box_4_no_pr_code

Column Type: varchar
Max Length: 50
1292 - Display For Form Locator 4, If Not Primary Guarantor

Column Name: paper_hcfa_box_4_no_pr_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_box_4_pr_code
Column Type: varchar
Max Length: 50
1291 - Display For Form Locator 4, If Primary Guarantor

Column Name: paper_hcfa_box_4_pr_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_box_7_code
Column Type: varchar
Max Length: 50
1293 - Display For Form Locator 7

Column Name: paper_hcfa_box_7_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_box_9_mg_code
Column Type: varchar
Max Length: 50
1294 - Display For Form Locator 9, If Medigap Benefits Are Assigned

Column Name: paper_hcfa_box_9_mg_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_box_9_no_mg_code
Column Type: varchar
Max Length: 50
1295 - Display For Form Locator 9, If No Medigap Benefits Are Assigned

Column Name: paper_hcfa_box_9_no_mg_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_date_format_code

Column Type: varchar
Max Length: 50
1114 - Date Format

Column Name: paper_hcfa_date_format_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_dis_pymt_code
Column Type: varchar
Max Length: 50
1177 - Display Prior Payment(s) For Other Guarantor(s)

Column Name: paper_hcfa_dis_pymt_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_exclude_punc_code
Column Type: varchar
Max Length: 50
1176 - Exclude Punctuation From Claim

Column Name: paper_hcfa_exclude_punc_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_fl_29_code
Column Type: varchar
Max Length: 50
10625 - Form Locator 29 (Amount Paid) Exclude Adjustments

Column Name: paper_hcfa_fl_29_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_f_loc_9d_over
Column Type: varchar
Max Length: 50
14603 - Form Locator 9D Override (Insurance Plan Name or Program Name)

Column Name: paper_hcfa_form_loc_10d
Column Type: varchar
Max Length: 50
1104 - Form Locator 10-D

Column Name: paper_hcfa_form_loc_11c

Column Type: varchar

Max Length: 50

1105 - Form Locator 11-C

Column Name: paper_hcfa_form_loc_19

Column Type: varchar

Max Length: 50

1106 - Form Locator 19

Column Name: paper_hcfa_form_loc_24_b

Column Type: varchar

Max Length: 50

1136 - Form Locator 24-B

Column Name: paper_hcfa_form_loc_24_c

Column Type: varchar

Max Length: 50

1137 - Form Locator 24-C

Column Name: paper_hcfa_form_loc_24_h

Column Type: varchar

Max Length: 50

1138 - Form Locator 24-H

Column Name: paper_hcfa_form_loc_24_i

Column Type: varchar

Max Length: 50

1139 - Form Locator 24-I

Column Name: paper_hcfa_form_loc_24_j

Column Type: varchar

Max Length: 50

1140 - Form Locator 24-J

Column Name: paper_hcfa_form_loc_25

Column Type: varchar

Max Length: 50

14601 - Federal Tax ID Number (Form Locator 25)

Column Name: paper_hcfa_form_loc_26

Column Type: varchar

Max Length: 50

1178 - Form Locator 26 (Patient Account No.)

Column Name: paper_hcfa_form_loc_27_code

Column Type: varchar

Max Length: 50

1171 - Form Locator 27 (Accept Assignment)

Column Name: paper_hcfa_form_loc_27_value

Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_form_loc_31
Column Type: varchar
Max Length: 50
1107 - Form Locator 31 For Non Sorted HCFA-1500

Column Name: paper_hcfa_form_loc_32_code
Column Type: varchar
Max Length: 50
1116 - Facility Name To Print In Form Locator 32

Column Name: paper_hcfa_form_loc_32_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_form_loc_33_grp
Column Type: varchar
Max Length: 50
138 - Form Locator 33 (GRP#)

Column Name: paper_hcfa_form_loc_33_pin
Column Type: varchar
Max Length: 50
1108 - Form Locator 33 (PIN#)

Column Name: paper_hcfa_horiz_offset
Column Type: varchar
Max Length: 50
1112 - Horizontal Offset (HCFA-1500)

Column Name: paper_hcfa_loc33_addr_code
Column Type: varchar
Max Length: 50
1158 - Address Information To Print In Form Locator 33

Column Name: paper_hcfa_loc33_addr_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_npi_loc_24c
Column Type: varchar
Max Length: 50
1320 - Form Locator 24-C (EMG) (HCFA-1500-NPI Version Only)

Column Name: paper_hcfa_npi_loc_32a

Column Type: varchar
Max Length: 50
1321 - Form Locator 32-A (NPI #) (HCFA-1500-NPI Version Only)

Column Name: paper_hcfa_npi_loc_32b
Column Type: varchar
Max Length: 50
1323 - Form Locator 32-B (Other ID #) (HCFA-1500-NPI Version Only)

Column Name: paper_hcfa_npi_loc_32b_code
Column Type: varchar
Max Length: 50
1329 - Form Locator 32-B (Other ID Qualifier) (HCFA-1500-NPI Version Only)

Column Name: paper_hcfa_npi_loc_32b_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_npi_loc_33a
Column Type: varchar
Max Length: 50
1325 - Form Locator 33-A (NPI #) (HCFA-1500-NPI Version Only)

Column Name: paper_hcfa_npi_loc_33a_override
Column Type: varchar
Max Length: 50
1326 - Override Form Locator 33-A (NPI #) (HCFA-1500-NPI Version Only)

Column Name: paper_hcfa_npi_loc_33a_override_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_npi_loc_33b
Column Type: varchar
Max Length: 50
1327 - Form Locator 33-B (Other ID #) (HCFA-1500-NPI Version Only)

Column Name: paper_hcfa_npi_loc_33b_code
Column Type: varchar
Max Length: 50
1330 - Form Locator 33-B (Other ID Qualifier) (HCFA-1500-NPI Version Only)

Column Name: paper_hcfa_npi_loc_33b_override
Column Type: varchar
Max Length: 50
1328 - Override Form Locator 33-B (Other ID Qualifier And #) (HCFA-1500-NPI Version Only)

Column Name: paper_hcfa_npi_loc_33b_override_value

Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_npi_loc_33b_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_npi_rnd_pr_ovr_code
Column Type: varchar
Max Length: 50
1431 - Select Rendering Provider Override

Column Name: paper_hcfa_npi_rnd_pr_ovr_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_oth_add_info_1
Column Type: varchar
Max Length: 50
Other Address Information To Print In Form Locator 33-1

Column Name: paper_hcfa_oth_add_info_2
Column Type: varchar
Max Length: 50
Other Address Information To Print In Form Locator 33-2

Column Name: paper_hcfa_oth_add_info_3
Column Type: varchar
Max Length: 50
Other Address Information To Print In Form Locator 33-3

Column Name: paper_hcfa_oth_fac_name_1
Column Type: varchar
Max Length: 50
Other Facility Name To Print In Form Locator 32-1

Column Name: paper_hcfa_oth_fac_name_2
Column Type: varchar
Max Length: 50
Other Facility Name To Print In Form Locator 32-2

Column Name: paper_hcfa_oth_fac_name_3
Column Type: varchar
Max Length: 50
Other Facility Name To Print In Form Locator 32-3

Column Name: paper_hcfa_override_grp_code

Column Type: varchar
Max Length: 50
1175 - Over-Ride Form Locator 33 (GRP#) With Practitioner Number

Column Name: paper_hcfa_override_grp_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_override_pin_code
Column Type: varchar
Max Length: 50
1174 - Over-Ride Form Locator 33 (PIN#) With Practitioner Number

Column Name: paper_hcfa_override_pin_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_paid_chg_code
Column Type: varchar
Max Length: 50
1290 - Display Fully Paid Charges

Column Name: paper_hcfa_paid_chg_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_prefix_loc_26
Column Type: varchar
Max Length: 50
13107 - Specify A Prefix Value For Form Locator 26 (Patient Account No.)

Column Name: paper_hcfa_print_discip_code
Column Type: varchar
Max Length: 50
1160 - Print Practitioner Category In Form Locator 31 For Sorted HCFA-1500

Column Name: paper_hcfa_print_discip_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_prt_address_on_top
Column Type: varchar
Max Length: 50
1102 - Print Address On Top Of Form

Column Name: paper_hcfa_prt_address_on_top_value

Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_prt_form_loc_21_1
Column Type: varchar
Max Length: 50
1115 - Print Diagnosis On 21-1 Only

Column Name: paper_hcfa_prt_form_loc_21_1_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_prt_loc_14_code
Column Type: varchar
Max Length: 50
1103 - Print Form Locator 14

Column Name: paper_hcfa_prt_loc_14_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_spv_lc31_code
Column Type: varchar
Max Length: 50

Column Name: paper_hcfa_spv_lc31_value
Column Type: varchar
Max Length: 50

Column Name: paper_hcfa_srt_clms_code
Column Type: varchar
Max Length: 50
1428 - Sort Paper HCFA-1500 Claims By

Column Name: paper_hcfa_srt_clms_value
Column Type: varchar
Max Length: 250

Column Name: paper_hcfa_zero_svc_code
Column Type: varchar
Max Length: 50
1427 - Include Zero Dollar Services

Column Name: paper_hcfa_zero_svc_value

Column Type: varchar
Max Length: 250

Column Name: posted_value
Column Type: varchar
Max Length: 50

Column Name: tab_id_code
Column Type: integer
14274 - Tab Id

Column Name: tab_id_value
Column Type: varchar
Max Length: 50

Column Name: template_id
Column Type: varchar
Max Length: 50
14252 - Template ID

Column Name: template_name
Column Type: varchar
Max Length: 50
14251 - Template Name

Documentation for form: File_Import

Table Name: SYSTEM.file_import_gpbdt_paperub04

Table Description: This table returns the information stored in the 'File Import' form for the 'Paper UB-04' section of the 'Guarantor/Program Billing Defaults Template' selection.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
FACILITY

Column Name: FILE_ID
Column Type: integer
FILE_ID

Column Name: add_edit_code
Column Type: varchar
Max Length: 50
Add/Edit (code)

Column Name: add_edit_value
Column Type: varchar
Max Length: 250
Add/Edit (value)

Column Name: att_prov_first_name
Column Type: varchar
Max Length: 50
'Attending Provider First Name (Form Locator 76)'

Column Name: att_prov_last_name
Column Type: varchar
Max Length: 50
'Attending Provider Last Name (Form Locator 76)'

Column Name: att_prov_npi
Column Type: varchar
Max Length: 50
'Attending Provider NPI (Form Locator 76)'

Column Name: att_prov_sec_id
Column Type: varchar
Max Length: 50
'Attending Provider Secondary Identifier (Form Locator 76)'

Column Name: att_prov_sec_id_code
Column Type: varchar
Max Length: 50
'Attending Provider Secondary Identifier Code (Form Locator 76)'

Column Name: att_prov_sec_id_value
Column Type: varchar
Max Length: 250
The description associated with att_prov_sec_id_code. See att_prov_sec_id_code for more information.

Column Name: billing_prov_name_fl1
Column Type: varchar
Max Length: 50
'Form Locator 1 Billing Provider Name'

Column Name: bill_zero_chg_svcs_code
Column Type: varchar
Max Length: 50
'Include Zero Charge Services'

Column Name: bill_zero_chg_svcs_value

Column Type: varchar

Max Length: 50

The description associated with bill_zero_chg_svcs_code. See bill_zero_chg_svcs_code for more information.

Column Name: contains_errors

Column Type: varchar

Max Length: 50

Import file contains errors

Column Name: covered_days_code

Column Type: varchar

Max Length: 50

'Value To Display For Value Code 80 (Covered Days Form Locator 39-41)'

Column Name: covered_days_value

Column Type: varchar

Max Length: 250

The description associated with covered_days_code. See covered_days_code for more information.

Column Name: demo_data_display_code

Column Type: varchar

Max Length: 50

'Information To Display For Form Locators 8b, 9, 10, And 11'

Column Name: demo_data_display_value

Column Type: varchar

Max Length: 250

The description associated with demo_data_display_code. See demo_data_display_code for more information.

Column Name: det_non_cov_chg_fee_code

Column Type: varchar

Max Length: 50

'Determine Non-Covered Charge Amount (Form Locator 48) From Fee Table'

Column Name: det_non_cov_chg_fee_value

Column Type: varchar

Max Length: 250

The description associated with det_non_cov_chg_fee_code. See det_non_cov_chg_fee_code for more information.

Column Name: disp_codes_for_hipaa_code

Column Type: varchar

Max Length: 50

'Display Codes/Values For HIPAA' (Code)

Column Name: disp_codes_for_hipaa_value

Column Type: varchar
Max Length: 250
'Display Codes/Values For HIPAA' (Value)

Column Name: display_poa_code
Column Type: varchar
Max Length: 50
'Display Present On Admission Indicator Code For Form Locators 67 And 72'

Column Name: display_poa_value
Column Type: varchar
Max Length: 250
The description associated with display_poa_code. See display_poa_code for more information.

Column Name: enable_first_bill_code
Column Type: varchar
Max Length: 50
'Enable First Billing Date Logic'

Column Name: enable_first_bill_value
Column Type: varchar
Max Length: 250

Column Name: enb_using_drg_code
Column Type: varchar
Max Length: 50
'Enable Using DRG Code In Form Locator 71' (Code)

Column Name: enb_using_drg_value
Column Type: varchar
Max Length: 50
'Enable Using DRG Code In Form Locator 71' (Value)

Column Name: estimated_amt_due_code
Column Type: varchar
Max Length: 50
'Value To Display For Estimated Amount Due - Payer (Form Locator 55)'

Column Name: estimated_amt_due_value
Column Type: varchar
Max Length: 250
The description associated with estimated_amt_due_code. See estimated_amount_due_code for more information.

Column Name: exclude_punc_code
Column Type: varchar
Max Length: 50
'Exclude Punctuation From Claim - Form Locators 67-70, 72 And 74'

Column Name: exclude_punc_value

Column Type: varchar

Max Length: 250

The description associated with exclude_punc_code. See exclude_punc_code for more information.

Column Name: filetype

Column Type: integer

File type

Column Name: form_loc_13_adm_hr_code

Column Type: varchar

Max Length: 50

'Form Locator 13 - Admission Hour'

Column Name: form_loc_13_adm_hr_value

Column Type: varchar

Max Length: 50

The description associated with form_loc_13_adm_hr_code. See form_loc_13_adm_hr_code for more information.

Column Name: form_loc_16_discharge_hr

Column Type: varchar

Max Length: 50

'Form Locator 16 - Discharge Hour'

Column Name: form_loc_17_pt_stat_code

Column Type: varchar

Max Length: 50

'Form Locator 17 - Patient Status'

Column Name: form_loc_17_pt_stat_value

Column Type: varchar

Max Length: 250

The description associated with form_loc_17_pt_stat_code. See form_loc_17_pt_stat_code for more information.

Column Name: form_loc_1_code

Column Type: varchar

Max Length: 50

'Address Information To Print In Form Locator 1'

Column Name: form_loc_1_value

Column Type: varchar

Max Length: 250

The description associated with form_loc_1_code. See form_loc_1_code for more information.

Column Name: form_loc_2_city

Column Type: varchar

Max Length: 50

'Form Locator 2 Pay-To City'

Column Name: form_loc_2_name
Column Type: varchar
Max Length: 50
'Form Locator 2 Pay-To Provider Name'

Column Name: form_loc_2_state
Column Type: varchar
Max Length: 50
'Form Locator 2 Pay-To State'

Column Name: form_loc_2_state_value
Column Type: varchar
Max Length: 50
The description associated with form_loc_2_state. See form_loc_2_state for more information.

Column Name: form_loc_2_str_address
Column Type: varchar
Max Length: 50
'Form Locator 2 Pay-To Street Address'

Column Name: form_loc_2_zip
Column Type: varchar
Max Length: 50
'Form Locator 2 Pay-To Zip Code'

Column Name: form_loc_38_code
Column Type: varchar
Max Length: 50
'Display For Form Locator 38'

Column Name: form_loc_38_value
Column Type: varchar
Max Length: 250
The description associated with form_loc_38_code. See form_loc_38_code for more information.

Column Name: form_loc_3_code
Column Type: varchar
Max Length: 50
'Display For Form Locator 3 (Patient Account No.)'

Column Name: form_loc_3_value
Column Type: varchar
Max Length: 250
The description associated with form_loc_3_code. See form_loc_3_code for more information.

Column Name: form_loc_42_code
Column Type: varchar
Max Length: 50
'Form Locator 42 - Number Of Digits For Revenue Code'

Column Name: form_loc_42_value

Column Type: varchar

Max Length: 250

The description associated with form_loc_42_code. See form_loc_42_code for more information.

Column Name: form_loc_43_code

Column Type: varchar

Max Length: 50

'Form Locator 43 - Revenue Code Description'

Column Name: form_loc_43_value

Column Type: varchar

Max Length: 250

The description associated with form_loc_43_code. See form_loc_43_code for more information.

Column Name: form_loc_44_code

Column Type: varchar

Max Length: 50

'Form Locator 44 - Display HCPCS For The Following Revenue Code(s)'

Column Name: form_loc_44_code_desc

Column Type: varchar

Max Length: 2000

The description associated with form_loc_44_code. See form_loc_44_code for more information.

Column Name: form_loc_45_code

Column Type: varchar

Max Length: 50

'Form Locator 45 - Display Dates Of Service For The Following Revenue Code(s)'

Column Name: form_loc_45_code_desc

Column Type: varchar

Max Length: 2000

The description associated with form_loc_45_code. See form_loc_45_code for more information.

Column Name: form_loc_47_code

Column Type: varchar

Max Length: 50

'Form Locator 47 - Charge Calculation'

Column Name: form_loc_47_value

Column Type: varchar

Max Length: 250

The description associated with form_loc_47_code. See form_loc_47_code for more information.

Column Name: form_loc_4_code

Column Type: varchar

Max Length: 50

'Form Locator 4 (First Three Digits)'

Column Name: form_loc_4_value

Column Type: varchar

Max Length: 250

The description associated with form_loc_4_code. See form_loc_4_code for more information.

Column Name: form_loc_50_code

Column Type: varchar

Max Length: 50

'Payer Name Location (Form Locator 50)'

Column Name: form_loc_50_value

Column Type: varchar

Max Length: 250

The description associated with form_loc_50_code. See form_loc_50_code for more information.

Column Name: form_loc_51_hlth_plan_no

Column Type: varchar

Max Length: 50

'Form Locator 51 (Health Plan ID)'

Column Name: form_loc_56_NPI

Column Type: varchar

Max Length: 50

'Form Locator 56 (National Provider Identifier)'

Column Name: form_loc_57_oth_id

Column Type: varchar

Max Length: 50

'Form Locator 57 (Other Billing Provider ID)'

Column Name: form_loc_5_tax_num

Column Type: varchar

Max Length: 50

'Federal Tax Number (Form Locator 5)'

Column Name: form_loc_62_clm_date_code

Column Type: varchar

Max Length: 50

'Date To Use In Statement Covers Period - Through (Form Locator 6-2)'

Column Name: form_loc_62_clm_date_value

Column Type: varchar

Max Length: 250

The description associated with form_loc_62_clm_date_code. See form_loc_62_clm_date_code for more information.

Column Name: form_loc_66_dx_code

Column Type: varchar

Max Length: 50

'Form Locator 66 (ICD Version Indicator)'

Column Name: form_loc_66_dx_value

Column Type: varchar

Max Length: 250

The description associated with form_loc_66_dx_code. See form_loc_dx_66_code for more information.

Column Name: form_loc_80_code

Column Type: varchar

Max Length: 50

'Display For Form Locator 80'

Column Name: form_loc_80_value

Column Type: varchar

Max Length: 250

The description associated with form_loc_80_code. See form_loc_80_code for more information.

Column Name: form_loc_81_A_1_code

Column Type: varchar

Max Length: 50

'Form Locator 81-A-1'

Column Name: form_loc_81_A_1_value

Column Type: varchar

Max Length: 250

The description associated with form_loc_81_A_1_code. See form_loc_81_A_1_code for more information.

Column Name: form_loc_81_A_2

Column Type: varchar

Max Length: 50

'Form Locator 81-A-2'

Column Name: form_loc_81_A_3

Column Type: varchar

Max Length: 50

'Form Locator 81-A-3'

Column Name: freq_override_code

Column Type: varchar

Max Length: 50

'Type Of Bill Frequency Code Override (Form Locator 4)'

Column Name: freq_override_value

Column Type: varchar

Max Length: 50

The description associated with freq_override_code. See freq_override_code for more information.

Column Name: frm_loc_54_excl_adj_code

Column Type: varchar

Max Length: 50

'Exclude Adjustments From Prior Payments (Form Locator 54)'

Column Name: frm_loc_54_excl_adj_value

Column Type: varchar

Max Length: 250

The description associated with frm_loc_54_excl_adj_code. See frm_loc_54_excl_adj_code for more information.

Column Name: horiz_offset

Column Type: varchar

Max Length: 50

'Horizontal Offset (UB-04)'

Column Name: inc_hcpcs_for_ranb_code

Column Type: varchar

Max Length: 50

'Include HCPCS Code For Room And Board Charges?'

Column Name: inc_hcpcs_for_ranb_value

Column Type: varchar

Max Length: 50

The description associated with inc_hcpcs_for_ranb_code. See inc_hcpcs_for_ranb_code for more information.

Column Name: line

Column Type: integer

line

Column Name: loc_78_code

Column Type: varchar

Max Length: 50

'Select Type Of Information To Include In Form Locator 78'

Column Name: loc_78_value

Column Type: varchar

Max Length: 250

The description associated with loc_78_code. See loc_78_code for more information.

Column Name: medicaid_cert_ovr_code

Column Type: varchar

Max Length: 50

'Override To Type Of Bill For Medicaid Certified Bed Stay (Form Locator 4)'

Column Name: medicaid_cert_ovr_value

Column Type: varchar

Max Length: 250

The description associated with medicaid_cert_ovr_code. See medicaid_cert_ovr_code for more information.

Column Name: medicare_cert_ovr_code

Column Type: varchar
Max Length: 50
'Override To Type Of Bill For Medicare Certified Bed Stay (Form Locator 4)'

Column Name: medicare_cert_ovr_value
Column Type: varchar
Max Length: 250
The description associated with medicare_cert_ovr_code. See medicare_cert_ovr_code for more information.

Column Name: non_covered_days_code
Column Type: varchar
Max Length: 50
'Value To Display For Value Code 81 (Non-Covered Days Form Locator 39-41)'

Column Name: non_covered_days_value
Column Type: varchar
Max Length: 250
The description associated with non_covered_days_code. See non_covered_days_code for more information.

Column Name: onlyuse_attprvinf_wnn_nf
Column Type: varchar
Max Length: 50
'Only Use Attending Provider Information When An Attending Provider Is Not Found'

Column Name: onlyuse_attprvinf_wnn_nf_value
Column Type: varchar
Max Length: 250
The description associated with onlyuse_attprvinf_wnn_nf. See onlyuse_attprvinf_wnn_nf for more information.

Column Name: posted_value
Column Type: varchar
Max Length: 50
Import File Posted

Column Name: prefix_form_loc_3
Column Type: varchar
Max Length: 50
'Specify A Prefix Value For Form Locator 3 (Patient Account No.)'

Column Name: print_op_bill_code
Column Type: varchar
Max Length: 50
'Print As An Outpatient Bill If There Are No Room And Board Charges'

Column Name: print_op_bill_value
Column Type: varchar
Max Length: 250

The description associated with print_op_bill_code. See print_op_bill_code for more information.

Column Name: sort_claims_by_code

Column Type: varchar

Max Length: 50

'Sort Paper UB-04 Claims By'

Column Name: sort_claims_by_value

Column Type: varchar

Max Length: 250

The description associated with sort_claims_by_code. See sort_claims_by_code for more information.

Column Name: state_from_date_code

Column Type: varchar

Max Length: 50

'Statement From Date For First Bill For Guarantor'

Column Name: state_from_date_value

Column Type: varchar

Max Length: 250

The description associated with state_from_date_code. See state_from_date_code for more information.

Column Name: supp_non_bill_leave_code

Column Type: varchar

Max Length: 50

'Suppress Non-Billable Leaves'

Column Name: supp_non_bill_leave_value

Column Type: varchar

Max Length: 250

The description associated with supp_non_bill_leave_code. See supp_non_bill_leave_code for more information.

Column Name: suppress_fl54_code

Column Type: varchar

Max Length: 50

'If Prior Payments (Form Locator 54) Equals Zero Suppress Prior Payments'

Column Name: suppress_fl54_value

Column Type: varchar

Max Length: 250

The description associated with suppress_fl54_code. See suppress_fl54_code for more information.

Column Name: suppress_fl8a_code

Column Type: varchar

Max Length: 50

'If Patient Identifier (Form Locator 8a) Matches Insured's Unique ID (Form Locator 60) Suppress Patient Identifier'

Column Name: suppress_fl8a_value

Column Type: varchar

Max Length: 250

The description associated with suppress_fl8_code. See suppress_fl8_code for more information.

Column Name: tab_id_code

Column Type: integer

Tab Id

Column Name: tab_id_value

Column Type: varchar

Max Length: 50

The description associated with tab_id_code. See tab_id_code for more information.

Column Name: template_id

Column Type: varchar

Max Length: 50

Template ID

Column Name: template_name

Column Type: varchar

Max Length: 50

Template Name

Column Name: ub04_revenue_code

Column Type: varchar

Max Length: 50

'UB-04 Revenue Code For No-Pay ##0 Claims'

Documentation for form: File_Import

Table Name: SYSTEM.file_import_grp_home_dly

Table Description: This table returns information from the 'Group Home Daily Charge Rates' file import.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: FILE_ID

Column Type: integer

The file ID associated with the import.

Column Name: add_edit_delete_code
Column Type: varchar
Max Length: 50
'Add Edit or Delete'.

Column Name: add_edit_delete_value
Column Type: varchar
Max Length: 50
The description for the add_edit_delete_code. See add_edit_delete_code for more information.

Column Name: contains_errors
Column Type: varchar
Max Length: 50
Does the line contain errors.

Column Name: effective_date
Column Type: date
Effective date of rate.

Column Name: expiration_date
Column Type: date
Expiration date of rate.

Column Name: line
Column Type: integer
The line associated with the import.

Column Name: master_override_code
Column Type: varchar
Max Length: 50
Is rate master or override.

Column Name: master_override_value
Column Type: varchar
Max Length: 40
The description for the master_override_code. See master_override_code for more information.

Column Name: number_residents
Column Type: integer
Number of residents the rate is for.

Column Name: posted_value
Column Type: varchar
Max Length: 50
Compiled or Posted.

Column Name: program_code
Column Type: varchar
Max Length: 50
The program the rate is for.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description for the program_code. See program_code for more information.

Column Name: range_staff_hours

Column Type: varchar

Max Length: 50

Range of staff hours the rate is for.

Column Name: rate

Column Type: numeric

The daily charge rate.

Column Name: service_code_code

Column Type: varchar

Max Length: 50

'Service Code'.

Column Name: service_code_value

Column Type: varchar

Max Length: 255

The description associated with service_code_code. See service_code_code for more information.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_grp_home_log

Table Description: This table returns information from the 'Group Home Log' file import.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: FILE_ID

Column Type: integer

The file ID associated with the import.

Column Name: actual_hours

Column Type: numeric

Actual hours for the Program.

Column Name: add_edit_delete_code
Column Type: varchar
Max Length: 50
'Add Edit or Delete'.

Column Name: add_edit_delete_value
Column Type: varchar
Max Length: 50
The description for the add_edit_delete_code. See add_edit_delete_code for more information.

Column Name: authorized_hours
Column Type: numeric
Authorized hours for the Program.

Column Name: contains_errors
Column Type: varchar
Max Length: 50
Does the line contain errors.

Column Name: effective_date
Column Type: date
Effective date of rate.

Column Name: expiration_date
Column Type: date
Expiration date of rate.

Column Name: line
Column Type: integer
The line associated with the import.

Column Name: posted_value
Column Type: varchar
Max Length: 50
Compiled or Posted.

Column Name: program_code
Column Type: varchar
Max Length: 50
The program the rate is for.

Column Name: program_value
Column Type: varchar
Max Length: 40
The description for the program_code. See program_code for more information.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_grp_home_r_b

Table Description: This table returns information from the 'Group Home Room and Board Rates' file import.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_ID
Column Type: integer
The file ID associated with the import.

Column Name: add_edit_delete_code
Column Type: varchar
Max Length: 50
'Add Edit or Delete'.

Column Name: add_edit_delete_value
Column Type: varchar
Max Length: 50
The description for the add_edit_delete_code. See add_edit_delete_code for more information.

Column Name: contains_errors
Column Type: varchar
Max Length: 50
Does the line contain errors.

Column Name: effective_date
Column Type: date
Effective date of rate.

Column Name: expiration_date
Column Type: date
Expiration date of rate.

Column Name: line
Column Type: integer
The line associated with the import.

Column Name: master_override_code
Column Type: varchar
Max Length: 50

Is rate master or override.

Column Name: master_override_value

Column Type: varchar

Max Length: 40

The description for the master_override_code. See master_override_code for more information.

Column Name: occupied_beds

Column Type: integer

Number of occupied beds the rate is for.

Column Name: posted_value

Column Type: varchar

Max Length: 50

Compiled or Posted.

Column Name: program_code

Column Type: varchar

Max Length: 50

The program the rate is for.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description for the program_code. See program_code for more information.

Column Name: rate

Column Type: numeric

The daily charge rate.

Column Name: service_code_code

Column Type: varchar

Max Length: 50

'Service Code'.

Column Name: service_code_value

Column Type: varchar

Max Length: 255

The description associated with service_code_code. See service_code_code for more information.

Column Name: total_bedrooms

Column Type: integer

Number of bedrooms the rate is for.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_pay_adj

Table Description: File Import Payment/Adjustment Posting

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the posting was entered.

Column Name: FILE_ID
Column Type: integer
The File Import File ID.

Column Name: GUAR_ID
Column Type: varchar
Max Length: 20
The ID of the guarantor for which the posting was entered.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 50
The unique ID assigned to the specific Client's service. Will be the date of service in Julian date format followed by a counter starting with ".001".

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID for which the posting was entered.

Column Name: actual_amount_posted
Column Type: numeric
The amount posted.

Column Name: check_number
Column Type: varchar
Max Length: 50
The check number.

Column Name: claim_number
Column Type: integer
The claim number assigned to a Client's service for which the posting was entered.

Column Name: client_name
Column Type: varchar
Max Length: 100
The Client's name.

Column Name: contains_errors
Column Type: varchar
Max Length: 50
Does the import contain errors.

Column Name: date_of_service
Column Type: date
'Date of Service'.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number of the Client ID for which the posting was entered.

Column Name: filetype
Column Type: integer
The File Import File Type.

Column Name: guarantor_name
Column Type: varchar
Max Length: 50
The Guarantor name.

Column Name: line
Column Type: integer
The File Import row of data.

Column Name: pay_ack_transaction_num
Column Type: integer
The 'Transaction Number' in the 'Payment Acknowledgement' form.

Column Name: percent_allocation
Column Type: varchar
Max Length: 50
'Percent Allocation'.

Column Name: posted_value
Column Type: varchar
Max Length: 50
Is the File Import data posted.

Column Name: posting_code
Column Type: varchar
Max Length: 50
Posting Code.

Column Name: posting_code_desc
Column Type: varchar
Max Length: 50
Posting Code description.

Column Name: posting_comments
Column Type: varchar
Max Length: 50
'Posting Comments'

Column Name: posting_date
Column Type: date
Posting Date.

Column Name: posting_dollar_amount
Column Type: numeric
The posting dollar amount.

Column Name: reason_for_not_posting
Column Type: varchar
Max Length: 50
The reason if not posted.

Column Name: receipt_date
Column Type: date
'Date Of Receipt'.

Column Name: receipt_number
Column Type: varchar
Max Length: 50
The receipt number.

Column Name: rem_balance_action_code
Column Type: varchar
Max Length: 50
'Action For Remaining Balance'.

Column Name: rem_balance_action_value
Column Type: varchar
Max Length: 50
'Action For Remaining Balance'.

Column Name: rem_bal_transfer_code
Column Type: varchar
Max Length: 50
Remaining Balance transfer posting code.

Column Name: rem_bal_transfer_code_desc
Column Type: varchar
Max Length: 50
Remaining Balance transfer posting code.

Column Name: REM_BAL_TRAN_TO_GUAR_ID
Column Type: varchar
Max Length: 50

Remaining Balance transfer to Guarantor.

Column Name: rem_bal_write_off_code

Column Type: varchar

Max Length: 50

Remaining Balance write off posting code.

Column Name: rem_bal_write_off_code_desc

Column Type: varchar

Max Length: 50

Remaining Balance write off posting code.

Column Name: rem_tran_to_guarantor_name

Column Type: varchar

Max Length: 50

Remaining Balance transfer to Guarantor.

Column Name: service_code

Column Type: varchar

Max Length: 50

Service Code.

Column Name: service_description

Column Type: varchar

Max Length: 50

Service Code description.

Column Name: tran_to_guarantor_name

Column Type: varchar

Max Length: 50

Transfer to Guarantor.

Column Name: TRAN_TO_GUAR_ID

Column Type: varchar

Max Length: 20

Transfer to Guarantor.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_pay_auths

Table Description: File Import for Payor Based Authorizations.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_ID
Column Type: integer
FILEID

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 10
The id of the guarantor (payor) for this authorization.

Column Name: authorization_group_id
Column Type: varchar
Max Length: 10
Authorization group id.

Column Name: authorization_group_name
Column Type: varchar
Max Length: 50
Authorization group name.

Column Name: authorization_number
Column Type: varchar
Max Length: 50
Authorization number.

Column Name: contains_errors
Column Type: varchar
Max Length: 50
Contains Errors.

Column Name: effective_date
Column Type: date
The effective or start date for this authorization.

Column Name: expiration_date
Column Type: date
The expiration date for this authorization.

Column Name: filetype
Column Type: integer
The filetype

Column Name: guarantor_name
Column Type: varchar
Max Length: 40
The name of the guarantor (payor) for this authorization.

Column Name: line
Column Type: integer
line

Column Name: location_code
Column Type: varchar
Max Length: 4096
Location Code

Column Name: location_value
Column Type: varchar
Max Length: 32000
Location Value

Column Name: practitioner_category_code
Column Type: varchar
Max Length: 4096
The practitioner category code that this authorization can be applied to.

Column Name: practitioner_category_value
Column Type: varchar
Max Length: 32000
The practitioner category value that this authorization can be applied to.

Column Name: program_code
Column Type: varchar
Max Length: 10
The program code that this authorization can be applied to.

Column Name: program_value
Column Type: varchar
Max Length: 50
The program that this authorization can be applied to.

Column Name: v_service_code
Column Type: varchar
Max Length: 4096
The authorization's Service code.

Column Name: v_service_value
Column Type: varchar
Max Length: 32000
The name of this authorization's Service code.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_pcp_def

Table Description: This table returns the information stored in the 'File Import' form for the 'PCP Definition' selection.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_ID
Column Type: integer
Unique Id for the file imported.

Column Name: active_code
Column Type: varchar
Max Length: 50
'Active'.

Column Name: active_value
Column Type: varchar
Max Length: 50
The description for the active_code. See active_code for more information.

Column Name: add_edit_code
Column Type: varchar
Max Length: 50
'Add or Edit'.

Column Name: add_edit_value
Column Type: varchar
Max Length: 50
The description for the add_edit_code. See add_edit_code for more information.

Column Name: contains_errors
Column Type: varchar
Max Length: 50
Flag for determining if the file has errors.

Column Name: line
Column Type: integer
Line (helper)

Column Name: np_i_number
Column Type: varchar
Max Length: 50
'PCP NPI Number'.

Column Name: pcp_first_name
Column Type: varchar
Max Length: 50
'PCP First Name'.

Column Name: pcp_last_name
Column Type: varchar
Max Length: 50
'PCP Last Name'.

Column Name: pcp_middle_name
Column Type: varchar
Max Length: 50
'PCP Middle Name'.

Column Name: posted_value
Column Type: varchar
Max Length: 50
Posted appointment value

Column Name: program_code
Column Type: varchar
Max Length: 4096
'Programs'.

Column Name: program_value_long
Column Type: varchar
Max Length: 4096
The description for the program_code. See program_code for more information.

Column Name: program_value_short
Column Type: varchar
Max Length: 255
The description for the program_code limited to 255 characters. See program_code for more information.

Column Name: system_of_care_code
Column Type: varchar
Max Length: 50
'System Of Care'.

Column Name: system_of_care_value
Column Type: varchar
Max Length: 50
The description for the system_of_care_code. See system_of_care_code for more information.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_pcp_def_site

Table Description: This table returns the information stored in the 'File Import' form for the 'PCP Definition Site' selection.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: office_add_state_code
Column Type: varchar
Max Length: 10
'Office Address - State'.

Column Name: office_add_state_value
Column Type: varchar
Max Length: 40
The description for the office_add_state_code. See office_add_state_code for more information.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_ID
Column Type: integer
Unique Id for the file imported.

Column Name: active_code
Column Type: varchar
Max Length: 50
'Active'.

Column Name: active_value
Column Type: varchar
Max Length: 50
The description for the active_code. See active_code for more information.

Column Name: contains_errors
Column Type: varchar
Max Length: 50
Flag for determining if the file has errors.

Column Name: end_time
Column Type: varchar

Max Length: 50
'Valid Time Frame - End Time'.

Column Name: fax_number
Column Type: varchar
Max Length: 50
'Fax Number'.

Column Name: fax_verified_code
Column Type: varchar
Max Length: 50
'Fax Verified'.

Column Name: fax_verified_value
Column Type: varchar
Max Length: 50
The description for the fax_verified_code. See fax_verified_code for more information.

Column Name: line
Column Type: integer
Line (helper)

Column Name: method_code
Column Type: varchar
Max Length: 50
'Document Receiving Method Preference'.

Column Name: method_value
Column Type: varchar
Max Length: 50
The description for the method_code. See method_code for more information.

Column Name: npi_number
Column Type: varchar
Max Length: 50
PCP NPI Number.

Column Name: office_add_city
Column Type: varchar
Max Length: 50
'Office Address - City'.

Column Name: office_add_county_code
Column Type: varchar
Max Length: 50
'Office Address - County'.

Column Name: office_add_county_value
Column Type: varchar
Max Length: 50

The description for the office_add_county_code. See office_add_county_code for more information.

Column Name: office_add_street
Column Type: varchar
Max Length: 50
'Office Address - Street'.

Column Name: office_add_street_2
Column Type: varchar
Max Length: 50
'Office Address - Street 2'.

Column Name: office_add_zip
Column Type: varchar
Max Length: 50
'Office Address - Zip Code'.

Column Name: office_number
Column Type: varchar
Max Length: 50
'Office Number'.

Column Name: posted_value
Column Type: varchar
Max Length: 50
Posted appointment value

Column Name: receive_docs_code
Column Type: varchar
Max Length: 50
'Receive Documents'.

Column Name: receive_docs_value
Column Type: varchar
Max Length: 50
The description for the receive_docs_code. See receive_docs_code for more information.

Column Name: site_id
Column Type: integer
Communication Site ID.

Column Name: site_name
Column Type: varchar
Max Length: 50
'Communication Site Name'.

Column Name: start_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - Start Time'.

Column Name: time_zone_code
Column Type: varchar
Max Length: 50
'Time Zone'.

Column Name: time_zone_value
Column Type: varchar
Max Length: 50
The description for the time_zone_code. See time_zone_code for more information.

Column Name: valid_days_code
Column Type: varchar
Max Length: 50
'Valid Days Of The Week To Send'.

Column Name: valid_days_value_long
Column Type: varchar
Max Length: 4096
The description for the valid_days_code. See valid_days_code for more information.

Column Name: valid_days_value_short
Column Type: varchar
Max Length: 255
The description for the valid_days_code limited to 255 characters. See valid_days_code for more information.

Column Name: view_type_code
Column Type: varchar
Max Length: 50
'Document Communication View Type'.

Column Name: view_type_value
Column Type: varchar
Max Length: 50
The description for the view_type_code. See view_type_code for more information.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_prog_maint

Table Description: Keeps the data imported via 'File Import' when the 'Program Maintenance' is selected.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_ID
Column Type: integer
Unique Id for the file imported.

Column Name: active_code
Column Type: varchar
Max Length: 50
Code for active

Column Name: active_value
Column Type: varchar
Max Length: 50
Value for active

Column Name: add_or_edit_code
Column Type: varchar
Max Length: 50
Code for determining if this is adding or editing of a row.

Column Name: add_or_edit_value
Column Type: varchar
Max Length: 50
Value for determining if this is adding or editing of a row.

Column Name: address_city
Column Type: varchar
Max Length: 50
City

Column Name: address_state_code
Column Type: varchar
Max Length: 50
State

Column Name: address_state_value
Column Type: varchar
Max Length: 50
State name

Column Name: address_street
Column Type: varchar
Max Length: 50
Street

Column Name: address_zip_code

Column Type: varchar
Max Length: 10
ZIP

Column Name: admission_charge_code
Column Type: varchar
Max Length: 50
Default service code for admission

Column Name: admission_charge_desc
Column Type: varchar
Max Length: 50
Default service code description for admission

Column Name: allow_charge_entry_code
Column Type: varchar
Max Length: 50
Flag for allowing service entry

Column Name: allow_charge_entry_value
Column Type: varchar
Max Length: 50
Flag value for allowing service entry

Column Name: allow_deviate_loc_code
Column Type: varchar
Max Length: 50
Allow Deviation from Restricted LOC Codes in Recovery Plan code

Column Name: allow_deviate_loc_value
Column Type: varchar
Max Length: 50
Allow Deviation from Restricted LOC Codes in Recovery Plan

Column Name: allow_xfr_to_code
Column Type: varchar
Max Length: 255
Flag for determining 'Allow Transfer Only To The Following Programs'

Column Name: allow_xfr_to_value
Column Type: varchar
Max Length: 4096
Flag value for determining 'Allow Transfer Only To The Following Programs'

Column Name: associated_loc_codes
Column Type: varchar
Max Length: 32766
Associated Location codes

Column Name: associated_loc_values

Column Type: varchar
Max Length: 32766
Associated Location values

Column Name: assoc_svc_pgms_code
Column Type: varchar
Max Length: 10000
Associated Service Programs

Column Name: assoc_svc_pgms_val
Column Type: varchar
Max Length: 32766
Associated Service Programs

Column Name: billing_provider_npi
Column Type: varchar
Max Length: 50
Billing Provider NPI

Column Name: bill_prov_tax_ident_num
Column Type: varchar
Max Length: 50
'Billing Provider Tax Identification Number'

Column Name: bill_prov_tax_id_qua_code
Column Type: varchar
Max Length: 50
'Billing Provider Tax Identification Code Qualifier'

Column Name: bill_prov_tax_id_qua_val
Column Type: varchar
Max Length: 250
The description associated with bill_prov_tax_id_qua_code. See bill_prov_tax_id_qua_code for more information.

Column Name: cfr_code
Column Type: varchar
Max Length: 50
'Does this program meet 42 CFR Part 2 Regulations?' code

Column Name: cfr_value
Column Type: varchar
Max Length: 80
Dictionary value for the column 'cfr_code' 1548 - 'Does this program meet 42 CFR Part 2 Regulations?' value

Column Name: contains_errors
Column Type: varchar
Max Length: 50
Flag for determining if the file has errors.

Column Name: daily_charge_code
Column Type: varchar
Max Length: 50
Default daily service code

Column Name: daily_charge_code_2
Column Type: varchar
Max Length: 50
Default daily service code 2

Column Name: daily_charge_code_3
Column Type: varchar
Max Length: 50
Default daily service code 3

Column Name: daily_charge_code_4
Column Type: varchar
Max Length: 50
Default daily service code 4

Column Name: daily_charge_code_5
Column Type: varchar
Max Length: 50
Default daily service code 5

Column Name: daily_charge_desc
Column Type: varchar
Max Length: 50
Default daily service code description

Column Name: daily_charge_desc_2
Column Type: varchar
Max Length: 50
Default daily service code 2 description

Column Name: daily_charge_desc_3
Column Type: varchar
Max Length: 50
Default daily service code 3 description

Column Name: daily_charge_desc_4
Column Type: varchar
Max Length: 50
Default daily service code 4 description

Column Name: daily_charge_desc_5
Column Type: varchar
Max Length: 50
Default daily service code 5 description

Column Name: default_allow_serv_code
Column Type: varchar
Max Length: 40
Default Allowable Services in the Client Treatment Plan - Code

Column Name: default_allow_serv_shval
Column Type: varchar
Max Length: 255
Default Allowable Services in the Client Treatment Plan - Short Value

Column Name: default_allow_serv_value
Column Type: varchar
Max Length: 4096
Default Allowable Services in the Client Treatment Plan - Long Value

Column Name: def_num_days_expect_dis
Column Type: integer
Default Number Of Days For Expected Discharge

Column Name: description
Column Type: varchar
Max Length: 50
Description

Column Name: disp_only_active_ep_code
Column Type: varchar
Max Length: 50
Flag for determining 'Display Only Active Episodes In Episode Lookup'

Column Name: disp_only_active_ep_value
Column Type: varchar
Max Length: 50
Flag value for determining 'Display Only Active Episodes In Episode Lookup'

Column Name: emergency_room_code
Column Type: varchar
Max Length: 50
Emergency Room Program (Used for ARRA CQM Reports)

Column Name: emergency_room_value
Column Type: varchar
Max Length: 50
Emergency Room Program Name (Used for ARRA CQM Reports)

Column Name: enable_loc_tx_plan_code
Column Type: varchar
Max Length: 50
Enable Treatment Plans for the Level of Care Services code

Column Name: enable_loc_tx_plan_value

Column Type: varchar
Max Length: 50
Enable Treatment Plans for the Level of Care Services description

Column Name: encounter_cpt_code
Column Type: varchar
Max Length: 50
Encounter CPT Code

Column Name: encounter_cpt_value
Column Type: varchar
Max Length: 50
Encounter CPT Code description

Column Name: encounter_prob_code
Column Type: varchar
Max Length: 50
Encounter SNOMED Code (MU Hospital)

Column Name: encounter_prob_value
Column Type: varchar
Max Length: 256
Encounter SNOMED Code description (MU Hospital)

Column Name: enrollment_program_code
Column Type: varchar
Max Length: 50
1640 - Enrollment Program

Column Name: enrollment_program_value
Column Type: varchar
Max Length: 50
1640 - Enrollment Program

Column Name: evv_provider_org_id
Column Type: varchar
Max Length: 50
EVV Provider Organization ID

Column Name: exc_prog_from_report_code
Column Type: varchar
Max Length: 50
Flag for determining 'Exclude Program From Measures Reporting'

Column Name: exc_prog_from_report_val
Column Type: varchar
Max Length: 10
Flag value for determining 'Exclude Program From Measures Reporting'

Column Name: ext_amb_prov_code

Column Type: varchar
Max Length: 50
Flag for determining 'Is This Program Associated With An External Ambulatory Provider?'

Column Name: ext_amb_prov_value
Column Type: varchar
Max Length: 256
Flag value for determining 'Is This Program Associated With An External Ambulatory Provider?'

Column Name: fac_id_code
Column Type: varchar
Max Length: 50
Facility Identification Code Qualifier

Column Name: fac_id_code_qual_code
Column Type: varchar
Max Length: 50
Facility Identification Code Qualifier

Column Name: fac_id_code_qual_value
Column Type: varchar
Max Length: 50
Facility Identification Code Qualifier value

Column Name: fac_ref_id
Column Type: varchar
Max Length: 50
Facility Reference Identification Qualifier

Column Name: fac_ref_id_qual_code
Column Type: varchar
Max Length: 50
Facility Reference Identification Qualifier

Column Name: fac_ref_id_qual_value
Column Type: varchar
Max Length: 50
Facility Reference Identification Qualifier value

Column Name: fax_number
Column Type: varchar
Max Length: 50
'Fax Number'

Column Name: filetype
Column Type: integer
File Type

Column Name: group_duration_calc_code
Column Type: varchar

Max Length: 50
'Allow Group Duration Calculation' code

Column Name: group_duration_calc_value
Column Type: varchar
Max Length: 50
'Allow Group Duration Calculation' value

Column Name: hco_id
Column Type: varchar
Max Length: 50
HCO Id

Column Name: hie_exclusion_code
Column Type: varchar
Max Length: 50
Program HIE Exclusion

Column Name: hie_exclusion_value
Column Type: varchar
Max Length: 50
Program HIE Exclusion description

Column Name: inc_in_group_home_code
Column Type: varchar
Max Length: 50
Include in Group Home Billing code

Column Name: inc_in_group_home_value
Column Type: varchar
Max Length: 50
Include in Group Home Billing

Column Name: ins_chrg_categories_code
Column Type: varchar
Max Length: 50
10021 - 'Insurance Charge Category' code

Column Name: ins_chrg_categories_value
Column Type: varchar
Max Length: 4096
10021 - 'Insurance Charge Category' value

Column Name: is_rehab_program_code
Column Type: varchar
Max Length: 50
is this a rehab program code

Column Name: is_rehab_program_value
Column Type: varchar

Max Length: 50
is this a rehab program code value

Column Name: lab_facility_code
Column Type: varchar
Max Length: 50
Facility Address to Send to Lab Vendor code

Column Name: lab_facility_value
Column Type: varchar
Max Length: 50
Facility Address to Send to Lab Vendor description

Column Name: lab_responsible_code
Column Type: varchar
Max Length: 50
Financially Responsible Party for Lab Charges code

Column Name: lab_responsible_value
Column Type: varchar
Max Length: 50
Financially Responsible Party for Lab Charges description

Column Name: la_county_program_code
Column Type: varchar
Max Length: 50
'LA County Program' code

Column Name: la_county_program_value
Column Type: varchar
Max Length: 50
'LA County Program' value

Column Name: limit_open_act_ep_code
Column Type: varchar
Max Length: 50
Flag for determining 'Limit Open Active Episodes To One'.

Column Name: limit_open_act_ep_value
Column Type: varchar
Max Length: 50
Flag value for determining 'Limit Open Active Episodes To One'.

Column Name: line
Column Type: integer
Line (helper)

Column Name: location_code
Column Type: varchar
Max Length: 50

Appointment location code.

Column Name: location_value

Column Type: varchar

Max Length: 50

Appointment location description.

Column Name: medicaid_provider_id

Column Type: varchar

Max Length: 50

1570 - 'Medicaid Provider ID'

Column Name: mental_health_code

Column Type: varchar

Max Length: 50

1556 - 'Mental Health Program (CSI)' code

Column Name: mental_health_value

Column Type: varchar

Max Length: 50

1556 - 'Mental Health Program (CSI)' value

Column Name: obgyn_code

Column Type: varchar

Max Length: 50

obgyn

Column Name: obgyn_value

Column Type: varchar

Max Length: 50

obgyn value

Column Name: other_prog_grouper_id

Column Type: varchar

Max Length: 50

Other Program Grouper/Identifier

Column Name: phone_number

Column Type: varchar

Max Length: 50

'Phone Number'.

Column Name: posted_value

Column Type: varchar

Max Length: 50

Posted appointment value

Column Name: pref_diag_class_code

Column Type: varchar

Max Length: 50

preferred diagnosis class

Column Name: pref_diag_class_value

Column Type: varchar

Max Length: 4096

value of preferred diagnosis class code

Column Name: prgs_mlt_inp_adm_lv_code

Column Type: varchar

Max Length: 255

Flag for determining 'Select Programs To Allow Multiple Inpatient Admissions During Leave'.

Column Name: prgs_mlt_inp_adm_lv_value

Column Type: varchar

Max Length: 4096

Flag value for determining 'Select Programs To Allow Multiple Inpatient Admissions During Leave'.

Column Name: primarily_med_prog_code

Column Type: varchar

Max Length: 50

Primarily Medical Program code

Column Name: primarily_med_prog_value

Column Type: varchar

Max Length: 50

Primarily Medical Program description

Column Name: prim_care_prog_code

Column Type: varchar

Max Length: 50

Primary Care Program code

Column Name: prim_care_prog_value

Column Type: varchar

Max Length: 50

Primary Care Program description

Column Name: program_code

Column Type: varchar

Max Length: 10

Program Code

Column Name: program_tax_id

Column Type: varchar

Max Length: 50

Program Tax Id

Column Name: program_taxonomy_code

Column Type: varchar

Max Length: 50

Program Taxonomy Code

Column Name: program_type_code

Column Type: varchar

Max Length: 50

Program Type code

Column Name: program_type_value

Column Type: varchar

Max Length: 50

Program Type description

Column Name: require_adm_pract_code

Column Type: varchar

Max Length: 50

Flag for determining 'Require Admitting Practitioner'.

Column Name: require_adm_pract_value

Column Type: varchar

Max Length: 50

Flag value for determining 'Require Admitting Practitioner'.

Column Name: room_and_board_code

Column Type: varchar

Max Length: 50

Default Room&Board service code

Column Name: room_and_board_desc

Column Type: varchar

Max Length: 50

Default Room&Board service code description

Column Name: rrg_code

Column Type: varchar

Max Length: 50

RRG

Column Name: rrg_value

Column Type: varchar

Max Length: 50

RRG description

Column Name: serv_ent_restrict_code

Column Type: varchar

Max Length: 40

Enable Service Entry Restriction for Program - Code

Column Name: serv_ent_restrict_value

Column Type: varchar

Max Length: 40

Enable Service Entry Restriction for Program - Value

Column Name: services_code

Column Type: varchar

Max Length: 255

Service codes

Column Name: services_value

Column Type: varchar

Max Length: 4096

Service code descriptions

Column Name: set_as_def_loc_code

Column Type: varchar

Max Length: 50

Use the Selected Location As Default code

Column Name: set_as_def_loc_value

Column Type: varchar

Max Length: 80

Use the Selected Location As Default value

Column Name: ss_ext_dictionary_1

Column Type: varchar

Max Length: 50

Site specific property: ssextdictionary1

Column Name: ss_ext_dictionary_10

Column Type: varchar

Max Length: 50

Site specific property: ssextdictionary10

Column Name: ss_ext_dictionary_2

Column Type: varchar

Max Length: 50

Site specific property: ssextdictionary2

Column Name: ss_ext_dictionary_3

Column Type: varchar

Max Length: 50

Site specific property: ssextdictionary3

Column Name: ss_ext_dictionary_4

Column Type: varchar

Max Length: 50

Site specific property: ssextdictionary4

Column Name: ss_ext_dictionary_5

Column Type: varchar

Max Length: 50

Site specific property: ssextdictionary5

Column Name: ss_ext_dictionary_6

Column Type: varchar

Max Length: 50

Site specific property: ssextdictionary6

Column Name: ss_ext_dictionary_7

Column Type: varchar

Max Length: 50

Site specific property: ssextdictionary7

Column Name: ss_ext_dictionary_8

Column Type: varchar

Max Length: 50

Site specific property: ssextdictionary8

Column Name: ss_ext_dictionary_9

Column Type: varchar

Max Length: 50

Site specific property: ssextdictionary9

Column Name: ss_ext_field_name_1

Column Type: varchar

Max Length: 50

Site specific property: ssextfieldname1

Column Name: ss_ext_field_name_10

Column Type: varchar

Max Length: 50

Site specific property: ssextfieldname10

Column Name: ss_ext_field_name_2

Column Type: varchar

Max Length: 50

Site specific property: ssextfieldname2

Column Name: ss_ext_field_name_3

Column Type: varchar

Max Length: 50

Site specific property: ssextfieldname3

Column Name: ss_ext_field_name_4

Column Type: varchar

Max Length: 50

Site specific property: ssextfieldname4

Column Name: ss_ext_field_name_5

Column Type: varchar

Max Length: 50

Site specific property: ssextextfieldname5

Column Name: ss_ext_field_name_6

Column Type: varchar

Max Length: 50

Site specific property: ssextextfieldname6

Column Name: ss_ext_field_name_7

Column Type: varchar

Max Length: 50

Site specific property: ssextextfieldname7

Column Name: ss_ext_field_name_8

Column Type: varchar

Max Length: 50

Site specific property: ssextextfieldname8

Column Name: ss_ext_field_name_9

Column Type: varchar

Max Length: 50

Site specific property: ssextextfieldname9

Column Name: ss_ext_value_1

Column Type: varchar

Max Length: 50

Site specific property: ssexvalue1

Column Name: ss_ext_value_10

Column Type: varchar

Max Length: 50

Site specific property: ssexvalue10

Column Name: ss_ext_value_2

Column Type: varchar

Max Length: 50

Site specific property: ssexvalue2

Column Name: ss_ext_value_3

Column Type: varchar

Max Length: 50

Site specific property: ssexvalue3

Column Name: ss_ext_value_4

Column Type: varchar

Max Length: 50

Site specific property: ssexvalue4

Column Name: ss_ext_value_5

Column Type: varchar

Max Length: 50

Site specific property: ssexvalue5

Column Name: ss_ext_value_6
Column Type: varchar
Max Length: 50
Site specific property: ssexvalue6

Column Name: ss_ext_value_7
Column Type: varchar
Max Length: 50
Site specific property: ssexvalue7

Column Name: ss_ext_value_8
Column Type: varchar
Max Length: 50
Site specific property: ssexvalue8

Column Name: ss_ext_value_9
Column Type: varchar
Max Length: 50
Site specific property: ssexvalue9

Column Name: substance_abuse_code
Column Type: varchar
Max Length: 50
1555 - 'Substance Abuse Program (CADDs)' code

Column Name: substance_abuse_value
Column Type: varchar
Max Length: 50
1555 - 'Substance Abuse Program (CADDs)' value

Column Name: time_zone_code
Column Type: varchar
Max Length: 50
Code for Time Zone

Column Name: time_zone_value
Column Type: varchar
Max Length: 50
Value for Time Zone

Column Name: treatment_service_code
Column Type: varchar
Max Length: 50
Default treatment service code

Column Name: treatment_service_value
Column Type: varchar
Max Length: 50

Default treatment service code description

Column Name: treatment_setting_code
Column Type: varchar
Max Length: 50
Treatment setting code

Column Name: treatment_setting_value
Column Type: varchar
Max Length: 50
Treatment setting code value

Column Name: type_of_bill_code
Column Type: varchar
Max Length: 50
Type of Bill (First Two Digits) code

Column Name: type_of_bill_value
Column Type: varchar
Max Length: 50
Type of Bill (First Two Digits) description

Column Name: unit_code
Column Type: varchar
Max Length: 50
Unit code

Column Name: units_code
Column Type: varchar
Max Length: 255
patient units

Column Name: units_value
Column Type: varchar
Max Length: 4096
patient units value

Column Name: unit_value
Column Type: varchar
Max Length: 50
Unit description

Column Name: wrn_err_svc_aft_dis_code
Column Type: varchar
Max Length: 50
Flag for determining 'Should A User Receive A Warning Or An Error If A Client Has A Service Occuring After Discharge Date?'

Column Name: wrn_err_svc_aft_dis_value
Column Type: varchar

Max Length: 50

Flag value for determining 'Should A User Receive A Warning Or An Error If A Client Has A Service Occuring After Discharge Date?'

Documentation for form: File_Import

Table Name: SYSTEM.file_import_staff_prov_num_dates

Table Description: This table returns the information stored in the 'File Import' form for the '837 Institutional' section of the 'Guarantor/Program Billing Defaults Template' selection.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: staff_name

Column Type: varchar

Max Length: 40

The description associated with STAFF_ID. See STAFF_ID for more information.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: FILE_ID

Column Type: integer

The file ID associated with the import.

Column Name: STAFF_ID

Column Type: varchar

Max Length: 10

'Practitioner'

Column Name: add_prov_id_dental_fl58

Column Type: varchar

Max Length: 50

'Additional Provider ID (ADA Form Locator 58)'

Column Name: bill_note_ref_837i_code

Column Type: varchar

Max Length: 50

'Billing Note Reference Code (837I-2300-NTE-01)'

Column Name: bill_note_ref_837i_value

Column Type: varchar

Max Length: 50

The description associated with bill_note_ref_837i_code. See bill_note_ref_837i_code for more information.

Column Name: bill_note_text_837i
Column Type: varchar
Max Length: 50
'Billing Note Text (837I-2300-NTE-02)'

Column Name: claim_note_ref_837d_code
Column Type: varchar
Max Length: 50
'Claim Note Reference Code (837D-2300-NTE-01)'

Column Name: claim_note_ref_837d_value
Column Type: varchar
Max Length: 50
The description associated with claim_note_ref_837d_code. See claim_note_ref_837d_code for more information.

Column Name: claim_note_ref_837i_code
Column Type: varchar
Max Length: 50
'Claim Note Reference Code (837I-2300-NTE-01)'

Column Name: claim_note_ref_837i_value
Column Type: varchar
Max Length: 50
The description associated with claim_note_ref_837i_code. See claim_note_ref_837i_code for more information.

Column Name: claim_note_ref_837p_code
Column Type: varchar
Max Length: 50
'Claim Note Reference Code (837P-2300-NTE-01)'

Column Name: claim_note_ref_837p_value
Column Type: varchar
Max Length: 50
The description associated with claim_note_ref_837p_code. See claim_note_ref_837p_code for more information.

Column Name: claim_note_text_837d
Column Type: varchar
Max Length: 50
'Claim Note Text (837D-2300-NTE-02)'

Column Name: claim_note_text_837i
Column Type: varchar
Max Length: 50
'Claim Note Text (837I-2300-NTE-02)'

Column Name: claim_note_text_837p
Column Type: varchar
Max Length: 80
'Claim Note Text (837P-2300-NTE-02)'

Column Name: comments
Column Type: varchar
Max Length: 32000
'Comments'

Column Name: contains_errors
Column Type: varchar
Max Length: 50
The errors that occurred for the import.

Column Name: effective_date
Column Type: date
'Effective Date'

Column Name: expiration_date
Column Type: date
'Expiration Date'

Column Name: filetype
Column Type: integer
The file type associated with the import.

Column Name: guarantor_code
Column Type: varchar
Max Length: 50
The guarantor ID associated with the file import.

Column Name: guarantor_shval
Column Type: varchar
Max Length: 256
The short description associated with guarantor_code. See guarantor_code for more information.

Column Name: guarantor_value
Column Type: varchar
Max Length: 4096
The description associated with guarantor_code. See guarantor_code for more information.

Column Name: hcfa_1500_form_loc_19
Column Type: varchar
Max Length: 50
'HCFA-1500 Form Locator 19'

Column Name: hcfa_npi_17a
Column Type: varchar

Max Length: 50

'Practitioner Billing # - Other (Form Locator 17-a) (HCFA-1500-NPI Version Only)'

Column Name: hcfa_npi_17a_qua_code

Column Type: varchar

Max Length: 50

'Practitioner Billing # Qualifier Other (Form Locator 17-a) (HCFA-1500-NPI Version Only)'

Column Name: hcfa_npi_17a_qua_value

Column Type: varchar

Max Length: 50

The description associated with hcfa_npi_17a_qua_code. See hcfa_npi_17a_qua_code for more information.

Column Name: hcfa_npi_17b

Column Type: varchar

Max Length: 50

'Practitioner Billing # - NPI (Form Locator 17-b) (HCFA-1500-NPI Version Only)'

Column Name: hcfa_npi_loc_24d_supp

Column Type: varchar

Max Length: 50

'Supplemental Information (Form Locator 24-D) (HCFA-1500-NPI Version Only)'

Column Name: hcfa_npi_loc_33a_npi

Column Type: varchar

Max Length: 50

'Practitioner Billing # - NPI (Form Locator 33-A) (HCFA-1500-NPI Version Only)'

Column Name: hcfa_npi_loc_33b

Column Type: varchar

Max Length: 50

'Practitioner Billing # - Other (Form Locator 33-B) (HCFA-1500-NPI Version Only)'

Column Name: hcfa_npi_loc_33b_code

Column Type: varchar

Max Length: 50

'Practitioner Billing # Qualifier - Other (Form Locator 33-B) (HCFA-1500-NPI Version Only)'

Column Name: hcfa_npi_loc_33b_value

Column Type: varchar

Max Length: 50

The description associated with hcfa_npi_loc_33b_code. See hcfa_npi_loc_33b_code for more information.

Column Name: line

Column Type: integer

The line associated with the import.

Column Name: npi_number

Column Type: varchar

Max Length: 50
'NPI Number'

Column Name: posted_value
Column Type: varchar
Max Length: 50
The posted value associated with the import.

Column Name: program_code
Column Type: varchar
Max Length: 50
'Program'

Column Name: program_shval
Column Type: varchar
Max Length: 256
The short description associated with program_code. See program_code for more information.

Column Name: program_value
Column Type: varchar
Max Length: 4096
The long description associated with program_code. See program_code for more information.

Column Name: reference_id_2
Column Type: varchar
Max Length: 50
'Practitioner Secondary Identifier - 2 (837 Electronic Billing)'

Column Name: reference_id_qua_code_2
Column Type: varchar
Max Length: 50
'Practitioner Secondary Identification Qualifier - 2 (837 Electronic Billing)'

Column Name: reference_id_qua_value_2
Column Type: varchar
Max Length: 50
The description associated with reference_id_qua_code_2. See reference_id_qua_code_2 for more information.

Column Name: ref_id_837i
Column Type: varchar
Max Length: 50
'Reference Identification (837I-2330D-REF-02)'

Column Name: ref_id_837p
Column Type: varchar
Max Length: 50
'Pay-to Provider Additional Identifier (837P-2010AB-REF-02)'

Column Name: ref_id_qua_837i_code

Column Type: varchar
Max Length: 5
'Reference Identification Qualifier (837I-2330D-REF-01)'

Column Name: ref_id_qua_837i_value
Column Type: varchar
Max Length: 50
The description associated with ref_id_qua_837i_code. See ref_id_qua_837i_code for more information.

Column Name: ref_id_qua_837p_code
Column Type: varchar
Max Length: 50
'Reference Identification Qualifier (837P-2010AB-REF-01)'

Column Name: ref_id_qua_837p_value
Column Type: varchar
Max Length: 50
The description associated with ref_id_qua_837p_code. See ref_id_qua_837p_code for more information.

Column Name: ref_prov_id_code_837i
Column Type: varchar
Max Length: 80
'Referring Provider Identification Code (837I-2310F-NM1-09)'

Column Name: ref_prov_id_qua_code_837i
Column Type: varchar
Max Length: 2
'Referring Provider Identification Code Qualifier (837I-2310F-NM1-08)'

Column Name: ref_prov_id_qua_val_837i
Column Type: varchar
Max Length: 40
The description associated with ref_prov_id_qua_code_837i. See ref_prov_id_qua_code_837i for more information.

Column Name: ref_prov_name_first_837i
Column Type: varchar
Max Length: 35
'Referring Provider Name First (837I-2310F-NM1-04)'

Column Name: ref_prov_name_last_837i
Column Type: varchar
Max Length: 60
'Referring Provider Name Last or Organization Name (837I-2310F-NM1-03)'

Column Name: ref_prov_name_middle_837i
Column Type: varchar
Max Length: 25
'Referring Provider Name Middle (837I-2310F-NM1-05)'

Column Name: ref_prov_qual_code_837i
Column Type: varchar
Max Length: 1
'Referring Provider Entity Type Qualifier (837I-2310F-NM1-02)'

Column Name: ref_prov_qual_val_837i
Column Type: varchar
Max Length: 40
The description associated with ref_prov_qual_code_837i. See ref_prov_qual_code_837i for more information.

Column Name: second_ident_number
Column Type: varchar
Max Length: 50
Secondary Identification #

Column Name: second_ident_qual_code
Column Type: varchar
Max Length: 50
Secondary Identification Qualifier (CODE)

Column Name: second_ident_qual_value
Column Type: varchar
Max Length: 40
The description associated with second_ident_qual_code. See second_ident_qual_code for more information.

Column Name: supervising_pract_id
Column Type: varchar
Max Length: 50
'Supervising Practitioner'

Column Name: supervising_pract_name
Column Type: varchar
Max Length: 50
The description associated with supervising_pract_id. See supervising_pract_id for more information.

Column Name: svc_fac_address_837p
Column Type: varchar
Max Length: 55
'Service Facility Address Information (837P-2310D/2420C-N3-01)'

Column Name: svc_fac_city_837p
Column Type: varchar
Max Length: 30
'Service Facility City (837P-2310D/2420C-N4-01)'

Column Name: svc_fac_id_code_837p
Column Type: varchar
Max Length: 80

'Service Facility Identification Code (837P-2310D/2420C-NM1-09)'

Column Name: svc_fac_id_qua_code_837p

Column Type: varchar

Max Length: 40

'Service Facility Identification Code Qualifier (837P-2310D/2420C-NM1-08)'

Column Name: svc_fac_id_qua_value_837p

Column Type: varchar

Max Length: 50

The description associated with svc_fac_id_qua_code_837p. See svc_fac_id_qua_code_837p for more information.

Column Name: svc_fac_name_837p

Column Type: varchar

Max Length: 35

'Service Facility Name Last or Organization Name (837P-2310D/2420C-NM1-03)'

Column Name: svc_fac_ref_id_837p

Column Type: varchar

Max Length: 30

'Service Facility Reference Identification (837P-2310D/2420C-REF-02)'

Column Name: svc_fac_ref_id_code_837p

Column Type: varchar

Max Length: 40

'Service Facility Reference Identification Qualifier (837P-2310D/2420C-REF-01)'

Column Name: svc_fac_ref_id_value_837p

Column Type: varchar

Max Length: 50

The description associated with svc_fac_ref_id_code_837p. See svc_fac_ref_id_code_837p for more information.

Column Name: svc_fac_state_837p_code

Column Type: varchar

Max Length: 50

'Service Facility State (837P-2310D/2420C-N4-02)'

Column Name: svc_fac_state_837p_value

Column Type: varchar

Max Length: 50

The description associated with svc_fac_state_837p_code. See svc_fac_state_837p_code for more information.

Column Name: svc_fac_zip_837p

Column Type: varchar

Max Length: 50

'Service Facility Zip Code (837P-2310D/2420C-N4-03)'

Column Name: svc_note_ref_837d_code
Column Type: varchar
Max Length: 50
'Service Note Reference Code (837D-2400-NTE-01)'

Column Name: svc_note_ref_837d_value
Column Type: varchar
Max Length: 50
The description associated with svc_note_ref_837d_code. See svc_note_ref_837d_code for more information.

Column Name: svc_note_ref_837p_code
Column Type: varchar
Max Length: 50
'Service Note Reference Code (837P-2400-NTE-01)'

Column Name: svc_note_ref_837p_value
Column Type: varchar
Max Length: 50
The description associated with svc_note_ref_837p_code. See svc_note_ref_837p_code for more information.

Column Name: svc_note_text_837d
Column Type: varchar
Max Length: 50
'Service Note Text (837D-2400-NTE-02)'

Column Name: svc_note_text_837p
Column Type: varchar
Max Length: 80
'Service Note Text (837P-2400-NTE-02)'

Column Name: taxonomy_code
Column Type: varchar
Max Length: 50
'Taxonomy Code'

Column Name: taxonomy_value
Column Type: varchar
Max Length: 500
The description associated with taxonomy_code. See taxonomy_code for more information.

Documentation for form: File_Import

Table Name: SYSTEM.file_import_svc_fee

Table Description: This table returns the information stored in the 'File Import' form for the 'Service Fee/Cross Reference' file type.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_ID
Column Type: integer
The file ID associated with the import.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID Number.

Column Name: age_range
Column Type: varchar
Max Length: 10
Age range associated with the guarantor distribution definition.

Column Name: alt_rev_code_desc
Column Type: varchar
Max Length: 50
'Alternate Revenue Code Description'

Column Name: contains_errors
Column Type: varchar
Max Length: 50
If the imported file contains errors.

Column Name: cpt_code
Column Type: varchar
Max Length: 50
CPT code associated with the guarantor distribution definition.

Column Name: cpt_value
Column Type: varchar
Max Length: 120
The description associated with cpt_code. See cpt_code for more information.

Column Name: duration_range
Column Type: varchar
Max Length: 10
Duration range associated with the guarantor distribution definition.

Column Name: end_date
Column Type: date
End date of the guarantor distribution definition.

Column Name: fee
Column Type: numeric
'Fee'

Column Name: fee_type_code
Column Type: varchar
Max Length: 15
'Fee Type'

Column Name: fee_type_value
Column Type: varchar
Max Length: 40
Value associated with 'Fee Type' in fee_type_code.

Column Name: file_information
Column Type: varchar
Max Length: 50
'File Information (2400-K3-01)'

Column Name: filetype
Column Type: integer
The type of file being imported.

Column Name: from_date
Column Type: date
Effective date of the guarantor distribution definition.

Column Name: inc_cov_cat_code
Column Type: varchar
Max Length: 32000
'Incident-To Category For Coverage'

Column Name: inc_cov_cat_value_long
Column Type: varchar
Max Length: 4096
The description associated with inc_cov_cat_code up to 4096 characters. See inc_cov_cat_code for more information.

Column Name: inc_cov_cat_value_short
Column Type: varchar
Max Length: 255
The description associated with inc_cov_cat_code up to 255 characters. See inc_cov_cat_code for more information.

Column Name: incident_to_svc_code
Column Type: varchar

Max Length: 50

'Is This An Incident-To Service?'

Column Name: incident_to_svc_value

Column Type: varchar

Max Length: 50

The description associated with incident_to_svc_code. See incident_to_svc_code for more information.

Column Name: line

Column Type: integer

The line associated with the import.

Column Name: location_code

Column Type: varchar

Max Length: 1024

'Location'

Column Name: location_value

Column Type: varchar

Max Length: 8192

The description associated with location_code. See location_code for more information.

Column Name: medicaid_rate_code_brf

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Brief'

Column Name: medicaid_rate_code_fam

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Family'

Column Name: medicaid_rate_code_grp

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Group'

Column Name: medicaid_rate_code_reg

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Regular'

Column Name: modifier

Column Type: varchar

Max Length: 10

'Modifier'

Column Name: modifier_x_ref

Column Type: varchar

Max Length: 50

'CPT-4 / HCPCS Modifier'

Column Name: mod_x_ref_frst_instance

Column Type: varchar

Max Length: 50

'CPT-4 / HCPCS Modifier If Not First Instance For Service Date'

Column Name: note_ref_code

Column Type: varchar

Max Length: 50

'Note Reference Code (837 Billing)'

Column Name: note_ref_text

Column Type: varchar

Max Length: 50

'Note Reference Text (2400-NTE-02)'

Column Name: note_ref_value

Column Type: varchar

Max Length: 50

The description associated with note_ref_code. See note_ref_code for more information.

Column Name: posted_value

Column Type: varchar

Max Length: 50

Indicating if a line has been posted or not.

Column Name: pract_cat_code

Column Type: varchar

Max Length: 1024

Practitioner Category Codes

Column Name: pract_cat_value

Column Type: varchar

Max Length: 8192

The description associated with pract_cat_code. See pract_cat_code for more information.

Column Name: practitioner_code

Column Type: varchar

Max Length: 1024

Practitioner IDs.

Column Name: practitioner_value

Column Type: varchar

Max Length: 8192

The description associated with practitioner_code. See practitioner_code for more information.

Column Name: pricing_method_code

Column Type: varchar

Max Length: 50

'Pricing/Re-Pricing Methodology (2300/2400-HCP-01)'

Column Name: pricing_method_value

Column Type: varchar

Max Length: 50

The description associated with pricing_method_code. See pricing_method_code for more information.

Column Name: pricing_org_id

Column Type: varchar

Max Length: 50

'Pricing/Re-Pricing Organization Identifier (2300/2400-HCP-04)'

Column Name: program_code

Column Type: varchar

Max Length: 10

The program code(s) associated with the guarantor distribution definition.

Column Name: program_value

Column Type: varchar

Max Length: 8192

The description associated with program_code. See program_code for more information.

Column Name: prorate_calc_code

Column Type: varchar

Max Length: 50

'Pro-Rated Fee Calculation'

Column Name: prorate_calc_value

Column Type: varchar

Max Length: 50

The description associated with prorate_calc_code. See prorate_calc_code for more information.

Column Name: prorate_code

Column Type: varchar

Max Length: 50

'Pro-Rate Fee For'

Column Name: prorate_value

Column Type: varchar

Max Length: 50

The description associated with prorate_code. See prorate_code for more information.

Column Name: prorate_year_code

Column Type: varchar

Max Length: 50

'Yearly Days Calculation'

Column Name: prorate_year_value

Column Type: varchar

Max Length: 50

The description associated with `prorate_year_code`. See `prorate_year_code` for more information.

Column Name: `qual_ccbhc_service_code`

Column Type: `varchar`

Max Length: 50

'Qualifies as a CCBHC Enumerated Service'

Column Name: `qual_ccbhc_service_value`

Column Type: `varchar`

Max Length: 40

The description associated with `qual_ccbhc_service_code`. See `qual_ccbhc_service_code` for more information.

Column Name: `quantity`

Column Type: `varchar`

Max Length: 50

'Quantity'

Column Name: `service_code`

Column Type: `varchar`

Max Length: 50

The service code associated with the guarantor distribution definition.

Column Name: `service_description`

Column Type: `varchar`

Max Length: 50

The description associated with `service_code`. See `service_code` for more information.

Column Name: `state_rp_code_1`

Column Type: `varchar`

Max Length: 50

'State Reporting Code 1'

Column Name: `state_rp_code_2`

Column Type: `varchar`

Max Length: 50

'State Reporting Code 2'

Column Name: `state_rp_code_3`

Column Type: `varchar`

Max Length: 50

'State Reporting Code 3'

Column Name: `state_rp_code_4`

Column Type: `varchar`

Max Length: 50

'State Reporting Code 4'

Column Name: `svc_id`

Column Type: `varchar`

Max Length: 50
'Service ID (837P-2400-SV1-01)'

Column Name: svc_id_qual_code
Column Type: varchar
Max Length: 50
'Product/Service ID Qualifier (2400-SV101-1)'

Column Name: svc_id_qual_value
Column Type: varchar
Max Length: 50
The description associated with svc_id_qual_code. See svc_id_qual_code for more information.

Column Name: svc_unit_meas_837i_code
Column Type: varchar
Max Length: 50
'Service Unit Of Measurement Code (837I)'

Column Name: svc_unit_meas_837i_value
Column Type: varchar
Max Length: 50
The description associated with svc_unit_meas_837i_code. See svc_unit_meas_837i_code for more information.

Column Name: svc_unit_meas_code
Column Type: varchar
Max Length: 50
'Service Unit Of Measurement Code (837P)'

Column Name: svc_unit_meas_value
Column Type: varchar
Max Length: 50
The description associated with svc_unit_meas_code. See svc_unit_meas_code for more information.

Column Name: ub_04_code
Column Type: varchar
Max Length: 50
UB-04 code.

Column Name: ub_04_value
Column Type: varchar
Max Length: 120
The description associated with ub_04_code. See ub_04_code for more information.

Column Name: unit
Column Type: numeric
'Unit'

Column Name: update_liab_code
Column Type: varchar

Max Length: 50
'Update Liabilities'

Column Name: update_liab_value
Column Type: varchar
Max Length: 50
The description associated with update_liab_code. See update_liab_code for more information.

Column Name: x_ref_name
Column Type: varchar
Max Length: 50
'Service Code Cross Reference Name'

Documentation for form: File_Import

Table Name: SYSTEM.file_import_svc_max_liab

Table Description: This table returns the information stored in the 'File Import' form for the 'Service Guarantor Definitions' file type.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILE_ID
Column Type: integer
The file ID associated with the import.

Column Name: age_range
Column Type: varchar
Max Length: 10
Age range associated with the guarantor distribution definition.

Column Name: alt_rev_code_desc
Column Type: varchar
Max Length: 50
'Alternate Revenue Code Description'

Column Name: amt_per_unit
Column Type: numeric
'Maximum Amount To Distribute Per Unit'

Column Name: contains_errors
Column Type: varchar
Max Length: 50
If the imported file contains errors.

Column Name: contract_rate
Column Type: numeric
'Contract Rate'

Column Name: cpt_code
Column Type: varchar
Max Length: 50
CPT code associated with the guarantor distribution definition.

Column Name: cpt_value
Column Type: varchar
Max Length: 50
The description associated with cpt_code. See cpt_code for more information.

Column Name: duration_range
Column Type: varchar
Max Length: 10
Duration range associated with the guarantor distribution definition.

Column Name: end_date
Column Type: date
End date of the guarantor distribution definition.

Column Name: file_information
Column Type: varchar
Max Length: 50
'File Information (2400-K3-01)'

Column Name: filetype
Column Type: integer
The type of file being imported.

Column Name: financial_class_code
Column Type: varchar
Max Length: 50
'Financial Class'

Column Name: financial_class_value
Column Type: varchar
Max Length: 40
The description associated with financial_class_code. See financial_class_code for more information.

Column Name: fixed_fee_units
Column Type: varchar
Max Length: 50

'Unit'

Column Name: from_date

Column Type: date

Effective date of the guarantor distribution definition.

Column Name: guarantor_code

Column Type: varchar

Max Length: 1024

The guarantor IDs associated with the guarantor distribution definition.

Column Name: guarantor_value

Column Type: varchar

Max Length: 8192

Description associated with the guarantor_code. See guarantor_code for more information.

Column Name: ignore_for_liab_dis_code

Column Type: varchar

Max Length: 50

'Ignore Specified Amounts When Distributing Liability'

Column Name: ignore_for_liab_dis_value

Column Type: varchar

Max Length: 40

The description associated with ignore_for_liab_dis_code. See ignore_for_liab_dis_code for more information.

Column Name: inc_cov_cat_code

Column Type: varchar

Max Length: 32000

'Incident-To Category For Coverage'

Column Name: inc_cov_cat_value_long

Column Type: varchar

Max Length: 4096

The description associated with inc_cov_cat_code up to 4096 characters. See inc_cov_cat_code for more information.

Column Name: inc_cov_cat_value_short

Column Type: varchar

Max Length: 255

The description associated with inc_cov_cat_code up to 255 characters. See inc_cov_cat_code for more information.

Column Name: incident_to_svc_code

Column Type: varchar

Max Length: 50

'Is This An Incident-To Service?'

Column Name: incident_to_svc_value

Column Type: varchar

Max Length: 50

The description associated with incident_to_svc_code. See incident_to_svc_code for more information.

Column Name: line

Column Type: integer

The line associated with the import.

Column Name: location_code

Column Type: varchar

Max Length: 1024

'Location'

Column Name: location_value

Column Type: varchar

Max Length: 8192

The description associated with location_code. See location_code for more information.

Column Name: max_amt_assoc_guar_value_long

Column Type: varchar

Max Length: 4096

The description associated with max_amt_associated_guarantors up to 4096 characters. See max_amt_associated_guarantors for more information.

Column Name: max_amt_assoc_guar_value_short

Column Type: varchar

Max Length: 255

The description associated with max_amt_associated_guarantors up to 255 characters. See max_amt_associated_guarantors for more information.

Column Name: max_amt_associated_guarantors

Column Type: varchar

Max Length: 1044

'Associated Guarantor(s) Whose Liability In Combination With This Guarantor Will Not Exceed Maximum Amount To Distribute Per Service'

Column Name: max_amt_per_svc

Column Type: numeric

'Maximum Amount To Distribute Per Service'

Column Name: max_amt_to_dist_per_month

Column Type: numeric

'Maximum Amount To Distribute Per Month'

Column Name: medicaid_rate_code_brf

Column Type: varchar

Max Length: 50

'Medicaid Rate Code - Brief'

Column Name: medicaid_rate_code_fam

Column Type: varchar
Max Length: 50
'Medicaid Rate Code - Family'

Column Name: medicaid_rate_code_grp
Column Type: varchar
Max Length: 50
'Medicaid Rate Code - Group'

Column Name: medicaid_rate_code_reg
Column Type: varchar
Max Length: 50
'Medicaid Rate Code - Regular'

Column Name: min_amt_per_svc
Column Type: numeric
'Minimum Amount To Distribute Per Service'

Column Name: min_amt_per_unit
Column Type: numeric
'Minimum Amount To Distribute Per Unit'

Column Name: modifier_x_ref
Column Type: varchar
Max Length: 50
'CPT-4 / HCPCS Modifier'

Column Name: mod_x_ref_frst_instance
Column Type: varchar
Max Length: 50
'CPT-4 / HCPCS Modifier If Not First Instance For Service Date'

Column Name: note_ref_code
Column Type: varchar
Max Length: 50
'Note Reference Code (837 Billing)'

Column Name: note_ref_text
Column Type: varchar
Max Length: 50
'Note Reference Text (2400-NTE-02)'

Column Name: note_ref_value
Column Type: varchar
Max Length: 50
The description associated with note_ref_code. See note_ref_code for more information.

Column Name: posted_value
Column Type: varchar
Max Length: 50

Indicating if a line has been posted or not.

Column Name: pract_cat_code
Column Type: varchar
Max Length: 1024
Practitioner Category Codes

Column Name: pract_cat_value
Column Type: varchar
Max Length: 8192
The description associated with pract_cat_code. See pract_cat_code for more information.

Column Name: practitioner_code
Column Type: varchar
Max Length: 1024
Practitioner IDs.

Column Name: practitioner_value
Column Type: varchar
Max Length: 8192
The description associated with practitioner_code. See practitioner_code for more information.

Column Name: pricing_method_code
Column Type: varchar
Max Length: 50
'Pricing/Re-Pricing Methodology (2300/2400-HCP-01)'

Column Name: pricing_method_value
Column Type: varchar
Max Length: 50
The description associated with pricing_method_code. See pricing_method_code for more information.

Column Name: pricing_org_id
Column Type: varchar
Max Length: 50
'Pricing/Re-Pricing Organization Identifier (2300/2400-HCP-04)'

Column Name: program_code
Column Type: varchar
Max Length: 1024
The program code(s) associated with the guarantor distribution definition.

Column Name: program_value
Column Type: varchar
Max Length: 8192
The description associated with program_code. See program_code for more information.

Column Name: qual_ccbhc_service_code
Column Type: varchar
Max Length: 50

'Qualifies as a CCBHC Enumerated Service'

Column Name: qual_ccbhc_service_value

Column Type: varchar

Max Length: 40

The description associated with qual_ccbhc_service_code. See qual_ccbhc_service_code for more information.

Column Name: quantity

Column Type: varchar

Max Length: 50

'Quantity'

Column Name: service_code

Column Type: varchar

Max Length: 50

The service code associated with the guarantor distribution definition.

Column Name: service_description

Column Type: varchar

Max Length: 50

The description associated with service_code. See service_code for more information.

Column Name: state_rp_code_1

Column Type: varchar

Max Length: 50

'State Reporting Code 1'

Column Name: state_rp_code_2

Column Type: varchar

Max Length: 50

'State Reporting Code 2'

Column Name: state_rp_code_3

Column Type: varchar

Max Length: 50

'State Reporting Code 3'

Column Name: state_rp_code_4

Column Type: varchar

Max Length: 50

'State Reporting Code 4'

Column Name: svc_id

Column Type: varchar

Max Length: 50

'Service ID (837P-2400-SV1-01)'

Column Name: svc_id_qual_code

Column Type: varchar

Max Length: 50
'Product/Service ID Qualifier (2400-SV101-1)'

Column Name: svc_id_qual_value
Column Type: varchar
Max Length: 50
The description associated with svc_id_qual_code. See svc_id_qual_code for more information.

Column Name: svc_unit_meas_837i_code
Column Type: varchar
Max Length: 50
'Service Unit Of Measurement Code (837I)'

Column Name: svc_unit_meas_837i_value
Column Type: varchar
Max Length: 50
The description associated with svc_unit_meas_837i_code. See svc_unit_meas_837i_code for more information.

Column Name: svc_unit_meas_code
Column Type: varchar
Max Length: 50
'Service Unit Of Measurement Code (837P)'

Column Name: svc_unit_meas_value
Column Type: varchar
Max Length: 50
The description associated with svc_unit_meas_code. See svc_unit_meas_code for more information.

Column Name: ub_04_code
Column Type: varchar
Max Length: 50
UB-04 code associated with the guarantor distribution definition.

Column Name: ub_04_value
Column Type: varchar
Max Length: 50
The description associated with ub_04_code. See ub_04_code for more information.

Column Name: update_liab_code
Column Type: varchar
Max Length: 50
'Update Liabilities'

Column Name: update_liab_value
Column Type: varchar
Max Length: 50
The description associated with update_liab_code. See update_liab_code for more information.

Column Name: write_off_remaining

Column Type: varchar
Max Length: 2
'Write-off Remaining Balance (Contract Guarantors Only)'

Column Name: write_off_remaining_value
Column Type: varchar
Max Length: 40
The description associated with write_off_remaining. See write_off_remaining for more information.

Column Name: x_ref_name
Column Type: varchar
Max Length: 50
'Service Code Cross Reference Name'

Documentation for form: File_Import

Table Name: SYSTEM.outreach_client

Table Description: This table contains outreach targets.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
System code where the outreach client will be admitted to.

Column Name: GUID
Column Type: varchar
Max Length: 50
GUID

Column Name: PATID
Column Type: varchar
Max Length: 20
Avatar patient identifier. Present if the person referenced by the external id has ever been admitted to a program.

Column Name: UTCTimestamp
Column Type: timestamp
UTCTimestamp

Column Name: address_city
Column Type: varchar
Max Length: 30
Target's address - city.

Column Name: address_county
Column Type: varchar
Max Length: 60
Target's address - county.

Column Name: address_state
Column Type: varchar
Max Length: 40
Target's address - state.

Column Name: address_street
Column Type: varchar
Max Length: 100
Target's address - street.

Column Name: address_street2
Column Type: varchar
Max Length: 60
Target's address - apartment/unit.

Column Name: address_zipcode
Column Type: varchar
Max Length: 10
Target's Zipcode.

Column Name: cell_phone
Column Type: varchar
Max Length: 60
Target's cell phone.

Column Name: communication_pref
Column Type: varchar
Max Length: 40
Target's communication preference

Column Name: communication_pref_val
Column Type: varchar
Max Length: 40
Target's specified admission type to be added to the admission record on appointment creation.

Column Name: contact_email
Column Type: varchar
Max Length: 60
Target's email address.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data Entry Source (30015)

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_birth

Column Type: date

Target's date of birth.

Column Name: eligibility_end_date_1

Column Type: date

Target's financial eligibility end date postition 1.

Column Name: eligibility_end_date_2

Column Type: date

Target's financial eligibility end date postition 2.

Column Name: eligibility_end_date_3

Column Type: date

Target's financial eligibility end date postition 3.

Column Name: eligibility_end_date_4

Column Type: date

Target's financial eligibility end date postition 4.

Column Name: eligibility_end_date_5

Column Type: date

Target's financial eligibility end date postition 5.

Column Name: eligibility_start_date_1

Column Type: date

Target's financial eligibility start date postition 1.

Column Name: eligibility_start_date_2

Column Type: date

Target's financial eligibility start date postition 2.

Column Name: eligibility_start_date_3

Column Type: date

Target's financial eligibility start date postition 3.

Column Name: eligibility_start_date_4

Column Type: date

Target's financial eligibility start date postition 4.

Column Name: eligibility_start_date_5

Column Type: date

Target's financial eligibility start date postition 5.

Column Name: external_id

Column Type: varchar

Max Length: 100

External organizational identifier for the person.

Column Name: first_name
Column Type: varchar
Max Length: 40
Target's first name.

Column Name: guarantor_id_1
Column Type: varchar
Max Length: 40
Target's primary guarantor (coded value).

Column Name: guarantor_id_2
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 2.

Column Name: guarantor_id_3
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 3.

Column Name: guarantor_id_4
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 4.

Column Name: guarantor_id_5
Column Type: varchar
Max Length: 40
Target's guarantor (coded value) position 5.

Column Name: guarantor_val_1
Column Type: varchar
Max Length: 40
Target's primary guarantor.

Column Name: guarantor_val_2
Column Type: varchar
Max Length: 40
Target's guarantor position 2.

Column Name: guarantor_val_3
Column Type: varchar
Max Length: 40
Target's guarantor position 3.

Column Name: guarantor_val_4
Column Type: varchar
Max Length: 40
Target's guarantor position 4.

Column Name: guarantor_val_5
Column Type: varchar
Max Length: 40
Target's guarantor position 5.

Column Name: home_phone
Column Type: varchar
Max Length: 60
Target's home phone.

Column Name: last_name
Column Type: varchar
Max Length: 40
Target's last name.

Column Name: medicaid_id_1
Column Type: varchar
Max Length: 40
Target's primary Medicaid ID number.

Column Name: medicaid_id_2
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 2.

Column Name: medicaid_id_3
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 3.

Column Name: medicaid_id_4
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 4.

Column Name: medicaid_id_5
Column Type: varchar
Max Length: 40
Target's Medicaid ID number position 5.

Column Name: medicare_id_1
Column Type: varchar
Max Length: 40
Target's primary Medicare ID number.

Column Name: medicare_id_2
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 2.

Column Name: medicare_id_3
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 3.

Column Name: medicare_id_4
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 4.

Column Name: medicare_id_5
Column Type: varchar
Max Length: 40
Target's Medicare ID number position 5.

Column Name: middle_name
Column Type: varchar
Max Length: 40
Target's middle name.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: outside_facility_code
Column Type: varchar
Max Length: 50
Target's outside living facility (coded value). The address definition for the outside facility entity definition will denote target's address fields if they are not defined.

Column Name: outside_facility_value
Column Type: varchar
Max Length: 40
Target's outside living facility. The address definition for the outside facility entity definition will denote target's address fields if they are not defined.

Column Name: permission_to_text
Column Type: varchar
Max Length: 40
Target's permission to text.

Column Name: plan_id_1
Column Type: varchar

Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_id_2
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_id_3
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_id_4
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_id_5
Column Type: varchar
Max Length: 40
Target's primary guarantor plan (coded value).

Column Name: plan_val_1
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: plan_val_2
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: plan_val_3
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: plan_val_4
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: plan_val_5
Column Type: varchar
Max Length: 40
Target's primary guarantor plan.

Column Name: policy_number_1
Column Type: varchar

Max Length: 40
Target's primary insurance policy number.

Column Name: policy_number_2
Column Type: varchar
Max Length: 40
Target's insurance policy number position 2.

Column Name: policy_number_3
Column Type: varchar
Max Length: 40
Target's insurance policy number position 3.

Column Name: policy_number_4
Column Type: varchar
Max Length: 40
Target's insurance policy number position 4.

Column Name: policy_number_5
Column Type: varchar
Max Length: 40
Target's insurance policy number position 5.

Column Name: primary_care_physician_id
Column Type: varchar
Max Length: 40
Target's primary care physician id.

Column Name: protocol_code
Column Type: varchar
Max Length: 50
Target's protocol (coded value) to apply to the appointment created on successful outreach.

Column Name: protocol_shval
Column Type: varchar
Max Length: 40
Target's protocol to apply to the appointment created on successful outreach.

Column Name: protocol_value
Column Type: varchar
Max Length: 40
Target's protocol to apply to the appointment created on successful outreach.

Column Name: risk_level_code
Column Type: varchar
Max Length: 50
Target's risk level (coded value).

Column Name: risk_level_value
Column Type: varchar

Max Length: 40
Target's risk level.

Column Name: sex_code
Column Type: varchar
Max Length: 5
Target's sex (coded value).

Column Name: sex_value
Column Type: varchar
Max Length: 40
Target's sex.

Column Name: subscriber_city_1
Column Type: varchar
Max Length: 30
Subscriber's address - city position 1.

Column Name: subscriber_city_2
Column Type: varchar
Max Length: 30
Subscriber's address - city position 2.

Column Name: subscriber_city_3
Column Type: varchar
Max Length: 30
Subscriber's address - city position 3.

Column Name: subscriber_city_4
Column Type: varchar
Max Length: 30
Subscriber's address - city position 4.

Column Name: subscriber_city_5
Column Type: varchar
Max Length: 30
Subscriber's address - city position 5.

Column Name: subscriber_county_1
Column Type: varchar
Max Length: 60
Subscriber's address - county position 1.

Column Name: subscriber_county_2
Column Type: varchar
Max Length: 60
Subscriber's address - county position 2.

Column Name: subscriber_county_3
Column Type: varchar

Max Length: 60
Subscriber's address - county position 3.

Column Name: subscriber_county_4
Column Type: varchar
Max Length: 60
Subscriber's address - county position 4.

Column Name: subscriber_county_5
Column Type: varchar
Max Length: 60
Subscriber's address - county position 5.

Column Name: subscriber_dob_1
Column Type: date
Subscriber's date of birth position 1.

Column Name: subscriber_dob_2
Column Type: date
Subscriber's date of birth position 2.

Column Name: subscriber_dob_3
Column Type: date
Subscriber's date of birth position 3.

Column Name: subscriber_dob_4
Column Type: date
Subscriber's date of birth position 4.

Column Name: subscriber_dob_5
Column Type: date
Subscriber's date of birth position 5.

Column Name: subscriber_first_name_1
Column Type: varchar
Max Length: 40
Subscriber's first name position 1.

Column Name: subscriber_first_name_2
Column Type: varchar
Max Length: 40
Subscriber's first name position 2.

Column Name: subscriber_first_name_3
Column Type: varchar
Max Length: 40
Subscriber's first name position 3.

Column Name: subscriber_first_name_4
Column Type: varchar

Max Length: 40
Subscriber's first name position 4.

Column Name: subscriber_first_name_5
Column Type: varchar
Max Length: 40
Subscriber's first name position 5.

Column Name: subscriber_last_name_1
Column Type: varchar
Max Length: 40
Subscriber's last name position 1.

Column Name: subscriber_last_name_2
Column Type: varchar
Max Length: 40
Subscriber's last name position 2.

Column Name: subscriber_last_name_3
Column Type: varchar
Max Length: 40
Subscriber's last name position 3.

Column Name: subscriber_last_name_4
Column Type: varchar
Max Length: 40
Subscriber's last name position 4.

Column Name: subscriber_last_name_5
Column Type: varchar
Max Length: 40
Subscriber's last name position 5.

Column Name: subscriber_middle_name_1
Column Type: varchar
Max Length: 40
Subscriber's middle name position 1.

Column Name: subscriber_middle_name_2
Column Type: varchar
Max Length: 40
Subscriber's middle name position 2.

Column Name: subscriber_middle_name_3
Column Type: varchar
Max Length: 40
Subscriber's middle name position 3.

Column Name: subscriber_middle_name_4
Column Type: varchar

Max Length: 40
Subscriber's middle name position 4.

Column Name: subscriber_middle_name_5
Column Type: varchar
Max Length: 40
Subscriber's middle name position 5.

Column Name: subscriber_phone_1
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 1.

Column Name: subscriber_phone_2
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 2.

Column Name: subscriber_phone_3
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 3.

Column Name: subscriber_phone_4
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 4.

Column Name: subscriber_phone_5
Column Type: varchar
Max Length: 60
Subscriber's contact phone number position 5.

Column Name: subscriber_relationship_1
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 1.

Column Name: subscriber_relationship_2
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 2.

Column Name: subscriber_relationship_3
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 3.

Column Name: subscriber_relationship_4
Column Type: varchar

Max Length: 20
Target's relationship to subscriber (coded value) position 4.

Column Name: subscriber_relationship_5
Column Type: varchar
Max Length: 20
Target's relationship to subscriber (coded value) position 5.

Column Name: subscriber_relation_val_1
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 1.

Column Name: subscriber_relation_val_2
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 2.

Column Name: subscriber_relation_val_3
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 3.

Column Name: subscriber_relation_val_4
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 4.

Column Name: subscriber_relation_val_5
Column Type: varchar
Max Length: 40
Target's relationship to subscriber (coded value) position 5.

Column Name: subscriber_sex_code_1
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 1.

Column Name: subscriber_sex_code_2
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 2.

Column Name: subscriber_sex_code_3
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 3.

Column Name: subscriber_sex_code_4
Column Type: varchar

Max Length: 5
Subscriber's sex (coded value), position 4.

Column Name: subscriber_sex_code_5
Column Type: varchar
Max Length: 5
Subscriber's sex (coded value), position 5.

Column Name: subscriber_sex_value_1
Column Type: varchar
Max Length: 40
Subscriber's sex, position 1.

Column Name: subscriber_sex_value_2
Column Type: varchar
Max Length: 40
Subscriber's sex, position 2.

Column Name: subscriber_sex_value_3
Column Type: varchar
Max Length: 40
Subscriber's sex, position 3.

Column Name: subscriber_sex_value_4
Column Type: varchar
Max Length: 40
Subscriber's sex, position 4.

Column Name: subscriber_sex_value_5
Column Type: varchar
Max Length: 40
Subscriber's sex, position 5.

Column Name: subscriber_state_1
Column Type: varchar
Max Length: 40
Subscriber's address - state position 1.

Column Name: subscriber_state_2
Column Type: varchar
Max Length: 40
Subscriber's address - state position 2.

Column Name: subscriber_state_3
Column Type: varchar
Max Length: 40
Subscriber's address - state position 3.

Column Name: subscriber_state_4
Column Type: varchar

Max Length: 40
Subscriber's address - state position 4.

Column Name: subscriber_state_5
Column Type: varchar
Max Length: 40
Subscriber's address - state position 5.

Column Name: subscriber_street_1
Column Type: varchar
Max Length: 100
Subscriber's address - street position 1.

Column Name: subscriber_street_2
Column Type: varchar
Max Length: 100
Subscriber's address - street position 2.

Column Name: subscriber_street2_1
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 1.

Column Name: subscriber_street2_2
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 2.

Column Name: subscriber_street2_3
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 3.

Column Name: subscriber_street2_4
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 4.

Column Name: subscriber_street2_5
Column Type: varchar
Max Length: 60
Subscriber's address - apartment/unit position 5.

Column Name: subscriber_street_3
Column Type: varchar
Max Length: 100
Subscriber's address - street position 3.

Column Name: subscriber_street_4
Column Type: varchar

Max Length: 100
Subscriber's address - street position 4.

Column Name: subscriber_street_5
Column Type: varchar
Max Length: 100
Subscriber's address - street position 5.

Column Name: subscriber_zipcode_1
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 1.

Column Name: subscriber_zipcode_2
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 2.

Column Name: subscriber_zipcode_3
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 3.

Column Name: subscriber_zipcode_4
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 4.

Column Name: subscriber_zipcode_5
Column Type: varchar
Max Length: 10
Subscriber's Zipcode position 5.

Column Name: target_adm_type_code
Column Type: varchar
Max Length: 50
Target's specified admission type (coded value) to be added to the admission record on appointment creation.

Column Name: target_adm_type_value
Column Type: varchar
Max Length: 40
Target's specified admission type to be added to the admission record on appointment creation.

Column Name: target_pre_program_code
Column Type: varchar
Max Length: 40
Target's specified pre-admit program (coded value) to be admitted to on appointment creation.

Column Name: target_pre_program_value

Column Type: varchar
Max Length: 40
Target's specified pre-admit program to be admitted to on appointment creation.

Column Name: target_program_code
Column Type: varchar
Max Length: 50
Target's specified admission program (coded value) to be admitted to on appointment creation.

Column Name: target_program_value
Column Type: varchar
Max Length: 40
Target's specified admission program to be admitted to on appointment creation.

Column Name: target_service_code
Column Type: varchar
Max Length: 50
Target's specified service (coded value) to be rendered at outreach appointment.

Column Name: target_service_value
Column Type: varchar
Max Length: 40
Target's specified service to be rendered at outreach appointment.

Column Name: target_status_code
Column Type: varchar
Max Length: 50
The current activity status of this target (coded value).

Column Name: target_status_value
Column Type: varchar
Max Length: 40
The current activity status of this target.

Column Name: work_phone
Column Type: varchar
Max Length: 60
Target's work phone.

Column Name: zone_code
Column Type: varchar
Max Length: 50
Target's assigned zone (coded value).

Column Name: zone_value
Column Type: varchar
Max Length: 40
Target's assigned zone.

Documentation for form: File_Import

Table Name: SYSTEM.table_cda_loinc

Table Description: This table returns the data filed from the 'Logical Observation Identifiers (LOINC)' form.

Column Name: ID
Column Type: varchar
Max Length: 15

Column Name: acssym
Column Type: varchar
Max Length: 255
'Acssym'

Column Name: audit_facility
Column Type: integer
System Code where the LOINC code was last updated.

Column Name: base_name
Column Type: varchar
Max Length: 50
'Base Name'

Column Name: cdisc_common_test
Column Type: varchar
Max Length: 255
'CDISC Code'

Column Name: change_reason_public
Column Type: varchar
Max Length: 255
'Change Reason Public'

Column Name: chnge_type
Column Type: varchar
Max Length: 255
'Change Type'

Column Name: class
Column Type: varchar
Max Length: 255
'Class'

Column Name: classtype
Column Type: varchar
Max Length: 255
'Class Type'

Column Name: code_table
Column Type: varchar
Max Length: 10
'Code Table'

Column Name: comments
Column Type: varchar
Max Length: 255
'Comments'

Column Name: common_order_rank
Column Type: varchar
Max Length: 255
'Common Order Rank'

Column Name: common_si_test_rank
Column Type: varchar
Max Length: 255
'Common SI Test Rank'

Column Name: common_test_rank
Column Type: varchar
Max Length: 255
'Common Test Rank'

Column Name: component
Column Type: varchar
Max Length: 255
'Component'

Column Name: consumer_name
Column Type: varchar
Max Length: 255
'Consumer Name'

Column Name: curated_range_and_units
Column Type: varchar
Max Length: 255
'Curated Range and Units'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: varchar
Max Length: 50
The date when this data row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time when this data row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: date_last_changed
Column Type: varchar
Max Length: 40
'Date Last Changed'

Column Name: document_section
Column Type: varchar
Max Length: 255
'Document Section'

Column Name: entry_person
Column Type: varchar
Max Length: 50
The user name that last updated this data row.

Column Name: example_si_ucum_units
Column Type: varchar
Max Length: 255
'Example SI UCUM Units'

Column Name: example_ucum_units
Column Type: varchar
Max Length: 255
'Example UCUM Units'

Column Name: example_units
Column Type: varchar
Max Length: 255
'Example Units'

Column Name: exclude_denominator
Column Type: varchar
Max Length: 4096
'Exclude Code in ARRA Measures Denominator'

Column Name: exclude_numerator
Column Type: varchar
Max Length: 4096
'Exclude Code in ARRA Measures Numerator'

Column Name: exmpl_answers
Column Type: varchar
Max Length: 255
'Example Answers'

Column Name: external_copyright_notice
Column Type: varchar
Max Length: 255
'External Copyright Notice'

Column Name: formula
Column Type: varchar
Max Length: 255
'Formula'

Column Name: hl7_attachment_structure
Column Type: varchar
Max Length: 40
'HL7 Attachment Structure'

Column Name: hl7_field_subfield_id
Column Type: varchar
Max Length: 50
'HL7 Field Subfield ID'

Column Name: hl7_v2_datatype
Column Type: varchar
Max Length: 255
'HL7 V2 Data Type'

Column Name: hl7_v3_datatype
Column Type: varchar
Max Length: 255
'HL7 V3 Data Type'

Column Name: include_denominator
Column Type: varchar
Max Length: 4096
'Include Code in ARRA Measures Denominator'

Column Name: include_exclusionary
Column Type: varchar
Max Length: 4096
'Include Code in Exclusionary Value for the following ARRA Measures'

Column Name: include_numerator
Column Type: varchar
Max Length: 4096
'Include Code in ARRA Measures Numerator'

Column Name: loinc_num
Column Type: varchar
Max Length: 15
Logical Observation Identifier Code.

Column Name: long_common_name
Column Type: varchar
Max Length: 255
'Long Common Name'

Column Name: map_to
Column Type: varchar
Max Length: 255
'Map To'

Column Name: method_typ
Column Type: varchar
Max Length: 50
'Method'

Column Name: molar_mass
Column Type: varchar
Max Length: 13
'Molar Mass'

Column Name: naaccr_id
Column Type: varchar
Max Length: 20
'NAACCR ID'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: order_obs
Column Type: varchar
Max Length: 15
'Order OBS'

Column Name: property
Column Type: varchar
Max Length: 30
'Property'

Column Name: relatednames2
Column Type: varchar
Max Length: 255
'Related Names 2'

Column Name: reportable
Column Type: varchar
Max Length: 40
'Reportable LOINC Code?'

Column Name: scale_typ
Column Type: varchar
Max Length: 30
'Scale'

Column Name: short_name
Column Type: varchar
Max Length: 40
'Short Name'

Column Name: source
Column Type: varchar
Max Length: 8
'Source'

Column Name: species
Column Type: varchar
Max Length: 20
'Species'

Column Name: status
Column Type: varchar
Max Length: 255
'Status'

Column Name: status_reason
Column Type: varchar
Max Length: 255
'Status Reason'

Column Name: status_text
Column Type: varchar
Max Length: 255
'Status Text'

Column Name: submitted_units
Column Type: varchar
Max Length: 30
'Submitted Units'

Column Name: survey_quest_src
Column Type: varchar
Max Length: 50
'Survey Question Source'

Column Name: survey_quest_text
Column Type: varchar
Max Length: 255
'Survey Question Text'

Column Name: system
Column Type: varchar
Max Length: 100
'System'

Column Name: time_aspct
Column Type: varchar
Max Length: 15
'Timing'

Column Name: unitsrequired
Column Type: varchar
Max Length: 255
'Units Required'

Documentation for form: File_Import

Table Name: SYSTEM.table_drg_weights

Table Description: this table contains DRG weight definitions

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: code_set_code
Column Type: varchar

Max Length: 50
type of ICD

Column Name: drg_code
Column Type: varchar
Max Length: 50
unique DRG ID

Column Name: drg_value
Column Type: varchar
Max Length: 50
DRG description

Column Name: end_date
Column Type: date
expiration date of wieght definition

Column Name: start_date
Column Type: date
effective date of weight definition

Column Name: weight
Column Type: varchar
Max Length: 50
DRG weight value

Documentation for form: Process_Internal_Referrals

Table Name: SYSTEM.internal_referral_proc

Table Description: This table stores all processed internal referrals.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The facility of the referral

Column Name: HST_uniqueid
Column Type: varchar
Max Length: 40
The record unique identifier.

Column Name: PATID

Column Type: varchar
Max Length: 20
The client ID of the referral.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 20
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: referral_comments
Column Type: varchar
Max Length: 32000
The comments associated with the referral.

Column Name: referral_form_code
Column Type: varchar
Max Length: 40
The form code of the referral assessment.

Column Name: referral_form_value
Column Type: varchar
Max Length: 40
The form value of the referral assessment.

Column Name: referral_status_code
Column Type: varchar
Max Length: 40
The status code of the referral.

Column Name: referral_status_value
Column Type: varchar
Max Length: 40
The status value of the referral.

Documentation for form: Internal_Referral_Waitlist

Table Name: SYSTEM.internal_referral_waitlst

Table Description: This table stores internal referral waitlist information.

Column Name: ID

Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: FACILITY
Column Type: integer
The facility of the referral

Column Name: HST_uniqueid
Column Type: varchar
Max Length: 40
The record unique identifier.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID of the referral.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 20
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: priority_code
Column Type: varchar
Max Length: 40
Priority.

Column Name: priority_value
Column Type: varchar
Max Length: 40
Priority.

Column Name: reason_closure_code
Column Type: varchar
Max Length: 40
Reason for closure.

Column Name: reason_closure_value
Column Type: varchar

Max Length: 40
Reason for closure.

Column Name: reason_removal_code
Column Type: varchar
Max Length: 40
Reason for removal.

Column Name: reason_removal_value
Column Type: varchar
Max Length: 40
Reason for removal.

Column Name: referral_form_code
Column Type: varchar
Max Length: 40
The form code of the referral assessment.

Column Name: referral_form_value
Column Type: varchar
Max Length: 40
The form value of the referral assessment.

Column Name: waitlist_comments
Column Type: varchar
Max Length: 32000
The comments associated with the waitlist referral.

Column Name: waitlist_status_code
Column Type: varchar
Max Length: 40
The status code of the waitlist referral.

Column Name: waitlist_status_value
Column Type: varchar
Max Length: 40
The status of the waitlist referral.

Column Name: waitlist_type_code
Column Type: varchar
Max Length: 40
Waitlist type.

Column Name: waitlist_type_value
Column Type: varchar
Max Length: 40
Waitlist type.

Documentation for form: Internal_Client_Referrals

Table Name: SYSTEM.internal_client_referrals

Table Description: This table stores all internal referrals.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: FACILITY
Column Type: integer
The facility of the referral

Column Name: HST_uniqueid
Column Type: varchar
Max Length: 40
The record unique identifier.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID of the referral.

Column Name: client_name
Column Type: varchar
Max Length: 100
The client name.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 20
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_offset

Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: direct_to_wait_lst_code
Column Type: varchar
Max Length: 40
Direct to wait list.

Column Name: direct_to_wait_lst_value
Column Type: varchar
Max Length: 40
Direct to wait list.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: referral_form_code
Column Type: varchar
Max Length: 40
The form code of the referral assessment.

Column Name: referral_form_value
Column Type: varchar
Max Length: 40
The form value of the referral assessment.

Column Name: referral_name
Column Type: varchar
Max Length: 40
The referral name.

Column Name: referral_num
Column Type: varchar
Max Length: 10
The referral number.

Column Name: referral_wait_lst_code
Column Type: varchar
Max Length: 40
Wait list selected.

Column Name: referral_wait_lst_value
Column Type: varchar
Max Length: 40
Wait list selected.

Column Name: status
Column Type: varchar
Max Length: 40
The status of the referral.

Column Name: users_selected_code
Column Type: varchar
Max Length: 32000
Users selected.

Column Name: users_selected_shval
Column Type: varchar
Max Length: 255
Users selected.

Column Name: users_selected_value
Column Type: varchar
Max Length: 4096
Users selected.

Column Name: waitlist_date
Column Type: date
Wait list date.

Documentation for form: Client_Merge

Table Name: SYSTEM.audit_deleted_treatment

Table Description: This table represents audit trail data of client specific deleted services.

Column Name: deleted_treatment_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID of the service that was deleted.

Column Name: deleted_service_index
Column Type: varchar
Max Length: 10
This is an unique ID for the deleted service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 40
The practitioner ID who performed the service which was deleted.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code associated with the deleted service.

Column Name: date_of_service
Column Type: date

The date of service associated with the deleted service.

Column Name: date_service_deleted

Column Type: date

The date the service was deleted.

Column Name: time_service_deleted

Column Type: varchar

Max Length: 10

The time the service was deleted.

Column Name: user_who_deleted_service

Column Type: varchar

Max Length: 40

The user name who deleted the service.

Documentation for form: Client_Merge

Table Name: SYSTEM.program_active_clients

Table Description: This table returns active clients in each program code.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PROGRAM

Column Type: varchar

Max Length: 10

The program code in which the patient is active in.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: EPISODENUMBER

Column Type: integer

'Episode Number'

Documentation for form: Compile/Edit/Post/Unpost_Roll-Up_Services_Worklist

Table Name: SYSTEM.rollup_compile_errors

Table Description: This table returns error information about services that could not be rolled up via the 'Compile/Edit/Post/Unpost Roll-Up Services Worklist' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode of the service.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique ID of service for the client and episode.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for the service.

Column Name: client_name
Column Type: varchar
Max Length: 40
The name of the client.

Column Name: compile_date
Column Type: date
The date the roll-up compile was run.

Column Name: compile_date_index
Column Type: varchar
Max Length: 50
The unique identifier of the roll-up compile date.

Column Name: cost_of_service
Column Type: numeric
The cost of the service.

Column Name: date_of_service

Column Type: date

The date of the service.

Column Name: error_message

Column Type: varchar

Max Length: 256

The error message that explains why the service could not be rolled up.

Column Name: practitioner_id

Column Type: varchar

Max Length: 50

The ID of the rendering practitioner of the service.

Column Name: rollup_definition_id

Column Type: integer

The unique identifier of the roll-up definition associated with the service.

Column Name: service_code

Column Type: varchar

Max Length: 50

The service code for the service.

Column Name: service_description

Column Type: varchar

Max Length: 50

The description associated with service

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Compile/Edit/Post/Unpost_Roll-Up_Services_Worklist

Table Name: SYSTEM.rollup_services_adj

Table Description: This table returns the unique IDs for postings created by the roll-up posting process.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID associated with the posting.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for which the posting was entered.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in Julian date format and a counter starting with ".001".

Column Name: JOIN_TO_ROLLUP_SERVICE

Column Type: varchar

Max Length: 40

The unique ID assigned to the Client's service created by the roll-up process. Will be the date of service in Julian date format followed by a counter starting with ".001".

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

The unique ID assigned to the Client's service included in the roll-up. Will be the date of service in Julian date format followed by a counter starting with ".001".

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID associated with the data.

Column Name: POSTING_INDEX

Column Type: varchar

Max Length: 50

The unique ID assigned to the posting for each service. Will be "CR" followed by the posting date (date of payment).

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Compile/Edit/Post/Unpost_Roll-Up_Services_Worklist

Table Name: SYSTEM.rollup_services_unpost

Table Description: This table returns information about roll-up services that were unposted via the 'Unpost Selected Roll-Up Services' section of the 'Compile/Edit/Post/Unpost Roll-Up Services Worklist' form.

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number of the roll-up service.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The ID of the guarantor to which the roll-up service liability is assigned.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique identifier for the client service.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: client_name
Column Type: varchar
Max Length: 40
The name of the client identified by PATID. See PATID for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_rollup_service
Column Type: date

The date of the roll-up service.

Column Name: duration

Column Type: varchar

Max Length: 20

The duration associated with the roll-up service code.

Column Name: guarantor_name

Column Type: varchar

Max Length: 50

The name associated with the GUARANTOR_ID for the roll-up service code.

Column Name: location_code

Column Type: varchar

Max Length: 50

The location of the roll-up service.

Column Name: location_value

Column Type: varchar

Max Length: 50

The description associated with location_code. See location_code for more information.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: practitioner_id

Column Type: varchar

Max Length: 50

The ID of the rendering practitioner of the roll-up service.

Column Name: practitioner_name

Column Type: varchar

Max Length: 40

The name associated with the practitioner_id.

Column Name: program_code

Column Type: varchar

Max Length: 50

The program of the roll-up service.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description associated with program_code. See program_code for more information.

Column Name: service_code

Column Type: varchar

Max Length: 20

The service code for the roll-up service.

Column Name: service_description

Column Type: varchar

Max Length: 50

The description associated with the roll-up service.

Column Name: service_units

Column Type: varchar

Max Length: 50

The units of service associated with the roll-up service.

Column Name: unpost_date

Column Type: date

The date the roll-up service was unposted.

Column Name: unpost_index

Column Type: varchar

Max Length: 40

The unpost index under which the table entry was filed.

Documentation for form: Compile/Edit/Post/Unpost_Roll-Up_Services_Worklist

Table Name: SYSTEM.rollup_services_worklist

Table Description: This table returns the information stored in 'Compile/Edit/Post/Unpost Roll-Up Services Worklist' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

The unique identifier for the client service.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: client_name
Column Type: varchar
Max Length: 40
The name of the client identified by PATID. See PATID for more information.

Column Name: compile_date
Column Type: date
The date the roll-up services worklist was compiled.

Column Name: compile_date_index
Column Type: varchar
Max Length: 50
The compile date index for the roll-up.

Column Name: cost_of_rollup_service
Column Type: numeric
The cost of the roll-up service.

Column Name: cost_of_service
Column Type: numeric
The cost of the roll-up component service.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: date_of_rollup_service

Column Type: date

The date of the roll-up service.

Column Name: date_of_service

Column Type: date

The date of the roll-up component service.

Column Name: duration

Column Type: numeric

The duration of the roll-up component service.

Column Name: exclude_from_totals

Column Type: varchar

Max Length: 50

A flag to indicate whether the component service should be excluded from the roll-up totals

Column Name: in_other_rollups_code

Column Type: varchar

Max Length: 5

Indicator of whether the roll-up component service is included in another roll-up service.

Column Name: in_other_rollups_value

Column Type: varchar

Max Length: 5

The description associated with in_other_rollups_code. See in_other_rollups_code for more information.

Column Name: location_code

Column Type: varchar

Max Length: 50

The location of the roll-up service component.

Column Name: location_value

Column Type: varchar

Max Length: 50

The description associated with location_code. See location_code for more information.

Column Name: ncpdp_days

Column Type: numeric
The number of days for the NCPDP component.

Column Name: ncpdp_quantity
Column Type: numeric
The quantity for the NCPDP component service.

Column Name: ncpdp_rollup_days
Column Type: numeric
The number of days for the NCPDP roll-up service.

Column Name: ncpdp_rollup_fillnum
Column Type: varchar
Max Length: 50
The fill number for the NCPDP roll-up service.

Column Name: ncpdp_rollup_ndc
Column Type: varchar
Max Length: 50
The NDC for the NCPDP roll-up service.

Column Name: ncpdp_rollup_order_data
Column Type: varchar
Max Length: 512
The order data associated with the NCPDP roll-up service.

Column Name: ncpdp_rollup_overlap_yn
Column Type: varchar
Max Length: 50
The overlap indicator for the NCPDP roll-up service.

Column Name: ncpdp_rollup_quantity
Column Type: numeric
The quantity for the NCPDP roll-up service.

Column Name: ncpdp_rollup_rxnum
Column Type: varchar
Max Length: 50
The prescription number for the NCPDP roll-up service.

Column Name: ncpdp_rule_yn
Column Type: varchar
Max Length: 50
The indicator that identifies the roll-up rule as an NCPDP rule.

Column Name: number_of_people
Column Type: varchar
Max Length: 50
The number of people associated with the group ratio roll-up services worklist.

Column Name: practitioner_id
Column Type: varchar
Max Length: 50
The practitioner ID of the roll-up component service.

Column Name: program_code
Column Type: varchar
Max Length: 50
The program of the roll-up component service.

Column Name: program_value
Column Type: varchar
Max Length: 50
The description associated with program_code. See program_code for more information.

Column Name: roll_date_index
Column Type: varchar
Max Length: 50
The roll-up date index for the roll-up services worklist.

Column Name: rollup_modifiers
Column Type: varchar
Max Length: 50
The modifiers associated with the roll-up services worklist.

Column Name: roll_practitioner_index
Column Type: varchar
Max Length: 50
The practitioner index associated with the service.

Column Name: rollup_bill_date
Column Type: date
The date the roll-up service is billed.

Column Name: rollup_definition_id
Column Type: integer
The ID of the roll-up services rule associated with the service.

Column Name: rollup_description
Column Type: varchar
Max Length: 50
The description associated with rollup_definition_id. See rollup_definition_id for more information.

Column Name: rollup_duration
Column Type: numeric
The duration of the roll-up service.

Column Name: rollup_location_code
Column Type: varchar
Max Length: 50

The location of the roll-up service.

Column Name: rollup_location_value

Column Type: varchar

Max Length: 50

The description associated with rollup_location_code. See rollup_location_code for more information.

Column Name: rollup_practitioner_id

Column Type: varchar

Max Length: 50

The practitioner ID of the roll-up service.

Column Name: rollup_program_code

Column Type: varchar

Max Length: 50

The program of the roll-up service.

Column Name: rollup_program_value

Column Type: varchar

Max Length: 50

The description associated with rollup_program_code. See rollup_program_code for more information.

Column Name: rollup_service_code

Column Type: varchar

Max Length: 50

The service code for the roll-up service.

Column Name: rollup_service_fee

Column Type: numeric

The cost of the roll-up service.

Column Name: rollup_service_value

Column Type: varchar

Max Length: 50

The description associated with rollup_service_code. See rollup_service_code for more information.

Column Name: rollup_units

Column Type: numeric

The number of units for the roll-up service.

Column Name: service_code

Column Type: varchar

Max Length: 20

The service code for the roll-up component service.

Column Name: service_value

Column Type: varchar

Max Length: 50

The description associated with service_code. See service_code for more information.

Column Name: supervising_practitioner

Column Type: varchar

Max Length: 50

The supervising practitioner ID associated with the practitioner ID of the roll-up service component.

Column Name: surcharge_amount

Column Type: double

The surcharge amount of the service.

Column Name: total_component_charges

Column Type: numeric

The total charges of all roll-up component services for the roll-up service.

Column Name: transferred_service

Column Type: varchar

Max Length: 50

Indicator of whether or not the roll-up component service is a transfer.

Column Name: units

Column Type: numeric

The number of units for the roll-up component service.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: worklist_data_str

Column Type: varchar

Max Length: 255

A delimited string of data containing all the information associated with the service.

Column Name: worklist_status

Column Type: varchar

Max Length: 50

The status of the roll-up services worklist.

Column Name: worklist_status_str

Column Type: varchar

Max Length: 255

A delimited string of data containing information about the status of the roll-up services worklist.

Documentation for form: Compile/Edit/Post/Unpost_Roll-Up_Services_Worklist

Table Name: SYSTEM.rollup_unpost_errors

Table Description: This table returns error information about roll-up services that could not be unposted up via the 'Unpost Selected Roll-Up Services' section of the 'Compile/Edit/Post/Unpost Roll-Up Services Worklist' form.

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode of the service.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique ID of service for the client and episode.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for the roll-up service.

Column Name: client_name
Column Type: varchar
Max Length: 40
The name of the client.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_service
Column Type: date
The date of the roll-up service.

Column Name: error_message
Column Type: varchar

Max Length: 256

The error message that explains why the roll-up service could not be unposted.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: practitioner_id

Column Type: varchar

Max Length: 50

The ID of the rendering practitioner of the roll-up service.

Column Name: practitioner_name

Column Type: varchar

Max Length: 40

The name associated with the practitioner_id.

Column Name: service_code

Column Type: varchar

Max Length: 50

The service code for the roll-up service.

Column Name: service_description

Column Type: varchar

Max Length: 50

The description associated with the roll-up service.

Column Name: unpost_index

Column Type: varchar

Max Length: 40

The unpost index under which the table entry was filed.

Documentation for form: Compile/Edit/Post/Unpost_Roll-Up_Services_Worklist

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer
The system code in which the data was stored.

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data.

Column Name: STREG_INDEX
Column Type: varchar
Max Length: 20
A unique ID used to identify a row of data.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
'Service Code (10002)'

Column Name: location_code
Column Type: varchar
Max Length: 15
'Location (10006)'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: program_code
Column Type: varchar
Max Length: 15
The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10
'Cost Of Service (19999)'

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
'Insurance Charge Category (10021)'

Column Name: v_service_value
Column Type: varchar
Max Length: 40
The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value
Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

Joins table to treatment history.

Column Name: CO_STAFFID

Column Type: varchar

Max Length: 40

'Co Staffid (10007)'

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode (12345)'

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: accounting_period

Column Type: date

'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes Memo'

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes Text'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: provider_only_service

Column Type: integer

'Is this a provider only service?'

Column Name: referring_practitioner_code

Column Type: varchar

Max Length: 10

'Referring Practitioner Code'

Column Name: referring_practitioner_name

Column Type: varchar

Max Length: 50

'Referring Practitioner Name'

Column Name: referring_provider_code

Column Type: varchar

Max Length: 10

'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Group_Ratio_Roll-Up_Daily_Reconciliation_Report

Table Name: SYSTEM.rollup_group_ratio_report

Table Description: This table returns the information temporarily stored by running 'Group Ratio Roll-Up Daily Reconciliation Report' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique identifier for the client service.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: client_name
Column Type: varchar
Max Length: 40
The name of the client identified by PATID. See PATID for more information.

Column Name: compile_date
Column Type: date
The date the roll-up services worklist was compiled.

Column Name: compile_date_index
Column Type: varchar
Max Length: 50
The compile date index for the roll-up.

Column Name: cost_of_rollup_service
Column Type: numeric
The cost of the roll-up service.

Column Name: cost_of_service
Column Type: numeric
The cost of the roll-up component service.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: date_of_rollup_service

Column Type: date

The date of the roll-up service.

Column Name: date_of_service

Column Type: date

The date of the roll-up component service.

Column Name: duration

Column Type: numeric

The duration of the roll-up component service.

Column Name: in_other_rollups_code

Column Type: varchar

Max Length: 5

Indicator of whether the roll-up component service is included in another roll-up service.

Column Name: in_other_rollups_value

Column Type: varchar

Max Length: 5

The description associated with in_other_rollups_code. See in_other_rollups_code for more information.

Column Name: location_code

Column Type: varchar

Max Length: 50

The location of the roll-up service component.

Column Name: location_value

Column Type: varchar

Max Length: 50

The description associated with location_code. See location_code for more information.

Column Name: ncpdp_days

Column Type: numeric

The number of days for the NCPDP component.

Column Name: ncpdp_quantity

Column Type: numeric

The quantity for the NCPDP component service.

Column Name: ncpdp_rollup_days

Column Type: numeric

The number of days for the NCPDP roll-up service.

Column Name: ncpdp_rollup_fillnum

Column Type: varchar

Max Length: 50

The fill number for the NCPDP roll-up service.

Column Name: ncpdp_rollup_ndc

Column Type: varchar

Max Length: 50

The NDC for the NCPDP roll-up service.

Column Name: ncpdp_rollup_order_data

Column Type: varchar

Max Length: 512

The order data associated with the NCPDP roll-up service.

Column Name: ncpdp_rollup_overlap_yn

Column Type: varchar

Max Length: 50

The overlap indicator for the NCPDP roll-up service.

Column Name: ncpdp_rollup_quantity

Column Type: numeric

The quantity for the NCPDP roll-up service.

Column Name: ncpdp_rollup_rxnum

Column Type: varchar

Max Length: 50

The prescription number for the NCPDP roll-up service.

Column Name: ncpdp_rule_yn

Column Type: varchar

Max Length: 50

The indicator that identifies the roll-up rule as an NCPDP rule.

Column Name: number_of_people

Column Type: varchar

Max Length: 50

The number of people associated with the group ratio roll-up services worklist.

Column Name: practitioner_id

Column Type: varchar

Max Length: 50

The practitioner ID of the roll-up component service.

Column Name: program_code
Column Type: varchar
Max Length: 50
The program of the roll-up component service.

Column Name: program_value
Column Type: varchar
Max Length: 50
The description associated with program_code. See program_code for more information.

Column Name: roll_date_index
Column Type: varchar
Max Length: 50
The roll-up date index for the roll-up services worklist.

Column Name: roll_practitioner_index
Column Type: varchar
Max Length: 50
The practitioner index associated with the service.

Column Name: rollup_bill_date
Column Type: date
The date the roll-up service is billed.

Column Name: rollup_definition_id
Column Type: integer
The ID of the roll-up services rule associated with the service.

Column Name: rollup_description
Column Type: varchar
Max Length: 50
The description associated with rollup_definition_id. See rollup_definition_id for more information.

Column Name: rollup_duration
Column Type: numeric
The duration of the roll-up service.

Column Name: rollup_location_code
Column Type: varchar
Max Length: 50
The location of the roll-up service.

Column Name: rollup_location_value
Column Type: varchar
Max Length: 50
The description associated with rollup_location_code. See rollup_location_code for more information.

Column Name: rollup_modifiers
Column Type: varchar
Max Length: 50

The modifiers associated with the roll-up services worklist.

Column Name: rollup_practitioner_id

Column Type: varchar

Max Length: 50

The practitioner ID of the roll-up service.

Column Name: rollup_program_code

Column Type: varchar

Max Length: 50

The program of the roll-up service.

Column Name: rollup_program_value

Column Type: varchar

Max Length: 50

The description associated with rollup_program_code. See rollup_program_code for more information.

Column Name: rollup_service_code

Column Type: varchar

Max Length: 50

The service code for the roll-up service.

Column Name: rollup_service_fee

Column Type: numeric

The cost of the roll-up service.

Column Name: rollup_service_value

Column Type: varchar

Max Length: 50

The description associated with rollup_service_code. See rollup_service_code for more information.

Column Name: rollup_units

Column Type: numeric

The number of units for the roll-up service.

Column Name: service_code

Column Type: varchar

Max Length: 20

The service code for the roll-up component service.

Column Name: service_value

Column Type: varchar

Max Length: 50

The description associated with service_code. See service_code for more information.

Column Name: supervising_practitioner

Column Type: varchar

Max Length: 50

The supervising practitioner ID associated with the practitioner ID of the roll-up service component.

Column Name: surcharge_amount
Column Type: double
The surcharge amount of the service.

Column Name: total_component_charges
Column Type: numeric
The total charges of all roll-up component services for the roll-up service.

Column Name: transferred_service
Column Type: varchar
Max Length: 50
Indicator of whether or not the roll-up component service is a transfer.

Column Name: units
Column Type: numeric
The number of units for the roll-up component service.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: worklist_data_str
Column Type: varchar
Max Length: 255
A delimited string of data containing all the information associated with the service.

Column Name: worklist_status
Column Type: varchar
Max Length: 50
The status of the roll-up services worklist.

Column Name: worklist_status_str
Column Type: varchar
Max Length: 255
A delimited string of data containing information about the status of the roll-up services worklist.

Documentation for form: Spreadsheet_Charge_Input

Table Name: SYSTEM.billing_episode_totals

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID
Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID associated with the data.

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode number.

Column Name: total_closed_charges

Column Type: numeric

Total dollar amount for all closed services in the episode.

Column Name: total_open_charges

Column Type: numeric

Total dollar amount for all open services in the episode.

Column Name: total_payments

Column Type: numeric

Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance

Column Type: numeric

Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date

Column Type: date

The admission date for the client's episode.

Column Name: v_discharge_date

Column Type: date

The discharge date for the client's episode.

Column Name: v_program_code

Column Type: varchar

Max Length: 10

The program of admission for the client's episode.

Column Name: v_program_value

Column Type: varchar

Max Length: 40

The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name

Column Type: varchar

Max Length: 40

The client's name.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Spreadsheet_Charge_Input

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the service was entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID for which the service is entered.

Column Name: bep_stuff

Column Type: varchar

Max Length: 15

This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code

Column Type: varchar

Max Length: 5

The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID

Column Type: varchar

Max Length: 40

The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability

Column Type: numeric

The guarantor's liability.

Column Name: CLAIM_NUMBER

Column Type: varchar

Max Length: 25

The claim number assigned to a client's service.

Column Name: guarantor_total_payments

Column Type: numeric

The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE

Column Type: varchar

Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40
'Program'

Column Name: v_PROVIDER_ID
Column Type: varchar
Max Length: 10
'Practitioner'

Column Name: v_program_X_rrg_code
Column Type: varchar
Max Length: 10
The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value
Column Type: varchar
Max Length: 40
The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value
Column Type: varchar
Max Length: 100
The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value
Column Type: varchar
Max Length: 40
The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service
Column Type: date
'Date Of Service'

Column Name: v_accounting_period
Column Type: date
The accounting period for the service.

Column Name: v_client_name
Column Type: varchar
Max Length: 40
The name associated with the client ID.

Column Name: v_PROVIDER_NAME
Column Type: varchar
Max Length: 40
The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date
Column Type: date
Date of entry

Column Name: v_claim_date
Column Type: date
'Date of Claim'

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid
Column Type: varchar
Max Length: 50
This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc
Column Type: varchar
Max Length: 50
This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc
Column Type: varchar
Max Length: 50
This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number
Column Type: varchar
Max Length: 50
'Authorization Number'

Column Name: billing_units
Column Type: numeric
'Billing Units'

Column Name: claimed_CER_uniqueid

Column Type: varchar

Max Length: 50

This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number

Column Type: varchar

Max Length: 50

'Claimed Authorization Number'

Column Name: date_of_svc_close

Column Type: date

'Date of Service Closed'

Column Name: re_bill_claim_number

Column Type: varchar

Max Length: 50

This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value

Column Type: varchar

Max Length: 50

This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance

Column Type: double

Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level

Column Type: varchar

Max Length: 5

'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code

Column Type: varchar

Max Length: 10

'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value

Column Type: varchar

Max Length: 40

The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage
Column Type: varchar
Max Length: 10
'Sliding Fee Coverage'

Column Name: split_units
Column Type: numeric
'Split Units'

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration
Column Type: varchar
Max Length: 20
'Duration'

Column Name: v_location_code
Column Type: varchar
Max Length: 20
'Location'

Column Name: v_modifiers
Column Type: varchar
Max Length: 20
'Modifiers'

Documentation for form: Spreadsheet_Charge_Input

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID

Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge
Column Type: numeric
The full charge for the service.

Column Name: total_payments
Column Type: numeric
Total payments for service

Column Name: date_charge_closed
Column Type: date
Date the service was closed.

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period
Column Type: date
Accounting Period

Column Name: client_name
Column Type: varchar
Max Length: 40
The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date
Column Type: date
The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code
Column Type: varchar
Max Length: 10
The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value
Column Type: varchar
Max Length: 40
The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Spreadsheet_Charge_Input

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode of the service.

Column Name: FACILITY
Column Type: integer
The facility of the service.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID of the service.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code of the service.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique row id.

Column Name: program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
The practitioner ID of the service.

Column Name: duration
Column Type: numeric
The duration of the service.

Column Name: appointment_status_code

Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar
Max Length: 15
The number of clients in the group if this is a group service.

Column Name: cost_of_service
Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: co_staff_member_2
Column Type: varchar
Max Length: 20
The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: deleted_service_code

Column Type: varchar

Max Length: 20

The original service code if the service is now deleted.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description for the program_code. See program_code for more information.

Column Name: appointment_status_value

Column Type: varchar

Max Length: 40

The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description for the location_code. See location_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 100

The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name of the PROVIDER_ID of the service.

Column Name: date_of_service

Column Type: date

The date of the service.

Column Name: billable_value

Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code
Column Type: varchar
Max Length: 40
'Location' for the program_code of the service.

Column Name: program_X_RRG_code
Column Type: varchar
Max Length: 15
'RRG' for the program_code of the service.

Column Name: program_X_address_street
Column Type: varchar
Max Length: 40
'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id
Column Type: varchar
Max Length: 40
'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code
Column Type: varchar
Max Length: 15
'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code
Column Type: varchar
Max Length: 15
'Program Type' for the program_code of the service.

Column Name: program_X_location_value
Column Type: varchar
Max Length: 40
The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value
Column Type: varchar
Max Length: 40
The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value
Column Type: varchar
Max Length: 40
The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value
Column Type: varchar
Max Length: 40
The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name
Column Type: varchar
Max Length: 40
The name of the PATID of the service.

Column Name: age_on_date_of_service_
Column Type: numeric
The client's age at the time of service.

Column Name: appt_site_name
Column Type: varchar
Max Length: 40
The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC
Column Type: varchar
Max Length: 40
The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV
Column Type: varchar
Max Length: 100
The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP
Column Type: varchar
Max Length: 100
The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id
Column Type: varchar
Max Length: 50
The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC
Column Type: varchar
Max Length: 50
Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE
Column Type: varchar
Max Length: 40
Join to Group Note.

Column Name: JOIN_TO_PARENT_TX
Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Original Unique row id

Column Name: add_on_notes

Column Type: varchar

Max Length: 32768

'Add-On Notes'.

Column Name: add_svc_info_code

Column Type: varchar

Max Length: 50

'Additional Service Information'.

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program

Column Type: varchar

Max Length: 10

The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time

Column Type: varchar

Max Length: 50

The 'Appointment End Time' related to this service.

Column Name: appt_group_id

Column Type: varchar

Max Length: 50

The 'Group #' related to this service.

Column Name: apt_group_name

Column Type: varchar

Max Length: 40

The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id

Column Type: varchar

Max Length: 50

The 'Appointment Site' related to this service.

Column Name: appt_start_time

Column Type: varchar

Max Length: 50

The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code

Column Type: varchar

Max Length: 50
'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val
Column Type: varchar
Max Length: 50
The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'.

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units
Column Type: numeric
'Cal Billing Units'

Column Name: confidential_service_code
Column Type: varchar
Max Length: 50
'Confidential Service' from Avatar PH.

Column Name: confidential_service_val
Column Type: varchar
Max Length: 50
The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration
Column Type: numeric
'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member
Column Type: varchar
Max Length: 15
The 'Co-Practitioner' of the service.

Column Name: data_control_identifier
Column Type: varchar
Max Length: 40
'Data Control Identifier'.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_accident
Column Type: date
'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service
Column Type: date
Date To Bill Roll-Up Service.

Column Name: delay_reason_code
Column Type: varchar
Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value

Column Type: varchar

Max Length: 50

The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc

Column Type: varchar

Max Length: 50

The client's age in days, months and years at the time of service.

Column Name: discipline_code

Column Type: varchar

Max Length: 255

'Discipline'.

Column Name: discipline_value

Column Type: varchar

Max Length: 255

The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code

Column Type: varchar

Max Length: 255

'Evidence Based Practices'

Column Name: ebps_sh_val

Column Type: varchar

Max Length: 255

'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value

Column Type: varchar

Max Length: 4096

'The description associated with ebps_code. See ebps_code for more information.'

Column Name: emergency_ind_code

Column Type: varchar

Max Length: 50

'Emergency Indicator'.

Column Name: emergency_ind_value

Column Type: varchar

Max Length: 50

The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time

Column Type: varchar

Max Length: 10

The end time of the service.

Column Name: fee_override_indicator

Column Type: varchar

Max Length: 50

Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date

Column Type: date

'First Billing Date'.

Column Name: has_global_period_flag

Column Type: varchar

Max Length: 15

This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id

Column Type: varchar

Max Length: 15

The incident-to practitioner ID.

Column Name: incident_to_pract_name

Column Type: varchar

Max Length: 40

The name of the incident-to practitioner.

Column Name: initial_treatment_date

Column Type: date

'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code

Column Type: varchar

Max Length: 5

Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value

Column Type: varchar

Max Length: 10

The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi

Column Type: bit

Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code

Column Type: varchar

Max Length: 5

Was this service created as an overage service.

Column Name: is_overage_service_value

Column Type: varchar

Max Length: 10

The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code

Column Type: varchar

Max Length: 5

Was this service created as a roll-up service.

Column Name: is_roll_up_service_value

Column Type: varchar

Max Length: 10

The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon

Column Type: varchar

Max Length: 40

Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code

Column Type: varchar

Max Length: 10
'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 100
The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value
Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes

Column Type: varchar

Max Length: 32766

'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'.

Column Name: mso_eob_number

Column Type: integer

The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code

Column Type: varchar

Max Length: 50

'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value

Column Type: varchar

Max Length: 50

The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837

Column Type: varchar

Max Length: 80

'Note Reference Text (837 Billing)'.

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 40

The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code

Column Type: varchar

Max Length: 50

'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value

Column Type: varchar

Max Length: 50

The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_date

Column Type: date

The date the service was first entered into the system.

Column Name: orig_entry_option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time

Column Type: varchar

Max Length: 50

The time the service was first entered into the system.

Column Name: orig_entry_user

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_user_id

Column Type: varchar

Max Length: 50

The user ID that first entered the service into the system.

Column Name: original_tx_code

Column Type: varchar

Max Length: 10

'Original Scheduled Service'.

Column Name: original_tx_value

Column Type: varchar

Max Length: 40

The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date

Column Type: date

'Orthodontic Banding Date'.

Column Name: primary_guarantor

Column Type: varchar

Max Length: 40

'Primary Guarantor'.

Column Name: prior_placement_date

Column Type: date

'Prior Placement Date'.

Column Name: prosth_crown_inlay_code

Column Type: varchar

Max Length: 50

'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value

Column Type: varchar

Max Length: 50

The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration

Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner'.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
The name of the referring_practitioner_code.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the referring_provider_code.

Column Name: related_causes_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value
Column Type: varchar
Max Length: 255
The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS
Column Type: varchar
Max Length: 40
The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc
Column Type: timestamp
the End of Service as UTC date and time.

Column Name: service_start_utc
Column Type: timestamp
the Start of Service as UTC date and time.

Column Name: service_status_code
Column Type: varchar
Max Length: 7
Is the service open or closed.

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone

Column Type: varchar

Max Length: 255

the timezone for the service used to determine the offset from UTC.

Column Name: start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: task_event_id

Column Type: varchar

Max Length: 40

The id of the task list event that created this service

Column Name: tooth_number

Column Type: varchar

Max Length: 50

'Tooth Number'.

Column Name: tooth_status_code

Column Type: varchar

Max Length: 50

'Tooth Status Code'.

Column Name: tooth_status_value

Column Type: varchar

Max Length: 50

The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code

Column Type: varchar

Max Length: 50

'Tooth Surface Code'.

Column Name: tooth_surface_shvalue

Column Type: varchar

Max Length: 255

The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value

Column Type: varchar

Max Length: 4096

The description for the `tooth_surface_code`. See `tooth_surface_code` for more information.

Column Name: `total_duration_crisis_svc`

Column Type: `varchar`

Max Length: 40

Total duration if 'Service Code Type' of `SERVICE_CODE` is "Crisis".

Column Name: `total_duration_other_svc`

Column Type: `varchar`

Max Length: 40

Total duration if 'Service Code Type' of `SERVICE_CODE` is "Other".

Column Name: `transferred_service`

Column Type: `varchar`

Max Length: 10

Is this a transfer service.

Column Name: `treatment_service_code`

Column Type: `varchar`

Max Length: 50

'Treatment Service' for the `program_code` of the service.

Column Name: `treatment_service_value`

Column Type: `varchar`

Max Length: 50

The description for the `treatment_service_code`. See `treatment_service_code` for more information.

Column Name: `units_of_service`

Column Type: `numeric`

The units of the service.

Column Name: `user_row_access_code`

Column Type: `integer`

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: `v_deleted_service_value`

Column Type: `varchar`

Max Length: 40

The description for the `deleted_service_code`. See `deleted_service_code` for more information.

Documentation for form: [Spreadsheet_Edit_Service_Information](#)

Table Name: `SYSTEM.billing_episode_totals`

Table Description: This table returns the total dollar amount for services and postings in each episode for a client.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID associated with the data.

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode number.

Column Name: total_closed_charges
Column Type: numeric
Total dollar amount for all closed services in the episode.

Column Name: total_open_charges
Column Type: numeric
Total dollar amount for all open services in the episode.

Column Name: total_payments
Column Type: numeric
Total dollar amount for all postings applied to services in the episode.

Column Name: episode_balance
Column Type: numeric
Remaining balance on the client's episode. Sum of 'total_closed_charges' and 'total_open_charges' less the 'total_payments' amount.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
The billing episode for the client. Will be "BEP" followed by the episode number.

Column Name: v_admit_date
Column Type: date
The admission date for the client's episode.

Column Name: v_discharge_date
Column Type: date
The discharge date for the client's episode.

Column Name: v_program_code
Column Type: varchar
Max Length: 10
The program of admission for the client's episode.

Column Name: v_program_value
Column Type: varchar
Max Length: 40
The description for the v_program_code. See program_code for more information.

Column Name: v_program_X_rrg_code
Column Type: varchar
Max Length: 10
The selection in the field 'RRG' of the 'Program Maintenance' form for the v_program_code.

Column Name: v_program_X_rrg_value
Column Type: varchar
Max Length: 40
The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: patient_name
Column Type: varchar
Max Length: 40
The client's name.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Spreadsheet_Edit_Service_Information

Table Name: SYSTEM.billing_tx_charge_detail

Table Description: This table returns the distribution of liability for a client's service.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID

Column Type: varchar
Max Length: 20
The client ID for which the service is entered.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The ID of the guarantor for the which the guarantor_liability is assigned.

Column Name: guarantor_liability
Column Type: numeric
The guarantor's liability.

Column Name: CLAIM_NUMBER
Column Type: varchar
Max Length: 25
The claim number assigned to a client's service.

Column Name: guarantor_total_payments
Column Type: numeric
The sum of all postings for the guarantor's liability.

Column Name: v_SERVICE_CODE
Column Type: varchar
Max Length: 20

'Service Code'

Column Name: v_program_of_visit_code

Column Type: varchar

Max Length: 40

'Program'

Column Name: v_PROVIDER_ID

Column Type: varchar

Max Length: 10

'Practitioner'

Column Name: v_program_X_rrg_code

Column Type: varchar

Max Length: 10

The code for the selection in the field 'RRG' of the 'Program Maintenance' form for the Client's pre-admit/admission program.

Column Name: v_program_X_rrg_value

Column Type: varchar

Max Length: 40

The description for the v_program_X_rrg_code. See v_program_X_rrg_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 100

The description for the v_service_code. See v_service_code for more information.

Column Name: v_program_of_visit_value

Column Type: varchar

Max Length: 40

The description for the v_program_of_visit_code. See v_program_of_visit_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service'

Column Name: v_accounting_period

Column Type: date

The accounting period for the service.

Column Name: v_client_name

Column Type: varchar

Max Length: 40

The name associated with the client ID.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name associated with the v_PROVIDER_ID.

Column Name: data_entry_date
Column Type: date
Date of entry

Column Name: v_claim_date
Column Type: date
'Date of Claim'

Column Name: service_status_value
Column Type: varchar
Max Length: 10
The description for the service_status_code. See service_status_code for more information.

Column Name: JOIN_TO_PAYMENT_HISTORY_
Column Type: varchar
Max Length: 15
An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: JOIN_TO_CER_uniqueid
Column Type: varchar
Max Length: 50
This is the unique ID associated with the authorization.

Column Name: JOIN_TO_CER_unq_calc
Column Type: varchar
Max Length: 50
This is the link to the authorization that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: ORIG_JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: auth_number_calc
Column Type: varchar
Max Length: 50
This is the authorization number that is used to determine used dollars, units, and visits and will become locked once the service is closed. If no auth was valid at the time the service was closed, this field will be blank.

Column Name: authorization_number
Column Type: varchar
Max Length: 50
'Authorization Number'

Column Name: billing_units
Column Type: numeric
'Billing Units'

Column Name: claimed_CER_uniqueid
Column Type: varchar
Max Length: 50
This is the unique ID associated with the claimed authorization.

Column Name: claimed_auth_number
Column Type: varchar
Max Length: 50
'Claimed Authorization Number'

Column Name: date_of_svc_close
Column Type: date
'Date of Service Closed'

Column Name: re_bill_claim_number
Column Type: varchar
Max Length: 50
This will show the last claim under which this service was re-billed to this guarantor.

Column Name: re_bill_status
Column Type: varchar
Max Length: 50
This will show the Claim Submission Reason Code (such as "6", "7" or "8") associated with the re_bill_claim_number.

Column Name: re_bill_status_value
Column Type: varchar
Max Length: 50
This will show the Claim Submission Reason Value (such as "Corrected", "Replacement" or "Void") associated with the re_bill_claim_number.

Column Name: remaining_balance
Column Type: double
Remaining balance available to the guarantor. Equal to total liability - total payments.

Column Name: slide_fee_plan_level
Column Type: varchar
Max Length: 5
'Sliding Fee Plan Level'

Column Name: slide_fee_scale_val_code
Column Type: varchar
Max Length: 10
'Sliding Fee Scale Value'

Column Name: slide_fee_scale_val_value

Column Type: varchar

Max Length: 40

The description for the slide_fee_scale_val_code. See slide_fee_scale_val_code for more information.

Column Name: sliding_fee_coverage

Column Type: varchar

Max Length: 10

'Sliding Fee Coverage'

Column Name: split_units

Column Type: numeric

'Split Units'

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_duration

Column Type: varchar

Max Length: 20

'Duration'

Column Name: v_location_code

Column Type: varchar

Max Length: 20

'Location'

Column Name: v_modifiers

Column Type: varchar

Max Length: 20

'Modifiers'

Documentation for form: Spreadsheet_Edit_Service_Information

Table Name: SYSTEM.billing_tx_charge_totals

Table Description: This table returns the billing service totals

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the service was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: bep_stuff
Column Type: varchar
Max Length: 15
This will return "BEP" followed by the episode number for the client.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 15
The unique ID assigned to the specific client's service. Will be the date of service in julian date format followed by a counter starting with ".001".

Column Name: service_status_code
Column Type: varchar
Max Length: 5
The code for the status of the service. "O" if the service is "Open", otherwise "C".

Column Name: full_charge
Column Type: numeric
The full charge for the service.

Column Name: total_payments
Column Type: numeric
Total payments for service

Column Name: date_charge_closed
Column Type: date
Date the service was closed.

Column Name: transferred_service
Column Type: varchar
Max Length: 10
This will indicate if the row is the result of a transfer.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: v_accounting_period

Column Type: date

Accounting Period

Column Name: client_name

Column Type: varchar

Max Length: 40

The client name associated with PATID.

Column Name: JOIN_TO_PAYMENT_HISTORY

Column Type: varchar

Max Length: 15

An additional unique ID used to link the payment/adjustment tables. Will be "B" followed by the date of service in julian date format and a counter starting with ".001".

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: data_entry_date

Column Type: date

The date the row was last updated

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

The original unique ID assigned to the specific client's service. Will be different than the JOIN_TO_TX_HISTORY if the row (or service) is the result of a transfer.

Column Name: transfer_to_guarantor_code

Column Type: varchar

Max Length: 10

The 'Guarantor_ID' the user selected to transfer liability to.

Column Name: transfer_to_guarantor_value

Column Type: varchar

Max Length: 40

The description for the transfer_to_guarantor_code. See transfer_to_guarantor_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Spreadsheet_Edit_Service_Information

Table Name: SYSTEM.billing_tx_history

Table Description: This table returns the history of client services

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The client episode of the service.

Column Name: FACILITY
Column Type: integer
The facility of the service.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID of the service.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
The service code of the service.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique row id.

Column Name: program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: PROVIDER_ID
Column Type: varchar
Max Length: 15
The practitioner ID of the service.

Column Name: duration
Column Type: numeric
The duration of the service.

Column Name: appointment_status_code
Column Type: varchar
Max Length: 15
The appointment status code related to this service.

Column Name: location_code
Column Type: varchar
Max Length: 50
'Location'.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: billable_code
Column Type: varchar
Max Length: 5
'Billable'.

Column Name: number_of_clients
Column Type: varchar
Max Length: 15
The number of clients in the group if this is a group service.

Column Name: cost_of_service
Column Type: numeric
The 'Cost Of Service' of the service.

Column Name: co_staff_member_2
Column Type: varchar
Max Length: 20
The 'Second Co Staff Member' of the service.

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15
The 'Covered Charge Category' for the service code.

Column Name: accounting_period
Column Type: date
The accounting period of the service.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_by
Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: deleted_service_code

Column Type: varchar

Max Length: 20

The original service code if the service is now deleted.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description for the program_code. See program_code for more information.

Column Name: appointment_status_value

Column Type: varchar

Max Length: 40

The description for the appointment_status_code. See appointment_status_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description for the location_code. See location_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 100

The description for the insurance_category_code. See insurance_category_code for more information.

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description for the SERVICE_CODE. See SERVICE_CODE for more information.

Column Name: v_PROVIDER_NAME

Column Type: varchar

Max Length: 40

The name of the PROVIDER_ID of the service.

Column Name: date_of_service

Column Type: date

The date of the service.

Column Name: billable_value

Column Type: varchar

Max Length: 20

The description for the billable_code. See billable_code for more information.

Column Name: program_X_address_city_state

Column Type: varchar

Max Length: 40

'Program Address - City', 'Program Address - State' and 'Program Address - Zipcode' for the program_code of the service.

Column Name: program_X_location_code

Column Type: varchar

Max Length: 40

'Location' for the program_code of the service.

Column Name: program_X_RRG_code

Column Type: varchar

Max Length: 15

'RRG' for the program_code of the service.

Column Name: program_X_address_street

Column Type: varchar

Max Length: 40

'Program Address - Street' for the program_code of the service.

Column Name: program_X_tax_id

Column Type: varchar

Max Length: 40

'Program Tax Id' for the program_code of the service.

Column Name: program_X_tx_setting_code

Column Type: varchar

Max Length: 15

'Treatment Setting' for the program_code of the service.

Column Name: program_X_type_code

Column Type: varchar

Max Length: 15

'Program Type' for the program_code of the service.

Column Name: program_X_location_value

Column Type: varchar

Max Length: 40

The description for the program_X_location_code. See program_X_location_code for more information.

Column Name: program_X_RRG_value

Column Type: varchar

Max Length: 40

The description for the program_X_RRG_code. See program_X_RRG_code for more information.

Column Name: program_X_tx_setting_value

Column Type: varchar

Max Length: 40

The description for the program_X_tx_setting_code. See program_X_tx_setting_code for more information.

Column Name: program_X_type_value

Column Type: varchar

Max Length: 40

The description for the program_X_type_code. See program_X_type_code for more information.

Column Name: v_patient_name

Column Type: varchar

Max Length: 40

The name of the PATID of the service.

Column Name: age_on_date_of_service_

Column Type: numeric

The client's age at the time of service.

Column Name: appt_site_name

Column Type: varchar

Max Length: 40

The group name for the appt_site_id. See appt_site_id for more information.

Column Name: JOIN_TO_CCBHC

Column Type: varchar

Max Length: 40

The ID of the associated CCBHC service

Column Name: JOIN_TO_CODE_CHART_SERV

Column Type: varchar

Max Length: 100

The medical coding chart service row ID (SYSTEM.CodingServices) if the service originated from the medical coding chart.

Column Name: JOIN_TO_CODE_CHART_SUPP

Column Type: varchar

Max Length: 100

The medical coding chart supplemental diagnosis service row ID (SYSTEM.CodingServices).

Column Name: JOIN_TO_document_id

Column Type: varchar

Max Length: 50

The document in DocM.document_image associated with this service, as documentation in lieu of a progress note or other service documentation.

Column Name: JOIN_TO_ENC

Column Type: varchar

Max Length: 50

Join to Avatar PH encounter data from Encounter Recording, Encounter Recording (Charge Fee Access) (PH.encounter_history table) and Dental Encounter Recording (PH.dental_encounter table) forms.

Column Name: JOIN_TO_GROUP_NOTE

Column Type: varchar

Max Length: 40

Join to Group Note.

Column Name: JOIN_TO_PARENT_TX

Column Type: varchar

Max Length: 50

The parent service DD. This is available for the split service when the split service functionality is used.

Column Name: JOIN_TO_Roll_Up

Column Type: varchar

Max Length: 50

Join to the roll-up service.

Column Name: join_to_ss_tx_history

Column Type: varchar

Max Length: 40

Join to site specific treatment information (SYSTEM.site_specific_tx_history).

Column Name: JOIN_TO_SVCDocumentation

Column Type: varchar

Max Length: 40

The service documentation modeled table row the service is attached to.

Column Name: MSOCLAIMID

Column Type: integer

The Avatar MSO claim ID if the service originated in MSO.

Column Name: MSO_FUNDSRCID

Column Type: varchar

Max Length: 20

The Avatar MSO funding source ID if the service originated in MSO.

Column Name: MSO_PROVID

Column Type: varchar

Max Length: 20

The Avatar MSO provider ID if the service originated in MSO.

Column Name: MSO_authorization_number

Column Type: varchar

Max Length: 15

The Avatar MSO authorization number if the service originated in MSO.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

Join to Avatar CWS Progress Notes.

Column Name: ORIG_JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Original Unique row id

Column Name: add_on_notes

Column Type: varchar
Max Length: 32768
'Add-On Notes'.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 50
'Additional Service Information'.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description for the add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description for the add_svc_info_code. See add_svc_info_code for more information.

Column Name: admission_program
Column Type: varchar
Max Length: 10
The admission program for the PATID and EPISODE_NUMBER of the service.

Column Name: appt_end_time
Column Type: varchar
Max Length: 50
The 'Appointment End Time' related to this service.

Column Name: appt_group_id
Column Type: varchar
Max Length: 50
The 'Group #' related to this service.

Column Name: apt_group_name
Column Type: varchar
Max Length: 40
The group name for the appt_group_id. See appt_group_id for more information.

Column Name: appt_site_id
Column Type: varchar
Max Length: 50
The 'Appointment Site' related to this service.

Column Name: appt_start_time
Column Type: varchar
Max Length: 50
The 'Appointment Start Time' related to this service.

Column Name: auto_accident_place_code
Column Type: varchar
Max Length: 50
'Form Locator 10 (Auto Accident, Place)' (State Dictionary).

Column Name: auto_accident_place_val
Column Type: varchar
Max Length: 50
The description for the auto_accident_place_code. See auto_accident_place_code for more information.

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'.

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description for the billing_status_code. See billing_status_code for more information.

Column Name: cal_billing_units
Column Type: numeric
'Cal Billing Units'

Column Name: confidential_service_code
Column Type: varchar
Max Length: 50
'Confidential Service' from Avatar PH.

Column Name: confidential_service_val
Column Type: varchar
Max Length: 50
The description for the confidential_service_code. See confidential_service_code for more information.

Column Name: co_staff_duration
Column Type: numeric
'Co-Practitioner 2 Duration (Minutes)'

Column Name: co_staff_member
Column Type: varchar
Max Length: 15
The 'Co-Practitioner' of the service.

Column Name: data_control_identifier
Column Type: varchar
Max Length: 40
'Data Control Identifier'.

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_accident

Column Type: date

'Date Of Accident (2300-DTP-03)'.

Column Name: date_to_bill_rollup_service

Column Type: date

Date To Bill Roll-Up Service.

Column Name: delay_reason_code

Column Type: varchar

Max Length: 15
'Delay Reason Code '.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description for the delay_reason_code. See delay_reason_code for more information.

Column Name: det_age_on_date_of_svc
Column Type: varchar
Max Length: 50
The client's age in days, months and years at the time of service.

Column Name: discipline_code
Column Type: varchar
Max Length: 255
'Discipline'.

Column Name: discipline_value
Column Type: varchar
Max Length: 255
The description for the discipline_code. See discipline_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.

Column Name: emergency_ind_code
Column Type: varchar
Max Length: 50
'Emergency Indicator'.

Column Name: emergency_ind_value
Column Type: varchar
Max Length: 50
The description for the emergency_ind_code. See emergency_ind_code for more information.

Column Name: end_time
Column Type: varchar

Max Length: 10
The end time of the service.

Column Name: fee_override_indicator
Column Type: varchar
Max Length: 50
Indicates if the fee for this service has been overridden from the original value.

Column Name: first_billing_date
Column Type: date
'First Billing Date'.

Column Name: has_global_period_flag
Column Type: varchar
Max Length: 15
This is set if the service code has a 'Global Period'.

Column Name: incident_to_pract_id
Column Type: varchar
Max Length: 15
The incident-to practitioner ID.

Column Name: incident_to_pract_name
Column Type: varchar
Max Length: 40
The name of the incident-to practitioner.

Column Name: initial_treatment_date
Column Type: date
'Initial Treatment Date (2300-DTP-03)'.

Column Name: is_ccbhc_service_code
Column Type: varchar
Max Length: 5
Indicates if this service was created as a CCBHC service.

Column Name: is_ccbhc_service_value
Column Type: varchar
Max Length: 10
The description for is_ccbhc_service_code. See is_ccbhc_service_code for more information.

Column Name: is_cqi
Column Type: bit
Flag for determining if this is a Clinical Quality Indicator service.

Column Name: is_overage_service_code
Column Type: varchar
Max Length: 5
Was this service created as an overage service.

Column Name: is_overage_service_value

Column Type: varchar

Max Length: 10

The description for the is_overage_service_code. See is_overage_service_code for more information.

Column Name: is_roll_up_service_code

Column Type: varchar

Max Length: 5

Was this service created as a roll-up service.

Column Name: is_roll_up_service_value

Column Type: varchar

Max Length: 10

The description for the is_roll_up_service_code. See is_roll_up_service_code for more information.

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

Not viewable in SQL.

Column Name: join_to_tx_hist_for_addon

Column Type: varchar

Max Length: 40

Join to unique row for the primary service of an add on service.

Column Name: medical_diagnosis1_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 1'.

Column Name: medical_diagnosis1_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2'.

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 100
The description for the medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD10 code.

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' ICD9 code.

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1' IMO.

Column Name: medical_diag_2_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD10 code.

Column Name: medical_diag_2_icd10_value
Column Type: varchar
Max Length: 40
The description for the medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2' ICD9 code.

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2' IMO.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD10 code.

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' ICD9 code.

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3' IMO.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD10 code.

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' ICD9 code.

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description for the medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4' IMO.

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3'.

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4'.

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description for the medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: missed_visit_notes

Column Type: varchar

Max Length: 32766

'Missed Visit Notes' from Avatar Appointment Scheduling.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'.

Column Name: mso_eob_number

Column Type: integer

The Avatar MSO EOB number if the service originated in MSO.

Column Name: note_ref_code_837_code

Column Type: varchar

Max Length: 50

'Note Reference Code (837 Billing)'.

Column Name: note_ref_code_837_value

Column Type: varchar

Max Length: 50

The description for the note_ref_code_837_code. See note_ref_code_837_code for more information.

Column Name: note_ref_txt_837

Column Type: varchar

Max Length: 80

'Note Reference Text (837 Billing)'.

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes' from Avatar Appointment Scheduling.

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes' from Avatar Appointment Scheduling limited to 255 characters.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 40

The unique ID of the form that last updated the row.

Column Name: oral_cavity_desig_code

Column Type: varchar

Max Length: 50

'Oral Cavity Designation Code'.

Column Name: oral_cavity_desig_value

Column Type: varchar

Max Length: 50

The description for the oral_cavity_desig_code. See oral_cavity_desig_code for more information.

Column Name: orig_entry_by

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_date

Column Type: date

The date the service was first entered into the system.

Column Name: orig_entry_option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that first entered the service into the system.

Column Name: orig_entry_time

Column Type: varchar

Max Length: 50

The time the service was first entered into the system.

Column Name: orig_entry_user

Column Type: varchar

Max Length: 50

The username that first entered the service into the system.

Column Name: orig_entry_user_id

Column Type: varchar

Max Length: 50

The user ID that first entered the service into the system.

Column Name: original_tx_code

Column Type: varchar

Max Length: 10

'Original Scheduled Service'.

Column Name: original_tx_value

Column Type: varchar

Max Length: 40

The description for the original_tx_code. See original_tx_code for more information.

Column Name: orthodontic_banding_date

Column Type: date

'Orthodontic Banding Date'.

Column Name: primary_guarantor

Column Type: varchar

Max Length: 40

'Primary Guarantor'.

Column Name: prior_placement_date

Column Type: date

'Prior Placement Date'.

Column Name: prosth_crown_inlay_code

Column Type: varchar

Max Length: 50

'Prosthesis, Crown Or Inlay Code'.

Column Name: prosth_crown_inlay_value

Column Type: varchar

Max Length: 50

The description for the prosth_crown_inlay_code. See prosth_crown_inlay_code for more information.

Column Name: psycho_add_on_duration
Column Type: integer
'Psychotherapy Add-On Duration'.

Column Name: referring_practitioner_code
Column Type: varchar
Max Length: 10
'Referring Practitioner'.

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
The name of the referring_practitioner_code.

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider'.

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
The name of the referring_provider_code.

Column Name: related_causes_code
Column Type: varchar
Max Length: 50
'Related Causes Information (2300-CLM-11)'.

Column Name: related_causes_mult_value
Column Type: varchar
Max Length: 255
The description for the related_causes_code. See related_causes_code for more information.

Column Name: service_documentation_NS
Column Type: varchar
Max Length: 40
The service documentation namespace that the modeled table resides in.

Column Name: service_end_utc
Column Type: timestamp
the End of Service as UTC date and time.

Column Name: service_start_utc
Column Type: timestamp
the Start of Service as UTC date and time.

Column Name: service_status_code
Column Type: varchar

Max Length: 7

Is the service open or closed.

Column Name: service_status_value

Column Type: varchar

Max Length: 10

The description for the service_status_code. See service_status_code for more information.

Column Name: service_utc_timezone

Column Type: varchar

Max Length: 255

the timezone for the service used to determine the offset from UTC.

Column Name: start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: task_event_id

Column Type: varchar

Max Length: 40

The id of the task list event that created this service

Column Name: tooth_number

Column Type: varchar

Max Length: 50

'Tooth Number'.

Column Name: tooth_status_code

Column Type: varchar

Max Length: 50

'Tooth Status Code'.

Column Name: tooth_status_value

Column Type: varchar

Max Length: 50

The description for the tooth_status_code. See tooth_status_code for more information.

Column Name: tooth_surface_code

Column Type: varchar

Max Length: 50

'Tooth Surface Code'.

Column Name: tooth_surface_shvalue

Column Type: varchar

Max Length: 255

The description for the tooth_surface_code limited to 255 characters. See tooth_surface_code for more information.

Column Name: tooth_surface_value

Column Type: varchar

Max Length: 4096

The description for the tooth_surface_code. See tooth_surface_code for more information.

Column Name: total_duration_crisis_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Crisis".

Column Name: total_duration_other_svc

Column Type: varchar

Max Length: 40

Total duration if 'Service Code Type' of SERVICE_CODE is "Other".

Column Name: transferred_service

Column Type: varchar

Max Length: 10

Is this a transfer service.

Column Name: treatment_service_code

Column Type: varchar

Max Length: 50

'Treatment Service' for the program_code of the service.

Column Name: treatment_service_value

Column Type: varchar

Max Length: 50

The description for the treatment_service_code. See treatment_service_code for more information.

Column Name: units_of_service

Column Type: numeric

The units of the service.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_deleted_service_value

Column Type: varchar

Max Length: 40

The description for the deleted_service_code. See deleted_service_code for more information.

Documentation for form: Spreadsheet_Edit_Service_Information

Table Name: SYSTEM.staff_tx_history

Table Description: This table returns all staff services stored regardless of source.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: STAFFID
Column Type: varchar
Max Length: 10
The staff ID associated with the data.

Column Name: STREG_INDEX
Column Type: varchar
Max Length: 20
A unique ID used to identify a row of data.

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 20
'Service Code (10002)'

Column Name: location_code
Column Type: varchar
Max Length: 15
'Location (10006)'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: program_code
Column Type: varchar
Max Length: 15
The code for the program in which the data is stored.

Column Name: cost_of_service
Column Type: varchar
Max Length: 10
'Cost Of Service (19999)'

Column Name: insurance_category_code
Column Type: varchar
Max Length: 15

'Insurance Charge Category (10021)'

Column Name: v_service_value

Column Type: varchar

Max Length: 40

The description associated with v_service_code. See v_service_code for more information.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: program_value

Column Type: varchar

Max Length: 40

The description associated with program_code. See program_code for more information.

Column Name: insurance_category_value

Column Type: varchar

Max Length: 40

The description associated with insurance_category_code. See insurance_category_code for more information.

Column Name: date_of_service

Column Type: date

'Date Of Service (10001)'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 15

Joins table to treatment history.

Column Name: CO_STAFFID

Column Type: varchar

Max Length: 40

'Co Staffid (10007)'

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode (12345)'

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: accounting_period
Column Type: date
'Accounting Period (10032)'

Column Name: deleted_service_code
Column Type: varchar
Max Length: 20
'Deleted Service Code (10033)'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: duration
Column Type: varchar
Max Length: 50
'Duration'

Column Name: end_time
Column Type: varchar
Max Length: 10
'Service End Time (60022)'

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 JOIN (10050)'

Column Name: jointodiagnosisobject2

Column Type: varchar
Max Length: 40
'Medical Diagnosis 2 JOIN (10051)'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 JOIN (10080)'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 JOIN (10081)'

Column Name: medical_diagnosis1_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 1 Code'

Column Name: medical_diagnosis1_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis1_code. See medical_diagnosis1_code for more information.

Column Name: medical_diagnosis2_code
Column Type: varchar
Max Length: 10
'Medical Diagnosis 2 Code'

Column Name: medical_diagnosis2_value
Column Type: varchar
Max Length: 40
The description associated with medical_diagnosis2_code. See medical_diagnosis2_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD-10'

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40

'Medical Diagnosis 1 ICD-9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 IMO'

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD-9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 IMO'

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD-9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 IMO'

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD-9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 IMO'

Column Name: medical_diagnosis3_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 3 Code'

Column Name: medical_diagnosis3_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis3_code. See medical_diagnosis3_code for more information.

Column Name: medical_diagnosis4_code

Column Type: varchar

Max Length: 10

'Medical Diagnosis 4 Code'

Column Name: medical_diagnosis4_value

Column Type: varchar

Max Length: 40

The description associated with medical_diagnosis4_code. See medical_diagnosis4_code for more information.

Column Name: modifiers

Column Type: varchar

Max Length: 50

'Modifiers'

Column Name: notes_memo

Column Type: varchar

Max Length: 32766

'Appointment Notes Memo'

Column Name: notes_text

Column Type: varchar

Max Length: 255

'Appointment Notes Text'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: provider_only_service

Column Type: integer

'Is this a provider only service?'

Column Name: referring_practitioner_code

Column Type: varchar

Max Length: 10

'Referring Practitioner Code'

Column Name: referring_practitioner_name
Column Type: varchar
Max Length: 50
'Referring Practitioner Name'

Column Name: referring_provider_code
Column Type: varchar
Max Length: 10
'Referring Provider Code'

Column Name: referring_provider_name
Column Type: varchar
Max Length: 50
'Referring Provider Name'

Column Name: start_time
Column Type: varchar
Max Length: 10
'Service Start Time (60021)'

Column Name: units_of_service
Column Type: numeric
'Units Of Service (10014)'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Submitter_Identification_Definition

Table Name: SYSTEM.table_submitter_id_def

Table Description: This table returns the data filed in the 'Submitter Identification Definition' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 20

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: SERVICE_CODE
Column Type: varchar
Max Length: 50

Column Name: active_inactive_code
Column Type: varchar
Max Length: 50

Column Name: active_inactive_value
Column Type: varchar
Max Length: 50

Column Name: bill_prov_sec_id_qua_code
Column Type: varchar
Max Length: 2

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 20

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: effective_date
Column Type: date

Column Name: expiration_date
Column Type: date

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: program_code
Column Type: varchar
Max Length: 50

Column Name: program_value
Column Type: varchar
Max Length: 50

Column Name: submit_id_code_qualifier
Column Type: varchar
Max Length: 50

Column Name: submit_id_number
Column Type: varchar
Max Length: 50

Column Name: prov_prim_id

Column Type: varchar
Max Length: 50

Column Name: prov_prim_id_qua_code
Column Type: varchar
Max Length: 10

Column Name: fac_id
Column Type: varchar
Max Length: 50

Column Name: fac_id_qua_code
Column Type: varchar
Max Length: 2

Column Name: fac_ref_id
Column Type: varchar
Max Length: 50

Column Name: fac_ref_id_qua_code
Column Type: varchar
Max Length: 3

Column Name: reference_ident
Column Type: varchar
Max Length: 50

Column Name: bill_prov_sec_id
Column Type: varchar
Max Length: 50

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar

Max Length: 255

Column Name: data_entry_time_j

Column Type: time

Column Name: data_entry_offset

Column Type: numeric

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

Documentation for form: CareConnect_HIE_Configuration

Table Name: SYSTEM.care_quality_config

Table Description: CareQuality Network Config Data

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: all_services

Column Type: varchar

Max Length: 50

Set to "Y" if Pre-Fetch Process is enabled for all service codes.

Column Name: care_quality_net_enabled

Column Type: varchar

Max Length: 50

CareQuality Network is enabled or not

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: enable_service

Column Type: varchar
Max Length: 50
'Enable Pre-Fetch Process' is enabled or not.

Column Name: enforce_consent
Column Type: varchar
Max Length: 50
Enforce Consent is enabled or not.

Column Name: option_desc
Column Type: varchar
Max Length: 80
Option Description

Column Name: option_id
Column Type: varchar
Max Length: 20
Option Id

Column Name: pn_form_code
Column Type: varchar
Max Length: 32000
'Progress Notes Available in Carequality'

Column Name: pn_form_sh_val
Column Type: varchar
Max Length: 255
'The description associated with pn_form_code. See pn_form_code for more information.

Column Name: pn_form_value
Column Type: varchar
Max Length: 4096
'The description associated with pn_form_code. See pn_form_code for more information.

Column Name: service_code
Column Type: varchar
Max Length: 32000
'Service Codes for Pre-Fetch'

Column Name: service_sh_val
Column Type: varchar
Max Length: 255
'The description associated with service_code. See service_code for more information.

Column Name: service_value
Column Type: varchar
Max Length: 4096
'The description associated with service_code. See service_code for more information.

Documentation for form: CareConnect_HIE_Configuration

Table Name: SYSTEM.care_quality_config_orgs

Table Description: CareQuality Network Config Organizations Data

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: organization_id
Column Type: varchar
Max Length: 50
CareQuality Organization Id

Column Name: status_code
Column Type: varchar
Max Length: 50
Status code of the organization.

Column Name: status_value
Column Type: varchar
Max Length: 50
Status description

Documentation for form: CareConnect_HIE_Configuration

Table Name: SYSTEM.ccd_upload_audit

Table Description: This table returns an audit log of information via the CareConnect CCD interface.

Column Name: ID
Column Type: integer

Column Name: ccd_file
Column Type: longvarchar
Max Length: 2147483647
Name of the CCD file.

Column Name: ccd_save_enabled
Column Type: bit

'Save CCD File To Audit Log'

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: send_date

Column Type: date

'Send Date'

Column Name: send_time

Column Type: time

'Send Time'

Column Name: status

Column Type: varchar

Max Length: 50

Status

Column Name: status_message

Column Type: varchar

Max Length: 5000

Sending status

Documentation for form: CareConnect_HIE_Configuration

Table Name: SYSTEM.ccd_upload_config

Table Description: CCD Upload Configuration Table

Column Name: ID

Column Type: integer

Column Name: ccd_upload_enabled

Column Type: varchar

Max Length: 50

CCD Upload Enabled

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored. Facility number.

Column Name: save_ccd_to_audit
Column Type: varchar
Max Length: 50
Save CCD to audit file after uploading

Column Name: ccd_interval
Column Type: integer
Interval To Upload CCD File

Column Name: consent_req_for
Column Type: varchar
Max Length: 50
Consent Required Model

Column Name: content_code
Column Type: varchar
Max Length: 10000
'Content' to be included in the CCD

Column Name: content_code_version
Column Type: integer
'Content' code dictionary version

Column Name: content_value
Column Type: varchar
Max Length: 30000
Content dictionary value

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: hie_identifier

Column Type: varchar

Max Length: 50

HIE identifier

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: provider_id
Column Type: varchar
Max Length: 50
Provider identifier

Column Name: support_42CFR_Part2
Column Type: varchar
Max Length: 50
42 CFR Part 2 supported

Documentation for form: CareConnect_HIE_Configuration

Table Name: SYSTEM.ccd_upload_queue

Table Description: This table tracks the clients that are added to transfer queue for uploading CCDs.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: last_send_date
Column Type: date
'Last Send Date'

Column Name: last_send_time
Column Type: time
'Last Send Time'

Column Name: queued
Column Type: varchar
Max Length: 50
Set to "Y" if this client is subject to be uploading CCD now.

Column Name: user_id
Column Type: varchar
Max Length: 50
User Id associated with CCD upload.

Column Name: comments
Column Type: varchar
Max Length: 32000
Comments associated with CCD upload.

Documentation for form: Payment_Acknowledgement

Table Name: SYSTEM.audit_payment_acknowledge

Table Description: This table returns the audit data filed in the 'Payment Acknowledgement' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code where data was filed.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The ID of the guarantor for which the acknowledgement was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID.

Column Name: amount_type_code
Column Type: varchar
Max Length: 50
1 if payment_amount is "Less than zero", 2 if payment_amount is "Greater than zero", 3 if payment_amount is "Zero".

Column Name: amount_type_value
Column Type: varchar
Max Length: 50
The description for the amount_type_code. See amount_type_code for more information.

Column Name: bank_ref_number
Column Type: varchar
Max Length: 50
The 'Bank Ref #'.

Column Name: batch_number
Column Type: varchar

Max Length: 50
The 'Batch Number'.

Column Name: category_code
Column Type: varchar
Max Length: 50
The 'Category'.

Column Name: category_value
Column Type: varchar
Max Length: 100
The description for the category_code. See category_code for more information.

Column Name: check_eft_date
Column Type: date
'Check/EFT Date'.

Column Name: check_eft_number
Column Type: varchar
Max Length: 50
The check/EFT number.

Column Name: comments
Column Type: varchar
Max Length: 32000
comments property for reporting

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 20
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_receipt
Column Type: date
'Receipt Date'.

Column Name: deposit_date
Column Type: date
'Deposit Date'.

Column Name: name_source
Column Type: varchar
Max Length: 50
The 'Name/Source'.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: payment_amount
Column Type: numeric
The Payment Acknowledgement dollar amount.

Column Name: payment_type_code
Column Type: varchar
Max Length: 10
'Posting Code'.

Column Name: payment_type_value
Column Type: varchar
Max Length: 40
The description associated with payment_type_code. See payment_type_code for more information.

Column Name: transaction_number
Column Type: integer
The 'Transaction Number'.

Column Name: treatment_service_code
Column Type: varchar
Max Length: 50
'Treatment Service'.

Column Name: treatment_service_value
Column Type: varchar
Max Length: 50
The description for the treatment_service_code. See treatment_service_code for more information.

Documentation for form: Payment_Acknowledgement

Table Name: SYSTEM.pay_ack_post_pay_acc_ent

Table Description: This table returns the data filed in the 'Payment Acknowledgement' (Post Payment Accounting Entry) form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code where data was filed.

Column Name: account_code
Column Type: varchar
Max Length: 50

The 'Account'.

Column Name: account_value

Column Type: varchar

Max Length: 100

The description for the account_code. See account_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 20

The user name that last updated this data row.

Column Name: data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time when this data row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: payment_amount
Column Type: numeric
The Payment Acknowledgement dollar amount.

Column Name: payment_type_code
Column Type: varchar
Max Length: 10
'Posting Code'.

Column Name: payment_type_value
Column Type: varchar
Max Length: 40
The description associated with payment_type_code. See payment_type_code for more information.

Column Name: posting_date
Column Type: date
'Posting Date'.

Column Name: program_code
Column Type: varchar
Max Length: 50
The 'Program'.

Column Name: program_value
Column Type: varchar
Max Length: 100
The description for the program_code. See program_code for more information.

Column Name: reversal_reason
Column Type: varchar
Max Length: 4096
'Reversal Reason' property for reporting

Column Name: transaction_number
Column Type: integer
The 'Transaction Number'.

Column Name: treatment_service_code
Column Type: varchar
Max Length: 50
'Treatment Service'.

Column Name: treatment_service_value
Column Type: varchar
Max Length: 50
The description for the treatment_service_code. See treatment_service_code for more information.

Documentation for form: Payment_Acknowledgement

Table Name: SYSTEM.payment_acknowledgement

Table Description: This table returns the data filed in the 'Payment Acknowledgement' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code where data was filed.

Column Name: GUARANTOR_ID
Column Type: varchar
Max Length: 40
The ID of the guarantor for which the acknowledgement was entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID.

Column Name: amount_type_code
Column Type: varchar
Max Length: 50
1 if payment_amount is "Less than zero", 2 if payment_amount is "Greater than zero", 3 if payment_amount is "Zero".

Column Name: amount_type_value
Column Type: varchar

Max Length: 50

The description for the amount_type_code. See amount_type_code for more information.

Column Name: bank_ref_number

Column Type: varchar

Max Length: 50

The 'Bank Ref #'.

Column Name: batch_number

Column Type: varchar

Max Length: 50

The 'Batch Number'.

Column Name: category_code

Column Type: varchar

Max Length: 50

The 'Category'.

Column Name: category_value

Column Type: varchar

Max Length: 100

The description for the category_code. See category_code for more information.

Column Name: check_eft_date

Column Type: date

'Check/EFT Date'.

Column Name: check_eft_number

Column Type: varchar

Max Length: 50

The check/EFT number.

Column Name: comments

Column Type: varchar

Max Length: 32000

comments property for reporting

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 20

The user name that last updated this data row.

Column Name: data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time when this data row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_receipt
Column Type: date
'Receipt Date'.

Column Name: deposit_date
Column Type: date
'Deposit Date'.

Column Name: name_source
Column Type: varchar
Max Length: 50
The 'Name/Source'.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: payment_amount
Column Type: numeric
The Payment Acknowledgement dollar amount.

Column Name: payment_type_code
Column Type: varchar
Max Length: 10
'Posting Code'.

Column Name: payment_type_value
Column Type: varchar
Max Length: 40
The description associated with payment_type_code. See payment_type_code for more information.

Column Name: transaction_number
Column Type: integer
The 'Transaction Number'.

Column Name: treatment_service_code
Column Type: varchar
Max Length: 50
'Treatment Service'.

Column Name: treatment_service_value
Column Type: varchar
Max Length: 50
The description for the treatment_service_code. See treatment_service_code for more information.

Documentation for form: CCBHC_Population_Maintenance

Table Name: SYSTEM.audit_ccbhc_population

Table Description: This table returns the audit information stored in the 'CCBHC Population Maintenance' form.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOINTOAuditCCBHCPopulation

Column Type: integer

The table row id of the record.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: audit_data_entry_by

Column Type: varchar

Max Length: 50

The user who last updated the row on the original SYSTEM.ccbhc_population_history table.

Column Name: audit_data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row on the original SYSTEM.ccbhc_population_history table.

Column Name: audit_data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row on the original SYSTEM.ccbhc_population_history table.

Column Name: audit_data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row on the original SYSTEM.ccbhc_population_history table.

Column Name: audit_data_entry_user_name

Column Type: varchar

Max Length: 50

The user name who last updated the row on the original SYSTEM.ccbhc_population_history table.

Column Name: audit_date

Column Type: date

The date the row was last updated on the original SYSTEM.ccbhc_population_history table.

Column Name: audit_option_desc

Column Type: varchar

Max Length: 255

The name of the form that last updated the row on the original SYSTEM.ccbhc_population_history table.

Column Name: audit_option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row on the original SYSTEM.ccbhc_population_history table.

Column Name: audit_time

Column Type: time

The time the row was last updated on the original SYSTEM.ccbhc_population_history table.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: date_of_birth

Column Type: date

Client's Date Of Birth

Column Name: effective_date

Column Type: date

'Effective Date'

Column Name: end_date
Column Type: date
'End Date'

Column Name: first_name
Column Type: varchar
Max Length: 50
Client's First Name

Column Name: gender
Column Type: varchar
Max Length: 50
Client's Gender

Column Name: last_name
Column Type: varchar
Max Length: 50
Client's Last Name

Column Name: medicaid_id
Column Type: varchar
Max Length: 50
Client's Medicaid ID

Column Name: middle_initial
Column Type: varchar
Max Length: 50
Client's Middle Initial

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: population_code
Column Type: varchar
Max Length: 50
Population Assigned

Column Name: population_id
Column Type: varchar
Max Length: 50
Link to the original SYSTEM.ccbhc_population_history table row id.

Column Name: population_value

Column Type: varchar

Max Length: 50

The description associated with population_code. See population_code for more information.

Column Name: ssn

Column Type: varchar

Max Length: 50

Client's Social Security Number

Column Name: status

Column Type: varchar

Max Length: 50

'Status'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: CCBHC_Population_Maintenance

Table Name: SYSTEM.ccbhc_population_history

Table Description: This table returns the information stored in the 'CCBHC Population Maintenance' form.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOINTOCCBHCPopulation

Column Type: integer

The table row id of the record.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: date_of_birth

Column Type: date

Client's Date Of Birth

Column Name: effective_date

Column Type: date

'Effective Date'

Column Name: end_date

Column Type: date

'End Date'

Column Name: first_name

Column Type: varchar

Max Length: 50

Client's First Name

Column Name: gender

Column Type: varchar

Max Length: 50
Client's Gender

Column Name: last_name
Column Type: varchar
Max Length: 50
Client's Last Name

Column Name: medicaid_id
Column Type: varchar
Max Length: 50
Client's Medicaid ID

Column Name: middle_initial
Column Type: varchar
Max Length: 50
Client's Middle Initial

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: population_code
Column Type: varchar
Max Length: 50
Population Assigned

Column Name: population_value
Column Type: varchar
Max Length: 50
The description associated with population_code. See population_code for more information.

Column Name: ssn
Column Type: varchar
Max Length: 50
Client's Social Security Number

Column Name: status
Column Type: varchar
Max Length: 50
'Status'

Column Name: user_row_access_code
Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: PCP_Communication_Configuration

Table Name: SYSTEM.audit_pcp_communications

Table Description: This table returns audit pcp communication information.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_TO_COMM

Column Type: integer

Join to the SYSTEM.pcp_communication table.

Column Name: JOIN_TO_PCP

Column Type: varchar

Max Length: 50

Join to the SYSTEM.pcp_definition table on NPI Number.

Column Name: PATID

Column Type: varchar

Max Length: 20

Client ID associated to this communication.

Column Name: application

Column Type: varchar

Max Length: 50

Application the form_id is located in.

Column Name: communication_user

Column Type: varchar

Max Length: 50

user who created this communication.

Column Name: doc_date

Column Type: date

The date this document was created.

Column Name: doc_form

Column Type: varchar
Max Length: 50
Document Mangement Form ID.

Column Name: doc_image_id
Column Type: integer
Document image ID associated to this communication.

Column Name: end_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - End Time' for this communication.

Column Name: episode
Column Type: varchar
Max Length: 50
Episode for this communication.

Column Name: error
Column Type: varchar
Max Length: 100
Error message for this communication.

Column Name: fax_id
Column Type: varchar
Max Length: 50
Fax identifier.

Column Name: fax_number
Column Type: varchar
Max Length: 50
Fax number for this communication.

Column Name: form_desc
Column Type: varchar
Max Length: 80
The option name associated to form_id.

Column Name: form_id
Column Type: varchar
Max Length: 50
The form that created this communication.

Column Name: method_code
Column Type: varchar
Max Length: 50
Communication method.

Column Name: method_value
Column Type: varchar

Max Length: 50

The description for the method_code. See method_code for more information.

Column Name: printed_date

Column Type: date

The date this document was printed for mailing.

Column Name: printed_time

Column Type: varchar

Max Length: 50

The time this document was printed for mailing.

Column Name: printed_user

Column Type: varchar

Max Length: 50

The user that set this document as printed for mailing.

Column Name: program_code

Column Type: varchar

Max Length: 50

'Program(s)'.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description for the program_code. See program_code for more information.

Column Name: routing_doc_image_id

Column Type: integer

Document image ID associated to the routed document.

Column Name: site_name

Column Type: varchar

Max Length: 50

site for this communication.

Column Name: start_time

Column Type: varchar

Max Length: 50

'Valid Time Frame - Start Time' for this communication.

Column Name: status

Column Type: varchar

Max Length: 50

The status of this communication.

Column Name: time_zone_code

Column Type: varchar

Max Length: 50

Time zone for this communication.

Column Name: time_zone_value

Column Type: varchar

Max Length: 50

The description for the time_zone_code. See time_zone_code for more information.

Column Name: unique_historic

Column Type: varchar

Max Length: 50

Historic associated to the assessment that created this communication.

Column Name: updated_date

Column Type: date

The date this communication was last updated.

Column Name: valid_days_code

Column Type: varchar

Max Length: 50

Valid days of the week to fax this communication.

Column Name: valid_days_value_long

Column Type: varchar

Max Length: 4096

The description for the valid_days_code. See valid_days_code for more information.

Column Name: valid_days_value_short

Column Type: varchar

Max Length: 255

The description for the valid_days_code limited to 255 characters. See valid_days_code for more information.

Column Name: view_type_code

Column Type: varchar

Max Length: 50

View type associated to this communication.

Column Name: view_type_value

Column Type: varchar

Max Length: 50

The description for the view_type_code. See view_type_code for more information.

Documentation for form: PCP_Communication_Configuration

Table Name: SYSTEM.pcp_comm_config

Table Description: This table returns 'PCP Communication Configuration' information.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: application
Column Type: varchar
Max Length: 50
Application the form is located in.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: doc_form_id
Column Type: varchar
Max Length: 50
'Document Management Form'.

Column Name: form_desc
Column Type: varchar

Max Length: 80

The option name associated to form_id.

Column Name: form_id

Column Type: varchar

Max Length: 50

'Avatar Form/Assessment'.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The option name that last updated this data row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The option identifier that last updated this data_row.

Column Name: report

Column Type: varchar

Max Length: 50

'Report'.

Column Name: view_type_code

Column Type: varchar

Max Length: 50

'Document Communication View Type'.

Column Name: view_type_value

Column Type: varchar

Max Length: 50

The description for the view_type_code. See view_type_code for more information.

Documentation for form: PCP_Communication_Configuration

Table Name: SYSTEM.pcp_communications

Table Description: This table returns all pcp communication that have been submitted or errored.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_TO_PCP
Column Type: varchar
Max Length: 50
Join to the SYSTEM.pcp_definition table on NPI Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID associated to this communication.

Column Name: application
Column Type: varchar
Max Length: 50
Application the form_id is located in.

Column Name: communication_user
Column Type: varchar
Max Length: 50
user who created this communication.

Column Name: doc_date
Column Type: date
The date this document was created.

Column Name: doc_form
Column Type: varchar
Max Length: 50
Document Mangement Form ID.

Column Name: doc_image_id
Column Type: integer
Document image ID associated to this communication.

Column Name: end_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - End Time' for this communication.

Column Name: episode
Column Type: varchar
Max Length: 50
Episode for this communication.

Column Name: error
Column Type: varchar
Max Length: 100
Error message for this communication.

Column Name: fax_id
Column Type: varchar

Max Length: 50

Fax identifier.

Column Name: fax_number

Column Type: varchar

Max Length: 50

Fax number for this communication.

Column Name: form_desc

Column Type: varchar

Max Length: 80

The option name associated to form_id.

Column Name: form_id

Column Type: varchar

Max Length: 50

The form that created this communication.

Column Name: method_code

Column Type: varchar

Max Length: 50

Communication method.

Column Name: method_value

Column Type: varchar

Max Length: 50

The description for the method_code. See method_code for more information.

Column Name: printed_date

Column Type: date

The date this document was printed for mailing.

Column Name: printed_time

Column Type: varchar

Max Length: 50

The time this document was printed for mailing.

Column Name: printed_user

Column Type: varchar

Max Length: 50

The user that set this document as printed for mailing.

Column Name: program_code

Column Type: varchar

Max Length: 50

'Program(s)'.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description for the program_code. See program_code for more information.

Column Name: removal_reason

Column Type: varchar

Max Length: 200

'Removal Reason' for this communication.

Column Name: routing_doc_image_id

Column Type: integer

Document image ID associated to the routed document.

Column Name: site_name

Column Type: varchar

Max Length: 50

site for this communication.

Column Name: start_time

Column Type: varchar

Max Length: 50

'Valid Time Frame - Start Time' for this communication.

Column Name: status

Column Type: varchar

Max Length: 50

The status of this communication.

Column Name: time_zone_code

Column Type: varchar

Max Length: 50

Time zone for this communication.

Column Name: time_zone_value

Column Type: varchar

Max Length: 50

The description for the time_zone_code. See time_zone_code for more information.

Column Name: unique_historic

Column Type: varchar

Max Length: 50

Historic associated to the assessment that created this communication.

Column Name: updated_date

Column Type: date

The date this communication was last updated.

Column Name: valid_days_code

Column Type: varchar

Max Length: 50

Valid days of the week to fax this communication.

Column Name: valid_days_value_long

Column Type: varchar

Max Length: 4096

The description for the valid_days_code. See valid_days_code for more information.

Column Name: valid_days_value_short

Column Type: varchar

Max Length: 255

The description for the valid_days_code limited to 255 characters. See valid_days_code for more information.

Column Name: view_type_code

Column Type: varchar

Max Length: 50

View type associated to this communication.

Column Name: view_type_value

Column Type: varchar

Max Length: 50

The description for the view_type_code. See view_type_code for more information.

Documentation for form: Program_PCP_Communication_Preferences

Table Name: SYSTEM.audit_pcp_communications

Table Description: This table returns audit pcp communication information.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_TO_COMM

Column Type: integer

Join to the SYSTEM.pcp_communication table.

Column Name: JOIN_TO_PCP

Column Type: varchar

Max Length: 50

Join to the SYSTEM.pcp_definition table on NPI Number.

Column Name: PATID

Column Type: varchar

Max Length: 20

Client ID associated to this communication.

Column Name: application

Column Type: varchar

Max Length: 50

Application the form_id is located in.

Column Name: communication_user

Column Type: varchar

Max Length: 50

user who created this communication.

Column Name: doc_date

Column Type: date

The date this document was created.

Column Name: doc_form

Column Type: varchar

Max Length: 50

Document Mangement Form ID.

Column Name: doc_image_id

Column Type: integer

Document image ID associated to this communication.

Column Name: end_time

Column Type: varchar

Max Length: 50

'Valid Time Frame - End Time' for this communication.

Column Name: episode

Column Type: varchar

Max Length: 50

Episode for this communication.

Column Name: error

Column Type: varchar

Max Length: 100

Error message for this communication.

Column Name: fax_id

Column Type: varchar

Max Length: 50

Fax identifier.

Column Name: fax_number

Column Type: varchar

Max Length: 50

Fax number for this communication.

Column Name: form_desc
Column Type: varchar
Max Length: 80
The option name associated to form_id.

Column Name: form_id
Column Type: varchar
Max Length: 50
The form that created this communication.

Column Name: method_code
Column Type: varchar
Max Length: 50
Communication method.

Column Name: method_value
Column Type: varchar
Max Length: 50
The description for the method_code. See method_code for more information.

Column Name: printed_date
Column Type: date
The date this document was printed for mailing.

Column Name: printed_time
Column Type: varchar
Max Length: 50
The time this document was printed for mailing.

Column Name: printed_user
Column Type: varchar
Max Length: 50
The user that set this document as printed for mailing.

Column Name: program_code
Column Type: varchar
Max Length: 50
'Program(s)'.

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: routing_doc_image_id
Column Type: integer
Document image ID associated to the routed document.

Column Name: site_name
Column Type: varchar

Max Length: 50
site for this communication.

Column Name: start_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - Start Time' for this communication.

Column Name: status
Column Type: varchar
Max Length: 50
The status of this communication.

Column Name: time_zone_code
Column Type: varchar
Max Length: 50
Time zone for this communication.

Column Name: time_zone_value
Column Type: varchar
Max Length: 50
The description for the time_zone_code. See time_zone_code for more information.

Column Name: unique_historic
Column Type: varchar
Max Length: 50
Historic associated to the assessment that created this communication.

Column Name: updated_date
Column Type: date
The date this communication was last updated.

Column Name: valid_days_code
Column Type: varchar
Max Length: 50
Valid days of the week to fax this communication.

Column Name: valid_days_value_long
Column Type: varchar
Max Length: 4096
The description for the valid_days_code. See valid_days_code for more information.

Column Name: valid_days_value_short
Column Type: varchar
Max Length: 255
The description for the valid_days_code limited to 255 characters. See valid_days_code for more information.

Column Name: view_type_code
Column Type: varchar

Max Length: 50

View type associated to this communication.

Column Name: view_type_value

Column Type: varchar

Max Length: 50

The description for the view_type_code. See view_type_code for more information.

Documentation for form: Program_PCP_Communication_Preferences

Table Name: SYSTEM.audit_pcp_program_pref

Table Description: This table returns audit information for the 'Program PCP Communication Preferences' form.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: active_code

Column Type: varchar

Max Length: 50

'Active'.

Column Name: active_value

Column Type: varchar

Max Length: 50

The description for the active_code. See active_code for more information.

Column Name: comm_meth_req_code

Column Type: varchar

Max Length: 50

'Communication Method Requirement'.

Column Name: comm_meth_req_value

Column Type: varchar

Max Length: 50

The description for the comm_meth_req_code. See comm_meth_req_code for more information.

Column Name: comm_pref_name

Column Type: varchar

Max Length: 50

'Communication Preference Name'.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option name that last updated this data row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The option identifier that last updated this data_row.

Column Name: pcpr_required_code
Column Type: varchar
Max Length: 50
'PCP Required'.

Column Name: pcpr_required_value
Column Type: varchar
Max Length: 50
The description for the pcpr_required_code. See pcpr_required_code for more information.

Column Name: program_code
Column Type: varchar
Max Length: 50
'Program(s)'.

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: view_type_code
Column Type: varchar
Max Length: 50
'Document Communication View Type'.

Column Name: view_type_value
Column Type: varchar
Max Length: 50
The description for the view_type_code. See view_type_code for more information.

Documentation for form: Program_PCP_Communication_Preferences

Table Name: SYSTEM.pcp_communications

Table Description: This table returns all pcp communication that have been submitted or errored.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_PCP
Column Type: varchar
Max Length: 50
Join to the SYSTEM.pcp_definition table on NPI Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID associated to this communication.

Column Name: application
Column Type: varchar
Max Length: 50

Application the form_id is located in.

Column Name: communication_user
Column Type: varchar
Max Length: 50
user who created this communication.

Column Name: doc_date
Column Type: date
The date this document was created.

Column Name: doc_form
Column Type: varchar
Max Length: 50
Document Mangement Form ID.

Column Name: doc_image_id
Column Type: integer
Document image ID associated to this communication.

Column Name: end_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - End Time' for this communication.

Column Name: episode
Column Type: varchar
Max Length: 50
Episode for this communication.

Column Name: error
Column Type: varchar
Max Length: 100
Error message for this communication.

Column Name: fax_id
Column Type: varchar
Max Length: 50
Fax identifier.

Column Name: fax_number
Column Type: varchar
Max Length: 50
Fax number for this communication.

Column Name: form_desc
Column Type: varchar
Max Length: 80
The option name associated to form_id.

Column Name: form_id
Column Type: varchar
Max Length: 50
The form that created this communication.

Column Name: method_code
Column Type: varchar
Max Length: 50
Communication method.

Column Name: method_value
Column Type: varchar
Max Length: 50
The description for the method_code. See method_code for more information.

Column Name: printed_date
Column Type: date
The date this document was printed for mailing.

Column Name: printed_time
Column Type: varchar
Max Length: 50
The time this document was printed for mailing.

Column Name: printed_user
Column Type: varchar
Max Length: 50
The user that set this document as printed for mailing.

Column Name: program_code
Column Type: varchar
Max Length: 50
'Program(s)'.

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: removal_reason
Column Type: varchar
Max Length: 200
'Removal Reason' for this communication.

Column Name: routing_doc_image_id
Column Type: integer
Document image ID associated to the routed document.

Column Name: site_name
Column Type: varchar

Max Length: 50
site for this communication.

Column Name: start_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - Start Time' for this communication.

Column Name: status
Column Type: varchar
Max Length: 50
The status of this communication.

Column Name: time_zone_code
Column Type: varchar
Max Length: 50
Time zone for this communication.

Column Name: time_zone_value
Column Type: varchar
Max Length: 50
The description for the time_zone_code. See time_zone_code for more information.

Column Name: unique_historic
Column Type: varchar
Max Length: 50
Historic associated to the assessment that created this communication.

Column Name: updated_date
Column Type: date
The date this communication was last updated.

Column Name: valid_days_code
Column Type: varchar
Max Length: 50
Valid days of the week to fax this communication.

Column Name: valid_days_value_long
Column Type: varchar
Max Length: 4096
The description for the valid_days_code. See valid_days_code for more information.

Column Name: valid_days_value_short
Column Type: varchar
Max Length: 255
The description for the valid_days_code limited to 255 characters. See valid_days_code for more information.

Column Name: view_type_code
Column Type: varchar

Max Length: 50

View type associated to this communication.

Column Name: view_type_value

Column Type: varchar

Max Length: 50

The description for the view_type_code. See view_type_code for more information.

Documentation for form: Program_PCP_Communication_Preferences

Table Name: SYSTEM.pcp_program_pref

Table Description: This table returns 'Program PCP Communication Preferences' information.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: active_code

Column Type: varchar

Max Length: 50

'Active'.

Column Name: active_value

Column Type: varchar

Max Length: 50

The description for the active_code. See active_code for more information.

Column Name: comm_meth_req_code

Column Type: varchar

Max Length: 50

'Communication Method Requirement'.

Column Name: comm_meth_req_value

Column Type: varchar

Max Length: 50

The description for the comm_meth_req_code. See comm_meth_req_code for more information.

Column Name: comm_pref_name

Column Type: varchar

Max Length: 50

'Communication Preference Name'.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option name that last updated this data row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The option identifier that last updated this data_row.

Column Name: pcp_required_code
Column Type: varchar
Max Length: 50
'PCP Required'.

Column Name: pcp_required_value
Column Type: varchar
Max Length: 50
The description for the pcp_required_code. See pcp_required_code for more information.

Column Name: program_code
Column Type: varchar
Max Length: 50
'Program(s)'.

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: view_type_code
Column Type: varchar
Max Length: 50
'Document Communication View Type'.

Column Name: view_type_value
Column Type: varchar
Max Length: 50
The description for the view_type_code. See view_type_code for more information.

Documentation for form:

PCP_Definition_And_Communication_Preferences

Table Name: SYSTEM.audit_pcp_communications

Table Description: This table returns audit pcp communication information.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_COMM
Column Type: integer
Join to the SYSTEM.pcp_communication table.

Column Name: JOIN_TO_PCP
Column Type: varchar
Max Length: 50
Join to the SYSTEM.pcp_definition table on NPI Number.

Column Name: PATID
Column Type: varchar

Max Length: 20
Client ID associated to this communication.

Column Name: application
Column Type: varchar
Max Length: 50
Application the form_id is located in.

Column Name: communication_user
Column Type: varchar
Max Length: 50
user who created this communication.

Column Name: doc_date
Column Type: date
The date this document was created.

Column Name: doc_form
Column Type: varchar
Max Length: 50
Document Mangement Form ID.

Column Name: doc_image_id
Column Type: integer
Document image ID associated to this communication.

Column Name: end_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - End Time' for this communication.

Column Name: episode
Column Type: varchar
Max Length: 50
Episode for this communication.

Column Name: error
Column Type: varchar
Max Length: 100
Error message for this communication.

Column Name: fax_id
Column Type: varchar
Max Length: 50
Fax identifier.

Column Name: fax_number
Column Type: varchar
Max Length: 50
Fax number for this communication.

Column Name: form_desc
Column Type: varchar
Max Length: 80
The option name associated to form_id.

Column Name: form_id
Column Type: varchar
Max Length: 50
The form that created this communication.

Column Name: method_code
Column Type: varchar
Max Length: 50
Communication method.

Column Name: method_value
Column Type: varchar
Max Length: 50
The description for the method_code. See method_code for more information.

Column Name: printed_date
Column Type: date
The date this document was printed for mailing.

Column Name: printed_time
Column Type: varchar
Max Length: 50
The time this document was printed for mailing.

Column Name: printed_user
Column Type: varchar
Max Length: 50
The user that set this document as printed for mailing.

Column Name: program_code
Column Type: varchar
Max Length: 50
'Program(s)'.

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: routing_doc_image_id
Column Type: integer
Document image ID associated to the routed document.

Column Name: site_name

Column Type: varchar
Max Length: 50
site for this communication.

Column Name: start_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - Start Time' for this communication.

Column Name: status
Column Type: varchar
Max Length: 50
The status of this communication.

Column Name: time_zone_code
Column Type: varchar
Max Length: 50
Time zone for this communication.

Column Name: time_zone_value
Column Type: varchar
Max Length: 50
The description for the time_zone_code. See time_zone_code for more information.

Column Name: unique_historic
Column Type: varchar
Max Length: 50
Historic associated to the assessment that created this communication.

Column Name: updated_date
Column Type: date
The date this communication was last updated.

Column Name: valid_days_code
Column Type: varchar
Max Length: 50
Valid days of the week to fax this communication.

Column Name: valid_days_value_long
Column Type: varchar
Max Length: 4096
The description for the valid_days_code. See valid_days_code for more information.

Column Name: valid_days_value_short
Column Type: varchar
Max Length: 255
The description for the valid_days_code limited to 255 characters. See valid_days_code for more information.

Column Name: view_type_code

Column Type: varchar
Max Length: 50
View type associated to this communication.

Column Name: view_type_value
Column Type: varchar
Max Length: 50
The description for the view_type_code. See view_type_code for more information.

Documentation for form: PCP_Definition_And_Communication_Preferences

Table Name: SYSTEM.audit_pcp_def_sites

Table Description: This table returns audit PCP site definition information.

Column Name: ID
Column Type: integer

Column Name: office_add_state_code
Column Type: varchar
Max Length: 10
'Office Address - State'.

Column Name: office_add_state_value
Column Type: varchar
Max Length: 40
The description for the office_add_state_code. See office_add_state_code for more information.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_PCP
Column Type: varchar
Max Length: 50
Join to the SYSTEM.pcp_definition table on NPI Number.

Column Name: active_code
Column Type: varchar
Max Length: 50
'Active'.

Column Name: active_value
Column Type: varchar

Max Length: 50

The description for the active_code. See active_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time when this data row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: end_time

Column Type: varchar

Max Length: 50

'Valid Time Frame - End Time'.

Column Name: fax_number

Column Type: varchar

Max Length: 50

'Fax Number'.

Column Name: fax_verified_code

Column Type: varchar

Max Length: 50

'Fax Verified'.

Column Name: fax_verified_value

Column Type: varchar

Max Length: 50

The description for the fax_verified_code. See fax_verified_code for more information.

Column Name: method_code

Column Type: varchar

Max Length: 50

'Document Receiving Method Preference'.

Column Name: method_value

Column Type: varchar

Max Length: 50

The description for the method_code. See method_code for more information.

Column Name: office_add_city

Column Type: varchar

Max Length: 50

'Office Address - City'.

Column Name: office_add_county_code

Column Type: varchar

Max Length: 50

'Office Address - County'.

Column Name: office_add_county_value

Column Type: varchar

Max Length: 50

The description for the office_add_county_code. See office_add_county_code for more information.

Column Name: office_add_street

Column Type: varchar

Max Length: 50

'Office Address - Street'.

Column Name: office_add_street_2

Column Type: varchar

Max Length: 50

'Office Address - Street 2'.

Column Name: office_add_zip

Column Type: varchar

Max Length: 50

'Office Address - Zip Code'.

Column Name: office_number

Column Type: varchar

Max Length: 50

'Office Number'.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The option name that last updated this data row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The option identifier that last updated this data_row.

Column Name: receive_docs_code

Column Type: varchar

Max Length: 50

'Receive Documents'.

Column Name: receive_docs_value

Column Type: varchar

Max Length: 50

The description for the receive_docs_code. See receive_docs_code for more information.

Column Name: site_name

Column Type: varchar

Max Length: 50

'Communication Site Name'.

Column Name: start_time

Column Type: varchar

Max Length: 50

'Valid Time Frame - Start Time'.

Column Name: time_zone_code

Column Type: varchar

Max Length: 50

'Time Zone'.

Column Name: time_zone_value

Column Type: varchar

Max Length: 50

The description for the time_zone_code. See time_zone_code for more information.

Column Name: valid_days_code

Column Type: varchar

Max Length: 50

'Valid Days Of The Week To Send'.

Column Name: valid_days_value_long

Column Type: varchar

Max Length: 4096

The description for the valid_days_code. See valid_days_code for more information.

Column Name: valid_days_value_short

Column Type: varchar

Max Length: 255

The description for the valid_days_code limited to 255 characters. See valid_days_code for more information.

Column Name: view_type_code

Column Type: varchar

Max Length: 50

'Document Communication View Type'.

Column Name: view_type_value

Column Type: varchar

Max Length: 50

The description for the view_type_code. See view_type_code for more information.

Documentation for form:

PCP_Definition_And_Communication_Preferences

Table Name: SYSTEM.audit_pcp_definition

Table Description: This table returns audit PCP definition information.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: active_code

Column Type: varchar

Max Length: 50

'Active'.

Column Name: active_value

Column Type: varchar

Max Length: 50

The description for the active_code. See active_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time when this data row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: np_i_number

Column Type: varchar

Max Length: 50

'PCP NPI Number'.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The option name that last updated this data row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The option identifier that last updated this data_row.

Column Name: pcp_first_name

Column Type: varchar

Max Length: 50

'PCP First Name'.

Column Name: pcp_last_name

Column Type: varchar

Max Length: 50

'PCP Last Name'.

Column Name: pcp_middle_name

Column Type: varchar

Max Length: 50

'PCP Middle Name'.

Column Name: program_code

Column Type: varchar

Max Length: 4096

'Programs'.

Column Name: program_value_long

Column Type: varchar

Max Length: 4096

The description for the program_code. See program_code for more information.

Column Name: program_value_short

Column Type: varchar

Max Length: 255

The description for the program_code limited to 255 characters. See program_code for more information.

Column Name: system_of_care_code

Column Type: varchar

Max Length: 50

'System Of Care'.

Column Name: system_of_care_value

Column Type: varchar

Max Length: 50

The description for the system_of_care_code. See system_of_care_code for more information.

Documentation for form: PCP_Definition_And_Communication_Preferences

Table Name: SYSTEM.pcp_communications

Table Description: This table returns all pcp communication that have been submitted or errored.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_PCP
Column Type: varchar
Max Length: 50
Join to the SYSTEM.pcp_definition table on NPI Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID associated to this communication.

Column Name: application
Column Type: varchar
Max Length: 50
Application the form_id is located in.

Column Name: communication_user
Column Type: varchar
Max Length: 50
user who created this communication.

Column Name: doc_date
Column Type: date
The date this document was created.

Column Name: doc_form
Column Type: varchar
Max Length: 50
Document Mangement Form ID.

Column Name: doc_image_id
Column Type: integer
Document image ID associated to this communication.

Column Name: end_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - End Time' for this communication.

Column Name: episode
Column Type: varchar
Max Length: 50
Episode for this communication.

Column Name: error
Column Type: varchar
Max Length: 100
Error message for this communication.

Column Name: fax_id
Column Type: varchar
Max Length: 50
Fax identifier.

Column Name: fax_number
Column Type: varchar
Max Length: 50
Fax number for this communication.

Column Name: form_desc
Column Type: varchar
Max Length: 80
The option name associated to form_id.

Column Name: form_id
Column Type: varchar
Max Length: 50
The form that created this communication.

Column Name: method_code
Column Type: varchar
Max Length: 50
Communication method.

Column Name: method_value
Column Type: varchar
Max Length: 50
The description for the method_code. See method_code for more information.

Column Name: printed_date
Column Type: date
The date this document was printed for mailing.

Column Name: printed_time

Column Type: varchar
Max Length: 50
The time this document was printed for mailing.

Column Name: printed_user
Column Type: varchar
Max Length: 50
The user that set this document as printed for mailing.

Column Name: program_code
Column Type: varchar
Max Length: 50
'Program(s)'.

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: removal_reason
Column Type: varchar
Max Length: 200
'Removal Reason' for this communication.

Column Name: routing_doc_image_id
Column Type: integer
Document image ID associated to the routed document.

Column Name: site_name
Column Type: varchar
Max Length: 50
site for this communication.

Column Name: start_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - Start Time' for this communication.

Column Name: status
Column Type: varchar
Max Length: 50
The status of this communication.

Column Name: time_zone_code
Column Type: varchar
Max Length: 50
Time zone for this communication.

Column Name: time_zone_value
Column Type: varchar

Max Length: 50

The description for the time_zone_code. See time_zone_code for more information.

Column Name: unique_historic

Column Type: varchar

Max Length: 50

Historic associated to the assessment that created this communication.

Column Name: updated_date

Column Type: date

The date this communication was last updated.

Column Name: valid_days_code

Column Type: varchar

Max Length: 50

Valid days of the week to fax this communication.

Column Name: valid_days_value_long

Column Type: varchar

Max Length: 4096

The description for the valid_days_code. See valid_days_code for more information.

Column Name: valid_days_value_short

Column Type: varchar

Max Length: 255

The description for the valid_days_code limited to 255 characters. See valid_days_code for more information.

Column Name: view_type_code

Column Type: varchar

Max Length: 50

View type associated to this communication.

Column Name: view_type_value

Column Type: varchar

Max Length: 50

The description for the view_type_code. See view_type_code for more information.

Documentation for form:

PCP_Definition_And_Communication_Preferences

Table Name: SYSTEM.pcp_definition

Table Description: This table returns PCP definition information.

Column Name: ID

Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: active_code
Column Type: varchar
Max Length: 50
'Active'.

Column Name: active_value
Column Type: varchar
Max Length: 50
The description for the active_code. See active_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: npi_number
Column Type: varchar
Max Length: 50
'PCP NPI Number'.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option name that last updated this data row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The option identifier that last updated this data_row.

Column Name: pcp_first_name
Column Type: varchar
Max Length: 50
'PCP First Name'.

Column Name: pcp_last_name
Column Type: varchar
Max Length: 50
'PCP Last Name'.

Column Name: pcp_middle_name
Column Type: varchar
Max Length: 50
'PCP Middle Name'.

Column Name: program_code

Column Type: varchar
Max Length: 4096
'Programs'.

Column Name: program_value_long
Column Type: varchar
Max Length: 4096
The description for the program_code. See program_code for more information.

Column Name: program_value_short
Column Type: varchar
Max Length: 255
The description for the program_code limited to 255 characters. See program_code for more information.

Column Name: system_of_care_code
Column Type: varchar
Max Length: 50
'System Of Care'.

Column Name: system_of_care_value
Column Type: varchar
Max Length: 50
The description for the system_of_care_code. See system_of_care_code for more information.

Documentation for form:

PCP_Definition_And_Communication_Preferences

Table Name: SYSTEM.pcp_definition_sites

Table Description: This table returns PCP site definition information.

Column Name: ID
Column Type: integer

Column Name: office_add_state_code
Column Type: varchar
Max Length: 10
'Office Address - State'.

Column Name: office_add_state_value
Column Type: varchar
Max Length: 40
The description for the office_add_state_code. See office_add_state_code for more information.

Column Name: FACILITY

Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_PCP
Column Type: varchar
Max Length: 50
Join to the SYSTEM.pcp_definition table on NPI Number.

Column Name: active_code
Column Type: varchar
Max Length: 50
'Active'.

Column Name: active_value
Column Type: varchar
Max Length: 50
The description for the active_code. See active_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: end_time
Column Type: varchar
Max Length: 50

'Valid Time Frame - End Time'.

Column Name: fax_number
Column Type: varchar
Max Length: 50
'Fax Number'.

Column Name: fax_verified_code
Column Type: varchar
Max Length: 50
'Fax Verified'.

Column Name: fax_verified_value
Column Type: varchar
Max Length: 50
The description for the fax_verified_code. See fax_verified_code for more information.

Column Name: method_code
Column Type: varchar
Max Length: 50
'Document Receiving Method Preference'.

Column Name: method_value
Column Type: varchar
Max Length: 50
The description for the method_code. See method_code for more information.

Column Name: office_add_city
Column Type: varchar
Max Length: 50
'Office Address - City'.

Column Name: office_add_county_code
Column Type: varchar
Max Length: 50
'Office Address - County'.

Column Name: office_add_county_value
Column Type: varchar
Max Length: 50
The description for the office_add_county_code. See office_add_county_code for more information.

Column Name: office_add_street
Column Type: varchar
Max Length: 50
'Office Address - Street'.

Column Name: office_add_street_2
Column Type: varchar
Max Length: 50

'Office Address - Street 2'.

Column Name: office_add_zip

Column Type: varchar

Max Length: 50

'Office Address - Zip Code'.

Column Name: office_number

Column Type: varchar

Max Length: 50

'Office Number'.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The option name that last updated this data row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The option identifier that last updated this data_row.

Column Name: receive_docs_code

Column Type: varchar

Max Length: 50

'Receive Documents'.

Column Name: receive_docs_value

Column Type: varchar

Max Length: 50

The description for the receive_docs_code. See receive_docs_code for more information.

Column Name: site_name

Column Type: varchar

Max Length: 50

'Communication Site Name'.

Column Name: start_time

Column Type: varchar

Max Length: 50

'Valid Time Frame - Start Time'.

Column Name: time_zone_code

Column Type: varchar

Max Length: 50

'Time Zone'.

Column Name: time_zone_value

Column Type: varchar

Max Length: 50

The description for the time_zone_code. See time_zone_code for more information.

Column Name: valid_days_code

Column Type: varchar

Max Length: 50

'Valid Days Of The Week To Send'.

Column Name: valid_days_value_long

Column Type: varchar

Max Length: 4096

The description for the valid_days_code. See valid_days_code for more information.

Column Name: valid_days_value_short

Column Type: varchar

Max Length: 255

The description for the valid_days_code limited to 255 characters. See valid_days_code for more information.

Column Name: view_type_code

Column Type: varchar

Max Length: 50

'Document Communication View Type'.

Column Name: view_type_value

Column Type: varchar

Max Length: 50

The description for the view_type_code. See view_type_code for more information.

Documentation for form: PCP_Communication_-_Manual_Mail_Queue

Table Name: SYSTEM.audit_pcp_communications

Table Description: This table returns audit pcp communication information.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_TO_COMM

Column Type: integer

Join to the SYSTEM.pcp_communication table.

Column Name: JOIN_TO_PCP

Column Type: varchar
Max Length: 50
Join to the SYSTEM.pcp_definition table on NPI Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID associated to this communication.

Column Name: application
Column Type: varchar
Max Length: 50
Application the form_id is located in.

Column Name: communication_user
Column Type: varchar
Max Length: 50
user who created this communication.

Column Name: doc_date
Column Type: date
The date this document was created.

Column Name: doc_form
Column Type: varchar
Max Length: 50
Document Mangement Form ID.

Column Name: doc_image_id
Column Type: integer
Document image ID associated to this communication.

Column Name: end_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - End Time' for this communication.

Column Name: episode
Column Type: varchar
Max Length: 50
Episode for this communication.

Column Name: error
Column Type: varchar
Max Length: 100
Error message for this communication.

Column Name: fax_id
Column Type: varchar
Max Length: 50

Fax identifier.

Column Name: fax_number

Column Type: varchar

Max Length: 50

Fax number for this communication.

Column Name: form_desc

Column Type: varchar

Max Length: 80

The option name associated to form_id.

Column Name: form_id

Column Type: varchar

Max Length: 50

The form that created this communication.

Column Name: method_code

Column Type: varchar

Max Length: 50

Communication method.

Column Name: method_value

Column Type: varchar

Max Length: 50

The description for the method_code. See method_code for more information.

Column Name: printed_date

Column Type: date

The date this document was printed for mailing.

Column Name: printed_time

Column Type: varchar

Max Length: 50

The time this document was printed for mailing.

Column Name: printed_user

Column Type: varchar

Max Length: 50

The user that set this document as printed for mailing.

Column Name: program_code

Column Type: varchar

Max Length: 50

'Program(s)'.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description for the program_code. See program_code for more information.

Column Name: routing_doc_image_id
Column Type: integer
Document image ID associated to the routed document.

Column Name: site_name
Column Type: varchar
Max Length: 50
site for this communication.

Column Name: start_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - Start Time' for this communication.

Column Name: status
Column Type: varchar
Max Length: 50
The status of this communication.

Column Name: time_zone_code
Column Type: varchar
Max Length: 50
Time zone for this communication.

Column Name: time_zone_value
Column Type: varchar
Max Length: 50
The description for the time_zone_code. See time_zone_code for more information.

Column Name: unique_historic
Column Type: varchar
Max Length: 50
Historic associated to the assessment that created this communication.

Column Name: updated_date
Column Type: date
The date this communication was last updated.

Column Name: valid_days_code
Column Type: varchar
Max Length: 50
Valid days of the week to fax this communication.

Column Name: valid_days_value_long
Column Type: varchar
Max Length: 4096
The description for the valid_days_code. See valid_days_code for more information.

Column Name: valid_days_value_short

Column Type: varchar

Max Length: 255

The description for the valid_days_code limited to 255 characters. See valid_days_code for more information.

Column Name: view_type_code

Column Type: varchar

Max Length: 50

View type associated to this communication.

Column Name: view_type_value

Column Type: varchar

Max Length: 50

The description for the view_type_code. See view_type_code for more information.

Documentation for form: PCP_Communication_-_Manual_Mail_Queue

Table Name: SYSTEM.pcp_communications

Table Description: This table returns all pcp communication that have been submitted or errored.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_TO_PCP

Column Type: varchar

Max Length: 50

Join to the SYSTEM.pcp_definition table on NPI Number.

Column Name: PATID

Column Type: varchar

Max Length: 20

Client ID associated to this communication.

Column Name: application

Column Type: varchar

Max Length: 50

Application the form_id is located in.

Column Name: communication_user

Column Type: varchar

Max Length: 50

user who created this communication.

Column Name: doc_date

Column Type: date

The date this document was created.

Column Name: doc_form

Column Type: varchar

Max Length: 50

Document Management Form ID.

Column Name: doc_image_id

Column Type: integer

Document image ID associated to this communication.

Column Name: end_time

Column Type: varchar

Max Length: 50

'Valid Time Frame - End Time' for this communication.

Column Name: episode

Column Type: varchar

Max Length: 50

Episode for this communication.

Column Name: error

Column Type: varchar

Max Length: 100

Error message for this communication.

Column Name: fax_id

Column Type: varchar

Max Length: 50

Fax identifier.

Column Name: fax_number

Column Type: varchar

Max Length: 50

Fax number for this communication.

Column Name: form_desc

Column Type: varchar

Max Length: 80

The option name associated to form_id.

Column Name: form_id

Column Type: varchar

Max Length: 50

The form that created this communication.

Column Name: method_code
Column Type: varchar
Max Length: 50
Communication method.

Column Name: method_value
Column Type: varchar
Max Length: 50
The description for the method_code. See method_code for more information.

Column Name: printed_date
Column Type: date
The date this document was printed for mailing.

Column Name: printed_time
Column Type: varchar
Max Length: 50
The time this document was printed for mailing.

Column Name: printed_user
Column Type: varchar
Max Length: 50
The user that set this document as printed for mailing.

Column Name: program_code
Column Type: varchar
Max Length: 50
'Program(s)'.

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: removal_reason
Column Type: varchar
Max Length: 200
'Removal Reason' for this communication.

Column Name: routing_doc_image_id
Column Type: integer
Document image ID associated to the routed document.

Column Name: site_name
Column Type: varchar
Max Length: 50
site for this communication.

Column Name: start_time
Column Type: varchar

Max Length: 50
'Valid Time Frame - Start Time' for this communication.

Column Name: status
Column Type: varchar
Max Length: 50
The status of this communication.

Column Name: time_zone_code
Column Type: varchar
Max Length: 50
Time zone for this communication.

Column Name: time_zone_value
Column Type: varchar
Max Length: 50
The description for the time_zone_code. See time_zone_code for more information.

Column Name: unique_historic
Column Type: varchar
Max Length: 50
Historic associated to the assessment that created this communication.

Column Name: updated_date
Column Type: date
The date this communication was last updated.

Column Name: valid_days_code
Column Type: varchar
Max Length: 50
Valid days of the week to fax this communication.

Column Name: valid_days_value_long
Column Type: varchar
Max Length: 4096
The description for the valid_days_code. See valid_days_code for more information.

Column Name: valid_days_value_short
Column Type: varchar
Max Length: 255
The description for the valid_days_code limited to 255 characters. See valid_days_code for more information.

Column Name: view_type_code
Column Type: varchar
Max Length: 50
View type associated to this communication.

Column Name: view_type_value
Column Type: varchar

Max Length: 50

The description for the view_type_code. See view_type_code for more information.

Documentation for form: PCP_Communication_-_Error_Processing_Queue

Table Name: SYSTEM.audit_pcp_communications

Table Description: This table returns audit pcp communication information.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_TO_COMM

Column Type: integer

Join to the SYSTEM.pcp_communication table.

Column Name: JOIN_TO_PCP

Column Type: varchar

Max Length: 50

Join to the SYSTEM.pcp_definition table on NPI Number.

Column Name: PATID

Column Type: varchar

Max Length: 20

Client ID associated to this communication.

Column Name: application

Column Type: varchar

Max Length: 50

Application the form_id is located in.

Column Name: communication_user

Column Type: varchar

Max Length: 50

user who created this communication.

Column Name: doc_date

Column Type: date

The date this document was created.

Column Name: doc_form
Column Type: varchar
Max Length: 50
Document Mangement Form ID.

Column Name: doc_image_id
Column Type: integer
Document image ID associated to this communication.

Column Name: end_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - End Time' for this communication.

Column Name: episode
Column Type: varchar
Max Length: 50
Episode for this communication.

Column Name: error
Column Type: varchar
Max Length: 100
Error message for this communication.

Column Name: fax_id
Column Type: varchar
Max Length: 50
Fax identifier.

Column Name: fax_number
Column Type: varchar
Max Length: 50
Fax number for this communication.

Column Name: form_desc
Column Type: varchar
Max Length: 80
The option name associated to form_id.

Column Name: form_id
Column Type: varchar
Max Length: 50
The form that created this communication.

Column Name: method_code
Column Type: varchar
Max Length: 50
Communication method.

Column Name: method_value

Column Type: varchar
Max Length: 50
The description for the method_code. See method_code for more information.

Column Name: printed_date
Column Type: date
The date this document was printed for mailing.

Column Name: printed_time
Column Type: varchar
Max Length: 50
The time this document was printed for mailing.

Column Name: printed_user
Column Type: varchar
Max Length: 50
The user that set this document as printed for mailing.

Column Name: program_code
Column Type: varchar
Max Length: 50
'Program(s)'.

Column Name: program_value
Column Type: varchar
Max Length: 50
The description for the program_code. See program_code for more information.

Column Name: routing_doc_image_id
Column Type: integer
Document image ID associated to the routed document.

Column Name: site_name
Column Type: varchar
Max Length: 50
site for this communication.

Column Name: start_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - Start Time' for this communication.

Column Name: status
Column Type: varchar
Max Length: 50
The status of this communication.

Column Name: time_zone_code
Column Type: varchar
Max Length: 50

Time zone for this communication.

Column Name: time_zone_value

Column Type: varchar

Max Length: 50

The description for the time_zone_code. See time_zone_code for more information.

Column Name: unique_historic

Column Type: varchar

Max Length: 50

Historic associated to the assessment that created this communication.

Column Name: updated_date

Column Type: date

The date this communication was last updated.

Column Name: valid_days_code

Column Type: varchar

Max Length: 50

Valid days of the week to fax this communication.

Column Name: valid_days_value_long

Column Type: varchar

Max Length: 4096

The description for the valid_days_code. See valid_days_code for more information.

Column Name: valid_days_value_short

Column Type: varchar

Max Length: 255

The description for the valid_days_code limited to 255 characters. See valid_days_code for more information.

Column Name: view_type_code

Column Type: varchar

Max Length: 50

View type associated to this communication.

Column Name: view_type_value

Column Type: varchar

Max Length: 50

The description for the view_type_code. See view_type_code for more information.

Documentation for form: PCP_Communication_-_Error_Processing_Queue

Table Name: SYSTEM.pcp_communications

Table Description: This table returns all pcp communication that have been submitted or errored.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_PCP
Column Type: varchar
Max Length: 50
Join to the SYSTEM.pcp_definition table on NPI Number.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID associated to this communication.

Column Name: application
Column Type: varchar
Max Length: 50
Application the form_id is located in.

Column Name: communication_user
Column Type: varchar
Max Length: 50
user who created this communication.

Column Name: doc_date
Column Type: date
The date this document was created.

Column Name: doc_form
Column Type: varchar
Max Length: 50
Document Mangement Form ID.

Column Name: doc_image_id
Column Type: integer
Document image ID associated to this communication.

Column Name: end_time
Column Type: varchar
Max Length: 50
'Valid Time Frame - End Time' for this communication.

Column Name: episode

Column Type: varchar
Max Length: 50
Episode for this communication.

Column Name: error
Column Type: varchar
Max Length: 100
Error message for this communication.

Column Name: fax_id
Column Type: varchar
Max Length: 50
Fax identifier.

Column Name: fax_number
Column Type: varchar
Max Length: 50
Fax number for this communication.

Column Name: form_desc
Column Type: varchar
Max Length: 80
The option name associated to form_id.

Column Name: form_id
Column Type: varchar
Max Length: 50
The form that created this communication.

Column Name: method_code
Column Type: varchar
Max Length: 50
Communication method.

Column Name: method_value
Column Type: varchar
Max Length: 50
The description for the method_code. See method_code for more information.

Column Name: printed_date
Column Type: date
The date this document was printed for mailing.

Column Name: printed_time
Column Type: varchar
Max Length: 50
The time this document was printed for mailing.

Column Name: printed_user
Column Type: varchar

Max Length: 50

The user that set this document as printed for mailing.

Column Name: program_code

Column Type: varchar

Max Length: 50

'Program(s)'.

Column Name: program_value

Column Type: varchar

Max Length: 50

The description for the program_code. See program_code for more information.

Column Name: removal_reason

Column Type: varchar

Max Length: 200

'Removal Reason' for this communication.

Column Name: routing_doc_image_id

Column Type: integer

Document image ID associated to the routed document.

Column Name: site_name

Column Type: varchar

Max Length: 50

site for this communication.

Column Name: start_time

Column Type: varchar

Max Length: 50

'Valid Time Frame - Start Time' for this communication.

Column Name: status

Column Type: varchar

Max Length: 50

The status of this communication.

Column Name: time_zone_code

Column Type: varchar

Max Length: 50

Time zone for this communication.

Column Name: time_zone_value

Column Type: varchar

Max Length: 50

The description for the time_zone_code. See time_zone_code for more information.

Column Name: unique_historic

Column Type: varchar

Max Length: 50

Historic associated to the assessment that created this communication.

Column Name: updated_date

Column Type: date

The date this communication was last updated.

Column Name: valid_days_code

Column Type: varchar

Max Length: 50

Valid days of the week to fax this communication.

Column Name: valid_days_value_long

Column Type: varchar

Max Length: 4096

The description for the valid_days_code. See valid_days_code for more information.

Column Name: valid_days_value_short

Column Type: varchar

Max Length: 255

The description for the valid_days_code limited to 255 characters. See valid_days_code for more information.

Column Name: view_type_code

Column Type: varchar

Max Length: 50

View type associated to this communication.

Column Name: view_type_value

Column Type: varchar

Max Length: 50

The description for the view_type_code. See view_type_code for more information.

Documentation for form: Patient_Health_Profile

Table Name: SYSTEM.php_data

Table Description: PHP Data

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Documentation for form: Patient_Health_Profile

Table Name: SYSTEM.php_data_submitted

Table Description: PHP Data Submitted

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored. FACILITY

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

The time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

The short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: php_id

Column Type: varchar

Max Length: 20

The PHP Data ID associated with the data.

Documentation for form: Patient_Health_Profile

Table Name: SYSTEM.php_data_submitted_audit

Table Description: PHP Data Submitted Audit

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored. FACILITY

Column Name: JOIN_TO_CURRENT

Column Type: varchar

Max Length: 40

A pointer to the Current value

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: data_entry_action

Column Type: varchar

Max Length: 40

The action that was performed.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: php_id
Column Type: varchar
Max Length: 20
The PHP Data ID associated with the data.

Documentation for form: Patient_Health_Profile

Table Name: SYSTEM.php_inpatient_stays

Table Description: PHP Inpatient Stays

Column Name: PHPData
Column Type: integer
'PHPData' (System Use Only).

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: admit_condition
Column Type: varchar
Max Length: 80
Condition of the admission.

Column Name: date_of_stay
Column Type: date

Date of stay.

Column Name: facility_of_stay

Column Type: varchar

Max Length: 80

Facility of stay.

Column Name: length_of_stay

Column Type: varchar

Max Length: 80

Length of stay.

Column Name: type

Column Type: varchar

Max Length: 80

Type of stay.

Column Name: childsub

Column Type: integer

Documentation for form: Patient_Health_Profile

Table Name: SYSTEM.php_lab_data

Table Description: PHP Lab Data

Column Name: PHPData

Column Type: integer

'PHPData' (System Use Only).

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: lab_date

Column Type: date

Date of the lab.

Column Name: lab_description

Column Type: varchar

Max Length: 80

Description of the lab.

Column Name: lab_results

Column Type: varchar

Max Length: 80

Results of the lab.

Column Name: childsub

Column Type: integer

Documentation for form: Patient_Health_Profile

Table Name: SYSTEM.php_medications

Table Description: PHP Medications

Column Name: PHPData

Column Type: integer

'PHPData' (System Use Only).

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: cgid

Column Type: varchar

Max Length: 80

Composite Generic Id.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: ndc

Column Type: varchar

Max Length: 80

National Drug Code.

Column Name: PATID

Column Type: varchar

Max Length: 20
The client ID associated with the data.

Column Name: dosage_form
Column Type: varchar
Max Length: 80
Dosage of medications.

Column Name: entry_date
Column Type: date
Date of medications entry.

Column Name: name
Column Type: varchar
Max Length: 80
Name of medications.

Column Name: name_id
Column Type: varchar
Max Length: 80
Name Id of medications.

Column Name: provider
Column Type: varchar
Max Length: 80
Medications provider.

Column Name: route
Column Type: varchar
Max Length: 80
Route of medications.

Column Name: strength
Column Type: varchar
Max Length: 80
Strength of medications.

Column Name: childsub
Column Type: integer

Documentation for form: Patient_Health_Profile

Table Name: SYSTEM.php_meds_submitted

Table Description: PHP Medications Submitted

Column Name: PHPDataSubmitted
Column Type: integer
'PHPDataSubmitted' (System Use Only).

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored. FACILITY

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: php_medications_id
Column Type: varchar
Max Length: 20
The PHP Medications ID associated with the data.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: verification_code
Column Type: varchar
Max Length: 20
Verification status code.

Column Name: verification_value
Column Type: varchar
Max Length: 80
The dictionary value of verificationcode.

Column Name: childsub

Column Type: integer

Documentation for form: Patient_Health_Profile

Table Name: SYSTEM.php_meds_submitted_audit

Table Description: PHP Medications Submitted Audit

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored. FACILITY

Column Name: JOIN_TO_CURRENT

Column Type: varchar

Max Length: 40

A pointer to the Current value

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: php_medications_id

Column Type: varchar

Max Length: 20

The PHP Medications ID associated with the data.

Column Name: data_entry_action

Column Type: varchar

Max Length: 40

The action that was performed.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: verification_code
Column Type: varchar
Max Length: 20
Verification status code.

Column Name: verification_value
Column Type: varchar
Max Length: 80
The dictionary value of verificationcode.

Documentation for form: Patient_Health_Profile

Table Name: SYSTEM.php_open_care_gaps

Table Description: PHP Open Care Gaps

Column Name: PHPData
Column Type: integer
'PHPData' (System Use Only).

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: event_date
Column Type: date
Date of the event.

Column Name: measure
Column Type: varchar
Max Length: 80
Measurement taken.

Column Name: measure_description
Column Type: varchar
Max Length: 80
Description of the measurement.

Column Name: childsub
Column Type: integer

Documentation for form: Patient_Health_Profile

Table Name: SYSTEM.php_physician_consult

Table Description: PHP Physician Consult

Column Name: PHPData
Column Type: integer
'PHPData' (System Use Only).

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: consult_date
Column Type: date
Date of the consultation.

Column Name: location
Column Type: varchar
Max Length: 80
Location of the consultation.

Column Name: primary_condition
Column Type: varchar
Max Length: 80
The primary condition.

Column Name: provider_name
Column Type: varchar
Max Length: 80
Name of the provider.

Column Name: childsub
Column Type: integer

Documentation for form: Patient_Health_Profile

Table Name: SYSTEM.php_problem_data

Table Description: PHP Problem Data

Column Name: PHPData
Column Type: integer
'PHPData' (System Use Only).

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: description
Column Type: varchar
Max Length: 80
Description of problem (contains ICD-9, ICD-10, and/or HCC diagnosis info).

Column Name: problem_date
Column Type: date
Date of problem.

Column Name: status
Column Type: varchar
Max Length: 80
Status of problem.

Column Name: type
Column Type: varchar
Max Length: 80
Type of problem.

Column Name: childsub
Column Type: integer

Documentation for form: Patient_Health_Profile

Table Name: SYSTEM.php_probs_submitted

Table Description: PHP Problem Data Submitted

Column Name: PHPDataSubmitted
Column Type: integer
'PHPDataSubmitted' (System Use Only).

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored. FACILITY

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: php_problem_data_id
Column Type: varchar
Max Length: 20
The PHP Problem Data ID associated with the data.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: date_of_onset
Column Type: varchar
Max Length: 20

Date of onset.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: other

Column Type: varchar

Max Length: 32000

Other field.

Column Name: problem_code

Column Type: varchar

Max Length: 20

Problem code.

Column Name: problem_description

Column Type: varchar

Max Length: 256

Problem description.

Column Name: status_code

Column Type: varchar

Max Length: 20

Status Code.

Column Name: status_value

Column Type: varchar

Max Length: 80

The dictionary value of statuscode.

Column Name: verification_code

Column Type: varchar

Max Length: 20

Verification status code.

Column Name: verification_value

Column Type: varchar

Max Length: 80

The dictionary value of verificationcode.

Column Name: childsub

Column Type: integer

Documentation for form: Patient_Health_Profile

Table Name: SYSTEM.php_probs_submitted_audit

Table Description: PHP Problem Data Submitted Audit

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored. FACILITY

Column Name: JOIN_TO_CURRENT

Column Type: varchar

Max Length: 40

A pointer to the Current value

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: php_problem_data_id

Column Type: varchar

Max Length: 20

The PHP Problem Data ID associated with the data.

Column Name: data_entry_action

Column Type: varchar

Max Length: 40

The action that was performed.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

The time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

The short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: date_of_onset

Column Type: varchar

Max Length: 20

Date of onset.

Column Name: option_desc

Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: other
Column Type: varchar
Max Length: 32000
Other field.

Column Name: problem_code
Column Type: varchar
Max Length: 20
Problem code.

Column Name: problem_description
Column Type: varchar
Max Length: 256
Problem description.

Column Name: status_code
Column Type: varchar
Max Length: 20
Status Code.

Column Name: status_value
Column Type: varchar
Max Length: 80
The dictionary value of statuscode.

Column Name: verification_code
Column Type: varchar
Max Length: 20
Verification status code.

Column Name: verification_value
Column Type: varchar
Max Length: 80
The dictionary value of verificationcode.

Documentation for form: Allergies_and_Hypersensitivities

Table Name: SYSTEM.cw_client_allergies_review

Table Description: This table returns data for the field 'Allergies/Hypersensitivities Reviewed' in the form 'Allergies and Hypersensitivities'.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code that generated the data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client's ID.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40.
The 'User Description'.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: reviewed_code
Column Type: varchar
Max Length: 50
The value for the field 'Allergies/Hypersensitivities Reviewed'.

Column Name: reviewed_value
Column Type: varchar
Max Length: 50
The description of the associated reviewed_code. See reviewed_code for more information.

Documentation for form: Allergies_and_Hypersensitivities

Table Name: SYSTEM.cw_client_clinical_info

Table Description: This table returns information regarding a Client's current clinical information.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code that generated the data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: client_name
Column Type: varchar
Max Length: 50
'Client Name'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the data entry source that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: known_allergies_code
Column Type: varchar
Max Length: 50
This is only set by the CARECONSV.CWS.Allergies.AllergiesServiceV2

Column Name: known_allergies_value
Column Type: varchar
Max Length: 50
The description associated with known_allergies_code See known_allergies_code for more information.

Column Name: known_food_allergies_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known food allergies status

Column Name: known_food_allergies_value
Column Type: varchar
Max Length: 50
Known Food Allergies value

Column Name: known_med_allergies_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known medication allergies status

Column Name: known_med_allergies_value
Column Type: varchar
Max Length: 50
The description associated with known_med_allergies_code. See known_med_allergies_code for more information.

Column Name: known_medications_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known medication status

Column Name: known_medications_value
Column Type: varchar
Max Length: 50
The description associated with known_medications_code. See known_medications_code for more information.

Column Name: known_problems_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known problem status

Column Name: known_problems_value
Column Type: varchar
Max Length: 50
The description associated with known_problems_code. See known_problems_code for more information.

Column Name: last_reconciliation_id
Column Type: varchar
Max Length: 50
The Clinical Reconciliation Unique ID saved when the row is updated via 'Clinical Reconciliation'.

Column Name: no_known_allergies_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known allergy status

Column Name: no_known_allergies_value
Column Type: varchar
Max Length: 50
The description associated with no_known_allergies_code. See no_known_allergies_code for more information.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Documentation for form: Allergies_and_Hypersensitivities

Table Name: SYSTEM.cw_client_clinical_info_audit

Table Description: This table returns information regarding a Client's historical clinical information.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code that generated the data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: client_name
Column Type: varchar
Max Length: 50
'Client Name'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar
Max Length: 50
The user name who last updated the row.

Column Name: known_med_allergies_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known medication allergies status

Column Name: known_med_allergies_value
Column Type: varchar
Max Length: 50
The description associated with known_med_allergies_code. See known_med_allergies_code for more information.

Column Name: known_medications_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known medication status

Column Name: known_medications_value
Column Type: varchar
Max Length: 50
The description associated with known_medications_code. See known_medications_code for more information.

Column Name: known_problems_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known problem status

Column Name: known_problems_value
Column Type: varchar
Max Length: 50
The description associated with known_problems_code. See known_problems_code for more information.

Column Name: last_reconciliation_id
Column Type: varchar
Max Length: 50
The Clinical Reconciliation Unique ID saved when the row is updated via 'Clinical Reconciliation'.

Column Name: no_known_allergies_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known allergy status

Column Name: no_known_allergies_value
Column Type: varchar
Max Length: 50

The description associated with no_known_allergies_code. See no_known_allergies_code for more information.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Documentation for form: Allergies_and_Hypersensitivities

Table Name: SYSTEM.cw_hist_client_allergies

Table Description: This table contains information on the confirmed allergies filed for a client and corresponds to the vertical historic ^CWSH(%CC,patid)

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: ALGuniqueid

Column Type: varchar

Max Length: 50

The unique id of the allergy specific to the client (ALG.###)

Column Name: FACILITY

Column Type: integer

The system code that generated the data.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: active_allergy_code

Column Type: varchar

Max Length: 10

The code of 'Active Allergy' [Y or N].

Column Name: active_allergy_value

Column Type: varchar

Max Length: 10

The value of 'Active Allergy'.

Column Name: age_at_onset

Column Type: integer

The age of the client at the onset of the allergy.

Column Name: allergen_reactant_code
Column Type: varchar
Max Length: 50
The code of the allergen reactant.

Column Name: allergen_reactant_value
Column Type: varchar
Max Length: 50
The value of the allergen reactant.

Column Name: allergy_type_code
Column Type: varchar
Max Length: 50
The code of the type of allergy.

Column Name: allergy_type_value
Column Type: varchar
Max Length: 50
The value of the type of allergy.

Column Name: comments
Column Type: varchar
Max Length: 32766
Comments at full length.

Column Name: comments_255
Column Type: varchar
Max Length: 255
Comments limited to 255 characters.

Column Name: data_control_identifier
Column Type: varchar
Max Length: 50
The number of the allergy with respect to the current total number of allergies recorded.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 40
The name of the data entry source that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_recognized
Column Type: date
The date the allergen was first recognized.

Column Name: date_recorded
Column Type: date
The date the allergy was recorded.

Column Name: incl_in_screening_code
Column Type: varchar
Max Length: 2
The code of 'Include in Screening Code' [Y or N].

Column Name: incl_in_screening_value
Column Type: varchar
Max Length: 10
The value of 'Include in Screening Code'.

Column Name: last_reconciliation_id
Column Type: varchar
Max Length: 50
The id of the last reconciliation.

Column Name: no_known_allergies_code
Column Type: varchar
Max Length: 50
The code of the No Known Allergies.

Column Name: no_known_allergies_value
Column Type: varchar
Max Length: 50
The value of the No Known Allergies.

Column Name: onset_code
Column Type: varchar
Max Length: 50
The code for the onset of the allergy (when the allergy first began).

Column Name: onset_value
Column Type: varchar
Max Length: 50
The value for the onset of the allergy (when the allergy first began).

Column Name: reactions_code
Column Type: varchar
Max Length: 250
The code of any recorded reactions (limited to 250 characters).

Column Name: reactions_code_long
Column Type: varchar
Max Length: 750
The code of any recorded reactions (limited to 750 characters).

Column Name: reaction_severity_code
Column Type: varchar
Max Length: 50
The code of the severity of any recorded reactions.

Column Name: reaction_severity_value
Column Type: varchar
Max Length: 50
The value of the severity of any recorded reactions.

Column Name: reactions_value_long
Column Type: varchar
Max Length: 4096
The value of any recorded reactions (limited to 4096 characters).

Column Name: reactions_value_short
Column Type: varchar
Max Length: 255
The value of any recorded reactions (limited to 255 characters).

Column Name: staff_entered_id
Column Type: varchar
Max Length: 50
The staff id of the user that entered the data.

Column Name: staff_entered_name
Column Type: varchar
Max Length: 50
The name of the user that entered the data.

Column Name: status_code
Column Type: varchar
Max Length: 50
The code of the status of the allergy.

Column Name: status_date
Column Type: date
The date the status was recorded.

Column Name: status_value
Column Type: varchar
Max Length: 50
The value of the status of the allergy.

Column Name: treatment
Column Type: varchar
Max Length: 32766
The treatment for an allergy.

Column Name: treatment_255
Column Type: varchar
Max Length: 255
The treatment for an allergy (limited to 255 characters).

Column Name: v_client_name

Column Type: varchar
Max Length: 50
The name of the client.

Documentation for form: Family_Health_History

Table Name: SYSTEM.family_health_history

Table Description: This table stores data associated with a 'Family Health History'.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the program and agency are associated.

Column Name: JOIN_TO_FAMILY_HEALTH
Column Type: varchar
Max Length: 50
Family Health History Unique ID (row identifier)

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: additional_info_code
Column Type: varchar
Max Length: 50
'Additional Information'

Column Name: additional_info_value
Column Type: varchar
Max Length: 50
The description associated with additional_info_code. See additional_info_code for more information.

Column Name: age_at_death
Column Type: integer
'Age at Death'

Column Name: birth_date
Column Type: date
Stores the client's birthday in MM/DD/YYYY format.

Column Name: cause_of_death_code

Column Type: varchar
Max Length: 50
'Cause of Death'

Column Name: cause_of_death_value
Column Type: varchar
Max Length: 50
The description associated with cause_of_death_code. See cause_of_death_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The username that last updated the row.

Column Name: ethnicity_code
Column Type: varchar
Max Length: 50
'Ethnicity'

Column Name: ethnicity_value
Column Type: varchar

Max Length: 50

The description associated with ethnicity_code. See ethnicity_code for more information.

Column Name: first_name

Column Type: varchar

Max Length: 50

Stores the client's first name.

Column Name: fmh_age_at_death

Column Type: varchar

Max Length: 15

'Primary Care Age of Death'

Column Name: fmh_cause_of_death

Column Type: varchar

Max Length: 120

'Primary Care Cause of Death'

Column Name: fmh_living_status_code

Column Type: varchar

Max Length: 50

'Primary Care Living Status'

Column Name: fmh_living_status_value

Column Type: varchar

Max Length: 50

The description associated with fmh_living_status_code. See fmh_living_status_code for more information.

Column Name: fmh_notes

Column Type: longvarchar

Max Length: 2147483647

'Primary Care Notes'

Column Name: fmh_other_relationship

Column Type: varchar

Max Length: 120

'Primary Care Other Relationship'

Column Name: fmh_relationship_code

Column Type: varchar

Max Length: 50

'Primary Care Relationship'

Column Name: fmh_relationship_value

Column Type: varchar

Max Length: 50

The description associated with fmh_relationship_code. See fmh_relationship_code for more information.

Column Name: last_name

Column Type: varchar

Max Length: 50
Stores the client's last name.

Column Name: living_in_household_code
Column Type: varchar
Max Length: 50
'Living In The Household'

Column Name: living_in_household_value
Column Type: varchar
Max Length: 50
The description associated with living_in_household_code. See living_in_household_code for more information.

Column Name: notes
Column Type: longvarchar
Max Length: 2147483647
Notes related to Family Health History

Column Name: option_desc
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the assessment form.

Column Name: orig_data_entry_by
Column Type: varchar
Max Length: 40
The user who was first entered into the system.

Column Name: orig_data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that was first entered into the system.

Column Name: orig_data_entry_date
Column Type: date
The date the row was first entered into the system.

Column Name: orig_data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that was first entered into the system.

Column Name: orig_data_entry_time
Column Type: varchar

Max Length: 50

The time the row was first entered into the system.

Column Name: orig_data_entry_user_id

Column Type: varchar

Max Length: 50

The 'User ID' that was first entered into the system.

Column Name: orig_data_entry_user_name

Column Type: varchar

Max Length: 50

The username that was first entered into the system.

Column Name: orig_option_desc

Column Type: varchar

Max Length: 50

The name of the form that was first entered into the system.

Column Name: orig_option_id

Column Type: varchar

Max Length: 50

The unique ID of the assessment form that was first entered into the system.

Column Name: other_cause_of_death

Column Type: varchar

Max Length: 120

'Other Cause of Death'

Column Name: other_relationship

Column Type: varchar

Max Length: 50

'Other Relationship'

Column Name: race_code

Column Type: varchar

Max Length: 50

'Client Race'.

Column Name: race_value

Column Type: varchar

Max Length: 50

The description associated with race_code. See race_code for more information.

Column Name: relationship_code

Column Type: varchar

Max Length: 50

'Relationship'

Column Name: relationship_value

Column Type: varchar

Max Length: 50

The description associated with relationship_code. See relationship_code for more information.

Column Name: sex_code

Column Type: varchar

Max Length: 50

'Sex'.

Column Name: sex_value

Column Type: varchar

Max Length: 50

The description associated with sex_code. See sex_code for more information.

Column Name: unique_cause_death_code

Column Type: varchar

Max Length: 50

'Unique Cause of Death'

Column Name: unique_cause_death_value

Column Type: varchar

Max Length: 50

The description associated with unique_cause_death_code. See unique_cause_death_code for more information.

Documentation for form: Family_Health_History

Table Name: SYSTEM.family_health_problems

Table Description: This table stores problem data associated with a 'Family Health History'.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_TO_FAMILY_HEALTH

Column Type: varchar

Max Length: 50

Family Health History Unique ID (row identifier)

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data

Column Name: actual_age_at_onset
Column Type: varchar
Max Length: 50
'Actual Age At Onset'

Column Name: age_at_onset_code
Column Type: varchar
Max Length: 50
'Age At Onset Code'.

Column Name: age_at_onset_value
Column Type: varchar
Max Length: 50
The description of Age At Onset Code.

Column Name: cured_date
Column Type: date
'Cured Date'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
source or form that filed the data.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar
Max Length: 50
The user name who last updated the row.

Column Name: notes
Column Type: longvarchar
Max Length: 2147483647
Notes related to Problem

Column Name: option_desc
Column Type: varchar
Max Length: 50
The option name that last updated this data row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The option identifier that last updated this data_row.

Column Name: orig_data_entry_by
Column Type: varchar
Max Length: 40
The user who was first entered into the system.

Column Name: orig_data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that was first entered into the system.

Column Name: orig_data_entry_date
Column Type: date
The date the row was first entered into the system.

Column Name: orig_data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that was first entered into the system.

Column Name: orig_data_entry_time
Column Type: varchar
Max Length: 50
The time the row was first entered into the system.

Column Name: orig_data_entry_user_id
Column Type: varchar
Max Length: 50
The 'User ID' that was first entered into the system.

Column Name: orig_data_entry_user_name
Column Type: varchar

Max Length: 50

The username that was first entered into the system.

Column Name: orig_option_desc

Column Type: varchar

Max Length: 50

The name of the form that was first entered into the system.

Column Name: orig_option_id

Column Type: varchar

Max Length: 50

The unique ID of the assessment form that was first entered into the system.

Column Name: other_problem

Column Type: varchar

Max Length: 120

'Other Problem'.

Column Name: pcare_cond_code

Column Type: varchar

Max Length: 50

'Primary Care Condition Code'.

Column Name: pcare_cond_other

Column Type: varchar

Max Length: 120

'Primary Care Other Condition Code'.

Column Name: pcare_cond_value

Column Type: varchar

Max Length: 50

The description of the Primary Care Condition Code.

Column Name: pcare_cured_date

Column Type: date

'Primary Care Cured Date'.

Column Name: pcare_notes

Column Type: longvarchar

Max Length: 2147483647

Notes related to Primary Care

Column Name: pcare_status_code

Column Type: varchar

Max Length: 50

'Primary Care Status Code'.

Column Name: pcare_status_value

Column Type: varchar

Max Length: 50

The description of the Primary Care Status Code.

Column Name: pcare_treatment
Column Type: varchar
Max Length: 120
'Primary Care Treatment'.

Column Name: pcare_treatment_res_code
Column Type: varchar
Max Length: 50
'Primary Care Treatment Result'.

Column Name: pcare_treatment_res_value
Column Type: varchar
Max Length: 50
The description of the Primary Care Treatment Result.

Column Name: problem_code
Column Type: varchar
Max Length: 50
The problem code associated with SNOMED.

Column Name: problem_id
Column Type: varchar
Max Length: 50
The problem ID associated with problem.

Column Name: problem_value
Column Type: varchar
Max Length: 100
The problem description associated with SNOMED.

Column Name: status_code
Column Type: varchar
Max Length: 50
'Status'

Column Name: status_value
Column Type: varchar
Max Length: 50
Stores the provider's status value.

Column Name: treatment
Column Type: longvarchar
Max Length: 2147483647
'Treatment'

Column Name: treatment_result_code
Column Type: varchar
Max Length: 50

'Treatment Result Code'

Column Name: treatment_result_value

Column Type: varchar

Max Length: 50

The description of the Treatment Result Code.

Column Name: unique_problem_code

Column Type: varchar

Max Length: 50

'Unique Problem Search Code'.

Column Name: unique_problem_value

Column Type: varchar

Max Length: 50

The problem description associated with IMO.

Documentation for form: Vitals_Entry

Table Name: OrderEntry.history_client_height_weight

Table Description: Order Entry Client Height and Weight history

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: HAWuniqueid

Column Type: varchar

Max Length: 50

Height and weight row ID.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Data entry by User.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
Data entry option ID.

Column Name: data_entry_date
Column Type: date
Data entry date.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
Data entry source.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
Data entry time.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
Data entry by user ID.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
Data entry user name.

Column Name: date_height_recorded
Column Type: date
Date height was recorded.

Column Name: date_weight_recorded
Column Type: date
Date weight was recorded.

Column Name: h_data_entry_by
Column Type: varchar
Max Length: 40
Height data entry by.

Column Name: h_data_entry_by_option
Column Type: varchar
Max Length: 50
Height data entry option ID.

Column Name: h_data_entry_date
Column Type: date
Height date entry date.

Column Name: h_data_entry_source
Column Type: varchar
Max Length: 255
Height data entry source.

Column Name: h_data_entry_time
Column Type: varchar
Max Length: 50
Height data entry time.

Column Name: h_data_entry_user_id
Column Type: varchar
Max Length: 50
Height data entry by user ID.

Column Name: h_data_entry_user_name
Column Type: varchar
Max Length: 50
Height data entry user name.

Column Name: height
Column Type: varchar
Max Length: 50
Height of patient.

Column Name: height_in_centimeters
Column Type: varchar
Max Length: 50
Height in centimeters.

Column Name: height_in_feet_inches
Column Type: varchar
Max Length: 50
Height in feet and inches.

Column Name: height_in_inches
Column Type: varchar
Max Length: 50
Height in inches.

Column Name: height_unit_code
Column Type: varchar
Max Length: 50
Unit code for height.

Column Name: height_unit_value
Column Type: varchar
Max Length: 50
Height unit value.

Column Name: w_data_entry_by
Column Type: varchar
Max Length: 40
Weight data entry by.

Column Name: w_data_entry_by_option
Column Type: varchar
Max Length: 50
Weight data entry option ID.

Column Name: w_data_entry_date
Column Type: date
Weight data entry date.

Column Name: w_data_entry_source
Column Type: varchar
Max Length: 50
Weight data entry source.

Column Name: w_data_entry_time
Column Type: varchar
Max Length: 50
Weight data entry time.

Column Name: w_data_entry_user_id
Column Type: varchar
Max Length: 50
Weight data entry user ID.

Column Name: w_data_entry_user_name
Column Type: varchar
Max Length: 50
Weight data entry username.

Column Name: weight
Column Type: varchar
Max Length: 50
Patient weight.

Column Name: weight_in_kilograms
Column Type: varchar
Max Length: 50
Weight in kilograms.

Column Name: weight_in_pounds
Column Type: varchar
Max Length: 50
Weight in pounds.

Column Name: weight_unit_code
Column Type: varchar
Max Length: 50
Weight unit code.

Column Name: weight_unit_value
Column Type: varchar
Max Length: 50
Weight unit value.

Documentation for form: Vitals_Entry

Table Name: SYSTEM.cw_vital_signs

Table Description: This table returns the information entered via the 'Vitals Entry' or 'CWS Vital Signs' forms.

Column Name: ID
Column Type: integer

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: FACILITY
Column Type: integer
The system code in which the vitals were entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the vitals were entered.

Column Name: Unique_Row_Id
Column Type: varchar
Max Length: 50

The unique ID for the vital record entry. Will be the 'Date' in format (YYYYMMDD), the time in format (HHMMSS), 1, followed by the data entry date and time in UTC (Coordinated Universal Time).

Column Name: admin_date_actual
Column Type: date
'Date'

Column Name: admin_time_actual_h
Column Type: time
'Time'

Column Name: admin_unique_id
Column Type: varchar
Max Length: 50
The eMAR administration unique ID.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' of the user which last updated the row.

Column Name: data_entry_user_name

Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: emar_attached_result
Column Type: bit
Flag to indicate whether or not the user attached to an already existing result/vital when filing an eMAR administration.

Column Name: edit_comments
Column Type: varchar
Max Length: 50
edit comments

Column Name: edit_increment_ID
Column Type: integer
ID that groups vital signs edited together

Column Name: emar_event_code
Column Type: varchar
Max Length: 50
"R" for "Results" or "A" for "Administration".

Column Name: emar_event_value
Column Type: varchar
Max Length: 50
The description associated with emar_event_code. See emar_event_code for more information.

Column Name: JOIN_RESULT_DETAIL_ID
Column Type: varchar
Max Length: 80
The link the the SYSTEM.results_detail row ID.

Column Name: measured_unit
Column Type: varchar
Max Length: 50
The unit of measurement for the vital sign reading.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The description of the option that last filed the form.

Column Name: option_id
Column Type: varchar
Max Length: 20

The option ID that last filed the form.

Column Name: order_number

Column Type: varchar

Max Length: 50

eMAR Order Number.

Column Name: order_unique_id

Column Type: varchar

Max Length: 50

The eMAR unique ID for the order number.

Column Name: reading

Column Type: varchar

Max Length: 50

The code for the vital sign associated with the reading value.

Column Name: reading_entry

Column Type: varchar

Max Length: 80

The value associated with the vital sign (reading).

Column Name: reading_value

Column Type: varchar

Max Length: 80

The value and measurement for the associated row.

Column Name: vital_sign

Column Type: varchar

Max Length: 50

The description associated with the reading property. See the reading property for more information.

Column Name: voided_code

Column Type: varchar

Max Length: 40

Voided

Column Name: voided_value

Column Type: varchar

Max Length: 255

The description associated with voided_code.

Column Name: void_reason_code

Column Type: varchar

Max Length: 40

Void Reason

Column Name: void_reason_value

Column Type: varchar

Max Length: 255

The description associated with void_reason_code. See void_reason_code for more information.

Documentation for form: Vitals_Entry

Table Name: SYSTEM.cw_vitals_single_row_view

Table Description: This table returns the information entered via the 'Vitals Entry' or 'CWS Vital Signs' forms.
(Used on the Widget)

Column Name: data_entry_date

Column Type: date

Column Name: RefusedVitals

Column Type: varchar

Max Length: 80

Column Name: BloodPressure

Column Type: varchar

Max Length: 80

Column Name: BloodPressure2

Column Type: varchar

Max Length: 80

Column Name: BloodPressure3

Column Type: varchar

Max Length: 80

Column Name: BloodPressureMethod

Column Type: varchar

Max Length: 80

Column Name: BloodPressureMethod2

Column Type: varchar

Max Length: 80

Column Name: BloodPressureMethod3

Column Type: varchar

Max Length: 80

Column Name: BloodPressureArm
Column Type: varchar
Max Length: 80

Column Name: BloodPressureArm2
Column Type: varchar
Max Length: 80

Column Name: BloodPressureArm3
Column Type: varchar
Max Length: 80

Column Name: Pulse
Column Type: varchar
Max Length: 80

Column Name: HeartRateType
Column Type: varchar
Max Length: 80

Column Name: TimeTaken2
Column Type: varchar
Max Length: 80

Column Name: TimeTaken3
Column Type: varchar
Max Length: 80

Column Name: Temp
Column Type: varchar
Max Length: 80

Column Name: TemperatureSite
Column Type: varchar
Max Length: 80

Column Name: Height
Column Type: varchar
Max Length: 80

Column Name: Weight
Column Type: varchar
Max Length: 80

Column Name: BMI
Column Type: varchar
Max Length: 80

Column Name: BMIPercentile
Column Type: varchar
Max Length: 80

Column Name: PainScale
Column Type: varchar
Max Length: 80

Column Name: SmokingStatus
Column Type: varchar
Max Length: 80

Column Name: Cigarettes
Column Type: varchar
Max Length: 80

Column Name: Respiratory
Column Type: varchar
Max Length: 80

Column Name: spO2
Column Type: varchar
Max Length: 80

Column Name: OxygenDeliveryMethod
Column Type: varchar
Max Length: 80

Column Name: OxygenFlow
Column Type: varchar
Max Length: 80

Column Name: BloodGlucose
Column Type: varchar
Max Length: 80

Column Name: FastingIndicator
Column Type: varchar
Max Length: 80

Column Name: WaistCirc
Column Type: varchar
Max Length: 80

Column Name: WaistCircCm
Column Type: varchar
Max Length: 80

Column Name: HeadCirc
Column Type: varchar
Max Length: 80

Column Name: HeadCircCm
Column Type: varchar
Max Length: 80

Column Name: LengthIn
Column Type: varchar
Max Length: 80

Column Name: LengthCm
Column Type: varchar
Max Length: 80

Column Name: CO
Column Type: varchar
Max Length: 80

Column Name: LMP
Column Type: varchar
Max Length: 80

Column Name: Position
Column Type: varchar
Max Length: 80

Column Name: Position2
Column Type: varchar
Max Length: 80

Column Name: Position3
Column Type: varchar
Max Length: 80

Column Name: Location
Column Type: varchar
Max Length: 80

Column Name: Notes
Column Type: varchar
Max Length: 80

Column Name: InhaledOxyConcent
Column Type: varchar
Max Length: 80

Column Name: WeightLengthPerc
Column Type: varchar
Max Length: 80

Column Name: HeadCircumferencePerc
Column Type: varchar
Max Length: 80

Column Name: Unique_Row_Id
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: FACILITY
Column Type: integer

Column Name: admin_date_actual
Column Type: date

Column Name: admin_time_actual_h
Column Type: time

Column Name: data_entry_time
Column Type: varchar
Max Length: 15

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: voided_code
Column Type: varchar
Max Length: 40

Column Name: ID
Column Type: integer

Documentation for form: Hospitalizations_and_Surgeries

Table Name: SYSTEM.hospital_surgery

Table Description: This table returns the information stored in the 'Hospitalizations and Surgeries' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: HSHuniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the hospitalization/surgery.

Column Name: PATID
Column Type: varchar
Max Length: 20
The unique ID of the client.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: filter_by_classification_code

Column Type: varchar

Max Length: 50
'Filter by Classification'

Column Name: filter_by_classification_value
Column Type: varchar
Max Length: 50
The description associated with filter_by_classification_code. See filter_by_classification_code for more information.

Column Name: notes
Column Type: varchar
Max Length: 32000
'Notes'

Column Name: option_desc
Column Type: varchar
Max Length: 50
The description of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: reason
Column Type: varchar
Max Length: 50
The description associated with reason_code. See reason_code for more information.

Column Name: reason_code
Column Type: varchar
Max Length: 50
Reason Code

Column Name: when
Column Type: varchar
Max Length: 50
'When'

Column Name: when_field
Column Type: varchar
Max Length: 50
'When_Field' same as When, to prevent SQL reserved word error.

Column Name: where
Column Type: varchar
Max Length: 50
'Where'

Column Name: where_field

Column Type: varchar
Max Length: 50
'Where_field' same as When, to prevent SQL reserved word error.

Documentation for form: Problem_List

Table Name: SYSTEM.cw_problem_list

Table Description: This table returns the information stored in the 'Problem List' form and the 'Problem List' grid of the 'Treatment Plan' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PLuniqueid
Column Type: varchar
Max Length: 50
The problem list historic (row identifier)

Column Name: action_code
Column Type: varchar
Max Length: 50
'Action'

Column Name: action_value
Column Type: varchar
Max Length: 50
The description associated with action_code. See action_code for more information.

Column Name: active_status_code
Column Type: varchar
Max Length: 50
'Active Status Code'

Column Name: active_status_value
Column Type: varchar

Max Length: 50

The description associated with active_status_code. See active_status_code for more information.

Column Name: chronicity_code

Column Type: varchar

Max Length: 50

'Chronicity'

Column Name: chronicity_value

Column Type: varchar

Max Length: 50

The description associated with chronicity_code. See chronicity_code for more information.

Column Name: classification_code

Column Type: varchar

Max Length: 50

'Problem Classification'

Column Name: classification_system_codes

Column Type: varchar

Max Length: 50

The applicable system codes associated with classification_code.

Column Name: classification_value

Column Type: varchar

Max Length: 50

The description associated with classification_code.

Column Name: comment

Column Type: varchar

Max Length: 32766

Any user comments entered for the problem

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_identified
Column Type: date
'Date Identified'

Column Name: date_of_onset_date
Column Type: date
'Date of Onset'

Column Name: date_of_onset_string
Column Type: varchar
Max Length: 50

'Date of Onset'

Column Name: date_resolved_date

Column Type: date

'Date Resolved'

Column Name: date_resolved_string

Column Type: varchar

Max Length: 50

'Date Resolved'

Column Name: diagnosis_code

Column Type: varchar

Max Length: 50

'Diagnosis Code'

Column Name: displayable

Column Type: varchar

Max Length: 50

Set to 1 if the row is displayable by the reports and widgets.

Column Name: gain_icp_results_id

Column Type: bit

'GAIN ICP Results ID'

Column Name: last_reconciliation_id

Column Type: varchar

Max Length: 50

'Last Reconciliation ID'

Column Name: option_desc

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row.

Column Name: other

Column Type: varchar

Max Length: 32766

The user entered problem description required when problem_code is "Specify Other"

Column Name: pc_pmh_age_at_onset

Column Type: varchar

Max Length: 50

'Primary Care - PMH Age On Onset'

Column Name: pc_pmh_condition_code
Column Type: varchar
Max Length: 50
'Primary Care - PMH Condition Code'

Column Name: pc_pmh_condition_other
Column Type: varchar
Max Length: 120
'Primary Care - PMH Condition Other'

Column Name: pc_pmh_condition_value
Column Type: varchar
Max Length: 50
The description associated with pc_pmh_condition_code. See pc_pmh_condition_code for more information.

Column Name: pc_pmh_cured_date
Column Type: date
'Primary Care - PMH Cured Date'

Column Name: pc_pmh_notes
Column Type: varchar
Max Length: 32766
'Primary Care - PMH Notes'

Column Name: pc_pmh_status_code
Column Type: varchar
Max Length: 50
'Primary Care - PMH Status'

Column Name: pc_pmh_status_value
Column Type: varchar
Max Length: 50
The description associated with pc_pmh_status_code. See pc_pmh_status_code for more information.

Column Name: pc_pmh_treatment
Column Type: varchar
Max Length: 32766
'Primary Care - PMH Treatment'

Column Name: pc_pmh_treat_result_code
Column Type: varchar
Max Length: 50
'Primary Care - PMH Treatment Result'

Column Name: pc_pmh_treat_result_value
Column Type: varchar
Max Length: 50
The description associated with pc_pmh_treat_result_code. See pc_pmh_treat_result_code for more information.

Column Name: problem_code
Column Type: varchar
Max Length: 50
'Problem'

Column Name: problem_description
Column Type: varchar
Max Length: 200
The description for the 'Problem' code

Column Name: problems_to_record_code
Column Type: varchar
Max Length: 50
'Problems To Record'

Column Name: problems_to_record_value
Column Type: varchar
Max Length: 50
The description associated with problems_to_record_code. See problems_to_record_code for more information.

Column Name: severity_code
Column Type: varchar
Max Length: 50
'Severity'

Column Name: severity_value
Column Type: varchar
Max Length: 50
The description associated with severity_code. See severity_code for more information.

Column Name: staff_entered_id
Column Type: varchar
Max Length: 50
The staff member id associated with the user id (data_entry_user_id) who entered this row

Column Name: staff_entered_name
Column Type: varchar
Max Length: 50
The staff member name associated to the staff_entered_id

Column Name: status_code
Column Type: varchar
Max Length: 50
'Status'

Column Name: status_value
Column Type: varchar
Max Length: 50

The description associated with status_code. See status_code for more information.

Column Name: time_of_onset
Column Type: varchar
Max Length: 50
'Time Of Onset'

Column Name: type_code
Column Type: varchar
Max Length: 50
'Type'

Column Name: type_value
Column Type: varchar
Max Length: 50
The description associated with type_code. See type_code for more information.

Column Name: unique_problem_code
Column Type: varchar
Max Length: 50
'Unique Problem Search Code'

Column Name: unique_problem_description
Column Type: varchar
Max Length: 200
The description for the 'Unique Problem Search Code' code

Documentation for form: Problem_List

Table Name: SYSTEM.cw_problem_list_history

Table Description: This table returns the problem list action history data.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code that generated the data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PLuniqueid
Column Type: varchar

Max Length: 50
The problem list historic (row identifier)

Column Name: action_code
Column Type: varchar
Max Length: 50
The action code.

Column Name: action_value
Column Type: varchar
Max Length: 50
The description associated with action_code. See action_code for more information.

Column Name: status_code
Column Type: varchar
Max Length: 50
'Status'

Column Name: status_value
Column Type: varchar
Max Length: 50
The description associated with status_code. See status_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form or feature that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The description of the last option that saved the vital sign.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: staff_name
Column Type: varchar
Max Length: 1024
The practitioner name with credentials at the date of entry.

Documentation for form: Treatment/Discharge_Summary

Table Name: SYSTEM.tx_disch_summary

Table Description: This table returns the information stored in the 'Treatment/Discharge Summary' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: Data_Entry_By_Login
Column Type: varchar
Max Length: 40
The login of the user who entered the data.

Column Name: Data_Entry_By_Option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: Data_Entry_Date
Column Type: date
The date the row was last updated.

Column Name: Data_Entry_Source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: Data_Entry_Time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: Data_Entry_User_Id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: Data_Entry_User_Name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: Option_Id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: TDSuniqueid
Column Type: varchar
Max Length: 50
The unique ID associated to a row of data.

Column Name: aftercare_comments
Column Type: varchar
Max Length: 32766
'Aftercare Comments'

Column Name: aftercare_comments_255
Column Type: varchar
Max Length: 255
'Aftercare Comments'

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_utc
Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_appointment
Column Type: date
'Date Of Appointment'

Column Name: followup_appt_sched_code
Column Type: varchar
Max Length: 40
'Follow Up Appointment Scheduled'

Column Name: followup_appt_sched_value
Column Type: varchar
Max Length: 40
The description associated with followup_appt_sched_code. See followup_appt_sched_code for more information.

Column Name: followup_comments
Column Type: varchar
Max Length: 32766
'Follow Up Comments'

Column Name: followup_comments_255
Column Type: varchar
Max Length: 255
'Follow Up Comments'

Column Name: note_type_code
Column Type: varchar
Max Length: 40
'Note Type'

Column Name: note_type_value
Column Type: varchar
Max Length: 40
The description associated with note_type_code. See note_type_code for more information.

Column Name: notification_comments
Column Type: varchar
Max Length: 32766
'Notification Comments'

Column Name: notification_comments_255
Column Type: varchar
Max Length: 255
'Notification Comments'

Column Name: notified_fam_disch_code
Column Type: varchar
Max Length: 40

'Notified Family/Sponsor Of Discharge'

Column Name: notified_fam_disch_value

Column Type: varchar

Max Length: 40

The description associated with notified_fam_disch_code. See notified_fam_disch_code for more information.

Column Name: other_reason_discharge

Column Type: varchar

Max Length: 40

'Other Reason For Discharge'

Column Name: plan_for_care

Column Type: varchar

Max Length: 32766

'Review/Discharge Plan For Care'

Column Name: plan_for_care_255

Column Type: varchar

Max Length: 255

'Review/Discharge Plan For Care'

Column Name: reason_discharge_code

Column Type: varchar

Max Length: 40

'Reason For Discharge'

Column Name: reason_discharge_value

Column Type: varchar

Max Length: 40

The description associated with reason_discharge_code. See reason_discharge_code for more information.

Column Name: resources_comments

Column Type: varchar

Max Length: 32766

'Community Resources Comments'

Column Name: resources_comments_255

Column Type: varchar

Max Length: 255

'Community Resources Comments'

Column Name: review_after_ins_code

Column Type: varchar

Max Length: 40

'Reviewed Aftercare Resources And Insurance Coverage'

Column Name: review_after_instr_code

Column Type: varchar

Max Length: 40
'Reviewed Aftercare Instructions And Orders'

Column Name: review_after_instr_value
Column Type: varchar
Max Length: 40
The description associated with review_after_instr_code. See review_after_instr_code for more information.

Column Name: review_after_ins_value
Column Type: varchar
Max Length: 40
The description associated with review_after_ins_code. See review_after_ins_code for more information.

Column Name: review_discharge_note
Column Type: varchar
Max Length: 32766
'Review/Discharge Note'

Column Name: review_discharge_note_255
Column Type: varchar
Max Length: 255
'Review/Discharge Note'

Column Name: review_treatment
Column Type: varchar
Max Length: 32766
'Review Of Client's Treatment'

Column Name: review_treatment_255
Column Type: varchar
Max Length: 255
'Review Of Client's Treatment'

Column Name: review_type_code
Column Type: varchar
Max Length: 40
'Review Type'

Column Name: review_type_value
Column Type: varchar
Max Length: 40
The description associated with review_type_code. See review_type_code for more information.

Column Name: state_at_review
Column Type: varchar
Max Length: 32766
'Mental/Physical State At Review'

Column Name: state_at_review_255

Column Type: varchar
Max Length: 255
'Mental/Physical State At Review'

Column Name: summary_date
Column Type: date
'Summary Date'

Column Name: summary_status_code
Column Type: varchar
Max Length: 40
'Summary Status'

Column Name: summary_status_value
Column Type: varchar
Max Length: 40
The description associated with summary_status_code. See summary_status_code for more information.

Column Name: summary_time
Column Type: varchar
Max Length: 10
'Summary Time'

Column Name: summary_type_code
Column Type: varchar
Max Length: 40
'Summary Type'

Column Name: summary_type_value
Column Type: varchar
Max Length: 40
The description associated with summary_type_code. See summary_type_code for more information.

Column Name: transport_comments
Column Type: varchar
Max Length: 32766
'Transportation Comments'

Column Name: transport_comments_255
Column Type: varchar
Max Length: 255
'Transportation Comments'

Column Name: transport_verified_code
Column Type: varchar
Max Length: 40
'Transportation And Equipment Verified'

Column Name: transport_verified_value
Column Type: varchar

Max Length: 40

The description associated with transport_verified_code. See transport_verified_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Significant_Findings

Table Name: SYSTEM.significant_finding

Table Description: This table returns the finding information entered via the 'Significant Findings' form.

Column Name: ID

Column Type: integer

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the finding was entered.

Column Name: FIN_uniqueid

Column Type: varchar

Max Length: 50

A unique identifier of the SYSTEM.significant_finding table.

Column Name: JOIN_ALERT

Column Type: varchar

Max Length: 50

A unique identifier of the client alert associated to this record.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID for which the finding was entered.

Column Name: critical_finding_code

Column Type: varchar

Max Length: 50

'Critical Finding'

Column Name: critical_finding_value

Column Type: varchar

Max Length: 255

The description associated with finding_type_code. See finding_type_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

The time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

The short abbreviation for the timezone.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: description_other

Column Type: varchar

Max Length: 50

'Finding Description (Other)'

Column Name: finding_code

Column Type: varchar

Max Length: 50

A unique id for vitals/results/conditions depending on finding_type_code.

Column Name: finding_date

Column Type: date

'Significant Finding Date'

Column Name: finding_time

Column Type: varchar

Max Length: 50

'Significant Finding Time'

Column Name: finding_type_code

Column Type: varchar

Max Length: 50

'Significant Finding Type'

Column Name: finding_type_value

Column Type: varchar

Max Length: 255

The description associated with finding_type_code. See finding_type_code for more information.

Column Name: finding_value

Column Type: varchar

Max Length: 50

The description associated with finding_code. See finding_code for more information.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The option name that last updated this data row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The option identifier that last updated this data_row.

Column Name: orig_data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who first created the row.

Column Name: orig_data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who first created the row.

Column Name: voided_code
Column Type: varchar
Max Length: 50
'Void Finding'

Column Name: voided_value
Column Type: varchar
Max Length: 255
The description associated with voided_code. See voided_code for more information.

Column Name: void_reason_code
Column Type: varchar
Max Length: 50
'Void Reason'

Column Name: void_reason_other
Column Type: varchar
Max Length: 50
'Void Reason (Other)'

Column Name: void_reason_value
Column Type: varchar
Max Length: 255
The description associated with void_reason_code. See void_reason_code for more information.

Documentation for form: Significant_Findings

Table Name: SYSTEM.significant_finding_comm

Table Description: This table returns the communication information entered via the 'Significant Findings' form.

Column Name: ID
Column Type: integer

Column Name: COM_uniqueid
Column Type: varchar
Max Length: 50
A unique identifier of the SYSTEM.significant_finding_comm table.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the finding was entered.

Column Name: JOIN_FINDING
Column Type: varchar
Max Length: 50
A unique identifier of the SYSTEM.significant_finding table.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the finding was entered.

Column Name: comm_type_code
Column Type: varchar
Max Length: 50
'Communication Type'

Column Name: comm_type_value
Column Type: varchar
Max Length: 255
The description associated with comm_type_code. See comm_type_code for more information.

Column Name: communication_date
Column Type: date
'Communication Date'

Column Name: communication_time
Column Type: varchar
Max Length: 50
'Communication Time'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp

The UTC date and time the data was saved.

Column Name: family_communicated
Column Type: varchar
Max Length: 50
'Family/Caregiver Communicated'

Column Name: notes
Column Type: varchar
Max Length: 32767
'Communication Notes'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option name that last updated this data row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The option identifier that last updated this data_row.

Column Name: orders_received
Column Type: varchar
Max Length: 50
'Order(s) Received'

Column Name: physician_communicated
Column Type: varchar
Max Length: 50
'Physician Communicated'

Column Name: read_back_code
Column Type: varchar
Max Length: 50
'Physician Read Back'

Column Name: read_back_value
Column Type: varchar
Max Length: 255
The description associated with read_back_code. See read_back_code for more information.

Column Name: voided_code
Column Type: varchar
Max Length: 50
'Void Finding'

Column Name: voided_value
Column Type: varchar
Max Length: 255

The description associated with voided_code. See voided_code for more information.

Column Name: void_reason_code
Column Type: varchar
Max Length: 50
'Void Reason'

Column Name: void_reason_other
Column Type: varchar
Max Length: 50
'Void Reason (Other)'

Column Name: void_reason_value
Column Type: varchar
Max Length: 255
The description associated with void_reason_code. See void_reason_code for more information.

Documentation for form: Significant_Findings

Table Name: SYSTEM.significant_finding_note

Table Description: This table returns the 'Finding Notes/Observations' information entered via the 'Significant Findings' form.

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the finding was entered.

Column Name: JOIN_FINDING
Column Type: varchar
Max Length: 50
A unique identifier of the SYSTEM.significant_finding table.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the finding was entered.

Column Name: data_entry_by

Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: note
Column Type: varchar
Max Length: 32767
'Finding Notes/Observations'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option name that last updated this data row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The option identifier that last updated this data_row.

Column Name: voided
Column Type: bit
Is this note voided?

Column Name: void_reason_code
Column Type: varchar
Max Length: 50
'Void Reason'

Column Name: void_reason_other
Column Type: varchar
Max Length: 50
'Void Reason (Other)'

Column Name: void_reason_value
Column Type: varchar
Max Length: 255
The description associated with void_reason_code. See void_reason_code for more information.

Documentation for form: Treatment_Plan_Deletion

Table Name: SYSTEM.cw_tp_delete

Table Description: This table returns data about deleted treatment plans from 'Treatment Plan Deletion'.

Column Name: ID
Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number the treatment plan is associated with.

Column Name: FACILITY

Column Type: integer

The system code the client is defined in.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID.

Column Name: TPROWID

Column Type: varchar

Max Length: 50

The unique ID of the client treatment plan information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that deleted the treatment plan.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that deleted the treatment plan.

Column Name: data_entry_date

Column Type: date

The date the treatment plan was deleted.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that deleted the treatment plan.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the treatment plan was deleted.

Column Name: data_entry_time_j

Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: reason_for_del_code
Column Type: varchar
Max Length: 50
The code for 'Reason For Deletion'.

Column Name: reason_for_del_value
Column Type: varchar
Max Length: 50
The description associated with reason_for_del_code. See reason_for_del_code for more information.

Column Name: tp_delete_comment
Column Type: varchar
Max Length: 32766
'Comments'

Column Name: tpdelindex
Column Type: varchar
Max Length: 50
The index number of this deletion for this treatment plan.

Column Name: tp_orig_data_entr_by_option
Column Type: varchar
Max Length: 40
The user name that deleted the treatment plan.

Column Name: tp_orig_data_entry_by
Column Type: varchar
Max Length: 40
The user name that deleted the treatment plan.

Column Name: tp_orig_data_entry_date
Column Type: date
The date the treatment plan was deleted.

Column Name: tp_orig_date_entry_time
Column Type: varchar
Max Length: 50
The time the treatment plan was deleted.

Column Name: type_of_plan_code
Column Type: varchar
Max Length: 50
The code for 'Type Of Treatment Plan To Delete'.

Column Name: type_of_plan_value
Column Type: varchar
Max Length: 50
The description associated with type_of_plan_code. See type_of_plan_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Review/Co-Sign_Notes

Table Name: SYSTEM.cw_cosign_notes_voided

Table Description: This table returns data from the Review/Co-sign notes

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: CSNuniqueid
Column Type: varchar
Max Length: 50
Co-Sign Note unique ID.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number.

Column Name: FACILITY
Column Type: integer
The system code that generated the data.

Column Name: FILING_COUNTER
Column Type: integer

'Counter'

Column Name: NOT_filing_counter

Column Type: integer

The particular note being filed.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID.

Column Name: cosigners_comments

Column Type: varchar

Max Length: 32766

'Cosigner's Comments'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: list_of_notes_code
Column Type: varchar
Max Length: 50
'List of Notes code'

Column Name: list_of_notes_value
Column Type: varchar
Max Length: 50
The description associated with list_of_notes_code. See list_of_notes_code for more information.

Column Name: notes_entry_index_nu
Column Type: varchar
Max Length: 50
'Notes Entry Index Number for Internal Use'

Column Name: note_type_code
Column Type: varchar
Max Length: 50
'Note Type code'

Column Name: note_type_value
Column Type: varchar
Max Length: 50
The description associated with note_type_code. See note_type_code for more information.

Column Name: option_desc
Column Type: varchar
Max Length: 80

'Option Description'

Column Name: option_id

Column Type: varchar

Max Length: 20

'Option Id'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: void_data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row for a voided note.

Column Name: void_data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row for a voided note.

Column Name: void_data_entry_date

Column Type: date

The date the row was last updated for a voided note.

Column Name: void_data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated for a voided note.

Column Name: void_data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' that last updated the row for a voided note.

Column Name: void_data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the 'User ID' who voided the note.

Column Name: void_option_desc

Column Type: varchar

Max Length: 80

The description of the form that voided the note.

Column Name: void_option_id

Column Type: varchar

Max Length: 40

The form that voided the note.

Documentation for form: Client_Observation

Table Name: SYSTEM.cw_observation_details

Table Description: this table returns the information stored from filing the 'Client Observation' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: COB_uniqueid
Column Type: varchar
Max Length: 15

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: OBS_unique_id
Column Type: varchar
Max Length: 20

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: activity_code
Column Type: varchar
Max Length: 15

Column Name: activity_value
Column Type: varchar
Max Length: 40

Column Name: behavior_code

Column Type: varchar
Max Length: 15

Column Name: behavior_value
Column Type: varchar
Max Length: 40

Column Name: created_by
Column Type: varchar
Max Length: 40

Column Name: created_date
Column Type: date

Column Name: created_time
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 20

Column Name: data_entry_time
Column Type: varchar
Max Length: 15

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: details_time
Column Type: varchar
Max Length: 15

Column Name: location_code
Column Type: varchar
Max Length: 15

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: observation_date
Column Type: date

Column Name: observation_notes
Column Type: varchar
Max Length: 32766

Column Name: observation_summary
Column Type: varchar
Max Length: 32766

Column Name: observer
Column Type: varchar
Max Length: 40

Column Name: observer_name
Column Type: varchar
Max Length: 80

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: other_activity
Column Type: varchar
Max Length: 40

Column Name: other_behavior
Column Type: varchar
Max Length: 40

Column Name: other_location
Column Type: varchar
Max Length: 40

Column Name: other_precaution_reason
Column Type: varchar
Max Length: 120

Column Name: precaution_reason_code
Column Type: varchar
Max Length: 15

Column Name: precaution_reason_value
Column Type: varchar
Max Length: 200

Column Name: routine_1_1
Column Type: varchar
Max Length: 15

Column Name: routine_1_1_time
Column Type: varchar
Max Length: 15

Column Name: standard_duration
Column Type: varchar
Max Length: 15

Column Name: standard_duration_time
Column Type: varchar
Max Length: 15

Column Name: two_arms_length
Column Type: varchar
Max Length: 15

Column Name: two_arms_length_time
Column Type: varchar
Max Length: 15

Column Name: updated_by
Column Type: varchar
Max Length: 40

Column Name: updated_date
Column Type: date

Column Name: updated_time
Column Type: varchar
Max Length: 40

Column Name: user_row_access_code
Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Client_Observation

Table Name: SYSTEM.cw_observation_details_archive

Table Description: this table returns the information stored from the archiving process of the 'Client Observation' data.

Column Name: ID
Column Type: integer

Column Name: COB_uniqueid
Column Type: varchar
Max Length: 15

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: OBS_unique_id
Column Type: varchar
Max Length: 20

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: activity_code
Column Type: varchar
Max Length: 15

Column Name: activity_value
Column Type: varchar
Max Length: 40

Column Name: behavior_code
Column Type: varchar
Max Length: 15

Column Name: behavior_value
Column Type: varchar
Max Length: 40

Column Name: created_by
Column Type: varchar
Max Length: 40

Column Name: created_date
Column Type: date

Column Name: created_time
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 20

Column Name: data_entry_time
Column Type: varchar
Max Length: 15

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: details_time
Column Type: varchar
Max Length: 15

Column Name: from_merge
Column Type: varchar
Max Length: 1

Column Name: location_code
Column Type: varchar
Max Length: 15

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: merge_date
Column Type: date

Column Name: merge_time

Column Type: time

Column Name: observation_date

Column Type: date

Column Name: observation_notes

Column Type: varchar

Max Length: 32766

Column Name: observation_summary

Column Type: varchar

Max Length: 32766

Column Name: observer

Column Type: varchar

Max Length: 40

Column Name: observer_name

Column Type: varchar

Max Length: 80

Column Name: option_id

Column Type: varchar

Max Length: 20

Column Name: other_activity

Column Type: varchar

Max Length: 40

Column Name: other_behavior

Column Type: varchar

Max Length: 40

Column Name: other_location

Column Type: varchar

Max Length: 40

Column Name: other_precaution_reason

Column Type: varchar

Max Length: 4000

Column Name: precaution_reason_code
Column Type: varchar
Max Length: 15

Column Name: precaution_reason_value
Column Type: varchar
Max Length: 200

Column Name: routine_1_1
Column Type: varchar
Max Length: 15

Column Name: routine_1_1_time
Column Type: varchar
Max Length: 15

Column Name: standard_duration
Column Type: varchar
Max Length: 15

Column Name: standard_duration_time
Column Type: varchar
Max Length: 15

Column Name: two_arms_length
Column Type: varchar
Max Length: 15

Column Name: two_arms_length_time
Column Type: varchar
Max Length: 15

Column Name: updated_by
Column Type: varchar
Max Length: 40

Column Name: updated_date
Column Type: date

Column Name: updated_time
Column Type: varchar
Max Length: 40

Documentation for form: Enter_Group_Default_Note

Table Name: SYSTEM.cw_scratch_notes

Table Description: This table returns the information stored in the 'Enter Default Group Note' and 'Progress Notes (Group and Individual)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID that joins the note to the service.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number.

Column Name: FACILITY
Column Type: integer
The system code in which the data is stored.

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The description of the form that filed the note.

Column Name: Option_Id
Column Type: varchar
Max Length: 20
The unique identifier of the form that filed the note.

Column Name: PATID

Column Type: varchar
Max Length: 20
The client id.

Column Name: SNOTuniqueid
Column Type: varchar
Max Length: 50
The unique ID that identifies the scratch note.

Column Name: TODO_ID
Column Type: varchar
Max Length: 20
The unique ID associated with the To-Do.

Column Name: clinical_quality_code
Column Type: varchar
Max Length: 255
'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val
Column Type: varchar
Max Length: 255
'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: clinical_quality_value
Column Type: varchar
Max Length: 4096
'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: ebps_code

Column Type: varchar

Max Length: 255

'Evidence Based Practices'

Column Name: ebps_sh_val

Column Type: varchar

Max Length: 255

'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value

Column Type: varchar

Max Length: 4096

'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id

Column Type: varchar

Max Length: 255

'External System Identifier'

Column Name: group_name_or_number
Column Type: varchar
Max Length: 50
The group this note is for.

Column Name: note_addresses
Column Type: varchar
Max Length: 40
Service that this note addresses.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
The full note detail.

Column Name: note_time
Column Type: varchar
Max Length: 50
The time of the note.

Column Name: note_type_code
Column Type: varchar
Max Length: 50
The type of note (dictionary code).

Column Name: note_type_value
Column Type: varchar
Max Length: 50
The type of note (description).

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: user_to_send_cosign__code
Column Type: varchar
Max Length: 50

User to send a cosign notification to.

Column Name: user_to_send_scratch_code

Column Type: varchar

Max Length: 50

User to send the scratch to.

Documentation for form: Mental_Status_Assessment

Table Name: SYSTEM.cw_mental_status_assessment

Table Description: This table returns the information stored in the 'Mental Status Assessment' form.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: MSA_uniqueid

Column Type: varchar

Max Length: 20

The unique ID associated to a row of data.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: appearance_code_all

Column Type: varchar

Max Length: 5

'Appearance'

Column Name: appearance1_value

Column Type: varchar

Max Length: 40

The description associated with appearance1_code. See appearance1_code for more information.

Column Name: attitude_code_all

Column Type: varchar
Max Length: 40
'Attitude'

Column Name: attitude1_value
Column Type: varchar
Max Length: 40
The description associated with attitude1_code. See attitude1_code for more information.

Column Name: speech_code_all
Column Type: varchar
Max Length: 40
'Speech'

Column Name: speech1_value
Column Type: varchar
Max Length: 40
The description associated with speech1_code. See speech1_code for more information.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: language1_value
Column Type: varchar
Max Length: 40
The description associated with language1_code. See language1_code for more information.

Column Name: orientation_code_all
Column Type: varchar
Max Length: 10
'Orientation'

Column Name: orientation1_value
Column Type: varchar
Max Length: 40
The description associated with orientation1_code. See orientation1_code for more information.

Column Name: affect_code_all
Column Type: varchar
Max Length: 40
'Affect'

Column Name: affect1_value
Column Type: varchar
Max Length: 40
The description associated with affect1_code. See affect1_code for more information.

Column Name: mood_code_all
Column Type: varchar

Max Length: 5
'Mood'

Column Name: mood1_value
Column Type: varchar
Max Length: 40
The description associated with mood1_code. See mood1_code for more information.

Column Name: thought_process_code_all
Column Type: varchar
Max Length: 40
'Thought Process'

Column Name: thought_process1_value
Column Type: varchar
Max Length: 40
The description associated with thought_process1_code. See thought_process1_code for more information.

Column Name: productivity_code_all
Column Type: varchar
Max Length: 40
'Productivity'

Column Name: productivity1_value
Column Type: varchar
Max Length: 40
The description associated with productivity1_code. See productivity1_code for more information.

Column Name: continuity_of_thought_code_all
Column Type: varchar
Max Length: 10
'Continuity of Thought'

Column Name: continuity_of_thought1_value
Column Type: varchar
Max Length: 40
The description associated with continuity_of_thought1_code. See continuity_of_thought1_code for more information.

Column Name: abstract_thinking_code_all
Column Type: varchar
Max Length: 10
'Abstract Thinking'

Column Name: abstract_thinking1_value
Column Type: varchar
Max Length: 40
The description associated with abstract_thinking1_code. See abstract_thinking1_code for more information.

Column Name: thought_content_code_all
Column Type: varchar
Max Length: 10
'Thought Content'

Column Name: thought_content1_value
Column Type: varchar
Max Length: 40
The description associated with thought_content1_code. See thought_content1_code for more information.

Column Name: form_and_content_code_all
Column Type: varchar
Max Length: 40
'Form and Content'

Column Name: form_and_content1_value
Column Type: varchar
Max Length: 40
The description associated with form_and_content1_code. See form_and_content1_code for more information.

Column Name: intellectual_functioning_code
Column Type: varchar
Max Length: 5
'Intellectual Functioning'

Column Name: intellectual_functioning_value
Column Type: varchar
Max Length: 40
The description associated with intellectual_functioning_code. See intellectual_functioning_code for more information.

Column Name: memory_code_all
Column Type: varchar
Max Length: 40
'Memory'

Column Name: memory1_value
Column Type: varchar
Max Length: 40
The description associated with memory1_code. See memory1_code for more information.

Column Name: concentration_code
Column Type: varchar
Max Length: 5
'Concentration'

Column Name: concentration_value
Column Type: varchar
Max Length: 40

The description associated with concentration_code. See concentration_code for more information.

Column Name: suicidal_code_all
Column Type: varchar
Max Length: 40
'Suicidal'

Column Name: suicidal1_value
Column Type: varchar
Max Length: 40
The description associated with suicidal1_code. See suicidal1_code for more information.

Column Name: homicidal_code_all
Column Type: varchar
Max Length: 40
'Homicidal'

Column Name: homicidal1_value
Column Type: varchar
Max Length: 40
The description associated with homicidal1_code. See homicidal1_code for more information.

Column Name: insight_code
Column Type: varchar
Max Length: 5
'Insight'

Column Name: insight_value
Column Type: varchar
Max Length: 40
The description associated with insight_code. See insight_code for more information.

Column Name: awareness_code
Column Type: varchar
Max Length: 5
'Awareness'

Column Name: awareness_value
Column Type: varchar
Max Length: 40
The description associated with awareness_code. See awareness_code for more information.

Column Name: assessing_clinician
Column Type: varchar
Max Length: 10
'Assessing Clinician'

Column Name: assessing_clinician_name
Column Type: varchar
Max Length: 40

The name associated with assessing_clinician.

Column Name: assessing_date

Column Type: date

'Assessing Date'

Column Name: assessing_time

Column Type: varchar

Max Length: 40

'Assessment Time'

Column Name: appearance_other

Column Type: varchar

Max Length: 40

'Other' associated with appearance.

Column Name: appearance_comments

Column Type: varchar

Max Length: 32766

'Comments' associated with appearance.

Column Name: attitude_other

Column Type: varchar

Max Length: 40

'Other' associated with attitude.

Column Name: attitude_comments

Column Type: varchar

Max Length: 32766

'Comments' associated with attitude.

Column Name: speech_other

Column Type: varchar

Max Length: 40

'Other' associated with speech.

Column Name: speech_comments

Column Type: varchar

Max Length: 32766

'Comments' associated with speech.

Column Name: language_Other

Column Type: varchar

Max Length: 40

'Other' associated with language.

Column Name: language_comments

Column Type: varchar

Max Length: 32766

'Comments' associated with language.

Column Name: orientation_other
Column Type: varchar
Max Length: 40
'Other' associated with orientation.

Column Name: orientation_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with orientation.

Column Name: affect_other
Column Type: varchar
Max Length: 40
'Other' associated with affect.

Column Name: affect_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with affect.

Column Name: mood_other
Column Type: varchar
Max Length: 40
'Other' associated with mood.

Column Name: mood_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with mood.

Column Name: thought_process_other
Column Type: varchar
Max Length: 40
'Other' associated with thought process.

Column Name: thought_process_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with thought process.

Column Name: productivity_other
Column Type: varchar
Max Length: 40
'Other' associated with productivity.

Column Name: productivity_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with productivity.

Column Name: continuity_of_thought_other
Column Type: varchar
Max Length: 40
'Other' associated with continuity of thought.

Column Name: continuity_of_thought_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with continuity of thought.

Column Name: abstract_thinking_other
Column Type: varchar
Max Length: 40
'Other' associated with abstract thinking.

Column Name: abstract_thinking_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with abstract thinking.

Column Name: thought_content_other
Column Type: varchar
Max Length: 40
'Other' associated with thought content.

Column Name: thought_content_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with thought content.

Column Name: form_and_content_other
Column Type: varchar
Max Length: 40
'Other' associated with form and content.

Column Name: describe_perceptual_distortions
Column Type: varchar
Max Length: 32766
'Describe Perceptual Distortions'

Column Name: intellectual_functioning_other
Column Type: varchar
Max Length: 40
'Other' associated with intellectual functioning.

Column Name: intellectual_functioning_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with intellectual functioning.

Column Name: memory_other
Column Type: varchar
Max Length: 40
'Other' associated with memory.

Column Name: memory_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with memory.

Column Name: concentration_other
Column Type: varchar
Max Length: 40
'Other' associated with concentration.

Column Name: concentration_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with concentration.

Column Name: insight_other
Column Type: varchar
Max Length: 40
'Other' associated with insight.

Column Name: insight_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with insight.

Column Name: awareness_other
Column Type: varchar
Max Length: 40
'Other' associated with awareness.

Column Name: awareness_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with awareness.

Column Name: social_judgement_other
Column Type: varchar
Max Length: 40
'Other' associated with social judgement.

Column Name: social_judgement_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with social judgement.

Column Name: social_judgement_code

Column Type: varchar

Max Length: 10

'Social judgement'

Column Name: social_judgement_value

Column Type: varchar

Max Length: 40

The description associated with social_judgement_code. See social_judgement_code for more information.

Column Name: suicidal_other

Column Type: varchar

Max Length: 40

'Other' associated with suicidal.

Column Name: suicidal_comments

Column Type: varchar

Max Length: 32766

'Comments' associated with suicidal.

Column Name: homicidal_other

Column Type: varchar

Max Length: 40

'Other' associated with homicidal.

Column Name: homicidal_comments

Column Type: varchar

Max Length: 32766

'Comments' associated with homicidal.

Column Name: potential_for_violence_code_all

Column Type: varchar

Max Length: 10

'Potential for Violence'

Column Name: potential_for_violence1_value

Column Type: varchar

Max Length: 40

The description associated with potential_for_violence1_code. See potential_for_violence1_code for more information.

Column Name: potential_for_violence_other

Column Type: varchar

Max Length: 40

'Other' associated with potential for violence.

Column Name: potential_for_violence_comments

Column Type: varchar

Max Length: 32766

'Comments' associated with potential for violence.

Column Name: sexual_behavior_code_all
Column Type: varchar
Max Length: 40
'Sexual Behavior'

Column Name: sexual_behavior1_value
Column Type: varchar
Max Length: 40
The description associated with sexual_behavior1_code. See sexual_behavior1_code for more information.

Column Name: sexual_behavior_other
Column Type: varchar
Max Length: 40
'Other' associated with sexual behavior.

Column Name: sexual_behavior_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with sexual behavior.

Column Name: sexually_abused_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with sexually abused.

Column Name: physically_abused_comments
Column Type: varchar
Max Length: 32766
'Comments' associated with physically abused.

Column Name: mental_status_summary_comments
Column Type: varchar
Max Length: 32766
'Mental Status Summary'

Column Name: formulation
Column Type: varchar
Max Length: 32766
'Formulation'

Column Name: prognosis
Column Type: varchar
Max Length: 32766
'Prognosis'

Column Name: physically_abused_code
Column Type: varchar
Max Length: 10

'Physically Abused'

Column Name: physically_abused_value

Column Type: varchar

Max Length: 40

The description associated with physically_abused_code. See physically_abused_code for more information.

Column Name: sexually_abused_code

Column Type: varchar

Max Length: 10

'Sexually Abused'

Column Name: sexually_abused_value

Column Type: varchar

Max Length: 40

The description associated with sexually_abused_code. See sexually_abused_code for more information.

Column Name: appearance1_code

Column Type: varchar

Max Length: 40

The appearance 1 code.

Column Name: appearance2_code

Column Type: varchar

Max Length: 10

The appearance 2 code.

Column Name: appearance2_value

Column Type: varchar

Max Length: 40

The description associated with appearance2_code. See appearance2_code for more information.

Column Name: attitude1_code

Column Type: varchar

Max Length: 10

The attitude 1 code.

Column Name: attitude2_code

Column Type: varchar

Max Length: 40

The attitude 2 code.

Column Name: attitude2_value

Column Type: varchar

Max Length: 40

The description associated with attitude2_code. See attitude2_code for more information.

Column Name: speech1_code

Column Type: varchar

Max Length: 40

The speech 1 code.

Column Name: speech2_code

Column Type: varchar

Max Length: 40

The speech 2 code.

Column Name: speech2_value

Column Type: varchar

Max Length: 40

The description associated with speech2_code. See speech2_code for more information.

Column Name: language1_code

Column Type: varchar

Max Length: 40

The language 1 code.

Column Name: language2_code

Column Type: varchar

Max Length: 40

The language 2 code.

Column Name: language2_value

Column Type: varchar

Max Length: 40

The description associated with language2_code. See language2_code for more information.

Column Name: orientation1_code

Column Type: varchar

Max Length: 40

The orientation 1 code.

Column Name: orientation2_code

Column Type: varchar

Max Length: 40

The orientation 2 code.

Column Name: orientation2_value

Column Type: varchar

Max Length: 40

The description associated with orientation2_code. See orientation2_code for more information.

Column Name: affect1_code

Column Type: varchar

Max Length: 40

The affect 1 code.

Column Name: affect2_code

Column Type: varchar

Max Length: 40

The affect 2 code.

Column Name: affect2_value

Column Type: varchar

Max Length: 40

The description associated with affect2_code. See affect2_code for more information.

Column Name: mood1_code

Column Type: varchar

Max Length: 40

The mood 1 code.

Column Name: mood2_code

Column Type: varchar

Max Length: 40

The mood 2 code.

Column Name: mood2_value

Column Type: varchar

Max Length: 40

The description associated with mood2_code. See mood2_code for more information.

Column Name: thought_process1_code

Column Type: varchar

Max Length: 40

The thought process 1 code.

Column Name: thought_process2_code

Column Type: varchar

Max Length: 40

The thought process 2 code.

Column Name: thought_process2_value

Column Type: varchar

Max Length: 40

The description associated with thought_process2_code. See thought_process2_code for more information.

Column Name: productivity1_code

Column Type: varchar

Max Length: 40

The productivity 1 code.

Column Name: productivity2_code

Column Type: varchar

Max Length: 40

The productivity 2 code.

Column Name: productivity2_value

Column Type: varchar

Max Length: 40

The description associated with productivity2_code. See productivity2_code for more information.

Column Name: continuity_of_thought1_code

Column Type: varchar

Max Length: 40

The continuity of thought 1 code.

Column Name: continuity_of_thought2_code

Column Type: varchar

Max Length: 40

The continuity of thought 2 code.

Column Name: continuity_of_thought2_value

Column Type: varchar

Max Length: 40

The description associated with continuity_of_thought2_code. See continuity_of_thought2_code for more information.

Column Name: abstract_thinking1_code

Column Type: varchar

Max Length: 40

The abstract thinking 1 code.

Column Name: abstract_thinking2_code

Column Type: varchar

Max Length: 40

The abstract thinking 2 code.

Column Name: abstract_thinking2_value

Column Type: varchar

Max Length: 40

The description associated with abstract_thinking2_code. See abstract_thinking2_code for more information.

Column Name: thought_content1_code

Column Type: varchar

Max Length: 40

The thought content 1 code.

Column Name: thought_content2_code

Column Type: varchar

Max Length: 40

The thought content 2 code.

Column Name: thought_content2_value

Column Type: varchar

Max Length: 40

The description associated with thought_content2_code. See thought_content2_code for more information.

Column Name: form_and_content1_code

Column Type: varchar
Max Length: 40
The form and content 1 code.

Column Name: form_and_content2_code
Column Type: varchar
Max Length: 40
The form and content 2 code.

Column Name: form_and_content2_value
Column Type: varchar
Max Length: 40
The description associated with form_and_content2_code. See form_and_content2_code for more information.

Column Name: memory1_code
Column Type: varchar
Max Length: 40
The memory 1 code.

Column Name: memory2_code
Column Type: varchar
Max Length: 40
The memory 2 code.

Column Name: memory2_value
Column Type: varchar
Max Length: 40
The description associated with memory2_code. See memory2_code for more information.

Column Name: suicidal1_code
Column Type: varchar
Max Length: 40
The suicidal 1 code.

Column Name: suicidal2_code
Column Type: varchar
Max Length: 40
The suicidal 2 code.

Column Name: suicidal2_value
Column Type: varchar
Max Length: 40
The description associated with suicidal2_code. See suicidal2_code for more information.

Column Name: homicidal1_code
Column Type: varchar
Max Length: 40
The homicidal 1 code.

Column Name: homicidal2_code

Column Type: varchar

Max Length: 40

The homicidal 2 code.

Column Name: homicidal2_value

Column Type: varchar

Max Length: 40

The description associated with homicidal2_code. See homicidal2_code for more information.

Column Name: potential_for_violence1_code

Column Type: varchar

Max Length: 40

The potential for violence 1 code.

Column Name: potential_for_violence2_code

Column Type: varchar

Max Length: 40

The potential for violence 2 code.

Column Name: potential_for_violence2_value

Column Type: varchar

Max Length: 40

The description associated with potential_for_violence2_code. See potential_for_violence2_code for more information.

Column Name: sexual_behavior1_code

Column Type: varchar

Max Length: 40

The sexual behavior 1 code.

Column Name: sexual_behavior2_code

Column Type: varchar

Max Length: 40

The sexual behavior 2 code.

Column Name: sexual_behavior2_value

Column Type: varchar

Max Length: 40

The description associated with sexual_behavior2_code. See sexual_behavior2_code for more information.

Column Name: PARENT_CHILD_LINK

Column Type: varchar

Max Length: 40

The unique ID of MSA_uniqueid.

Column Name: abstract_thnkng_sh_value

Column Type: varchar

Max Length: 255

The description associated with abstract_thnkng_code limited to 255 characters. See abstract_thnkng_code for more information.

Column Name: abstract_thnkng_value

Column Type: varchar

Max Length: 4096

The description associated with abstract_thnkng_code. See abstract_thnkng_code for more information.

Column Name: affect_sh_value

Column Type: varchar

Max Length: 255

The description associated with affect_code limited to 255 characters. See affect_code for more information.

Column Name: affect_value

Column Type: varchar

Max Length: 4096

The description associated with affect_code. See affect_code for more information.

Column Name: appearance_sh_value

Column Type: varchar

Max Length: 255

The description associated with appearance_code limited to 255 characters. See appearance_code for more information.

Column Name: appearance_value

Column Type: varchar

Max Length: 4096

The description associated with appearance_code. See appearance_code for more information.

Column Name: assessment_status_code

Column Type: varchar

Max Length: 50

'Assessment Status'

Column Name: assessment_status_value

Column Type: varchar

Max Length: 40

The description associated with assessment_status_code. See assessment_status_code for more information.

Column Name: attitude_sh_value

Column Type: varchar

Max Length: 255

The description associated with attitude_code limited to 255 characters. See attitude_code for more information.

Column Name: attitude_value

Column Type: varchar

Max Length: 4096

The description associated with attitude_code. See attitude_code for more information.

Column Name: client_name

Column Type: varchar

Max Length: 50

The name associated with PATID.

Column Name: cntnuity_thght_value

Column Type: varchar

Max Length: 4096

The description associated with cntnuity_thght_code. See cntnuity_thght_code for more information.

Column Name: cntnuity_thought_sh_value

Column Type: varchar

Max Length: 255

The description associated with cntnuity_thought_code limited to 255 characters. See cntnuity_thought_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: document_routing_status
Column Type: varchar
Max Length: 50
Status of the document

Column Name: form_and_cntnt_value
Column Type: varchar
Max Length: 4096
The description associated with form_and_cntnt_code. See form_and_cntnt_code for more information.

Column Name: form_and_content_sh_value
Column Type: varchar
Max Length: 255
The description associated with form_and_content_code limited to 255 characters. See form_and_content_code for more information.

Column Name: homicidal_sh_value
Column Type: varchar
Max Length: 255
The description associated with homicidal_code limited to 255 characters. See homicidal_code for more information.

Column Name: homicidal_value
Column Type: varchar
Max Length: 4096
The description associated with homicidal_code. See homicidal_code for more information.

Column Name: language_code_all
Column Type: varchar
Max Length: 40

'Language'

Column Name: language_sh_value

Column Type: varchar

Max Length: 255

The description associated with language_code limited to 255 characters. See language_code for more information.

Column Name: language_value

Column Type: varchar

Max Length: 4096

The description associated with language_code. See language_code for more information.

Column Name: memory_sh_value

Column Type: varchar

Max Length: 255

The description associated with memory_code limited to 255 characters. See memory_code for more information.

Column Name: memory_value

Column Type: varchar

Max Length: 4096

The description associated with memory_code. See memory_code for more information.

Column Name: mood_sh_value

Column Type: varchar

Max Length: 255

The description associated with mood_code limited to 255 characters. See mood_code for more information.

Column Name: mood_value

Column Type: varchar

Max Length: 4096

The description associated with mood_code. See mood_code for more information.

Column Name: motoractivity1_code

Column Type: varchar

Max Length: 40

The motor activity 1 code.

Column Name: motoractivity1_value

Column Type: varchar

Max Length: 40

The description associated with motoractivity1_code. See motoractivity1_code for more information.

Column Name: motoractivity2_code

Column Type: varchar

Max Length: 40

The motor activity 2 code.

Column Name: motoractivity2_value

Column Type: varchar

Max Length: 40

The description associated with motoractivity2_code. See motoractivity2_code for more information.

Column Name: motoractivity_code_all

Column Type: varchar

Max Length: 40

'Motor Activity'

Column Name: motoractivity_comments

Column Type: varchar

Max Length: 32766

'Comments' associated with motor activity.

Column Name: motoractivity_other

Column Type: varchar

Max Length: 40

'Other' associated with motor activity.

Column Name: motoractivity_sh_value

Column Type: varchar

Max Length: 255

The description associated with motoractivity_code limited to 255 characters. See motoractivity_code for more information.

Column Name: motoractivity_value

Column Type: varchar

Max Length: 4096

The description associated with motoractivity_code. See motoractivity_code for more information.

Column Name: notify_practitioner

Column Type: varchar

Max Length: 10

'Select Staff To Notify'

Column Name: notify_practitioner_name

Column Type: varchar

Max Length: 40

The name of the practitioner to notify.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: orientation_sh_value

Column Type: varchar

Max Length: 255

The description associated with orientation_code limited to 255 characters. See orientation_code for more information.

Column Name: orientation_value

Column Type: varchar

Max Length: 4096

The description associated with orientation_code. See orientation_code for more information.

Column Name: productivity_sh_value

Column Type: varchar

Max Length: 255

The description associated with productivity_code limited to 255 characters. See productivity_code for more information.

Column Name: productivity_value

Column Type: varchar

Max Length: 4096

The description associated with productivity_code. See productivity_code for more information.

Column Name: ptntl_for_vlnc_sh_value

Column Type: varchar

Max Length: 255

The description associated with ptntl_for_vlnc_code limited to 255 characters. See ptntl_for_vlnc_code for more information.

Column Name: ptntl_for_vlnc_value

Column Type: varchar

Max Length: 4096

The description associated with ptntl_for_vlnc_code. See ptntl_for_vlnc_code for more information.

Column Name: reason_for_not_administering_code

Column Type: varchar

Max Length: 15

Column Name: reason_for_not_administering_value

Column Type: varchar

Max Length: 40

Column Name: sexual_behavior_sh_value

Column Type: varchar

Max Length: 255

The description associated with sexual_behavior_code limited to 255 characters. See sexual_behavior_code for more information.

Column Name: sexual_behavior_value

Column Type: varchar

Max Length: 4096

The description associated with sexual_behavior_code. See sexual_behavior_code for more information.

Column Name: speech_sh_value

Column Type: varchar

Max Length: 255

The description associated with speech_code limited to 255 characters. See speech_code for more information.

Column Name: speech_value

Column Type: varchar

Max Length: 4096

The description associated with speech_code. See speech_code for more information.

Column Name: suicidal_sh_value

Column Type: varchar

Max Length: 255

The description associated with suicidal_code limited to 255 characters. See suicidal_code for more information.

Column Name: suicidal_value

Column Type: varchar

Max Length: 4096

The description associated with suicidal_code. See suicidal_code for more information.

Column Name: thought_content_sh_value

Column Type: varchar

Max Length: 255

The description associated with thought_content_code limited to 255 characters. See thought_content_code for more information.

Column Name: thought_content_value

Column Type: varchar

Max Length: 4096

The description associated with thought_content_code. See thought_content_code for more information.

Column Name: thought_process_sh_value

Column Type: varchar

Max Length: 255

The description associated with thought_process_code limited to 255 characters. See thought_process_code for more information.

Column Name: thought_process_value

Column Type: varchar

Max Length: 4096

The description associated with thought_process_code. See thought_process_code for more information.

Documentation for form: Patient_Health_Questionnaire-2

Table Name: SYSTEM.cw_phq2_assessment

Table Description: This table returns the information stored in the 'Patient Health Questionnaire-2' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number for the client ID in which the service was entered.

Column Name: FACILITY
Column Type: integer
The system code in which the client data is filed.

Column Name: PATID
Column Type: varchar
Max Length: 20
The unique ID of the client.

Column Name: PHT_unique_id
Column Type: varchar
Max Length: 15
This is a unique ID associated with this questionnaire.

Column Name: assessment_date
Column Type: date
Date the assessment was administered

Column Name: client_name
Column Type: varchar
Max Length: 50
Name of client associated with

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date

Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The source that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The date the row was last updated.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: feeling_down_code
Column Type: varchar
Max Length: 15
Rating for '2. Feeling down, depressed, irritable, or hopeless?'

Column Name: feeling_down_value
Column Type: varchar
Max Length: 40
Value associated with code in 'feeling_down_code'

Column Name: little_interest_code
Column Type: varchar
Max Length: 15
Rating for '1.Little interest or pleasure in doing things'

Column Name: little_interest_value
Column Type: varchar
Max Length: 40
Value associated with code in 'little_interest_code'

Column Name: option_id
Column Type: varchar
Max Length: 20
DOCUMENTATION option_id - The unique ID of the form that last updated the row.

Column Name: total_score
Column Type: varchar
Max Length: 15
Sum of rating in 2 questions.

Documentation for form: Patient_Health_Questionnaire-A

Table Name: SYSTEM.cw_phqa_assessment

Table Description: This table returns the information stored in the 'Patient Health Questionnaire-A' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: assessment_pract_code
Column Type: varchar
Max Length: 40
Avatar practitioner ID of staff in 'Assessment Practitioner' field

Column Name: assessment_pract_value
Column Type: varchar
Max Length: 128
Staff member name associated with ID in 'assessment_pract_code'

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number for the client ID in which the service was entered.

Column Name: FACILITY

Column Type: integer

The system code in which the client data is filed.

Column Name: PATID

Column Type: varchar

Max Length: 20

The unique ID of the client.

Column Name: PHC_unique_id

Column Type: varchar

Max Length: 15

This is a unique ID associated with this questionnaire.

Column Name: appetite_problem_code

Column Type: varchar

Max Length: 15

Rating for '4.Poor appetite, weight loss, or overeating'

Column Name: appetite_problem_value

Column Type: varchar

Max Length: 50

Value associated with code in 'appetite_problem_code'

Column Name: assessment_date

Column Type: date

Date the assessment was administered

Column Name: assessment_status_code

Column Type: varchar

Max Length: 50

'Assessment Status' field with "Draft" or "Final" entry

Column Name: assessment_status_value

Column Type: varchar

Max Length: 50

value associated with code in 'assessment_status_code'

Column Name: client_name

Column Type: varchar

Max Length: 50

Name of client associated with

Column Name: concentrating_issue_code

Column Type: varchar

Max Length: 15

Rating for '7.Trouble concentrating on things like school work, reading, or watching TV'

Column Name: concentrating_issue_value
Column Type: varchar
Max Length: 50
Value associated with code in 'concentrating_issue_code'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The date the row was last updated.

Column Name: data_entry_user_name
Column Type: varchar

Max Length: 50

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: depression_evaluation_code

Column Type: varchar

Max Length: 15

'Depression Evaluation' field with "Negative" or "Positive" entry

Column Name: depression_evaluation_value

Column Type: varchar

Max Length: 50

The value associated with code in 'depression_evaluation_code'

Column Name: feeling_bad_code

Column Type: varchar

Max Length: 15

Rating for '6. Feeling bad about yourself-or feeling that you are a failure, or that you have let yourself or your family down'

Column Name: feeling_bad_value

Column Type: varchar

Max Length: 50

Value associated with code in 'feeling_bad_code'

Column Name: feeling_down_code

Column Type: varchar

Max Length: 15

Rating for '2. Feeling down, depressed, irritable, or hopeless?'

Column Name: feeling_down_value

Column Type: varchar

Max Length: 50

Value associated with code in 'feeling_down_code'

Column Name: feeling_tired_code

Column Type: varchar

Max Length: 15

Rating for '5. Feeling tired, or having little energy'

Column Name: feeling_tired_value

Column Type: varchar

Max Length: 50

Value associated with code in 'feeling_tired_code'

Column Name: little_interest_code

Column Type: varchar

Max Length: 15

Rating for '1.Little interest or pleasure in doing things'

Column Name: little_interest_value

Column Type: varchar

Max Length: 50

Value associated with code in 'little_interest_code'

Column Name: mvt_speed_unusual_code

Column Type: varchar

Max Length: 15

Rating for '8.Moving or speaking so slowly that other people could have noticed? Or the opposite-being so fidgety or restless that you were moving around a lot more than usual'

Column Name: mvt_speed_unusual_value

Column Type: varchar

Max Length: 50

Value associated with code in 'mvt_speed_unusual_code'

Column Name: option_id

Column Type: varchar

Max Length: 20

DOCUMENTATION option_id - The unique ID of the form that last updated the row.

Column Name: prorated_raw_score

Column Type: varchar

Max Length: 15

If one or two questions are left unanswered, the $\text{prorated_raw_score} = \text{total_raw_score} * 9 / (\text{number of questions answered})$. If all questions are answered, this is equal to the total_raw_score. If three or more questions are left unanswered, this total will not be calculated.

Column Name: reason_for_not_administering_code

Column Type: varchar

Max Length: 15

'Reason For Not Administering' field.

Column Name: reason_for_not_administering_value

Column Type: varchar

Max Length: 512

Value associated with code in 'reason_for_not_administering_code'

Column Name: self_hurt_thoughts_code

Column Type: varchar

Max Length: 15

Rating for '9.Thoughts that you would be better off dead, or of hurting yourself in some way'

Column Name: self_hurt_thoughts_value

Column Type: varchar

Max Length: 50

Value associated with code in 'self_hurt_thoughts_code'

Column Name: sleep_trouble_code
Column Type: varchar
Max Length: 15
Rating for '3. Trouble falling asleep, staying asleep, or sleeping too much?'

Column Name: sleep_trouble_value
Column Type: varchar
Max Length: 50
Value associated with code in 'sleep_trouble_code'

Column Name: ss_date_1
Column Type: date
Site Specific Date 1

Column Name: ss_date_2
Column Type: date
Site Specific Date 2

Column Name: ss_date_3
Column Type: date
Site Specific Date 3

Column Name: ss_date_4
Column Type: date
Site Specific Date 4

Column Name: ss_date_5
Column Type: date
Site Specific Date 5

Column Name: ss_freetext_long_1
Column Type: varchar
Max Length: 80
Site Specific Free Text Long 1

Column Name: ss_freetext_long_2
Column Type: varchar
Max Length: 80
Site Specific Free Text Long 2

Column Name: ss_freetext_long_3
Column Type: varchar
Max Length: 80
Site Specific Free Text Long 3

Column Name: ss_freetext_long_4
Column Type: varchar
Max Length: 80
Site Specific Free Text Long 4

Column Name: ss_freetext_long_5
Column Type: varchar
Max Length: 80
Site Specific Free Text Long 5

Column Name: ss_freetext_short_1
Column Type: varchar
Max Length: 40
Site Specific Free Text Short 1

Column Name: ss_freetext_short_2
Column Type: varchar
Max Length: 40
Site Specific Free Text Short 2

Column Name: ss_freetext_short_3
Column Type: varchar
Max Length: 40
Site Specific Free Text Short 3

Column Name: ss_freetext_short_4
Column Type: varchar
Max Length: 40
Site Specific Free Text Short 4

Column Name: ss_freetext_short_5
Column Type: varchar
Max Length: 40
Site Specific Free Text Short 5

Column Name: ss_multiple_dict_10_code
Column Type: varchar
Max Length: 255
Site Specific Multiple Response Dictionary 10

Column Name: ss_multiple_dict_10_value
Column Type: varchar
Max Length: 4096
Value associated with code in 'ss_multiple_dict_10_code'

Column Name: ss_multiple_dict_1_code
Column Type: varchar
Max Length: 255
Site Specific Multiple Response Dictionary 1

Column Name: ss_multiple_dict_1_value
Column Type: varchar
Max Length: 4096
Value associated with code in 'ss_multiple_dict_1_code'

Column Name: ss_multiple_dict_2_code
Column Type: varchar
Max Length: 255
Site Specific Multiple Response Dictionary 2

Column Name: ss_multiple_dict_2_value
Column Type: varchar
Max Length: 4096
Value associated with code in 'ss_multiple_dict_2_code'

Column Name: ss_multiple_dict_3_code
Column Type: varchar
Max Length: 255
Site Specific Multiple Response Dictionary 3

Column Name: ss_multiple_dict_3_value
Column Type: varchar
Max Length: 4096
Value associated with code in 'ss_multiple_dict_3_code'

Column Name: ss_multiple_dict_4_code
Column Type: varchar
Max Length: 255
Site Specific Multiple Response Dictionary 4

Column Name: ss_multiple_dict_4_value
Column Type: varchar
Max Length: 4096
Value associated with code in 'ss_multiple_dict_4_code'

Column Name: ss_multiple_dict_5_code
Column Type: varchar
Max Length: 255
Site Specific Multiple Response Dictionary 5

Column Name: ss_multiple_dict_5_value
Column Type: varchar
Max Length: 4096
Value associated with code in 'ss_multiple_dict_5_code'

Column Name: ss_multiple_dict_6_code
Column Type: varchar
Max Length: 255
Site Specific Multiple Response Dictionary 6

Column Name: ss_multiple_dict_6_value
Column Type: varchar
Max Length: 4096
Value associated with code in 'ss_multiple_dict_6_code'

Column Name: ss_multiple_dict_7_code
Column Type: varchar
Max Length: 255
Site Specific Multiple Response Dictionary 7

Column Name: ss_multiple_dict_7_value
Column Type: varchar
Max Length: 4096
Value associated with code in 'ss_multiple_dict_7_code'

Column Name: ss_multiple_dict_8_code
Column Type: varchar
Max Length: 255
Site Specific Multiple Response Dictionary 8

Column Name: ss_multiple_dict_8_value
Column Type: varchar
Max Length: 4096
Value associated with code in 'ss_multiple_dict_8_code'

Column Name: ss_multiple_dict_9_code
Column Type: varchar
Max Length: 255
Site Specific Multiple Response Dictionary 9

Column Name: ss_multiple_dict_9_value
Column Type: varchar
Max Length: 4096
Value associated with code in 'ss_multiple_dict_9_code'

Column Name: ss_practitioner_1
Column Type: varchar
Max Length: 40
Site Specific Practitioner 1

Column Name: ss_practitioner_2
Column Type: varchar
Max Length: 40
Site Specific Practitioner 2

Column Name: ss_practitioner_3
Column Type: varchar
Max Length: 40
Site Specific Practitioner 3

Column Name: ss_practitioner_4
Column Type: varchar
Max Length: 40
Site Specific Practitioner 4

Column Name: ss_practitioner_5
Column Type: varchar
Max Length: 40
Site Specific Practitioner 5

Column Name: ss_scrolling_freetext_1
Column Type: varchar
Max Length: 32766
Site Specific Scrolling Free Text 1

Column Name: ss_scrolling_freetext_2
Column Type: varchar
Max Length: 32766
Site Specific Scrolling Free Text 2

Column Name: ss_scrolling_freetext_3
Column Type: varchar
Max Length: 32766
Site Specific Scrolling Free Text 3

Column Name: ss_scrolling_freetext_4
Column Type: varchar
Max Length: 32766
Site Specific Scrolling Free Text 4

Column Name: ss_scrolling_freetext_5
Column Type: varchar
Max Length: 32766
Site Specific Scrolling Free Text 5

Column Name: ss_single_dict_10_code
Column Type: varchar
Max Length: 50
Site Specific Single Response Dictionary 10

Column Name: ss_single_dict_10_value
Column Type: varchar
Max Length: 50
Value associated with code in 'ss_single_dict_10_code'

Column Name: ss_single_dict_1_code
Column Type: varchar
Max Length: 50
Site Specific Single Response Dictionary 1

Column Name: ss_single_dict_1_value
Column Type: varchar
Max Length: 50
Value associated with code in 'ss_single_dict_1_code'

Column Name: ss_single_dict_2_code
Column Type: varchar
Max Length: 50
Site Specific Single Response Dictionary 2

Column Name: ss_single_dict_2_value
Column Type: varchar
Max Length: 50
Value associated with code in 'ss_single_dict_2_value'

Column Name: ss_single_dict_3_code
Column Type: varchar
Max Length: 50
Site Specific Single Response Dictionary 3

Column Name: ss_single_dict_3_value
Column Type: varchar
Max Length: 50
Value associated with code in 'ss_single_dict_3_code'

Column Name: ss_single_dict_4_code
Column Type: varchar
Max Length: 50
Site Specific Single Response Dictionary 4

Column Name: ss_single_dict_4_value
Column Type: varchar
Max Length: 50
Value associated with code in 'ss_single_dict_4_code'

Column Name: ss_single_dict_5_code
Column Type: varchar
Max Length: 50
Site Specific Single Response Dictionary 5

Column Name: ss_single_dict_5_value
Column Type: varchar
Max Length: 50
Value associated with code in 'ss_single_dict_5_code'

Column Name: ss_single_dict_6_code
Column Type: varchar
Max Length: 50
Site Specific Single Response Dictionary 6

Column Name: ss_single_dict_6_value
Column Type: varchar
Max Length: 50
Value associated with code in 'ss_single_dict_6_code'

Column Name: ss_single_dict_7_code
Column Type: varchar
Max Length: 50
Site Specific Single Response Dictionary 7

Column Name: ss_single_dict_7_value
Column Type: varchar
Max Length: 50
Value associated with code in 'ss_single_dict_7_code'

Column Name: ss_single_dict_8_code
Column Type: varchar
Max Length: 50
Site Specific Single Response Dictionary 8

Column Name: ss_single_dict_8_value
Column Type: varchar
Max Length: 50
Value associated with code in 'ss_single_dict_8_code'

Column Name: ss_single_dict_9_code
Column Type: varchar
Max Length: 50
Site Specific Single Response Dictionary 9

Column Name: ss_single_dict_9_value
Column Type: varchar
Max Length: 50
Value associated with code in 'ss_single_dict_9_code'

Column Name: ss_time_1
Column Type: varchar
Max Length: 10
Site Specific Time 1

Column Name: ss_time_2
Column Type: varchar
Max Length: 10
Site Specific Time 2

Column Name: ss_time_3
Column Type: varchar
Max Length: 10
Site Specific Time 3

Column Name: ss_time_4
Column Type: varchar
Max Length: 10
Site Specific Time 4

Column Name: ss_time_5

Column Type: varchar

Max Length: 10

Site Specific Time 5

Column Name: total_raw_score

Column Type: varchar

Max Length: 15

Sum of rating in nine questions. If three or more questions are left unanswered, this total will not be calculated.

Documentation for form: Enter_Group_Default_Note_(Workflow)

Table Name: SYSTEM.cw_group_notes

Table Description: This table returns the information stored in the 'Progress Notes (Group and Individual)', 'Independent Group Progress Notes', 'Enter Group Default Note', and 'Edit Group Note for Individual' forms.

Column Name: ID

Column Type: integer

Column Name: APPOINTMENT_ID

Column Type: varchar

Max Length: 40

Column Name: calpm_ebpss_csi_code

Column Type: varchar

Max Length: 50

Column Name: calpm_ebpss_csi_value

Column Type: varchar

Max Length: 200

Column Name: co_pract_duration

Column Type: varchar

Max Length: 40

Column Name: co_pract_duration_2

Column Type: varchar

Max Length: 40

Column Name: co_practitioner_id
Column Type: varchar
Max Length: 15

Column Name: co_practitioner_id_2
Column Type: varchar
Max Length: 15

Column Name: co_practitioner_name
Column Type: varchar
Max Length: 40

Column Name: co_practitioner_name_2
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: date_of_service
Column Type: date

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40

Column Name: location_code
Column Type: varchar
Max Length: 15

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: note_date
Column Type: date

Column Name: note_for_code
Column Type: varchar
Max Length: 20

Column Name: note_for_value
Column Type: varchar
Max Length: 40

Column Name: note_time
Column Type: varchar
Max Length: 10

Column Name: note_type_code
Column Type: varchar
Max Length: 40

Column Name: note_type_value
Column Type: varchar
Max Length: 80

Column Name: notes_field
Column Type: varchar
Max Length: 32766

Column Name: number_clients_in_group
Column Type: varchar
Max Length: 40

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: practitioner_id
Column Type: varchar
Max Length: 15

Column Name: practitioner_name
Column Type: varchar
Max Length: 40

Column Name: service_charge_code
Column Type: varchar
Max Length: 40

Column Name: service_charge_value
Column Type: varchar
Max Length: 40

Column Name: service_duration
Column Type: varchar
Max Length: 5

Column Name: service_end_time
Column Type: varchar
Max Length: 10

Column Name: service_program_code
Column Type: varchar
Max Length: 40

Column Name: service_program_value
Column Type: varchar
Max Length: 80

Column Name: service_start_time
Column Type: varchar
Max Length: 10

Column Name: SNOTuniqueid
Column Type: varchar
Max Length: 50

Column Name: TODO_ID
Column Type: varchar
Max Length: 20

Column Name: user_to_send_scr_code
Column Type: varchar
Max Length: 50

Column Name: user_to_send_cosign_code
Column Type: varchar
Max Length: 50

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 40

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096

Column Name: psycho_add_on_duration
Column Type: integer

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768

Column Name: session_start_end_times
Column Type: varchar
Max Length: 32766

Column Name: external_system_id
Column Type: varchar
Max Length: 255

Column Name: clinical_quality_code
Column Type: varchar
Max Length: 255

Column Name: clinical_quality_sh_val
Column Type: varchar
Max Length: 255

Column Name: clinical_quality_value
Column Type: varchar
Max Length: 4096

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 255

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80

Column Name: ebps_code
Column Type: varchar
Max Length: 255

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255

Column Name: ebps_value
Column Type: varchar
Max Length: 4096

Column Name: unique_note_id
Column Type: integer

Documentation for form: Enter_Group_Default_Note_(Workflow)

Table Name: SYSTEM.cw_scratch_notes

Table Description: This table returns the information stored in the 'Enter Default Group Note' and 'Progress Notes (Group and Individual)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID that joins the note to the service.

Column Name: EPISODE_NUMBER

Column Type: integer
The episode number.

Column Name: FACILITY
Column Type: integer
The system code in which the data is stored.

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The description of the form that filed the note.

Column Name: Option_Id
Column Type: varchar
Max Length: 20
The unique identifier of the form that filed the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client id.

Column Name: SNOTuniqueid
Column Type: varchar
Max Length: 50
The unique ID that identifies the scratch note.

Column Name: TODO_ID
Column Type: varchar
Max Length: 20
The unique ID associated with the To-Do.

Column Name: clinical_quality_code
Column Type: varchar
Max Length: 255
'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val
Column Type: varchar
Max Length: 255
'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: clinical_quality_value
Column Type: varchar
Max Length: 4096
'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

The user who last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: ebps_code

Column Type: varchar

Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id
Column Type: varchar
Max Length: 255
'External System Identifier'

Column Name: group_name_or_number
Column Type: varchar
Max Length: 50
The group this note is for.

Column Name: note_addresses
Column Type: varchar
Max Length: 40
Service that this note addresses.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
The full note detail.

Column Name: note_time
Column Type: varchar
Max Length: 50
The time of the note.

Column Name: note_type_code
Column Type: varchar
Max Length: 50
The type of note (dictionary code).

Column Name: note_type_value
Column Type: varchar
Max Length: 50
The type of note (description).

Column Name: transition_of_care_code
Column Type: varchar

Max Length: 1

'Is This A Transition Of Care?'

Column Name: transition_of_care_value

Column Type: varchar

Max Length: 80

'The description associated with transition_of_care_code. See transition_of_care_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: user_to_send_cosign__code

Column Type: varchar

Max Length: 50

User to send a cosign notification to.

Column Name: user_to_send_scratch_code

Column Type: varchar

Max Length: 50

User to send the scratch to.

Documentation for form: Edit_Group_Note_for_Individual_(Workflow)

Table Name: SYSTEM.cw_group_notes

Table Description: This table returns the information stored in the 'Progress Notes (Group and Individual)', 'Independent Group Progress Notes', 'Enter Group Default Note', and 'Edit Group Note for Individual' forms.

Column Name: ID

Column Type: integer

Column Name: APPOINTMENT_ID

Column Type: varchar

Max Length: 40

Column Name: calpm_ebpss_csi_code

Column Type: varchar

Max Length: 50

Column Name: calpm_ebpss_csi_value

Column Type: varchar
Max Length: 200

Column Name: co_pract_duration
Column Type: varchar
Max Length: 40

Column Name: co_pract_duration_2
Column Type: varchar
Max Length: 40

Column Name: co_practitioner_id
Column Type: varchar
Max Length: 15

Column Name: co_practitioner_id_2
Column Type: varchar
Max Length: 15

Column Name: co_practitioner_name
Column Type: varchar
Max Length: 40

Column Name: co_practitioner_name_2
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar

Max Length: 10

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

Column Name: date_of_service

Column Type: date

Column Name: EPISODE_NUMBER

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: GROUP_ID

Column Type: varchar

Max Length: 10

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Column Name: location_code

Column Type: varchar

Max Length: 15

Column Name: location_value

Column Type: varchar

Max Length: 40

Column Name: note_date
Column Type: date

Column Name: note_for_code
Column Type: varchar
Max Length: 20

Column Name: note_for_value
Column Type: varchar
Max Length: 40

Column Name: note_time
Column Type: varchar
Max Length: 10

Column Name: note_type_code
Column Type: varchar
Max Length: 40

Column Name: note_type_value
Column Type: varchar
Max Length: 80

Column Name: notes_field
Column Type: varchar
Max Length: 32766

Column Name: number_clients_in_group
Column Type: varchar
Max Length: 40

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: practitioner_id
Column Type: varchar
Max Length: 15

Column Name: practitioner_name

Column Type: varchar
Max Length: 40

Column Name: service_charge_code
Column Type: varchar
Max Length: 40

Column Name: service_charge_value
Column Type: varchar
Max Length: 40

Column Name: service_duration
Column Type: varchar
Max Length: 5

Column Name: service_end_time
Column Type: varchar
Max Length: 10

Column Name: service_program_code
Column Type: varchar
Max Length: 40

Column Name: service_program_value
Column Type: varchar
Max Length: 80

Column Name: service_start_time
Column Type: varchar
Max Length: 10

Column Name: SNOTuniqueid
Column Type: varchar
Max Length: 50

Column Name: TODO_ID
Column Type: varchar
Max Length: 20

Column Name: user_to_send_scr_code

Column Type: varchar
Max Length: 50

Column Name: user_to_send_cosign_code
Column Type: varchar
Max Length: 50

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 40

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096

Column Name: psycho_add_on_duration
Column Type: integer

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768

Column Name: session_start_end_times
Column Type: varchar
Max Length: 32766

Column Name: external_system_id
Column Type: varchar
Max Length: 255

Column Name: clinical_quality_code
Column Type: varchar
Max Length: 255

Column Name: clinical_quality_sh_val
Column Type: varchar

Max Length: 255

Column Name: clinical_quality_value

Column Type: varchar

Max Length: 4096

Column Name: transition_of_care_code

Column Type: varchar

Max Length: 255

Column Name: transition_of_care_value

Column Type: varchar

Max Length: 80

Column Name: ebps_code

Column Type: varchar

Max Length: 255

Column Name: ebps_sh_val

Column Type: varchar

Max Length: 255

Column Name: ebps_value

Column Type: varchar

Max Length: 4096

Column Name: unique_note_id

Column Type: integer

Documentation for form: Review/Co-Sign_Notes_(Workflow)

Table Name: SYSTEM.cw_cosign_notes_voided

Table Description: This table returns data from the Review/Co-sign notes

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: CSNuniqueid
Column Type: varchar
Max Length: 50
Co-Sign Note unique ID.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number.

Column Name: FACILITY
Column Type: integer
The system code that generated the data.

Column Name: FILING_COUNTER
Column Type: integer
'Counter'

Column Name: NOT_filing_counter
Column Type: integer
The particular note being filed.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID.

Column Name: cosigners_comments
Column Type: varchar
Max Length: 32766
'Cosigner's Comments'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: list_of_notes_code
Column Type: varchar
Max Length: 50
'List of Notes code'

Column Name: list_of_notes_value
Column Type: varchar
Max Length: 50
The description associated with list_of_notes_code. See list_of_notes_code for more information.

Column Name: notes_entry_index_nu
Column Type: varchar

Max Length: 50
'Notes Entry Index Number for Internal Use'

Column Name: note_type_code
Column Type: varchar
Max Length: 50
'Note Type code'

Column Name: note_type_value
Column Type: varchar
Max Length: 50
The description associated with note_type_code. See note_type_code for more information.

Column Name: option_desc
Column Type: varchar
Max Length: 80
'Option Description'

Column Name: option_id
Column Type: varchar
Max Length: 20
'Option Id'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: void_data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row for a voided note.

Column Name: void_data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row for a voided note.

Column Name: void_data_entry_date
Column Type: date
The date the row was last updated for a voided note.

Column Name: void_data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated for a voided note.

Column Name: void_data_entry_user_id
Column Type: varchar

Max Length: 40

The 'User ID' that last updated the row for a voided note.

Column Name: void_data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the 'User ID' who voided the note.

Column Name: void_option_desc

Column Type: varchar

Max Length: 80

The description of the form that voided the note.

Column Name: void_option_id

Column Type: varchar

Max Length: 40

The form that voided the note.

Documentation for form: Review/Co-Sign_Notes_(Workflow)

Table Name: SYSTEM.cw_notes_review_and_cosign

Table Description: This table returns the information stored in the 'Review/Co-Sign Notes (Workflow)' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: CSNUniqueid

Column Type: varchar

Max Length: 50

The unique ID associated with a row of data.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: Option_Desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: Option_Id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: cosigners_comments
Column Type: varchar
Max Length: 32766
'Co-Signer's Comments'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: list_of_notes_code

Column Type: varchar

Max Length: 50

'List of Notes'

Column Name: list_of_notes_value

Column Type: varchar

Max Length: 50

The description associated with list_of_notes_code. See list_of_notes_code for more information.

Column Name: notes_entry_index_nu

Column Type: varchar

Max Length: 50

'Notes Entry Index Number for Internal Use'

Column Name: note_type_code

Column Type: varchar

Max Length: 50

'Note Type'

Column Name: note_type_value

Column Type: varchar

Max Length: 50

The description associated with note_type_code. See note_type_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Clinical_Pathway_Enrollment

Table Name: SYSTEM.Clinical_Pathway_Enrollments

Table Description: This table stores Clinical Pathway Enrollment and Disenrollment information, and provides shared Methods to access those information

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: alert_on_access
Column Type: varchar
Max Length: 40

Column Name: clientname
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: daysEnrolled
Column Type: integer

Column Name: discharge_date
Column Type: date

Column Name: discharge_success
Column Type: varchar
Max Length: 50

Column Name: disenroll_HG
Column Type: varchar
Max Length: 50

Column Name: disenrollment_reason_code
Column Type: varchar
Max Length: 50

Column Name: disenrollment_reason_value
Column Type: varchar
Max Length: 50

Column Name: enroll_HG
Column Type: varchar
Max Length: 50

Column Name: enrollment_date
Column Type: date

Column Name: is_primary
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: pathway_ID
Column Type: varchar
Max Length: 10

Column Name: pathway_name
Column Type: varchar
Max Length: 50

Column Name: timesEnrolled
Column Type: integer

Documentation for form: Clinical_Pathway_Disenrollment

Table Name: SYSTEM.Clinical_Pathway_Enrollments

Table Description: This table stores Clinical Pathway Enrollment and Disenrollment information, and provides shared Methods to access those information

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: alert_on_access
Column Type: varchar
Max Length: 40

Column Name: clientname
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar
Max Length: 50

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: daysEnrolled
Column Type: integer

Column Name: discharge_date
Column Type: date

Column Name: discharge_success
Column Type: varchar
Max Length: 50

Column Name: disenroll_HG
Column Type: varchar
Max Length: 50

Column Name: disenrollment_reason_code
Column Type: varchar
Max Length: 50

Column Name: disenrollment_reason_value
Column Type: varchar
Max Length: 50

Column Name: enroll_HG
Column Type: varchar
Max Length: 50

Column Name: enrollment_date
Column Type: date

Column Name: is_primary
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: pathway_ID
Column Type: varchar
Max Length: 10

Column Name: pathway_name
Column Type: varchar
Max Length: 50

Column Name: timesEnrolled
Column Type: integer

Documentation for form: Columbia_Suicide_Risk_Assessment

Table Name: SYSTEM.Columbia_Assessment

Table Description: This table stores information of 'Columbia Suicide Risk Assessment' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the record.

Column Name: aborted_suicide_attempt_lifetime_code
Column Type: varchar
Max Length: 50
'Aborted or Self-Interrupted Attempts in Lifetime?' code.

Column Name: aborted_suicide_attempt_past_months_code
Column Type: varchar
Max Length: 50
'Aborted or Self-Interrupted Attempts in Past 3 Months' code.

Column Name: aborted_suicide_attempt_past_months_value
Column Type: varchar
Max Length: 40
The value of the 'aborted_suicide_attempt_past_months_code'.

Column Name: aborted_ifyesdescribe
Column Type: varchar
Max Length: 32000
Aborted Attempt: 'If Yes,Describe' question.

Column Name: aborted_suicide_attempt_lifetime_value
Column Type: varchar
Max Length: 40
The value of the 'aborted_suicide_attempt_lifetime_code'.

Column Name: actual_lethality_initial_attempt
Column Type: integer
Actual Lethality section: 'Initial/First Attempt' question.

Column Name: actual_lethality_initial_attempt_date
Column Type: date
Actual Lethality section: 'Initial/First Attempt Date' question.

Column Name: actual_lethality_lethal_attempt
Column Type: integer

Actual Lethality section: 'Most Lethal Attempt' question.

Column Name: actual_lethality_lethal_attempt_date

Column Type: date

Actual Lethality section: 'Most Lethal Attempt Date' question.

Column Name: actual_lethality_recent_attempt

Column Type: integer

Actual Lethality section: 'Most Recent Attempt' question.

Column Name: actual_lethality_recent_attempt_date

Column Type: date

Actual Lethality section: 'Most Recent Attempt Date' question.

Column Name: actual_suicide_attempt_lifetime_code

Column Type: varchar

Max Length: 50

'Actual Suicide Attempt in Lifetime' code.

Column Name: actual_suicide_attempt_lifetime_value

Column Type: varchar

Max Length: 40

The value of the 'actual_suicide_attempt_lifetime_code'.

Column Name: actual_suicide_attempt_past_months_code

Column Type: varchar

Max Length: 50

'Actual Suicide Attempts in Past 3 Months' code.

Column Name: actual_suicide_attempt_past_months_value

Column Type: varchar

Max Length: 40

The value of the 'actual_suicide_attempt_past_months_code'.

Column Name: attempt_ifyesdescribe

Column Type: varchar

Max Length: 32000

Actual Attempt: 'If Yes,Describe' question.

Column Name: columbia_assessment_date

Column Type: date

Columbia assessment date.

Column Name: columbia_assessment_status_code

Column Type: varchar

Max Length: 50

'Columbia Assessment Status'.

Column Name: columbia_assessment_status_value

Column Type: varchar

Max Length: 40

The value of the 'columbia_assessment_status_code'.

Column Name: controllability_most_severe_lifetime

Column Type: integer

Controllability section: 'Most Severe in Lifetime' question.

Column Name: controllability_most_severe_past_month

Column Type: integer

Controllability section: 'Most Severe in Past 1 Month' question.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: description_of_lifetime_ideation

Column Type: varchar

Max Length: 50

Description of lifetime ideation.

Column Name: description_of_recent_ideation

Column Type: varchar

Max Length: 32000

Description of recent ideation.

Column Name: deterrents_most_severe_lifetime

Column Type: integer

Deterrents section: 'Most Severe in Lifetime' question.

Column Name: deterrents_most_severe_past_month

Column Type: integer

Deterrents section: 'Most Severe in Past 1 Month' question.

Column Name: duration_most_severe_lifetime

Column Type: integer

Duration section: 'Most Severe in Lifetime' question.

Column Name: duration_most_severe_past_month

Column Type: integer

Duration section: 'Most Severe in Past 1 Month' question.

Column Name: enroll_in_pathway_code

Column Type: varchar

Max Length: 50

'Enroll in Clinical Pathway' code.

Column Name: enroll_in_pathway_value

Column Type: varchar

Max Length: 40

The value of the 'enroll_in_pathway_code'.

Column Name: episode

Column Type: varchar

Max Length: 20

The Episode associated with the record.

Column Name: frequency_most_severe_lifetime

Column Type: integer

Frequency section: 'Most Severe in Lifetime' question.

Column Name: frequency_most_severe_past_month

Column Type: integer

Frequency section: 'Most Severe in Past 1 Month' question.

Column Name: has_engaged_nonsuicidal_behavior_code

Column Type: varchar

Max Length: 50

'Has Subject Engaged in Non-Suicidal Self-Injurious Behavior?' code.

Column Name: has_engaged_nonsuicidal_behavior_value

Column Type: varchar

Max Length: 40

The value of the 'has_engaged_nonsuicidal_selfinjurious_behavior_code'.

Column Name: has_engaged_past_months_code

Column Type: varchar

Max Length: 50

'In the Past 3 Month?' code.

Column Name: has_engaged_past_months_value

Column Type: varchar

Max Length: 40

The value of the 'has_engaged_past_months_code'.

Column Name: hist_group

Column Type: varchar

Max Length: 50

Column Name: interrupted_ifyesdescribe

Column Type: varchar

Max Length: 32000

Interrupted Attempt: 'If Yes,Describe' question.

Column Name: interrupted_suicide_attempt_lifetime_code

Column Type: varchar

Max Length: 50

'Interrupted Suicide Attempts in Lifetime' code.

Column Name: interrupted_suicide_attempt_lifetime_value

Column Type: varchar

Max Length: 40

The value of the 'interrupted_suicide_attempt_lifetime_code'.

Column Name: interrupted_suicide_attempt_past_months_code

Column Type: varchar

Max Length: 50

'Interrupted Suicide Attempts in Past 3 Months' code.

Column Name: interrupted_suicide_attempt_past_months_value

Column Type: varchar

Max Length: 40

The value of the 'interrupted_suicide_attempt_past_months_code'.

Column Name: lifetime_most_severe_ideation

Column Type: integer

Intensity section: 'Lifetime - Most Severe Ideation(Type#1-5)' question.

Column Name: option_id

Column Type: varchar

Max Length: 50

Column Name: pathway_selection_code

Column Type: varchar

Max Length: 50

'Pathway List' code. The pathway ID.

Column Name: pathway_selection_value

Column Type: varchar

Max Length: 40

The value of the 'pathway_selection_code'.

Column Name: potential_lethality_initial_attempt

Column Type: integer

Potential Lethality section: 'Initial/First Attempt' question.

Column Name: potential_lethality_lethal_attempt

Column Type: integer

Potential Lethality section: 'Most Lethal Attempt' question.

Column Name: potential_lethality_recent_attempt

Column Type: integer

Potential Lethality section: 'Most Recent Attempt' question.

Column Name: preparatory_behavior_ifyesdescribe

Column Type: varchar

Max Length: 32000

Preparatory Acts or Behavior: 'If Yes,Describe' question.

Column Name: preparatory_behavior_lifetime_code

Column Type: varchar

Max Length: 50

'Preparatory Acts or Behavior in Lifetime?' code.

Column Name: preparatory_behavior_lifetime_value

Column Type: varchar

Max Length: 40

The value of the 'preparatory_behavior_lifetime_code'.

Column Name: preparatory_behavior_past_months_code

Column Type: varchar

Max Length: 50

'Preparatory Acts or Behavior in the Past 3 Months?' code.

Column Name: preparatory_behavior_past_months_value

Column Type: varchar

Max Length: 40

The value of the 'preparatory_behavior_past_months_code'.

Column Name: q1_ifyesdescribe

Column Type: varchar

Max Length: 32000

Question 1 'If Yes,Describe'.

Column Name: q1_inthepastmonth_code

Column Type: varchar

Max Length: 50

Question 1 'In the past Month' code.

Column Name: q1_inthepastmonth_value

Column Type: varchar

Max Length: 40

The value of the 'q1_inthepastmonth_code'.

Column Name: q1_inyourlifetime_code

Column Type: varchar

Max Length: 50

Question 1 'In your Lifetime' code.

Column Name: q1_inyourlifetime_value

Column Type: varchar

Max Length: 40

The value of the 'q1_inyourlifetime_code'.

Column Name: q2_ifyesdescribe

Column Type: varchar

Max Length: 32000

Question 2 'If Yes,Describe'.

Column Name: q2_inthepastmonth_code

Column Type: varchar

Max Length: 50

Question 2 'In the past Month' code.

Column Name: q2_inthepastmonth_value

Column Type: varchar

Max Length: 40

The value of the 'q2_inthepastmonth_code'.

Column Name: q2_inyourlifetime_code

Column Type: varchar

Max Length: 50

Question 2 'In your Lifetime' code.

Column Name: q2_inyourlifetime_value

Column Type: varchar

Max Length: 40

The value of the 'q2_inyourlifetime_code'.

Column Name: q3_ifyesdescribe

Column Type: varchar

Max Length: 32000

Question 3 'If Yes,Describe'.

Column Name: q3_inthepastmonth_code

Column Type: varchar

Max Length: 50

Question 3 'In the past Month' code.

Column Name: q3_inthepastmonth_value

Column Type: varchar

Max Length: 40

The value of the 'q3_inthepastmonth_code'.

Column Name: q3_inyourlifetime_code

Column Type: varchar

Max Length: 50

Question 3 'In your Lifetime' code.

Column Name: q3_inyourlifetime_value

Column Type: varchar

Max Length: 40

The value of the 'q3_inyourlifetime_code'.

Column Name: q4_ifyesdescribe

Column Type: varchar

Max Length: 32000

Question 4 'If Yes,Describe'.

Column Name: q4_inthepastmonth_code

Column Type: varchar

Max Length: 50

Question 4 'In the past Month' code.

Column Name: q4_inthepastmonth_value

Column Type: varchar

Max Length: 40

The value of the 'q4_inthepastmonth_code'.

Column Name: q4_inyourlifetime_code

Column Type: varchar

Max Length: 50

Question 4 'In your Lifetime' code.

Column Name: q4_inyourlifetime_value

Column Type: varchar

Max Length: 40

The value of the 'q4_inyourlifetime_code'.

Column Name: q5_ifyesdescribe

Column Type: varchar

Max Length: 32000

Question 5 'If Yes,Describe'.

Column Name: q5_inthepastmonth_code

Column Type: varchar

Max Length: 50

Question 5 'In the past Month' code.

Column Name: q5_inthepastmonth_value

Column Type: varchar

Max Length: 40

The value of the 'q5_inthepastmonth_code'.

Column Name: q5_inyourlifetime_code

Column Type: varchar

Max Length: 50

Question 5 'In your Lifetime' code.

Column Name: q5_inyourlifetime_value

Column Type: varchar

Max Length: 40

The value of the 'q5_inyourlifetime_code'.

Column Name: reason_not_enroll

Column Type: varchar

Max Length: 32000

Reason of not enrollment.

Column Name: reasons_most_severe_lifetime

Column Type: integer

Reasons section: 'Most Severe in Lifetime' question.

Column Name: reasons_most_severe_past_month
Column Type: integer
Reasons section: 'Most Severe in Past 1 Month' question.

Column Name: recent_most_severe_ideation
Column Type: integer
Intensity section: 'Recent - Most Severe Ideation(Type#1-5)' question.

Column Name: total_number_aborted_suicide_attempt_lifetime
Column Type: varchar
Max Length: 50
'Total Number of Aborted or Self-Interrupted Attempts in Lifetime' question.

Column Name: total_number_aborted_suicide_attempt_past_months
Column Type: varchar
Max Length: 50
'Total Number of Aborted or Self-Interrupted Attempts in Past 3 Months' question.

Column Name: total_number_interrupted_suicide_attempt_lifetime
Column Type: varchar
Max Length: 50
'Total Number of Interrupted Suicide Attempts in Lifetime' question.

Column Name: total_number_interrupted_suicide_attempt_past_months
Column Type: varchar
Max Length: 50
'Total Number of Interrupted Suicide Attempts in Past 3 Months' question.

Column Name: total_number_preparatory_attempt_lifetime
Column Type: varchar
Max Length: 50
'Total Number of Preparatory Attempt in Lifetime' question.

Column Name: total_number_preparatory_attempt_past_3_month
Column Type: varchar
Max Length: 50
'Total Number of Preparatory Attempt in Past 3 Months' question.

Column Name: total_number_suicide_attempt_lifetime
Column Type: varchar
Max Length: 50
'Total Number of Suicide Attempt in Lifetime' question.

Column Name: total_number_suicide_attempt_past_months
Column Type: varchar
Max Length: 50
'Total Number of Suicide Attempt in Past 3 Months' question.

Documentation for form: Columbia_SRA_Since_Last_Visit

Table Name: SYSTEM.Columbia_Last_Visit_Assessment

Table Description: This table stores information of 'Columbia SRA Last Visit' form.

Column Name: ID
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the record.

Column Name: aborted_ifyesdescribe
Column Type: varchar
Max Length: 50
Aborted Attempt: 'If Yes,Describe' question.

Column Name: aborted_suicide_attempt_since_last_visit_code
Column Type: varchar
Max Length: 50
'Aborted Suicide Attempt Since Last Visit' code.

Column Name: aborted_suicide_attempt_since_last_visit_value
Column Type: varchar
Max Length: 40
The value of the 'aborted_suicide_attempt_since_last_visit_code'.

Column Name: actual_lethality_lethal_attempt
Column Type: integer
Actual Lethality section: 'Most Lethal Attempt' question.

Column Name: actual_lethality_lethal_attempt_date
Column Type: date
Actual Lethality section: 'Most Lethal Attempt Date' question.

Column Name: actual_suicide_attempt_since_last_visit_code
Column Type: varchar
Max Length: 50
'Actual Suicide Attempt Since Last Visit' code.

Column Name: actual_suicide_attempt_since_last_visit_value
Column Type: varchar
Max Length: 40
The value of the 'actual_suicide_attempt_since_last_visit_code'.

Column Name: attempt_ifyesdescribe

Column Type: varchar
Max Length: 50
Actual Attempt: 'If Yes,Describe' question.

Column Name: columbia_last_visit_assessment_status_value
Column Type: varchar
Max Length: 40
The value of the 'columbia_assessment_status_code'.

Column Name: columbia_last_visit_assessment_date
Column Type: date
Columbia SRA Last Visit assessment date.

Column Name: columbia_last_visit_assessment_status_code
Column Type: varchar
Max Length: 50
'Columbia SRA Last Visit Status'.

Column Name: controllability_most_severe_since_last_visit
Column Type: integer
Controllability - 'Most Severe Since Last Visit' question.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: description_of_ideation
Column Type: varchar
Max Length: 50
Description of ideation.

Column Name: deterrents_most_severe_since_last_visit
Column Type: integer
Deterrents - 'Most Severe Since Last Visit' question.

Column Name: duration_most_severe_since_last_visit
Column Type: integer
Duration - 'Most Severe Since Last Visit' question.

Column Name: enroll_in_pathway_code
Column Type: varchar
Max Length: 50
'Enroll in Clinical Pathway' code.

Column Name: enroll_in_pathway_value
Column Type: varchar
Max Length: 40
The value of the 'enroll_in_pathway_code'.

Column Name: episode
Column Type: varchar
Max Length: 20
The Episode associated with the record.

Column Name: frequency_most_severe_since_last_visit

Column Type: integer

Frequency -'Most Severe Since Last Visit' question.

Column Name: has_engaged_nonsuicidal_behavior_value

Column Type: varchar

Max Length: 40

The value of the 'has_engaged_nonsuicidal_selfinjurious_behavior_code'.

Column Name: has_engaged_nonsuicidal_behavior_code

Column Type: varchar

Max Length: 50

'Has Subject Engaged in Non-Suicidal Self-Injurious Behavior?' code.

Column Name: hist_group

Column Type: varchar

Max Length: 50

Column Name: interrupted_ifyesdescribe

Column Type: varchar

Max Length: 50

Interrupted Attempt: 'If Yes,Describe' question.

Column Name: interrupted_suicide_attempt_since_last_visit_code

Column Type: varchar

Max Length: 50

'Interrupted Suicide Attempt Since Last Visit' code.

Column Name: interrupted_suicide_attempt_since_last_visit_value

Column Type: varchar

Max Length: 40

The value of the 'interrupted_suicide_attempt_since_last_visit_code'.

Column Name: most_severe_ideation

Column Type: integer

Intensity of Ideation section: Most Severe Ideation(Type#1-5)' question.

Column Name: option_id

Column Type: varchar

Max Length: 50

Column Name: pathway_selection_code

Column Type: varchar

Max Length: 50

'Pathway List' code. The pathway ID.

Column Name: pathway_selection_value

Column Type: varchar
Max Length: 40
The value of the 'pathway_selection_code'.

Column Name: potential_lethality_lethal_attempt
Column Type: integer
Potential Lethality section: 'Most Lethal Attempt' question.

Column Name: preparatory_ifyesdescribe
Column Type: varchar
Max Length: 50
Preparatory Behavior: 'If Yes,Describe' question.

Column Name: preparatory_suicide_attempt_since_last_visit_code
Column Type: varchar
Max Length: 50
'Preparatory Suicide Attempt Since Last Visit' code.

Column Name: preparatory_suicide_attempt_since_last_visit_value
Column Type: varchar
Max Length: 40
The value of the 'preparatory_suicide_attempt_since_last_visit_code'.

Column Name: q1_ifyesdescribe
Column Type: varchar
Max Length: 50
Question 1 'If Yes,Describe'.

Column Name: q1_sincelastvisit_code
Column Type: varchar
Max Length: 50
Question 1 'Since Last Visit' code.

Column Name: q1_sincelastvisit_value
Column Type: varchar
Max Length: 40
The value of the 'q1_sincelastvisit_code'.

Column Name: q2_ifyesdescribe
Column Type: varchar
Max Length: 50
Question 2 'If Yes,Describe'.

Column Name: q2_sincelastvisit_code
Column Type: varchar
Max Length: 50
Question 2 'Since Last Visit' code.

Column Name: q2_sincelastvisit_value
Column Type: varchar

Max Length: 40
The value of the 'q2_sincelastvisit_code'.

Column Name: q3_ifyesdescribe
Column Type: varchar
Max Length: 50
Question 3 'If Yes,Describe'.

Column Name: q3_sincelastvisit_code
Column Type: varchar
Max Length: 50
Question 3 'Since Last Visit' code.

Column Name: q3_sincelastvisit_value
Column Type: varchar
Max Length: 40
The value of the 'q3_sincelastvisit_code'.

Column Name: q4_ifyesdescribe
Column Type: varchar
Max Length: 50
Question 4 'If Yes,Describe'.

Column Name: q4_sincelastvisit_code
Column Type: varchar
Max Length: 50
Question 4 'Since Last Visit' code.

Column Name: q4_sincelastvisit_value
Column Type: varchar
Max Length: 40
The value of the 'q4_sincelastvisit_code'.

Column Name: q5_ifyesdescribe
Column Type: varchar
Max Length: 50
Question 5 'If Yes,Describe'.

Column Name: q5_sincelastvisit_code
Column Type: varchar
Max Length: 50
Question 5 'Since Last Visit' code.

Column Name: q5_sincelastvisit_value
Column Type: varchar
Max Length: 40
The value of the 'q5_sincelastvisit_code'.

Column Name: reason_not_enroll
Column Type: varchar

Max Length: 50
Reason of not enrollment.

Column Name: reasons_most_severe_since_last_visit
Column Type: integer
Reasons - 'Most Severe Since Last Visit' question.

Column Name: total_aborted_suicide_attempt_since_last_visit
Column Type: varchar
Max Length: 50
'Total Number of Aborted Suicide Attempts Since Last Visit' question.

Column Name: total_interrupted_suicide_attempt_since_last_visit
Column Type: varchar
Max Length: 50
'Total Number of Interrupted Suicide Attempts Since Last Visit' question.

Column Name: total_suicide_attempt_since_last_visit
Column Type: varchar
Max Length: 50
'Total Number of Suicide Attempts Since Last Visit' question.

Documentation for form: Treatment_Plan

Table Name: SYSTEM.tx_plan

Table Description: This table returns information stored in the 'Treatment Plan' form.

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: HISTORICID_plan
Column Type: varchar
Max Length: 50
'Client Treatment Plan'

Column Name: PATID
Column Type: varchar
Max Length: 20

The client ID associated with the data.

Column Name: care_plan_text

Column Type: varchar

Max Length: 32000

The Care Plan Text. Consisted of the data from the three core product scrolling text fields on the Plan Page, 'Strengths', 'Weaknesses', and 'Discharge Planning'.

Column Name: current_status_code

Column Type: varchar

Max Length: 50

'Current Status'

Column Name: current_status_value

Column Type: varchar

Max Length: 50

The description associated with current_status_code. See current_status_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: discharge_plan
Column Type: varchar
Max Length: 32700
The discharge plan

Column Name: document_routing_status
Column Type: varchar
Max Length: 50
Status of the document

Column Name: last_updated
Column Type: date
The date of the most recent update to this Treatment Plan

Column Name: last_updated_by
Column Type: varchar
Max Length: 50
The person who made the most recent update to this Treatment Plan

Column Name: next_review_date
Column Type: date
The date of the next review for this Treatment Plan

Column Name: option_desc
Column Type: varchar
Max Length: 50

The description of the Option

Column Name: option_id

Column Type: varchar

Max Length: 50

The Option ID

Column Name: pending_approval_user

Column Type: varchar

Max Length: 50

The user who is currently the pending approval user

Column Name: plan_date

Column Type: date

The date of this Treatment Plan

Column Name: plan_end_date

Column Type: date

The end date of this Treatment Plan

Column Name: plan_name

Column Type: varchar

Max Length: 50

The name of this Treatment Plan

Column Name: plan_status_code

Column Type: varchar

Max Length: 50

The code of the status of this Treatment Plan

Column Name: plan_status_value

Column Type: varchar

Max Length: 50

The value of the status of this Treatment Plan

Column Name: plan_type_code

Column Type: varchar

Max Length: 50

The code of the type of this Treatment Plan

Column Name: plan_type_value

Column Type: varchar

Max Length: 50

The value of the type of this Treatment Plan

Column Name: projected_discharge_date

Column Type: date

The projected discharge date

Column Name: requiredproperties

Column Type: varchar
Max Length: 32766
The required properties

Column Name: review_team_member
Column Type: varchar
Max Length: 50
The Team Member who reviewed

Column Name: strengths
Column Type: varchar
Max Length: 32700
The strengths

Column Name: tx_form_number
Column Type: varchar
Max Length: 50
The form number of this Treatment Plan

Column Name: tx_plan_number
Column Type: varchar
Max Length: 50
The plan number of this Treatment Plan

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: v_EPN_Info
Column Type: varchar
Max Length: 50
The v EPN Info

Column Name: v_admit_date
Column Type: date
The v admission Date

Column Name: v_client_name
Column Type: varchar
Max Length: 50
The v client name

Column Name: v_disch_date
Column Type: date
The v discharge date

Column Name: v_program_code
Column Type: varchar

Max Length: 50
The code of the v program

Column Name: v_program_value
Column Type: varchar
Max Length: 50
The value of the v program

Column Name: weaknesses
Column Type: varchar
Max Length: 32700
The weaknesses

Documentation for form: Treatment_Plan

Table Name: SYSTEM.tx_plan_level_of_care

Table Description: This table returns recovery plan information stored in the 'Treatment Plan' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: TXCuniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with a row of data.

Column Name: authorized_loc_code
Column Type: varchar
Max Length: 50
The Deviated Level of Care Code

Column Name: authorized_loc_value
Column Type: varchar
Max Length: 50
The Authorized Level of Care Value

Column Name: deviated_loc_code
Column Type: varchar
Max Length: 50
The Deviated Level of Care Code

Column Name: deviated_loc_value
Column Type: varchar
Max Length: 50
The Deviated Level of Care Value

Column Name: recommended_loc_code
Column Type: varchar
Max Length: 50
The Recommended Level of Care Code

Column Name: recommended_loc_value
Column Type: varchar
Max Length: 50
The Recommended Level of Care Value

Column Name: service_program_code
Column Type: varchar
Max Length: 50
Recovery Plan Service Program Code

Column Name: service_program_value
Column Type: varchar
Max Length: 50
Recovery Plan Service Program Value

Documentation for form: Treatment_Plan

Table Name: SYSTEM.tx_plan_recovery_plan

Table Description: Recovery Plan Services

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: HISTORICID_plan
Column Type: varchar

Max Length: 50
'Client Treatment Plan'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: authorization_historic
Column Type: varchar
Max Length: 50
Link to authorization table.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: service_codes
Column Type: varchar
Max Length: 32000

Service Codes.

Column Name: service_display
Column Type: varchar
Max Length: 32000
Service Codes display value.

Column Name: unit_amount
Column Type: varchar
Max Length: 50
Unit Amount.

Column Name: unit_type_code
Column Type: varchar
Max Length: 50
Unit Type code.

Column Name: unit_type_value
Column Type: varchar
Max Length: 50
Unit Type value.

Documentation for form: Treatment_Plan

Table Name: SYSTEM.tx_plan_todos

Table Description: This table returns information about to-do's sent for Treatment Plan elements with upcoming due dates.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: HISTORICID_element
Column Type: varchar
Max Length: 50
'Client Treatment Plan Element ID' (problem, goal, objective, intervention)

Column Name: HISTORICID_plan
Column Type: varchar
Max Length: 50
'Client Treatment Plan'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: ToDo_Id
Column Type: varchar
Max Length: 50
The to-do sent for this treatment plan element

Documentation for form: Treatment_Plan_-_Goals

Table Name: SYSTEM.tx_plan_int_ss

Table Description: This table returns site specific data from the 'Interventions' section of the 'Treatment Plan' form.

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
The episode associated with the treatment plan intervention.

Column Name: FACILITY
Column Type: integer
The system code the client is defined in

Column Name: HISTORICID_intervent
Column Type: varchar
Max Length: 50
The unique ID of the treatment plan intervention.

Column Name: HISTORICID_plan
Column Type: varchar
Max Length: 50
The unique ID of the treatment plan the intervention is associated with.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID that is associated with the treatment plan intervention.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

The user name that last updated the row of data.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row of data.

Column Name: data_entry_date

Column Type: date

The date this row of data was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time this row of data was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID that last updated this row of data.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated the row of data.

Column Name: data_entry_utc

Column Type: timestamp
the UTC date and time the data was saved.

Column Name: requiredproperties
Column Type: varchar
Max Length: 32766
'REQUIRED_PROPERTIES (System Use Only)'

Column Name: ss_tx_int_date_10
Column Type: date
'SS Treatment Plan Int Date 10'

Column Name: ss_tx_int_date_4
Column Type: date
'SS Treatment Plan Int Date 4'

Column Name: ss_tx_int_date_5
Column Type: date
'SS Treatment Plan Int Date 5'

Column Name: ss_tx_int_date_6
Column Type: date
'SS Treatment Plan Int Date 6'

Column Name: ss_tx_int_date_7
Column Type: date
'SS Treatment Plan Int Date 7'

Column Name: ss_tx_int_date_8
Column Type: date
'SS Treatment Plan Int Date 8'

Column Name: ss_tx_int_date_9
Column Type: date
'SS Treatment Plan Int Date 9'

Column Name: ss_tx_int_dict_10_code
Column Type: varchar
Max Length: 50
The code for 'SS Treatment Plan Int Single Response Dict 10'

Column Name: ss_tx_int_dict_10_value
Column Type: varchar
Max Length: 50
The description associated with ss_tx_int_dict_10_code. See ss_tx_int_dict_10_code for more information.

Column Name: ss_tx_int_dict_11_code
Column Type: varchar
Max Length: 50
The code for 'SS Treatment Plan Int Single Response Dict 11'

Column Name: ss_tx_int_dict_11_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_11_code. See ss_tx_int_dict_11_code for more information.

Column Name: ss_tx_int_dict_12_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 12'

Column Name: ss_tx_int_dict_12_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_12_code. See ss_tx_int_dict_12_code for more information.

Column Name: ss_tx_int_dict_13_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 13'

Column Name: ss_tx_int_dict_13_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_13_code. See ss_tx_int_dict_13_code for more information.

Column Name: ss_tx_int_dict_14_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 14'

Column Name: ss_tx_int_dict_14_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_14_code. See ss_tx_int_dict_14_code for more information.

Column Name: ss_tx_int_dict_15_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 15'

Column Name: ss_tx_int_dict_15_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_15_code. See ss_tx_int_dict_15_code for more information.

Column Name: ss_tx_int_dict_16_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 16'

Column Name: ss_tx_int_dict_16_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_16_code. See ss_tx_int_dict_16_code for more information.

Column Name: ss_tx_int_dict_17_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 17'

Column Name: ss_tx_int_dict_17_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_17_code. See ss_tx_int_dict_17_code for more information.

Column Name: ss_tx_int_dict_18_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 18'

Column Name: ss_tx_int_dict_18_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_18_code. See ss_tx_int_dict_18_code for more information.

Column Name: ss_tx_int_dict_19_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 19'

Column Name: ss_tx_int_dict_19_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_19_code. See ss_tx_int_dict_19_code for more information.

Column Name: ss_tx_int_dict_20_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 20'

Column Name: ss_tx_int_dict_20_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_20_code. See ss_tx_int_dict_20_code for more information.

Column Name: ss_tx_int_dict_3_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 3'

Column Name: ss_tx_int_dict_3_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_3_code. See ss_tx_int_dict_3_code for more information.

Column Name: ss_tx_int_dict_4_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 4'

Column Name: ss_tx_int_dict_4_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_4_code. See ss_tx_int_dict_4_code for more information.

Column Name: ss_tx_int_dict_5_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 5'

Column Name: ss_tx_int_dict_5_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_5_code. See ss_tx_int_dict_5_code for more information.

Column Name: ss_tx_int_dict_6_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 6'

Column Name: ss_tx_int_dict_6_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_6_code. See ss_tx_int_dict_6_code for more information.

Column Name: ss_tx_int_dict_7_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 7'

Column Name: ss_tx_int_dict_7_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_7_code. See ss_tx_int_dict_7_code for more information.

Column Name: ss_tx_int_dict_8_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 8'

Column Name: ss_tx_int_dict_8_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_8_code. See ss_tx_int_dict_8_code for more information.

Column Name: ss_tx_int_dict_9_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Single Response Dict 9'

Column Name: ss_tx_int_dict_9_value

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_dict_9_code. See ss_tx_int_dict_9_code for more information.

Column Name: ss_tx_int_freetext_40_1

Column Type: varchar

Max Length: 40

'SS Treatment Plan Int Free Text (40) 1'

Column Name: ss_tx_int_freetext_40_2

Column Type: varchar

Max Length: 40

'SS Treatment Plan Int Free Text (40) 2'

Column Name: ss_tx_int_freetext_40_3

Column Type: varchar

Max Length: 40

'SS Treatment Plan Int Free Text (40) 3'

Column Name: ss_tx_int_freetext_40_4

Column Type: varchar

Max Length: 40

'SS Treatment Plan Int Free Text (40) 4'

Column Name: ss_tx_int_freetext_40_5

Column Type: varchar

Max Length: 40

'SS Treatment Plan Int Free Text (40) 5'

Column Name: ss_tx_int_freetext_40_6

Column Type: varchar

Max Length: 40

'SS Treatment Plan Int Free Text (40) 6'

Column Name: ss_tx_int_freetext_40_7

Column Type: varchar

Max Length: 40

'SS Treatment Plan Int Free Text (40) 7'

Column Name: ss_tx_int_freertext_40_8
Column Type: varchar
Max Length: 40
'SS Treatment Plan Int Free Text (40) 8'

Column Name: ss_tx_int_freertext_80_1
Column Type: varchar
Max Length: 80
'SS Treatment Plan Int Free Text (80) 1'

Column Name: ss_tx_int_freertext_80_2
Column Type: varchar
Max Length: 80
'SS Treatment Plan Int Free Text (80) 2'

Column Name: ss_tx_int_freertext_80_3
Column Type: varchar
Max Length: 80
'SS Treatment Plan Int Free Text (80) 3'

Column Name: ss_tx_int_freertext_80_4
Column Type: varchar
Max Length: 80
'SS Treatment Plan Int Free Text (80) 4'

Column Name: ss_tx_int_freertext_80_5
Column Type: varchar
Max Length: 80
'SS Treatment Plan Int Free Text (80) 5'

Column Name: ss_tx_int_freertext_80_6
Column Type: varchar
Max Length: 80
'SS Treatment Plan Int Free Text (80) 6'

Column Name: ss_tx_int_freertext_80_7
Column Type: varchar
Max Length: 80
'SS Treatment Plan Int Free Text (80) 7'

Column Name: ss_tx_int_freertext_80_8
Column Type: varchar
Max Length: 80
'SS Treatment Plan Int Free Text (80) 8'

Column Name: ss_tx_int_memo_1
Column Type: varchar
Max Length: 32667
'SS Treatment Plan Int Memo 1'

Column Name: ss_tx_int_memo_2
Column Type: varchar
Max Length: 32667
'SS Treatment Plan Int Memo 2'

Column Name: ss_tx_int_memo_3
Column Type: varchar
Max Length: 32667
'SS Treatment Plan Int Memo 3'

Column Name: ss_tx_int_memo_4
Column Type: varchar
Max Length: 32667
'SS Treatment Plan Int Memo 4'

Column Name: ss_tx_int_memo_5
Column Type: varchar
Max Length: 32667
'SS Treatment Plan Int Memo 5'

Column Name: ss_tx_int_memo_6
Column Type: varchar
Max Length: 32667
'SS Treatment Plan Int Memo 6'

Column Name: ss_tx_int_memo_7
Column Type: varchar
Max Length: 32667
'SS Treatment Plan Int Memo 7'

Column Name: ss_tx_int_memo_8
Column Type: varchar
Max Length: 32667
'SS Treatment Plan Int Memo 8'

Column Name: ss_tx_int_memo_9
Column Type: varchar
Max Length: 32667
'SS Treatment Plan Int Memo 9'

Column Name: ss_tx_int_mult_10_code
Column Type: varchar
Max Length: 1024
The code for 'SS Treatment Plan Int Multiple Response Dict 10'.

Column Name: ss_tx_int_mult_10_shval
Column Type: varchar
Max Length: 255

The description associated with `ss_tx_int_mult_10_code` limited to 255 characters. See `ss_tx_int_mult_10_code` for more information.

Column Name: `ss_tx_int_mult_10_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_tx_int_mult_10_code`. See `ss_tx_int_mult_10_code` for more information.

Column Name: `ss_tx_int_mult_11_code`

Column Type: `varchar`

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 11'.

Column Name: `ss_tx_int_mult_11_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_tx_int_mult_11_code` limited to 255 characters. See `ss_tx_int_mult_11_code` for more information.

Column Name: `ss_tx_int_mult_11_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_tx_int_mult_11_code`. See `ss_tx_int_mult_11_code` for more information.

Column Name: `ss_tx_int_mult_12_code`

Column Type: `varchar`

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 12'.

Column Name: `ss_tx_int_mult_12_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_tx_int_mult_12_code` limited to 255 characters. See `ss_tx_int_mult_12_code` for more information.

Column Name: `ss_tx_int_mult_12_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_tx_int_mult_12_code`. See `ss_tx_int_mult_12_code` for more information.

Column Name: `ss_tx_int_mult_13_code`

Column Type: `varchar`

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 13'.

Column Name: `ss_tx_int_mult_13_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_tx_int_mult_13_code` limited to 255 characters. See `ss_tx_int_mult_13_code` for more information.

Column Name: `ss_tx_int_mult_13_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_tx_int_mult_13_code`. See `ss_tx_int_mult_13_code` for more information.

Column Name: `ss_tx_int_mult_14_code`

Column Type: `varchar`

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 14'.

Column Name: `ss_tx_int_mult_14_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_tx_int_mult_14_code` limited to 255 characters. See `ss_tx_int_mult_14_code` for more information.

Column Name: `ss_tx_int_mult_14_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_tx_int_mult_14_code`. See `ss_tx_int_mult_14_code` for more information.

Column Name: `ss_tx_int_mult_15_code`

Column Type: `varchar`

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 15'.

Column Name: `ss_tx_int_mult_15_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_tx_int_mult_15_code` limited to 255 characters. See `ss_tx_int_mult_15_code` for more information.

Column Name: `ss_tx_int_mult_15_value`

Column Type: `varchar`

Max Length: 4096

The description associated with `ss_tx_int_mult_15_code`. See `ss_tx_int_mult_15_code` for more information.

Column Name: `ss_tx_int_mult_16_code`

Column Type: `varchar`

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 16'.

Column Name: `ss_tx_int_mult_16_shval`

Column Type: varchar

Max Length: 255

The description associated with ss_tx_int_mult_16_code limited to 255 characters. See ss_tx_int_mult_16_code for more information.

Column Name: ss_tx_int_mult_16_value

Column Type: varchar

Max Length: 4096

The description associated with ss_tx_int_mult_16_code. See ss_tx_int_mult_16_code for more information.

Column Name: ss_tx_int_mult_1_code

Column Type: varchar

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 1'.

Column Name: ss_tx_int_mult_1_shval

Column Type: varchar

Max Length: 255

The description associated with ss_tx_int_mult_1_code limited to 255 characters. See ss_tx_int_mult_1_code for more information.

Column Name: ss_tx_int_mult_1_value

Column Type: varchar

Max Length: 4096

The description associated with ss_tx_int_mult_1_code. See ss_tx_int_mult_1_code for more information.

Column Name: ss_tx_int_mult_2_code

Column Type: varchar

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 2'.

Column Name: ss_tx_int_mult_2_shval

Column Type: varchar

Max Length: 255

The description associated with ss_tx_int_mult_2_code limited to 255 characters. See ss_tx_int_mult_2_code for more information.

Column Name: ss_tx_int_mult_2_value

Column Type: varchar

Max Length: 4096

The description associated with ss_tx_int_mult_2_code. See ss_tx_int_mult_2_code for more information.

Column Name: ss_tx_int_mult_3_code

Column Type: varchar

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 3'.

Column Name: ss_tx_int_mult_3_shval

Column Type: varchar

Max Length: 255

The description associated with ss_tx_int_mult_3_code limited to 255 characters. See ss_tx_int_mult_3_code for more information.

Column Name: ss_tx_int_mult_3_value

Column Type: varchar

Max Length: 4096

The description associated with ss_tx_int_mult_3_code. See ss_tx_int_mult_3_code for more information.

Column Name: ss_tx_int_mult_4_code

Column Type: varchar

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 4'.

Column Name: ss_tx_int_mult_4_shval

Column Type: varchar

Max Length: 255

The description associated with ss_tx_int_mult_4_code limited to 255 characters. See ss_tx_int_mult_4_code for more information.

Column Name: ss_tx_int_mult_4_value

Column Type: varchar

Max Length: 4096

The description associated with ss_tx_int_mult_4_code. See ss_tx_int_mult_4_code for more information.

Column Name: ss_tx_int_mult_5_code

Column Type: varchar

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 5'.

Column Name: ss_tx_int_mult_5_shval

Column Type: varchar

Max Length: 255

The description associated with ss_tx_int_mult_5_code limited to 255 characters. See ss_tx_int_mult_5_code for more information.

Column Name: ss_tx_int_mult_5_value

Column Type: varchar

Max Length: 4096

The description associated with ss_tx_int_mult_5_code. See ss_tx_int_mult_5_code for more information.

Column Name: ss_tx_int_mult_6_code

Column Type: varchar

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 6'.

Column Name: ss_tx_int_mult_6_shval

Column Type: varchar

Max Length: 255

The description associated with ss_tx_int_mult_6_code limited to 255 characters. See ss_tx_int_mult_6_code for more information.

Column Name: ss_tx_int_mult_6_value

Column Type: varchar

Max Length: 4096

The description associated with ss_tx_int_mult_6_code. See ss_tx_int_mult_6_code for more information.

Column Name: ss_tx_int_mult_7_code

Column Type: varchar

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 7'.

Column Name: ss_tx_int_mult_7_shval

Column Type: varchar

Max Length: 255

The description associated with ss_tx_int_mult_7_code limited to 255 characters. See ss_tx_int_mult_7_code for more information.

Column Name: ss_tx_int_mult_7_value

Column Type: varchar

Max Length: 4096

The description associated with ss_tx_int_mult_7_code. See ss_tx_int_mult_7_code for more information.

Column Name: ss_tx_int_mult_8_code

Column Type: varchar

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 8'.

Column Name: ss_tx_int_mult_8_shval

Column Type: varchar

Max Length: 255

The description associated with ss_tx_int_mult_8_code limited to 255 characters. See ss_tx_int_mult_8_code for more information.

Column Name: ss_tx_int_mult_8_value

Column Type: varchar

Max Length: 4096

The description associated with ss_tx_int_mult_8_code. See ss_tx_int_mult_8_code for more information.

Column Name: ss_tx_int_mult_9_code

Column Type: varchar

Max Length: 1024

The code for 'SS Treatment Plan Int Multiple Response Dict 9'.

Column Name: ss_tx_int_mult_9_shval

Column Type: varchar

Max Length: 255

The description associated with ss_tx_int_mult_9_code limited to 255 characters. See ss_tx_int_mult_9_code for more information.

Column Name: ss_tx_int_mult_9_value

Column Type: varchar

Max Length: 4096

The description associated with ss_tx_int_mult_9_code. See ss_tx_int_mult_9_code for more information.

Column Name: ss_tx_int_numeric_1

Column Type: numeric

'SS Treatment Plan Int Numeric 1'

Column Name: ss_tx_int_numeric_2

Column Type: numeric

'SS Treatment Plan Int Numeric 2'

Column Name: ss_tx_int_prov_1

Column Type: varchar

Max Length: 50

'SS Treatment Plan Int Prov 1'

Column Name: ss_tx_int_prov_2

Column Type: varchar

Max Length: 50

'SS Treatment Plan Int Prov 2'

Column Name: ss_tx_int_service_1_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Service Code 1'.

Column Name: ss_tx_int_service_1_val

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_service_1_code. See ss_tx_int_service_1_code for more information.

Column Name: ss_tx_int_service_2_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Service Code 2'.

Column Name: ss_tx_int_service_2_val

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_service_2_code. See ss_tx_int_service_2_code for more information.

Column Name: ss_tx_int_service_3_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Service Code 3'.

Column Name: ss_tx_int_service_3_val

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_service_3_code. See ss_tx_int_service_5_code for more information.

Column Name: ss_tx_int_service_4_code

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Service Code 4'.

Column Name: ss_tx_int_service_4_val

Column Type: varchar

Max Length: 50

The description associated with ss_tx_int_service_4_code. See ss_tx_int_service_4_code for more information.

Column Name: ss_tx_int_staff_3

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Staff 3'.

Column Name: ss_tx_int_staff_3_name

Column Type: varchar

Max Length: 50

The description of the associated ss_tx_int_staff_3. See ss_tx_int_staff_3 for more information.

Column Name: ss_tx_int_staff_4

Column Type: varchar

Max Length: 50

The code for 'SS Treatment Plan Int Staff 4'.

Column Name: ss_tx_int_staff_4_name

Column Type: varchar

Max Length: 50

The description of the associated ss_tx_int_staff_4. See ss_tx_int_staff_4 for more information.

Column Name: ss_tx_int_time_1

Column Type: varchar

Max Length: 50

'SS Treatment Plan Int Time 1'.

Column Name: ss_tx_int_time_2

Column Type: varchar

Max Length: 50

'SS Treatment Plan Int Time 2'.

Column Name: tx_plan_number

Column Type: varchar

Max Length: 50
The number of the treatment plan.

Documentation for form: Inpatient_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotes table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20
The unique ID associated with the note.

Column Name: notes_field
Column Type: varchar
Max Length: 32700
The written note information.

Column Name: note_type_code
Column Type: varchar
Max Length: 50
'Note Type'

Column Name: note_type_value
Column Type: varchar
Max Length: 40
The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time
Column Type: varchar
Max Length: 25
'Note Time'

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: New_Existing_Service_code
Column Type: varchar
Max Length: 5
'Progress Note For'

Column Name: New_Existing_Service_value
Column Type: varchar
Max Length: 40
The description associated with New_Existing_Service_code. See New_Existing_Service_code for more information.

Column Name: service_program_value
Column Type: varchar
Max Length: 40
The description associated with service_program_code. See service_program_code for more information.

Column Name: note_addresses
Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_which_tp_plan_prob
Column Type: varchar
Max Length: 32700
The treatment plan problem to add to the note.

Column Name: Tx_Note_UniqueId
Column Type: varchar
Max Length: 40
The unique ID associated with the treatment.

Column Name: service_charge_value

Column Type: varchar

Max Length: 40

The description associated with service_charge_code. See service_charge_code for more information.

Column Name: GROUP_ID

Column Type: varchar

Max Length: 10

'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

The unique ID that joins the note to the service.

Column Name: Option_Desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: Option_Id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: PREFILEID

Column Type: varchar

Max Length: 50

The unique ID associated with the prefiller.

Column Name: TODO_ID

Column Type: varchar

Max Length: 20

'To Do Id'

Column Name: add_on_notes

Column Type: varchar

Max Length: 32768

The add-on notes.

Column Name: add_svc_info_code

Column Type: varchar

Max Length: 40

The additional service information.

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

The description associated with add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

The description associated with add_svc_info_code. See add_svc_info_code for more information.

Column Name: aps_link

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Appointment'

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

'Service Status'

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

The description associated with billing_status_code. See billing_status_code for more information.

Column Name: calpm_ebpss_csi_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practices / Service Strategies (CSI)'

Column Name: calpm_ebpss_csi_value

Column Type: varchar

Max Length: 200

The description associated with calpm_ebpss_csi_code. See calpm_ebpss_csi_code for more information.

Column Name: calpm_ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

The description associated with calpm_ebpss_csi_value_code. See calpm_ebpss_csi_value_code for more information.

Column Name: client_prob_list_codes

Column Type: varchar

Max Length: 50

The codes associated with the client problem list.

Column Name: client_prob_list_shvals

Column Type: varchar

Max Length: 255

The description associated with client_prob_list_code limited to 255 characters. See client_prob_list_code for more information.

Column Name: client_prob_list_vals

Column Type: varchar

Max Length: 32700

The description associated with client_prob_list_code. See client_prob_list_code for more information.

Column Name: clinical_instructions

Column Type: varchar

Max Length: 32700

'Clinical Instructions'

Column Name: clinical_quality_code

Column Type: varchar

Max Length: 255

'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val

Column Type: varchar

Max Length: 255

'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: clinical_quality_value

Column Type: varchar

Max Length: 4096

'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: confidential_note

Column Type: varchar

Max Length: 50

The confidential note.

Column Name: co_pract_duration

Column Type: numeric

The first co-practitioner duration.

Column Name: co_pract2_duration

Column Type: numeric

The second co-practitioner duration.

Column Name: co_practitioner_id

Column Type: varchar

Max Length: 15

The first co-practitioner ID.

Column Name: co_practitioner_id_2

Column Type: varchar

Max Length: 15

The second co-practitioner ID.

Column Name: co_practitioner_name

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id.

Column Name: co_practitioner_name_2
Column Type: varchar
Max Length: 40
The name associated with co_practitioner_id_2.

Column Name: co_sign_to_do_user
Column Type: varchar
Max Length: 50
'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 40
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_group_service
Column Type: date
The date of the group service.

Column Name: date_of_note
Column Type: date
The date of the note.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: discipline_code
Column Type: varchar
Max Length: 40
'Discipline'

Column Name: discipline_value
Column Type: varchar
Max Length: 40
The description associated with discipline_code. See discipline_code for more information.

Column Name: draft_final_code
Column Type: varchar
Max Length: 5
'Draft/Final'

Column Name: draft_final_value
Column Type: varchar
Max Length: 40
The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id
Column Type: varchar
Max Length: 255
'External System Identifier'

Column Name: has_nonmed_diag_flg_code
Column Type: varchar
Max Length: 50
The non-medical diagnosis flag.

Column Name: has_nonmed_diag_flg_value
Column Type: varchar
Max Length: 50
The description associated with has_nonmed_diag_flg_code. See has_nonmed_diag_flg_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Diagnosis 1'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Diagnosis 2'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Diagnosis 3'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Diagnosis 4'

Column Name: location_code
Column Type: varchar
Max Length: 15
The location of the service.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code. See location_code for more information.

Column Name: medical_diag1_DSM_value
Column Type: varchar
Max Length: 40

The description associated with medical_diag1_DSM_code. See medical_diag1_DSM_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD 10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD 9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_imo_code. See medical_diag_1_imo_code for more information.

Column Name: medical_diag2_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag2_DSM_code. See medical_diag2_DSM_code for more information.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40
'Medical Diagnosis 2 ICD 9'

Column Name: medical_diag_2_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_2_imo_code. See medical_diag_2_imo_code for more information.

Column Name: medical_diag_3_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD 10'

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD 9'

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_imo_code. See medical_diag_3_imo_code for more information.

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD 10'

Column Name: medical_diag_4_icd10_value
Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_imo_code. See medical_diag_4_imo_code for more information.

Column Name: medical_diagnosis_1_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1'

Column Name: medical_diagnosis_1_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2'

Column Name: medical_diagnosis_2_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: medical_diagnosis_3_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 3'

Column Name: medical_diagnosis_3_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_3_code. See medical_diagnosis_3_code for more information.

Column Name: medical_diagnosis_4_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 4'

Column Name: medical_diagnosis_4_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_4_code. See medical_diagnosis_4_code for more information.

Column Name: notes_entry_index_nu

Column Type: varchar

Max Length: 50

The notes entry index.

Column Name: number_clients_in_group

Column Type: integer

'Number Of Clients In Group'

Column Name: orig_note_uniq_id_num

Column Type: varchar

Max Length: 20

'Original Note Unique ID Number'

Column Name: practitioner_id

Column Type: varchar

Max Length: 15

The practitioner associated with the note.

Column Name: practitioner_name

Column Type: varchar

Max Length: 40

The name associated with practitioner_id.

Column Name: psycho_add_on_duration

Column Type: integer

The psychotherapy add-on duration.

Column Name: reason_for_visit_code

Column Type: varchar

Max Length: 50

'Reason for Visit'

Column Name: reason_for_visit_value

Column Type: varchar

Max Length: 250

The description associated with reason_for_visit_code. See reason_for_visit_code for more information.

Column Name: recommended_decision

Column Type: varchar

Max Length: 32700

'Recommended Decision'

Column Name: select_tp_version_code

Column Type: varchar

Max Length: 5

'Select T.P. Version'

Column Name: select_tp_version_value

Column Type: varchar

Max Length: 40

The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: service_charge_code

Column Type: varchar

Max Length: 40

The service charge code.

Column Name: service_duration

Column Type: varchar

Max Length: 5

The duration of the service.

Column Name: service_end_time

Column Type: varchar

Max Length: 10

The end time of the service.

Column Name: service_program_code

Column Type: varchar

Max Length: 15

The program of the service.

Column Name: service_start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: session_start_end_times

Column Type: varchar

Max Length: 32766

'Start/End Time(s)'

Column Name: ss_note_20_char_text_1

Column Type: varchar

Max Length: 20
'SS Note 20 Character 1'

Column Name: ss_note_20_char_text_10
Column Type: varchar
Max Length: 20
'SS Note 20 Character 10'

Column Name: ss_note_20_char_text_2
Column Type: varchar
Max Length: 20
'SS Note 20 Character 2'

Column Name: ss_note_20_char_text_3
Column Type: varchar
Max Length: 20
'SS Note 20 Character 3'

Column Name: ss_note_20_char_text_4
Column Type: varchar
Max Length: 20
'SS Note 20 Character 4'

Column Name: ss_note_20_char_text_5
Column Type: varchar
Max Length: 20
'SS Note 20 Character 5'

Column Name: ss_note_20_char_text_6
Column Type: varchar
Max Length: 20
'SS Note 20 Character 6'

Column Name: ss_note_20_char_text_7
Column Type: varchar
Max Length: 20
'SS Note 20 Character 7'

Column Name: ss_note_20_char_text_8
Column Type: varchar
Max Length: 20
'SS Note 20 Character 8'

Column Name: ss_note_20_char_text_9
Column Type: varchar
Max Length: 20
'SS Note 20 Character 9'

Column Name: ss_note_40_char_text_1
Column Type: varchar

Max Length: 40
'SS Note 40 Character 1'

Column Name: ss_note_40_char_text_10
Column Type: varchar
Max Length: 40
'SS Note 40 Character 10'

Column Name: ss_note_40_char_text_2
Column Type: varchar
Max Length: 40
'SS Note 40 Character 2'

Column Name: ss_note_40_char_text_3
Column Type: varchar
Max Length: 40
'SS Note 40 Character 3'

Column Name: ss_note_40_char_text_4
Column Type: varchar
Max Length: 40
'SS Note 40 Character 4'

Column Name: ss_note_40_char_text_5
Column Type: varchar
Max Length: 40
'SS Note 40 Character 5'

Column Name: ss_note_40_char_text_6
Column Type: varchar
Max Length: 40
'SS Note 40 Character 6'

Column Name: ss_note_40_char_text_7
Column Type: varchar
Max Length: 40
'SS Note 40 Character 7'

Column Name: ss_note_40_char_text_8
Column Type: varchar
Max Length: 40
'SS Note 40 Character 8'

Column Name: ss_note_40_char_text_9
Column Type: varchar
Max Length: 40
'SS Note 40 Character 9'

Column Name: ss_note_80_char_text_1
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 9'

Column Name: ss_note_date_1
Column Type: date

'SS Note Date 1'

Column Name: ss_note_date_10

Column Type: date

'SS Note Date 10'

Column Name: ss_note_date_2

Column Type: date

'SS Note Date 2'

Column Name: ss_note_date_3

Column Type: date

'SS Note Date 3'

Column Name: ss_note_date_4

Column Type: date

'SS Note Date 4'

Column Name: ss_note_date_5

Column Type: date

'SS Note Date 5'

Column Name: ss_note_date_6

Column Type: date

'SS Note Date 6'

Column Name: ss_note_date_7

Column Type: date

'SS Note Date 7'

Column Name: ss_note_date_8

Column Type: date

'SS Note Date 8'

Column Name: ss_note_date_9

Column Type: date

'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 10'

Column Name: ss_note_dsm_diag_10_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code

Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 1'

Column Name: ss_note_dsm_diag_1_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 2'

Column Name: ss_note_dsm_diag_2_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_2_code. See ss_note_dsm_diag_2_code for more information.

Column Name: ss_note_dsm_diag_3_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 3'

Column Name: ss_note_dsm_diag_3_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_3_code. See ss_note_dsm_diag_3_code for more information.

Column Name: ss_note_dsm_diag_4_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 4'

Column Name: ss_note_dsm_diag_4_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_4_code. See ss_note_dsm_diag_4_code for more information.

Column Name: ss_note_dsm_diag_5_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 5'

Column Name: ss_note_dsm_diag_5_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_5_code. See ss_note_dsm_diag_5_code for more information.

Column Name: ss_note_dsm_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 6'

Column Name: ss_note_dsm_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_6_code. See ss_note_dsm_diag_6_code for more information.

Column Name: ss_note_dsm_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 7'

Column Name: ss_note_dsm_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_7_code. See ss_note_dsm_diag_7_code for more information.

Column Name: ss_note_dsm_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 8'

Column Name: ss_note_dsm_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_8_code. See ss_note_dsm_diag_8_code for more information.

Column Name: ss_note_dsm_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 9'

Column Name: ss_note_dsm_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_9_code. See ss_note_dsm_diag_9_code for more information.

Column Name: ss_note_icd9_diag_10_code

Column Type: varchar

Max Length: 20
'SS Note ICD-9 Code 10'

Column Name: ss_note_icd9_diag_10_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_10_code. See ss_note_icd9_diag_10_code for more information.

Column Name: ss_note_icd9_diag_1_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 1'

Column Name: ss_note_icd9_diag_1_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_1_code. See ss_note_icd9_diag_1_code for more information.

Column Name: ss_note_icd9_diag_2_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 2'

Column Name: ss_note_icd9_diag_2_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_2_code. See ss_note_icd9_diag_2_code for more information.

Column Name: ss_note_icd9_diag_3_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 3'

Column Name: ss_note_icd9_diag_3_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_3_code. See ss_note_icd9_diag_3_code for more information.

Column Name: ss_note_icd9_diag_4_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 4'

Column Name: ss_note_icd9_diag_4_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_icd9_diag_4_code`. See `ss_note_icd9_diag_4_code` for more information.

Column Name: `ss_note_icd9_diag_5_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 5'

Column Name: `ss_note_icd9_diag_5_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_5_code`. See `ss_note_icd9_diag_5_code` for more information.

Column Name: `ss_note_icd9_diag_6_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 6'

Column Name: `ss_note_icd9_diag_6_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_6_code`. See `ss_note_icd9_diag_6_code` for more information.

Column Name: `ss_note_icd9_diag_7_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 7'

Column Name: `ss_note_icd9_diag_7_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_7_code`. See `ss_note_icd9_diag_7_code` for more information.

Column Name: `ss_note_icd9_diag_8_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 8'

Column Name: `ss_note_icd9_diag_8_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_8_code`. See `ss_note_icd9_diag_8_code` for more information.

Column Name: `ss_note_icd9_diag_9_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 9'

Column Name: ss_note_icd9_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_9_code. See ss_note_icd9_diag_9_code for more information.

Column Name: ss_note_multi_dict_10_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 10'

Column Name: ss_note_multi_dict_10_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_10_code. See ss_note_multi_dict_10_code for more information.

Column Name: ss_note_multi_dict_1_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 1'

Column Name: ss_note_multi_dict_1_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_1_code. See ss_note_multi_dict_1_code for more information.

Column Name: ss_note_multi_dict_2_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 2'

Column Name: ss_note_multi_dict_2_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_2_code. See ss_note_multi_dict_2_code for more information.

Column Name: ss_note_multi_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 3'

Column Name: ss_note_multi_dict_3_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_3_code. See ss_note_multi_dict_3_code for more information.

Column Name: ss_note_multi_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 4'

Column Name: ss_note_multi_dict_4_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_4_code. See ss_note_multi_dict_4_code for more information.

Column Name: ss_note_multi_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 5'

Column Name: ss_note_multi_dict_5_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_5_code. See ss_note_multi_dict_5_code for more information.

Column Name: ss_note_multi_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 6'

Column Name: ss_note_multi_dict_6_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 7'

Column Name: ss_note_multi_dict_7_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_7_code. See ss_note_multi_dict_7_code for more information.

Column Name: ss_note_multi_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 8'

Column Name: ss_note_multi_dict_8_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_8_code. See ss_note_multi_dict_8_code for more information.

Column Name: ss_note_multi_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 9'

Column Name: ss_note_multi_dict_9_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_9_code. See ss_note_multi_dict_9_code for more information.

Column Name: ss_note_scroll_text_1

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 1'

Column Name: ss_note_scroll_text_10

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 10'

Column Name: ss_note_scroll_text_2

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 2'

Column Name: ss_note_scroll_text_3

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 3'

Column Name: ss_note_scroll_text_4

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 4'

Column Name: ss_note_scroll_text_5

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 5'

Column Name: ss_note_scroll_text_6

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 6'

Column Name: ss_note_scroll_text_7
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 7'

Column Name: ss_note_scroll_text_8
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 8'

Column Name: ss_note_scroll_text_9
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 9'

Column Name: ss_note_sing_dict_10_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 10'

Column Name: ss_note_sing_dict_10_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 1'

Column Name: ss_note_sing_dict_1_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 2'

Column Name: ss_note_sing_dict_2_value
Column Type: varchar
Max Length: 80

The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 3'

Column Name: ss_note_sing_dict_3_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 4'

Column Name: ss_note_sing_dict_4_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 5'

Column Name: ss_note_sing_dict_5_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 6'

Column Name: ss_note_sing_dict_6_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 7'

Column Name: ss_note_sing_dict_7_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 8'

Column Name: ss_note_sing_dict_8_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 9'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1

Column Type: varchar

Max Length: 20

'SS Note Staff Member 1'

Column Name: ss_note_staff_10

Column Type: varchar

Max Length: 20

'SS Note Staff Member 10'

Column Name: ss_note_staff_2

Column Type: varchar

Max Length: 20

'SS Note Staff Member 2'

Column Name: ss_note_staff_3

Column Type: varchar

Max Length: 20

'SS Note Staff Member 3'

Column Name: ss_note_staff_4
Column Type: varchar
Max Length: 20
'SS Note Staff Member 4'

Column Name: ss_note_staff_5
Column Type: varchar
Max Length: 20
'SS Note Staff Member 5'

Column Name: ss_note_staff_6
Column Type: varchar
Max Length: 20
'SS Note Staff Member 6'

Column Name: ss_note_staff_7
Column Type: varchar
Max Length: 20
'SS Note Staff Member 7'

Column Name: ss_note_staff_8
Column Type: varchar
Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar
Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6
Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7
Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar
Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar
Max Length: 10
'SS Note Time 9'

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiler.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
Whether the note is confidential.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
The contents of the notes field.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_11
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 11'

Column Name: ss_note_20_char_text_12
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 12'

Column Name: ss_note_20_char_text_13
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 13'

Column Name: ss_note_20_char_text_14
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 14'

Column Name: ss_note_20_char_text_15
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 15'

Column Name: ss_note_20_char_text_16
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 16'

Column Name: ss_note_20_char_text_17
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 17'

Column Name: ss_note_20_char_text_18
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 18'

Column Name: ss_note_20_char_text_19
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 19'

Column Name: ss_note_20_char_text_20
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 20'

Column Name: ss_note_20_char_text_21
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 21'

Column Name: ss_note_20_char_text_22
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 22'

Column Name: ss_note_20_char_text_23
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 23'

Column Name: ss_note_20_char_text_24
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 24'

Column Name: ss_note_20_char_text_25
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 25'

Column Name: ss_note_20_char_text_26
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 26'

Column Name: ss_note_20_char_text_27
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 27'

Column Name: ss_note_20_char_text_28
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 28'

Column Name: ss_note_20_char_text_29
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 29'

Column Name: ss_note_20_char_text_30
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 30'

Column Name: ss_note_40_char_text_11
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 11'

Column Name: ss_note_40_char_text_12
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 12'

Column Name: ss_note_40_char_text_13
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 13'

Column Name: ss_note_40_char_text_14
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 14'

Column Name: ss_note_40_char_text_15
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 15'

Column Name: ss_note_40_char_text_16
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 16'

Column Name: ss_note_40_char_text_17
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 17'

Column Name: ss_note_40_char_text_18
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 18'

Column Name: ss_note_40_char_text_19
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 19'

Column Name: ss_note_40_char_text_20
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 20'

Column Name: ss_note_40_char_text_21
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 21'

Column Name: ss_note_40_char_text_22
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 22'

Column Name: ss_note_40_char_text_23
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 23'

Column Name: ss_note_40_char_text_24
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 24'

Column Name: ss_note_40_char_text_25
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 25'

Column Name: ss_note_40_char_text_26
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 26'

Column Name: ss_note_40_char_text_27
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 27'

Column Name: ss_note_40_char_text_28
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 28'

Column Name: ss_note_40_char_text_29
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 29'

Column Name: ss_note_40_char_text_30
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 30'

Column Name: ss_note_80_char_text_11
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 11'

Column Name: ss_note_80_char_text_12
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 12'

Column Name: ss_note_80_char_text_13
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 13'

Column Name: ss_note_80_char_text_14
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 14'

Column Name: ss_note_80_char_text_15
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 15'

Column Name: ss_note_80_char_text_16
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 16'

Column Name: ss_note_80_char_text_17
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 17'

Column Name: ss_note_80_char_text_18
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 18'

Column Name: ss_note_80_char_text_19
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 19'

Column Name: ss_note_80_char_text_20
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 20'

Column Name: ss_note_80_char_text_21
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 21'

Column Name: ss_note_80_char_text_22
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 22'

Column Name: ss_note_80_char_text_23
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 23'

Column Name: ss_note_80_char_text_24
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 24'

Column Name: ss_note_80_char_text_25
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 25'

Column Name: ss_note_80_char_text_26
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 26'

Column Name: ss_note_80_char_text_27
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 27'

Column Name: ss_note_80_char_text_28
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 28'

Column Name: ss_note_80_char_text_29
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 29'

Column Name: ss_note_80_char_text_30
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 30'

Column Name: ss_note_date_11
Column Type: date
'SS Note Date 11'

Column Name: ss_note_date_12
Column Type: date
'SS Note Date 12'

Column Name: ss_note_date_13
Column Type: date
'SS Note Date 13'

Column Name: ss_note_date_14
Column Type: date
'SS Note Date 14'

Column Name: ss_note_date_15
Column Type: date
'SS Note Date 15'

Column Name: ss_note_date_16
Column Type: date
'SS Note Date 16'

Column Name: ss_note_date_17
Column Type: date
'SS Note Date 17'

Column Name: ss_note_date_18
Column Type: date
'SS Note Date 18'

Column Name: ss_note_date_19
Column Type: date
'SS Note Date 19'

Column Name: ss_note_date_20
Column Type: date
'SS Note Date 20'

Column Name: ss_note_date_21
Column Type: date
'SS Note Date 21'

Column Name: ss_note_date_22
Column Type: date
'SS Note Date 22'

Column Name: ss_note_date_23
Column Type: date
'SS Note Date 23'

Column Name: ss_note_date_24
Column Type: date
'SS Note Date 24'

Column Name: ss_note_date_25
Column Type: date
'SS Note Date 25'

Column Name: ss_note_date_26
Column Type: date
'SS Note Date 26'

Column Name: ss_note_date_27
Column Type: date
'SS Note Date 27'

Column Name: ss_note_date_28
Column Type: date
'SS Note Date 28'

Column Name: ss_note_date_29
Column Type: date
'SS Note Date 29'

Column Name: ss_note_date_30
Column Type: date
'SS Note Date 30'

Column Name: ss_note_dsm_diag_11_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 11'

Column Name: ss_note_dsm_diag_11_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_11_code`. See `ss_note_dsm_diag_11_code` for more information.

Column Name: `ss_note_dsm_diag_12_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 12'

Column Name: `ss_note_dsm_diag_12_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_12_code`. See `ss_note_dsm_diag_12_code` for more information.

Column Name: `ss_note_dsm_diag_13_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 13'

Column Name: `ss_note_dsm_diag_13_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_13_code`. See `ss_note_dsm_diag_13_code` for more information.

Column Name: `ss_note_dsm_diag_14_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 14'

Column Name: `ss_note_dsm_diag_14_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_14_code`. See `ss_note_dsm_diag_14_code` for more information.

Column Name: `ss_note_dsm_diag_15_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 15'

Column Name: `ss_note_dsm_diag_15_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_15_code`. See `ss_note_dsm_diag_15_code` for more information.

Column Name: `ss_note_dsm_diag_16_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 16'

Column Name: ss_note_dsm_diag_16_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_16_code. See ss_note_dsm_diag_16_code for more information.

Column Name: ss_note_dsm_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 17'

Column Name: ss_note_dsm_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_17_code. See ss_note_dsm_diag_17_code for more information.

Column Name: ss_note_dsm_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 18'

Column Name: ss_note_dsm_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_18_code. See ss_note_dsm_diag_18_code for more information.

Column Name: ss_note_dsm_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 19'

Column Name: ss_note_dsm_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_19_code. See ss_note_dsm_diag_19_code for more information.

Column Name: ss_note_dsm_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 20'

Column Name: ss_note_dsm_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_dsm_diag_20_code`. See `ss_note_dsm_diag_20_code` for more information.

Column Name: `ss_note_dsm_diag_21_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 21'

Column Name: `ss_note_dsm_diag_21_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_21_code`. See `ss_note_dsm_diag_21_code` for more information.

Column Name: `ss_note_dsm_diag_22_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 22'

Column Name: `ss_note_dsm_diag_22_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_22_code`. See `ss_note_dsm_diag_22_code` for more information.

Column Name: `ss_note_dsm_diag_23_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 23'

Column Name: `ss_note_dsm_diag_23_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_23_code`. See `ss_note_dsm_diag_23_code` for more information.

Column Name: `ss_note_dsm_diag_24_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 24'

Column Name: `ss_note_dsm_diag_24_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_24_code`. See `ss_note_dsm_diag_24_code` for more information.

Column Name: `ss_note_dsm_diag_25_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 25'

Column Name: ss_note_dsm_diag_25_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_25_code. See ss_note_dsm_diag_25_code for more information.

Column Name: ss_note_dsm_diag_26_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 26'

Column Name: ss_note_dsm_diag_26_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_26_code. See ss_note_dsm_diag_26_code for more information.

Column Name: ss_note_dsm_diag_27_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 27'

Column Name: ss_note_dsm_diag_27_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_27_code. See ss_note_dsm_diag_27_code for more information.

Column Name: ss_note_dsm_diag_28_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 28'

Column Name: ss_note_dsm_diag_28_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_28_code. See ss_note_dsm_diag_28_code for more information.

Column Name: ss_note_dsm_diag_29_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 29'

Column Name: ss_note_dsm_diag_29_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_dsm_diag_29_code`. See `ss_note_dsm_diag_29_code` for more information.

Column Name: `ss_note_dsm_diag_30_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 30'

Column Name: `ss_note_dsm_diag_30_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_30_code`. See `ss_note_dsm_diag_30_code` for more information.

Column Name: `ss_note_icd9_diag_11_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 11'

Column Name: `ss_note_icd9_diag_11_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_11_code`. See `ss_note_icd9_diag_11_code` for more information.

Column Name: `ss_note_icd9_diag_12_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 12'

Column Name: `ss_note_icd9_diag_12_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_12_code`. See `ss_note_icd9_diag_12_code` for more information.

Column Name: `ss_note_icd9_diag_13_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 13'

Column Name: `ss_note_icd9_diag_13_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_13_code`. See `ss_note_icd9_diag_13_code` for more information.

Column Name: `ss_note_icd9_diag_14_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 14'

Column Name: ss_note_icd9_diag_14_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_14_code. See ss_note_icd9_diag_14_code for more information.

Column Name: ss_note_icd9_diag_15_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 15'

Column Name: ss_note_icd9_diag_15_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_15_code. See ss_note_icd9_diag_15_code for more information.

Column Name: ss_note_icd9_diag_16_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 16'

Column Name: ss_note_icd9_diag_16_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_16_code. See ss_note_icd9_diag_16_code for more information.

Column Name: ss_note_icd9_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 17'

Column Name: ss_note_icd9_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_17_code. See ss_note_icd9_diag_17_code for more information.

Column Name: ss_note_icd9_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 18'

Column Name: ss_note_icd9_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_18_code`. See `ss_note_icd9_diag_18_code` for more information.

Column Name: `ss_note_icd9_diag_19_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 19'

Column Name: `ss_note_icd9_diag_19_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_19_code`. See `ss_note_icd9_diag_19_code` for more information.

Column Name: `ss_note_icd9_diag_20_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 20'

Column Name: `ss_note_icd9_diag_20_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_20_code`. See `ss_note_icd9_diag_20_code` for more information.

Column Name: `ss_note_icd9_diag_21_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 21'

Column Name: `ss_note_icd9_diag_21_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_21_code`. See `ss_note_icd9_diag_21_code` for more information.

Column Name: `ss_note_icd9_diag_22_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 22'

Column Name: `ss_note_icd9_diag_22_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_22_code`. See `ss_note_icd9_diag_22_code` for more information.

Column Name: `ss_note_icd9_diag_23_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 23'

Column Name: ss_note_icd9_diag_23_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_23_code. See ss_note_icd9_diag_23_code for more information.

Column Name: ss_note_icd9_diag_24_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 24'

Column Name: ss_note_icd9_diag_24_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_24_code. See ss_note_icd9_diag_24_code for more information.

Column Name: ss_note_icd9_diag_25_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 25'

Column Name: ss_note_icd9_diag_25_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_25_code. See ss_note_icd9_diag_25_code for more information.

Column Name: ss_note_icd9_diag_26_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 26'

Column Name: ss_note_icd9_diag_26_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_26_code. See ss_note_icd9_diag_26_code for more information.

Column Name: ss_note_icd9_diag_27_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 27'

Column Name: ss_note_icd9_diag_27_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_27_code`. See `ss_note_icd9_diag_27_code` for more information.

Column Name: `ss_note_icd9_diag_28_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 28'

Column Name: `ss_note_icd9_diag_28_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_28_code`. See `ss_note_icd9_diag_28_code` for more information.

Column Name: `ss_note_icd9_diag_29_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 29'

Column Name: `ss_note_icd9_diag_29_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_29_code`. See `ss_note_icd9_diag_29_code` for more information.

Column Name: `ss_note_icd9_diag_30_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 30'

Column Name: `ss_note_icd9_diag_30_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_30_code`. See `ss_note_icd9_diag_30_code` for more information.

Column Name: `ss_note_multi_dict_11_code`

Column Type: `varchar`

Max Length: 20

'SS Note Copy Multiple Response Dictionary 11'

Column Name: `ss_note_multi_dict_11_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_11_code`. See `ss_note_multi_dict_11_code` for more information.

Column Name: `ss_note_multi_dict_12_code`

Column Type: `varchar`

Max Length: 20

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_note_multi_dict_12_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_12_code. See ss_note_multi_dict_12_code for more information.

Column Name: ss_note_multi_dict_13_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_note_multi_dict_13_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_13_code. See ss_note_multi_dict_13_code for more information.

Column Name: ss_note_multi_dict_14_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_note_multi_dict_14_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_14_code. See ss_note_multi_dict_14_code for more information.

Column Name: ss_note_multi_dict_15_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_note_multi_dict_15_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_15_code. See ss_note_multi_dict_15_code for more information.

Column Name: ss_note_multi_dict_16_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_note_multi_dict_16_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_16_code. See ss_note_multi_dict_16_code for more information.

Column Name: ss_note_multi_dict_17_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_note_multi_dict_17_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_17_code. See ss_note_multi_dict_17_code for more information.

Column Name: ss_note_multi_dict_18_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_note_multi_dict_18_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_18_code. See ss_note_multi_dict_18_code for more information.

Column Name: ss_note_multi_dict_19_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_note_multi_dict_19_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_19_code. See ss_note_multi_dict_19_code for more information.

Column Name: ss_note_multi_dict_20_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_note_multi_dict_20_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_20_code. See ss_note_multi_dict_20_code for more information.

Column Name: ss_note_multi_dict_21_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_note_multi_dict_21_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_21_code. See ss_note_multi_dict_21_code for more information.

Column Name: ss_note_multi_dict_22_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_note_multi_dict_22_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_22_code. See ss_note_multi_dict_22_code for more information.

Column Name: ss_note_multi_dict_23_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_note_multi_dict_23_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_23_code. See ss_note_multi_dict_23_code for more information.

Column Name: ss_note_multi_dict_24_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_note_multi_dict_24_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_24_code. See ss_note_multi_dict_24_code for more information.

Column Name: ss_note_multi_dict_25_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_note_multi_dict_25_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_25_code. See ss_note_multi_dict_25_code for more information.

Column Name: ss_note_multi_dict_26_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_note_multi_dict_26_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_26_code. See ss_note_multi_dict_26_code for more information.

Column Name: ss_note_multi_dict_27_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_note_multi_dict_27_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_27_code. See ss_note_multi_dict_27_code for more information.

Column Name: ss_note_multi_dict_28_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_note_multi_dict_28_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_28_code. See ss_note_multi_dict_28_code for more information.

Column Name: ss_note_multi_dict_29_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_note_multi_dict_29_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_29_code. See ss_note_multi_dict_29_code for more information.

Column Name: ss_note_multi_dict_30_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_note_multi_dict_30_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_30_code. See ss_note_multi_dict_30_code for more information.

Column Name: ss_note_scroll_text_11

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 11'

Column Name: ss_note_scroll_text_12

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 12'

Column Name: ss_note_scroll_text_13

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 13'

Column Name: ss_note_scroll_text_14

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 14'

Column Name: ss_note_scroll_text_15

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 15'

Column Name: ss_note_scroll_text_16

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 16'

Column Name: ss_note_scroll_text_17

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 17'

Column Name: ss_note_scroll_text_18

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 18'

Column Name: ss_note_scroll_text_19

Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 19'

Column Name: ss_note_scroll_text_20
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 20'

Column Name: ss_note_scroll_text_21
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 21'

Column Name: ss_note_scroll_text_22
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 22'

Column Name: ss_note_scroll_text_23
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 23'

Column Name: ss_note_scroll_text_24
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 24'

Column Name: ss_note_scroll_text_25
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 25'

Column Name: ss_note_scroll_text_26
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 26'

Column Name: ss_note_scroll_text_27
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 27'

Column Name: ss_note_scroll_text_28
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 28'

Column Name: ss_note_scroll_text_29
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 29'

Column Name: ss_note_scroll_text_30
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 30'

Column Name: ss_note_sing_dict_11_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 11'

Column Name: ss_note_sing_dict_11_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_11_code. See ss_note_single_dict_11_code for more information.

Column Name: ss_note_sing_dict_12_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 12'

Column Name: ss_note_sing_dict_12_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_12_code. See ss_note_single_dict_12_code for more information.

Column Name: ss_note_sing_dict_13_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 13'

Column Name: ss_note_sing_dict_13_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_13_code. See ss_note_single_dict_13_code for more information.

Column Name: ss_note_sing_dict_14_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 14'

Column Name: ss_note_sing_dict_14_value
Column Type: varchar
Max Length: 50

The description associated with ss_note_single_dict_14_code. See ss_note_single_dict_14_code for more information.

Column Name: ss_note_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 15'

Column Name: ss_note_sing_dict_15_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_15_code. See ss_note_single_dict_15_code for more information.

Column Name: ss_note_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 16'

Column Name: ss_note_sing_dict_16_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_16_code. See ss_note_single_dict_16_code for more information.

Column Name: ss_note_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 17'

Column Name: ss_note_sing_dict_17_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_17_code. See ss_note_single_dict_17_code for more information.

Column Name: ss_note_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 18'

Column Name: ss_note_sing_dict_18_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_18_code. See ss_note_single_dict_18_code for more information.

Column Name: ss_note_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 19'

Column Name: ss_note_sing_dict_19_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_19_code. See ss_note_single_dict_19_code for more information.

Column Name: ss_note_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 20'

Column Name: ss_note_sing_dict_20_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_20_code. See ss_note_single_dict_20_code for more information.

Column Name: ss_note_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 21'

Column Name: ss_note_sing_dict_21_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_21_code. See ss_note_single_dict_21_code for more information.

Column Name: ss_note_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 22'

Column Name: ss_note_sing_dict_22_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_22_code. See ss_note_single_dict_22_code for more information.

Column Name: ss_note_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 23'

Column Name: ss_note_sing_dict_23_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_23_code. See ss_note_single_dict_23_code for more information.

Column Name: ss_note_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 24'

Column Name: ss_note_sing_dict_24_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_24_code. See ss_note_single_dict_24_code for more information.

Column Name: ss_note_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 25'

Column Name: ss_note_sing_dict_25_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_25_code. See ss_note_single_dict_25_code for more information.

Column Name: ss_note_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 26'

Column Name: ss_note_sing_dict_26_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_26_code. See ss_note_single_dict_26_code for more information.

Column Name: ss_note_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 27'

Column Name: ss_note_sing_dict_27_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_27_code. See ss_note_single_dict_27_code for more information.

Column Name: ss_note_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 28'

Column Name: ss_note_sing_dict_28_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_28_code. See ss_note_single_dict_28_code for more information.

Column Name: ss_note_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 29'

Column Name: ss_note_sing_dict_29_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_29_code. See ss_note_single_dict_29_code for more information.

Column Name: ss_note_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 30'

Column Name: ss_note_sing_dict_30_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_30_code. See ss_note_single_dict_30_code for more information.

Column Name: ss_note_time_11

Column Type: varchar

Max Length: 50

'SS Note Time 11'

Column Name: ss_note_time_12

Column Type: varchar

Max Length: 50

'SS Note Time 12'

Column Name: ss_note_time_13

Column Type: varchar

Max Length: 50

'SS Note Time 13'

Column Name: ss_note_time_14

Column Type: varchar

Max Length: 50

'SS Note Time 14'

Column Name: ss_note_time_15
Column Type: varchar
Max Length: 50
'SS Note Time 15'

Column Name: ss_note_time_16
Column Type: varchar
Max Length: 50
'SS Note Time 16'

Column Name: ss_note_time_17
Column Type: varchar
Max Length: 50
'SS Note Time 17'

Column Name: ss_note_time_18
Column Type: varchar
Max Length: 50
'SS Note Time 18'

Column Name: ss_note_time_19
Column Type: varchar
Max Length: 50
'SS Note Time 19'

Column Name: ss_note_time_20
Column Type: varchar
Max Length: 50
'SS Note Time 20'

Column Name: ss_note_time_21
Column Type: varchar
Max Length: 50
'SS Note Time 21'

Column Name: ss_note_time_22
Column Type: varchar
Max Length: 50
'SS Note Time 22'

Column Name: ss_note_time_23
Column Type: varchar
Max Length: 50
'SS Note Time 23'

Column Name: ss_note_time_24
Column Type: varchar
Max Length: 50
'SS Note Time 24'

Column Name: ss_note_time_25
Column Type: varchar
Max Length: 50
'SS Note Time 25'

Column Name: ss_note_time_26
Column Type: varchar
Max Length: 50
'SS Note Time 26'

Column Name: ss_note_time_27
Column Type: varchar
Max Length: 50
'SS Note Time 27'

Column Name: ss_note_time_28
Column Type: varchar
Max Length: 50
'SS Note Time 28'

Column Name: ss_note_time_29
Column Type: varchar
Max Length: 50
'SS Note Time 29'

Column Name: ss_note_time_30
Column Type: varchar
Max Length: 50
'SS Note Time 30'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp_1

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp1 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
'Progress Notes Pointer'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiler.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
'Confidential Notes'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
'Notes Field'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_31

Column Type: varchar
Max Length: 20
'SS Note 20 Character 31'

Column Name: ss_note_20_char_text_32
Column Type: varchar
Max Length: 20
'SS Note 20 Character 32'

Column Name: ss_note_20_char_text_33
Column Type: varchar
Max Length: 20
'SS Note 20 Character 33'

Column Name: ss_note_20_char_text_34
Column Type: varchar
Max Length: 20
'SS Note 20 Character 34'

Column Name: ss_note_20_char_text_35
Column Type: varchar
Max Length: 20
'SS Note 20 Character 35'

Column Name: ss_note_20_char_text_36
Column Type: varchar
Max Length: 20
'SS Note 20 Character 36'

Column Name: ss_note_20_char_text_37
Column Type: varchar
Max Length: 20
'SS Note 20 Character 37'

Column Name: ss_note_20_char_text_38
Column Type: varchar
Max Length: 20
'SS Note 20 Character 38'

Column Name: ss_note_20_char_text_39
Column Type: varchar
Max Length: 20
'SS Note 20 Character 39'

Column Name: ss_note_20_char_text_40
Column Type: varchar
Max Length: 20
'SS Note 20 Character 40'

Column Name: ss_note_20_char_text_41

Column Type: varchar
Max Length: 20
'SS Note 20 Character 41'

Column Name: ss_note_20_char_text_42
Column Type: varchar
Max Length: 20
'SS Note 20 Character 42'

Column Name: ss_note_20_char_text_43
Column Type: varchar
Max Length: 20
'SS Note 20 Character 43'

Column Name: ss_note_20_char_text_44
Column Type: varchar
Max Length: 20
'SS Note 20 Character 44'

Column Name: ss_note_20_char_text_45
Column Type: varchar
Max Length: 20
'SS Note 20 Character 45'

Column Name: ss_note_20_char_text_46
Column Type: varchar
Max Length: 20
'SS Note 20 Character 46'

Column Name: ss_note_20_char_text_47
Column Type: varchar
Max Length: 20
'SS Note 20 Character 47'

Column Name: ss_note_20_char_text_48
Column Type: varchar
Max Length: 20
'SS Note 20 Character 48'

Column Name: ss_note_20_char_text_49
Column Type: varchar
Max Length: 20
'SS Note 20 Character 49'

Column Name: ss_note_20_char_text_50
Column Type: varchar
Max Length: 20
'SS Note 20 Character 50'

Column Name: ss_note_40_char_text_31

Column Type: varchar
Max Length: 40
'SS Note 40 Character 31'

Column Name: ss_note_40_char_text_32
Column Type: varchar
Max Length: 40
'SS Note 40 Character 32'

Column Name: ss_note_40_char_text_33
Column Type: varchar
Max Length: 40
'SS Note 40 Character 33'

Column Name: ss_note_40_char_text_34
Column Type: varchar
Max Length: 40
'SS Note 40 Character 34'

Column Name: ss_note_40_char_text_35
Column Type: varchar
Max Length: 40
'SS Note 40 Character 35'

Column Name: ss_note_40_char_text_36
Column Type: varchar
Max Length: 40
'SS Note 40 Character 36'

Column Name: ss_note_40_char_text_37
Column Type: varchar
Max Length: 40
'SS Note 40 Character 37'

Column Name: ss_note_40_char_text_38
Column Type: varchar
Max Length: 40
'SS Note 40 Character 38'

Column Name: ss_note_40_char_text_39
Column Type: varchar
Max Length: 40
'SS Note 40 Character 39'

Column Name: ss_note_40_char_text_40
Column Type: varchar
Max Length: 40
'SS Note 40 Character 40'

Column Name: ss_note_40_char_text_41

Column Type: varchar
Max Length: 40
'SS Note 40 Character 41'

Column Name: ss_note_40_char_text_42
Column Type: varchar
Max Length: 40
'SS Note 40 Character 42'

Column Name: ss_note_40_char_text_43
Column Type: varchar
Max Length: 40
'SS Note 40 Character 43'

Column Name: ss_note_40_char_text_44
Column Type: varchar
Max Length: 40
'SS Note 40 Character 44'

Column Name: ss_note_40_char_text_45
Column Type: varchar
Max Length: 40
'SS Note 40 Character 45'

Column Name: ss_note_40_char_text_46
Column Type: varchar
Max Length: 40
'SS Note 40 Character 46'

Column Name: ss_note_40_char_text_47
Column Type: varchar
Max Length: 40
'SS Note 40 Character 47'

Column Name: ss_note_40_char_text_48
Column Type: varchar
Max Length: 40
'SS Note 40 Character 48'

Column Name: ss_note_40_char_text_49
Column Type: varchar
Max Length: 40
'SS Note 40 Character 49'

Column Name: ss_note_40_char_text_50
Column Type: varchar
Max Length: 40
'SS Note 40 Character 50'

Column Name: ss_note_80_char_text_31

Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 31'

Column Name: ss_note_80_char_text_32
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 32'

Column Name: ss_note_80_char_text_33
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 33'

Column Name: ss_note_80_char_text_34
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 34'

Column Name: ss_note_80_char_text_35
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 35'

Column Name: ss_note_80_char_text_36
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 36'

Column Name: ss_note_80_char_text_37
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 37'

Column Name: ss_note_80_char_text_38
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 38'

Column Name: ss_note_80_char_text_39
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 39'

Column Name: ss_note_80_char_text_40
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 40'

Column Name: ss_note_80_char_text_41

Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 41'

Column Name: ss_note_80_char_text_42
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 42'

Column Name: ss_note_80_char_text_43
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 43'

Column Name: ss_note_80_char_text_44
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 44'

Column Name: ss_note_80_char_text_45
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 45'

Column Name: ss_note_80_char_text_46
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 46'

Column Name: ss_note_80_char_text_47
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 47'

Column Name: ss_note_80_char_text_48
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 48'

Column Name: ss_note_80_char_text_49
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 49'

Column Name: ss_note_80_char_text_50
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 50'

Column Name: ss_note_date_31

Column Type: date
'SS Note Date 31'

Column Name: ss_note_date_32
Column Type: date
'SS Note Date 32'

Column Name: ss_note_date_33
Column Type: date
'SS Note Date 33'

Column Name: ss_note_date_34
Column Type: date
'SS Note Date 34'

Column Name: ss_note_date_35
Column Type: date
'SS Note Date 35'

Column Name: ss_note_date_36
Column Type: date
'SS Note Date 36'

Column Name: ss_note_date_37
Column Type: date
'SS Note Date 37'

Column Name: ss_note_date_38
Column Type: date
'SS Note Date 38'

Column Name: ss_note_date_39
Column Type: date
'SS Note Date 39'

Column Name: ss_note_date_40
Column Type: date
'SS Note Date 40'

Column Name: ss_note_date_41
Column Type: date
'SS Note Date 41'

Column Name: ss_note_date_42
Column Type: date
'SS Note Date 42'

Column Name: ss_note_date_43
Column Type: date
'SS Note Date 43'

Column Name: ss_note_date_44
Column Type: date
'SS Note Date 44'

Column Name: ss_note_date_45
Column Type: date
'SS Note Date 45'

Column Name: ss_note_date_46
Column Type: date
'SS Note Date 46'

Column Name: ss_note_date_47
Column Type: date
'SS Note Date 47'

Column Name: ss_note_date_48
Column Type: date
'SS Note Date 48'

Column Name: ss_note_date_49
Column Type: date
'SS Note Date 49'

Column Name: ss_note_date_50
Column Type: date
'SS Note Date 50'

Column Name: ss_note_dsm_diag_31_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 31'

Column Name: ss_note_dsm_diag_31_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_31_code. See ss_note_dsm_diag_31_code for more information.

Column Name: ss_note_dsm_diag_32_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 32'

Column Name: ss_note_dsm_diag_32_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_32_code. See ss_note_dsm_diag_32_code for more information.

Column Name: ss_note_dsm_diag_33_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 33'

Column Name: ss_note_dsm_diag_33_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_33_code. See ss_note_dsm_diag_33_code for more information.

Column Name: ss_note_dsm_diag_34_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 34'

Column Name: ss_note_dsm_diag_34_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_34_code. See ss_note_dsm_diag_34_code for more information.

Column Name: ss_note_dsm_diag_35_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 35'

Column Name: ss_note_dsm_diag_35_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_35_code. See ss_note_dsm_diag_35_code for more information.

Column Name: ss_note_dsm_diag_36_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 36'

Column Name: ss_note_dsm_diag_36_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_36_code. See ss_note_dsm_diag_36_code for more information.

Column Name: ss_note_dsm_diag_37_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 37'

Column Name: ss_note_dsm_diag_37_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_37_code. See ss_note_dsm_diag_37_code for more information.

Column Name: ss_note_dsm_diag_38_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 38'

Column Name: ss_note_dsm_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_38_code. See ss_note_dsm_diag_38_code for more information.

Column Name: ss_note_dsm_diag_39_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 39'

Column Name: ss_note_dsm_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_39_code. See ss_note_dsm_diag_39_code for more information.

Column Name: ss_note_dsm_diag_40_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 40'

Column Name: ss_note_dsm_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_40_code. See ss_note_dsm_diag_40_code for more information.

Column Name: ss_note_dsm_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 41'

Column Name: ss_note_dsm_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_41_code. See ss_note_dsm_diag_41_code for more information.

Column Name: ss_note_dsm_diag_42_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 42'

Column Name: ss_note_dsm_diag_42_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_42_code. See ss_note_dsm_diag_42_code for more information.

Column Name: ss_note_dsm_diag_43_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 43'

Column Name: ss_note_dsm_diag_43_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_43_code. See ss_note_dsm_diag_43_code for more information.

Column Name: ss_note_dsm_diag_44_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 44'

Column Name: ss_note_dsm_diag_44_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_44_code. See ss_note_dsm_diag_44_code for more information.

Column Name: ss_note_dsm_diag_45_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 45'

Column Name: ss_note_dsm_diag_45_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_45_code. See ss_note_dsm_diag_45_code for more information.

Column Name: ss_note_dsm_diag_46_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 46'

Column Name: ss_note_dsm_diag_46_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_46_code. See ss_note_dsm_diag_46_code for more information.

Column Name: ss_note_dsm_diag_47_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 47'

Column Name: ss_note_dsm_diag_47_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_47_code. See ss_note_dsm_diag_47_code for more information.

Column Name: ss_note_dsm_diag_48_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 48'

Column Name: ss_note_dsm_diag_48_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_48_code. See ss_note_dsm_diag_48_code for more information.

Column Name: ss_note_dsm_diag_49_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 49'

Column Name: ss_note_dsm_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_49_code. See ss_note_dsm_diag_49_code for more information.

Column Name: ss_note_dsm_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 50'

Column Name: ss_note_dsm_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_50_code. See ss_note_dsm_diag_50_code for more information.

Column Name: ss_note_icd9_diag_31_code

Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 31'

Column Name: ss_note_icd9_diag_31_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_31_code. See ss_note_icd9_diag_31_code for more information.

Column Name: ss_note_icd9_diag_32_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 32'

Column Name: ss_note_icd9_diag_32_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_32_code. See ss_note_icd9_diag_32_code for more information.

Column Name: ss_note_icd9_diag_33_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 33'

Column Name: ss_note_icd9_diag_33_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_33_code. See ss_note_icd9_diag_33_code for more information.

Column Name: ss_note_icd9_diag_34_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 34'

Column Name: ss_note_icd9_diag_34_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_34_code. See ss_note_icd9_diag_34_code for more information.

Column Name: ss_note_icd9_diag_35_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 35'

Column Name: ss_note_icd9_diag_35_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_35_code. See ss_note_icd9_diag_35_code for more information.

Column Name: ss_note_icd9_diag_36_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 36'

Column Name: ss_note_icd9_diag_36_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_36_code. See ss_note_icd9_diag_36_code for more information.

Column Name: ss_note_icd9_diag_37_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 37'

Column Name: ss_note_icd9_diag_37_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_37_code. See ss_note_icd9_diag_37_code for more information.

Column Name: ss_note_icd9_diag_38_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 38'

Column Name: ss_note_icd9_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_38_code. See ss_note_icd9_diag_38_code for more information.

Column Name: ss_note_icd9_diag_39_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 39'

Column Name: ss_note_icd9_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_39_code. See ss_note_icd9_diag_39_code for more information.

Column Name: ss_note_icd9_diag_40_code

Column Type: varchar

Max Length: 20
'SS Note ICD-9 Code 40'

Column Name: ss_note_icd9_diag_40_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_40_code. See ss_note_icd9_diag_40_code for more information.

Column Name: ss_note_icd9_diag_41_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 41'

Column Name: ss_note_icd9_diag_41_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_41_code. See ss_note_icd9_diag_41_code for more information.

Column Name: ss_note_icd9_diag_42_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 42'

Column Name: ss_note_icd9_diag_42_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_42_code. See ss_note_icd9_diag_42_code for more information.

Column Name: ss_note_icd9_diag_43_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 43'

Column Name: ss_note_icd9_diag_43_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_43_code. See ss_note_icd9_diag_43_code for more information.

Column Name: ss_note_icd9_diag_44_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 44'

Column Name: ss_note_icd9_diag_44_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_icd9_diag_44_code`. See `ss_note_icd9_diag_44_code` for more information.

Column Name: `ss_note_icd9_diag_45_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 45'

Column Name: `ss_note_icd9_diag_45_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_45_code`. See `ss_note_icd9_diag_45_code` for more information.

Column Name: `ss_note_icd9_diag_46_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 46'

Column Name: `ss_note_icd9_diag_46_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_46_code`. See `ss_note_icd9_diag_46_code` for more information.

Column Name: `ss_note_icd9_diag_47_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 47'

Column Name: `ss_note_icd9_diag_47_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_47_code`. See `ss_note_icd9_diag_47_code` for more information.

Column Name: `ss_note_icd9_diag_48_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 48'

Column Name: `ss_note_icd9_diag_48_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_48_code`. See `ss_note_icd9_diag_48_code` for more information.

Column Name: `ss_note_icd9_diag_49_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 49'

Column Name: ss_note_icd9_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_49_code. See ss_note_icd9_diag_49_code for more information.

Column Name: ss_note_icd9_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 50'

Column Name: ss_note_icd9_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_50_code. See ss_note_icd9_diag_50_code for more information.

Column Name: ss_note_integer_1

Column Type: integer

'SS Note Integer 1'

Column Name: ss_note_integer_2

Column Type: integer

'SS Note Integer 2'

Column Name: ss_note_integer_3

Column Type: integer

'SS Note Integer 3'

Column Name: ss_note_integer_4

Column Type: integer

'SS Note Integer 4'

Column Name: ss_note_integer_5

Column Type: integer

'SS Note Integer 5'

Column Name: ss_note_integer_6

Column Type: integer

'SS Note Integer 6'

Column Name: ss_note_multi_dict_31_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 31'

Column Name: ss_note_multi_dict_31_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_31_code. See ss_note_multi_dict_31_code for more information.

Column Name: ss_note_multi_dict_32_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 32'

Column Name: ss_note_multi_dict_32_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_32_code. See ss_note_multi_dict_32_code for more information.

Column Name: ss_note_multi_dict_33_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 33'

Column Name: ss_note_multi_dict_33_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_33_code. See ss_note_multi_dict_33_code for more information.

Column Name: ss_note_multi_dict_34_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 34'

Column Name: ss_note_multi_dict_34_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_34_code. See ss_note_multi_dict_34_code for more information.

Column Name: ss_note_multi_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 35'

Column Name: ss_note_multi_dict_35_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_35_code. See ss_note_multi_dict_35_code for more information.

Column Name: ss_note_multi_dict_36_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 36'

Column Name: ss_note_multi_dict_36_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_36_code. See ss_note_multi_dict_36_code for more information.

Column Name: ss_note_multi_dict_37_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 37'

Column Name: ss_note_multi_dict_37_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_37_code. See ss_note_multi_dict_37_code for more information.

Column Name: ss_note_multi_dict_38_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 38'

Column Name: ss_note_multi_dict_38_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_38_code. See ss_note_multi_dict_38_code for more information.

Column Name: ss_note_multi_dict_39_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 39'

Column Name: ss_note_multi_dict_39_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_39_code. See ss_note_multi_dict_39_code for more information.

Column Name: ss_note_multi_dict_40_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 40'

Column Name: ss_note_multi_dict_40_value
Column Type: varchar
Max Length: 32700

The description associated with ss_note_multi_dict_40_code. See ss_note_multi_dict_40_code for more information.

Column Name: ss_note_multi_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 41'

Column Name: ss_note_multi_dict_41_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_41_code. See ss_note_multi_dict_41_code for more information.

Column Name: ss_note_multi_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 42'

Column Name: ss_note_multi_dict_42_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_42_code. See ss_note_multi_dict_42_code for more information.

Column Name: ss_note_multi_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 43'

Column Name: ss_note_multi_dict_43_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_43_code. See ss_note_multi_dict_43_code for more information.

Column Name: ss_note_multi_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 44'

Column Name: ss_note_multi_dict_44_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_44_code. See ss_note_multi_dict_44_code for more information.

Column Name: ss_note_multi_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 45'

Column Name: ss_note_multi_dict_45_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_45_code. See ss_note_multi_dict_45_code for more information.

Column Name: ss_note_multi_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 46'

Column Name: ss_note_multi_dict_46_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_46_code. See ss_note_multi_dict_46_code for more information.

Column Name: ss_note_multi_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 47'

Column Name: ss_note_multi_dict_47_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_47_code. See ss_note_multi_dict_47_code for more information.

Column Name: ss_note_multi_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 48'

Column Name: ss_note_multi_dict_48_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_48_code. See ss_note_multi_dict_48_code for more information.

Column Name: ss_note_multi_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 49'

Column Name: ss_note_multi_dict_49_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_49_code. See ss_note_multi_dict_49_code for more information.

Column Name: ss_note_multi_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 50'

Column Name: ss_note_multi_dict_50_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_50_code. See ss_note_multi_dict_50_code for more information.

Column Name: ss_note_scroll_text_31

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 31'

Column Name: ss_note_scroll_text_32

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 32'

Column Name: ss_note_scroll_text_33

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 33'

Column Name: ss_note_scroll_text_34

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 34'

Column Name: ss_note_scroll_text_35

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 35'

Column Name: ss_note_scroll_text_36

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 36'

Column Name: ss_note_scroll_text_37

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 37'

Column Name: ss_note_scroll_text_38

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 38'

Column Name: ss_note_scroll_text_39
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 39'

Column Name: ss_note_scroll_text_40
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 40'

Column Name: ss_note_scroll_text_41
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 41'

Column Name: ss_note_scroll_text_42
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 42'

Column Name: ss_note_scroll_text_43
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 43'

Column Name: ss_note_scroll_text_44
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 44'

Column Name: ss_note_scroll_text_45
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 45'

Column Name: ss_note_scroll_text_46
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 46'

Column Name: ss_note_scroll_text_47
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 47'

Column Name: ss_note_scroll_text_48

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 48'

Column Name: ss_note_scroll_text_49
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 49'

Column Name: ss_note_scroll_text_50
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 50'

Column Name: ss_note_sing_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 31'

Column Name: ss_note_sing_dict_31_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_31_code. See ss_note_sing_dict_31_code for more information.

Column Name: ss_note_sing_dict_32_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 32'

Column Name: ss_note_sing_dict_32_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_32_code. See ss_note_sing_dict_32_code for more information.

Column Name: ss_note_sing_dict_33_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 33'

Column Name: ss_note_sing_dict_33_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_33_code. See ss_note_sing_dict_33_code for more information.

Column Name: ss_note_sing_dict_34_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 34'

Column Name: ss_note_sing_dict_34_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_34_code. See ss_note_sing_dict_34_code for more information.

Column Name: ss_note_sing_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 35'

Column Name: ss_note_sing_dict_35_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_35_code. See ss_note_sing_dict_35_code for more information.

Column Name: ss_note_sing_dict_36_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 36'

Column Name: ss_note_sing_dict_36_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_36_code. See ss_note_sing_dict_36_code for more information.

Column Name: ss_note_sing_dict_37_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 37'

Column Name: ss_note_sing_dict_37_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_37_code. See ss_note_sing_dict_37_code for more information.

Column Name: ss_note_sing_dict_38_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 38'

Column Name: ss_note_sing_dict_38_value

Column Type: varchar

Max Length: 80

The description associated with `ss_note_sing_dict_38_code`. See `ss_note_sing_dict_38_code` for more information.

Column Name: `ss_note_sing_dict_39_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 39'

Column Name: `ss_note_sing_dict_39_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_39_code`. See `ss_note_sing_dict_39_code` for more information.

Column Name: `ss_note_sing_dict_40_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 40'

Column Name: `ss_note_sing_dict_40_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_40_code`. See `ss_note_sing_dict_40_code` for more information.

Column Name: `ss_note_sing_dict_41_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 41'

Column Name: `ss_note_sing_dict_41_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_41_code`. See `ss_note_sing_dict_41_code` for more information.

Column Name: `ss_note_sing_dict_42_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 42'

Column Name: `ss_note_sing_dict_42_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_42_code`. See `ss_note_sing_dict_42_code` for more information.

Column Name: `ss_note_sing_dict_43_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 43'

Column Name: ss_note_sing_dict_43_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_43_code. See ss_note_sing_dict_43_code for more information.

Column Name: ss_note_sing_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 44'

Column Name: ss_note_sing_dict_44_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_44_code. See ss_note_sing_dict_44_code for more information.

Column Name: ss_note_sing_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 45'

Column Name: ss_note_sing_dict_45_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_45_code. See ss_note_sing_dict_45_code for more information.

Column Name: ss_note_sing_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 46'

Column Name: ss_note_sing_dict_46_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_46_code. See ss_note_sing_dict_46_code for more information.

Column Name: ss_note_sing_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 47'

Column Name: ss_note_sing_dict_47_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_47_code. See ss_note_sing_dict_47_code for more information.

Column Name: ss_note_sing_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 48'

Column Name: ss_note_sing_dict_48_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_48_code. See ss_note_sing_dict_48_code for more information.

Column Name: ss_note_sing_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 49'

Column Name: ss_note_sing_dict_49_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_49_code. See ss_note_sing_dict_49_code for more information.

Column Name: ss_note_sing_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 50'

Column Name: ss_note_sing_dict_50_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_50_code. See ss_note_sing_dict_50_code for more information.

Column Name: ss_note_time_31

Column Type: varchar

Max Length: 50

'SS Note Time 31'

Column Name: ss_note_time_32

Column Type: varchar

Max Length: 50

'SS Note Time 32'

Column Name: ss_note_time_33

Column Type: varchar

Max Length: 50

'SS Note Time 33'

Column Name: ss_note_time_34
Column Type: varchar
Max Length: 50
'SS Note Time 34'

Column Name: ss_note_time_35
Column Type: varchar
Max Length: 50
'SS Note Time 35'

Column Name: ss_note_time_36
Column Type: varchar
Max Length: 50
'SS Note Time 36'

Column Name: ss_note_time_37
Column Type: varchar
Max Length: 50
'SS Note Time 37'

Column Name: ss_note_time_38
Column Type: varchar
Max Length: 50
'SS Note Time 38'

Column Name: ss_note_time_39
Column Type: varchar
Max Length: 50
'SS Note Time 39'

Column Name: ss_note_time_40
Column Type: varchar
Max Length: 50
'SS Note Time 40'

Column Name: ss_note_time_41
Column Type: varchar
Max Length: 50
'SS Note Time 41'

Column Name: ss_note_time_42
Column Type: varchar
Max Length: 50
'SS Note Time 42'

Column Name: ss_note_time_43
Column Type: varchar
Max Length: 50
'SS Note Time 43'

Column Name: ss_note_time_44
Column Type: varchar
Max Length: 50
'SS Note Time 44'

Column Name: ss_note_time_45
Column Type: varchar
Max Length: 50
'SS Note Time 45'

Column Name: ss_note_time_46
Column Type: varchar
Max Length: 50
'SS Note Time 46'

Column Name: ss_note_time_47
Column Type: varchar
Max Length: 50
'SS Note Time 47'

Column Name: ss_note_time_48
Column Type: varchar
Max Length: 50
'SS Note Time 48'

Column Name: ss_note_time_49
Column Type: varchar
Max Length: 50
'SS Note Time 49'

Column Name: ss_note_time_50
Column Type: varchar
Max Length: 50
'SS Note Time 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp_2

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp2 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: ss_note_integer_10

Column Type: integer

'SS Note Integer 10'

Column Name: ss_note_integer_11

Column Type: integer
'SS Note Integer 11'

Column Name: ss_note_integer_12
Column Type: integer
'SS Note Integer 12'

Column Name: ss_note_integer_13
Column Type: integer
'SS Note Integer 13'

Column Name: ss_note_integer_14
Column Type: integer
'SS Note Integer 14'

Column Name: ss_note_integer_15
Column Type: integer
'SS Note Integer 15'

Column Name: ss_note_integer_16
Column Type: integer
'SS Note Integer 16'

Column Name: ss_note_integer_17
Column Type: integer
'SS Note Integer 17'

Column Name: ss_note_integer_18
Column Type: integer
'SS Note Integer 18'

Column Name: ss_note_integer_19
Column Type: integer
'SS Note Integer 19'

Column Name: ss_note_integer_20
Column Type: integer
'SS Note Integer 20'

Column Name: ss_note_integer_21
Column Type: integer
'SS Note Integer 21'

Column Name: ss_note_integer_22
Column Type: integer
'SS Note Integer 22'

Column Name: ss_note_integer_23
Column Type: integer
'SS Note Integer 23'

Column Name: ss_note_integer_24
Column Type: integer
'SS Note Integer 24'

Column Name: ss_note_integer_25
Column Type: integer
'SS Note Integer 25'

Column Name: ss_note_integer_26
Column Type: integer
'SS Note Integer 26'

Column Name: ss_note_integer_27
Column Type: integer
'SS Note Integer 27'

Column Name: ss_note_integer_28
Column Type: integer
'SS Note Integer 28'

Column Name: ss_note_integer_29
Column Type: integer
'SS Note Integer 29'

Column Name: ss_note_integer_30
Column Type: integer
'SS Note Integer 30'

Column Name: ss_note_integer_31
Column Type: integer
'SS Note Integer 31'

Column Name: ss_note_integer_32
Column Type: integer
'SS Note Integer 32'

Column Name: ss_note_integer_33
Column Type: integer
'SS Note Integer 33'

Column Name: ss_note_integer_34
Column Type: integer
'SS Note Integer 34'

Column Name: ss_note_integer_35
Column Type: integer
'SS Note Integer 35'

Column Name: ss_note_integer_36

Column Type: integer
'SS Note Integer 36'

Column Name: ss_note_integer_37
Column Type: integer
'SS Note Integer 37'

Column Name: ss_note_integer_38
Column Type: integer
'SS Note Integer 38'

Column Name: ss_note_integer_39
Column Type: integer
'SS Note Integer 39'

Column Name: ss_note_integer_40
Column Type: integer
'SS Note Integer 40'

Column Name: ss_note_integer_41
Column Type: integer
'SS Note Integer 41'

Column Name: ss_note_integer_42
Column Type: integer
'SS Note Integer 42'

Column Name: ss_note_integer_43
Column Type: integer
'SS Note Integer 43'

Column Name: ss_note_integer_44
Column Type: integer
'SS Note Integer 44'

Column Name: ss_note_integer_45
Column Type: integer
'SS Note Integer 45'

Column Name: ss_note_integer_46
Column Type: integer
'SS Note Integer 46'

Column Name: ss_note_integer_47
Column Type: integer
'SS Note Integer 47'

Column Name: ss_note_integer_48
Column Type: integer
'SS Note Integer 48'

Column Name: ss_note_integer_49
Column Type: integer
'SS Note Integer 49'

Column Name: ss_note_integer_50
Column Type: integer
'SS Note Integer 50'

Column Name: ss_note_integer_7
Column Type: integer
'SS Note Integer 7'

Column Name: ss_note_integer_8
Column Type: integer
'SS Note Integer 8'

Column Name: ss_note_integer_9
Column Type: integer
'SS Note Integer 9'

Column Name: ss_note_staff_11
Column Type: varchar
Max Length: 20
'SS Note Staff Member 11'

Column Name: ss_note_staff_12
Column Type: varchar
Max Length: 20
'SS Note Staff Member 12'

Column Name: ss_note_staff_13
Column Type: varchar
Max Length: 20
'SS Note Staff Member 13'

Column Name: ss_note_staff_14
Column Type: varchar
Max Length: 20
'SS Note Staff Member 14'

Column Name: ss_note_staff_15
Column Type: varchar
Max Length: 20
'SS Note Staff Member 15'

Column Name: ss_note_staff_16
Column Type: varchar
Max Length: 20
'SS Note Staff Member 16'

Column Name: ss_note_staff_17
Column Type: varchar
Max Length: 20
'SS Note Staff Member 17'

Column Name: ss_note_staff_18
Column Type: varchar
Max Length: 20
'SS Note Staff Member 18'

Column Name: ss_note_staff_19
Column Type: varchar
Max Length: 20
'SS Note Staff Member 19'

Column Name: ss_note_staff_20
Column Type: varchar
Max Length: 20
'SS Note Staff Member 20'

Column Name: ss_note_staff_21
Column Type: varchar
Max Length: 20
'SS Note Staff Member 21'

Column Name: ss_note_staff_22
Column Type: varchar
Max Length: 20
'SS Note Staff Member 22'

Column Name: ss_note_staff_23
Column Type: varchar
Max Length: 20
'SS Note Staff Member 23'

Column Name: ss_note_staff_24
Column Type: varchar
Max Length: 20
'SS Note Staff Member 24'

Column Name: ss_note_staff_25
Column Type: varchar
Max Length: 20
'SS Note Staff Member 25'

Column Name: ss_note_staff_26
Column Type: varchar
Max Length: 20
'SS Note Staff Member 26'

Column Name: ss_note_staff_27
Column Type: varchar
Max Length: 20
'SS Note Staff Member 27'

Column Name: ss_note_staff_28
Column Type: varchar
Max Length: 20
'SS Note Staff Member 28'

Column Name: ss_note_staff_29
Column Type: varchar
Max Length: 20
'SS Note Staff Member 29'

Column Name: ss_note_staff_30
Column Type: varchar
Max Length: 20
'SS Note Staff Member 30'

Column Name: ss_note_staff_31
Column Type: varchar
Max Length: 20
'SS Note Staff Member 31'

Column Name: ss_note_staff_32
Column Type: varchar
Max Length: 20
'SS Note Staff Member 32'

Column Name: ss_note_staff_33
Column Type: varchar
Max Length: 20
'SS Note Staff Member 33'

Column Name: ss_note_staff_34
Column Type: varchar
Max Length: 20
'SS Note Staff Member 34'

Column Name: ss_note_staff_35
Column Type: varchar
Max Length: 20
'SS Note Staff Member 35'

Column Name: ss_note_staff_36
Column Type: varchar
Max Length: 20
'SS Note Staff Member 36'

Column Name: ss_note_staff_37
Column Type: varchar
Max Length: 20
'SS Note Staff Member 37'

Column Name: ss_note_staff_38
Column Type: varchar
Max Length: 20
'SS Note Staff Member 38'

Column Name: ss_note_staff_39
Column Type: varchar
Max Length: 20
'SS Note Staff Member 39'

Column Name: ss_note_staff_40
Column Type: varchar
Max Length: 20
'SS Note Staff Member 40'

Column Name: ss_note_staff_41
Column Type: varchar
Max Length: 20
'SS Note Staff Member 41'

Column Name: ss_note_staff_42
Column Type: varchar
Max Length: 20
'SS Note Staff Member 42'

Column Name: ss_note_staff_43
Column Type: varchar
Max Length: 20
'SS Note Staff Member 43'

Column Name: ss_note_staff_44
Column Type: varchar
Max Length: 20
'SS Note Staff Member 44'

Column Name: ss_note_staff_45
Column Type: varchar
Max Length: 20
'SS Note Staff Member 45'

Column Name: ss_note_staff_46
Column Type: varchar
Max Length: 20
'SS Note Staff Member 46'

Column Name: ss_note_staff_47
Column Type: varchar
Max Length: 20
'SS Note Staff Member 47'

Column Name: ss_note_staff_48
Column Type: varchar
Max Length: 20
'SS Note Staff Member 48'

Column Name: ss_note_staff_49
Column Type: varchar
Max Length: 20
'SS Note Staff Member 49'

Column Name: ss_note_staff_50
Column Type: varchar
Max Length: 20
'SS Note Staff Member 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp_3

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp3 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
The form number of the form that last updated the row.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notec_multi_dict_10_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 10'

Column Name: ss_notec_multi_dict_10_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_10_code. See ss_notec_multi_dict_10_code for more information.

Column Name: ss_notec_multi_dict_11_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_notec_multi_dict_11_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_11_code. See ss_notec_multi_dict_11_code for more information.

Column Name: ss_notec_multi_dict_12_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_notec_multi_dict_12_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_12_code. See ss_notec_multi_dict_12_code for more information.

Column Name: ss_notec_multi_dict_13_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_notec_multi_dict_13_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_13_code. See ss_notec_multi_dict_13_code for more information.

Column Name: ss_notec_multi_dict_14_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_notec_multi_dict_14_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_14_code. See ss_notec_multi_dict_14_code for more information.

Column Name: ss_notec_multi_dict_15_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_notec_multi_dict_15_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_15_code. See ss_notec_multi_dict_15_code for more information.

Column Name: ss_notec_multi_dict_16_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_notec_multi_dict_16_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_16_code. See ss_notec_multi_dict_16_code for more information.

Column Name: ss_notec_multi_dict_17_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_notec_multi_dict_17_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_17_code. See ss_notec_multi_dict_17_code for more information.

Column Name: ss_notec_multi_dict_18_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_notec_multi_dict_18_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_18_code. See ss_notec_multi_dict_18_code for more information.

Column Name: ss_notec_multi_dict_19_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_notec_multi_dict_19_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_19_code. See ss_notec_multi_dict_19_code for more information.

Column Name: ss_notec_multi_dict_1_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 1'

Column Name: ss_notec_multi_dict_1_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_1_code. See ss_notec_multi_dict_1_code for more information.

Column Name: ss_notec_multi_dict_20_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_notec_multi_dict_20_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_20_code. See ss_notec_multi_dict_20_code for more information.

Column Name: ss_notec_multi_dict_21_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_notec_multi_dict_21_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_21_code. See ss_notec_multi_dict_21_code for more information.

Column Name: ss_notec_multi_dict_22_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_notec_multi_dict_22_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_22_code. See ss_notec_multi_dict_22_code for more information.

Column Name: ss_notec_multi_dict_23_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_notec_multi_dict_23_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_23_code. See ss_notec_multi_dict_23_code for more information.

Column Name: ss_notec_multi_dict_24_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_notec_multi_dict_24_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_24_code. See ss_notec_multi_dict_24_code for more information.

Column Name: ss_notec_multi_dict_25_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_notec_multi_dict_25_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_25_code. See ss_notec_multi_dict_25_code for more information.

Column Name: ss_notec_multi_dict_26_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_notec_multi_dict_26_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_26_code. See ss_notec_multi_dict_26_code for more information.

Column Name: ss_notec_multi_dict_27_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_notec_multi_dict_27_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_27_code. See ss_notec_multi_dict_27_code for more information.

Column Name: ss_notec_multi_dict_28_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_notec_multi_dict_28_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_28_code. See ss_notec_multi_dict_28_code for more information.

Column Name: ss_notec_multi_dict_29_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_notec_multi_dict_29_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_29_code. See ss_notec_multi_dict_29_code for more information.

Column Name: ss_notec_multi_dict_2_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 2'

Column Name: ss_notec_multi_dict_2_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_2_code. See ss_notec_multi_dict_2_code for more information.

Column Name: ss_notec_multi_dict_30_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_notec_multi_dict_30_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_30_code. See ss_notec_multi_dict_30_code for more information.

Column Name: ss_notec_multi_dict_31_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 31'

Column Name: ss_notec_multi_dict_31_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_31_code. See ss_notec_multi_dict_31_code for more information.

Column Name: ss_notec_multi_dict_32_code

Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 32'

Column Name: ss_notec_multi_dict_32_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_32_code. See ss_notec_multi_dict_32_code for more information.

Column Name: ss_notec_multi_dict_33_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 33'

Column Name: ss_notec_multi_dict_33_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_33_code. See ss_notec_multi_dict_33_code for more information.

Column Name: ss_notec_multi_dict_34_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 34'

Column Name: ss_notec_multi_dict_34_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_34_code. See ss_notec_multi_dict_34_code for more information.

Column Name: ss_notec_multi_dict_35_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 35'

Column Name: ss_notec_multi_dict_35_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_35_code. See ss_notec_multi_dict_35_code for more information.

Column Name: ss_notec_multi_dict_36_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 36'

Column Name: ss_notec_multi_dict_36_value
Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_36_code. See ss_notec_multi_dict_36_code for more information.

Column Name: ss_notec_multi_dict_37_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 37'

Column Name: ss_notec_multi_dict_37_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_37_code. See ss_notec_multi_dict_37_code for more information.

Column Name: ss_notec_multi_dict_38_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 38'

Column Name: ss_notec_multi_dict_38_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_38_code. See ss_notec_multi_dict_38_code for more information.

Column Name: ss_notec_multi_dict_39_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 39'

Column Name: ss_notec_multi_dict_39_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_39_code. See ss_notec_multi_dict_39_code for more information.

Column Name: ss_notec_multi_dict_3_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 3'

Column Name: ss_notec_multi_dict_3_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_3_code. See ss_notec_multi_dict_3_code for more information.

Column Name: ss_notec_multi_dict_40_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 40'

Column Name: ss_notec_multi_dict_40_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_40_code. See ss_notec_multi_dict_40_code for more information.

Column Name: ss_notec_multi_dict_41_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 41'

Column Name: ss_notec_multi_dict_41_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_41_code. See ss_notec_multi_dict_41_code for more information.

Column Name: ss_notec_multi_dict_42_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 42'

Column Name: ss_notec_multi_dict_42_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_42_code. See ss_notec_multi_dict_42_code for more information.

Column Name: ss_notec_multi_dict_43_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 43'

Column Name: ss_notec_multi_dict_43_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_43_code. See ss_notec_multi_dict_43_code for more information.

Column Name: ss_notec_multi_dict_44_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 44'

Column Name: ss_notec_multi_dict_44_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_44_code. See ss_notec_multi_dict_44_code for more information.

Column Name: ss_notec_multi_dict_45_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 45'

Column Name: ss_notec_multi_dict_45_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_45_code. See ss_notec_multi_dict_45_code for more information.

Column Name: ss_notec_multi_dict_46_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 46'

Column Name: ss_notec_multi_dict_46_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_46_code. See ss_notec_multi_dict_46_code for more information.

Column Name: ss_notec_multi_dict_47_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 47'

Column Name: ss_notec_multi_dict_47_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_47_code. See ss_notec_multi_dict_47_code for more information.

Column Name: ss_notec_multi_dict_48_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 48'

Column Name: ss_notec_multi_dict_48_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_48_code. See ss_notec_multi_dict_48_code for more information.

Column Name: ss_notec_multi_dict_49_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 49'

Column Name: ss_notec_multi_dict_49_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_49_code. See ss_notec_multi_dict_49_code for more information.

Column Name: ss_notec_multi_dict_4_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 4'

Column Name: ss_notec_multi_dict_4_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_4_code. See ss_notec_multi_dict_4_code for more information.

Column Name: ss_notec_multi_dict_50_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 50'

Column Name: ss_notec_multi_dict_50_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_50_code. See ss_notec_multi_dict_50_code for more information.

Column Name: ss_notec_multi_dict_5_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 5'

Column Name: ss_notec_multi_dict_5_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_5_code. See ss_notec_multi_dict_5_code for more information.

Column Name: ss_notec_multi_dict_6_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 6'

Column Name: ss_notec_multi_dict_6_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_6_code`. See `ss_notec_multi_dict_6_code` for more information.

Column Name: `ss_notec_multi_dict_7_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 7'

Column Name: `ss_notec_multi_dict_7_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_7_code`. See `ss_notec_multi_dict_7_code` for more information.

Column Name: `ss_notec_multi_dict_8_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 8'

Column Name: `ss_notec_multi_dict_8_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_8_code`. See `ss_notec_multi_dict_8_code` for more information.

Column Name: `ss_notec_multi_dict_9_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 9'

Column Name: `ss_notec_multi_dict_9_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_9_code`. See `ss_notec_multi_dict_9_code` for more information.

Column Name: `ss_notec_sing_dict_10_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 10'

Column Name: `ss_notec_sing_dict_10_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notec_sing_dict_10_code`. See `ss_notec_sing_dict_10_code` for more information.

Column Name: `ss_notec_sing_dict_11_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Single Response Dictionary 11'

Column Name: ss_notec_sing_dict_11_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_11_code. See ss_notec_sing_dict_11_code for more information.

Column Name: ss_notec_sing_dict_12_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 12'

Column Name: ss_notec_sing_dict_12_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_12_code. See ss_notec_sing_dict_12_code for more information.

Column Name: ss_notec_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 13'

Column Name: ss_notec_sing_dict_13_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_13_code. See ss_notec_sing_dict_13_code for more information.

Column Name: ss_notec_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 14'

Column Name: ss_notec_sing_dict_14_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_14_code. See ss_notec_sing_dict_14_code for more information.

Column Name: ss_notec_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 15'

Column Name: ss_notec_sing_dict_15_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_15_code. See ss_notec_sing_dict_15_code for more information.

Column Name: ss_notec_sing_dict_16_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 16'

Column Name: ss_notec_sing_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_16_code. See ss_notec_sing_dict_16_code for more information.

Column Name: ss_notec_sing_dict_17_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 17'

Column Name: ss_notec_sing_dict_17_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_17_code. See ss_notec_sing_dict_17_code for more information.

Column Name: ss_notec_sing_dict_18_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 18'

Column Name: ss_notec_sing_dict_18_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_18_code. See ss_notec_sing_dict_18_code for more information.

Column Name: ss_notec_sing_dict_19_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 19'

Column Name: ss_notec_sing_dict_19_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_19_code. See ss_notec_sing_dict_19_code for more information.

Column Name: ss_notec_sing_dict_1_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 1'

Column Name: ss_notec_sing_dict_1_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_1_code. See ss_notec_sing_dict_1_code for more information.

Column Name: ss_notec_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 20'

Column Name: ss_notec_sing_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_20_code. See ss_notec_sing_dict_20_code for more information.

Column Name: ss_notec_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 21'

Column Name: ss_notec_sing_dict_21_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_21_code. See ss_notec_sing_dict_21_code for more information.

Column Name: ss_notec_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 22'

Column Name: ss_notec_sing_dict_22_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_22_code. See ss_notec_sing_dict_22_code for more information.

Column Name: ss_notec_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 23'

Column Name: ss_notec_sing_dict_23_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_23_code. See ss_notec_sing_dict_23_code for more information.

Column Name: ss_notec_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 24'

Column Name: ss_notec_sing_dict_24_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_24_code. See ss_notec_sing_dict_24_code for more information.

Column Name: ss_notec_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 25'

Column Name: ss_notec_sing_dict_25_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_25_code. See ss_notec_sing_dict_25_code for more information.

Column Name: ss_notec_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 26'

Column Name: ss_notec_sing_dict_26_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_26_code. See ss_notec_sing_dict_26_code for more information.

Column Name: ss_notec_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 27'

Column Name: ss_notec_sing_dict_27_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_27_code. See ss_notec_sing_dict_27_code for more information.

Column Name: ss_notec_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 28'

Column Name: ss_notec_sing_dict_28_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_28_code. See ss_notec_sing_dict_28_code for more information.

Column Name: ss_notec_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 29'

Column Name: ss_notec_sing_dict_29_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_29_code. See ss_notec_sing_dict_29_code for more information.

Column Name: ss_notec_sing_dict_2_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 2'

Column Name: ss_notec_sing_dict_2_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_2_code. See ss_notec_sing_dict_2_code for more information.

Column Name: ss_notec_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 30'

Column Name: ss_notec_sing_dict_30_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_30_code. See ss_notec_sing_dict_30_code for more information.

Column Name: ss_notec_sing_dict_31_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 31'

Column Name: ss_notec_sing_dict_31_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_31_code. See ss_notec_sing_dict_31_code for more information.

Column Name: ss_notec_sing_dict_32_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 32'

Column Name: ss_notec_sing_dict_32_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_32_code. See ss_notec_sing_dict_32_code for more information.

Column Name: ss_notec_sing_dict_33_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 33'

Column Name: ss_notec_sing_dict_33_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_33_code. See ss_notec_sing_dict_33_code for more information.

Column Name: ss_notec_sing_dict_34_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 34'

Column Name: ss_notec_sing_dict_34_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_34_code. See ss_notec_sing_dict_34_code for more information.

Column Name: ss_notec_sing_dict_35_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 35'

Column Name: ss_notec_sing_dict_35_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_35_code. See ss_notec_sing_dict_35_code for more information.

Column Name: ss_notec_sing_dict_36_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 36'

Column Name: ss_notec_sing_dict_36_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_36_code. See ss_notec_sing_dict_36_code for more information.

Column Name: ss_notec_sing_dict_37_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 37'

Column Name: ss_notec_sing_dict_37_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_37_code. See ss_notec_sing_dict_37_code for more information.

Column Name: ss_notec_sing_dict_38_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 38'

Column Name: ss_notec_sing_dict_38_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_38_code. See ss_notec_sing_dict_38_code for more information.

Column Name: ss_notec_sing_dict_39_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 39'

Column Name: ss_notec_sing_dict_39_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_39_code. See ss_notec_sing_dict_39_code for more information.

Column Name: ss_notec_sing_dict_3_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 3'

Column Name: ss_notec_sing_dict_3_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_3_code. See ss_notec_sing_dict_3_code for more information.

Column Name: ss_notec_sing_dict_40_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 40'

Column Name: ss_notec_sing_dict_40_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_40_code. See ss_notec_sing_dict_40_code for more information.

Column Name: ss_notec_sing_dict_41_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 41'

Column Name: ss_notec_sing_dict_41_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_41_code. See ss_notec_sing_dict_41_code for more information.

Column Name: ss_notec_sing_dict_42_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 42'

Column Name: ss_notec_sing_dict_42_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_42_code. See ss_notec_sing_dict_42_code for more information.

Column Name: ss_notec_sing_dict_43_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 43'

Column Name: ss_notec_sing_dict_43_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_43_code. See ss_notec_sing_dict_43_code for more information.

Column Name: ss_notec_sing_dict_44_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 44'

Column Name: ss_notec_sing_dict_44_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_44_code. See ss_notec_sing_dict_44_code for more information.

Column Name: ss_notec_sing_dict_45_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 45'

Column Name: ss_notec_sing_dict_45_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_45_code. See ss_notec_sing_dict_45_code for more information.

Column Name: ss_notec_sing_dict_46_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 46'

Column Name: ss_notec_sing_dict_46_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_46_code. See ss_notec_sing_dict_46_code for more information.

Column Name: ss_notec_sing_dict_47_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 47'

Column Name: ss_notec_sing_dict_47_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_47_code. See ss_notec_sing_dict_47_code for more information.

Column Name: ss_notec_sing_dict_48_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 48'

Column Name: ss_notec_sing_dict_48_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_48_code. See ss_notec_sing_dict_48_code for more information.

Column Name: ss_notec_sing_dict_49_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 49'

Column Name: ss_notec_sing_dict_49_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_49_code. See ss_notec_sing_dict_49_code for more information.

Column Name: ss_notec_sing_dict_4_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 4'

Column Name: ss_notec_sing_dict_4_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_4_code. See ss_notec_sing_dict_4_code for more information.

Column Name: ss_notec_sing_dict_50_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 50'

Column Name: ss_notec_sing_dict_50_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_50_code. See ss_notec_sing_dict_50_code for more information.

Column Name: ss_notec_sing_dict_5_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 5'

Column Name: ss_notec_sing_dict_5_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_5_code. See ss_notec_sing_dict_5_code for more information.

Column Name: ss_notec_sing_dict_6_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 6'

Column Name: ss_notec_sing_dict_6_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_6_code. See ss_notec_sing_dict_6_code for more information.

Column Name: ss_notec_sing_dict_7_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 7'

Column Name: ss_notec_sing_dict_7_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_7_code. See ss_notec_sing_dict_7_code for more information.

Column Name: ss_notec_sing_dict_8_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 8'

Column Name: ss_notec_sing_dict_8_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_8_code. See ss_notec_sing_dict_8_code for more information.

Column Name: ss_notec_sing_dict_9_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 9'

Column Name: ss_notec_sing_dict_9_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_9_code. See ss_notec_sing_dict_9_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp_4

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp4 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a progress note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID

Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mult_dic_51_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 51'

Column Name: ss_notc_mult_dic_51_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_51_code. See ss_notc_mult_dic_51_code for more information.

Column Name: ss_notc_mult_dic_52_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 52'

Column Name: ss_notc_mult_dic_52_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_52_code. See ss_notc_mult_dic_52_code for more information.

Column Name: ss_notc_mult_dic_53_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 53'

Column Name: ss_notc_mult_dic_53_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_53_code. See ss_notc_mult_dic_53_code for more information.

Column Name: ss_notc_mult_dic_54_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 54'

Column Name: ss_notc_mult_dic_54_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_54_code. See ss_notc_mult_dic_54_code for more information.

Column Name: ss_notc_mult_dic_55_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 55'

Column Name: ss_notc_mult_dic_55_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_55_code. See ss_notc_mult_dic_55_code for more information.

Column Name: ss_notc_mult_dic_56_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 56'

Column Name: ss_notc_mult_dic_56_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_56_code. See ss_notc_mult_dic_56_code for more information.

Column Name: ss_notc_mult_dic_57_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 57'

Column Name: ss_notc_mult_dic_57_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_57_code. See ss_notc_mult_dic_57_code for more information.

Column Name: ss_notc_mult_dic_58_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 58'

Column Name: ss_notc_mult_dic_58_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_58_code. See ss_notc_mult_dic_58_code for more information.

Column Name: ss_notc_mult_dic_59_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 59'

Column Name: ss_notc_mult_dic_59_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_59_code. See ss_notc_mult_dic_59_code for more information.

Column Name: ss_notc_mult_dic_60_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 60'

Column Name: ss_notc_mult_dic_60_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_60_code. See ss_notc_mult_dic_60_code for more information.

Column Name: ss_notc_mult_dic_61_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 61'

Column Name: ss_notc_mult_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_61_code. See ss_notc_mult_dic_61_code for more information.

Column Name: ss_notc_mult_dic_62_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 62'

Column Name: ss_notc_mult_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_62_code. See ss_notc_mult_dic_62_code for more information.

Column Name: ss_notc_mult_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 63'

Column Name: ss_notc_mult_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_63_code. See ss_notc_mult_dic_63_code for more information.

Column Name: ss_notc_mult_dic_64_code

Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 64'

Column Name: ss_notc_mult_dic_64_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_64_code. See ss_notc_mult_dic_64_code for more information.

Column Name: ss_notc_mult_dic_65_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 65'

Column Name: ss_notc_mult_dic_65_value
Column Type: varchar
Max Length: 265
The description associated with ss_notc_mult_dic_65_code. See ss_notc_mult_dic_65_code for more information.

Column Name: ss_notc_mult_dic_66_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 66'

Column Name: ss_notc_mult_dic_66_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_66_code. See ss_notc_mult_dic_66_code for more information.

Column Name: ss_notc_mult_dic_67_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 67'

Column Name: ss_notc_mult_dic_67_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_67_code. See ss_notc_mult_dic_67_code for more information.

Column Name: ss_notc_mult_dic_68_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 68'

Column Name: ss_notc_mult_dic_68_value
Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_68_code. See ss_notc_mult_dic_68_code for more information.

Column Name: ss_notc_mult_dic_69_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 69'

Column Name: ss_notc_mult_dic_69_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_69_code. See ss_notc_mult_dic_69_code for more information.

Column Name: ss_notc_mult_dic_70_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 70'

Column Name: ss_notc_mult_dic_70_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_70_code. See ss_notc_mult_dic_70_code for more information.

Column Name: ss_notc_mult_dic_71_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 71'

Column Name: ss_notc_mult_dic_71_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_71_code. See ss_notc_mult_dic_71_code for more information.

Column Name: ss_notc_mult_dic_72_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 72'

Column Name: ss_notc_mult_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_72_code. See ss_notc_mult_dic_72_code for more information.

Column Name: ss_notc_mult_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 73'

Column Name: ss_notc_mult_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_73_code. See ss_notc_mult_dic_73_code for more information.

Column Name: ss_notc_mult_dic_74_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 74'

Column Name: ss_notc_mult_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_74_code. See ss_notc_mult_dic_74_code for more information.

Column Name: ss_notc_mult_dic_75_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 75'

Column Name: ss_notc_mult_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mult_dic_75_code. See ss_notc_mult_dic_75_code for more information.

Column Name: ss_notc_mult_dic_76_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 76'

Column Name: ss_notc_mult_dic_76_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_76_code. See ss_notc_mult_dic_76_code for more information.

Column Name: ss_notc_mult_dic_77_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 77'

Column Name: ss_notc_mult_dic_77_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_77_code`. See `ss_notc_mult_dic_77_code` for more information.

Column Name: `ss_notc_mult_dic_78_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 78'

Column Name: `ss_notc_mult_dic_78_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_78_code`. See `ss_notc_mult_dic_78_code` for more information.

Column Name: `ss_notc_mult_dic_79_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 79'

Column Name: `ss_notc_mult_dic_79_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_79_code`. See `ss_notc_mult_dic_79_code` for more information.

Column Name: `ss_notc_mult_dic_80_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 80'

Column Name: `ss_notc_mult_dic_80_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_80_code`. See `ss_notc_mult_dic_80_code` for more information.

Column Name: `ss_notc_sin_dic_51_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 51'

Column Name: `ss_notc_sin_dic_51_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_51_code`. See `ss_notc_sin_dic_51_code` for more information.

Column Name: `ss_notc_sin_dic_52_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Single Response Dictionary 52'

Column Name: ss_notc_sin_dic_52_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_52_code. See ss_notc_sin_dic_52_code for more information.

Column Name: ss_notc_sin_dic_53_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 53'

Column Name: ss_notc_sin_dic_53_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_53_code. See ss_notc_sin_dic_53_code for more information.

Column Name: ss_notc_sin_dic_54_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 54'

Column Name: ss_notc_sin_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_54_code. See ss_notc_sin_dic_54_code for more information.

Column Name: ss_notc_sin_dic_55_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 55'

Column Name: ss_notc_sin_dic_55_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_55_code. See ss_notc_sin_dic_55_code for more information.

Column Name: ss_notc_sin_dic_56_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 56'

Column Name: ss_notc_sin_dic_56_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_56_code. See ss_notc_sin_dic_56_code for more information.

Column Name: ss_notc_sin_dic_57_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 57'

Column Name: ss_notc_sin_dic_57_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_57_code. See ss_notc_sin_dic_57_code for more information.

Column Name: ss_notc_sin_dic_58_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 58'

Column Name: ss_notc_sin_dic_58_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_58_code. See ss_notc_sin_dic_58_code for more information.

Column Name: ss_notc_sin_dic_59_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 59'

Column Name: ss_notc_sin_dic_59_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_59_code. See ss_notc_sin_dic_59_code for more information.

Column Name: ss_notc_sin_dic_60_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 60'

Column Name: ss_notc_sin_dic_60_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_60_code. See ss_notc_sin_dic_60_code for more information.

Column Name: ss_notc_sin_dic_61_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 61'

Column Name: ss_notc_sin_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_61_code. See ss_notc_sin_dic_61_code for more information.

Column Name: ss_notc_sin_dic_62_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 62'

Column Name: ss_notc_sin_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_62_code. See ss_notc_sin_dic_62_code for more information.

Column Name: ss_notc_sin_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 63'

Column Name: ss_notc_sin_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_63_code. See ss_notc_sin_dic_63_code for more information.

Column Name: ss_notc_sin_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 64'

Column Name: ss_notc_sin_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_64_code. See ss_notc_sin_dic_64_code for more information.

Column Name: ss_notc_sin_dic_65_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 65'

Column Name: ss_notc_sin_dic_65_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_sin_dic_65_code. See ss_notc_sin_dic_65_code for more information.

Column Name: ss_notc_sin_dic_66_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 66'

Column Name: ss_notc_sin_dic_66_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_66_code. See ss_notc_sin_dic_66_code for more information.

Column Name: ss_notc_sin_dic_67_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 67'

Column Name: ss_notc_sin_dic_67_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_67_code. See ss_notc_sin_dic_67_code for more information.

Column Name: ss_notc_sin_dic_68_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 68'

Column Name: ss_notc_sin_dic_68_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_68_code. See ss_notc_sin_dic_68_code for more information.

Column Name: ss_notc_sin_dic_69_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 69'

Column Name: ss_notc_sin_dic_69_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_69_code. See ss_notc_sin_dic_69_code for more information.

Column Name: ss_notc_sin_dic_70_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 70'

Column Name: ss_notc_sin_dic_70_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_70_code. See ss_notc_sin_dic_70_code for more information.

Column Name: ss_notc_sin_dic_71_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 71'

Column Name: ss_notc_sin_dic_71_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_71_code. See ss_notc_sin_dic_71_code for more information.

Column Name: ss_notc_sin_dic_72_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 72'

Column Name: ss_notc_sin_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_72_code. See ss_notc_sin_dic_72_code for more information.

Column Name: ss_notc_sin_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 73'

Column Name: ss_notc_sin_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_73_code. See ss_notc_sin_dic_73_code for more information.

Column Name: ss_notc_sin_dic_74_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 74'

Column Name: ss_notc_sin_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_74_code. See ss_notc_sin_dic_74_code for more information.

Column Name: ss_notc_sin_dic_75_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 75'

Column Name: ss_notc_sin_dic_75_value
Column Type: varchar
Max Length: 275
The description associated with ss_notc_sin_dic_75_code. See ss_notc_sin_dic_75_code for more information.

Column Name: ss_notc_sin_dic_76_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 76'

Column Name: ss_notc_sin_dic_76_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_76_code. See ss_notc_sin_dic_76_code for more information.

Column Name: ss_notc_sin_dic_77_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 77'

Column Name: ss_notc_sin_dic_77_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_77_code. See ss_notc_sin_dic_77_code for more information.

Column Name: ss_notc_sin_dic_78_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 78'

Column Name: ss_notc_sin_dic_78_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_78_code. See ss_notc_sin_dic_78_code for more information.

Column Name: ss_notc_sin_dic_79_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 79'

Column Name: ss_notc_sin_dic_79_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_79_code. See ss_notc_sin_dic_79_code for more information.

Column Name: ss_notc_sin_dic_80_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 80'

Column Name: ss_notc_sin_dic_80_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_80_code. See ss_notc_sin_dic_80_code for more information.

Column Name: ss_note_mul_dict_51_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 51'

Column Name: ss_note_mul_dict_51_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_51_code limited to 255 characters. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_51_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_51_code. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_52_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 52'

Column Name: ss_note_mul_dict_52_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_52_code limited to 255 characters. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_52_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_52_code. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_53_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 53'

Column Name: ss_note_mul_dict_53_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_53_code limited to 255 characters. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_53_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_53_code. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_54_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 54'

Column Name: ss_note_mul_dict_54_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_54_code limited to 255 characters. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_54_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_54_code. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_55_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 55'

Column Name: ss_note_mul_dict_55_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_55_code limited to 255 characters. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_55_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_55_code. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_56_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 56'

Column Name: ss_note_mul_dict_56_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_56_code limited to 255 characters. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_56_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_56_code. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_57_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 57'

Column Name: ss_note_mul_dict_57_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_57_code limited to 255 characters. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_57_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_57_code. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_58_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 58'

Column Name: ss_note_mul_dict_58_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_58_code limited to 255 characters. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_58_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_58_code. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_59_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 59'

Column Name: ss_note_mul_dict_59_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_59_code limited to 255 characters. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_59_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_59_code. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_60_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 60'

Column Name: ss_note_mul_dict_60_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_60_code limited to 255 characters. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_60_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_60_code. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_61_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 61'

Column Name: ss_note_mul_dict_61_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_61_code limited to 255 characters. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_61_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_61_code. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_62_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 62'

Column Name: ss_note_mul_dict_62_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_62_code limited to 255 characters. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_62_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_62_code. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_63_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 63'

Column Name: ss_note_mul_dict_63_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_63_code limited to 255 characters. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_63_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_63_code. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_64_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 64'

Column Name: ss_note_mul_dict_64_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_64_code limited to 255 characters. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_64_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_64_code. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_65_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 65'

Column Name: ss_note_mul_dict_65_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_65_code limited to 255 characters. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_65_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_65_code. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_66_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 66'

Column Name: ss_note_mul_dict_66_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_66_code limited to 255 characters. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_66_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_66_code. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_67_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 67'

Column Name: ss_note_mul_dict_67_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_67_code limited to 255 characters. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_67_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_67_code. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_68_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 68'

Column Name: ss_note_mul_dict_68_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_68_code limited to 255 characters. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_68_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_68_code. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_69_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 69'

Column Name: ss_note_mul_dict_69_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_69_code limited to 255 characters. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_69_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_69_code. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_70_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 70'

Column Name: ss_note_mul_dict_70_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_70_code limited to 255 characters. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_70_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_70_code. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_71_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 71'

Column Name: ss_note_mul_dict_71_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_71_code limited to 255 characters. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_71_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_71_code. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_72_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 72'

Column Name: ss_note_mul_dict_72_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_72_code limited to 255 characters. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_72_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_72_code. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_73_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 73'

Column Name: ss_note_mul_dict_73_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_73_code limited to 255 characters. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_73_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_73_code. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_74_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 74'

Column Name: ss_note_mul_dict_74_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_74_code limited to 255 characters. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_74_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_74_code. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_75_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 75'

Column Name: ss_note_mul_dict_75_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_75_code limited to 255 characters. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_75_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_75_code. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_76_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 76'

Column Name: ss_note_mul_dict_76_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_76_code limited to 255 characters. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_76_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_76_code. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_77_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 77'

Column Name: ss_note_mul_dict_77_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_77_code limited to 255 characters. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_77_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_77_code. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_78_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 78'

Column Name: ss_note_mul_dict_78_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_78_code limited to 255 characters. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_78_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_78_code. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_79_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 79'

Column Name: ss_note_mul_dict_79_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_79_code limited to 255 characters. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_79_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_79_code. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_80_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 80'

Column Name: ss_note_mul_dict_80_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_80_code limited to 255 characters. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_mul_dict_80_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_80_code. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_scroll_text_51

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 51'

Column Name: ss_note_scroll_text_52

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 52'

Column Name: ss_note_scroll_text_53

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 53'

Column Name: ss_note_scroll_text_54

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 54'

Column Name: ss_note_scroll_text_55
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 55'

Column Name: ss_note_scroll_text_56
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 56'

Column Name: ss_note_scroll_text_57
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 57'

Column Name: ss_note_scroll_text_58
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 58'

Column Name: ss_note_scroll_text_59
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 59'

Column Name: ss_note_scroll_text_60
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 60'

Column Name: ss_note_scroll_text_61
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 61'

Column Name: ss_note_scroll_text_62
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 62'

Column Name: ss_note_scroll_text_63
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 63'

Column Name: ss_note_scroll_text_64
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 64'

Column Name: ss_note_scroll_text_65
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 65'

Column Name: ss_note_scroll_text_66
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 66'

Column Name: ss_note_scroll_text_67
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 67'

Column Name: ss_note_scroll_text_68
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 68'

Column Name: ss_note_scroll_text_69
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 69'

Column Name: ss_note_scroll_text_70
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 70'

Column Name: ss_note_scroll_text_71
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 71'

Column Name: ss_note_scroll_text_72
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 72'

Column Name: ss_note_scroll_text_73
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 73'

Column Name: ss_note_scroll_text_74
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 74'

Column Name: ss_note_scroll_text_75
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 75'

Column Name: ss_note_scroll_text_76
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 76'

Column Name: ss_note_scroll_text_77
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 77'

Column Name: ss_note_scroll_text_78
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 78'

Column Name: ss_note_scroll_text_79
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 79'

Column Name: ss_note_scroll_text_80
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 80'

Column Name: ss_note_sin_dict_51_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 51'

Column Name: ss_note_sin_dict_51_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_51_code. See ss_note_sin_dict_51_code for more information.

Column Name: ss_note_sin_dict_52_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 52'

Column Name: ss_note_sin_dict_52_value
Column Type: varchar
Max Length: 50

The description associated with ss_note_sin_dict_52_code. See ss_note_sin_dict_52_code for more information.

Column Name: ss_note_sin_dict_53_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 53'

Column Name: ss_note_sin_dict_53_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_53_code. See ss_note_sin_dict_53_code for more information.

Column Name: ss_note_sin_dict_54_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 54'

Column Name: ss_note_sin_dict_54_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_54_code. See ss_note_sin_dict_54_code for more information.

Column Name: ss_note_sin_dict_55_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 55'

Column Name: ss_note_sin_dict_55_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_55_code. See ss_note_sin_dict_55_code for more information.

Column Name: ss_note_sin_dict_56_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 56'

Column Name: ss_note_sin_dict_56_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_56_code. See ss_note_sin_dict_56_code for more information.

Column Name: ss_note_sin_dict_57_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 57'

Column Name: ss_note_sin_dict_57_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_57_code. See ss_note_sin_dict_57_code for more information.

Column Name: ss_note_sin_dict_58_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 58'

Column Name: ss_note_sin_dict_58_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_58_code. See ss_note_sin_dict_58_code for more information.

Column Name: ss_note_sin_dict_59_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 59'

Column Name: ss_note_sin_dict_59_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_59_code. See ss_note_sin_dict_59_code for more information.

Column Name: ss_note_sin_dict_60_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 60'

Column Name: ss_note_sin_dict_60_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_60_code. See ss_note_sin_dict_60_code for more information.

Column Name: ss_note_sin_dict_61_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 61'

Column Name: ss_note_sin_dict_61_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_61_code. See ss_note_sin_dict_61_code for more information.

Column Name: ss_note_sin_dict_62_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 62'

Column Name: ss_note_sin_dict_62_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_62_code. See ss_note_sin_dict_62_code for more information.

Column Name: ss_note_sin_dict_63_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 63'

Column Name: ss_note_sin_dict_63_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_63_code. See ss_note_sin_dict_63_code for more information.

Column Name: ss_note_sin_dict_64_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 64'

Column Name: ss_note_sin_dict_64_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_64_code. See ss_note_sin_dict_64_code for more information.

Column Name: ss_note_sin_dict_65_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 65'

Column Name: ss_note_sin_dict_65_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_65_code. See ss_note_sin_dict_65_code for more information.

Column Name: ss_note_sin_dict_66_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 66'

Column Name: ss_note_sin_dict_66_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_66_code. See ss_note_sin_dict_66_code for more information.

Column Name: ss_note_sin_dict_67_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 67'

Column Name: ss_note_sin_dict_67_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_67_code. See ss_note_sin_dict_67_code for more information.

Column Name: ss_note_sin_dict_68_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 68'

Column Name: ss_note_sin_dict_68_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_68_code. See ss_note_sin_dict_68_code for more information.

Column Name: ss_note_sin_dict_69_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 69'

Column Name: ss_note_sin_dict_69_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_69_code. See ss_note_sin_dict_69_code for more information.

Column Name: ss_note_sin_dict_70_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 70'

Column Name: ss_note_sin_dict_70_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_70_code. See ss_note_sin_dict_70_code for more information.

Column Name: ss_note_sin_dict_71_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 71'

Column Name: ss_note_sin_dict_71_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_71_code. See ss_note_sin_dict_71_code for more information.

Column Name: ss_note_sin_dict_72_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 72'

Column Name: ss_note_sin_dict_72_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_72_code. See ss_note_sin_dict_72_code for more information.

Column Name: ss_note_sin_dict_73_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 73'

Column Name: ss_note_sin_dict_73_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_73_code. See ss_note_sin_dict_73_code for more information.

Column Name: ss_note_sin_dict_74_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 74'

Column Name: ss_note_sin_dict_74_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_74_code. See ss_note_sin_dict_74_code for more information.

Column Name: ss_note_sin_dict_75_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 75'

Column Name: ss_note_sin_dict_75_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_75_code. See ss_note_sin_dict_75_code for more information.

Column Name: ss_note_sin_dict_76_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 76'

Column Name: ss_note_sin_dict_76_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_76_code. See ss_note_sin_dict_76_code for more information.

Column Name: ss_note_sin_dict_77_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 77'

Column Name: ss_note_sin_dict_77_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_77_code. See ss_note_sin_dict_77_code for more information.

Column Name: ss_note_sin_dict_78_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 78'

Column Name: ss_note_sin_dict_78_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_78_code. See ss_note_sin_dict_78_code for more information.

Column Name: ss_note_sin_dict_79_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 79'

Column Name: ss_note_sin_dict_79_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_79_code. See ss_note_sin_dict_79_code for more information.

Column Name: ss_note_sin_dict_80_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 80'

Column Name: ss_note_sin_dict_80_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_80_code. See ss_note_sin_dict_80_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp_5

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp5 table.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiler.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name

Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: ebp_code
Column Type: varchar
Max Length: 50
'Evidence-Based Practices'

Column Name: ebp_element_code
Column Type: varchar
Max Length: 50
'Evidence-Based Practice Elements'

Column Name: ebp_element_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_element_code

Column Name: ebp_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_code

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mul_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 100'

Column Name: ss_notc_mul_dic_100_value
Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_100_code. See ss_notc_mul_dic_100_code for more information.

Column Name: ss_notc_mul_dic_101_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 101'

Column Name: ss_notc_mul_dic_101_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_101_code. See ss_notc_mul_dic_101_code for more information.

Column Name: ss_notc_mul_dic_102_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 102'

Column Name: ss_notc_mul_dic_102_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_102_code. See ss_notc_mul_dic_102_code for more information.

Column Name: ss_notc_mul_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 103'

Column Name: ss_notc_mul_dic_103_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_103_code. See ss_notc_mul_dic_103_code for more information.

Column Name: ss_notc_mul_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 104'

Column Name: ss_notc_mul_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_104_code. See ss_notc_mul_dic_104_code for more information.

Column Name: ss_notc_mul_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 105'

Column Name: ss_notc_mul_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mul_dic_105_code. See ss_notc_mul_dic_105_code for more information.

Column Name: ss_notc_mul_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 106'

Column Name: ss_notc_mul_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_106_code. See ss_notc_mul_dic_106_code for more information.

Column Name: ss_notc_mul_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 107'

Column Name: ss_notc_mul_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_107_code. See ss_notc_mul_dic_107_code for more information.

Column Name: ss_notc_mul_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 108'

Column Name: ss_notc_mul_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_108_code. See ss_notc_mul_dic_108_code for more information.

Column Name: ss_notc_mul_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 109'

Column Name: ss_notc_mul_dic_109_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_109_code. See ss_notc_mul_dic_109_code for more information.

Column Name: ss_notc_mul_dic_110_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 110'

Column Name: ss_notc_mul_dic_110_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_110_code. See ss_notc_mul_dic_110_code for more information.

Column Name: ss_notc_mul_dic_81_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 81'

Column Name: ss_notc_mul_dic_81_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_81_code. See ss_notc_mul_dic_81_code for more information.

Column Name: ss_notc_mul_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 82'

Column Name: ss_notc_mul_dic_82_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_82_code. See ss_notc_mul_dic_82_code for more information.

Column Name: ss_notc_mul_dic_83_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 83'

Column Name: ss_notc_mul_dic_83_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_83_code. See ss_notc_mul_dic_83_code for more information.

Column Name: ss_notc_mul_dic_84_code
Column Type: varchar
Max Length: 50

'SS Note Copy Multiple Response Dictionary 84'

Column Name: ss_notc_mul_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_84_code. See ss_notc_mul_dic_84_code for more information.

Column Name: ss_notc_mul_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 85'

Column Name: ss_notc_mul_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_85_code. See ss_notc_mul_dic_85_code for more information.

Column Name: ss_notc_mul_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 86'

Column Name: ss_notc_mul_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_86_code. See ss_notc_mul_dic_86_code for more information.

Column Name: ss_notc_mul_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 87'

Column Name: ss_notc_mul_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_87_code. See ss_notc_mul_dic_87_code for more information.

Column Name: ss_notc_mul_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 88'

Column Name: ss_notc_mul_dic_88_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_88_code. See ss_notc_mul_dic_88_code for more information.

Column Name: ss_notc_mul_dic_89_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 89'

Column Name: ss_notc_mul_dic_89_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_89_code. See ss_notc_mul_dic_89_code for more information.

Column Name: ss_notc_mul_dic_90_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 90'

Column Name: ss_notc_mul_dic_90_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_90_code. See ss_notc_mul_dic_90_code for more information.

Column Name: ss_notc_mul_dic_91_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 91'

Column Name: ss_notc_mul_dic_91_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_91_code. See ss_notc_mul_dic_91_code for more information.

Column Name: ss_notc_mul_dic_92_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 92'

Column Name: ss_notc_mul_dic_92_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_92_code. See ss_notc_mul_dic_92_code for more information.

Column Name: ss_notc_mul_dic_93_code
Column Type: varchar
Max Length: 50

'SS Note Copy Multiple Response Dictionary 93'

Column Name: ss_notc_mul_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_93_code. See ss_notc_mul_dic_93_code for more information.

Column Name: ss_notc_mul_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 94'

Column Name: ss_notc_mul_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_94_code. See ss_notc_mul_dic_94_code for more information.

Column Name: ss_notc_mul_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 95'

Column Name: ss_notc_mul_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mul_dic_95_code. See ss_notc_mul_dic_95_code for more information.

Column Name: ss_notc_mul_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 96'

Column Name: ss_notc_mul_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_96_code. See ss_notc_mul_dic_96_code for more information.

Column Name: ss_notc_mul_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 97'

Column Name: ss_notc_mul_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_97_code. See ss_notc_mul_dic_97_code for more information.

Column Name: ss_notc_mul_dic_98_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 98'

Column Name: ss_notc_mul_dic_98_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_98_code. See ss_notc_mul_dic_98_code for more information.

Column Name: ss_notc_mul_dic_99_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 99'

Column Name: ss_notc_mul_dic_99_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_99_code. See ss_notc_mul_dic_99_code for more information.

Column Name: ss_notc_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 100'

Column Name: ss_notc_sin_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_100_code. See ss_notc_sin_dic_100_code for more information.

Column Name: ss_notc_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 101'

Column Name: ss_notc_sin_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_101_code. See ss_notc_sin_dic_101_code for more information.

Column Name: ss_notc_sin_dic_102_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 102'

Column Name: ss_notc_sin_dic_102_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_102_code. See ss_notc_sin_dic_102_code for more information.

Column Name: ss_notc_sin_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 103'

Column Name: ss_notc_sin_dic_103_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_103_code. See ss_notc_sin_dic_103_code for more information.

Column Name: ss_notc_sin_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 104'

Column Name: ss_notc_sin_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_104_code. See ss_notc_sin_dic_104_code for more information.

Column Name: ss_notc_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 105'

Column Name: ss_notc_sin_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_sin_dic_105_code. See ss_notc_sin_dic_105_code for more information.

Column Name: ss_notc_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 106'

Column Name: ss_notc_sin_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_106_code. See ss_notc_sin_dic_106_code for more information.

Column Name: ss_notc_sin_dic_107_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 107'

Column Name: ss_notc_sin_dic_107_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_107_code. See ss_notc_sin_dic_107_code for more information.

Column Name: ss_notc_sin_dic_108_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 108'

Column Name: ss_notc_sin_dic_108_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_108_code. See ss_notc_sin_dic_108_code for more information.

Column Name: ss_notc_sin_dic_109_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 109'

Column Name: ss_notc_sin_dic_109_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_109_code. See ss_notc_sin_dic_109_code for more information.

Column Name: ss_notc_sin_dic_110_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 110'

Column Name: ss_notc_sin_dic_110_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_110_code. See ss_notc_sin_dic_110_code for more information.

Column Name: ss_notc_sin_dic_81_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 81'

Column Name: ss_notc_sin_dic_81_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_81_code. See ss_notc_sin_dic_81_code for more information.

Column Name: ss_notc_sin_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 82'

Column Name: ss_notc_sin_dic_82_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_82_code. See ss_notc_sin_dic_82_code for more information.

Column Name: ss_notc_sin_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 83'

Column Name: ss_notc_sin_dic_83_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_83_code. See ss_notc_sin_dic_83_code for more information.

Column Name: ss_notc_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 84'

Column Name: ss_notc_sin_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_84_code. See ss_notc_sin_dic_84_code for more information.

Column Name: ss_notc_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 85'

Column Name: ss_notc_sin_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_85_code. See ss_notc_sin_dic_85_code for more information.

Column Name: ss_notc_sin_dic_86_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 86'

Column Name: ss_notc_sin_dic_86_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_86_code. See ss_notc_sin_dic_86_code for more information.

Column Name: ss_notc_sin_dic_87_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 87'

Column Name: ss_notc_sin_dic_87_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_87_code. See ss_notc_sin_dic_87_code for more information.

Column Name: ss_notc_sin_dic_88_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 88'

Column Name: ss_notc_sin_dic_88_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_88_code. See ss_notc_sin_dic_88_code for more information.

Column Name: ss_notc_sin_dic_89_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 89'

Column Name: ss_notc_sin_dic_89_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_89_code. See ss_notc_sin_dic_89_code for more information.

Column Name: ss_notc_sin_dic_90_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 90'

Column Name: ss_notc_sin_dic_90_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_90_code. See ss_notc_sin_dic_90_code for more information.

Column Name: ss_notc_sin_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 91'

Column Name: ss_notc_sin_dic_91_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_91_code. See ss_notc_sin_dic_91_code for more information.

Column Name: ss_notc_sin_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 92'

Column Name: ss_notc_sin_dic_92_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_92_code. See ss_notc_sin_dic_92_code for more information.

Column Name: ss_notc_sin_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 93'

Column Name: ss_notc_sin_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_93_code. See ss_notc_sin_dic_93_code for more information.

Column Name: ss_notc_sin_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 94'

Column Name: ss_notc_sin_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_sin_dic_94_code`. See `ss_notc_sin_dic_94_code` for more information.

Column Name: `ss_notc_sin_dic_95_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 95'

Column Name: `ss_notc_sin_dic_95_value`
Column Type: `varchar`
Max Length: 265
The description associated with `ss_notc_sin_dic_95_code`. See `ss_notc_sin_dic_95_code` for more information.

Column Name: `ss_notc_sin_dic_96_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 96'

Column Name: `ss_notc_sin_dic_96_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_96_code`. See `ss_notc_sin_dic_96_code` for more information.

Column Name: `ss_notc_sin_dic_97_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 97'

Column Name: `ss_notc_sin_dic_97_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_97_code`. See `ss_notc_sin_dic_97_code` for more information.

Column Name: `ss_notc_sin_dic_98_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 98'

Column Name: `ss_notc_sin_dic_98_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_98_code`. See `ss_notc_sin_dic_98_code` for more information.

Column Name: `ss_notc_sin_dic_99_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Single Response Dictionary 99'

Column Name: ss_notc_sin_dic_99_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_99_code. See ss_notc_sin_dic_99_code for more information.

Column Name: ss_note_mul_dic_100_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 100'

Column Name: ss_note_mul_dic_100_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_100_code limited to 255 characters. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_100_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_100_code. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_101_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 101'

Column Name: ss_note_mul_dic_101_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_101_code limited to 255 characters. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_101_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_101_code. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_102_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 102'

Column Name: ss_note_mul_dic_102_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_102_code limited to 255 characters. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_102_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_102_code. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_103_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 103'

Column Name: ss_note_mul_dic_103_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_103_code limited to 255 characters. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_103_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_103_code. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_104_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 104'

Column Name: ss_note_mul_dic_104_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_104_code limited to 255 characters. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_104_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_104_code. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_105_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 105'

Column Name: ss_note_mul_dic_105_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_105_code limited to 255 characters. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_105_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_105_code. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_106_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 106'

Column Name: ss_note_mul_dic_106_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_106_code limited to 255 characters. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_106_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_106_code. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_107_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 107'

Column Name: ss_note_mul_dic_107_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_107_code limited to 255 characters. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_107_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_107_code. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_108_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 108'

Column Name: ss_note_mul_dic_108_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_108_code limited to 255 characters. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_108_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_108_code. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_109_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 109'

Column Name: ss_note_mul_dic_109_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_109_code limited to 255 characters. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_109_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_109_code. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_110_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 110'

Column Name: ss_note_mul_dic_110_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_110_code limited to 255 characters. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_110_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_110_code. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_81_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 81'

Column Name: ss_note_mul_dic_81_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_81_code limited to 255 characters. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_81_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_81_code. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_82_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 82'

Column Name: ss_note_mul_dic_82_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_82_code limited to 255 characters. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_82_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_82_code. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_83_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 83'

Column Name: ss_note_mul_dic_83_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_83_code limited to 255 characters. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_83_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_83_code. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_84_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 84'

Column Name: ss_note_mul_dic_84_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_84_code limited to 255 characters. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_84_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_84_code. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_85_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 85'

Column Name: ss_note_mul_dic_85_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_85_code limited to 255 characters. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_85_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_85_code. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_86_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 86'

Column Name: ss_note_mul_dic_86_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_86_code limited to 255 characters. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_86_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_86_code. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_87_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 87'

Column Name: ss_note_mul_dic_87_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_87_code limited to 255 characters. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_87_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_87_code. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_88_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 88'

Column Name: ss_note_mul_dic_88_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_88_code limited to 255 characters. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_88_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_88_code. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_89_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 89'

Column Name: ss_note_mul_dic_89_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_89_code limited to 255 characters. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_89_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_89_code. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_90_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 90'

Column Name: ss_note_mul_dic_90_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_90_code limited to 255 characters. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_90_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_90_code. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_91_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 91'

Column Name: ss_note_mul_dic_91_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_91_code limited to 255 characters. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_91_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_91_code. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_92_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 92'

Column Name: ss_note_mul_dic_92_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_92_code limited to 255 characters. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_92_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_92_code. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_93_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 93'

Column Name: ss_note_mul_dic_93_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_93_code limited to 255 characters. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_93_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_93_code. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_94_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 94'

Column Name: ss_note_mul_dic_94_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_94_code limited to 255 characters. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_94_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_94_code. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_95_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 95'

Column Name: ss_note_mul_dic_95_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_95_code limited to 255 characters. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_95_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_95_code. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_96_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 96'

Column Name: ss_note_mul_dic_96_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_96_code limited to 255 characters. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_96_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_96_code. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_97_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 97'

Column Name: ss_note_mul_dic_97_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_97_code limited to 255 characters. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_97_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_97_code. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_98_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 98'

Column Name: ss_note_mul_dic_98_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_98_code limited to 255 characters. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_98_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_98_code. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_99_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 99'

Column Name: ss_note_mul_dic_99_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_99_code limited to 255 characters. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_mul_dic_99_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_99_code. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_scroll_text_100

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 100'

Column Name: ss_note_scroll_text_101

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 101'

Column Name: ss_note_scroll_text_102

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 102'

Column Name: ss_note_scroll_text_103

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 103'

Column Name: ss_note_scroll_text_104

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 104'

Column Name: ss_note_scroll_text_105

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 105'

Column Name: ss_note_scroll_text_106

Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 106'

Column Name: ss_note_scroll_text_107
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 107'

Column Name: ss_note_scroll_text_108
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 108'

Column Name: ss_note_scroll_text_109
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 109'

Column Name: ss_note_scroll_text_110
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 110'

Column Name: ss_note_scroll_text_81
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 81'

Column Name: ss_note_scroll_text_82
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 82'

Column Name: ss_note_scroll_text_83
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 83'

Column Name: ss_note_scroll_text_84
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 84'

Column Name: ss_note_scroll_text_85
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 85'

Column Name: ss_note_scroll_text_86
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 86'

Column Name: ss_note_scroll_text_87
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 87'

Column Name: ss_note_scroll_text_88
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 88'

Column Name: ss_note_scroll_text_89
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 89'

Column Name: ss_note_scroll_text_90
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 90'

Column Name: ss_note_scroll_text_91
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 91'

Column Name: ss_note_scroll_text_92
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 92'

Column Name: ss_note_scroll_text_93
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 93'

Column Name: ss_note_scroll_text_94
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 94'

Column Name: ss_note_scroll_text_95
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 95'

Column Name: ss_note_scroll_text_96
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 96'

Column Name: ss_note_scroll_text_97
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 97'

Column Name: ss_note_scroll_text_98
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 98'

Column Name: ss_note_scroll_text_99
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 99'

Column Name: ss_note_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 100'

Column Name: ss_note_sin_dic_100_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_100_code. See ss_note_sin_dic_100_code for more information.

Column Name: ss_note_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 101'

Column Name: ss_note_sin_dic_101_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_101_code. See ss_note_sin_dic_101_code for more information.

Column Name: ss_note_sin_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 102'

Column Name: ss_note_sin_dic_102_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_102_code. See ss_note_sin_dic_102_code for more information.

Column Name: ss_note_sin_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 103'

Column Name: ss_note_sin_dic_103_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_103_code. See ss_note_sin_dic_103_code for more information.

Column Name: ss_note_sin_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 104'

Column Name: ss_note_sin_dic_104_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_104_code. See ss_note_sin_dic_104_code for more information.

Column Name: ss_note_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 105'

Column Name: ss_note_sin_dic_105_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_105_code. See ss_note_sin_dic_105_code for more information.

Column Name: ss_note_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 106'

Column Name: ss_note_sin_dic_106_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_106_code. See ss_note_sin_dic_106_code for more information.

Column Name: ss_note_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 107'

Column Name: ss_note_sin_dic_107_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_107_code. See ss_note_sin_dic_107_code for more information.

Column Name: ss_note_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 108'

Column Name: ss_note_sin_dic_108_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_108_code. See ss_note_sin_dic_108_code for more information.

Column Name: ss_note_sin_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 109'

Column Name: ss_note_sin_dic_109_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_109_code. See ss_note_sin_dic_109_code for more information.

Column Name: ss_note_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 110'

Column Name: ss_note_sin_dic_110_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_110_code. See ss_note_sin_dic_110_code for more information.

Column Name: ss_note_sin_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 81'

Column Name: ss_note_sin_dic_81_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_81_code. See ss_note_sin_dic_81_code for more information.

Column Name: ss_note_sin_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 82'

Column Name: ss_note_sin_dic_82_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_82_code. See ss_note_sin_dic_82_code for more information.

Column Name: ss_note_sin_dic_83_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 83'

Column Name: ss_note_sin_dic_83_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_83_code. See ss_note_sin_dic_83_code for more information.

Column Name: ss_note_sin_dic_84_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 84'

Column Name: ss_note_sin_dic_84_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_84_code. See ss_note_sin_dic_84_code for more information.

Column Name: ss_note_sin_dic_85_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 85'

Column Name: ss_note_sin_dic_85_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_85_code. See ss_note_sin_dic_85_code for more information.

Column Name: ss_note_sin_dic_86_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 86'

Column Name: ss_note_sin_dic_86_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_86_code. See ss_note_sin_dic_86_code for more information.

Column Name: ss_note_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 87'

Column Name: ss_note_sin_dic_87_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_87_code. See ss_note_sin_dic_87_code for more information.

Column Name: ss_note_sin_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 88'

Column Name: ss_note_sin_dic_88_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_88_code. See ss_note_sin_dic_88_code for more information.

Column Name: ss_note_sin_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 89'

Column Name: ss_note_sin_dic_89_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_89_code. See ss_note_sin_dic_89_code for more information.

Column Name: ss_note_sin_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 90'

Column Name: ss_note_sin_dic_90_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_90_code. See ss_note_sin_dic_90_code for more information.

Column Name: ss_note_sin_dic_91_code

Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 91'

Column Name: ss_note_sin_dic_91_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_91_code. See ss_note_sin_dic_91_code for more information.

Column Name: ss_note_sin_dic_92_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 92'

Column Name: ss_note_sin_dic_92_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_92_code. See ss_note_sin_dic_92_code for more information.

Column Name: ss_note_sin_dic_93_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 93'

Column Name: ss_note_sin_dic_93_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_93_code. See ss_note_sin_dic_93_code for more information.

Column Name: ss_note_sin_dic_94_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 94'

Column Name: ss_note_sin_dic_94_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_94_code. See ss_note_sin_dic_94_code for more information.

Column Name: ss_note_sin_dic_95_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 95'

Column Name: ss_note_sin_dic_95_value
Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_95_code. See ss_note_sin_dic_95_code for more information.

Column Name: ss_note_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 96'

Column Name: ss_note_sin_dic_96_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_96_code. See ss_note_sin_dic_96_code for more information.

Column Name: ss_note_sin_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 97'

Column Name: ss_note_sin_dic_97_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_97_code. See ss_note_sin_dic_97_code for more information.

Column Name: ss_note_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 98'

Column Name: ss_note_sin_dic_98_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_98_code. See ss_note_sin_dic_98_code for more information.

Column Name: ss_note_sin_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 99'

Column Name: ss_note_sin_dic_99_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_99_code. See ss_note_sin_dic_99_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp_6

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp6 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_51

Column Type: varchar

Max Length: 20

SS Note 20 Character 51

Column Name: ss_note_20_char_text_52

Column Type: varchar

Max Length: 20

SS Note 20 Character 52

Column Name: ss_note_20_char_text_53

Column Type: varchar

Max Length: 20

SS Note 20 Character 53

Column Name: ss_note_20_char_text_54

Column Type: varchar

Max Length: 20

SS Note 20 Character 54

Column Name: ss_note_20_char_text_55

Column Type: varchar

Max Length: 20

SS Note 20 Character 55

Column Name: ss_note_20_char_text_56

Column Type: varchar

Max Length: 20

SS Note 20 Character 56

Column Name: ss_note_20_char_text_57

Column Type: varchar

Max Length: 20

SS Note 20 Character 57

Column Name: ss_note_20_char_text_58

Column Type: varchar

Max Length: 20

SS Note 20 Character 58

Column Name: ss_note_20_char_text_59

Column Type: varchar

Max Length: 20

SS Note 20 Character 59

Column Name: ss_note_20_char_text_60

Column Type: varchar

Max Length: 20

SS Note 20 Character 60

Column Name: ss_note_20_char_text_61

Column Type: varchar

Max Length: 20

SS Note 20 Character 61

Column Name: ss_note_20_char_text_62

Column Type: varchar

Max Length: 20

SS Note 20 Character 62

Column Name: ss_note_20_char_text_63

Column Type: varchar

Max Length: 20

SS Note 20 Character 63

Column Name: ss_note_20_char_text_64

Column Type: varchar

Max Length: 20

SS Note 20 Character 64

Column Name: ss_note_20_char_text_65

Column Type: varchar

Max Length: 20

SS Note 20 Character 65

Column Name: ss_note_20_char_text_66

Column Type: varchar

Max Length: 20

SS Note 20 Character 66

Column Name: ss_note_20_char_text_67

Column Type: varchar

Max Length: 20

SS Note 20 Character 67

Column Name: ss_note_20_char_text_68

Column Type: varchar

Max Length: 20

SS Note 20 Character 68

Column Name: ss_note_20_char_text_69

Column Type: varchar

Max Length: 20

SS Note 20 Character 69

Column Name: ss_note_20_char_text_70

Column Type: varchar

Max Length: 20

SS Note 20 Character 70

Column Name: ss_note_20_char_text_71

Column Type: varchar

Max Length: 20

SS Note 20 Character 71

Column Name: ss_note_20_char_text_72

Column Type: varchar

Max Length: 20

SS Note 20 Character 72

Column Name: ss_note_20_char_text_73

Column Type: varchar

Max Length: 20

SS Note 20 Character 73

Column Name: ss_note_20_char_text_74

Column Type: varchar

Max Length: 20

SS Note 20 Character 74

Column Name: ss_note_20_char_text_75

Column Type: varchar

Max Length: 20

SS Note 20 Character 75

Column Name: ss_note_20_char_text_76

Column Type: varchar

Max Length: 20

SS Note 20 Character 76

Column Name: ss_note_40_char_text_51

Column Type: varchar

Max Length: 40

SS Note 40 Character 51

Column Name: ss_note_40_char_text_52

Column Type: varchar

Max Length: 40

SS Note 40 Character 52

Column Name: ss_note_40_char_text_53

Column Type: varchar

Max Length: 40

SS Note 40 Character 53

Column Name: ss_note_40_char_text_54

Column Type: varchar

Max Length: 40

SS Note 40 Character 54

Column Name: ss_note_40_char_text_55

Column Type: varchar

Max Length: 40

SS Note 40 Character 55

Column Name: ss_note_40_char_text_56

Column Type: varchar

Max Length: 40

SS Note 40 Character 56

Column Name: ss_note_40_char_text_57

Column Type: varchar

Max Length: 40

SS Note 40 Character 57

Column Name: ss_note_40_char_text_58

Column Type: varchar

Max Length: 40

SS Note 40 Character 58

Column Name: ss_note_40_char_text_59

Column Type: varchar

Max Length: 40

SS Note 40 Character 59

Column Name: ss_note_40_char_text_60

Column Type: varchar

Max Length: 40

SS Note 40 Character 60

Column Name: ss_note_40_char_text_61

Column Type: varchar

Max Length: 40

SS Note 40 Character 61

Column Name: ss_note_40_char_text_62

Column Type: varchar

Max Length: 40

SS Note 40 Character 62

Column Name: ss_note_40_char_text_63

Column Type: varchar

Max Length: 40

SS Note 40 Character 63

Column Name: ss_note_40_char_text_64

Column Type: varchar

Max Length: 40

SS Note 40 Character 64

Column Name: ss_note_40_char_text_65

Column Type: varchar

Max Length: 40

SS Note 40 Character 65

Column Name: ss_note_40_char_text_66

Column Type: varchar

Max Length: 40

SS Note 40 Character 66

Column Name: ss_note_40_char_text_67

Column Type: varchar

Max Length: 40

SS Note 40 Character 67

Column Name: ss_note_40_char_text_68

Column Type: varchar

Max Length: 40

SS Note 40 Character 68

Column Name: ss_note_40_char_text_69

Column Type: varchar

Max Length: 40

SS Note 40 Character 69

Column Name: ss_note_40_char_text_70

Column Type: varchar

Max Length: 40

SS Note 40 Character 70

Column Name: ss_note_40_char_text_71

Column Type: varchar

Max Length: 40

SS Note 40 Character 71

Column Name: ss_note_40_char_text_72

Column Type: varchar

Max Length: 40

SS Note 40 Character 72

Column Name: ss_note_40_char_text_73

Column Type: varchar

Max Length: 40

SS Note 40 Character 73)

Column Name: ss_note_40_char_text_74

Column Type: varchar

Max Length: 40

SS Note 40 Character 74

Column Name: ss_note_40_char_text_75

Column Type: varchar

Max Length: 40

SS Note 40 Character 75

Column Name: ss_note_40_char_text_76

Column Type: varchar

Max Length: 40

SS Note 40 Character 76

Column Name: ss_note_date_51

Column Type: date

SS Note Date 51

Column Name: ss_note_date_52

Column Type: date

SS Note Date 52

Column Name: ss_note_date_53

Column Type: date

SS Note Date 53

Column Name: ss_note_date_54

Column Type: date

SS Note Date 54

Column Name: ss_note_date_55

Column Type: date

SS Note Date 55

Column Name: ss_note_date_56

Column Type: date

SS Note Date 56

Column Name: ss_note_date_57

Column Type: date

SS Note Date 57

Column Name: ss_note_date_58

Column Type: date

SS Note Date 58

Column Name: ss_note_date_59

Column Type: date
SS Note Date 59

Column Name: ss_note_date_60
Column Type: date
SS Note Date 60

Column Name: ss_note_integer_51
Column Type: integer
SS Note Integer 51

Column Name: ss_note_integer_52
Column Type: integer
SS Note Integer 52

Column Name: ss_note_integer_53
Column Type: integer
SS Note Integer 53

Column Name: ss_note_integer_54
Column Type: integer
SS Note Integer 54

Column Name: ss_note_integer_55
Column Type: integer
SS Note Integer 55

Column Name: ss_note_integer_56
Column Type: integer
SS Note Integer 56

Column Name: ss_note_integer_57
Column Type: integer
SS Note Integer 57

Column Name: ss_note_integer_58
Column Type: integer
SS Note Integer 58

Column Name: ss_note_integer_59
Column Type: integer
SS Note Integer 59

Column Name: ss_note_integer_60
Column Type: integer
SS Note Integer 60

Column Name: ss_note_scroll_text_111
Column Type: varchar
Max Length: 32700

SS Note Scrolling Free Text 111

Column Name: ss_note_scroll_text_112

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 112

Column Name: ss_note_scroll_text_113

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 113

Column Name: ss_note_scroll_text_114

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 114

Column Name: ss_note_scroll_text_115

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 115

Column Name: ss_note_scroll_text_116

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 116

Column Name: ss_note_scroll_text_117

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 117

Column Name: ss_note_scroll_text_118

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 118

Column Name: ss_note_scroll_text_119

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 119

Column Name: ss_note_scroll_text_120

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 120

Column Name: ss_note_scroll_text_121

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 121

Column Name: ss_note_scroll_text_122

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 122

Column Name: ss_note_scroll_text_123

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 123

Column Name: ss_note_scroll_text_124

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 124

Column Name: ss_note_scroll_text_125

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 125

Column Name: ss_note_scroll_text_126

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 126

Column Name: ss_note_scroll_text_127

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 127

Column Name: ss_note_scroll_text_128

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 128

Column Name: ss_note_scroll_text_129

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 129

Column Name: ss_note_scroll_text_130

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 130

Column Name: ss_note_scroll_text_131

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 131

Column Name: ss_note_scroll_text_132

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 132

Column Name: ss_note_scroll_text_133

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 133

Column Name: ss_note_scroll_text_134

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 134

Column Name: ss_note_scroll_text_135

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 135

Column Name: ss_note_scroll_text_136

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 136

Column Name: ss_note_time_51

Column Type: varchar

Max Length: 10

SS Note Time 51

Column Name: ss_note_time_52

Column Type: varchar

Max Length: 10

SS Note Time 52

Column Name: ss_note_time_53

Column Type: varchar

Max Length: 10

SS Note Time 53

Column Name: ss_note_time_54

Column Type: varchar

Max Length: 10

SS Note Time 54

Column Name: ss_note_time_55

Column Type: varchar

Max Length: 10

SS Note Time 55

Column Name: ss_note_time_56

Column Type: varchar

Max Length: 10

SS Note Time 56

Column Name: ss_note_time_57

Column Type: varchar

Max Length: 10

SS Note Time 57

Column Name: ss_note_time_58

Column Type: varchar

Max Length: 10

SS Note Time 58

Column Name: ss_note_time_59

Column Type: varchar

Max Length: 10

SS Note Time 59

Column Name: ss_note_time_60

Column Type: varchar

Max Length: 10

SS Note Time 60

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: SYSTEM.cw_notes_voided

Table Description: This table returns voided progress notes.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: Filing_Hist
Column Type: varchar
Max Length: 20
Unique historic where the data will be stored.

Column Name: notes_field
Column Type: varchar
Max Length: 32759
'Notes Field'

Column Name: note_type_code
Column Type: varchar
Max Length: 50
'Note Type code'

Column Name: note_type_value
Column Type: varchar
Max Length: 40
The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time
Column Type: varchar
Max Length: 25
'Note Time'

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: new_existing_svc_code

Column Type: varchar
Max Length: 5
'New Existing Service Code For. (Progress Note For)'

Column Name: new_existing_svc_value
Column Type: varchar
Max Length: 40
The description associated with new_existing_svc_code. See new_existing_svc_code for more information.

Column Name: service_charge_code
Column Type: varchar
Max Length: 40
'Service Charge Code'

Column Name: service_program_code
Column Type: varchar
Max Length: 6
'Service Program code'

Column Name: service_program_value
Column Type: varchar
Max Length: 40
The description associated with service_program_code. See service_program_code for more information.

Column Name: service_duration
Column Type: varchar
Max Length: 5
'Service Duration'

Column Name: note_addresses
Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_wh_tp_plan_prob
Column Type: varchar
Max Length: 32759
'Note Addresses Which Treatment Plan Problem'

Column Name: Tx_Note_UniqueId
Column Type: varchar
Max Length: 40
Unique ID for a service note.

Column Name: FILING_COUNTER
Column Type: integer
'Filing Counter'

Column Name: GROUP_ID
Column Type: varchar

Max Length: 10
'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique ID for a service.

Column Name: TODO_ID
Column Type: varchar
Max Length: 20
'To Do Id'

Column Name: aps_link
Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Appointment'

Column Name: clinical_quality_code
Column Type: varchar
Max Length: 255
'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val
Column Type: varchar
Max Length: 255
'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: clinical_quality_value
Column Type: varchar
Max Length: 4096
'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: co_sign_to_do_user
Column Type: varchar
Max Length: 50
'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_group_service

Column Type: date

Date of service for group.

Column Name: draft_final_code

Column Type: varchar

Max Length: 5

'Draft/Final code'

Column Name: draft_final_value

Column Type: varchar

Max Length: 40

The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code

Column Type: varchar

Max Length: 255

'Evidence Based Practices'

Column Name: ebps_sh_val

Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id
Column Type: varchar
Max Length: 255
'External System Identifier'

Column Name: finalized_signature
Column Type: varchar
Max Length: 255
'Finalized Signature'

Column Name: medical_diagnosis_1_code
Column Type: varchar
Max Length: 50
'Medical Diagnosis 1 code'

Column Name: medical_diagnosis_1_value
Column Type: varchar
Max Length: 32759
The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code
Column Type: varchar
Max Length: 50
'Medical Diagnosis 2 code'

Column Name: medical_diagnosis_2_value
Column Type: varchar
Max Length: 32759
The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: notes_entry_index_nu
Column Type: varchar
Max Length: 50
'Notes Entry Index Number for Internal Use'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: orig_note_uniq_id_num
Column Type: varchar
Max Length: 20
'Original Note Unique ID Number'

Column Name: reason_for_void_code
Column Type: varchar
Max Length: 50
'Reason For Voiding The Note code'

Column Name: reason_for_void_value
Column Type: varchar
Max Length: 50
The description associated with reason_for_void_code. See reason_for_void_code for more information.

Column Name: select_tp_version_code
Column Type: varchar
Max Length: 5
'Select T.P. Version code'

Column Name: select_tp_version_value
Column Type: varchar
Max Length: 40
The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: session_start_end_times
Column Type: varchar
Max Length: 32759
'Start/End Time(s)'

Column Name: ss_note_20_char_text_1
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 1'

Column Name: ss_note_20_char_text_10
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 10'

Column Name: ss_note_20_char_text_2
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 2'

Column Name: ss_note_20_char_text_3
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 3'

Column Name: ss_note_20_char_text_4
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 4'

Column Name: ss_note_20_char_text_5
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 5'

Column Name: ss_note_20_char_text_6
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 6'

Column Name: ss_note_20_char_text_7
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 7'

Column Name: ss_note_20_char_text_8
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 8'

Column Name: ss_note_20_char_text_9
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 9'

Column Name: ss_note_40_char_text_1
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 1'

Column Name: ss_note_40_char_text_10
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 10'

Column Name: ss_note_40_char_text_2
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 2'

Column Name: ss_note_40_char_text_3
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 3'

Column Name: ss_note_40_char_text_4
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 4'

Column Name: ss_note_40_char_text_5
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 5'

Column Name: ss_note_40_char_text_6
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 6'

Column Name: ss_note_40_char_text_7
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 7'

Column Name: ss_note_40_char_text_8
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 8'

Column Name: ss_note_40_char_text_9
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 9'

Column Name: ss_note_80_char_text_1
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 9'

Column Name: ss_note_date_1
Column Type: date
'SS Note Date 1'

Column Name: ss_note_date_10
Column Type: date
'SS Note Date 10'

Column Name: ss_note_date_2
Column Type: date
'SS Note Date 2'

Column Name: ss_note_date_3
Column Type: date

'SS Note Date 3'

Column Name: ss_note_date_4

Column Type: date

'SS Note Date 4'

Column Name: ss_note_date_5

Column Type: date

'SS Note Date 5'

Column Name: ss_note_date_6

Column Type: date

'SS Note Date 6'

Column Name: ss_note_date_7

Column Type: date

'SS Note Date 7'

Column Name: ss_note_date_8

Column Type: date

'SS Note Date 8'

Column Name: ss_note_date_9

Column Type: date

'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 10 code'

Column Name: ss_note_dsm_diag_10_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 1 code'

Column Name: ss_note_dsm_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code

Column Type: varchar

Max Length: 20
'SS Note DSM IV Diagnosis 2 code'

Column Name: ss_note_dsm_diag_2_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_2_code. See ss_note_dsm_diag_2_code for more information.

Column Name: ss_note_dsm_diag_3_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 3 code'

Column Name: ss_note_dsm_diag_3_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_3_code. See ss_note_dsm_diag_3_code for more information.

Column Name: ss_note_dsm_diag_4_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 4 code'

Column Name: ss_note_dsm_diag_4_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_4_code. See ss_note_dsm_diag_4_code for more information.

Column Name: ss_note_dsm_diag_5_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 5 code'

Column Name: ss_note_dsm_diag_5_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_5_code. See ss_note_dsm_diag_5_code for more information.

Column Name: ss_note_dsm_diag_6_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 6 code'

Column Name: ss_note_dsm_diag_6_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_6_code`. See `ss_note_dsm_diag_6_code` for more information.

Column Name: `ss_note_dsm_diag_7_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 7 code'

Column Name: `ss_note_dsm_diag_7_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_7_code`. See `ss_note_dsm_diag_7_code` for more information.

Column Name: `ss_note_dsm_diag_8_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 8 code'

Column Name: `ss_note_dsm_diag_8_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_8_code`. See `ss_note_dsm_diag_8_code` for more information.

Column Name: `ss_note_dsm_diag_9_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 9 code'

Column Name: `ss_note_dsm_diag_9_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_9_code`. See `ss_note_dsm_diag_9_code` for more information.

Column Name: `ss_note_icd9_diag_10_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Diagnosis 10 code'

Column Name: `ss_note_icd9_diag_10_val`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_10_code`. See `ss_note_icd9_diag_10_code` for more information.

Column Name: `ss_note_icd9_diag_1_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Diagnosis 1 code'

Column Name: ss_note_icd9_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_1_code. See ss_note_icd9_diag_1_code for more information.

Column Name: ss_note_icd9_diag_2_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 2 code'

Column Name: ss_note_icd9_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_2_code. See ss_note_icd9_diag_2_code for more information.

Column Name: ss_note_icd9_diag_3_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 3 code'

Column Name: ss_note_icd9_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_3_code. See ss_note_icd9_diag_3_code for more information.

Column Name: ss_note_icd9_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 4 code'

Column Name: ss_note_icd9_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_4_code. See ss_note_icd9_diag_4_code for more information.

Column Name: ss_note_icd9_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 5 code'

Column Name: ss_note_icd9_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_5_code. See ss_note_icd9_diag_5_code for more information.

Column Name: ss_note_icd9_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 6 code'

Column Name: ss_note_icd9_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_6_code. See ss_note_icd9_diag_6_code for more information.

Column Name: ss_note_icd9_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 7 code'

Column Name: ss_note_icd9_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_7_code. See ss_note_icd9_diag_7_code for more information.

Column Name: ss_note_icd9_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 8 code'

Column Name: ss_note_icd9_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_8_code. See ss_note_icd9_diag_8_code for more information.

Column Name: ss_note_icd9_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 9 code'

Column Name: ss_note_icd9_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_9_code. See ss_note_icd9_diag_9_code for more information.

Column Name: ss_note_multi_dict_10_cod

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 10 code'

Column Name: ss_note_multi_dict_10_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_10_code. See ss_note_multi_dict_10_code for more information.

Column Name: ss_note_multi_dict_1_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 1 code'

Column Name: ss_note_multi_dict_1_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_1_code. See ss_note_multi_dict_1_code for more information.

Column Name: ss_note_multi_dict_2_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 2 code'

Column Name: ss_note_multi_dict_2_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_2_code. See ss_note_multi_dict_2_code for more information.

Column Name: ss_note_multi_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 3 code'

Column Name: ss_note_multi_dict_3_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_3_code. See ss_note_multi_dict_3_code for more information.

Column Name: ss_note_multi_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 4 code'

Column Name: ss_note_multi_dict_4_val

Column Type: varchar

Max Length: 32759

The description associated with `ss_note_multi_dict_4_code`. See `ss_note_multi_dict_4_code` for more information.

Column Name: `ss_note_multi_dict_5_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 5 code'

Column Name: `ss_note_multi_dict_5_val`

Column Type: `varchar`

Max Length: 32759

The description associated with `ss_note_multi_dict_5_code`. See `ss_note_multi_dict_5_code` for more information.

Column Name: `ss_note_multi_dict_6_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 6 code'

Column Name: `ss_note_multi_dict_6_val`

Column Type: `varchar`

Max Length: 32759

The description associated with `ss_note_multi_dict_6_code`. See `ss_note_multi_dict_6_code` for more information.

Column Name: `ss_note_multi_dict_7_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 7 code'

Column Name: `ss_note_multi_dict_7_val`

Column Type: `varchar`

Max Length: 32759

The description associated with `ss_note_multi_dict_7_code`. See `ss_note_multi_dict_7_code` for more information.

Column Name: `ss_note_multi_dict_8_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 8 code'

Column Name: `ss_note_multi_dict_8_val`

Column Type: `varchar`

Max Length: 32759

The description associated with `ss_note_multi_dict_8_code`. See `ss_note_multi_dict_8_code` for more information.

Column Name: `ss_note_multi_dict_9_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 9 code'

Column Name: ss_note_multi_dict_9_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_9_code. See ss_note_multi_dict_9_code for more information.

Column Name: ss_note_scroll_text_1

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 1'

Column Name: ss_note_scroll_text_10

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 10'

Column Name: ss_note_scroll_text_2

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 2'

Column Name: ss_note_scroll_text_3

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 3'

Column Name: ss_note_scroll_text_4

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 4'

Column Name: ss_note_scroll_text_5

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 5'

Column Name: ss_note_scroll_text_6

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 6'

Column Name: ss_note_scroll_text_7

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 7'

Column Name: ss_note_scroll_text_8

Column Type: varchar

Max Length: 32759
'SS Note Scrolling Free Text 8'

Column Name: ss_note_scroll_text_9
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 9'

Column Name: ss_note_sing_dict_10_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 10 code'

Column Name: ss_note_sing_dict_10_val
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 1 code'

Column Name: ss_note_sing_dict_1_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 2 code'

Column Name: ss_note_sing_dict_2_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 3 code'

Column Name: ss_note_sing_dict_3_value
Column Type: varchar
Max Length: 80

The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 4 code'

Column Name: ss_note_sing_dict_4_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 5 code'

Column Name: ss_note_sing_dict_5_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 6 code'

Column Name: ss_note_sing_dict_6_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 7 code'

Column Name: ss_note_sing_dict_7_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 8 code'

Column Name: ss_note_sing_dict_8_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 9 code'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1

Column Type: varchar

Max Length: 20

'SS Note Staff Member 1'

Column Name: ss_note_staff_10

Column Type: varchar

Max Length: 20

'SS Note Staff Member 10'

Column Name: ss_note_staff_2

Column Type: varchar

Max Length: 20

'SS Note Staff Member 2'

Column Name: ss_note_staff_3

Column Type: varchar

Max Length: 20

'SS Note Staff Member 3'

Column Name: ss_note_staff_4

Column Type: varchar

Max Length: 20

'SS Note Staff Member 4'

Column Name: ss_note_staff_5

Column Type: varchar

Max Length: 20

'SS Note Staff Member 5'

Column Name: ss_note_staff_6

Column Type: varchar
Max Length: 20
'SS Note Staff Member 6'

Column Name: ss_note_staff_7
Column Type: varchar
Max Length: 20
'SS Note Staff Member 7'

Column Name: ss_note_staff_8
Column Type: varchar
Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar
Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6

Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7
Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar
Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar
Max Length: 10
'SS Note Time 9'

Column Name: transcription_note
Column Type: bit
Is this is Transcription note

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: void_comments
Column Type: varchar
Max Length: 32759
'Void Comments'

Column Name: void_data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row for a void.

Column Name: void_data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row for a void.

Column Name: void_data_entry_date
Column Type: date
The date the row was voided.

Column Name: void_data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row for a void.

Column Name: void_data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated for a void.

Column Name: void_data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row for a void.

Column Name: void_data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID' for a void.

Column Name: void_option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row for a void.

Column Name: void_option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row for a void.

Documentation for form: Inpatient_Progress_Notes

Table Name: SYSTEM.cw_patient_notes

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20
The unique ID associated with the note.

Column Name: notes_field
Column Type: varchar
Max Length: 32700
The written note information.

Column Name: note_type_code
Column Type: varchar
Max Length: 50
'Note Type'

Column Name: note_type_value
Column Type: varchar
Max Length: 40
The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time
Column Type: varchar
Max Length: 25
'Note Time'

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: New_Existing_Service_code

Column Type: varchar

Max Length: 5

'Progress Note For'

Column Name: New_Existing_Service_value

Column Type: varchar

Max Length: 40

The description associated with New_Existing_Service_code. See New_Existing_Service_code for more information.

Column Name: service_program_value

Column Type: varchar

Max Length: 40

The description associated with service_program_code. See service_program_code for more information.

Column Name: note_addresses

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_which_tp_plan_prob

Column Type: varchar

Max Length: 32700

The treatment plan problem to add to the note.

Column Name: Tx_Note_UniqueId

Column Type: varchar

Max Length: 40

The unique ID associated with the treatment.

Column Name: service_charge_value

Column Type: varchar

Max Length: 40

The description associated with service_charge_code. See service_charge_code for more information.

Column Name: GROUP_ID

Column Type: varchar

Max Length: 10

'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

The unique ID that joins the note to the service.

Column Name: Option_Desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: Option_Id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: TODO_ID

Column Type: varchar

Max Length: 20

'To Do Id'

Column Name: add_on_notes

Column Type: varchar

Max Length: 32768

The add-on notes.

Column Name: add_svc_info_code

Column Type: varchar

Max Length: 40

The additional service information.

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

The description associated with add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

The description associated with add_svc_info_code. See add_svc_info_code for more information.

Column Name: aps_link

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Appointment'

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

'Service Status'

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

The description associated with billing_status_code. See billing_status_code for more information.

Column Name: calpm_ebpss_csi_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practices / Service Strategies (CSI)'

Column Name: calpm_ebpss_csi_value

Column Type: varchar

Max Length: 200

The description associated with calpm_ebpss_csi_code. See calpm_ebpss_csi_code for more information.

Column Name: calpm_ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

The description associated with calpm_ebpss_csi_value_code. See calpm_ebpss_csi_value_code for more information.

Column Name: client_prob_list_codes

Column Type: varchar

Max Length: 50

The codes associated with the client problem list.

Column Name: client_prob_list_shvals

Column Type: varchar

Max Length: 255

The description associated with client_prob_list_code limited to 255 characters. See client_prob_list_code for more information.

Column Name: client_prob_list_vals

Column Type: varchar

Max Length: 32700

The description associated with client_prob_list_code. See client_prob_list_code for more information.

Column Name: clinical_instructions

Column Type: varchar

Max Length: 32700

'Clinical Instructions'

Column Name: clinical_quality_code

Column Type: varchar

Max Length: 255

'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val

Column Type: varchar

Max Length: 255

'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: clinical_quality_value

Column Type: varchar

Max Length: 4096

'The description associated with clinical_quality_code. See clinical_quality_code for more information.

Column Name: confidential_note

Column Type: varchar

Max Length: 50

The confidential note.

Column Name: co_pract_duration

Column Type: numeric

The first co-practitioner duration.

Column Name: co_pract2_duration

Column Type: numeric

The second co-practitioner duration.

Column Name: co_practitioner_id

Column Type: varchar

Max Length: 15

The first co-practitioner ID.

Column Name: co_practitioner_id_2

Column Type: varchar

Max Length: 15

The second co-practitioner ID.

Column Name: co_practitioner_name

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id.

Column Name: co_practitioner_name_2

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id_2.

Column Name: co_sign_to_do_user

Column Type: varchar

Max Length: 50

'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 40
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_group_service
Column Type: date
The date of the group service.

Column Name: date_of_note
Column Type: date
The date of the note.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: discipline_code
Column Type: varchar

Max Length: 40
'Discipline'

Column Name: discipline_value
Column Type: varchar
Max Length: 40
The description associated with discipline_code. See discipline_code for more information.

Column Name: document_routing_status
Column Type: varchar
Max Length: 50
Status of the document

Column Name: draft_final_code
Column Type: varchar
Max Length: 5
'Draft/Final'

Column Name: draft_final_value
Column Type: varchar
Max Length: 40
The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id
Column Type: varchar
Max Length: 255
'External System Identifier'

Column Name: finalized_signature
Column Type: varchar
Max Length: 255
'Finalized Signature'

Column Name: has_nonmed_diag_flg_code
Column Type: varchar

Max Length: 50

The non-medical diagnosis flag.

Column Name: has_nonmed_diag_flg_value

Column Type: varchar

Max Length: 50

The description associated with has_nonmed_diag_flg_code. See has_nonmed_diag_flg_code for more information.

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

'Diagnosis 1'

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

'Diagnosis 2'

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

'Diagnosis 3'

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

'Diagnosis 4'

Column Name: location_code

Column Type: varchar

Max Length: 50

The location of the service.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: medical_diag1_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag1_DSM_code. See medical_diag1_DSM_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD 10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD 9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_imo_code. See medical_diag_1_imo_code for more information.

Column Name: medical_diag2_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag2_DSM_code. See medical_diag2_DSM_code for more information.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_imo_code. See medical_diag_2_imo_code for more information.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_imo_code. See medical_diag_3_imo_code for more information.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_imo_code. See medical_diag_4_imo_code for more information.

Column Name: medical_diagnosis_1_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1'

Column Name: medical_diagnosis_1_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2'

Column Name: medical_diagnosis_2_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: medical_diagnosis_3_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 3'

Column Name: medical_diagnosis_3_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_3_code. See medical_diagnosis_3_code for more information.

Column Name: medical_diagnosis_4_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 4'

Column Name: medical_diagnosis_4_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_4_code. See medical_diagnosis_4_code for more information.

Column Name: notes_entry_index_nu

Column Type: varchar

Max Length: 50

The notes entry index.

Column Name: number_clients_in_group

Column Type: integer

'Number Of Clients In Group'

Column Name: orig_note_uniq_id_num

Column Type: varchar

Max Length: 20

'Original Note Unique ID Number'

Column Name: practitioner_id

Column Type: varchar

Max Length: 15

The practitioner associated with the note.

Column Name: practitioner_name

Column Type: varchar

Max Length: 40

The name associated with practitioner_id.

Column Name: psycho_add_on_duration

Column Type: integer

The psychotherapy add-on duration.

Column Name: reason_for_visit_code

Column Type: varchar

Max Length: 50

'Reason for Visit'

Column Name: reason_for_visit_value

Column Type: varchar

Max Length: 250

The description associated with reason_for_visit_code. See reason_for_visit_code for more information.

Column Name: recommended_decision

Column Type: varchar

Max Length: 32700

'Recommended Decision'

Column Name: release_type_code

Column Type: varchar

Max Length: 50

The value entered in the field 'Are you releasing to myHealthPointe or External providers?'

Column Name: release_type_value

Column Type: varchar

Max Length: 40

The description associated with release_type_code.

Column Name: select_tp_version_code

Column Type: varchar

Max Length: 5

'Select T.P. Version'

Column Name: select_tp_version_value

Column Type: varchar

Max Length: 40

The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: service_charge_code

Column Type: varchar

Max Length: 40

The service charge code.

Column Name: service_duration

Column Type: varchar

Max Length: 5

The duration of the service.

Column Name: service_end_time

Column Type: varchar

Max Length: 10

The end time of the service.

Column Name: service_program_code

Column Type: varchar

Max Length: 15

The program of the service.

Column Name: service_start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: session_start_end_times

Column Type: varchar

Max Length: 32766

'Start/End Time(s)'

Column Name: ss_note_20_char_text_1
Column Type: varchar
Max Length: 20
'SS Note 20 Character 1'

Column Name: ss_note_20_char_text_10
Column Type: varchar
Max Length: 20
'SS Note 20 Character 10'

Column Name: ss_note_20_char_text_2
Column Type: varchar
Max Length: 20
'SS Note 20 Character 2'

Column Name: ss_note_20_char_text_3
Column Type: varchar
Max Length: 20
'SS Note 20 Character 3'

Column Name: ss_note_20_char_text_4
Column Type: varchar
Max Length: 20
'SS Note 20 Character 4'

Column Name: ss_note_20_char_text_5
Column Type: varchar
Max Length: 20
'SS Note 20 Character 5'

Column Name: ss_note_20_char_text_6
Column Type: varchar
Max Length: 20
'SS Note 20 Character 6'

Column Name: ss_note_20_char_text_7
Column Type: varchar
Max Length: 20
'SS Note 20 Character 7'

Column Name: ss_note_20_char_text_8
Column Type: varchar
Max Length: 20
'SS Note 20 Character 8'

Column Name: ss_note_20_char_text_9
Column Type: varchar
Max Length: 20
'SS Note 20 Character 9'

Column Name: ss_note_40_char_text_1
Column Type: varchar
Max Length: 40
'SS Note 40 Character 1'

Column Name: ss_note_40_char_text_10
Column Type: varchar
Max Length: 40
'SS Note 40 Character 10'

Column Name: ss_note_40_char_text_2
Column Type: varchar
Max Length: 40
'SS Note 40 Character 2'

Column Name: ss_note_40_char_text_3
Column Type: varchar
Max Length: 40
'SS Note 40 Character 3'

Column Name: ss_note_40_char_text_4
Column Type: varchar
Max Length: 40
'SS Note 40 Character 4'

Column Name: ss_note_40_char_text_5
Column Type: varchar
Max Length: 40
'SS Note 40 Character 5'

Column Name: ss_note_40_char_text_6
Column Type: varchar
Max Length: 40
'SS Note 40 Character 6'

Column Name: ss_note_40_char_text_7
Column Type: varchar
Max Length: 40
'SS Note 40 Character 7'

Column Name: ss_note_40_char_text_8
Column Type: varchar
Max Length: 40
'SS Note 40 Character 8'

Column Name: ss_note_40_char_text_9
Column Type: varchar
Max Length: 40
'SS Note 40 Character 9'

Column Name: ss_note_80_char_text_1
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 9'

Column Name: ss_note_date_1
Column Type: date
'SS Note Date 1'

Column Name: ss_note_date_10
Column Type: date
'SS Note Date 10'

Column Name: ss_note_date_2
Column Type: date
'SS Note Date 2'

Column Name: ss_note_date_3
Column Type: date
'SS Note Date 3'

Column Name: ss_note_date_4
Column Type: date
'SS Note Date 4'

Column Name: ss_note_date_5
Column Type: date
'SS Note Date 5'

Column Name: ss_note_date_6
Column Type: date
'SS Note Date 6'

Column Name: ss_note_date_7
Column Type: date
'SS Note Date 7'

Column Name: ss_note_date_8
Column Type: date
'SS Note Date 8'

Column Name: ss_note_date_9
Column Type: date
'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 10'

Column Name: ss_note_dsm_diag_10_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 1'

Column Name: ss_note_dsm_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 2'

Column Name: ss_note_dsm_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_2_code. See ss_note_dsm_diag_2_code for more information.

Column Name: ss_note_dsm_diag_3_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 3'

Column Name: ss_note_dsm_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_3_code. See ss_note_dsm_diag_3_code for more information.

Column Name: ss_note_dsm_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 4'

Column Name: ss_note_dsm_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_4_code. See ss_note_dsm_diag_4_code for more information.

Column Name: ss_note_dsm_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 5'

Column Name: ss_note_dsm_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_5_code. See ss_note_dsm_diag_5_code for more information.

Column Name: ss_note_dsm_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 6'

Column Name: ss_note_dsm_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_6_code. See ss_note_dsm_diag_6_code for more information.

Column Name: ss_note_dsm_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 7'

Column Name: ss_note_dsm_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_7_code. See ss_note_dsm_diag_7_code for more information.

Column Name: ss_note_dsm_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 8'

Column Name: ss_note_dsm_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_8_code. See ss_note_dsm_diag_8_code for more information.

Column Name: ss_note_dsm_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 9'

Column Name: ss_note_dsm_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_9_code. See ss_note_dsm_diag_9_code for more information.

Column Name: ss_note_icd9_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 10'

Column Name: ss_note_icd9_diag_10_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_10_code. See ss_note_icd9_diag_10_code for more information.

Column Name: ss_note_icd9_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 1'

Column Name: ss_note_icd9_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_1_code. See ss_note_icd9_diag_1_code for more information.

Column Name: ss_note_icd9_diag_2_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 2'

Column Name: ss_note_icd9_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_2_code. See ss_note_icd9_diag_2_code for more information.

Column Name: ss_note_icd9_diag_3_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 3'

Column Name: ss_note_icd9_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_3_code. See ss_note_icd9_diag_3_code for more information.

Column Name: ss_note_icd9_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 4'

Column Name: ss_note_icd9_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_4_code. See ss_note_icd9_diag_4_code for more information.

Column Name: ss_note_icd9_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 5'

Column Name: ss_note_icd9_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_5_code. See ss_note_icd9_diag_5_code for more information.

Column Name: ss_note_icd9_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 6'

Column Name: ss_note_icd9_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_6_code. See ss_note_icd9_diag_6_code for more information.

Column Name: ss_note_icd9_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 7'

Column Name: ss_note_icd9_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_7_code. See ss_note_icd9_diag_7_code for more information.

Column Name: ss_note_icd9_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 8'

Column Name: ss_note_icd9_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_8_code. See ss_note_icd9_diag_8_code for more information.

Column Name: ss_note_icd9_diag_9_code

Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 9'

Column Name: ss_note_icd9_diag_9_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_9_code. See ss_note_icd9_diag_9_code for more information.

Column Name: ss_note_multi_dict_10_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 10'

Column Name: ss_note_multi_dict_10_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_10_code. See ss_note_multi_dict_10_code for more information.

Column Name: ss_note_multi_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 1'

Column Name: ss_note_multi_dict_1_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_1_code. See ss_note_multi_dict_1_code for more information.

Column Name: ss_note_multi_dict_2_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 2'

Column Name: ss_note_multi_dict_2_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_2_code. See ss_note_multi_dict_2_code for more information.

Column Name: ss_note_multi_dict_3_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 3'

Column Name: ss_note_multi_dict_3_value
Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_3_code. See ss_note_multi_dict_3_code for more information.

Column Name: ss_note_multi_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 4'

Column Name: ss_note_multi_dict_4_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_4_code. See ss_note_multi_dict_4_code for more information.

Column Name: ss_note_multi_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 5'

Column Name: ss_note_multi_dict_5_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_5_code. See ss_note_multi_dict_5_code for more information.

Column Name: ss_note_multi_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 6'

Column Name: ss_note_multi_dict_6_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 7'

Column Name: ss_note_multi_dict_7_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_7_code. See ss_note_multi_dict_7_code for more information.

Column Name: ss_note_multi_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 8'

Column Name: ss_note_multi_dict_8_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_8_code. See ss_note_multi_dict_8_code for more information.

Column Name: ss_note_multi_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 9'

Column Name: ss_note_multi_dict_9_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_9_code. See ss_note_multi_dict_9_code for more information.

Column Name: ss_note_scroll_text_1

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 1'

Column Name: ss_note_scroll_text_10

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 10'

Column Name: ss_note_scroll_text_2

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 2'

Column Name: ss_note_scroll_text_3

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 3'

Column Name: ss_note_scroll_text_4

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 4'

Column Name: ss_note_scroll_text_5

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 5'

Column Name: ss_note_scroll_text_6
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 6'

Column Name: ss_note_scroll_text_7
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 7'

Column Name: ss_note_scroll_text_8
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 8'

Column Name: ss_note_scroll_text_9
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 9'

Column Name: ss_note_sing_dict_10_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 10'

Column Name: ss_note_sing_dict_10_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 1'

Column Name: ss_note_sing_dict_1_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 2'

Column Name: ss_note_sing_dict_2_value
Column Type: varchar
Max Length: 80

The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 3'

Column Name: ss_note_sing_dict_3_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 4'

Column Name: ss_note_sing_dict_4_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 5'

Column Name: ss_note_sing_dict_5_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 6'

Column Name: ss_note_sing_dict_6_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 7'

Column Name: ss_note_sing_dict_7_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 8'

Column Name: ss_note_sing_dict_8_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 9'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1

Column Type: varchar

Max Length: 20

'SS Note Staff Member 1'

Column Name: ss_note_staff_10

Column Type: varchar

Max Length: 20

'SS Note Staff Member 10'

Column Name: ss_note_staff_2

Column Type: varchar

Max Length: 20

'SS Note Staff Member 2'

Column Name: ss_note_staff_3

Column Type: varchar

Max Length: 20

'SS Note Staff Member 3'

Column Name: ss_note_staff_4
Column Type: varchar
Max Length: 20
'SS Note Staff Member 4'

Column Name: ss_note_staff_5
Column Type: varchar
Max Length: 20
'SS Note Staff Member 5'

Column Name: ss_note_staff_6
Column Type: varchar
Max Length: 20
'SS Note Staff Member 6'

Column Name: ss_note_staff_7
Column Type: varchar
Max Length: 20
'SS Note Staff Member 7'

Column Name: ss_note_staff_8
Column Type: varchar
Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar
Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6
Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7
Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar
Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar
Max Length: 10
'SS Note Time 9'

Column Name: transcription_note
Column Type: bit
Is this is Transcription note

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
Whether the note is confidential.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field
Column Type: varchar
Max Length: 32700
The contents of the notes field.

Column Name: option_desc
Column Type: varchar

Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_11
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 11'

Column Name: ss_note_20_char_text_12
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 12'

Column Name: ss_note_20_char_text_13
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 13'

Column Name: ss_note_20_char_text_14
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 14'

Column Name: ss_note_20_char_text_15
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 15'

Column Name: ss_note_20_char_text_16
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 16'

Column Name: ss_note_20_char_text_17
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 17'

Column Name: ss_note_20_char_text_18
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 18'

Column Name: ss_note_20_char_text_19
Column Type: varchar

Max Length: 20
'SS Note 20 Character Text 19'

Column Name: ss_note_20_char_text_20
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 20'

Column Name: ss_note_20_char_text_21
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 21'

Column Name: ss_note_20_char_text_22
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 22'

Column Name: ss_note_20_char_text_23
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 23'

Column Name: ss_note_20_char_text_24
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 24'

Column Name: ss_note_20_char_text_25
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 25'

Column Name: ss_note_20_char_text_26
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 26'

Column Name: ss_note_20_char_text_27
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 27'

Column Name: ss_note_20_char_text_28
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 28'

Column Name: ss_note_20_char_text_29
Column Type: varchar

Max Length: 20
'SS Note 20 Character Text 29'

Column Name: ss_note_20_char_text_30
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 30'

Column Name: ss_note_40_char_text_11
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 11'

Column Name: ss_note_40_char_text_12
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 12'

Column Name: ss_note_40_char_text_13
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 13'

Column Name: ss_note_40_char_text_14
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 14'

Column Name: ss_note_40_char_text_15
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 15'

Column Name: ss_note_40_char_text_16
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 16'

Column Name: ss_note_40_char_text_17
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 17'

Column Name: ss_note_40_char_text_18
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 18'

Column Name: ss_note_40_char_text_19
Column Type: varchar

Max Length: 40
'SS Note 40 Character Text 19'

Column Name: ss_note_40_char_text_20
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 20'

Column Name: ss_note_40_char_text_21
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 21'

Column Name: ss_note_40_char_text_22
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 22'

Column Name: ss_note_40_char_text_23
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 23'

Column Name: ss_note_40_char_text_24
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 24'

Column Name: ss_note_40_char_text_25
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 25'

Column Name: ss_note_40_char_text_26
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 26'

Column Name: ss_note_40_char_text_27
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 27'

Column Name: ss_note_40_char_text_28
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 28'

Column Name: ss_note_40_char_text_29
Column Type: varchar

Max Length: 40
'SS Note 40 Character Text 29'

Column Name: ss_note_40_char_text_30
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 30'

Column Name: ss_note_80_char_text_11
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 11'

Column Name: ss_note_80_char_text_12
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 12'

Column Name: ss_note_80_char_text_13
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 13'

Column Name: ss_note_80_char_text_14
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 14'

Column Name: ss_note_80_char_text_15
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 15'

Column Name: ss_note_80_char_text_16
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 16'

Column Name: ss_note_80_char_text_17
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 17'

Column Name: ss_note_80_char_text_18
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 18'

Column Name: ss_note_80_char_text_19
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 19'

Column Name: ss_note_80_char_text_20
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 20'

Column Name: ss_note_80_char_text_21
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 21'

Column Name: ss_note_80_char_text_22
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 22'

Column Name: ss_note_80_char_text_23
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 23'

Column Name: ss_note_80_char_text_24
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 24'

Column Name: ss_note_80_char_text_25
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 25'

Column Name: ss_note_80_char_text_26
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 26'

Column Name: ss_note_80_char_text_27
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 27'

Column Name: ss_note_80_char_text_28
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 28'

Column Name: ss_note_80_char_text_29
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 29'

Column Name: ss_note_80_char_text_30
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 30'

Column Name: ss_note_date_11
Column Type: date
'SS Note Date 11'

Column Name: ss_note_date_12
Column Type: date
'SS Note Date 12'

Column Name: ss_note_date_13
Column Type: date
'SS Note Date 13'

Column Name: ss_note_date_14
Column Type: date
'SS Note Date 14'

Column Name: ss_note_date_15
Column Type: date
'SS Note Date 15'

Column Name: ss_note_date_16
Column Type: date
'SS Note Date 16'

Column Name: ss_note_date_17
Column Type: date
'SS Note Date 17'

Column Name: ss_note_date_18
Column Type: date
'SS Note Date 18'

Column Name: ss_note_date_19
Column Type: date
'SS Note Date 19'

Column Name: ss_note_date_20
Column Type: date
'SS Note Date 20'

Column Name: ss_note_date_21
Column Type: date

'SS Note Date 21'

Column Name: ss_note_date_22

Column Type: date

'SS Note Date 22'

Column Name: ss_note_date_23

Column Type: date

'SS Note Date 23'

Column Name: ss_note_date_24

Column Type: date

'SS Note Date 24'

Column Name: ss_note_date_25

Column Type: date

'SS Note Date 25'

Column Name: ss_note_date_26

Column Type: date

'SS Note Date 26'

Column Name: ss_note_date_27

Column Type: date

'SS Note Date 27'

Column Name: ss_note_date_28

Column Type: date

'SS Note Date 28'

Column Name: ss_note_date_29

Column Type: date

'SS Note Date 29'

Column Name: ss_note_date_30

Column Type: date

'SS Note Date 30'

Column Name: ss_note_dsm_diag_11_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 11'

Column Name: ss_note_dsm_diag_11_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_11_code. See ss_note_dsm_diag_11_code for more information.

Column Name: ss_note_dsm_diag_12_code

Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 12'

Column Name: ss_note_dsm_diag_12_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_12_code. See ss_note_dsm_diag_12_code for more information.

Column Name: ss_note_dsm_diag_13_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 13'

Column Name: ss_note_dsm_diag_13_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_13_code. See ss_note_dsm_diag_13_code for more information.

Column Name: ss_note_dsm_diag_14_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 14'

Column Name: ss_note_dsm_diag_14_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_14_code. See ss_note_dsm_diag_14_code for more information.

Column Name: ss_note_dsm_diag_15_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 15'

Column Name: ss_note_dsm_diag_15_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_15_code. See ss_note_dsm_diag_15_code for more information.

Column Name: ss_note_dsm_diag_16_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 16'

Column Name: ss_note_dsm_diag_16_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_16_code. See ss_note_dsm_diag_16_code for more information.

Column Name: ss_note_dsm_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 17'

Column Name: ss_note_dsm_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_17_code. See ss_note_dsm_diag_17_code for more information.

Column Name: ss_note_dsm_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 18'

Column Name: ss_note_dsm_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_18_code. See ss_note_dsm_diag_18_code for more information.

Column Name: ss_note_dsm_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 19'

Column Name: ss_note_dsm_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_19_code. See ss_note_dsm_diag_19_code for more information.

Column Name: ss_note_dsm_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 20'

Column Name: ss_note_dsm_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_20_code. See ss_note_dsm_diag_20_code for more information.

Column Name: ss_note_dsm_diag_21_code

Column Type: varchar

Max Length: 20
'SS Note DSM Diagnosis 21'

Column Name: ss_note_dsm_diag_21_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_21_code. See ss_note_dsm_diag_21_code for more information.

Column Name: ss_note_dsm_diag_22_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 22'

Column Name: ss_note_dsm_diag_22_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_22_code. See ss_note_dsm_diag_22_code for more information.

Column Name: ss_note_dsm_diag_23_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 23'

Column Name: ss_note_dsm_diag_23_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_23_code. See ss_note_dsm_diag_23_code for more information.

Column Name: ss_note_dsm_diag_24_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 24'

Column Name: ss_note_dsm_diag_24_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_24_code. See ss_note_dsm_diag_24_code for more information.

Column Name: ss_note_dsm_diag_25_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 25'

Column Name: ss_note_dsm_diag_25_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_25_code`. See `ss_note_dsm_diag_25_code` for more information.

Column Name: `ss_note_dsm_diag_26_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 26'

Column Name: `ss_note_dsm_diag_26_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_26_code`. See `ss_note_dsm_diag_26_code` for more information.

Column Name: `ss_note_dsm_diag_27_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 27'

Column Name: `ss_note_dsm_diag_27_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_27_code`. See `ss_note_dsm_diag_27_code` for more information.

Column Name: `ss_note_dsm_diag_28_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 28'

Column Name: `ss_note_dsm_diag_28_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_28_code`. See `ss_note_dsm_diag_28_code` for more information.

Column Name: `ss_note_dsm_diag_29_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 29'

Column Name: `ss_note_dsm_diag_29_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_29_code`. See `ss_note_dsm_diag_29_code` for more information.

Column Name: `ss_note_dsm_diag_30_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 30'

Column Name: ss_note_dsm_diag_30_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_30_code. See ss_note_dsm_diag_30_code for more information.

Column Name: ss_note_icd9_diag_11_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 11'

Column Name: ss_note_icd9_diag_11_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_11_code. See ss_note_icd9_diag_11_code for more information.

Column Name: ss_note_icd9_diag_12_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 12'

Column Name: ss_note_icd9_diag_12_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_12_code. See ss_note_icd9_diag_12_code for more information.

Column Name: ss_note_icd9_diag_13_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 13'

Column Name: ss_note_icd9_diag_13_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_13_code. See ss_note_icd9_diag_13_code for more information.

Column Name: ss_note_icd9_diag_14_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 14'

Column Name: ss_note_icd9_diag_14_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_14_code`. See `ss_note_icd9_diag_14_code` for more information.

Column Name: `ss_note_icd9_diag_15_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 15'

Column Name: `ss_note_icd9_diag_15_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_15_code`. See `ss_note_icd9_diag_15_code` for more information.

Column Name: `ss_note_icd9_diag_16_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 16'

Column Name: `ss_note_icd9_diag_16_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_16_code`. See `ss_note_icd9_diag_16_code` for more information.

Column Name: `ss_note_icd9_diag_17_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 17'

Column Name: `ss_note_icd9_diag_17_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_17_code`. See `ss_note_icd9_diag_17_code` for more information.

Column Name: `ss_note_icd9_diag_18_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 18'

Column Name: `ss_note_icd9_diag_18_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_18_code`. See `ss_note_icd9_diag_18_code` for more information.

Column Name: `ss_note_icd9_diag_19_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 19'

Column Name: ss_note_icd9_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_19_code. See ss_note_icd9_diag_19_code for more information.

Column Name: ss_note_icd9_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 20'

Column Name: ss_note_icd9_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_20_code. See ss_note_icd9_diag_20_code for more information.

Column Name: ss_note_icd9_diag_21_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 21'

Column Name: ss_note_icd9_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_21_code. See ss_note_icd9_diag_21_code for more information.

Column Name: ss_note_icd9_diag_22_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 22'

Column Name: ss_note_icd9_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_22_code. See ss_note_icd9_diag_22_code for more information.

Column Name: ss_note_icd9_diag_23_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 23'

Column Name: ss_note_icd9_diag_23_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_23_code`. See `ss_note_icd9_diag_23_code` for more information.

Column Name: `ss_note_icd9_diag_24_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 24'

Column Name: `ss_note_icd9_diag_24_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_24_code`. See `ss_note_icd9_diag_24_code` for more information.

Column Name: `ss_note_icd9_diag_25_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 25'

Column Name: `ss_note_icd9_diag_25_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_25_code`. See `ss_note_icd9_diag_25_code` for more information.

Column Name: `ss_note_icd9_diag_26_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 26'

Column Name: `ss_note_icd9_diag_26_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_26_code`. See `ss_note_icd9_diag_26_code` for more information.

Column Name: `ss_note_icd9_diag_27_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 27'

Column Name: `ss_note_icd9_diag_27_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_27_code`. See `ss_note_icd9_diag_27_code` for more information.

Column Name: `ss_note_icd9_diag_28_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 28'

Column Name: ss_note_icd9_diag_28_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_28_code. See ss_note_icd9_diag_28_code for more information.

Column Name: ss_note_icd9_diag_29_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 29'

Column Name: ss_note_icd9_diag_29_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_29_code. See ss_note_icd9_diag_29_code for more information.

Column Name: ss_note_icd9_diag_30_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 30'

Column Name: ss_note_icd9_diag_30_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_30_code. See ss_note_icd9_diag_30_code for more information.

Column Name: ss_note_multi_dict_11_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_note_multi_dict_11_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_11_code. See ss_note_multi_dict_11_code for more information.

Column Name: ss_note_multi_dict_12_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_note_multi_dict_12_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_12_code. See ss_note_multi_dict_12_code for more information.

Column Name: ss_note_multi_dict_13_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_note_multi_dict_13_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_13_code. See ss_note_multi_dict_13_code for more information.

Column Name: ss_note_multi_dict_14_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_note_multi_dict_14_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_14_code. See ss_note_multi_dict_14_code for more information.

Column Name: ss_note_multi_dict_15_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_note_multi_dict_15_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_15_code. See ss_note_multi_dict_15_code for more information.

Column Name: ss_note_multi_dict_16_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_note_multi_dict_16_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_16_code. See ss_note_multi_dict_16_code for more information.

Column Name: ss_note_multi_dict_17_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_note_multi_dict_17_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_17_code. See ss_note_multi_dict_17_code for more information.

Column Name: ss_note_multi_dict_18_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_note_multi_dict_18_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_18_code. See ss_note_multi_dict_18_code for more information.

Column Name: ss_note_multi_dict_19_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_note_multi_dict_19_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_19_code. See ss_note_multi_dict_19_code for more information.

Column Name: ss_note_multi_dict_20_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_note_multi_dict_20_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_20_code. See ss_note_multi_dict_20_code for more information.

Column Name: ss_note_multi_dict_21_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_note_multi_dict_21_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_21_code. See ss_note_multi_dict_21_code for more information.

Column Name: ss_note_multi_dict_22_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_note_multi_dict_22_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_22_code. See ss_note_multi_dict_22_code for more information.

Column Name: ss_note_multi_dict_23_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_note_multi_dict_23_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_23_code. See ss_note_multi_dict_23_code for more information.

Column Name: ss_note_multi_dict_24_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_note_multi_dict_24_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_24_code. See ss_note_multi_dict_24_code for more information.

Column Name: ss_note_multi_dict_25_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_note_multi_dict_25_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_25_code. See ss_note_multi_dict_25_code for more information.

Column Name: ss_note_multi_dict_26_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_note_multi_dict_26_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_26_code. See ss_note_multi_dict_26_code for more information.

Column Name: ss_note_multi_dict_27_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_note_multi_dict_27_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_27_code. See ss_note_multi_dict_27_code for more information.

Column Name: ss_note_multi_dict_28_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_note_multi_dict_28_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_28_code. See ss_note_multi_dict_28_code for more information.

Column Name: ss_note_multi_dict_29_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_note_multi_dict_29_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_29_code. See ss_note_multi_dict_29_code for more information.

Column Name: ss_note_multi_dict_30_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_note_multi_dict_30_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_30_code. See ss_note_multi_dict_30_code for more information.

Column Name: ss_note_scroll_text_11
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 11'

Column Name: ss_note_scroll_text_12
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 12'

Column Name: ss_note_scroll_text_13
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 13'

Column Name: ss_note_scroll_text_14
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 14'

Column Name: ss_note_scroll_text_15
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 15'

Column Name: ss_note_scroll_text_16
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 16'

Column Name: ss_note_scroll_text_17
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 17'

Column Name: ss_note_scroll_text_18
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 18'

Column Name: ss_note_scroll_text_19
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 19'

Column Name: ss_note_scroll_text_20
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 20'

Column Name: ss_note_scroll_text_21
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 21'

Column Name: ss_note_scroll_text_22
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 22'

Column Name: ss_note_scroll_text_23
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 23'

Column Name: ss_note_scroll_text_24
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 24'

Column Name: ss_note_scroll_text_25
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 25'

Column Name: ss_note_scroll_text_26
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 26'

Column Name: ss_note_scroll_text_27
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 27'

Column Name: ss_note_scroll_text_28
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 28'

Column Name: ss_note_scroll_text_29
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 29'

Column Name: ss_note_scroll_text_30
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 30'

Column Name: ss_note_sing_dict_11_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 11'

Column Name: ss_note_sing_dict_11_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_11_code. See ss_note_single_dict_11_code for more information.

Column Name: ss_note_sing_dict_12_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 12'

Column Name: ss_note_sing_dict_12_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_12_code. See ss_note_single_dict_12_code for more information.

Column Name: ss_note_sing_dict_13_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 13'

Column Name: ss_note_sing_dict_13_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_13_code. See ss_note_single_dict_13_code for more information.

Column Name: ss_note_sing_dict_14_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 14'

Column Name: ss_note_sing_dict_14_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_14_code. See ss_note_single_dict_14_code for more information.

Column Name: ss_note_sing_dict_15_code
Column Type: varchar
Max Length: 50

'SS Note Single Response Dictionary 15'

Column Name: ss_note_sing_dict_15_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_15_code. See ss_note_single_dict_15_code for more information.

Column Name: ss_note_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 16'

Column Name: ss_note_sing_dict_16_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_16_code. See ss_note_single_dict_16_code for more information.

Column Name: ss_note_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 17'

Column Name: ss_note_sing_dict_17_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_17_code. See ss_note_single_dict_17_code for more information.

Column Name: ss_note_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 18'

Column Name: ss_note_sing_dict_18_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_18_code. See ss_note_single_dict_18_code for more information.

Column Name: ss_note_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 19'

Column Name: ss_note_sing_dict_19_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_19_code. See ss_note_single_dict_19_code for more information.

Column Name: ss_note_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 20'

Column Name: ss_note_sing_dict_20_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_20_code. See ss_note_single_dict_20_code for more information.

Column Name: ss_note_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 21'

Column Name: ss_note_sing_dict_21_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_21_code. See ss_note_single_dict_21_code for more information.

Column Name: ss_note_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 22'

Column Name: ss_note_sing_dict_22_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_22_code. See ss_note_single_dict_22_code for more information.

Column Name: ss_note_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 23'

Column Name: ss_note_sing_dict_23_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_23_code. See ss_note_single_dict_23_code for more information.

Column Name: ss_note_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 24'

Column Name: ss_note_sing_dict_24_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_24_code. See ss_note_single_dict_24_code for more information.

Column Name: ss_note_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 25'

Column Name: ss_note_sing_dict_25_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_25_code. See ss_note_single_dict_25_code for more information.

Column Name: ss_note_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 26'

Column Name: ss_note_sing_dict_26_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_26_code. See ss_note_single_dict_26_code for more information.

Column Name: ss_note_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 27'

Column Name: ss_note_sing_dict_27_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_27_code. See ss_note_single_dict_27_code for more information.

Column Name: ss_note_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 28'

Column Name: ss_note_sing_dict_28_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_28_code. See ss_note_single_dict_28_code for more information.

Column Name: ss_note_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 29'

Column Name: ss_note_sing_dict_29_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_29_code. See ss_note_single_dict_29_code for more information.

Column Name: ss_note_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 30'

Column Name: ss_note_sing_dict_30_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_30_code. See ss_note_single_dict_30_code for more information.

Column Name: ss_note_time_11

Column Type: varchar

Max Length: 50

'SS Note Time 11'

Column Name: ss_note_time_12

Column Type: varchar

Max Length: 50

'SS Note Time 12'

Column Name: ss_note_time_13

Column Type: varchar

Max Length: 50

'SS Note Time 13'

Column Name: ss_note_time_14

Column Type: varchar

Max Length: 50

'SS Note Time 14'

Column Name: ss_note_time_15

Column Type: varchar

Max Length: 50

'SS Note Time 15'

Column Name: ss_note_time_16
Column Type: varchar
Max Length: 50
'SS Note Time 16'

Column Name: ss_note_time_17
Column Type: varchar
Max Length: 50
'SS Note Time 17'

Column Name: ss_note_time_18
Column Type: varchar
Max Length: 50
'SS Note Time 18'

Column Name: ss_note_time_19
Column Type: varchar
Max Length: 50
'SS Note Time 19'

Column Name: ss_note_time_20
Column Type: varchar
Max Length: 50
'SS Note Time 20'

Column Name: ss_note_time_21
Column Type: varchar
Max Length: 50
'SS Note Time 21'

Column Name: ss_note_time_22
Column Type: varchar
Max Length: 50
'SS Note Time 22'

Column Name: ss_note_time_23
Column Type: varchar
Max Length: 50
'SS Note Time 23'

Column Name: ss_note_time_24
Column Type: varchar
Max Length: 50
'SS Note Time 24'

Column Name: ss_note_time_25
Column Type: varchar
Max Length: 50
'SS Note Time 25'

Column Name: ss_note_time_26
Column Type: varchar
Max Length: 50
'SS Note Time 26'

Column Name: ss_note_time_27
Column Type: varchar
Max Length: 50
'SS Note Time 27'

Column Name: ss_note_time_28
Column Type: varchar
Max Length: 50
'SS Note Time 28'

Column Name: ss_note_time_29
Column Type: varchar
Max Length: 50
'SS Note Time 29'

Column Name: ss_note_time_30
Column Type: varchar
Max Length: 50
'SS Note Time 30'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp_1

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
'Progress Notes Pointer'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
'Confidential Notes'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
'Notes Field'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_31
Column Type: varchar
Max Length: 20
'SS Note 20 Character 31'

Column Name: ss_note_20_char_text_32
Column Type: varchar
Max Length: 20
'SS Note 20 Character 32'

Column Name: ss_note_20_char_text_33
Column Type: varchar
Max Length: 20
'SS Note 20 Character 33'

Column Name: ss_note_20_char_text_34
Column Type: varchar
Max Length: 20
'SS Note 20 Character 34'

Column Name: ss_note_20_char_text_35
Column Type: varchar
Max Length: 20
'SS Note 20 Character 35'

Column Name: ss_note_20_char_text_36
Column Type: varchar
Max Length: 20
'SS Note 20 Character 36'

Column Name: ss_note_20_char_text_37

Column Type: varchar
Max Length: 20
'SS Note 20 Character 37'

Column Name: ss_note_20_char_text_38
Column Type: varchar
Max Length: 20
'SS Note 20 Character 38'

Column Name: ss_note_20_char_text_39
Column Type: varchar
Max Length: 20
'SS Note 20 Character 39'

Column Name: ss_note_20_char_text_40
Column Type: varchar
Max Length: 20
'SS Note 20 Character 40'

Column Name: ss_note_20_char_text_41
Column Type: varchar
Max Length: 20
'SS Note 20 Character 41'

Column Name: ss_note_20_char_text_42
Column Type: varchar
Max Length: 20
'SS Note 20 Character 42'

Column Name: ss_note_20_char_text_43
Column Type: varchar
Max Length: 20
'SS Note 20 Character 43'

Column Name: ss_note_20_char_text_44
Column Type: varchar
Max Length: 20
'SS Note 20 Character 44'

Column Name: ss_note_20_char_text_45
Column Type: varchar
Max Length: 20
'SS Note 20 Character 45'

Column Name: ss_note_20_char_text_46
Column Type: varchar
Max Length: 20
'SS Note 20 Character 46'

Column Name: ss_note_20_char_text_47

Column Type: varchar
Max Length: 20
'SS Note 20 Character 47'

Column Name: ss_note_20_char_text_48
Column Type: varchar
Max Length: 20
'SS Note 20 Character 48'

Column Name: ss_note_20_char_text_49
Column Type: varchar
Max Length: 20
'SS Note 20 Character 49'

Column Name: ss_note_20_char_text_50
Column Type: varchar
Max Length: 20
'SS Note 20 Character 50'

Column Name: ss_note_40_char_text_31
Column Type: varchar
Max Length: 40
'SS Note 40 Character 31'

Column Name: ss_note_40_char_text_32
Column Type: varchar
Max Length: 40
'SS Note 40 Character 32'

Column Name: ss_note_40_char_text_33
Column Type: varchar
Max Length: 40
'SS Note 40 Character 33'

Column Name: ss_note_40_char_text_34
Column Type: varchar
Max Length: 40
'SS Note 40 Character 34'

Column Name: ss_note_40_char_text_35
Column Type: varchar
Max Length: 40
'SS Note 40 Character 35'

Column Name: ss_note_40_char_text_36
Column Type: varchar
Max Length: 40
'SS Note 40 Character 36'

Column Name: ss_note_40_char_text_37

Column Type: varchar
Max Length: 40
'SS Note 40 Character 37'

Column Name: ss_note_40_char_text_38
Column Type: varchar
Max Length: 40
'SS Note 40 Character 38'

Column Name: ss_note_40_char_text_39
Column Type: varchar
Max Length: 40
'SS Note 40 Character 39'

Column Name: ss_note_40_char_text_40
Column Type: varchar
Max Length: 40
'SS Note 40 Character 40'

Column Name: ss_note_40_char_text_41
Column Type: varchar
Max Length: 40
'SS Note 40 Character 41'

Column Name: ss_note_40_char_text_42
Column Type: varchar
Max Length: 40
'SS Note 40 Character 42'

Column Name: ss_note_40_char_text_43
Column Type: varchar
Max Length: 40
'SS Note 40 Character 43'

Column Name: ss_note_40_char_text_44
Column Type: varchar
Max Length: 40
'SS Note 40 Character 44'

Column Name: ss_note_40_char_text_45
Column Type: varchar
Max Length: 40
'SS Note 40 Character 45'

Column Name: ss_note_40_char_text_46
Column Type: varchar
Max Length: 40
'SS Note 40 Character 46'

Column Name: ss_note_40_char_text_47

Column Type: varchar
Max Length: 40
'SS Note 40 Character 47'

Column Name: ss_note_40_char_text_48
Column Type: varchar
Max Length: 40
'SS Note 40 Character 48'

Column Name: ss_note_40_char_text_49
Column Type: varchar
Max Length: 40
'SS Note 40 Character 49'

Column Name: ss_note_40_char_text_50
Column Type: varchar
Max Length: 40
'SS Note 40 Character 50'

Column Name: ss_note_80_char_text_31
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 31'

Column Name: ss_note_80_char_text_32
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 32'

Column Name: ss_note_80_char_text_33
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 33'

Column Name: ss_note_80_char_text_34
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 34'

Column Name: ss_note_80_char_text_35
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 35'

Column Name: ss_note_80_char_text_36
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 36'

Column Name: ss_note_80_char_text_37

Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 37'

Column Name: ss_note_80_char_text_38
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 38'

Column Name: ss_note_80_char_text_39
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 39'

Column Name: ss_note_80_char_text_40
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 40'

Column Name: ss_note_80_char_text_41
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 41'

Column Name: ss_note_80_char_text_42
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 42'

Column Name: ss_note_80_char_text_43
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 43'

Column Name: ss_note_80_char_text_44
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 44'

Column Name: ss_note_80_char_text_45
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 45'

Column Name: ss_note_80_char_text_46
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 46'

Column Name: ss_note_80_char_text_47

Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 47'

Column Name: ss_note_80_char_text_48
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 48'

Column Name: ss_note_80_char_text_49
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 49'

Column Name: ss_note_80_char_text_50
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 50'

Column Name: ss_note_date_31
Column Type: date
'SS Note Date 31'

Column Name: ss_note_date_32
Column Type: date
'SS Note Date 32'

Column Name: ss_note_date_33
Column Type: date
'SS Note Date 33'

Column Name: ss_note_date_34
Column Type: date
'SS Note Date 34'

Column Name: ss_note_date_35
Column Type: date
'SS Note Date 35'

Column Name: ss_note_date_36
Column Type: date
'SS Note Date 36'

Column Name: ss_note_date_37
Column Type: date
'SS Note Date 37'

Column Name: ss_note_date_38
Column Type: date
'SS Note Date 38'

Column Name: ss_note_date_39
Column Type: date
'SS Note Date 39'

Column Name: ss_note_date_40
Column Type: date
'SS Note Date 40'

Column Name: ss_note_date_41
Column Type: date
'SS Note Date 41'

Column Name: ss_note_date_42
Column Type: date
'SS Note Date 42'

Column Name: ss_note_date_43
Column Type: date
'SS Note Date 43'

Column Name: ss_note_date_44
Column Type: date
'SS Note Date 44'

Column Name: ss_note_date_45
Column Type: date
'SS Note Date 45'

Column Name: ss_note_date_46
Column Type: date
'SS Note Date 46'

Column Name: ss_note_date_47
Column Type: date
'SS Note Date 47'

Column Name: ss_note_date_48
Column Type: date
'SS Note Date 48'

Column Name: ss_note_date_49
Column Type: date
'SS Note Date 49'

Column Name: ss_note_date_50
Column Type: date
'SS Note Date 50'

Column Name: ss_note_dsm_diag_31_code

Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 31'

Column Name: ss_note_dsm_diag_31_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_31_code. See ss_note_dsm_diag_31_code for more information.

Column Name: ss_note_dsm_diag_32_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 32'

Column Name: ss_note_dsm_diag_32_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_32_code. See ss_note_dsm_diag_32_code for more information.

Column Name: ss_note_dsm_diag_33_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 33'

Column Name: ss_note_dsm_diag_33_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_33_code. See ss_note_dsm_diag_33_code for more information.

Column Name: ss_note_dsm_diag_34_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 34'

Column Name: ss_note_dsm_diag_34_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_34_code. See ss_note_dsm_diag_34_code for more information.

Column Name: ss_note_dsm_diag_35_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 35'

Column Name: ss_note_dsm_diag_35_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_35_code. See ss_note_dsm_diag_35_code for more information.

Column Name: ss_note_dsm_diag_36_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 36'

Column Name: ss_note_dsm_diag_36_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_36_code. See ss_note_dsm_diag_36_code for more information.

Column Name: ss_note_dsm_diag_37_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 37'

Column Name: ss_note_dsm_diag_37_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_37_code. See ss_note_dsm_diag_37_code for more information.

Column Name: ss_note_dsm_diag_38_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 38'

Column Name: ss_note_dsm_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_38_code. See ss_note_dsm_diag_38_code for more information.

Column Name: ss_note_dsm_diag_39_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 39'

Column Name: ss_note_dsm_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_39_code. See ss_note_dsm_diag_39_code for more information.

Column Name: ss_note_dsm_diag_40_code

Column Type: varchar

Max Length: 20
'SS Note DSM IV Diagnosis 40'

Column Name: ss_note_dsm_diag_40_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_40_code. See ss_note_dsm_diag_40_code for more information.

Column Name: ss_note_dsm_diag_41_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 41'

Column Name: ss_note_dsm_diag_41_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_41_code. See ss_note_dsm_diag_41_code for more information.

Column Name: ss_note_dsm_diag_42_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 42'

Column Name: ss_note_dsm_diag_42_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_42_code. See ss_note_dsm_diag_42_code for more information.

Column Name: ss_note_dsm_diag_43_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 43'

Column Name: ss_note_dsm_diag_43_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_43_code. See ss_note_dsm_diag_43_code for more information.

Column Name: ss_note_dsm_diag_44_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 44'

Column Name: ss_note_dsm_diag_44_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_44_code`. See `ss_note_dsm_diag_44_code` for more information.

Column Name: `ss_note_dsm_diag_45_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 45'

Column Name: `ss_note_dsm_diag_45_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_45_code`. See `ss_note_dsm_diag_45_code` for more information.

Column Name: `ss_note_dsm_diag_46_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 46'

Column Name: `ss_note_dsm_diag_46_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_46_code`. See `ss_note_dsm_diag_46_code` for more information.

Column Name: `ss_note_dsm_diag_47_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 47'

Column Name: `ss_note_dsm_diag_47_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_47_code`. See `ss_note_dsm_diag_47_code` for more information.

Column Name: `ss_note_dsm_diag_48_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 48'

Column Name: `ss_note_dsm_diag_48_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_48_code`. See `ss_note_dsm_diag_48_code` for more information.

Column Name: `ss_note_dsm_diag_49_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 49'

Column Name: ss_note_dsm_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_49_code. See ss_note_dsm_diag_49_code for more information.

Column Name: ss_note_dsm_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 50'

Column Name: ss_note_dsm_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_50_code. See ss_note_dsm_diag_50_code for more information.

Column Name: ss_note_icd9_diag_31_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 31'

Column Name: ss_note_icd9_diag_31_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_31_code. See ss_note_icd9_diag_31_code for more information.

Column Name: ss_note_icd9_diag_32_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 32'

Column Name: ss_note_icd9_diag_32_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_32_code. See ss_note_icd9_diag_32_code for more information.

Column Name: ss_note_icd9_diag_33_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 33'

Column Name: ss_note_icd9_diag_33_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_33_code`. See `ss_note_icd9_diag_33_code` for more information.

Column Name: `ss_note_icd9_diag_34_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 34'

Column Name: `ss_note_icd9_diag_34_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_34_code`. See `ss_note_icd9_diag_34_code` for more information.

Column Name: `ss_note_icd9_diag_35_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 35'

Column Name: `ss_note_icd9_diag_35_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_35_code`. See `ss_note_icd9_diag_35_code` for more information.

Column Name: `ss_note_icd9_diag_36_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 36'

Column Name: `ss_note_icd9_diag_36_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_36_code`. See `ss_note_icd9_diag_36_code` for more information.

Column Name: `ss_note_icd9_diag_37_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 37'

Column Name: `ss_note_icd9_diag_37_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_37_code`. See `ss_note_icd9_diag_37_code` for more information.

Column Name: `ss_note_icd9_diag_38_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 38'

Column Name: ss_note_icd9_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_38_code. See ss_note_icd9_diag_38_code for more information.

Column Name: ss_note_icd9_diag_39_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 39'

Column Name: ss_note_icd9_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_39_code. See ss_note_icd9_diag_39_code for more information.

Column Name: ss_note_icd9_diag_40_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 40'

Column Name: ss_note_icd9_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_40_code. See ss_note_icd9_diag_40_code for more information.

Column Name: ss_note_icd9_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 41'

Column Name: ss_note_icd9_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_41_code. See ss_note_icd9_diag_41_code for more information.

Column Name: ss_note_icd9_diag_42_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 42'

Column Name: ss_note_icd9_diag_42_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_42_code`. See `ss_note_icd9_diag_42_code` for more information.

Column Name: `ss_note_icd9_diag_43_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 43'

Column Name: `ss_note_icd9_diag_43_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_43_code`. See `ss_note_icd9_diag_43_code` for more information.

Column Name: `ss_note_icd9_diag_44_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 44'

Column Name: `ss_note_icd9_diag_44_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_44_code`. See `ss_note_icd9_diag_44_code` for more information.

Column Name: `ss_note_icd9_diag_45_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 45'

Column Name: `ss_note_icd9_diag_45_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_45_code`. See `ss_note_icd9_diag_45_code` for more information.

Column Name: `ss_note_icd9_diag_46_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 46'

Column Name: `ss_note_icd9_diag_46_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_46_code`. See `ss_note_icd9_diag_46_code` for more information.

Column Name: `ss_note_icd9_diag_47_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 47'

Column Name: ss_note_icd9_diag_47_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_47_code. See ss_note_icd9_diag_47_code for more information.

Column Name: ss_note_icd9_diag_48_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 48'

Column Name: ss_note_icd9_diag_48_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_48_code. See ss_note_icd9_diag_48_code for more information.

Column Name: ss_note_icd9_diag_49_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 49'

Column Name: ss_note_icd9_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_49_code. See ss_note_icd9_diag_49_code for more information.

Column Name: ss_note_icd9_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 50'

Column Name: ss_note_icd9_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_50_code. See ss_note_icd9_diag_50_code for more information.

Column Name: ss_note_integer_1

Column Type: integer

'SS Note Integer 1'

Column Name: ss_note_integer_2

Column Type: integer

'SS Note Integer 2'

Column Name: ss_note_integer_3

Column Type: integer
'SS Note Integer 3'

Column Name: ss_note_integer_4
Column Type: integer
'SS Note Integer 4'

Column Name: ss_note_integer_5
Column Type: integer
'SS Note Integer 5'

Column Name: ss_note_integer_6
Column Type: integer
'SS Note Integer 6'

Column Name: ss_note_multi_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 31'

Column Name: ss_note_multi_dict_31_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_31_code. See ss_note_multi_dict_31_code for more information.

Column Name: ss_note_multi_dict_32_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 32'

Column Name: ss_note_multi_dict_32_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_32_code. See ss_note_multi_dict_32_code for more information.

Column Name: ss_note_multi_dict_33_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 33'

Column Name: ss_note_multi_dict_33_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_33_code. See ss_note_multi_dict_33_code for more information.

Column Name: ss_note_multi_dict_34_code
Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 34'

Column Name: ss_note_multi_dict_34_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_34_code. See ss_note_multi_dict_34_code for more information.

Column Name: ss_note_multi_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 35'

Column Name: ss_note_multi_dict_35_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_35_code. See ss_note_multi_dict_35_code for more information.

Column Name: ss_note_multi_dict_36_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 36'

Column Name: ss_note_multi_dict_36_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_36_code. See ss_note_multi_dict_36_code for more information.

Column Name: ss_note_multi_dict_37_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 37'

Column Name: ss_note_multi_dict_37_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_37_code. See ss_note_multi_dict_37_code for more information.

Column Name: ss_note_multi_dict_38_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 38'

Column Name: ss_note_multi_dict_38_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_38_code. See ss_note_multi_dict_38_code for more information.

Column Name: ss_note_multi_dict_39_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 39'

Column Name: ss_note_multi_dict_39_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_39_code. See ss_note_multi_dict_39_code for more information.

Column Name: ss_note_multi_dict_40_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 40'

Column Name: ss_note_multi_dict_40_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_40_code. See ss_note_multi_dict_40_code for more information.

Column Name: ss_note_multi_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 41'

Column Name: ss_note_multi_dict_41_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_41_code. See ss_note_multi_dict_41_code for more information.

Column Name: ss_note_multi_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 42'

Column Name: ss_note_multi_dict_42_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_42_code. See ss_note_multi_dict_42_code for more information.

Column Name: ss_note_multi_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 43'

Column Name: ss_note_multi_dict_43_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_43_code. See ss_note_multi_dict_43_code for more information.

Column Name: ss_note_multi_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 44'

Column Name: ss_note_multi_dict_44_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_44_code. See ss_note_multi_dict_44_code for more information.

Column Name: ss_note_multi_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 45'

Column Name: ss_note_multi_dict_45_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_45_code. See ss_note_multi_dict_45_code for more information.

Column Name: ss_note_multi_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 46'

Column Name: ss_note_multi_dict_46_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_46_code. See ss_note_multi_dict_46_code for more information.

Column Name: ss_note_multi_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 47'

Column Name: ss_note_multi_dict_47_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_47_code. See ss_note_multi_dict_47_code for more information.

Column Name: ss_note_multi_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 48'

Column Name: ss_note_multi_dict_48_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_48_code. See ss_note_multi_dict_48_code for more information.

Column Name: ss_note_multi_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 49'

Column Name: ss_note_multi_dict_49_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_49_code. See ss_note_multi_dict_49_code for more information.

Column Name: ss_note_multi_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 50'

Column Name: ss_note_multi_dict_50_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_50_code. See ss_note_multi_dict_50_code for more information.

Column Name: ss_note_scroll_text_31

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 31'

Column Name: ss_note_scroll_text_32

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 32'

Column Name: ss_note_scroll_text_33

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 33'

Column Name: ss_note_scroll_text_34
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 34'

Column Name: ss_note_scroll_text_35
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 35'

Column Name: ss_note_scroll_text_36
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 36'

Column Name: ss_note_scroll_text_37
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 37'

Column Name: ss_note_scroll_text_38
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 38'

Column Name: ss_note_scroll_text_39
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 39'

Column Name: ss_note_scroll_text_40
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 40'

Column Name: ss_note_scroll_text_41
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 41'

Column Name: ss_note_scroll_text_42
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 42'

Column Name: ss_note_scroll_text_43
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 43'

Column Name: ss_note_scroll_text_44
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 44'

Column Name: ss_note_scroll_text_45
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 45'

Column Name: ss_note_scroll_text_46
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 46'

Column Name: ss_note_scroll_text_47
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 47'

Column Name: ss_note_scroll_text_48
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 48'

Column Name: ss_note_scroll_text_49
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 49'

Column Name: ss_note_scroll_text_50
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 50'

Column Name: ss_note_sing_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 31'

Column Name: ss_note_sing_dict_31_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_31_code. See ss_note_sing_dict_31_code for more information.

Column Name: ss_note_sing_dict_32_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 32'

Column Name: ss_note_sing_dict_32_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_32_code. See ss_note_sing_dict_32_code for more information.

Column Name: ss_note_sing_dict_33_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 33'

Column Name: ss_note_sing_dict_33_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_33_code. See ss_note_sing_dict_33_code for more information.

Column Name: ss_note_sing_dict_34_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 34'

Column Name: ss_note_sing_dict_34_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_34_code. See ss_note_sing_dict_34_code for more information.

Column Name: ss_note_sing_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 35'

Column Name: ss_note_sing_dict_35_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_35_code. See ss_note_sing_dict_35_code for more information.

Column Name: ss_note_sing_dict_36_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 36'

Column Name: ss_note_sing_dict_36_value

Column Type: varchar

Max Length: 80

The description associated with `ss_note_sing_dict_36_code`. See `ss_note_sing_dict_36_code` for more information.

Column Name: `ss_note_sing_dict_37_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 37'

Column Name: `ss_note_sing_dict_37_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_37_code`. See `ss_note_sing_dict_37_code` for more information.

Column Name: `ss_note_sing_dict_38_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 38'

Column Name: `ss_note_sing_dict_38_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_38_code`. See `ss_note_sing_dict_38_code` for more information.

Column Name: `ss_note_sing_dict_39_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 39'

Column Name: `ss_note_sing_dict_39_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_39_code`. See `ss_note_sing_dict_39_code` for more information.

Column Name: `ss_note_sing_dict_40_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 40'

Column Name: `ss_note_sing_dict_40_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_40_code`. See `ss_note_sing_dict_40_code` for more information.

Column Name: `ss_note_sing_dict_41_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 41'

Column Name: ss_note_sing_dict_41_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_41_code. See ss_note_sing_dict_41_code for more information.

Column Name: ss_note_sing_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 42'

Column Name: ss_note_sing_dict_42_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_42_code. See ss_note_sing_dict_42_code for more information.

Column Name: ss_note_sing_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 43'

Column Name: ss_note_sing_dict_43_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_43_code. See ss_note_sing_dict_43_code for more information.

Column Name: ss_note_sing_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 44'

Column Name: ss_note_sing_dict_44_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_44_code. See ss_note_sing_dict_44_code for more information.

Column Name: ss_note_sing_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 45'

Column Name: ss_note_sing_dict_45_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_45_code. See ss_note_sing_dict_45_code for more information.

Column Name: ss_note_sing_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 46'

Column Name: ss_note_sing_dict_46_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_46_code. See ss_note_sing_dict_46_code for more information.

Column Name: ss_note_sing_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 47'

Column Name: ss_note_sing_dict_47_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_47_code. See ss_note_sing_dict_47_code for more information.

Column Name: ss_note_sing_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 48'

Column Name: ss_note_sing_dict_48_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_48_code. See ss_note_sing_dict_48_code for more information.

Column Name: ss_note_sing_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 49'

Column Name: ss_note_sing_dict_49_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_49_code. See ss_note_sing_dict_49_code for more information.

Column Name: ss_note_sing_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 50'

Column Name: ss_note_sing_dict_50_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_50_code. See ss_note_sing_dict_50_code for more information.

Column Name: ss_note_time_31

Column Type: varchar

Max Length: 50

'SS Note Time 31'

Column Name: ss_note_time_32

Column Type: varchar

Max Length: 50

'SS Note Time 32'

Column Name: ss_note_time_33

Column Type: varchar

Max Length: 50

'SS Note Time 33'

Column Name: ss_note_time_34

Column Type: varchar

Max Length: 50

'SS Note Time 34'

Column Name: ss_note_time_35

Column Type: varchar

Max Length: 50

'SS Note Time 35'

Column Name: ss_note_time_36

Column Type: varchar

Max Length: 50

'SS Note Time 36'

Column Name: ss_note_time_37

Column Type: varchar

Max Length: 50

'SS Note Time 37'

Column Name: ss_note_time_38

Column Type: varchar

Max Length: 50

'SS Note Time 38'

Column Name: ss_note_time_39

Column Type: varchar

Max Length: 50
'SS Note Time 39'

Column Name: ss_note_time_40
Column Type: varchar
Max Length: 50
'SS Note Time 40'

Column Name: ss_note_time_41
Column Type: varchar
Max Length: 50
'SS Note Time 41'

Column Name: ss_note_time_42
Column Type: varchar
Max Length: 50
'SS Note Time 42'

Column Name: ss_note_time_43
Column Type: varchar
Max Length: 50
'SS Note Time 43'

Column Name: ss_note_time_44
Column Type: varchar
Max Length: 50
'SS Note Time 44'

Column Name: ss_note_time_45
Column Type: varchar
Max Length: 50
'SS Note Time 45'

Column Name: ss_note_time_46
Column Type: varchar
Max Length: 50
'SS Note Time 46'

Column Name: ss_note_time_47
Column Type: varchar
Max Length: 50
'SS Note Time 47'

Column Name: ss_note_time_48
Column Type: varchar
Max Length: 50
'SS Note Time 48'

Column Name: ss_note_time_49
Column Type: varchar

Max Length: 50
'SS Note Time 49'

Column Name: ss_note_time_50
Column Type: varchar
Max Length: 50
'SS Note Time 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp_2

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_integer_10
Column Type: integer
'SS Note Integer 10'

Column Name: ss_note_integer_11
Column Type: integer
'SS Note Integer 11'

Column Name: ss_note_integer_12
Column Type: integer
'SS Note Integer 12'

Column Name: ss_note_integer_13
Column Type: integer
'SS Note Integer 13'

Column Name: ss_note_integer_14
Column Type: integer
'SS Note Integer 14'

Column Name: ss_note_integer_15
Column Type: integer
'SS Note Integer 15'

Column Name: ss_note_integer_16
Column Type: integer
'SS Note Integer 16'

Column Name: ss_note_integer_17
Column Type: integer
'SS Note Integer 17'

Column Name: ss_note_integer_18
Column Type: integer
'SS Note Integer 18'

Column Name: ss_note_integer_19
Column Type: integer
'SS Note Integer 19'

Column Name: ss_note_integer_20
Column Type: integer
'SS Note Integer 20'

Column Name: ss_note_integer_21
Column Type: integer
'SS Note Integer 21'

Column Name: ss_note_integer_22
Column Type: integer
'SS Note Integer 22'

Column Name: ss_note_integer_23
Column Type: integer
'SS Note Integer 23'

Column Name: ss_note_integer_24
Column Type: integer
'SS Note Integer 24'

Column Name: ss_note_integer_25
Column Type: integer
'SS Note Integer 25'

Column Name: ss_note_integer_26
Column Type: integer
'SS Note Integer 26'

Column Name: ss_note_integer_27
Column Type: integer
'SS Note Integer 27'

Column Name: ss_note_integer_28
Column Type: integer
'SS Note Integer 28'

Column Name: ss_note_integer_29
Column Type: integer
'SS Note Integer 29'

Column Name: ss_note_integer_30
Column Type: integer
'SS Note Integer 30'

Column Name: ss_note_integer_31
Column Type: integer

'SS Note Integer 31'

Column Name: ss_note_integer_32

Column Type: integer

'SS Note Integer 32'

Column Name: ss_note_integer_33

Column Type: integer

'SS Note Integer 33'

Column Name: ss_note_integer_34

Column Type: integer

'SS Note Integer 34'

Column Name: ss_note_integer_35

Column Type: integer

'SS Note Integer 35'

Column Name: ss_note_integer_36

Column Type: integer

'SS Note Integer 36'

Column Name: ss_note_integer_37

Column Type: integer

'SS Note Integer 37'

Column Name: ss_note_integer_38

Column Type: integer

'SS Note Integer 38'

Column Name: ss_note_integer_39

Column Type: integer

'SS Note Integer 39'

Column Name: ss_note_integer_40

Column Type: integer

'SS Note Integer 40'

Column Name: ss_note_integer_41

Column Type: integer

'SS Note Integer 41'

Column Name: ss_note_integer_42

Column Type: integer

'SS Note Integer 42'

Column Name: ss_note_integer_43

Column Type: integer

'SS Note Integer 43'

Column Name: ss_note_integer_44
Column Type: integer
'SS Note Integer 44'

Column Name: ss_note_integer_45
Column Type: integer
'SS Note Integer 45'

Column Name: ss_note_integer_46
Column Type: integer
'SS Note Integer 46'

Column Name: ss_note_integer_47
Column Type: integer
'SS Note Integer 47'

Column Name: ss_note_integer_48
Column Type: integer
'SS Note Integer 48'

Column Name: ss_note_integer_49
Column Type: integer
'SS Note Integer 49'

Column Name: ss_note_integer_50
Column Type: integer
'SS Note Integer 50'

Column Name: ss_note_integer_7
Column Type: integer
'SS Note Integer 7'

Column Name: ss_note_integer_8
Column Type: integer
'SS Note Integer 8'

Column Name: ss_note_integer_9
Column Type: integer
'SS Note Integer 9'

Column Name: ss_note_staff_11
Column Type: varchar
Max Length: 20
'SS Note Staff Member 11'

Column Name: ss_note_staff_12
Column Type: varchar
Max Length: 20
'SS Note Staff Member 12'

Column Name: ss_note_staff_13
Column Type: varchar
Max Length: 20
'SS Note Staff Member 13'

Column Name: ss_note_staff_14
Column Type: varchar
Max Length: 20
'SS Note Staff Member 14'

Column Name: ss_note_staff_15
Column Type: varchar
Max Length: 20
'SS Note Staff Member 15'

Column Name: ss_note_staff_16
Column Type: varchar
Max Length: 20
'SS Note Staff Member 16'

Column Name: ss_note_staff_17
Column Type: varchar
Max Length: 20
'SS Note Staff Member 17'

Column Name: ss_note_staff_18
Column Type: varchar
Max Length: 20
'SS Note Staff Member 18'

Column Name: ss_note_staff_19
Column Type: varchar
Max Length: 20
'SS Note Staff Member 19'

Column Name: ss_note_staff_20
Column Type: varchar
Max Length: 20
'SS Note Staff Member 20'

Column Name: ss_note_staff_21
Column Type: varchar
Max Length: 20
'SS Note Staff Member 21'

Column Name: ss_note_staff_22
Column Type: varchar
Max Length: 20
'SS Note Staff Member 22'

Column Name: ss_note_staff_23
Column Type: varchar
Max Length: 20
'SS Note Staff Member 23'

Column Name: ss_note_staff_24
Column Type: varchar
Max Length: 20
'SS Note Staff Member 24'

Column Name: ss_note_staff_25
Column Type: varchar
Max Length: 20
'SS Note Staff Member 25'

Column Name: ss_note_staff_26
Column Type: varchar
Max Length: 20
'SS Note Staff Member 26'

Column Name: ss_note_staff_27
Column Type: varchar
Max Length: 20
'SS Note Staff Member 27'

Column Name: ss_note_staff_28
Column Type: varchar
Max Length: 20
'SS Note Staff Member 28'

Column Name: ss_note_staff_29
Column Type: varchar
Max Length: 20
'SS Note Staff Member 29'

Column Name: ss_note_staff_30
Column Type: varchar
Max Length: 20
'SS Note Staff Member 30'

Column Name: ss_note_staff_31
Column Type: varchar
Max Length: 20
'SS Note Staff Member 31'

Column Name: ss_note_staff_32
Column Type: varchar
Max Length: 20
'SS Note Staff Member 32'

Column Name: ss_note_staff_33
Column Type: varchar
Max Length: 20
'SS Note Staff Member 33'

Column Name: ss_note_staff_34
Column Type: varchar
Max Length: 20
'SS Note Staff Member 34'

Column Name: ss_note_staff_35
Column Type: varchar
Max Length: 20
'SS Note Staff Member 35'

Column Name: ss_note_staff_36
Column Type: varchar
Max Length: 20
'SS Note Staff Member 36'

Column Name: ss_note_staff_37
Column Type: varchar
Max Length: 20
'SS Note Staff Member 37'

Column Name: ss_note_staff_38
Column Type: varchar
Max Length: 20
'SS Note Staff Member 38'

Column Name: ss_note_staff_39
Column Type: varchar
Max Length: 20
'SS Note Staff Member 39'

Column Name: ss_note_staff_40
Column Type: varchar
Max Length: 20
'SS Note Staff Member 40'

Column Name: ss_note_staff_41
Column Type: varchar
Max Length: 20
'SS Note Staff Member 41'

Column Name: ss_note_staff_42
Column Type: varchar
Max Length: 20
'SS Note Staff Member 42'

Column Name: ss_note_staff_43
Column Type: varchar
Max Length: 20
'SS Note Staff Member 43'

Column Name: ss_note_staff_44
Column Type: varchar
Max Length: 20
'SS Note Staff Member 44'

Column Name: ss_note_staff_45
Column Type: varchar
Max Length: 20
'SS Note Staff Member 45'

Column Name: ss_note_staff_46
Column Type: varchar
Max Length: 20
'SS Note Staff Member 46'

Column Name: ss_note_staff_47
Column Type: varchar
Max Length: 20
'SS Note Staff Member 47'

Column Name: ss_note_staff_48
Column Type: varchar
Max Length: 20
'SS Note Staff Member 48'

Column Name: ss_note_staff_49
Column Type: varchar
Max Length: 20
'SS Note Staff Member 49'

Column Name: ss_note_staff_50
Column Type: varchar
Max Length: 20
'SS Note Staff Member 50'

Column Name: user_row_access_code
Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp_3

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
The form number of the form that last updated the row.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: ss_notec_multi_dict_10_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 10'

Column Name: ss_notec_multi_dict_10_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_10_code. See ss_notec_multi_dict_10_code for more information.

Column Name: ss_notec_multi_dict_11_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_notec_multi_dict_11_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_11_code. See ss_notec_multi_dict_11_code for more information.

Column Name: ss_notec_multi_dict_12_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_notec_multi_dict_12_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_12_code. See ss_notec_multi_dict_12_code for more information.

Column Name: ss_notec_multi_dict_13_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_notec_multi_dict_13_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_13_code. See ss_notec_multi_dict_13_code for more information.

Column Name: ss_notec_multi_dict_14_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_notec_multi_dict_14_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_14_code. See ss_notec_multi_dict_14_code for more information.

Column Name: ss_notec_multi_dict_15_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_notec_multi_dict_15_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_15_code. See ss_notec_multi_dict_15_code for more information.

Column Name: ss_notec_multi_dict_16_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_notec_multi_dict_16_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_16_code. See ss_notec_multi_dict_16_code for more information.

Column Name: ss_notec_multi_dict_17_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_notec_multi_dict_17_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_17_code. See ss_notec_multi_dict_17_code for more information.

Column Name: ss_notec_multi_dict_18_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_notec_multi_dict_18_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_18_code`. See `ss_notec_multi_dict_18_code` for more information.

Column Name: `ss_notec_multi_dict_19_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 19'

Column Name: `ss_notec_multi_dict_19_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_19_code`. See `ss_notec_multi_dict_19_code` for more information.

Column Name: `ss_notec_multi_dict_1_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 1'

Column Name: `ss_notec_multi_dict_1_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_1_code`. See `ss_notec_multi_dict_1_code` for more information.

Column Name: `ss_notec_multi_dict_20_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 20'

Column Name: `ss_notec_multi_dict_20_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_20_code`. See `ss_notec_multi_dict_20_code` for more information.

Column Name: `ss_notec_multi_dict_21_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 21'

Column Name: `ss_notec_multi_dict_21_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_21_code`. See `ss_notec_multi_dict_21_code` for more information.

Column Name: `ss_notec_multi_dict_22_code`
Column Type: `varchar`
Max Length: 255

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_notec_multi_dict_22_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_22_code. See ss_notec_multi_dict_22_code for more information.

Column Name: ss_notec_multi_dict_23_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_notec_multi_dict_23_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_23_code. See ss_notec_multi_dict_23_code for more information.

Column Name: ss_notec_multi_dict_24_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_notec_multi_dict_24_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_24_code. See ss_notec_multi_dict_24_code for more information.

Column Name: ss_notec_multi_dict_25_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_notec_multi_dict_25_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_25_code. See ss_notec_multi_dict_25_code for more information.

Column Name: ss_notec_multi_dict_26_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_notec_multi_dict_26_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_26_code. See ss_notec_multi_dict_26_code for more information.

Column Name: ss_notec_multi_dict_27_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_notec_multi_dict_27_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_27_code. See ss_notec_multi_dict_27_code for more information.

Column Name: ss_notec_multi_dict_28_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_notec_multi_dict_28_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_28_code. See ss_notec_multi_dict_28_code for more information.

Column Name: ss_notec_multi_dict_29_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_notec_multi_dict_29_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_29_code. See ss_notec_multi_dict_29_code for more information.

Column Name: ss_notec_multi_dict_2_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 2'

Column Name: ss_notec_multi_dict_2_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_2_code. See ss_notec_multi_dict_2_code for more information.

Column Name: ss_notec_multi_dict_30_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_notec_multi_dict_30_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_30_code. See ss_notec_multi_dict_30_code for more information.

Column Name: ss_notec_multi_dict_31_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 31'

Column Name: ss_notec_multi_dict_31_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_31_code. See ss_notec_multi_dict_31_code for more information.

Column Name: ss_notec_multi_dict_32_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 32'

Column Name: ss_notec_multi_dict_32_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_32_code. See ss_notec_multi_dict_32_code for more information.

Column Name: ss_notec_multi_dict_33_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 33'

Column Name: ss_notec_multi_dict_33_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_33_code. See ss_notec_multi_dict_33_code for more information.

Column Name: ss_notec_multi_dict_34_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 34'

Column Name: ss_notec_multi_dict_34_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_34_code`. See `ss_notec_multi_dict_34_code` for more information.

Column Name: `ss_notec_multi_dict_35_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 35'

Column Name: `ss_notec_multi_dict_35_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_35_code`. See `ss_notec_multi_dict_35_code` for more information.

Column Name: `ss_notec_multi_dict_36_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 36'

Column Name: `ss_notec_multi_dict_36_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_36_code`. See `ss_notec_multi_dict_36_code` for more information.

Column Name: `ss_notec_multi_dict_37_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 37'

Column Name: `ss_notec_multi_dict_37_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_37_code`. See `ss_notec_multi_dict_37_code` for more information.

Column Name: `ss_notec_multi_dict_38_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 38'

Column Name: `ss_notec_multi_dict_38_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_38_code`. See `ss_notec_multi_dict_38_code` for more information.

Column Name: `ss_notec_multi_dict_39_code`
Column Type: `varchar`
Max Length: 255

'SS Note Copy Multiple Response Dictionary 39'

Column Name: ss_notec_multi_dict_39_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_39_code. See ss_notec_multi_dict_39_code for more information.

Column Name: ss_notec_multi_dict_3_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 3'

Column Name: ss_notec_multi_dict_3_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_3_code. See ss_notec_multi_dict_3_code for more information.

Column Name: ss_notec_multi_dict_40_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 40'

Column Name: ss_notec_multi_dict_40_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_40_code. See ss_notec_multi_dict_40_code for more information.

Column Name: ss_notec_multi_dict_41_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 41'

Column Name: ss_notec_multi_dict_41_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_41_code. See ss_notec_multi_dict_41_code for more information.

Column Name: ss_notec_multi_dict_42_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 42'

Column Name: ss_notec_multi_dict_42_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_42_code. See ss_notec_multi_dict_42_code for more information.

Column Name: ss_notec_multi_dict_43_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 43'

Column Name: ss_notec_multi_dict_43_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_43_code. See ss_notec_multi_dict_43_code for more information.

Column Name: ss_notec_multi_dict_44_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 44'

Column Name: ss_notec_multi_dict_44_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_44_code. See ss_notec_multi_dict_44_code for more information.

Column Name: ss_notec_multi_dict_45_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 45'

Column Name: ss_notec_multi_dict_45_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_45_code. See ss_notec_multi_dict_45_code for more information.

Column Name: ss_notec_multi_dict_46_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 46'

Column Name: ss_notec_multi_dict_46_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_46_code. See ss_notec_multi_dict_46_code for more information.

Column Name: ss_notec_multi_dict_47_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 47'

Column Name: ss_notec_multi_dict_47_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_47_code. See ss_notec_multi_dict_47_code for more information.

Column Name: ss_notec_multi_dict_48_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 48'

Column Name: ss_notec_multi_dict_48_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_48_code. See ss_notec_multi_dict_48_code for more information.

Column Name: ss_notec_multi_dict_49_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 49'

Column Name: ss_notec_multi_dict_49_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_49_code. See ss_notec_multi_dict_49_code for more information.

Column Name: ss_notec_multi_dict_4_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 4'

Column Name: ss_notec_multi_dict_4_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_4_code. See ss_notec_multi_dict_4_code for more information.

Column Name: ss_notec_multi_dict_50_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 50'

Column Name: ss_notec_multi_dict_50_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_50_code`. See `ss_notec_multi_dict_50_code` for more information.

Column Name: `ss_notec_multi_dict_5_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 5'

Column Name: `ss_notec_multi_dict_5_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_5_code`. See `ss_notec_multi_dict_5_code` for more information.

Column Name: `ss_notec_multi_dict_6_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 6'

Column Name: `ss_notec_multi_dict_6_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_6_code`. See `ss_notec_multi_dict_6_code` for more information.

Column Name: `ss_notec_multi_dict_7_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 7'

Column Name: `ss_notec_multi_dict_7_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_7_code`. See `ss_notec_multi_dict_7_code` for more information.

Column Name: `ss_notec_multi_dict_8_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 8'

Column Name: `ss_notec_multi_dict_8_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_8_code`. See `ss_notec_multi_dict_8_code` for more information.

Column Name: `ss_notec_multi_dict_9_code`
Column Type: `varchar`
Max Length: 255

'SS Note Copy Multiple Response Dictionary 9'

Column Name: ss_notec_multi_dict_9_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_9_code. See ss_notec_multi_dict_9_code for more information.

Column Name: ss_notec_sing_dict_10_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 10'

Column Name: ss_notec_sing_dict_10_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_10_code. See ss_notec_sing_dict_10_code for more information.

Column Name: ss_notec_sing_dict_11_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 11'

Column Name: ss_notec_sing_dict_11_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_11_code. See ss_notec_sing_dict_11_code for more information.

Column Name: ss_notec_sing_dict_12_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 12'

Column Name: ss_notec_sing_dict_12_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_12_code. See ss_notec_sing_dict_12_code for more information.

Column Name: ss_notec_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 13'

Column Name: ss_notec_sing_dict_13_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_13_code. See ss_notec_sing_dict_13_code for more information.

Column Name: ss_notec_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 14'

Column Name: ss_notec_sing_dict_14_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_14_code. See ss_notec_sing_dict_14_code for more information.

Column Name: ss_notec_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 15'

Column Name: ss_notec_sing_dict_15_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_15_code. See ss_notec_sing_dict_15_code for more information.

Column Name: ss_notec_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 16'

Column Name: ss_notec_sing_dict_16_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_16_code. See ss_notec_sing_dict_16_code for more information.

Column Name: ss_notec_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 17'

Column Name: ss_notec_sing_dict_17_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_17_code. See ss_notec_sing_dict_17_code for more information.

Column Name: ss_notec_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 18'

Column Name: ss_notec_sing_dict_18_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_18_code. See ss_notec_sing_dict_18_code for more information.

Column Name: ss_notec_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 19'

Column Name: ss_notec_sing_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_19_code. See ss_notec_sing_dict_19_code for more information.

Column Name: ss_notec_sing_dict_1_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 1'

Column Name: ss_notec_sing_dict_1_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_1_code. See ss_notec_sing_dict_1_code for more information.

Column Name: ss_notec_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 20'

Column Name: ss_notec_sing_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_20_code. See ss_notec_sing_dict_20_code for more information.

Column Name: ss_notec_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 21'

Column Name: ss_notec_sing_dict_21_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_21_code. See ss_notec_sing_dict_21_code for more information.

Column Name: ss_notec_sing_dict_22_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 22'

Column Name: ss_notec_sing_dict_22_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_22_code. See ss_notec_sing_dict_22_code for more information.

Column Name: ss_notec_sing_dict_23_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 23'

Column Name: ss_notec_sing_dict_23_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_23_code. See ss_notec_sing_dict_23_code for more information.

Column Name: ss_notec_sing_dict_24_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 24'

Column Name: ss_notec_sing_dict_24_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_24_code. See ss_notec_sing_dict_24_code for more information.

Column Name: ss_notec_sing_dict_25_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 25'

Column Name: ss_notec_sing_dict_25_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_25_code. See ss_notec_sing_dict_25_code for more information.

Column Name: ss_notec_sing_dict_26_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 26'

Column Name: ss_notec_sing_dict_26_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_26_code. See ss_notec_sing_dict_26_code for more information.

Column Name: ss_notec_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 27'

Column Name: ss_notec_sing_dict_27_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_27_code. See ss_notec_sing_dict_27_code for more information.

Column Name: ss_notec_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 28'

Column Name: ss_notec_sing_dict_28_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_28_code. See ss_notec_sing_dict_28_code for more information.

Column Name: ss_notec_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 29'

Column Name: ss_notec_sing_dict_29_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_29_code. See ss_notec_sing_dict_29_code for more information.

Column Name: ss_notec_sing_dict_2_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 2'

Column Name: ss_notec_sing_dict_2_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notec_sing_dict_2_code`. See `ss_notec_sing_dict_2_code` for more information.

Column Name: `ss_notec_sing_dict_30_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 30'

Column Name: `ss_notec_sing_dict_30_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notec_sing_dict_30_code`. See `ss_notec_sing_dict_30_code` for more information.

Column Name: `ss_notec_sing_dict_31_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 31'

Column Name: `ss_notec_sing_dict_31_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notec_sing_dict_31_code`. See `ss_notec_sing_dict_31_code` for more information.

Column Name: `ss_notec_sing_dict_32_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 32'

Column Name: `ss_notec_sing_dict_32_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notec_sing_dict_32_code`. See `ss_notec_sing_dict_32_code` for more information.

Column Name: `ss_notec_sing_dict_33_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 33'

Column Name: `ss_notec_sing_dict_33_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notec_sing_dict_33_code`. See `ss_notec_sing_dict_33_code` for more information.

Column Name: `ss_notec_sing_dict_34_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 34'

Column Name: ss_notec_sing_dict_34_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_34_code. See ss_notec_sing_dict_34_code for more information.

Column Name: ss_notec_sing_dict_35_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 35'

Column Name: ss_notec_sing_dict_35_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_35_code. See ss_notec_sing_dict_35_code for more information.

Column Name: ss_notec_sing_dict_36_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 36'

Column Name: ss_notec_sing_dict_36_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_36_code. See ss_notec_sing_dict_36_code for more information.

Column Name: ss_notec_sing_dict_37_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 37'

Column Name: ss_notec_sing_dict_37_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_37_code. See ss_notec_sing_dict_37_code for more information.

Column Name: ss_notec_sing_dict_38_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 38'

Column Name: ss_notec_sing_dict_38_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_38_code. See ss_notec_sing_dict_38_code for more information.

Column Name: ss_notec_sing_dict_39_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 39'

Column Name: ss_notec_sing_dict_39_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_39_code. See ss_notec_sing_dict_39_code for more information.

Column Name: ss_notec_sing_dict_3_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 3'

Column Name: ss_notec_sing_dict_3_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_3_code. See ss_notec_sing_dict_3_code for more information.

Column Name: ss_notec_sing_dict_40_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 40'

Column Name: ss_notec_sing_dict_40_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_40_code. See ss_notec_sing_dict_40_code for more information.

Column Name: ss_notec_sing_dict_41_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 41'

Column Name: ss_notec_sing_dict_41_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_41_code. See ss_notec_sing_dict_41_code for more information.

Column Name: ss_notec_sing_dict_42_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 42'

Column Name: ss_notec_sing_dict_42_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_42_code. See ss_notec_sing_dict_42_code for more information.

Column Name: ss_notec_sing_dict_43_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 43'

Column Name: ss_notec_sing_dict_43_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_43_code. See ss_notec_sing_dict_43_code for more information.

Column Name: ss_notec_sing_dict_44_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 44'

Column Name: ss_notec_sing_dict_44_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_44_code. See ss_notec_sing_dict_44_code for more information.

Column Name: ss_notec_sing_dict_45_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 45'

Column Name: ss_notec_sing_dict_45_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_45_code. See ss_notec_sing_dict_45_code for more information.

Column Name: ss_notec_sing_dict_46_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 46'

Column Name: ss_notec_sing_dict_46_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_46_code. See ss_notec_sing_dict_46_code for more information.

Column Name: ss_notec_sing_dict_47_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 47'

Column Name: ss_notec_sing_dict_47_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_47_code. See ss_notec_sing_dict_47_code for more information.

Column Name: ss_notec_sing_dict_48_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 48'

Column Name: ss_notec_sing_dict_48_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_48_code. See ss_notec_sing_dict_48_code for more information.

Column Name: ss_notec_sing_dict_49_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 49'

Column Name: ss_notec_sing_dict_49_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_49_code. See ss_notec_sing_dict_49_code for more information.

Column Name: ss_notec_sing_dict_4_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 4'

Column Name: ss_notec_sing_dict_4_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_4_code. See ss_notec_sing_dict_4_code for more information.

Column Name: ss_notec_sing_dict_50_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 50'

Column Name: ss_notec_sing_dict_50_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_50_code. See ss_notec_sing_dict_50_code for more information.

Column Name: ss_notec_sing_dict_5_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 5'

Column Name: ss_notec_sing_dict_5_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_5_code. See ss_notec_sing_dict_5_code for more information.

Column Name: ss_notec_sing_dict_6_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 6'

Column Name: ss_notec_sing_dict_6_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_6_code. See ss_notec_sing_dict_6_code for more information.

Column Name: ss_notec_sing_dict_7_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 7'

Column Name: ss_notec_sing_dict_7_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_7_code. See ss_notec_sing_dict_7_code for more information.

Column Name: ss_notec_sing_dict_8_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 8'

Column Name: ss_notec_sing_dict_8_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_8_code. See ss_notec_sing_dict_8_code for more information.

Column Name: ss_notec_sing_dict_9_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 9'

Column Name: ss_notec_sing_dict_9_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_9_code. See ss_notec_sing_dict_9_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp_4

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a progress note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mult_dic_51_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 51'

Column Name: ss_notc_mult_dic_51_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_51_code. See ss_notc_mult_dic_51_code for more information.

Column Name: ss_notc_mult_dic_52_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 52'

Column Name: ss_notc_mult_dic_52_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_52_code. See ss_notc_mult_dic_52_code for more information.

Column Name: ss_notc_mult_dic_53_code
Column Type: varchar
Max Length: 50

'SS Note Copy Multiple Response Dictionary 53'

Column Name: ss_notc_mult_dic_53_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_53_code. See ss_notc_mult_dic_53_code for more information.

Column Name: ss_notc_mult_dic_54_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 54'

Column Name: ss_notc_mult_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_54_code. See ss_notc_mult_dic_54_code for more information.

Column Name: ss_notc_mult_dic_55_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 55'

Column Name: ss_notc_mult_dic_55_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_55_code. See ss_notc_mult_dic_55_code for more information.

Column Name: ss_notc_mult_dic_56_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 56'

Column Name: ss_notc_mult_dic_56_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_56_code. See ss_notc_mult_dic_56_code for more information.

Column Name: ss_notc_mult_dic_57_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 57'

Column Name: ss_notc_mult_dic_57_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_57_code`. See `ss_notc_mult_dic_57_code` for more information.

Column Name: `ss_notc_mult_dic_58_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 58'

Column Name: `ss_notc_mult_dic_58_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_58_code`. See `ss_notc_mult_dic_58_code` for more information.

Column Name: `ss_notc_mult_dic_59_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 59'

Column Name: `ss_notc_mult_dic_59_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_59_code`. See `ss_notc_mult_dic_59_code` for more information.

Column Name: `ss_notc_mult_dic_60_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 60'

Column Name: `ss_notc_mult_dic_60_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_60_code`. See `ss_notc_mult_dic_60_code` for more information.

Column Name: `ss_notc_mult_dic_61_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 61'

Column Name: `ss_notc_mult_dic_61_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_61_code`. See `ss_notc_mult_dic_61_code` for more information.

Column Name: `ss_notc_mult_dic_62_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Multiple Response Dictionary 62'

Column Name: ss_notc_mult_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_62_code. See ss_notc_mult_dic_62_code for more information.

Column Name: ss_notc_mult_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 63'

Column Name: ss_notc_mult_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_63_code. See ss_notc_mult_dic_63_code for more information.

Column Name: ss_notc_mult_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 64'

Column Name: ss_notc_mult_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_64_code. See ss_notc_mult_dic_64_code for more information.

Column Name: ss_notc_mult_dic_65_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 65'

Column Name: ss_notc_mult_dic_65_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mult_dic_65_code. See ss_notc_mult_dic_65_code for more information.

Column Name: ss_notc_mult_dic_66_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 66'

Column Name: ss_notc_mult_dic_66_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_66_code`. See `ss_notc_mult_dic_66_code` for more information.

Column Name: `ss_notc_mult_dic_67_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 67'

Column Name: `ss_notc_mult_dic_67_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_67_code`. See `ss_notc_mult_dic_67_code` for more information.

Column Name: `ss_notc_mult_dic_68_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 68'

Column Name: `ss_notc_mult_dic_68_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_68_code`. See `ss_notc_mult_dic_68_code` for more information.

Column Name: `ss_notc_mult_dic_69_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 69'

Column Name: `ss_notc_mult_dic_69_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_69_code`. See `ss_notc_mult_dic_69_code` for more information.

Column Name: `ss_notc_mult_dic_70_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 70'

Column Name: `ss_notc_mult_dic_70_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_70_code`. See `ss_notc_mult_dic_70_code` for more information.

Column Name: `ss_notc_mult_dic_71_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 71'

Column Name: ss_notc_mult_dic_71_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_71_code. See ss_notc_mult_dic_71_code for more information.

Column Name: ss_notc_mult_dic_72_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 72'

Column Name: ss_notc_mult_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_72_code. See ss_notc_mult_dic_72_code for more information.

Column Name: ss_notc_mult_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 73'

Column Name: ss_notc_mult_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_73_code. See ss_notc_mult_dic_73_code for more information.

Column Name: ss_notc_mult_dic_74_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 74'

Column Name: ss_notc_mult_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_74_code. See ss_notc_mult_dic_74_code for more information.

Column Name: ss_notc_mult_dic_75_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 75'

Column Name: ss_notc_mult_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with `ss_notc_mult_dic_75_code`. See `ss_notc_mult_dic_75_code` for more information.

Column Name: `ss_notc_mult_dic_76_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 76'

Column Name: `ss_notc_mult_dic_76_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_76_code`. See `ss_notc_mult_dic_76_code` for more information.

Column Name: `ss_notc_mult_dic_77_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 77'

Column Name: `ss_notc_mult_dic_77_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_77_code`. See `ss_notc_mult_dic_77_code` for more information.

Column Name: `ss_notc_mult_dic_78_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 78'

Column Name: `ss_notc_mult_dic_78_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_78_code`. See `ss_notc_mult_dic_78_code` for more information.

Column Name: `ss_notc_mult_dic_79_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 79'

Column Name: `ss_notc_mult_dic_79_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_79_code`. See `ss_notc_mult_dic_79_code` for more information.

Column Name: `ss_notc_mult_dic_80_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 80'

Column Name: ss_notc_mult_dic_80_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_80_code. See ss_notc_mult_dic_80_code for more information.

Column Name: ss_notc_sin_dic_51_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 51'

Column Name: ss_notc_sin_dic_51_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_51_code. See ss_notc_sin_dic_51_code for more information.

Column Name: ss_notc_sin_dic_52_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 52'

Column Name: ss_notc_sin_dic_52_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_52_code. See ss_notc_sin_dic_52_code for more information.

Column Name: ss_notc_sin_dic_53_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 53'

Column Name: ss_notc_sin_dic_53_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_53_code. See ss_notc_sin_dic_53_code for more information.

Column Name: ss_notc_sin_dic_54_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 54'

Column Name: ss_notc_sin_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_54_code. See ss_notc_sin_dic_54_code for more information.

Column Name: ss_notc_sin_dic_55_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 55'

Column Name: ss_notc_sin_dic_55_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_55_code. See ss_notc_sin_dic_55_code for more information.

Column Name: ss_notc_sin_dic_56_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 56'

Column Name: ss_notc_sin_dic_56_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_56_code. See ss_notc_sin_dic_56_code for more information.

Column Name: ss_notc_sin_dic_57_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 57'

Column Name: ss_notc_sin_dic_57_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_57_code. See ss_notc_sin_dic_57_code for more information.

Column Name: ss_notc_sin_dic_58_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 58'

Column Name: ss_notc_sin_dic_58_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_58_code. See ss_notc_sin_dic_58_code for more information.

Column Name: ss_notc_sin_dic_59_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 59'

Column Name: ss_notc_sin_dic_59_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_59_code. See ss_notc_sin_dic_59_code for more information.

Column Name: ss_notc_sin_dic_60_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 60'

Column Name: ss_notc_sin_dic_60_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_60_code. See ss_notc_sin_dic_60_code for more information.

Column Name: ss_notc_sin_dic_61_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 61'

Column Name: ss_notc_sin_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_61_code. See ss_notc_sin_dic_61_code for more information.

Column Name: ss_notc_sin_dic_62_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 62'

Column Name: ss_notc_sin_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_62_code. See ss_notc_sin_dic_62_code for more information.

Column Name: ss_notc_sin_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 63'

Column Name: ss_notc_sin_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_63_code. See ss_notc_sin_dic_63_code for more information.

Column Name: ss_notc_sin_dic_64_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 64'

Column Name: ss_notc_sin_dic_64_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_64_code. See ss_notc_sin_dic_64_code for more information.

Column Name: ss_notc_sin_dic_65_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 65'

Column Name: ss_notc_sin_dic_65_value
Column Type: varchar
Max Length: 265
The description associated with ss_notc_sin_dic_65_code. See ss_notc_sin_dic_65_code for more information.

Column Name: ss_notc_sin_dic_66_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 66'

Column Name: ss_notc_sin_dic_66_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_66_code. See ss_notc_sin_dic_66_code for more information.

Column Name: ss_notc_sin_dic_67_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 67'

Column Name: ss_notc_sin_dic_67_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_67_code. See ss_notc_sin_dic_67_code for more information.

Column Name: ss_notc_sin_dic_68_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 68'

Column Name: ss_notc_sin_dic_68_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_68_code. See ss_notc_sin_dic_68_code for more information.

Column Name: ss_notc_sin_dic_69_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 69'

Column Name: ss_notc_sin_dic_69_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_69_code. See ss_notc_sin_dic_69_code for more information.

Column Name: ss_notc_sin_dic_70_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 70'

Column Name: ss_notc_sin_dic_70_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_70_code. See ss_notc_sin_dic_70_code for more information.

Column Name: ss_notc_sin_dic_71_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 71'

Column Name: ss_notc_sin_dic_71_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_71_code. See ss_notc_sin_dic_71_code for more information.

Column Name: ss_notc_sin_dic_72_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 72'

Column Name: ss_notc_sin_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_72_code. See ss_notc_sin_dic_72_code for more information.

Column Name: ss_notc_sin_dic_73_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 73'

Column Name: ss_notc_sin_dic_73_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_73_code. See ss_notc_sin_dic_73_code for more information.

Column Name: ss_notc_sin_dic_74_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 74'

Column Name: ss_notc_sin_dic_74_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_74_code. See ss_notc_sin_dic_74_code for more information.

Column Name: ss_notc_sin_dic_75_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 75'

Column Name: ss_notc_sin_dic_75_value
Column Type: varchar
Max Length: 275
The description associated with ss_notc_sin_dic_75_code. See ss_notc_sin_dic_75_code for more information.

Column Name: ss_notc_sin_dic_76_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 76'

Column Name: ss_notc_sin_dic_76_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_76_code. See ss_notc_sin_dic_76_code for more information.

Column Name: ss_notc_sin_dic_77_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 77'

Column Name: ss_notc_sin_dic_77_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_77_code. See ss_notc_sin_dic_77_code for more information.

Column Name: ss_notc_sin_dic_78_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 78'

Column Name: ss_notc_sin_dic_78_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_78_code. See ss_notc_sin_dic_78_code for more information.

Column Name: ss_notc_sin_dic_79_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 79'

Column Name: ss_notc_sin_dic_79_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_79_code. See ss_notc_sin_dic_79_code for more information.

Column Name: ss_notc_sin_dic_80_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 80'

Column Name: ss_notc_sin_dic_80_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_80_code. See ss_notc_sin_dic_80_code for more information.

Column Name: ss_note_mul_dict_51_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 51'

Column Name: ss_note_mul_dict_51_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_51_code limited to 255 characters. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_51_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_51_code. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_52_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 52'

Column Name: ss_note_mul_dict_52_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_52_code limited to 255 characters. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_52_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_52_code. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_53_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 53'

Column Name: ss_note_mul_dict_53_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_53_code limited to 255 characters. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_53_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_53_code. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_54_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 54'

Column Name: ss_note_mul_dict_54_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_54_code limited to 255 characters. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_54_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_54_code. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_55_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 55'

Column Name: ss_note_mul_dict_55_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_55_code limited to 255 characters. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_55_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_55_code. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_56_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 56'

Column Name: ss_note_mul_dict_56_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_56_code limited to 255 characters. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_56_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_56_code. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_57_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 57'

Column Name: ss_note_mul_dict_57_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_57_code limited to 255 characters. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_57_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_57_code. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_58_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 58'

Column Name: ss_note_mul_dict_58_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_58_code limited to 255 characters. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_58_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_58_code. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_59_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 59'

Column Name: ss_note_mul_dict_59_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_59_code limited to 255 characters. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_59_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_59_code. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_60_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 60'

Column Name: ss_note_mul_dict_60_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_60_code limited to 255 characters. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_60_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_60_code. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_61_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 61'

Column Name: ss_note_mul_dict_61_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_61_code limited to 255 characters. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_61_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_61_code. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_62_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 62'

Column Name: ss_note_mul_dict_62_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_62_code limited to 255 characters. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_62_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_62_code. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_63_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 63'

Column Name: ss_note_mul_dict_63_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_63_code limited to 255 characters. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_63_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_63_code. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_64_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 64'

Column Name: ss_note_mul_dict_64_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_64_code limited to 255 characters. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_64_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_64_code. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_65_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 65'

Column Name: ss_note_mul_dict_65_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_65_code limited to 255 characters. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_65_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_65_code. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_66_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 66'

Column Name: ss_note_mul_dict_66_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_66_code limited to 255 characters. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_66_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_66_code. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_67_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 67'

Column Name: ss_note_mul_dict_67_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_67_code limited to 255 characters. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_67_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_67_code. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_68_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 68'

Column Name: ss_note_mul_dict_68_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_68_code limited to 255 characters. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_68_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_68_code. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_69_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 69'

Column Name: ss_note_mul_dict_69_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_69_code limited to 255 characters. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_69_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_69_code. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_70_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 70'

Column Name: ss_note_mul_dict_70_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_70_code limited to 255 characters. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_70_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_70_code. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_71_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 71'

Column Name: ss_note_mul_dict_71_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_71_code limited to 255 characters. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_71_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_71_code. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_72_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 72'

Column Name: ss_note_mul_dict_72_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_72_code limited to 255 characters. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_72_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_72_code. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_73_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 73'

Column Name: ss_note_mul_dict_73_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_73_code limited to 255 characters. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_73_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_73_code. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_74_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 74'

Column Name: ss_note_mul_dict_74_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_74_code limited to 255 characters. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_74_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_74_code. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_75_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 75'

Column Name: ss_note_mul_dict_75_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_75_code limited to 255 characters. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_75_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_75_code. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_76_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 76'

Column Name: ss_note_mul_dict_76_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_76_code limited to 255 characters. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_76_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_76_code. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_77_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 77'

Column Name: ss_note_mul_dict_77_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_77_code limited to 255 characters. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_77_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_77_code. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_78_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 78'

Column Name: ss_note_mul_dict_78_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_78_code limited to 255 characters. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_78_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_78_code. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_79_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 79'

Column Name: ss_note_mul_dict_79_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_79_code limited to 255 characters. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_79_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_79_code. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_80_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 80'

Column Name: ss_note_mul_dict_80_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_80_code limited to 255 characters. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_mul_dict_80_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_80_code. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_scroll_text_51
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 51'

Column Name: ss_note_scroll_text_52
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 52'

Column Name: ss_note_scroll_text_53
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 53'

Column Name: ss_note_scroll_text_54
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 54'

Column Name: ss_note_scroll_text_55
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 55'

Column Name: ss_note_scroll_text_56
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 56'

Column Name: ss_note_scroll_text_57
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 57'

Column Name: ss_note_scroll_text_58
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 58'

Column Name: ss_note_scroll_text_59
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 59'

Column Name: ss_note_scroll_text_60
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 60'

Column Name: ss_note_scroll_text_61
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 61'

Column Name: ss_note_scroll_text_62
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 62'

Column Name: ss_note_scroll_text_63
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 63'

Column Name: ss_note_scroll_text_64
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 64'

Column Name: ss_note_scroll_text_65
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 65'

Column Name: ss_note_scroll_text_66
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 66'

Column Name: ss_note_scroll_text_67
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 67'

Column Name: ss_note_scroll_text_68
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 68'

Column Name: ss_note_scroll_text_69
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 69'

Column Name: ss_note_scroll_text_70
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 70'

Column Name: ss_note_scroll_text_71
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 71'

Column Name: ss_note_scroll_text_72
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 72'

Column Name: ss_note_scroll_text_73
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 73'

Column Name: ss_note_scroll_text_74
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 74'

Column Name: ss_note_scroll_text_75
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 75'

Column Name: ss_note_scroll_text_76
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 76'

Column Name: ss_note_scroll_text_77
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 77'

Column Name: ss_note_scroll_text_78
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 78'

Column Name: ss_note_scroll_text_79
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 79'

Column Name: ss_note_scroll_text_80
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 80'

Column Name: ss_note_sin_dict_51_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 51'

Column Name: ss_note_sin_dict_51_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_51_code. See ss_note_sin_dict_51_code for more information.

Column Name: ss_note_sin_dict_52_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 52'

Column Name: ss_note_sin_dict_52_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_52_code. See ss_note_sin_dict_52_code for more information.

Column Name: ss_note_sin_dict_53_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 53'

Column Name: ss_note_sin_dict_53_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_53_code. See ss_note_sin_dict_53_code for more information.

Column Name: ss_note_sin_dict_54_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 54'

Column Name: ss_note_sin_dict_54_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_54_code. See ss_note_sin_dict_54_code for more information.

Column Name: ss_note_sin_dict_55_code
Column Type: varchar
Max Length: 50

'SS Note Single Response Dictionary 55'

Column Name: ss_note_sin_dict_55_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_55_code. See ss_note_sin_dict_55_code for more information.

Column Name: ss_note_sin_dict_56_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 56'

Column Name: ss_note_sin_dict_56_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_56_code. See ss_note_sin_dict_56_code for more information.

Column Name: ss_note_sin_dict_57_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 57'

Column Name: ss_note_sin_dict_57_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_57_code. See ss_note_sin_dict_57_code for more information.

Column Name: ss_note_sin_dict_58_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 58'

Column Name: ss_note_sin_dict_58_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_58_code. See ss_note_sin_dict_58_code for more information.

Column Name: ss_note_sin_dict_59_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 59'

Column Name: ss_note_sin_dict_59_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_59_code. See ss_note_sin_dict_59_code for more information.

Column Name: ss_note_sin_dict_60_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 60'

Column Name: ss_note_sin_dict_60_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_60_code. See ss_note_sin_dict_60_code for more information.

Column Name: ss_note_sin_dict_61_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 61'

Column Name: ss_note_sin_dict_61_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_61_code. See ss_note_sin_dict_61_code for more information.

Column Name: ss_note_sin_dict_62_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 62'

Column Name: ss_note_sin_dict_62_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_62_code. See ss_note_sin_dict_62_code for more information.

Column Name: ss_note_sin_dict_63_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 63'

Column Name: ss_note_sin_dict_63_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_63_code. See ss_note_sin_dict_63_code for more information.

Column Name: ss_note_sin_dict_64_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 64'

Column Name: ss_note_sin_dict_64_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_64_code. See ss_note_sin_dict_64_code for more information.

Column Name: ss_note_sin_dict_65_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 65'

Column Name: ss_note_sin_dict_65_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_65_code. See ss_note_sin_dict_65_code for more information.

Column Name: ss_note_sin_dict_66_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 66'

Column Name: ss_note_sin_dict_66_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_66_code. See ss_note_sin_dict_66_code for more information.

Column Name: ss_note_sin_dict_67_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 67'

Column Name: ss_note_sin_dict_67_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_67_code. See ss_note_sin_dict_67_code for more information.

Column Name: ss_note_sin_dict_68_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 68'

Column Name: ss_note_sin_dict_68_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_68_code. See ss_note_sin_dict_68_code for more information.

Column Name: ss_note_sin_dict_69_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 69'

Column Name: ss_note_sin_dict_69_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_69_code. See ss_note_sin_dict_69_code for more information.

Column Name: ss_note_sin_dict_70_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 70'

Column Name: ss_note_sin_dict_70_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_70_code. See ss_note_sin_dict_70_code for more information.

Column Name: ss_note_sin_dict_71_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 71'

Column Name: ss_note_sin_dict_71_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_71_code. See ss_note_sin_dict_71_code for more information.

Column Name: ss_note_sin_dict_72_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 72'

Column Name: ss_note_sin_dict_72_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_72_code. See ss_note_sin_dict_72_code for more information.

Column Name: ss_note_sin_dict_73_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 73'

Column Name: ss_note_sin_dict_73_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_73_code. See ss_note_sin_dict_73_code for more information.

Column Name: ss_note_sin_dict_74_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 74'

Column Name: ss_note_sin_dict_74_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_74_code. See ss_note_sin_dict_74_code for more information.

Column Name: ss_note_sin_dict_75_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 75'

Column Name: ss_note_sin_dict_75_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_75_code. See ss_note_sin_dict_75_code for more information.

Column Name: ss_note_sin_dict_76_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 76'

Column Name: ss_note_sin_dict_76_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_76_code. See ss_note_sin_dict_76_code for more information.

Column Name: ss_note_sin_dict_77_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 77'

Column Name: ss_note_sin_dict_77_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_77_code. See ss_note_sin_dict_77_code for more information.

Column Name: ss_note_sin_dict_78_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 78'

Column Name: ss_note_sin_dict_78_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_78_code. See ss_note_sin_dict_78_code for more information.

Column Name: ss_note_sin_dict_79_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 79'

Column Name: ss_note_sin_dict_79_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_79_code. See ss_note_sin_dict_79_code for more information.

Column Name: ss_note_sin_dict_80_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 80'

Column Name: ss_note_sin_dict_80_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_80_code. See ss_note_sin_dict_80_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp_5

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j

Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: ebp_code
Column Type: varchar
Max Length: 50
'Evidence-Based Practices'

Column Name: ebp_element_code
Column Type: varchar
Max Length: 50
'Evidence-Based Practice Elements'

Column Name: ebp_element_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_element_code

Column Name: ebp_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_code

Column Name: form_number
Column Type: varchar
Max Length: 50

'Form Number'

Column Name: option_desc

Column Type: varchar

Max Length: 81

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: ss_notc_mul_dic_100_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 100'

Column Name: ss_notc_mul_dic_100_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_100_code. See ss_notc_mul_dic_100_code for more information.

Column Name: ss_notc_mul_dic_101_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 101'

Column Name: ss_notc_mul_dic_101_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_101_code. See ss_notc_mul_dic_101_code for more information.

Column Name: ss_notc_mul_dic_102_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 102'

Column Name: ss_notc_mul_dic_102_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_102_code. See ss_notc_mul_dic_102_code for more information.

Column Name: ss_notc_mul_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 103'

Column Name: ss_notc_mul_dic_103_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_103_code. See ss_notc_mul_dic_103_code for more information.

Column Name: ss_notc_mul_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 104'

Column Name: ss_notc_mul_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_104_code. See ss_notc_mul_dic_104_code for more information.

Column Name: ss_notc_mul_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 105'

Column Name: ss_notc_mul_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mul_dic_105_code. See ss_notc_mul_dic_105_code for more information.

Column Name: ss_notc_mul_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 106'

Column Name: ss_notc_mul_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_106_code. See ss_notc_mul_dic_106_code for more information.

Column Name: ss_notc_mul_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 107'

Column Name: ss_notc_mul_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_107_code. See ss_notc_mul_dic_107_code for more information.

Column Name: ss_notc_mul_dic_108_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 108'

Column Name: ss_notc_mul_dic_108_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_108_code. See ss_notc_mul_dic_108_code for more information.

Column Name: ss_notc_mul_dic_109_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 109'

Column Name: ss_notc_mul_dic_109_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_109_code. See ss_notc_mul_dic_109_code for more information.

Column Name: ss_notc_mul_dic_110_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 110'

Column Name: ss_notc_mul_dic_110_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_110_code. See ss_notc_mul_dic_110_code for more information.

Column Name: ss_notc_mul_dic_81_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 81'

Column Name: ss_notc_mul_dic_81_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_81_code. See ss_notc_mul_dic_81_code for more information.

Column Name: ss_notc_mul_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 82'

Column Name: ss_notc_mul_dic_82_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_82_code. See ss_notc_mul_dic_82_code for more information.

Column Name: ss_notc_mul_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 83'

Column Name: ss_notc_mul_dic_83_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_83_code. See ss_notc_mul_dic_83_code for more information.

Column Name: ss_notc_mul_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 84'

Column Name: ss_notc_mul_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_84_code. See ss_notc_mul_dic_84_code for more information.

Column Name: ss_notc_mul_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 85'

Column Name: ss_notc_mul_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_85_code. See ss_notc_mul_dic_85_code for more information.

Column Name: ss_notc_mul_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 86'

Column Name: ss_notc_mul_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_86_code. See ss_notc_mul_dic_86_code for more information.

Column Name: ss_notc_mul_dic_87_code

Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 87'

Column Name: ss_notc_mul_dic_87_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_87_code. See ss_notc_mul_dic_87_code for more information.

Column Name: ss_notc_mul_dic_88_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 88'

Column Name: ss_notc_mul_dic_88_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_88_code. See ss_notc_mul_dic_88_code for more information.

Column Name: ss_notc_mul_dic_89_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 89'

Column Name: ss_notc_mul_dic_89_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_89_code. See ss_notc_mul_dic_89_code for more information.

Column Name: ss_notc_mul_dic_90_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 90'

Column Name: ss_notc_mul_dic_90_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_90_code. See ss_notc_mul_dic_90_code for more information.

Column Name: ss_notc_mul_dic_91_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 91'

Column Name: ss_notc_mul_dic_91_value
Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_91_code. See ss_notc_mul_dic_91_code for more information.

Column Name: ss_notc_mul_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 92'

Column Name: ss_notc_mul_dic_92_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_92_code. See ss_notc_mul_dic_92_code for more information.

Column Name: ss_notc_mul_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 93'

Column Name: ss_notc_mul_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_93_code. See ss_notc_mul_dic_93_code for more information.

Column Name: ss_notc_mul_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 94'

Column Name: ss_notc_mul_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_94_code. See ss_notc_mul_dic_94_code for more information.

Column Name: ss_notc_mul_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 95'

Column Name: ss_notc_mul_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mul_dic_95_code. See ss_notc_mul_dic_95_code for more information.

Column Name: ss_notc_mul_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 96'

Column Name: ss_notc_mul_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_96_code. See ss_notc_mul_dic_96_code for more information.

Column Name: ss_notc_mul_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 97'

Column Name: ss_notc_mul_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_97_code. See ss_notc_mul_dic_97_code for more information.

Column Name: ss_notc_mul_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 98'

Column Name: ss_notc_mul_dic_98_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_98_code. See ss_notc_mul_dic_98_code for more information.

Column Name: ss_notc_mul_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 99'

Column Name: ss_notc_mul_dic_99_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_99_code. See ss_notc_mul_dic_99_code for more information.

Column Name: ss_notc_sin_dic_100_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 100'

Column Name: ss_notc_sin_dic_100_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_100_code. See ss_notc_sin_dic_100_code for more information.

Column Name: ss_notc_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 101'

Column Name: ss_notc_sin_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_101_code. See ss_notc_sin_dic_101_code for more information.

Column Name: ss_notc_sin_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 102'

Column Name: ss_notc_sin_dic_102_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_102_code. See ss_notc_sin_dic_102_code for more information.

Column Name: ss_notc_sin_dic_103_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 103'

Column Name: ss_notc_sin_dic_103_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_103_code. See ss_notc_sin_dic_103_code for more information.

Column Name: ss_notc_sin_dic_104_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 104'

Column Name: ss_notc_sin_dic_104_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_104_code. See ss_notc_sin_dic_104_code for more information.

Column Name: ss_notc_sin_dic_105_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 105'

Column Name: ss_notc_sin_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_sin_dic_105_code. See ss_notc_sin_dic_105_code for more information.

Column Name: ss_notc_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 106'

Column Name: ss_notc_sin_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_106_code. See ss_notc_sin_dic_106_code for more information.

Column Name: ss_notc_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 107'

Column Name: ss_notc_sin_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_107_code. See ss_notc_sin_dic_107_code for more information.

Column Name: ss_notc_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 108'

Column Name: ss_notc_sin_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_108_code. See ss_notc_sin_dic_108_code for more information.

Column Name: ss_notc_sin_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 109'

Column Name: ss_notc_sin_dic_109_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_109_code. See ss_notc_sin_dic_109_code for more information.

Column Name: ss_notc_sin_dic_110_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 110'

Column Name: ss_notc_sin_dic_110_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_110_code. See ss_notc_sin_dic_110_code for more information.

Column Name: ss_notc_sin_dic_81_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 81'

Column Name: ss_notc_sin_dic_81_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_81_code. See ss_notc_sin_dic_81_code for more information.

Column Name: ss_notc_sin_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 82'

Column Name: ss_notc_sin_dic_82_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_82_code. See ss_notc_sin_dic_82_code for more information.

Column Name: ss_notc_sin_dic_83_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 83'

Column Name: ss_notc_sin_dic_83_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_83_code. See ss_notc_sin_dic_83_code for more information.

Column Name: ss_notc_sin_dic_84_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 84'

Column Name: ss_notc_sin_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_84_code. See ss_notc_sin_dic_84_code for more information.

Column Name: ss_notc_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 85'

Column Name: ss_notc_sin_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_85_code. See ss_notc_sin_dic_85_code for more information.

Column Name: ss_notc_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 86'

Column Name: ss_notc_sin_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_86_code. See ss_notc_sin_dic_86_code for more information.

Column Name: ss_notc_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 87'

Column Name: ss_notc_sin_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_87_code. See ss_notc_sin_dic_87_code for more information.

Column Name: ss_notc_sin_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 88'

Column Name: ss_notc_sin_dic_88_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_88_code. See ss_notc_sin_dic_88_code for more information.

Column Name: ss_notc_sin_dic_89_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 89'

Column Name: ss_notc_sin_dic_89_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_89_code. See ss_notc_sin_dic_89_code for more information.

Column Name: ss_notc_sin_dic_90_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 90'

Column Name: ss_notc_sin_dic_90_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_90_code. See ss_notc_sin_dic_90_code for more information.

Column Name: ss_notc_sin_dic_91_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 91'

Column Name: ss_notc_sin_dic_91_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_91_code. See ss_notc_sin_dic_91_code for more information.

Column Name: ss_notc_sin_dic_92_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 92'

Column Name: ss_notc_sin_dic_92_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_92_code. See ss_notc_sin_dic_92_code for more information.

Column Name: ss_notc_sin_dic_93_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 93'

Column Name: ss_notc_sin_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_93_code. See ss_notc_sin_dic_93_code for more information.

Column Name: ss_notc_sin_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 94'

Column Name: ss_notc_sin_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_94_code. See ss_notc_sin_dic_94_code for more information.

Column Name: ss_notc_sin_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 95'

Column Name: ss_notc_sin_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_sin_dic_95_code. See ss_notc_sin_dic_95_code for more information.

Column Name: ss_notc_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 96'

Column Name: ss_notc_sin_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_96_code. See ss_notc_sin_dic_96_code for more information.

Column Name: ss_notc_sin_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 97'

Column Name: ss_notc_sin_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_97_code. See ss_notc_sin_dic_97_code for more information.

Column Name: ss_notc_sin_dic_98_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 98'

Column Name: ss_notc_sin_dic_98_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_98_code. See ss_notc_sin_dic_98_code for more information.

Column Name: ss_notc_sin_dic_99_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 99'

Column Name: ss_notc_sin_dic_99_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_99_code. See ss_notc_sin_dic_99_code for more information.

Column Name: ss_note_mul_dic_100_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 100'

Column Name: ss_note_mul_dic_100_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_100_code limited to 255 characters. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_100_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_100_code. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_101_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 101'

Column Name: ss_note_mul_dic_101_shval
Column Type: varchar
Max Length: 255

The description associated with ss_note_mul_dic_101_code limited to 255 characters. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_101_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_101_code. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_102_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 102'

Column Name: ss_note_mul_dic_102_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_102_code limited to 255 characters. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_102_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_102_code. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_103_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 103'

Column Name: ss_note_mul_dic_103_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_103_code limited to 255 characters. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_103_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_103_code. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_104_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 104'

Column Name: ss_note_mul_dic_104_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_104_code limited to 255 characters. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_104_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_104_code. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_105_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 105'

Column Name: ss_note_mul_dic_105_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_105_code limited to 255 characters. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_105_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_105_code. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_106_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 106'

Column Name: ss_note_mul_dic_106_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_106_code limited to 255 characters. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_106_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_106_code. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_107_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 107'

Column Name: ss_note_mul_dic_107_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_107_code limited to 255 characters. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_107_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_107_code. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_108_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 108'

Column Name: ss_note_mul_dic_108_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_108_code limited to 255 characters. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_108_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_108_code. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_109_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 109'

Column Name: ss_note_mul_dic_109_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_109_code limited to 255 characters. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_109_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_109_code. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_110_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 110'

Column Name: ss_note_mul_dic_110_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_110_code limited to 255 characters. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_110_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_110_code. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_81_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 81'

Column Name: ss_note_mul_dic_81_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_81_code limited to 255 characters. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_81_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_81_code. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_82_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 82'

Column Name: ss_note_mul_dic_82_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_82_code limited to 255 characters. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_82_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_82_code. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_83_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 83'

Column Name: ss_note_mul_dic_83_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_83_code limited to 255 characters. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_83_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_83_code. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_84_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 84'

Column Name: ss_note_mul_dic_84_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_84_code limited to 255 characters. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_84_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_84_code. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_85_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 85'

Column Name: ss_note_mul_dic_85_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_85_code limited to 255 characters. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_85_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_85_code. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_86_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 86'

Column Name: ss_note_mul_dic_86_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_86_code limited to 255 characters. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_86_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_86_code. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_87_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 87'

Column Name: ss_note_mul_dic_87_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_87_code limited to 255 characters. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_87_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_87_code. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_88_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 88'

Column Name: ss_note_mul_dic_88_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_88_code limited to 255 characters. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_88_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_88_code. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_89_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 89'

Column Name: ss_note_mul_dic_89_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_89_code limited to 255 characters. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_89_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_89_code. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_90_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 90'

Column Name: ss_note_mul_dic_90_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_90_code limited to 255 characters. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_90_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_90_code. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_91_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 91'

Column Name: ss_note_mul_dic_91_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_91_code limited to 255 characters. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_91_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_91_code. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_92_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 92'

Column Name: ss_note_mul_dic_92_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_92_code limited to 255 characters. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_92_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_92_code. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_93_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 93'

Column Name: ss_note_mul_dic_93_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_93_code limited to 255 characters. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_93_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_93_code. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_94_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 94'

Column Name: ss_note_mul_dic_94_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_94_code limited to 255 characters. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_94_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_94_code. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_95_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 95'

Column Name: ss_note_mul_dic_95_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_95_code limited to 255 characters. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_95_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_95_code. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_96_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 96'

Column Name: ss_note_mul_dic_96_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_96_code limited to 255 characters. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_96_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_96_code. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_97_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 97'

Column Name: ss_note_mul_dic_97_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_97_code limited to 255 characters. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_97_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_97_code. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_98_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 98'

Column Name: ss_note_mul_dic_98_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_98_code limited to 255 characters. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_98_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_98_code. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_99_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 99'

Column Name: ss_note_mul_dic_99_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_99_code limited to 255 characters. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_mul_dic_99_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_99_code. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_scroll_text_100

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 100'

Column Name: ss_note_scroll_text_101

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 101'

Column Name: ss_note_scroll_text_102

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 102'

Column Name: ss_note_scroll_text_103
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 103'

Column Name: ss_note_scroll_text_104
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 104'

Column Name: ss_note_scroll_text_105
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 105'

Column Name: ss_note_scroll_text_106
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 106'

Column Name: ss_note_scroll_text_107
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 107'

Column Name: ss_note_scroll_text_108
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 108'

Column Name: ss_note_scroll_text_109
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 109'

Column Name: ss_note_scroll_text_110
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 110'

Column Name: ss_note_scroll_text_81
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 81'

Column Name: ss_note_scroll_text_82
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 82'

Column Name: ss_note_scroll_text_83
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 83'

Column Name: ss_note_scroll_text_84
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 84'

Column Name: ss_note_scroll_text_85
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 85'

Column Name: ss_note_scroll_text_86
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 86'

Column Name: ss_note_scroll_text_87
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 87'

Column Name: ss_note_scroll_text_88
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 88'

Column Name: ss_note_scroll_text_89
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 89'

Column Name: ss_note_scroll_text_90
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 90'

Column Name: ss_note_scroll_text_91
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 91'

Column Name: ss_note_scroll_text_92
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 92'

Column Name: ss_note_scroll_text_93
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 93'

Column Name: ss_note_scroll_text_94
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 94'

Column Name: ss_note_scroll_text_95
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 95'

Column Name: ss_note_scroll_text_96
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 96'

Column Name: ss_note_scroll_text_97
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 97'

Column Name: ss_note_scroll_text_98
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 98'

Column Name: ss_note_scroll_text_99
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 99'

Column Name: ss_note_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 100'

Column Name: ss_note_sin_dic_100_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_100_code. See ss_note_sin_dic_100_code for more information.

Column Name: ss_note_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 101'

Column Name: ss_note_sin_dic_101_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_101_code. See ss_note_sin_dic_101_code for more information.

Column Name: ss_note_sin_dic_102_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 102'

Column Name: ss_note_sin_dic_102_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_102_code. See ss_note_sin_dic_102_code for more information.

Column Name: ss_note_sin_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 103'

Column Name: ss_note_sin_dic_103_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_103_code. See ss_note_sin_dic_103_code for more information.

Column Name: ss_note_sin_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 104'

Column Name: ss_note_sin_dic_104_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_104_code. See ss_note_sin_dic_104_code for more information.

Column Name: ss_note_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 105'

Column Name: ss_note_sin_dic_105_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_105_code. See ss_note_sin_dic_105_code for more information.

Column Name: ss_note_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 106'

Column Name: ss_note_sin_dic_106_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_106_code. See ss_note_sin_dic_106_code for more information.

Column Name: ss_note_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 107'

Column Name: ss_note_sin_dic_107_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_107_code. See ss_note_sin_dic_107_code for more information.

Column Name: ss_note_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 108'

Column Name: ss_note_sin_dic_108_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_108_code. See ss_note_sin_dic_108_code for more information.

Column Name: ss_note_sin_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 109'

Column Name: ss_note_sin_dic_109_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_109_code. See ss_note_sin_dic_109_code for more information.

Column Name: ss_note_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 110'

Column Name: ss_note_sin_dic_110_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_110_code. See ss_note_sin_dic_110_code for more information.

Column Name: ss_note_sin_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 81'

Column Name: ss_note_sin_dic_81_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_81_code. See ss_note_sin_dic_81_code for more information.

Column Name: ss_note_sin_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 82'

Column Name: ss_note_sin_dic_82_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_82_code. See ss_note_sin_dic_82_code for more information.

Column Name: ss_note_sin_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 83'

Column Name: ss_note_sin_dic_83_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_83_code. See ss_note_sin_dic_83_code for more information.

Column Name: ss_note_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 84'

Column Name: ss_note_sin_dic_84_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_84_code. See ss_note_sin_dic_84_code for more information.

Column Name: ss_note_sin_dic_85_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 85'

Column Name: ss_note_sin_dic_85_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_85_code. See ss_note_sin_dic_85_code for more information.

Column Name: ss_note_sin_dic_86_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 86'

Column Name: ss_note_sin_dic_86_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_86_code. See ss_note_sin_dic_86_code for more information.

Column Name: ss_note_sin_dic_87_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 87'

Column Name: ss_note_sin_dic_87_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_87_code. See ss_note_sin_dic_87_code for more information.

Column Name: ss_note_sin_dic_88_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 88'

Column Name: ss_note_sin_dic_88_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_88_code. See ss_note_sin_dic_88_code for more information.

Column Name: ss_note_sin_dic_89_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 89'

Column Name: ss_note_sin_dic_89_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_89_code. See ss_note_sin_dic_89_code for more information.

Column Name: ss_note_sin_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 90'

Column Name: ss_note_sin_dic_90_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_90_code. See ss_note_sin_dic_90_code for more information.

Column Name: ss_note_sin_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 91'

Column Name: ss_note_sin_dic_91_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_91_code. See ss_note_sin_dic_91_code for more information.

Column Name: ss_note_sin_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 92'

Column Name: ss_note_sin_dic_92_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_92_code. See ss_note_sin_dic_92_code for more information.

Column Name: ss_note_sin_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 93'

Column Name: ss_note_sin_dic_93_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_93_code. See ss_note_sin_dic_93_code for more information.

Column Name: ss_note_sin_dic_94_code

Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 94'

Column Name: ss_note_sin_dic_94_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_94_code. See ss_note_sin_dic_94_code for more information.

Column Name: ss_note_sin_dic_95_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 95'

Column Name: ss_note_sin_dic_95_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_95_code. See ss_note_sin_dic_95_code for more information.

Column Name: ss_note_sin_dic_96_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 96'

Column Name: ss_note_sin_dic_96_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_96_code. See ss_note_sin_dic_96_code for more information.

Column Name: ss_note_sin_dic_97_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 97'

Column Name: ss_note_sin_dic_97_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_97_code. See ss_note_sin_dic_97_code for more information.

Column Name: ss_note_sin_dic_98_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 98'

Column Name: ss_note_sin_dic_98_value
Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_98_code. See ss_note_sin_dic_98_code for more information.

Column Name: ss_note_sin_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 99'

Column Name: ss_note_sin_dic_99_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_99_code. See ss_note_sin_dic_99_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp_6

Table Description: This table returns the facility location fields stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

The user name who last updated the service.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: facloc_address_1

Column Type: varchar

Max Length: 50

'Facility Location Address - Street'

Column Name: facloc_address_2

Column Type: varchar

Max Length: 50

'Facility Location Address - Street 2'

Column Name: facloc_city

Column Type: varchar

Max Length: 50

'Facility Location City'

Column Name: facloc_id_code

Column Type: varchar

Max Length: 50

'Facility Location Code Identifier'

Column Name: facloc_id_code_qual

Column Type: varchar

Max Length: 50

'Facility Location Code Qualifier'

Column Name: facloc_name

Column Type: varchar

Max Length: 50

'Facility Location Name'

Column Name: facloc_state

Column Type: varchar

Max Length: 50

'Facility Location State'

Column Name: facloc_zip_code

Column Type: varchar

Max Length: 50

'Facility Location Zip Code'

Column Name: form_number

Column Type: varchar

Max Length: 50

'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_51
Column Type: varchar
Max Length: 20
SS Note 20 Character 51

Column Name: ss_note_20_char_text_52
Column Type: varchar
Max Length: 20
SS Note 20 Character 52

Column Name: ss_note_20_char_text_53
Column Type: varchar
Max Length: 20
SS Note 20 Character 53

Column Name: ss_note_20_char_text_54
Column Type: varchar
Max Length: 20
SS Note 20 Character 54

Column Name: ss_note_20_char_text_55
Column Type: varchar
Max Length: 20
SS Note 20 Character 55

Column Name: ss_note_20_char_text_56
Column Type: varchar
Max Length: 20
SS Note 20 Character 56

Column Name: ss_note_20_char_text_57
Column Type: varchar
Max Length: 20
SS Note 20 Character 57

Column Name: ss_note_20_char_text_58
Column Type: varchar
Max Length: 20
SS Note 20 Character 58

Column Name: ss_note_20_char_text_59
Column Type: varchar
Max Length: 20
SS Note 20 Character 59

Column Name: ss_note_20_char_text_60
Column Type: varchar
Max Length: 20
SS Note 20 Character 60

Column Name: ss_note_20_char_text_61
Column Type: varchar
Max Length: 20
SS Note 20 Character 61

Column Name: ss_note_20_char_text_62
Column Type: varchar
Max Length: 20
SS Note 20 Character 62

Column Name: ss_note_20_char_text_63
Column Type: varchar
Max Length: 20
SS Note 20 Character 63

Column Name: ss_note_20_char_text_64
Column Type: varchar
Max Length: 20
SS Note 20 Character 64

Column Name: ss_note_20_char_text_65
Column Type: varchar
Max Length: 20
SS Note 20 Character 65

Column Name: ss_note_20_char_text_66
Column Type: varchar
Max Length: 20
SS Note 20 Character 66

Column Name: ss_note_20_char_text_67
Column Type: varchar
Max Length: 20
SS Note 20 Character 67

Column Name: ss_note_20_char_text_68
Column Type: varchar
Max Length: 20
SS Note 20 Character 68

Column Name: ss_note_20_char_text_69
Column Type: varchar
Max Length: 20
SS Note 20 Character 69

Column Name: ss_note_20_char_text_70
Column Type: varchar
Max Length: 20
SS Note 20 Character 70

Column Name: ss_note_20_char_text_71
Column Type: varchar
Max Length: 20
SS Note 20 Character 71

Column Name: ss_note_20_char_text_72
Column Type: varchar
Max Length: 20
SS Note 20 Character 72

Column Name: ss_note_20_char_text_73
Column Type: varchar
Max Length: 20
SS Note 20 Character 73

Column Name: ss_note_20_char_text_74
Column Type: varchar
Max Length: 20
SS Note 20 Character 74

Column Name: ss_note_20_char_text_75
Column Type: varchar
Max Length: 20
SS Note 20 Character 75

Column Name: ss_note_20_char_text_76
Column Type: varchar
Max Length: 20
SS Note 20 Character 76

Column Name: ss_note_40_char_text_51
Column Type: varchar
Max Length: 40
SS Note 40 Character 51

Column Name: ss_note_40_char_text_52
Column Type: varchar
Max Length: 40
SS Note 40 Character 52

Column Name: ss_note_40_char_text_53
Column Type: varchar
Max Length: 40
SS Note 40 Character 53

Column Name: ss_note_40_char_text_54
Column Type: varchar
Max Length: 40
SS Note 40 Character 54

Column Name: ss_note_40_char_text_55
Column Type: varchar
Max Length: 40
SS Note 40 Character 55

Column Name: ss_note_40_char_text_56
Column Type: varchar
Max Length: 40
SS Note 40 Character 56

Column Name: ss_note_40_char_text_57
Column Type: varchar
Max Length: 40
SS Note 40 Character 57

Column Name: ss_note_40_char_text_58
Column Type: varchar
Max Length: 40
SS Note 40 Character 58

Column Name: ss_note_40_char_text_59
Column Type: varchar
Max Length: 40
SS Note 40 Character 59

Column Name: ss_note_40_char_text_60
Column Type: varchar
Max Length: 40
SS Note 40 Character 60

Column Name: ss_note_40_char_text_61
Column Type: varchar
Max Length: 40
SS Note 40 Character 61

Column Name: ss_note_40_char_text_62
Column Type: varchar
Max Length: 40
SS Note 40 Character 62

Column Name: ss_note_40_char_text_63
Column Type: varchar
Max Length: 40
SS Note 40 Character 63

Column Name: ss_note_40_char_text_64
Column Type: varchar
Max Length: 40
SS Note 40 Character 64

Column Name: ss_note_40_char_text_65
Column Type: varchar
Max Length: 40
SS Note 40 Character 65

Column Name: ss_note_40_char_text_66
Column Type: varchar
Max Length: 40
SS Note 40 Character 66

Column Name: ss_note_40_char_text_67
Column Type: varchar
Max Length: 40
SS Note 40 Character 67

Column Name: ss_note_40_char_text_68
Column Type: varchar
Max Length: 40
SS Note 40 Character 68

Column Name: ss_note_40_char_text_69
Column Type: varchar
Max Length: 40
SS Note 40 Character 69

Column Name: ss_note_40_char_text_70
Column Type: varchar
Max Length: 40
SS Note 40 Character 70

Column Name: ss_note_40_char_text_71
Column Type: varchar
Max Length: 40
SS Note 40 Character 71

Column Name: ss_note_40_char_text_72
Column Type: varchar
Max Length: 40
SS Note 40 Character 72

Column Name: ss_note_40_char_text_73
Column Type: varchar
Max Length: 40
SS Note 40 Character 73)

Column Name: ss_note_40_char_text_74
Column Type: varchar
Max Length: 40
SS Note 40 Character 74

Column Name: ss_note_40_char_text_75
Column Type: varchar
Max Length: 40
SS Note 40 Character 75

Column Name: ss_note_40_char_text_76
Column Type: varchar
Max Length: 40
SS Note 40 Character 76

Column Name: ss_note_date_51
Column Type: date
SS Note Date 51

Column Name: ss_note_date_52
Column Type: date
SS Note Date 52

Column Name: ss_note_date_53
Column Type: date
SS Note Date 53

Column Name: ss_note_date_54
Column Type: date
SS Note Date 54

Column Name: ss_note_date_55
Column Type: date
SS Note Date 55

Column Name: ss_note_date_56
Column Type: date
SS Note Date 56

Column Name: ss_note_date_57
Column Type: date
SS Note Date 57

Column Name: ss_note_date_58

Column Type: date
SS Note Date 58

Column Name: ss_note_date_59
Column Type: date
SS Note Date 59

Column Name: ss_note_date_60
Column Type: date
SS Note Date 60

Column Name: ss_note_integer_51
Column Type: integer
SS Note Integer 51

Column Name: ss_note_integer_52
Column Type: integer
SS Note Integer 52

Column Name: ss_note_integer_53
Column Type: integer
SS Note Integer 53

Column Name: ss_note_integer_54
Column Type: integer
SS Note Integer 54

Column Name: ss_note_integer_55
Column Type: integer
SS Note Integer 55

Column Name: ss_note_integer_56
Column Type: integer
SS Note Integer 56

Column Name: ss_note_integer_57
Column Type: integer
SS Note Integer 57

Column Name: ss_note_integer_58
Column Type: integer
SS Note Integer 58

Column Name: ss_note_integer_59
Column Type: integer
SS Note Integer 59

Column Name: ss_note_integer_60
Column Type: integer
SS Note Integer 60

Column Name: ss_note_scroll_text_111
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 111

Column Name: ss_note_scroll_text_112
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 112

Column Name: ss_note_scroll_text_113
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 113

Column Name: ss_note_scroll_text_114
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 114

Column Name: ss_note_scroll_text_115
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 115

Column Name: ss_note_scroll_text_116
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 116

Column Name: ss_note_scroll_text_117
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 117

Column Name: ss_note_scroll_text_118
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 118

Column Name: ss_note_scroll_text_119
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 119

Column Name: ss_note_scroll_text_120
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 120

Column Name: ss_note_scroll_text_121
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 121

Column Name: ss_note_scroll_text_122
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 122

Column Name: ss_note_scroll_text_123
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 123

Column Name: ss_note_scroll_text_124
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 124

Column Name: ss_note_scroll_text_125
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 125

Column Name: ss_note_scroll_text_126
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 126

Column Name: ss_note_scroll_text_127
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 127

Column Name: ss_note_scroll_text_128
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 128

Column Name: ss_note_scroll_text_129
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 129

Column Name: ss_note_scroll_text_130
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 130

Column Name: ss_note_scroll_text_131
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 131

Column Name: ss_note_scroll_text_132
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 132

Column Name: ss_note_scroll_text_133
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 133

Column Name: ss_note_scroll_text_134
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 134

Column Name: ss_note_scroll_text_135
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 135

Column Name: ss_note_scroll_text_136
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 136

Column Name: ss_note_time_51
Column Type: varchar
Max Length: 10
SS Note Time 51

Column Name: ss_note_time_52
Column Type: varchar
Max Length: 10
SS Note Time 52

Column Name: ss_note_time_53
Column Type: varchar
Max Length: 10
SS Note Time 53

Column Name: ss_note_time_54
Column Type: varchar
Max Length: 10
SS Note Time 54

Column Name: ss_note_time_55
Column Type: varchar
Max Length: 10
SS Note Time 55

Column Name: ss_note_time_56
Column Type: varchar
Max Length: 10
SS Note Time 56

Column Name: ss_note_time_57
Column Type: varchar
Max Length: 10
SS Note Time 57

Column Name: ss_note_time_58
Column Type: varchar
Max Length: 10
SS Note Time 58

Column Name: ss_note_time_59
Column Type: varchar
Max Length: 10
SS Note Time 59

Column Name: ss_note_time_60
Column Type: varchar
Max Length: 10
SS Note Time 60

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_tpnotes

Table Description: This table returns the information stored for the treatment plan grid in progress notes forms.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20
The unique ID associated with the note.

Column Name: tp_notes_id
Column Type: integer
Id column for auditing purposes

Column Name: select_tp_version_code
Column Type: varchar
Max Length: 50
'Select T.P. Version'

Column Name: select_tp_version_value
Column Type: varchar
Max Length: 255
The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: note_add_which_tp_plan_prob
Column Type: varchar
Max Length: 32000
The treatment plan problem to add to the note.

Column Name: notes
Column Type: varchar
Max Length: 32000
Notes for the selected TP item.

Documentation for form: Ambulatory_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotes table.

Column Name: ID
Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

The unique ID associated with the note.

Column Name: notes_field

Column Type: varchar

Max Length: 32700

The written note information.

Column Name: note_type_code

Column Type: varchar

Max Length: 50

'Note Type'

Column Name: note_type_value

Column Type: varchar

Max Length: 40

The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time

Column Type: varchar

Max Length: 25

'Note Time'

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: New_Existing_Service_code
Column Type: varchar
Max Length: 5
'Progress Note For'

Column Name: New_Existing_Service_value
Column Type: varchar
Max Length: 40
The description associated with New_Existing_Service_code. See New_Existing_Service_code for more information.

Column Name: service_program_value
Column Type: varchar
Max Length: 40
The description associated with service_program_code. See service_program_code for more information.

Column Name: note_addresses
Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_which_tp_plan_prob
Column Type: varchar
Max Length: 32700
The treatment plan problem to add to the note.

Column Name: Tx_Note_UniqueId
Column Type: varchar
Max Length: 40
The unique ID associated with the treatment.

Column Name: service_charge_value
Column Type: varchar
Max Length: 40
The description associated with service_charge_code. See service_charge_code for more information.

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID that joins the note to the service.

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: Option_Id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: TODO_ID
Column Type: varchar
Max Length: 20
'To Do Id'

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768
The add-on notes.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 40
The additional service information.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description associated with add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description associated with add_svc_info_code. See add_svc_info_code for more information.

Column Name: aps_link
Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Appointment'

Column Name: billing_status_code
Column Type: varchar
Max Length: 50

'Service Status'

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

The description associated with billing_status_code. See billing_status_code for more information.

Column Name: calpm_ebpss_csi_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practices / Service Strategies (CSI)'

Column Name: calpm_ebpss_csi_value

Column Type: varchar

Max Length: 200

The description associated with calpm_ebpss_csi_code. See calpm_ebpss_csi_code for more information.

Column Name: calpm_ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

The description associated with calpm_ebpss_csi_value_code. See calpm_ebpss_csi_value_code for more information.

Column Name: client_prob_list_codes

Column Type: varchar

Max Length: 50

The codes associated with the client problem list.

Column Name: client_prob_list_shvals

Column Type: varchar

Max Length: 255

The description associated with client_prob_list_code limited to 255 characters. See client_prob_list_code for more information.

Column Name: client_prob_list_vals

Column Type: varchar

Max Length: 32700

The description associated with client_prob_list_code. See client_prob_list_code for more information.

Column Name: clinical_instructions

Column Type: varchar

Max Length: 32700

'Clinical Instructions'

Column Name: clinical_quality_code

Column Type: varchar

Max Length: 255

'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val

Column Type: varchar

Max Length: 255

'The description associated with clinical_quality_code. See clinical_quality_code for more information.

Column Name: clinical_quality_value

Column Type: varchar

Max Length: 4096

'The description associated with clinical_quality_code. See clinical_quality_code for more information.

Column Name: confidential_note

Column Type: varchar

Max Length: 50

The confidential note.

Column Name: co_pract_duration

Column Type: numeric

The first co-practitioner duration.

Column Name: co_pract2_duration

Column Type: numeric

The second co-practitioner duration.

Column Name: co_practitioner_id

Column Type: varchar

Max Length: 15

The first co-practitioner ID.

Column Name: co_practitioner_id_2

Column Type: varchar

Max Length: 15

The second co-practitioner ID.

Column Name: co_practitioner_name

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id.

Column Name: co_practitioner_name_2

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id_2.

Column Name: co_sign_to_do_user

Column Type: varchar

Max Length: 50

'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 40
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_group_service
Column Type: date
The date of the group service.

Column Name: date_of_note
Column Type: date
The date of the note.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: discipline_code

Column Type: varchar

Max Length: 40

'Discipline'

Column Name: discipline_value

Column Type: varchar

Max Length: 40

The description associated with discipline_code. See discipline_code for more information.

Column Name: draft_final_code

Column Type: varchar

Max Length: 5

'Draft/Final'

Column Name: draft_final_value

Column Type: varchar

Max Length: 40

The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code

Column Type: varchar

Max Length: 255

'Evidence Based Practices'

Column Name: ebps_sh_val

Column Type: varchar

Max Length: 255

The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value

Column Type: varchar

Max Length: 4096

The description associated with ebps_code. See ebps_code for more information.

Column Name: external_system_id

Column Type: varchar

Max Length: 255

'External System Identifier'

Column Name: has_nonmed_diag_flg_code

Column Type: varchar

Max Length: 50

The non-medical diagnosis flag.

Column Name: has_nonmed_diag_flg_value

Column Type: varchar

Max Length: 50

The description associated with has_nonmed_diag_flg_code. See has_nonmed_diag_flg_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Diagnosis 1'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Diagnosis 2'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Diagnosis 3'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Diagnosis 4'

Column Name: location_code
Column Type: varchar
Max Length: 15
The location of the service.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code. See location_code for more information.

Column Name: medical_diag1_DSM_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag1_DSM_code. See medical_diag1_DSM_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD 10'

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD 9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_imo_code. See medical_diag_1_imo_code for more information.

Column Name: medical_diag2_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag2_DSM_code. See medical_diag2_DSM_code for more information.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_imo_code. See medical_diag_2_imo_code for more information.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_imo_code. See medical_diag_3_imo_code for more information.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_imo_code. See medical_diag_4_imo_code for more information.

Column Name: medical_diagnosis_1_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1'

Column Name: medical_diagnosis_1_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2'

Column Name: medical_diagnosis_2_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: medical_diagnosis_3_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 3'

Column Name: medical_diagnosis_3_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_3_code. See medical_diagnosis_3_code for more information.

Column Name: medical_diagnosis_4_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 4'

Column Name: medical_diagnosis_4_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_4_code. See medical_diagnosis_4_code for more information.

Column Name: notes_entry_index_nu
Column Type: varchar
Max Length: 50
The notes entry index.

Column Name: number_clients_in_group
Column Type: integer
'Number Of Clients In Group'

Column Name: orig_note_uniq_id_num
Column Type: varchar
Max Length: 20
'Original Note Unique ID Number'

Column Name: practitioner_id
Column Type: varchar
Max Length: 15
The practitioner associated with the note.

Column Name: practitioner_name
Column Type: varchar
Max Length: 40
The name associated with practitioner_id.

Column Name: psycho_add_on_duration
Column Type: integer
The psychotherapy add-on duration.

Column Name: reason_for_visit_code
Column Type: varchar
Max Length: 50
'Reason for Visit'

Column Name: reason_for_visit_value
Column Type: varchar
Max Length: 250
The description associated with reason_for_visit_code. See reason_for_visit_code for more information.

Column Name: recommended_decision
Column Type: varchar
Max Length: 32700
'Recommended Decision'

Column Name: select_tp_version_code
Column Type: varchar
Max Length: 5
'Select T.P. Version'

Column Name: select_tp_version_value

Column Type: varchar

Max Length: 40

The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: service_charge_code

Column Type: varchar

Max Length: 40

The service charge code.

Column Name: service_duration

Column Type: varchar

Max Length: 5

The duration of the service.

Column Name: service_end_time

Column Type: varchar

Max Length: 10

The end time of the service.

Column Name: service_program_code

Column Type: varchar

Max Length: 15

The program of the service.

Column Name: service_start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: session_start_end_times

Column Type: varchar

Max Length: 32766

'Start/End Time(s)'

Column Name: ss_note_20_char_text_1

Column Type: varchar

Max Length: 20

'SS Note 20 Character 1'

Column Name: ss_note_20_char_text_10

Column Type: varchar

Max Length: 20

'SS Note 20 Character 10'

Column Name: ss_note_20_char_text_2

Column Type: varchar

Max Length: 20

'SS Note 20 Character 2'

Column Name: ss_note_20_char_text_3

Column Type: varchar
Max Length: 20
'SS Note 20 Character 3'

Column Name: ss_note_20_char_text_4
Column Type: varchar
Max Length: 20
'SS Note 20 Character 4'

Column Name: ss_note_20_char_text_5
Column Type: varchar
Max Length: 20
'SS Note 20 Character 5'

Column Name: ss_note_20_char_text_6
Column Type: varchar
Max Length: 20
'SS Note 20 Character 6'

Column Name: ss_note_20_char_text_7
Column Type: varchar
Max Length: 20
'SS Note 20 Character 7'

Column Name: ss_note_20_char_text_8
Column Type: varchar
Max Length: 20
'SS Note 20 Character 8'

Column Name: ss_note_20_char_text_9
Column Type: varchar
Max Length: 20
'SS Note 20 Character 9'

Column Name: ss_note_40_char_text_1
Column Type: varchar
Max Length: 40
'SS Note 40 Character 1'

Column Name: ss_note_40_char_text_10
Column Type: varchar
Max Length: 40
'SS Note 40 Character 10'

Column Name: ss_note_40_char_text_2
Column Type: varchar
Max Length: 40
'SS Note 40 Character 2'

Column Name: ss_note_40_char_text_3

Column Type: varchar
Max Length: 40
'SS Note 40 Character 3'

Column Name: ss_note_40_char_text_4
Column Type: varchar
Max Length: 40
'SS Note 40 Character 4'

Column Name: ss_note_40_char_text_5
Column Type: varchar
Max Length: 40
'SS Note 40 Character 5'

Column Name: ss_note_40_char_text_6
Column Type: varchar
Max Length: 40
'SS Note 40 Character 6'

Column Name: ss_note_40_char_text_7
Column Type: varchar
Max Length: 40
'SS Note 40 Character 7'

Column Name: ss_note_40_char_text_8
Column Type: varchar
Max Length: 40
'SS Note 40 Character 8'

Column Name: ss_note_40_char_text_9
Column Type: varchar
Max Length: 40
'SS Note 40 Character 9'

Column Name: ss_note_80_char_text_1
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3

Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 9'

Column Name: ss_note_date_1
Column Type: date
'SS Note Date 1'

Column Name: ss_note_date_10
Column Type: date
'SS Note Date 10'

Column Name: ss_note_date_2
Column Type: date
'SS Note Date 2'

Column Name: ss_note_date_3
Column Type: date
'SS Note Date 3'

Column Name: ss_note_date_4
Column Type: date
'SS Note Date 4'

Column Name: ss_note_date_5
Column Type: date
'SS Note Date 5'

Column Name: ss_note_date_6
Column Type: date
'SS Note Date 6'

Column Name: ss_note_date_7
Column Type: date
'SS Note Date 7'

Column Name: ss_note_date_8
Column Type: date
'SS Note Date 8'

Column Name: ss_note_date_9
Column Type: date
'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 10'

Column Name: ss_note_dsm_diag_10_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 1'

Column Name: ss_note_dsm_diag_1_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 2'

Column Name: ss_note_dsm_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_2_code. See ss_note_dsm_diag_2_code for more information.

Column Name: ss_note_dsm_diag_3_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 3'

Column Name: ss_note_dsm_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_3_code. See ss_note_dsm_diag_3_code for more information.

Column Name: ss_note_dsm_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 4'

Column Name: ss_note_dsm_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_4_code. See ss_note_dsm_diag_4_code for more information.

Column Name: ss_note_dsm_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 5'

Column Name: ss_note_dsm_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_5_code. See ss_note_dsm_diag_5_code for more information.

Column Name: ss_note_dsm_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 6'

Column Name: ss_note_dsm_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_6_code. See ss_note_dsm_diag_6_code for more information.

Column Name: ss_note_dsm_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 7'

Column Name: ss_note_dsm_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_7_code. See ss_note_dsm_diag_7_code for more information.

Column Name: ss_note_dsm_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 8'

Column Name: ss_note_dsm_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_8_code. See ss_note_dsm_diag_8_code for more information.

Column Name: ss_note_dsm_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 9'

Column Name: ss_note_dsm_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_9_code. See ss_note_dsm_diag_9_code for more information.

Column Name: ss_note_icd9_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 10'

Column Name: ss_note_icd9_diag_10_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_10_code. See ss_note_icd9_diag_10_code for more information.

Column Name: ss_note_icd9_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 1'

Column Name: ss_note_icd9_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_1_code. See ss_note_icd9_diag_1_code for more information.

Column Name: ss_note_icd9_diag_2_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 2'

Column Name: ss_note_icd9_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_2_code. See ss_note_icd9_diag_2_code for more information.

Column Name: ss_note_icd9_diag_3_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 3'

Column Name: ss_note_icd9_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_3_code. See ss_note_icd9_diag_3_code for more information.

Column Name: ss_note_icd9_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 4'

Column Name: ss_note_icd9_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_4_code. See ss_note_icd9_diag_4_code for more information.

Column Name: ss_note_icd9_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 5'

Column Name: ss_note_icd9_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_5_code. See ss_note_icd9_diag_5_code for more information.

Column Name: ss_note_icd9_diag_6_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 6'

Column Name: ss_note_icd9_diag_6_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_6_code. See ss_note_icd9_diag_6_code for more information.

Column Name: ss_note_icd9_diag_7_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 7'

Column Name: ss_note_icd9_diag_7_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_7_code. See ss_note_icd9_diag_7_code for more information.

Column Name: ss_note_icd9_diag_8_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 8'

Column Name: ss_note_icd9_diag_8_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_8_code. See ss_note_icd9_diag_8_code for more information.

Column Name: ss_note_icd9_diag_9_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 9'

Column Name: ss_note_icd9_diag_9_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_9_code. See ss_note_icd9_diag_9_code for more information.

Column Name: ss_note_multi_dict_10_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 10'

Column Name: ss_note_multi_dict_10_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_10_code. See ss_note_multi_dict_10_code for more information.

Column Name: ss_note_multi_dict_1_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 1'

Column Name: ss_note_multi_dict_1_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_1_code. See ss_note_multi_dict_1_code for more information.

Column Name: ss_note_multi_dict_2_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 2'

Column Name: ss_note_multi_dict_2_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_2_code. See ss_note_multi_dict_2_code for more information.

Column Name: ss_note_multi_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 3'

Column Name: ss_note_multi_dict_3_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_3_code. See ss_note_multi_dict_3_code for more information.

Column Name: ss_note_multi_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 4'

Column Name: ss_note_multi_dict_4_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_4_code. See ss_note_multi_dict_4_code for more information.

Column Name: ss_note_multi_dict_5_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 5'

Column Name: ss_note_multi_dict_5_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_5_code. See ss_note_multi_dict_5_code for more information.

Column Name: ss_note_multi_dict_6_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 6'

Column Name: ss_note_multi_dict_6_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 7'

Column Name: ss_note_multi_dict_7_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_7_code. See ss_note_multi_dict_7_code for more information.

Column Name: ss_note_multi_dict_8_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 8'

Column Name: ss_note_multi_dict_8_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_8_code. See ss_note_multi_dict_8_code for more information.

Column Name: ss_note_multi_dict_9_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 9'

Column Name: ss_note_multi_dict_9_value
Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_9_code. See ss_note_multi_dict_9_code for more information.

Column Name: ss_note_scroll_text_1

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 1'

Column Name: ss_note_scroll_text_10

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 10'

Column Name: ss_note_scroll_text_2

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 2'

Column Name: ss_note_scroll_text_3

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 3'

Column Name: ss_note_scroll_text_4

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 4'

Column Name: ss_note_scroll_text_5

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 5'

Column Name: ss_note_scroll_text_6

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 6'

Column Name: ss_note_scroll_text_7

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 7'

Column Name: ss_note_scroll_text_8

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 8'

Column Name: ss_note_scroll_text_9

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 9'

Column Name: ss_note_sing_dict_10_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 10'

Column Name: ss_note_sing_dict_10_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 1'

Column Name: ss_note_sing_dict_1_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 2'

Column Name: ss_note_sing_dict_2_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 3'

Column Name: ss_note_sing_dict_3_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code
Column Type: varchar

Max Length: 20
'SS Note Single Response Dictionary 4'

Column Name: ss_note_sing_dict_4_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 5'

Column Name: ss_note_sing_dict_5_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 6'

Column Name: ss_note_sing_dict_6_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 7'

Column Name: ss_note_sing_dict_7_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 8'

Column Name: ss_note_sing_dict_8_value
Column Type: varchar
Max Length: 80

The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 9'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1

Column Type: varchar

Max Length: 20

'SS Note Staff Member 1'

Column Name: ss_note_staff_10

Column Type: varchar

Max Length: 20

'SS Note Staff Member 10'

Column Name: ss_note_staff_2

Column Type: varchar

Max Length: 20

'SS Note Staff Member 2'

Column Name: ss_note_staff_3

Column Type: varchar

Max Length: 20

'SS Note Staff Member 3'

Column Name: ss_note_staff_4

Column Type: varchar

Max Length: 20

'SS Note Staff Member 4'

Column Name: ss_note_staff_5

Column Type: varchar

Max Length: 20

'SS Note Staff Member 5'

Column Name: ss_note_staff_6

Column Type: varchar

Max Length: 20

'SS Note Staff Member 6'

Column Name: ss_note_staff_7

Column Type: varchar
Max Length: 20
'SS Note Staff Member 7'

Column Name: ss_note_staff_8
Column Type: varchar
Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar
Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6
Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7

Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar
Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar
Max Length: 10
'SS Note Time 9'

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
Whether the note is confidential.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
The contents of the notes field.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_11
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 11'

Column Name: ss_note_20_char_text_12

Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 12'

Column Name: ss_note_20_char_text_13
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 13'

Column Name: ss_note_20_char_text_14
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 14'

Column Name: ss_note_20_char_text_15
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 15'

Column Name: ss_note_20_char_text_16
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 16'

Column Name: ss_note_20_char_text_17
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 17'

Column Name: ss_note_20_char_text_18
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 18'

Column Name: ss_note_20_char_text_19
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 19'

Column Name: ss_note_20_char_text_20
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 20'

Column Name: ss_note_20_char_text_21
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 21'

Column Name: ss_note_20_char_text_22

Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 22'

Column Name: ss_note_20_char_text_23
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 23'

Column Name: ss_note_20_char_text_24
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 24'

Column Name: ss_note_20_char_text_25
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 25'

Column Name: ss_note_20_char_text_26
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 26'

Column Name: ss_note_20_char_text_27
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 27'

Column Name: ss_note_20_char_text_28
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 28'

Column Name: ss_note_20_char_text_29
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 29'

Column Name: ss_note_20_char_text_30
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 30'

Column Name: ss_note_40_char_text_11
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 11'

Column Name: ss_note_40_char_text_12

Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 12'

Column Name: ss_note_40_char_text_13
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 13'

Column Name: ss_note_40_char_text_14
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 14'

Column Name: ss_note_40_char_text_15
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 15'

Column Name: ss_note_40_char_text_16
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 16'

Column Name: ss_note_40_char_text_17
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 17'

Column Name: ss_note_40_char_text_18
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 18'

Column Name: ss_note_40_char_text_19
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 19'

Column Name: ss_note_40_char_text_20
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 20'

Column Name: ss_note_40_char_text_21
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 21'

Column Name: ss_note_40_char_text_22

Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 22'

Column Name: ss_note_40_char_text_23
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 23'

Column Name: ss_note_40_char_text_24
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 24'

Column Name: ss_note_40_char_text_25
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 25'

Column Name: ss_note_40_char_text_26
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 26'

Column Name: ss_note_40_char_text_27
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 27'

Column Name: ss_note_40_char_text_28
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 28'

Column Name: ss_note_40_char_text_29
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 29'

Column Name: ss_note_40_char_text_30
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 30'

Column Name: ss_note_80_char_text_11
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 11'

Column Name: ss_note_80_char_text_12

Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 12'

Column Name: ss_note_80_char_text_13
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 13'

Column Name: ss_note_80_char_text_14
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 14'

Column Name: ss_note_80_char_text_15
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 15'

Column Name: ss_note_80_char_text_16
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 16'

Column Name: ss_note_80_char_text_17
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 17'

Column Name: ss_note_80_char_text_18
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 18'

Column Name: ss_note_80_char_text_19
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 19'

Column Name: ss_note_80_char_text_20
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 20'

Column Name: ss_note_80_char_text_21
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 21'

Column Name: ss_note_80_char_text_22

Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 22'

Column Name: ss_note_80_char_text_23
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 23'

Column Name: ss_note_80_char_text_24
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 24'

Column Name: ss_note_80_char_text_25
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 25'

Column Name: ss_note_80_char_text_26
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 26'

Column Name: ss_note_80_char_text_27
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 27'

Column Name: ss_note_80_char_text_28
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 28'

Column Name: ss_note_80_char_text_29
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 29'

Column Name: ss_note_80_char_text_30
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 30'

Column Name: ss_note_date_11
Column Type: date
'SS Note Date 11'

Column Name: ss_note_date_12
Column Type: date

'SS Note Date 12'

Column Name: ss_note_date_13

Column Type: date

'SS Note Date 13'

Column Name: ss_note_date_14

Column Type: date

'SS Note Date 14'

Column Name: ss_note_date_15

Column Type: date

'SS Note Date 15'

Column Name: ss_note_date_16

Column Type: date

'SS Note Date 16'

Column Name: ss_note_date_17

Column Type: date

'SS Note Date 17'

Column Name: ss_note_date_18

Column Type: date

'SS Note Date 18'

Column Name: ss_note_date_19

Column Type: date

'SS Note Date 19'

Column Name: ss_note_date_20

Column Type: date

'SS Note Date 20'

Column Name: ss_note_date_21

Column Type: date

'SS Note Date 21'

Column Name: ss_note_date_22

Column Type: date

'SS Note Date 22'

Column Name: ss_note_date_23

Column Type: date

'SS Note Date 23'

Column Name: ss_note_date_24

Column Type: date

'SS Note Date 24'

Column Name: ss_note_date_25
Column Type: date
'SS Note Date 25'

Column Name: ss_note_date_26
Column Type: date
'SS Note Date 26'

Column Name: ss_note_date_27
Column Type: date
'SS Note Date 27'

Column Name: ss_note_date_28
Column Type: date
'SS Note Date 28'

Column Name: ss_note_date_29
Column Type: date
'SS Note Date 29'

Column Name: ss_note_date_30
Column Type: date
'SS Note Date 30'

Column Name: ss_note_dsm_diag_11_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 11'

Column Name: ss_note_dsm_diag_11_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_11_code. See ss_note_dsm_diag_11_code for more information.

Column Name: ss_note_dsm_diag_12_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 12'

Column Name: ss_note_dsm_diag_12_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_12_code. See ss_note_dsm_diag_12_code for more information.

Column Name: ss_note_dsm_diag_13_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 13'

Column Name: ss_note_dsm_diag_13_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_13_code. See ss_note_dsm_diag_13_code for more information.

Column Name: ss_note_dsm_diag_14_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 14'

Column Name: ss_note_dsm_diag_14_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_14_code. See ss_note_dsm_diag_14_code for more information.

Column Name: ss_note_dsm_diag_15_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 15'

Column Name: ss_note_dsm_diag_15_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_15_code. See ss_note_dsm_diag_15_code for more information.

Column Name: ss_note_dsm_diag_16_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 16'

Column Name: ss_note_dsm_diag_16_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_16_code. See ss_note_dsm_diag_16_code for more information.

Column Name: ss_note_dsm_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 17'

Column Name: ss_note_dsm_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_17_code. See ss_note_dsm_diag_17_code for more information.

Column Name: ss_note_dsm_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 18'

Column Name: ss_note_dsm_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_18_code. See ss_note_dsm_diag_18_code for more information.

Column Name: ss_note_dsm_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 19'

Column Name: ss_note_dsm_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_19_code. See ss_note_dsm_diag_19_code for more information.

Column Name: ss_note_dsm_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 20'

Column Name: ss_note_dsm_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_20_code. See ss_note_dsm_diag_20_code for more information.

Column Name: ss_note_dsm_diag_21_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 21'

Column Name: ss_note_dsm_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_21_code. See ss_note_dsm_diag_21_code for more information.

Column Name: ss_note_dsm_diag_22_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 22'

Column Name: ss_note_dsm_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_22_code. See ss_note_dsm_diag_22_code for more information.

Column Name: ss_note_dsm_diag_23_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 23'

Column Name: ss_note_dsm_diag_23_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_23_code. See ss_note_dsm_diag_23_code for more information.

Column Name: ss_note_dsm_diag_24_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 24'

Column Name: ss_note_dsm_diag_24_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_24_code. See ss_note_dsm_diag_24_code for more information.

Column Name: ss_note_dsm_diag_25_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 25'

Column Name: ss_note_dsm_diag_25_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_25_code. See ss_note_dsm_diag_25_code for more information.

Column Name: ss_note_dsm_diag_26_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 26'

Column Name: ss_note_dsm_diag_26_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_26_code. See ss_note_dsm_diag_26_code for more information.

Column Name: ss_note_dsm_diag_27_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 27'

Column Name: ss_note_dsm_diag_27_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_27_code. See ss_note_dsm_diag_27_code for more information.

Column Name: ss_note_dsm_diag_28_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 28'

Column Name: ss_note_dsm_diag_28_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_28_code. See ss_note_dsm_diag_28_code for more information.

Column Name: ss_note_dsm_diag_29_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 29'

Column Name: ss_note_dsm_diag_29_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_29_code. See ss_note_dsm_diag_29_code for more information.

Column Name: ss_note_dsm_diag_30_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 30'

Column Name: ss_note_dsm_diag_30_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_30_code. See ss_note_dsm_diag_30_code for more information.

Column Name: ss_note_icd9_diag_11_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 11'

Column Name: ss_note_icd9_diag_11_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_11_code. See ss_note_icd9_diag_11_code for more information.

Column Name: ss_note_icd9_diag_12_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 12'

Column Name: ss_note_icd9_diag_12_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_12_code. See ss_note_icd9_diag_12_code for more information.

Column Name: ss_note_icd9_diag_13_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 13'

Column Name: ss_note_icd9_diag_13_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_13_code. See ss_note_icd9_diag_13_code for more information.

Column Name: ss_note_icd9_diag_14_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 14'

Column Name: ss_note_icd9_diag_14_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_14_code. See ss_note_icd9_diag_14_code for more information.

Column Name: ss_note_icd9_diag_15_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 15'

Column Name: ss_note_icd9_diag_15_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_15_code. See ss_note_icd9_diag_15_code for more information.

Column Name: ss_note_icd9_diag_16_code

Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 16'

Column Name: ss_note_icd9_diag_16_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_16_code. See ss_note_icd9_diag_16_code for more information.

Column Name: ss_note_icd9_diag_17_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 17'

Column Name: ss_note_icd9_diag_17_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_17_code. See ss_note_icd9_diag_17_code for more information.

Column Name: ss_note_icd9_diag_18_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 18'

Column Name: ss_note_icd9_diag_18_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_18_code. See ss_note_icd9_diag_18_code for more information.

Column Name: ss_note_icd9_diag_19_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 19'

Column Name: ss_note_icd9_diag_19_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_19_code. See ss_note_icd9_diag_19_code for more information.

Column Name: ss_note_icd9_diag_20_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 20'

Column Name: ss_note_icd9_diag_20_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_20_code. See ss_note_icd9_diag_20_code for more information.

Column Name: ss_note_icd9_diag_21_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 21'

Column Name: ss_note_icd9_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_21_code. See ss_note_icd9_diag_21_code for more information.

Column Name: ss_note_icd9_diag_22_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 22'

Column Name: ss_note_icd9_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_22_code. See ss_note_icd9_diag_22_code for more information.

Column Name: ss_note_icd9_diag_23_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 23'

Column Name: ss_note_icd9_diag_23_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_23_code. See ss_note_icd9_diag_23_code for more information.

Column Name: ss_note_icd9_diag_24_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 24'

Column Name: ss_note_icd9_diag_24_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_24_code. See ss_note_icd9_diag_24_code for more information.

Column Name: ss_note_icd9_diag_25_code

Column Type: varchar

Max Length: 20
'SS Note ICD9 Diagnosis 25'

Column Name: ss_note_icd9_diag_25_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_25_code. See ss_note_icd9_diag_25_code for more information.

Column Name: ss_note_icd9_diag_26_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 26'

Column Name: ss_note_icd9_diag_26_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_26_code. See ss_note_icd9_diag_26_code for more information.

Column Name: ss_note_icd9_diag_27_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 27'

Column Name: ss_note_icd9_diag_27_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_27_code. See ss_note_icd9_diag_27_code for more information.

Column Name: ss_note_icd9_diag_28_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 28'

Column Name: ss_note_icd9_diag_28_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_28_code. See ss_note_icd9_diag_28_code for more information.

Column Name: ss_note_icd9_diag_29_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 29'

Column Name: ss_note_icd9_diag_29_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_icd9_diag_29_code`. See `ss_note_icd9_diag_29_code` for more information.

Column Name: `ss_note_icd9_diag_30_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 30'

Column Name: `ss_note_icd9_diag_30_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_30_code`. See `ss_note_icd9_diag_30_code` for more information.

Column Name: `ss_note_multi_dict_11_code`

Column Type: `varchar`

Max Length: 20

'SS Note Copy Multiple Response Dictionary 11'

Column Name: `ss_note_multi_dict_11_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_11_code`. See `ss_note_multi_dict_11_code` for more information.

Column Name: `ss_note_multi_dict_12_code`

Column Type: `varchar`

Max Length: 20

'SS Note Copy Multiple Response Dictionary 12'

Column Name: `ss_note_multi_dict_12_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_12_code`. See `ss_note_multi_dict_12_code` for more information.

Column Name: `ss_note_multi_dict_13_code`

Column Type: `varchar`

Max Length: 20

'SS Note Copy Multiple Response Dictionary 13'

Column Name: `ss_note_multi_dict_13_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_13_code`. See `ss_note_multi_dict_13_code` for more information.

Column Name: `ss_note_multi_dict_14_code`

Column Type: `varchar`

Max Length: 20

'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_note_multi_dict_14_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_14_code. See ss_note_multi_dict_14_code for more information.

Column Name: ss_note_multi_dict_15_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_note_multi_dict_15_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_15_code. See ss_note_multi_dict_15_code for more information.

Column Name: ss_note_multi_dict_16_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_note_multi_dict_16_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_16_code. See ss_note_multi_dict_16_code for more information.

Column Name: ss_note_multi_dict_17_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_note_multi_dict_17_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_17_code. See ss_note_multi_dict_17_code for more information.

Column Name: ss_note_multi_dict_18_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_note_multi_dict_18_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_18_code. See ss_note_multi_dict_18_code for more information.

Column Name: ss_note_multi_dict_19_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_note_multi_dict_19_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_19_code. See ss_note_multi_dict_19_code for more information.

Column Name: ss_note_multi_dict_20_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_note_multi_dict_20_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_20_code. See ss_note_multi_dict_20_code for more information.

Column Name: ss_note_multi_dict_21_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_note_multi_dict_21_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_21_code. See ss_note_multi_dict_21_code for more information.

Column Name: ss_note_multi_dict_22_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_note_multi_dict_22_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_22_code. See ss_note_multi_dict_22_code for more information.

Column Name: ss_note_multi_dict_23_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_note_multi_dict_23_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_23_code. See ss_note_multi_dict_23_code for more information.

Column Name: ss_note_multi_dict_24_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_note_multi_dict_24_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_24_code. See ss_note_multi_dict_24_code for more information.

Column Name: ss_note_multi_dict_25_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_note_multi_dict_25_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_25_code. See ss_note_multi_dict_25_code for more information.

Column Name: ss_note_multi_dict_26_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_note_multi_dict_26_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_26_code. See ss_note_multi_dict_26_code for more information.

Column Name: ss_note_multi_dict_27_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_note_multi_dict_27_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_27_code. See ss_note_multi_dict_27_code for more information.

Column Name: ss_note_multi_dict_28_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_note_multi_dict_28_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_28_code. See ss_note_multi_dict_28_code for more information.

Column Name: ss_note_multi_dict_29_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_note_multi_dict_29_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_29_code. See ss_note_multi_dict_29_code for more information.

Column Name: ss_note_multi_dict_30_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_note_multi_dict_30_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_30_code. See ss_note_multi_dict_30_code for more information.

Column Name: ss_note_scroll_text_11
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 11'

Column Name: ss_note_scroll_text_12
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 12'

Column Name: ss_note_scroll_text_13
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 13'

Column Name: ss_note_scroll_text_14
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 14'

Column Name: ss_note_scroll_text_15
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 15'

Column Name: ss_note_scroll_text_16
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 16'

Column Name: ss_note_scroll_text_17
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 17'

Column Name: ss_note_scroll_text_18
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 18'

Column Name: ss_note_scroll_text_19
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 19'

Column Name: ss_note_scroll_text_20
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 20'

Column Name: ss_note_scroll_text_21
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 21'

Column Name: ss_note_scroll_text_22
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 22'

Column Name: ss_note_scroll_text_23
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 23'

Column Name: ss_note_scroll_text_24
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 24'

Column Name: ss_note_scroll_text_25
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 25'

Column Name: ss_note_scroll_text_26
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 26'

Column Name: ss_note_scroll_text_27
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 27'

Column Name: ss_note_scroll_text_28
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 28'

Column Name: ss_note_scroll_text_29
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 29'

Column Name: ss_note_scroll_text_30
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 30'

Column Name: ss_note_sing_dict_11_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 11'

Column Name: ss_note_sing_dict_11_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_11_code. See ss_note_single_dict_11_code for more information.

Column Name: ss_note_sing_dict_12_code
Column Type: varchar
Max Length: 50

'SS Note Single Response Dictionary 12'

Column Name: ss_note_sing_dict_12_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_12_code. See ss_note_single_dict_12_code for more information.

Column Name: ss_note_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 13'

Column Name: ss_note_sing_dict_13_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_13_code. See ss_note_single_dict_13_code for more information.

Column Name: ss_note_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 14'

Column Name: ss_note_sing_dict_14_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_14_code. See ss_note_single_dict_14_code for more information.

Column Name: ss_note_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 15'

Column Name: ss_note_sing_dict_15_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_15_code. See ss_note_single_dict_15_code for more information.

Column Name: ss_note_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 16'

Column Name: ss_note_sing_dict_16_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_16_code. See ss_note_single_dict_16_code for more information.

Column Name: ss_note_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 17'

Column Name: ss_note_sing_dict_17_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_17_code. See ss_note_single_dict_17_code for more information.

Column Name: ss_note_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 18'

Column Name: ss_note_sing_dict_18_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_18_code. See ss_note_single_dict_18_code for more information.

Column Name: ss_note_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 19'

Column Name: ss_note_sing_dict_19_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_19_code. See ss_note_single_dict_19_code for more information.

Column Name: ss_note_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 20'

Column Name: ss_note_sing_dict_20_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_20_code. See ss_note_single_dict_20_code for more information.

Column Name: ss_note_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 21'

Column Name: ss_note_sing_dict_21_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_21_code. See ss_note_single_dict_21_code for more information.

Column Name: ss_note_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 22'

Column Name: ss_note_sing_dict_22_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_22_code. See ss_note_single_dict_22_code for more information.

Column Name: ss_note_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 23'

Column Name: ss_note_sing_dict_23_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_23_code. See ss_note_single_dict_23_code for more information.

Column Name: ss_note_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 24'

Column Name: ss_note_sing_dict_24_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_24_code. See ss_note_single_dict_24_code for more information.

Column Name: ss_note_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 25'

Column Name: ss_note_sing_dict_25_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_25_code. See ss_note_single_dict_25_code for more information.

Column Name: ss_note_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 26'

Column Name: ss_note_sing_dict_26_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_26_code. See ss_note_single_dict_26_code for more information.

Column Name: ss_note_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 27'

Column Name: ss_note_sing_dict_27_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_27_code. See ss_note_single_dict_27_code for more information.

Column Name: ss_note_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 28'

Column Name: ss_note_sing_dict_28_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_28_code. See ss_note_single_dict_28_code for more information.

Column Name: ss_note_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 29'

Column Name: ss_note_sing_dict_29_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_29_code. See ss_note_single_dict_29_code for more information.

Column Name: ss_note_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 30'

Column Name: ss_note_sing_dict_30_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_30_code. See ss_note_single_dict_30_code for more information.

Column Name: ss_note_time_11

Column Type: varchar

Max Length: 50

'SS Note Time 11'

Column Name: ss_note_time_12

Column Type: varchar

Max Length: 50

'SS Note Time 12'

Column Name: ss_note_time_13

Column Type: varchar

Max Length: 50

'SS Note Time 13'

Column Name: ss_note_time_14

Column Type: varchar

Max Length: 50

'SS Note Time 14'

Column Name: ss_note_time_15

Column Type: varchar

Max Length: 50

'SS Note Time 15'

Column Name: ss_note_time_16

Column Type: varchar

Max Length: 50

'SS Note Time 16'

Column Name: ss_note_time_17

Column Type: varchar

Max Length: 50

'SS Note Time 17'

Column Name: ss_note_time_18

Column Type: varchar

Max Length: 50

'SS Note Time 18'

Column Name: ss_note_time_19

Column Type: varchar

Max Length: 50
'SS Note Time 19'

Column Name: ss_note_time_20
Column Type: varchar
Max Length: 50
'SS Note Time 20'

Column Name: ss_note_time_21
Column Type: varchar
Max Length: 50
'SS Note Time 21'

Column Name: ss_note_time_22
Column Type: varchar
Max Length: 50
'SS Note Time 22'

Column Name: ss_note_time_23
Column Type: varchar
Max Length: 50
'SS Note Time 23'

Column Name: ss_note_time_24
Column Type: varchar
Max Length: 50
'SS Note Time 24'

Column Name: ss_note_time_25
Column Type: varchar
Max Length: 50
'SS Note Time 25'

Column Name: ss_note_time_26
Column Type: varchar
Max Length: 50
'SS Note Time 26'

Column Name: ss_note_time_27
Column Type: varchar
Max Length: 50
'SS Note Time 27'

Column Name: ss_note_time_28
Column Type: varchar
Max Length: 50
'SS Note Time 28'

Column Name: ss_note_time_29
Column Type: varchar

Max Length: 50
'SS Note Time 29'

Column Name: ss_note_time_30
Column Type: varchar
Max Length: 50
'SS Note Time 30'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp_1

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp1 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
'Progress Notes Pointer'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiler.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
'Confidential Notes'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar

Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
'Notes Field'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_31
Column Type: varchar
Max Length: 20
'SS Note 20 Character 31'

Column Name: ss_note_20_char_text_32
Column Type: varchar
Max Length: 20
'SS Note 20 Character 32'

Column Name: ss_note_20_char_text_33
Column Type: varchar
Max Length: 20
'SS Note 20 Character 33'

Column Name: ss_note_20_char_text_34
Column Type: varchar
Max Length: 20
'SS Note 20 Character 34'

Column Name: ss_note_20_char_text_35
Column Type: varchar
Max Length: 20

'SS Note 20 Character 35'

Column Name: ss_note_20_char_text_36

Column Type: varchar

Max Length: 20

'SS Note 20 Character 36'

Column Name: ss_note_20_char_text_37

Column Type: varchar

Max Length: 20

'SS Note 20 Character 37'

Column Name: ss_note_20_char_text_38

Column Type: varchar

Max Length: 20

'SS Note 20 Character 38'

Column Name: ss_note_20_char_text_39

Column Type: varchar

Max Length: 20

'SS Note 20 Character 39'

Column Name: ss_note_20_char_text_40

Column Type: varchar

Max Length: 20

'SS Note 20 Character 40'

Column Name: ss_note_20_char_text_41

Column Type: varchar

Max Length: 20

'SS Note 20 Character 41'

Column Name: ss_note_20_char_text_42

Column Type: varchar

Max Length: 20

'SS Note 20 Character 42'

Column Name: ss_note_20_char_text_43

Column Type: varchar

Max Length: 20

'SS Note 20 Character 43'

Column Name: ss_note_20_char_text_44

Column Type: varchar

Max Length: 20

'SS Note 20 Character 44'

Column Name: ss_note_20_char_text_45

Column Type: varchar

Max Length: 20

'SS Note 20 Character 45'

Column Name: ss_note_20_char_text_46

Column Type: varchar

Max Length: 20

'SS Note 20 Character 46'

Column Name: ss_note_20_char_text_47

Column Type: varchar

Max Length: 20

'SS Note 20 Character 47'

Column Name: ss_note_20_char_text_48

Column Type: varchar

Max Length: 20

'SS Note 20 Character 48'

Column Name: ss_note_20_char_text_49

Column Type: varchar

Max Length: 20

'SS Note 20 Character 49'

Column Name: ss_note_20_char_text_50

Column Type: varchar

Max Length: 20

'SS Note 20 Character 50'

Column Name: ss_note_40_char_text_31

Column Type: varchar

Max Length: 40

'SS Note 40 Character 31'

Column Name: ss_note_40_char_text_32

Column Type: varchar

Max Length: 40

'SS Note 40 Character 32'

Column Name: ss_note_40_char_text_33

Column Type: varchar

Max Length: 40

'SS Note 40 Character 33'

Column Name: ss_note_40_char_text_34

Column Type: varchar

Max Length: 40

'SS Note 40 Character 34'

Column Name: ss_note_40_char_text_35

Column Type: varchar

Max Length: 40

'SS Note 40 Character 35'

Column Name: ss_note_40_char_text_36

Column Type: varchar

Max Length: 40

'SS Note 40 Character 36'

Column Name: ss_note_40_char_text_37

Column Type: varchar

Max Length: 40

'SS Note 40 Character 37'

Column Name: ss_note_40_char_text_38

Column Type: varchar

Max Length: 40

'SS Note 40 Character 38'

Column Name: ss_note_40_char_text_39

Column Type: varchar

Max Length: 40

'SS Note 40 Character 39'

Column Name: ss_note_40_char_text_40

Column Type: varchar

Max Length: 40

'SS Note 40 Character 40'

Column Name: ss_note_40_char_text_41

Column Type: varchar

Max Length: 40

'SS Note 40 Character 41'

Column Name: ss_note_40_char_text_42

Column Type: varchar

Max Length: 40

'SS Note 40 Character 42'

Column Name: ss_note_40_char_text_43

Column Type: varchar

Max Length: 40

'SS Note 40 Character 43'

Column Name: ss_note_40_char_text_44

Column Type: varchar

Max Length: 40

'SS Note 40 Character 44'

Column Name: ss_note_40_char_text_45

Column Type: varchar

Max Length: 40

'SS Note 40 Character 45'

Column Name: ss_note_40_char_text_46

Column Type: varchar

Max Length: 40

'SS Note 40 Character 46'

Column Name: ss_note_40_char_text_47

Column Type: varchar

Max Length: 40

'SS Note 40 Character 47'

Column Name: ss_note_40_char_text_48

Column Type: varchar

Max Length: 40

'SS Note 40 Character 48'

Column Name: ss_note_40_char_text_49

Column Type: varchar

Max Length: 40

'SS Note 40 Character 49'

Column Name: ss_note_40_char_text_50

Column Type: varchar

Max Length: 40

'SS Note 40 Character 50'

Column Name: ss_note_80_char_text_31

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 31'

Column Name: ss_note_80_char_text_32

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 32'

Column Name: ss_note_80_char_text_33

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 33'

Column Name: ss_note_80_char_text_34

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 34'

Column Name: ss_note_80_char_text_35

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 35'

Column Name: ss_note_80_char_text_36

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 36'

Column Name: ss_note_80_char_text_37

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 37'

Column Name: ss_note_80_char_text_38

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 38'

Column Name: ss_note_80_char_text_39

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 39'

Column Name: ss_note_80_char_text_40

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 40'

Column Name: ss_note_80_char_text_41

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 41'

Column Name: ss_note_80_char_text_42

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 42'

Column Name: ss_note_80_char_text_43

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 43'

Column Name: ss_note_80_char_text_44

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 44'

Column Name: ss_note_80_char_text_45

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 45'

Column Name: ss_note_80_char_text_46

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 46'

Column Name: ss_note_80_char_text_47

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 47'

Column Name: ss_note_80_char_text_48

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 48'

Column Name: ss_note_80_char_text_49

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 49'

Column Name: ss_note_80_char_text_50

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 50'

Column Name: ss_note_date_31

Column Type: date

'SS Note Date 31'

Column Name: ss_note_date_32

Column Type: date

'SS Note Date 32'

Column Name: ss_note_date_33

Column Type: date

'SS Note Date 33'

Column Name: ss_note_date_34

Column Type: date

'SS Note Date 34'

Column Name: ss_note_date_35

Column Type: date

'SS Note Date 35'

Column Name: ss_note_date_36

Column Type: date

'SS Note Date 36'

Column Name: ss_note_date_37
Column Type: date
'SS Note Date 37'

Column Name: ss_note_date_38
Column Type: date
'SS Note Date 38'

Column Name: ss_note_date_39
Column Type: date
'SS Note Date 39'

Column Name: ss_note_date_40
Column Type: date
'SS Note Date 40'

Column Name: ss_note_date_41
Column Type: date
'SS Note Date 41'

Column Name: ss_note_date_42
Column Type: date
'SS Note Date 42'

Column Name: ss_note_date_43
Column Type: date
'SS Note Date 43'

Column Name: ss_note_date_44
Column Type: date
'SS Note Date 44'

Column Name: ss_note_date_45
Column Type: date
'SS Note Date 45'

Column Name: ss_note_date_46
Column Type: date
'SS Note Date 46'

Column Name: ss_note_date_47
Column Type: date
'SS Note Date 47'

Column Name: ss_note_date_48
Column Type: date
'SS Note Date 48'

Column Name: ss_note_date_49

Column Type: date
'SS Note Date 49'

Column Name: ss_note_date_50
Column Type: date
'SS Note Date 50'

Column Name: ss_note_dsm_diag_31_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 31'

Column Name: ss_note_dsm_diag_31_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_31_code. See ss_note_dsm_diag_31_code for more information.

Column Name: ss_note_dsm_diag_32_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 32'

Column Name: ss_note_dsm_diag_32_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_32_code. See ss_note_dsm_diag_32_code for more information.

Column Name: ss_note_dsm_diag_33_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 33'

Column Name: ss_note_dsm_diag_33_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_33_code. See ss_note_dsm_diag_33_code for more information.

Column Name: ss_note_dsm_diag_34_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 34'

Column Name: ss_note_dsm_diag_34_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_34_code. See ss_note_dsm_diag_34_code for more information.

Column Name: ss_note_dsm_diag_35_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 35'

Column Name: ss_note_dsm_diag_35_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_35_code. See ss_note_dsm_diag_35_code for more information.

Column Name: ss_note_dsm_diag_36_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 36'

Column Name: ss_note_dsm_diag_36_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_36_code. See ss_note_dsm_diag_36_code for more information.

Column Name: ss_note_dsm_diag_37_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 37'

Column Name: ss_note_dsm_diag_37_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_37_code. See ss_note_dsm_diag_37_code for more information.

Column Name: ss_note_dsm_diag_38_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 38'

Column Name: ss_note_dsm_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_38_code. See ss_note_dsm_diag_38_code for more information.

Column Name: ss_note_dsm_diag_39_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 39'

Column Name: ss_note_dsm_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_39_code. See ss_note_dsm_diag_39_code for more information.

Column Name: ss_note_dsm_diag_40_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 40'

Column Name: ss_note_dsm_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_40_code. See ss_note_dsm_diag_40_code for more information.

Column Name: ss_note_dsm_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 41'

Column Name: ss_note_dsm_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_41_code. See ss_note_dsm_diag_41_code for more information.

Column Name: ss_note_dsm_diag_42_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 42'

Column Name: ss_note_dsm_diag_42_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_42_code. See ss_note_dsm_diag_42_code for more information.

Column Name: ss_note_dsm_diag_43_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 43'

Column Name: ss_note_dsm_diag_43_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_43_code. See ss_note_dsm_diag_43_code for more information.

Column Name: ss_note_dsm_diag_44_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 44'

Column Name: ss_note_dsm_diag_44_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_44_code. See ss_note_dsm_diag_44_code for more information.

Column Name: ss_note_dsm_diag_45_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 45'

Column Name: ss_note_dsm_diag_45_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_45_code. See ss_note_dsm_diag_45_code for more information.

Column Name: ss_note_dsm_diag_46_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 46'

Column Name: ss_note_dsm_diag_46_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_46_code. See ss_note_dsm_diag_46_code for more information.

Column Name: ss_note_dsm_diag_47_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 47'

Column Name: ss_note_dsm_diag_47_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_47_code. See ss_note_dsm_diag_47_code for more information.

Column Name: ss_note_dsm_diag_48_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 48'

Column Name: ss_note_dsm_diag_48_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_48_code. See ss_note_dsm_diag_48_code for more information.

Column Name: ss_note_dsm_diag_49_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 49'

Column Name: ss_note_dsm_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_49_code. See ss_note_dsm_diag_49_code for more information.

Column Name: ss_note_dsm_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 50'

Column Name: ss_note_dsm_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_50_code. See ss_note_dsm_diag_50_code for more information.

Column Name: ss_note_icd9_diag_31_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 31'

Column Name: ss_note_icd9_diag_31_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_31_code. See ss_note_icd9_diag_31_code for more information.

Column Name: ss_note_icd9_diag_32_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 32'

Column Name: ss_note_icd9_diag_32_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_32_code. See ss_note_icd9_diag_32_code for more information.

Column Name: ss_note_icd9_diag_33_code

Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 33'

Column Name: ss_note_icd9_diag_33_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_33_code. See ss_note_icd9_diag_33_code for more information.

Column Name: ss_note_icd9_diag_34_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 34'

Column Name: ss_note_icd9_diag_34_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_34_code. See ss_note_icd9_diag_34_code for more information.

Column Name: ss_note_icd9_diag_35_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 35'

Column Name: ss_note_icd9_diag_35_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_35_code. See ss_note_icd9_diag_35_code for more information.

Column Name: ss_note_icd9_diag_36_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 36'

Column Name: ss_note_icd9_diag_36_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_36_code. See ss_note_icd9_diag_36_code for more information.

Column Name: ss_note_icd9_diag_37_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 37'

Column Name: ss_note_icd9_diag_37_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_37_code. See ss_note_icd9_diag_37_code for more information.

Column Name: ss_note_icd9_diag_38_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 38'

Column Name: ss_note_icd9_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_38_code. See ss_note_icd9_diag_38_code for more information.

Column Name: ss_note_icd9_diag_39_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 39'

Column Name: ss_note_icd9_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_39_code. See ss_note_icd9_diag_39_code for more information.

Column Name: ss_note_icd9_diag_40_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 40'

Column Name: ss_note_icd9_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_40_code. See ss_note_icd9_diag_40_code for more information.

Column Name: ss_note_icd9_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 41'

Column Name: ss_note_icd9_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_41_code. See ss_note_icd9_diag_41_code for more information.

Column Name: ss_note_icd9_diag_42_code

Column Type: varchar

Max Length: 20
'SS Note ICD-9 Code 42'

Column Name: ss_note_icd9_diag_42_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_42_code. See ss_note_icd9_diag_42_code for more information.

Column Name: ss_note_icd9_diag_43_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 43'

Column Name: ss_note_icd9_diag_43_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_43_code. See ss_note_icd9_diag_43_code for more information.

Column Name: ss_note_icd9_diag_44_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 44'

Column Name: ss_note_icd9_diag_44_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_44_code. See ss_note_icd9_diag_44_code for more information.

Column Name: ss_note_icd9_diag_45_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 45'

Column Name: ss_note_icd9_diag_45_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_45_code. See ss_note_icd9_diag_45_code for more information.

Column Name: ss_note_icd9_diag_46_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 46'

Column Name: ss_note_icd9_diag_46_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_icd9_diag_46_code`. See `ss_note_icd9_diag_46_code` for more information.

Column Name: `ss_note_icd9_diag_47_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 47'

Column Name: `ss_note_icd9_diag_47_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_47_code`. See `ss_note_icd9_diag_47_code` for more information.

Column Name: `ss_note_icd9_diag_48_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 48'

Column Name: `ss_note_icd9_diag_48_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_48_code`. See `ss_note_icd9_diag_48_code` for more information.

Column Name: `ss_note_icd9_diag_49_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 49'

Column Name: `ss_note_icd9_diag_49_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_49_code`. See `ss_note_icd9_diag_49_code` for more information.

Column Name: `ss_note_icd9_diag_50_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 50'

Column Name: `ss_note_icd9_diag_50_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_50_code`. See `ss_note_icd9_diag_50_code` for more information.

Column Name: `ss_note_integer_1`

Column Type: `integer`

'SS Note Integer 1'

Column Name: ss_note_integer_2
Column Type: integer
'SS Note Integer 2'

Column Name: ss_note_integer_3
Column Type: integer
'SS Note Integer 3'

Column Name: ss_note_integer_4
Column Type: integer
'SS Note Integer 4'

Column Name: ss_note_integer_5
Column Type: integer
'SS Note Integer 5'

Column Name: ss_note_integer_6
Column Type: integer
'SS Note Integer 6'

Column Name: ss_note_multi_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 31'

Column Name: ss_note_multi_dict_31_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_31_code. See ss_note_multi_dict_31_code for more information.

Column Name: ss_note_multi_dict_32_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 32'

Column Name: ss_note_multi_dict_32_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_32_code. See ss_note_multi_dict_32_code for more information.

Column Name: ss_note_multi_dict_33_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 33'

Column Name: ss_note_multi_dict_33_value
Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_33_code. See ss_note_multi_dict_33_code for more information.

Column Name: ss_note_multi_dict_34_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 34'

Column Name: ss_note_multi_dict_34_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_34_code. See ss_note_multi_dict_34_code for more information.

Column Name: ss_note_multi_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 35'

Column Name: ss_note_multi_dict_35_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_35_code. See ss_note_multi_dict_35_code for more information.

Column Name: ss_note_multi_dict_36_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 36'

Column Name: ss_note_multi_dict_36_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_36_code. See ss_note_multi_dict_36_code for more information.

Column Name: ss_note_multi_dict_37_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 37'

Column Name: ss_note_multi_dict_37_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_37_code. See ss_note_multi_dict_37_code for more information.

Column Name: ss_note_multi_dict_38_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 38'

Column Name: ss_note_multi_dict_38_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_38_code. See ss_note_multi_dict_38_code for more information.

Column Name: ss_note_multi_dict_39_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 39'

Column Name: ss_note_multi_dict_39_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_39_code. See ss_note_multi_dict_39_code for more information.

Column Name: ss_note_multi_dict_40_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 40'

Column Name: ss_note_multi_dict_40_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_40_code. See ss_note_multi_dict_40_code for more information.

Column Name: ss_note_multi_dict_41_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 41'

Column Name: ss_note_multi_dict_41_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_41_code. See ss_note_multi_dict_41_code for more information.

Column Name: ss_note_multi_dict_42_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 42'

Column Name: ss_note_multi_dict_42_value
Column Type: varchar
Max Length: 32700

The description associated with ss_note_multi_dict_42_code. See ss_note_multi_dict_42_code for more information.

Column Name: ss_note_multi_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 43'

Column Name: ss_note_multi_dict_43_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_43_code. See ss_note_multi_dict_43_code for more information.

Column Name: ss_note_multi_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 44'

Column Name: ss_note_multi_dict_44_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_44_code. See ss_note_multi_dict_44_code for more information.

Column Name: ss_note_multi_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 45'

Column Name: ss_note_multi_dict_45_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_45_code. See ss_note_multi_dict_45_code for more information.

Column Name: ss_note_multi_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 46'

Column Name: ss_note_multi_dict_46_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_46_code. See ss_note_multi_dict_46_code for more information.

Column Name: ss_note_multi_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 47'

Column Name: ss_note_multi_dict_47_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_47_code. See ss_note_multi_dict_47_code for more information.

Column Name: ss_note_multi_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 48'

Column Name: ss_note_multi_dict_48_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_48_code. See ss_note_multi_dict_48_code for more information.

Column Name: ss_note_multi_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 49'

Column Name: ss_note_multi_dict_49_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_49_code. See ss_note_multi_dict_49_code for more information.

Column Name: ss_note_multi_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 50'

Column Name: ss_note_multi_dict_50_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_50_code. See ss_note_multi_dict_50_code for more information.

Column Name: ss_note_scroll_text_31

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 31'

Column Name: ss_note_scroll_text_32

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 32'

Column Name: ss_note_scroll_text_33
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 33'

Column Name: ss_note_scroll_text_34
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 34'

Column Name: ss_note_scroll_text_35
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 35'

Column Name: ss_note_scroll_text_36
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 36'

Column Name: ss_note_scroll_text_37
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 37'

Column Name: ss_note_scroll_text_38
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 38'

Column Name: ss_note_scroll_text_39
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 39'

Column Name: ss_note_scroll_text_40
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 40'

Column Name: ss_note_scroll_text_41
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 41'

Column Name: ss_note_scroll_text_42
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 42'

Column Name: ss_note_scroll_text_43
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 43'

Column Name: ss_note_scroll_text_44
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 44'

Column Name: ss_note_scroll_text_45
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 45'

Column Name: ss_note_scroll_text_46
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 46'

Column Name: ss_note_scroll_text_47
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 47'

Column Name: ss_note_scroll_text_48
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 48'

Column Name: ss_note_scroll_text_49
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 49'

Column Name: ss_note_scroll_text_50
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 50'

Column Name: ss_note_sing_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 31'

Column Name: ss_note_sing_dict_31_value
Column Type: varchar
Max Length: 80

The description associated with `ss_note_sing_dict_31_code`. See `ss_note_sing_dict_31_code` for more information.

Column Name: `ss_note_sing_dict_32_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 32'

Column Name: `ss_note_sing_dict_32_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_32_code`. See `ss_note_sing_dict_32_code` for more information.

Column Name: `ss_note_sing_dict_33_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 33'

Column Name: `ss_note_sing_dict_33_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_33_code`. See `ss_note_sing_dict_33_code` for more information.

Column Name: `ss_note_sing_dict_34_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 34'

Column Name: `ss_note_sing_dict_34_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_34_code`. See `ss_note_sing_dict_34_code` for more information.

Column Name: `ss_note_sing_dict_35_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 35'

Column Name: `ss_note_sing_dict_35_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_35_code`. See `ss_note_sing_dict_35_code` for more information.

Column Name: `ss_note_sing_dict_36_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 36'

Column Name: ss_note_sing_dict_36_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_36_code. See ss_note_sing_dict_36_code for more information.

Column Name: ss_note_sing_dict_37_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 37'

Column Name: ss_note_sing_dict_37_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_37_code. See ss_note_sing_dict_37_code for more information.

Column Name: ss_note_sing_dict_38_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 38'

Column Name: ss_note_sing_dict_38_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_38_code. See ss_note_sing_dict_38_code for more information.

Column Name: ss_note_sing_dict_39_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 39'

Column Name: ss_note_sing_dict_39_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_39_code. See ss_note_sing_dict_39_code for more information.

Column Name: ss_note_sing_dict_40_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 40'

Column Name: ss_note_sing_dict_40_value

Column Type: varchar

Max Length: 80

The description associated with `ss_note_sing_dict_40_code`. See `ss_note_sing_dict_40_code` for more information.

Column Name: `ss_note_sing_dict_41_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 41'

Column Name: `ss_note_sing_dict_41_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_41_code`. See `ss_note_sing_dict_41_code` for more information.

Column Name: `ss_note_sing_dict_42_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 42'

Column Name: `ss_note_sing_dict_42_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_42_code`. See `ss_note_sing_dict_42_code` for more information.

Column Name: `ss_note_sing_dict_43_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 43'

Column Name: `ss_note_sing_dict_43_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_43_code`. See `ss_note_sing_dict_43_code` for more information.

Column Name: `ss_note_sing_dict_44_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 44'

Column Name: `ss_note_sing_dict_44_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_44_code`. See `ss_note_sing_dict_44_code` for more information.

Column Name: `ss_note_sing_dict_45_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 45'

Column Name: ss_note_sing_dict_45_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_45_code. See ss_note_sing_dict_45_code for more information.

Column Name: ss_note_sing_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 46'

Column Name: ss_note_sing_dict_46_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_46_code. See ss_note_sing_dict_46_code for more information.

Column Name: ss_note_sing_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 47'

Column Name: ss_note_sing_dict_47_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_47_code. See ss_note_sing_dict_47_code for more information.

Column Name: ss_note_sing_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 48'

Column Name: ss_note_sing_dict_48_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_48_code. See ss_note_sing_dict_48_code for more information.

Column Name: ss_note_sing_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 49'

Column Name: ss_note_sing_dict_49_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_49_code. See ss_note_sing_dict_49_code for more information.

Column Name: ss_note_sing_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 50'

Column Name: ss_note_sing_dict_50_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_50_code. See ss_note_sing_dict_50_code for more information.

Column Name: ss_note_time_31

Column Type: varchar

Max Length: 50

'SS Note Time 31'

Column Name: ss_note_time_32

Column Type: varchar

Max Length: 50

'SS Note Time 32'

Column Name: ss_note_time_33

Column Type: varchar

Max Length: 50

'SS Note Time 33'

Column Name: ss_note_time_34

Column Type: varchar

Max Length: 50

'SS Note Time 34'

Column Name: ss_note_time_35

Column Type: varchar

Max Length: 50

'SS Note Time 35'

Column Name: ss_note_time_36

Column Type: varchar

Max Length: 50

'SS Note Time 36'

Column Name: ss_note_time_37

Column Type: varchar

Max Length: 50

'SS Note Time 37'

Column Name: ss_note_time_38

Column Type: varchar
Max Length: 50
'SS Note Time 38'

Column Name: ss_note_time_39
Column Type: varchar
Max Length: 50
'SS Note Time 39'

Column Name: ss_note_time_40
Column Type: varchar
Max Length: 50
'SS Note Time 40'

Column Name: ss_note_time_41
Column Type: varchar
Max Length: 50
'SS Note Time 41'

Column Name: ss_note_time_42
Column Type: varchar
Max Length: 50
'SS Note Time 42'

Column Name: ss_note_time_43
Column Type: varchar
Max Length: 50
'SS Note Time 43'

Column Name: ss_note_time_44
Column Type: varchar
Max Length: 50
'SS Note Time 44'

Column Name: ss_note_time_45
Column Type: varchar
Max Length: 50
'SS Note Time 45'

Column Name: ss_note_time_46
Column Type: varchar
Max Length: 50
'SS Note Time 46'

Column Name: ss_note_time_47
Column Type: varchar
Max Length: 50
'SS Note Time 47'

Column Name: ss_note_time_48

Column Type: varchar
Max Length: 50
'SS Note Time 48'

Column Name: ss_note_time_49
Column Type: varchar
Max Length: 50
'SS Note Time 49'

Column Name: ss_note_time_50
Column Type: varchar
Max Length: 50
'SS Note Time 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp_2

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp2 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 50

The unique ID associated with the note.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: PREFILEID

Column Type: varchar

Max Length: 50

The unique ID associated with the prefiller.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_integer_10
Column Type: integer
'SS Note Integer 10'

Column Name: ss_note_integer_11
Column Type: integer
'SS Note Integer 11'

Column Name: ss_note_integer_12
Column Type: integer
'SS Note Integer 12'

Column Name: ss_note_integer_13
Column Type: integer
'SS Note Integer 13'

Column Name: ss_note_integer_14
Column Type: integer
'SS Note Integer 14'

Column Name: ss_note_integer_15
Column Type: integer
'SS Note Integer 15'

Column Name: ss_note_integer_16
Column Type: integer
'SS Note Integer 16'

Column Name: ss_note_integer_17
Column Type: integer
'SS Note Integer 17'

Column Name: ss_note_integer_18
Column Type: integer
'SS Note Integer 18'

Column Name: ss_note_integer_19
Column Type: integer
'SS Note Integer 19'

Column Name: ss_note_integer_20
Column Type: integer
'SS Note Integer 20'

Column Name: ss_note_integer_21
Column Type: integer
'SS Note Integer 21'

Column Name: ss_note_integer_22
Column Type: integer
'SS Note Integer 22'

Column Name: ss_note_integer_23
Column Type: integer
'SS Note Integer 23'

Column Name: ss_note_integer_24
Column Type: integer
'SS Note Integer 24'

Column Name: ss_note_integer_25
Column Type: integer
'SS Note Integer 25'

Column Name: ss_note_integer_26
Column Type: integer
'SS Note Integer 26'

Column Name: ss_note_integer_27
Column Type: integer
'SS Note Integer 27'

Column Name: ss_note_integer_28
Column Type: integer
'SS Note Integer 28'

Column Name: ss_note_integer_29

Column Type: integer
'SS Note Integer 29'

Column Name: ss_note_integer_30
Column Type: integer
'SS Note Integer 30'

Column Name: ss_note_integer_31
Column Type: integer
'SS Note Integer 31'

Column Name: ss_note_integer_32
Column Type: integer
'SS Note Integer 32'

Column Name: ss_note_integer_33
Column Type: integer
'SS Note Integer 33'

Column Name: ss_note_integer_34
Column Type: integer
'SS Note Integer 34'

Column Name: ss_note_integer_35
Column Type: integer
'SS Note Integer 35'

Column Name: ss_note_integer_36
Column Type: integer
'SS Note Integer 36'

Column Name: ss_note_integer_37
Column Type: integer
'SS Note Integer 37'

Column Name: ss_note_integer_38
Column Type: integer
'SS Note Integer 38'

Column Name: ss_note_integer_39
Column Type: integer
'SS Note Integer 39'

Column Name: ss_note_integer_40
Column Type: integer
'SS Note Integer 40'

Column Name: ss_note_integer_41
Column Type: integer
'SS Note Integer 41'

Column Name: ss_note_integer_42
Column Type: integer
'SS Note Integer 42'

Column Name: ss_note_integer_43
Column Type: integer
'SS Note Integer 43'

Column Name: ss_note_integer_44
Column Type: integer
'SS Note Integer 44'

Column Name: ss_note_integer_45
Column Type: integer
'SS Note Integer 45'

Column Name: ss_note_integer_46
Column Type: integer
'SS Note Integer 46'

Column Name: ss_note_integer_47
Column Type: integer
'SS Note Integer 47'

Column Name: ss_note_integer_48
Column Type: integer
'SS Note Integer 48'

Column Name: ss_note_integer_49
Column Type: integer
'SS Note Integer 49'

Column Name: ss_note_integer_50
Column Type: integer
'SS Note Integer 50'

Column Name: ss_note_integer_7
Column Type: integer
'SS Note Integer 7'

Column Name: ss_note_integer_8
Column Type: integer
'SS Note Integer 8'

Column Name: ss_note_integer_9
Column Type: integer
'SS Note Integer 9'

Column Name: ss_note_staff_11

Column Type: varchar
Max Length: 20
'SS Note Staff Member 11'

Column Name: ss_note_staff_12
Column Type: varchar
Max Length: 20
'SS Note Staff Member 12'

Column Name: ss_note_staff_13
Column Type: varchar
Max Length: 20
'SS Note Staff Member 13'

Column Name: ss_note_staff_14
Column Type: varchar
Max Length: 20
'SS Note Staff Member 14'

Column Name: ss_note_staff_15
Column Type: varchar
Max Length: 20
'SS Note Staff Member 15'

Column Name: ss_note_staff_16
Column Type: varchar
Max Length: 20
'SS Note Staff Member 16'

Column Name: ss_note_staff_17
Column Type: varchar
Max Length: 20
'SS Note Staff Member 17'

Column Name: ss_note_staff_18
Column Type: varchar
Max Length: 20
'SS Note Staff Member 18'

Column Name: ss_note_staff_19
Column Type: varchar
Max Length: 20
'SS Note Staff Member 19'

Column Name: ss_note_staff_20
Column Type: varchar
Max Length: 20
'SS Note Staff Member 20'

Column Name: ss_note_staff_21

Column Type: varchar
Max Length: 20
'SS Note Staff Member 21'

Column Name: ss_note_staff_22
Column Type: varchar
Max Length: 20
'SS Note Staff Member 22'

Column Name: ss_note_staff_23
Column Type: varchar
Max Length: 20
'SS Note Staff Member 23'

Column Name: ss_note_staff_24
Column Type: varchar
Max Length: 20
'SS Note Staff Member 24'

Column Name: ss_note_staff_25
Column Type: varchar
Max Length: 20
'SS Note Staff Member 25'

Column Name: ss_note_staff_26
Column Type: varchar
Max Length: 20
'SS Note Staff Member 26'

Column Name: ss_note_staff_27
Column Type: varchar
Max Length: 20
'SS Note Staff Member 27'

Column Name: ss_note_staff_28
Column Type: varchar
Max Length: 20
'SS Note Staff Member 28'

Column Name: ss_note_staff_29
Column Type: varchar
Max Length: 20
'SS Note Staff Member 29'

Column Name: ss_note_staff_30
Column Type: varchar
Max Length: 20
'SS Note Staff Member 30'

Column Name: ss_note_staff_31

Column Type: varchar
Max Length: 20
'SS Note Staff Member 31'

Column Name: ss_note_staff_32
Column Type: varchar
Max Length: 20
'SS Note Staff Member 32'

Column Name: ss_note_staff_33
Column Type: varchar
Max Length: 20
'SS Note Staff Member 33'

Column Name: ss_note_staff_34
Column Type: varchar
Max Length: 20
'SS Note Staff Member 34'

Column Name: ss_note_staff_35
Column Type: varchar
Max Length: 20
'SS Note Staff Member 35'

Column Name: ss_note_staff_36
Column Type: varchar
Max Length: 20
'SS Note Staff Member 36'

Column Name: ss_note_staff_37
Column Type: varchar
Max Length: 20
'SS Note Staff Member 37'

Column Name: ss_note_staff_38
Column Type: varchar
Max Length: 20
'SS Note Staff Member 38'

Column Name: ss_note_staff_39
Column Type: varchar
Max Length: 20
'SS Note Staff Member 39'

Column Name: ss_note_staff_40
Column Type: varchar
Max Length: 20
'SS Note Staff Member 40'

Column Name: ss_note_staff_41

Column Type: varchar
Max Length: 20
'SS Note Staff Member 41'

Column Name: ss_note_staff_42
Column Type: varchar
Max Length: 20
'SS Note Staff Member 42'

Column Name: ss_note_staff_43
Column Type: varchar
Max Length: 20
'SS Note Staff Member 43'

Column Name: ss_note_staff_44
Column Type: varchar
Max Length: 20
'SS Note Staff Member 44'

Column Name: ss_note_staff_45
Column Type: varchar
Max Length: 20
'SS Note Staff Member 45'

Column Name: ss_note_staff_46
Column Type: varchar
Max Length: 20
'SS Note Staff Member 46'

Column Name: ss_note_staff_47
Column Type: varchar
Max Length: 20
'SS Note Staff Member 47'

Column Name: ss_note_staff_48
Column Type: varchar
Max Length: 20
'SS Note Staff Member 48'

Column Name: ss_note_staff_49
Column Type: varchar
Max Length: 20
'SS Note Staff Member 49'

Column Name: ss_note_staff_50
Column Type: varchar
Max Length: 20
'SS Note Staff Member 50'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp_3

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp3 table.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 50

The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar

Max Length: 50

The form number of the form that last updated the row.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: ss_notec_multi_dict_10_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 10'

Column Name: ss_notec_multi_dict_10_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_10_code. See ss_notec_multi_dict_10_code for more information.

Column Name: ss_notec_multi_dict_11_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_notec_multi_dict_11_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_11_code. See ss_notec_multi_dict_11_code for more information.

Column Name: ss_notec_multi_dict_12_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_notec_multi_dict_12_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_12_code. See ss_notec_multi_dict_12_code for more information.

Column Name: ss_notec_multi_dict_13_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_notec_multi_dict_13_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_13_code. See ss_notec_multi_dict_13_code for more information.

Column Name: ss_notec_multi_dict_14_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_notec_multi_dict_14_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_14_code. See ss_notec_multi_dict_14_code for more information.

Column Name: ss_notec_multi_dict_15_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_notec_multi_dict_15_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_15_code. See ss_notec_multi_dict_15_code for more information.

Column Name: ss_notec_multi_dict_16_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_notec_multi_dict_16_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_16_code. See ss_notec_multi_dict_16_code for more information.

Column Name: ss_notec_multi_dict_17_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_notec_multi_dict_17_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_17_code. See ss_notec_multi_dict_17_code for more information.

Column Name: ss_notec_multi_dict_18_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_notec_multi_dict_18_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_18_code. See ss_notec_multi_dict_18_code for more information.

Column Name: ss_notec_multi_dict_19_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_notec_multi_dict_19_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_19_code. See ss_notec_multi_dict_19_code for more information.

Column Name: ss_notec_multi_dict_1_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 1'

Column Name: ss_notec_multi_dict_1_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_1_code. See ss_notec_multi_dict_1_code for more information.

Column Name: ss_notec_multi_dict_20_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_notec_multi_dict_20_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_20_code. See ss_notec_multi_dict_20_code for more information.

Column Name: ss_notec_multi_dict_21_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_notec_multi_dict_21_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_21_code. See ss_notec_multi_dict_21_code for more information.

Column Name: ss_notec_multi_dict_22_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_notec_multi_dict_22_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_22_code. See ss_notec_multi_dict_22_code for more information.

Column Name: ss_notec_multi_dict_23_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_notec_multi_dict_23_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_23_code. See ss_notec_multi_dict_23_code for more information.

Column Name: ss_notec_multi_dict_24_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_notec_multi_dict_24_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_24_code. See ss_notec_multi_dict_24_code for more information.

Column Name: ss_notec_multi_dict_25_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_notec_multi_dict_25_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_25_code. See ss_notec_multi_dict_25_code for more information.

Column Name: ss_notec_multi_dict_26_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_notec_multi_dict_26_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_26_code. See ss_notec_multi_dict_26_code for more information.

Column Name: ss_notec_multi_dict_27_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_notec_multi_dict_27_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_27_code. See ss_notec_multi_dict_27_code for more information.

Column Name: ss_notec_multi_dict_28_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_notec_multi_dict_28_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_28_code. See ss_notec_multi_dict_28_code for more information.

Column Name: ss_notec_multi_dict_29_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_notec_multi_dict_29_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_29_code. See ss_notec_multi_dict_29_code for more information.

Column Name: ss_notec_multi_dict_2_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 2'

Column Name: ss_notec_multi_dict_2_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_2_code. See ss_notec_multi_dict_2_code for more information.

Column Name: ss_notec_multi_dict_30_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_notec_multi_dict_30_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_30_code. See ss_notec_multi_dict_30_code for more information.

Column Name: ss_notec_multi_dict_31_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 31'

Column Name: ss_notec_multi_dict_31_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_31_code. See ss_notec_multi_dict_31_code for more information.

Column Name: ss_notec_multi_dict_32_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 32'

Column Name: ss_notec_multi_dict_32_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_32_code. See ss_notec_multi_dict_32_code for more information.

Column Name: ss_notec_multi_dict_33_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 33'

Column Name: ss_notec_multi_dict_33_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_33_code. See ss_notec_multi_dict_33_code for more information.

Column Name: ss_notec_multi_dict_34_code

Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 34'

Column Name: ss_notec_multi_dict_34_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_34_code. See ss_notec_multi_dict_34_code for more information.

Column Name: ss_notec_multi_dict_35_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 35'

Column Name: ss_notec_multi_dict_35_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_35_code. See ss_notec_multi_dict_35_code for more information.

Column Name: ss_notec_multi_dict_36_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 36'

Column Name: ss_notec_multi_dict_36_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_36_code. See ss_notec_multi_dict_36_code for more information.

Column Name: ss_notec_multi_dict_37_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 37'

Column Name: ss_notec_multi_dict_37_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_37_code. See ss_notec_multi_dict_37_code for more information.

Column Name: ss_notec_multi_dict_38_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 38'

Column Name: ss_notec_multi_dict_38_value
Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_38_code. See ss_notec_multi_dict_38_code for more information.

Column Name: ss_notec_multi_dict_39_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 39'

Column Name: ss_notec_multi_dict_39_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_39_code. See ss_notec_multi_dict_39_code for more information.

Column Name: ss_notec_multi_dict_3_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 3'

Column Name: ss_notec_multi_dict_3_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_3_code. See ss_notec_multi_dict_3_code for more information.

Column Name: ss_notec_multi_dict_40_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 40'

Column Name: ss_notec_multi_dict_40_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_40_code. See ss_notec_multi_dict_40_code for more information.

Column Name: ss_notec_multi_dict_41_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 41'

Column Name: ss_notec_multi_dict_41_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_41_code. See ss_notec_multi_dict_41_code for more information.

Column Name: ss_notec_multi_dict_42_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 42'

Column Name: ss_notec_multi_dict_42_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_42_code. See ss_notec_multi_dict_42_code for more information.

Column Name: ss_notec_multi_dict_43_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 43'

Column Name: ss_notec_multi_dict_43_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_43_code. See ss_notec_multi_dict_43_code for more information.

Column Name: ss_notec_multi_dict_44_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 44'

Column Name: ss_notec_multi_dict_44_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_44_code. See ss_notec_multi_dict_44_code for more information.

Column Name: ss_notec_multi_dict_45_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 45'

Column Name: ss_notec_multi_dict_45_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_45_code. See ss_notec_multi_dict_45_code for more information.

Column Name: ss_notec_multi_dict_46_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 46'

Column Name: ss_notec_multi_dict_46_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_46_code. See ss_notec_multi_dict_46_code for more information.

Column Name: ss_notec_multi_dict_47_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 47'

Column Name: ss_notec_multi_dict_47_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_47_code. See ss_notec_multi_dict_47_code for more information.

Column Name: ss_notec_multi_dict_48_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 48'

Column Name: ss_notec_multi_dict_48_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_48_code. See ss_notec_multi_dict_48_code for more information.

Column Name: ss_notec_multi_dict_49_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 49'

Column Name: ss_notec_multi_dict_49_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_49_code. See ss_notec_multi_dict_49_code for more information.

Column Name: ss_notec_multi_dict_4_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 4'

Column Name: ss_notec_multi_dict_4_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_4_code. See ss_notec_multi_dict_4_code for more information.

Column Name: ss_notec_multi_dict_50_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 50'

Column Name: ss_notec_multi_dict_50_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_50_code. See ss_notec_multi_dict_50_code for more information.

Column Name: ss_notec_multi_dict_5_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 5'

Column Name: ss_notec_multi_dict_5_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_5_code. See ss_notec_multi_dict_5_code for more information.

Column Name: ss_notec_multi_dict_6_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 6'

Column Name: ss_notec_multi_dict_6_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_6_code. See ss_notec_multi_dict_6_code for more information.

Column Name: ss_notec_multi_dict_7_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 7'

Column Name: ss_notec_multi_dict_7_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_7_code. See ss_notec_multi_dict_7_code for more information.

Column Name: ss_notec_multi_dict_8_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 8'

Column Name: ss_notec_multi_dict_8_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_8_code`. See `ss_notec_multi_dict_8_code` for more information.

Column Name: `ss_notec_multi_dict_9_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 9'

Column Name: `ss_notec_multi_dict_9_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_9_code`. See `ss_notec_multi_dict_9_code` for more information.

Column Name: `ss_notec_sing_dict_10_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 10'

Column Name: `ss_notec_sing_dict_10_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notec_sing_dict_10_code`. See `ss_notec_sing_dict_10_code` for more information.

Column Name: `ss_notec_sing_dict_11_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 11'

Column Name: `ss_notec_sing_dict_11_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notec_sing_dict_11_code`. See `ss_notec_sing_dict_11_code` for more information.

Column Name: `ss_notec_sing_dict_12_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 12'

Column Name: `ss_notec_sing_dict_12_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notec_sing_dict_12_code`. See `ss_notec_sing_dict_12_code` for more information.

Column Name: `ss_notec_sing_dict_13_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Single Response Dictionary 13'

Column Name: ss_notec_sing_dict_13_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_13_code. See ss_notec_sing_dict_13_code for more information.

Column Name: ss_notec_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 14'

Column Name: ss_notec_sing_dict_14_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_14_code. See ss_notec_sing_dict_14_code for more information.

Column Name: ss_notec_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 15'

Column Name: ss_notec_sing_dict_15_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_15_code. See ss_notec_sing_dict_15_code for more information.

Column Name: ss_notec_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 16'

Column Name: ss_notec_sing_dict_16_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_16_code. See ss_notec_sing_dict_16_code for more information.

Column Name: ss_notec_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 17'

Column Name: ss_notec_sing_dict_17_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_17_code. See ss_notec_sing_dict_17_code for more information.

Column Name: ss_notec_sing_dict_18_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 18'

Column Name: ss_notec_sing_dict_18_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_18_code. See ss_notec_sing_dict_18_code for more information.

Column Name: ss_notec_sing_dict_19_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 19'

Column Name: ss_notec_sing_dict_19_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_19_code. See ss_notec_sing_dict_19_code for more information.

Column Name: ss_notec_sing_dict_1_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 1'

Column Name: ss_notec_sing_dict_1_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_1_code. See ss_notec_sing_dict_1_code for more information.

Column Name: ss_notec_sing_dict_20_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 20'

Column Name: ss_notec_sing_dict_20_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_20_code. See ss_notec_sing_dict_20_code for more information.

Column Name: ss_notec_sing_dict_21_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 21'

Column Name: ss_notec_sing_dict_21_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_21_code. See ss_notec_sing_dict_21_code for more information.

Column Name: ss_notec_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 22'

Column Name: ss_notec_sing_dict_22_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_22_code. See ss_notec_sing_dict_22_code for more information.

Column Name: ss_notec_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 23'

Column Name: ss_notec_sing_dict_23_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_23_code. See ss_notec_sing_dict_23_code for more information.

Column Name: ss_notec_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 24'

Column Name: ss_notec_sing_dict_24_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_24_code. See ss_notec_sing_dict_24_code for more information.

Column Name: ss_notec_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 25'

Column Name: ss_notec_sing_dict_25_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_25_code. See ss_notec_sing_dict_25_code for more information.

Column Name: ss_notec_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 26'

Column Name: ss_notec_sing_dict_26_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_26_code. See ss_notec_sing_dict_26_code for more information.

Column Name: ss_notec_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 27'

Column Name: ss_notec_sing_dict_27_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_27_code. See ss_notec_sing_dict_27_code for more information.

Column Name: ss_notec_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 28'

Column Name: ss_notec_sing_dict_28_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_28_code. See ss_notec_sing_dict_28_code for more information.

Column Name: ss_notec_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 29'

Column Name: ss_notec_sing_dict_29_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_29_code. See ss_notec_sing_dict_29_code for more information.

Column Name: ss_notec_sing_dict_2_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 2'

Column Name: ss_notec_sing_dict_2_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_2_code. See ss_notec_sing_dict_2_code for more information.

Column Name: ss_notec_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 30'

Column Name: ss_notec_sing_dict_30_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_30_code. See ss_notec_sing_dict_30_code for more information.

Column Name: ss_notec_sing_dict_31_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 31'

Column Name: ss_notec_sing_dict_31_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_31_code. See ss_notec_sing_dict_31_code for more information.

Column Name: ss_notec_sing_dict_32_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 32'

Column Name: ss_notec_sing_dict_32_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_32_code. See ss_notec_sing_dict_32_code for more information.

Column Name: ss_notec_sing_dict_33_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 33'

Column Name: ss_notec_sing_dict_33_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_33_code. See ss_notec_sing_dict_33_code for more information.

Column Name: ss_notec_sing_dict_34_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 34'

Column Name: ss_notec_sing_dict_34_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_34_code. See ss_notec_sing_dict_34_code for more information.

Column Name: ss_notec_sing_dict_35_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 35'

Column Name: ss_notec_sing_dict_35_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_35_code. See ss_notec_sing_dict_35_code for more information.

Column Name: ss_notec_sing_dict_36_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 36'

Column Name: ss_notec_sing_dict_36_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_36_code. See ss_notec_sing_dict_36_code for more information.

Column Name: ss_notec_sing_dict_37_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 37'

Column Name: ss_notec_sing_dict_37_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_37_code. See ss_notec_sing_dict_37_code for more information.

Column Name: ss_notec_sing_dict_38_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 38'

Column Name: ss_notec_sing_dict_38_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_38_code. See ss_notec_sing_dict_38_code for more information.

Column Name: ss_notec_sing_dict_39_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 39'

Column Name: ss_notec_sing_dict_39_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_39_code. See ss_notec_sing_dict_39_code for more information.

Column Name: ss_notec_sing_dict_3_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 3'

Column Name: ss_notec_sing_dict_3_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_3_code. See ss_notec_sing_dict_3_code for more information.

Column Name: ss_notec_sing_dict_40_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 40'

Column Name: ss_notec_sing_dict_40_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_40_code. See ss_notec_sing_dict_40_code for more information.

Column Name: ss_notec_sing_dict_41_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 41'

Column Name: ss_notec_sing_dict_41_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_41_code. See ss_notec_sing_dict_41_code for more information.

Column Name: ss_notec_sing_dict_42_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 42'

Column Name: ss_notec_sing_dict_42_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_42_code. See ss_notec_sing_dict_42_code for more information.

Column Name: ss_notec_sing_dict_43_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 43'

Column Name: ss_notec_sing_dict_43_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_43_code. See ss_notec_sing_dict_43_code for more information.

Column Name: ss_notec_sing_dict_44_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 44'

Column Name: ss_notec_sing_dict_44_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_44_code. See ss_notec_sing_dict_44_code for more information.

Column Name: ss_notec_sing_dict_45_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 45'

Column Name: ss_notec_sing_dict_45_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_45_code. See ss_notec_sing_dict_45_code for more information.

Column Name: ss_notec_sing_dict_46_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 46'

Column Name: ss_notec_sing_dict_46_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_46_code. See ss_notec_sing_dict_46_code for more information.

Column Name: ss_notec_sing_dict_47_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 47'

Column Name: ss_notec_sing_dict_47_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_47_code. See ss_notec_sing_dict_47_code for more information.

Column Name: ss_notec_sing_dict_48_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 48'

Column Name: ss_notec_sing_dict_48_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_48_code. See ss_notec_sing_dict_48_code for more information.

Column Name: ss_notec_sing_dict_49_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 49'

Column Name: ss_notec_sing_dict_49_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_49_code. See ss_notec_sing_dict_49_code for more information.

Column Name: ss_notec_sing_dict_4_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 4'

Column Name: ss_notec_sing_dict_4_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_4_code. See ss_notec_sing_dict_4_code for more information.

Column Name: ss_notec_sing_dict_50_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 50'

Column Name: ss_notec_sing_dict_50_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_50_code. See ss_notec_sing_dict_50_code for more information.

Column Name: ss_notec_sing_dict_5_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 5'

Column Name: ss_notec_sing_dict_5_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_5_code. See ss_notec_sing_dict_5_code for more information.

Column Name: ss_notec_sing_dict_6_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 6'

Column Name: ss_notec_sing_dict_6_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_6_code. See ss_notec_sing_dict_6_code for more information.

Column Name: ss_notec_sing_dict_7_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 7'

Column Name: ss_notec_sing_dict_7_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_7_code. See ss_notec_sing_dict_7_code for more information.

Column Name: ss_notec_sing_dict_8_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 8'

Column Name: ss_notec_sing_dict_8_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_8_code. See ss_notec_sing_dict_8_code for more information.

Column Name: ss_notec_sing_dict_9_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 9'

Column Name: ss_notec_sing_dict_9_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_9_code. See ss_notec_sing_dict_9_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp_4

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp4 table.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a progress note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mult_dic_51_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 51'

Column Name: ss_notc_mult_dic_51_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_51_code. See ss_notc_mult_dic_51_code for more information.

Column Name: ss_notc_mult_dic_52_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 52'

Column Name: ss_notc_mult_dic_52_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_52_code. See ss_notc_mult_dic_52_code for more information.

Column Name: ss_notc_mult_dic_53_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 53'

Column Name: ss_notc_mult_dic_53_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_53_code. See ss_notc_mult_dic_53_code for more information.

Column Name: ss_notc_mult_dic_54_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 54'

Column Name: ss_notc_mult_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_54_code. See ss_notc_mult_dic_54_code for more information.

Column Name: ss_notc_mult_dic_55_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 55'

Column Name: ss_notc_mult_dic_55_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_55_code. See ss_notc_mult_dic_55_code for more information.

Column Name: ss_notc_mult_dic_56_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 56'

Column Name: ss_notc_mult_dic_56_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_56_code. See ss_notc_mult_dic_56_code for more information.

Column Name: ss_notc_mult_dic_57_code

Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 57'

Column Name: ss_notc_mult_dic_57_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_57_code. See ss_notc_mult_dic_57_code for more information.

Column Name: ss_notc_mult_dic_58_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 58'

Column Name: ss_notc_mult_dic_58_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_58_code. See ss_notc_mult_dic_58_code for more information.

Column Name: ss_notc_mult_dic_59_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 59'

Column Name: ss_notc_mult_dic_59_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_59_code. See ss_notc_mult_dic_59_code for more information.

Column Name: ss_notc_mult_dic_60_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 60'

Column Name: ss_notc_mult_dic_60_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_60_code. See ss_notc_mult_dic_60_code for more information.

Column Name: ss_notc_mult_dic_61_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 61'

Column Name: ss_notc_mult_dic_61_value
Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_61_code. See ss_notc_mult_dic_61_code for more information.

Column Name: ss_notc_mult_dic_62_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 62'

Column Name: ss_notc_mult_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_62_code. See ss_notc_mult_dic_62_code for more information.

Column Name: ss_notc_mult_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 63'

Column Name: ss_notc_mult_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_63_code. See ss_notc_mult_dic_63_code for more information.

Column Name: ss_notc_mult_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 64'

Column Name: ss_notc_mult_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_64_code. See ss_notc_mult_dic_64_code for more information.

Column Name: ss_notc_mult_dic_65_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 65'

Column Name: ss_notc_mult_dic_65_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mult_dic_65_code. See ss_notc_mult_dic_65_code for more information.

Column Name: ss_notc_mult_dic_66_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 66'

Column Name: ss_notc_mult_dic_66_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_66_code. See ss_notc_mult_dic_66_code for more information.

Column Name: ss_notc_mult_dic_67_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 67'

Column Name: ss_notc_mult_dic_67_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_67_code. See ss_notc_mult_dic_67_code for more information.

Column Name: ss_notc_mult_dic_68_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 68'

Column Name: ss_notc_mult_dic_68_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_68_code. See ss_notc_mult_dic_68_code for more information.

Column Name: ss_notc_mult_dic_69_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 69'

Column Name: ss_notc_mult_dic_69_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_69_code. See ss_notc_mult_dic_69_code for more information.

Column Name: ss_notc_mult_dic_70_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 70'

Column Name: ss_notc_mult_dic_70_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_70_code`. See `ss_notc_mult_dic_70_code` for more information.

Column Name: `ss_notc_mult_dic_71_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 71'

Column Name: `ss_notc_mult_dic_71_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_71_code`. See `ss_notc_mult_dic_71_code` for more information.

Column Name: `ss_notc_mult_dic_72_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 72'

Column Name: `ss_notc_mult_dic_72_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_72_code`. See `ss_notc_mult_dic_72_code` for more information.

Column Name: `ss_notc_mult_dic_73_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 73'

Column Name: `ss_notc_mult_dic_73_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_73_code`. See `ss_notc_mult_dic_73_code` for more information.

Column Name: `ss_notc_mult_dic_74_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 74'

Column Name: `ss_notc_mult_dic_74_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_74_code`. See `ss_notc_mult_dic_74_code` for more information.

Column Name: `ss_notc_mult_dic_75_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 75'

Column Name: ss_notc_mult_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mult_dic_75_code. See ss_notc_mult_dic_75_code for more information.

Column Name: ss_notc_mult_dic_76_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 76'

Column Name: ss_notc_mult_dic_76_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_76_code. See ss_notc_mult_dic_76_code for more information.

Column Name: ss_notc_mult_dic_77_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 77'

Column Name: ss_notc_mult_dic_77_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_77_code. See ss_notc_mult_dic_77_code for more information.

Column Name: ss_notc_mult_dic_78_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 78'

Column Name: ss_notc_mult_dic_78_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_78_code. See ss_notc_mult_dic_78_code for more information.

Column Name: ss_notc_mult_dic_79_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 79'

Column Name: ss_notc_mult_dic_79_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_79_code`. See `ss_notc_mult_dic_79_code` for more information.

Column Name: `ss_notc_mult_dic_80_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 80'

Column Name: `ss_notc_mult_dic_80_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_80_code`. See `ss_notc_mult_dic_80_code` for more information.

Column Name: `ss_notc_sin_dic_51_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 51'

Column Name: `ss_notc_sin_dic_51_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_sin_dic_51_code`. See `ss_notc_sin_dic_51_code` for more information.

Column Name: `ss_notc_sin_dic_52_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 52'

Column Name: `ss_notc_sin_dic_52_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_sin_dic_52_code`. See `ss_notc_sin_dic_52_code` for more information.

Column Name: `ss_notc_sin_dic_53_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 53'

Column Name: `ss_notc_sin_dic_53_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_sin_dic_53_code`. See `ss_notc_sin_dic_53_code` for more information.

Column Name: `ss_notc_sin_dic_54_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 54'

Column Name: ss_notc_sin_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_54_code. See ss_notc_sin_dic_54_code for more information.

Column Name: ss_notc_sin_dic_55_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 55'

Column Name: ss_notc_sin_dic_55_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_55_code. See ss_notc_sin_dic_55_code for more information.

Column Name: ss_notc_sin_dic_56_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 56'

Column Name: ss_notc_sin_dic_56_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_56_code. See ss_notc_sin_dic_56_code for more information.

Column Name: ss_notc_sin_dic_57_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 57'

Column Name: ss_notc_sin_dic_57_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_57_code. See ss_notc_sin_dic_57_code for more information.

Column Name: ss_notc_sin_dic_58_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 58'

Column Name: ss_notc_sin_dic_58_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_58_code. See ss_notc_sin_dic_58_code for more information.

Column Name: ss_notc_sin_dic_59_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 59'

Column Name: ss_notc_sin_dic_59_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_59_code. See ss_notc_sin_dic_59_code for more information.

Column Name: ss_notc_sin_dic_60_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 60'

Column Name: ss_notc_sin_dic_60_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_60_code. See ss_notc_sin_dic_60_code for more information.

Column Name: ss_notc_sin_dic_61_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 61'

Column Name: ss_notc_sin_dic_61_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_61_code. See ss_notc_sin_dic_61_code for more information.

Column Name: ss_notc_sin_dic_62_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 62'

Column Name: ss_notc_sin_dic_62_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_62_code. See ss_notc_sin_dic_62_code for more information.

Column Name: ss_notc_sin_dic_63_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 63'

Column Name: ss_notc_sin_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_63_code. See ss_notc_sin_dic_63_code for more information.

Column Name: ss_notc_sin_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 64'

Column Name: ss_notc_sin_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_64_code. See ss_notc_sin_dic_64_code for more information.

Column Name: ss_notc_sin_dic_65_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 65'

Column Name: ss_notc_sin_dic_65_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_sin_dic_65_code. See ss_notc_sin_dic_65_code for more information.

Column Name: ss_notc_sin_dic_66_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 66'

Column Name: ss_notc_sin_dic_66_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_66_code. See ss_notc_sin_dic_66_code for more information.

Column Name: ss_notc_sin_dic_67_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 67'

Column Name: ss_notc_sin_dic_67_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_67_code. See ss_notc_sin_dic_67_code for more information.

Column Name: ss_notc_sin_dic_68_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 68'

Column Name: ss_notc_sin_dic_68_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_68_code. See ss_notc_sin_dic_68_code for more information.

Column Name: ss_notc_sin_dic_69_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 69'

Column Name: ss_notc_sin_dic_69_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_69_code. See ss_notc_sin_dic_69_code for more information.

Column Name: ss_notc_sin_dic_70_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 70'

Column Name: ss_notc_sin_dic_70_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_70_code. See ss_notc_sin_dic_70_code for more information.

Column Name: ss_notc_sin_dic_71_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 71'

Column Name: ss_notc_sin_dic_71_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_71_code. See ss_notc_sin_dic_71_code for more information.

Column Name: ss_notc_sin_dic_72_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 72'

Column Name: ss_notc_sin_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_72_code. See ss_notc_sin_dic_72_code for more information.

Column Name: ss_notc_sin_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 73'

Column Name: ss_notc_sin_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_73_code. See ss_notc_sin_dic_73_code for more information.

Column Name: ss_notc_sin_dic_74_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 74'

Column Name: ss_notc_sin_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_74_code. See ss_notc_sin_dic_74_code for more information.

Column Name: ss_notc_sin_dic_75_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 75'

Column Name: ss_notc_sin_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_sin_dic_75_code. See ss_notc_sin_dic_75_code for more information.

Column Name: ss_notc_sin_dic_76_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 76'

Column Name: ss_notc_sin_dic_76_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_76_code. See ss_notc_sin_dic_76_code for more information.

Column Name: ss_notc_sin_dic_77_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 77'

Column Name: ss_notc_sin_dic_77_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_77_code. See ss_notc_sin_dic_77_code for more information.

Column Name: ss_notc_sin_dic_78_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 78'

Column Name: ss_notc_sin_dic_78_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_78_code. See ss_notc_sin_dic_78_code for more information.

Column Name: ss_notc_sin_dic_79_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 79'

Column Name: ss_notc_sin_dic_79_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_79_code. See ss_notc_sin_dic_79_code for more information.

Column Name: ss_notc_sin_dic_80_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 80'

Column Name: ss_notc_sin_dic_80_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_80_code. See ss_notc_sin_dic_80_code for more information.

Column Name: ss_note_mul_dict_51_code
Column Type: varchar
Max Length: 20

'SS Note Multi Response Dictionary 51'

Column Name: ss_note_mul_dict_51_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_51_code limited to 255 characters. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_51_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_51_code. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_52_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 52'

Column Name: ss_note_mul_dict_52_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_52_code limited to 255 characters. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_52_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_52_code. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_53_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 53'

Column Name: ss_note_mul_dict_53_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_53_code limited to 255 characters. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_53_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_53_code. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_54_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 54'

Column Name: ss_note_mul_dict_54_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_54_code limited to 255 characters. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_54_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_54_code. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_55_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 55'

Column Name: ss_note_mul_dict_55_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_55_code limited to 255 characters. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_55_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_55_code. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_56_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 56'

Column Name: ss_note_mul_dict_56_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_56_code limited to 255 characters. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_56_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_56_code. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_57_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 57'

Column Name: ss_note_mul_dict_57_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_57_code limited to 255 characters. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_57_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_57_code. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_58_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 58'

Column Name: ss_note_mul_dict_58_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_58_code limited to 255 characters. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_58_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_58_code. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_59_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 59'

Column Name: ss_note_mul_dict_59_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_59_code limited to 255 characters. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_59_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_59_code. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_60_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 60'

Column Name: ss_note_mul_dict_60_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_60_code limited to 255 characters. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_60_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_60_code. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_61_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 61'

Column Name: ss_note_mul_dict_61_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_61_code limited to 255 characters. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_61_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_61_code. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_62_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 62'

Column Name: ss_note_mul_dict_62_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_62_code limited to 255 characters. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_62_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_62_code. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_63_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 63'

Column Name: ss_note_mul_dict_63_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_63_code limited to 255 characters. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_63_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_63_code. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_64_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 64'

Column Name: ss_note_mul_dict_64_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_64_code limited to 255 characters. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_64_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_64_code. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_65_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 65'

Column Name: ss_note_mul_dict_65_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_65_code limited to 255 characters. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_65_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_65_code. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_66_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 66'

Column Name: ss_note_mul_dict_66_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_66_code limited to 255 characters. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_66_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_66_code. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_67_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 67'

Column Name: ss_note_mul_dict_67_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_67_code limited to 255 characters. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_67_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_67_code. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_68_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 68'

Column Name: ss_note_mul_dict_68_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_68_code limited to 255 characters. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_68_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_68_code. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_69_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 69'

Column Name: ss_note_mul_dict_69_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_69_code limited to 255 characters. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_69_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_69_code. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_70_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 70'

Column Name: ss_note_mul_dict_70_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_70_code limited to 255 characters. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_70_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_70_code. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_71_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 71'

Column Name: ss_note_mul_dict_71_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_71_code limited to 255 characters. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_71_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_71_code. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_72_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 72'

Column Name: ss_note_mul_dict_72_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_72_code limited to 255 characters. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_72_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_72_code. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_73_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 73'

Column Name: ss_note_mul_dict_73_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_73_code limited to 255 characters. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_73_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_73_code. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_74_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 74'

Column Name: ss_note_mul_dict_74_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_74_code limited to 255 characters. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_74_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_74_code. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_75_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 75'

Column Name: ss_note_mul_dict_75_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_75_code limited to 255 characters. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_75_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_75_code. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_76_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 76'

Column Name: ss_note_mul_dict_76_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_76_code limited to 255 characters. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_76_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_76_code. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_77_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 77'

Column Name: ss_note_mul_dict_77_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_77_code limited to 255 characters. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_77_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_77_code. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_78_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 78'

Column Name: ss_note_mul_dict_78_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_78_code limited to 255 characters. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_78_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_78_code. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_79_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 79'

Column Name: ss_note_mul_dict_79_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_79_code limited to 255 characters. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_79_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_79_code. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_80_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 80'

Column Name: ss_note_mul_dict_80_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_80_code limited to 255 characters. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_mul_dict_80_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_80_code. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_scroll_text_51

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 51'

Column Name: ss_note_scroll_text_52

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 52'

Column Name: ss_note_scroll_text_53

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 53'

Column Name: ss_note_scroll_text_54

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 54'

Column Name: ss_note_scroll_text_55

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 55'

Column Name: ss_note_scroll_text_56

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 56'

Column Name: ss_note_scroll_text_57

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 57'

Column Name: ss_note_scroll_text_58

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 58'

Column Name: ss_note_scroll_text_59

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 59'

Column Name: ss_note_scroll_text_60
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 60'

Column Name: ss_note_scroll_text_61
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 61'

Column Name: ss_note_scroll_text_62
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 62'

Column Name: ss_note_scroll_text_63
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 63'

Column Name: ss_note_scroll_text_64
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 64'

Column Name: ss_note_scroll_text_65
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 65'

Column Name: ss_note_scroll_text_66
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 66'

Column Name: ss_note_scroll_text_67
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 67'

Column Name: ss_note_scroll_text_68
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 68'

Column Name: ss_note_scroll_text_69

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 69'

Column Name: ss_note_scroll_text_70
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 70'

Column Name: ss_note_scroll_text_71
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 71'

Column Name: ss_note_scroll_text_72
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 72'

Column Name: ss_note_scroll_text_73
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 73'

Column Name: ss_note_scroll_text_74
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 74'

Column Name: ss_note_scroll_text_75
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 75'

Column Name: ss_note_scroll_text_76
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 76'

Column Name: ss_note_scroll_text_77
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 77'

Column Name: ss_note_scroll_text_78
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 78'

Column Name: ss_note_scroll_text_79

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 79'

Column Name: ss_note_scroll_text_80
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 80'

Column Name: ss_note_sin_dict_51_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 51'

Column Name: ss_note_sin_dict_51_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_51_code. See ss_note_sin_dict_51_code for more information.

Column Name: ss_note_sin_dict_52_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 52'

Column Name: ss_note_sin_dict_52_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_52_code. See ss_note_sin_dict_52_code for more information.

Column Name: ss_note_sin_dict_53_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 53'

Column Name: ss_note_sin_dict_53_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_53_code. See ss_note_sin_dict_53_code for more information.

Column Name: ss_note_sin_dict_54_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 54'

Column Name: ss_note_sin_dict_54_value
Column Type: varchar
Max Length: 50

The description associated with ss_note_sin_dict_54_code. See ss_note_sin_dict_54_code for more information.

Column Name: ss_note_sin_dict_55_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 55'

Column Name: ss_note_sin_dict_55_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_55_code. See ss_note_sin_dict_55_code for more information.

Column Name: ss_note_sin_dict_56_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 56'

Column Name: ss_note_sin_dict_56_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_56_code. See ss_note_sin_dict_56_code for more information.

Column Name: ss_note_sin_dict_57_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 57'

Column Name: ss_note_sin_dict_57_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_57_code. See ss_note_sin_dict_57_code for more information.

Column Name: ss_note_sin_dict_58_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 58'

Column Name: ss_note_sin_dict_58_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_58_code. See ss_note_sin_dict_58_code for more information.

Column Name: ss_note_sin_dict_59_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 59'

Column Name: ss_note_sin_dict_59_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_59_code. See ss_note_sin_dict_59_code for more information.

Column Name: ss_note_sin_dict_60_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 60'

Column Name: ss_note_sin_dict_60_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_60_code. See ss_note_sin_dict_60_code for more information.

Column Name: ss_note_sin_dict_61_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 61'

Column Name: ss_note_sin_dict_61_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_61_code. See ss_note_sin_dict_61_code for more information.

Column Name: ss_note_sin_dict_62_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 62'

Column Name: ss_note_sin_dict_62_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_62_code. See ss_note_sin_dict_62_code for more information.

Column Name: ss_note_sin_dict_63_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 63'

Column Name: ss_note_sin_dict_63_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_63_code. See ss_note_sin_dict_63_code for more information.

Column Name: ss_note_sin_dict_64_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 64'

Column Name: ss_note_sin_dict_64_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_64_code. See ss_note_sin_dict_64_code for more information.

Column Name: ss_note_sin_dict_65_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 65'

Column Name: ss_note_sin_dict_65_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_65_code. See ss_note_sin_dict_65_code for more information.

Column Name: ss_note_sin_dict_66_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 66'

Column Name: ss_note_sin_dict_66_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_66_code. See ss_note_sin_dict_66_code for more information.

Column Name: ss_note_sin_dict_67_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 67'

Column Name: ss_note_sin_dict_67_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_67_code. See ss_note_sin_dict_67_code for more information.

Column Name: ss_note_sin_dict_68_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 68'

Column Name: ss_note_sin_dict_68_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_68_code. See ss_note_sin_dict_68_code for more information.

Column Name: ss_note_sin_dict_69_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 69'

Column Name: ss_note_sin_dict_69_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_69_code. See ss_note_sin_dict_69_code for more information.

Column Name: ss_note_sin_dict_70_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 70'

Column Name: ss_note_sin_dict_70_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_70_code. See ss_note_sin_dict_70_code for more information.

Column Name: ss_note_sin_dict_71_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 71'

Column Name: ss_note_sin_dict_71_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_71_code. See ss_note_sin_dict_71_code for more information.

Column Name: ss_note_sin_dict_72_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 72'

Column Name: ss_note_sin_dict_72_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_72_code. See ss_note_sin_dict_72_code for more information.

Column Name: ss_note_sin_dict_73_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 73'

Column Name: ss_note_sin_dict_73_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_73_code. See ss_note_sin_dict_73_code for more information.

Column Name: ss_note_sin_dict_74_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 74'

Column Name: ss_note_sin_dict_74_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_74_code. See ss_note_sin_dict_74_code for more information.

Column Name: ss_note_sin_dict_75_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 75'

Column Name: ss_note_sin_dict_75_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_75_code. See ss_note_sin_dict_75_code for more information.

Column Name: ss_note_sin_dict_76_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 76'

Column Name: ss_note_sin_dict_76_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_76_code. See ss_note_sin_dict_76_code for more information.

Column Name: ss_note_sin_dict_77_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 77'

Column Name: ss_note_sin_dict_77_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_77_code. See ss_note_sin_dict_77_code for more information.

Column Name: ss_note_sin_dict_78_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 78'

Column Name: ss_note_sin_dict_78_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_78_code. See ss_note_sin_dict_78_code for more information.

Column Name: ss_note_sin_dict_79_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 79'

Column Name: ss_note_sin_dict_79_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_79_code. See ss_note_sin_dict_79_code for more information.

Column Name: ss_note_sin_dict_80_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 80'

Column Name: ss_note_sin_dict_80_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_80_code. See ss_note_sin_dict_80_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp_5

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp5 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID

Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: ebp_code
Column Type: varchar
Max Length: 50
'Evidence-Based Practices'

Column Name: ebp_element_code
Column Type: varchar
Max Length: 50
'Evidence-Based Practice Elements'

Column Name: ebp_element_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_element_code

Column Name: ebp_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_code

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mul_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 100'

Column Name: ss_notc_mul_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_100_code. See ss_notc_mul_dic_100_code for more information.

Column Name: ss_notc_mul_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 101'

Column Name: ss_notc_mul_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_101_code. See ss_notc_mul_dic_101_code for more information.

Column Name: ss_notc_mul_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 102'

Column Name: ss_notc_mul_dic_102_value
Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_102_code. See ss_notc_mul_dic_102_code for more information.

Column Name: ss_notc_mul_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 103'

Column Name: ss_notc_mul_dic_103_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_103_code. See ss_notc_mul_dic_103_code for more information.

Column Name: ss_notc_mul_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 104'

Column Name: ss_notc_mul_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_104_code. See ss_notc_mul_dic_104_code for more information.

Column Name: ss_notc_mul_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 105'

Column Name: ss_notc_mul_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mul_dic_105_code. See ss_notc_mul_dic_105_code for more information.

Column Name: ss_notc_mul_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 106'

Column Name: ss_notc_mul_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_106_code. See ss_notc_mul_dic_106_code for more information.

Column Name: ss_notc_mul_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 107'

Column Name: ss_notc_mul_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_107_code. See ss_notc_mul_dic_107_code for more information.

Column Name: ss_notc_mul_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 108'

Column Name: ss_notc_mul_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_108_code. See ss_notc_mul_dic_108_code for more information.

Column Name: ss_notc_mul_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 109'

Column Name: ss_notc_mul_dic_109_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_109_code. See ss_notc_mul_dic_109_code for more information.

Column Name: ss_notc_mul_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 110'

Column Name: ss_notc_mul_dic_110_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_110_code. See ss_notc_mul_dic_110_code for more information.

Column Name: ss_notc_mul_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 81'

Column Name: ss_notc_mul_dic_81_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_81_code. See ss_notc_mul_dic_81_code for more information.

Column Name: ss_notc_mul_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 82'

Column Name: ss_notc_mul_dic_82_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_82_code. See ss_notc_mul_dic_82_code for more information.

Column Name: ss_notc_mul_dic_83_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 83'

Column Name: ss_notc_mul_dic_83_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_83_code. See ss_notc_mul_dic_83_code for more information.

Column Name: ss_notc_mul_dic_84_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 84'

Column Name: ss_notc_mul_dic_84_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_84_code. See ss_notc_mul_dic_84_code for more information.

Column Name: ss_notc_mul_dic_85_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 85'

Column Name: ss_notc_mul_dic_85_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_85_code. See ss_notc_mul_dic_85_code for more information.

Column Name: ss_notc_mul_dic_86_code
Column Type: varchar
Max Length: 50

'SS Note Copy Multiple Response Dictionary 86'

Column Name: ss_notc_mul_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_86_code. See ss_notc_mul_dic_86_code for more information.

Column Name: ss_notc_mul_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 87'

Column Name: ss_notc_mul_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_87_code. See ss_notc_mul_dic_87_code for more information.

Column Name: ss_notc_mul_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 88'

Column Name: ss_notc_mul_dic_88_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_88_code. See ss_notc_mul_dic_88_code for more information.

Column Name: ss_notc_mul_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 89'

Column Name: ss_notc_mul_dic_89_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_89_code. See ss_notc_mul_dic_89_code for more information.

Column Name: ss_notc_mul_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 90'

Column Name: ss_notc_mul_dic_90_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_90_code. See ss_notc_mul_dic_90_code for more information.

Column Name: ss_notc_mul_dic_91_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 91'

Column Name: ss_notc_mul_dic_91_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_91_code. See ss_notc_mul_dic_91_code for more information.

Column Name: ss_notc_mul_dic_92_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 92'

Column Name: ss_notc_mul_dic_92_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_92_code. See ss_notc_mul_dic_92_code for more information.

Column Name: ss_notc_mul_dic_93_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 93'

Column Name: ss_notc_mul_dic_93_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_93_code. See ss_notc_mul_dic_93_code for more information.

Column Name: ss_notc_mul_dic_94_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 94'

Column Name: ss_notc_mul_dic_94_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_94_code. See ss_notc_mul_dic_94_code for more information.

Column Name: ss_notc_mul_dic_95_code
Column Type: varchar
Max Length: 50

'SS Note Copy Multiple Response Dictionary 95'

Column Name: ss_notc_mul_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mul_dic_95_code. See ss_notc_mul_dic_95_code for more information.

Column Name: ss_notc_mul_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 96'

Column Name: ss_notc_mul_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_96_code. See ss_notc_mul_dic_96_code for more information.

Column Name: ss_notc_mul_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 97'

Column Name: ss_notc_mul_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_97_code. See ss_notc_mul_dic_97_code for more information.

Column Name: ss_notc_mul_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 98'

Column Name: ss_notc_mul_dic_98_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_98_code. See ss_notc_mul_dic_98_code for more information.

Column Name: ss_notc_mul_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 99'

Column Name: ss_notc_mul_dic_99_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_99_code. See ss_notc_mul_dic_99_code for more information.

Column Name: ss_notc_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 100'

Column Name: ss_notc_sin_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_100_code. See ss_notc_sin_dic_100_code for more information.

Column Name: ss_notc_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 101'

Column Name: ss_notc_sin_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_101_code. See ss_notc_sin_dic_101_code for more information.

Column Name: ss_notc_sin_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 102'

Column Name: ss_notc_sin_dic_102_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_102_code. See ss_notc_sin_dic_102_code for more information.

Column Name: ss_notc_sin_dic_103_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 103'

Column Name: ss_notc_sin_dic_103_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_103_code. See ss_notc_sin_dic_103_code for more information.

Column Name: ss_notc_sin_dic_104_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 104'

Column Name: ss_notc_sin_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_104_code. See ss_notc_sin_dic_104_code for more information.

Column Name: ss_notc_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 105'

Column Name: ss_notc_sin_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_sin_dic_105_code. See ss_notc_sin_dic_105_code for more information.

Column Name: ss_notc_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 106'

Column Name: ss_notc_sin_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_106_code. See ss_notc_sin_dic_106_code for more information.

Column Name: ss_notc_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 107'

Column Name: ss_notc_sin_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_107_code. See ss_notc_sin_dic_107_code for more information.

Column Name: ss_notc_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 108'

Column Name: ss_notc_sin_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_108_code. See ss_notc_sin_dic_108_code for more information.

Column Name: ss_notc_sin_dic_109_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 109'

Column Name: ss_notc_sin_dic_109_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_109_code. See ss_notc_sin_dic_109_code for more information.

Column Name: ss_notc_sin_dic_110_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 110'

Column Name: ss_notc_sin_dic_110_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_110_code. See ss_notc_sin_dic_110_code for more information.

Column Name: ss_notc_sin_dic_81_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 81'

Column Name: ss_notc_sin_dic_81_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_81_code. See ss_notc_sin_dic_81_code for more information.

Column Name: ss_notc_sin_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 82'

Column Name: ss_notc_sin_dic_82_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_82_code. See ss_notc_sin_dic_82_code for more information.

Column Name: ss_notc_sin_dic_83_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 83'

Column Name: ss_notc_sin_dic_83_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_83_code. See ss_notc_sin_dic_83_code for more information.

Column Name: ss_notc_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 84'

Column Name: ss_notc_sin_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_84_code. See ss_notc_sin_dic_84_code for more information.

Column Name: ss_notc_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 85'

Column Name: ss_notc_sin_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_85_code. See ss_notc_sin_dic_85_code for more information.

Column Name: ss_notc_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 86'

Column Name: ss_notc_sin_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_86_code. See ss_notc_sin_dic_86_code for more information.

Column Name: ss_notc_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 87'

Column Name: ss_notc_sin_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_sin_dic_87_code`. See `ss_notc_sin_dic_87_code` for more information.

Column Name: `ss_notc_sin_dic_88_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 88'

Column Name: `ss_notc_sin_dic_88_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_88_code`. See `ss_notc_sin_dic_88_code` for more information.

Column Name: `ss_notc_sin_dic_89_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 89'

Column Name: `ss_notc_sin_dic_89_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_89_code`. See `ss_notc_sin_dic_89_code` for more information.

Column Name: `ss_notc_sin_dic_90_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 90'

Column Name: `ss_notc_sin_dic_90_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_90_code`. See `ss_notc_sin_dic_90_code` for more information.

Column Name: `ss_notc_sin_dic_91_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 91'

Column Name: `ss_notc_sin_dic_91_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_91_code`. See `ss_notc_sin_dic_91_code` for more information.

Column Name: `ss_notc_sin_dic_92_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Single Response Dictionary 92'

Column Name: ss_notc_sin_dic_92_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_92_code. See ss_notc_sin_dic_92_code for more information.

Column Name: ss_notc_sin_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 93'

Column Name: ss_notc_sin_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_93_code. See ss_notc_sin_dic_93_code for more information.

Column Name: ss_notc_sin_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 94'

Column Name: ss_notc_sin_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_94_code. See ss_notc_sin_dic_94_code for more information.

Column Name: ss_notc_sin_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 95'

Column Name: ss_notc_sin_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_sin_dic_95_code. See ss_notc_sin_dic_95_code for more information.

Column Name: ss_notc_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 96'

Column Name: ss_notc_sin_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_96_code. See ss_notc_sin_dic_96_code for more information.

Column Name: ss_notc_sin_dic_97_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 97'

Column Name: ss_notc_sin_dic_97_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_97_code. See ss_notc_sin_dic_97_code for more information.

Column Name: ss_notc_sin_dic_98_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 98'

Column Name: ss_notc_sin_dic_98_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_98_code. See ss_notc_sin_dic_98_code for more information.

Column Name: ss_notc_sin_dic_99_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 99'

Column Name: ss_notc_sin_dic_99_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_99_code. See ss_notc_sin_dic_99_code for more information.

Column Name: ss_note_mul_dic_100_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 100'

Column Name: ss_note_mul_dic_100_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_100_code limited to 255 characters. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_100_value
Column Type: varchar
Max Length: 32700

The description associated with ss_note_mul_dic_100_code. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_101_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 101'

Column Name: ss_note_mul_dic_101_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_101_code limited to 255 characters. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_101_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_101_code. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_102_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 102'

Column Name: ss_note_mul_dic_102_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_102_code limited to 255 characters. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_102_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_102_code. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_103_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 103'

Column Name: ss_note_mul_dic_103_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_103_code limited to 255 characters. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_103_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_103_code. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_104_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 104'

Column Name: ss_note_mul_dic_104_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_104_code limited to 255 characters. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_104_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_104_code. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_105_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 105'

Column Name: ss_note_mul_dic_105_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_105_code limited to 255 characters. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_105_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_105_code. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_106_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 106'

Column Name: ss_note_mul_dic_106_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_106_code limited to 255 characters. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_106_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_106_code. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_107_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 107'

Column Name: ss_note_mul_dic_107_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_107_code limited to 255 characters. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_107_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_107_code. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_108_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 108'

Column Name: ss_note_mul_dic_108_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_108_code limited to 255 characters. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_108_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_108_code. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_109_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 109'

Column Name: ss_note_mul_dic_109_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_109_code limited to 255 characters. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_109_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_109_code. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_110_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 110'

Column Name: ss_note_mul_dic_110_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_110_code limited to 255 characters. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_110_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_110_code. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_81_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 81'

Column Name: ss_note_mul_dic_81_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_81_code limited to 255 characters. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_81_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_81_code. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_82_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 82'

Column Name: ss_note_mul_dic_82_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_82_code limited to 255 characters. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_82_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_82_code. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_83_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 83'

Column Name: ss_note_mul_dic_83_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_83_code limited to 255 characters. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_83_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_83_code. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_84_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 84'

Column Name: ss_note_mul_dic_84_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_84_code limited to 255 characters. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_84_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_84_code. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_85_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 85'

Column Name: ss_note_mul_dic_85_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_85_code limited to 255 characters. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_85_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_85_code. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_86_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 86'

Column Name: ss_note_mul_dic_86_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_86_code limited to 255 characters. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_86_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_86_code. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_87_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 87'

Column Name: ss_note_mul_dic_87_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_87_code limited to 255 characters. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_87_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_87_code. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_88_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 88'

Column Name: ss_note_mul_dic_88_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_88_code limited to 255 characters. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_88_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_88_code. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_89_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 89'

Column Name: ss_note_mul_dic_89_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_89_code limited to 255 characters. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_89_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_89_code. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_90_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 90'

Column Name: ss_note_mul_dic_90_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_90_code limited to 255 characters. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_90_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_90_code. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_91_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 91'

Column Name: ss_note_mul_dic_91_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_91_code limited to 255 characters. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_91_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_91_code. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_92_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 92'

Column Name: ss_note_mul_dic_92_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_92_code limited to 255 characters. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_92_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_92_code. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_93_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 93'

Column Name: ss_note_mul_dic_93_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_93_code limited to 255 characters. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_93_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_93_code. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_94_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 94'

Column Name: ss_note_mul_dic_94_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_94_code limited to 255 characters. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_94_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_94_code. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_95_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 95'

Column Name: ss_note_mul_dic_95_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_95_code limited to 255 characters. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_95_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_95_code. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_96_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 96'

Column Name: ss_note_mul_dic_96_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_96_code limited to 255 characters. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_96_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_96_code. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_97_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 97'

Column Name: ss_note_mul_dic_97_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_97_code limited to 255 characters. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_97_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_97_code. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_98_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 98'

Column Name: ss_note_mul_dic_98_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_98_code limited to 255 characters. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_98_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_98_code. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_99_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 99'

Column Name: ss_note_mul_dic_99_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_99_code limited to 255 characters. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_mul_dic_99_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_99_code. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_scroll_text_100

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 100'

Column Name: ss_note_scroll_text_101

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 101'

Column Name: ss_note_scroll_text_102

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 102'

Column Name: ss_note_scroll_text_103

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 103'

Column Name: ss_note_scroll_text_104

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 104'

Column Name: ss_note_scroll_text_105

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 105'

Column Name: ss_note_scroll_text_106

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 106'

Column Name: ss_note_scroll_text_107

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 107'

Column Name: ss_note_scroll_text_108

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 108'

Column Name: ss_note_scroll_text_109

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 109'

Column Name: ss_note_scroll_text_110

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 110'

Column Name: ss_note_scroll_text_81

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 81'

Column Name: ss_note_scroll_text_82

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 82'

Column Name: ss_note_scroll_text_83

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 83'

Column Name: ss_note_scroll_text_84

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 84'

Column Name: ss_note_scroll_text_85

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 85'

Column Name: ss_note_scroll_text_86

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 86'

Column Name: ss_note_scroll_text_87

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 87'

Column Name: ss_note_scroll_text_88

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 88'

Column Name: ss_note_scroll_text_89

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 89'

Column Name: ss_note_scroll_text_90

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 90'

Column Name: ss_note_scroll_text_91

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 91'

Column Name: ss_note_scroll_text_92

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 92'

Column Name: ss_note_scroll_text_93

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 93'

Column Name: ss_note_scroll_text_94

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 94'

Column Name: ss_note_scroll_text_95

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 95'

Column Name: ss_note_scroll_text_96

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 96'

Column Name: ss_note_scroll_text_97

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 97'

Column Name: ss_note_scroll_text_98

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 98'

Column Name: ss_note_scroll_text_99

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 99'

Column Name: ss_note_sin_dic_100_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 100'

Column Name: ss_note_sin_dic_100_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_100_code. See ss_note_sin_dic_100_code for more information.

Column Name: ss_note_sin_dic_101_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 101'

Column Name: ss_note_sin_dic_101_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_101_code. See ss_note_sin_dic_101_code for more information.

Column Name: ss_note_sin_dic_102_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 102'

Column Name: ss_note_sin_dic_102_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_102_code. See ss_note_sin_dic_102_code for more information.

Column Name: ss_note_sin_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 103'

Column Name: ss_note_sin_dic_103_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_103_code. See ss_note_sin_dic_103_code for more information.

Column Name: ss_note_sin_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 104'

Column Name: ss_note_sin_dic_104_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_104_code. See ss_note_sin_dic_104_code for more information.

Column Name: ss_note_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 105'

Column Name: ss_note_sin_dic_105_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_105_code. See ss_note_sin_dic_105_code for more information.

Column Name: ss_note_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 106'

Column Name: ss_note_sin_dic_106_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_106_code. See ss_note_sin_dic_106_code for more information.

Column Name: ss_note_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 107'

Column Name: ss_note_sin_dic_107_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_107_code. See ss_note_sin_dic_107_code for more information.

Column Name: ss_note_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 108'

Column Name: ss_note_sin_dic_108_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_108_code. See ss_note_sin_dic_108_code for more information.

Column Name: ss_note_sin_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 109'

Column Name: ss_note_sin_dic_109_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_109_code. See ss_note_sin_dic_109_code for more information.

Column Name: ss_note_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 110'

Column Name: ss_note_sin_dic_110_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_110_code. See ss_note_sin_dic_110_code for more information.

Column Name: ss_note_sin_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 81'

Column Name: ss_note_sin_dic_81_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_81_code. See ss_note_sin_dic_81_code for more information.

Column Name: ss_note_sin_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 82'

Column Name: ss_note_sin_dic_82_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_82_code. See ss_note_sin_dic_82_code for more information.

Column Name: ss_note_sin_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 83'

Column Name: ss_note_sin_dic_83_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_83_code. See ss_note_sin_dic_83_code for more information.

Column Name: ss_note_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 84'

Column Name: ss_note_sin_dic_84_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_84_code. See ss_note_sin_dic_84_code for more information.

Column Name: ss_note_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 85'

Column Name: ss_note_sin_dic_85_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_85_code. See ss_note_sin_dic_85_code for more information.

Column Name: ss_note_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 86'

Column Name: ss_note_sin_dic_86_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_86_code. See ss_note_sin_dic_86_code for more information.

Column Name: ss_note_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 87'

Column Name: ss_note_sin_dic_87_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_87_code. See ss_note_sin_dic_87_code for more information.

Column Name: ss_note_sin_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 88'

Column Name: ss_note_sin_dic_88_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_88_code. See ss_note_sin_dic_88_code for more information.

Column Name: ss_note_sin_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 89'

Column Name: ss_note_sin_dic_89_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_89_code. See ss_note_sin_dic_89_code for more information.

Column Name: ss_note_sin_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 90'

Column Name: ss_note_sin_dic_90_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_90_code. See ss_note_sin_dic_90_code for more information.

Column Name: ss_note_sin_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 91'

Column Name: ss_note_sin_dic_91_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_91_code. See ss_note_sin_dic_91_code for more information.

Column Name: ss_note_sin_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 92'

Column Name: ss_note_sin_dic_92_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_92_code. See ss_note_sin_dic_92_code for more information.

Column Name: ss_note_sin_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 93'

Column Name: ss_note_sin_dic_93_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_93_code. See ss_note_sin_dic_93_code for more information.

Column Name: ss_note_sin_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 94'

Column Name: ss_note_sin_dic_94_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_94_code. See ss_note_sin_dic_94_code for more information.

Column Name: ss_note_sin_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 95'

Column Name: ss_note_sin_dic_95_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_95_code. See ss_note_sin_dic_95_code for more information.

Column Name: ss_note_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 96'

Column Name: ss_note_sin_dic_96_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_96_code. See ss_note_sin_dic_96_code for more information.

Column Name: ss_note_sin_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 97'

Column Name: ss_note_sin_dic_97_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_97_code. See ss_note_sin_dic_97_code for more information.

Column Name: ss_note_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 98'

Column Name: ss_note_sin_dic_98_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_98_code. See ss_note_sin_dic_98_code for more information.

Column Name: ss_note_sin_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 99'

Column Name: ss_note_sin_dic_99_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_99_code. See ss_note_sin_dic_99_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: CWSTEMP.cw_patient_notes_supp_6

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp6 table.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_51
Column Type: varchar
Max Length: 20
SS Note 20 Character 51

Column Name: ss_note_20_char_text_52
Column Type: varchar
Max Length: 20
SS Note 20 Character 52

Column Name: ss_note_20_char_text_53

Column Type: varchar
Max Length: 20
SS Note 20 Character 53

Column Name: ss_note_20_char_text_54
Column Type: varchar
Max Length: 20
SS Note 20 Character 54

Column Name: ss_note_20_char_text_55
Column Type: varchar
Max Length: 20
SS Note 20 Character 55

Column Name: ss_note_20_char_text_56
Column Type: varchar
Max Length: 20
SS Note 20 Character 56

Column Name: ss_note_20_char_text_57
Column Type: varchar
Max Length: 20
SS Note 20 Character 57

Column Name: ss_note_20_char_text_58
Column Type: varchar
Max Length: 20
SS Note 20 Character 58

Column Name: ss_note_20_char_text_59
Column Type: varchar
Max Length: 20
SS Note 20 Character 59

Column Name: ss_note_20_char_text_60
Column Type: varchar
Max Length: 20
SS Note 20 Character 60

Column Name: ss_note_20_char_text_61
Column Type: varchar
Max Length: 20
SS Note 20 Character 61

Column Name: ss_note_20_char_text_62
Column Type: varchar
Max Length: 20
SS Note 20 Character 62

Column Name: ss_note_20_char_text_63

Column Type: varchar
Max Length: 20
SS Note 20 Character 63

Column Name: ss_note_20_char_text_64
Column Type: varchar
Max Length: 20
SS Note 20 Character 64

Column Name: ss_note_20_char_text_65
Column Type: varchar
Max Length: 20
SS Note 20 Character 65

Column Name: ss_note_20_char_text_66
Column Type: varchar
Max Length: 20
SS Note 20 Character 66

Column Name: ss_note_20_char_text_67
Column Type: varchar
Max Length: 20
SS Note 20 Character 67

Column Name: ss_note_20_char_text_68
Column Type: varchar
Max Length: 20
SS Note 20 Character 68

Column Name: ss_note_20_char_text_69
Column Type: varchar
Max Length: 20
SS Note 20 Character 69

Column Name: ss_note_20_char_text_70
Column Type: varchar
Max Length: 20
SS Note 20 Character 70

Column Name: ss_note_20_char_text_71
Column Type: varchar
Max Length: 20
SS Note 20 Character 71

Column Name: ss_note_20_char_text_72
Column Type: varchar
Max Length: 20
SS Note 20 Character 72

Column Name: ss_note_20_char_text_73

Column Type: varchar
Max Length: 20
SS Note 20 Character 73

Column Name: ss_note_20_char_text_74
Column Type: varchar
Max Length: 20
SS Note 20 Character 74

Column Name: ss_note_20_char_text_75
Column Type: varchar
Max Length: 20
SS Note 20 Character 75

Column Name: ss_note_20_char_text_76
Column Type: varchar
Max Length: 20
SS Note 20 Character 76

Column Name: ss_note_40_char_text_51
Column Type: varchar
Max Length: 40
SS Note 40 Character 51

Column Name: ss_note_40_char_text_52
Column Type: varchar
Max Length: 40
SS Note 40 Character 52

Column Name: ss_note_40_char_text_53
Column Type: varchar
Max Length: 40
SS Note 40 Character 53

Column Name: ss_note_40_char_text_54
Column Type: varchar
Max Length: 40
SS Note 40 Character 54

Column Name: ss_note_40_char_text_55
Column Type: varchar
Max Length: 40
SS Note 40 Character 55

Column Name: ss_note_40_char_text_56
Column Type: varchar
Max Length: 40
SS Note 40 Character 56

Column Name: ss_note_40_char_text_57

Column Type: varchar
Max Length: 40
SS Note 40 Character 57

Column Name: ss_note_40_char_text_58
Column Type: varchar
Max Length: 40
SS Note 40 Character 58

Column Name: ss_note_40_char_text_59
Column Type: varchar
Max Length: 40
SS Note 40 Character 59

Column Name: ss_note_40_char_text_60
Column Type: varchar
Max Length: 40
SS Note 40 Character 60

Column Name: ss_note_40_char_text_61
Column Type: varchar
Max Length: 40
SS Note 40 Character 61

Column Name: ss_note_40_char_text_62
Column Type: varchar
Max Length: 40
SS Note 40 Character 62

Column Name: ss_note_40_char_text_63
Column Type: varchar
Max Length: 40
SS Note 40 Character 63

Column Name: ss_note_40_char_text_64
Column Type: varchar
Max Length: 40
SS Note 40 Character 64

Column Name: ss_note_40_char_text_65
Column Type: varchar
Max Length: 40
SS Note 40 Character 65

Column Name: ss_note_40_char_text_66
Column Type: varchar
Max Length: 40
SS Note 40 Character 66

Column Name: ss_note_40_char_text_67

Column Type: varchar
Max Length: 40
SS Note 40 Character 67

Column Name: ss_note_40_char_text_68
Column Type: varchar
Max Length: 40
SS Note 40 Character 68

Column Name: ss_note_40_char_text_69
Column Type: varchar
Max Length: 40
SS Note 40 Character 69

Column Name: ss_note_40_char_text_70
Column Type: varchar
Max Length: 40
SS Note 40 Character 70

Column Name: ss_note_40_char_text_71
Column Type: varchar
Max Length: 40
SS Note 40 Character 71

Column Name: ss_note_40_char_text_72
Column Type: varchar
Max Length: 40
SS Note 40 Character 72

Column Name: ss_note_40_char_text_73
Column Type: varchar
Max Length: 40
SS Note 40 Character 73)

Column Name: ss_note_40_char_text_74
Column Type: varchar
Max Length: 40
SS Note 40 Character 74

Column Name: ss_note_40_char_text_75
Column Type: varchar
Max Length: 40
SS Note 40 Character 75

Column Name: ss_note_40_char_text_76
Column Type: varchar
Max Length: 40
SS Note 40 Character 76

Column Name: ss_note_date_51

Column Type: date
SS Note Date 51

Column Name: ss_note_date_52
Column Type: date
SS Note Date 52

Column Name: ss_note_date_53
Column Type: date
SS Note Date 53

Column Name: ss_note_date_54
Column Type: date
SS Note Date 54

Column Name: ss_note_date_55
Column Type: date
SS Note Date 55

Column Name: ss_note_date_56
Column Type: date
SS Note Date 56

Column Name: ss_note_date_57
Column Type: date
SS Note Date 57

Column Name: ss_note_date_58
Column Type: date
SS Note Date 58

Column Name: ss_note_date_59
Column Type: date
SS Note Date 59

Column Name: ss_note_date_60
Column Type: date
SS Note Date 60

Column Name: ss_note_integer_51
Column Type: integer
SS Note Integer 51

Column Name: ss_note_integer_52
Column Type: integer
SS Note Integer 52

Column Name: ss_note_integer_53
Column Type: integer
SS Note Integer 53

Column Name: ss_note_integer_54
Column Type: integer
SS Note Integer 54

Column Name: ss_note_integer_55
Column Type: integer
SS Note Integer 55

Column Name: ss_note_integer_56
Column Type: integer
SS Note Integer 56

Column Name: ss_note_integer_57
Column Type: integer
SS Note Integer 57

Column Name: ss_note_integer_58
Column Type: integer
SS Note Integer 58

Column Name: ss_note_integer_59
Column Type: integer
SS Note Integer 59

Column Name: ss_note_integer_60
Column Type: integer
SS Note Integer 60

Column Name: ss_note_scroll_text_111
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 111

Column Name: ss_note_scroll_text_112
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 112

Column Name: ss_note_scroll_text_113
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 113

Column Name: ss_note_scroll_text_114
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 114

Column Name: ss_note_scroll_text_115

Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 115

Column Name: ss_note_scroll_text_116
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 116

Column Name: ss_note_scroll_text_117
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 117

Column Name: ss_note_scroll_text_118
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 118

Column Name: ss_note_scroll_text_119
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 119

Column Name: ss_note_scroll_text_120
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 120

Column Name: ss_note_scroll_text_121
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 121

Column Name: ss_note_scroll_text_122
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 122

Column Name: ss_note_scroll_text_123
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 123

Column Name: ss_note_scroll_text_124
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 124

Column Name: ss_note_scroll_text_125

Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 125

Column Name: ss_note_scroll_text_126
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 126

Column Name: ss_note_scroll_text_127
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 127

Column Name: ss_note_scroll_text_128
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 128

Column Name: ss_note_scroll_text_129
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 129

Column Name: ss_note_scroll_text_130
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 130

Column Name: ss_note_scroll_text_131
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 131

Column Name: ss_note_scroll_text_132
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 132

Column Name: ss_note_scroll_text_133
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 133

Column Name: ss_note_scroll_text_134
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 134

Column Name: ss_note_scroll_text_135

Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 135

Column Name: ss_note_scroll_text_136
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 136

Column Name: ss_note_time_51
Column Type: varchar
Max Length: 10
SS Note Time 51

Column Name: ss_note_time_52
Column Type: varchar
Max Length: 10
SS Note Time 52

Column Name: ss_note_time_53
Column Type: varchar
Max Length: 10
SS Note Time 53

Column Name: ss_note_time_54
Column Type: varchar
Max Length: 10
SS Note Time 54

Column Name: ss_note_time_55
Column Type: varchar
Max Length: 10
SS Note Time 55

Column Name: ss_note_time_56
Column Type: varchar
Max Length: 10
SS Note Time 56

Column Name: ss_note_time_57
Column Type: varchar
Max Length: 10
SS Note Time 57

Column Name: ss_note_time_58
Column Type: varchar
Max Length: 10
SS Note Time 58

Column Name: ss_note_time_59

Column Type: varchar
Max Length: 10
SS Note Time 59

Column Name: ss_note_time_60
Column Type: varchar
Max Length: 10
SS Note Time 60

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: SYSTEM.cw_notes_voided

Table Description: This table returns voided progress notes.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: Filing_Hist
Column Type: varchar
Max Length: 20
Unique historic where the data will be stored.

Column Name: notes_field
Column Type: varchar
Max Length: 32759
'Notes Field'

Column Name: note_type_code
Column Type: varchar

Max Length: 50
'Note Type code'

Column Name: note_type_value
Column Type: varchar
Max Length: 40
The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time
Column Type: varchar
Max Length: 25
'Note Time'

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: new_existing_svc_code
Column Type: varchar
Max Length: 5
'New Existing Service Code For. (Progress Note For)'

Column Name: new_existing_svc_value
Column Type: varchar
Max Length: 40
The description associated with new_existing_svc_code. See new_existing_svc_code for more information.

Column Name: service_charge_code
Column Type: varchar
Max Length: 40
'Service Charge Code'

Column Name: service_program_code
Column Type: varchar
Max Length: 6
'Service Program code'

Column Name: service_program_value

Column Type: varchar

Max Length: 40

The description associated with service_program_code. See service_program_code for more information.

Column Name: service_duration

Column Type: varchar

Max Length: 5

'Service Duration'

Column Name: note_addresses

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_wh_tp_plan_prob

Column Type: varchar

Max Length: 32759

'Note Addresses Which Treatment Plan Problem'

Column Name: Tx_Note_UniqueId

Column Type: varchar

Max Length: 40

Unique ID for a service note.

Column Name: FILING_COUNTER

Column Type: integer

'Filing Counter'

Column Name: GROUP_ID

Column Type: varchar

Max Length: 10

'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Unique ID for a service.

Column Name: TODO_ID

Column Type: varchar

Max Length: 20

'To Do Id'

Column Name: aps_link

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Appointment'

Column Name: clinical_quality_code
Column Type: varchar
Max Length: 255
'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val
Column Type: varchar
Max Length: 255
'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: clinical_quality_value
Column Type: varchar
Max Length: 4096
'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: co_sign_to_do_user
Column Type: varchar
Max Length: 50
'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar

Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_group_service
Column Type: date
Date of service for group.

Column Name: draft_final_code
Column Type: varchar
Max Length: 5
'Draft/Final code'

Column Name: draft_final_value
Column Type: varchar
Max Length: 40
The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id
Column Type: varchar
Max Length: 255
'External System Identifier'

Column Name: finalized_signature
Column Type: varchar
Max Length: 255
'Finalized Signature'

Column Name: medical_diagnosis_1_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 1 code'

Column Name: medical_diagnosis_1_value

Column Type: varchar

Max Length: 32759

The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 2 code'

Column Name: medical_diagnosis_2_value

Column Type: varchar

Max Length: 32759

The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: notes_entry_index_nu

Column Type: varchar

Max Length: 50

'Notes Entry Index Number for Internal Use'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: orig_note_uniq_id_num

Column Type: varchar

Max Length: 20

'Original Note Unique ID Number'

Column Name: reason_for_void_code

Column Type: varchar

Max Length: 50

'Reason For Voiding The Note code'

Column Name: reason_for_void_value

Column Type: varchar

Max Length: 50

The description associated with reason_for_void_code. See reason_for_void_code for more information.

Column Name: select_tp_version_code

Column Type: varchar

Max Length: 5

'Select T.P. Version code'

Column Name: select_tp_version_value

Column Type: varchar

Max Length: 40

The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: session_start_end_times

Column Type: varchar

Max Length: 32759

'Start/End Time(s)'

Column Name: ss_note_20_char_text_1

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 1'

Column Name: ss_note_20_char_text_10

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 10'

Column Name: ss_note_20_char_text_2

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 2'

Column Name: ss_note_20_char_text_3

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 3'

Column Name: ss_note_20_char_text_4

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 4'

Column Name: ss_note_20_char_text_5

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 5'

Column Name: ss_note_20_char_text_6

Column Type: varchar

Max Length: 20
'SS Note 20 Character Text 6'

Column Name: ss_note_20_char_text_7
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 7'

Column Name: ss_note_20_char_text_8
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 8'

Column Name: ss_note_20_char_text_9
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 9'

Column Name: ss_note_40_char_text_1
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 1'

Column Name: ss_note_40_char_text_10
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 10'

Column Name: ss_note_40_char_text_2
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 2'

Column Name: ss_note_40_char_text_3
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 3'

Column Name: ss_note_40_char_text_4
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 4'

Column Name: ss_note_40_char_text_5
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 5'

Column Name: ss_note_40_char_text_6
Column Type: varchar

Max Length: 40
'SS Note 40 Character Text 6'

Column Name: ss_note_40_char_text_7
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 7'

Column Name: ss_note_40_char_text_8
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 8'

Column Name: ss_note_40_char_text_9
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 9'

Column Name: ss_note_80_char_text_1
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 9'

Column Name: ss_note_date_1
Column Type: date
'SS Note Date 1'

Column Name: ss_note_date_10
Column Type: date
'SS Note Date 10'

Column Name: ss_note_date_2
Column Type: date
'SS Note Date 2'

Column Name: ss_note_date_3
Column Type: date
'SS Note Date 3'

Column Name: ss_note_date_4
Column Type: date
'SS Note Date 4'

Column Name: ss_note_date_5
Column Type: date
'SS Note Date 5'

Column Name: ss_note_date_6
Column Type: date
'SS Note Date 6'

Column Name: ss_note_date_7
Column Type: date
'SS Note Date 7'

Column Name: ss_note_date_8
Column Type: date
'SS Note Date 8'

Column Name: ss_note_date_9
Column Type: date
'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 10 code'

Column Name: ss_note_dsm_diag_10_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 1 code'

Column Name: ss_note_dsm_diag_1_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 2 code'

Column Name: ss_note_dsm_diag_2_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_2_code. See ss_note_dsm_diag_2_code for more information.

Column Name: ss_note_dsm_diag_3_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 3 code'

Column Name: ss_note_dsm_diag_3_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_3_code`. See `ss_note_dsm_diag_3_code` for more information.

Column Name: `ss_note_dsm_diag_4_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 4 code'

Column Name: `ss_note_dsm_diag_4_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_4_code`. See `ss_note_dsm_diag_4_code` for more information.

Column Name: `ss_note_dsm_diag_5_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 5 code'

Column Name: `ss_note_dsm_diag_5_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_5_code`. See `ss_note_dsm_diag_5_code` for more information.

Column Name: `ss_note_dsm_diag_6_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 6 code'

Column Name: `ss_note_dsm_diag_6_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_6_code`. See `ss_note_dsm_diag_6_code` for more information.

Column Name: `ss_note_dsm_diag_7_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 7 code'

Column Name: `ss_note_dsm_diag_7_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_7_code`. See `ss_note_dsm_diag_7_code` for more information.

Column Name: `ss_note_dsm_diag_8_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 8 code'

Column Name: ss_note_dsm_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_8_code. See ss_note_dsm_diag_8_code for more information.

Column Name: ss_note_dsm_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 9 code'

Column Name: ss_note_dsm_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_9_code. See ss_note_dsm_diag_9_code for more information.

Column Name: ss_note_icd9_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 10 code'

Column Name: ss_note_icd9_diag_10_val

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_10_code. See ss_note_icd9_diag_10_code for more information.

Column Name: ss_note_icd9_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 1 code'

Column Name: ss_note_icd9_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_1_code. See ss_note_icd9_diag_1_code for more information.

Column Name: ss_note_icd9_diag_2_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 2 code'

Column Name: ss_note_icd9_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_2_code`. See `ss_note_icd9_diag_2_code` for more information.

Column Name: `ss_note_icd9_diag_3_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Diagnosis 3 code'

Column Name: `ss_note_icd9_diag_3_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_3_code`. See `ss_note_icd9_diag_3_code` for more information.

Column Name: `ss_note_icd9_diag_4_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Diagnosis 4 code'

Column Name: `ss_note_icd9_diag_4_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_4_code`. See `ss_note_icd9_diag_4_code` for more information.

Column Name: `ss_note_icd9_diag_5_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Diagnosis 5 code'

Column Name: `ss_note_icd9_diag_5_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_5_code`. See `ss_note_icd9_diag_5_code` for more information.

Column Name: `ss_note_icd9_diag_6_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Diagnosis 6 code'

Column Name: `ss_note_icd9_diag_6_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_6_code`. See `ss_note_icd9_diag_6_code` for more information.

Column Name: `ss_note_icd9_diag_7_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Diagnosis 7 code'

Column Name: ss_note_icd9_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_7_code. See ss_note_icd9_diag_7_code for more information.

Column Name: ss_note_icd9_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 8 code'

Column Name: ss_note_icd9_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_8_code. See ss_note_icd9_diag_8_code for more information.

Column Name: ss_note_icd9_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 9 code'

Column Name: ss_note_icd9_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_9_code. See ss_note_icd9_diag_9_code for more information.

Column Name: ss_note_multi_dict_10_cod

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 10 code'

Column Name: ss_note_multi_dict_10_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_10_code. See ss_note_multi_dict_10_code for more information.

Column Name: ss_note_multi_dict_1_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 1 code'

Column Name: ss_note_multi_dict_1_val

Column Type: varchar

Max Length: 32759

The description associated with `ss_note_multi_dict_1_code`. See `ss_note_multi_dict_1_code` for more information.

Column Name: `ss_note_multi_dict_2_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 2 code'

Column Name: `ss_note_multi_dict_2_val`

Column Type: `varchar`

Max Length: 32759

The description associated with `ss_note_multi_dict_2_code`. See `ss_note_multi_dict_2_code` for more information.

Column Name: `ss_note_multi_dict_3_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 3 code'

Column Name: `ss_note_multi_dict_3_val`

Column Type: `varchar`

Max Length: 32759

The description associated with `ss_note_multi_dict_3_code`. See `ss_note_multi_dict_3_code` for more information.

Column Name: `ss_note_multi_dict_4_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 4 code'

Column Name: `ss_note_multi_dict_4_val`

Column Type: `varchar`

Max Length: 32759

The description associated with `ss_note_multi_dict_4_code`. See `ss_note_multi_dict_4_code` for more information.

Column Name: `ss_note_multi_dict_5_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 5 code'

Column Name: `ss_note_multi_dict_5_val`

Column Type: `varchar`

Max Length: 32759

The description associated with `ss_note_multi_dict_5_code`. See `ss_note_multi_dict_5_code` for more information.

Column Name: `ss_note_multi_dict_6_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 6 code'

Column Name: ss_note_multi_dict_6_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 7 code'

Column Name: ss_note_multi_dict_7_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_7_code. See ss_note_multi_dict_7_code for more information.

Column Name: ss_note_multi_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 8 code'

Column Name: ss_note_multi_dict_8_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_8_code. See ss_note_multi_dict_8_code for more information.

Column Name: ss_note_multi_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 9 code'

Column Name: ss_note_multi_dict_9_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_9_code. See ss_note_multi_dict_9_code for more information.

Column Name: ss_note_scroll_text_1

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 1'

Column Name: ss_note_scroll_text_10

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 10'

Column Name: ss_note_scroll_text_2
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 2'

Column Name: ss_note_scroll_text_3
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 3'

Column Name: ss_note_scroll_text_4
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 4'

Column Name: ss_note_scroll_text_5
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 5'

Column Name: ss_note_scroll_text_6
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 6'

Column Name: ss_note_scroll_text_7
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 7'

Column Name: ss_note_scroll_text_8
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 8'

Column Name: ss_note_scroll_text_9
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 9'

Column Name: ss_note_sing_dict_10_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 10 code'

Column Name: ss_note_sing_dict_10_val
Column Type: varchar
Max Length: 80

The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 1 code'

Column Name: ss_note_sing_dict_1_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 2 code'

Column Name: ss_note_sing_dict_2_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 3 code'

Column Name: ss_note_sing_dict_3_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 4 code'

Column Name: ss_note_sing_dict_4_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 5 code'

Column Name: ss_note_sing_dict_5_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 6 code'

Column Name: ss_note_sing_dict_6_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 7 code'

Column Name: ss_note_sing_dict_7_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 8 code'

Column Name: ss_note_sing_dict_8_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 9 code'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1
Column Type: varchar
Max Length: 20
'SS Note Staff Member 1'

Column Name: ss_note_staff_10
Column Type: varchar
Max Length: 20
'SS Note Staff Member 10'

Column Name: ss_note_staff_2
Column Type: varchar
Max Length: 20
'SS Note Staff Member 2'

Column Name: ss_note_staff_3
Column Type: varchar
Max Length: 20
'SS Note Staff Member 3'

Column Name: ss_note_staff_4
Column Type: varchar
Max Length: 20
'SS Note Staff Member 4'

Column Name: ss_note_staff_5
Column Type: varchar
Max Length: 20
'SS Note Staff Member 5'

Column Name: ss_note_staff_6
Column Type: varchar
Max Length: 20
'SS Note Staff Member 6'

Column Name: ss_note_staff_7
Column Type: varchar
Max Length: 20
'SS Note Staff Member 7'

Column Name: ss_note_staff_8
Column Type: varchar
Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar

Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6
Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7
Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar
Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar

Max Length: 10
'SS Note Time 9'

Column Name: transcription_note
Column Type: bit
Is this is Transcription note

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: void_comments
Column Type: varchar
Max Length: 32759
'Void Comments'

Column Name: void_data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row for a void.

Column Name: void_data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row for a void.

Column Name: void_data_entry_date
Column Type: date
The date the row was voided.

Column Name: void_data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row for a void.

Column Name: void_data_entry_time
Column Type: varchar

Max Length: 10

The time the row was last updated for a void.

Column Name: void_data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' that last updated the row for a void.

Column Name: void_data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the 'User ID' for a void.

Column Name: void_option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row for a void.

Column Name: void_option_id

Column Type: varchar

Max Length: 40

The unique ID of the form that last updated the row for a void.

Documentation for form: Ambulatory_Progress_Notes

Table Name: SYSTEM.cw_patient_notes

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

The unique ID associated with the note.

Column Name: notes_field

Column Type: varchar

Max Length: 32700

The written note information.

Column Name: note_type_code

Column Type: varchar

Max Length: 50

'Note Type'

Column Name: note_type_value

Column Type: varchar

Max Length: 40

The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time

Column Type: varchar

Max Length: 25

'Note Time'

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: New_Existing_Service_code

Column Type: varchar

Max Length: 5

'Progress Note For'

Column Name: New_Existing_Service_value

Column Type: varchar

Max Length: 40

The description associated with New_Existing_Service_code. See New_Existing_Service_code for more information.

Column Name: service_program_value

Column Type: varchar

Max Length: 40

The description associated with service_program_code. See service_program_code for more information.

Column Name: note_addresses

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_which_tp_plan_prob

Column Type: varchar

Max Length: 32700

The treatment plan problem to add to the note.

Column Name: Tx_Note_UniqueId

Column Type: varchar

Max Length: 40

The unique ID associated with the treatment.

Column Name: service_charge_value

Column Type: varchar

Max Length: 40

The description associated with service_charge_code. See service_charge_code for more information.

Column Name: GROUP_ID

Column Type: varchar

Max Length: 10

'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

The unique ID that joins the note to the service.

Column Name: Option_Desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: Option_Id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: TODO_ID

Column Type: varchar

Max Length: 20

'To Do Id'

Column Name: add_on_notes

Column Type: varchar

Max Length: 32768

The add-on notes.

Column Name: add_svc_info_code

Column Type: varchar

Max Length: 40

The additional service information.

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

The description associated with add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

The description associated with add_svc_info_code. See add_svc_info_code for more information.

Column Name: aps_link

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Appointment'

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

'Service Status'

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

The description associated with billing_status_code. See billing_status_code for more information.

Column Name: calpm_ebpss_csi_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practices / Service Strategies (CSI)'

Column Name: calpm_ebpss_csi_value

Column Type: varchar

Max Length: 200

The description associated with calpm_ebpss_csi_code. See calpm_ebpss_csi_code for more information.

Column Name: calpm_ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

The description associated with calpm_ebpss_csi_value_code. See calpm_ebpss_csi_value_code for more information.

Column Name: client_prob_list_codes

Column Type: varchar

Max Length: 50

The codes associated with the client problem list.

Column Name: client_prob_list_shvals

Column Type: varchar

Max Length: 255

The description associated with client_prob_list_code limited to 255 characters. See client_prob_list_code for more information.

Column Name: client_prob_list_vals

Column Type: varchar

Max Length: 32700

The description associated with client_prob_list_code. See client_prob_list_code for more information.

Column Name: clinical_instructions

Column Type: varchar

Max Length: 32700

'Clinical Instructions'

Column Name: clinical_quality_code

Column Type: varchar

Max Length: 255

'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val

Column Type: varchar

Max Length: 255

'The description associated with clinical_quality_code. See clinical_quality_code for more information.

Column Name: clinical_quality_value

Column Type: varchar

Max Length: 4096

'The description associated with clinical_quality_code. See clinical_quality_code for more information.

Column Name: confidential_note

Column Type: varchar

Max Length: 50

The confidential note.

Column Name: co_pract_duration

Column Type: numeric

The first co-practitioner duration.

Column Name: co_pract2_duration
Column Type: numeric
The second co-practitioner duration.

Column Name: co_practitioner_id
Column Type: varchar
Max Length: 15
The first co-practitioner ID.

Column Name: co_practitioner_id_2
Column Type: varchar
Max Length: 15
The second co-practitioner ID.

Column Name: co_practitioner_name
Column Type: varchar
Max Length: 40
The name associated with co_practitioner_id.

Column Name: co_practitioner_name_2
Column Type: varchar
Max Length: 40
The name associated with co_practitioner_id_2.

Column Name: co_sign_to_do_user
Column Type: varchar
Max Length: 50
'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 40
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_group_service
Column Type: date
The date of the group service.

Column Name: date_of_note
Column Type: date
The date of the note.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: discipline_code
Column Type: varchar
Max Length: 40
'Discipline'

Column Name: discipline_value
Column Type: varchar
Max Length: 40
The description associated with discipline_code. See discipline_code for more information.

Column Name: document_routing_status
Column Type: varchar
Max Length: 50
Status of the document

Column Name: draft_final_code
Column Type: varchar

Max Length: 5
'Draft/Final'

Column Name: draft_final_value
Column Type: varchar
Max Length: 40
The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id
Column Type: varchar
Max Length: 255
'External System Identifier'

Column Name: finalized_signature
Column Type: varchar
Max Length: 255
'Finalized Signature'

Column Name: has_nonmed_diag_flg_code
Column Type: varchar
Max Length: 50
The non-medical diagnosis flag.

Column Name: has_nonmed_diag_flg_value
Column Type: varchar
Max Length: 50
The description associated with has_nonmed_diag_flg_code. See has_nonmed_diag_flg_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Diagnosis 1'

Column Name: jointodiagnosisobject2

Column Type: varchar
Max Length: 40
'Diagnosis 2'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Diagnosis 3'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Diagnosis 4'

Column Name: location_code
Column Type: varchar
Max Length: 50
The location of the service.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code. See location_code for more information.

Column Name: medical_diag1_DSM_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag1_DSM_code. See medical_diag1_DSM_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD 10'

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD 9'

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_imo_code. See medical_diag_1_imo_code for more information.

Column Name: medical_diag2_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag2_DSM_code. See medical_diag2_DSM_code for more information.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_imo_code. See medical_diag_2_imo_code for more information.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_imo_code. See medical_diag_3_imo_code for more information.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_imo_code. See medical_diag_4_imo_code for more information.

Column Name: medical_diagnosis_1_code

Column Type: varchar
Max Length: 40
'Medical Diagnosis 1'

Column Name: medical_diagnosis_1_value
Column Type: varchar
Max Length: 32700
The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2'

Column Name: medical_diagnosis_2_value
Column Type: varchar
Max Length: 32700
The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: medical_diagnosis_3_code
Column Type: varchar
Max Length: 50
'Medical Diagnosis 3'

Column Name: medical_diagnosis_3_value
Column Type: varchar
Max Length: 32700
The description associated with medical_diagnosis_3_code. See medical_diagnosis_3_code for more information.

Column Name: medical_diagnosis_4_code
Column Type: varchar
Max Length: 50
'Medical Diagnosis 4'

Column Name: medical_diagnosis_4_value
Column Type: varchar
Max Length: 32700
The description associated with medical_diagnosis_4_code. See medical_diagnosis_4_code for more information.

Column Name: notes_entry_index_nu
Column Type: varchar
Max Length: 50
The notes entry index.

Column Name: number_clients_in_group
Column Type: integer

'Number Of Clients In Group'

Column Name: orig_note_uniq_id_num

Column Type: varchar

Max Length: 20

'Original Note Unique ID Number'

Column Name: practitioner_id

Column Type: varchar

Max Length: 15

The practitioner associated with the note.

Column Name: practitioner_name

Column Type: varchar

Max Length: 40

The name associated with practitioner_id.

Column Name: psycho_add_on_duration

Column Type: integer

The psychotherapy add-on duration.

Column Name: reason_for_visit_code

Column Type: varchar

Max Length: 50

'Reason for Visit'

Column Name: reason_for_visit_value

Column Type: varchar

Max Length: 250

The description associated with reason_for_visit_code. See reason_for_visit_code for more information.

Column Name: recommended_decision

Column Type: varchar

Max Length: 32700

'Recommended Decision'

Column Name: release_type_code

Column Type: varchar

Max Length: 50

The value entered in the field 'Are you releasing to myHealthPointe or External providers?'

Column Name: release_type_value

Column Type: varchar

Max Length: 40

The description associated with release_type_code.

Column Name: select_tp_version_code

Column Type: varchar

Max Length: 5

'Select T.P. Version'

Column Name: select_tp_version_value

Column Type: varchar

Max Length: 40

The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: service_charge_code

Column Type: varchar

Max Length: 40

The service charge code.

Column Name: service_duration

Column Type: varchar

Max Length: 5

The duration of the service.

Column Name: service_end_time

Column Type: varchar

Max Length: 10

The end time of the service.

Column Name: service_program_code

Column Type: varchar

Max Length: 15

The program of the service.

Column Name: service_start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: session_start_end_times

Column Type: varchar

Max Length: 32766

'Start/End Time(s)'

Column Name: ss_note_20_char_text_1

Column Type: varchar

Max Length: 20

'SS Note 20 Character 1'

Column Name: ss_note_20_char_text_10

Column Type: varchar

Max Length: 20

'SS Note 20 Character 10'

Column Name: ss_note_20_char_text_2

Column Type: varchar

Max Length: 20

'SS Note 20 Character 2'

Column Name: ss_note_20_char_text_3
Column Type: varchar
Max Length: 20
'SS Note 20 Character 3'

Column Name: ss_note_20_char_text_4
Column Type: varchar
Max Length: 20
'SS Note 20 Character 4'

Column Name: ss_note_20_char_text_5
Column Type: varchar
Max Length: 20
'SS Note 20 Character 5'

Column Name: ss_note_20_char_text_6
Column Type: varchar
Max Length: 20
'SS Note 20 Character 6'

Column Name: ss_note_20_char_text_7
Column Type: varchar
Max Length: 20
'SS Note 20 Character 7'

Column Name: ss_note_20_char_text_8
Column Type: varchar
Max Length: 20
'SS Note 20 Character 8'

Column Name: ss_note_20_char_text_9
Column Type: varchar
Max Length: 20
'SS Note 20 Character 9'

Column Name: ss_note_40_char_text_1
Column Type: varchar
Max Length: 40
'SS Note 40 Character 1'

Column Name: ss_note_40_char_text_10
Column Type: varchar
Max Length: 40
'SS Note 40 Character 10'

Column Name: ss_note_40_char_text_2
Column Type: varchar
Max Length: 40
'SS Note 40 Character 2'

Column Name: ss_note_40_char_text_3
Column Type: varchar
Max Length: 40
'SS Note 40 Character 3'

Column Name: ss_note_40_char_text_4
Column Type: varchar
Max Length: 40
'SS Note 40 Character 4'

Column Name: ss_note_40_char_text_5
Column Type: varchar
Max Length: 40
'SS Note 40 Character 5'

Column Name: ss_note_40_char_text_6
Column Type: varchar
Max Length: 40
'SS Note 40 Character 6'

Column Name: ss_note_40_char_text_7
Column Type: varchar
Max Length: 40
'SS Note 40 Character 7'

Column Name: ss_note_40_char_text_8
Column Type: varchar
Max Length: 40
'SS Note 40 Character 8'

Column Name: ss_note_40_char_text_9
Column Type: varchar
Max Length: 40
'SS Note 40 Character 9'

Column Name: ss_note_80_char_text_1
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 9'

Column Name: ss_note_date_1
Column Type: date
'SS Note Date 1'

Column Name: ss_note_date_10
Column Type: date
'SS Note Date 10'

Column Name: ss_note_date_2
Column Type: date
'SS Note Date 2'

Column Name: ss_note_date_3
Column Type: date

'SS Note Date 3'

Column Name: ss_note_date_4

Column Type: date

'SS Note Date 4'

Column Name: ss_note_date_5

Column Type: date

'SS Note Date 5'

Column Name: ss_note_date_6

Column Type: date

'SS Note Date 6'

Column Name: ss_note_date_7

Column Type: date

'SS Note Date 7'

Column Name: ss_note_date_8

Column Type: date

'SS Note Date 8'

Column Name: ss_note_date_9

Column Type: date

'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 10'

Column Name: ss_note_dsm_diag_10_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 1'

Column Name: ss_note_dsm_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code

Column Type: varchar

Max Length: 20
'SS Note DSM IV Diagnosis 2'

Column Name: ss_note_dsm_diag_2_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_2_code. See ss_note_dsm_diag_2_code for more information.

Column Name: ss_note_dsm_diag_3_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 3'

Column Name: ss_note_dsm_diag_3_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_3_code. See ss_note_dsm_diag_3_code for more information.

Column Name: ss_note_dsm_diag_4_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 4'

Column Name: ss_note_dsm_diag_4_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_4_code. See ss_note_dsm_diag_4_code for more information.

Column Name: ss_note_dsm_diag_5_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 5'

Column Name: ss_note_dsm_diag_5_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_5_code. See ss_note_dsm_diag_5_code for more information.

Column Name: ss_note_dsm_diag_6_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 6'

Column Name: ss_note_dsm_diag_6_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_6_code`. See `ss_note_dsm_diag_6_code` for more information.

Column Name: `ss_note_dsm_diag_7_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 7'

Column Name: `ss_note_dsm_diag_7_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_7_code`. See `ss_note_dsm_diag_7_code` for more information.

Column Name: `ss_note_dsm_diag_8_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 8'

Column Name: `ss_note_dsm_diag_8_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_8_code`. See `ss_note_dsm_diag_8_code` for more information.

Column Name: `ss_note_dsm_diag_9_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 9'

Column Name: `ss_note_dsm_diag_9_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_9_code`. See `ss_note_dsm_diag_9_code` for more information.

Column Name: `ss_note_icd9_diag_10_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 10'

Column Name: `ss_note_icd9_diag_10_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_10_code`. See `ss_note_icd9_diag_10_code` for more information.

Column Name: `ss_note_icd9_diag_1_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 1'

Column Name: ss_note_icd9_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_1_code. See ss_note_icd9_diag_1_code for more information.

Column Name: ss_note_icd9_diag_2_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 2'

Column Name: ss_note_icd9_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_2_code. See ss_note_icd9_diag_2_code for more information.

Column Name: ss_note_icd9_diag_3_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 3'

Column Name: ss_note_icd9_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_3_code. See ss_note_icd9_diag_3_code for more information.

Column Name: ss_note_icd9_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 4'

Column Name: ss_note_icd9_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_4_code. See ss_note_icd9_diag_4_code for more information.

Column Name: ss_note_icd9_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 5'

Column Name: ss_note_icd9_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_5_code`. See `ss_note_icd9_diag_5_code` for more information.

Column Name: `ss_note_icd9_diag_6_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 6'

Column Name: `ss_note_icd9_diag_6_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_6_code`. See `ss_note_icd9_diag_6_code` for more information.

Column Name: `ss_note_icd9_diag_7_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 7'

Column Name: `ss_note_icd9_diag_7_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_7_code`. See `ss_note_icd9_diag_7_code` for more information.

Column Name: `ss_note_icd9_diag_8_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 8'

Column Name: `ss_note_icd9_diag_8_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_8_code`. See `ss_note_icd9_diag_8_code` for more information.

Column Name: `ss_note_icd9_diag_9_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 9'

Column Name: `ss_note_icd9_diag_9_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_9_code`. See `ss_note_icd9_diag_9_code` for more information.

Column Name: `ss_note_multi_dict_10_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 10'

Column Name: ss_note_multi_dict_10_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_10_code. See ss_note_multi_dict_10_code for more information.

Column Name: ss_note_multi_dict_1_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 1'

Column Name: ss_note_multi_dict_1_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_1_code. See ss_note_multi_dict_1_code for more information.

Column Name: ss_note_multi_dict_2_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 2'

Column Name: ss_note_multi_dict_2_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_2_code. See ss_note_multi_dict_2_code for more information.

Column Name: ss_note_multi_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 3'

Column Name: ss_note_multi_dict_3_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_3_code. See ss_note_multi_dict_3_code for more information.

Column Name: ss_note_multi_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 4'

Column Name: ss_note_multi_dict_4_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_4_code. See ss_note_multi_dict_4_code for more information.

Column Name: ss_note_multi_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 5'

Column Name: ss_note_multi_dict_5_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_5_code. See ss_note_multi_dict_5_code for more information.

Column Name: ss_note_multi_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 6'

Column Name: ss_note_multi_dict_6_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 7'

Column Name: ss_note_multi_dict_7_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_7_code. See ss_note_multi_dict_7_code for more information.

Column Name: ss_note_multi_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 8'

Column Name: ss_note_multi_dict_8_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_8_code. See ss_note_multi_dict_8_code for more information.

Column Name: ss_note_multi_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 9'

Column Name: ss_note_multi_dict_9_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_9_code. See ss_note_multi_dict_9_code for more information.

Column Name: ss_note_scroll_text_1

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 1'

Column Name: ss_note_scroll_text_10

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 10'

Column Name: ss_note_scroll_text_2

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 2'

Column Name: ss_note_scroll_text_3

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 3'

Column Name: ss_note_scroll_text_4

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 4'

Column Name: ss_note_scroll_text_5

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 5'

Column Name: ss_note_scroll_text_6

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 6'

Column Name: ss_note_scroll_text_7

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 7'

Column Name: ss_note_scroll_text_8

Column Type: varchar

Max Length: 32700
'SS Note Scrolling Text 8'

Column Name: ss_note_scroll_text_9
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 9'

Column Name: ss_note_sing_dict_10_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 10'

Column Name: ss_note_sing_dict_10_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 1'

Column Name: ss_note_sing_dict_1_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 2'

Column Name: ss_note_sing_dict_2_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 3'

Column Name: ss_note_sing_dict_3_value
Column Type: varchar
Max Length: 80

The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 4'

Column Name: ss_note_sing_dict_4_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 5'

Column Name: ss_note_sing_dict_5_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 6'

Column Name: ss_note_sing_dict_6_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 7'

Column Name: ss_note_sing_dict_7_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 8'

Column Name: ss_note_sing_dict_8_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 9'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1

Column Type: varchar

Max Length: 20

'SS Note Staff Member 1'

Column Name: ss_note_staff_10

Column Type: varchar

Max Length: 20

'SS Note Staff Member 10'

Column Name: ss_note_staff_2

Column Type: varchar

Max Length: 20

'SS Note Staff Member 2'

Column Name: ss_note_staff_3

Column Type: varchar

Max Length: 20

'SS Note Staff Member 3'

Column Name: ss_note_staff_4

Column Type: varchar

Max Length: 20

'SS Note Staff Member 4'

Column Name: ss_note_staff_5

Column Type: varchar

Max Length: 20

'SS Note Staff Member 5'

Column Name: ss_note_staff_6

Column Type: varchar
Max Length: 20
'SS Note Staff Member 6'

Column Name: ss_note_staff_7
Column Type: varchar
Max Length: 20
'SS Note Staff Member 7'

Column Name: ss_note_staff_8
Column Type: varchar
Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar
Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6

Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7
Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar
Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar
Max Length: 10
'SS Note Time 9'

Column Name: transcription_note
Column Type: bit
Is this is Transcription note

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
Whether the note is confidential.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: notes_field

Column Type: varchar

Max Length: 32700

The contents of the notes field.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_11
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 11'

Column Name: ss_note_20_char_text_12
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 12'

Column Name: ss_note_20_char_text_13
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 13'

Column Name: ss_note_20_char_text_14
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 14'

Column Name: ss_note_20_char_text_15
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 15'

Column Name: ss_note_20_char_text_16
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 16'

Column Name: ss_note_20_char_text_17
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 17'

Column Name: ss_note_20_char_text_18
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 18'

Column Name: ss_note_20_char_text_19
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 19'

Column Name: ss_note_20_char_text_20
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 20'

Column Name: ss_note_20_char_text_21
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 21'

Column Name: ss_note_20_char_text_22
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 22'

Column Name: ss_note_20_char_text_23
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 23'

Column Name: ss_note_20_char_text_24
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 24'

Column Name: ss_note_20_char_text_25
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 25'

Column Name: ss_note_20_char_text_26
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 26'

Column Name: ss_note_20_char_text_27
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 27'

Column Name: ss_note_20_char_text_28
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 28'

Column Name: ss_note_20_char_text_29
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 29'

Column Name: ss_note_20_char_text_30
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 30'

Column Name: ss_note_40_char_text_11
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 11'

Column Name: ss_note_40_char_text_12
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 12'

Column Name: ss_note_40_char_text_13
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 13'

Column Name: ss_note_40_char_text_14
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 14'

Column Name: ss_note_40_char_text_15
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 15'

Column Name: ss_note_40_char_text_16
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 16'

Column Name: ss_note_40_char_text_17
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 17'

Column Name: ss_note_40_char_text_18
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 18'

Column Name: ss_note_40_char_text_19
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 19'

Column Name: ss_note_40_char_text_20
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 20'

Column Name: ss_note_40_char_text_21
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 21'

Column Name: ss_note_40_char_text_22
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 22'

Column Name: ss_note_40_char_text_23
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 23'

Column Name: ss_note_40_char_text_24
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 24'

Column Name: ss_note_40_char_text_25
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 25'

Column Name: ss_note_40_char_text_26
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 26'

Column Name: ss_note_40_char_text_27
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 27'

Column Name: ss_note_40_char_text_28
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 28'

Column Name: ss_note_40_char_text_29
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 29'

Column Name: ss_note_40_char_text_30
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 30'

Column Name: ss_note_80_char_text_11
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 11'

Column Name: ss_note_80_char_text_12
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 12'

Column Name: ss_note_80_char_text_13
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 13'

Column Name: ss_note_80_char_text_14
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 14'

Column Name: ss_note_80_char_text_15
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 15'

Column Name: ss_note_80_char_text_16
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 16'

Column Name: ss_note_80_char_text_17
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 17'

Column Name: ss_note_80_char_text_18
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 18'

Column Name: ss_note_80_char_text_19
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 19'

Column Name: ss_note_80_char_text_20
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 20'

Column Name: ss_note_80_char_text_21
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 21'

Column Name: ss_note_80_char_text_22
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 22'

Column Name: ss_note_80_char_text_23
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 23'

Column Name: ss_note_80_char_text_24
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 24'

Column Name: ss_note_80_char_text_25
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 25'

Column Name: ss_note_80_char_text_26
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 26'

Column Name: ss_note_80_char_text_27
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 27'

Column Name: ss_note_80_char_text_28
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 28'

Column Name: ss_note_80_char_text_29
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 29'

Column Name: ss_note_80_char_text_30
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 30'

Column Name: ss_note_date_11
Column Type: date
'SS Note Date 11'

Column Name: ss_note_date_12
Column Type: date
'SS Note Date 12'

Column Name: ss_note_date_13
Column Type: date
'SS Note Date 13'

Column Name: ss_note_date_14
Column Type: date
'SS Note Date 14'

Column Name: ss_note_date_15
Column Type: date
'SS Note Date 15'

Column Name: ss_note_date_16
Column Type: date
'SS Note Date 16'

Column Name: ss_note_date_17
Column Type: date
'SS Note Date 17'

Column Name: ss_note_date_18
Column Type: date
'SS Note Date 18'

Column Name: ss_note_date_19
Column Type: date
'SS Note Date 19'

Column Name: ss_note_date_20
Column Type: date
'SS Note Date 20'

Column Name: ss_note_date_21
Column Type: date
'SS Note Date 21'

Column Name: ss_note_date_22
Column Type: date
'SS Note Date 22'

Column Name: ss_note_date_23
Column Type: date

'SS Note Date 23'

Column Name: ss_note_date_24

Column Type: date

'SS Note Date 24'

Column Name: ss_note_date_25

Column Type: date

'SS Note Date 25'

Column Name: ss_note_date_26

Column Type: date

'SS Note Date 26'

Column Name: ss_note_date_27

Column Type: date

'SS Note Date 27'

Column Name: ss_note_date_28

Column Type: date

'SS Note Date 28'

Column Name: ss_note_date_29

Column Type: date

'SS Note Date 29'

Column Name: ss_note_date_30

Column Type: date

'SS Note Date 30'

Column Name: ss_note_dsm_diag_11_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 11'

Column Name: ss_note_dsm_diag_11_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_11_code. See ss_note_dsm_diag_11_code for more information.

Column Name: ss_note_dsm_diag_12_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 12'

Column Name: ss_note_dsm_diag_12_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_dsm_diag_12_code`. See `ss_note_dsm_diag_12_code` for more information.

Column Name: `ss_note_dsm_diag_13_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 13'

Column Name: `ss_note_dsm_diag_13_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_13_code`. See `ss_note_dsm_diag_13_code` for more information.

Column Name: `ss_note_dsm_diag_14_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 14'

Column Name: `ss_note_dsm_diag_14_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_14_code`. See `ss_note_dsm_diag_14_code` for more information.

Column Name: `ss_note_dsm_diag_15_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 15'

Column Name: `ss_note_dsm_diag_15_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_15_code`. See `ss_note_dsm_diag_15_code` for more information.

Column Name: `ss_note_dsm_diag_16_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 16'

Column Name: `ss_note_dsm_diag_16_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_16_code`. See `ss_note_dsm_diag_16_code` for more information.

Column Name: `ss_note_dsm_diag_17_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 17'

Column Name: ss_note_dsm_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_17_code. See ss_note_dsm_diag_17_code for more information.

Column Name: ss_note_dsm_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 18'

Column Name: ss_note_dsm_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_18_code. See ss_note_dsm_diag_18_code for more information.

Column Name: ss_note_dsm_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 19'

Column Name: ss_note_dsm_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_19_code. See ss_note_dsm_diag_19_code for more information.

Column Name: ss_note_dsm_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 20'

Column Name: ss_note_dsm_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_20_code. See ss_note_dsm_diag_20_code for more information.

Column Name: ss_note_dsm_diag_21_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 21'

Column Name: ss_note_dsm_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_dsm_diag_21_code`. See `ss_note_dsm_diag_21_code` for more information.

Column Name: `ss_note_dsm_diag_22_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 22'

Column Name: `ss_note_dsm_diag_22_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_22_code`. See `ss_note_dsm_diag_22_code` for more information.

Column Name: `ss_note_dsm_diag_23_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 23'

Column Name: `ss_note_dsm_diag_23_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_23_code`. See `ss_note_dsm_diag_23_code` for more information.

Column Name: `ss_note_dsm_diag_24_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 24'

Column Name: `ss_note_dsm_diag_24_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_24_code`. See `ss_note_dsm_diag_24_code` for more information.

Column Name: `ss_note_dsm_diag_25_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 25'

Column Name: `ss_note_dsm_diag_25_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_25_code`. See `ss_note_dsm_diag_25_code` for more information.

Column Name: `ss_note_dsm_diag_26_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 26'

Column Name: ss_note_dsm_diag_26_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_26_code. See ss_note_dsm_diag_26_code for more information.

Column Name: ss_note_dsm_diag_27_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 27'

Column Name: ss_note_dsm_diag_27_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_27_code. See ss_note_dsm_diag_27_code for more information.

Column Name: ss_note_dsm_diag_28_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 28'

Column Name: ss_note_dsm_diag_28_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_28_code. See ss_note_dsm_diag_28_code for more information.

Column Name: ss_note_dsm_diag_29_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 29'

Column Name: ss_note_dsm_diag_29_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_29_code. See ss_note_dsm_diag_29_code for more information.

Column Name: ss_note_dsm_diag_30_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 30'

Column Name: ss_note_dsm_diag_30_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_dsm_diag_30_code`. See `ss_note_dsm_diag_30_code` for more information.

Column Name: `ss_note_icd9_diag_11_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 11'

Column Name: `ss_note_icd9_diag_11_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_11_code`. See `ss_note_icd9_diag_11_code` for more information.

Column Name: `ss_note_icd9_diag_12_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 12'

Column Name: `ss_note_icd9_diag_12_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_12_code`. See `ss_note_icd9_diag_12_code` for more information.

Column Name: `ss_note_icd9_diag_13_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 13'

Column Name: `ss_note_icd9_diag_13_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_13_code`. See `ss_note_icd9_diag_13_code` for more information.

Column Name: `ss_note_icd9_diag_14_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 14'

Column Name: `ss_note_icd9_diag_14_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_14_code`. See `ss_note_icd9_diag_14_code` for more information.

Column Name: `ss_note_icd9_diag_15_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 15'

Column Name: ss_note_icd9_diag_15_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_15_code. See ss_note_icd9_diag_15_code for more information.

Column Name: ss_note_icd9_diag_16_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 16'

Column Name: ss_note_icd9_diag_16_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_16_code. See ss_note_icd9_diag_16_code for more information.

Column Name: ss_note_icd9_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 17'

Column Name: ss_note_icd9_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_17_code. See ss_note_icd9_diag_17_code for more information.

Column Name: ss_note_icd9_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 18'

Column Name: ss_note_icd9_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_18_code. See ss_note_icd9_diag_18_code for more information.

Column Name: ss_note_icd9_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 19'

Column Name: ss_note_icd9_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_19_code`. See `ss_note_icd9_diag_19_code` for more information.

Column Name: `ss_note_icd9_diag_20_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 20'

Column Name: `ss_note_icd9_diag_20_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_20_code`. See `ss_note_icd9_diag_20_code` for more information.

Column Name: `ss_note_icd9_diag_21_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 21'

Column Name: `ss_note_icd9_diag_21_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_21_code`. See `ss_note_icd9_diag_21_code` for more information.

Column Name: `ss_note_icd9_diag_22_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 22'

Column Name: `ss_note_icd9_diag_22_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_22_code`. See `ss_note_icd9_diag_22_code` for more information.

Column Name: `ss_note_icd9_diag_23_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 23'

Column Name: `ss_note_icd9_diag_23_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_23_code`. See `ss_note_icd9_diag_23_code` for more information.

Column Name: `ss_note_icd9_diag_24_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 24'

Column Name: ss_note_icd9_diag_24_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_24_code. See ss_note_icd9_diag_24_code for more information.

Column Name: ss_note_icd9_diag_25_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 25'

Column Name: ss_note_icd9_diag_25_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_25_code. See ss_note_icd9_diag_25_code for more information.

Column Name: ss_note_icd9_diag_26_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 26'

Column Name: ss_note_icd9_diag_26_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_26_code. See ss_note_icd9_diag_26_code for more information.

Column Name: ss_note_icd9_diag_27_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 27'

Column Name: ss_note_icd9_diag_27_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_27_code. See ss_note_icd9_diag_27_code for more information.

Column Name: ss_note_icd9_diag_28_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 28'

Column Name: ss_note_icd9_diag_28_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_28_code. See ss_note_icd9_diag_28_code for more information.

Column Name: ss_note_icd9_diag_29_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 29'

Column Name: ss_note_icd9_diag_29_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_29_code. See ss_note_icd9_diag_29_code for more information.

Column Name: ss_note_icd9_diag_30_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 30'

Column Name: ss_note_icd9_diag_30_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_30_code. See ss_note_icd9_diag_30_code for more information.

Column Name: ss_note_multi_dict_11_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_note_multi_dict_11_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_11_code. See ss_note_multi_dict_11_code for more information.

Column Name: ss_note_multi_dict_12_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_note_multi_dict_12_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_12_code. See ss_note_multi_dict_12_code for more information.

Column Name: ss_note_multi_dict_13_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_note_multi_dict_13_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_13_code. See ss_note_multi_dict_13_code for more information.

Column Name: ss_note_multi_dict_14_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_note_multi_dict_14_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_14_code. See ss_note_multi_dict_14_code for more information.

Column Name: ss_note_multi_dict_15_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_note_multi_dict_15_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_15_code. See ss_note_multi_dict_15_code for more information.

Column Name: ss_note_multi_dict_16_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_note_multi_dict_16_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_16_code. See ss_note_multi_dict_16_code for more information.

Column Name: ss_note_multi_dict_17_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_note_multi_dict_17_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_17_code. See ss_note_multi_dict_17_code for more information.

Column Name: ss_note_multi_dict_18_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_note_multi_dict_18_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_18_code. See ss_note_multi_dict_18_code for more information.

Column Name: ss_note_multi_dict_19_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_note_multi_dict_19_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_19_code. See ss_note_multi_dict_19_code for more information.

Column Name: ss_note_multi_dict_20_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_note_multi_dict_20_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_20_code. See ss_note_multi_dict_20_code for more information.

Column Name: ss_note_multi_dict_21_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_note_multi_dict_21_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_21_code. See ss_note_multi_dict_21_code for more information.

Column Name: ss_note_multi_dict_22_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_note_multi_dict_22_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_22_code. See ss_note_multi_dict_22_code for more information.

Column Name: ss_note_multi_dict_23_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_note_multi_dict_23_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_23_code. See ss_note_multi_dict_23_code for more information.

Column Name: ss_note_multi_dict_24_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_note_multi_dict_24_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_24_code. See ss_note_multi_dict_24_code for more information.

Column Name: ss_note_multi_dict_25_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_note_multi_dict_25_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_25_code. See ss_note_multi_dict_25_code for more information.

Column Name: ss_note_multi_dict_26_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_note_multi_dict_26_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_26_code. See ss_note_multi_dict_26_code for more information.

Column Name: ss_note_multi_dict_27_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_note_multi_dict_27_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_27_code. See ss_note_multi_dict_27_code for more information.

Column Name: ss_note_multi_dict_28_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_note_multi_dict_28_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_28_code. See ss_note_multi_dict_28_code for more information.

Column Name: ss_note_multi_dict_29_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_note_multi_dict_29_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_29_code. See ss_note_multi_dict_29_code for more information.

Column Name: ss_note_multi_dict_30_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_note_multi_dict_30_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_30_code. See ss_note_multi_dict_30_code for more information.

Column Name: ss_note_scroll_text_11
Column Type: varchar
Max Length: 32700

'SS Note Scrolling Free Text 11'

Column Name: ss_note_scroll_text_12

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 12'

Column Name: ss_note_scroll_text_13

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 13'

Column Name: ss_note_scroll_text_14

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 14'

Column Name: ss_note_scroll_text_15

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 15'

Column Name: ss_note_scroll_text_16

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 16'

Column Name: ss_note_scroll_text_17

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 17'

Column Name: ss_note_scroll_text_18

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 18'

Column Name: ss_note_scroll_text_19

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 19'

Column Name: ss_note_scroll_text_20

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 20'

Column Name: ss_note_scroll_text_21

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 21'

Column Name: ss_note_scroll_text_22

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 22'

Column Name: ss_note_scroll_text_23

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 23'

Column Name: ss_note_scroll_text_24

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 24'

Column Name: ss_note_scroll_text_25

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 25'

Column Name: ss_note_scroll_text_26

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 26'

Column Name: ss_note_scroll_text_27

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 27'

Column Name: ss_note_scroll_text_28

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 28'

Column Name: ss_note_scroll_text_29

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 29'

Column Name: ss_note_scroll_text_30

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 30'

Column Name: ss_note_sing_dict_11_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 11'

Column Name: ss_note_sing_dict_11_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_11_code. See ss_note_single_dict_11_code for more information.

Column Name: ss_note_sing_dict_12_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 12'

Column Name: ss_note_sing_dict_12_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_12_code. See ss_note_single_dict_12_code for more information.

Column Name: ss_note_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 13'

Column Name: ss_note_sing_dict_13_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_13_code. See ss_note_single_dict_13_code for more information.

Column Name: ss_note_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 14'

Column Name: ss_note_sing_dict_14_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_14_code. See ss_note_single_dict_14_code for more information.

Column Name: ss_note_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 15'

Column Name: ss_note_sing_dict_15_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_15_code. See ss_note_single_dict_15_code for more information.

Column Name: ss_note_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 16'

Column Name: ss_note_sing_dict_16_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_16_code. See ss_note_single_dict_16_code for more information.

Column Name: ss_note_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 17'

Column Name: ss_note_sing_dict_17_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_17_code. See ss_note_single_dict_17_code for more information.

Column Name: ss_note_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 18'

Column Name: ss_note_sing_dict_18_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_18_code. See ss_note_single_dict_18_code for more information.

Column Name: ss_note_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 19'

Column Name: ss_note_sing_dict_19_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_19_code. See ss_note_single_dict_19_code for more information.

Column Name: ss_note_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 20'

Column Name: ss_note_sing_dict_20_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_20_code. See ss_note_single_dict_20_code for more information.

Column Name: ss_note_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 21'

Column Name: ss_note_sing_dict_21_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_21_code. See ss_note_single_dict_21_code for more information.

Column Name: ss_note_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 22'

Column Name: ss_note_sing_dict_22_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_22_code. See ss_note_single_dict_22_code for more information.

Column Name: ss_note_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 23'

Column Name: ss_note_sing_dict_23_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_23_code. See ss_note_single_dict_23_code for more information.

Column Name: ss_note_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 24'

Column Name: ss_note_sing_dict_24_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_24_code. See ss_note_single_dict_24_code for more information.

Column Name: ss_note_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 25'

Column Name: ss_note_sing_dict_25_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_25_code. See ss_note_single_dict_25_code for more information.

Column Name: ss_note_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 26'

Column Name: ss_note_sing_dict_26_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_26_code. See ss_note_single_dict_26_code for more information.

Column Name: ss_note_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 27'

Column Name: ss_note_sing_dict_27_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_27_code. See ss_note_single_dict_27_code for more information.

Column Name: ss_note_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 28'

Column Name: ss_note_sing_dict_28_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_28_code. See ss_note_single_dict_28_code for more information.

Column Name: ss_note_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 29'

Column Name: ss_note_sing_dict_29_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_29_code. See ss_note_single_dict_29_code for more information.

Column Name: ss_note_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 30'

Column Name: ss_note_sing_dict_30_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_30_code. See ss_note_single_dict_30_code for more information.

Column Name: ss_note_time_11

Column Type: varchar

Max Length: 50

'SS Note Time 11'

Column Name: ss_note_time_12

Column Type: varchar

Max Length: 50

'SS Note Time 12'

Column Name: ss_note_time_13

Column Type: varchar

Max Length: 50

'SS Note Time 13'

Column Name: ss_note_time_14

Column Type: varchar

Max Length: 50

'SS Note Time 14'

Column Name: ss_note_time_15

Column Type: varchar

Max Length: 50

'SS Note Time 15'

Column Name: ss_note_time_16

Column Type: varchar

Max Length: 50

'SS Note Time 16'

Column Name: ss_note_time_17

Column Type: varchar
Max Length: 50
'SS Note Time 17'

Column Name: ss_note_time_18
Column Type: varchar
Max Length: 50
'SS Note Time 18'

Column Name: ss_note_time_19
Column Type: varchar
Max Length: 50
'SS Note Time 19'

Column Name: ss_note_time_20
Column Type: varchar
Max Length: 50
'SS Note Time 20'

Column Name: ss_note_time_21
Column Type: varchar
Max Length: 50
'SS Note Time 21'

Column Name: ss_note_time_22
Column Type: varchar
Max Length: 50
'SS Note Time 22'

Column Name: ss_note_time_23
Column Type: varchar
Max Length: 50
'SS Note Time 23'

Column Name: ss_note_time_24
Column Type: varchar
Max Length: 50
'SS Note Time 24'

Column Name: ss_note_time_25
Column Type: varchar
Max Length: 50
'SS Note Time 25'

Column Name: ss_note_time_26
Column Type: varchar
Max Length: 50
'SS Note Time 26'

Column Name: ss_note_time_27

Column Type: varchar
Max Length: 50
'SS Note Time 27'

Column Name: ss_note_time_28
Column Type: varchar
Max Length: 50
'SS Note Time 28'

Column Name: ss_note_time_29
Column Type: varchar
Max Length: 50
'SS Note Time 29'

Column Name: ss_note_time_30
Column Type: varchar
Max Length: 50
'SS Note Time 30'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp_1

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar
Max Length: 50
'Progress Notes Pointer'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
'Confidential Notes'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: notes_field
Column Type: varchar

Max Length: 32766

'Notes Field'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_31

Column Type: varchar

Max Length: 20

'SS Note 20 Character 31'

Column Name: ss_note_20_char_text_32

Column Type: varchar

Max Length: 20

'SS Note 20 Character 32'

Column Name: ss_note_20_char_text_33

Column Type: varchar

Max Length: 20

'SS Note 20 Character 33'

Column Name: ss_note_20_char_text_34

Column Type: varchar

Max Length: 20

'SS Note 20 Character 34'

Column Name: ss_note_20_char_text_35

Column Type: varchar

Max Length: 20

'SS Note 20 Character 35'

Column Name: ss_note_20_char_text_36

Column Type: varchar

Max Length: 20

'SS Note 20 Character 36'

Column Name: ss_note_20_char_text_37

Column Type: varchar

Max Length: 20

'SS Note 20 Character 37'

Column Name: ss_note_20_char_text_38

Column Type: varchar

Max Length: 20
'SS Note 20 Character 38'

Column Name: ss_note_20_char_text_39
Column Type: varchar
Max Length: 20
'SS Note 20 Character 39'

Column Name: ss_note_20_char_text_40
Column Type: varchar
Max Length: 20
'SS Note 20 Character 40'

Column Name: ss_note_20_char_text_41
Column Type: varchar
Max Length: 20
'SS Note 20 Character 41'

Column Name: ss_note_20_char_text_42
Column Type: varchar
Max Length: 20
'SS Note 20 Character 42'

Column Name: ss_note_20_char_text_43
Column Type: varchar
Max Length: 20
'SS Note 20 Character 43'

Column Name: ss_note_20_char_text_44
Column Type: varchar
Max Length: 20
'SS Note 20 Character 44'

Column Name: ss_note_20_char_text_45
Column Type: varchar
Max Length: 20
'SS Note 20 Character 45'

Column Name: ss_note_20_char_text_46
Column Type: varchar
Max Length: 20
'SS Note 20 Character 46'

Column Name: ss_note_20_char_text_47
Column Type: varchar
Max Length: 20
'SS Note 20 Character 47'

Column Name: ss_note_20_char_text_48
Column Type: varchar

Max Length: 20
'SS Note 20 Character 48'

Column Name: ss_note_20_char_text_49
Column Type: varchar
Max Length: 20
'SS Note 20 Character 49'

Column Name: ss_note_20_char_text_50
Column Type: varchar
Max Length: 20
'SS Note 20 Character 50'

Column Name: ss_note_40_char_text_31
Column Type: varchar
Max Length: 40
'SS Note 40 Character 31'

Column Name: ss_note_40_char_text_32
Column Type: varchar
Max Length: 40
'SS Note 40 Character 32'

Column Name: ss_note_40_char_text_33
Column Type: varchar
Max Length: 40
'SS Note 40 Character 33'

Column Name: ss_note_40_char_text_34
Column Type: varchar
Max Length: 40
'SS Note 40 Character 34'

Column Name: ss_note_40_char_text_35
Column Type: varchar
Max Length: 40
'SS Note 40 Character 35'

Column Name: ss_note_40_char_text_36
Column Type: varchar
Max Length: 40
'SS Note 40 Character 36'

Column Name: ss_note_40_char_text_37
Column Type: varchar
Max Length: 40
'SS Note 40 Character 37'

Column Name: ss_note_40_char_text_38
Column Type: varchar

Max Length: 40
'SS Note 40 Character 38'

Column Name: ss_note_40_char_text_39
Column Type: varchar
Max Length: 40
'SS Note 40 Character 39'

Column Name: ss_note_40_char_text_40
Column Type: varchar
Max Length: 40
'SS Note 40 Character 40'

Column Name: ss_note_40_char_text_41
Column Type: varchar
Max Length: 40
'SS Note 40 Character 41'

Column Name: ss_note_40_char_text_42
Column Type: varchar
Max Length: 40
'SS Note 40 Character 42'

Column Name: ss_note_40_char_text_43
Column Type: varchar
Max Length: 40
'SS Note 40 Character 43'

Column Name: ss_note_40_char_text_44
Column Type: varchar
Max Length: 40
'SS Note 40 Character 44'

Column Name: ss_note_40_char_text_45
Column Type: varchar
Max Length: 40
'SS Note 40 Character 45'

Column Name: ss_note_40_char_text_46
Column Type: varchar
Max Length: 40
'SS Note 40 Character 46'

Column Name: ss_note_40_char_text_47
Column Type: varchar
Max Length: 40
'SS Note 40 Character 47'

Column Name: ss_note_40_char_text_48
Column Type: varchar

Max Length: 40
'SS Note 40 Character 48'

Column Name: ss_note_40_char_text_49
Column Type: varchar
Max Length: 40
'SS Note 40 Character 49'

Column Name: ss_note_40_char_text_50
Column Type: varchar
Max Length: 40
'SS Note 40 Character 50'

Column Name: ss_note_80_char_text_31
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 31'

Column Name: ss_note_80_char_text_32
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 32'

Column Name: ss_note_80_char_text_33
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 33'

Column Name: ss_note_80_char_text_34
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 34'

Column Name: ss_note_80_char_text_35
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 35'

Column Name: ss_note_80_char_text_36
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 36'

Column Name: ss_note_80_char_text_37
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 37'

Column Name: ss_note_80_char_text_38
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 38'

Column Name: ss_note_80_char_text_39
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 39'

Column Name: ss_note_80_char_text_40
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 40'

Column Name: ss_note_80_char_text_41
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 41'

Column Name: ss_note_80_char_text_42
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 42'

Column Name: ss_note_80_char_text_43
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 43'

Column Name: ss_note_80_char_text_44
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 44'

Column Name: ss_note_80_char_text_45
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 45'

Column Name: ss_note_80_char_text_46
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 46'

Column Name: ss_note_80_char_text_47
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 47'

Column Name: ss_note_80_char_text_48
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 48'

Column Name: ss_note_80_char_text_49
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 49'

Column Name: ss_note_80_char_text_50
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 50'

Column Name: ss_note_date_31
Column Type: date
'SS Note Date 31'

Column Name: ss_note_date_32
Column Type: date
'SS Note Date 32'

Column Name: ss_note_date_33
Column Type: date
'SS Note Date 33'

Column Name: ss_note_date_34
Column Type: date
'SS Note Date 34'

Column Name: ss_note_date_35
Column Type: date
'SS Note Date 35'

Column Name: ss_note_date_36
Column Type: date
'SS Note Date 36'

Column Name: ss_note_date_37
Column Type: date
'SS Note Date 37'

Column Name: ss_note_date_38
Column Type: date
'SS Note Date 38'

Column Name: ss_note_date_39
Column Type: date
'SS Note Date 39'

Column Name: ss_note_date_40

Column Type: date
'SS Note Date 40'

Column Name: ss_note_date_41
Column Type: date
'SS Note Date 41'

Column Name: ss_note_date_42
Column Type: date
'SS Note Date 42'

Column Name: ss_note_date_43
Column Type: date
'SS Note Date 43'

Column Name: ss_note_date_44
Column Type: date
'SS Note Date 44'

Column Name: ss_note_date_45
Column Type: date
'SS Note Date 45'

Column Name: ss_note_date_46
Column Type: date
'SS Note Date 46'

Column Name: ss_note_date_47
Column Type: date
'SS Note Date 47'

Column Name: ss_note_date_48
Column Type: date
'SS Note Date 48'

Column Name: ss_note_date_49
Column Type: date
'SS Note Date 49'

Column Name: ss_note_date_50
Column Type: date
'SS Note Date 50'

Column Name: ss_note_dsm_diag_31_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 31'

Column Name: ss_note_dsm_diag_31_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_31_code. See ss_note_dsm_diag_31_code for more information.

Column Name: ss_note_dsm_diag_32_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 32'

Column Name: ss_note_dsm_diag_32_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_32_code. See ss_note_dsm_diag_32_code for more information.

Column Name: ss_note_dsm_diag_33_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 33'

Column Name: ss_note_dsm_diag_33_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_33_code. See ss_note_dsm_diag_33_code for more information.

Column Name: ss_note_dsm_diag_34_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 34'

Column Name: ss_note_dsm_diag_34_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_34_code. See ss_note_dsm_diag_34_code for more information.

Column Name: ss_note_dsm_diag_35_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 35'

Column Name: ss_note_dsm_diag_35_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_35_code. See ss_note_dsm_diag_35_code for more information.

Column Name: ss_note_dsm_diag_36_code

Column Type: varchar

Max Length: 20
'SS Note DSM IV Diagnosis 36'

Column Name: ss_note_dsm_diag_36_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_36_code. See ss_note_dsm_diag_36_code for more information.

Column Name: ss_note_dsm_diag_37_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 37'

Column Name: ss_note_dsm_diag_37_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_37_code. See ss_note_dsm_diag_37_code for more information.

Column Name: ss_note_dsm_diag_38_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 38'

Column Name: ss_note_dsm_diag_38_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_38_code. See ss_note_dsm_diag_38_code for more information.

Column Name: ss_note_dsm_diag_39_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 39'

Column Name: ss_note_dsm_diag_39_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_39_code. See ss_note_dsm_diag_39_code for more information.

Column Name: ss_note_dsm_diag_40_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 40'

Column Name: ss_note_dsm_diag_40_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_40_code`. See `ss_note_dsm_diag_40_code` for more information.

Column Name: `ss_note_dsm_diag_41_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 41'

Column Name: `ss_note_dsm_diag_41_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_41_code`. See `ss_note_dsm_diag_41_code` for more information.

Column Name: `ss_note_dsm_diag_42_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 42'

Column Name: `ss_note_dsm_diag_42_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_42_code`. See `ss_note_dsm_diag_42_code` for more information.

Column Name: `ss_note_dsm_diag_43_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 43'

Column Name: `ss_note_dsm_diag_43_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_43_code`. See `ss_note_dsm_diag_43_code` for more information.

Column Name: `ss_note_dsm_diag_44_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 44'

Column Name: `ss_note_dsm_diag_44_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_44_code`. See `ss_note_dsm_diag_44_code` for more information.

Column Name: `ss_note_dsm_diag_45_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 45'

Column Name: ss_note_dsm_diag_45_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_45_code. See ss_note_dsm_diag_45_code for more information.

Column Name: ss_note_dsm_diag_46_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 46'

Column Name: ss_note_dsm_diag_46_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_46_code. See ss_note_dsm_diag_46_code for more information.

Column Name: ss_note_dsm_diag_47_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 47'

Column Name: ss_note_dsm_diag_47_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_47_code. See ss_note_dsm_diag_47_code for more information.

Column Name: ss_note_dsm_diag_48_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 48'

Column Name: ss_note_dsm_diag_48_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_48_code. See ss_note_dsm_diag_48_code for more information.

Column Name: ss_note_dsm_diag_49_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 49'

Column Name: ss_note_dsm_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_dsm_diag_49_code`. See `ss_note_dsm_diag_49_code` for more information.

Column Name: `ss_note_dsm_diag_50_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 50'

Column Name: `ss_note_dsm_diag_50_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_50_code`. See `ss_note_dsm_diag_50_code` for more information.

Column Name: `ss_note_icd9_diag_31_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 31'

Column Name: `ss_note_icd9_diag_31_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_31_code`. See `ss_note_icd9_diag_31_code` for more information.

Column Name: `ss_note_icd9_diag_32_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 32'

Column Name: `ss_note_icd9_diag_32_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_32_code`. See `ss_note_icd9_diag_32_code` for more information.

Column Name: `ss_note_icd9_diag_33_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 33'

Column Name: `ss_note_icd9_diag_33_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_33_code`. See `ss_note_icd9_diag_33_code` for more information.

Column Name: `ss_note_icd9_diag_34_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 34'

Column Name: ss_note_icd9_diag_34_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_34_code. See ss_note_icd9_diag_34_code for more information.

Column Name: ss_note_icd9_diag_35_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 35'

Column Name: ss_note_icd9_diag_35_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_35_code. See ss_note_icd9_diag_35_code for more information.

Column Name: ss_note_icd9_diag_36_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 36'

Column Name: ss_note_icd9_diag_36_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_36_code. See ss_note_icd9_diag_36_code for more information.

Column Name: ss_note_icd9_diag_37_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 37'

Column Name: ss_note_icd9_diag_37_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_37_code. See ss_note_icd9_diag_37_code for more information.

Column Name: ss_note_icd9_diag_38_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 38'

Column Name: ss_note_icd9_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_38_code`. See `ss_note_icd9_diag_38_code` for more information.

Column Name: `ss_note_icd9_diag_39_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 39'

Column Name: `ss_note_icd9_diag_39_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_39_code`. See `ss_note_icd9_diag_39_code` for more information.

Column Name: `ss_note_icd9_diag_40_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 40'

Column Name: `ss_note_icd9_diag_40_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_40_code`. See `ss_note_icd9_diag_40_code` for more information.

Column Name: `ss_note_icd9_diag_41_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 41'

Column Name: `ss_note_icd9_diag_41_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_41_code`. See `ss_note_icd9_diag_41_code` for more information.

Column Name: `ss_note_icd9_diag_42_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 42'

Column Name: `ss_note_icd9_diag_42_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_42_code`. See `ss_note_icd9_diag_42_code` for more information.

Column Name: `ss_note_icd9_diag_43_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 43'

Column Name: ss_note_icd9_diag_43_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_43_code. See ss_note_icd9_diag_43_code for more information.

Column Name: ss_note_icd9_diag_44_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 44'

Column Name: ss_note_icd9_diag_44_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_44_code. See ss_note_icd9_diag_44_code for more information.

Column Name: ss_note_icd9_diag_45_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 45'

Column Name: ss_note_icd9_diag_45_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_45_code. See ss_note_icd9_diag_45_code for more information.

Column Name: ss_note_icd9_diag_46_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 46'

Column Name: ss_note_icd9_diag_46_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_46_code. See ss_note_icd9_diag_46_code for more information.

Column Name: ss_note_icd9_diag_47_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 47'

Column Name: ss_note_icd9_diag_47_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_47_code`. See `ss_note_icd9_diag_47_code` for more information.

Column Name: `ss_note_icd9_diag_48_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 48'

Column Name: `ss_note_icd9_diag_48_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_48_code`. See `ss_note_icd9_diag_48_code` for more information.

Column Name: `ss_note_icd9_diag_49_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 49'

Column Name: `ss_note_icd9_diag_49_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_49_code`. See `ss_note_icd9_diag_49_code` for more information.

Column Name: `ss_note_icd9_diag_50_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 50'

Column Name: `ss_note_icd9_diag_50_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_50_code`. See `ss_note_icd9_diag_50_code` for more information.

Column Name: `ss_note_integer_1`

Column Type: `integer`

'SS Note Integer 1'

Column Name: `ss_note_integer_2`

Column Type: `integer`

'SS Note Integer 2'

Column Name: `ss_note_integer_3`

Column Type: `integer`

'SS Note Integer 3'

Column Name: `ss_note_integer_4`

Column Type: `integer`

'SS Note Integer 4'

Column Name: ss_note_integer_5

Column Type: integer

'SS Note Integer 5'

Column Name: ss_note_integer_6

Column Type: integer

'SS Note Integer 6'

Column Name: ss_note_multi_dict_31_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 31'

Column Name: ss_note_multi_dict_31_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_31_code. See ss_note_multi_dict_31_code for more information.

Column Name: ss_note_multi_dict_32_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 32'

Column Name: ss_note_multi_dict_32_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_32_code. See ss_note_multi_dict_32_code for more information.

Column Name: ss_note_multi_dict_33_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 33'

Column Name: ss_note_multi_dict_33_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_33_code. See ss_note_multi_dict_33_code for more information.

Column Name: ss_note_multi_dict_34_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 34'

Column Name: ss_note_multi_dict_34_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_34_code. See ss_note_multi_dict_34_code for more information.

Column Name: ss_note_multi_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 35'

Column Name: ss_note_multi_dict_35_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_35_code. See ss_note_multi_dict_35_code for more information.

Column Name: ss_note_multi_dict_36_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 36'

Column Name: ss_note_multi_dict_36_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_36_code. See ss_note_multi_dict_36_code for more information.

Column Name: ss_note_multi_dict_37_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 37'

Column Name: ss_note_multi_dict_37_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_37_code. See ss_note_multi_dict_37_code for more information.

Column Name: ss_note_multi_dict_38_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 38'

Column Name: ss_note_multi_dict_38_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_38_code. See ss_note_multi_dict_38_code for more information.

Column Name: ss_note_multi_dict_39_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 39'

Column Name: ss_note_multi_dict_39_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_39_code. See ss_note_multi_dict_39_code for more information.

Column Name: ss_note_multi_dict_40_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 40'

Column Name: ss_note_multi_dict_40_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_40_code. See ss_note_multi_dict_40_code for more information.

Column Name: ss_note_multi_dict_41_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 41'

Column Name: ss_note_multi_dict_41_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_41_code. See ss_note_multi_dict_41_code for more information.

Column Name: ss_note_multi_dict_42_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 42'

Column Name: ss_note_multi_dict_42_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_42_code. See ss_note_multi_dict_42_code for more information.

Column Name: ss_note_multi_dict_43_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 43'

Column Name: ss_note_multi_dict_43_value
Column Type: varchar
Max Length: 32700

The description associated with ss_note_multi_dict_43_code. See ss_note_multi_dict_43_code for more information.

Column Name: ss_note_multi_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 44'

Column Name: ss_note_multi_dict_44_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_44_code. See ss_note_multi_dict_44_code for more information.

Column Name: ss_note_multi_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 45'

Column Name: ss_note_multi_dict_45_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_45_code. See ss_note_multi_dict_45_code for more information.

Column Name: ss_note_multi_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 46'

Column Name: ss_note_multi_dict_46_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_46_code. See ss_note_multi_dict_46_code for more information.

Column Name: ss_note_multi_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 47'

Column Name: ss_note_multi_dict_47_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_47_code. See ss_note_multi_dict_47_code for more information.

Column Name: ss_note_multi_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 48'

Column Name: ss_note_multi_dict_48_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_48_code. See ss_note_multi_dict_48_code for more information.

Column Name: ss_note_multi_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 49'

Column Name: ss_note_multi_dict_49_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_49_code. See ss_note_multi_dict_49_code for more information.

Column Name: ss_note_multi_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 50'

Column Name: ss_note_multi_dict_50_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_50_code. See ss_note_multi_dict_50_code for more information.

Column Name: ss_note_scroll_text_31

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 31'

Column Name: ss_note_scroll_text_32

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 32'

Column Name: ss_note_scroll_text_33

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 33'

Column Name: ss_note_scroll_text_34

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 34'

Column Name: ss_note_scroll_text_35
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 35'

Column Name: ss_note_scroll_text_36
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 36'

Column Name: ss_note_scroll_text_37
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 37'

Column Name: ss_note_scroll_text_38
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 38'

Column Name: ss_note_scroll_text_39
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 39'

Column Name: ss_note_scroll_text_40
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 40'

Column Name: ss_note_scroll_text_41
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 41'

Column Name: ss_note_scroll_text_42
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 42'

Column Name: ss_note_scroll_text_43
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 43'

Column Name: ss_note_scroll_text_44
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 44'

Column Name: ss_note_scroll_text_45
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 45'

Column Name: ss_note_scroll_text_46
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 46'

Column Name: ss_note_scroll_text_47
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 47'

Column Name: ss_note_scroll_text_48
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 48'

Column Name: ss_note_scroll_text_49
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 49'

Column Name: ss_note_scroll_text_50
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 50'

Column Name: ss_note_sing_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 31'

Column Name: ss_note_sing_dict_31_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_31_code. See ss_note_sing_dict_31_code for more information.

Column Name: ss_note_sing_dict_32_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 32'

Column Name: ss_note_sing_dict_32_value
Column Type: varchar
Max Length: 80

The description associated with ss_note_sing_dict_32_code. See ss_note_sing_dict_32_code for more information.

Column Name: ss_note_sing_dict_33_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 33'

Column Name: ss_note_sing_dict_33_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_33_code. See ss_note_sing_dict_33_code for more information.

Column Name: ss_note_sing_dict_34_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 34'

Column Name: ss_note_sing_dict_34_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_34_code. See ss_note_sing_dict_34_code for more information.

Column Name: ss_note_sing_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 35'

Column Name: ss_note_sing_dict_35_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_35_code. See ss_note_sing_dict_35_code for more information.

Column Name: ss_note_sing_dict_36_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 36'

Column Name: ss_note_sing_dict_36_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_36_code. See ss_note_sing_dict_36_code for more information.

Column Name: ss_note_sing_dict_37_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 37'

Column Name: ss_note_sing_dict_37_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_37_code. See ss_note_sing_dict_37_code for more information.

Column Name: ss_note_sing_dict_38_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 38'

Column Name: ss_note_sing_dict_38_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_38_code. See ss_note_sing_dict_38_code for more information.

Column Name: ss_note_sing_dict_39_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 39'

Column Name: ss_note_sing_dict_39_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_39_code. See ss_note_sing_dict_39_code for more information.

Column Name: ss_note_sing_dict_40_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 40'

Column Name: ss_note_sing_dict_40_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_40_code. See ss_note_sing_dict_40_code for more information.

Column Name: ss_note_sing_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 41'

Column Name: ss_note_sing_dict_41_value

Column Type: varchar

Max Length: 80

The description associated with `ss_note_sing_dict_41_code`. See `ss_note_sing_dict_41_code` for more information.

Column Name: `ss_note_sing_dict_42_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 42'

Column Name: `ss_note_sing_dict_42_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_42_code`. See `ss_note_sing_dict_42_code` for more information.

Column Name: `ss_note_sing_dict_43_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 43'

Column Name: `ss_note_sing_dict_43_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_43_code`. See `ss_note_sing_dict_43_code` for more information.

Column Name: `ss_note_sing_dict_44_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 44'

Column Name: `ss_note_sing_dict_44_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_44_code`. See `ss_note_sing_dict_44_code` for more information.

Column Name: `ss_note_sing_dict_45_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 45'

Column Name: `ss_note_sing_dict_45_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_45_code`. See `ss_note_sing_dict_45_code` for more information.

Column Name: `ss_note_sing_dict_46_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 46'

Column Name: ss_note_sing_dict_46_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_46_code. See ss_note_sing_dict_46_code for more information.

Column Name: ss_note_sing_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 47'

Column Name: ss_note_sing_dict_47_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_47_code. See ss_note_sing_dict_47_code for more information.

Column Name: ss_note_sing_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 48'

Column Name: ss_note_sing_dict_48_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_48_code. See ss_note_sing_dict_48_code for more information.

Column Name: ss_note_sing_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 49'

Column Name: ss_note_sing_dict_49_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_49_code. See ss_note_sing_dict_49_code for more information.

Column Name: ss_note_sing_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 50'

Column Name: ss_note_sing_dict_50_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_50_code. See ss_note_sing_dict_50_code for more information.

Column Name: ss_note_time_31
Column Type: varchar
Max Length: 50
'SS Note Time 31'

Column Name: ss_note_time_32
Column Type: varchar
Max Length: 50
'SS Note Time 32'

Column Name: ss_note_time_33
Column Type: varchar
Max Length: 50
'SS Note Time 33'

Column Name: ss_note_time_34
Column Type: varchar
Max Length: 50
'SS Note Time 34'

Column Name: ss_note_time_35
Column Type: varchar
Max Length: 50
'SS Note Time 35'

Column Name: ss_note_time_36
Column Type: varchar
Max Length: 50
'SS Note Time 36'

Column Name: ss_note_time_37
Column Type: varchar
Max Length: 50
'SS Note Time 37'

Column Name: ss_note_time_38
Column Type: varchar
Max Length: 50
'SS Note Time 38'

Column Name: ss_note_time_39
Column Type: varchar
Max Length: 50
'SS Note Time 39'

Column Name: ss_note_time_40
Column Type: varchar

Max Length: 50
'SS Note Time 40'

Column Name: ss_note_time_41
Column Type: varchar
Max Length: 50
'SS Note Time 41'

Column Name: ss_note_time_42
Column Type: varchar
Max Length: 50
'SS Note Time 42'

Column Name: ss_note_time_43
Column Type: varchar
Max Length: 50
'SS Note Time 43'

Column Name: ss_note_time_44
Column Type: varchar
Max Length: 50
'SS Note Time 44'

Column Name: ss_note_time_45
Column Type: varchar
Max Length: 50
'SS Note Time 45'

Column Name: ss_note_time_46
Column Type: varchar
Max Length: 50
'SS Note Time 46'

Column Name: ss_note_time_47
Column Type: varchar
Max Length: 50
'SS Note Time 47'

Column Name: ss_note_time_48
Column Type: varchar
Max Length: 50
'SS Note Time 48'

Column Name: ss_note_time_49
Column Type: varchar
Max Length: 50
'SS Note Time 49'

Column Name: ss_note_time_50
Column Type: varchar

Max Length: 50
'SS Note Time 50'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp_2

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 50

The unique ID associated with the note.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: option_desc

Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_integer_10
Column Type: integer
'SS Note Integer 10'

Column Name: ss_note_integer_11
Column Type: integer
'SS Note Integer 11'

Column Name: ss_note_integer_12
Column Type: integer
'SS Note Integer 12'

Column Name: ss_note_integer_13
Column Type: integer
'SS Note Integer 13'

Column Name: ss_note_integer_14
Column Type: integer
'SS Note Integer 14'

Column Name: ss_note_integer_15
Column Type: integer
'SS Note Integer 15'

Column Name: ss_note_integer_16
Column Type: integer
'SS Note Integer 16'

Column Name: ss_note_integer_17
Column Type: integer
'SS Note Integer 17'

Column Name: ss_note_integer_18
Column Type: integer
'SS Note Integer 18'

Column Name: ss_note_integer_19
Column Type: integer
'SS Note Integer 19'

Column Name: ss_note_integer_20

Column Type: integer
'SS Note Integer 20'

Column Name: ss_note_integer_21
Column Type: integer
'SS Note Integer 21'

Column Name: ss_note_integer_22
Column Type: integer
'SS Note Integer 22'

Column Name: ss_note_integer_23
Column Type: integer
'SS Note Integer 23'

Column Name: ss_note_integer_24
Column Type: integer
'SS Note Integer 24'

Column Name: ss_note_integer_25
Column Type: integer
'SS Note Integer 25'

Column Name: ss_note_integer_26
Column Type: integer
'SS Note Integer 26'

Column Name: ss_note_integer_27
Column Type: integer
'SS Note Integer 27'

Column Name: ss_note_integer_28
Column Type: integer
'SS Note Integer 28'

Column Name: ss_note_integer_29
Column Type: integer
'SS Note Integer 29'

Column Name: ss_note_integer_30
Column Type: integer
'SS Note Integer 30'

Column Name: ss_note_integer_31
Column Type: integer
'SS Note Integer 31'

Column Name: ss_note_integer_32
Column Type: integer
'SS Note Integer 32'

Column Name: ss_note_integer_33
Column Type: integer
'SS Note Integer 33'

Column Name: ss_note_integer_34
Column Type: integer
'SS Note Integer 34'

Column Name: ss_note_integer_35
Column Type: integer
'SS Note Integer 35'

Column Name: ss_note_integer_36
Column Type: integer
'SS Note Integer 36'

Column Name: ss_note_integer_37
Column Type: integer
'SS Note Integer 37'

Column Name: ss_note_integer_38
Column Type: integer
'SS Note Integer 38'

Column Name: ss_note_integer_39
Column Type: integer
'SS Note Integer 39'

Column Name: ss_note_integer_40
Column Type: integer
'SS Note Integer 40'

Column Name: ss_note_integer_41
Column Type: integer
'SS Note Integer 41'

Column Name: ss_note_integer_42
Column Type: integer
'SS Note Integer 42'

Column Name: ss_note_integer_43
Column Type: integer
'SS Note Integer 43'

Column Name: ss_note_integer_44
Column Type: integer
'SS Note Integer 44'

Column Name: ss_note_integer_45

Column Type: integer
'SS Note Integer 45'

Column Name: ss_note_integer_46
Column Type: integer
'SS Note Integer 46'

Column Name: ss_note_integer_47
Column Type: integer
'SS Note Integer 47'

Column Name: ss_note_integer_48
Column Type: integer
'SS Note Integer 48'

Column Name: ss_note_integer_49
Column Type: integer
'SS Note Integer 49'

Column Name: ss_note_integer_50
Column Type: integer
'SS Note Integer 50'

Column Name: ss_note_integer_7
Column Type: integer
'SS Note Integer 7'

Column Name: ss_note_integer_8
Column Type: integer
'SS Note Integer 8'

Column Name: ss_note_integer_9
Column Type: integer
'SS Note Integer 9'

Column Name: ss_note_staff_11
Column Type: varchar
Max Length: 20
'SS Note Staff Member 11'

Column Name: ss_note_staff_12
Column Type: varchar
Max Length: 20
'SS Note Staff Member 12'

Column Name: ss_note_staff_13
Column Type: varchar
Max Length: 20
'SS Note Staff Member 13'

Column Name: ss_note_staff_14
Column Type: varchar
Max Length: 20
'SS Note Staff Member 14'

Column Name: ss_note_staff_15
Column Type: varchar
Max Length: 20
'SS Note Staff Member 15'

Column Name: ss_note_staff_16
Column Type: varchar
Max Length: 20
'SS Note Staff Member 16'

Column Name: ss_note_staff_17
Column Type: varchar
Max Length: 20
'SS Note Staff Member 17'

Column Name: ss_note_staff_18
Column Type: varchar
Max Length: 20
'SS Note Staff Member 18'

Column Name: ss_note_staff_19
Column Type: varchar
Max Length: 20
'SS Note Staff Member 19'

Column Name: ss_note_staff_20
Column Type: varchar
Max Length: 20
'SS Note Staff Member 20'

Column Name: ss_note_staff_21
Column Type: varchar
Max Length: 20
'SS Note Staff Member 21'

Column Name: ss_note_staff_22
Column Type: varchar
Max Length: 20
'SS Note Staff Member 22'

Column Name: ss_note_staff_23
Column Type: varchar
Max Length: 20
'SS Note Staff Member 23'

Column Name: ss_note_staff_24
Column Type: varchar
Max Length: 20
'SS Note Staff Member 24'

Column Name: ss_note_staff_25
Column Type: varchar
Max Length: 20
'SS Note Staff Member 25'

Column Name: ss_note_staff_26
Column Type: varchar
Max Length: 20
'SS Note Staff Member 26'

Column Name: ss_note_staff_27
Column Type: varchar
Max Length: 20
'SS Note Staff Member 27'

Column Name: ss_note_staff_28
Column Type: varchar
Max Length: 20
'SS Note Staff Member 28'

Column Name: ss_note_staff_29
Column Type: varchar
Max Length: 20
'SS Note Staff Member 29'

Column Name: ss_note_staff_30
Column Type: varchar
Max Length: 20
'SS Note Staff Member 30'

Column Name: ss_note_staff_31
Column Type: varchar
Max Length: 20
'SS Note Staff Member 31'

Column Name: ss_note_staff_32
Column Type: varchar
Max Length: 20
'SS Note Staff Member 32'

Column Name: ss_note_staff_33
Column Type: varchar
Max Length: 20
'SS Note Staff Member 33'

Column Name: ss_note_staff_34
Column Type: varchar
Max Length: 20
'SS Note Staff Member 34'

Column Name: ss_note_staff_35
Column Type: varchar
Max Length: 20
'SS Note Staff Member 35'

Column Name: ss_note_staff_36
Column Type: varchar
Max Length: 20
'SS Note Staff Member 36'

Column Name: ss_note_staff_37
Column Type: varchar
Max Length: 20
'SS Note Staff Member 37'

Column Name: ss_note_staff_38
Column Type: varchar
Max Length: 20
'SS Note Staff Member 38'

Column Name: ss_note_staff_39
Column Type: varchar
Max Length: 20
'SS Note Staff Member 39'

Column Name: ss_note_staff_40
Column Type: varchar
Max Length: 20
'SS Note Staff Member 40'

Column Name: ss_note_staff_41
Column Type: varchar
Max Length: 20
'SS Note Staff Member 41'

Column Name: ss_note_staff_42
Column Type: varchar
Max Length: 20
'SS Note Staff Member 42'

Column Name: ss_note_staff_43
Column Type: varchar
Max Length: 20
'SS Note Staff Member 43'

Column Name: ss_note_staff_44
Column Type: varchar
Max Length: 20
'SS Note Staff Member 44'

Column Name: ss_note_staff_45
Column Type: varchar
Max Length: 20
'SS Note Staff Member 45'

Column Name: ss_note_staff_46
Column Type: varchar
Max Length: 20
'SS Note Staff Member 46'

Column Name: ss_note_staff_47
Column Type: varchar
Max Length: 20
'SS Note Staff Member 47'

Column Name: ss_note_staff_48
Column Type: varchar
Max Length: 20
'SS Note Staff Member 48'

Column Name: ss_note_staff_49
Column Type: varchar
Max Length: 20
'SS Note Staff Member 49'

Column Name: ss_note_staff_50
Column Type: varchar
Max Length: 20
'SS Note Staff Member 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp_3

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: form_number

Column Type: varchar

Max Length: 50

The form number of the form that last updated the row.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: ss_notec_multi_dict_10_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 10'

Column Name: ss_notec_multi_dict_10_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_10_code. See ss_notec_multi_dict_10_code for more information.

Column Name: ss_notec_multi_dict_11_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_notec_multi_dict_11_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_11_code. See ss_notec_multi_dict_11_code for more information.

Column Name: ss_notec_multi_dict_12_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_notec_multi_dict_12_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_12_code. See ss_notec_multi_dict_12_code for more information.

Column Name: ss_notec_multi_dict_13_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_notec_multi_dict_13_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_13_code. See ss_notec_multi_dict_13_code for more information.

Column Name: ss_notec_multi_dict_14_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_notec_multi_dict_14_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_14_code. See ss_notec_multi_dict_14_code for more information.

Column Name: ss_notec_multi_dict_15_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_notec_multi_dict_15_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_15_code. See ss_notec_multi_dict_15_code for more information.

Column Name: ss_notec_multi_dict_16_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_notec_multi_dict_16_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_16_code. See ss_notec_multi_dict_16_code for more information.

Column Name: ss_notec_multi_dict_17_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_notec_multi_dict_17_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_17_code. See ss_notec_multi_dict_17_code for more information.

Column Name: ss_notec_multi_dict_18_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_notec_multi_dict_18_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_18_code. See ss_notec_multi_dict_18_code for more information.

Column Name: ss_notec_multi_dict_19_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_notec_multi_dict_19_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_19_code. See ss_notec_multi_dict_19_code for more information.

Column Name: ss_notec_multi_dict_1_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 1'

Column Name: ss_notec_multi_dict_1_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_1_code. See ss_notec_multi_dict_1_code for more information.

Column Name: ss_notec_multi_dict_20_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_notec_multi_dict_20_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_20_code. See ss_notec_multi_dict_20_code for more information.

Column Name: ss_notec_multi_dict_21_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_notec_multi_dict_21_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_21_code. See ss_notec_multi_dict_21_code for more information.

Column Name: ss_notec_multi_dict_22_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_notec_multi_dict_22_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_22_code. See ss_notec_multi_dict_22_code for more information.

Column Name: ss_notec_multi_dict_23_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_notec_multi_dict_23_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_23_code. See ss_notec_multi_dict_23_code for more information.

Column Name: ss_notec_multi_dict_24_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_notec_multi_dict_24_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_24_code. See ss_notec_multi_dict_24_code for more information.

Column Name: ss_notec_multi_dict_25_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_notec_multi_dict_25_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_25_code. See ss_notec_multi_dict_25_code for more information.

Column Name: ss_notec_multi_dict_26_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_notec_multi_dict_26_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_26_code. See ss_notec_multi_dict_26_code for more information.

Column Name: ss_notec_multi_dict_27_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_notec_multi_dict_27_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_27_code. See ss_notec_multi_dict_27_code for more information.

Column Name: ss_notec_multi_dict_28_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_notec_multi_dict_28_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_28_code. See ss_notec_multi_dict_28_code for more information.

Column Name: ss_notec_multi_dict_29_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_notec_multi_dict_29_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_29_code. See ss_notec_multi_dict_29_code for more information.

Column Name: ss_notec_multi_dict_2_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 2'

Column Name: ss_notec_multi_dict_2_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_2_code. See ss_notec_multi_dict_2_code for more information.

Column Name: ss_notec_multi_dict_30_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_notec_multi_dict_30_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_30_code. See ss_notec_multi_dict_30_code for more information.

Column Name: ss_notec_multi_dict_31_code

Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 31'

Column Name: ss_notec_multi_dict_31_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_31_code. See ss_notec_multi_dict_31_code for more information.

Column Name: ss_notec_multi_dict_32_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 32'

Column Name: ss_notec_multi_dict_32_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_32_code. See ss_notec_multi_dict_32_code for more information.

Column Name: ss_notec_multi_dict_33_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 33'

Column Name: ss_notec_multi_dict_33_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_33_code. See ss_notec_multi_dict_33_code for more information.

Column Name: ss_notec_multi_dict_34_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 34'

Column Name: ss_notec_multi_dict_34_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_34_code. See ss_notec_multi_dict_34_code for more information.

Column Name: ss_notec_multi_dict_35_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 35'

Column Name: ss_notec_multi_dict_35_value
Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_35_code. See ss_notec_multi_dict_35_code for more information.

Column Name: ss_notec_multi_dict_36_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 36'

Column Name: ss_notec_multi_dict_36_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_36_code. See ss_notec_multi_dict_36_code for more information.

Column Name: ss_notec_multi_dict_37_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 37'

Column Name: ss_notec_multi_dict_37_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_37_code. See ss_notec_multi_dict_37_code for more information.

Column Name: ss_notec_multi_dict_38_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 38'

Column Name: ss_notec_multi_dict_38_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_38_code. See ss_notec_multi_dict_38_code for more information.

Column Name: ss_notec_multi_dict_39_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 39'

Column Name: ss_notec_multi_dict_39_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_39_code. See ss_notec_multi_dict_39_code for more information.

Column Name: ss_notec_multi_dict_3_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 3'

Column Name: ss_notec_multi_dict_3_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_3_code. See ss_notec_multi_dict_3_code for more information.

Column Name: ss_notec_multi_dict_40_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 40'

Column Name: ss_notec_multi_dict_40_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_40_code. See ss_notec_multi_dict_40_code for more information.

Column Name: ss_notec_multi_dict_41_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 41'

Column Name: ss_notec_multi_dict_41_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_41_code. See ss_notec_multi_dict_41_code for more information.

Column Name: ss_notec_multi_dict_42_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 42'

Column Name: ss_notec_multi_dict_42_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_42_code. See ss_notec_multi_dict_42_code for more information.

Column Name: ss_notec_multi_dict_43_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 43'

Column Name: ss_notec_multi_dict_43_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_43_code. See ss_notec_multi_dict_43_code for more information.

Column Name: ss_notec_multi_dict_44_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 44'

Column Name: ss_notec_multi_dict_44_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_44_code. See ss_notec_multi_dict_44_code for more information.

Column Name: ss_notec_multi_dict_45_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 45'

Column Name: ss_notec_multi_dict_45_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_45_code. See ss_notec_multi_dict_45_code for more information.

Column Name: ss_notec_multi_dict_46_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 46'

Column Name: ss_notec_multi_dict_46_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_46_code. See ss_notec_multi_dict_46_code for more information.

Column Name: ss_notec_multi_dict_47_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 47'

Column Name: ss_notec_multi_dict_47_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_47_code. See ss_notec_multi_dict_47_code for more information.

Column Name: ss_notec_multi_dict_48_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 48'

Column Name: ss_notec_multi_dict_48_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_48_code. See ss_notec_multi_dict_48_code for more information.

Column Name: ss_notec_multi_dict_49_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 49'

Column Name: ss_notec_multi_dict_49_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_49_code. See ss_notec_multi_dict_49_code for more information.

Column Name: ss_notec_multi_dict_4_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 4'

Column Name: ss_notec_multi_dict_4_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_4_code. See ss_notec_multi_dict_4_code for more information.

Column Name: ss_notec_multi_dict_50_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 50'

Column Name: ss_notec_multi_dict_50_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_50_code. See ss_notec_multi_dict_50_code for more information.

Column Name: ss_notec_multi_dict_5_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 5'

Column Name: ss_notec_multi_dict_5_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_5_code`. See `ss_notec_multi_dict_5_code` for more information.

Column Name: `ss_notec_multi_dict_6_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 6'

Column Name: `ss_notec_multi_dict_6_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_6_code`. See `ss_notec_multi_dict_6_code` for more information.

Column Name: `ss_notec_multi_dict_7_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 7'

Column Name: `ss_notec_multi_dict_7_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_7_code`. See `ss_notec_multi_dict_7_code` for more information.

Column Name: `ss_notec_multi_dict_8_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 8'

Column Name: `ss_notec_multi_dict_8_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_8_code`. See `ss_notec_multi_dict_8_code` for more information.

Column Name: `ss_notec_multi_dict_9_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 9'

Column Name: `ss_notec_multi_dict_9_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_9_code`. See `ss_notec_multi_dict_9_code` for more information.

Column Name: `ss_notec_sing_dict_10_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Single Response Dictionary 10'

Column Name: ss_notec_sing_dict_10_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_10_code. See ss_notec_sing_dict_10_code for more information.

Column Name: ss_notec_sing_dict_11_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 11'

Column Name: ss_notec_sing_dict_11_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_11_code. See ss_notec_sing_dict_11_code for more information.

Column Name: ss_notec_sing_dict_12_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 12'

Column Name: ss_notec_sing_dict_12_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_12_code. See ss_notec_sing_dict_12_code for more information.

Column Name: ss_notec_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 13'

Column Name: ss_notec_sing_dict_13_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_13_code. See ss_notec_sing_dict_13_code for more information.

Column Name: ss_notec_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 14'

Column Name: ss_notec_sing_dict_14_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_14_code. See ss_notec_sing_dict_14_code for more information.

Column Name: ss_notec_sing_dict_15_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 15'

Column Name: ss_notec_sing_dict_15_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_15_code. See ss_notec_sing_dict_15_code for more information.

Column Name: ss_notec_sing_dict_16_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 16'

Column Name: ss_notec_sing_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_16_code. See ss_notec_sing_dict_16_code for more information.

Column Name: ss_notec_sing_dict_17_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 17'

Column Name: ss_notec_sing_dict_17_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_17_code. See ss_notec_sing_dict_17_code for more information.

Column Name: ss_notec_sing_dict_18_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 18'

Column Name: ss_notec_sing_dict_18_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_18_code. See ss_notec_sing_dict_18_code for more information.

Column Name: ss_notec_sing_dict_19_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 19'

Column Name: ss_notec_sing_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_19_code. See ss_notec_sing_dict_19_code for more information.

Column Name: ss_notec_sing_dict_1_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 1'

Column Name: ss_notec_sing_dict_1_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_1_code. See ss_notec_sing_dict_1_code for more information.

Column Name: ss_notec_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 20'

Column Name: ss_notec_sing_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_20_code. See ss_notec_sing_dict_20_code for more information.

Column Name: ss_notec_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 21'

Column Name: ss_notec_sing_dict_21_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_21_code. See ss_notec_sing_dict_21_code for more information.

Column Name: ss_notec_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 22'

Column Name: ss_notec_sing_dict_22_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_22_code. See ss_notec_sing_dict_22_code for more information.

Column Name: ss_notec_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 23'

Column Name: ss_notec_sing_dict_23_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_23_code. See ss_notec_sing_dict_23_code for more information.

Column Name: ss_notec_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 24'

Column Name: ss_notec_sing_dict_24_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_24_code. See ss_notec_sing_dict_24_code for more information.

Column Name: ss_notec_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 25'

Column Name: ss_notec_sing_dict_25_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_25_code. See ss_notec_sing_dict_25_code for more information.

Column Name: ss_notec_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 26'

Column Name: ss_notec_sing_dict_26_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_26_code. See ss_notec_sing_dict_26_code for more information.

Column Name: ss_notec_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 27'

Column Name: ss_notec_sing_dict_27_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_27_code. See ss_notec_sing_dict_27_code for more information.

Column Name: ss_notec_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 28'

Column Name: ss_notec_sing_dict_28_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_28_code. See ss_notec_sing_dict_28_code for more information.

Column Name: ss_notec_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 29'

Column Name: ss_notec_sing_dict_29_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_29_code. See ss_notec_sing_dict_29_code for more information.

Column Name: ss_notec_sing_dict_2_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 2'

Column Name: ss_notec_sing_dict_2_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_2_code. See ss_notec_sing_dict_2_code for more information.

Column Name: ss_notec_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 30'

Column Name: ss_notec_sing_dict_30_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_30_code. See ss_notec_sing_dict_30_code for more information.

Column Name: ss_notec_sing_dict_31_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 31'

Column Name: ss_notec_sing_dict_31_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_31_code. See ss_notec_sing_dict_31_code for more information.

Column Name: ss_notec_sing_dict_32_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 32'

Column Name: ss_notec_sing_dict_32_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_32_code. See ss_notec_sing_dict_32_code for more information.

Column Name: ss_notec_sing_dict_33_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 33'

Column Name: ss_notec_sing_dict_33_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_33_code. See ss_notec_sing_dict_33_code for more information.

Column Name: ss_notec_sing_dict_34_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 34'

Column Name: ss_notec_sing_dict_34_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_34_code. See ss_notec_sing_dict_34_code for more information.

Column Name: ss_notec_sing_dict_35_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 35'

Column Name: ss_notec_sing_dict_35_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_35_code. See ss_notec_sing_dict_35_code for more information.

Column Name: ss_notec_sing_dict_36_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 36'

Column Name: ss_notec_sing_dict_36_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_36_code. See ss_notec_sing_dict_36_code for more information.

Column Name: ss_notec_sing_dict_37_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 37'

Column Name: ss_notec_sing_dict_37_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_37_code. See ss_notec_sing_dict_37_code for more information.

Column Name: ss_notec_sing_dict_38_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 38'

Column Name: ss_notec_sing_dict_38_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_38_code. See ss_notec_sing_dict_38_code for more information.

Column Name: ss_notec_sing_dict_39_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 39'

Column Name: ss_notec_sing_dict_39_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_39_code. See ss_notec_sing_dict_39_code for more information.

Column Name: ss_notec_sing_dict_3_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 3'

Column Name: ss_notec_sing_dict_3_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_3_code. See ss_notec_sing_dict_3_code for more information.

Column Name: ss_notec_sing_dict_40_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 40'

Column Name: ss_notec_sing_dict_40_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_40_code. See ss_notec_sing_dict_40_code for more information.

Column Name: ss_notec_sing_dict_41_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 41'

Column Name: ss_notec_sing_dict_41_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_41_code. See ss_notec_sing_dict_41_code for more information.

Column Name: ss_notec_sing_dict_42_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 42'

Column Name: ss_notec_sing_dict_42_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_42_code. See ss_notec_sing_dict_42_code for more information.

Column Name: ss_notec_sing_dict_43_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 43'

Column Name: ss_notec_sing_dict_43_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_43_code. See ss_notec_sing_dict_43_code for more information.

Column Name: ss_notec_sing_dict_44_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 44'

Column Name: ss_notec_sing_dict_44_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_44_code. See ss_notec_sing_dict_44_code for more information.

Column Name: ss_notec_sing_dict_45_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 45'

Column Name: ss_notec_sing_dict_45_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_45_code. See ss_notec_sing_dict_45_code for more information.

Column Name: ss_notec_sing_dict_46_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 46'

Column Name: ss_notec_sing_dict_46_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_46_code. See ss_notec_sing_dict_46_code for more information.

Column Name: ss_notec_sing_dict_47_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 47'

Column Name: ss_notec_sing_dict_47_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_47_code. See ss_notec_sing_dict_47_code for more information.

Column Name: ss_notec_sing_dict_48_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 48'

Column Name: ss_notec_sing_dict_48_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_48_code. See ss_notec_sing_dict_48_code for more information.

Column Name: ss_notec_sing_dict_49_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 49'

Column Name: ss_notec_sing_dict_49_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_49_code. See ss_notec_sing_dict_49_code for more information.

Column Name: ss_notec_sing_dict_4_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 4'

Column Name: ss_notec_sing_dict_4_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_4_code. See ss_notec_sing_dict_4_code for more information.

Column Name: ss_notec_sing_dict_50_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 50'

Column Name: ss_notec_sing_dict_50_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_50_code. See ss_notec_sing_dict_50_code for more information.

Column Name: ss_notec_sing_dict_5_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 5'

Column Name: ss_notec_sing_dict_5_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_5_code. See ss_notec_sing_dict_5_code for more information.

Column Name: ss_notec_sing_dict_6_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 6'

Column Name: ss_notec_sing_dict_6_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_6_code. See ss_notec_sing_dict_6_code for more information.

Column Name: ss_notec_sing_dict_7_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 7'

Column Name: ss_notec_sing_dict_7_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_7_code. See ss_notec_sing_dict_7_code for more information.

Column Name: ss_notec_sing_dict_8_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 8'

Column Name: ss_notec_sing_dict_8_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_8_code. See ss_notec_sing_dict_8_code for more information.

Column Name: ss_notec_sing_dict_9_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 9'

Column Name: ss_notec_sing_dict_9_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_9_code. See ss_notec_sing_dict_9_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp_4

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a progress note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number

Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mult_dic_51_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 51'

Column Name: ss_notc_mult_dic_51_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_51_code. See ss_notc_mult_dic_51_code for more information.

Column Name: ss_notc_mult_dic_52_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 52'

Column Name: ss_notc_mult_dic_52_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_52_code. See ss_notc_mult_dic_52_code for more information.

Column Name: ss_notc_mult_dic_53_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 53'

Column Name: ss_notc_mult_dic_53_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_53_code. See ss_notc_mult_dic_53_code for more information.

Column Name: ss_notc_mult_dic_54_code
Column Type: varchar
Max Length: 50

'SS Note Copy Multiple Response Dictionary 54'

Column Name: ss_notc_mult_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_54_code. See ss_notc_mult_dic_54_code for more information.

Column Name: ss_notc_mult_dic_55_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 55'

Column Name: ss_notc_mult_dic_55_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_55_code. See ss_notc_mult_dic_55_code for more information.

Column Name: ss_notc_mult_dic_56_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 56'

Column Name: ss_notc_mult_dic_56_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_56_code. See ss_notc_mult_dic_56_code for more information.

Column Name: ss_notc_mult_dic_57_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 57'

Column Name: ss_notc_mult_dic_57_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_57_code. See ss_notc_mult_dic_57_code for more information.

Column Name: ss_notc_mult_dic_58_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 58'

Column Name: ss_notc_mult_dic_58_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_58_code`. See `ss_notc_mult_dic_58_code` for more information.

Column Name: `ss_notc_mult_dic_59_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 59'

Column Name: `ss_notc_mult_dic_59_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_59_code`. See `ss_notc_mult_dic_59_code` for more information.

Column Name: `ss_notc_mult_dic_60_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 60'

Column Name: `ss_notc_mult_dic_60_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_60_code`. See `ss_notc_mult_dic_60_code` for more information.

Column Name: `ss_notc_mult_dic_61_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 61'

Column Name: `ss_notc_mult_dic_61_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_61_code`. See `ss_notc_mult_dic_61_code` for more information.

Column Name: `ss_notc_mult_dic_62_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 62'

Column Name: `ss_notc_mult_dic_62_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_62_code`. See `ss_notc_mult_dic_62_code` for more information.

Column Name: `ss_notc_mult_dic_63_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Multiple Response Dictionary 63'

Column Name: ss_notc_mult_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_63_code. See ss_notc_mult_dic_63_code for more information.

Column Name: ss_notc_mult_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 64'

Column Name: ss_notc_mult_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_64_code. See ss_notc_mult_dic_64_code for more information.

Column Name: ss_notc_mult_dic_65_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 65'

Column Name: ss_notc_mult_dic_65_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mult_dic_65_code. See ss_notc_mult_dic_65_code for more information.

Column Name: ss_notc_mult_dic_66_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 66'

Column Name: ss_notc_mult_dic_66_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_66_code. See ss_notc_mult_dic_66_code for more information.

Column Name: ss_notc_mult_dic_67_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 67'

Column Name: ss_notc_mult_dic_67_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_67_code`. See `ss_notc_mult_dic_67_code` for more information.

Column Name: `ss_notc_mult_dic_68_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 68'

Column Name: `ss_notc_mult_dic_68_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_68_code`. See `ss_notc_mult_dic_68_code` for more information.

Column Name: `ss_notc_mult_dic_69_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 69'

Column Name: `ss_notc_mult_dic_69_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_69_code`. See `ss_notc_mult_dic_69_code` for more information.

Column Name: `ss_notc_mult_dic_70_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 70'

Column Name: `ss_notc_mult_dic_70_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_70_code`. See `ss_notc_mult_dic_70_code` for more information.

Column Name: `ss_notc_mult_dic_71_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 71'

Column Name: `ss_notc_mult_dic_71_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_71_code`. See `ss_notc_mult_dic_71_code` for more information.

Column Name: `ss_notc_mult_dic_72_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Multiple Response Dictionary 72'

Column Name: ss_notc_mult_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_72_code. See ss_notc_mult_dic_72_code for more information.

Column Name: ss_notc_mult_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 73'

Column Name: ss_notc_mult_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_73_code. See ss_notc_mult_dic_73_code for more information.

Column Name: ss_notc_mult_dic_74_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 74'

Column Name: ss_notc_mult_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_74_code. See ss_notc_mult_dic_74_code for more information.

Column Name: ss_notc_mult_dic_75_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 75'

Column Name: ss_notc_mult_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mult_dic_75_code. See ss_notc_mult_dic_75_code for more information.

Column Name: ss_notc_mult_dic_76_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 76'

Column Name: ss_notc_mult_dic_76_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_76_code. See ss_notc_mult_dic_76_code for more information.

Column Name: ss_notc_mult_dic_77_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 77'

Column Name: ss_notc_mult_dic_77_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_77_code. See ss_notc_mult_dic_77_code for more information.

Column Name: ss_notc_mult_dic_78_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 78'

Column Name: ss_notc_mult_dic_78_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_78_code. See ss_notc_mult_dic_78_code for more information.

Column Name: ss_notc_mult_dic_79_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 79'

Column Name: ss_notc_mult_dic_79_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_79_code. See ss_notc_mult_dic_79_code for more information.

Column Name: ss_notc_mult_dic_80_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 80'

Column Name: ss_notc_mult_dic_80_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_80_code. See ss_notc_mult_dic_80_code for more information.

Column Name: ss_notc_sin_dic_51_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 51'

Column Name: ss_notc_sin_dic_51_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_51_code. See ss_notc_sin_dic_51_code for more information.

Column Name: ss_notc_sin_dic_52_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 52'

Column Name: ss_notc_sin_dic_52_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_52_code. See ss_notc_sin_dic_52_code for more information.

Column Name: ss_notc_sin_dic_53_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 53'

Column Name: ss_notc_sin_dic_53_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_53_code. See ss_notc_sin_dic_53_code for more information.

Column Name: ss_notc_sin_dic_54_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 54'

Column Name: ss_notc_sin_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_54_code. See ss_notc_sin_dic_54_code for more information.

Column Name: ss_notc_sin_dic_55_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 55'

Column Name: ss_notc_sin_dic_55_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_55_code. See ss_notc_sin_dic_55_code for more information.

Column Name: ss_notc_sin_dic_56_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 56'

Column Name: ss_notc_sin_dic_56_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_56_code. See ss_notc_sin_dic_56_code for more information.

Column Name: ss_notc_sin_dic_57_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 57'

Column Name: ss_notc_sin_dic_57_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_57_code. See ss_notc_sin_dic_57_code for more information.

Column Name: ss_notc_sin_dic_58_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 58'

Column Name: ss_notc_sin_dic_58_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_58_code. See ss_notc_sin_dic_58_code for more information.

Column Name: ss_notc_sin_dic_59_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 59'

Column Name: ss_notc_sin_dic_59_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_59_code. See ss_notc_sin_dic_59_code for more information.

Column Name: ss_notc_sin_dic_60_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 60'

Column Name: ss_notc_sin_dic_60_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_60_code. See ss_notc_sin_dic_60_code for more information.

Column Name: ss_notc_sin_dic_61_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 61'

Column Name: ss_notc_sin_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_61_code. See ss_notc_sin_dic_61_code for more information.

Column Name: ss_notc_sin_dic_62_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 62'

Column Name: ss_notc_sin_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_62_code. See ss_notc_sin_dic_62_code for more information.

Column Name: ss_notc_sin_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 63'

Column Name: ss_notc_sin_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_63_code. See ss_notc_sin_dic_63_code for more information.

Column Name: ss_notc_sin_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 64'

Column Name: ss_notc_sin_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_64_code. See ss_notc_sin_dic_64_code for more information.

Column Name: ss_notc_sin_dic_65_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 65'

Column Name: ss_notc_sin_dic_65_value
Column Type: varchar
Max Length: 265
The description associated with ss_notc_sin_dic_65_code. See ss_notc_sin_dic_65_code for more information.

Column Name: ss_notc_sin_dic_66_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 66'

Column Name: ss_notc_sin_dic_66_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_66_code. See ss_notc_sin_dic_66_code for more information.

Column Name: ss_notc_sin_dic_67_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 67'

Column Name: ss_notc_sin_dic_67_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_67_code. See ss_notc_sin_dic_67_code for more information.

Column Name: ss_notc_sin_dic_68_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 68'

Column Name: ss_notc_sin_dic_68_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_68_code. See ss_notc_sin_dic_68_code for more information.

Column Name: ss_notc_sin_dic_69_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 69'

Column Name: ss_notc_sin_dic_69_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_69_code. See ss_notc_sin_dic_69_code for more information.

Column Name: ss_notc_sin_dic_70_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 70'

Column Name: ss_notc_sin_dic_70_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_70_code. See ss_notc_sin_dic_70_code for more information.

Column Name: ss_notc_sin_dic_71_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 71'

Column Name: ss_notc_sin_dic_71_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_71_code. See ss_notc_sin_dic_71_code for more information.

Column Name: ss_notc_sin_dic_72_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 72'

Column Name: ss_notc_sin_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_72_code. See ss_notc_sin_dic_72_code for more information.

Column Name: ss_notc_sin_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 73'

Column Name: ss_notc_sin_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_73_code. See ss_notc_sin_dic_73_code for more information.

Column Name: ss_notc_sin_dic_74_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 74'

Column Name: ss_notc_sin_dic_74_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_74_code. See ss_notc_sin_dic_74_code for more information.

Column Name: ss_notc_sin_dic_75_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 75'

Column Name: ss_notc_sin_dic_75_value
Column Type: varchar
Max Length: 275
The description associated with ss_notc_sin_dic_75_code. See ss_notc_sin_dic_75_code for more information.

Column Name: ss_notc_sin_dic_76_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 76'

Column Name: ss_notc_sin_dic_76_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_76_code. See ss_notc_sin_dic_76_code for more information.

Column Name: ss_notc_sin_dic_77_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 77'

Column Name: ss_notc_sin_dic_77_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_77_code. See ss_notc_sin_dic_77_code for more information.

Column Name: ss_notc_sin_dic_78_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 78'

Column Name: ss_notc_sin_dic_78_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_78_code. See ss_notc_sin_dic_78_code for more information.

Column Name: ss_notc_sin_dic_79_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 79'

Column Name: ss_notc_sin_dic_79_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_79_code. See ss_notc_sin_dic_79_code for more information.

Column Name: ss_notc_sin_dic_80_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 80'

Column Name: ss_notc_sin_dic_80_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_80_code. See ss_notc_sin_dic_80_code for more information.

Column Name: ss_note_mul_dict_51_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 51'

Column Name: ss_note_mul_dict_51_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_51_code limited to 255 characters. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_51_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_51_code. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_52_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 52'

Column Name: ss_note_mul_dict_52_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_52_code limited to 255 characters. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_52_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_52_code. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_53_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 53'

Column Name: ss_note_mul_dict_53_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_53_code limited to 255 characters. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_53_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_53_code. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_54_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 54'

Column Name: ss_note_mul_dict_54_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_54_code limited to 255 characters. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_54_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_54_code. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_55_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 55'

Column Name: ss_note_mul_dict_55_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_55_code limited to 255 characters. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_55_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_55_code. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_56_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 56'

Column Name: ss_note_mul_dict_56_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_56_code limited to 255 characters. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_56_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_56_code. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_57_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 57'

Column Name: ss_note_mul_dict_57_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_57_code limited to 255 characters. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_57_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_57_code. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_58_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 58'

Column Name: ss_note_mul_dict_58_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_58_code limited to 255 characters. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_58_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_58_code. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_59_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 59'

Column Name: ss_note_mul_dict_59_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_59_code limited to 255 characters. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_59_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_59_code. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_60_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 60'

Column Name: ss_note_mul_dict_60_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_60_code limited to 255 characters. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_60_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_60_code. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_61_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 61'

Column Name: ss_note_mul_dict_61_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_61_code limited to 255 characters. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_61_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_61_code. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_62_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 62'

Column Name: ss_note_mul_dict_62_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_62_code limited to 255 characters. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_62_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_62_code. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_63_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 63'

Column Name: ss_note_mul_dict_63_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_63_code limited to 255 characters. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_63_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_63_code. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_64_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 64'

Column Name: ss_note_mul_dict_64_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_64_code limited to 255 characters. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_64_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_64_code. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_65_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 65'

Column Name: ss_note_mul_dict_65_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_65_code limited to 255 characters. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_65_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_65_code. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_66_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 66'

Column Name: ss_note_mul_dict_66_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_66_code limited to 255 characters. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_66_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_66_code. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_67_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 67'

Column Name: ss_note_mul_dict_67_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_67_code limited to 255 characters. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_67_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_67_code. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_68_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 68'

Column Name: ss_note_mul_dict_68_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_68_code limited to 255 characters. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_68_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_68_code. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_69_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 69'

Column Name: ss_note_mul_dict_69_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_69_code limited to 255 characters. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_69_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_69_code. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_70_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 70'

Column Name: ss_note_mul_dict_70_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_70_code limited to 255 characters. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_70_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_70_code. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_71_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 71'

Column Name: ss_note_mul_dict_71_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_71_code limited to 255 characters. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_71_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_71_code. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_72_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 72'

Column Name: ss_note_mul_dict_72_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_72_code limited to 255 characters. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_72_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_72_code. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_73_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 73'

Column Name: ss_note_mul_dict_73_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_73_code limited to 255 characters. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_73_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_73_code. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_74_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 74'

Column Name: ss_note_mul_dict_74_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_74_code limited to 255 characters. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_74_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_74_code. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_75_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 75'

Column Name: ss_note_mul_dict_75_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_75_code limited to 255 characters. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_75_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_75_code. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_76_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 76'

Column Name: ss_note_mul_dict_76_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_76_code limited to 255 characters. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_76_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_76_code. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_77_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 77'

Column Name: ss_note_mul_dict_77_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_77_code limited to 255 characters. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_77_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_77_code. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_78_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 78'

Column Name: ss_note_mul_dict_78_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_78_code limited to 255 characters. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_78_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_78_code. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_79_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 79'

Column Name: ss_note_mul_dict_79_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_79_code limited to 255 characters. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_79_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_79_code. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_80_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 80'

Column Name: ss_note_mul_dict_80_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_80_code limited to 255 characters. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_mul_dict_80_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_80_code. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_scroll_text_51

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 51'

Column Name: ss_note_scroll_text_52

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 52'

Column Name: ss_note_scroll_text_53
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 53'

Column Name: ss_note_scroll_text_54
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 54'

Column Name: ss_note_scroll_text_55
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 55'

Column Name: ss_note_scroll_text_56
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 56'

Column Name: ss_note_scroll_text_57
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 57'

Column Name: ss_note_scroll_text_58
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 58'

Column Name: ss_note_scroll_text_59
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 59'

Column Name: ss_note_scroll_text_60
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 60'

Column Name: ss_note_scroll_text_61
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 61'

Column Name: ss_note_scroll_text_62
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 62'

Column Name: ss_note_scroll_text_63
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 63'

Column Name: ss_note_scroll_text_64
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 64'

Column Name: ss_note_scroll_text_65
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 65'

Column Name: ss_note_scroll_text_66
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 66'

Column Name: ss_note_scroll_text_67
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 67'

Column Name: ss_note_scroll_text_68
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 68'

Column Name: ss_note_scroll_text_69
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 69'

Column Name: ss_note_scroll_text_70
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 70'

Column Name: ss_note_scroll_text_71
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 71'

Column Name: ss_note_scroll_text_72
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 72'

Column Name: ss_note_scroll_text_73
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 73'

Column Name: ss_note_scroll_text_74
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 74'

Column Name: ss_note_scroll_text_75
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 75'

Column Name: ss_note_scroll_text_76
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 76'

Column Name: ss_note_scroll_text_77
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 77'

Column Name: ss_note_scroll_text_78
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 78'

Column Name: ss_note_scroll_text_79
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 79'

Column Name: ss_note_scroll_text_80
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 80'

Column Name: ss_note_sin_dict_51_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 51'

Column Name: ss_note_sin_dict_51_value
Column Type: varchar
Max Length: 50

The description associated with ss_note_sin_dict_51_code. See ss_note_sin_dict_51_code for more information.

Column Name: ss_note_sin_dict_52_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 52'

Column Name: ss_note_sin_dict_52_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_52_code. See ss_note_sin_dict_52_code for more information.

Column Name: ss_note_sin_dict_53_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 53'

Column Name: ss_note_sin_dict_53_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_53_code. See ss_note_sin_dict_53_code for more information.

Column Name: ss_note_sin_dict_54_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 54'

Column Name: ss_note_sin_dict_54_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_54_code. See ss_note_sin_dict_54_code for more information.

Column Name: ss_note_sin_dict_55_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 55'

Column Name: ss_note_sin_dict_55_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_55_code. See ss_note_sin_dict_55_code for more information.

Column Name: ss_note_sin_dict_56_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 56'

Column Name: ss_note_sin_dict_56_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_56_code. See ss_note_sin_dict_56_code for more information.

Column Name: ss_note_sin_dict_57_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 57'

Column Name: ss_note_sin_dict_57_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_57_code. See ss_note_sin_dict_57_code for more information.

Column Name: ss_note_sin_dict_58_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 58'

Column Name: ss_note_sin_dict_58_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_58_code. See ss_note_sin_dict_58_code for more information.

Column Name: ss_note_sin_dict_59_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 59'

Column Name: ss_note_sin_dict_59_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_59_code. See ss_note_sin_dict_59_code for more information.

Column Name: ss_note_sin_dict_60_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 60'

Column Name: ss_note_sin_dict_60_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_60_code. See ss_note_sin_dict_60_code for more information.

Column Name: ss_note_sin_dict_61_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 61'

Column Name: ss_note_sin_dict_61_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_61_code. See ss_note_sin_dict_61_code for more information.

Column Name: ss_note_sin_dict_62_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 62'

Column Name: ss_note_sin_dict_62_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_62_code. See ss_note_sin_dict_62_code for more information.

Column Name: ss_note_sin_dict_63_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 63'

Column Name: ss_note_sin_dict_63_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_63_code. See ss_note_sin_dict_63_code for more information.

Column Name: ss_note_sin_dict_64_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 64'

Column Name: ss_note_sin_dict_64_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_64_code. See ss_note_sin_dict_64_code for more information.

Column Name: ss_note_sin_dict_65_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 65'

Column Name: ss_note_sin_dict_65_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_65_code. See ss_note_sin_dict_65_code for more information.

Column Name: ss_note_sin_dict_66_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 66'

Column Name: ss_note_sin_dict_66_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_66_code. See ss_note_sin_dict_66_code for more information.

Column Name: ss_note_sin_dict_67_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 67'

Column Name: ss_note_sin_dict_67_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_67_code. See ss_note_sin_dict_67_code for more information.

Column Name: ss_note_sin_dict_68_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 68'

Column Name: ss_note_sin_dict_68_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_68_code. See ss_note_sin_dict_68_code for more information.

Column Name: ss_note_sin_dict_69_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 69'

Column Name: ss_note_sin_dict_69_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_69_code. See ss_note_sin_dict_69_code for more information.

Column Name: ss_note_sin_dict_70_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 70'

Column Name: ss_note_sin_dict_70_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_70_code. See ss_note_sin_dict_70_code for more information.

Column Name: ss_note_sin_dict_71_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 71'

Column Name: ss_note_sin_dict_71_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_71_code. See ss_note_sin_dict_71_code for more information.

Column Name: ss_note_sin_dict_72_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 72'

Column Name: ss_note_sin_dict_72_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_72_code. See ss_note_sin_dict_72_code for more information.

Column Name: ss_note_sin_dict_73_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 73'

Column Name: ss_note_sin_dict_73_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_73_code. See ss_note_sin_dict_73_code for more information.

Column Name: ss_note_sin_dict_74_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 74'

Column Name: ss_note_sin_dict_74_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_74_code. See ss_note_sin_dict_74_code for more information.

Column Name: ss_note_sin_dict_75_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 75'

Column Name: ss_note_sin_dict_75_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_75_code. See ss_note_sin_dict_75_code for more information.

Column Name: ss_note_sin_dict_76_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 76'

Column Name: ss_note_sin_dict_76_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_76_code. See ss_note_sin_dict_76_code for more information.

Column Name: ss_note_sin_dict_77_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 77'

Column Name: ss_note_sin_dict_77_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_77_code. See ss_note_sin_dict_77_code for more information.

Column Name: ss_note_sin_dict_78_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 78'

Column Name: ss_note_sin_dict_78_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_78_code. See ss_note_sin_dict_78_code for more information.

Column Name: ss_note_sin_dict_79_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 79'

Column Name: ss_note_sin_dict_79_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_79_code. See ss_note_sin_dict_79_code for more information.

Column Name: ss_note_sin_dict_80_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 80'

Column Name: ss_note_sin_dict_80_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_80_code. See ss_note_sin_dict_80_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp_5

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the service.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the service.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: ebp_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practices'

Column Name: ebp_element_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practice Elements'

Column Name: ebp_element_value

Column Type: varchar

Max Length: 32000

The description associated with ebp_element_code

Column Name: ebp_value

Column Type: varchar

Max Length: 32000

The description associated with ebp_code

Column Name: form_number

Column Type: varchar

Max Length: 50

'Form Number'

Column Name: option_desc

Column Type: varchar

Max Length: 81

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: ss_notc_mul_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 100'

Column Name: ss_notc_mul_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_100_code. See ss_notc_mul_dic_100_code for more information.

Column Name: ss_notc_mul_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 101'

Column Name: ss_notc_mul_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_101_code. See ss_notc_mul_dic_101_code for more information.

Column Name: ss_notc_mul_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 102'

Column Name: ss_notc_mul_dic_102_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_102_code. See ss_notc_mul_dic_102_code for more information.

Column Name: ss_notc_mul_dic_103_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 103'

Column Name: ss_notc_mul_dic_103_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_103_code. See ss_notc_mul_dic_103_code for more information.

Column Name: ss_notc_mul_dic_104_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 104'

Column Name: ss_notc_mul_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_104_code. See ss_notc_mul_dic_104_code for more information.

Column Name: ss_notc_mul_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 105'

Column Name: ss_notc_mul_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mul_dic_105_code. See ss_notc_mul_dic_105_code for more information.

Column Name: ss_notc_mul_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 106'

Column Name: ss_notc_mul_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_106_code. See ss_notc_mul_dic_106_code for more information.

Column Name: ss_notc_mul_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 107'

Column Name: ss_notc_mul_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_107_code. See ss_notc_mul_dic_107_code for more information.

Column Name: ss_notc_mul_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 108'

Column Name: ss_notc_mul_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_108_code. See ss_notc_mul_dic_108_code for more information.

Column Name: ss_notc_mul_dic_109_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 109'

Column Name: ss_notc_mul_dic_109_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_109_code. See ss_notc_mul_dic_109_code for more information.

Column Name: ss_notc_mul_dic_110_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 110'

Column Name: ss_notc_mul_dic_110_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_110_code. See ss_notc_mul_dic_110_code for more information.

Column Name: ss_notc_mul_dic_81_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 81'

Column Name: ss_notc_mul_dic_81_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_81_code. See ss_notc_mul_dic_81_code for more information.

Column Name: ss_notc_mul_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 82'

Column Name: ss_notc_mul_dic_82_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_82_code. See ss_notc_mul_dic_82_code for more information.

Column Name: ss_notc_mul_dic_83_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 83'

Column Name: ss_notc_mul_dic_83_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_83_code. See ss_notc_mul_dic_83_code for more information.

Column Name: ss_notc_mul_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 84'

Column Name: ss_notc_mul_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_84_code. See ss_notc_mul_dic_84_code for more information.

Column Name: ss_notc_mul_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 85'

Column Name: ss_notc_mul_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_85_code. See ss_notc_mul_dic_85_code for more information.

Column Name: ss_notc_mul_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 86'

Column Name: ss_notc_mul_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_86_code. See ss_notc_mul_dic_86_code for more information.

Column Name: ss_notc_mul_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 87'

Column Name: ss_notc_mul_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_87_code. See ss_notc_mul_dic_87_code for more information.

Column Name: ss_notc_mul_dic_88_code

Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 88'

Column Name: ss_notc_mul_dic_88_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_88_code. See ss_notc_mul_dic_88_code for more information.

Column Name: ss_notc_mul_dic_89_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 89'

Column Name: ss_notc_mul_dic_89_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_89_code. See ss_notc_mul_dic_89_code for more information.

Column Name: ss_notc_mul_dic_90_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 90'

Column Name: ss_notc_mul_dic_90_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_90_code. See ss_notc_mul_dic_90_code for more information.

Column Name: ss_notc_mul_dic_91_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 91'

Column Name: ss_notc_mul_dic_91_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_91_code. See ss_notc_mul_dic_91_code for more information.

Column Name: ss_notc_mul_dic_92_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 92'

Column Name: ss_notc_mul_dic_92_value
Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_92_code. See ss_notc_mul_dic_92_code for more information.

Column Name: ss_notc_mul_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 93'

Column Name: ss_notc_mul_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_93_code. See ss_notc_mul_dic_93_code for more information.

Column Name: ss_notc_mul_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 94'

Column Name: ss_notc_mul_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_94_code. See ss_notc_mul_dic_94_code for more information.

Column Name: ss_notc_mul_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 95'

Column Name: ss_notc_mul_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mul_dic_95_code. See ss_notc_mul_dic_95_code for more information.

Column Name: ss_notc_mul_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 96'

Column Name: ss_notc_mul_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_96_code. See ss_notc_mul_dic_96_code for more information.

Column Name: ss_notc_mul_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 97'

Column Name: ss_notc_mul_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_97_code. See ss_notc_mul_dic_97_code for more information.

Column Name: ss_notc_mul_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 98'

Column Name: ss_notc_mul_dic_98_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_98_code. See ss_notc_mul_dic_98_code for more information.

Column Name: ss_notc_mul_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 99'

Column Name: ss_notc_mul_dic_99_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_99_code. See ss_notc_mul_dic_99_code for more information.

Column Name: ss_notc_sin_dic_100_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 100'

Column Name: ss_notc_sin_dic_100_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_100_code. See ss_notc_sin_dic_100_code for more information.

Column Name: ss_notc_sin_dic_101_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 101'

Column Name: ss_notc_sin_dic_101_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_101_code. See ss_notc_sin_dic_101_code for more information.

Column Name: ss_notc_sin_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 102'

Column Name: ss_notc_sin_dic_102_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_102_code. See ss_notc_sin_dic_102_code for more information.

Column Name: ss_notc_sin_dic_103_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 103'

Column Name: ss_notc_sin_dic_103_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_103_code. See ss_notc_sin_dic_103_code for more information.

Column Name: ss_notc_sin_dic_104_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 104'

Column Name: ss_notc_sin_dic_104_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_104_code. See ss_notc_sin_dic_104_code for more information.

Column Name: ss_notc_sin_dic_105_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 105'

Column Name: ss_notc_sin_dic_105_value
Column Type: varchar
Max Length: 275
The description associated with ss_notc_sin_dic_105_code. See ss_notc_sin_dic_105_code for more information.

Column Name: ss_notc_sin_dic_106_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 106'

Column Name: ss_notc_sin_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_106_code. See ss_notc_sin_dic_106_code for more information.

Column Name: ss_notc_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 107'

Column Name: ss_notc_sin_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_107_code. See ss_notc_sin_dic_107_code for more information.

Column Name: ss_notc_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 108'

Column Name: ss_notc_sin_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_108_code. See ss_notc_sin_dic_108_code for more information.

Column Name: ss_notc_sin_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 109'

Column Name: ss_notc_sin_dic_109_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_109_code. See ss_notc_sin_dic_109_code for more information.

Column Name: ss_notc_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 110'

Column Name: ss_notc_sin_dic_110_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_110_code. See ss_notc_sin_dic_110_code for more information.

Column Name: ss_notc_sin_dic_81_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 81'

Column Name: ss_notc_sin_dic_81_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_81_code. See ss_notc_sin_dic_81_code for more information.

Column Name: ss_notc_sin_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 82'

Column Name: ss_notc_sin_dic_82_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_82_code. See ss_notc_sin_dic_82_code for more information.

Column Name: ss_notc_sin_dic_83_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 83'

Column Name: ss_notc_sin_dic_83_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_83_code. See ss_notc_sin_dic_83_code for more information.

Column Name: ss_notc_sin_dic_84_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 84'

Column Name: ss_notc_sin_dic_84_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_84_code. See ss_notc_sin_dic_84_code for more information.

Column Name: ss_notc_sin_dic_85_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 85'

Column Name: ss_notc_sin_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_85_code. See ss_notc_sin_dic_85_code for more information.

Column Name: ss_notc_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 86'

Column Name: ss_notc_sin_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_86_code. See ss_notc_sin_dic_86_code for more information.

Column Name: ss_notc_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 87'

Column Name: ss_notc_sin_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_87_code. See ss_notc_sin_dic_87_code for more information.

Column Name: ss_notc_sin_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 88'

Column Name: ss_notc_sin_dic_88_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_88_code. See ss_notc_sin_dic_88_code for more information.

Column Name: ss_notc_sin_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 89'

Column Name: ss_notc_sin_dic_89_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_89_code. See ss_notc_sin_dic_89_code for more information.

Column Name: ss_notc_sin_dic_90_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 90'

Column Name: ss_notc_sin_dic_90_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_90_code. See ss_notc_sin_dic_90_code for more information.

Column Name: ss_notc_sin_dic_91_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 91'

Column Name: ss_notc_sin_dic_91_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_91_code. See ss_notc_sin_dic_91_code for more information.

Column Name: ss_notc_sin_dic_92_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 92'

Column Name: ss_notc_sin_dic_92_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_92_code. See ss_notc_sin_dic_92_code for more information.

Column Name: ss_notc_sin_dic_93_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 93'

Column Name: ss_notc_sin_dic_93_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_93_code. See ss_notc_sin_dic_93_code for more information.

Column Name: ss_notc_sin_dic_94_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 94'

Column Name: ss_notc_sin_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_94_code. See ss_notc_sin_dic_94_code for more information.

Column Name: ss_notc_sin_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 95'

Column Name: ss_notc_sin_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_sin_dic_95_code. See ss_notc_sin_dic_95_code for more information.

Column Name: ss_notc_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 96'

Column Name: ss_notc_sin_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_96_code. See ss_notc_sin_dic_96_code for more information.

Column Name: ss_notc_sin_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 97'

Column Name: ss_notc_sin_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_97_code. See ss_notc_sin_dic_97_code for more information.

Column Name: ss_notc_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 98'

Column Name: ss_notc_sin_dic_98_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_sin_dic_98_code`. See `ss_notc_sin_dic_98_code` for more information.

Column Name: `ss_notc_sin_dic_99_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 99'

Column Name: `ss_notc_sin_dic_99_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_99_code`. See `ss_notc_sin_dic_99_code` for more information.

Column Name: `ss_note_mul_dic_100_code`
Column Type: `varchar`
Max Length: 20
'SS Note Multi Response Dictionary 100'

Column Name: `ss_note_mul_dic_100_shval`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_note_mul_dic_100_code` limited to 255 characters. See `ss_note_mul_dic_100_code` for more information.

Column Name: `ss_note_mul_dic_100_value`
Column Type: `varchar`
Max Length: 32700
The description associated with `ss_note_mul_dic_100_code`. See `ss_note_mul_dic_100_code` for more information.

Column Name: `ss_note_mul_dic_101_code`
Column Type: `varchar`
Max Length: 20
'SS Note Multi Response Dictionary 101'

Column Name: `ss_note_mul_dic_101_shval`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_note_mul_dic_101_code` limited to 255 characters. See `ss_note_mul_dic_101_code` for more information.

Column Name: `ss_note_mul_dic_101_value`
Column Type: `varchar`
Max Length: 32700
The description associated with `ss_note_mul_dic_101_code`. See `ss_note_mul_dic_101_code` for more information.

Column Name: `ss_note_mul_dic_102_code`
Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 102'

Column Name: ss_note_mul_dic_102_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_102_code limited to 255 characters. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_102_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_102_code. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_103_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 103'

Column Name: ss_note_mul_dic_103_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_103_code limited to 255 characters. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_103_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_103_code. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_104_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 104'

Column Name: ss_note_mul_dic_104_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_104_code limited to 255 characters. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_104_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_104_code. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_105_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 105'

Column Name: ss_note_mul_dic_105_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_105_code limited to 255 characters. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_105_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_105_code. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_106_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 106'

Column Name: ss_note_mul_dic_106_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_106_code limited to 255 characters. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_106_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_106_code. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_107_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 107'

Column Name: ss_note_mul_dic_107_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_107_code limited to 255 characters. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_107_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_107_code. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_108_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 108'

Column Name: ss_note_mul_dic_108_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_108_code limited to 255 characters. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_108_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_108_code. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_109_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 109'

Column Name: ss_note_mul_dic_109_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_109_code limited to 255 characters. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_109_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_109_code. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_110_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 110'

Column Name: ss_note_mul_dic_110_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_110_code limited to 255 characters. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_110_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_110_code. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_81_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 81'

Column Name: ss_note_mul_dic_81_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_81_code limited to 255 characters. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_81_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_81_code. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_82_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 82'

Column Name: ss_note_mul_dic_82_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_82_code limited to 255 characters. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_82_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_82_code. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_83_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 83'

Column Name: ss_note_mul_dic_83_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_83_code limited to 255 characters. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_83_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_83_code. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_84_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 84'

Column Name: ss_note_mul_dic_84_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_84_code limited to 255 characters. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_84_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_84_code. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_85_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 85'

Column Name: ss_note_mul_dic_85_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_85_code limited to 255 characters. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_85_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_85_code. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_86_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 86'

Column Name: ss_note_mul_dic_86_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_86_code limited to 255 characters. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_86_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_86_code. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_87_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 87'

Column Name: ss_note_mul_dic_87_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_87_code limited to 255 characters. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_87_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_87_code. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_88_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 88'

Column Name: ss_note_mul_dic_88_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_88_code limited to 255 characters. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_88_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_88_code. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_89_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 89'

Column Name: ss_note_mul_dic_89_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_89_code limited to 255 characters. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_89_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_89_code. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_90_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 90'

Column Name: ss_note_mul_dic_90_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_90_code limited to 255 characters. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_90_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_90_code. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_91_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 91'

Column Name: ss_note_mul_dic_91_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_91_code limited to 255 characters. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_91_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_91_code. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_92_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 92'

Column Name: ss_note_mul_dic_92_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_92_code limited to 255 characters. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_92_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_92_code. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_93_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 93'

Column Name: ss_note_mul_dic_93_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_93_code limited to 255 characters. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_93_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_93_code. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_94_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 94'

Column Name: ss_note_mul_dic_94_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_94_code limited to 255 characters. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_94_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_94_code. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_95_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 95'

Column Name: ss_note_mul_dic_95_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_95_code limited to 255 characters. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_95_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_95_code. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_96_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 96'

Column Name: ss_note_mul_dic_96_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_96_code limited to 255 characters. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_96_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_96_code. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_97_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 97'

Column Name: ss_note_mul_dic_97_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_97_code limited to 255 characters. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_97_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_97_code. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_98_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 98'

Column Name: ss_note_mul_dic_98_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_98_code limited to 255 characters. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_98_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_98_code. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_99_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 99'

Column Name: ss_note_mul_dic_99_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_99_code limited to 255 characters. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_mul_dic_99_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_99_code. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_scroll_text_100

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 100'

Column Name: ss_note_scroll_text_101

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 101'

Column Name: ss_note_scroll_text_102

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 102'

Column Name: ss_note_scroll_text_103

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 103'

Column Name: ss_note_scroll_text_104

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 104'

Column Name: ss_note_scroll_text_105
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 105'

Column Name: ss_note_scroll_text_106
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 106'

Column Name: ss_note_scroll_text_107
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 107'

Column Name: ss_note_scroll_text_108
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 108'

Column Name: ss_note_scroll_text_109
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 109'

Column Name: ss_note_scroll_text_110
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 110'

Column Name: ss_note_scroll_text_81
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 81'

Column Name: ss_note_scroll_text_82
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 82'

Column Name: ss_note_scroll_text_83
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 83'

Column Name: ss_note_scroll_text_84
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 84'

Column Name: ss_note_scroll_text_85
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 85'

Column Name: ss_note_scroll_text_86
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 86'

Column Name: ss_note_scroll_text_87
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 87'

Column Name: ss_note_scroll_text_88
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 88'

Column Name: ss_note_scroll_text_89
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 89'

Column Name: ss_note_scroll_text_90
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 90'

Column Name: ss_note_scroll_text_91
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 91'

Column Name: ss_note_scroll_text_92
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 92'

Column Name: ss_note_scroll_text_93
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 93'

Column Name: ss_note_scroll_text_94
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 94'

Column Name: ss_note_scroll_text_95
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 95'

Column Name: ss_note_scroll_text_96
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 96'

Column Name: ss_note_scroll_text_97
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 97'

Column Name: ss_note_scroll_text_98
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 98'

Column Name: ss_note_scroll_text_99
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 99'

Column Name: ss_note_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 100'

Column Name: ss_note_sin_dic_100_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_100_code. See ss_note_sin_dic_100_code for more information.

Column Name: ss_note_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 101'

Column Name: ss_note_sin_dic_101_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_101_code. See ss_note_sin_dic_101_code for more information.

Column Name: ss_note_sin_dic_102_code
Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 102'

Column Name: ss_note_sin_dic_102_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_102_code. See ss_note_sin_dic_102_code for more information.

Column Name: ss_note_sin_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 103'

Column Name: ss_note_sin_dic_103_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_103_code. See ss_note_sin_dic_103_code for more information.

Column Name: ss_note_sin_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 104'

Column Name: ss_note_sin_dic_104_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_104_code. See ss_note_sin_dic_104_code for more information.

Column Name: ss_note_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 105'

Column Name: ss_note_sin_dic_105_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_105_code. See ss_note_sin_dic_105_code for more information.

Column Name: ss_note_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 106'

Column Name: ss_note_sin_dic_106_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_106_code. See ss_note_sin_dic_106_code for more information.

Column Name: ss_note_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 107'

Column Name: ss_note_sin_dic_107_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_107_code. See ss_note_sin_dic_107_code for more information.

Column Name: ss_note_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 108'

Column Name: ss_note_sin_dic_108_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_108_code. See ss_note_sin_dic_108_code for more information.

Column Name: ss_note_sin_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 109'

Column Name: ss_note_sin_dic_109_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_109_code. See ss_note_sin_dic_109_code for more information.

Column Name: ss_note_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 110'

Column Name: ss_note_sin_dic_110_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_110_code. See ss_note_sin_dic_110_code for more information.

Column Name: ss_note_sin_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 81'

Column Name: ss_note_sin_dic_81_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_81_code. See ss_note_sin_dic_81_code for more information.

Column Name: ss_note_sin_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 82'

Column Name: ss_note_sin_dic_82_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_82_code. See ss_note_sin_dic_82_code for more information.

Column Name: ss_note_sin_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 83'

Column Name: ss_note_sin_dic_83_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_83_code. See ss_note_sin_dic_83_code for more information.

Column Name: ss_note_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 84'

Column Name: ss_note_sin_dic_84_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_84_code. See ss_note_sin_dic_84_code for more information.

Column Name: ss_note_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 85'

Column Name: ss_note_sin_dic_85_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_85_code. See ss_note_sin_dic_85_code for more information.

Column Name: ss_note_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 86'

Column Name: ss_note_sin_dic_86_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_86_code. See ss_note_sin_dic_86_code for more information.

Column Name: ss_note_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 87'

Column Name: ss_note_sin_dic_87_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_87_code. See ss_note_sin_dic_87_code for more information.

Column Name: ss_note_sin_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 88'

Column Name: ss_note_sin_dic_88_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_88_code. See ss_note_sin_dic_88_code for more information.

Column Name: ss_note_sin_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 89'

Column Name: ss_note_sin_dic_89_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_89_code. See ss_note_sin_dic_89_code for more information.

Column Name: ss_note_sin_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 90'

Column Name: ss_note_sin_dic_90_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_90_code. See ss_note_sin_dic_90_code for more information.

Column Name: ss_note_sin_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 91'

Column Name: ss_note_sin_dic_91_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_91_code. See ss_note_sin_dic_91_code for more information.

Column Name: ss_note_sin_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 92'

Column Name: ss_note_sin_dic_92_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_92_code. See ss_note_sin_dic_92_code for more information.

Column Name: ss_note_sin_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 93'

Column Name: ss_note_sin_dic_93_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_93_code. See ss_note_sin_dic_93_code for more information.

Column Name: ss_note_sin_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 94'

Column Name: ss_note_sin_dic_94_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_94_code. See ss_note_sin_dic_94_code for more information.

Column Name: ss_note_sin_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 95'

Column Name: ss_note_sin_dic_95_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_95_code. See ss_note_sin_dic_95_code for more information.

Column Name: ss_note_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 96'

Column Name: ss_note_sin_dic_96_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_96_code. See ss_note_sin_dic_96_code for more information.

Column Name: ss_note_sin_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 97'

Column Name: ss_note_sin_dic_97_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_97_code. See ss_note_sin_dic_97_code for more information.

Column Name: ss_note_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 98'

Column Name: ss_note_sin_dic_98_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_98_code. See ss_note_sin_dic_98_code for more information.

Column Name: ss_note_sin_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 99'

Column Name: ss_note_sin_dic_99_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_99_code. See ss_note_sin_dic_99_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_supp_6

Table Description: This table returns the facility location fields stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: facloc_address_1

Column Type: varchar
Max Length: 50
'Facility Location Address - Street'

Column Name: facloc_address_2
Column Type: varchar
Max Length: 50
'Facility Location Address - Street 2'

Column Name: facloc_city
Column Type: varchar
Max Length: 50
'Facility Location City'

Column Name: facloc_id_code
Column Type: varchar
Max Length: 50
'Facility Location Code Identifier'

Column Name: facloc_id_code_qual
Column Type: varchar
Max Length: 50
'Facility Location Code Qualifier'

Column Name: facloc_name
Column Type: varchar
Max Length: 50
'Facility Location Name'

Column Name: facloc_state
Column Type: varchar
Max Length: 50
'Facility Location State'

Column Name: facloc_zip_code
Column Type: varchar
Max Length: 50
'Facility Location Zip Code'

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_51
Column Type: varchar
Max Length: 20
SS Note 20 Character 51

Column Name: ss_note_20_char_text_52
Column Type: varchar
Max Length: 20
SS Note 20 Character 52

Column Name: ss_note_20_char_text_53
Column Type: varchar
Max Length: 20
SS Note 20 Character 53

Column Name: ss_note_20_char_text_54
Column Type: varchar
Max Length: 20
SS Note 20 Character 54

Column Name: ss_note_20_char_text_55
Column Type: varchar
Max Length: 20
SS Note 20 Character 55

Column Name: ss_note_20_char_text_56
Column Type: varchar
Max Length: 20
SS Note 20 Character 56

Column Name: ss_note_20_char_text_57
Column Type: varchar
Max Length: 20
SS Note 20 Character 57

Column Name: ss_note_20_char_text_58
Column Type: varchar
Max Length: 20
SS Note 20 Character 58

Column Name: ss_note_20_char_text_59
Column Type: varchar
Max Length: 20
SS Note 20 Character 59

Column Name: ss_note_20_char_text_60

Column Type: varchar
Max Length: 20
SS Note 20 Character 60

Column Name: ss_note_20_char_text_61
Column Type: varchar
Max Length: 20
SS Note 20 Character 61

Column Name: ss_note_20_char_text_62
Column Type: varchar
Max Length: 20
SS Note 20 Character 62

Column Name: ss_note_20_char_text_63
Column Type: varchar
Max Length: 20
SS Note 20 Character 63

Column Name: ss_note_20_char_text_64
Column Type: varchar
Max Length: 20
SS Note 20 Character 64

Column Name: ss_note_20_char_text_65
Column Type: varchar
Max Length: 20
SS Note 20 Character 65

Column Name: ss_note_20_char_text_66
Column Type: varchar
Max Length: 20
SS Note 20 Character 66

Column Name: ss_note_20_char_text_67
Column Type: varchar
Max Length: 20
SS Note 20 Character 67

Column Name: ss_note_20_char_text_68
Column Type: varchar
Max Length: 20
SS Note 20 Character 68

Column Name: ss_note_20_char_text_69
Column Type: varchar
Max Length: 20
SS Note 20 Character 69

Column Name: ss_note_20_char_text_70

Column Type: varchar
Max Length: 20
SS Note 20 Character 70

Column Name: ss_note_20_char_text_71
Column Type: varchar
Max Length: 20
SS Note 20 Character 71

Column Name: ss_note_20_char_text_72
Column Type: varchar
Max Length: 20
SS Note 20 Character 72

Column Name: ss_note_20_char_text_73
Column Type: varchar
Max Length: 20
SS Note 20 Character 73

Column Name: ss_note_20_char_text_74
Column Type: varchar
Max Length: 20
SS Note 20 Character 74

Column Name: ss_note_20_char_text_75
Column Type: varchar
Max Length: 20
SS Note 20 Character 75

Column Name: ss_note_20_char_text_76
Column Type: varchar
Max Length: 20
SS Note 20 Character 76

Column Name: ss_note_40_char_text_51
Column Type: varchar
Max Length: 40
SS Note 40 Character 51

Column Name: ss_note_40_char_text_52
Column Type: varchar
Max Length: 40
SS Note 40 Character 52

Column Name: ss_note_40_char_text_53
Column Type: varchar
Max Length: 40
SS Note 40 Character 53

Column Name: ss_note_40_char_text_54

Column Type: varchar
Max Length: 40
SS Note 40 Character 54

Column Name: ss_note_40_char_text_55
Column Type: varchar
Max Length: 40
SS Note 40 Character 55

Column Name: ss_note_40_char_text_56
Column Type: varchar
Max Length: 40
SS Note 40 Character 56

Column Name: ss_note_40_char_text_57
Column Type: varchar
Max Length: 40
SS Note 40 Character 57

Column Name: ss_note_40_char_text_58
Column Type: varchar
Max Length: 40
SS Note 40 Character 58

Column Name: ss_note_40_char_text_59
Column Type: varchar
Max Length: 40
SS Note 40 Character 59

Column Name: ss_note_40_char_text_60
Column Type: varchar
Max Length: 40
SS Note 40 Character 60

Column Name: ss_note_40_char_text_61
Column Type: varchar
Max Length: 40
SS Note 40 Character 61

Column Name: ss_note_40_char_text_62
Column Type: varchar
Max Length: 40
SS Note 40 Character 62

Column Name: ss_note_40_char_text_63
Column Type: varchar
Max Length: 40
SS Note 40 Character 63

Column Name: ss_note_40_char_text_64

Column Type: varchar
Max Length: 40
SS Note 40 Character 64

Column Name: ss_note_40_char_text_65
Column Type: varchar
Max Length: 40
SS Note 40 Character 65

Column Name: ss_note_40_char_text_66
Column Type: varchar
Max Length: 40
SS Note 40 Character 66

Column Name: ss_note_40_char_text_67
Column Type: varchar
Max Length: 40
SS Note 40 Character 67

Column Name: ss_note_40_char_text_68
Column Type: varchar
Max Length: 40
SS Note 40 Character 68

Column Name: ss_note_40_char_text_69
Column Type: varchar
Max Length: 40
SS Note 40 Character 69

Column Name: ss_note_40_char_text_70
Column Type: varchar
Max Length: 40
SS Note 40 Character 70

Column Name: ss_note_40_char_text_71
Column Type: varchar
Max Length: 40
SS Note 40 Character 71

Column Name: ss_note_40_char_text_72
Column Type: varchar
Max Length: 40
SS Note 40 Character 72

Column Name: ss_note_40_char_text_73
Column Type: varchar
Max Length: 40
SS Note 40 Character 73)

Column Name: ss_note_40_char_text_74

Column Type: varchar
Max Length: 40
SS Note 40 Character 74

Column Name: ss_note_40_char_text_75
Column Type: varchar
Max Length: 40
SS Note 40 Character 75

Column Name: ss_note_40_char_text_76
Column Type: varchar
Max Length: 40
SS Note 40 Character 76

Column Name: ss_note_date_51
Column Type: date
SS Note Date 51

Column Name: ss_note_date_52
Column Type: date
SS Note Date 52

Column Name: ss_note_date_53
Column Type: date
SS Note Date 53

Column Name: ss_note_date_54
Column Type: date
SS Note Date 54

Column Name: ss_note_date_55
Column Type: date
SS Note Date 55

Column Name: ss_note_date_56
Column Type: date
SS Note Date 56

Column Name: ss_note_date_57
Column Type: date
SS Note Date 57

Column Name: ss_note_date_58
Column Type: date
SS Note Date 58

Column Name: ss_note_date_59
Column Type: date
SS Note Date 59

Column Name: ss_note_date_60
Column Type: date
SS Note Date 60

Column Name: ss_note_integer_51
Column Type: integer
SS Note Integer 51

Column Name: ss_note_integer_52
Column Type: integer
SS Note Integer 52

Column Name: ss_note_integer_53
Column Type: integer
SS Note Integer 53

Column Name: ss_note_integer_54
Column Type: integer
SS Note Integer 54

Column Name: ss_note_integer_55
Column Type: integer
SS Note Integer 55

Column Name: ss_note_integer_56
Column Type: integer
SS Note Integer 56

Column Name: ss_note_integer_57
Column Type: integer
SS Note Integer 57

Column Name: ss_note_integer_58
Column Type: integer
SS Note Integer 58

Column Name: ss_note_integer_59
Column Type: integer
SS Note Integer 59

Column Name: ss_note_integer_60
Column Type: integer
SS Note Integer 60

Column Name: ss_note_scroll_text_111
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 111

Column Name: ss_note_scroll_text_112

Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 112

Column Name: ss_note_scroll_text_113
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 113

Column Name: ss_note_scroll_text_114
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 114

Column Name: ss_note_scroll_text_115
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 115

Column Name: ss_note_scroll_text_116
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 116

Column Name: ss_note_scroll_text_117
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 117

Column Name: ss_note_scroll_text_118
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 118

Column Name: ss_note_scroll_text_119
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 119

Column Name: ss_note_scroll_text_120
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 120

Column Name: ss_note_scroll_text_121
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 121

Column Name: ss_note_scroll_text_122

Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 122

Column Name: ss_note_scroll_text_123
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 123

Column Name: ss_note_scroll_text_124
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 124

Column Name: ss_note_scroll_text_125
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 125

Column Name: ss_note_scroll_text_126
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 126

Column Name: ss_note_scroll_text_127
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 127

Column Name: ss_note_scroll_text_128
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 128

Column Name: ss_note_scroll_text_129
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 129

Column Name: ss_note_scroll_text_130
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 130

Column Name: ss_note_scroll_text_131
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 131

Column Name: ss_note_scroll_text_132

Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 132

Column Name: ss_note_scroll_text_133
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 133

Column Name: ss_note_scroll_text_134
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 134

Column Name: ss_note_scroll_text_135
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 135

Column Name: ss_note_scroll_text_136
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 136

Column Name: ss_note_time_51
Column Type: varchar
Max Length: 10
SS Note Time 51

Column Name: ss_note_time_52
Column Type: varchar
Max Length: 10
SS Note Time 52

Column Name: ss_note_time_53
Column Type: varchar
Max Length: 10
SS Note Time 53

Column Name: ss_note_time_54
Column Type: varchar
Max Length: 10
SS Note Time 54

Column Name: ss_note_time_55
Column Type: varchar
Max Length: 10
SS Note Time 55

Column Name: ss_note_time_56

Column Type: varchar
Max Length: 10
SS Note Time 56

Column Name: ss_note_time_57
Column Type: varchar
Max Length: 10
SS Note Time 57

Column Name: ss_note_time_58
Column Type: varchar
Max Length: 10
SS Note Time 58

Column Name: ss_note_time_59
Column Type: varchar
Max Length: 10
SS Note Time 59

Column Name: ss_note_time_60
Column Type: varchar
Max Length: 10
SS Note Time 60

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Ambulatory_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_tnotes

Table Description: This table returns the information stored for the treatment plan grid in progress notes forms.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar

Max Length: 20
The client ID associated with the data.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20
The unique ID associated with the note.

Column Name: tp_notes_id
Column Type: integer
Id column for auditing purposes

Column Name: select_tp_version_code
Column Type: varchar
Max Length: 50
'Select T.P. Version'

Column Name: select_tp_version_value
Column Type: varchar
Max Length: 255
The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: note_add_which_tp_plan_prob
Column Type: varchar
Max Length: 32000
The treatment plan problem to add to the note.

Column Name: notes
Column Type: varchar
Max Length: 32000
Notes for the selected TP item.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: CWSTEMP.cw_patient_notes

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotes table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20
The unique ID associated with the note.

Column Name: notes_field
Column Type: varchar
Max Length: 32700
The written note information.

Column Name: note_type_code
Column Type: varchar
Max Length: 50
'Note Type'

Column Name: note_type_value
Column Type: varchar
Max Length: 40
The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time
Column Type: varchar
Max Length: 25
'Note Time'

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: New_Existing_Service_code
Column Type: varchar

Max Length: 5
'Progress Note For'

Column Name: New_Existing_Service_value
Column Type: varchar
Max Length: 40
The description associated with New_Existing_Service_code. See New_Existing_Service_code for more information.

Column Name: service_program_value
Column Type: varchar
Max Length: 40
The description associated with service_program_code. See service_program_code for more information.

Column Name: note_addresses
Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_which_tp_plan_prob
Column Type: varchar
Max Length: 32700
The treatment plan problem to add to the note.

Column Name: Tx_Note_UniqueId
Column Type: varchar
Max Length: 40
The unique ID associated with the treatment.

Column Name: service_charge_value
Column Type: varchar
Max Length: 40
The description associated with service_charge_code. See service_charge_code for more information.

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID that joins the note to the service.

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: Option_Id

Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: TODO_ID
Column Type: varchar
Max Length: 20
'To Do Id'

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768
The add-on notes.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 40
The additional service information.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description associated with add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description associated with add_svc_info_code. See add_svc_info_code for more information.

Column Name: aps_link
Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Appointment'

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description associated with billing_status_code. See billing_status_code for more information.

Column Name: calpm_ebpss_csi_code
Column Type: varchar
Max Length: 50
'Evidence-Based Practices / Service Strategies (CSI)'

Column Name: calpm_ebpss_csi_value
Column Type: varchar
Max Length: 200
The description associated with calpm_ebpss_csi_code. See calpm_ebpss_csi_code for more information.

Column Name: calpm_ebpss_csi_value_long
Column Type: varchar
Max Length: 4096
The description associated with calpm_ebpss_csi_value_code. See calpm_ebpss_csi_value_code for more information.

Column Name: client_prob_list_codes
Column Type: varchar
Max Length: 50
The codes associated with the client problem list.

Column Name: client_prob_list_shvals
Column Type: varchar
Max Length: 255
The description associated with client_prob_list_code limited to 255 characters. See client_prob_list_code for more information.

Column Name: client_prob_list_vals
Column Type: varchar
Max Length: 32700
The description associated with client_prob_list_code. See client_prob_list_code for more information.

Column Name: clinical_instructions
Column Type: varchar
Max Length: 32700
'Clinical Instructions'

Column Name: clinical_quality_code
Column Type: varchar
Max Length: 255
'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val
Column Type: varchar
Max Length: 255
'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: clinical_quality_value
Column Type: varchar
Max Length: 4096

'The description associated with clinical_quality_code. See clinical_quality_code for more information.

Column Name: confidential_note

Column Type: varchar

Max Length: 50

The confidential note.

Column Name: co_pract_duration

Column Type: numeric

The first co-practitioner duration.

Column Name: co_pract2_duration

Column Type: numeric

The second co-practitioner duration.

Column Name: co_practitioner_id

Column Type: varchar

Max Length: 15

The first co-practitioner ID.

Column Name: co_practitioner_id_2

Column Type: varchar

Max Length: 15

The second co-practitioner ID.

Column Name: co_practitioner_name

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id.

Column Name: co_practitioner_name_2

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id_2.

Column Name: co_sign_to_do_user

Column Type: varchar

Max Length: 50

'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 40

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_group_service
Column Type: date
The date of the group service.

Column Name: date_of_note
Column Type: date
The date of the note.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: discipline_code
Column Type: varchar
Max Length: 40
'Discipline'

Column Name: discipline_value

Column Type: varchar

Max Length: 40

The description associated with discipline_code. See discipline_code for more information.

Column Name: draft_final_code

Column Type: varchar

Max Length: 5

'Draft/Final'

Column Name: draft_final_value

Column Type: varchar

Max Length: 40

The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code

Column Type: varchar

Max Length: 255

'Evidence Based Practices'

Column Name: ebps_sh_val

Column Type: varchar

Max Length: 255

'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value

Column Type: varchar

Max Length: 4096

'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id

Column Type: varchar

Max Length: 255

'External System Identifier'

Column Name: has_nonmed_diag_flg_code

Column Type: varchar

Max Length: 50

The non-medical diagnosis flag.

Column Name: has_nonmed_diag_flg_value

Column Type: varchar

Max Length: 50

The description associated with has_nonmed_diag_flg_code. See has_nonmed_diag_flg_code for more information.

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

'Diagnosis 1'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Diagnosis 2'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Diagnosis 3'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Diagnosis 4'

Column Name: location_code
Column Type: varchar
Max Length: 15
The location of the service.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code. See location_code for more information.

Column Name: medical_diag1_DSM_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag1_DSM_code. See medical_diag1_DSM_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD 10'

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD 9'

Column Name: medical_diag_1_icd9_value
Column Type: varchar
Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_imo_code. See medical_diag_1_imo_code for more information.

Column Name: medical_diag2_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag2_DSM_code. See medical_diag2_DSM_code for more information.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_imo_code. See medical_diag_2_imo_code for more information.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_imo_code. See medical_diag_3_imo_code for more information.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_imo_code. See medical_diag_4_imo_code for more information.

Column Name: medical_diagnosis_1_code

Column Type: varchar
Max Length: 40
'Medical Diagnosis 1'

Column Name: medical_diagnosis_1_value
Column Type: varchar
Max Length: 32700
The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2'

Column Name: medical_diagnosis_2_value
Column Type: varchar
Max Length: 32700
The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: medical_diagnosis_3_code
Column Type: varchar
Max Length: 50
'Medical Diagnosis 3'

Column Name: medical_diagnosis_3_value
Column Type: varchar
Max Length: 32700
The description associated with medical_diagnosis_3_code. See medical_diagnosis_3_code for more information.

Column Name: medical_diagnosis_4_code
Column Type: varchar
Max Length: 50
'Medical Diagnosis 4'

Column Name: medical_diagnosis_4_value
Column Type: varchar
Max Length: 32700
The description associated with medical_diagnosis_4_code. See medical_diagnosis_4_code for more information.

Column Name: notes_entry_index_nu
Column Type: varchar
Max Length: 50
The notes entry index.

Column Name: number_clients_in_group
Column Type: integer

'Number Of Clients In Group'

Column Name: orig_note_uniq_id_num

Column Type: varchar

Max Length: 20

'Original Note Unique ID Number'

Column Name: practitioner_id

Column Type: varchar

Max Length: 15

The practitioner associated with the note.

Column Name: practitioner_name

Column Type: varchar

Max Length: 40

The name associated with practitioner_id.

Column Name: psycho_add_on_duration

Column Type: integer

The psychotherapy add-on duration.

Column Name: reason_for_visit_code

Column Type: varchar

Max Length: 50

'Reason for Visit'

Column Name: reason_for_visit_value

Column Type: varchar

Max Length: 250

The description associated with reason_for_visit_code. See reason_for_visit_code for more information.

Column Name: recommended_decision

Column Type: varchar

Max Length: 32700

'Recommended Decision'

Column Name: select_tp_version_code

Column Type: varchar

Max Length: 5

'Select T.P. Version'

Column Name: select_tp_version_value

Column Type: varchar

Max Length: 40

The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: service_charge_code

Column Type: varchar

Max Length: 40

The service charge code.

Column Name: service_duration
Column Type: varchar
Max Length: 5
The duration of the service.

Column Name: service_end_time
Column Type: varchar
Max Length: 10
The end time of the service.

Column Name: service_program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: service_start_time
Column Type: varchar
Max Length: 10
The start time of the service.

Column Name: session_start_end_times
Column Type: varchar
Max Length: 32766
'Start/End Time(s)'

Column Name: ss_note_20_char_text_1
Column Type: varchar
Max Length: 20
'SS Note 20 Character 1'

Column Name: ss_note_20_char_text_10
Column Type: varchar
Max Length: 20
'SS Note 20 Character 10'

Column Name: ss_note_20_char_text_2
Column Type: varchar
Max Length: 20
'SS Note 20 Character 2'

Column Name: ss_note_20_char_text_3
Column Type: varchar
Max Length: 20
'SS Note 20 Character 3'

Column Name: ss_note_20_char_text_4
Column Type: varchar
Max Length: 20
'SS Note 20 Character 4'

Column Name: ss_note_20_char_text_5
Column Type: varchar
Max Length: 20
'SS Note 20 Character 5'

Column Name: ss_note_20_char_text_6
Column Type: varchar
Max Length: 20
'SS Note 20 Character 6'

Column Name: ss_note_20_char_text_7
Column Type: varchar
Max Length: 20
'SS Note 20 Character 7'

Column Name: ss_note_20_char_text_8
Column Type: varchar
Max Length: 20
'SS Note 20 Character 8'

Column Name: ss_note_20_char_text_9
Column Type: varchar
Max Length: 20
'SS Note 20 Character 9'

Column Name: ss_note_40_char_text_1
Column Type: varchar
Max Length: 40
'SS Note 40 Character 1'

Column Name: ss_note_40_char_text_10
Column Type: varchar
Max Length: 40
'SS Note 40 Character 10'

Column Name: ss_note_40_char_text_2
Column Type: varchar
Max Length: 40
'SS Note 40 Character 2'

Column Name: ss_note_40_char_text_3
Column Type: varchar
Max Length: 40
'SS Note 40 Character 3'

Column Name: ss_note_40_char_text_4
Column Type: varchar
Max Length: 40
'SS Note 40 Character 4'

Column Name: ss_note_40_char_text_5
Column Type: varchar
Max Length: 40
'SS Note 40 Character 5'

Column Name: ss_note_40_char_text_6
Column Type: varchar
Max Length: 40
'SS Note 40 Character 6'

Column Name: ss_note_40_char_text_7
Column Type: varchar
Max Length: 40
'SS Note 40 Character 7'

Column Name: ss_note_40_char_text_8
Column Type: varchar
Max Length: 40
'SS Note 40 Character 8'

Column Name: ss_note_40_char_text_9
Column Type: varchar
Max Length: 40
'SS Note 40 Character 9'

Column Name: ss_note_80_char_text_1
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 9'

Column Name: ss_note_date_1
Column Type: date
'SS Note Date 1'

Column Name: ss_note_date_10
Column Type: date
'SS Note Date 10'

Column Name: ss_note_date_2
Column Type: date
'SS Note Date 2'

Column Name: ss_note_date_3
Column Type: date
'SS Note Date 3'

Column Name: ss_note_date_4
Column Type: date
'SS Note Date 4'

Column Name: ss_note_date_5
Column Type: date
'SS Note Date 5'

Column Name: ss_note_date_6
Column Type: date
'SS Note Date 6'

Column Name: ss_note_date_7
Column Type: date
'SS Note Date 7'

Column Name: ss_note_date_8
Column Type: date
'SS Note Date 8'

Column Name: ss_note_date_9
Column Type: date
'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 10'

Column Name: ss_note_dsm_diag_10_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 1'

Column Name: ss_note_dsm_diag_1_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 2'

Column Name: ss_note_dsm_diag_2_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_2_code. See ss_note_dsm_diag_2_code for more information.

Column Name: ss_note_dsm_diag_3_code

Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 3'

Column Name: ss_note_dsm_diag_3_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_3_code. See ss_note_dsm_diag_3_code for more information.

Column Name: ss_note_dsm_diag_4_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 4'

Column Name: ss_note_dsm_diag_4_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_4_code. See ss_note_dsm_diag_4_code for more information.

Column Name: ss_note_dsm_diag_5_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 5'

Column Name: ss_note_dsm_diag_5_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_5_code. See ss_note_dsm_diag_5_code for more information.

Column Name: ss_note_dsm_diag_6_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 6'

Column Name: ss_note_dsm_diag_6_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_6_code. See ss_note_dsm_diag_6_code for more information.

Column Name: ss_note_dsm_diag_7_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 7'

Column Name: ss_note_dsm_diag_7_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_7_code. See ss_note_dsm_diag_7_code for more information.

Column Name: ss_note_dsm_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 8'

Column Name: ss_note_dsm_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_8_code. See ss_note_dsm_diag_8_code for more information.

Column Name: ss_note_dsm_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 9'

Column Name: ss_note_dsm_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_9_code. See ss_note_dsm_diag_9_code for more information.

Column Name: ss_note_icd9_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 10'

Column Name: ss_note_icd9_diag_10_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_10_code. See ss_note_icd9_diag_10_code for more information.

Column Name: ss_note_icd9_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 1'

Column Name: ss_note_icd9_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_1_code. See ss_note_icd9_diag_1_code for more information.

Column Name: ss_note_icd9_diag_2_code

Column Type: varchar

Max Length: 20
'SS Note ICD-9 Code 2'

Column Name: ss_note_icd9_diag_2_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_2_code. See ss_note_icd9_diag_2_code for more information.

Column Name: ss_note_icd9_diag_3_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 3'

Column Name: ss_note_icd9_diag_3_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_3_code. See ss_note_icd9_diag_3_code for more information.

Column Name: ss_note_icd9_diag_4_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 4'

Column Name: ss_note_icd9_diag_4_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_4_code. See ss_note_icd9_diag_4_code for more information.

Column Name: ss_note_icd9_diag_5_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 5'

Column Name: ss_note_icd9_diag_5_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_5_code. See ss_note_icd9_diag_5_code for more information.

Column Name: ss_note_icd9_diag_6_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 6'

Column Name: ss_note_icd9_diag_6_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_icd9_diag_6_code`. See `ss_note_icd9_diag_6_code` for more information.

Column Name: `ss_note_icd9_diag_7_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 7'

Column Name: `ss_note_icd9_diag_7_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_7_code`. See `ss_note_icd9_diag_7_code` for more information.

Column Name: `ss_note_icd9_diag_8_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 8'

Column Name: `ss_note_icd9_diag_8_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_8_code`. See `ss_note_icd9_diag_8_code` for more information.

Column Name: `ss_note_icd9_diag_9_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 9'

Column Name: `ss_note_icd9_diag_9_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_9_code`. See `ss_note_icd9_diag_9_code` for more information.

Column Name: `ss_note_multi_dict_10_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 10'

Column Name: `ss_note_multi_dict_10_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_10_code`. See `ss_note_multi_dict_10_code` for more information.

Column Name: `ss_note_multi_dict_1_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 1'

Column Name: ss_note_multi_dict_1_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_1_code. See ss_note_multi_dict_1_code for more information.

Column Name: ss_note_multi_dict_2_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 2'

Column Name: ss_note_multi_dict_2_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_2_code. See ss_note_multi_dict_2_code for more information.

Column Name: ss_note_multi_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 3'

Column Name: ss_note_multi_dict_3_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_3_code. See ss_note_multi_dict_3_code for more information.

Column Name: ss_note_multi_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 4'

Column Name: ss_note_multi_dict_4_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_4_code. See ss_note_multi_dict_4_code for more information.

Column Name: ss_note_multi_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 5'

Column Name: ss_note_multi_dict_5_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_5_code. See ss_note_multi_dict_5_code for more information.

Column Name: ss_note_multi_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 6'

Column Name: ss_note_multi_dict_6_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 7'

Column Name: ss_note_multi_dict_7_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_7_code. See ss_note_multi_dict_7_code for more information.

Column Name: ss_note_multi_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 8'

Column Name: ss_note_multi_dict_8_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_8_code. See ss_note_multi_dict_8_code for more information.

Column Name: ss_note_multi_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 9'

Column Name: ss_note_multi_dict_9_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_9_code. See ss_note_multi_dict_9_code for more information.

Column Name: ss_note_scroll_text_1

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 1'

Column Name: ss_note_scroll_text_10

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 10'

Column Name: ss_note_scroll_text_2

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 2'

Column Name: ss_note_scroll_text_3

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 3'

Column Name: ss_note_scroll_text_4

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 4'

Column Name: ss_note_scroll_text_5

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 5'

Column Name: ss_note_scroll_text_6

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 6'

Column Name: ss_note_scroll_text_7

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 7'

Column Name: ss_note_scroll_text_8

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 8'

Column Name: ss_note_scroll_text_9

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 9'

Column Name: ss_note_sing_dict_10_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 10'

Column Name: ss_note_sing_dict_10_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 1'

Column Name: ss_note_sing_dict_1_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 2'

Column Name: ss_note_sing_dict_2_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 3'

Column Name: ss_note_sing_dict_3_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 4'

Column Name: ss_note_sing_dict_4_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 5'

Column Name: ss_note_sing_dict_5_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 6'

Column Name: ss_note_sing_dict_6_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 7'

Column Name: ss_note_sing_dict_7_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 8'

Column Name: ss_note_sing_dict_8_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 9'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1

Column Type: varchar

Max Length: 20

'SS Note Staff Member 1'

Column Name: ss_note_staff_10

Column Type: varchar

Max Length: 20

'SS Note Staff Member 10'

Column Name: ss_note_staff_2

Column Type: varchar

Max Length: 20

'SS Note Staff Member 2'

Column Name: ss_note_staff_3

Column Type: varchar

Max Length: 20

'SS Note Staff Member 3'

Column Name: ss_note_staff_4

Column Type: varchar

Max Length: 20

'SS Note Staff Member 4'

Column Name: ss_note_staff_5

Column Type: varchar

Max Length: 20

'SS Note Staff Member 5'

Column Name: ss_note_staff_6

Column Type: varchar

Max Length: 20

'SS Note Staff Member 6'

Column Name: ss_note_staff_7

Column Type: varchar

Max Length: 20

'SS Note Staff Member 7'

Column Name: ss_note_staff_8

Column Type: varchar

Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar
Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6
Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7
Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar

Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar
Max Length: 10
'SS Note Time 9'

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: CWSTEMP.cw_patient_notes_supp

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50

The unique ID associated with the note.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: PREFILEID

Column Type: varchar

Max Length: 50

The unique ID associated with the prefiller.

Column Name: confidential_note

Column Type: varchar

Max Length: 50

Whether the note is confidential.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
The contents of the notes field.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_11
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 11'

Column Name: ss_note_20_char_text_12
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 12'

Column Name: ss_note_20_char_text_13
Column Type: varchar

Max Length: 20
'SS Note 20 Character Text 13'

Column Name: ss_note_20_char_text_14
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 14'

Column Name: ss_note_20_char_text_15
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 15'

Column Name: ss_note_20_char_text_16
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 16'

Column Name: ss_note_20_char_text_17
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 17'

Column Name: ss_note_20_char_text_18
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 18'

Column Name: ss_note_20_char_text_19
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 19'

Column Name: ss_note_20_char_text_20
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 20'

Column Name: ss_note_20_char_text_21
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 21'

Column Name: ss_note_20_char_text_22
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 22'

Column Name: ss_note_20_char_text_23
Column Type: varchar

Max Length: 20
'SS Note 20 Character Text 23'

Column Name: ss_note_20_char_text_24
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 24'

Column Name: ss_note_20_char_text_25
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 25'

Column Name: ss_note_20_char_text_26
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 26'

Column Name: ss_note_20_char_text_27
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 27'

Column Name: ss_note_20_char_text_28
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 28'

Column Name: ss_note_20_char_text_29
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 29'

Column Name: ss_note_20_char_text_30
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 30'

Column Name: ss_note_40_char_text_11
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 11'

Column Name: ss_note_40_char_text_12
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 12'

Column Name: ss_note_40_char_text_13
Column Type: varchar

Max Length: 40
'SS Note 40 Character Text 13'

Column Name: ss_note_40_char_text_14
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 14'

Column Name: ss_note_40_char_text_15
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 15'

Column Name: ss_note_40_char_text_16
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 16'

Column Name: ss_note_40_char_text_17
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 17'

Column Name: ss_note_40_char_text_18
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 18'

Column Name: ss_note_40_char_text_19
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 19'

Column Name: ss_note_40_char_text_20
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 20'

Column Name: ss_note_40_char_text_21
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 21'

Column Name: ss_note_40_char_text_22
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 22'

Column Name: ss_note_40_char_text_23
Column Type: varchar

Max Length: 40
'SS Note 40 Character Text 23'

Column Name: ss_note_40_char_text_24
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 24'

Column Name: ss_note_40_char_text_25
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 25'

Column Name: ss_note_40_char_text_26
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 26'

Column Name: ss_note_40_char_text_27
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 27'

Column Name: ss_note_40_char_text_28
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 28'

Column Name: ss_note_40_char_text_29
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 29'

Column Name: ss_note_40_char_text_30
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 30'

Column Name: ss_note_80_char_text_11
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 11'

Column Name: ss_note_80_char_text_12
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 12'

Column Name: ss_note_80_char_text_13
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 13'

Column Name: ss_note_80_char_text_14
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 14'

Column Name: ss_note_80_char_text_15
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 15'

Column Name: ss_note_80_char_text_16
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 16'

Column Name: ss_note_80_char_text_17
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 17'

Column Name: ss_note_80_char_text_18
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 18'

Column Name: ss_note_80_char_text_19
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 19'

Column Name: ss_note_80_char_text_20
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 20'

Column Name: ss_note_80_char_text_21
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 21'

Column Name: ss_note_80_char_text_22
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 22'

Column Name: ss_note_80_char_text_23
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 23'

Column Name: ss_note_80_char_text_24
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 24'

Column Name: ss_note_80_char_text_25
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 25'

Column Name: ss_note_80_char_text_26
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 26'

Column Name: ss_note_80_char_text_27
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 27'

Column Name: ss_note_80_char_text_28
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 28'

Column Name: ss_note_80_char_text_29
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 29'

Column Name: ss_note_80_char_text_30
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 30'

Column Name: ss_note_date_11
Column Type: date
'SS Note Date 11'

Column Name: ss_note_date_12
Column Type: date
'SS Note Date 12'

Column Name: ss_note_date_13
Column Type: date
'SS Note Date 13'

Column Name: ss_note_date_14
Column Type: date
'SS Note Date 14'

Column Name: ss_note_date_15
Column Type: date
'SS Note Date 15'

Column Name: ss_note_date_16
Column Type: date
'SS Note Date 16'

Column Name: ss_note_date_17
Column Type: date
'SS Note Date 17'

Column Name: ss_note_date_18
Column Type: date
'SS Note Date 18'

Column Name: ss_note_date_19
Column Type: date
'SS Note Date 19'

Column Name: ss_note_date_20
Column Type: date
'SS Note Date 20'

Column Name: ss_note_date_21
Column Type: date
'SS Note Date 21'

Column Name: ss_note_date_22
Column Type: date
'SS Note Date 22'

Column Name: ss_note_date_23
Column Type: date
'SS Note Date 23'

Column Name: ss_note_date_24
Column Type: date
'SS Note Date 24'

Column Name: ss_note_date_25
Column Type: date
'SS Note Date 25'

Column Name: ss_note_date_26
Column Type: date

'SS Note Date 26'

Column Name: ss_note_date_27

Column Type: date

'SS Note Date 27'

Column Name: ss_note_date_28

Column Type: date

'SS Note Date 28'

Column Name: ss_note_date_29

Column Type: date

'SS Note Date 29'

Column Name: ss_note_date_30

Column Type: date

'SS Note Date 30'

Column Name: ss_note_dsm_diag_11_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 11'

Column Name: ss_note_dsm_diag_11_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_11_code. See ss_note_dsm_diag_11_code for more information.

Column Name: ss_note_dsm_diag_12_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 12'

Column Name: ss_note_dsm_diag_12_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_12_code. See ss_note_dsm_diag_12_code for more information.

Column Name: ss_note_dsm_diag_13_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 13'

Column Name: ss_note_dsm_diag_13_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_13_code. See ss_note_dsm_diag_13_code for more information.

Column Name: ss_note_dsm_diag_14_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 14'

Column Name: ss_note_dsm_diag_14_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_14_code. See ss_note_dsm_diag_14_code for more information.

Column Name: ss_note_dsm_diag_15_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 15'

Column Name: ss_note_dsm_diag_15_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_15_code. See ss_note_dsm_diag_15_code for more information.

Column Name: ss_note_dsm_diag_16_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 16'

Column Name: ss_note_dsm_diag_16_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_16_code. See ss_note_dsm_diag_16_code for more information.

Column Name: ss_note_dsm_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 17'

Column Name: ss_note_dsm_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_17_code. See ss_note_dsm_diag_17_code for more information.

Column Name: ss_note_dsm_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 18'

Column Name: ss_note_dsm_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_18_code. See ss_note_dsm_diag_18_code for more information.

Column Name: ss_note_dsm_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 19'

Column Name: ss_note_dsm_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_19_code. See ss_note_dsm_diag_19_code for more information.

Column Name: ss_note_dsm_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 20'

Column Name: ss_note_dsm_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_20_code. See ss_note_dsm_diag_20_code for more information.

Column Name: ss_note_dsm_diag_21_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 21'

Column Name: ss_note_dsm_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_21_code. See ss_note_dsm_diag_21_code for more information.

Column Name: ss_note_dsm_diag_22_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 22'

Column Name: ss_note_dsm_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_22_code. See ss_note_dsm_diag_22_code for more information.

Column Name: ss_note_dsm_diag_23_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 23'

Column Name: ss_note_dsm_diag_23_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_23_code. See ss_note_dsm_diag_23_code for more information.

Column Name: ss_note_dsm_diag_24_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 24'

Column Name: ss_note_dsm_diag_24_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_24_code. See ss_note_dsm_diag_24_code for more information.

Column Name: ss_note_dsm_diag_25_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 25'

Column Name: ss_note_dsm_diag_25_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_25_code. See ss_note_dsm_diag_25_code for more information.

Column Name: ss_note_dsm_diag_26_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 26'

Column Name: ss_note_dsm_diag_26_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_26_code. See ss_note_dsm_diag_26_code for more information.

Column Name: ss_note_dsm_diag_27_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 27'

Column Name: ss_note_dsm_diag_27_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_27_code. See ss_note_dsm_diag_27_code for more information.

Column Name: ss_note_dsm_diag_28_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 28'

Column Name: ss_note_dsm_diag_28_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_28_code. See ss_note_dsm_diag_28_code for more information.

Column Name: ss_note_dsm_diag_29_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 29'

Column Name: ss_note_dsm_diag_29_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_29_code. See ss_note_dsm_diag_29_code for more information.

Column Name: ss_note_dsm_diag_30_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 30'

Column Name: ss_note_dsm_diag_30_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_30_code. See ss_note_dsm_diag_30_code for more information.

Column Name: ss_note_icd9_diag_11_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 11'

Column Name: ss_note_icd9_diag_11_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_11_code. See ss_note_icd9_diag_11_code for more information.

Column Name: ss_note_icd9_diag_12_code

Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 12'

Column Name: ss_note_icd9_diag_12_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_12_code. See ss_note_icd9_diag_12_code for more information.

Column Name: ss_note_icd9_diag_13_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 13'

Column Name: ss_note_icd9_diag_13_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_13_code. See ss_note_icd9_diag_13_code for more information.

Column Name: ss_note_icd9_diag_14_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 14'

Column Name: ss_note_icd9_diag_14_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_14_code. See ss_note_icd9_diag_14_code for more information.

Column Name: ss_note_icd9_diag_15_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 15'

Column Name: ss_note_icd9_diag_15_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_15_code. See ss_note_icd9_diag_15_code for more information.

Column Name: ss_note_icd9_diag_16_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 16'

Column Name: ss_note_icd9_diag_16_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_16_code. See ss_note_icd9_diag_16_code for more information.

Column Name: ss_note_icd9_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 17'

Column Name: ss_note_icd9_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_17_code. See ss_note_icd9_diag_17_code for more information.

Column Name: ss_note_icd9_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 18'

Column Name: ss_note_icd9_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_18_code. See ss_note_icd9_diag_18_code for more information.

Column Name: ss_note_icd9_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 19'

Column Name: ss_note_icd9_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_19_code. See ss_note_icd9_diag_19_code for more information.

Column Name: ss_note_icd9_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 20'

Column Name: ss_note_icd9_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_20_code. See ss_note_icd9_diag_20_code for more information.

Column Name: ss_note_icd9_diag_21_code

Column Type: varchar

Max Length: 20
'SS Note ICD9 Diagnosis 21'

Column Name: ss_note_icd9_diag_21_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_21_code. See ss_note_icd9_diag_21_code for more information.

Column Name: ss_note_icd9_diag_22_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 22'

Column Name: ss_note_icd9_diag_22_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_22_code. See ss_note_icd9_diag_22_code for more information.

Column Name: ss_note_icd9_diag_23_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 23'

Column Name: ss_note_icd9_diag_23_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_23_code. See ss_note_icd9_diag_23_code for more information.

Column Name: ss_note_icd9_diag_24_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 24'

Column Name: ss_note_icd9_diag_24_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_24_code. See ss_note_icd9_diag_24_code for more information.

Column Name: ss_note_icd9_diag_25_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 25'

Column Name: ss_note_icd9_diag_25_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_icd9_diag_25_code`. See `ss_note_icd9_diag_25_code` for more information.

Column Name: `ss_note_icd9_diag_26_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 26'

Column Name: `ss_note_icd9_diag_26_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_26_code`. See `ss_note_icd9_diag_26_code` for more information.

Column Name: `ss_note_icd9_diag_27_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 27'

Column Name: `ss_note_icd9_diag_27_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_27_code`. See `ss_note_icd9_diag_27_code` for more information.

Column Name: `ss_note_icd9_diag_28_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 28'

Column Name: `ss_note_icd9_diag_28_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_28_code`. See `ss_note_icd9_diag_28_code` for more information.

Column Name: `ss_note_icd9_diag_29_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 29'

Column Name: `ss_note_icd9_diag_29_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_29_code`. See `ss_note_icd9_diag_29_code` for more information.

Column Name: `ss_note_icd9_diag_30_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 30'

Column Name: ss_note_icd9_diag_30_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_30_code. See ss_note_icd9_diag_30_code for more information.

Column Name: ss_note_multi_dict_11_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_note_multi_dict_11_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_11_code. See ss_note_multi_dict_11_code for more information.

Column Name: ss_note_multi_dict_12_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_note_multi_dict_12_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_12_code. See ss_note_multi_dict_12_code for more information.

Column Name: ss_note_multi_dict_13_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_note_multi_dict_13_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_13_code. See ss_note_multi_dict_13_code for more information.

Column Name: ss_note_multi_dict_14_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_note_multi_dict_14_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_14_code. See ss_note_multi_dict_14_code for more information.

Column Name: ss_note_multi_dict_15_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_note_multi_dict_15_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_15_code. See ss_note_multi_dict_15_code for more information.

Column Name: ss_note_multi_dict_16_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_note_multi_dict_16_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_16_code. See ss_note_multi_dict_16_code for more information.

Column Name: ss_note_multi_dict_17_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_note_multi_dict_17_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_17_code. See ss_note_multi_dict_17_code for more information.

Column Name: ss_note_multi_dict_18_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_note_multi_dict_18_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_18_code. See ss_note_multi_dict_18_code for more information.

Column Name: ss_note_multi_dict_19_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_note_multi_dict_19_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_19_code. See ss_note_multi_dict_19_code for more information.

Column Name: ss_note_multi_dict_20_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_note_multi_dict_20_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_20_code. See ss_note_multi_dict_20_code for more information.

Column Name: ss_note_multi_dict_21_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_note_multi_dict_21_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_21_code. See ss_note_multi_dict_21_code for more information.

Column Name: ss_note_multi_dict_22_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_note_multi_dict_22_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_22_code. See ss_note_multi_dict_22_code for more information.

Column Name: ss_note_multi_dict_23_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_note_multi_dict_23_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_23_code. See ss_note_multi_dict_23_code for more information.

Column Name: ss_note_multi_dict_24_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_note_multi_dict_24_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_24_code. See ss_note_multi_dict_24_code for more information.

Column Name: ss_note_multi_dict_25_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_note_multi_dict_25_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_25_code. See ss_note_multi_dict_25_code for more information.

Column Name: ss_note_multi_dict_26_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_note_multi_dict_26_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_26_code. See ss_note_multi_dict_26_code for more information.

Column Name: ss_note_multi_dict_27_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_note_multi_dict_27_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_27_code. See ss_note_multi_dict_27_code for more information.

Column Name: ss_note_multi_dict_28_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_note_multi_dict_28_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_28_code. See ss_note_multi_dict_28_code for more information.

Column Name: ss_note_multi_dict_29_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_note_multi_dict_29_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_29_code. See ss_note_multi_dict_29_code for more information.

Column Name: ss_note_multi_dict_30_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_note_multi_dict_30_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_30_code. See ss_note_multi_dict_30_code for more information.

Column Name: ss_note_scroll_text_11

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 11'

Column Name: ss_note_scroll_text_12

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 12'

Column Name: ss_note_scroll_text_13

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 13'

Column Name: ss_note_scroll_text_14

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 14'

Column Name: ss_note_scroll_text_15
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 15'

Column Name: ss_note_scroll_text_16
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 16'

Column Name: ss_note_scroll_text_17
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 17'

Column Name: ss_note_scroll_text_18
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 18'

Column Name: ss_note_scroll_text_19
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 19'

Column Name: ss_note_scroll_text_20
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 20'

Column Name: ss_note_scroll_text_21
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 21'

Column Name: ss_note_scroll_text_22
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 22'

Column Name: ss_note_scroll_text_23
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 23'

Column Name: ss_note_scroll_text_24
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 24'

Column Name: ss_note_scroll_text_25
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 25'

Column Name: ss_note_scroll_text_26
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 26'

Column Name: ss_note_scroll_text_27
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 27'

Column Name: ss_note_scroll_text_28
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 28'

Column Name: ss_note_scroll_text_29
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 29'

Column Name: ss_note_scroll_text_30
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 30'

Column Name: ss_note_sing_dict_11_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 11'

Column Name: ss_note_sing_dict_11_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_11_code. See ss_note_single_dict_11_code for more information.

Column Name: ss_note_sing_dict_12_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 12'

Column Name: ss_note_sing_dict_12_value
Column Type: varchar
Max Length: 50

The description associated with ss_note_single_dict_12_code. See ss_note_single_dict_12_code for more information.

Column Name: ss_note_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 13'

Column Name: ss_note_sing_dict_13_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_13_code. See ss_note_single_dict_13_code for more information.

Column Name: ss_note_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 14'

Column Name: ss_note_sing_dict_14_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_14_code. See ss_note_single_dict_14_code for more information.

Column Name: ss_note_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 15'

Column Name: ss_note_sing_dict_15_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_15_code. See ss_note_single_dict_15_code for more information.

Column Name: ss_note_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 16'

Column Name: ss_note_sing_dict_16_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_16_code. See ss_note_single_dict_16_code for more information.

Column Name: ss_note_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 17'

Column Name: ss_note_sing_dict_17_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_17_code. See ss_note_single_dict_17_code for more information.

Column Name: ss_note_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 18'

Column Name: ss_note_sing_dict_18_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_18_code. See ss_note_single_dict_18_code for more information.

Column Name: ss_note_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 19'

Column Name: ss_note_sing_dict_19_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_19_code. See ss_note_single_dict_19_code for more information.

Column Name: ss_note_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 20'

Column Name: ss_note_sing_dict_20_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_20_code. See ss_note_single_dict_20_code for more information.

Column Name: ss_note_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 21'

Column Name: ss_note_sing_dict_21_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_21_code. See ss_note_single_dict_21_code for more information.

Column Name: ss_note_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 22'

Column Name: ss_note_sing_dict_22_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_22_code. See ss_note_single_dict_22_code for more information.

Column Name: ss_note_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 23'

Column Name: ss_note_sing_dict_23_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_23_code. See ss_note_single_dict_23_code for more information.

Column Name: ss_note_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 24'

Column Name: ss_note_sing_dict_24_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_24_code. See ss_note_single_dict_24_code for more information.

Column Name: ss_note_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 25'

Column Name: ss_note_sing_dict_25_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_25_code. See ss_note_single_dict_25_code for more information.

Column Name: ss_note_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 26'

Column Name: ss_note_sing_dict_26_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_26_code. See ss_note_single_dict_26_code for more information.

Column Name: ss_note_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 27'

Column Name: ss_note_sing_dict_27_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_27_code. See ss_note_single_dict_27_code for more information.

Column Name: ss_note_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 28'

Column Name: ss_note_sing_dict_28_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_28_code. See ss_note_single_dict_28_code for more information.

Column Name: ss_note_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 29'

Column Name: ss_note_sing_dict_29_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_29_code. See ss_note_single_dict_29_code for more information.

Column Name: ss_note_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 30'

Column Name: ss_note_sing_dict_30_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_30_code. See ss_note_single_dict_30_code for more information.

Column Name: ss_note_time_11
Column Type: varchar
Max Length: 50
'SS Note Time 11'

Column Name: ss_note_time_12
Column Type: varchar
Max Length: 50
'SS Note Time 12'

Column Name: ss_note_time_13
Column Type: varchar
Max Length: 50
'SS Note Time 13'

Column Name: ss_note_time_14
Column Type: varchar
Max Length: 50
'SS Note Time 14'

Column Name: ss_note_time_15
Column Type: varchar
Max Length: 50
'SS Note Time 15'

Column Name: ss_note_time_16
Column Type: varchar
Max Length: 50
'SS Note Time 16'

Column Name: ss_note_time_17
Column Type: varchar
Max Length: 50
'SS Note Time 17'

Column Name: ss_note_time_18
Column Type: varchar
Max Length: 50
'SS Note Time 18'

Column Name: ss_note_time_19
Column Type: varchar
Max Length: 50
'SS Note Time 19'

Column Name: ss_note_time_20
Column Type: varchar

Max Length: 50
'SS Note Time 20'

Column Name: ss_note_time_21
Column Type: varchar
Max Length: 50
'SS Note Time 21'

Column Name: ss_note_time_22
Column Type: varchar
Max Length: 50
'SS Note Time 22'

Column Name: ss_note_time_23
Column Type: varchar
Max Length: 50
'SS Note Time 23'

Column Name: ss_note_time_24
Column Type: varchar
Max Length: 50
'SS Note Time 24'

Column Name: ss_note_time_25
Column Type: varchar
Max Length: 50
'SS Note Time 25'

Column Name: ss_note_time_26
Column Type: varchar
Max Length: 50
'SS Note Time 26'

Column Name: ss_note_time_27
Column Type: varchar
Max Length: 50
'SS Note Time 27'

Column Name: ss_note_time_28
Column Type: varchar
Max Length: 50
'SS Note Time 28'

Column Name: ss_note_time_29
Column Type: varchar
Max Length: 50
'SS Note Time 29'

Column Name: ss_note_time_30
Column Type: varchar

Max Length: 50
'SS Note Time 30'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: CWSTEMP.cw_patient_notes_supp_1

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp1 table.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 50

'Progress Notes Pointer'

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: PREFILEID

Column Type: varchar

Max Length: 50

The unique ID associated with the prefiller.

Column Name: confidential_note

Column Type: varchar

Max Length: 50

'Confidential Notes'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: notes_field

Column Type: varchar

Max Length: 32766

'Notes Field'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_31

Column Type: varchar

Max Length: 20

'SS Note 20 Character 31'

Column Name: ss_note_20_char_text_32

Column Type: varchar

Max Length: 20

'SS Note 20 Character 32'

Column Name: ss_note_20_char_text_33

Column Type: varchar

Max Length: 20

'SS Note 20 Character 33'

Column Name: ss_note_20_char_text_34

Column Type: varchar

Max Length: 20

'SS Note 20 Character 34'

Column Name: ss_note_20_char_text_35

Column Type: varchar

Max Length: 20

'SS Note 20 Character 35'

Column Name: ss_note_20_char_text_36

Column Type: varchar

Max Length: 20

'SS Note 20 Character 36'

Column Name: ss_note_20_char_text_37

Column Type: varchar

Max Length: 20

'SS Note 20 Character 37'

Column Name: ss_note_20_char_text_38

Column Type: varchar

Max Length: 20

'SS Note 20 Character 38'

Column Name: ss_note_20_char_text_39

Column Type: varchar

Max Length: 20

'SS Note 20 Character 39'

Column Name: ss_note_20_char_text_40

Column Type: varchar

Max Length: 20

'SS Note 20 Character 40'

Column Name: ss_note_20_char_text_41

Column Type: varchar

Max Length: 20

'SS Note 20 Character 41'

Column Name: ss_note_20_char_text_42

Column Type: varchar

Max Length: 20

'SS Note 20 Character 42'

Column Name: ss_note_20_char_text_43

Column Type: varchar

Max Length: 20

'SS Note 20 Character 43'

Column Name: ss_note_20_char_text_44

Column Type: varchar

Max Length: 20

'SS Note 20 Character 44'

Column Name: ss_note_20_char_text_45

Column Type: varchar

Max Length: 20

'SS Note 20 Character 45'

Column Name: ss_note_20_char_text_46

Column Type: varchar

Max Length: 20

'SS Note 20 Character 46'

Column Name: ss_note_20_char_text_47

Column Type: varchar

Max Length: 20

'SS Note 20 Character 47'

Column Name: ss_note_20_char_text_48

Column Type: varchar

Max Length: 20

'SS Note 20 Character 48'

Column Name: ss_note_20_char_text_49

Column Type: varchar

Max Length: 20

'SS Note 20 Character 49'

Column Name: ss_note_20_char_text_50

Column Type: varchar

Max Length: 20

'SS Note 20 Character 50'

Column Name: ss_note_40_char_text_31

Column Type: varchar

Max Length: 40

'SS Note 40 Character 31'

Column Name: ss_note_40_char_text_32

Column Type: varchar

Max Length: 40

'SS Note 40 Character 32'

Column Name: ss_note_40_char_text_33

Column Type: varchar

Max Length: 40

'SS Note 40 Character 33'

Column Name: ss_note_40_char_text_34

Column Type: varchar

Max Length: 40

'SS Note 40 Character 34'

Column Name: ss_note_40_char_text_35

Column Type: varchar

Max Length: 40

'SS Note 40 Character 35'

Column Name: ss_note_40_char_text_36

Column Type: varchar

Max Length: 40

'SS Note 40 Character 36'

Column Name: ss_note_40_char_text_37

Column Type: varchar

Max Length: 40

'SS Note 40 Character 37'

Column Name: ss_note_40_char_text_38

Column Type: varchar

Max Length: 40

'SS Note 40 Character 38'

Column Name: ss_note_40_char_text_39

Column Type: varchar

Max Length: 40

'SS Note 40 Character 39'

Column Name: ss_note_40_char_text_40

Column Type: varchar

Max Length: 40

'SS Note 40 Character 40'

Column Name: ss_note_40_char_text_41

Column Type: varchar

Max Length: 40

'SS Note 40 Character 41'

Column Name: ss_note_40_char_text_42

Column Type: varchar

Max Length: 40

'SS Note 40 Character 42'

Column Name: ss_note_40_char_text_43

Column Type: varchar

Max Length: 40

'SS Note 40 Character 43'

Column Name: ss_note_40_char_text_44

Column Type: varchar

Max Length: 40

'SS Note 40 Character 44'

Column Name: ss_note_40_char_text_45

Column Type: varchar

Max Length: 40

'SS Note 40 Character 45'

Column Name: ss_note_40_char_text_46

Column Type: varchar

Max Length: 40

'SS Note 40 Character 46'

Column Name: ss_note_40_char_text_47

Column Type: varchar

Max Length: 40

'SS Note 40 Character 47'

Column Name: ss_note_40_char_text_48

Column Type: varchar

Max Length: 40

'SS Note 40 Character 48'

Column Name: ss_note_40_char_text_49

Column Type: varchar

Max Length: 40

'SS Note 40 Character 49'

Column Name: ss_note_40_char_text_50

Column Type: varchar

Max Length: 40

'SS Note 40 Character 50'

Column Name: ss_note_80_char_text_31

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 31'

Column Name: ss_note_80_char_text_32

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 32'

Column Name: ss_note_80_char_text_33

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 33'

Column Name: ss_note_80_char_text_34

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 34'

Column Name: ss_note_80_char_text_35

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 35'

Column Name: ss_note_80_char_text_36

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 36'

Column Name: ss_note_80_char_text_37

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 37'

Column Name: ss_note_80_char_text_38

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 38'

Column Name: ss_note_80_char_text_39

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 39'

Column Name: ss_note_80_char_text_40

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 40'

Column Name: ss_note_80_char_text_41

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 41'

Column Name: ss_note_80_char_text_42

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 42'

Column Name: ss_note_80_char_text_43

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 43'

Column Name: ss_note_80_char_text_44

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 44'

Column Name: ss_note_80_char_text_45

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 45'

Column Name: ss_note_80_char_text_46

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 46'

Column Name: ss_note_80_char_text_47

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 47'

Column Name: ss_note_80_char_text_48

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 48'

Column Name: ss_note_80_char_text_49

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 49'

Column Name: ss_note_80_char_text_50

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 50'

Column Name: ss_note_date_31

Column Type: date

'SS Note Date 31'

Column Name: ss_note_date_32

Column Type: date

'SS Note Date 32'

Column Name: ss_note_date_33

Column Type: date

'SS Note Date 33'

Column Name: ss_note_date_34

Column Type: date

'SS Note Date 34'

Column Name: ss_note_date_35

Column Type: date

'SS Note Date 35'

Column Name: ss_note_date_36

Column Type: date

'SS Note Date 36'

Column Name: ss_note_date_37

Column Type: date

'SS Note Date 37'

Column Name: ss_note_date_38
Column Type: date
'SS Note Date 38'

Column Name: ss_note_date_39
Column Type: date
'SS Note Date 39'

Column Name: ss_note_date_40
Column Type: date
'SS Note Date 40'

Column Name: ss_note_date_41
Column Type: date
'SS Note Date 41'

Column Name: ss_note_date_42
Column Type: date
'SS Note Date 42'

Column Name: ss_note_date_43
Column Type: date
'SS Note Date 43'

Column Name: ss_note_date_44
Column Type: date
'SS Note Date 44'

Column Name: ss_note_date_45
Column Type: date
'SS Note Date 45'

Column Name: ss_note_date_46
Column Type: date
'SS Note Date 46'

Column Name: ss_note_date_47
Column Type: date
'SS Note Date 47'

Column Name: ss_note_date_48
Column Type: date
'SS Note Date 48'

Column Name: ss_note_date_49
Column Type: date
'SS Note Date 49'

Column Name: ss_note_date_50
Column Type: date

'SS Note Date 50'

Column Name: ss_note_dsm_diag_31_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 31'

Column Name: ss_note_dsm_diag_31_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_31_code. See ss_note_dsm_diag_31_code for more information.

Column Name: ss_note_dsm_diag_32_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 32'

Column Name: ss_note_dsm_diag_32_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_32_code. See ss_note_dsm_diag_32_code for more information.

Column Name: ss_note_dsm_diag_33_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 33'

Column Name: ss_note_dsm_diag_33_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_33_code. See ss_note_dsm_diag_33_code for more information.

Column Name: ss_note_dsm_diag_34_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 34'

Column Name: ss_note_dsm_diag_34_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_34_code. See ss_note_dsm_diag_34_code for more information.

Column Name: ss_note_dsm_diag_35_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 35'

Column Name: ss_note_dsm_diag_35_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_35_code. See ss_note_dsm_diag_35_code for more information.

Column Name: ss_note_dsm_diag_36_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 36'

Column Name: ss_note_dsm_diag_36_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_36_code. See ss_note_dsm_diag_36_code for more information.

Column Name: ss_note_dsm_diag_37_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 37'

Column Name: ss_note_dsm_diag_37_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_37_code. See ss_note_dsm_diag_37_code for more information.

Column Name: ss_note_dsm_diag_38_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 38'

Column Name: ss_note_dsm_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_38_code. See ss_note_dsm_diag_38_code for more information.

Column Name: ss_note_dsm_diag_39_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 39'

Column Name: ss_note_dsm_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_39_code. See ss_note_dsm_diag_39_code for more information.

Column Name: ss_note_dsm_diag_40_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 40'

Column Name: ss_note_dsm_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_40_code. See ss_note_dsm_diag_40_code for more information.

Column Name: ss_note_dsm_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 41'

Column Name: ss_note_dsm_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_41_code. See ss_note_dsm_diag_41_code for more information.

Column Name: ss_note_dsm_diag_42_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 42'

Column Name: ss_note_dsm_diag_42_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_42_code. See ss_note_dsm_diag_42_code for more information.

Column Name: ss_note_dsm_diag_43_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 43'

Column Name: ss_note_dsm_diag_43_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_43_code. See ss_note_dsm_diag_43_code for more information.

Column Name: ss_note_dsm_diag_44_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 44'

Column Name: ss_note_dsm_diag_44_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_44_code. See ss_note_dsm_diag_44_code for more information.

Column Name: ss_note_dsm_diag_45_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 45'

Column Name: ss_note_dsm_diag_45_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_45_code. See ss_note_dsm_diag_45_code for more information.

Column Name: ss_note_dsm_diag_46_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 46'

Column Name: ss_note_dsm_diag_46_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_46_code. See ss_note_dsm_diag_46_code for more information.

Column Name: ss_note_dsm_diag_47_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 47'

Column Name: ss_note_dsm_diag_47_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_47_code. See ss_note_dsm_diag_47_code for more information.

Column Name: ss_note_dsm_diag_48_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 48'

Column Name: ss_note_dsm_diag_48_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_48_code. See ss_note_dsm_diag_48_code for more information.

Column Name: ss_note_dsm_diag_49_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 49'

Column Name: ss_note_dsm_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_49_code. See ss_note_dsm_diag_49_code for more information.

Column Name: ss_note_dsm_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 50'

Column Name: ss_note_dsm_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_50_code. See ss_note_dsm_diag_50_code for more information.

Column Name: ss_note_icd9_diag_31_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 31'

Column Name: ss_note_icd9_diag_31_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_31_code. See ss_note_icd9_diag_31_code for more information.

Column Name: ss_note_icd9_diag_32_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 32'

Column Name: ss_note_icd9_diag_32_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_32_code. See ss_note_icd9_diag_32_code for more information.

Column Name: ss_note_icd9_diag_33_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 33'

Column Name: ss_note_icd9_diag_33_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_33_code. See ss_note_icd9_diag_33_code for more information.

Column Name: ss_note_icd9_diag_34_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 34'

Column Name: ss_note_icd9_diag_34_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_34_code. See ss_note_icd9_diag_34_code for more information.

Column Name: ss_note_icd9_diag_35_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 35'

Column Name: ss_note_icd9_diag_35_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_35_code. See ss_note_icd9_diag_35_code for more information.

Column Name: ss_note_icd9_diag_36_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 36'

Column Name: ss_note_icd9_diag_36_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_36_code. See ss_note_icd9_diag_36_code for more information.

Column Name: ss_note_icd9_diag_37_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 37'

Column Name: ss_note_icd9_diag_37_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_37_code. See ss_note_icd9_diag_37_code for more information.

Column Name: ss_note_icd9_diag_38_code

Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 38'

Column Name: ss_note_icd9_diag_38_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_38_code. See ss_note_icd9_diag_38_code for more information.

Column Name: ss_note_icd9_diag_39_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 39'

Column Name: ss_note_icd9_diag_39_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_39_code. See ss_note_icd9_diag_39_code for more information.

Column Name: ss_note_icd9_diag_40_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 40'

Column Name: ss_note_icd9_diag_40_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_40_code. See ss_note_icd9_diag_40_code for more information.

Column Name: ss_note_icd9_diag_41_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 41'

Column Name: ss_note_icd9_diag_41_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_41_code. See ss_note_icd9_diag_41_code for more information.

Column Name: ss_note_icd9_diag_42_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 42'

Column Name: ss_note_icd9_diag_42_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_42_code. See ss_note_icd9_diag_42_code for more information.

Column Name: ss_note_icd9_diag_43_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 43'

Column Name: ss_note_icd9_diag_43_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_43_code. See ss_note_icd9_diag_43_code for more information.

Column Name: ss_note_icd9_diag_44_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 44'

Column Name: ss_note_icd9_diag_44_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_44_code. See ss_note_icd9_diag_44_code for more information.

Column Name: ss_note_icd9_diag_45_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 45'

Column Name: ss_note_icd9_diag_45_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_45_code. See ss_note_icd9_diag_45_code for more information.

Column Name: ss_note_icd9_diag_46_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 46'

Column Name: ss_note_icd9_diag_46_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_46_code. See ss_note_icd9_diag_46_code for more information.

Column Name: ss_note_icd9_diag_47_code

Column Type: varchar

Max Length: 20
'SS Note ICD-9 Code 47'

Column Name: ss_note_icd9_diag_47_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_47_code. See ss_note_icd9_diag_47_code for more information.

Column Name: ss_note_icd9_diag_48_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 48'

Column Name: ss_note_icd9_diag_48_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_48_code. See ss_note_icd9_diag_48_code for more information.

Column Name: ss_note_icd9_diag_49_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 49'

Column Name: ss_note_icd9_diag_49_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_49_code. See ss_note_icd9_diag_49_code for more information.

Column Name: ss_note_icd9_diag_50_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 50'

Column Name: ss_note_icd9_diag_50_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_50_code. See ss_note_icd9_diag_50_code for more information.

Column Name: ss_note_integer_1
Column Type: integer
'SS Note Integer 1'

Column Name: ss_note_integer_2
Column Type: integer
'SS Note Integer 2'

Column Name: ss_note_integer_3
Column Type: integer
'SS Note Integer 3'

Column Name: ss_note_integer_4
Column Type: integer
'SS Note Integer 4'

Column Name: ss_note_integer_5
Column Type: integer
'SS Note Integer 5'

Column Name: ss_note_integer_6
Column Type: integer
'SS Note Integer 6'

Column Name: ss_note_multi_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 31'

Column Name: ss_note_multi_dict_31_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_31_code. See ss_note_multi_dict_31_code for more information.

Column Name: ss_note_multi_dict_32_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 32'

Column Name: ss_note_multi_dict_32_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_32_code. See ss_note_multi_dict_32_code for more information.

Column Name: ss_note_multi_dict_33_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 33'

Column Name: ss_note_multi_dict_33_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_33_code. See ss_note_multi_dict_33_code for more information.

Column Name: ss_note_multi_dict_34_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 34'

Column Name: ss_note_multi_dict_34_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_34_code. See ss_note_multi_dict_34_code for more information.

Column Name: ss_note_multi_dict_35_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 35'

Column Name: ss_note_multi_dict_35_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_35_code. See ss_note_multi_dict_35_code for more information.

Column Name: ss_note_multi_dict_36_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 36'

Column Name: ss_note_multi_dict_36_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_36_code. See ss_note_multi_dict_36_code for more information.

Column Name: ss_note_multi_dict_37_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 37'

Column Name: ss_note_multi_dict_37_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_37_code. See ss_note_multi_dict_37_code for more information.

Column Name: ss_note_multi_dict_38_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 38'

Column Name: ss_note_multi_dict_38_value
Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_38_code. See ss_note_multi_dict_38_code for more information.

Column Name: ss_note_multi_dict_39_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 39'

Column Name: ss_note_multi_dict_39_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_39_code. See ss_note_multi_dict_39_code for more information.

Column Name: ss_note_multi_dict_40_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 40'

Column Name: ss_note_multi_dict_40_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_40_code. See ss_note_multi_dict_40_code for more information.

Column Name: ss_note_multi_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 41'

Column Name: ss_note_multi_dict_41_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_41_code. See ss_note_multi_dict_41_code for more information.

Column Name: ss_note_multi_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 42'

Column Name: ss_note_multi_dict_42_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_42_code. See ss_note_multi_dict_42_code for more information.

Column Name: ss_note_multi_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 43'

Column Name: ss_note_multi_dict_43_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_43_code. See ss_note_multi_dict_43_code for more information.

Column Name: ss_note_multi_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 44'

Column Name: ss_note_multi_dict_44_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_44_code. See ss_note_multi_dict_44_code for more information.

Column Name: ss_note_multi_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 45'

Column Name: ss_note_multi_dict_45_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_45_code. See ss_note_multi_dict_45_code for more information.

Column Name: ss_note_multi_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 46'

Column Name: ss_note_multi_dict_46_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_46_code. See ss_note_multi_dict_46_code for more information.

Column Name: ss_note_multi_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 47'

Column Name: ss_note_multi_dict_47_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_47_code. See ss_note_multi_dict_47_code for more information.

Column Name: ss_note_multi_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 48'

Column Name: ss_note_multi_dict_48_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_48_code. See ss_note_multi_dict_48_code for more information.

Column Name: ss_note_multi_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 49'

Column Name: ss_note_multi_dict_49_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_49_code. See ss_note_multi_dict_49_code for more information.

Column Name: ss_note_multi_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 50'

Column Name: ss_note_multi_dict_50_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_50_code. See ss_note_multi_dict_50_code for more information.

Column Name: ss_note_scroll_text_31

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 31'

Column Name: ss_note_scroll_text_32

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 32'

Column Name: ss_note_scroll_text_33

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 33'

Column Name: ss_note_scroll_text_34
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 34'

Column Name: ss_note_scroll_text_35
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 35'

Column Name: ss_note_scroll_text_36
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 36'

Column Name: ss_note_scroll_text_37
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 37'

Column Name: ss_note_scroll_text_38
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 38'

Column Name: ss_note_scroll_text_39
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 39'

Column Name: ss_note_scroll_text_40
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 40'

Column Name: ss_note_scroll_text_41
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 41'

Column Name: ss_note_scroll_text_42
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 42'

Column Name: ss_note_scroll_text_43
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 43'

Column Name: ss_note_scroll_text_44
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 44'

Column Name: ss_note_scroll_text_45
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 45'

Column Name: ss_note_scroll_text_46
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 46'

Column Name: ss_note_scroll_text_47
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 47'

Column Name: ss_note_scroll_text_48
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 48'

Column Name: ss_note_scroll_text_49
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 49'

Column Name: ss_note_scroll_text_50
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 50'

Column Name: ss_note_sing_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 31'

Column Name: ss_note_sing_dict_31_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_31_code. See ss_note_sing_dict_31_code for more information.

Column Name: ss_note_sing_dict_32_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 32'

Column Name: ss_note_sing_dict_32_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_32_code. See ss_note_sing_dict_32_code for more information.

Column Name: ss_note_sing_dict_33_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 33'

Column Name: ss_note_sing_dict_33_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_33_code. See ss_note_sing_dict_33_code for more information.

Column Name: ss_note_sing_dict_34_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 34'

Column Name: ss_note_sing_dict_34_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_34_code. See ss_note_sing_dict_34_code for more information.

Column Name: ss_note_sing_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 35'

Column Name: ss_note_sing_dict_35_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_35_code. See ss_note_sing_dict_35_code for more information.

Column Name: ss_note_sing_dict_36_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 36'

Column Name: ss_note_sing_dict_36_value

Column Type: varchar

Max Length: 80

The description associated with `ss_note_sing_dict_36_code`. See `ss_note_sing_dict_36_code` for more information.

Column Name: `ss_note_sing_dict_37_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 37'

Column Name: `ss_note_sing_dict_37_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_37_code`. See `ss_note_sing_dict_37_code` for more information.

Column Name: `ss_note_sing_dict_38_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 38'

Column Name: `ss_note_sing_dict_38_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_38_code`. See `ss_note_sing_dict_38_code` for more information.

Column Name: `ss_note_sing_dict_39_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 39'

Column Name: `ss_note_sing_dict_39_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_39_code`. See `ss_note_sing_dict_39_code` for more information.

Column Name: `ss_note_sing_dict_40_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 40'

Column Name: `ss_note_sing_dict_40_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_40_code`. See `ss_note_sing_dict_40_code` for more information.

Column Name: `ss_note_sing_dict_41_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 41'

Column Name: ss_note_sing_dict_41_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_41_code. See ss_note_sing_dict_41_code for more information.

Column Name: ss_note_sing_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 42'

Column Name: ss_note_sing_dict_42_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_42_code. See ss_note_sing_dict_42_code for more information.

Column Name: ss_note_sing_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 43'

Column Name: ss_note_sing_dict_43_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_43_code. See ss_note_sing_dict_43_code for more information.

Column Name: ss_note_sing_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 44'

Column Name: ss_note_sing_dict_44_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_44_code. See ss_note_sing_dict_44_code for more information.

Column Name: ss_note_sing_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 45'

Column Name: ss_note_sing_dict_45_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_45_code. See ss_note_sing_dict_45_code for more information.

Column Name: ss_note_sing_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 46'

Column Name: ss_note_sing_dict_46_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_46_code. See ss_note_sing_dict_46_code for more information.

Column Name: ss_note_sing_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 47'

Column Name: ss_note_sing_dict_47_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_47_code. See ss_note_sing_dict_47_code for more information.

Column Name: ss_note_sing_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 48'

Column Name: ss_note_sing_dict_48_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_48_code. See ss_note_sing_dict_48_code for more information.

Column Name: ss_note_sing_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 49'

Column Name: ss_note_sing_dict_49_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_49_code. See ss_note_sing_dict_49_code for more information.

Column Name: ss_note_sing_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 50'

Column Name: ss_note_sing_dict_50_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_50_code. See ss_note_sing_dict_50_code for more information.

Column Name: ss_note_time_31

Column Type: varchar

Max Length: 50

'SS Note Time 31'

Column Name: ss_note_time_32

Column Type: varchar

Max Length: 50

'SS Note Time 32'

Column Name: ss_note_time_33

Column Type: varchar

Max Length: 50

'SS Note Time 33'

Column Name: ss_note_time_34

Column Type: varchar

Max Length: 50

'SS Note Time 34'

Column Name: ss_note_time_35

Column Type: varchar

Max Length: 50

'SS Note Time 35'

Column Name: ss_note_time_36

Column Type: varchar

Max Length: 50

'SS Note Time 36'

Column Name: ss_note_time_37

Column Type: varchar

Max Length: 50

'SS Note Time 37'

Column Name: ss_note_time_38

Column Type: varchar

Max Length: 50

'SS Note Time 38'

Column Name: ss_note_time_39

Column Type: varchar

Max Length: 50
'SS Note Time 39'

Column Name: ss_note_time_40
Column Type: varchar
Max Length: 50
'SS Note Time 40'

Column Name: ss_note_time_41
Column Type: varchar
Max Length: 50
'SS Note Time 41'

Column Name: ss_note_time_42
Column Type: varchar
Max Length: 50
'SS Note Time 42'

Column Name: ss_note_time_43
Column Type: varchar
Max Length: 50
'SS Note Time 43'

Column Name: ss_note_time_44
Column Type: varchar
Max Length: 50
'SS Note Time 44'

Column Name: ss_note_time_45
Column Type: varchar
Max Length: 50
'SS Note Time 45'

Column Name: ss_note_time_46
Column Type: varchar
Max Length: 50
'SS Note Time 46'

Column Name: ss_note_time_47
Column Type: varchar
Max Length: 50
'SS Note Time 47'

Column Name: ss_note_time_48
Column Type: varchar
Max Length: 50
'SS Note Time 48'

Column Name: ss_note_time_49
Column Type: varchar

Max Length: 50
'SS Note Time 49'

Column Name: ss_note_time_50
Column Type: varchar
Max Length: 50
'SS Note Time 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: CWSTEMP.cw_patient_notes_supp_2

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp2 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: ss_note_integer_10

Column Type: integer

'SS Note Integer 10'

Column Name: ss_note_integer_11

Column Type: integer

'SS Note Integer 11'

Column Name: ss_note_integer_12

Column Type: integer

'SS Note Integer 12'

Column Name: ss_note_integer_13

Column Type: integer

'SS Note Integer 13'

Column Name: ss_note_integer_14

Column Type: integer

'SS Note Integer 14'

Column Name: ss_note_integer_15

Column Type: integer

'SS Note Integer 15'

Column Name: ss_note_integer_16

Column Type: integer

'SS Note Integer 16'

Column Name: ss_note_integer_17

Column Type: integer

'SS Note Integer 17'

Column Name: ss_note_integer_18

Column Type: integer
'SS Note Integer 18'

Column Name: ss_note_integer_19
Column Type: integer
'SS Note Integer 19'

Column Name: ss_note_integer_20
Column Type: integer
'SS Note Integer 20'

Column Name: ss_note_integer_21
Column Type: integer
'SS Note Integer 21'

Column Name: ss_note_integer_22
Column Type: integer
'SS Note Integer 22'

Column Name: ss_note_integer_23
Column Type: integer
'SS Note Integer 23'

Column Name: ss_note_integer_24
Column Type: integer
'SS Note Integer 24'

Column Name: ss_note_integer_25
Column Type: integer
'SS Note Integer 25'

Column Name: ss_note_integer_26
Column Type: integer
'SS Note Integer 26'

Column Name: ss_note_integer_27
Column Type: integer
'SS Note Integer 27'

Column Name: ss_note_integer_28
Column Type: integer
'SS Note Integer 28'

Column Name: ss_note_integer_29
Column Type: integer
'SS Note Integer 29'

Column Name: ss_note_integer_30
Column Type: integer
'SS Note Integer 30'

Column Name: ss_note_integer_31
Column Type: integer
'SS Note Integer 31'

Column Name: ss_note_integer_32
Column Type: integer
'SS Note Integer 32'

Column Name: ss_note_integer_33
Column Type: integer
'SS Note Integer 33'

Column Name: ss_note_integer_34
Column Type: integer
'SS Note Integer 34'

Column Name: ss_note_integer_35
Column Type: integer
'SS Note Integer 35'

Column Name: ss_note_integer_36
Column Type: integer
'SS Note Integer 36'

Column Name: ss_note_integer_37
Column Type: integer
'SS Note Integer 37'

Column Name: ss_note_integer_38
Column Type: integer
'SS Note Integer 38'

Column Name: ss_note_integer_39
Column Type: integer
'SS Note Integer 39'

Column Name: ss_note_integer_40
Column Type: integer
'SS Note Integer 40'

Column Name: ss_note_integer_41
Column Type: integer
'SS Note Integer 41'

Column Name: ss_note_integer_42
Column Type: integer
'SS Note Integer 42'

Column Name: ss_note_integer_43

Column Type: integer
'SS Note Integer 43'

Column Name: ss_note_integer_44
Column Type: integer
'SS Note Integer 44'

Column Name: ss_note_integer_45
Column Type: integer
'SS Note Integer 45'

Column Name: ss_note_integer_46
Column Type: integer
'SS Note Integer 46'

Column Name: ss_note_integer_47
Column Type: integer
'SS Note Integer 47'

Column Name: ss_note_integer_48
Column Type: integer
'SS Note Integer 48'

Column Name: ss_note_integer_49
Column Type: integer
'SS Note Integer 49'

Column Name: ss_note_integer_50
Column Type: integer
'SS Note Integer 50'

Column Name: ss_note_integer_7
Column Type: integer
'SS Note Integer 7'

Column Name: ss_note_integer_8
Column Type: integer
'SS Note Integer 8'

Column Name: ss_note_integer_9
Column Type: integer
'SS Note Integer 9'

Column Name: ss_note_staff_11
Column Type: varchar
Max Length: 20
'SS Note Staff Member 11'

Column Name: ss_note_staff_12
Column Type: varchar

Max Length: 20
'SS Note Staff Member 12'

Column Name: ss_note_staff_13
Column Type: varchar
Max Length: 20
'SS Note Staff Member 13'

Column Name: ss_note_staff_14
Column Type: varchar
Max Length: 20
'SS Note Staff Member 14'

Column Name: ss_note_staff_15
Column Type: varchar
Max Length: 20
'SS Note Staff Member 15'

Column Name: ss_note_staff_16
Column Type: varchar
Max Length: 20
'SS Note Staff Member 16'

Column Name: ss_note_staff_17
Column Type: varchar
Max Length: 20
'SS Note Staff Member 17'

Column Name: ss_note_staff_18
Column Type: varchar
Max Length: 20
'SS Note Staff Member 18'

Column Name: ss_note_staff_19
Column Type: varchar
Max Length: 20
'SS Note Staff Member 19'

Column Name: ss_note_staff_20
Column Type: varchar
Max Length: 20
'SS Note Staff Member 20'

Column Name: ss_note_staff_21
Column Type: varchar
Max Length: 20
'SS Note Staff Member 21'

Column Name: ss_note_staff_22
Column Type: varchar

Max Length: 20
'SS Note Staff Member 22'

Column Name: ss_note_staff_23
Column Type: varchar
Max Length: 20
'SS Note Staff Member 23'

Column Name: ss_note_staff_24
Column Type: varchar
Max Length: 20
'SS Note Staff Member 24'

Column Name: ss_note_staff_25
Column Type: varchar
Max Length: 20
'SS Note Staff Member 25'

Column Name: ss_note_staff_26
Column Type: varchar
Max Length: 20
'SS Note Staff Member 26'

Column Name: ss_note_staff_27
Column Type: varchar
Max Length: 20
'SS Note Staff Member 27'

Column Name: ss_note_staff_28
Column Type: varchar
Max Length: 20
'SS Note Staff Member 28'

Column Name: ss_note_staff_29
Column Type: varchar
Max Length: 20
'SS Note Staff Member 29'

Column Name: ss_note_staff_30
Column Type: varchar
Max Length: 20
'SS Note Staff Member 30'

Column Name: ss_note_staff_31
Column Type: varchar
Max Length: 20
'SS Note Staff Member 31'

Column Name: ss_note_staff_32
Column Type: varchar

Max Length: 20
'SS Note Staff Member 32'

Column Name: ss_note_staff_33
Column Type: varchar
Max Length: 20
'SS Note Staff Member 33'

Column Name: ss_note_staff_34
Column Type: varchar
Max Length: 20
'SS Note Staff Member 34'

Column Name: ss_note_staff_35
Column Type: varchar
Max Length: 20
'SS Note Staff Member 35'

Column Name: ss_note_staff_36
Column Type: varchar
Max Length: 20
'SS Note Staff Member 36'

Column Name: ss_note_staff_37
Column Type: varchar
Max Length: 20
'SS Note Staff Member 37'

Column Name: ss_note_staff_38
Column Type: varchar
Max Length: 20
'SS Note Staff Member 38'

Column Name: ss_note_staff_39
Column Type: varchar
Max Length: 20
'SS Note Staff Member 39'

Column Name: ss_note_staff_40
Column Type: varchar
Max Length: 20
'SS Note Staff Member 40'

Column Name: ss_note_staff_41
Column Type: varchar
Max Length: 20
'SS Note Staff Member 41'

Column Name: ss_note_staff_42
Column Type: varchar

Max Length: 20
'SS Note Staff Member 42'

Column Name: ss_note_staff_43
Column Type: varchar
Max Length: 20
'SS Note Staff Member 43'

Column Name: ss_note_staff_44
Column Type: varchar
Max Length: 20
'SS Note Staff Member 44'

Column Name: ss_note_staff_45
Column Type: varchar
Max Length: 20
'SS Note Staff Member 45'

Column Name: ss_note_staff_46
Column Type: varchar
Max Length: 20
'SS Note Staff Member 46'

Column Name: ss_note_staff_47
Column Type: varchar
Max Length: 20
'SS Note Staff Member 47'

Column Name: ss_note_staff_48
Column Type: varchar
Max Length: 20
'SS Note Staff Member 48'

Column Name: ss_note_staff_49
Column Type: varchar
Max Length: 20
'SS Note Staff Member 49'

Column Name: ss_note_staff_50
Column Type: varchar
Max Length: 20
'SS Note Staff Member 50'

Column Name: user_row_access_code
Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: CWSTEMP.cw_patient_notes_supp_3

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp3 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID

Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
The form number of the form that last updated the row.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notec_multi_dict_10_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 10'

Column Name: ss_notec_multi_dict_10_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_10_code. See ss_notec_multi_dict_10_code for more information.

Column Name: ss_notec_multi_dict_11_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_notec_multi_dict_11_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_11_code. See ss_notec_multi_dict_11_code for more information.

Column Name: ss_notec_multi_dict_12_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_notec_multi_dict_12_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_12_code. See ss_notec_multi_dict_12_code for more information.

Column Name: ss_notec_multi_dict_13_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_notec_multi_dict_13_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_13_code. See ss_notec_multi_dict_13_code for more information.

Column Name: ss_notec_multi_dict_14_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_notec_multi_dict_14_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_14_code. See ss_notec_multi_dict_14_code for more information.

Column Name: ss_notec_multi_dict_15_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_notec_multi_dict_15_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_15_code. See ss_notec_multi_dict_15_code for more information.

Column Name: ss_notec_multi_dict_16_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_notec_multi_dict_16_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_16_code. See ss_notec_multi_dict_16_code for more information.

Column Name: ss_notec_multi_dict_17_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_notec_multi_dict_17_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_17_code. See ss_notec_multi_dict_17_code for more information.

Column Name: ss_notec_multi_dict_18_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_notec_multi_dict_18_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_18_code. See ss_notec_multi_dict_18_code for more information.

Column Name: ss_notec_multi_dict_19_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_notec_multi_dict_19_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_19_code. See ss_notec_multi_dict_19_code for more information.

Column Name: ss_notec_multi_dict_1_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 1'

Column Name: ss_notec_multi_dict_1_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_1_code. See ss_notec_multi_dict_1_code for more information.

Column Name: ss_notec_multi_dict_20_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_notec_multi_dict_20_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_20_code. See ss_notec_multi_dict_20_code for more information.

Column Name: ss_notec_multi_dict_21_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_notec_multi_dict_21_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_21_code. See ss_notec_multi_dict_21_code for more information.

Column Name: ss_notec_multi_dict_22_code

Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_notec_multi_dict_22_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_22_code. See ss_notec_multi_dict_22_code for more information.

Column Name: ss_notec_multi_dict_23_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_notec_multi_dict_23_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_23_code. See ss_notec_multi_dict_23_code for more information.

Column Name: ss_notec_multi_dict_24_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_notec_multi_dict_24_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_24_code. See ss_notec_multi_dict_24_code for more information.

Column Name: ss_notec_multi_dict_25_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_notec_multi_dict_25_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_25_code. See ss_notec_multi_dict_25_code for more information.

Column Name: ss_notec_multi_dict_26_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_notec_multi_dict_26_value
Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_26_code. See ss_notec_multi_dict_26_code for more information.

Column Name: ss_notec_multi_dict_27_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_notec_multi_dict_27_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_27_code. See ss_notec_multi_dict_27_code for more information.

Column Name: ss_notec_multi_dict_28_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_notec_multi_dict_28_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_28_code. See ss_notec_multi_dict_28_code for more information.

Column Name: ss_notec_multi_dict_29_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_notec_multi_dict_29_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_29_code. See ss_notec_multi_dict_29_code for more information.

Column Name: ss_notec_multi_dict_2_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 2'

Column Name: ss_notec_multi_dict_2_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_2_code. See ss_notec_multi_dict_2_code for more information.

Column Name: ss_notec_multi_dict_30_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_notec_multi_dict_30_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_30_code. See ss_notec_multi_dict_30_code for more information.

Column Name: ss_notec_multi_dict_31_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 31'

Column Name: ss_notec_multi_dict_31_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_31_code. See ss_notec_multi_dict_31_code for more information.

Column Name: ss_notec_multi_dict_32_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 32'

Column Name: ss_notec_multi_dict_32_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_32_code. See ss_notec_multi_dict_32_code for more information.

Column Name: ss_notec_multi_dict_33_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 33'

Column Name: ss_notec_multi_dict_33_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_33_code. See ss_notec_multi_dict_33_code for more information.

Column Name: ss_notec_multi_dict_34_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 34'

Column Name: ss_notec_multi_dict_34_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_34_code. See ss_notec_multi_dict_34_code for more information.

Column Name: ss_notec_multi_dict_35_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 35'

Column Name: ss_notec_multi_dict_35_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_35_code. See ss_notec_multi_dict_35_code for more information.

Column Name: ss_notec_multi_dict_36_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 36'

Column Name: ss_notec_multi_dict_36_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_36_code. See ss_notec_multi_dict_36_code for more information.

Column Name: ss_notec_multi_dict_37_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 37'

Column Name: ss_notec_multi_dict_37_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_37_code. See ss_notec_multi_dict_37_code for more information.

Column Name: ss_notec_multi_dict_38_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 38'

Column Name: ss_notec_multi_dict_38_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_38_code. See ss_notec_multi_dict_38_code for more information.

Column Name: ss_notec_multi_dict_39_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 39'

Column Name: ss_notec_multi_dict_39_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_39_code. See ss_notec_multi_dict_39_code for more information.

Column Name: ss_notec_multi_dict_3_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 3'

Column Name: ss_notec_multi_dict_3_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_3_code. See ss_notec_multi_dict_3_code for more information.

Column Name: ss_notec_multi_dict_40_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 40'

Column Name: ss_notec_multi_dict_40_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_40_code. See ss_notec_multi_dict_40_code for more information.

Column Name: ss_notec_multi_dict_41_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 41'

Column Name: ss_notec_multi_dict_41_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_41_code. See ss_notec_multi_dict_41_code for more information.

Column Name: ss_notec_multi_dict_42_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 42'

Column Name: ss_notec_multi_dict_42_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_42_code. See ss_notec_multi_dict_42_code for more information.

Column Name: ss_notec_multi_dict_43_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 43'

Column Name: ss_notec_multi_dict_43_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_43_code. See ss_notec_multi_dict_43_code for more information.

Column Name: ss_notec_multi_dict_44_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 44'

Column Name: ss_notec_multi_dict_44_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_44_code. See ss_notec_multi_dict_44_code for more information.

Column Name: ss_notec_multi_dict_45_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 45'

Column Name: ss_notec_multi_dict_45_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_45_code. See ss_notec_multi_dict_45_code for more information.

Column Name: ss_notec_multi_dict_46_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 46'

Column Name: ss_notec_multi_dict_46_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_46_code. See ss_notec_multi_dict_46_code for more information.

Column Name: ss_notec_multi_dict_47_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 47'

Column Name: ss_notec_multi_dict_47_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_47_code. See ss_notec_multi_dict_47_code for more information.

Column Name: ss_notec_multi_dict_48_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 48'

Column Name: ss_notec_multi_dict_48_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_48_code. See ss_notec_multi_dict_48_code for more information.

Column Name: ss_notec_multi_dict_49_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 49'

Column Name: ss_notec_multi_dict_49_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_49_code. See ss_notec_multi_dict_49_code for more information.

Column Name: ss_notec_multi_dict_4_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 4'

Column Name: ss_notec_multi_dict_4_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_4_code. See ss_notec_multi_dict_4_code for more information.

Column Name: ss_notec_multi_dict_50_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 50'

Column Name: ss_notec_multi_dict_50_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_50_code`. See `ss_notec_multi_dict_50_code` for more information.

Column Name: `ss_notec_multi_dict_5_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 5'

Column Name: `ss_notec_multi_dict_5_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_5_code`. See `ss_notec_multi_dict_5_code` for more information.

Column Name: `ss_notec_multi_dict_6_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 6'

Column Name: `ss_notec_multi_dict_6_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_6_code`. See `ss_notec_multi_dict_6_code` for more information.

Column Name: `ss_notec_multi_dict_7_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 7'

Column Name: `ss_notec_multi_dict_7_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_7_code`. See `ss_notec_multi_dict_7_code` for more information.

Column Name: `ss_notec_multi_dict_8_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 8'

Column Name: `ss_notec_multi_dict_8_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_8_code`. See `ss_notec_multi_dict_8_code` for more information.

Column Name: `ss_notec_multi_dict_9_code`
Column Type: `varchar`
Max Length: 255

'SS Note Copy Multiple Response Dictionary 9'

Column Name: ss_notec_multi_dict_9_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_9_code. See ss_notec_multi_dict_9_code for more information.

Column Name: ss_notec_sing_dict_10_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 10'

Column Name: ss_notec_sing_dict_10_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_10_code. See ss_notec_sing_dict_10_code for more information.

Column Name: ss_notec_sing_dict_11_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 11'

Column Name: ss_notec_sing_dict_11_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_11_code. See ss_notec_sing_dict_11_code for more information.

Column Name: ss_notec_sing_dict_12_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 12'

Column Name: ss_notec_sing_dict_12_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_12_code. See ss_notec_sing_dict_12_code for more information.

Column Name: ss_notec_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 13'

Column Name: ss_notec_sing_dict_13_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_13_code. See ss_notec_sing_dict_13_code for more information.

Column Name: ss_notec_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 14'

Column Name: ss_notec_sing_dict_14_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_14_code. See ss_notec_sing_dict_14_code for more information.

Column Name: ss_notec_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 15'

Column Name: ss_notec_sing_dict_15_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_15_code. See ss_notec_sing_dict_15_code for more information.

Column Name: ss_notec_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 16'

Column Name: ss_notec_sing_dict_16_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_16_code. See ss_notec_sing_dict_16_code for more information.

Column Name: ss_notec_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 17'

Column Name: ss_notec_sing_dict_17_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_17_code. See ss_notec_sing_dict_17_code for more information.

Column Name: ss_notec_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 18'

Column Name: ss_notec_sing_dict_18_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_18_code. See ss_notec_sing_dict_18_code for more information.

Column Name: ss_notec_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 19'

Column Name: ss_notec_sing_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_19_code. See ss_notec_sing_dict_19_code for more information.

Column Name: ss_notec_sing_dict_1_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 1'

Column Name: ss_notec_sing_dict_1_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_1_code. See ss_notec_sing_dict_1_code for more information.

Column Name: ss_notec_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 20'

Column Name: ss_notec_sing_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_20_code. See ss_notec_sing_dict_20_code for more information.

Column Name: ss_notec_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 21'

Column Name: ss_notec_sing_dict_21_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_21_code. See ss_notec_sing_dict_21_code for more information.

Column Name: ss_notec_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 22'

Column Name: ss_notec_sing_dict_22_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_22_code. See ss_notec_sing_dict_22_code for more information.

Column Name: ss_notec_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 23'

Column Name: ss_notec_sing_dict_23_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_23_code. See ss_notec_sing_dict_23_code for more information.

Column Name: ss_notec_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 24'

Column Name: ss_notec_sing_dict_24_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_24_code. See ss_notec_sing_dict_24_code for more information.

Column Name: ss_notec_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 25'

Column Name: ss_notec_sing_dict_25_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_25_code. See ss_notec_sing_dict_25_code for more information.

Column Name: ss_notec_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 26'

Column Name: ss_notec_sing_dict_26_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_26_code. See ss_notec_sing_dict_26_code for more information.

Column Name: ss_notec_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 27'

Column Name: ss_notec_sing_dict_27_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_27_code. See ss_notec_sing_dict_27_code for more information.

Column Name: ss_notec_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 28'

Column Name: ss_notec_sing_dict_28_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_28_code. See ss_notec_sing_dict_28_code for more information.

Column Name: ss_notec_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 29'

Column Name: ss_notec_sing_dict_29_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_29_code. See ss_notec_sing_dict_29_code for more information.

Column Name: ss_notec_sing_dict_2_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 2'

Column Name: ss_notec_sing_dict_2_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_2_code. See ss_notec_sing_dict_2_code for more information.

Column Name: ss_notec_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 30'

Column Name: ss_notec_sing_dict_30_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_30_code. See ss_notec_sing_dict_30_code for more information.

Column Name: ss_notec_sing_dict_31_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 31'

Column Name: ss_notec_sing_dict_31_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_31_code. See ss_notec_sing_dict_31_code for more information.

Column Name: ss_notec_sing_dict_32_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 32'

Column Name: ss_notec_sing_dict_32_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_32_code. See ss_notec_sing_dict_32_code for more information.

Column Name: ss_notec_sing_dict_33_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 33'

Column Name: ss_notec_sing_dict_33_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_33_code. See ss_notec_sing_dict_33_code for more information.

Column Name: ss_notec_sing_dict_34_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 34'

Column Name: ss_notec_sing_dict_34_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_34_code. See ss_notec_sing_dict_34_code for more information.

Column Name: ss_notec_sing_dict_35_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 35'

Column Name: ss_notec_sing_dict_35_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_35_code. See ss_notec_sing_dict_35_code for more information.

Column Name: ss_notec_sing_dict_36_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 36'

Column Name: ss_notec_sing_dict_36_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_36_code. See ss_notec_sing_dict_36_code for more information.

Column Name: ss_notec_sing_dict_37_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 37'

Column Name: ss_notec_sing_dict_37_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_37_code. See ss_notec_sing_dict_37_code for more information.

Column Name: ss_notec_sing_dict_38_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 38'

Column Name: ss_notec_sing_dict_38_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_38_code. See ss_notec_sing_dict_38_code for more information.

Column Name: ss_notec_sing_dict_39_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 39'

Column Name: ss_notec_sing_dict_39_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_39_code. See ss_notec_sing_dict_39_code for more information.

Column Name: ss_notec_sing_dict_3_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 3'

Column Name: ss_notec_sing_dict_3_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_3_code. See ss_notec_sing_dict_3_code for more information.

Column Name: ss_notec_sing_dict_40_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 40'

Column Name: ss_notec_sing_dict_40_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_40_code. See ss_notec_sing_dict_40_code for more information.

Column Name: ss_notec_sing_dict_41_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 41'

Column Name: ss_notec_sing_dict_41_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_41_code. See ss_notec_sing_dict_41_code for more information.

Column Name: ss_notec_sing_dict_42_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 42'

Column Name: ss_notec_sing_dict_42_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_42_code. See ss_notec_sing_dict_42_code for more information.

Column Name: ss_notec_sing_dict_43_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 43'

Column Name: ss_notec_sing_dict_43_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_43_code. See ss_notec_sing_dict_43_code for more information.

Column Name: ss_notec_sing_dict_44_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 44'

Column Name: ss_notec_sing_dict_44_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_44_code. See ss_notec_sing_dict_44_code for more information.

Column Name: ss_notec_sing_dict_45_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 45'

Column Name: ss_notec_sing_dict_45_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_45_code. See ss_notec_sing_dict_45_code for more information.

Column Name: ss_notec_sing_dict_46_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 46'

Column Name: ss_notec_sing_dict_46_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_46_code. See ss_notec_sing_dict_46_code for more information.

Column Name: ss_notec_sing_dict_47_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 47'

Column Name: ss_notec_sing_dict_47_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_47_code. See ss_notec_sing_dict_47_code for more information.

Column Name: ss_notec_sing_dict_48_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 48'

Column Name: ss_notec_sing_dict_48_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_48_code. See ss_notec_sing_dict_48_code for more information.

Column Name: ss_notec_sing_dict_49_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 49'

Column Name: ss_notec_sing_dict_49_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_49_code. See ss_notec_sing_dict_49_code for more information.

Column Name: ss_notec_sing_dict_4_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 4'

Column Name: ss_notec_sing_dict_4_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_4_code. See ss_notec_sing_dict_4_code for more information.

Column Name: ss_notec_sing_dict_50_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 50'

Column Name: ss_notec_sing_dict_50_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_50_code. See ss_notec_sing_dict_50_code for more information.

Column Name: ss_notec_sing_dict_5_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 5'

Column Name: ss_notec_sing_dict_5_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_5_code. See ss_notec_sing_dict_5_code for more information.

Column Name: ss_notec_sing_dict_6_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 6'

Column Name: ss_notec_sing_dict_6_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_6_code. See ss_notec_sing_dict_6_code for more information.

Column Name: ss_notec_sing_dict_7_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 7'

Column Name: ss_notec_sing_dict_7_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_7_code. See ss_notec_sing_dict_7_code for more information.

Column Name: ss_notec_sing_dict_8_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 8'

Column Name: ss_notec_sing_dict_8_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_8_code. See ss_notec_sing_dict_8_code for more information.

Column Name: ss_notec_sing_dict_9_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 9'

Column Name: ss_notec_sing_dict_9_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_9_code. See ss_notec_sing_dict_9_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: CWSTEMP.cw_patient_notes_supp_4

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp4 table.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 50

Unique ID for a progress note.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: PREFILEID

Column Type: varchar

Max Length: 50

The unique ID associated with the prefiller.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mult_dic_51_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 51'

Column Name: ss_notc_mult_dic_51_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_51_code. See ss_notc_mult_dic_51_code for more information.

Column Name: ss_notc_mult_dic_52_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 52'

Column Name: ss_notc_mult_dic_52_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_52_code. See ss_notc_mult_dic_52_code for more information.

Column Name: ss_notc_mult_dic_53_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 53'

Column Name: ss_notc_mult_dic_53_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_53_code. See ss_notc_mult_dic_53_code for more information.

Column Name: ss_notc_mult_dic_54_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 54'

Column Name: ss_notc_mult_dic_54_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_54_code. See ss_notc_mult_dic_54_code for more information.

Column Name: ss_notc_mult_dic_55_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 55'

Column Name: ss_notc_mult_dic_55_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_55_code. See ss_notc_mult_dic_55_code for more information.

Column Name: ss_notc_mult_dic_56_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 56'

Column Name: ss_notc_mult_dic_56_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_56_code. See ss_notc_mult_dic_56_code for more information.

Column Name: ss_notc_mult_dic_57_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 57'

Column Name: ss_notc_mult_dic_57_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_57_code. See ss_notc_mult_dic_57_code for more information.

Column Name: ss_notc_mult_dic_58_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 58'

Column Name: ss_notc_mult_dic_58_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_58_code. See ss_notc_mult_dic_58_code for more information.

Column Name: ss_notc_mult_dic_59_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 59'

Column Name: ss_notc_mult_dic_59_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_59_code. See ss_notc_mult_dic_59_code for more information.

Column Name: ss_notc_mult_dic_60_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 60'

Column Name: ss_notc_mult_dic_60_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_60_code. See ss_notc_mult_dic_60_code for more information.

Column Name: ss_notc_mult_dic_61_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 61'

Column Name: ss_notc_mult_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_61_code. See ss_notc_mult_dic_61_code for more information.

Column Name: ss_notc_mult_dic_62_code

Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 62'

Column Name: ss_notc_mult_dic_62_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_62_code. See ss_notc_mult_dic_62_code for more information.

Column Name: ss_notc_mult_dic_63_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 63'

Column Name: ss_notc_mult_dic_63_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_63_code. See ss_notc_mult_dic_63_code for more information.

Column Name: ss_notc_mult_dic_64_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 64'

Column Name: ss_notc_mult_dic_64_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_64_code. See ss_notc_mult_dic_64_code for more information.

Column Name: ss_notc_mult_dic_65_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 65'

Column Name: ss_notc_mult_dic_65_value
Column Type: varchar
Max Length: 265
The description associated with ss_notc_mult_dic_65_code. See ss_notc_mult_dic_65_code for more information.

Column Name: ss_notc_mult_dic_66_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 66'

Column Name: ss_notc_mult_dic_66_value
Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_66_code. See ss_notc_mult_dic_66_code for more information.

Column Name: ss_notc_mult_dic_67_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 67'

Column Name: ss_notc_mult_dic_67_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_67_code. See ss_notc_mult_dic_67_code for more information.

Column Name: ss_notc_mult_dic_68_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 68'

Column Name: ss_notc_mult_dic_68_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_68_code. See ss_notc_mult_dic_68_code for more information.

Column Name: ss_notc_mult_dic_69_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 69'

Column Name: ss_notc_mult_dic_69_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_69_code. See ss_notc_mult_dic_69_code for more information.

Column Name: ss_notc_mult_dic_70_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 70'

Column Name: ss_notc_mult_dic_70_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_70_code. See ss_notc_mult_dic_70_code for more information.

Column Name: ss_notc_mult_dic_71_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 71'

Column Name: ss_notc_mult_dic_71_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_71_code. See ss_notc_mult_dic_71_code for more information.

Column Name: ss_notc_mult_dic_72_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 72'

Column Name: ss_notc_mult_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_72_code. See ss_notc_mult_dic_72_code for more information.

Column Name: ss_notc_mult_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 73'

Column Name: ss_notc_mult_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_73_code. See ss_notc_mult_dic_73_code for more information.

Column Name: ss_notc_mult_dic_74_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 74'

Column Name: ss_notc_mult_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_74_code. See ss_notc_mult_dic_74_code for more information.

Column Name: ss_notc_mult_dic_75_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 75'

Column Name: ss_notc_mult_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with `ss_notc_mult_dic_75_code`. See `ss_notc_mult_dic_75_code` for more information.

Column Name: `ss_notc_mult_dic_76_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 76'

Column Name: `ss_notc_mult_dic_76_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_76_code`. See `ss_notc_mult_dic_76_code` for more information.

Column Name: `ss_notc_mult_dic_77_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 77'

Column Name: `ss_notc_mult_dic_77_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_77_code`. See `ss_notc_mult_dic_77_code` for more information.

Column Name: `ss_notc_mult_dic_78_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 78'

Column Name: `ss_notc_mult_dic_78_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_78_code`. See `ss_notc_mult_dic_78_code` for more information.

Column Name: `ss_notc_mult_dic_79_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 79'

Column Name: `ss_notc_mult_dic_79_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_79_code`. See `ss_notc_mult_dic_79_code` for more information.

Column Name: `ss_notc_mult_dic_80_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Multiple Response Dictionary 80'

Column Name: ss_notc_mult_dic_80_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_80_code. See ss_notc_mult_dic_80_code for more information.

Column Name: ss_notc_sin_dic_51_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 51'

Column Name: ss_notc_sin_dic_51_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_51_code. See ss_notc_sin_dic_51_code for more information.

Column Name: ss_notc_sin_dic_52_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 52'

Column Name: ss_notc_sin_dic_52_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_52_code. See ss_notc_sin_dic_52_code for more information.

Column Name: ss_notc_sin_dic_53_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 53'

Column Name: ss_notc_sin_dic_53_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_53_code. See ss_notc_sin_dic_53_code for more information.

Column Name: ss_notc_sin_dic_54_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 54'

Column Name: ss_notc_sin_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_sin_dic_54_code`. See `ss_notc_sin_dic_54_code` for more information.

Column Name: `ss_notc_sin_dic_55_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 55'

Column Name: `ss_notc_sin_dic_55_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_55_code`. See `ss_notc_sin_dic_55_code` for more information.

Column Name: `ss_notc_sin_dic_56_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 56'

Column Name: `ss_notc_sin_dic_56_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_56_code`. See `ss_notc_sin_dic_56_code` for more information.

Column Name: `ss_notc_sin_dic_57_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 57'

Column Name: `ss_notc_sin_dic_57_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_57_code`. See `ss_notc_sin_dic_57_code` for more information.

Column Name: `ss_notc_sin_dic_58_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 58'

Column Name: `ss_notc_sin_dic_58_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_58_code`. See `ss_notc_sin_dic_58_code` for more information.

Column Name: `ss_notc_sin_dic_59_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Single Response Dictionary 59'

Column Name: ss_notc_sin_dic_59_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_59_code. See ss_notc_sin_dic_59_code for more information.

Column Name: ss_notc_sin_dic_60_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 60'

Column Name: ss_notc_sin_dic_60_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_60_code. See ss_notc_sin_dic_60_code for more information.

Column Name: ss_notc_sin_dic_61_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 61'

Column Name: ss_notc_sin_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_61_code. See ss_notc_sin_dic_61_code for more information.

Column Name: ss_notc_sin_dic_62_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 62'

Column Name: ss_notc_sin_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_62_code. See ss_notc_sin_dic_62_code for more information.

Column Name: ss_notc_sin_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 63'

Column Name: ss_notc_sin_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_63_code. See ss_notc_sin_dic_63_code for more information.

Column Name: ss_notc_sin_dic_64_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 64'

Column Name: ss_notc_sin_dic_64_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_64_code. See ss_notc_sin_dic_64_code for more information.

Column Name: ss_notc_sin_dic_65_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 65'

Column Name: ss_notc_sin_dic_65_value
Column Type: varchar
Max Length: 265
The description associated with ss_notc_sin_dic_65_code. See ss_notc_sin_dic_65_code for more information.

Column Name: ss_notc_sin_dic_66_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 66'

Column Name: ss_notc_sin_dic_66_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_66_code. See ss_notc_sin_dic_66_code for more information.

Column Name: ss_notc_sin_dic_67_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 67'

Column Name: ss_notc_sin_dic_67_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_67_code. See ss_notc_sin_dic_67_code for more information.

Column Name: ss_notc_sin_dic_68_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 68'

Column Name: ss_notc_sin_dic_68_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_68_code. See ss_notc_sin_dic_68_code for more information.

Column Name: ss_notc_sin_dic_69_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 69'

Column Name: ss_notc_sin_dic_69_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_69_code. See ss_notc_sin_dic_69_code for more information.

Column Name: ss_notc_sin_dic_70_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 70'

Column Name: ss_notc_sin_dic_70_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_70_code. See ss_notc_sin_dic_70_code for more information.

Column Name: ss_notc_sin_dic_71_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 71'

Column Name: ss_notc_sin_dic_71_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_71_code. See ss_notc_sin_dic_71_code for more information.

Column Name: ss_notc_sin_dic_72_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 72'

Column Name: ss_notc_sin_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_72_code. See ss_notc_sin_dic_72_code for more information.

Column Name: ss_notc_sin_dic_73_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 73'

Column Name: ss_notc_sin_dic_73_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_73_code. See ss_notc_sin_dic_73_code for more information.

Column Name: ss_notc_sin_dic_74_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 74'

Column Name: ss_notc_sin_dic_74_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_74_code. See ss_notc_sin_dic_74_code for more information.

Column Name: ss_notc_sin_dic_75_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 75'

Column Name: ss_notc_sin_dic_75_value
Column Type: varchar
Max Length: 275
The description associated with ss_notc_sin_dic_75_code. See ss_notc_sin_dic_75_code for more information.

Column Name: ss_notc_sin_dic_76_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 76'

Column Name: ss_notc_sin_dic_76_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_76_code. See ss_notc_sin_dic_76_code for more information.

Column Name: ss_notc_sin_dic_77_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 77'

Column Name: ss_notc_sin_dic_77_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_77_code. See ss_notc_sin_dic_77_code for more information.

Column Name: ss_notc_sin_dic_78_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 78'

Column Name: ss_notc_sin_dic_78_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_78_code. See ss_notc_sin_dic_78_code for more information.

Column Name: ss_notc_sin_dic_79_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 79'

Column Name: ss_notc_sin_dic_79_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_79_code. See ss_notc_sin_dic_79_code for more information.

Column Name: ss_notc_sin_dic_80_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 80'

Column Name: ss_notc_sin_dic_80_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_80_code. See ss_notc_sin_dic_80_code for more information.

Column Name: ss_note_mul_dict_51_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 51'

Column Name: ss_note_mul_dict_51_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_51_code limited to 255 characters. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_51_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_51_code. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_52_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 52'

Column Name: ss_note_mul_dict_52_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_52_code limited to 255 characters. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_52_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_52_code. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_53_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 53'

Column Name: ss_note_mul_dict_53_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_53_code limited to 255 characters. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_53_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_53_code. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_54_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 54'

Column Name: ss_note_mul_dict_54_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_54_code limited to 255 characters. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_54_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_54_code. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_55_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 55'

Column Name: ss_note_mul_dict_55_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_55_code limited to 255 characters. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_55_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_55_code. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_56_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 56'

Column Name: ss_note_mul_dict_56_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_56_code limited to 255 characters. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_56_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_56_code. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_57_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 57'

Column Name: ss_note_mul_dict_57_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_57_code limited to 255 characters. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_57_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_57_code. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_58_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 58'

Column Name: ss_note_mul_dict_58_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_58_code limited to 255 characters. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_58_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_58_code. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_59_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 59'

Column Name: ss_note_mul_dict_59_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_59_code limited to 255 characters. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_59_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_59_code. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_60_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 60'

Column Name: ss_note_mul_dict_60_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_60_code limited to 255 characters. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_60_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_60_code. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_61_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 61'

Column Name: ss_note_mul_dict_61_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_61_code limited to 255 characters. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_61_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_61_code. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_62_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 62'

Column Name: ss_note_mul_dict_62_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_62_code limited to 255 characters. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_62_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_62_code. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_63_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 63'

Column Name: ss_note_mul_dict_63_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_63_code limited to 255 characters. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_63_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_63_code. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_64_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 64'

Column Name: ss_note_mul_dict_64_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_64_code limited to 255 characters. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_64_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_64_code. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_65_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 65'

Column Name: ss_note_mul_dict_65_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_65_code limited to 255 characters. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_65_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_65_code. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_66_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 66'

Column Name: ss_note_mul_dict_66_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_66_code limited to 255 characters. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_66_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_66_code. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_67_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 67'

Column Name: ss_note_mul_dict_67_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_67_code limited to 255 characters. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_67_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_67_code. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_68_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 68'

Column Name: ss_note_mul_dict_68_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_68_code limited to 255 characters. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_68_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_68_code. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_69_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 69'

Column Name: ss_note_mul_dict_69_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_69_code limited to 255 characters. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_69_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_69_code. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_70_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 70'

Column Name: ss_note_mul_dict_70_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_70_code limited to 255 characters. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_70_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_70_code. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_71_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 71'

Column Name: ss_note_mul_dict_71_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_71_code limited to 255 characters. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_71_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_71_code. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_72_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 72'

Column Name: ss_note_mul_dict_72_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_72_code limited to 255 characters. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_72_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_72_code. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_73_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 73'

Column Name: ss_note_mul_dict_73_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_73_code limited to 255 characters. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_73_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_73_code. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_74_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 74'

Column Name: ss_note_mul_dict_74_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_74_code limited to 255 characters. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_74_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_74_code. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_75_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 75'

Column Name: ss_note_mul_dict_75_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_75_code limited to 255 characters. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_75_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_75_code. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_76_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 76'

Column Name: ss_note_mul_dict_76_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_76_code limited to 255 characters. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_76_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_76_code. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_77_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 77'

Column Name: ss_note_mul_dict_77_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_77_code limited to 255 characters. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_77_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_77_code. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_78_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 78'

Column Name: ss_note_mul_dict_78_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_78_code limited to 255 characters. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_78_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_78_code. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_79_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 79'

Column Name: ss_note_mul_dict_79_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_79_code limited to 255 characters. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_79_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_79_code. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_80_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 80'

Column Name: ss_note_mul_dict_80_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_80_code limited to 255 characters. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_mul_dict_80_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_80_code. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_scroll_text_51
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 51'

Column Name: ss_note_scroll_text_52
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 52'

Column Name: ss_note_scroll_text_53
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 53'

Column Name: ss_note_scroll_text_54
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 54'

Column Name: ss_note_scroll_text_55
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 55'

Column Name: ss_note_scroll_text_56
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 56'

Column Name: ss_note_scroll_text_57
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 57'

Column Name: ss_note_scroll_text_58
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 58'

Column Name: ss_note_scroll_text_59
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 59'

Column Name: ss_note_scroll_text_60
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 60'

Column Name: ss_note_scroll_text_61
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 61'

Column Name: ss_note_scroll_text_62
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 62'

Column Name: ss_note_scroll_text_63
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 63'

Column Name: ss_note_scroll_text_64
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 64'

Column Name: ss_note_scroll_text_65
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 65'

Column Name: ss_note_scroll_text_66
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 66'

Column Name: ss_note_scroll_text_67
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 67'

Column Name: ss_note_scroll_text_68
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 68'

Column Name: ss_note_scroll_text_69
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 69'

Column Name: ss_note_scroll_text_70
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 70'

Column Name: ss_note_scroll_text_71
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 71'

Column Name: ss_note_scroll_text_72
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 72'

Column Name: ss_note_scroll_text_73
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 73'

Column Name: ss_note_scroll_text_74
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 74'

Column Name: ss_note_scroll_text_75
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 75'

Column Name: ss_note_scroll_text_76
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 76'

Column Name: ss_note_scroll_text_77
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 77'

Column Name: ss_note_scroll_text_78
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 78'

Column Name: ss_note_scroll_text_79
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 79'

Column Name: ss_note_scroll_text_80
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 80'

Column Name: ss_note_sin_dict_51_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 51'

Column Name: ss_note_sin_dict_51_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_51_code. See ss_note_sin_dict_51_code for more information.

Column Name: ss_note_sin_dict_52_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 52'

Column Name: ss_note_sin_dict_52_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_52_code. See ss_note_sin_dict_52_code for more information.

Column Name: ss_note_sin_dict_53_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 53'

Column Name: ss_note_sin_dict_53_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_53_code. See ss_note_sin_dict_53_code for more information.

Column Name: ss_note_sin_dict_54_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 54'

Column Name: ss_note_sin_dict_54_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_54_code. See ss_note_sin_dict_54_code for more information.

Column Name: ss_note_sin_dict_55_code
Column Type: varchar
Max Length: 50

'SS Note Single Response Dictionary 55'

Column Name: ss_note_sin_dict_55_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_55_code. See ss_note_sin_dict_55_code for more information.

Column Name: ss_note_sin_dict_56_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 56'

Column Name: ss_note_sin_dict_56_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_56_code. See ss_note_sin_dict_56_code for more information.

Column Name: ss_note_sin_dict_57_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 57'

Column Name: ss_note_sin_dict_57_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_57_code. See ss_note_sin_dict_57_code for more information.

Column Name: ss_note_sin_dict_58_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 58'

Column Name: ss_note_sin_dict_58_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_58_code. See ss_note_sin_dict_58_code for more information.

Column Name: ss_note_sin_dict_59_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 59'

Column Name: ss_note_sin_dict_59_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_59_code. See ss_note_sin_dict_59_code for more information.

Column Name: ss_note_sin_dict_60_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 60'

Column Name: ss_note_sin_dict_60_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_60_code. See ss_note_sin_dict_60_code for more information.

Column Name: ss_note_sin_dict_61_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 61'

Column Name: ss_note_sin_dict_61_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_61_code. See ss_note_sin_dict_61_code for more information.

Column Name: ss_note_sin_dict_62_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 62'

Column Name: ss_note_sin_dict_62_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_62_code. See ss_note_sin_dict_62_code for more information.

Column Name: ss_note_sin_dict_63_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 63'

Column Name: ss_note_sin_dict_63_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_63_code. See ss_note_sin_dict_63_code for more information.

Column Name: ss_note_sin_dict_64_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 64'

Column Name: ss_note_sin_dict_64_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_64_code. See ss_note_sin_dict_64_code for more information.

Column Name: ss_note_sin_dict_65_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 65'

Column Name: ss_note_sin_dict_65_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_65_code. See ss_note_sin_dict_65_code for more information.

Column Name: ss_note_sin_dict_66_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 66'

Column Name: ss_note_sin_dict_66_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_66_code. See ss_note_sin_dict_66_code for more information.

Column Name: ss_note_sin_dict_67_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 67'

Column Name: ss_note_sin_dict_67_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_67_code. See ss_note_sin_dict_67_code for more information.

Column Name: ss_note_sin_dict_68_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 68'

Column Name: ss_note_sin_dict_68_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_68_code. See ss_note_sin_dict_68_code for more information.

Column Name: ss_note_sin_dict_69_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 69'

Column Name: ss_note_sin_dict_69_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_69_code. See ss_note_sin_dict_69_code for more information.

Column Name: ss_note_sin_dict_70_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 70'

Column Name: ss_note_sin_dict_70_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_70_code. See ss_note_sin_dict_70_code for more information.

Column Name: ss_note_sin_dict_71_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 71'

Column Name: ss_note_sin_dict_71_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_71_code. See ss_note_sin_dict_71_code for more information.

Column Name: ss_note_sin_dict_72_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 72'

Column Name: ss_note_sin_dict_72_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_72_code. See ss_note_sin_dict_72_code for more information.

Column Name: ss_note_sin_dict_73_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 73'

Column Name: ss_note_sin_dict_73_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_73_code. See ss_note_sin_dict_73_code for more information.

Column Name: ss_note_sin_dict_74_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 74'

Column Name: ss_note_sin_dict_74_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_74_code. See ss_note_sin_dict_74_code for more information.

Column Name: ss_note_sin_dict_75_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 75'

Column Name: ss_note_sin_dict_75_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_75_code. See ss_note_sin_dict_75_code for more information.

Column Name: ss_note_sin_dict_76_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 76'

Column Name: ss_note_sin_dict_76_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_76_code. See ss_note_sin_dict_76_code for more information.

Column Name: ss_note_sin_dict_77_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 77'

Column Name: ss_note_sin_dict_77_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_77_code. See ss_note_sin_dict_77_code for more information.

Column Name: ss_note_sin_dict_78_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 78'

Column Name: ss_note_sin_dict_78_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_78_code. See ss_note_sin_dict_78_code for more information.

Column Name: ss_note_sin_dict_79_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 79'

Column Name: ss_note_sin_dict_79_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_79_code. See ss_note_sin_dict_79_code for more information.

Column Name: ss_note_sin_dict_80_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 80'

Column Name: ss_note_sin_dict_80_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_80_code. See ss_note_sin_dict_80_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: CWSTEMP.cw_patient_notes_supp_5

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp5 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiler.

Column Name: data_entry_offset
Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the service.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the service.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: ebp_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practices'

Column Name: ebp_element_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practice Elements'

Column Name: ebp_element_value

Column Type: varchar

Max Length: 32000

The description associated with ebp_element_code

Column Name: ebp_value

Column Type: varchar

Max Length: 32000

The description associated with ebp_code

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mul_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 100'

Column Name: ss_notc_mul_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_100_code. See ss_notc_mul_dic_100_code for more information.

Column Name: ss_notc_mul_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 101'

Column Name: ss_notc_mul_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_101_code. See ss_notc_mul_dic_101_code for more information.

Column Name: ss_notc_mul_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 102'

Column Name: ss_notc_mul_dic_102_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_102_code. See ss_notc_mul_dic_102_code for more information.

Column Name: ss_notc_mul_dic_103_code
Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 103'

Column Name: ss_notc_mul_dic_103_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_103_code. See ss_notc_mul_dic_103_code for more information.

Column Name: ss_notc_mul_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 104'

Column Name: ss_notc_mul_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_104_code. See ss_notc_mul_dic_104_code for more information.

Column Name: ss_notc_mul_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 105'

Column Name: ss_notc_mul_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mul_dic_105_code. See ss_notc_mul_dic_105_code for more information.

Column Name: ss_notc_mul_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 106'

Column Name: ss_notc_mul_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_106_code. See ss_notc_mul_dic_106_code for more information.

Column Name: ss_notc_mul_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 107'

Column Name: ss_notc_mul_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mul_dic_107_code`. See `ss_notc_mul_dic_107_code` for more information.

Column Name: `ss_notc_mul_dic_108_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 108'

Column Name: `ss_notc_mul_dic_108_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mul_dic_108_code`. See `ss_notc_mul_dic_108_code` for more information.

Column Name: `ss_notc_mul_dic_109_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 109'

Column Name: `ss_notc_mul_dic_109_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mul_dic_109_code`. See `ss_notc_mul_dic_109_code` for more information.

Column Name: `ss_notc_mul_dic_110_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 110'

Column Name: `ss_notc_mul_dic_110_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mul_dic_110_code`. See `ss_notc_mul_dic_110_code` for more information.

Column Name: `ss_notc_mul_dic_81_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 81'

Column Name: `ss_notc_mul_dic_81_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mul_dic_81_code`. See `ss_notc_mul_dic_81_code` for more information.

Column Name: `ss_notc_mul_dic_82_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Multiple Response Dictionary 82'

Column Name: ss_notc_mul_dic_82_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_82_code. See ss_notc_mul_dic_82_code for more information.

Column Name: ss_notc_mul_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 83'

Column Name: ss_notc_mul_dic_83_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_83_code. See ss_notc_mul_dic_83_code for more information.

Column Name: ss_notc_mul_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 84'

Column Name: ss_notc_mul_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_84_code. See ss_notc_mul_dic_84_code for more information.

Column Name: ss_notc_mul_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 85'

Column Name: ss_notc_mul_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_85_code. See ss_notc_mul_dic_85_code for more information.

Column Name: ss_notc_mul_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 86'

Column Name: ss_notc_mul_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_86_code. See ss_notc_mul_dic_86_code for more information.

Column Name: ss_notc_mul_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 87'

Column Name: ss_notc_mul_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_87_code. See ss_notc_mul_dic_87_code for more information.

Column Name: ss_notc_mul_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 88'

Column Name: ss_notc_mul_dic_88_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_88_code. See ss_notc_mul_dic_88_code for more information.

Column Name: ss_notc_mul_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 89'

Column Name: ss_notc_mul_dic_89_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_89_code. See ss_notc_mul_dic_89_code for more information.

Column Name: ss_notc_mul_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 90'

Column Name: ss_notc_mul_dic_90_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_90_code. See ss_notc_mul_dic_90_code for more information.

Column Name: ss_notc_mul_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 91'

Column Name: ss_notc_mul_dic_91_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_91_code. See ss_notc_mul_dic_91_code for more information.

Column Name: ss_notc_mul_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 92'

Column Name: ss_notc_mul_dic_92_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_92_code. See ss_notc_mul_dic_92_code for more information.

Column Name: ss_notc_mul_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 93'

Column Name: ss_notc_mul_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_93_code. See ss_notc_mul_dic_93_code for more information.

Column Name: ss_notc_mul_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 94'

Column Name: ss_notc_mul_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_94_code. See ss_notc_mul_dic_94_code for more information.

Column Name: ss_notc_mul_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 95'

Column Name: ss_notc_mul_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mul_dic_95_code. See ss_notc_mul_dic_95_code for more information.

Column Name: ss_notc_mul_dic_96_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 96'

Column Name: ss_notc_mul_dic_96_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_96_code. See ss_notc_mul_dic_96_code for more information.

Column Name: ss_notc_mul_dic_97_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 97'

Column Name: ss_notc_mul_dic_97_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_97_code. See ss_notc_mul_dic_97_code for more information.

Column Name: ss_notc_mul_dic_98_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 98'

Column Name: ss_notc_mul_dic_98_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_98_code. See ss_notc_mul_dic_98_code for more information.

Column Name: ss_notc_mul_dic_99_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 99'

Column Name: ss_notc_mul_dic_99_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_99_code. See ss_notc_mul_dic_99_code for more information.

Column Name: ss_notc_sin_dic_100_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 100'

Column Name: ss_notc_sin_dic_100_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_100_code. See ss_notc_sin_dic_100_code for more information.

Column Name: ss_notc_sin_dic_101_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 101'

Column Name: ss_notc_sin_dic_101_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_101_code. See ss_notc_sin_dic_101_code for more information.

Column Name: ss_notc_sin_dic_102_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 102'

Column Name: ss_notc_sin_dic_102_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_102_code. See ss_notc_sin_dic_102_code for more information.

Column Name: ss_notc_sin_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 103'

Column Name: ss_notc_sin_dic_103_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_103_code. See ss_notc_sin_dic_103_code for more information.

Column Name: ss_notc_sin_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 104'

Column Name: ss_notc_sin_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_104_code. See ss_notc_sin_dic_104_code for more information.

Column Name: ss_notc_sin_dic_105_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 105'

Column Name: ss_notc_sin_dic_105_value
Column Type: varchar
Max Length: 275
The description associated with ss_notc_sin_dic_105_code. See ss_notc_sin_dic_105_code for more information.

Column Name: ss_notc_sin_dic_106_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 106'

Column Name: ss_notc_sin_dic_106_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_106_code. See ss_notc_sin_dic_106_code for more information.

Column Name: ss_notc_sin_dic_107_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 107'

Column Name: ss_notc_sin_dic_107_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_107_code. See ss_notc_sin_dic_107_code for more information.

Column Name: ss_notc_sin_dic_108_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 108'

Column Name: ss_notc_sin_dic_108_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_108_code. See ss_notc_sin_dic_108_code for more information.

Column Name: ss_notc_sin_dic_109_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 109'

Column Name: ss_notc_sin_dic_109_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_109_code. See ss_notc_sin_dic_109_code for more information.

Column Name: ss_notc_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 110'

Column Name: ss_notc_sin_dic_110_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_110_code. See ss_notc_sin_dic_110_code for more information.

Column Name: ss_notc_sin_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 81'

Column Name: ss_notc_sin_dic_81_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_81_code. See ss_notc_sin_dic_81_code for more information.

Column Name: ss_notc_sin_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 82'

Column Name: ss_notc_sin_dic_82_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_82_code. See ss_notc_sin_dic_82_code for more information.

Column Name: ss_notc_sin_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 83'

Column Name: ss_notc_sin_dic_83_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_83_code. See ss_notc_sin_dic_83_code for more information.

Column Name: ss_notc_sin_dic_84_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 84'

Column Name: ss_notc_sin_dic_84_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_84_code. See ss_notc_sin_dic_84_code for more information.

Column Name: ss_notc_sin_dic_85_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 85'

Column Name: ss_notc_sin_dic_85_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_85_code. See ss_notc_sin_dic_85_code for more information.

Column Name: ss_notc_sin_dic_86_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 86'

Column Name: ss_notc_sin_dic_86_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_86_code. See ss_notc_sin_dic_86_code for more information.

Column Name: ss_notc_sin_dic_87_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 87'

Column Name: ss_notc_sin_dic_87_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_87_code. See ss_notc_sin_dic_87_code for more information.

Column Name: ss_notc_sin_dic_88_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 88'

Column Name: ss_notc_sin_dic_88_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_88_code. See ss_notc_sin_dic_88_code for more information.

Column Name: ss_notc_sin_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 89'

Column Name: ss_notc_sin_dic_89_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_89_code. See ss_notc_sin_dic_89_code for more information.

Column Name: ss_notc_sin_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 90'

Column Name: ss_notc_sin_dic_90_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_90_code. See ss_notc_sin_dic_90_code for more information.

Column Name: ss_notc_sin_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 91'

Column Name: ss_notc_sin_dic_91_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_91_code. See ss_notc_sin_dic_91_code for more information.

Column Name: ss_notc_sin_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 92'

Column Name: ss_notc_sin_dic_92_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_92_code. See ss_notc_sin_dic_92_code for more information.

Column Name: ss_notc_sin_dic_93_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 93'

Column Name: ss_notc_sin_dic_93_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_93_code. See ss_notc_sin_dic_93_code for more information.

Column Name: ss_notc_sin_dic_94_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 94'

Column Name: ss_notc_sin_dic_94_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_94_code. See ss_notc_sin_dic_94_code for more information.

Column Name: ss_notc_sin_dic_95_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 95'

Column Name: ss_notc_sin_dic_95_value
Column Type: varchar
Max Length: 265
The description associated with ss_notc_sin_dic_95_code. See ss_notc_sin_dic_95_code for more information.

Column Name: ss_notc_sin_dic_96_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 96'

Column Name: ss_notc_sin_dic_96_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_96_code. See ss_notc_sin_dic_96_code for more information.

Column Name: ss_notc_sin_dic_97_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 97'

Column Name: ss_notc_sin_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_97_code. See ss_notc_sin_dic_97_code for more information.

Column Name: ss_notc_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 98'

Column Name: ss_notc_sin_dic_98_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_98_code. See ss_notc_sin_dic_98_code for more information.

Column Name: ss_notc_sin_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 99'

Column Name: ss_notc_sin_dic_99_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_99_code. See ss_notc_sin_dic_99_code for more information.

Column Name: ss_note_mul_dic_100_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 100'

Column Name: ss_note_mul_dic_100_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_100_code limited to 255 characters. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_100_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_100_code. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_101_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 101'

Column Name: ss_note_mul_dic_101_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_101_code limited to 255 characters. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_101_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_101_code. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_102_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 102'

Column Name: ss_note_mul_dic_102_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_102_code limited to 255 characters. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_102_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_102_code. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_103_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 103'

Column Name: ss_note_mul_dic_103_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_103_code limited to 255 characters. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_103_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_103_code. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_104_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 104'

Column Name: ss_note_mul_dic_104_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_104_code limited to 255 characters. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_104_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_104_code. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_105_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 105'

Column Name: ss_note_mul_dic_105_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_105_code limited to 255 characters. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_105_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_105_code. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_106_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 106'

Column Name: ss_note_mul_dic_106_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_106_code limited to 255 characters. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_106_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_106_code. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_107_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 107'

Column Name: ss_note_mul_dic_107_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_107_code limited to 255 characters. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_107_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_107_code. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_108_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 108'

Column Name: ss_note_mul_dic_108_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_108_code limited to 255 characters. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_108_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_108_code. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_109_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 109'

Column Name: ss_note_mul_dic_109_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_109_code limited to 255 characters. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_109_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_109_code. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_110_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 110'

Column Name: ss_note_mul_dic_110_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_110_code limited to 255 characters. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_110_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_110_code. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_81_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 81'

Column Name: ss_note_mul_dic_81_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_81_code limited to 255 characters. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_81_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_81_code. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_82_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 82'

Column Name: ss_note_mul_dic_82_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_82_code limited to 255 characters. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_82_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_82_code. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_83_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 83'

Column Name: ss_note_mul_dic_83_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_83_code limited to 255 characters. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_83_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_83_code. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_84_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 84'

Column Name: ss_note_mul_dic_84_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_84_code limited to 255 characters. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_84_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_84_code. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_85_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 85'

Column Name: ss_note_mul_dic_85_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_85_code limited to 255 characters. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_85_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_85_code. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_86_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 86'

Column Name: ss_note_mul_dic_86_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_86_code limited to 255 characters. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_86_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_86_code. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_87_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 87'

Column Name: ss_note_mul_dic_87_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_87_code limited to 255 characters. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_87_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_87_code. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_88_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 88'

Column Name: ss_note_mul_dic_88_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_88_code limited to 255 characters. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_88_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_88_code. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_89_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 89'

Column Name: ss_note_mul_dic_89_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_89_code limited to 255 characters. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_89_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_89_code. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_90_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 90'

Column Name: ss_note_mul_dic_90_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_90_code limited to 255 characters. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_90_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_90_code. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_91_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 91'

Column Name: ss_note_mul_dic_91_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_91_code limited to 255 characters. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_91_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_91_code. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_92_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 92'

Column Name: ss_note_mul_dic_92_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_92_code limited to 255 characters. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_92_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_92_code. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_93_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 93'

Column Name: ss_note_mul_dic_93_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_93_code limited to 255 characters. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_93_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_93_code. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_94_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 94'

Column Name: ss_note_mul_dic_94_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_94_code limited to 255 characters. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_94_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_94_code. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_95_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 95'

Column Name: ss_note_mul_dic_95_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_95_code limited to 255 characters. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_95_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_95_code. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_96_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 96'

Column Name: ss_note_mul_dic_96_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_96_code limited to 255 characters. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_96_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_96_code. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_97_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 97'

Column Name: ss_note_mul_dic_97_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_97_code limited to 255 characters. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_97_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_97_code. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_98_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 98'

Column Name: ss_note_mul_dic_98_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_98_code limited to 255 characters. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_98_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_98_code. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_99_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 99'

Column Name: ss_note_mul_dic_99_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_99_code limited to 255 characters. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_mul_dic_99_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_99_code. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_scroll_text_100

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 100'

Column Name: ss_note_scroll_text_101

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 101'

Column Name: ss_note_scroll_text_102
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 102'

Column Name: ss_note_scroll_text_103
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 103'

Column Name: ss_note_scroll_text_104
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 104'

Column Name: ss_note_scroll_text_105
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 105'

Column Name: ss_note_scroll_text_106
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 106'

Column Name: ss_note_scroll_text_107
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 107'

Column Name: ss_note_scroll_text_108
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 108'

Column Name: ss_note_scroll_text_109
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 109'

Column Name: ss_note_scroll_text_110
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 110'

Column Name: ss_note_scroll_text_81
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 81'

Column Name: ss_note_scroll_text_82
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 82'

Column Name: ss_note_scroll_text_83
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 83'

Column Name: ss_note_scroll_text_84
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 84'

Column Name: ss_note_scroll_text_85
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 85'

Column Name: ss_note_scroll_text_86
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 86'

Column Name: ss_note_scroll_text_87
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 87'

Column Name: ss_note_scroll_text_88
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 88'

Column Name: ss_note_scroll_text_89
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 89'

Column Name: ss_note_scroll_text_90
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 90'

Column Name: ss_note_scroll_text_91
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 91'

Column Name: ss_note_scroll_text_92
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 92'

Column Name: ss_note_scroll_text_93
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 93'

Column Name: ss_note_scroll_text_94
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 94'

Column Name: ss_note_scroll_text_95
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 95'

Column Name: ss_note_scroll_text_96
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 96'

Column Name: ss_note_scroll_text_97
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 97'

Column Name: ss_note_scroll_text_98
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 98'

Column Name: ss_note_scroll_text_99
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 99'

Column Name: ss_note_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 100'

Column Name: ss_note_sin_dic_100_value
Column Type: varchar
Max Length: 50

The description associated with ss_note_sin_dic_100_code. See ss_note_sin_dic_100_code for more information.

Column Name: ss_note_sin_dic_101_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 101'

Column Name: ss_note_sin_dic_101_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_101_code. See ss_note_sin_dic_101_code for more information.

Column Name: ss_note_sin_dic_102_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 102'

Column Name: ss_note_sin_dic_102_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_102_code. See ss_note_sin_dic_102_code for more information.

Column Name: ss_note_sin_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 103'

Column Name: ss_note_sin_dic_103_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_103_code. See ss_note_sin_dic_103_code for more information.

Column Name: ss_note_sin_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 104'

Column Name: ss_note_sin_dic_104_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_104_code. See ss_note_sin_dic_104_code for more information.

Column Name: ss_note_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 105'

Column Name: ss_note_sin_dic_105_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_105_code. See ss_note_sin_dic_105_code for more information.

Column Name: ss_note_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 106'

Column Name: ss_note_sin_dic_106_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_106_code. See ss_note_sin_dic_106_code for more information.

Column Name: ss_note_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 107'

Column Name: ss_note_sin_dic_107_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_107_code. See ss_note_sin_dic_107_code for more information.

Column Name: ss_note_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 108'

Column Name: ss_note_sin_dic_108_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_108_code. See ss_note_sin_dic_108_code for more information.

Column Name: ss_note_sin_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 109'

Column Name: ss_note_sin_dic_109_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_109_code. See ss_note_sin_dic_109_code for more information.

Column Name: ss_note_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 110'

Column Name: ss_note_sin_dic_110_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_110_code. See ss_note_sin_dic_110_code for more information.

Column Name: ss_note_sin_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 81'

Column Name: ss_note_sin_dic_81_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_81_code. See ss_note_sin_dic_81_code for more information.

Column Name: ss_note_sin_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 82'

Column Name: ss_note_sin_dic_82_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_82_code. See ss_note_sin_dic_82_code for more information.

Column Name: ss_note_sin_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 83'

Column Name: ss_note_sin_dic_83_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_83_code. See ss_note_sin_dic_83_code for more information.

Column Name: ss_note_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 84'

Column Name: ss_note_sin_dic_84_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_84_code. See ss_note_sin_dic_84_code for more information.

Column Name: ss_note_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 85'

Column Name: ss_note_sin_dic_85_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_85_code. See ss_note_sin_dic_85_code for more information.

Column Name: ss_note_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 86'

Column Name: ss_note_sin_dic_86_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_86_code. See ss_note_sin_dic_86_code for more information.

Column Name: ss_note_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 87'

Column Name: ss_note_sin_dic_87_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_87_code. See ss_note_sin_dic_87_code for more information.

Column Name: ss_note_sin_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 88'

Column Name: ss_note_sin_dic_88_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_88_code. See ss_note_sin_dic_88_code for more information.

Column Name: ss_note_sin_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 89'

Column Name: ss_note_sin_dic_89_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_89_code. See ss_note_sin_dic_89_code for more information.

Column Name: ss_note_sin_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 90'

Column Name: ss_note_sin_dic_90_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_90_code. See ss_note_sin_dic_90_code for more information.

Column Name: ss_note_sin_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 91'

Column Name: ss_note_sin_dic_91_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_91_code. See ss_note_sin_dic_91_code for more information.

Column Name: ss_note_sin_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 92'

Column Name: ss_note_sin_dic_92_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_92_code. See ss_note_sin_dic_92_code for more information.

Column Name: ss_note_sin_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 93'

Column Name: ss_note_sin_dic_93_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_93_code. See ss_note_sin_dic_93_code for more information.

Column Name: ss_note_sin_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 94'

Column Name: ss_note_sin_dic_94_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_94_code. See ss_note_sin_dic_94_code for more information.

Column Name: ss_note_sin_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 95'

Column Name: ss_note_sin_dic_95_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_95_code. See ss_note_sin_dic_95_code for more information.

Column Name: ss_note_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 96'

Column Name: ss_note_sin_dic_96_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_96_code. See ss_note_sin_dic_96_code for more information.

Column Name: ss_note_sin_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 97'

Column Name: ss_note_sin_dic_97_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_97_code. See ss_note_sin_dic_97_code for more information.

Column Name: ss_note_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 98'

Column Name: ss_note_sin_dic_98_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_98_code. See ss_note_sin_dic_98_code for more information.

Column Name: ss_note_sin_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 99'

Column Name: ss_note_sin_dic_99_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_99_code. See ss_note_sin_dic_99_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: CWSTEMP.cw_patient_notes_supp_6

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp6 table.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_51
Column Type: varchar
Max Length: 20
SS Note 20 Character 51

Column Name: ss_note_20_char_text_52
Column Type: varchar
Max Length: 20
SS Note 20 Character 52

Column Name: ss_note_20_char_text_53
Column Type: varchar
Max Length: 20
SS Note 20 Character 53

Column Name: ss_note_20_char_text_54

Column Type: varchar
Max Length: 20
SS Note 20 Character 54

Column Name: ss_note_20_char_text_55
Column Type: varchar
Max Length: 20
SS Note 20 Character 55

Column Name: ss_note_20_char_text_56
Column Type: varchar
Max Length: 20
SS Note 20 Character 56

Column Name: ss_note_20_char_text_57
Column Type: varchar
Max Length: 20
SS Note 20 Character 57

Column Name: ss_note_20_char_text_58
Column Type: varchar
Max Length: 20
SS Note 20 Character 58

Column Name: ss_note_20_char_text_59
Column Type: varchar
Max Length: 20
SS Note 20 Character 59

Column Name: ss_note_20_char_text_60
Column Type: varchar
Max Length: 20
SS Note 20 Character 60

Column Name: ss_note_20_char_text_61
Column Type: varchar
Max Length: 20
SS Note 20 Character 61

Column Name: ss_note_20_char_text_62
Column Type: varchar
Max Length: 20
SS Note 20 Character 62

Column Name: ss_note_20_char_text_63
Column Type: varchar
Max Length: 20
SS Note 20 Character 63

Column Name: ss_note_20_char_text_64

Column Type: varchar
Max Length: 20
SS Note 20 Character 64

Column Name: ss_note_20_char_text_65
Column Type: varchar
Max Length: 20
SS Note 20 Character 65

Column Name: ss_note_20_char_text_66
Column Type: varchar
Max Length: 20
SS Note 20 Character 66

Column Name: ss_note_20_char_text_67
Column Type: varchar
Max Length: 20
SS Note 20 Character 67

Column Name: ss_note_20_char_text_68
Column Type: varchar
Max Length: 20
SS Note 20 Character 68

Column Name: ss_note_20_char_text_69
Column Type: varchar
Max Length: 20
SS Note 20 Character 69

Column Name: ss_note_20_char_text_70
Column Type: varchar
Max Length: 20
SS Note 20 Character 70

Column Name: ss_note_20_char_text_71
Column Type: varchar
Max Length: 20
SS Note 20 Character 71

Column Name: ss_note_20_char_text_72
Column Type: varchar
Max Length: 20
SS Note 20 Character 72

Column Name: ss_note_20_char_text_73
Column Type: varchar
Max Length: 20
SS Note 20 Character 73

Column Name: ss_note_20_char_text_74

Column Type: varchar
Max Length: 20
SS Note 20 Character 74

Column Name: ss_note_20_char_text_75
Column Type: varchar
Max Length: 20
SS Note 20 Character 75

Column Name: ss_note_20_char_text_76
Column Type: varchar
Max Length: 20
SS Note 20 Character 76

Column Name: ss_note_40_char_text_51
Column Type: varchar
Max Length: 40
SS Note 40 Character 51

Column Name: ss_note_40_char_text_52
Column Type: varchar
Max Length: 40
SS Note 40 Character 52

Column Name: ss_note_40_char_text_53
Column Type: varchar
Max Length: 40
SS Note 40 Character 53

Column Name: ss_note_40_char_text_54
Column Type: varchar
Max Length: 40
SS Note 40 Character 54

Column Name: ss_note_40_char_text_55
Column Type: varchar
Max Length: 40
SS Note 40 Character 55

Column Name: ss_note_40_char_text_56
Column Type: varchar
Max Length: 40
SS Note 40 Character 56

Column Name: ss_note_40_char_text_57
Column Type: varchar
Max Length: 40
SS Note 40 Character 57

Column Name: ss_note_40_char_text_58

Column Type: varchar
Max Length: 40
SS Note 40 Character 58

Column Name: ss_note_40_char_text_59
Column Type: varchar
Max Length: 40
SS Note 40 Character 59

Column Name: ss_note_40_char_text_60
Column Type: varchar
Max Length: 40
SS Note 40 Character 60

Column Name: ss_note_40_char_text_61
Column Type: varchar
Max Length: 40
SS Note 40 Character 61

Column Name: ss_note_40_char_text_62
Column Type: varchar
Max Length: 40
SS Note 40 Character 62

Column Name: ss_note_40_char_text_63
Column Type: varchar
Max Length: 40
SS Note 40 Character 63

Column Name: ss_note_40_char_text_64
Column Type: varchar
Max Length: 40
SS Note 40 Character 64

Column Name: ss_note_40_char_text_65
Column Type: varchar
Max Length: 40
SS Note 40 Character 65

Column Name: ss_note_40_char_text_66
Column Type: varchar
Max Length: 40
SS Note 40 Character 66

Column Name: ss_note_40_char_text_67
Column Type: varchar
Max Length: 40
SS Note 40 Character 67

Column Name: ss_note_40_char_text_68

Column Type: varchar
Max Length: 40
SS Note 40 Character 68

Column Name: ss_note_40_char_text_69
Column Type: varchar
Max Length: 40
SS Note 40 Character 69

Column Name: ss_note_40_char_text_70
Column Type: varchar
Max Length: 40
SS Note 40 Character 70

Column Name: ss_note_40_char_text_71
Column Type: varchar
Max Length: 40
SS Note 40 Character 71

Column Name: ss_note_40_char_text_72
Column Type: varchar
Max Length: 40
SS Note 40 Character 72

Column Name: ss_note_40_char_text_73
Column Type: varchar
Max Length: 40
SS Note 40 Character 73)

Column Name: ss_note_40_char_text_74
Column Type: varchar
Max Length: 40
SS Note 40 Character 74

Column Name: ss_note_40_char_text_75
Column Type: varchar
Max Length: 40
SS Note 40 Character 75

Column Name: ss_note_40_char_text_76
Column Type: varchar
Max Length: 40
SS Note 40 Character 76

Column Name: ss_note_date_51
Column Type: date
SS Note Date 51

Column Name: ss_note_date_52
Column Type: date

SS Note Date 52

Column Name: ss_note_date_53

Column Type: date

SS Note Date 53

Column Name: ss_note_date_54

Column Type: date

SS Note Date 54

Column Name: ss_note_date_55

Column Type: date

SS Note Date 55

Column Name: ss_note_date_56

Column Type: date

SS Note Date 56

Column Name: ss_note_date_57

Column Type: date

SS Note Date 57

Column Name: ss_note_date_58

Column Type: date

SS Note Date 58

Column Name: ss_note_date_59

Column Type: date

SS Note Date 59

Column Name: ss_note_date_60

Column Type: date

SS Note Date 60

Column Name: ss_note_integer_51

Column Type: integer

SS Note Integer 51

Column Name: ss_note_integer_52

Column Type: integer

SS Note Integer 52

Column Name: ss_note_integer_53

Column Type: integer

SS Note Integer 53

Column Name: ss_note_integer_54

Column Type: integer

SS Note Integer 54

Column Name: ss_note_integer_55
Column Type: integer
SS Note Integer 55

Column Name: ss_note_integer_56
Column Type: integer
SS Note Integer 56

Column Name: ss_note_integer_57
Column Type: integer
SS Note Integer 57

Column Name: ss_note_integer_58
Column Type: integer
SS Note Integer 58

Column Name: ss_note_integer_59
Column Type: integer
SS Note Integer 59

Column Name: ss_note_integer_60
Column Type: integer
SS Note Integer 60

Column Name: ss_note_scroll_text_111
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 111

Column Name: ss_note_scroll_text_112
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 112

Column Name: ss_note_scroll_text_113
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 113

Column Name: ss_note_scroll_text_114
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 114

Column Name: ss_note_scroll_text_115
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 115

Column Name: ss_note_scroll_text_116

Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 116

Column Name: ss_note_scroll_text_117
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 117

Column Name: ss_note_scroll_text_118
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 118

Column Name: ss_note_scroll_text_119
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 119

Column Name: ss_note_scroll_text_120
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 120

Column Name: ss_note_scroll_text_121
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 121

Column Name: ss_note_scroll_text_122
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 122

Column Name: ss_note_scroll_text_123
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 123

Column Name: ss_note_scroll_text_124
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 124

Column Name: ss_note_scroll_text_125
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 125

Column Name: ss_note_scroll_text_126

Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 126

Column Name: ss_note_scroll_text_127
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 127

Column Name: ss_note_scroll_text_128
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 128

Column Name: ss_note_scroll_text_129
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 129

Column Name: ss_note_scroll_text_130
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 130

Column Name: ss_note_scroll_text_131
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 131

Column Name: ss_note_scroll_text_132
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 132

Column Name: ss_note_scroll_text_133
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 133

Column Name: ss_note_scroll_text_134
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 134

Column Name: ss_note_scroll_text_135
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 135

Column Name: ss_note_scroll_text_136

Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 136

Column Name: ss_note_time_51
Column Type: varchar
Max Length: 10
SS Note Time 51

Column Name: ss_note_time_52
Column Type: varchar
Max Length: 10
SS Note Time 52

Column Name: ss_note_time_53
Column Type: varchar
Max Length: 10
SS Note Time 53

Column Name: ss_note_time_54
Column Type: varchar
Max Length: 10
SS Note Time 54

Column Name: ss_note_time_55
Column Type: varchar
Max Length: 10
SS Note Time 55

Column Name: ss_note_time_56
Column Type: varchar
Max Length: 10
SS Note Time 56

Column Name: ss_note_time_57
Column Type: varchar
Max Length: 10
SS Note Time 57

Column Name: ss_note_time_58
Column Type: varchar
Max Length: 10
SS Note Time 58

Column Name: ss_note_time_59
Column Type: varchar
Max Length: 10
SS Note Time 59

Column Name: ss_note_time_60

Column Type: varchar
Max Length: 10
SS Note Time 60

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_notes_voided

Table Description: This table returns voided progress notes.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: Filing_Hist

Column Type: varchar

Max Length: 20

Unique historic where the data will be stored.

Column Name: notes_field

Column Type: varchar

Max Length: 32759

'Notes Field'

Column Name: note_type_code

Column Type: varchar

Max Length: 50

'Note Type code'

Column Name: note_type_value

Column Type: varchar

Max Length: 40

The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time

Column Type: varchar

Max Length: 25

'Note Time'

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: new_existing_svc_code

Column Type: varchar

Max Length: 5

'New Existing Service Code For. (Progress Note For)'

Column Name: new_existing_svc_value

Column Type: varchar

Max Length: 40

The description associated with new_existing_svc_code. See new_existing_svc_code for more information.

Column Name: service_charge_code

Column Type: varchar

Max Length: 40

'Service Charge Code'

Column Name: service_program_code

Column Type: varchar

Max Length: 6

'Service Program code'

Column Name: service_program_value

Column Type: varchar

Max Length: 40

The description associated with service_program_code. See service_program_code for more information.

Column Name: service_duration

Column Type: varchar

Max Length: 5

'Service Duration'

Column Name: note_addresses

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_wh_tp_plan_prob

Column Type: varchar

Max Length: 32759

'Note Addresses Which Treatment Plan Problem'

Column Name: Tx_Note_Uniqueid

Column Type: varchar

Max Length: 40

Unique ID for a service note.

Column Name: FILING_COUNTER

Column Type: integer

'Filing Counter'

Column Name: GROUP_ID

Column Type: varchar

Max Length: 10

'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

Unique ID for a service.

Column Name: TODO_ID

Column Type: varchar

Max Length: 20

'To Do Id'

Column Name: aps_link

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Appointment'

Column Name: clinical_quality_code

Column Type: varchar

Max Length: 255

'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val

Column Type: varchar

Max Length: 255

'The description associated with clinical_quality_code. See clinical_quality_code for more information.

Column Name: clinical_quality_value

Column Type: varchar

Max Length: 4096

'The description associated with clinical_quality_code. See clinical_quality_code for more information.

Column Name: co_sign_to_do_user

Column Type: varchar

Max Length: 50

'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_group_service
Column Type: date
Date of service for group.

Column Name: draft_final_code
Column Type: varchar
Max Length: 5
'Draft/Final code'

Column Name: draft_final_value
Column Type: varchar
Max Length: 40
The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id
Column Type: varchar
Max Length: 255
'External System Identifier'

Column Name: finalized_signature
Column Type: varchar
Max Length: 255
'Finalized Signature'

Column Name: medical_diagnosis_1_code
Column Type: varchar
Max Length: 50
'Medical Diagnosis 1 code'

Column Name: medical_diagnosis_1_value

Column Type: varchar

Max Length: 32759

The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 2 code'

Column Name: medical_diagnosis_2_value

Column Type: varchar

Max Length: 32759

The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: notes_entry_index_nu

Column Type: varchar

Max Length: 50

'Notes Entry Index Number for Internal Use'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: orig_note_uniq_id_num

Column Type: varchar

Max Length: 20

'Original Note Unique ID Number'

Column Name: reason_for_void_code

Column Type: varchar

Max Length: 50

'Reason For Voiding The Note code'

Column Name: reason_for_void_value

Column Type: varchar

Max Length: 50

The description associated with reason_for_void_code. See reason_for_void_code for more information.

Column Name: select_tp_version_code

Column Type: varchar

Max Length: 5
'Select T.P. Version code'

Column Name: select_tp_version_value
Column Type: varchar
Max Length: 40
The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: session_start_end_times
Column Type: varchar
Max Length: 32759
'Start/End Time(s)'

Column Name: ss_note_20_char_text_1
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 1'

Column Name: ss_note_20_char_text_10
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 10'

Column Name: ss_note_20_char_text_2
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 2'

Column Name: ss_note_20_char_text_3
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 3'

Column Name: ss_note_20_char_text_4
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 4'

Column Name: ss_note_20_char_text_5
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 5'

Column Name: ss_note_20_char_text_6
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 6'

Column Name: ss_note_20_char_text_7
Column Type: varchar

Max Length: 20
'SS Note 20 Character Text 7'

Column Name: ss_note_20_char_text_8
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 8'

Column Name: ss_note_20_char_text_9
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 9'

Column Name: ss_note_40_char_text_1
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 1'

Column Name: ss_note_40_char_text_10
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 10'

Column Name: ss_note_40_char_text_2
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 2'

Column Name: ss_note_40_char_text_3
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 3'

Column Name: ss_note_40_char_text_4
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 4'

Column Name: ss_note_40_char_text_5
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 5'

Column Name: ss_note_40_char_text_6
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 6'

Column Name: ss_note_40_char_text_7
Column Type: varchar

Max Length: 40
'SS Note 40 Character Text 7'

Column Name: ss_note_40_char_text_8
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 8'

Column Name: ss_note_40_char_text_9
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 9'

Column Name: ss_note_80_char_text_1
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 9'

Column Name: ss_note_date_1
Column Type: date
'SS Note Date 1'

Column Name: ss_note_date_10
Column Type: date
'SS Note Date 10'

Column Name: ss_note_date_2
Column Type: date
'SS Note Date 2'

Column Name: ss_note_date_3
Column Type: date
'SS Note Date 3'

Column Name: ss_note_date_4
Column Type: date
'SS Note Date 4'

Column Name: ss_note_date_5
Column Type: date
'SS Note Date 5'

Column Name: ss_note_date_6
Column Type: date
'SS Note Date 6'

Column Name: ss_note_date_7
Column Type: date
'SS Note Date 7'

Column Name: ss_note_date_8
Column Type: date
'SS Note Date 8'

Column Name: ss_note_date_9

Column Type: date
'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 10 code'

Column Name: ss_note_dsm_diag_10_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 1 code'

Column Name: ss_note_dsm_diag_1_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 2 code'

Column Name: ss_note_dsm_diag_2_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_2_code. See ss_note_dsm_diag_2_code for more information.

Column Name: ss_note_dsm_diag_3_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 3 code'

Column Name: ss_note_dsm_diag_3_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_3_code. See ss_note_dsm_diag_3_code for more information.

Column Name: ss_note_dsm_diag_4_code
Column Type: varchar
Max Length: 20

'SS Note DSM IV Diagnosis 4 code'

Column Name: ss_note_dsm_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_4_code. See ss_note_dsm_diag_4_code for more information.

Column Name: ss_note_dsm_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 5 code'

Column Name: ss_note_dsm_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_5_code. See ss_note_dsm_diag_5_code for more information.

Column Name: ss_note_dsm_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 6 code'

Column Name: ss_note_dsm_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_6_code. See ss_note_dsm_diag_6_code for more information.

Column Name: ss_note_dsm_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 7 code'

Column Name: ss_note_dsm_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_7_code. See ss_note_dsm_diag_7_code for more information.

Column Name: ss_note_dsm_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 8 code'

Column Name: ss_note_dsm_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_dsm_diag_8_code`. See `ss_note_dsm_diag_8_code` for more information.

Column Name: `ss_note_dsm_diag_9_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 9 code'

Column Name: `ss_note_dsm_diag_9_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_9_code`. See `ss_note_dsm_diag_9_code` for more information.

Column Name: `ss_note_icd9_diag_10_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Diagnosis 10 code'

Column Name: `ss_note_icd9_diag_10_val`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_10_code`. See `ss_note_icd9_diag_10_code` for more information.

Column Name: `ss_note_icd9_diag_1_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Diagnosis 1 code'

Column Name: `ss_note_icd9_diag_1_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_1_code`. See `ss_note_icd9_diag_1_code` for more information.

Column Name: `ss_note_icd9_diag_2_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Diagnosis 2 code'

Column Name: `ss_note_icd9_diag_2_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_2_code`. See `ss_note_icd9_diag_2_code` for more information.

Column Name: `ss_note_icd9_diag_3_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Diagnosis 3 code'

Column Name: ss_note_icd9_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_3_code. See ss_note_icd9_diag_3_code for more information.

Column Name: ss_note_icd9_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 4 code'

Column Name: ss_note_icd9_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_4_code. See ss_note_icd9_diag_4_code for more information.

Column Name: ss_note_icd9_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 5 code'

Column Name: ss_note_icd9_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_5_code. See ss_note_icd9_diag_5_code for more information.

Column Name: ss_note_icd9_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 6 code'

Column Name: ss_note_icd9_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_6_code. See ss_note_icd9_diag_6_code for more information.

Column Name: ss_note_icd9_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 7 code'

Column Name: ss_note_icd9_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_7_code. See ss_note_icd9_diag_7_code for more information.

Column Name: ss_note_icd9_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 8 code'

Column Name: ss_note_icd9_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_8_code. See ss_note_icd9_diag_8_code for more information.

Column Name: ss_note_icd9_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 9 code'

Column Name: ss_note_icd9_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_9_code. See ss_note_icd9_diag_9_code for more information.

Column Name: ss_note_multi_dict_10_cod

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 10 code'

Column Name: ss_note_multi_dict_10_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_10_code. See ss_note_multi_dict_10_code for more information.

Column Name: ss_note_multi_dict_1_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 1 code'

Column Name: ss_note_multi_dict_1_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_1_code. See ss_note_multi_dict_1_code for more information.

Column Name: ss_note_multi_dict_2_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 2 code'

Column Name: ss_note_multi_dict_2_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_2_code. See ss_note_multi_dict_2_code for more information.

Column Name: ss_note_multi_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 3 code'

Column Name: ss_note_multi_dict_3_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_3_code. See ss_note_multi_dict_3_code for more information.

Column Name: ss_note_multi_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 4 code'

Column Name: ss_note_multi_dict_4_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_4_code. See ss_note_multi_dict_4_code for more information.

Column Name: ss_note_multi_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 5 code'

Column Name: ss_note_multi_dict_5_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_5_code. See ss_note_multi_dict_5_code for more information.

Column Name: ss_note_multi_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 6 code'

Column Name: ss_note_multi_dict_6_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 7 code'

Column Name: ss_note_multi_dict_7_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_7_code. See ss_note_multi_dict_7_code for more information.

Column Name: ss_note_multi_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 8 code'

Column Name: ss_note_multi_dict_8_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_8_code. See ss_note_multi_dict_8_code for more information.

Column Name: ss_note_multi_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 9 code'

Column Name: ss_note_multi_dict_9_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_9_code. See ss_note_multi_dict_9_code for more information.

Column Name: ss_note_scroll_text_1

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 1'

Column Name: ss_note_scroll_text_10

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 10'

Column Name: ss_note_scroll_text_2

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 2'

Column Name: ss_note_scroll_text_3
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 3'

Column Name: ss_note_scroll_text_4
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 4'

Column Name: ss_note_scroll_text_5
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 5'

Column Name: ss_note_scroll_text_6
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 6'

Column Name: ss_note_scroll_text_7
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 7'

Column Name: ss_note_scroll_text_8
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 8'

Column Name: ss_note_scroll_text_9
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 9'

Column Name: ss_note_sing_dict_10_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 10 code'

Column Name: ss_note_sing_dict_10_val
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 1 code'

Column Name: ss_note_sing_dict_1_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 2 code'

Column Name: ss_note_sing_dict_2_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 3 code'

Column Name: ss_note_sing_dict_3_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 4 code'

Column Name: ss_note_sing_dict_4_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 5 code'

Column Name: ss_note_sing_dict_5_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 6 code'

Column Name: ss_note_sing_dict_6_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 7 code'

Column Name: ss_note_sing_dict_7_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 8 code'

Column Name: ss_note_sing_dict_8_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 9 code'

Column Name: ss_note_sing_dict_9_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1
Column Type: varchar
Max Length: 20

'SS Note Staff Member 1'

Column Name: ss_note_staff_10

Column Type: varchar

Max Length: 20

'SS Note Staff Member 10'

Column Name: ss_note_staff_2

Column Type: varchar

Max Length: 20

'SS Note Staff Member 2'

Column Name: ss_note_staff_3

Column Type: varchar

Max Length: 20

'SS Note Staff Member 3'

Column Name: ss_note_staff_4

Column Type: varchar

Max Length: 20

'SS Note Staff Member 4'

Column Name: ss_note_staff_5

Column Type: varchar

Max Length: 20

'SS Note Staff Member 5'

Column Name: ss_note_staff_6

Column Type: varchar

Max Length: 20

'SS Note Staff Member 6'

Column Name: ss_note_staff_7

Column Type: varchar

Max Length: 20

'SS Note Staff Member 7'

Column Name: ss_note_staff_8

Column Type: varchar

Max Length: 20

'SS Note Staff Member 8'

Column Name: ss_note_staff_9

Column Type: varchar

Max Length: 20

'SS Note Staff Member 9'

Column Name: ss_note_time_1

Column Type: varchar

Max Length: 10

'SS Note Time 1'

Column Name: ss_note_time_10

Column Type: varchar

Max Length: 10

'SS Note Time 10'

Column Name: ss_note_time_2

Column Type: varchar

Max Length: 10

'SS Note Time 2'

Column Name: ss_note_time_3

Column Type: varchar

Max Length: 10

'SS Note Time 3'

Column Name: ss_note_time_4

Column Type: varchar

Max Length: 10

'SS Note Time 4'

Column Name: ss_note_time_5

Column Type: varchar

Max Length: 10

'SS Note Time 5'

Column Name: ss_note_time_6

Column Type: varchar

Max Length: 10

'SS Note Time 6'

Column Name: ss_note_time_7

Column Type: varchar

Max Length: 10

'SS Note Time 7'

Column Name: ss_note_time_8

Column Type: varchar

Max Length: 10

'SS Note Time 8'

Column Name: ss_note_time_9

Column Type: varchar

Max Length: 10

'SS Note Time 9'

Column Name: transcription_note

Column Type: bit

Is this is Transcription note

Column Name: transition_of_care_code

Column Type: varchar

Max Length: 1

'Is This A Transition Of Care?'

Column Name: transition_of_care_value

Column Type: varchar

Max Length: 80

'The description associated with transition_of_care_code. See transition_of_care_code for more information.'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: void_comments

Column Type: varchar

Max Length: 32759

'Void Comments'

Column Name: void_data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row for a void.

Column Name: void_data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row for a void.

Column Name: void_data_entry_date

Column Type: date

The date the row was voided.

Column Name: void_data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row for a void.

Column Name: void_data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated for a void.

Column Name: void_data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' that last updated the row for a void.

Column Name: void_data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the 'User ID' for a void.

Column Name: void_option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row for a void.

Column Name: void_option_id

Column Type: varchar

Max Length: 40

The unique ID of the form that last updated the row for a void.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

The unique ID associated with the note.

Column Name: notes_field

Column Type: varchar

Max Length: 32700

The written note information.

Column Name: note_type_code
Column Type: varchar
Max Length: 50
'Note Type'

Column Name: note_type_value
Column Type: varchar
Max Length: 40
The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time
Column Type: varchar
Max Length: 25
'Note Time'

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: New_Existing_Service_code
Column Type: varchar
Max Length: 5
'Progress Note For'

Column Name: New_Existing_Service_value
Column Type: varchar
Max Length: 40
The description associated with New_Existing_Service_code. See New_Existing_Service_code for more information.

Column Name: service_program_value
Column Type: varchar
Max Length: 40
The description associated with service_program_code. See service_program_code for more information.

Column Name: note_addresses

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_which_tp_plan_prob

Column Type: varchar

Max Length: 32700

The treatment plan problem to add to the note.

Column Name: Tx_Note_UniqueId

Column Type: varchar

Max Length: 40

The unique ID associated with the treatment.

Column Name: service_charge_value

Column Type: varchar

Max Length: 40

The description associated with service_charge_code. See service_charge_code for more information.

Column Name: GROUP_ID

Column Type: varchar

Max Length: 10

'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

The unique ID that joins the note to the service.

Column Name: Option_Desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: Option_Id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: TODO_ID

Column Type: varchar

Max Length: 20

'To Do Id'

Column Name: add_on_notes

Column Type: varchar

Max Length: 32768

The add-on notes.

Column Name: add_svc_info_code

Column Type: varchar

Max Length: 40

The additional service information.

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

The description associated with add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

The description associated with add_svc_info_code. See add_svc_info_code for more information.

Column Name: aps_link

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Appointment'

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

'Service Status'

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

The description associated with billing_status_code. See billing_status_code for more information.

Column Name: calpm_ebpss_csi_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practices / Service Strategies (CSI)'

Column Name: calpm_ebpss_csi_value

Column Type: varchar

Max Length: 200

The description associated with calpm_ebpss_csi_code. See calpm_ebpss_csi_code for more information.

Column Name: calpm_ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

The description associated with calpm_ebpss_csi_value_code. See calpm_ebpss_csi_value_code for more information.

Column Name: client_prob_list_codes

Column Type: varchar

Max Length: 50

The codes associated with the client problem list.

Column Name: client_prob_list_shvals

Column Type: varchar

Max Length: 255

The description associated with client_prob_list_code limited to 255 characters. See client_prob_list_code for more information.

Column Name: client_prob_list_vals

Column Type: varchar

Max Length: 32700

The description associated with client_prob_list_code. See client_prob_list_code for more information.

Column Name: clinical_instructions

Column Type: varchar

Max Length: 32700

'Clinical Instructions'

Column Name: clinical_quality_code

Column Type: varchar

Max Length: 255

'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val

Column Type: varchar

Max Length: 255

'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: clinical_quality_value

Column Type: varchar

Max Length: 4096

'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: confidential_note

Column Type: varchar

Max Length: 50

The confidential note.

Column Name: co_pract_duration

Column Type: numeric

The first co-practitioner duration.

Column Name: co_pract2_duration

Column Type: numeric

The second co-practitioner duration.

Column Name: co_practitioner_id

Column Type: varchar

Max Length: 15

The first co-practitioner ID.

Column Name: co_practitioner_id_2

Column Type: varchar

Max Length: 15

The second co-practitioner ID.

Column Name: co_practitioner_name

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id.

Column Name: co_practitioner_name_2

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id_2.

Column Name: co_sign_to_do_user

Column Type: varchar

Max Length: 50

'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 40

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_group_service
Column Type: date
The date of the group service.

Column Name: date_of_note
Column Type: date
The date of the note.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: discipline_code
Column Type: varchar
Max Length: 40
'Discipline'

Column Name: discipline_value
Column Type: varchar
Max Length: 40
The description associated with discipline_code. See discipline_code for more information.

Column Name: document_routing_status
Column Type: varchar
Max Length: 50
Status of the document

Column Name: draft_final_code
Column Type: varchar
Max Length: 5
'Draft/Final'

Column Name: draft_final_value
Column Type: varchar
Max Length: 40
The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id
Column Type: varchar
Max Length: 255
'External System Identifier'

Column Name: finalized_signature
Column Type: varchar
Max Length: 255
'Finalized Signature'

Column Name: has_nonmed_diag_flg_code
Column Type: varchar
Max Length: 50
The non-medical diagnosis flag.

Column Name: has_nonmed_diag_flg_value
Column Type: varchar
Max Length: 50
The description associated with has_nonmed_diag_flg_code. See has_nonmed_diag_flg_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Diagnosis 1'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Diagnosis 2'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40

'Diagnosis 3'

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

'Diagnosis 4'

Column Name: location_code

Column Type: varchar

Max Length: 50

The location of the service.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: medical_diag1_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag1_DSM_code. See medical_diag1_DSM_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD 10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD 9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_imo_code. See medical_diag_1_imo_code for more information.

Column Name: medical_diag2_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag2_DSM_code. See medical_diag2_DSM_code for more information.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_imo_code. See medical_diag_2_imo_code for more information.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_imo_code. See medical_diag_3_imo_code for more information.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_imo_code. See medical_diag_4_imo_code for more information.

Column Name: medical_diagnosis_1_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1'

Column Name: medical_diagnosis_1_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2'

Column Name: medical_diagnosis_2_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: medical_diagnosis_3_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 3'

Column Name: medical_diagnosis_3_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_3_code. See medical_diagnosis_3_code for more information.

Column Name: medical_diagnosis_4_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 4'

Column Name: medical_diagnosis_4_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_4_code. See medical_diagnosis_4_code for more information.

Column Name: notes_entry_index_nu

Column Type: varchar

Max Length: 50

The notes entry index.

Column Name: number_clients_in_group

Column Type: integer

'Number Of Clients In Group'

Column Name: orig_note_uniq_id_num

Column Type: varchar

Max Length: 20

'Original Note Unique ID Number'

Column Name: practitioner_id
Column Type: varchar
Max Length: 15
The practitioner associated with the note.

Column Name: practitioner_name
Column Type: varchar
Max Length: 40
The name associated with practitioner_id.

Column Name: psycho_add_on_duration
Column Type: integer
The psychotherapy add-on duration.

Column Name: reason_for_visit_code
Column Type: varchar
Max Length: 50
'Reason for Visit'

Column Name: reason_for_visit_value
Column Type: varchar
Max Length: 250
The description associated with reason_for_visit_code. See reason_for_visit_code for more information.

Column Name: recommended_decision
Column Type: varchar
Max Length: 32700
'Recommended Decision'

Column Name: release_type_code
Column Type: varchar
Max Length: 50
The value entered in the field 'Are you releasing to myHealthPointe or External providers?'

Column Name: release_type_value
Column Type: varchar
Max Length: 40
The description associated with release_type_code.

Column Name: select_tp_version_code
Column Type: varchar
Max Length: 5
'Select T.P. Version'

Column Name: select_tp_version_value
Column Type: varchar
Max Length: 40
The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: service_charge_code

Column Type: varchar
Max Length: 40
The service charge code.

Column Name: service_duration
Column Type: varchar
Max Length: 5
The duration of the service.

Column Name: service_end_time
Column Type: varchar
Max Length: 10
The end time of the service.

Column Name: service_program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: service_start_time
Column Type: varchar
Max Length: 10
The start time of the service.

Column Name: session_start_end_times
Column Type: varchar
Max Length: 32766
'Start/End Time(s)'

Column Name: ss_note_20_char_text_1
Column Type: varchar
Max Length: 20
'SS Note 20 Character 1'

Column Name: ss_note_20_char_text_10
Column Type: varchar
Max Length: 20
'SS Note 20 Character 10'

Column Name: ss_note_20_char_text_2
Column Type: varchar
Max Length: 20
'SS Note 20 Character 2'

Column Name: ss_note_20_char_text_3
Column Type: varchar
Max Length: 20
'SS Note 20 Character 3'

Column Name: ss_note_20_char_text_4

Column Type: varchar
Max Length: 20
'SS Note 20 Character 4'

Column Name: ss_note_20_char_text_5
Column Type: varchar
Max Length: 20
'SS Note 20 Character 5'

Column Name: ss_note_20_char_text_6
Column Type: varchar
Max Length: 20
'SS Note 20 Character 6'

Column Name: ss_note_20_char_text_7
Column Type: varchar
Max Length: 20
'SS Note 20 Character 7'

Column Name: ss_note_20_char_text_8
Column Type: varchar
Max Length: 20
'SS Note 20 Character 8'

Column Name: ss_note_20_char_text_9
Column Type: varchar
Max Length: 20
'SS Note 20 Character 9'

Column Name: ss_note_40_char_text_1
Column Type: varchar
Max Length: 40
'SS Note 40 Character 1'

Column Name: ss_note_40_char_text_10
Column Type: varchar
Max Length: 40
'SS Note 40 Character 10'

Column Name: ss_note_40_char_text_2
Column Type: varchar
Max Length: 40
'SS Note 40 Character 2'

Column Name: ss_note_40_char_text_3
Column Type: varchar
Max Length: 40
'SS Note 40 Character 3'

Column Name: ss_note_40_char_text_4

Column Type: varchar
Max Length: 40
'SS Note 40 Character 4'

Column Name: ss_note_40_char_text_5
Column Type: varchar
Max Length: 40
'SS Note 40 Character 5'

Column Name: ss_note_40_char_text_6
Column Type: varchar
Max Length: 40
'SS Note 40 Character 6'

Column Name: ss_note_40_char_text_7
Column Type: varchar
Max Length: 40
'SS Note 40 Character 7'

Column Name: ss_note_40_char_text_8
Column Type: varchar
Max Length: 40
'SS Note 40 Character 8'

Column Name: ss_note_40_char_text_9
Column Type: varchar
Max Length: 40
'SS Note 40 Character 9'

Column Name: ss_note_80_char_text_1
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4

Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 9'

Column Name: ss_note_date_1
Column Type: date
'SS Note Date 1'

Column Name: ss_note_date_10
Column Type: date
'SS Note Date 10'

Column Name: ss_note_date_2
Column Type: date
'SS Note Date 2'

Column Name: ss_note_date_3
Column Type: date
'SS Note Date 3'

Column Name: ss_note_date_4
Column Type: date
'SS Note Date 4'

Column Name: ss_note_date_5

Column Type: date
'SS Note Date 5'

Column Name: ss_note_date_6
Column Type: date
'SS Note Date 6'

Column Name: ss_note_date_7
Column Type: date
'SS Note Date 7'

Column Name: ss_note_date_8
Column Type: date
'SS Note Date 8'

Column Name: ss_note_date_9
Column Type: date
'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 10'

Column Name: ss_note_dsm_diag_10_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 1'

Column Name: ss_note_dsm_diag_1_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 2'

Column Name: ss_note_dsm_diag_2_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_2_code`. See `ss_note_dsm_diag_2_code` for more information.

Column Name: `ss_note_dsm_diag_3_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 3'

Column Name: `ss_note_dsm_diag_3_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_3_code`. See `ss_note_dsm_diag_3_code` for more information.

Column Name: `ss_note_dsm_diag_4_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 4'

Column Name: `ss_note_dsm_diag_4_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_4_code`. See `ss_note_dsm_diag_4_code` for more information.

Column Name: `ss_note_dsm_diag_5_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 5'

Column Name: `ss_note_dsm_diag_5_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_5_code`. See `ss_note_dsm_diag_5_code` for more information.

Column Name: `ss_note_dsm_diag_6_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 6'

Column Name: `ss_note_dsm_diag_6_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_6_code`. See `ss_note_dsm_diag_6_code` for more information.

Column Name: `ss_note_dsm_diag_7_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 7'

Column Name: ss_note_dsm_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_7_code. See ss_note_dsm_diag_7_code for more information.

Column Name: ss_note_dsm_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 8'

Column Name: ss_note_dsm_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_8_code. See ss_note_dsm_diag_8_code for more information.

Column Name: ss_note_dsm_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 9'

Column Name: ss_note_dsm_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_9_code. See ss_note_dsm_diag_9_code for more information.

Column Name: ss_note_icd9_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 10'

Column Name: ss_note_icd9_diag_10_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_10_code. See ss_note_icd9_diag_10_code for more information.

Column Name: ss_note_icd9_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 1'

Column Name: ss_note_icd9_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_1_code`. See `ss_note_icd9_diag_1_code` for more information.

Column Name: `ss_note_icd9_diag_2_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 2'

Column Name: `ss_note_icd9_diag_2_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_2_code`. See `ss_note_icd9_diag_2_code` for more information.

Column Name: `ss_note_icd9_diag_3_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 3'

Column Name: `ss_note_icd9_diag_3_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_3_code`. See `ss_note_icd9_diag_3_code` for more information.

Column Name: `ss_note_icd9_diag_4_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 4'

Column Name: `ss_note_icd9_diag_4_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_4_code`. See `ss_note_icd9_diag_4_code` for more information.

Column Name: `ss_note_icd9_diag_5_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 5'

Column Name: `ss_note_icd9_diag_5_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_5_code`. See `ss_note_icd9_diag_5_code` for more information.

Column Name: `ss_note_icd9_diag_6_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 6'

Column Name: ss_note_icd9_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_6_code. See ss_note_icd9_diag_6_code for more information.

Column Name: ss_note_icd9_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 7'

Column Name: ss_note_icd9_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_7_code. See ss_note_icd9_diag_7_code for more information.

Column Name: ss_note_icd9_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 8'

Column Name: ss_note_icd9_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_8_code. See ss_note_icd9_diag_8_code for more information.

Column Name: ss_note_icd9_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 9'

Column Name: ss_note_icd9_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_9_code. See ss_note_icd9_diag_9_code for more information.

Column Name: ss_note_multi_dict_10_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 10'

Column Name: ss_note_multi_dict_10_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_10_code. See ss_note_multi_dict_10_code for more information.

Column Name: ss_note_multi_dict_1_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 1'

Column Name: ss_note_multi_dict_1_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_1_code. See ss_note_multi_dict_1_code for more information.

Column Name: ss_note_multi_dict_2_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 2'

Column Name: ss_note_multi_dict_2_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_2_code. See ss_note_multi_dict_2_code for more information.

Column Name: ss_note_multi_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 3'

Column Name: ss_note_multi_dict_3_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_3_code. See ss_note_multi_dict_3_code for more information.

Column Name: ss_note_multi_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 4'

Column Name: ss_note_multi_dict_4_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_4_code. See ss_note_multi_dict_4_code for more information.

Column Name: ss_note_multi_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 5'

Column Name: ss_note_multi_dict_5_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_5_code. See ss_note_multi_dict_5_code for more information.

Column Name: ss_note_multi_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 6'

Column Name: ss_note_multi_dict_6_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 7'

Column Name: ss_note_multi_dict_7_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_7_code. See ss_note_multi_dict_7_code for more information.

Column Name: ss_note_multi_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 8'

Column Name: ss_note_multi_dict_8_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_8_code. See ss_note_multi_dict_8_code for more information.

Column Name: ss_note_multi_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 9'

Column Name: ss_note_multi_dict_9_value

Column Type: varchar

Max Length: 32700

The description associated with `ss_note_multi_dict_9_code`. See `ss_note_multi_dict_9_code` for more information.

Column Name: `ss_note_scroll_text_1`
Column Type: `varchar`
Max Length: 32700
'SS Note Scrolling Text 1'

Column Name: `ss_note_scroll_text_10`
Column Type: `varchar`
Max Length: 32700
'SS Note Scrolling Text 10'

Column Name: `ss_note_scroll_text_2`
Column Type: `varchar`
Max Length: 32700
'SS Note Scrolling Text 2'

Column Name: `ss_note_scroll_text_3`
Column Type: `varchar`
Max Length: 32700
'SS Note Scrolling Text 3'

Column Name: `ss_note_scroll_text_4`
Column Type: `varchar`
Max Length: 32700
'SS Note Scrolling Text 4'

Column Name: `ss_note_scroll_text_5`
Column Type: `varchar`
Max Length: 32700
'SS Note Scrolling Text 5'

Column Name: `ss_note_scroll_text_6`
Column Type: `varchar`
Max Length: 32700
'SS Note Scrolling Text 6'

Column Name: `ss_note_scroll_text_7`
Column Type: `varchar`
Max Length: 32700
'SS Note Scrolling Text 7'

Column Name: `ss_note_scroll_text_8`
Column Type: `varchar`
Max Length: 32700
'SS Note Scrolling Text 8'

Column Name: `ss_note_scroll_text_9`
Column Type: `varchar`

Max Length: 32700
'SS Note Scrolling Text 9'

Column Name: ss_note_sing_dict_10_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 10'

Column Name: ss_note_sing_dict_10_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 1'

Column Name: ss_note_sing_dict_1_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 2'

Column Name: ss_note_sing_dict_2_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 3'

Column Name: ss_note_sing_dict_3_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 4'

Column Name: ss_note_sing_dict_4_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 5'

Column Name: ss_note_sing_dict_5_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 6'

Column Name: ss_note_sing_dict_6_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 7'

Column Name: ss_note_sing_dict_7_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 8'

Column Name: ss_note_sing_dict_8_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 9'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1

Column Type: varchar

Max Length: 20

'SS Note Staff Member 1'

Column Name: ss_note_staff_10

Column Type: varchar

Max Length: 20

'SS Note Staff Member 10'

Column Name: ss_note_staff_2

Column Type: varchar

Max Length: 20

'SS Note Staff Member 2'

Column Name: ss_note_staff_3

Column Type: varchar

Max Length: 20

'SS Note Staff Member 3'

Column Name: ss_note_staff_4

Column Type: varchar

Max Length: 20

'SS Note Staff Member 4'

Column Name: ss_note_staff_5

Column Type: varchar

Max Length: 20

'SS Note Staff Member 5'

Column Name: ss_note_staff_6

Column Type: varchar

Max Length: 20

'SS Note Staff Member 6'

Column Name: ss_note_staff_7

Column Type: varchar
Max Length: 20
'SS Note Staff Member 7'

Column Name: ss_note_staff_8
Column Type: varchar
Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar
Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6
Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7

Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar
Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar
Max Length: 10
'SS Note Time 9'

Column Name: transcription_note
Column Type: bit
Is this is Transcription note

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_supp

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
Whether the note is confidential.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: notes_field

Column Type: varchar

Max Length: 32700

The contents of the notes field.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_11

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 11'

Column Name: ss_note_20_char_text_12
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 12'

Column Name: ss_note_20_char_text_13
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 13'

Column Name: ss_note_20_char_text_14
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 14'

Column Name: ss_note_20_char_text_15
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 15'

Column Name: ss_note_20_char_text_16
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 16'

Column Name: ss_note_20_char_text_17
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 17'

Column Name: ss_note_20_char_text_18
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 18'

Column Name: ss_note_20_char_text_19
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 19'

Column Name: ss_note_20_char_text_20
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 20'

Column Name: ss_note_20_char_text_21
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 21'

Column Name: ss_note_20_char_text_22
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 22'

Column Name: ss_note_20_char_text_23
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 23'

Column Name: ss_note_20_char_text_24
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 24'

Column Name: ss_note_20_char_text_25
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 25'

Column Name: ss_note_20_char_text_26
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 26'

Column Name: ss_note_20_char_text_27
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 27'

Column Name: ss_note_20_char_text_28
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 28'

Column Name: ss_note_20_char_text_29
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 29'

Column Name: ss_note_20_char_text_30
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 30'

Column Name: ss_note_40_char_text_11
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 11'

Column Name: ss_note_40_char_text_12
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 12'

Column Name: ss_note_40_char_text_13
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 13'

Column Name: ss_note_40_char_text_14
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 14'

Column Name: ss_note_40_char_text_15
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 15'

Column Name: ss_note_40_char_text_16
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 16'

Column Name: ss_note_40_char_text_17
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 17'

Column Name: ss_note_40_char_text_18
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 18'

Column Name: ss_note_40_char_text_19
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 19'

Column Name: ss_note_40_char_text_20
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 20'

Column Name: ss_note_40_char_text_21
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 21'

Column Name: ss_note_40_char_text_22
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 22'

Column Name: ss_note_40_char_text_23
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 23'

Column Name: ss_note_40_char_text_24
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 24'

Column Name: ss_note_40_char_text_25
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 25'

Column Name: ss_note_40_char_text_26
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 26'

Column Name: ss_note_40_char_text_27
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 27'

Column Name: ss_note_40_char_text_28
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 28'

Column Name: ss_note_40_char_text_29
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 29'

Column Name: ss_note_40_char_text_30
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 30'

Column Name: ss_note_80_char_text_11
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 11'

Column Name: ss_note_80_char_text_12
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 12'

Column Name: ss_note_80_char_text_13
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 13'

Column Name: ss_note_80_char_text_14
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 14'

Column Name: ss_note_80_char_text_15
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 15'

Column Name: ss_note_80_char_text_16
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 16'

Column Name: ss_note_80_char_text_17
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 17'

Column Name: ss_note_80_char_text_18
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 18'

Column Name: ss_note_80_char_text_19
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 19'

Column Name: ss_note_80_char_text_20
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 20'

Column Name: ss_note_80_char_text_21
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 21'

Column Name: ss_note_80_char_text_22
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 22'

Column Name: ss_note_80_char_text_23
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 23'

Column Name: ss_note_80_char_text_24
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 24'

Column Name: ss_note_80_char_text_25
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 25'

Column Name: ss_note_80_char_text_26
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 26'

Column Name: ss_note_80_char_text_27
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 27'

Column Name: ss_note_80_char_text_28
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 28'

Column Name: ss_note_80_char_text_29
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 29'

Column Name: ss_note_80_char_text_30
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 30'

Column Name: ss_note_date_11
Column Type: date
'SS Note Date 11'

Column Name: ss_note_date_12

Column Type: date
'SS Note Date 12'

Column Name: ss_note_date_13
Column Type: date
'SS Note Date 13'

Column Name: ss_note_date_14
Column Type: date
'SS Note Date 14'

Column Name: ss_note_date_15
Column Type: date
'SS Note Date 15'

Column Name: ss_note_date_16
Column Type: date
'SS Note Date 16'

Column Name: ss_note_date_17
Column Type: date
'SS Note Date 17'

Column Name: ss_note_date_18
Column Type: date
'SS Note Date 18'

Column Name: ss_note_date_19
Column Type: date
'SS Note Date 19'

Column Name: ss_note_date_20
Column Type: date
'SS Note Date 20'

Column Name: ss_note_date_21
Column Type: date
'SS Note Date 21'

Column Name: ss_note_date_22
Column Type: date
'SS Note Date 22'

Column Name: ss_note_date_23
Column Type: date
'SS Note Date 23'

Column Name: ss_note_date_24
Column Type: date
'SS Note Date 24'

Column Name: ss_note_date_25
Column Type: date
'SS Note Date 25'

Column Name: ss_note_date_26
Column Type: date
'SS Note Date 26'

Column Name: ss_note_date_27
Column Type: date
'SS Note Date 27'

Column Name: ss_note_date_28
Column Type: date
'SS Note Date 28'

Column Name: ss_note_date_29
Column Type: date
'SS Note Date 29'

Column Name: ss_note_date_30
Column Type: date
'SS Note Date 30'

Column Name: ss_note_dsm_diag_11_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 11'

Column Name: ss_note_dsm_diag_11_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_11_code. See ss_note_dsm_diag_11_code for more information.

Column Name: ss_note_dsm_diag_12_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 12'

Column Name: ss_note_dsm_diag_12_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_12_code. See ss_note_dsm_diag_12_code for more information.

Column Name: ss_note_dsm_diag_13_code
Column Type: varchar
Max Length: 20

'SS Note DSM Diagnosis 13'

Column Name: ss_note_dsm_diag_13_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_13_code. See ss_note_dsm_diag_13_code for more information.

Column Name: ss_note_dsm_diag_14_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 14'

Column Name: ss_note_dsm_diag_14_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_14_code. See ss_note_dsm_diag_14_code for more information.

Column Name: ss_note_dsm_diag_15_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 15'

Column Name: ss_note_dsm_diag_15_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_15_code. See ss_note_dsm_diag_15_code for more information.

Column Name: ss_note_dsm_diag_16_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 16'

Column Name: ss_note_dsm_diag_16_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_16_code. See ss_note_dsm_diag_16_code for more information.

Column Name: ss_note_dsm_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 17'

Column Name: ss_note_dsm_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_dsm_diag_17_code`. See `ss_note_dsm_diag_17_code` for more information.

Column Name: `ss_note_dsm_diag_18_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 18'

Column Name: `ss_note_dsm_diag_18_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_18_code`. See `ss_note_dsm_diag_18_code` for more information.

Column Name: `ss_note_dsm_diag_19_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 19'

Column Name: `ss_note_dsm_diag_19_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_19_code`. See `ss_note_dsm_diag_19_code` for more information.

Column Name: `ss_note_dsm_diag_20_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 20'

Column Name: `ss_note_dsm_diag_20_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_20_code`. See `ss_note_dsm_diag_20_code` for more information.

Column Name: `ss_note_dsm_diag_21_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 21'

Column Name: `ss_note_dsm_diag_21_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_21_code`. See `ss_note_dsm_diag_21_code` for more information.

Column Name: `ss_note_dsm_diag_22_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 22'

Column Name: ss_note_dsm_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_22_code. See ss_note_dsm_diag_22_code for more information.

Column Name: ss_note_dsm_diag_23_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 23'

Column Name: ss_note_dsm_diag_23_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_23_code. See ss_note_dsm_diag_23_code for more information.

Column Name: ss_note_dsm_diag_24_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 24'

Column Name: ss_note_dsm_diag_24_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_24_code. See ss_note_dsm_diag_24_code for more information.

Column Name: ss_note_dsm_diag_25_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 25'

Column Name: ss_note_dsm_diag_25_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_25_code. See ss_note_dsm_diag_25_code for more information.

Column Name: ss_note_dsm_diag_26_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 26'

Column Name: ss_note_dsm_diag_26_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_dsm_diag_26_code`. See `ss_note_dsm_diag_26_code` for more information.

Column Name: `ss_note_dsm_diag_27_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 27'

Column Name: `ss_note_dsm_diag_27_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_27_code`. See `ss_note_dsm_diag_27_code` for more information.

Column Name: `ss_note_dsm_diag_28_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 28'

Column Name: `ss_note_dsm_diag_28_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_28_code`. See `ss_note_dsm_diag_28_code` for more information.

Column Name: `ss_note_dsm_diag_29_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 29'

Column Name: `ss_note_dsm_diag_29_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_29_code`. See `ss_note_dsm_diag_29_code` for more information.

Column Name: `ss_note_dsm_diag_30_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 30'

Column Name: `ss_note_dsm_diag_30_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_30_code`. See `ss_note_dsm_diag_30_code` for more information.

Column Name: `ss_note_icd9_diag_11_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 11'

Column Name: ss_note_icd9_diag_11_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_11_code. See ss_note_icd9_diag_11_code for more information.

Column Name: ss_note_icd9_diag_12_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 12'

Column Name: ss_note_icd9_diag_12_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_12_code. See ss_note_icd9_diag_12_code for more information.

Column Name: ss_note_icd9_diag_13_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 13'

Column Name: ss_note_icd9_diag_13_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_13_code. See ss_note_icd9_diag_13_code for more information.

Column Name: ss_note_icd9_diag_14_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 14'

Column Name: ss_note_icd9_diag_14_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_14_code. See ss_note_icd9_diag_14_code for more information.

Column Name: ss_note_icd9_diag_15_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 15'

Column Name: ss_note_icd9_diag_15_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_15_code`. See `ss_note_icd9_diag_15_code` for more information.

Column Name: `ss_note_icd9_diag_16_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 16'

Column Name: `ss_note_icd9_diag_16_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_16_code`. See `ss_note_icd9_diag_16_code` for more information.

Column Name: `ss_note_icd9_diag_17_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 17'

Column Name: `ss_note_icd9_diag_17_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_17_code`. See `ss_note_icd9_diag_17_code` for more information.

Column Name: `ss_note_icd9_diag_18_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 18'

Column Name: `ss_note_icd9_diag_18_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_18_code`. See `ss_note_icd9_diag_18_code` for more information.

Column Name: `ss_note_icd9_diag_19_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 19'

Column Name: `ss_note_icd9_diag_19_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_19_code`. See `ss_note_icd9_diag_19_code` for more information.

Column Name: `ss_note_icd9_diag_20_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 20'

Column Name: ss_note_icd9_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_20_code. See ss_note_icd9_diag_20_code for more information.

Column Name: ss_note_icd9_diag_21_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 21'

Column Name: ss_note_icd9_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_21_code. See ss_note_icd9_diag_21_code for more information.

Column Name: ss_note_icd9_diag_22_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 22'

Column Name: ss_note_icd9_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_22_code. See ss_note_icd9_diag_22_code for more information.

Column Name: ss_note_icd9_diag_23_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 23'

Column Name: ss_note_icd9_diag_23_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_23_code. See ss_note_icd9_diag_23_code for more information.

Column Name: ss_note_icd9_diag_24_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 24'

Column Name: ss_note_icd9_diag_24_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_24_code`. See `ss_note_icd9_diag_24_code` for more information.

Column Name: `ss_note_icd9_diag_25_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 25'

Column Name: `ss_note_icd9_diag_25_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_25_code`. See `ss_note_icd9_diag_25_code` for more information.

Column Name: `ss_note_icd9_diag_26_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 26'

Column Name: `ss_note_icd9_diag_26_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_26_code`. See `ss_note_icd9_diag_26_code` for more information.

Column Name: `ss_note_icd9_diag_27_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 27'

Column Name: `ss_note_icd9_diag_27_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_27_code`. See `ss_note_icd9_diag_27_code` for more information.

Column Name: `ss_note_icd9_diag_28_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 28'

Column Name: `ss_note_icd9_diag_28_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_28_code`. See `ss_note_icd9_diag_28_code` for more information.

Column Name: `ss_note_icd9_diag_29_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 29'

Column Name: ss_note_icd9_diag_29_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_29_code. See ss_note_icd9_diag_29_code for more information.

Column Name: ss_note_icd9_diag_30_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 30'

Column Name: ss_note_icd9_diag_30_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_30_code. See ss_note_icd9_diag_30_code for more information.

Column Name: ss_note_multi_dict_11_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_note_multi_dict_11_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_11_code. See ss_note_multi_dict_11_code for more information.

Column Name: ss_note_multi_dict_12_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_note_multi_dict_12_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_12_code. See ss_note_multi_dict_12_code for more information.

Column Name: ss_note_multi_dict_13_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_note_multi_dict_13_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_13_code. See ss_note_multi_dict_13_code for more information.

Column Name: ss_note_multi_dict_14_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_note_multi_dict_14_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_14_code. See ss_note_multi_dict_14_code for more information.

Column Name: ss_note_multi_dict_15_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_note_multi_dict_15_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_15_code. See ss_note_multi_dict_15_code for more information.

Column Name: ss_note_multi_dict_16_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_note_multi_dict_16_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_16_code. See ss_note_multi_dict_16_code for more information.

Column Name: ss_note_multi_dict_17_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_note_multi_dict_17_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_17_code. See ss_note_multi_dict_17_code for more information.

Column Name: ss_note_multi_dict_18_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_note_multi_dict_18_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_18_code. See ss_note_multi_dict_18_code for more information.

Column Name: ss_note_multi_dict_19_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_note_multi_dict_19_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_19_code. See ss_note_multi_dict_19_code for more information.

Column Name: ss_note_multi_dict_20_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_note_multi_dict_20_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_20_code. See ss_note_multi_dict_20_code for more information.

Column Name: ss_note_multi_dict_21_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_note_multi_dict_21_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_21_code. See ss_note_multi_dict_21_code for more information.

Column Name: ss_note_multi_dict_22_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_note_multi_dict_22_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_22_code. See ss_note_multi_dict_22_code for more information.

Column Name: ss_note_multi_dict_23_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_note_multi_dict_23_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_23_code. See ss_note_multi_dict_23_code for more information.

Column Name: ss_note_multi_dict_24_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_note_multi_dict_24_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_24_code. See ss_note_multi_dict_24_code for more information.

Column Name: ss_note_multi_dict_25_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_note_multi_dict_25_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_25_code. See ss_note_multi_dict_25_code for more information.

Column Name: ss_note_multi_dict_26_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_note_multi_dict_26_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_26_code. See ss_note_multi_dict_26_code for more information.

Column Name: ss_note_multi_dict_27_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_note_multi_dict_27_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_27_code. See ss_note_multi_dict_27_code for more information.

Column Name: ss_note_multi_dict_28_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_note_multi_dict_28_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_28_code. See ss_note_multi_dict_28_code for more information.

Column Name: ss_note_multi_dict_29_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_note_multi_dict_29_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_29_code. See ss_note_multi_dict_29_code for more information.

Column Name: ss_note_multi_dict_30_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_note_multi_dict_30_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_30_code. See ss_note_multi_dict_30_code for more information.

Column Name: ss_note_scroll_text_11

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 11'

Column Name: ss_note_scroll_text_12

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 12'

Column Name: ss_note_scroll_text_13
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 13'

Column Name: ss_note_scroll_text_14
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 14'

Column Name: ss_note_scroll_text_15
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 15'

Column Name: ss_note_scroll_text_16
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 16'

Column Name: ss_note_scroll_text_17
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 17'

Column Name: ss_note_scroll_text_18
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 18'

Column Name: ss_note_scroll_text_19
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 19'

Column Name: ss_note_scroll_text_20
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 20'

Column Name: ss_note_scroll_text_21
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 21'

Column Name: ss_note_scroll_text_22
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 22'

Column Name: ss_note_scroll_text_23
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 23'

Column Name: ss_note_scroll_text_24
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 24'

Column Name: ss_note_scroll_text_25
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 25'

Column Name: ss_note_scroll_text_26
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 26'

Column Name: ss_note_scroll_text_27
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 27'

Column Name: ss_note_scroll_text_28
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 28'

Column Name: ss_note_scroll_text_29
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 29'

Column Name: ss_note_scroll_text_30
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 30'

Column Name: ss_note_sing_dict_11_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 11'

Column Name: ss_note_sing_dict_11_value
Column Type: varchar
Max Length: 50

The description associated with ss_note_single_dict_11_code. See ss_note_single_dict_11_code for more information.

Column Name: ss_note_sing_dict_12_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 12'

Column Name: ss_note_sing_dict_12_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_12_code. See ss_note_single_dict_12_code for more information.

Column Name: ss_note_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 13'

Column Name: ss_note_sing_dict_13_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_13_code. See ss_note_single_dict_13_code for more information.

Column Name: ss_note_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 14'

Column Name: ss_note_sing_dict_14_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_14_code. See ss_note_single_dict_14_code for more information.

Column Name: ss_note_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 15'

Column Name: ss_note_sing_dict_15_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_15_code. See ss_note_single_dict_15_code for more information.

Column Name: ss_note_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 16'

Column Name: ss_note_sing_dict_16_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_16_code. See ss_note_single_dict_16_code for more information.

Column Name: ss_note_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 17'

Column Name: ss_note_sing_dict_17_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_17_code. See ss_note_single_dict_17_code for more information.

Column Name: ss_note_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 18'

Column Name: ss_note_sing_dict_18_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_18_code. See ss_note_single_dict_18_code for more information.

Column Name: ss_note_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 19'

Column Name: ss_note_sing_dict_19_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_19_code. See ss_note_single_dict_19_code for more information.

Column Name: ss_note_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 20'

Column Name: ss_note_sing_dict_20_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_20_code. See ss_note_single_dict_20_code for more information.

Column Name: ss_note_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 21'

Column Name: ss_note_sing_dict_21_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_21_code. See ss_note_single_dict_21_code for more information.

Column Name: ss_note_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 22'

Column Name: ss_note_sing_dict_22_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_22_code. See ss_note_single_dict_22_code for more information.

Column Name: ss_note_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 23'

Column Name: ss_note_sing_dict_23_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_23_code. See ss_note_single_dict_23_code for more information.

Column Name: ss_note_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 24'

Column Name: ss_note_sing_dict_24_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_24_code. See ss_note_single_dict_24_code for more information.

Column Name: ss_note_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 25'

Column Name: ss_note_sing_dict_25_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_25_code. See ss_note_single_dict_25_code for more information.

Column Name: ss_note_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 26'

Column Name: ss_note_sing_dict_26_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_26_code. See ss_note_single_dict_26_code for more information.

Column Name: ss_note_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 27'

Column Name: ss_note_sing_dict_27_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_27_code. See ss_note_single_dict_27_code for more information.

Column Name: ss_note_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 28'

Column Name: ss_note_sing_dict_28_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_28_code. See ss_note_single_dict_28_code for more information.

Column Name: ss_note_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 29'

Column Name: ss_note_sing_dict_29_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_29_code. See ss_note_single_dict_29_code for more information.

Column Name: ss_note_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 30'

Column Name: ss_note_sing_dict_30_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_30_code. See ss_note_single_dict_30_code for more information.

Column Name: ss_note_time_11

Column Type: varchar

Max Length: 50

'SS Note Time 11'

Column Name: ss_note_time_12

Column Type: varchar

Max Length: 50

'SS Note Time 12'

Column Name: ss_note_time_13

Column Type: varchar

Max Length: 50

'SS Note Time 13'

Column Name: ss_note_time_14

Column Type: varchar

Max Length: 50

'SS Note Time 14'

Column Name: ss_note_time_15

Column Type: varchar

Max Length: 50

'SS Note Time 15'

Column Name: ss_note_time_16

Column Type: varchar

Max Length: 50

'SS Note Time 16'

Column Name: ss_note_time_17

Column Type: varchar

Max Length: 50

'SS Note Time 17'

Column Name: ss_note_time_18

Column Type: varchar
Max Length: 50
'SS Note Time 18'

Column Name: ss_note_time_19
Column Type: varchar
Max Length: 50
'SS Note Time 19'

Column Name: ss_note_time_20
Column Type: varchar
Max Length: 50
'SS Note Time 20'

Column Name: ss_note_time_21
Column Type: varchar
Max Length: 50
'SS Note Time 21'

Column Name: ss_note_time_22
Column Type: varchar
Max Length: 50
'SS Note Time 22'

Column Name: ss_note_time_23
Column Type: varchar
Max Length: 50
'SS Note Time 23'

Column Name: ss_note_time_24
Column Type: varchar
Max Length: 50
'SS Note Time 24'

Column Name: ss_note_time_25
Column Type: varchar
Max Length: 50
'SS Note Time 25'

Column Name: ss_note_time_26
Column Type: varchar
Max Length: 50
'SS Note Time 26'

Column Name: ss_note_time_27
Column Type: varchar
Max Length: 50
'SS Note Time 27'

Column Name: ss_note_time_28

Column Type: varchar
Max Length: 50
'SS Note Time 28'

Column Name: ss_note_time_29
Column Type: varchar
Max Length: 50
'SS Note Time 29'

Column Name: ss_note_time_30
Column Type: varchar
Max Length: 50
'SS Note Time 30'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_supp_1

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
'Progress Notes Pointer'

Column Name: PATID

Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
'Confidential Notes'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
'Notes Field'

Column Name: option_desc
Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_31

Column Type: varchar

Max Length: 20

'SS Note 20 Character 31'

Column Name: ss_note_20_char_text_32

Column Type: varchar

Max Length: 20

'SS Note 20 Character 32'

Column Name: ss_note_20_char_text_33

Column Type: varchar

Max Length: 20

'SS Note 20 Character 33'

Column Name: ss_note_20_char_text_34

Column Type: varchar

Max Length: 20

'SS Note 20 Character 34'

Column Name: ss_note_20_char_text_35

Column Type: varchar

Max Length: 20

'SS Note 20 Character 35'

Column Name: ss_note_20_char_text_36

Column Type: varchar

Max Length: 20

'SS Note 20 Character 36'

Column Name: ss_note_20_char_text_37

Column Type: varchar

Max Length: 20

'SS Note 20 Character 37'

Column Name: ss_note_20_char_text_38

Column Type: varchar

Max Length: 20

'SS Note 20 Character 38'

Column Name: ss_note_20_char_text_39

Column Type: varchar

Max Length: 20
'SS Note 20 Character 39'

Column Name: ss_note_20_char_text_40
Column Type: varchar
Max Length: 20
'SS Note 20 Character 40'

Column Name: ss_note_20_char_text_41
Column Type: varchar
Max Length: 20
'SS Note 20 Character 41'

Column Name: ss_note_20_char_text_42
Column Type: varchar
Max Length: 20
'SS Note 20 Character 42'

Column Name: ss_note_20_char_text_43
Column Type: varchar
Max Length: 20
'SS Note 20 Character 43'

Column Name: ss_note_20_char_text_44
Column Type: varchar
Max Length: 20
'SS Note 20 Character 44'

Column Name: ss_note_20_char_text_45
Column Type: varchar
Max Length: 20
'SS Note 20 Character 45'

Column Name: ss_note_20_char_text_46
Column Type: varchar
Max Length: 20
'SS Note 20 Character 46'

Column Name: ss_note_20_char_text_47
Column Type: varchar
Max Length: 20
'SS Note 20 Character 47'

Column Name: ss_note_20_char_text_48
Column Type: varchar
Max Length: 20
'SS Note 20 Character 48'

Column Name: ss_note_20_char_text_49
Column Type: varchar

Max Length: 20
'SS Note 20 Character 49'

Column Name: ss_note_20_char_text_50
Column Type: varchar
Max Length: 20
'SS Note 20 Character 50'

Column Name: ss_note_40_char_text_31
Column Type: varchar
Max Length: 40
'SS Note 40 Character 31'

Column Name: ss_note_40_char_text_32
Column Type: varchar
Max Length: 40
'SS Note 40 Character 32'

Column Name: ss_note_40_char_text_33
Column Type: varchar
Max Length: 40
'SS Note 40 Character 33'

Column Name: ss_note_40_char_text_34
Column Type: varchar
Max Length: 40
'SS Note 40 Character 34'

Column Name: ss_note_40_char_text_35
Column Type: varchar
Max Length: 40
'SS Note 40 Character 35'

Column Name: ss_note_40_char_text_36
Column Type: varchar
Max Length: 40
'SS Note 40 Character 36'

Column Name: ss_note_40_char_text_37
Column Type: varchar
Max Length: 40
'SS Note 40 Character 37'

Column Name: ss_note_40_char_text_38
Column Type: varchar
Max Length: 40
'SS Note 40 Character 38'

Column Name: ss_note_40_char_text_39
Column Type: varchar

Max Length: 40
'SS Note 40 Character 39'

Column Name: ss_note_40_char_text_40
Column Type: varchar
Max Length: 40
'SS Note 40 Character 40'

Column Name: ss_note_40_char_text_41
Column Type: varchar
Max Length: 40
'SS Note 40 Character 41'

Column Name: ss_note_40_char_text_42
Column Type: varchar
Max Length: 40
'SS Note 40 Character 42'

Column Name: ss_note_40_char_text_43
Column Type: varchar
Max Length: 40
'SS Note 40 Character 43'

Column Name: ss_note_40_char_text_44
Column Type: varchar
Max Length: 40
'SS Note 40 Character 44'

Column Name: ss_note_40_char_text_45
Column Type: varchar
Max Length: 40
'SS Note 40 Character 45'

Column Name: ss_note_40_char_text_46
Column Type: varchar
Max Length: 40
'SS Note 40 Character 46'

Column Name: ss_note_40_char_text_47
Column Type: varchar
Max Length: 40
'SS Note 40 Character 47'

Column Name: ss_note_40_char_text_48
Column Type: varchar
Max Length: 40
'SS Note 40 Character 48'

Column Name: ss_note_40_char_text_49
Column Type: varchar

Max Length: 40
'SS Note 40 Character 49'

Column Name: ss_note_40_char_text_50
Column Type: varchar
Max Length: 40
'SS Note 40 Character 50'

Column Name: ss_note_80_char_text_31
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 31'

Column Name: ss_note_80_char_text_32
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 32'

Column Name: ss_note_80_char_text_33
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 33'

Column Name: ss_note_80_char_text_34
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 34'

Column Name: ss_note_80_char_text_35
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 35'

Column Name: ss_note_80_char_text_36
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 36'

Column Name: ss_note_80_char_text_37
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 37'

Column Name: ss_note_80_char_text_38
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 38'

Column Name: ss_note_80_char_text_39
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 39'

Column Name: ss_note_80_char_text_40
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 40'

Column Name: ss_note_80_char_text_41
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 41'

Column Name: ss_note_80_char_text_42
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 42'

Column Name: ss_note_80_char_text_43
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 43'

Column Name: ss_note_80_char_text_44
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 44'

Column Name: ss_note_80_char_text_45
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 45'

Column Name: ss_note_80_char_text_46
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 46'

Column Name: ss_note_80_char_text_47
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 47'

Column Name: ss_note_80_char_text_48
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 48'

Column Name: ss_note_80_char_text_49
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 49'

Column Name: ss_note_80_char_text_50
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 50'

Column Name: ss_note_date_31
Column Type: date
'SS Note Date 31'

Column Name: ss_note_date_32
Column Type: date
'SS Note Date 32'

Column Name: ss_note_date_33
Column Type: date
'SS Note Date 33'

Column Name: ss_note_date_34
Column Type: date
'SS Note Date 34'

Column Name: ss_note_date_35
Column Type: date
'SS Note Date 35'

Column Name: ss_note_date_36
Column Type: date
'SS Note Date 36'

Column Name: ss_note_date_37
Column Type: date
'SS Note Date 37'

Column Name: ss_note_date_38
Column Type: date
'SS Note Date 38'

Column Name: ss_note_date_39
Column Type: date
'SS Note Date 39'

Column Name: ss_note_date_40
Column Type: date
'SS Note Date 40'

Column Name: ss_note_date_41
Column Type: date

'SS Note Date 41'

Column Name: ss_note_date_42

Column Type: date

'SS Note Date 42'

Column Name: ss_note_date_43

Column Type: date

'SS Note Date 43'

Column Name: ss_note_date_44

Column Type: date

'SS Note Date 44'

Column Name: ss_note_date_45

Column Type: date

'SS Note Date 45'

Column Name: ss_note_date_46

Column Type: date

'SS Note Date 46'

Column Name: ss_note_date_47

Column Type: date

'SS Note Date 47'

Column Name: ss_note_date_48

Column Type: date

'SS Note Date 48'

Column Name: ss_note_date_49

Column Type: date

'SS Note Date 49'

Column Name: ss_note_date_50

Column Type: date

'SS Note Date 50'

Column Name: ss_note_dsm_diag_31_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 31'

Column Name: ss_note_dsm_diag_31_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_31_code. See ss_note_dsm_diag_31_code for more information.

Column Name: ss_note_dsm_diag_32_code

Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 32'

Column Name: ss_note_dsm_diag_32_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_32_code. See ss_note_dsm_diag_32_code for more information.

Column Name: ss_note_dsm_diag_33_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 33'

Column Name: ss_note_dsm_diag_33_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_33_code. See ss_note_dsm_diag_33_code for more information.

Column Name: ss_note_dsm_diag_34_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 34'

Column Name: ss_note_dsm_diag_34_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_34_code. See ss_note_dsm_diag_34_code for more information.

Column Name: ss_note_dsm_diag_35_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 35'

Column Name: ss_note_dsm_diag_35_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_35_code. See ss_note_dsm_diag_35_code for more information.

Column Name: ss_note_dsm_diag_36_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 36'

Column Name: ss_note_dsm_diag_36_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_36_code. See ss_note_dsm_diag_36_code for more information.

Column Name: ss_note_dsm_diag_37_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 37'

Column Name: ss_note_dsm_diag_37_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_37_code. See ss_note_dsm_diag_37_code for more information.

Column Name: ss_note_dsm_diag_38_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 38'

Column Name: ss_note_dsm_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_38_code. See ss_note_dsm_diag_38_code for more information.

Column Name: ss_note_dsm_diag_39_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 39'

Column Name: ss_note_dsm_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_39_code. See ss_note_dsm_diag_39_code for more information.

Column Name: ss_note_dsm_diag_40_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 40'

Column Name: ss_note_dsm_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_40_code. See ss_note_dsm_diag_40_code for more information.

Column Name: ss_note_dsm_diag_41_code

Column Type: varchar

Max Length: 20
'SS Note DSM IV Diagnosis 41'

Column Name: ss_note_dsm_diag_41_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_41_code. See ss_note_dsm_diag_41_code for more information.

Column Name: ss_note_dsm_diag_42_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 42'

Column Name: ss_note_dsm_diag_42_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_42_code. See ss_note_dsm_diag_42_code for more information.

Column Name: ss_note_dsm_diag_43_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 43'

Column Name: ss_note_dsm_diag_43_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_43_code. See ss_note_dsm_diag_43_code for more information.

Column Name: ss_note_dsm_diag_44_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 44'

Column Name: ss_note_dsm_diag_44_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_44_code. See ss_note_dsm_diag_44_code for more information.

Column Name: ss_note_dsm_diag_45_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 45'

Column Name: ss_note_dsm_diag_45_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_45_code`. See `ss_note_dsm_diag_45_code` for more information.

Column Name: `ss_note_dsm_diag_46_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 46'

Column Name: `ss_note_dsm_diag_46_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_46_code`. See `ss_note_dsm_diag_46_code` for more information.

Column Name: `ss_note_dsm_diag_47_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 47'

Column Name: `ss_note_dsm_diag_47_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_47_code`. See `ss_note_dsm_diag_47_code` for more information.

Column Name: `ss_note_dsm_diag_48_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 48'

Column Name: `ss_note_dsm_diag_48_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_48_code`. See `ss_note_dsm_diag_48_code` for more information.

Column Name: `ss_note_dsm_diag_49_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 49'

Column Name: `ss_note_dsm_diag_49_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_49_code`. See `ss_note_dsm_diag_49_code` for more information.

Column Name: `ss_note_dsm_diag_50_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 50'

Column Name: ss_note_dsm_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_50_code. See ss_note_dsm_diag_50_code for more information.

Column Name: ss_note_icd9_diag_31_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 31'

Column Name: ss_note_icd9_diag_31_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_31_code. See ss_note_icd9_diag_31_code for more information.

Column Name: ss_note_icd9_diag_32_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 32'

Column Name: ss_note_icd9_diag_32_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_32_code. See ss_note_icd9_diag_32_code for more information.

Column Name: ss_note_icd9_diag_33_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 33'

Column Name: ss_note_icd9_diag_33_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_33_code. See ss_note_icd9_diag_33_code for more information.

Column Name: ss_note_icd9_diag_34_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 34'

Column Name: ss_note_icd9_diag_34_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_34_code`. See `ss_note_icd9_diag_34_code` for more information.

Column Name: `ss_note_icd9_diag_35_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 35'

Column Name: `ss_note_icd9_diag_35_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_35_code`. See `ss_note_icd9_diag_35_code` for more information.

Column Name: `ss_note_icd9_diag_36_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 36'

Column Name: `ss_note_icd9_diag_36_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_36_code`. See `ss_note_icd9_diag_36_code` for more information.

Column Name: `ss_note_icd9_diag_37_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 37'

Column Name: `ss_note_icd9_diag_37_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_37_code`. See `ss_note_icd9_diag_37_code` for more information.

Column Name: `ss_note_icd9_diag_38_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 38'

Column Name: `ss_note_icd9_diag_38_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_38_code`. See `ss_note_icd9_diag_38_code` for more information.

Column Name: `ss_note_icd9_diag_39_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 39'

Column Name: ss_note_icd9_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_39_code. See ss_note_icd9_diag_39_code for more information.

Column Name: ss_note_icd9_diag_40_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 40'

Column Name: ss_note_icd9_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_40_code. See ss_note_icd9_diag_40_code for more information.

Column Name: ss_note_icd9_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 41'

Column Name: ss_note_icd9_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_41_code. See ss_note_icd9_diag_41_code for more information.

Column Name: ss_note_icd9_diag_42_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 42'

Column Name: ss_note_icd9_diag_42_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_42_code. See ss_note_icd9_diag_42_code for more information.

Column Name: ss_note_icd9_diag_43_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 43'

Column Name: ss_note_icd9_diag_43_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_43_code`. See `ss_note_icd9_diag_43_code` for more information.

Column Name: `ss_note_icd9_diag_44_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 44'

Column Name: `ss_note_icd9_diag_44_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_44_code`. See `ss_note_icd9_diag_44_code` for more information.

Column Name: `ss_note_icd9_diag_45_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 45'

Column Name: `ss_note_icd9_diag_45_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_45_code`. See `ss_note_icd9_diag_45_code` for more information.

Column Name: `ss_note_icd9_diag_46_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 46'

Column Name: `ss_note_icd9_diag_46_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_46_code`. See `ss_note_icd9_diag_46_code` for more information.

Column Name: `ss_note_icd9_diag_47_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 47'

Column Name: `ss_note_icd9_diag_47_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_47_code`. See `ss_note_icd9_diag_47_code` for more information.

Column Name: `ss_note_icd9_diag_48_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 48'

Column Name: ss_note_icd9_diag_48_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_48_code. See ss_note_icd9_diag_48_code for more information.

Column Name: ss_note_icd9_diag_49_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 49'

Column Name: ss_note_icd9_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_49_code. See ss_note_icd9_diag_49_code for more information.

Column Name: ss_note_icd9_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 50'

Column Name: ss_note_icd9_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_50_code. See ss_note_icd9_diag_50_code for more information.

Column Name: ss_note_integer_1

Column Type: integer

'SS Note Integer 1'

Column Name: ss_note_integer_2

Column Type: integer

'SS Note Integer 2'

Column Name: ss_note_integer_3

Column Type: integer

'SS Note Integer 3'

Column Name: ss_note_integer_4

Column Type: integer

'SS Note Integer 4'

Column Name: ss_note_integer_5

Column Type: integer

'SS Note Integer 5'

Column Name: ss_note_integer_6
Column Type: integer
'SS Note Integer 6'

Column Name: ss_note_multi_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 31'

Column Name: ss_note_multi_dict_31_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_31_code. See ss_note_multi_dict_31_code for more information.

Column Name: ss_note_multi_dict_32_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 32'

Column Name: ss_note_multi_dict_32_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_32_code. See ss_note_multi_dict_32_code for more information.

Column Name: ss_note_multi_dict_33_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 33'

Column Name: ss_note_multi_dict_33_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_33_code. See ss_note_multi_dict_33_code for more information.

Column Name: ss_note_multi_dict_34_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 34'

Column Name: ss_note_multi_dict_34_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_34_code. See ss_note_multi_dict_34_code for more information.

Column Name: ss_note_multi_dict_35_code
Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 35'

Column Name: ss_note_multi_dict_35_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_35_code. See ss_note_multi_dict_35_code for more information.

Column Name: ss_note_multi_dict_36_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 36'

Column Name: ss_note_multi_dict_36_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_36_code. See ss_note_multi_dict_36_code for more information.

Column Name: ss_note_multi_dict_37_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 37'

Column Name: ss_note_multi_dict_37_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_37_code. See ss_note_multi_dict_37_code for more information.

Column Name: ss_note_multi_dict_38_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 38'

Column Name: ss_note_multi_dict_38_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_38_code. See ss_note_multi_dict_38_code for more information.

Column Name: ss_note_multi_dict_39_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 39'

Column Name: ss_note_multi_dict_39_value
Column Type: varchar
Max Length: 32700

The description associated with ss_note_multi_dict_39_code. See ss_note_multi_dict_39_code for more information.

Column Name: ss_note_multi_dict_40_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 40'

Column Name: ss_note_multi_dict_40_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_40_code. See ss_note_multi_dict_40_code for more information.

Column Name: ss_note_multi_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 41'

Column Name: ss_note_multi_dict_41_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_41_code. See ss_note_multi_dict_41_code for more information.

Column Name: ss_note_multi_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 42'

Column Name: ss_note_multi_dict_42_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_42_code. See ss_note_multi_dict_42_code for more information.

Column Name: ss_note_multi_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 43'

Column Name: ss_note_multi_dict_43_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_43_code. See ss_note_multi_dict_43_code for more information.

Column Name: ss_note_multi_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 44'

Column Name: ss_note_multi_dict_44_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_44_code. See ss_note_multi_dict_44_code for more information.

Column Name: ss_note_multi_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 45'

Column Name: ss_note_multi_dict_45_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_45_code. See ss_note_multi_dict_45_code for more information.

Column Name: ss_note_multi_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 46'

Column Name: ss_note_multi_dict_46_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_46_code. See ss_note_multi_dict_46_code for more information.

Column Name: ss_note_multi_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 47'

Column Name: ss_note_multi_dict_47_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_47_code. See ss_note_multi_dict_47_code for more information.

Column Name: ss_note_multi_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 48'

Column Name: ss_note_multi_dict_48_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_48_code. See ss_note_multi_dict_48_code for more information.

Column Name: ss_note_multi_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 49'

Column Name: ss_note_multi_dict_49_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_49_code. See ss_note_multi_dict_49_code for more information.

Column Name: ss_note_multi_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 50'

Column Name: ss_note_multi_dict_50_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_50_code. See ss_note_multi_dict_50_code for more information.

Column Name: ss_note_scroll_text_31

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 31'

Column Name: ss_note_scroll_text_32

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 32'

Column Name: ss_note_scroll_text_33

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 33'

Column Name: ss_note_scroll_text_34

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 34'

Column Name: ss_note_scroll_text_35

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 35'

Column Name: ss_note_scroll_text_36
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 36'

Column Name: ss_note_scroll_text_37
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 37'

Column Name: ss_note_scroll_text_38
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 38'

Column Name: ss_note_scroll_text_39
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 39'

Column Name: ss_note_scroll_text_40
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 40'

Column Name: ss_note_scroll_text_41
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 41'

Column Name: ss_note_scroll_text_42
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 42'

Column Name: ss_note_scroll_text_43
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 43'

Column Name: ss_note_scroll_text_44
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 44'

Column Name: ss_note_scroll_text_45
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 45'

Column Name: ss_note_scroll_text_46
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 46'

Column Name: ss_note_scroll_text_47
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 47'

Column Name: ss_note_scroll_text_48
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 48'

Column Name: ss_note_scroll_text_49
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 49'

Column Name: ss_note_scroll_text_50
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 50'

Column Name: ss_note_sing_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 31'

Column Name: ss_note_sing_dict_31_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_31_code. See ss_note_sing_dict_31_code for more information.

Column Name: ss_note_sing_dict_32_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 32'

Column Name: ss_note_sing_dict_32_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_32_code. See ss_note_sing_dict_32_code for more information.

Column Name: ss_note_sing_dict_33_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 33'

Column Name: ss_note_sing_dict_33_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_33_code. See ss_note_sing_dict_33_code for more information.

Column Name: ss_note_sing_dict_34_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 34'

Column Name: ss_note_sing_dict_34_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_34_code. See ss_note_sing_dict_34_code for more information.

Column Name: ss_note_sing_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 35'

Column Name: ss_note_sing_dict_35_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_35_code. See ss_note_sing_dict_35_code for more information.

Column Name: ss_note_sing_dict_36_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 36'

Column Name: ss_note_sing_dict_36_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_36_code. See ss_note_sing_dict_36_code for more information.

Column Name: ss_note_sing_dict_37_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 37'

Column Name: ss_note_sing_dict_37_value

Column Type: varchar

Max Length: 80

The description associated with `ss_note_sing_dict_37_code`. See `ss_note_sing_dict_37_code` for more information.

Column Name: `ss_note_sing_dict_38_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 38'

Column Name: `ss_note_sing_dict_38_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_38_code`. See `ss_note_sing_dict_38_code` for more information.

Column Name: `ss_note_sing_dict_39_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 39'

Column Name: `ss_note_sing_dict_39_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_39_code`. See `ss_note_sing_dict_39_code` for more information.

Column Name: `ss_note_sing_dict_40_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 40'

Column Name: `ss_note_sing_dict_40_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_40_code`. See `ss_note_sing_dict_40_code` for more information.

Column Name: `ss_note_sing_dict_41_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 41'

Column Name: `ss_note_sing_dict_41_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_41_code`. See `ss_note_sing_dict_41_code` for more information.

Column Name: `ss_note_sing_dict_42_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 42'

Column Name: ss_note_sing_dict_42_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_42_code. See ss_note_sing_dict_42_code for more information.

Column Name: ss_note_sing_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 43'

Column Name: ss_note_sing_dict_43_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_43_code. See ss_note_sing_dict_43_code for more information.

Column Name: ss_note_sing_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 44'

Column Name: ss_note_sing_dict_44_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_44_code. See ss_note_sing_dict_44_code for more information.

Column Name: ss_note_sing_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 45'

Column Name: ss_note_sing_dict_45_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_45_code. See ss_note_sing_dict_45_code for more information.

Column Name: ss_note_sing_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 46'

Column Name: ss_note_sing_dict_46_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_46_code. See ss_note_sing_dict_46_code for more information.

Column Name: ss_note_sing_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 47'

Column Name: ss_note_sing_dict_47_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_47_code. See ss_note_sing_dict_47_code for more information.

Column Name: ss_note_sing_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 48'

Column Name: ss_note_sing_dict_48_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_48_code. See ss_note_sing_dict_48_code for more information.

Column Name: ss_note_sing_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 49'

Column Name: ss_note_sing_dict_49_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_49_code. See ss_note_sing_dict_49_code for more information.

Column Name: ss_note_sing_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 50'

Column Name: ss_note_sing_dict_50_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_50_code. See ss_note_sing_dict_50_code for more information.

Column Name: ss_note_time_31

Column Type: varchar

Max Length: 50

'SS Note Time 31'

Column Name: ss_note_time_32

Column Type: varchar

Max Length: 50

'SS Note Time 32'

Column Name: ss_note_time_33

Column Type: varchar

Max Length: 50

'SS Note Time 33'

Column Name: ss_note_time_34

Column Type: varchar

Max Length: 50

'SS Note Time 34'

Column Name: ss_note_time_35

Column Type: varchar

Max Length: 50

'SS Note Time 35'

Column Name: ss_note_time_36

Column Type: varchar

Max Length: 50

'SS Note Time 36'

Column Name: ss_note_time_37

Column Type: varchar

Max Length: 50

'SS Note Time 37'

Column Name: ss_note_time_38

Column Type: varchar

Max Length: 50

'SS Note Time 38'

Column Name: ss_note_time_39

Column Type: varchar

Max Length: 50

'SS Note Time 39'

Column Name: ss_note_time_40

Column Type: varchar

Max Length: 50

'SS Note Time 40'

Column Name: ss_note_time_41

Column Type: varchar

Max Length: 50

'SS Note Time 41'

Column Name: ss_note_time_42

Column Type: varchar

Max Length: 50

'SS Note Time 42'

Column Name: ss_note_time_43

Column Type: varchar

Max Length: 50

'SS Note Time 43'

Column Name: ss_note_time_44

Column Type: varchar

Max Length: 50

'SS Note Time 44'

Column Name: ss_note_time_45

Column Type: varchar

Max Length: 50

'SS Note Time 45'

Column Name: ss_note_time_46

Column Type: varchar

Max Length: 50

'SS Note Time 46'

Column Name: ss_note_time_47

Column Type: varchar

Max Length: 50

'SS Note Time 47'

Column Name: ss_note_time_48

Column Type: varchar

Max Length: 50

'SS Note Time 48'

Column Name: ss_note_time_49

Column Type: varchar

Max Length: 50

'SS Note Time 49'

Column Name: ss_note_time_50

Column Type: varchar

Max Length: 50

'SS Note Time 50'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_supp_2

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50

The unique ID associated with the note.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_integer_10
Column Type: integer
'SS Note Integer 10'

Column Name: ss_note_integer_11
Column Type: integer
'SS Note Integer 11'

Column Name: ss_note_integer_12
Column Type: integer
'SS Note Integer 12'

Column Name: ss_note_integer_13
Column Type: integer
'SS Note Integer 13'

Column Name: ss_note_integer_14
Column Type: integer
'SS Note Integer 14'

Column Name: ss_note_integer_15
Column Type: integer
'SS Note Integer 15'

Column Name: ss_note_integer_16
Column Type: integer
'SS Note Integer 16'

Column Name: ss_note_integer_17
Column Type: integer
'SS Note Integer 17'

Column Name: ss_note_integer_18
Column Type: integer
'SS Note Integer 18'

Column Name: ss_note_integer_19
Column Type: integer
'SS Note Integer 19'

Column Name: ss_note_integer_20
Column Type: integer
'SS Note Integer 20'

Column Name: ss_note_integer_21
Column Type: integer

'SS Note Integer 21'

Column Name: ss_note_integer_22

Column Type: integer

'SS Note Integer 22'

Column Name: ss_note_integer_23

Column Type: integer

'SS Note Integer 23'

Column Name: ss_note_integer_24

Column Type: integer

'SS Note Integer 24'

Column Name: ss_note_integer_25

Column Type: integer

'SS Note Integer 25'

Column Name: ss_note_integer_26

Column Type: integer

'SS Note Integer 26'

Column Name: ss_note_integer_27

Column Type: integer

'SS Note Integer 27'

Column Name: ss_note_integer_28

Column Type: integer

'SS Note Integer 28'

Column Name: ss_note_integer_29

Column Type: integer

'SS Note Integer 29'

Column Name: ss_note_integer_30

Column Type: integer

'SS Note Integer 30'

Column Name: ss_note_integer_31

Column Type: integer

'SS Note Integer 31'

Column Name: ss_note_integer_32

Column Type: integer

'SS Note Integer 32'

Column Name: ss_note_integer_33

Column Type: integer

'SS Note Integer 33'

Column Name: ss_note_integer_34
Column Type: integer
'SS Note Integer 34'

Column Name: ss_note_integer_35
Column Type: integer
'SS Note Integer 35'

Column Name: ss_note_integer_36
Column Type: integer
'SS Note Integer 36'

Column Name: ss_note_integer_37
Column Type: integer
'SS Note Integer 37'

Column Name: ss_note_integer_38
Column Type: integer
'SS Note Integer 38'

Column Name: ss_note_integer_39
Column Type: integer
'SS Note Integer 39'

Column Name: ss_note_integer_40
Column Type: integer
'SS Note Integer 40'

Column Name: ss_note_integer_41
Column Type: integer
'SS Note Integer 41'

Column Name: ss_note_integer_42
Column Type: integer
'SS Note Integer 42'

Column Name: ss_note_integer_43
Column Type: integer
'SS Note Integer 43'

Column Name: ss_note_integer_44
Column Type: integer
'SS Note Integer 44'

Column Name: ss_note_integer_45
Column Type: integer
'SS Note Integer 45'

Column Name: ss_note_integer_46
Column Type: integer

'SS Note Integer 46'

Column Name: ss_note_integer_47

Column Type: integer

'SS Note Integer 47'

Column Name: ss_note_integer_48

Column Type: integer

'SS Note Integer 48'

Column Name: ss_note_integer_49

Column Type: integer

'SS Note Integer 49'

Column Name: ss_note_integer_50

Column Type: integer

'SS Note Integer 50'

Column Name: ss_note_integer_7

Column Type: integer

'SS Note Integer 7'

Column Name: ss_note_integer_8

Column Type: integer

'SS Note Integer 8'

Column Name: ss_note_integer_9

Column Type: integer

'SS Note Integer 9'

Column Name: ss_note_staff_11

Column Type: varchar

Max Length: 20

'SS Note Staff Member 11'

Column Name: ss_note_staff_12

Column Type: varchar

Max Length: 20

'SS Note Staff Member 12'

Column Name: ss_note_staff_13

Column Type: varchar

Max Length: 20

'SS Note Staff Member 13'

Column Name: ss_note_staff_14

Column Type: varchar

Max Length: 20

'SS Note Staff Member 14'

Column Name: ss_note_staff_15
Column Type: varchar
Max Length: 20
'SS Note Staff Member 15'

Column Name: ss_note_staff_16
Column Type: varchar
Max Length: 20
'SS Note Staff Member 16'

Column Name: ss_note_staff_17
Column Type: varchar
Max Length: 20
'SS Note Staff Member 17'

Column Name: ss_note_staff_18
Column Type: varchar
Max Length: 20
'SS Note Staff Member 18'

Column Name: ss_note_staff_19
Column Type: varchar
Max Length: 20
'SS Note Staff Member 19'

Column Name: ss_note_staff_20
Column Type: varchar
Max Length: 20
'SS Note Staff Member 20'

Column Name: ss_note_staff_21
Column Type: varchar
Max Length: 20
'SS Note Staff Member 21'

Column Name: ss_note_staff_22
Column Type: varchar
Max Length: 20
'SS Note Staff Member 22'

Column Name: ss_note_staff_23
Column Type: varchar
Max Length: 20
'SS Note Staff Member 23'

Column Name: ss_note_staff_24
Column Type: varchar
Max Length: 20
'SS Note Staff Member 24'

Column Name: ss_note_staff_25
Column Type: varchar
Max Length: 20
'SS Note Staff Member 25'

Column Name: ss_note_staff_26
Column Type: varchar
Max Length: 20
'SS Note Staff Member 26'

Column Name: ss_note_staff_27
Column Type: varchar
Max Length: 20
'SS Note Staff Member 27'

Column Name: ss_note_staff_28
Column Type: varchar
Max Length: 20
'SS Note Staff Member 28'

Column Name: ss_note_staff_29
Column Type: varchar
Max Length: 20
'SS Note Staff Member 29'

Column Name: ss_note_staff_30
Column Type: varchar
Max Length: 20
'SS Note Staff Member 30'

Column Name: ss_note_staff_31
Column Type: varchar
Max Length: 20
'SS Note Staff Member 31'

Column Name: ss_note_staff_32
Column Type: varchar
Max Length: 20
'SS Note Staff Member 32'

Column Name: ss_note_staff_33
Column Type: varchar
Max Length: 20
'SS Note Staff Member 33'

Column Name: ss_note_staff_34
Column Type: varchar
Max Length: 20
'SS Note Staff Member 34'

Column Name: ss_note_staff_35
Column Type: varchar
Max Length: 20
'SS Note Staff Member 35'

Column Name: ss_note_staff_36
Column Type: varchar
Max Length: 20
'SS Note Staff Member 36'

Column Name: ss_note_staff_37
Column Type: varchar
Max Length: 20
'SS Note Staff Member 37'

Column Name: ss_note_staff_38
Column Type: varchar
Max Length: 20
'SS Note Staff Member 38'

Column Name: ss_note_staff_39
Column Type: varchar
Max Length: 20
'SS Note Staff Member 39'

Column Name: ss_note_staff_40
Column Type: varchar
Max Length: 20
'SS Note Staff Member 40'

Column Name: ss_note_staff_41
Column Type: varchar
Max Length: 20
'SS Note Staff Member 41'

Column Name: ss_note_staff_42
Column Type: varchar
Max Length: 20
'SS Note Staff Member 42'

Column Name: ss_note_staff_43
Column Type: varchar
Max Length: 20
'SS Note Staff Member 43'

Column Name: ss_note_staff_44
Column Type: varchar
Max Length: 20
'SS Note Staff Member 44'

Column Name: ss_note_staff_45
Column Type: varchar
Max Length: 20
'SS Note Staff Member 45'

Column Name: ss_note_staff_46
Column Type: varchar
Max Length: 20
'SS Note Staff Member 46'

Column Name: ss_note_staff_47
Column Type: varchar
Max Length: 20
'SS Note Staff Member 47'

Column Name: ss_note_staff_48
Column Type: varchar
Max Length: 20
'SS Note Staff Member 48'

Column Name: ss_note_staff_49
Column Type: varchar
Max Length: 20
'SS Note Staff Member 49'

Column Name: ss_note_staff_50
Column Type: varchar
Max Length: 20
'SS Note Staff Member 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_supp_3

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: form_number

Column Type: varchar

Max Length: 50

The form number of the form that last updated the row.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: ss_notec_multi_dict_10_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 10'

Column Name: ss_notec_multi_dict_10_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_10_code`. See `ss_notec_multi_dict_10_code` for more information.

Column Name: `ss_notec_multi_dict_11_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 11'

Column Name: `ss_notec_multi_dict_11_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_11_code`. See `ss_notec_multi_dict_11_code` for more information.

Column Name: `ss_notec_multi_dict_12_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 12'

Column Name: `ss_notec_multi_dict_12_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_12_code`. See `ss_notec_multi_dict_12_code` for more information.

Column Name: `ss_notec_multi_dict_13_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 13'

Column Name: `ss_notec_multi_dict_13_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_13_code`. See `ss_notec_multi_dict_13_code` for more information.

Column Name: `ss_notec_multi_dict_14_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 14'

Column Name: `ss_notec_multi_dict_14_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_14_code`. See `ss_notec_multi_dict_14_code` for more information.

Column Name: `ss_notec_multi_dict_15_code`
Column Type: `varchar`
Max Length: 255

'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_notec_multi_dict_15_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_15_code. See ss_notec_multi_dict_15_code for more information.

Column Name: ss_notec_multi_dict_16_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_notec_multi_dict_16_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_16_code. See ss_notec_multi_dict_16_code for more information.

Column Name: ss_notec_multi_dict_17_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_notec_multi_dict_17_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_17_code. See ss_notec_multi_dict_17_code for more information.

Column Name: ss_notec_multi_dict_18_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_notec_multi_dict_18_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_18_code. See ss_notec_multi_dict_18_code for more information.

Column Name: ss_notec_multi_dict_19_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_notec_multi_dict_19_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_19_code. See ss_notec_multi_dict_19_code for more information.

Column Name: ss_notec_multi_dict_1_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 1'

Column Name: ss_notec_multi_dict_1_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_1_code. See ss_notec_multi_dict_1_code for more information.

Column Name: ss_notec_multi_dict_20_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_notec_multi_dict_20_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_20_code. See ss_notec_multi_dict_20_code for more information.

Column Name: ss_notec_multi_dict_21_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_notec_multi_dict_21_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_21_code. See ss_notec_multi_dict_21_code for more information.

Column Name: ss_notec_multi_dict_22_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_notec_multi_dict_22_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_22_code. See ss_notec_multi_dict_22_code for more information.

Column Name: ss_notec_multi_dict_23_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_notec_multi_dict_23_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_23_code. See ss_notec_multi_dict_23_code for more information.

Column Name: ss_notec_multi_dict_24_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_notec_multi_dict_24_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_24_code. See ss_notec_multi_dict_24_code for more information.

Column Name: ss_notec_multi_dict_25_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_notec_multi_dict_25_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_25_code. See ss_notec_multi_dict_25_code for more information.

Column Name: ss_notec_multi_dict_26_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_notec_multi_dict_26_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_26_code. See ss_notec_multi_dict_26_code for more information.

Column Name: ss_notec_multi_dict_27_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_notec_multi_dict_27_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_27_code. See ss_notec_multi_dict_27_code for more information.

Column Name: ss_notec_multi_dict_28_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_notec_multi_dict_28_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_28_code. See ss_notec_multi_dict_28_code for more information.

Column Name: ss_notec_multi_dict_29_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_notec_multi_dict_29_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_29_code. See ss_notec_multi_dict_29_code for more information.

Column Name: ss_notec_multi_dict_2_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 2'

Column Name: ss_notec_multi_dict_2_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_2_code. See ss_notec_multi_dict_2_code for more information.

Column Name: ss_notec_multi_dict_30_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_notec_multi_dict_30_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_30_code. See ss_notec_multi_dict_30_code for more information.

Column Name: ss_notec_multi_dict_31_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 31'

Column Name: ss_notec_multi_dict_31_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_31_code. See ss_notec_multi_dict_31_code for more information.

Column Name: ss_notec_multi_dict_32_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 32'

Column Name: ss_notec_multi_dict_32_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_32_code. See ss_notec_multi_dict_32_code for more information.

Column Name: ss_notec_multi_dict_33_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 33'

Column Name: ss_notec_multi_dict_33_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_33_code. See ss_notec_multi_dict_33_code for more information.

Column Name: ss_notec_multi_dict_34_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 34'

Column Name: ss_notec_multi_dict_34_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_34_code. See ss_notec_multi_dict_34_code for more information.

Column Name: ss_notec_multi_dict_35_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 35'

Column Name: ss_notec_multi_dict_35_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_35_code. See ss_notec_multi_dict_35_code for more information.

Column Name: ss_notec_multi_dict_36_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 36'

Column Name: ss_notec_multi_dict_36_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_36_code. See ss_notec_multi_dict_36_code for more information.

Column Name: ss_notec_multi_dict_37_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 37'

Column Name: ss_notec_multi_dict_37_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_37_code. See ss_notec_multi_dict_37_code for more information.

Column Name: ss_notec_multi_dict_38_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 38'

Column Name: ss_notec_multi_dict_38_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_38_code. See ss_notec_multi_dict_38_code for more information.

Column Name: ss_notec_multi_dict_39_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 39'

Column Name: ss_notec_multi_dict_39_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_39_code. See ss_notec_multi_dict_39_code for more information.

Column Name: ss_notec_multi_dict_3_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 3'

Column Name: ss_notec_multi_dict_3_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_3_code. See ss_notec_multi_dict_3_code for more information.

Column Name: ss_notec_multi_dict_40_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 40'

Column Name: ss_notec_multi_dict_40_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_40_code. See ss_notec_multi_dict_40_code for more information.

Column Name: ss_notec_multi_dict_41_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 41'

Column Name: ss_notec_multi_dict_41_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_41_code. See ss_notec_multi_dict_41_code for more information.

Column Name: ss_notec_multi_dict_42_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 42'

Column Name: ss_notec_multi_dict_42_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_42_code. See ss_notec_multi_dict_42_code for more information.

Column Name: ss_notec_multi_dict_43_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 43'

Column Name: ss_notec_multi_dict_43_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_43_code. See ss_notec_multi_dict_43_code for more information.

Column Name: ss_notec_multi_dict_44_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 44'

Column Name: ss_notec_multi_dict_44_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_44_code. See ss_notec_multi_dict_44_code for more information.

Column Name: ss_notec_multi_dict_45_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 45'

Column Name: ss_notec_multi_dict_45_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_45_code. See ss_notec_multi_dict_45_code for more information.

Column Name: ss_notec_multi_dict_46_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 46'

Column Name: ss_notec_multi_dict_46_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_46_code. See ss_notec_multi_dict_46_code for more information.

Column Name: ss_notec_multi_dict_47_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 47'

Column Name: ss_notec_multi_dict_47_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_47_code. See ss_notec_multi_dict_47_code for more information.

Column Name: ss_notec_multi_dict_48_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 48'

Column Name: ss_notec_multi_dict_48_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_48_code. See ss_notec_multi_dict_48_code for more information.

Column Name: ss_notec_multi_dict_49_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 49'

Column Name: ss_notec_multi_dict_49_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_49_code. See ss_notec_multi_dict_49_code for more information.

Column Name: ss_notec_multi_dict_4_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 4'

Column Name: ss_notec_multi_dict_4_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_4_code. See ss_notec_multi_dict_4_code for more information.

Column Name: ss_notec_multi_dict_50_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 50'

Column Name: ss_notec_multi_dict_50_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_50_code. See ss_notec_multi_dict_50_code for more information.

Column Name: ss_notec_multi_dict_5_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 5'

Column Name: ss_notec_multi_dict_5_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_5_code`. See `ss_notec_multi_dict_5_code` for more information.

Column Name: `ss_notec_multi_dict_6_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 6'

Column Name: `ss_notec_multi_dict_6_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_6_code`. See `ss_notec_multi_dict_6_code` for more information.

Column Name: `ss_notec_multi_dict_7_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 7'

Column Name: `ss_notec_multi_dict_7_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_7_code`. See `ss_notec_multi_dict_7_code` for more information.

Column Name: `ss_notec_multi_dict_8_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 8'

Column Name: `ss_notec_multi_dict_8_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_8_code`. See `ss_notec_multi_dict_8_code` for more information.

Column Name: `ss_notec_multi_dict_9_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 9'

Column Name: `ss_notec_multi_dict_9_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_9_code`. See `ss_notec_multi_dict_9_code` for more information.

Column Name: `ss_notec_sing_dict_10_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Single Response Dictionary 10'

Column Name: ss_notec_sing_dict_10_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_10_code. See ss_notec_sing_dict_10_code for more information.

Column Name: ss_notec_sing_dict_11_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 11'

Column Name: ss_notec_sing_dict_11_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_11_code. See ss_notec_sing_dict_11_code for more information.

Column Name: ss_notec_sing_dict_12_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 12'

Column Name: ss_notec_sing_dict_12_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_12_code. See ss_notec_sing_dict_12_code for more information.

Column Name: ss_notec_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 13'

Column Name: ss_notec_sing_dict_13_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_13_code. See ss_notec_sing_dict_13_code for more information.

Column Name: ss_notec_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 14'

Column Name: ss_notec_sing_dict_14_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_14_code. See ss_notec_sing_dict_14_code for more information.

Column Name: ss_notec_sing_dict_15_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 15'

Column Name: ss_notec_sing_dict_15_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_15_code. See ss_notec_sing_dict_15_code for more information.

Column Name: ss_notec_sing_dict_16_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 16'

Column Name: ss_notec_sing_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_16_code. See ss_notec_sing_dict_16_code for more information.

Column Name: ss_notec_sing_dict_17_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 17'

Column Name: ss_notec_sing_dict_17_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_17_code. See ss_notec_sing_dict_17_code for more information.

Column Name: ss_notec_sing_dict_18_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 18'

Column Name: ss_notec_sing_dict_18_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_18_code. See ss_notec_sing_dict_18_code for more information.

Column Name: ss_notec_sing_dict_19_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 19'

Column Name: ss_notec_sing_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_19_code. See ss_notec_sing_dict_19_code for more information.

Column Name: ss_notec_sing_dict_1_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 1'

Column Name: ss_notec_sing_dict_1_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_1_code. See ss_notec_sing_dict_1_code for more information.

Column Name: ss_notec_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 20'

Column Name: ss_notec_sing_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_20_code. See ss_notec_sing_dict_20_code for more information.

Column Name: ss_notec_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 21'

Column Name: ss_notec_sing_dict_21_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_21_code. See ss_notec_sing_dict_21_code for more information.

Column Name: ss_notec_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 22'

Column Name: ss_notec_sing_dict_22_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_22_code. See ss_notec_sing_dict_22_code for more information.

Column Name: ss_notec_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 23'

Column Name: ss_notec_sing_dict_23_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_23_code. See ss_notec_sing_dict_23_code for more information.

Column Name: ss_notec_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 24'

Column Name: ss_notec_sing_dict_24_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_24_code. See ss_notec_sing_dict_24_code for more information.

Column Name: ss_notec_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 25'

Column Name: ss_notec_sing_dict_25_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_25_code. See ss_notec_sing_dict_25_code for more information.

Column Name: ss_notec_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 26'

Column Name: ss_notec_sing_dict_26_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_26_code. See ss_notec_sing_dict_26_code for more information.

Column Name: ss_notec_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 27'

Column Name: ss_notec_sing_dict_27_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_27_code. See ss_notec_sing_dict_27_code for more information.

Column Name: ss_notec_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 28'

Column Name: ss_notec_sing_dict_28_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_28_code. See ss_notec_sing_dict_28_code for more information.

Column Name: ss_notec_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 29'

Column Name: ss_notec_sing_dict_29_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_29_code. See ss_notec_sing_dict_29_code for more information.

Column Name: ss_notec_sing_dict_2_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 2'

Column Name: ss_notec_sing_dict_2_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_2_code. See ss_notec_sing_dict_2_code for more information.

Column Name: ss_notec_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 30'

Column Name: ss_notec_sing_dict_30_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_30_code. See ss_notec_sing_dict_30_code for more information.

Column Name: ss_notec_sing_dict_31_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 31'

Column Name: ss_notec_sing_dict_31_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_31_code. See ss_notec_sing_dict_31_code for more information.

Column Name: ss_notec_sing_dict_32_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 32'

Column Name: ss_notec_sing_dict_32_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_32_code. See ss_notec_sing_dict_32_code for more information.

Column Name: ss_notec_sing_dict_33_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 33'

Column Name: ss_notec_sing_dict_33_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_33_code. See ss_notec_sing_dict_33_code for more information.

Column Name: ss_notec_sing_dict_34_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 34'

Column Name: ss_notec_sing_dict_34_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_34_code. See ss_notec_sing_dict_34_code for more information.

Column Name: ss_notec_sing_dict_35_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 35'

Column Name: ss_notec_sing_dict_35_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_35_code. See ss_notec_sing_dict_35_code for more information.

Column Name: ss_notec_sing_dict_36_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 36'

Column Name: ss_notec_sing_dict_36_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_36_code. See ss_notec_sing_dict_36_code for more information.

Column Name: ss_notec_sing_dict_37_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 37'

Column Name: ss_notec_sing_dict_37_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_37_code. See ss_notec_sing_dict_37_code for more information.

Column Name: ss_notec_sing_dict_38_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 38'

Column Name: ss_notec_sing_dict_38_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_38_code. See ss_notec_sing_dict_38_code for more information.

Column Name: ss_notec_sing_dict_39_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 39'

Column Name: ss_notec_sing_dict_39_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_39_code. See ss_notec_sing_dict_39_code for more information.

Column Name: ss_notec_sing_dict_3_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 3'

Column Name: ss_notec_sing_dict_3_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_3_code. See ss_notec_sing_dict_3_code for more information.

Column Name: ss_notec_sing_dict_40_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 40'

Column Name: ss_notec_sing_dict_40_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_40_code. See ss_notec_sing_dict_40_code for more information.

Column Name: ss_notec_sing_dict_41_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 41'

Column Name: ss_notec_sing_dict_41_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_41_code. See ss_notec_sing_dict_41_code for more information.

Column Name: ss_notec_sing_dict_42_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 42'

Column Name: ss_notec_sing_dict_42_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_42_code. See ss_notec_sing_dict_42_code for more information.

Column Name: ss_notec_sing_dict_43_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 43'

Column Name: ss_notec_sing_dict_43_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_43_code. See ss_notec_sing_dict_43_code for more information.

Column Name: ss_notec_sing_dict_44_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 44'

Column Name: ss_notec_sing_dict_44_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_44_code. See ss_notec_sing_dict_44_code for more information.

Column Name: ss_notec_sing_dict_45_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 45'

Column Name: ss_notec_sing_dict_45_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_45_code. See ss_notec_sing_dict_45_code for more information.

Column Name: ss_notec_sing_dict_46_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 46'

Column Name: ss_notec_sing_dict_46_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_46_code. See ss_notec_sing_dict_46_code for more information.

Column Name: ss_notec_sing_dict_47_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 47'

Column Name: ss_notec_sing_dict_47_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_47_code. See ss_notec_sing_dict_47_code for more information.

Column Name: ss_notec_sing_dict_48_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 48'

Column Name: ss_notec_sing_dict_48_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_48_code. See ss_notec_sing_dict_48_code for more information.

Column Name: ss_notec_sing_dict_49_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 49'

Column Name: ss_notec_sing_dict_49_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_49_code. See ss_notec_sing_dict_49_code for more information.

Column Name: ss_notec_sing_dict_4_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 4'

Column Name: ss_notec_sing_dict_4_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_4_code. See ss_notec_sing_dict_4_code for more information.

Column Name: ss_notec_sing_dict_50_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 50'

Column Name: ss_notec_sing_dict_50_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_50_code. See ss_notec_sing_dict_50_code for more information.

Column Name: ss_notec_sing_dict_5_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 5'

Column Name: ss_notec_sing_dict_5_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_5_code. See ss_notec_sing_dict_5_code for more information.

Column Name: ss_notec_sing_dict_6_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 6'

Column Name: ss_notec_sing_dict_6_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_6_code. See ss_notec_sing_dict_6_code for more information.

Column Name: ss_notec_sing_dict_7_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 7'

Column Name: ss_notec_sing_dict_7_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_7_code. See ss_notec_sing_dict_7_code for more information.

Column Name: ss_notec_sing_dict_8_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 8'

Column Name: ss_notec_sing_dict_8_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_8_code. See ss_notec_sing_dict_8_code for more information.

Column Name: ss_notec_sing_dict_9_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 9'

Column Name: ss_notec_sing_dict_9_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_9_code. See ss_notec_sing_dict_9_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_supp_4

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 50

Unique ID for a progress note.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the service.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the service.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: form_number

Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mult_dic_51_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 51'

Column Name: ss_notc_mult_dic_51_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_51_code. See ss_notc_mult_dic_51_code for more information.

Column Name: ss_notc_mult_dic_52_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 52'

Column Name: ss_notc_mult_dic_52_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_52_code. See ss_notc_mult_dic_52_code for more information.

Column Name: ss_notc_mult_dic_53_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 53'

Column Name: ss_notc_mult_dic_53_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_53_code. See ss_notc_mult_dic_53_code for more information.

Column Name: ss_notc_mult_dic_54_code
Column Type: varchar
Max Length: 50

'SS Note Copy Multiple Response Dictionary 54'

Column Name: ss_notc_mult_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_54_code. See ss_notc_mult_dic_54_code for more information.

Column Name: ss_notc_mult_dic_55_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 55'

Column Name: ss_notc_mult_dic_55_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_55_code. See ss_notc_mult_dic_55_code for more information.

Column Name: ss_notc_mult_dic_56_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 56'

Column Name: ss_notc_mult_dic_56_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_56_code. See ss_notc_mult_dic_56_code for more information.

Column Name: ss_notc_mult_dic_57_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 57'

Column Name: ss_notc_mult_dic_57_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_57_code. See ss_notc_mult_dic_57_code for more information.

Column Name: ss_notc_mult_dic_58_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 58'

Column Name: ss_notc_mult_dic_58_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_58_code`. See `ss_notc_mult_dic_58_code` for more information.

Column Name: `ss_notc_mult_dic_59_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 59'

Column Name: `ss_notc_mult_dic_59_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_59_code`. See `ss_notc_mult_dic_59_code` for more information.

Column Name: `ss_notc_mult_dic_60_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 60'

Column Name: `ss_notc_mult_dic_60_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_60_code`. See `ss_notc_mult_dic_60_code` for more information.

Column Name: `ss_notc_mult_dic_61_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 61'

Column Name: `ss_notc_mult_dic_61_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_61_code`. See `ss_notc_mult_dic_61_code` for more information.

Column Name: `ss_notc_mult_dic_62_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 62'

Column Name: `ss_notc_mult_dic_62_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_62_code`. See `ss_notc_mult_dic_62_code` for more information.

Column Name: `ss_notc_mult_dic_63_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Multiple Response Dictionary 63'

Column Name: ss_notc_mult_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_63_code. See ss_notc_mult_dic_63_code for more information.

Column Name: ss_notc_mult_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 64'

Column Name: ss_notc_mult_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_64_code. See ss_notc_mult_dic_64_code for more information.

Column Name: ss_notc_mult_dic_65_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 65'

Column Name: ss_notc_mult_dic_65_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mult_dic_65_code. See ss_notc_mult_dic_65_code for more information.

Column Name: ss_notc_mult_dic_66_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 66'

Column Name: ss_notc_mult_dic_66_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_66_code. See ss_notc_mult_dic_66_code for more information.

Column Name: ss_notc_mult_dic_67_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 67'

Column Name: ss_notc_mult_dic_67_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_67_code`. See `ss_notc_mult_dic_67_code` for more information.

Column Name: `ss_notc_mult_dic_68_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 68'

Column Name: `ss_notc_mult_dic_68_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_68_code`. See `ss_notc_mult_dic_68_code` for more information.

Column Name: `ss_notc_mult_dic_69_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 69'

Column Name: `ss_notc_mult_dic_69_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_69_code`. See `ss_notc_mult_dic_69_code` for more information.

Column Name: `ss_notc_mult_dic_70_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 70'

Column Name: `ss_notc_mult_dic_70_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_70_code`. See `ss_notc_mult_dic_70_code` for more information.

Column Name: `ss_notc_mult_dic_71_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 71'

Column Name: `ss_notc_mult_dic_71_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_71_code`. See `ss_notc_mult_dic_71_code` for more information.

Column Name: `ss_notc_mult_dic_72_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Multiple Response Dictionary 72'

Column Name: ss_notc_mult_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_72_code. See ss_notc_mult_dic_72_code for more information.

Column Name: ss_notc_mult_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 73'

Column Name: ss_notc_mult_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_73_code. See ss_notc_mult_dic_73_code for more information.

Column Name: ss_notc_mult_dic_74_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 74'

Column Name: ss_notc_mult_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_74_code. See ss_notc_mult_dic_74_code for more information.

Column Name: ss_notc_mult_dic_75_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 75'

Column Name: ss_notc_mult_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mult_dic_75_code. See ss_notc_mult_dic_75_code for more information.

Column Name: ss_notc_mult_dic_76_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 76'

Column Name: ss_notc_mult_dic_76_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_76_code`. See `ss_notc_mult_dic_76_code` for more information.

Column Name: `ss_notc_mult_dic_77_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 77'

Column Name: `ss_notc_mult_dic_77_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_77_code`. See `ss_notc_mult_dic_77_code` for more information.

Column Name: `ss_notc_mult_dic_78_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 78'

Column Name: `ss_notc_mult_dic_78_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_78_code`. See `ss_notc_mult_dic_78_code` for more information.

Column Name: `ss_notc_mult_dic_79_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 79'

Column Name: `ss_notc_mult_dic_79_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_79_code`. See `ss_notc_mult_dic_79_code` for more information.

Column Name: `ss_notc_mult_dic_80_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 80'

Column Name: `ss_notc_mult_dic_80_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_80_code`. See `ss_notc_mult_dic_80_code` for more information.

Column Name: `ss_notc_sin_dic_51_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Single Response Dictionary 51'

Column Name: ss_notc_sin_dic_51_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_51_code. See ss_notc_sin_dic_51_code for more information.

Column Name: ss_notc_sin_dic_52_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 52'

Column Name: ss_notc_sin_dic_52_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_52_code. See ss_notc_sin_dic_52_code for more information.

Column Name: ss_notc_sin_dic_53_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 53'

Column Name: ss_notc_sin_dic_53_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_53_code. See ss_notc_sin_dic_53_code for more information.

Column Name: ss_notc_sin_dic_54_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 54'

Column Name: ss_notc_sin_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_54_code. See ss_notc_sin_dic_54_code for more information.

Column Name: ss_notc_sin_dic_55_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 55'

Column Name: ss_notc_sin_dic_55_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_55_code. See ss_notc_sin_dic_55_code for more information.

Column Name: ss_notc_sin_dic_56_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 56'

Column Name: ss_notc_sin_dic_56_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_56_code. See ss_notc_sin_dic_56_code for more information.

Column Name: ss_notc_sin_dic_57_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 57'

Column Name: ss_notc_sin_dic_57_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_57_code. See ss_notc_sin_dic_57_code for more information.

Column Name: ss_notc_sin_dic_58_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 58'

Column Name: ss_notc_sin_dic_58_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_58_code. See ss_notc_sin_dic_58_code for more information.

Column Name: ss_notc_sin_dic_59_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 59'

Column Name: ss_notc_sin_dic_59_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_59_code. See ss_notc_sin_dic_59_code for more information.

Column Name: ss_notc_sin_dic_60_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 60'

Column Name: ss_notc_sin_dic_60_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_60_code. See ss_notc_sin_dic_60_code for more information.

Column Name: ss_notc_sin_dic_61_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 61'

Column Name: ss_notc_sin_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_61_code. See ss_notc_sin_dic_61_code for more information.

Column Name: ss_notc_sin_dic_62_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 62'

Column Name: ss_notc_sin_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_62_code. See ss_notc_sin_dic_62_code for more information.

Column Name: ss_notc_sin_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 63'

Column Name: ss_notc_sin_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_63_code. See ss_notc_sin_dic_63_code for more information.

Column Name: ss_notc_sin_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 64'

Column Name: ss_notc_sin_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_64_code. See ss_notc_sin_dic_64_code for more information.

Column Name: ss_notc_sin_dic_65_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 65'

Column Name: ss_notc_sin_dic_65_value
Column Type: varchar
Max Length: 265
The description associated with ss_notc_sin_dic_65_code. See ss_notc_sin_dic_65_code for more information.

Column Name: ss_notc_sin_dic_66_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 66'

Column Name: ss_notc_sin_dic_66_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_66_code. See ss_notc_sin_dic_66_code for more information.

Column Name: ss_notc_sin_dic_67_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 67'

Column Name: ss_notc_sin_dic_67_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_67_code. See ss_notc_sin_dic_67_code for more information.

Column Name: ss_notc_sin_dic_68_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 68'

Column Name: ss_notc_sin_dic_68_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_68_code. See ss_notc_sin_dic_68_code for more information.

Column Name: ss_notc_sin_dic_69_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 69'

Column Name: ss_notc_sin_dic_69_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_69_code. See ss_notc_sin_dic_69_code for more information.

Column Name: ss_notc_sin_dic_70_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 70'

Column Name: ss_notc_sin_dic_70_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_70_code. See ss_notc_sin_dic_70_code for more information.

Column Name: ss_notc_sin_dic_71_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 71'

Column Name: ss_notc_sin_dic_71_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_71_code. See ss_notc_sin_dic_71_code for more information.

Column Name: ss_notc_sin_dic_72_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 72'

Column Name: ss_notc_sin_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_72_code. See ss_notc_sin_dic_72_code for more information.

Column Name: ss_notc_sin_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 73'

Column Name: ss_notc_sin_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_73_code. See ss_notc_sin_dic_73_code for more information.

Column Name: ss_notc_sin_dic_74_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 74'

Column Name: ss_notc_sin_dic_74_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_74_code. See ss_notc_sin_dic_74_code for more information.

Column Name: ss_notc_sin_dic_75_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 75'

Column Name: ss_notc_sin_dic_75_value
Column Type: varchar
Max Length: 275
The description associated with ss_notc_sin_dic_75_code. See ss_notc_sin_dic_75_code for more information.

Column Name: ss_notc_sin_dic_76_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 76'

Column Name: ss_notc_sin_dic_76_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_76_code. See ss_notc_sin_dic_76_code for more information.

Column Name: ss_notc_sin_dic_77_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 77'

Column Name: ss_notc_sin_dic_77_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_77_code. See ss_notc_sin_dic_77_code for more information.

Column Name: ss_notc_sin_dic_78_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 78'

Column Name: ss_notc_sin_dic_78_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_78_code. See ss_notc_sin_dic_78_code for more information.

Column Name: ss_notc_sin_dic_79_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 79'

Column Name: ss_notc_sin_dic_79_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_79_code. See ss_notc_sin_dic_79_code for more information.

Column Name: ss_notc_sin_dic_80_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 80'

Column Name: ss_notc_sin_dic_80_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_80_code. See ss_notc_sin_dic_80_code for more information.

Column Name: ss_note_mul_dict_51_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 51'

Column Name: ss_note_mul_dict_51_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_51_code limited to 255 characters. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_51_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_51_code. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_52_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 52'

Column Name: ss_note_mul_dict_52_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_52_code limited to 255 characters. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_52_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_52_code. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_53_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 53'

Column Name: ss_note_mul_dict_53_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_53_code limited to 255 characters. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_53_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_53_code. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_54_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 54'

Column Name: ss_note_mul_dict_54_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_54_code limited to 255 characters. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_54_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_54_code. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_55_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 55'

Column Name: ss_note_mul_dict_55_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_55_code limited to 255 characters. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_55_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_55_code. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_56_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 56'

Column Name: ss_note_mul_dict_56_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_56_code limited to 255 characters. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_56_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_56_code. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_57_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 57'

Column Name: ss_note_mul_dict_57_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_57_code limited to 255 characters. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_57_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_57_code. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_58_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 58'

Column Name: ss_note_mul_dict_58_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_58_code limited to 255 characters. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_58_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_58_code. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_59_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 59'

Column Name: ss_note_mul_dict_59_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_59_code limited to 255 characters. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_59_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_59_code. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_60_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 60'

Column Name: ss_note_mul_dict_60_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_60_code limited to 255 characters. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_60_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_60_code. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_61_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 61'

Column Name: ss_note_mul_dict_61_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_61_code limited to 255 characters. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_61_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_61_code. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_62_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 62'

Column Name: ss_note_mul_dict_62_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_62_code limited to 255 characters. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_62_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_62_code. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_63_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 63'

Column Name: ss_note_mul_dict_63_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_63_code limited to 255 characters. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_63_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_63_code. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_64_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 64'

Column Name: ss_note_mul_dict_64_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_64_code limited to 255 characters. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_64_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_64_code. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_65_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 65'

Column Name: ss_note_mul_dict_65_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_65_code limited to 255 characters. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_65_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_65_code. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_66_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 66'

Column Name: ss_note_mul_dict_66_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_66_code limited to 255 characters. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_66_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_66_code. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_67_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 67'

Column Name: ss_note_mul_dict_67_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_67_code limited to 255 characters. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_67_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_67_code. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_68_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 68'

Column Name: ss_note_mul_dict_68_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_68_code limited to 255 characters. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_68_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_68_code. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_69_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 69'

Column Name: ss_note_mul_dict_69_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_69_code limited to 255 characters. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_69_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_69_code. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_70_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 70'

Column Name: ss_note_mul_dict_70_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_70_code limited to 255 characters. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_70_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_70_code. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_71_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 71'

Column Name: ss_note_mul_dict_71_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_71_code limited to 255 characters. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_71_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_71_code. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_72_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 72'

Column Name: ss_note_mul_dict_72_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_72_code limited to 255 characters. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_72_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_72_code. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_73_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 73'

Column Name: ss_note_mul_dict_73_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_73_code limited to 255 characters. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_73_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_73_code. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_74_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 74'

Column Name: ss_note_mul_dict_74_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_74_code limited to 255 characters. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_74_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_74_code. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_75_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 75'

Column Name: ss_note_mul_dict_75_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_75_code limited to 255 characters. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_75_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_75_code. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_76_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 76'

Column Name: ss_note_mul_dict_76_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_76_code limited to 255 characters. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_76_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_76_code. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_77_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 77'

Column Name: ss_note_mul_dict_77_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_77_code limited to 255 characters. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_77_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_77_code. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_78_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 78'

Column Name: ss_note_mul_dict_78_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_78_code limited to 255 characters. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_78_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_78_code. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_79_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 79'

Column Name: ss_note_mul_dict_79_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_79_code limited to 255 characters. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_79_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_79_code. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_80_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 80'

Column Name: ss_note_mul_dict_80_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_80_code limited to 255 characters. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_mul_dict_80_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_80_code. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_scroll_text_51

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 51'

Column Name: ss_note_scroll_text_52

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 52'

Column Name: ss_note_scroll_text_53
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 53'

Column Name: ss_note_scroll_text_54
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 54'

Column Name: ss_note_scroll_text_55
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 55'

Column Name: ss_note_scroll_text_56
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 56'

Column Name: ss_note_scroll_text_57
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 57'

Column Name: ss_note_scroll_text_58
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 58'

Column Name: ss_note_scroll_text_59
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 59'

Column Name: ss_note_scroll_text_60
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 60'

Column Name: ss_note_scroll_text_61
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 61'

Column Name: ss_note_scroll_text_62
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 62'

Column Name: ss_note_scroll_text_63
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 63'

Column Name: ss_note_scroll_text_64
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 64'

Column Name: ss_note_scroll_text_65
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 65'

Column Name: ss_note_scroll_text_66
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 66'

Column Name: ss_note_scroll_text_67
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 67'

Column Name: ss_note_scroll_text_68
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 68'

Column Name: ss_note_scroll_text_69
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 69'

Column Name: ss_note_scroll_text_70
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 70'

Column Name: ss_note_scroll_text_71
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 71'

Column Name: ss_note_scroll_text_72
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 72'

Column Name: ss_note_scroll_text_73
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 73'

Column Name: ss_note_scroll_text_74
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 74'

Column Name: ss_note_scroll_text_75
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 75'

Column Name: ss_note_scroll_text_76
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 76'

Column Name: ss_note_scroll_text_77
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 77'

Column Name: ss_note_scroll_text_78
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 78'

Column Name: ss_note_scroll_text_79
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 79'

Column Name: ss_note_scroll_text_80
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 80'

Column Name: ss_note_sin_dict_51_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 51'

Column Name: ss_note_sin_dict_51_value
Column Type: varchar
Max Length: 50

The description associated with ss_note_sin_dict_51_code. See ss_note_sin_dict_51_code for more information.

Column Name: ss_note_sin_dict_52_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 52'

Column Name: ss_note_sin_dict_52_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_52_code. See ss_note_sin_dict_52_code for more information.

Column Name: ss_note_sin_dict_53_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 53'

Column Name: ss_note_sin_dict_53_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_53_code. See ss_note_sin_dict_53_code for more information.

Column Name: ss_note_sin_dict_54_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 54'

Column Name: ss_note_sin_dict_54_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_54_code. See ss_note_sin_dict_54_code for more information.

Column Name: ss_note_sin_dict_55_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 55'

Column Name: ss_note_sin_dict_55_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_55_code. See ss_note_sin_dict_55_code for more information.

Column Name: ss_note_sin_dict_56_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 56'

Column Name: ss_note_sin_dict_56_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_56_code. See ss_note_sin_dict_56_code for more information.

Column Name: ss_note_sin_dict_57_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 57'

Column Name: ss_note_sin_dict_57_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_57_code. See ss_note_sin_dict_57_code for more information.

Column Name: ss_note_sin_dict_58_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 58'

Column Name: ss_note_sin_dict_58_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_58_code. See ss_note_sin_dict_58_code for more information.

Column Name: ss_note_sin_dict_59_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 59'

Column Name: ss_note_sin_dict_59_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_59_code. See ss_note_sin_dict_59_code for more information.

Column Name: ss_note_sin_dict_60_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 60'

Column Name: ss_note_sin_dict_60_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_60_code. See ss_note_sin_dict_60_code for more information.

Column Name: ss_note_sin_dict_61_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 61'

Column Name: ss_note_sin_dict_61_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_61_code. See ss_note_sin_dict_61_code for more information.

Column Name: ss_note_sin_dict_62_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 62'

Column Name: ss_note_sin_dict_62_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_62_code. See ss_note_sin_dict_62_code for more information.

Column Name: ss_note_sin_dict_63_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 63'

Column Name: ss_note_sin_dict_63_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_63_code. See ss_note_sin_dict_63_code for more information.

Column Name: ss_note_sin_dict_64_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 64'

Column Name: ss_note_sin_dict_64_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_64_code. See ss_note_sin_dict_64_code for more information.

Column Name: ss_note_sin_dict_65_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 65'

Column Name: ss_note_sin_dict_65_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_65_code. See ss_note_sin_dict_65_code for more information.

Column Name: ss_note_sin_dict_66_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 66'

Column Name: ss_note_sin_dict_66_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_66_code. See ss_note_sin_dict_66_code for more information.

Column Name: ss_note_sin_dict_67_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 67'

Column Name: ss_note_sin_dict_67_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_67_code. See ss_note_sin_dict_67_code for more information.

Column Name: ss_note_sin_dict_68_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 68'

Column Name: ss_note_sin_dict_68_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_68_code. See ss_note_sin_dict_68_code for more information.

Column Name: ss_note_sin_dict_69_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 69'

Column Name: ss_note_sin_dict_69_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_69_code. See ss_note_sin_dict_69_code for more information.

Column Name: ss_note_sin_dict_70_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 70'

Column Name: ss_note_sin_dict_70_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_70_code. See ss_note_sin_dict_70_code for more information.

Column Name: ss_note_sin_dict_71_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 71'

Column Name: ss_note_sin_dict_71_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_71_code. See ss_note_sin_dict_71_code for more information.

Column Name: ss_note_sin_dict_72_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 72'

Column Name: ss_note_sin_dict_72_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_72_code. See ss_note_sin_dict_72_code for more information.

Column Name: ss_note_sin_dict_73_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 73'

Column Name: ss_note_sin_dict_73_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_73_code. See ss_note_sin_dict_73_code for more information.

Column Name: ss_note_sin_dict_74_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 74'

Column Name: ss_note_sin_dict_74_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_74_code. See ss_note_sin_dict_74_code for more information.

Column Name: ss_note_sin_dict_75_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 75'

Column Name: ss_note_sin_dict_75_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_75_code. See ss_note_sin_dict_75_code for more information.

Column Name: ss_note_sin_dict_76_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 76'

Column Name: ss_note_sin_dict_76_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_76_code. See ss_note_sin_dict_76_code for more information.

Column Name: ss_note_sin_dict_77_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 77'

Column Name: ss_note_sin_dict_77_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_77_code. See ss_note_sin_dict_77_code for more information.

Column Name: ss_note_sin_dict_78_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 78'

Column Name: ss_note_sin_dict_78_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_78_code. See ss_note_sin_dict_78_code for more information.

Column Name: ss_note_sin_dict_79_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 79'

Column Name: ss_note_sin_dict_79_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_79_code. See ss_note_sin_dict_79_code for more information.

Column Name: ss_note_sin_dict_80_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 80'

Column Name: ss_note_sin_dict_80_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_80_code. See ss_note_sin_dict_80_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_supp_5

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the service.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the service.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: ebp_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practices'

Column Name: ebp_element_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practice Elements'

Column Name: ebp_element_value

Column Type: varchar

Max Length: 32000

The description associated with ebp_element_code

Column Name: ebp_value

Column Type: varchar

Max Length: 32000

The description associated with ebp_code

Column Name: form_number

Column Type: varchar

Max Length: 50

'Form Number'

Column Name: option_desc

Column Type: varchar

Max Length: 81

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: ss_notc_mul_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 100'

Column Name: ss_notc_mul_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_100_code. See ss_notc_mul_dic_100_code for more information.

Column Name: ss_notc_mul_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 101'

Column Name: ss_notc_mul_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_101_code. See ss_notc_mul_dic_101_code for more information.

Column Name: ss_notc_mul_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 102'

Column Name: ss_notc_mul_dic_102_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_102_code. See ss_notc_mul_dic_102_code for more information.

Column Name: ss_notc_mul_dic_103_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 103'

Column Name: ss_notc_mul_dic_103_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_103_code. See ss_notc_mul_dic_103_code for more information.

Column Name: ss_notc_mul_dic_104_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 104'

Column Name: ss_notc_mul_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_104_code. See ss_notc_mul_dic_104_code for more information.

Column Name: ss_notc_mul_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 105'

Column Name: ss_notc_mul_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mul_dic_105_code. See ss_notc_mul_dic_105_code for more information.

Column Name: ss_notc_mul_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 106'

Column Name: ss_notc_mul_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_106_code. See ss_notc_mul_dic_106_code for more information.

Column Name: ss_notc_mul_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 107'

Column Name: ss_notc_mul_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_107_code. See ss_notc_mul_dic_107_code for more information.

Column Name: ss_notc_mul_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 108'

Column Name: ss_notc_mul_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_108_code. See ss_notc_mul_dic_108_code for more information.

Column Name: ss_notc_mul_dic_109_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 109'

Column Name: ss_notc_mul_dic_109_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_109_code. See ss_notc_mul_dic_109_code for more information.

Column Name: ss_notc_mul_dic_110_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 110'

Column Name: ss_notc_mul_dic_110_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_110_code. See ss_notc_mul_dic_110_code for more information.

Column Name: ss_notc_mul_dic_81_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 81'

Column Name: ss_notc_mul_dic_81_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_81_code. See ss_notc_mul_dic_81_code for more information.

Column Name: ss_notc_mul_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 82'

Column Name: ss_notc_mul_dic_82_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_82_code. See ss_notc_mul_dic_82_code for more information.

Column Name: ss_notc_mul_dic_83_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 83'

Column Name: ss_notc_mul_dic_83_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_83_code. See ss_notc_mul_dic_83_code for more information.

Column Name: ss_notc_mul_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 84'

Column Name: ss_notc_mul_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_84_code. See ss_notc_mul_dic_84_code for more information.

Column Name: ss_notc_mul_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 85'

Column Name: ss_notc_mul_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_85_code. See ss_notc_mul_dic_85_code for more information.

Column Name: ss_notc_mul_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 86'

Column Name: ss_notc_mul_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_86_code. See ss_notc_mul_dic_86_code for more information.

Column Name: ss_notc_mul_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 87'

Column Name: ss_notc_mul_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_87_code. See ss_notc_mul_dic_87_code for more information.

Column Name: ss_notc_mul_dic_88_code

Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 88'

Column Name: ss_notc_mul_dic_88_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_88_code. See ss_notc_mul_dic_88_code for more information.

Column Name: ss_notc_mul_dic_89_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 89'

Column Name: ss_notc_mul_dic_89_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_89_code. See ss_notc_mul_dic_89_code for more information.

Column Name: ss_notc_mul_dic_90_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 90'

Column Name: ss_notc_mul_dic_90_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_90_code. See ss_notc_mul_dic_90_code for more information.

Column Name: ss_notc_mul_dic_91_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 91'

Column Name: ss_notc_mul_dic_91_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_91_code. See ss_notc_mul_dic_91_code for more information.

Column Name: ss_notc_mul_dic_92_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 92'

Column Name: ss_notc_mul_dic_92_value
Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_92_code. See ss_notc_mul_dic_92_code for more information.

Column Name: ss_notc_mul_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 93'

Column Name: ss_notc_mul_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_93_code. See ss_notc_mul_dic_93_code for more information.

Column Name: ss_notc_mul_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 94'

Column Name: ss_notc_mul_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_94_code. See ss_notc_mul_dic_94_code for more information.

Column Name: ss_notc_mul_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 95'

Column Name: ss_notc_mul_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mul_dic_95_code. See ss_notc_mul_dic_95_code for more information.

Column Name: ss_notc_mul_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 96'

Column Name: ss_notc_mul_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_96_code. See ss_notc_mul_dic_96_code for more information.

Column Name: ss_notc_mul_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 97'

Column Name: ss_notc_mul_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_97_code. See ss_notc_mul_dic_97_code for more information.

Column Name: ss_notc_mul_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 98'

Column Name: ss_notc_mul_dic_98_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_98_code. See ss_notc_mul_dic_98_code for more information.

Column Name: ss_notc_mul_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 99'

Column Name: ss_notc_mul_dic_99_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_99_code. See ss_notc_mul_dic_99_code for more information.

Column Name: ss_notc_sin_dic_100_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 100'

Column Name: ss_notc_sin_dic_100_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_100_code. See ss_notc_sin_dic_100_code for more information.

Column Name: ss_notc_sin_dic_101_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 101'

Column Name: ss_notc_sin_dic_101_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_101_code. See ss_notc_sin_dic_101_code for more information.

Column Name: ss_notc_sin_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 102'

Column Name: ss_notc_sin_dic_102_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_102_code. See ss_notc_sin_dic_102_code for more information.

Column Name: ss_notc_sin_dic_103_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 103'

Column Name: ss_notc_sin_dic_103_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_103_code. See ss_notc_sin_dic_103_code for more information.

Column Name: ss_notc_sin_dic_104_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 104'

Column Name: ss_notc_sin_dic_104_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_104_code. See ss_notc_sin_dic_104_code for more information.

Column Name: ss_notc_sin_dic_105_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 105'

Column Name: ss_notc_sin_dic_105_value
Column Type: varchar
Max Length: 275
The description associated with ss_notc_sin_dic_105_code. See ss_notc_sin_dic_105_code for more information.

Column Name: ss_notc_sin_dic_106_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 106'

Column Name: ss_notc_sin_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_106_code. See ss_notc_sin_dic_106_code for more information.

Column Name: ss_notc_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 107'

Column Name: ss_notc_sin_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_107_code. See ss_notc_sin_dic_107_code for more information.

Column Name: ss_notc_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 108'

Column Name: ss_notc_sin_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_108_code. See ss_notc_sin_dic_108_code for more information.

Column Name: ss_notc_sin_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 109'

Column Name: ss_notc_sin_dic_109_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_109_code. See ss_notc_sin_dic_109_code for more information.

Column Name: ss_notc_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 110'

Column Name: ss_notc_sin_dic_110_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_110_code. See ss_notc_sin_dic_110_code for more information.

Column Name: ss_notc_sin_dic_81_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 81'

Column Name: ss_notc_sin_dic_81_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_81_code. See ss_notc_sin_dic_81_code for more information.

Column Name: ss_notc_sin_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 82'

Column Name: ss_notc_sin_dic_82_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_82_code. See ss_notc_sin_dic_82_code for more information.

Column Name: ss_notc_sin_dic_83_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 83'

Column Name: ss_notc_sin_dic_83_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_83_code. See ss_notc_sin_dic_83_code for more information.

Column Name: ss_notc_sin_dic_84_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 84'

Column Name: ss_notc_sin_dic_84_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_84_code. See ss_notc_sin_dic_84_code for more information.

Column Name: ss_notc_sin_dic_85_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 85'

Column Name: ss_notc_sin_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_85_code. See ss_notc_sin_dic_85_code for more information.

Column Name: ss_notc_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 86'

Column Name: ss_notc_sin_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_86_code. See ss_notc_sin_dic_86_code for more information.

Column Name: ss_notc_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 87'

Column Name: ss_notc_sin_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_87_code. See ss_notc_sin_dic_87_code for more information.

Column Name: ss_notc_sin_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 88'

Column Name: ss_notc_sin_dic_88_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_88_code. See ss_notc_sin_dic_88_code for more information.

Column Name: ss_notc_sin_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 89'

Column Name: ss_notc_sin_dic_89_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_89_code. See ss_notc_sin_dic_89_code for more information.

Column Name: ss_notc_sin_dic_90_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 90'

Column Name: ss_notc_sin_dic_90_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_90_code. See ss_notc_sin_dic_90_code for more information.

Column Name: ss_notc_sin_dic_91_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 91'

Column Name: ss_notc_sin_dic_91_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_91_code. See ss_notc_sin_dic_91_code for more information.

Column Name: ss_notc_sin_dic_92_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 92'

Column Name: ss_notc_sin_dic_92_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_92_code. See ss_notc_sin_dic_92_code for more information.

Column Name: ss_notc_sin_dic_93_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 93'

Column Name: ss_notc_sin_dic_93_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_93_code. See ss_notc_sin_dic_93_code for more information.

Column Name: ss_notc_sin_dic_94_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 94'

Column Name: ss_notc_sin_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_94_code. See ss_notc_sin_dic_94_code for more information.

Column Name: ss_notc_sin_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 95'

Column Name: ss_notc_sin_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_sin_dic_95_code. See ss_notc_sin_dic_95_code for more information.

Column Name: ss_notc_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 96'

Column Name: ss_notc_sin_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_96_code. See ss_notc_sin_dic_96_code for more information.

Column Name: ss_notc_sin_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 97'

Column Name: ss_notc_sin_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_97_code. See ss_notc_sin_dic_97_code for more information.

Column Name: ss_notc_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 98'

Column Name: ss_notc_sin_dic_98_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_sin_dic_98_code`. See `ss_notc_sin_dic_98_code` for more information.

Column Name: `ss_notc_sin_dic_99_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 99'

Column Name: `ss_notc_sin_dic_99_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_99_code`. See `ss_notc_sin_dic_99_code` for more information.

Column Name: `ss_note_mul_dic_100_code`
Column Type: `varchar`
Max Length: 20
'SS Note Multi Response Dictionary 100'

Column Name: `ss_note_mul_dic_100_shval`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_note_mul_dic_100_code` limited to 255 characters. See `ss_note_mul_dic_100_code` for more information.

Column Name: `ss_note_mul_dic_100_value`
Column Type: `varchar`
Max Length: 32700
The description associated with `ss_note_mul_dic_100_code`. See `ss_note_mul_dic_100_code` for more information.

Column Name: `ss_note_mul_dic_101_code`
Column Type: `varchar`
Max Length: 20
'SS Note Multi Response Dictionary 101'

Column Name: `ss_note_mul_dic_101_shval`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_note_mul_dic_101_code` limited to 255 characters. See `ss_note_mul_dic_101_code` for more information.

Column Name: `ss_note_mul_dic_101_value`
Column Type: `varchar`
Max Length: 32700
The description associated with `ss_note_mul_dic_101_code`. See `ss_note_mul_dic_101_code` for more information.

Column Name: `ss_note_mul_dic_102_code`
Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 102'

Column Name: ss_note_mul_dic_102_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_102_code limited to 255 characters. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_102_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_102_code. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_103_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 103'

Column Name: ss_note_mul_dic_103_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_103_code limited to 255 characters. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_103_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_103_code. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_104_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 104'

Column Name: ss_note_mul_dic_104_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_104_code limited to 255 characters. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_104_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_104_code. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_105_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 105'

Column Name: ss_note_mul_dic_105_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_105_code limited to 255 characters. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_105_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_105_code. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_106_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 106'

Column Name: ss_note_mul_dic_106_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_106_code limited to 255 characters. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_106_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_106_code. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_107_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 107'

Column Name: ss_note_mul_dic_107_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_107_code limited to 255 characters. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_107_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_107_code. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_108_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 108'

Column Name: ss_note_mul_dic_108_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_108_code limited to 255 characters. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_108_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_108_code. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_109_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 109'

Column Name: ss_note_mul_dic_109_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_109_code limited to 255 characters. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_109_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_109_code. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_110_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 110'

Column Name: ss_note_mul_dic_110_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_110_code limited to 255 characters. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_110_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_110_code. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_81_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 81'

Column Name: ss_note_mul_dic_81_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_81_code limited to 255 characters. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_81_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_81_code. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_82_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 82'

Column Name: ss_note_mul_dic_82_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_82_code limited to 255 characters. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_82_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_82_code. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_83_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 83'

Column Name: ss_note_mul_dic_83_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_83_code limited to 255 characters. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_83_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_83_code. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_84_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 84'

Column Name: ss_note_mul_dic_84_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_84_code limited to 255 characters. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_84_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_84_code. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_85_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 85'

Column Name: ss_note_mul_dic_85_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_85_code limited to 255 characters. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_85_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_85_code. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_86_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 86'

Column Name: ss_note_mul_dic_86_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_86_code limited to 255 characters. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_86_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_86_code. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_87_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 87'

Column Name: ss_note_mul_dic_87_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_87_code limited to 255 characters. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_87_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_87_code. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_88_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 88'

Column Name: ss_note_mul_dic_88_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_88_code limited to 255 characters. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_88_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_88_code. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_89_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 89'

Column Name: ss_note_mul_dic_89_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_89_code limited to 255 characters. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_89_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_89_code. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_90_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 90'

Column Name: ss_note_mul_dic_90_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_90_code limited to 255 characters. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_90_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_90_code. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_91_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 91'

Column Name: ss_note_mul_dic_91_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_91_code limited to 255 characters. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_91_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_91_code. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_92_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 92'

Column Name: ss_note_mul_dic_92_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_92_code limited to 255 characters. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_92_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_92_code. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_93_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 93'

Column Name: ss_note_mul_dic_93_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_93_code limited to 255 characters. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_93_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_93_code. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_94_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 94'

Column Name: ss_note_mul_dic_94_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_94_code limited to 255 characters. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_94_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_94_code. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_95_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 95'

Column Name: ss_note_mul_dic_95_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_95_code limited to 255 characters. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_95_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_95_code. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_96_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 96'

Column Name: ss_note_mul_dic_96_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_96_code limited to 255 characters. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_96_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_96_code. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_97_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 97'

Column Name: ss_note_mul_dic_97_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_97_code limited to 255 characters. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_97_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_97_code. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_98_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 98'

Column Name: ss_note_mul_dic_98_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_98_code limited to 255 characters. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_98_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_98_code. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_99_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 99'

Column Name: ss_note_mul_dic_99_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_99_code limited to 255 characters. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_mul_dic_99_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_99_code. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_scroll_text_100

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 100'

Column Name: ss_note_scroll_text_101

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 101'

Column Name: ss_note_scroll_text_102

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 102'

Column Name: ss_note_scroll_text_103

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 103'

Column Name: ss_note_scroll_text_104

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 104'

Column Name: ss_note_scroll_text_105
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 105'

Column Name: ss_note_scroll_text_106
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 106'

Column Name: ss_note_scroll_text_107
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 107'

Column Name: ss_note_scroll_text_108
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 108'

Column Name: ss_note_scroll_text_109
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 109'

Column Name: ss_note_scroll_text_110
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 110'

Column Name: ss_note_scroll_text_81
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 81'

Column Name: ss_note_scroll_text_82
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 82'

Column Name: ss_note_scroll_text_83
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 83'

Column Name: ss_note_scroll_text_84
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 84'

Column Name: ss_note_scroll_text_85
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 85'

Column Name: ss_note_scroll_text_86
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 86'

Column Name: ss_note_scroll_text_87
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 87'

Column Name: ss_note_scroll_text_88
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 88'

Column Name: ss_note_scroll_text_89
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 89'

Column Name: ss_note_scroll_text_90
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 90'

Column Name: ss_note_scroll_text_91
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 91'

Column Name: ss_note_scroll_text_92
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 92'

Column Name: ss_note_scroll_text_93
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 93'

Column Name: ss_note_scroll_text_94
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 94'

Column Name: ss_note_scroll_text_95
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 95'

Column Name: ss_note_scroll_text_96
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 96'

Column Name: ss_note_scroll_text_97
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 97'

Column Name: ss_note_scroll_text_98
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 98'

Column Name: ss_note_scroll_text_99
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 99'

Column Name: ss_note_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 100'

Column Name: ss_note_sin_dic_100_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_100_code. See ss_note_sin_dic_100_code for more information.

Column Name: ss_note_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 101'

Column Name: ss_note_sin_dic_101_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_101_code. See ss_note_sin_dic_101_code for more information.

Column Name: ss_note_sin_dic_102_code
Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 102'

Column Name: ss_note_sin_dic_102_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_102_code. See ss_note_sin_dic_102_code for more information.

Column Name: ss_note_sin_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 103'

Column Name: ss_note_sin_dic_103_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_103_code. See ss_note_sin_dic_103_code for more information.

Column Name: ss_note_sin_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 104'

Column Name: ss_note_sin_dic_104_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_104_code. See ss_note_sin_dic_104_code for more information.

Column Name: ss_note_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 105'

Column Name: ss_note_sin_dic_105_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_105_code. See ss_note_sin_dic_105_code for more information.

Column Name: ss_note_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 106'

Column Name: ss_note_sin_dic_106_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_106_code. See ss_note_sin_dic_106_code for more information.

Column Name: ss_note_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 107'

Column Name: ss_note_sin_dic_107_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_107_code. See ss_note_sin_dic_107_code for more information.

Column Name: ss_note_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 108'

Column Name: ss_note_sin_dic_108_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_108_code. See ss_note_sin_dic_108_code for more information.

Column Name: ss_note_sin_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 109'

Column Name: ss_note_sin_dic_109_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_109_code. See ss_note_sin_dic_109_code for more information.

Column Name: ss_note_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 110'

Column Name: ss_note_sin_dic_110_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_110_code. See ss_note_sin_dic_110_code for more information.

Column Name: ss_note_sin_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 81'

Column Name: ss_note_sin_dic_81_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_81_code. See ss_note_sin_dic_81_code for more information.

Column Name: ss_note_sin_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 82'

Column Name: ss_note_sin_dic_82_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_82_code. See ss_note_sin_dic_82_code for more information.

Column Name: ss_note_sin_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 83'

Column Name: ss_note_sin_dic_83_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_83_code. See ss_note_sin_dic_83_code for more information.

Column Name: ss_note_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 84'

Column Name: ss_note_sin_dic_84_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_84_code. See ss_note_sin_dic_84_code for more information.

Column Name: ss_note_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 85'

Column Name: ss_note_sin_dic_85_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_85_code. See ss_note_sin_dic_85_code for more information.

Column Name: ss_note_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 86'

Column Name: ss_note_sin_dic_86_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_86_code. See ss_note_sin_dic_86_code for more information.

Column Name: ss_note_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 87'

Column Name: ss_note_sin_dic_87_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_87_code. See ss_note_sin_dic_87_code for more information.

Column Name: ss_note_sin_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 88'

Column Name: ss_note_sin_dic_88_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_88_code. See ss_note_sin_dic_88_code for more information.

Column Name: ss_note_sin_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 89'

Column Name: ss_note_sin_dic_89_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_89_code. See ss_note_sin_dic_89_code for more information.

Column Name: ss_note_sin_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 90'

Column Name: ss_note_sin_dic_90_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_90_code. See ss_note_sin_dic_90_code for more information.

Column Name: ss_note_sin_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 91'

Column Name: ss_note_sin_dic_91_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_91_code. See ss_note_sin_dic_91_code for more information.

Column Name: ss_note_sin_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 92'

Column Name: ss_note_sin_dic_92_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_92_code. See ss_note_sin_dic_92_code for more information.

Column Name: ss_note_sin_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 93'

Column Name: ss_note_sin_dic_93_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_93_code. See ss_note_sin_dic_93_code for more information.

Column Name: ss_note_sin_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 94'

Column Name: ss_note_sin_dic_94_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_94_code. See ss_note_sin_dic_94_code for more information.

Column Name: ss_note_sin_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 95'

Column Name: ss_note_sin_dic_95_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_95_code. See ss_note_sin_dic_95_code for more information.

Column Name: ss_note_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 96'

Column Name: ss_note_sin_dic_96_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_96_code. See ss_note_sin_dic_96_code for more information.

Column Name: ss_note_sin_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 97'

Column Name: ss_note_sin_dic_97_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_97_code. See ss_note_sin_dic_97_code for more information.

Column Name: ss_note_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 98'

Column Name: ss_note_sin_dic_98_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_98_code. See ss_note_sin_dic_98_code for more information.

Column Name: ss_note_sin_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 99'

Column Name: ss_note_sin_dic_99_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_99_code. See ss_note_sin_dic_99_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_supp_6

Table Description: This table returns the facility location fields stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 50

Unique ID for a note.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the service.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the service.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: facloc_address_1

Column Type: varchar
Max Length: 50
'Facility Location Address - Street'

Column Name: facloc_address_2
Column Type: varchar
Max Length: 50
'Facility Location Address - Street 2'

Column Name: facloc_city
Column Type: varchar
Max Length: 50
'Facility Location City'

Column Name: facloc_id_code
Column Type: varchar
Max Length: 50
'Facility Location Code Identifier'

Column Name: facloc_id_code_qual
Column Type: varchar
Max Length: 50
'Facility Location Code Qualifier'

Column Name: facloc_name
Column Type: varchar
Max Length: 50
'Facility Location Name'

Column Name: facloc_state
Column Type: varchar
Max Length: 50
'Facility Location State'

Column Name: facloc_zip_code
Column Type: varchar
Max Length: 50
'Facility Location Zip Code'

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_51
Column Type: varchar
Max Length: 20
SS Note 20 Character 51

Column Name: ss_note_20_char_text_52
Column Type: varchar
Max Length: 20
SS Note 20 Character 52

Column Name: ss_note_20_char_text_53
Column Type: varchar
Max Length: 20
SS Note 20 Character 53

Column Name: ss_note_20_char_text_54
Column Type: varchar
Max Length: 20
SS Note 20 Character 54

Column Name: ss_note_20_char_text_55
Column Type: varchar
Max Length: 20
SS Note 20 Character 55

Column Name: ss_note_20_char_text_56
Column Type: varchar
Max Length: 20
SS Note 20 Character 56

Column Name: ss_note_20_char_text_57
Column Type: varchar
Max Length: 20
SS Note 20 Character 57

Column Name: ss_note_20_char_text_58
Column Type: varchar
Max Length: 20
SS Note 20 Character 58

Column Name: ss_note_20_char_text_59
Column Type: varchar
Max Length: 20
SS Note 20 Character 59

Column Name: ss_note_20_char_text_60

Column Type: varchar
Max Length: 20
SS Note 20 Character 60

Column Name: ss_note_20_char_text_61
Column Type: varchar
Max Length: 20
SS Note 20 Character 61

Column Name: ss_note_20_char_text_62
Column Type: varchar
Max Length: 20
SS Note 20 Character 62

Column Name: ss_note_20_char_text_63
Column Type: varchar
Max Length: 20
SS Note 20 Character 63

Column Name: ss_note_20_char_text_64
Column Type: varchar
Max Length: 20
SS Note 20 Character 64

Column Name: ss_note_20_char_text_65
Column Type: varchar
Max Length: 20
SS Note 20 Character 65

Column Name: ss_note_20_char_text_66
Column Type: varchar
Max Length: 20
SS Note 20 Character 66

Column Name: ss_note_20_char_text_67
Column Type: varchar
Max Length: 20
SS Note 20 Character 67

Column Name: ss_note_20_char_text_68
Column Type: varchar
Max Length: 20
SS Note 20 Character 68

Column Name: ss_note_20_char_text_69
Column Type: varchar
Max Length: 20
SS Note 20 Character 69

Column Name: ss_note_20_char_text_70

Column Type: varchar
Max Length: 20
SS Note 20 Character 70

Column Name: ss_note_20_char_text_71
Column Type: varchar
Max Length: 20
SS Note 20 Character 71

Column Name: ss_note_20_char_text_72
Column Type: varchar
Max Length: 20
SS Note 20 Character 72

Column Name: ss_note_20_char_text_73
Column Type: varchar
Max Length: 20
SS Note 20 Character 73

Column Name: ss_note_20_char_text_74
Column Type: varchar
Max Length: 20
SS Note 20 Character 74

Column Name: ss_note_20_char_text_75
Column Type: varchar
Max Length: 20
SS Note 20 Character 75

Column Name: ss_note_20_char_text_76
Column Type: varchar
Max Length: 20
SS Note 20 Character 76

Column Name: ss_note_40_char_text_51
Column Type: varchar
Max Length: 40
SS Note 40 Character 51

Column Name: ss_note_40_char_text_52
Column Type: varchar
Max Length: 40
SS Note 40 Character 52

Column Name: ss_note_40_char_text_53
Column Type: varchar
Max Length: 40
SS Note 40 Character 53

Column Name: ss_note_40_char_text_54

Column Type: varchar
Max Length: 40
SS Note 40 Character 54

Column Name: ss_note_40_char_text_55
Column Type: varchar
Max Length: 40
SS Note 40 Character 55

Column Name: ss_note_40_char_text_56
Column Type: varchar
Max Length: 40
SS Note 40 Character 56

Column Name: ss_note_40_char_text_57
Column Type: varchar
Max Length: 40
SS Note 40 Character 57

Column Name: ss_note_40_char_text_58
Column Type: varchar
Max Length: 40
SS Note 40 Character 58

Column Name: ss_note_40_char_text_59
Column Type: varchar
Max Length: 40
SS Note 40 Character 59

Column Name: ss_note_40_char_text_60
Column Type: varchar
Max Length: 40
SS Note 40 Character 60

Column Name: ss_note_40_char_text_61
Column Type: varchar
Max Length: 40
SS Note 40 Character 61

Column Name: ss_note_40_char_text_62
Column Type: varchar
Max Length: 40
SS Note 40 Character 62

Column Name: ss_note_40_char_text_63
Column Type: varchar
Max Length: 40
SS Note 40 Character 63

Column Name: ss_note_40_char_text_64

Column Type: varchar
Max Length: 40
SS Note 40 Character 64

Column Name: ss_note_40_char_text_65
Column Type: varchar
Max Length: 40
SS Note 40 Character 65

Column Name: ss_note_40_char_text_66
Column Type: varchar
Max Length: 40
SS Note 40 Character 66

Column Name: ss_note_40_char_text_67
Column Type: varchar
Max Length: 40
SS Note 40 Character 67

Column Name: ss_note_40_char_text_68
Column Type: varchar
Max Length: 40
SS Note 40 Character 68

Column Name: ss_note_40_char_text_69
Column Type: varchar
Max Length: 40
SS Note 40 Character 69

Column Name: ss_note_40_char_text_70
Column Type: varchar
Max Length: 40
SS Note 40 Character 70

Column Name: ss_note_40_char_text_71
Column Type: varchar
Max Length: 40
SS Note 40 Character 71

Column Name: ss_note_40_char_text_72
Column Type: varchar
Max Length: 40
SS Note 40 Character 72

Column Name: ss_note_40_char_text_73
Column Type: varchar
Max Length: 40
SS Note 40 Character 73)

Column Name: ss_note_40_char_text_74

Column Type: varchar
Max Length: 40
SS Note 40 Character 74

Column Name: ss_note_40_char_text_75
Column Type: varchar
Max Length: 40
SS Note 40 Character 75

Column Name: ss_note_40_char_text_76
Column Type: varchar
Max Length: 40
SS Note 40 Character 76

Column Name: ss_note_date_51
Column Type: date
SS Note Date 51

Column Name: ss_note_date_52
Column Type: date
SS Note Date 52

Column Name: ss_note_date_53
Column Type: date
SS Note Date 53

Column Name: ss_note_date_54
Column Type: date
SS Note Date 54

Column Name: ss_note_date_55
Column Type: date
SS Note Date 55

Column Name: ss_note_date_56
Column Type: date
SS Note Date 56

Column Name: ss_note_date_57
Column Type: date
SS Note Date 57

Column Name: ss_note_date_58
Column Type: date
SS Note Date 58

Column Name: ss_note_date_59
Column Type: date
SS Note Date 59

Column Name: ss_note_date_60
Column Type: date
SS Note Date 60

Column Name: ss_note_integer_51
Column Type: integer
SS Note Integer 51

Column Name: ss_note_integer_52
Column Type: integer
SS Note Integer 52

Column Name: ss_note_integer_53
Column Type: integer
SS Note Integer 53

Column Name: ss_note_integer_54
Column Type: integer
SS Note Integer 54

Column Name: ss_note_integer_55
Column Type: integer
SS Note Integer 55

Column Name: ss_note_integer_56
Column Type: integer
SS Note Integer 56

Column Name: ss_note_integer_57
Column Type: integer
SS Note Integer 57

Column Name: ss_note_integer_58
Column Type: integer
SS Note Integer 58

Column Name: ss_note_integer_59
Column Type: integer
SS Note Integer 59

Column Name: ss_note_integer_60
Column Type: integer
SS Note Integer 60

Column Name: ss_note_scroll_text_111
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 111

Column Name: ss_note_scroll_text_112

Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 112

Column Name: ss_note_scroll_text_113
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 113

Column Name: ss_note_scroll_text_114
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 114

Column Name: ss_note_scroll_text_115
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 115

Column Name: ss_note_scroll_text_116
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 116

Column Name: ss_note_scroll_text_117
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 117

Column Name: ss_note_scroll_text_118
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 118

Column Name: ss_note_scroll_text_119
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 119

Column Name: ss_note_scroll_text_120
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 120

Column Name: ss_note_scroll_text_121
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 121

Column Name: ss_note_scroll_text_122

Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 122

Column Name: ss_note_scroll_text_123
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 123

Column Name: ss_note_scroll_text_124
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 124

Column Name: ss_note_scroll_text_125
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 125

Column Name: ss_note_scroll_text_126
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 126

Column Name: ss_note_scroll_text_127
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 127

Column Name: ss_note_scroll_text_128
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 128

Column Name: ss_note_scroll_text_129
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 129

Column Name: ss_note_scroll_text_130
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 130

Column Name: ss_note_scroll_text_131
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 131

Column Name: ss_note_scroll_text_132

Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 132

Column Name: ss_note_scroll_text_133
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 133

Column Name: ss_note_scroll_text_134
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 134

Column Name: ss_note_scroll_text_135
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 135

Column Name: ss_note_scroll_text_136
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 136

Column Name: ss_note_time_51
Column Type: varchar
Max Length: 10
SS Note Time 51

Column Name: ss_note_time_52
Column Type: varchar
Max Length: 10
SS Note Time 52

Column Name: ss_note_time_53
Column Type: varchar
Max Length: 10
SS Note Time 53

Column Name: ss_note_time_54
Column Type: varchar
Max Length: 10
SS Note Time 54

Column Name: ss_note_time_55
Column Type: varchar
Max Length: 10
SS Note Time 55

Column Name: ss_note_time_56

Column Type: varchar
Max Length: 10
SS Note Time 56

Column Name: ss_note_time_57
Column Type: varchar
Max Length: 10
SS Note Time 57

Column Name: ss_note_time_58
Column Type: varchar
Max Length: 10
SS Note Time 58

Column Name: ss_note_time_59
Column Type: varchar
Max Length: 10
SS Note Time 59

Column Name: ss_note_time_60
Column Type: varchar
Max Length: 10
SS Note Time 60

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Inpatient_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_tpnates

Table Description: This table returns the information stored for the treatment plan grid in progress notes forms.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar

Max Length: 20
The client ID associated with the data.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20
The unique ID associated with the note.

Column Name: tp_notes_id
Column Type: integer
Id column for auditing purposes

Column Name: select_tp_version_code
Column Type: varchar
Max Length: 50
'Select T.P. Version'

Column Name: select_tp_version_value
Column Type: varchar
Max Length: 255
The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: note_add_which_tp_plan_prob
Column Type: varchar
Max Length: 32000
The treatment plan problem to add to the note.

Column Name: notes
Column Type: varchar
Max Length: 32000
Notes for the selected TP item.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: CWSTEMP.cw_patient_notes

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotes table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 20

The unique ID associated with the note.

Column Name: notes_field

Column Type: varchar

Max Length: 32700

The written note information.

Column Name: note_type_code

Column Type: varchar

Max Length: 50

'Note Type'

Column Name: note_type_value

Column Type: varchar

Max Length: 40

The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time

Column Type: varchar

Max Length: 25

'Note Time'

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: New_Existing_Service_code
Column Type: varchar
Max Length: 5
'Progress Note For'

Column Name: New_Existing_Service_value
Column Type: varchar
Max Length: 40
The description associated with New_Existing_Service_code. See New_Existing_Service_code for more information.

Column Name: service_program_value
Column Type: varchar
Max Length: 40
The description associated with service_program_code. See service_program_code for more information.

Column Name: note_addresses
Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_which_tp_plan_prob
Column Type: varchar
Max Length: 32700
The treatment plan problem to add to the note.

Column Name: Tx_Note_UniqueId
Column Type: varchar
Max Length: 40
The unique ID associated with the treatment.

Column Name: service_charge_value
Column Type: varchar
Max Length: 40
The description associated with service_charge_code. See service_charge_code for more information.

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID that joins the note to the service.

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: Option_Id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: TODO_ID
Column Type: varchar
Max Length: 20
'To Do Id'

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768
The add-on notes.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 40
The additional service information.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description associated with add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description associated with add_svc_info_code. See add_svc_info_code for more information.

Column Name: aps_link
Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Appointment'

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'

Column Name: billing_status_value
Column Type: varchar
Max Length: 50

The description associated with billing_status_code. See billing_status_code for more information.

Column Name: calpm_ebpss_csi_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practices / Service Strategies (CSI)'

Column Name: calpm_ebpss_csi_value

Column Type: varchar

Max Length: 200

The description associated with calpm_ebpss_csi_code. See calpm_ebpss_csi_code for more information.

Column Name: calpm_ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

The description associated with calpm_ebpss_csi_value_code. See calpm_ebpss_csi_value_code for more information.

Column Name: client_prob_list_codes

Column Type: varchar

Max Length: 50

The codes associated with the client problem list.

Column Name: client_prob_list_shvals

Column Type: varchar

Max Length: 255

The description associated with client_prob_list_code limited to 255 characters. See client_prob_list_code for more information.

Column Name: client_prob_list_vals

Column Type: varchar

Max Length: 32700

The description associated with client_prob_list_code. See client_prob_list_code for more information.

Column Name: clinical_instructions

Column Type: varchar

Max Length: 32700

'Clinical Instructions'

Column Name: clinical_quality_code

Column Type: varchar

Max Length: 255

'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val

Column Type: varchar

Max Length: 255

'The description associated with clinical_quality_code. See clinical_quality_code for more information.

Column Name: clinical_quality_value

Column Type: varchar

Max Length: 4096

'The description associated with clinical_quality_code. See clinical_quality_code for more information.

Column Name: confidential_note

Column Type: varchar

Max Length: 50

The confidential note.

Column Name: co_pract_duration

Column Type: numeric

The first co-practitioner duration.

Column Name: co_pract2_duration

Column Type: numeric

The second co-practitioner duration.

Column Name: co_practitioner_id

Column Type: varchar

Max Length: 15

The first co-practitioner ID.

Column Name: co_practitioner_id_2

Column Type: varchar

Max Length: 15

The second co-practitioner ID.

Column Name: co_practitioner_name

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id.

Column Name: co_practitioner_name_2

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id_2.

Column Name: co_sign_to_do_user

Column Type: varchar

Max Length: 50

'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 40

The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_group_service
Column Type: date
The date of the group service.

Column Name: date_of_note
Column Type: date
The date of the note.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: discipline_code
Column Type: varchar
Max Length: 40
'Discipline'

Column Name: discipline_value

Column Type: varchar

Max Length: 40

The description associated with discipline_code. See discipline_code for more information.

Column Name: draft_final_code

Column Type: varchar

Max Length: 5

'Draft/Final'

Column Name: draft_final_value

Column Type: varchar

Max Length: 40

The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code

Column Type: varchar

Max Length: 255

'Evidence Based Practices'

Column Name: ebps_sh_val

Column Type: varchar

Max Length: 255

'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value

Column Type: varchar

Max Length: 4096

'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id

Column Type: varchar

Max Length: 255

'External System Identifier'

Column Name: has_nonmed_diag_flg_code

Column Type: varchar

Max Length: 50

The non-medical diagnosis flag.

Column Name: has_nonmed_diag_flg_value

Column Type: varchar

Max Length: 50

The description associated with has_nonmed_diag_flg_code. See has_nonmed_diag_flg_code for more information.

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

'Diagnosis 1'

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

'Diagnosis 2'

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

'Diagnosis 3'

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

'Diagnosis 4'

Column Name: location_code

Column Type: varchar

Max Length: 15

The location of the service.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: medical_diag1_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag1_DSM_code. See medical_diag1_DSM_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD 10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD 9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_imo_code. See medical_diag_1_imo_code for more information.

Column Name: medical_diag2_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag2_DSM_code. See medical_diag2_DSM_code for more information.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_imo_code. See medical_diag_2_imo_code for more information.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_imo_code. See medical_diag_3_imo_code for more information.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_imo_code. See medical_diag_4_imo_code for more information.

Column Name: medical_diagnosis_1_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1'

Column Name: medical_diagnosis_1_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2'

Column Name: medical_diagnosis_2_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: medical_diagnosis_3_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 3'

Column Name: medical_diagnosis_3_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_3_code. See medical_diagnosis_3_code for more information.

Column Name: medical_diagnosis_4_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 4'

Column Name: medical_diagnosis_4_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_4_code. See medical_diagnosis_4_code for more information.

Column Name: notes_entry_index_nu

Column Type: varchar

Max Length: 50

The notes entry index.

Column Name: number_clients_in_group
Column Type: integer
'Number Of Clients In Group'

Column Name: orig_note_uniq_id_num
Column Type: varchar
Max Length: 20
'Original Note Unique ID Number'

Column Name: practitioner_id
Column Type: varchar
Max Length: 15
The practitioner associated with the note.

Column Name: practitioner_name
Column Type: varchar
Max Length: 40
The name associated with practitioner_id.

Column Name: psycho_add_on_duration
Column Type: integer
The psychotherapy add-on duration.

Column Name: reason_for_visit_code
Column Type: varchar
Max Length: 50
'Reason for Visit'

Column Name: reason_for_visit_value
Column Type: varchar
Max Length: 250
The description associated with reason_for_visit_code. See reason_for_visit_code for more information.

Column Name: recommended_decision
Column Type: varchar
Max Length: 32700
'Recommended Decision'

Column Name: select_tp_version_code
Column Type: varchar
Max Length: 5
'Select T.P. Version'

Column Name: select_tp_version_value
Column Type: varchar
Max Length: 40
The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: service_charge_code
Column Type: varchar

Max Length: 40
The service charge code.

Column Name: service_duration
Column Type: varchar
Max Length: 5
The duration of the service.

Column Name: service_end_time
Column Type: varchar
Max Length: 10
The end time of the service.

Column Name: service_program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: service_start_time
Column Type: varchar
Max Length: 10
The start time of the service.

Column Name: session_start_end_times
Column Type: varchar
Max Length: 32766
'Start/End Time(s)'

Column Name: ss_note_20_char_text_1
Column Type: varchar
Max Length: 20
'SS Note 20 Character 1'

Column Name: ss_note_20_char_text_10
Column Type: varchar
Max Length: 20
'SS Note 20 Character 10'

Column Name: ss_note_20_char_text_2
Column Type: varchar
Max Length: 20
'SS Note 20 Character 2'

Column Name: ss_note_20_char_text_3
Column Type: varchar
Max Length: 20
'SS Note 20 Character 3'

Column Name: ss_note_20_char_text_4
Column Type: varchar

Max Length: 20
'SS Note 20 Character 4'

Column Name: ss_note_20_char_text_5
Column Type: varchar
Max Length: 20
'SS Note 20 Character 5'

Column Name: ss_note_20_char_text_6
Column Type: varchar
Max Length: 20
'SS Note 20 Character 6'

Column Name: ss_note_20_char_text_7
Column Type: varchar
Max Length: 20
'SS Note 20 Character 7'

Column Name: ss_note_20_char_text_8
Column Type: varchar
Max Length: 20
'SS Note 20 Character 8'

Column Name: ss_note_20_char_text_9
Column Type: varchar
Max Length: 20
'SS Note 20 Character 9'

Column Name: ss_note_40_char_text_1
Column Type: varchar
Max Length: 40
'SS Note 40 Character 1'

Column Name: ss_note_40_char_text_10
Column Type: varchar
Max Length: 40
'SS Note 40 Character 10'

Column Name: ss_note_40_char_text_2
Column Type: varchar
Max Length: 40
'SS Note 40 Character 2'

Column Name: ss_note_40_char_text_3
Column Type: varchar
Max Length: 40
'SS Note 40 Character 3'

Column Name: ss_note_40_char_text_4
Column Type: varchar

Max Length: 40
'SS Note 40 Character 4'

Column Name: ss_note_40_char_text_5
Column Type: varchar
Max Length: 40
'SS Note 40 Character 5'

Column Name: ss_note_40_char_text_6
Column Type: varchar
Max Length: 40
'SS Note 40 Character 6'

Column Name: ss_note_40_char_text_7
Column Type: varchar
Max Length: 40
'SS Note 40 Character 7'

Column Name: ss_note_40_char_text_8
Column Type: varchar
Max Length: 40
'SS Note 40 Character 8'

Column Name: ss_note_40_char_text_9
Column Type: varchar
Max Length: 40
'SS Note 40 Character 9'

Column Name: ss_note_80_char_text_1
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 9'

Column Name: ss_note_date_1
Column Type: date
'SS Note Date 1'

Column Name: ss_note_date_10
Column Type: date
'SS Note Date 10'

Column Name: ss_note_date_2
Column Type: date
'SS Note Date 2'

Column Name: ss_note_date_3
Column Type: date
'SS Note Date 3'

Column Name: ss_note_date_4
Column Type: date
'SS Note Date 4'

Column Name: ss_note_date_5
Column Type: date

'SS Note Date 5'

Column Name: ss_note_date_6

Column Type: date

'SS Note Date 6'

Column Name: ss_note_date_7

Column Type: date

'SS Note Date 7'

Column Name: ss_note_date_8

Column Type: date

'SS Note Date 8'

Column Name: ss_note_date_9

Column Type: date

'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 10'

Column Name: ss_note_dsm_diag_10_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 1'

Column Name: ss_note_dsm_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 2'

Column Name: ss_note_dsm_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_2_code. See ss_note_dsm_diag_2_code for more information.

Column Name: ss_note_dsm_diag_3_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 3'

Column Name: ss_note_dsm_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_3_code. See ss_note_dsm_diag_3_code for more information.

Column Name: ss_note_dsm_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 4'

Column Name: ss_note_dsm_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_4_code. See ss_note_dsm_diag_4_code for more information.

Column Name: ss_note_dsm_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 5'

Column Name: ss_note_dsm_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_5_code. See ss_note_dsm_diag_5_code for more information.

Column Name: ss_note_dsm_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 6'

Column Name: ss_note_dsm_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_6_code. See ss_note_dsm_diag_6_code for more information.

Column Name: ss_note_dsm_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 7'

Column Name: ss_note_dsm_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_7_code. See ss_note_dsm_diag_7_code for more information.

Column Name: ss_note_dsm_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 8'

Column Name: ss_note_dsm_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_8_code. See ss_note_dsm_diag_8_code for more information.

Column Name: ss_note_dsm_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 9'

Column Name: ss_note_dsm_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_9_code. See ss_note_dsm_diag_9_code for more information.

Column Name: ss_note_icd9_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 10'

Column Name: ss_note_icd9_diag_10_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_10_code. See ss_note_icd9_diag_10_code for more information.

Column Name: ss_note_icd9_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 1'

Column Name: ss_note_icd9_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_1_code. See ss_note_icd9_diag_1_code for more information.

Column Name: ss_note_icd9_diag_2_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 2'

Column Name: ss_note_icd9_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_2_code. See ss_note_icd9_diag_2_code for more information.

Column Name: ss_note_icd9_diag_3_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 3'

Column Name: ss_note_icd9_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_3_code. See ss_note_icd9_diag_3_code for more information.

Column Name: ss_note_icd9_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 4'

Column Name: ss_note_icd9_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_4_code. See ss_note_icd9_diag_4_code for more information.

Column Name: ss_note_icd9_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 5'

Column Name: ss_note_icd9_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_5_code. See ss_note_icd9_diag_5_code for more information.

Column Name: ss_note_icd9_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 6'

Column Name: ss_note_icd9_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_6_code. See ss_note_icd9_diag_6_code for more information.

Column Name: ss_note_icd9_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 7'

Column Name: ss_note_icd9_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_7_code. See ss_note_icd9_diag_7_code for more information.

Column Name: ss_note_icd9_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 8'

Column Name: ss_note_icd9_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_8_code. See ss_note_icd9_diag_8_code for more information.

Column Name: ss_note_icd9_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 9'

Column Name: ss_note_icd9_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_9_code. See ss_note_icd9_diag_9_code for more information.

Column Name: ss_note_multi_dict_10_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 10'

Column Name: ss_note_multi_dict_10_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_10_code. See ss_note_multi_dict_10_code for more information.

Column Name: ss_note_multi_dict_1_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 1'

Column Name: ss_note_multi_dict_1_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_1_code. See ss_note_multi_dict_1_code for more information.

Column Name: ss_note_multi_dict_2_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 2'

Column Name: ss_note_multi_dict_2_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_2_code. See ss_note_multi_dict_2_code for more information.

Column Name: ss_note_multi_dict_3_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 3'

Column Name: ss_note_multi_dict_3_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_3_code. See ss_note_multi_dict_3_code for more information.

Column Name: ss_note_multi_dict_4_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 4'

Column Name: ss_note_multi_dict_4_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_4_code. See ss_note_multi_dict_4_code for more information.

Column Name: ss_note_multi_dict_5_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 5'

Column Name: ss_note_multi_dict_5_value
Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_5_code. See ss_note_multi_dict_5_code for more information.

Column Name: ss_note_multi_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 6'

Column Name: ss_note_multi_dict_6_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 7'

Column Name: ss_note_multi_dict_7_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_7_code. See ss_note_multi_dict_7_code for more information.

Column Name: ss_note_multi_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 8'

Column Name: ss_note_multi_dict_8_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_8_code. See ss_note_multi_dict_8_code for more information.

Column Name: ss_note_multi_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 9'

Column Name: ss_note_multi_dict_9_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_9_code. See ss_note_multi_dict_9_code for more information.

Column Name: ss_note_scroll_text_1

Column Type: varchar

Max Length: 32700
'SS Note Scrolling Text 1'

Column Name: ss_note_scroll_text_10
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 10'

Column Name: ss_note_scroll_text_2
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 2'

Column Name: ss_note_scroll_text_3
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 3'

Column Name: ss_note_scroll_text_4
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 4'

Column Name: ss_note_scroll_text_5
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 5'

Column Name: ss_note_scroll_text_6
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 6'

Column Name: ss_note_scroll_text_7
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 7'

Column Name: ss_note_scroll_text_8
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 8'

Column Name: ss_note_scroll_text_9
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 9'

Column Name: ss_note_sing_dict_10_code
Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 10'

Column Name: ss_note_sing_dict_10_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 1'

Column Name: ss_note_sing_dict_1_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 2'

Column Name: ss_note_sing_dict_2_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 3'

Column Name: ss_note_sing_dict_3_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 4'

Column Name: ss_note_sing_dict_4_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 5'

Column Name: ss_note_sing_dict_5_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 6'

Column Name: ss_note_sing_dict_6_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 7'

Column Name: ss_note_sing_dict_7_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 8'

Column Name: ss_note_sing_dict_8_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 9'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1

Column Type: varchar

Max Length: 20

'SS Note Staff Member 1'

Column Name: ss_note_staff_10

Column Type: varchar

Max Length: 20

'SS Note Staff Member 10'

Column Name: ss_note_staff_2

Column Type: varchar

Max Length: 20

'SS Note Staff Member 2'

Column Name: ss_note_staff_3

Column Type: varchar

Max Length: 20

'SS Note Staff Member 3'

Column Name: ss_note_staff_4

Column Type: varchar

Max Length: 20

'SS Note Staff Member 4'

Column Name: ss_note_staff_5

Column Type: varchar

Max Length: 20

'SS Note Staff Member 5'

Column Name: ss_note_staff_6

Column Type: varchar

Max Length: 20

'SS Note Staff Member 6'

Column Name: ss_note_staff_7

Column Type: varchar

Max Length: 20

'SS Note Staff Member 7'

Column Name: ss_note_staff_8

Column Type: varchar

Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar
Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6
Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7
Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar

Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar
Max Length: 10
'SS Note Time 9'

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: CWSTEMP.cw_patient_notes_supp

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
Whether the note is confidential.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
The contents of the notes field.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_11
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 11'

Column Name: ss_note_20_char_text_12
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 12'

Column Name: ss_note_20_char_text_13
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 13'

Column Name: ss_note_20_char_text_14
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 14'

Column Name: ss_note_20_char_text_15
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 15'

Column Name: ss_note_20_char_text_16
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 16'

Column Name: ss_note_20_char_text_17
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 17'

Column Name: ss_note_20_char_text_18
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 18'

Column Name: ss_note_20_char_text_19
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 19'

Column Name: ss_note_20_char_text_20
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 20'

Column Name: ss_note_20_char_text_21
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 21'

Column Name: ss_note_20_char_text_22
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 22'

Column Name: ss_note_20_char_text_23
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 23'

Column Name: ss_note_20_char_text_24
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 24'

Column Name: ss_note_20_char_text_25
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 25'

Column Name: ss_note_20_char_text_26
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 26'

Column Name: ss_note_20_char_text_27
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 27'

Column Name: ss_note_20_char_text_28
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 28'

Column Name: ss_note_20_char_text_29
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 29'

Column Name: ss_note_20_char_text_30
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 30'

Column Name: ss_note_40_char_text_11
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 11'

Column Name: ss_note_40_char_text_12
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 12'

Column Name: ss_note_40_char_text_13
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 13'

Column Name: ss_note_40_char_text_14
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 14'

Column Name: ss_note_40_char_text_15
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 15'

Column Name: ss_note_40_char_text_16
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 16'

Column Name: ss_note_40_char_text_17
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 17'

Column Name: ss_note_40_char_text_18
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 18'

Column Name: ss_note_40_char_text_19
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 19'

Column Name: ss_note_40_char_text_20
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 20'

Column Name: ss_note_40_char_text_21
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 21'

Column Name: ss_note_40_char_text_22
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 22'

Column Name: ss_note_40_char_text_23
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 23'

Column Name: ss_note_40_char_text_24
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 24'

Column Name: ss_note_40_char_text_25
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 25'

Column Name: ss_note_40_char_text_26
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 26'

Column Name: ss_note_40_char_text_27
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 27'

Column Name: ss_note_40_char_text_28
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 28'

Column Name: ss_note_40_char_text_29
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 29'

Column Name: ss_note_40_char_text_30
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 30'

Column Name: ss_note_80_char_text_11
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 11'

Column Name: ss_note_80_char_text_12
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 12'

Column Name: ss_note_80_char_text_13
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 13'

Column Name: ss_note_80_char_text_14
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 14'

Column Name: ss_note_80_char_text_15
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 15'

Column Name: ss_note_80_char_text_16
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 16'

Column Name: ss_note_80_char_text_17
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 17'

Column Name: ss_note_80_char_text_18
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 18'

Column Name: ss_note_80_char_text_19
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 19'

Column Name: ss_note_80_char_text_20
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 20'

Column Name: ss_note_80_char_text_21
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 21'

Column Name: ss_note_80_char_text_22
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 22'

Column Name: ss_note_80_char_text_23
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 23'

Column Name: ss_note_80_char_text_24
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 24'

Column Name: ss_note_80_char_text_25
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 25'

Column Name: ss_note_80_char_text_26
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 26'

Column Name: ss_note_80_char_text_27
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 27'

Column Name: ss_note_80_char_text_28
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 28'

Column Name: ss_note_80_char_text_29
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 29'

Column Name: ss_note_80_char_text_30
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 30'

Column Name: ss_note_date_11
Column Type: date
'SS Note Date 11'

Column Name: ss_note_date_12
Column Type: date
'SS Note Date 12'

Column Name: ss_note_date_13
Column Type: date

'SS Note Date 13'

Column Name: ss_note_date_14

Column Type: date

'SS Note Date 14'

Column Name: ss_note_date_15

Column Type: date

'SS Note Date 15'

Column Name: ss_note_date_16

Column Type: date

'SS Note Date 16'

Column Name: ss_note_date_17

Column Type: date

'SS Note Date 17'

Column Name: ss_note_date_18

Column Type: date

'SS Note Date 18'

Column Name: ss_note_date_19

Column Type: date

'SS Note Date 19'

Column Name: ss_note_date_20

Column Type: date

'SS Note Date 20'

Column Name: ss_note_date_21

Column Type: date

'SS Note Date 21'

Column Name: ss_note_date_22

Column Type: date

'SS Note Date 22'

Column Name: ss_note_date_23

Column Type: date

'SS Note Date 23'

Column Name: ss_note_date_24

Column Type: date

'SS Note Date 24'

Column Name: ss_note_date_25

Column Type: date

'SS Note Date 25'

Column Name: ss_note_date_26
Column Type: date
'SS Note Date 26'

Column Name: ss_note_date_27
Column Type: date
'SS Note Date 27'

Column Name: ss_note_date_28
Column Type: date
'SS Note Date 28'

Column Name: ss_note_date_29
Column Type: date
'SS Note Date 29'

Column Name: ss_note_date_30
Column Type: date
'SS Note Date 30'

Column Name: ss_note_dsm_diag_11_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 11'

Column Name: ss_note_dsm_diag_11_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_11_code. See ss_note_dsm_diag_11_code for more information.

Column Name: ss_note_dsm_diag_12_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 12'

Column Name: ss_note_dsm_diag_12_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_12_code. See ss_note_dsm_diag_12_code for more information.

Column Name: ss_note_dsm_diag_13_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 13'

Column Name: ss_note_dsm_diag_13_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_13_code`. See `ss_note_dsm_diag_13_code` for more information.

Column Name: `ss_note_dsm_diag_14_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 14'

Column Name: `ss_note_dsm_diag_14_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_14_code`. See `ss_note_dsm_diag_14_code` for more information.

Column Name: `ss_note_dsm_diag_15_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 15'

Column Name: `ss_note_dsm_diag_15_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_15_code`. See `ss_note_dsm_diag_15_code` for more information.

Column Name: `ss_note_dsm_diag_16_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 16'

Column Name: `ss_note_dsm_diag_16_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_16_code`. See `ss_note_dsm_diag_16_code` for more information.

Column Name: `ss_note_dsm_diag_17_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 17'

Column Name: `ss_note_dsm_diag_17_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_17_code`. See `ss_note_dsm_diag_17_code` for more information.

Column Name: `ss_note_dsm_diag_18_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 18'

Column Name: ss_note_dsm_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_18_code. See ss_note_dsm_diag_18_code for more information.

Column Name: ss_note_dsm_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 19'

Column Name: ss_note_dsm_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_19_code. See ss_note_dsm_diag_19_code for more information.

Column Name: ss_note_dsm_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 20'

Column Name: ss_note_dsm_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_20_code. See ss_note_dsm_diag_20_code for more information.

Column Name: ss_note_dsm_diag_21_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 21'

Column Name: ss_note_dsm_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_21_code. See ss_note_dsm_diag_21_code for more information.

Column Name: ss_note_dsm_diag_22_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 22'

Column Name: ss_note_dsm_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_dsm_diag_22_code`. See `ss_note_dsm_diag_22_code` for more information.

Column Name: `ss_note_dsm_diag_23_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 23'

Column Name: `ss_note_dsm_diag_23_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_23_code`. See `ss_note_dsm_diag_23_code` for more information.

Column Name: `ss_note_dsm_diag_24_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 24'

Column Name: `ss_note_dsm_diag_24_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_24_code`. See `ss_note_dsm_diag_24_code` for more information.

Column Name: `ss_note_dsm_diag_25_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 25'

Column Name: `ss_note_dsm_diag_25_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_25_code`. See `ss_note_dsm_diag_25_code` for more information.

Column Name: `ss_note_dsm_diag_26_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 26'

Column Name: `ss_note_dsm_diag_26_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_26_code`. See `ss_note_dsm_diag_26_code` for more information.

Column Name: `ss_note_dsm_diag_27_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 27'

Column Name: ss_note_dsm_diag_27_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_27_code. See ss_note_dsm_diag_27_code for more information.

Column Name: ss_note_dsm_diag_28_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 28'

Column Name: ss_note_dsm_diag_28_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_28_code. See ss_note_dsm_diag_28_code for more information.

Column Name: ss_note_dsm_diag_29_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 29'

Column Name: ss_note_dsm_diag_29_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_29_code. See ss_note_dsm_diag_29_code for more information.

Column Name: ss_note_dsm_diag_30_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 30'

Column Name: ss_note_dsm_diag_30_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_30_code. See ss_note_dsm_diag_30_code for more information.

Column Name: ss_note_icd9_diag_11_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 11'

Column Name: ss_note_icd9_diag_11_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_11_code`. See `ss_note_icd9_diag_11_code` for more information.

Column Name: `ss_note_icd9_diag_12_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 12'

Column Name: `ss_note_icd9_diag_12_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_12_code`. See `ss_note_icd9_diag_12_code` for more information.

Column Name: `ss_note_icd9_diag_13_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 13'

Column Name: `ss_note_icd9_diag_13_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_13_code`. See `ss_note_icd9_diag_13_code` for more information.

Column Name: `ss_note_icd9_diag_14_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 14'

Column Name: `ss_note_icd9_diag_14_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_14_code`. See `ss_note_icd9_diag_14_code` for more information.

Column Name: `ss_note_icd9_diag_15_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 15'

Column Name: `ss_note_icd9_diag_15_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_15_code`. See `ss_note_icd9_diag_15_code` for more information.

Column Name: `ss_note_icd9_diag_16_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 16'

Column Name: ss_note_icd9_diag_16_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_16_code. See ss_note_icd9_diag_16_code for more information.

Column Name: ss_note_icd9_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 17'

Column Name: ss_note_icd9_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_17_code. See ss_note_icd9_diag_17_code for more information.

Column Name: ss_note_icd9_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 18'

Column Name: ss_note_icd9_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_18_code. See ss_note_icd9_diag_18_code for more information.

Column Name: ss_note_icd9_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 19'

Column Name: ss_note_icd9_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_19_code. See ss_note_icd9_diag_19_code for more information.

Column Name: ss_note_icd9_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 20'

Column Name: ss_note_icd9_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_20_code. See ss_note_icd9_diag_20_code for more information.

Column Name: ss_note_icd9_diag_21_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 21'

Column Name: ss_note_icd9_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_21_code. See ss_note_icd9_diag_21_code for more information.

Column Name: ss_note_icd9_diag_22_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 22'

Column Name: ss_note_icd9_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_22_code. See ss_note_icd9_diag_22_code for more information.

Column Name: ss_note_icd9_diag_23_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 23'

Column Name: ss_note_icd9_diag_23_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_23_code. See ss_note_icd9_diag_23_code for more information.

Column Name: ss_note_icd9_diag_24_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 24'

Column Name: ss_note_icd9_diag_24_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_24_code. See ss_note_icd9_diag_24_code for more information.

Column Name: ss_note_icd9_diag_25_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 25'

Column Name: ss_note_icd9_diag_25_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_25_code. See ss_note_icd9_diag_25_code for more information.

Column Name: ss_note_icd9_diag_26_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 26'

Column Name: ss_note_icd9_diag_26_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_26_code. See ss_note_icd9_diag_26_code for more information.

Column Name: ss_note_icd9_diag_27_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 27'

Column Name: ss_note_icd9_diag_27_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_27_code. See ss_note_icd9_diag_27_code for more information.

Column Name: ss_note_icd9_diag_28_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 28'

Column Name: ss_note_icd9_diag_28_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_28_code. See ss_note_icd9_diag_28_code for more information.

Column Name: ss_note_icd9_diag_29_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 29'

Column Name: ss_note_icd9_diag_29_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_29_code`. See `ss_note_icd9_diag_29_code` for more information.

Column Name: `ss_note_icd9_diag_30_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 30'

Column Name: `ss_note_icd9_diag_30_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_30_code`. See `ss_note_icd9_diag_30_code` for more information.

Column Name: `ss_note_multi_dict_11_code`

Column Type: `varchar`

Max Length: 20

'SS Note Copy Multiple Response Dictionary 11'

Column Name: `ss_note_multi_dict_11_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_11_code`. See `ss_note_multi_dict_11_code` for more information.

Column Name: `ss_note_multi_dict_12_code`

Column Type: `varchar`

Max Length: 20

'SS Note Copy Multiple Response Dictionary 12'

Column Name: `ss_note_multi_dict_12_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_12_code`. See `ss_note_multi_dict_12_code` for more information.

Column Name: `ss_note_multi_dict_13_code`

Column Type: `varchar`

Max Length: 20

'SS Note Copy Multiple Response Dictionary 13'

Column Name: `ss_note_multi_dict_13_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_13_code`. See `ss_note_multi_dict_13_code` for more information.

Column Name: `ss_note_multi_dict_14_code`

Column Type: `varchar`

Max Length: 20

'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_note_multi_dict_14_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_14_code. See ss_note_multi_dict_14_code for more information.

Column Name: ss_note_multi_dict_15_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_note_multi_dict_15_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_15_code. See ss_note_multi_dict_15_code for more information.

Column Name: ss_note_multi_dict_16_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_note_multi_dict_16_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_16_code. See ss_note_multi_dict_16_code for more information.

Column Name: ss_note_multi_dict_17_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_note_multi_dict_17_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_17_code. See ss_note_multi_dict_17_code for more information.

Column Name: ss_note_multi_dict_18_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_note_multi_dict_18_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_18_code. See ss_note_multi_dict_18_code for more information.

Column Name: ss_note_multi_dict_19_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_note_multi_dict_19_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_19_code. See ss_note_multi_dict_19_code for more information.

Column Name: ss_note_multi_dict_20_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_note_multi_dict_20_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_20_code. See ss_note_multi_dict_20_code for more information.

Column Name: ss_note_multi_dict_21_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_note_multi_dict_21_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_21_code. See ss_note_multi_dict_21_code for more information.

Column Name: ss_note_multi_dict_22_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_note_multi_dict_22_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_22_code. See ss_note_multi_dict_22_code for more information.

Column Name: ss_note_multi_dict_23_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_note_multi_dict_23_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_23_code. See ss_note_multi_dict_23_code for more information.

Column Name: ss_note_multi_dict_24_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_note_multi_dict_24_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_24_code. See ss_note_multi_dict_24_code for more information.

Column Name: ss_note_multi_dict_25_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_note_multi_dict_25_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_25_code. See ss_note_multi_dict_25_code for more information.

Column Name: ss_note_multi_dict_26_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_note_multi_dict_26_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_26_code. See ss_note_multi_dict_26_code for more information.

Column Name: ss_note_multi_dict_27_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_note_multi_dict_27_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_27_code. See ss_note_multi_dict_27_code for more information.

Column Name: ss_note_multi_dict_28_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_note_multi_dict_28_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_28_code. See ss_note_multi_dict_28_code for more information.

Column Name: ss_note_multi_dict_29_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_note_multi_dict_29_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_29_code. See ss_note_multi_dict_29_code for more information.

Column Name: ss_note_multi_dict_30_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_note_multi_dict_30_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_30_code. See ss_note_multi_dict_30_code for more information.

Column Name: ss_note_scroll_text_11
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 11'

Column Name: ss_note_scroll_text_12
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 12'

Column Name: ss_note_scroll_text_13
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 13'

Column Name: ss_note_scroll_text_14
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 14'

Column Name: ss_note_scroll_text_15
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 15'

Column Name: ss_note_scroll_text_16
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 16'

Column Name: ss_note_scroll_text_17
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 17'

Column Name: ss_note_scroll_text_18
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 18'

Column Name: ss_note_scroll_text_19
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 19'

Column Name: ss_note_scroll_text_20
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 20'

Column Name: ss_note_scroll_text_21
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 21'

Column Name: ss_note_scroll_text_22
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 22'

Column Name: ss_note_scroll_text_23
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 23'

Column Name: ss_note_scroll_text_24
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 24'

Column Name: ss_note_scroll_text_25
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 25'

Column Name: ss_note_scroll_text_26
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 26'

Column Name: ss_note_scroll_text_27
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 27'

Column Name: ss_note_scroll_text_28
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 28'

Column Name: ss_note_scroll_text_29
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 29'

Column Name: ss_note_scroll_text_30
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 30'

Column Name: ss_note_sing_dict_11_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 11'

Column Name: ss_note_sing_dict_11_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_11_code. See ss_note_single_dict_11_code for more information.

Column Name: ss_note_sing_dict_12_code
Column Type: varchar
Max Length: 50

'SS Note Single Response Dictionary 12'

Column Name: ss_note_sing_dict_12_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_12_code. See ss_note_single_dict_12_code for more information.

Column Name: ss_note_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 13'

Column Name: ss_note_sing_dict_13_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_13_code. See ss_note_single_dict_13_code for more information.

Column Name: ss_note_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 14'

Column Name: ss_note_sing_dict_14_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_14_code. See ss_note_single_dict_14_code for more information.

Column Name: ss_note_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 15'

Column Name: ss_note_sing_dict_15_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_15_code. See ss_note_single_dict_15_code for more information.

Column Name: ss_note_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 16'

Column Name: ss_note_sing_dict_16_value

Column Type: varchar

Max Length: 50

The description associated with `ss_note_single_dict_16_code`. See `ss_note_single_dict_16_code` for more information.

Column Name: `ss_note_sing_dict_17_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 17'

Column Name: `ss_note_sing_dict_17_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_single_dict_17_code`. See `ss_note_single_dict_17_code` for more information.

Column Name: `ss_note_sing_dict_18_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 18'

Column Name: `ss_note_sing_dict_18_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_single_dict_18_code`. See `ss_note_single_dict_18_code` for more information.

Column Name: `ss_note_sing_dict_19_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 19'

Column Name: `ss_note_sing_dict_19_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_single_dict_19_code`. See `ss_note_single_dict_19_code` for more information.

Column Name: `ss_note_sing_dict_20_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 20'

Column Name: `ss_note_sing_dict_20_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_single_dict_20_code`. See `ss_note_single_dict_20_code` for more information.

Column Name: `ss_note_sing_dict_21_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 21'

Column Name: ss_note_sing_dict_21_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_21_code. See ss_note_single_dict_21_code for more information.

Column Name: ss_note_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 22'

Column Name: ss_note_sing_dict_22_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_22_code. See ss_note_single_dict_22_code for more information.

Column Name: ss_note_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 23'

Column Name: ss_note_sing_dict_23_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_23_code. See ss_note_single_dict_23_code for more information.

Column Name: ss_note_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 24'

Column Name: ss_note_sing_dict_24_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_24_code. See ss_note_single_dict_24_code for more information.

Column Name: ss_note_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 25'

Column Name: ss_note_sing_dict_25_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_25_code. See ss_note_single_dict_25_code for more information.

Column Name: ss_note_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 26'

Column Name: ss_note_sing_dict_26_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_26_code. See ss_note_single_dict_26_code for more information.

Column Name: ss_note_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 27'

Column Name: ss_note_sing_dict_27_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_27_code. See ss_note_single_dict_27_code for more information.

Column Name: ss_note_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 28'

Column Name: ss_note_sing_dict_28_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_28_code. See ss_note_single_dict_28_code for more information.

Column Name: ss_note_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 29'

Column Name: ss_note_sing_dict_29_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_29_code. See ss_note_single_dict_29_code for more information.

Column Name: ss_note_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 30'

Column Name: ss_note_sing_dict_30_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_30_code. See ss_note_single_dict_30_code for more information.

Column Name: ss_note_time_11

Column Type: varchar

Max Length: 50

'SS Note Time 11'

Column Name: ss_note_time_12

Column Type: varchar

Max Length: 50

'SS Note Time 12'

Column Name: ss_note_time_13

Column Type: varchar

Max Length: 50

'SS Note Time 13'

Column Name: ss_note_time_14

Column Type: varchar

Max Length: 50

'SS Note Time 14'

Column Name: ss_note_time_15

Column Type: varchar

Max Length: 50

'SS Note Time 15'

Column Name: ss_note_time_16

Column Type: varchar

Max Length: 50

'SS Note Time 16'

Column Name: ss_note_time_17

Column Type: varchar

Max Length: 50

'SS Note Time 17'

Column Name: ss_note_time_18

Column Type: varchar

Max Length: 50

'SS Note Time 18'

Column Name: ss_note_time_19

Column Type: varchar

Max Length: 50
'SS Note Time 19'

Column Name: ss_note_time_20
Column Type: varchar
Max Length: 50
'SS Note Time 20'

Column Name: ss_note_time_21
Column Type: varchar
Max Length: 50
'SS Note Time 21'

Column Name: ss_note_time_22
Column Type: varchar
Max Length: 50
'SS Note Time 22'

Column Name: ss_note_time_23
Column Type: varchar
Max Length: 50
'SS Note Time 23'

Column Name: ss_note_time_24
Column Type: varchar
Max Length: 50
'SS Note Time 24'

Column Name: ss_note_time_25
Column Type: varchar
Max Length: 50
'SS Note Time 25'

Column Name: ss_note_time_26
Column Type: varchar
Max Length: 50
'SS Note Time 26'

Column Name: ss_note_time_27
Column Type: varchar
Max Length: 50
'SS Note Time 27'

Column Name: ss_note_time_28
Column Type: varchar
Max Length: 50
'SS Note Time 28'

Column Name: ss_note_time_29
Column Type: varchar

Max Length: 50
'SS Note Time 29'

Column Name: ss_note_time_30
Column Type: varchar
Max Length: 50
'SS Note Time 30'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

[Ambulatory_Progress_Notes_\(Diagnosis_Entry\)](#)

Table Name: CWSTEMP.cw_patient_notes_supp_1

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp1 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
'Progress Notes Pointer'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar

Max Length: 50
The unique ID associated with the prefiller.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
'Confidential Notes'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
'Notes Field'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_31
Column Type: varchar
Max Length: 20
'SS Note 20 Character 31'

Column Name: ss_note_20_char_text_32
Column Type: varchar
Max Length: 20
'SS Note 20 Character 32'

Column Name: ss_note_20_char_text_33
Column Type: varchar
Max Length: 20
'SS Note 20 Character 33'

Column Name: ss_note_20_char_text_34
Column Type: varchar
Max Length: 20
'SS Note 20 Character 34'

Column Name: ss_note_20_char_text_35

Column Type: varchar
Max Length: 20
'SS Note 20 Character 35'

Column Name: ss_note_20_char_text_36
Column Type: varchar
Max Length: 20
'SS Note 20 Character 36'

Column Name: ss_note_20_char_text_37
Column Type: varchar
Max Length: 20
'SS Note 20 Character 37'

Column Name: ss_note_20_char_text_38
Column Type: varchar
Max Length: 20
'SS Note 20 Character 38'

Column Name: ss_note_20_char_text_39
Column Type: varchar
Max Length: 20
'SS Note 20 Character 39'

Column Name: ss_note_20_char_text_40
Column Type: varchar
Max Length: 20
'SS Note 20 Character 40'

Column Name: ss_note_20_char_text_41
Column Type: varchar
Max Length: 20
'SS Note 20 Character 41'

Column Name: ss_note_20_char_text_42
Column Type: varchar
Max Length: 20
'SS Note 20 Character 42'

Column Name: ss_note_20_char_text_43
Column Type: varchar
Max Length: 20
'SS Note 20 Character 43'

Column Name: ss_note_20_char_text_44
Column Type: varchar
Max Length: 20
'SS Note 20 Character 44'

Column Name: ss_note_20_char_text_45

Column Type: varchar
Max Length: 20
'SS Note 20 Character 45'

Column Name: ss_note_20_char_text_46
Column Type: varchar
Max Length: 20
'SS Note 20 Character 46'

Column Name: ss_note_20_char_text_47
Column Type: varchar
Max Length: 20
'SS Note 20 Character 47'

Column Name: ss_note_20_char_text_48
Column Type: varchar
Max Length: 20
'SS Note 20 Character 48'

Column Name: ss_note_20_char_text_49
Column Type: varchar
Max Length: 20
'SS Note 20 Character 49'

Column Name: ss_note_20_char_text_50
Column Type: varchar
Max Length: 20
'SS Note 20 Character 50'

Column Name: ss_note_40_char_text_31
Column Type: varchar
Max Length: 40
'SS Note 40 Character 31'

Column Name: ss_note_40_char_text_32
Column Type: varchar
Max Length: 40
'SS Note 40 Character 32'

Column Name: ss_note_40_char_text_33
Column Type: varchar
Max Length: 40
'SS Note 40 Character 33'

Column Name: ss_note_40_char_text_34
Column Type: varchar
Max Length: 40
'SS Note 40 Character 34'

Column Name: ss_note_40_char_text_35

Column Type: varchar
Max Length: 40
'SS Note 40 Character 35'

Column Name: ss_note_40_char_text_36
Column Type: varchar
Max Length: 40
'SS Note 40 Character 36'

Column Name: ss_note_40_char_text_37
Column Type: varchar
Max Length: 40
'SS Note 40 Character 37'

Column Name: ss_note_40_char_text_38
Column Type: varchar
Max Length: 40
'SS Note 40 Character 38'

Column Name: ss_note_40_char_text_39
Column Type: varchar
Max Length: 40
'SS Note 40 Character 39'

Column Name: ss_note_40_char_text_40
Column Type: varchar
Max Length: 40
'SS Note 40 Character 40'

Column Name: ss_note_40_char_text_41
Column Type: varchar
Max Length: 40
'SS Note 40 Character 41'

Column Name: ss_note_40_char_text_42
Column Type: varchar
Max Length: 40
'SS Note 40 Character 42'

Column Name: ss_note_40_char_text_43
Column Type: varchar
Max Length: 40
'SS Note 40 Character 43'

Column Name: ss_note_40_char_text_44
Column Type: varchar
Max Length: 40
'SS Note 40 Character 44'

Column Name: ss_note_40_char_text_45

Column Type: varchar
Max Length: 40
'SS Note 40 Character 45'

Column Name: ss_note_40_char_text_46
Column Type: varchar
Max Length: 40
'SS Note 40 Character 46'

Column Name: ss_note_40_char_text_47
Column Type: varchar
Max Length: 40
'SS Note 40 Character 47'

Column Name: ss_note_40_char_text_48
Column Type: varchar
Max Length: 40
'SS Note 40 Character 48'

Column Name: ss_note_40_char_text_49
Column Type: varchar
Max Length: 40
'SS Note 40 Character 49'

Column Name: ss_note_40_char_text_50
Column Type: varchar
Max Length: 40
'SS Note 40 Character 50'

Column Name: ss_note_80_char_text_31
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 31'

Column Name: ss_note_80_char_text_32
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 32'

Column Name: ss_note_80_char_text_33
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 33'

Column Name: ss_note_80_char_text_34
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 34'

Column Name: ss_note_80_char_text_35

Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 35'

Column Name: ss_note_80_char_text_36
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 36'

Column Name: ss_note_80_char_text_37
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 37'

Column Name: ss_note_80_char_text_38
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 38'

Column Name: ss_note_80_char_text_39
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 39'

Column Name: ss_note_80_char_text_40
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 40'

Column Name: ss_note_80_char_text_41
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 41'

Column Name: ss_note_80_char_text_42
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 42'

Column Name: ss_note_80_char_text_43
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 43'

Column Name: ss_note_80_char_text_44
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 44'

Column Name: ss_note_80_char_text_45

Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 45'

Column Name: ss_note_80_char_text_46
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 46'

Column Name: ss_note_80_char_text_47
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 47'

Column Name: ss_note_80_char_text_48
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 48'

Column Name: ss_note_80_char_text_49
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 49'

Column Name: ss_note_80_char_text_50
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 50'

Column Name: ss_note_date_31
Column Type: date
'SS Note Date 31'

Column Name: ss_note_date_32
Column Type: date
'SS Note Date 32'

Column Name: ss_note_date_33
Column Type: date
'SS Note Date 33'

Column Name: ss_note_date_34
Column Type: date
'SS Note Date 34'

Column Name: ss_note_date_35
Column Type: date
'SS Note Date 35'

Column Name: ss_note_date_36

Column Type: date
'SS Note Date 36'

Column Name: ss_note_date_37
Column Type: date
'SS Note Date 37'

Column Name: ss_note_date_38
Column Type: date
'SS Note Date 38'

Column Name: ss_note_date_39
Column Type: date
'SS Note Date 39'

Column Name: ss_note_date_40
Column Type: date
'SS Note Date 40'

Column Name: ss_note_date_41
Column Type: date
'SS Note Date 41'

Column Name: ss_note_date_42
Column Type: date
'SS Note Date 42'

Column Name: ss_note_date_43
Column Type: date
'SS Note Date 43'

Column Name: ss_note_date_44
Column Type: date
'SS Note Date 44'

Column Name: ss_note_date_45
Column Type: date
'SS Note Date 45'

Column Name: ss_note_date_46
Column Type: date
'SS Note Date 46'

Column Name: ss_note_date_47
Column Type: date
'SS Note Date 47'

Column Name: ss_note_date_48
Column Type: date
'SS Note Date 48'

Column Name: ss_note_date_49
Column Type: date
'SS Note Date 49'

Column Name: ss_note_date_50
Column Type: date
'SS Note Date 50'

Column Name: ss_note_dsm_diag_31_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 31'

Column Name: ss_note_dsm_diag_31_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_31_code. See ss_note_dsm_diag_31_code for more information.

Column Name: ss_note_dsm_diag_32_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 32'

Column Name: ss_note_dsm_diag_32_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_32_code. See ss_note_dsm_diag_32_code for more information.

Column Name: ss_note_dsm_diag_33_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 33'

Column Name: ss_note_dsm_diag_33_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_33_code. See ss_note_dsm_diag_33_code for more information.

Column Name: ss_note_dsm_diag_34_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 34'

Column Name: ss_note_dsm_diag_34_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_34_code`. See `ss_note_dsm_diag_34_code` for more information.

Column Name: `ss_note_dsm_diag_35_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 35'

Column Name: `ss_note_dsm_diag_35_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_35_code`. See `ss_note_dsm_diag_35_code` for more information.

Column Name: `ss_note_dsm_diag_36_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 36'

Column Name: `ss_note_dsm_diag_36_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_36_code`. See `ss_note_dsm_diag_36_code` for more information.

Column Name: `ss_note_dsm_diag_37_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 37'

Column Name: `ss_note_dsm_diag_37_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_37_code`. See `ss_note_dsm_diag_37_code` for more information.

Column Name: `ss_note_dsm_diag_38_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 38'

Column Name: `ss_note_dsm_diag_38_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_38_code`. See `ss_note_dsm_diag_38_code` for more information.

Column Name: `ss_note_dsm_diag_39_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 39'

Column Name: ss_note_dsm_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_39_code. See ss_note_dsm_diag_39_code for more information.

Column Name: ss_note_dsm_diag_40_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 40'

Column Name: ss_note_dsm_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_40_code. See ss_note_dsm_diag_40_code for more information.

Column Name: ss_note_dsm_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 41'

Column Name: ss_note_dsm_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_41_code. See ss_note_dsm_diag_41_code for more information.

Column Name: ss_note_dsm_diag_42_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 42'

Column Name: ss_note_dsm_diag_42_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_42_code. See ss_note_dsm_diag_42_code for more information.

Column Name: ss_note_dsm_diag_43_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 43'

Column Name: ss_note_dsm_diag_43_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_43_code. See ss_note_dsm_diag_43_code for more information.

Column Name: ss_note_dsm_diag_44_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 44'

Column Name: ss_note_dsm_diag_44_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_44_code. See ss_note_dsm_diag_44_code for more information.

Column Name: ss_note_dsm_diag_45_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 45'

Column Name: ss_note_dsm_diag_45_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_45_code. See ss_note_dsm_diag_45_code for more information.

Column Name: ss_note_dsm_diag_46_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 46'

Column Name: ss_note_dsm_diag_46_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_46_code. See ss_note_dsm_diag_46_code for more information.

Column Name: ss_note_dsm_diag_47_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 47'

Column Name: ss_note_dsm_diag_47_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_47_code. See ss_note_dsm_diag_47_code for more information.

Column Name: ss_note_dsm_diag_48_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 48'

Column Name: ss_note_dsm_diag_48_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_48_code. See ss_note_dsm_diag_48_code for more information.

Column Name: ss_note_dsm_diag_49_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 49'

Column Name: ss_note_dsm_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_49_code. See ss_note_dsm_diag_49_code for more information.

Column Name: ss_note_dsm_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 50'

Column Name: ss_note_dsm_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_50_code. See ss_note_dsm_diag_50_code for more information.

Column Name: ss_note_icd9_diag_31_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 31'

Column Name: ss_note_icd9_diag_31_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_31_code. See ss_note_icd9_diag_31_code for more information.

Column Name: ss_note_icd9_diag_32_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 32'

Column Name: ss_note_icd9_diag_32_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_32_code`. See `ss_note_icd9_diag_32_code` for more information.

Column Name: `ss_note_icd9_diag_33_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 33'

Column Name: `ss_note_icd9_diag_33_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_33_code`. See `ss_note_icd9_diag_33_code` for more information.

Column Name: `ss_note_icd9_diag_34_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 34'

Column Name: `ss_note_icd9_diag_34_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_34_code`. See `ss_note_icd9_diag_34_code` for more information.

Column Name: `ss_note_icd9_diag_35_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 35'

Column Name: `ss_note_icd9_diag_35_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_35_code`. See `ss_note_icd9_diag_35_code` for more information.

Column Name: `ss_note_icd9_diag_36_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 36'

Column Name: `ss_note_icd9_diag_36_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_36_code`. See `ss_note_icd9_diag_36_code` for more information.

Column Name: `ss_note_icd9_diag_37_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 37'

Column Name: ss_note_icd9_diag_37_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_37_code. See ss_note_icd9_diag_37_code for more information.

Column Name: ss_note_icd9_diag_38_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 38'

Column Name: ss_note_icd9_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_38_code. See ss_note_icd9_diag_38_code for more information.

Column Name: ss_note_icd9_diag_39_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 39'

Column Name: ss_note_icd9_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_39_code. See ss_note_icd9_diag_39_code for more information.

Column Name: ss_note_icd9_diag_40_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 40'

Column Name: ss_note_icd9_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_40_code. See ss_note_icd9_diag_40_code for more information.

Column Name: ss_note_icd9_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 41'

Column Name: ss_note_icd9_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_41_code`. See `ss_note_icd9_diag_41_code` for more information.

Column Name: `ss_note_icd9_diag_42_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 42'

Column Name: `ss_note_icd9_diag_42_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_42_code`. See `ss_note_icd9_diag_42_code` for more information.

Column Name: `ss_note_icd9_diag_43_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 43'

Column Name: `ss_note_icd9_diag_43_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_43_code`. See `ss_note_icd9_diag_43_code` for more information.

Column Name: `ss_note_icd9_diag_44_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 44'

Column Name: `ss_note_icd9_diag_44_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_44_code`. See `ss_note_icd9_diag_44_code` for more information.

Column Name: `ss_note_icd9_diag_45_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 45'

Column Name: `ss_note_icd9_diag_45_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_45_code`. See `ss_note_icd9_diag_45_code` for more information.

Column Name: `ss_note_icd9_diag_46_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 46'

Column Name: ss_note_icd9_diag_46_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_46_code. See ss_note_icd9_diag_46_code for more information.

Column Name: ss_note_icd9_diag_47_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 47'

Column Name: ss_note_icd9_diag_47_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_47_code. See ss_note_icd9_diag_47_code for more information.

Column Name: ss_note_icd9_diag_48_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 48'

Column Name: ss_note_icd9_diag_48_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_48_code. See ss_note_icd9_diag_48_code for more information.

Column Name: ss_note_icd9_diag_49_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 49'

Column Name: ss_note_icd9_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_49_code. See ss_note_icd9_diag_49_code for more information.

Column Name: ss_note_icd9_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 50'

Column Name: ss_note_icd9_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_50_code`. See `ss_note_icd9_diag_50_code` for more information.

Column Name: `ss_note_integer_1`
Column Type: integer
'SS Note Integer 1'

Column Name: `ss_note_integer_2`
Column Type: integer
'SS Note Integer 2'

Column Name: `ss_note_integer_3`
Column Type: integer
'SS Note Integer 3'

Column Name: `ss_note_integer_4`
Column Type: integer
'SS Note Integer 4'

Column Name: `ss_note_integer_5`
Column Type: integer
'SS Note Integer 5'

Column Name: `ss_note_integer_6`
Column Type: integer
'SS Note Integer 6'

Column Name: `ss_note_multi_dict_31_code`
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 31'

Column Name: `ss_note_multi_dict_31_value`
Column Type: varchar
Max Length: 32700
The description associated with `ss_note_multi_dict_31_code`. See `ss_note_multi_dict_31_code` for more information.

Column Name: `ss_note_multi_dict_32_code`
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 32'

Column Name: `ss_note_multi_dict_32_value`
Column Type: varchar
Max Length: 32700
The description associated with `ss_note_multi_dict_32_code`. See `ss_note_multi_dict_32_code` for more information.

Column Name: `ss_note_multi_dict_33_code`

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 33'

Column Name: ss_note_multi_dict_33_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_33_code. See ss_note_multi_dict_33_code for more information.

Column Name: ss_note_multi_dict_34_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 34'

Column Name: ss_note_multi_dict_34_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_34_code. See ss_note_multi_dict_34_code for more information.

Column Name: ss_note_multi_dict_35_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 35'

Column Name: ss_note_multi_dict_35_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_35_code. See ss_note_multi_dict_35_code for more information.

Column Name: ss_note_multi_dict_36_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 36'

Column Name: ss_note_multi_dict_36_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_36_code. See ss_note_multi_dict_36_code for more information.

Column Name: ss_note_multi_dict_37_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 37'

Column Name: ss_note_multi_dict_37_value
Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_37_code. See ss_note_multi_dict_37_code for more information.

Column Name: ss_note_multi_dict_38_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 38'

Column Name: ss_note_multi_dict_38_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_38_code. See ss_note_multi_dict_38_code for more information.

Column Name: ss_note_multi_dict_39_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 39'

Column Name: ss_note_multi_dict_39_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_39_code. See ss_note_multi_dict_39_code for more information.

Column Name: ss_note_multi_dict_40_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 40'

Column Name: ss_note_multi_dict_40_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_40_code. See ss_note_multi_dict_40_code for more information.

Column Name: ss_note_multi_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 41'

Column Name: ss_note_multi_dict_41_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_41_code. See ss_note_multi_dict_41_code for more information.

Column Name: ss_note_multi_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 42'

Column Name: ss_note_multi_dict_42_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_42_code. See ss_note_multi_dict_42_code for more information.

Column Name: ss_note_multi_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 43'

Column Name: ss_note_multi_dict_43_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_43_code. See ss_note_multi_dict_43_code for more information.

Column Name: ss_note_multi_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 44'

Column Name: ss_note_multi_dict_44_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_44_code. See ss_note_multi_dict_44_code for more information.

Column Name: ss_note_multi_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 45'

Column Name: ss_note_multi_dict_45_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_45_code. See ss_note_multi_dict_45_code for more information.

Column Name: ss_note_multi_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 46'

Column Name: ss_note_multi_dict_46_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_46_code. See ss_note_multi_dict_46_code for more information.

Column Name: ss_note_multi_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 47'

Column Name: ss_note_multi_dict_47_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_47_code. See ss_note_multi_dict_47_code for more information.

Column Name: ss_note_multi_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 48'

Column Name: ss_note_multi_dict_48_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_48_code. See ss_note_multi_dict_48_code for more information.

Column Name: ss_note_multi_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 49'

Column Name: ss_note_multi_dict_49_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_49_code. See ss_note_multi_dict_49_code for more information.

Column Name: ss_note_multi_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 50'

Column Name: ss_note_multi_dict_50_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_50_code. See ss_note_multi_dict_50_code for more information.

Column Name: ss_note_scroll_text_31

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 31'

Column Name: ss_note_scroll_text_32

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 32'

Column Name: ss_note_scroll_text_33

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 33'

Column Name: ss_note_scroll_text_34

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 34'

Column Name: ss_note_scroll_text_35

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 35'

Column Name: ss_note_scroll_text_36

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 36'

Column Name: ss_note_scroll_text_37

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 37'

Column Name: ss_note_scroll_text_38

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 38'

Column Name: ss_note_scroll_text_39

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 39'

Column Name: ss_note_scroll_text_40

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 40'

Column Name: ss_note_scroll_text_41

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 41'

Column Name: ss_note_scroll_text_42

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 42'

Column Name: ss_note_scroll_text_43

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 43'

Column Name: ss_note_scroll_text_44

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 44'

Column Name: ss_note_scroll_text_45

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 45'

Column Name: ss_note_scroll_text_46

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 46'

Column Name: ss_note_scroll_text_47

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 47'

Column Name: ss_note_scroll_text_48

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 48'

Column Name: ss_note_scroll_text_49

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 49'

Column Name: ss_note_scroll_text_50

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 50'

Column Name: ss_note_sing_dict_31_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 31'

Column Name: ss_note_sing_dict_31_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_31_code. See ss_note_sing_dict_31_code for more information.

Column Name: ss_note_sing_dict_32_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 32'

Column Name: ss_note_sing_dict_32_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_32_code. See ss_note_sing_dict_32_code for more information.

Column Name: ss_note_sing_dict_33_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 33'

Column Name: ss_note_sing_dict_33_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_33_code. See ss_note_sing_dict_33_code for more information.

Column Name: ss_note_sing_dict_34_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 34'

Column Name: ss_note_sing_dict_34_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_34_code. See ss_note_sing_dict_34_code for more information.

Column Name: ss_note_sing_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 35'

Column Name: ss_note_sing_dict_35_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_35_code. See ss_note_sing_dict_35_code for more information.

Column Name: ss_note_sing_dict_36_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 36'

Column Name: ss_note_sing_dict_36_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_36_code. See ss_note_sing_dict_36_code for more information.

Column Name: ss_note_sing_dict_37_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 37'

Column Name: ss_note_sing_dict_37_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_37_code. See ss_note_sing_dict_37_code for more information.

Column Name: ss_note_sing_dict_38_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 38'

Column Name: ss_note_sing_dict_38_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_38_code. See ss_note_sing_dict_38_code for more information.

Column Name: ss_note_sing_dict_39_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 39'

Column Name: ss_note_sing_dict_39_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_39_code. See ss_note_sing_dict_39_code for more information.

Column Name: ss_note_sing_dict_40_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 40'

Column Name: ss_note_sing_dict_40_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_40_code. See ss_note_sing_dict_40_code for more information.

Column Name: ss_note_sing_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 41'

Column Name: ss_note_sing_dict_41_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_41_code. See ss_note_sing_dict_41_code for more information.

Column Name: ss_note_sing_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 42'

Column Name: ss_note_sing_dict_42_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_42_code. See ss_note_sing_dict_42_code for more information.

Column Name: ss_note_sing_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 43'

Column Name: ss_note_sing_dict_43_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_43_code. See ss_note_sing_dict_43_code for more information.

Column Name: ss_note_sing_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 44'

Column Name: ss_note_sing_dict_44_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_44_code. See ss_note_sing_dict_44_code for more information.

Column Name: ss_note_sing_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 45'

Column Name: ss_note_sing_dict_45_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_45_code. See ss_note_sing_dict_45_code for more information.

Column Name: ss_note_sing_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 46'

Column Name: ss_note_sing_dict_46_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_46_code. See ss_note_sing_dict_46_code for more information.

Column Name: ss_note_sing_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 47'

Column Name: ss_note_sing_dict_47_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_47_code. See ss_note_sing_dict_47_code for more information.

Column Name: ss_note_sing_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 48'

Column Name: ss_note_sing_dict_48_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_48_code. See ss_note_sing_dict_48_code for more information.

Column Name: ss_note_sing_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 49'

Column Name: ss_note_sing_dict_49_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_49_code. See ss_note_sing_dict_49_code for more information.

Column Name: ss_note_sing_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 50'

Column Name: ss_note_sing_dict_50_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_50_code. See ss_note_sing_dict_50_code for more information.

Column Name: ss_note_time_31

Column Type: varchar

Max Length: 50

'SS Note Time 31'

Column Name: ss_note_time_32

Column Type: varchar

Max Length: 50

'SS Note Time 32'

Column Name: ss_note_time_33

Column Type: varchar

Max Length: 50

'SS Note Time 33'

Column Name: ss_note_time_34

Column Type: varchar

Max Length: 50

'SS Note Time 34'

Column Name: ss_note_time_35

Column Type: varchar

Max Length: 50

'SS Note Time 35'

Column Name: ss_note_time_36

Column Type: varchar

Max Length: 50

'SS Note Time 36'

Column Name: ss_note_time_37

Column Type: varchar
Max Length: 50
'SS Note Time 37'

Column Name: ss_note_time_38
Column Type: varchar
Max Length: 50
'SS Note Time 38'

Column Name: ss_note_time_39
Column Type: varchar
Max Length: 50
'SS Note Time 39'

Column Name: ss_note_time_40
Column Type: varchar
Max Length: 50
'SS Note Time 40'

Column Name: ss_note_time_41
Column Type: varchar
Max Length: 50
'SS Note Time 41'

Column Name: ss_note_time_42
Column Type: varchar
Max Length: 50
'SS Note Time 42'

Column Name: ss_note_time_43
Column Type: varchar
Max Length: 50
'SS Note Time 43'

Column Name: ss_note_time_44
Column Type: varchar
Max Length: 50
'SS Note Time 44'

Column Name: ss_note_time_45
Column Type: varchar
Max Length: 50
'SS Note Time 45'

Column Name: ss_note_time_46
Column Type: varchar
Max Length: 50
'SS Note Time 46'

Column Name: ss_note_time_47

Column Type: varchar
Max Length: 50
'SS Note Time 47'

Column Name: ss_note_time_48
Column Type: varchar
Max Length: 50
'SS Note Time 48'

Column Name: ss_note_time_49
Column Type: varchar
Max Length: 50
'SS Note Time 49'

Column Name: ss_note_time_50
Column Type: varchar
Max Length: 50
'SS Note Time 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: CWSTEMP.cw_patient_notes_supp_2

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp2 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_integer_10
Column Type: integer
'SS Note Integer 10'

Column Name: ss_note_integer_11
Column Type: integer
'SS Note Integer 11'

Column Name: ss_note_integer_12
Column Type: integer
'SS Note Integer 12'

Column Name: ss_note_integer_13
Column Type: integer
'SS Note Integer 13'

Column Name: ss_note_integer_14
Column Type: integer
'SS Note Integer 14'

Column Name: ss_note_integer_15
Column Type: integer
'SS Note Integer 15'

Column Name: ss_note_integer_16
Column Type: integer
'SS Note Integer 16'

Column Name: ss_note_integer_17
Column Type: integer
'SS Note Integer 17'

Column Name: ss_note_integer_18
Column Type: integer
'SS Note Integer 18'

Column Name: ss_note_integer_19
Column Type: integer
'SS Note Integer 19'

Column Name: ss_note_integer_20
Column Type: integer
'SS Note Integer 20'

Column Name: ss_note_integer_21
Column Type: integer
'SS Note Integer 21'

Column Name: ss_note_integer_22
Column Type: integer
'SS Note Integer 22'

Column Name: ss_note_integer_23
Column Type: integer
'SS Note Integer 23'

Column Name: ss_note_integer_24
Column Type: integer
'SS Note Integer 24'

Column Name: ss_note_integer_25
Column Type: integer
'SS Note Integer 25'

Column Name: ss_note_integer_26
Column Type: integer
'SS Note Integer 26'

Column Name: ss_note_integer_27
Column Type: integer

'SS Note Integer 27'

Column Name: ss_note_integer_28

Column Type: integer

'SS Note Integer 28'

Column Name: ss_note_integer_29

Column Type: integer

'SS Note Integer 29'

Column Name: ss_note_integer_30

Column Type: integer

'SS Note Integer 30'

Column Name: ss_note_integer_31

Column Type: integer

'SS Note Integer 31'

Column Name: ss_note_integer_32

Column Type: integer

'SS Note Integer 32'

Column Name: ss_note_integer_33

Column Type: integer

'SS Note Integer 33'

Column Name: ss_note_integer_34

Column Type: integer

'SS Note Integer 34'

Column Name: ss_note_integer_35

Column Type: integer

'SS Note Integer 35'

Column Name: ss_note_integer_36

Column Type: integer

'SS Note Integer 36'

Column Name: ss_note_integer_37

Column Type: integer

'SS Note Integer 37'

Column Name: ss_note_integer_38

Column Type: integer

'SS Note Integer 38'

Column Name: ss_note_integer_39

Column Type: integer

'SS Note Integer 39'

Column Name: ss_note_integer_40
Column Type: integer
'SS Note Integer 40'

Column Name: ss_note_integer_41
Column Type: integer
'SS Note Integer 41'

Column Name: ss_note_integer_42
Column Type: integer
'SS Note Integer 42'

Column Name: ss_note_integer_43
Column Type: integer
'SS Note Integer 43'

Column Name: ss_note_integer_44
Column Type: integer
'SS Note Integer 44'

Column Name: ss_note_integer_45
Column Type: integer
'SS Note Integer 45'

Column Name: ss_note_integer_46
Column Type: integer
'SS Note Integer 46'

Column Name: ss_note_integer_47
Column Type: integer
'SS Note Integer 47'

Column Name: ss_note_integer_48
Column Type: integer
'SS Note Integer 48'

Column Name: ss_note_integer_49
Column Type: integer
'SS Note Integer 49'

Column Name: ss_note_integer_50
Column Type: integer
'SS Note Integer 50'

Column Name: ss_note_integer_7
Column Type: integer
'SS Note Integer 7'

Column Name: ss_note_integer_8
Column Type: integer

'SS Note Integer 8'

Column Name: ss_note_integer_9

Column Type: integer

'SS Note Integer 9'

Column Name: ss_note_staff_11

Column Type: varchar

Max Length: 20

'SS Note Staff Member 11'

Column Name: ss_note_staff_12

Column Type: varchar

Max Length: 20

'SS Note Staff Member 12'

Column Name: ss_note_staff_13

Column Type: varchar

Max Length: 20

'SS Note Staff Member 13'

Column Name: ss_note_staff_14

Column Type: varchar

Max Length: 20

'SS Note Staff Member 14'

Column Name: ss_note_staff_15

Column Type: varchar

Max Length: 20

'SS Note Staff Member 15'

Column Name: ss_note_staff_16

Column Type: varchar

Max Length: 20

'SS Note Staff Member 16'

Column Name: ss_note_staff_17

Column Type: varchar

Max Length: 20

'SS Note Staff Member 17'

Column Name: ss_note_staff_18

Column Type: varchar

Max Length: 20

'SS Note Staff Member 18'

Column Name: ss_note_staff_19

Column Type: varchar

Max Length: 20

'SS Note Staff Member 19'

Column Name: ss_note_staff_20
Column Type: varchar
Max Length: 20
'SS Note Staff Member 20'

Column Name: ss_note_staff_21
Column Type: varchar
Max Length: 20
'SS Note Staff Member 21'

Column Name: ss_note_staff_22
Column Type: varchar
Max Length: 20
'SS Note Staff Member 22'

Column Name: ss_note_staff_23
Column Type: varchar
Max Length: 20
'SS Note Staff Member 23'

Column Name: ss_note_staff_24
Column Type: varchar
Max Length: 20
'SS Note Staff Member 24'

Column Name: ss_note_staff_25
Column Type: varchar
Max Length: 20
'SS Note Staff Member 25'

Column Name: ss_note_staff_26
Column Type: varchar
Max Length: 20
'SS Note Staff Member 26'

Column Name: ss_note_staff_27
Column Type: varchar
Max Length: 20
'SS Note Staff Member 27'

Column Name: ss_note_staff_28
Column Type: varchar
Max Length: 20
'SS Note Staff Member 28'

Column Name: ss_note_staff_29
Column Type: varchar
Max Length: 20
'SS Note Staff Member 29'

Column Name: ss_note_staff_30
Column Type: varchar
Max Length: 20
'SS Note Staff Member 30'

Column Name: ss_note_staff_31
Column Type: varchar
Max Length: 20
'SS Note Staff Member 31'

Column Name: ss_note_staff_32
Column Type: varchar
Max Length: 20
'SS Note Staff Member 32'

Column Name: ss_note_staff_33
Column Type: varchar
Max Length: 20
'SS Note Staff Member 33'

Column Name: ss_note_staff_34
Column Type: varchar
Max Length: 20
'SS Note Staff Member 34'

Column Name: ss_note_staff_35
Column Type: varchar
Max Length: 20
'SS Note Staff Member 35'

Column Name: ss_note_staff_36
Column Type: varchar
Max Length: 20
'SS Note Staff Member 36'

Column Name: ss_note_staff_37
Column Type: varchar
Max Length: 20
'SS Note Staff Member 37'

Column Name: ss_note_staff_38
Column Type: varchar
Max Length: 20
'SS Note Staff Member 38'

Column Name: ss_note_staff_39
Column Type: varchar
Max Length: 20
'SS Note Staff Member 39'

Column Name: ss_note_staff_40
Column Type: varchar
Max Length: 20
'SS Note Staff Member 40'

Column Name: ss_note_staff_41
Column Type: varchar
Max Length: 20
'SS Note Staff Member 41'

Column Name: ss_note_staff_42
Column Type: varchar
Max Length: 20
'SS Note Staff Member 42'

Column Name: ss_note_staff_43
Column Type: varchar
Max Length: 20
'SS Note Staff Member 43'

Column Name: ss_note_staff_44
Column Type: varchar
Max Length: 20
'SS Note Staff Member 44'

Column Name: ss_note_staff_45
Column Type: varchar
Max Length: 20
'SS Note Staff Member 45'

Column Name: ss_note_staff_46
Column Type: varchar
Max Length: 20
'SS Note Staff Member 46'

Column Name: ss_note_staff_47
Column Type: varchar
Max Length: 20
'SS Note Staff Member 47'

Column Name: ss_note_staff_48
Column Type: varchar
Max Length: 20
'SS Note Staff Member 48'

Column Name: ss_note_staff_49
Column Type: varchar
Max Length: 20
'SS Note Staff Member 49'

Column Name: ss_note_staff_50

Column Type: varchar

Max Length: 20

'SS Note Staff Member 50'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: CWSTEMP.cw_patient_notes_supp_3

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp3 table.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: form_number

Column Type: varchar

Max Length: 50

The form number of the form that last updated the row.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: ss_notec_multi_dict_10_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 10'

Column Name: ss_notec_multi_dict_10_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_10_code. See ss_notec_multi_dict_10_code for more information.

Column Name: ss_notec_multi_dict_11_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_notec_multi_dict_11_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_11_code. See ss_notec_multi_dict_11_code for more information.

Column Name: ss_notec_multi_dict_12_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_notec_multi_dict_12_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_12_code. See ss_notec_multi_dict_12_code for more information.

Column Name: ss_notec_multi_dict_13_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_notec_multi_dict_13_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_13_code. See ss_notec_multi_dict_13_code for more information.

Column Name: ss_notec_multi_dict_14_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_notec_multi_dict_14_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_14_code. See ss_notec_multi_dict_14_code for more information.

Column Name: ss_notec_multi_dict_15_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_notec_multi_dict_15_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_15_code. See ss_notec_multi_dict_15_code for more information.

Column Name: ss_notec_multi_dict_16_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_notec_multi_dict_16_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_16_code. See ss_notec_multi_dict_16_code for more information.

Column Name: ss_notec_multi_dict_17_code

Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_notec_multi_dict_17_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_17_code. See ss_notec_multi_dict_17_code for more information.

Column Name: ss_notec_multi_dict_18_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_notec_multi_dict_18_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_18_code. See ss_notec_multi_dict_18_code for more information.

Column Name: ss_notec_multi_dict_19_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_notec_multi_dict_19_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_19_code. See ss_notec_multi_dict_19_code for more information.

Column Name: ss_notec_multi_dict_1_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 1'

Column Name: ss_notec_multi_dict_1_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_1_code. See ss_notec_multi_dict_1_code for more information.

Column Name: ss_notec_multi_dict_20_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_notec_multi_dict_20_value
Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_20_code. See ss_notec_multi_dict_20_code for more information.

Column Name: ss_notec_multi_dict_21_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_notec_multi_dict_21_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_21_code. See ss_notec_multi_dict_21_code for more information.

Column Name: ss_notec_multi_dict_22_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_notec_multi_dict_22_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_22_code. See ss_notec_multi_dict_22_code for more information.

Column Name: ss_notec_multi_dict_23_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_notec_multi_dict_23_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_23_code. See ss_notec_multi_dict_23_code for more information.

Column Name: ss_notec_multi_dict_24_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_notec_multi_dict_24_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_24_code. See ss_notec_multi_dict_24_code for more information.

Column Name: ss_notec_multi_dict_25_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_notec_multi_dict_25_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_25_code. See ss_notec_multi_dict_25_code for more information.

Column Name: ss_notec_multi_dict_26_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_notec_multi_dict_26_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_26_code. See ss_notec_multi_dict_26_code for more information.

Column Name: ss_notec_multi_dict_27_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_notec_multi_dict_27_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_27_code. See ss_notec_multi_dict_27_code for more information.

Column Name: ss_notec_multi_dict_28_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_notec_multi_dict_28_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_28_code. See ss_notec_multi_dict_28_code for more information.

Column Name: ss_notec_multi_dict_29_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_notec_multi_dict_29_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_29_code`. See `ss_notec_multi_dict_29_code` for more information.

Column Name: `ss_notec_multi_dict_2_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 2'

Column Name: `ss_notec_multi_dict_2_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_2_code`. See `ss_notec_multi_dict_2_code` for more information.

Column Name: `ss_notec_multi_dict_30_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 30'

Column Name: `ss_notec_multi_dict_30_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_30_code`. See `ss_notec_multi_dict_30_code` for more information.

Column Name: `ss_notec_multi_dict_31_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 31'

Column Name: `ss_notec_multi_dict_31_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_31_code`. See `ss_notec_multi_dict_31_code` for more information.

Column Name: `ss_notec_multi_dict_32_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 32'

Column Name: `ss_notec_multi_dict_32_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_32_code`. See `ss_notec_multi_dict_32_code` for more information.

Column Name: `ss_notec_multi_dict_33_code`
Column Type: `varchar`
Max Length: 255

'SS Note Copy Multiple Response Dictionary 33'

Column Name: ss_notec_multi_dict_33_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_33_code. See ss_notec_multi_dict_33_code for more information.

Column Name: ss_notec_multi_dict_34_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 34'

Column Name: ss_notec_multi_dict_34_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_34_code. See ss_notec_multi_dict_34_code for more information.

Column Name: ss_notec_multi_dict_35_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 35'

Column Name: ss_notec_multi_dict_35_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_35_code. See ss_notec_multi_dict_35_code for more information.

Column Name: ss_notec_multi_dict_36_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 36'

Column Name: ss_notec_multi_dict_36_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_36_code. See ss_notec_multi_dict_36_code for more information.

Column Name: ss_notec_multi_dict_37_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 37'

Column Name: ss_notec_multi_dict_37_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_37_code. See ss_notec_multi_dict_37_code for more information.

Column Name: ss_notec_multi_dict_38_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 38'

Column Name: ss_notec_multi_dict_38_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_38_code. See ss_notec_multi_dict_38_code for more information.

Column Name: ss_notec_multi_dict_39_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 39'

Column Name: ss_notec_multi_dict_39_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_39_code. See ss_notec_multi_dict_39_code for more information.

Column Name: ss_notec_multi_dict_3_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 3'

Column Name: ss_notec_multi_dict_3_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_3_code. See ss_notec_multi_dict_3_code for more information.

Column Name: ss_notec_multi_dict_40_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 40'

Column Name: ss_notec_multi_dict_40_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_40_code. See ss_notec_multi_dict_40_code for more information.

Column Name: ss_notec_multi_dict_41_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 41'

Column Name: ss_notec_multi_dict_41_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_41_code. See ss_notec_multi_dict_41_code for more information.

Column Name: ss_notec_multi_dict_42_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 42'

Column Name: ss_notec_multi_dict_42_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_42_code. See ss_notec_multi_dict_42_code for more information.

Column Name: ss_notec_multi_dict_43_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 43'

Column Name: ss_notec_multi_dict_43_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_43_code. See ss_notec_multi_dict_43_code for more information.

Column Name: ss_notec_multi_dict_44_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 44'

Column Name: ss_notec_multi_dict_44_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_44_code. See ss_notec_multi_dict_44_code for more information.

Column Name: ss_notec_multi_dict_45_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 45'

Column Name: ss_notec_multi_dict_45_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_45_code. See ss_notec_multi_dict_45_code for more information.

Column Name: ss_notec_multi_dict_46_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 46'

Column Name: ss_notec_multi_dict_46_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_46_code. See ss_notec_multi_dict_46_code for more information.

Column Name: ss_notec_multi_dict_47_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 47'

Column Name: ss_notec_multi_dict_47_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_47_code. See ss_notec_multi_dict_47_code for more information.

Column Name: ss_notec_multi_dict_48_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 48'

Column Name: ss_notec_multi_dict_48_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_48_code. See ss_notec_multi_dict_48_code for more information.

Column Name: ss_notec_multi_dict_49_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 49'

Column Name: ss_notec_multi_dict_49_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_49_code. See ss_notec_multi_dict_49_code for more information.

Column Name: ss_notec_multi_dict_4_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 4'

Column Name: ss_notec_multi_dict_4_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_4_code. See ss_notec_multi_dict_4_code for more information.

Column Name: ss_notec_multi_dict_50_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 50'

Column Name: ss_notec_multi_dict_50_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_50_code. See ss_notec_multi_dict_50_code for more information.

Column Name: ss_notec_multi_dict_5_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 5'

Column Name: ss_notec_multi_dict_5_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_5_code. See ss_notec_multi_dict_5_code for more information.

Column Name: ss_notec_multi_dict_6_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 6'

Column Name: ss_notec_multi_dict_6_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_6_code. See ss_notec_multi_dict_6_code for more information.

Column Name: ss_notec_multi_dict_7_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 7'

Column Name: ss_notec_multi_dict_7_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_7_code`. See `ss_notec_multi_dict_7_code` for more information.

Column Name: `ss_notec_multi_dict_8_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 8'

Column Name: `ss_notec_multi_dict_8_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_8_code`. See `ss_notec_multi_dict_8_code` for more information.

Column Name: `ss_notec_multi_dict_9_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 9'

Column Name: `ss_notec_multi_dict_9_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_9_code`. See `ss_notec_multi_dict_9_code` for more information.

Column Name: `ss_notec_sing_dict_10_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 10'

Column Name: `ss_notec_sing_dict_10_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notec_sing_dict_10_code`. See `ss_notec_sing_dict_10_code` for more information.

Column Name: `ss_notec_sing_dict_11_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 11'

Column Name: `ss_notec_sing_dict_11_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notec_sing_dict_11_code`. See `ss_notec_sing_dict_11_code` for more information.

Column Name: `ss_notec_sing_dict_12_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Single Response Dictionary 12'

Column Name: ss_notec_sing_dict_12_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_12_code. See ss_notec_sing_dict_12_code for more information.

Column Name: ss_notec_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 13'

Column Name: ss_notec_sing_dict_13_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_13_code. See ss_notec_sing_dict_13_code for more information.

Column Name: ss_notec_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 14'

Column Name: ss_notec_sing_dict_14_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_14_code. See ss_notec_sing_dict_14_code for more information.

Column Name: ss_notec_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 15'

Column Name: ss_notec_sing_dict_15_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_15_code. See ss_notec_sing_dict_15_code for more information.

Column Name: ss_notec_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 16'

Column Name: ss_notec_sing_dict_16_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_16_code. See ss_notec_sing_dict_16_code for more information.

Column Name: ss_notec_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 17'

Column Name: ss_notec_sing_dict_17_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_17_code. See ss_notec_sing_dict_17_code for more information.

Column Name: ss_notec_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 18'

Column Name: ss_notec_sing_dict_18_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_18_code. See ss_notec_sing_dict_18_code for more information.

Column Name: ss_notec_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 19'

Column Name: ss_notec_sing_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_19_code. See ss_notec_sing_dict_19_code for more information.

Column Name: ss_notec_sing_dict_1_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 1'

Column Name: ss_notec_sing_dict_1_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_1_code. See ss_notec_sing_dict_1_code for more information.

Column Name: ss_notec_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 20'

Column Name: ss_notec_sing_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_20_code. See ss_notec_sing_dict_20_code for more information.

Column Name: ss_notec_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 21'

Column Name: ss_notec_sing_dict_21_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_21_code. See ss_notec_sing_dict_21_code for more information.

Column Name: ss_notec_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 22'

Column Name: ss_notec_sing_dict_22_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_22_code. See ss_notec_sing_dict_22_code for more information.

Column Name: ss_notec_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 23'

Column Name: ss_notec_sing_dict_23_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_23_code. See ss_notec_sing_dict_23_code for more information.

Column Name: ss_notec_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 24'

Column Name: ss_notec_sing_dict_24_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_24_code. See ss_notec_sing_dict_24_code for more information.

Column Name: ss_notec_sing_dict_25_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 25'

Column Name: ss_notec_sing_dict_25_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_25_code. See ss_notec_sing_dict_25_code for more information.

Column Name: ss_notec_sing_dict_26_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 26'

Column Name: ss_notec_sing_dict_26_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_26_code. See ss_notec_sing_dict_26_code for more information.

Column Name: ss_notec_sing_dict_27_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 27'

Column Name: ss_notec_sing_dict_27_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_27_code. See ss_notec_sing_dict_27_code for more information.

Column Name: ss_notec_sing_dict_28_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 28'

Column Name: ss_notec_sing_dict_28_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_28_code. See ss_notec_sing_dict_28_code for more information.

Column Name: ss_notec_sing_dict_29_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 29'

Column Name: ss_notec_sing_dict_29_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_29_code. See ss_notec_sing_dict_29_code for more information.

Column Name: ss_notec_sing_dict_2_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 2'

Column Name: ss_notec_sing_dict_2_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_2_code. See ss_notec_sing_dict_2_code for more information.

Column Name: ss_notec_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 30'

Column Name: ss_notec_sing_dict_30_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_30_code. See ss_notec_sing_dict_30_code for more information.

Column Name: ss_notec_sing_dict_31_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 31'

Column Name: ss_notec_sing_dict_31_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_31_code. See ss_notec_sing_dict_31_code for more information.

Column Name: ss_notec_sing_dict_32_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 32'

Column Name: ss_notec_sing_dict_32_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_32_code. See ss_notec_sing_dict_32_code for more information.

Column Name: ss_notec_sing_dict_33_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 33'

Column Name: ss_notec_sing_dict_33_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_33_code. See ss_notec_sing_dict_33_code for more information.

Column Name: ss_notec_sing_dict_34_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 34'

Column Name: ss_notec_sing_dict_34_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_34_code. See ss_notec_sing_dict_34_code for more information.

Column Name: ss_notec_sing_dict_35_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 35'

Column Name: ss_notec_sing_dict_35_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_35_code. See ss_notec_sing_dict_35_code for more information.

Column Name: ss_notec_sing_dict_36_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 36'

Column Name: ss_notec_sing_dict_36_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_36_code. See ss_notec_sing_dict_36_code for more information.

Column Name: ss_notec_sing_dict_37_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 37'

Column Name: ss_notec_sing_dict_37_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_37_code. See ss_notec_sing_dict_37_code for more information.

Column Name: ss_notec_sing_dict_38_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 38'

Column Name: ss_notec_sing_dict_38_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_38_code. See ss_notec_sing_dict_38_code for more information.

Column Name: ss_notec_sing_dict_39_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 39'

Column Name: ss_notec_sing_dict_39_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_39_code. See ss_notec_sing_dict_39_code for more information.

Column Name: ss_notec_sing_dict_3_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 3'

Column Name: ss_notec_sing_dict_3_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_3_code. See ss_notec_sing_dict_3_code for more information.

Column Name: ss_notec_sing_dict_40_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 40'

Column Name: ss_notec_sing_dict_40_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_40_code. See ss_notec_sing_dict_40_code for more information.

Column Name: ss_notec_sing_dict_41_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 41'

Column Name: ss_notec_sing_dict_41_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_41_code. See ss_notec_sing_dict_41_code for more information.

Column Name: ss_notec_sing_dict_42_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 42'

Column Name: ss_notec_sing_dict_42_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_42_code. See ss_notec_sing_dict_42_code for more information.

Column Name: ss_notec_sing_dict_43_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 43'

Column Name: ss_notec_sing_dict_43_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_43_code. See ss_notec_sing_dict_43_code for more information.

Column Name: ss_notec_sing_dict_44_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 44'

Column Name: ss_notec_sing_dict_44_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_44_code. See ss_notec_sing_dict_44_code for more information.

Column Name: ss_notec_sing_dict_45_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 45'

Column Name: ss_notec_sing_dict_45_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_45_code. See ss_notec_sing_dict_45_code for more information.

Column Name: ss_notec_sing_dict_46_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 46'

Column Name: ss_notec_sing_dict_46_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_46_code. See ss_notec_sing_dict_46_code for more information.

Column Name: ss_notec_sing_dict_47_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 47'

Column Name: ss_notec_sing_dict_47_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_47_code. See ss_notec_sing_dict_47_code for more information.

Column Name: ss_notec_sing_dict_48_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 48'

Column Name: ss_notec_sing_dict_48_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_48_code. See ss_notec_sing_dict_48_code for more information.

Column Name: ss_notec_sing_dict_49_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 49'

Column Name: ss_notec_sing_dict_49_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_49_code. See ss_notec_sing_dict_49_code for more information.

Column Name: ss_notec_sing_dict_4_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 4'

Column Name: ss_notec_sing_dict_4_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_4_code. See ss_notec_sing_dict_4_code for more information.

Column Name: ss_notec_sing_dict_50_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 50'

Column Name: ss_notec_sing_dict_50_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_50_code. See ss_notec_sing_dict_50_code for more information.

Column Name: ss_notec_sing_dict_5_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 5'

Column Name: ss_notec_sing_dict_5_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_5_code. See ss_notec_sing_dict_5_code for more information.

Column Name: ss_notec_sing_dict_6_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 6'

Column Name: ss_notec_sing_dict_6_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_6_code. See ss_notec_sing_dict_6_code for more information.

Column Name: ss_notec_sing_dict_7_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 7'

Column Name: ss_notec_sing_dict_7_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_7_code. See ss_notec_sing_dict_7_code for more information.

Column Name: ss_notec_sing_dict_8_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 8'

Column Name: ss_notec_sing_dict_8_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_8_code. See ss_notec_sing_dict_8_code for more information.

Column Name: ss_notec_sing_dict_9_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 9'

Column Name: ss_notec_sing_dict_9_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_9_code. See ss_notec_sing_dict_9_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

[Ambulatory_Progress_Notes_\(Diagnosis_Entry\)](#)

Table Name: CWSTEMP.cw_patient_notes_supp_4

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp4 table.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a progress note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mult_dic_51_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 51'

Column Name: ss_notc_mult_dic_51_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_51_code. See ss_notc_mult_dic_51_code for more information.

Column Name: ss_notc_mult_dic_52_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 52'

Column Name: ss_notc_mult_dic_52_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_52_code. See ss_notc_mult_dic_52_code for more information.

Column Name: ss_notc_mult_dic_53_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 53'

Column Name: ss_notc_mult_dic_53_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_53_code. See ss_notc_mult_dic_53_code for more information.

Column Name: ss_notc_mult_dic_54_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 54'

Column Name: ss_notc_mult_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_54_code. See ss_notc_mult_dic_54_code for more information.

Column Name: ss_notc_mult_dic_55_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 55'

Column Name: ss_notc_mult_dic_55_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_55_code. See ss_notc_mult_dic_55_code for more information.

Column Name: ss_notc_mult_dic_56_code

Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 56'

Column Name: ss_notc_mult_dic_56_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_56_code. See ss_notc_mult_dic_56_code for more information.

Column Name: ss_notc_mult_dic_57_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 57'

Column Name: ss_notc_mult_dic_57_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_57_code. See ss_notc_mult_dic_57_code for more information.

Column Name: ss_notc_mult_dic_58_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 58'

Column Name: ss_notc_mult_dic_58_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_58_code. See ss_notc_mult_dic_58_code for more information.

Column Name: ss_notc_mult_dic_59_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 59'

Column Name: ss_notc_mult_dic_59_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_59_code. See ss_notc_mult_dic_59_code for more information.

Column Name: ss_notc_mult_dic_60_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 60'

Column Name: ss_notc_mult_dic_60_value
Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_60_code. See ss_notc_mult_dic_60_code for more information.

Column Name: ss_notc_mult_dic_61_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 61'

Column Name: ss_notc_mult_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_61_code. See ss_notc_mult_dic_61_code for more information.

Column Name: ss_notc_mult_dic_62_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 62'

Column Name: ss_notc_mult_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_62_code. See ss_notc_mult_dic_62_code for more information.

Column Name: ss_notc_mult_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 63'

Column Name: ss_notc_mult_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_63_code. See ss_notc_mult_dic_63_code for more information.

Column Name: ss_notc_mult_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 64'

Column Name: ss_notc_mult_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_64_code. See ss_notc_mult_dic_64_code for more information.

Column Name: ss_notc_mult_dic_65_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 65'

Column Name: ss_notc_mult_dic_65_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mult_dic_65_code. See ss_notc_mult_dic_65_code for more information.

Column Name: ss_notc_mult_dic_66_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 66'

Column Name: ss_notc_mult_dic_66_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_66_code. See ss_notc_mult_dic_66_code for more information.

Column Name: ss_notc_mult_dic_67_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 67'

Column Name: ss_notc_mult_dic_67_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_67_code. See ss_notc_mult_dic_67_code for more information.

Column Name: ss_notc_mult_dic_68_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 68'

Column Name: ss_notc_mult_dic_68_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_68_code. See ss_notc_mult_dic_68_code for more information.

Column Name: ss_notc_mult_dic_69_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 69'

Column Name: ss_notc_mult_dic_69_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_69_code`. See `ss_notc_mult_dic_69_code` for more information.

Column Name: `ss_notc_mult_dic_70_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 70'

Column Name: `ss_notc_mult_dic_70_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_70_code`. See `ss_notc_mult_dic_70_code` for more information.

Column Name: `ss_notc_mult_dic_71_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 71'

Column Name: `ss_notc_mult_dic_71_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_71_code`. See `ss_notc_mult_dic_71_code` for more information.

Column Name: `ss_notc_mult_dic_72_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 72'

Column Name: `ss_notc_mult_dic_72_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_72_code`. See `ss_notc_mult_dic_72_code` for more information.

Column Name: `ss_notc_mult_dic_73_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 73'

Column Name: `ss_notc_mult_dic_73_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_73_code`. See `ss_notc_mult_dic_73_code` for more information.

Column Name: `ss_notc_mult_dic_74_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Multiple Response Dictionary 74'

Column Name: ss_notc_mult_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_74_code. See ss_notc_mult_dic_74_code for more information.

Column Name: ss_notc_mult_dic_75_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 75'

Column Name: ss_notc_mult_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mult_dic_75_code. See ss_notc_mult_dic_75_code for more information.

Column Name: ss_notc_mult_dic_76_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 76'

Column Name: ss_notc_mult_dic_76_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_76_code. See ss_notc_mult_dic_76_code for more information.

Column Name: ss_notc_mult_dic_77_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 77'

Column Name: ss_notc_mult_dic_77_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_77_code. See ss_notc_mult_dic_77_code for more information.

Column Name: ss_notc_mult_dic_78_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 78'

Column Name: ss_notc_mult_dic_78_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_78_code`. See `ss_notc_mult_dic_78_code` for more information.

Column Name: `ss_notc_mult_dic_79_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 79'

Column Name: `ss_notc_mult_dic_79_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_79_code`. See `ss_notc_mult_dic_79_code` for more information.

Column Name: `ss_notc_mult_dic_80_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 80'

Column Name: `ss_notc_mult_dic_80_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_80_code`. See `ss_notc_mult_dic_80_code` for more information.

Column Name: `ss_notc_sin_dic_51_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 51'

Column Name: `ss_notc_sin_dic_51_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_sin_dic_51_code`. See `ss_notc_sin_dic_51_code` for more information.

Column Name: `ss_notc_sin_dic_52_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 52'

Column Name: `ss_notc_sin_dic_52_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_sin_dic_52_code`. See `ss_notc_sin_dic_52_code` for more information.

Column Name: `ss_notc_sin_dic_53_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 53'

Column Name: ss_notc_sin_dic_53_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_53_code. See ss_notc_sin_dic_53_code for more information.

Column Name: ss_notc_sin_dic_54_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 54'

Column Name: ss_notc_sin_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_54_code. See ss_notc_sin_dic_54_code for more information.

Column Name: ss_notc_sin_dic_55_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 55'

Column Name: ss_notc_sin_dic_55_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_55_code. See ss_notc_sin_dic_55_code for more information.

Column Name: ss_notc_sin_dic_56_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 56'

Column Name: ss_notc_sin_dic_56_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_56_code. See ss_notc_sin_dic_56_code for more information.

Column Name: ss_notc_sin_dic_57_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 57'

Column Name: ss_notc_sin_dic_57_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_57_code. See ss_notc_sin_dic_57_code for more information.

Column Name: ss_notc_sin_dic_58_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 58'

Column Name: ss_notc_sin_dic_58_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_58_code. See ss_notc_sin_dic_58_code for more information.

Column Name: ss_notc_sin_dic_59_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 59'

Column Name: ss_notc_sin_dic_59_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_59_code. See ss_notc_sin_dic_59_code for more information.

Column Name: ss_notc_sin_dic_60_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 60'

Column Name: ss_notc_sin_dic_60_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_60_code. See ss_notc_sin_dic_60_code for more information.

Column Name: ss_notc_sin_dic_61_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 61'

Column Name: ss_notc_sin_dic_61_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_61_code. See ss_notc_sin_dic_61_code for more information.

Column Name: ss_notc_sin_dic_62_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 62'

Column Name: ss_notc_sin_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_62_code. See ss_notc_sin_dic_62_code for more information.

Column Name: ss_notc_sin_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 63'

Column Name: ss_notc_sin_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_63_code. See ss_notc_sin_dic_63_code for more information.

Column Name: ss_notc_sin_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 64'

Column Name: ss_notc_sin_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_64_code. See ss_notc_sin_dic_64_code for more information.

Column Name: ss_notc_sin_dic_65_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 65'

Column Name: ss_notc_sin_dic_65_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_sin_dic_65_code. See ss_notc_sin_dic_65_code for more information.

Column Name: ss_notc_sin_dic_66_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 66'

Column Name: ss_notc_sin_dic_66_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_66_code. See ss_notc_sin_dic_66_code for more information.

Column Name: ss_notc_sin_dic_67_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 67'

Column Name: ss_notc_sin_dic_67_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_67_code. See ss_notc_sin_dic_67_code for more information.

Column Name: ss_notc_sin_dic_68_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 68'

Column Name: ss_notc_sin_dic_68_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_68_code. See ss_notc_sin_dic_68_code for more information.

Column Name: ss_notc_sin_dic_69_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 69'

Column Name: ss_notc_sin_dic_69_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_69_code. See ss_notc_sin_dic_69_code for more information.

Column Name: ss_notc_sin_dic_70_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 70'

Column Name: ss_notc_sin_dic_70_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_70_code. See ss_notc_sin_dic_70_code for more information.

Column Name: ss_notc_sin_dic_71_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 71'

Column Name: ss_notc_sin_dic_71_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_71_code. See ss_notc_sin_dic_71_code for more information.

Column Name: ss_notc_sin_dic_72_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 72'

Column Name: ss_notc_sin_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_72_code. See ss_notc_sin_dic_72_code for more information.

Column Name: ss_notc_sin_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 73'

Column Name: ss_notc_sin_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_73_code. See ss_notc_sin_dic_73_code for more information.

Column Name: ss_notc_sin_dic_74_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 74'

Column Name: ss_notc_sin_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_74_code. See ss_notc_sin_dic_74_code for more information.

Column Name: ss_notc_sin_dic_75_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 75'

Column Name: ss_notc_sin_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_sin_dic_75_code. See ss_notc_sin_dic_75_code for more information.

Column Name: ss_notc_sin_dic_76_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 76'

Column Name: ss_notc_sin_dic_76_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_76_code. See ss_notc_sin_dic_76_code for more information.

Column Name: ss_notc_sin_dic_77_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 77'

Column Name: ss_notc_sin_dic_77_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_77_code. See ss_notc_sin_dic_77_code for more information.

Column Name: ss_notc_sin_dic_78_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 78'

Column Name: ss_notc_sin_dic_78_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_78_code. See ss_notc_sin_dic_78_code for more information.

Column Name: ss_notc_sin_dic_79_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 79'

Column Name: ss_notc_sin_dic_79_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_79_code. See ss_notc_sin_dic_79_code for more information.

Column Name: ss_notc_sin_dic_80_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 80'

Column Name: ss_notc_sin_dic_80_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_80_code. See ss_notc_sin_dic_80_code for more information.

Column Name: ss_note_mul_dict_51_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 51'

Column Name: ss_note_mul_dict_51_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_51_code limited to 255 characters. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_51_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_51_code. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_52_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 52'

Column Name: ss_note_mul_dict_52_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_52_code limited to 255 characters. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_52_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_52_code. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_53_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 53'

Column Name: ss_note_mul_dict_53_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_53_code limited to 255 characters. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_53_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_53_code. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_54_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 54'

Column Name: ss_note_mul_dict_54_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_54_code limited to 255 characters. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_54_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_54_code. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_55_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 55'

Column Name: ss_note_mul_dict_55_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_55_code limited to 255 characters. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_55_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_55_code. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_56_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 56'

Column Name: ss_note_mul_dict_56_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_56_code limited to 255 characters. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_56_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_56_code. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_57_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 57'

Column Name: ss_note_mul_dict_57_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_57_code limited to 255 characters. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_57_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_57_code. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_58_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 58'

Column Name: ss_note_mul_dict_58_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_58_code limited to 255 characters. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_58_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_58_code. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_59_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 59'

Column Name: ss_note_mul_dict_59_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_59_code limited to 255 characters. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_59_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_59_code. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_60_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 60'

Column Name: ss_note_mul_dict_60_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_60_code limited to 255 characters. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_60_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_60_code. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_61_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 61'

Column Name: ss_note_mul_dict_61_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_61_code limited to 255 characters. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_61_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_61_code. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_62_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 62'

Column Name: ss_note_mul_dict_62_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_62_code limited to 255 characters. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_62_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_62_code. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_63_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 63'

Column Name: ss_note_mul_dict_63_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_63_code limited to 255 characters. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_63_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_63_code. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_64_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 64'

Column Name: ss_note_mul_dict_64_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_64_code limited to 255 characters. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_64_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_64_code. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_65_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 65'

Column Name: ss_note_mul_dict_65_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_65_code limited to 255 characters. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_65_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_65_code. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_66_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 66'

Column Name: ss_note_mul_dict_66_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_66_code limited to 255 characters. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_66_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_66_code. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_67_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 67'

Column Name: ss_note_mul_dict_67_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_67_code limited to 255 characters. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_67_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_67_code. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_68_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 68'

Column Name: ss_note_mul_dict_68_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_68_code limited to 255 characters. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_68_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_68_code. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_69_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 69'

Column Name: ss_note_mul_dict_69_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_69_code limited to 255 characters. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_69_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_69_code. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_70_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 70'

Column Name: ss_note_mul_dict_70_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_70_code limited to 255 characters. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_70_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_70_code. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_71_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 71'

Column Name: ss_note_mul_dict_71_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_71_code limited to 255 characters. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_71_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_71_code. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_72_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 72'

Column Name: ss_note_mul_dict_72_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_72_code limited to 255 characters. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_72_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_72_code. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_73_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 73'

Column Name: ss_note_mul_dict_73_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_73_code limited to 255 characters. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_73_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_73_code. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_74_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 74'

Column Name: ss_note_mul_dict_74_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_74_code limited to 255 characters. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_74_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_74_code. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_75_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 75'

Column Name: ss_note_mul_dict_75_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_75_code limited to 255 characters. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_75_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_75_code. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_76_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 76'

Column Name: ss_note_mul_dict_76_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_76_code limited to 255 characters. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_76_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_76_code. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_77_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 77'

Column Name: ss_note_mul_dict_77_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_77_code limited to 255 characters. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_77_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_77_code. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_78_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 78'

Column Name: ss_note_mul_dict_78_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_78_code limited to 255 characters. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_78_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_78_code. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_79_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 79'

Column Name: ss_note_mul_dict_79_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_79_code limited to 255 characters. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_79_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_79_code. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_80_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 80'

Column Name: ss_note_mul_dict_80_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_80_code limited to 255 characters. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_mul_dict_80_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_80_code. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_scroll_text_51

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 51'

Column Name: ss_note_scroll_text_52

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 52'

Column Name: ss_note_scroll_text_53

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 53'

Column Name: ss_note_scroll_text_54

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 54'

Column Name: ss_note_scroll_text_55

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 55'

Column Name: ss_note_scroll_text_56

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 56'

Column Name: ss_note_scroll_text_57

Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 57'

Column Name: ss_note_scroll_text_58
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 58'

Column Name: ss_note_scroll_text_59
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 59'

Column Name: ss_note_scroll_text_60
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 60'

Column Name: ss_note_scroll_text_61
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 61'

Column Name: ss_note_scroll_text_62
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 62'

Column Name: ss_note_scroll_text_63
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 63'

Column Name: ss_note_scroll_text_64
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 64'

Column Name: ss_note_scroll_text_65
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 65'

Column Name: ss_note_scroll_text_66
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 66'

Column Name: ss_note_scroll_text_67
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 67'

Column Name: ss_note_scroll_text_68
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 68'

Column Name: ss_note_scroll_text_69
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 69'

Column Name: ss_note_scroll_text_70
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 70'

Column Name: ss_note_scroll_text_71
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 71'

Column Name: ss_note_scroll_text_72
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 72'

Column Name: ss_note_scroll_text_73
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 73'

Column Name: ss_note_scroll_text_74
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 74'

Column Name: ss_note_scroll_text_75
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 75'

Column Name: ss_note_scroll_text_76
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 76'

Column Name: ss_note_scroll_text_77
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 77'

Column Name: ss_note_scroll_text_78
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 78'

Column Name: ss_note_scroll_text_79
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 79'

Column Name: ss_note_scroll_text_80
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 80'

Column Name: ss_note_sin_dict_51_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 51'

Column Name: ss_note_sin_dict_51_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_51_code. See ss_note_sin_dict_51_code for more information.

Column Name: ss_note_sin_dict_52_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 52'

Column Name: ss_note_sin_dict_52_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_52_code. See ss_note_sin_dict_52_code for more information.

Column Name: ss_note_sin_dict_53_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 53'

Column Name: ss_note_sin_dict_53_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_53_code. See ss_note_sin_dict_53_code for more information.

Column Name: ss_note_sin_dict_54_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 54'

Column Name: ss_note_sin_dict_54_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_54_code. See ss_note_sin_dict_54_code for more information.

Column Name: ss_note_sin_dict_55_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 55'

Column Name: ss_note_sin_dict_55_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_55_code. See ss_note_sin_dict_55_code for more information.

Column Name: ss_note_sin_dict_56_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 56'

Column Name: ss_note_sin_dict_56_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_56_code. See ss_note_sin_dict_56_code for more information.

Column Name: ss_note_sin_dict_57_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 57'

Column Name: ss_note_sin_dict_57_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_57_code. See ss_note_sin_dict_57_code for more information.

Column Name: ss_note_sin_dict_58_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 58'

Column Name: ss_note_sin_dict_58_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_58_code. See ss_note_sin_dict_58_code for more information.

Column Name: ss_note_sin_dict_59_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 59'

Column Name: ss_note_sin_dict_59_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_59_code. See ss_note_sin_dict_59_code for more information.

Column Name: ss_note_sin_dict_60_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 60'

Column Name: ss_note_sin_dict_60_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_60_code. See ss_note_sin_dict_60_code for more information.

Column Name: ss_note_sin_dict_61_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 61'

Column Name: ss_note_sin_dict_61_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_61_code. See ss_note_sin_dict_61_code for more information.

Column Name: ss_note_sin_dict_62_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 62'

Column Name: ss_note_sin_dict_62_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_62_code. See ss_note_sin_dict_62_code for more information.

Column Name: ss_note_sin_dict_63_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 63'

Column Name: ss_note_sin_dict_63_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_63_code. See ss_note_sin_dict_63_code for more information.

Column Name: ss_note_sin_dict_64_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 64'

Column Name: ss_note_sin_dict_64_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_64_code. See ss_note_sin_dict_64_code for more information.

Column Name: ss_note_sin_dict_65_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 65'

Column Name: ss_note_sin_dict_65_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_65_code. See ss_note_sin_dict_65_code for more information.

Column Name: ss_note_sin_dict_66_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 66'

Column Name: ss_note_sin_dict_66_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_66_code. See ss_note_sin_dict_66_code for more information.

Column Name: ss_note_sin_dict_67_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 67'

Column Name: ss_note_sin_dict_67_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_67_code. See ss_note_sin_dict_67_code for more information.

Column Name: ss_note_sin_dict_68_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 68'

Column Name: ss_note_sin_dict_68_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_68_code. See ss_note_sin_dict_68_code for more information.

Column Name: ss_note_sin_dict_69_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 69'

Column Name: ss_note_sin_dict_69_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_69_code. See ss_note_sin_dict_69_code for more information.

Column Name: ss_note_sin_dict_70_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 70'

Column Name: ss_note_sin_dict_70_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_70_code. See ss_note_sin_dict_70_code for more information.

Column Name: ss_note_sin_dict_71_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 71'

Column Name: ss_note_sin_dict_71_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_71_code. See ss_note_sin_dict_71_code for more information.

Column Name: ss_note_sin_dict_72_code

Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 72'

Column Name: ss_note_sin_dict_72_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_72_code. See ss_note_sin_dict_72_code for more information.

Column Name: ss_note_sin_dict_73_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 73'

Column Name: ss_note_sin_dict_73_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_73_code. See ss_note_sin_dict_73_code for more information.

Column Name: ss_note_sin_dict_74_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 74'

Column Name: ss_note_sin_dict_74_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_74_code. See ss_note_sin_dict_74_code for more information.

Column Name: ss_note_sin_dict_75_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 75'

Column Name: ss_note_sin_dict_75_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_75_code. See ss_note_sin_dict_75_code for more information.

Column Name: ss_note_sin_dict_76_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 76'

Column Name: ss_note_sin_dict_76_value
Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_76_code. See ss_note_sin_dict_76_code for more information.

Column Name: ss_note_sin_dict_77_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 77'

Column Name: ss_note_sin_dict_77_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_77_code. See ss_note_sin_dict_77_code for more information.

Column Name: ss_note_sin_dict_78_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 78'

Column Name: ss_note_sin_dict_78_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_78_code. See ss_note_sin_dict_78_code for more information.

Column Name: ss_note_sin_dict_79_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 79'

Column Name: ss_note_sin_dict_79_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_79_code. See ss_note_sin_dict_79_code for more information.

Column Name: ss_note_sin_dict_80_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 80'

Column Name: ss_note_sin_dict_80_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_80_code. See ss_note_sin_dict_80_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: CWSTEMP.cw_patient_notes_supp_5

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp5 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50

Unique ID for a note.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: PREFILEID

Column Type: varchar

Max Length: 50

The unique ID associated with the prefiller.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the service.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the service.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: ebp_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practices'

Column Name: ebp_element_code

Column Type: varchar
Max Length: 50
'Evidence-Based Practice Elements'

Column Name: ebp_element_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_element_code

Column Name: ebp_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_code

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mul_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 100'

Column Name: ss_notc_mul_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_100_code. See ss_notc_mul_dic_100_code for more information.

Column Name: ss_notc_mul_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 101'

Column Name: ss_notc_mul_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_101_code. See ss_notc_mul_dic_101_code for more information.

Column Name: ss_notc_mul_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 102'

Column Name: ss_notc_mul_dic_102_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_102_code. See ss_notc_mul_dic_102_code for more information.

Column Name: ss_notc_mul_dic_103_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 103'

Column Name: ss_notc_mul_dic_103_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_103_code. See ss_notc_mul_dic_103_code for more information.

Column Name: ss_notc_mul_dic_104_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 104'

Column Name: ss_notc_mul_dic_104_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_104_code. See ss_notc_mul_dic_104_code for more information.

Column Name: ss_notc_mul_dic_105_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 105'

Column Name: ss_notc_mul_dic_105_value
Column Type: varchar
Max Length: 275
The description associated with ss_notc_mul_dic_105_code. See ss_notc_mul_dic_105_code for more information.

Column Name: ss_notc_mul_dic_106_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 106'

Column Name: ss_notc_mul_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_106_code. See ss_notc_mul_dic_106_code for more information.

Column Name: ss_notc_mul_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 107'

Column Name: ss_notc_mul_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_107_code. See ss_notc_mul_dic_107_code for more information.

Column Name: ss_notc_mul_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 108'

Column Name: ss_notc_mul_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_108_code. See ss_notc_mul_dic_108_code for more information.

Column Name: ss_notc_mul_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 109'

Column Name: ss_notc_mul_dic_109_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_109_code. See ss_notc_mul_dic_109_code for more information.

Column Name: ss_notc_mul_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 110'

Column Name: ss_notc_mul_dic_110_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_110_code. See ss_notc_mul_dic_110_code for more information.

Column Name: ss_notc_mul_dic_81_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 81'

Column Name: ss_notc_mul_dic_81_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_81_code. See ss_notc_mul_dic_81_code for more information.

Column Name: ss_notc_mul_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 82'

Column Name: ss_notc_mul_dic_82_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_82_code. See ss_notc_mul_dic_82_code for more information.

Column Name: ss_notc_mul_dic_83_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 83'

Column Name: ss_notc_mul_dic_83_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_83_code. See ss_notc_mul_dic_83_code for more information.

Column Name: ss_notc_mul_dic_84_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 84'

Column Name: ss_notc_mul_dic_84_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_84_code. See ss_notc_mul_dic_84_code for more information.

Column Name: ss_notc_mul_dic_85_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 85'

Column Name: ss_notc_mul_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_85_code. See ss_notc_mul_dic_85_code for more information.

Column Name: ss_notc_mul_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 86'

Column Name: ss_notc_mul_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_86_code. See ss_notc_mul_dic_86_code for more information.

Column Name: ss_notc_mul_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 87'

Column Name: ss_notc_mul_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_87_code. See ss_notc_mul_dic_87_code for more information.

Column Name: ss_notc_mul_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 88'

Column Name: ss_notc_mul_dic_88_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_88_code. See ss_notc_mul_dic_88_code for more information.

Column Name: ss_notc_mul_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 89'

Column Name: ss_notc_mul_dic_89_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_89_code. See ss_notc_mul_dic_89_code for more information.

Column Name: ss_notc_mul_dic_90_code

Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 90'

Column Name: ss_notc_mul_dic_90_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_90_code. See ss_notc_mul_dic_90_code for more information.

Column Name: ss_notc_mul_dic_91_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 91'

Column Name: ss_notc_mul_dic_91_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_91_code. See ss_notc_mul_dic_91_code for more information.

Column Name: ss_notc_mul_dic_92_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 92'

Column Name: ss_notc_mul_dic_92_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_92_code. See ss_notc_mul_dic_92_code for more information.

Column Name: ss_notc_mul_dic_93_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 93'

Column Name: ss_notc_mul_dic_93_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_93_code. See ss_notc_mul_dic_93_code for more information.

Column Name: ss_notc_mul_dic_94_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 94'

Column Name: ss_notc_mul_dic_94_value
Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_94_code. See ss_notc_mul_dic_94_code for more information.

Column Name: ss_notc_mul_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 95'

Column Name: ss_notc_mul_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mul_dic_95_code. See ss_notc_mul_dic_95_code for more information.

Column Name: ss_notc_mul_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 96'

Column Name: ss_notc_mul_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_96_code. See ss_notc_mul_dic_96_code for more information.

Column Name: ss_notc_mul_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 97'

Column Name: ss_notc_mul_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_97_code. See ss_notc_mul_dic_97_code for more information.

Column Name: ss_notc_mul_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 98'

Column Name: ss_notc_mul_dic_98_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_98_code. See ss_notc_mul_dic_98_code for more information.

Column Name: ss_notc_mul_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 99'

Column Name: ss_notc_mul_dic_99_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_99_code. See ss_notc_mul_dic_99_code for more information.

Column Name: ss_notc_sin_dic_100_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 100'

Column Name: ss_notc_sin_dic_100_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_100_code. See ss_notc_sin_dic_100_code for more information.

Column Name: ss_notc_sin_dic_101_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 101'

Column Name: ss_notc_sin_dic_101_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_101_code. See ss_notc_sin_dic_101_code for more information.

Column Name: ss_notc_sin_dic_102_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 102'

Column Name: ss_notc_sin_dic_102_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_102_code. See ss_notc_sin_dic_102_code for more information.

Column Name: ss_notc_sin_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 103'

Column Name: ss_notc_sin_dic_103_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_103_code. See ss_notc_sin_dic_103_code for more information.

Column Name: ss_notc_sin_dic_104_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 104'

Column Name: ss_notc_sin_dic_104_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_104_code. See ss_notc_sin_dic_104_code for more information.

Column Name: ss_notc_sin_dic_105_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 105'

Column Name: ss_notc_sin_dic_105_value
Column Type: varchar
Max Length: 275
The description associated with ss_notc_sin_dic_105_code. See ss_notc_sin_dic_105_code for more information.

Column Name: ss_notc_sin_dic_106_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 106'

Column Name: ss_notc_sin_dic_106_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_106_code. See ss_notc_sin_dic_106_code for more information.

Column Name: ss_notc_sin_dic_107_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 107'

Column Name: ss_notc_sin_dic_107_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_107_code. See ss_notc_sin_dic_107_code for more information.

Column Name: ss_notc_sin_dic_108_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 108'

Column Name: ss_notc_sin_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_108_code. See ss_notc_sin_dic_108_code for more information.

Column Name: ss_notc_sin_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 109'

Column Name: ss_notc_sin_dic_109_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_109_code. See ss_notc_sin_dic_109_code for more information.

Column Name: ss_notc_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 110'

Column Name: ss_notc_sin_dic_110_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_110_code. See ss_notc_sin_dic_110_code for more information.

Column Name: ss_notc_sin_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 81'

Column Name: ss_notc_sin_dic_81_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_81_code. See ss_notc_sin_dic_81_code for more information.

Column Name: ss_notc_sin_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 82'

Column Name: ss_notc_sin_dic_82_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_82_code. See ss_notc_sin_dic_82_code for more information.

Column Name: ss_notc_sin_dic_83_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 83'

Column Name: ss_notc_sin_dic_83_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_83_code. See ss_notc_sin_dic_83_code for more information.

Column Name: ss_notc_sin_dic_84_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 84'

Column Name: ss_notc_sin_dic_84_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_84_code. See ss_notc_sin_dic_84_code for more information.

Column Name: ss_notc_sin_dic_85_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 85'

Column Name: ss_notc_sin_dic_85_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_85_code. See ss_notc_sin_dic_85_code for more information.

Column Name: ss_notc_sin_dic_86_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 86'

Column Name: ss_notc_sin_dic_86_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_86_code. See ss_notc_sin_dic_86_code for more information.

Column Name: ss_notc_sin_dic_87_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 87'

Column Name: ss_notc_sin_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_87_code. See ss_notc_sin_dic_87_code for more information.

Column Name: ss_notc_sin_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 88'

Column Name: ss_notc_sin_dic_88_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_88_code. See ss_notc_sin_dic_88_code for more information.

Column Name: ss_notc_sin_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 89'

Column Name: ss_notc_sin_dic_89_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_89_code. See ss_notc_sin_dic_89_code for more information.

Column Name: ss_notc_sin_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 90'

Column Name: ss_notc_sin_dic_90_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_90_code. See ss_notc_sin_dic_90_code for more information.

Column Name: ss_notc_sin_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 91'

Column Name: ss_notc_sin_dic_91_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_91_code. See ss_notc_sin_dic_91_code for more information.

Column Name: ss_notc_sin_dic_92_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 92'

Column Name: ss_notc_sin_dic_92_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_92_code. See ss_notc_sin_dic_92_code for more information.

Column Name: ss_notc_sin_dic_93_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 93'

Column Name: ss_notc_sin_dic_93_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_93_code. See ss_notc_sin_dic_93_code for more information.

Column Name: ss_notc_sin_dic_94_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 94'

Column Name: ss_notc_sin_dic_94_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_94_code. See ss_notc_sin_dic_94_code for more information.

Column Name: ss_notc_sin_dic_95_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 95'

Column Name: ss_notc_sin_dic_95_value
Column Type: varchar
Max Length: 265
The description associated with ss_notc_sin_dic_95_code. See ss_notc_sin_dic_95_code for more information.

Column Name: ss_notc_sin_dic_96_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 96'

Column Name: ss_notc_sin_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_96_code. See ss_notc_sin_dic_96_code for more information.

Column Name: ss_notc_sin_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 97'

Column Name: ss_notc_sin_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_97_code. See ss_notc_sin_dic_97_code for more information.

Column Name: ss_notc_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 98'

Column Name: ss_notc_sin_dic_98_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_98_code. See ss_notc_sin_dic_98_code for more information.

Column Name: ss_notc_sin_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 99'

Column Name: ss_notc_sin_dic_99_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_99_code. See ss_notc_sin_dic_99_code for more information.

Column Name: ss_note_mul_dic_100_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 100'

Column Name: ss_note_mul_dic_100_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_100_code limited to 255 characters. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_100_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_100_code. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_101_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 101'

Column Name: ss_note_mul_dic_101_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_101_code limited to 255 characters. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_101_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_101_code. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_102_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 102'

Column Name: ss_note_mul_dic_102_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_102_code limited to 255 characters. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_102_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_102_code. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_103_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 103'

Column Name: ss_note_mul_dic_103_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_103_code limited to 255 characters. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_103_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_103_code. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_104_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 104'

Column Name: ss_note_mul_dic_104_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_104_code limited to 255 characters. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_104_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_104_code. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_105_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 105'

Column Name: ss_note_mul_dic_105_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_105_code limited to 255 characters. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_105_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_105_code. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_106_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 106'

Column Name: ss_note_mul_dic_106_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_106_code limited to 255 characters. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_106_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_106_code. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_107_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 107'

Column Name: ss_note_mul_dic_107_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_107_code limited to 255 characters. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_107_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_107_code. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_108_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 108'

Column Name: ss_note_mul_dic_108_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_108_code limited to 255 characters. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_108_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_108_code. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_109_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 109'

Column Name: ss_note_mul_dic_109_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_109_code limited to 255 characters. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_109_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_109_code. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_110_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 110'

Column Name: ss_note_mul_dic_110_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_110_code limited to 255 characters. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_110_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_110_code. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_81_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 81'

Column Name: ss_note_mul_dic_81_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_81_code limited to 255 characters. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_81_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_81_code. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_82_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 82'

Column Name: ss_note_mul_dic_82_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_82_code limited to 255 characters. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_82_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_82_code. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_83_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 83'

Column Name: ss_note_mul_dic_83_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_83_code limited to 255 characters. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_83_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_83_code. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_84_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 84'

Column Name: ss_note_mul_dic_84_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_84_code limited to 255 characters. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_84_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_84_code. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_85_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 85'

Column Name: ss_note_mul_dic_85_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_85_code limited to 255 characters. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_85_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_85_code. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_86_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 86'

Column Name: ss_note_mul_dic_86_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_86_code limited to 255 characters. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_86_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_86_code. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_87_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 87'

Column Name: ss_note_mul_dic_87_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_87_code limited to 255 characters. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_87_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_87_code. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_88_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 88'

Column Name: ss_note_mul_dic_88_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_88_code limited to 255 characters. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_88_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_88_code. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_89_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 89'

Column Name: ss_note_mul_dic_89_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_89_code limited to 255 characters. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_89_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_89_code. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_90_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 90'

Column Name: ss_note_mul_dic_90_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_90_code limited to 255 characters. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_90_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_90_code. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_91_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 91'

Column Name: ss_note_mul_dic_91_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_91_code limited to 255 characters. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_91_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_91_code. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_92_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 92'

Column Name: ss_note_mul_dic_92_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_92_code limited to 255 characters. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_92_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_92_code. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_93_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 93'

Column Name: ss_note_mul_dic_93_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_93_code limited to 255 characters. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_93_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_93_code. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_94_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 94'

Column Name: ss_note_mul_dic_94_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_94_code limited to 255 characters. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_94_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_94_code. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_95_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 95'

Column Name: ss_note_mul_dic_95_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_95_code limited to 255 characters. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_95_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_95_code. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_96_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 96'

Column Name: ss_note_mul_dic_96_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_96_code limited to 255 characters. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_96_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_96_code. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_97_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 97'

Column Name: ss_note_mul_dic_97_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_97_code limited to 255 characters. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_97_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_97_code. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_98_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 98'

Column Name: ss_note_mul_dic_98_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_98_code limited to 255 characters. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_98_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_98_code. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_99_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 99'

Column Name: ss_note_mul_dic_99_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_99_code limited to 255 characters. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_mul_dic_99_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_99_code. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_scroll_text_100
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 100'

Column Name: ss_note_scroll_text_101
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 101'

Column Name: ss_note_scroll_text_102
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 102'

Column Name: ss_note_scroll_text_103
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 103'

Column Name: ss_note_scroll_text_104
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 104'

Column Name: ss_note_scroll_text_105
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 105'

Column Name: ss_note_scroll_text_106
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 106'

Column Name: ss_note_scroll_text_107
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 107'

Column Name: ss_note_scroll_text_108
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 108'

Column Name: ss_note_scroll_text_109
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 109'

Column Name: ss_note_scroll_text_110
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 110'

Column Name: ss_note_scroll_text_81
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 81'

Column Name: ss_note_scroll_text_82
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 82'

Column Name: ss_note_scroll_text_83
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 83'

Column Name: ss_note_scroll_text_84
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 84'

Column Name: ss_note_scroll_text_85
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 85'

Column Name: ss_note_scroll_text_86
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 86'

Column Name: ss_note_scroll_text_87
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 87'

Column Name: ss_note_scroll_text_88
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 88'

Column Name: ss_note_scroll_text_89
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 89'

Column Name: ss_note_scroll_text_90
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 90'

Column Name: ss_note_scroll_text_91
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 91'

Column Name: ss_note_scroll_text_92
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 92'

Column Name: ss_note_scroll_text_93
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 93'

Column Name: ss_note_scroll_text_94
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 94'

Column Name: ss_note_scroll_text_95
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 95'

Column Name: ss_note_scroll_text_96
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 96'

Column Name: ss_note_scroll_text_97
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 97'

Column Name: ss_note_scroll_text_98
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 98'

Column Name: ss_note_scroll_text_99
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 99'

Column Name: ss_note_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 100'

Column Name: ss_note_sin_dic_100_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_100_code. See ss_note_sin_dic_100_code for more information.

Column Name: ss_note_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 101'

Column Name: ss_note_sin_dic_101_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_101_code. See ss_note_sin_dic_101_code for more information.

Column Name: ss_note_sin_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 102'

Column Name: ss_note_sin_dic_102_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_102_code. See ss_note_sin_dic_102_code for more information.

Column Name: ss_note_sin_dic_103_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 103'

Column Name: ss_note_sin_dic_103_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_103_code. See ss_note_sin_dic_103_code for more information.

Column Name: ss_note_sin_dic_104_code
Column Type: varchar
Max Length: 50

'SS Note Single Response Dictionary 104'

Column Name: ss_note_sin_dic_104_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_104_code. See ss_note_sin_dic_104_code for more information.

Column Name: ss_note_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 105'

Column Name: ss_note_sin_dic_105_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_105_code. See ss_note_sin_dic_105_code for more information.

Column Name: ss_note_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 106'

Column Name: ss_note_sin_dic_106_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_106_code. See ss_note_sin_dic_106_code for more information.

Column Name: ss_note_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 107'

Column Name: ss_note_sin_dic_107_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_107_code. See ss_note_sin_dic_107_code for more information.

Column Name: ss_note_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 108'

Column Name: ss_note_sin_dic_108_value

Column Type: varchar

Max Length: 50

The description associated with `ss_note_sin_dic_108_code`. See `ss_note_sin_dic_108_code` for more information.

Column Name: `ss_note_sin_dic_109_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 109'

Column Name: `ss_note_sin_dic_109_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_109_code`. See `ss_note_sin_dic_109_code` for more information.

Column Name: `ss_note_sin_dic_110_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 110'

Column Name: `ss_note_sin_dic_110_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_110_code`. See `ss_note_sin_dic_110_code` for more information.

Column Name: `ss_note_sin_dic_81_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 81'

Column Name: `ss_note_sin_dic_81_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_81_code`. See `ss_note_sin_dic_81_code` for more information.

Column Name: `ss_note_sin_dic_82_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 82'

Column Name: `ss_note_sin_dic_82_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_82_code`. See `ss_note_sin_dic_82_code` for more information.

Column Name: `ss_note_sin_dic_83_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 83'

Column Name: ss_note_sin_dic_83_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_83_code. See ss_note_sin_dic_83_code for more information.

Column Name: ss_note_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 84'

Column Name: ss_note_sin_dic_84_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_84_code. See ss_note_sin_dic_84_code for more information.

Column Name: ss_note_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 85'

Column Name: ss_note_sin_dic_85_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_85_code. See ss_note_sin_dic_85_code for more information.

Column Name: ss_note_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 86'

Column Name: ss_note_sin_dic_86_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_86_code. See ss_note_sin_dic_86_code for more information.

Column Name: ss_note_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 87'

Column Name: ss_note_sin_dic_87_value

Column Type: varchar

Max Length: 50

The description associated with `ss_note_sin_dic_87_code`. See `ss_note_sin_dic_87_code` for more information.

Column Name: `ss_note_sin_dic_88_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 88'

Column Name: `ss_note_sin_dic_88_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_88_code`. See `ss_note_sin_dic_88_code` for more information.

Column Name: `ss_note_sin_dic_89_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 89'

Column Name: `ss_note_sin_dic_89_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_89_code`. See `ss_note_sin_dic_89_code` for more information.

Column Name: `ss_note_sin_dic_90_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 90'

Column Name: `ss_note_sin_dic_90_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_90_code`. See `ss_note_sin_dic_90_code` for more information.

Column Name: `ss_note_sin_dic_91_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 91'

Column Name: `ss_note_sin_dic_91_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_91_code`. See `ss_note_sin_dic_91_code` for more information.

Column Name: `ss_note_sin_dic_92_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 92'

Column Name: ss_note_sin_dic_92_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_92_code. See ss_note_sin_dic_92_code for more information.

Column Name: ss_note_sin_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 93'

Column Name: ss_note_sin_dic_93_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_93_code. See ss_note_sin_dic_93_code for more information.

Column Name: ss_note_sin_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 94'

Column Name: ss_note_sin_dic_94_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_94_code. See ss_note_sin_dic_94_code for more information.

Column Name: ss_note_sin_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 95'

Column Name: ss_note_sin_dic_95_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_95_code. See ss_note_sin_dic_95_code for more information.

Column Name: ss_note_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 96'

Column Name: ss_note_sin_dic_96_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_96_code. See ss_note_sin_dic_96_code for more information.

Column Name: ss_note_sin_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 97'

Column Name: ss_note_sin_dic_97_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_97_code. See ss_note_sin_dic_97_code for more information.

Column Name: ss_note_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 98'

Column Name: ss_note_sin_dic_98_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_98_code. See ss_note_sin_dic_98_code for more information.

Column Name: ss_note_sin_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 99'

Column Name: ss_note_sin_dic_99_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_99_code. See ss_note_sin_dic_99_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

[Ambulatory_Progress_Notes_\(Diagnosis_Entry\)](#)

Table Name: CWSTEMP.cw_patient_notes_supp_6

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp6 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiler.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_51
Column Type: varchar
Max Length: 20

SS Note 20 Character 51

Column Name: ss_note_20_char_text_52

Column Type: varchar

Max Length: 20

SS Note 20 Character 52

Column Name: ss_note_20_char_text_53

Column Type: varchar

Max Length: 20

SS Note 20 Character 53

Column Name: ss_note_20_char_text_54

Column Type: varchar

Max Length: 20

SS Note 20 Character 54

Column Name: ss_note_20_char_text_55

Column Type: varchar

Max Length: 20

SS Note 20 Character 55

Column Name: ss_note_20_char_text_56

Column Type: varchar

Max Length: 20

SS Note 20 Character 56

Column Name: ss_note_20_char_text_57

Column Type: varchar

Max Length: 20

SS Note 20 Character 57

Column Name: ss_note_20_char_text_58

Column Type: varchar

Max Length: 20

SS Note 20 Character 58

Column Name: ss_note_20_char_text_59

Column Type: varchar

Max Length: 20

SS Note 20 Character 59

Column Name: ss_note_20_char_text_60

Column Type: varchar

Max Length: 20

SS Note 20 Character 60

Column Name: ss_note_20_char_text_61

Column Type: varchar

Max Length: 20

SS Note 20 Character 61

Column Name: ss_note_20_char_text_62

Column Type: varchar

Max Length: 20

SS Note 20 Character 62

Column Name: ss_note_20_char_text_63

Column Type: varchar

Max Length: 20

SS Note 20 Character 63

Column Name: ss_note_20_char_text_64

Column Type: varchar

Max Length: 20

SS Note 20 Character 64

Column Name: ss_note_20_char_text_65

Column Type: varchar

Max Length: 20

SS Note 20 Character 65

Column Name: ss_note_20_char_text_66

Column Type: varchar

Max Length: 20

SS Note 20 Character 66

Column Name: ss_note_20_char_text_67

Column Type: varchar

Max Length: 20

SS Note 20 Character 67

Column Name: ss_note_20_char_text_68

Column Type: varchar

Max Length: 20

SS Note 20 Character 68

Column Name: ss_note_20_char_text_69

Column Type: varchar

Max Length: 20

SS Note 20 Character 69

Column Name: ss_note_20_char_text_70

Column Type: varchar

Max Length: 20

SS Note 20 Character 70

Column Name: ss_note_20_char_text_71

Column Type: varchar

Max Length: 20

SS Note 20 Character 71

Column Name: ss_note_20_char_text_72

Column Type: varchar

Max Length: 20

SS Note 20 Character 72

Column Name: ss_note_20_char_text_73

Column Type: varchar

Max Length: 20

SS Note 20 Character 73

Column Name: ss_note_20_char_text_74

Column Type: varchar

Max Length: 20

SS Note 20 Character 74

Column Name: ss_note_20_char_text_75

Column Type: varchar

Max Length: 20

SS Note 20 Character 75

Column Name: ss_note_20_char_text_76

Column Type: varchar

Max Length: 20

SS Note 20 Character 76

Column Name: ss_note_40_char_text_51

Column Type: varchar

Max Length: 40

SS Note 40 Character 51

Column Name: ss_note_40_char_text_52

Column Type: varchar

Max Length: 40

SS Note 40 Character 52

Column Name: ss_note_40_char_text_53

Column Type: varchar

Max Length: 40

SS Note 40 Character 53

Column Name: ss_note_40_char_text_54

Column Type: varchar

Max Length: 40

SS Note 40 Character 54

Column Name: ss_note_40_char_text_55

Column Type: varchar

Max Length: 40

SS Note 40 Character 55

Column Name: ss_note_40_char_text_56

Column Type: varchar

Max Length: 40

SS Note 40 Character 56

Column Name: ss_note_40_char_text_57

Column Type: varchar

Max Length: 40

SS Note 40 Character 57

Column Name: ss_note_40_char_text_58

Column Type: varchar

Max Length: 40

SS Note 40 Character 58

Column Name: ss_note_40_char_text_59

Column Type: varchar

Max Length: 40

SS Note 40 Character 59

Column Name: ss_note_40_char_text_60

Column Type: varchar

Max Length: 40

SS Note 40 Character 60

Column Name: ss_note_40_char_text_61

Column Type: varchar

Max Length: 40

SS Note 40 Character 61

Column Name: ss_note_40_char_text_62

Column Type: varchar

Max Length: 40

SS Note 40 Character 62

Column Name: ss_note_40_char_text_63

Column Type: varchar

Max Length: 40

SS Note 40 Character 63

Column Name: ss_note_40_char_text_64

Column Type: varchar

Max Length: 40

SS Note 40 Character 64

Column Name: ss_note_40_char_text_65

Column Type: varchar

Max Length: 40

SS Note 40 Character 65

Column Name: ss_note_40_char_text_66

Column Type: varchar

Max Length: 40

SS Note 40 Character 66

Column Name: ss_note_40_char_text_67

Column Type: varchar

Max Length: 40

SS Note 40 Character 67

Column Name: ss_note_40_char_text_68

Column Type: varchar

Max Length: 40

SS Note 40 Character 68

Column Name: ss_note_40_char_text_69

Column Type: varchar

Max Length: 40

SS Note 40 Character 69

Column Name: ss_note_40_char_text_70

Column Type: varchar

Max Length: 40

SS Note 40 Character 70

Column Name: ss_note_40_char_text_71

Column Type: varchar

Max Length: 40

SS Note 40 Character 71

Column Name: ss_note_40_char_text_72

Column Type: varchar

Max Length: 40

SS Note 40 Character 72

Column Name: ss_note_40_char_text_73

Column Type: varchar

Max Length: 40

SS Note 40 Character 73)

Column Name: ss_note_40_char_text_74

Column Type: varchar

Max Length: 40

SS Note 40 Character 74

Column Name: ss_note_40_char_text_75

Column Type: varchar

Max Length: 40

SS Note 40 Character 75

Column Name: ss_note_40_char_text_76

Column Type: varchar

Max Length: 40

SS Note 40 Character 76

Column Name: ss_note_date_51

Column Type: date

SS Note Date 51

Column Name: ss_note_date_52

Column Type: date

SS Note Date 52

Column Name: ss_note_date_53

Column Type: date

SS Note Date 53

Column Name: ss_note_date_54

Column Type: date

SS Note Date 54

Column Name: ss_note_date_55

Column Type: date

SS Note Date 55

Column Name: ss_note_date_56

Column Type: date

SS Note Date 56

Column Name: ss_note_date_57

Column Type: date

SS Note Date 57

Column Name: ss_note_date_58

Column Type: date

SS Note Date 58

Column Name: ss_note_date_59

Column Type: date

SS Note Date 59

Column Name: ss_note_date_60

Column Type: date

SS Note Date 60

Column Name: ss_note_integer_51

Column Type: integer

SS Note Integer 51

Column Name: ss_note_integer_52
Column Type: integer
SS Note Integer 52

Column Name: ss_note_integer_53
Column Type: integer
SS Note Integer 53

Column Name: ss_note_integer_54
Column Type: integer
SS Note Integer 54

Column Name: ss_note_integer_55
Column Type: integer
SS Note Integer 55

Column Name: ss_note_integer_56
Column Type: integer
SS Note Integer 56

Column Name: ss_note_integer_57
Column Type: integer
SS Note Integer 57

Column Name: ss_note_integer_58
Column Type: integer
SS Note Integer 58

Column Name: ss_note_integer_59
Column Type: integer
SS Note Integer 59

Column Name: ss_note_integer_60
Column Type: integer
SS Note Integer 60

Column Name: ss_note_scroll_text_111
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 111

Column Name: ss_note_scroll_text_112
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 112

Column Name: ss_note_scroll_text_113
Column Type: varchar
Max Length: 32700

SS Note Scrolling Free Text 113

Column Name: ss_note_scroll_text_114

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 114

Column Name: ss_note_scroll_text_115

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 115

Column Name: ss_note_scroll_text_116

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 116

Column Name: ss_note_scroll_text_117

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 117

Column Name: ss_note_scroll_text_118

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 118

Column Name: ss_note_scroll_text_119

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 119

Column Name: ss_note_scroll_text_120

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 120

Column Name: ss_note_scroll_text_121

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 121

Column Name: ss_note_scroll_text_122

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 122

Column Name: ss_note_scroll_text_123

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 123

Column Name: ss_note_scroll_text_124

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 124

Column Name: ss_note_scroll_text_125

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 125

Column Name: ss_note_scroll_text_126

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 126

Column Name: ss_note_scroll_text_127

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 127

Column Name: ss_note_scroll_text_128

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 128

Column Name: ss_note_scroll_text_129

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 129

Column Name: ss_note_scroll_text_130

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 130

Column Name: ss_note_scroll_text_131

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 131

Column Name: ss_note_scroll_text_132

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 132

Column Name: ss_note_scroll_text_133

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 133

Column Name: ss_note_scroll_text_134

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 134

Column Name: ss_note_scroll_text_135

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 135

Column Name: ss_note_scroll_text_136

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 136

Column Name: ss_note_time_51

Column Type: varchar

Max Length: 10

SS Note Time 51

Column Name: ss_note_time_52

Column Type: varchar

Max Length: 10

SS Note Time 52

Column Name: ss_note_time_53

Column Type: varchar

Max Length: 10

SS Note Time 53

Column Name: ss_note_time_54

Column Type: varchar

Max Length: 10

SS Note Time 54

Column Name: ss_note_time_55

Column Type: varchar

Max Length: 10

SS Note Time 55

Column Name: ss_note_time_56

Column Type: varchar

Max Length: 10

SS Note Time 56

Column Name: ss_note_time_57

Column Type: varchar

Max Length: 10

SS Note Time 57

Column Name: ss_note_time_58

Column Type: varchar

Max Length: 10

SS Note Time 58

Column Name: ss_note_time_59

Column Type: varchar

Max Length: 10

SS Note Time 59

Column Name: ss_note_time_60

Column Type: varchar

Max Length: 10

SS Note Time 60

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_notes_voided

Table Description: This table returns voided progress notes.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: Filing_Hist

Column Type: varchar

Max Length: 20
Unique historic where the data will be stored.

Column Name: notes_field
Column Type: varchar
Max Length: 32759
'Notes Field'

Column Name: note_type_code
Column Type: varchar
Max Length: 50
'Note Type code'

Column Name: note_type_value
Column Type: varchar
Max Length: 40
The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time
Column Type: varchar
Max Length: 25
'Note Time'

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: new_existing_svc_code
Column Type: varchar
Max Length: 5
'New Existing Service Code For. (Progress Note For)'

Column Name: new_existing_svc_value
Column Type: varchar
Max Length: 40
The description associated with new_existing_svc_code. See new_existing_svc_code for more information.

Column Name: service_charge_code
Column Type: varchar
Max Length: 40
'Service Charge Code'

Column Name: service_program_code
Column Type: varchar
Max Length: 6
'Service Program code'

Column Name: service_program_value
Column Type: varchar
Max Length: 40
The description associated with service_program_code. See service_program_code for more information.

Column Name: service_duration
Column Type: varchar
Max Length: 5
'Service Duration'

Column Name: note_addresses
Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_wh_tp_plan_prob
Column Type: varchar
Max Length: 32759
'Note Addresses Which Treatment Plan Problem'

Column Name: Tx_Note_UniqueID
Column Type: varchar
Max Length: 40
Unique ID for a service note.

Column Name: FILING_COUNTER
Column Type: integer
'Filing Counter'

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique ID for a service.

Column Name: TODO_ID

Column Type: varchar

Max Length: 20

'To Do Id'

Column Name: aps_link

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Appointment'

Column Name: clinical_quality_code

Column Type: varchar

Max Length: 255

'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val

Column Type: varchar

Max Length: 255

'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: clinical_quality_value

Column Type: varchar

Max Length: 4096

'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: co_sign_to_do_user

Column Type: varchar

Max Length: 50

'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_group_service
Column Type: date
Date of service for group.

Column Name: draft_final_code
Column Type: varchar
Max Length: 5
'Draft/Final code'

Column Name: draft_final_value
Column Type: varchar
Max Length: 40
The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id
Column Type: varchar
Max Length: 255
'External System Identifier'

Column Name: finalized_signature
Column Type: varchar
Max Length: 255
'Finalized Signature'

Column Name: medical_diagnosis_1_code
Column Type: varchar
Max Length: 50
'Medical Diagnosis 1 code'

Column Name: medical_diagnosis_1_value
Column Type: varchar
Max Length: 32759
The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code
Column Type: varchar
Max Length: 50
'Medical Diagnosis 2 code'

Column Name: medical_diagnosis_2_value
Column Type: varchar
Max Length: 32759
The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: notes_entry_index_nu
Column Type: varchar
Max Length: 50
'Notes Entry Index Number for Internal Use'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: orig_note_uniq_id_num
Column Type: varchar

Max Length: 20
'Original Note Unique ID Number'

Column Name: reason_for_void_code
Column Type: varchar
Max Length: 50
'Reason For Voiding The Note code'

Column Name: reason_for_void_value
Column Type: varchar
Max Length: 50
The description associated with reason_for_void_code. See reason_for_void_code for more information.

Column Name: select_tp_version_code
Column Type: varchar
Max Length: 5
'Select T.P. Version code'

Column Name: select_tp_version_value
Column Type: varchar
Max Length: 40
The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: session_start_end_times
Column Type: varchar
Max Length: 32759
'Start/End Time(s)'

Column Name: ss_note_20_char_text_1
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 1'

Column Name: ss_note_20_char_text_10
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 10'

Column Name: ss_note_20_char_text_2
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 2'

Column Name: ss_note_20_char_text_3
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 3'

Column Name: ss_note_20_char_text_4
Column Type: varchar

Max Length: 20
'SS Note 20 Character Text 4'

Column Name: ss_note_20_char_text_5
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 5'

Column Name: ss_note_20_char_text_6
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 6'

Column Name: ss_note_20_char_text_7
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 7'

Column Name: ss_note_20_char_text_8
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 8'

Column Name: ss_note_20_char_text_9
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 9'

Column Name: ss_note_40_char_text_1
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 1'

Column Name: ss_note_40_char_text_10
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 10'

Column Name: ss_note_40_char_text_2
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 2'

Column Name: ss_note_40_char_text_3
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 3'

Column Name: ss_note_40_char_text_4
Column Type: varchar

Max Length: 40
'SS Note 40 Character Text 4'

Column Name: ss_note_40_char_text_5
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 5'

Column Name: ss_note_40_char_text_6
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 6'

Column Name: ss_note_40_char_text_7
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 7'

Column Name: ss_note_40_char_text_8
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 8'

Column Name: ss_note_40_char_text_9
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 9'

Column Name: ss_note_80_char_text_1
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 9'

Column Name: ss_note_date_1
Column Type: date
'SS Note Date 1'

Column Name: ss_note_date_10
Column Type: date
'SS Note Date 10'

Column Name: ss_note_date_2
Column Type: date
'SS Note Date 2'

Column Name: ss_note_date_3
Column Type: date
'SS Note Date 3'

Column Name: ss_note_date_4
Column Type: date
'SS Note Date 4'

Column Name: ss_note_date_5
Column Type: date

'SS Note Date 5'

Column Name: ss_note_date_6

Column Type: date

'SS Note Date 6'

Column Name: ss_note_date_7

Column Type: date

'SS Note Date 7'

Column Name: ss_note_date_8

Column Type: date

'SS Note Date 8'

Column Name: ss_note_date_9

Column Type: date

'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 10 code'

Column Name: ss_note_dsm_diag_10_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 1 code'

Column Name: ss_note_dsm_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 2 code'

Column Name: ss_note_dsm_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_2_code. See ss_note_dsm_diag_2_code for more information.

Column Name: ss_note_dsm_diag_3_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 3 code'

Column Name: ss_note_dsm_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_3_code. See ss_note_dsm_diag_3_code for more information.

Column Name: ss_note_dsm_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 4 code'

Column Name: ss_note_dsm_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_4_code. See ss_note_dsm_diag_4_code for more information.

Column Name: ss_note_dsm_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 5 code'

Column Name: ss_note_dsm_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_5_code. See ss_note_dsm_diag_5_code for more information.

Column Name: ss_note_dsm_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 6 code'

Column Name: ss_note_dsm_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_6_code. See ss_note_dsm_diag_6_code for more information.

Column Name: ss_note_dsm_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 7 code'

Column Name: ss_note_dsm_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_7_code. See ss_note_dsm_diag_7_code for more information.

Column Name: ss_note_dsm_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 8 code'

Column Name: ss_note_dsm_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_8_code. See ss_note_dsm_diag_8_code for more information.

Column Name: ss_note_dsm_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 9 code'

Column Name: ss_note_dsm_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_9_code. See ss_note_dsm_diag_9_code for more information.

Column Name: ss_note_icd9_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 10 code'

Column Name: ss_note_icd9_diag_10_val

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_10_code. See ss_note_icd9_diag_10_code for more information.

Column Name: ss_note_icd9_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 1 code'

Column Name: ss_note_icd9_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_1_code. See ss_note_icd9_diag_1_code for more information.

Column Name: ss_note_icd9_diag_2_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 2 code'

Column Name: ss_note_icd9_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_2_code. See ss_note_icd9_diag_2_code for more information.

Column Name: ss_note_icd9_diag_3_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 3 code'

Column Name: ss_note_icd9_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_3_code. See ss_note_icd9_diag_3_code for more information.

Column Name: ss_note_icd9_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 4 code'

Column Name: ss_note_icd9_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_4_code. See ss_note_icd9_diag_4_code for more information.

Column Name: ss_note_icd9_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 5 code'

Column Name: ss_note_icd9_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_5_code. See ss_note_icd9_diag_5_code for more information.

Column Name: ss_note_icd9_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 6 code'

Column Name: ss_note_icd9_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_6_code. See ss_note_icd9_diag_6_code for more information.

Column Name: ss_note_icd9_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 7 code'

Column Name: ss_note_icd9_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_7_code. See ss_note_icd9_diag_7_code for more information.

Column Name: ss_note_icd9_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 8 code'

Column Name: ss_note_icd9_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_8_code. See ss_note_icd9_diag_8_code for more information.

Column Name: ss_note_icd9_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 9 code'

Column Name: ss_note_icd9_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_9_code. See ss_note_icd9_diag_9_code for more information.

Column Name: ss_note_multi_dict_10_cod

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 10 code'

Column Name: ss_note_multi_dict_10_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_10_code. See ss_note_multi_dict_10_code for more information.

Column Name: ss_note_multi_dict_1_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 1 code'

Column Name: ss_note_multi_dict_1_val
Column Type: varchar
Max Length: 32759
The description associated with ss_note_multi_dict_1_code. See ss_note_multi_dict_1_code for more information.

Column Name: ss_note_multi_dict_2_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 2 code'

Column Name: ss_note_multi_dict_2_val
Column Type: varchar
Max Length: 32759
The description associated with ss_note_multi_dict_2_code. See ss_note_multi_dict_2_code for more information.

Column Name: ss_note_multi_dict_3_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 3 code'

Column Name: ss_note_multi_dict_3_val
Column Type: varchar
Max Length: 32759
The description associated with ss_note_multi_dict_3_code. See ss_note_multi_dict_3_code for more information.

Column Name: ss_note_multi_dict_4_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 4 code'

Column Name: ss_note_multi_dict_4_val
Column Type: varchar
Max Length: 32759
The description associated with ss_note_multi_dict_4_code. See ss_note_multi_dict_4_code for more information.

Column Name: ss_note_multi_dict_5_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 5 code'

Column Name: ss_note_multi_dict_5_val
Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_5_code. See ss_note_multi_dict_5_code for more information.

Column Name: ss_note_multi_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 6 code'

Column Name: ss_note_multi_dict_6_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 7 code'

Column Name: ss_note_multi_dict_7_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_7_code. See ss_note_multi_dict_7_code for more information.

Column Name: ss_note_multi_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 8 code'

Column Name: ss_note_multi_dict_8_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_8_code. See ss_note_multi_dict_8_code for more information.

Column Name: ss_note_multi_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 9 code'

Column Name: ss_note_multi_dict_9_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_9_code. See ss_note_multi_dict_9_code for more information.

Column Name: ss_note_scroll_text_1

Column Type: varchar

Max Length: 32759
'SS Note Scrolling Free Text 1'

Column Name: ss_note_scroll_text_10
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 10'

Column Name: ss_note_scroll_text_2
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 2'

Column Name: ss_note_scroll_text_3
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 3'

Column Name: ss_note_scroll_text_4
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 4'

Column Name: ss_note_scroll_text_5
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 5'

Column Name: ss_note_scroll_text_6
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 6'

Column Name: ss_note_scroll_text_7
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 7'

Column Name: ss_note_scroll_text_8
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 8'

Column Name: ss_note_scroll_text_9
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 9'

Column Name: ss_note_sing_dict_10_code
Column Type: varchar

Max Length: 20
'SS Note Single Response Dictionary 10 code'

Column Name: ss_note_sing_dict_10_val
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 1 code'

Column Name: ss_note_sing_dict_1_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 2 code'

Column Name: ss_note_sing_dict_2_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 3 code'

Column Name: ss_note_sing_dict_3_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 4 code'

Column Name: ss_note_sing_dict_4_value
Column Type: varchar
Max Length: 80

The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 5 code'

Column Name: ss_note_sing_dict_5_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 6 code'

Column Name: ss_note_sing_dict_6_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 7 code'

Column Name: ss_note_sing_dict_7_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 8 code'

Column Name: ss_note_sing_dict_8_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 9 code'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1

Column Type: varchar

Max Length: 20

'SS Note Staff Member 1'

Column Name: ss_note_staff_10

Column Type: varchar

Max Length: 20

'SS Note Staff Member 10'

Column Name: ss_note_staff_2

Column Type: varchar

Max Length: 20

'SS Note Staff Member 2'

Column Name: ss_note_staff_3

Column Type: varchar

Max Length: 20

'SS Note Staff Member 3'

Column Name: ss_note_staff_4

Column Type: varchar

Max Length: 20

'SS Note Staff Member 4'

Column Name: ss_note_staff_5

Column Type: varchar

Max Length: 20

'SS Note Staff Member 5'

Column Name: ss_note_staff_6

Column Type: varchar

Max Length: 20

'SS Note Staff Member 6'

Column Name: ss_note_staff_7

Column Type: varchar

Max Length: 20

'SS Note Staff Member 7'

Column Name: ss_note_staff_8

Column Type: varchar

Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar
Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6
Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7
Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar

Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar
Max Length: 10
'SS Note Time 9'

Column Name: transcription_note
Column Type: bit
Is this is Transcription note

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: void_comments
Column Type: varchar
Max Length: 32759
'Void Comments'

Column Name: void_data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row for a void.

Column Name: void_data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row for a void.

Column Name: void_data_entry_date
Column Type: date
The date the row was voided.

Column Name: void_data_entry_source
Column Type: varchar

Max Length: 255

The name of the form that last updated the row for a void.

Column Name: void_data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated for a void.

Column Name: void_data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' that last updated the row for a void.

Column Name: void_data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the 'User ID' for a void.

Column Name: void_option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row for a void.

Column Name: void_option_id

Column Type: varchar

Max Length: 40

The unique ID of the form that last updated the row for a void.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20
The unique ID associated with the note.

Column Name: notes_field
Column Type: varchar
Max Length: 32700
The written note information.

Column Name: note_type_code
Column Type: varchar
Max Length: 50
'Note Type'

Column Name: note_type_value
Column Type: varchar
Max Length: 40
The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time
Column Type: varchar
Max Length: 25
'Note Time'

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: New_Existing_Service_code
Column Type: varchar

Max Length: 5
'Progress Note For'

Column Name: New_Existing_Service_value
Column Type: varchar
Max Length: 40
The description associated with New_Existing_Service_code. See New_Existing_Service_code for more information.

Column Name: service_program_value
Column Type: varchar
Max Length: 40
The description associated with service_program_code. See service_program_code for more information.

Column Name: note_addresses
Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_which_tp_plan_prob
Column Type: varchar
Max Length: 32700
The treatment plan problem to add to the note.

Column Name: Tx_Note_UniqueId
Column Type: varchar
Max Length: 40
The unique ID associated with the treatment.

Column Name: service_charge_value
Column Type: varchar
Max Length: 40
The description associated with service_charge_code. See service_charge_code for more information.

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID that joins the note to the service.

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: Option_Id

Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: TODO_ID
Column Type: varchar
Max Length: 20
'To Do Id'

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768
The add-on notes.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 40
The additional service information.

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255
The description associated with add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096
The description associated with add_svc_info_code. See add_svc_info_code for more information.

Column Name: aps_link
Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Appointment'

Column Name: billing_status_code
Column Type: varchar
Max Length: 50
'Service Status'

Column Name: billing_status_value
Column Type: varchar
Max Length: 50
The description associated with billing_status_code. See billing_status_code for more information.

Column Name: calpm_ebpss_csi_code
Column Type: varchar
Max Length: 50
'Evidence-Based Practices / Service Strategies (CSI)'

Column Name: calpm_ebpss_csi_value

Column Type: varchar

Max Length: 200

The description associated with calpm_ebpss_csi_code. See calpm_ebpss_csi_code for more information.

Column Name: calpm_ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

The description associated with calpm_ebpss_csi_value_code. See calpm_ebpss_csi_value_code for more information.

Column Name: client_prob_list_codes

Column Type: varchar

Max Length: 50

The codes associated with the client problem list.

Column Name: client_prob_list_shvals

Column Type: varchar

Max Length: 255

The description associated with client_prob_list_code limited to 255 characters. See client_prob_list_code for more information.

Column Name: client_prob_list_vals

Column Type: varchar

Max Length: 32700

The description associated with client_prob_list_code. See client_prob_list_code for more information.

Column Name: clinical_instructions

Column Type: varchar

Max Length: 32700

'Clinical Instructions'

Column Name: clinical_quality_code

Column Type: varchar

Max Length: 255

'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val

Column Type: varchar

Max Length: 255

'The description associated with clinical_quality_code. See clinical_quality_code for more information.

Column Name: clinical_quality_value

Column Type: varchar

Max Length: 4096

'The description associated with clinical_quality_code. See clinical_quality_code for more information.

Column Name: confidential_note

Column Type: varchar

Max Length: 50

The confidential note.

Column Name: co_pract_duration

Column Type: numeric

The first co-practitioner duration.

Column Name: co_pract2_duration

Column Type: numeric

The second co-practitioner duration.

Column Name: co_practitioner_id

Column Type: varchar

Max Length: 15

The first co-practitioner ID.

Column Name: co_practitioner_id_2

Column Type: varchar

Max Length: 15

The second co-practitioner ID.

Column Name: co_practitioner_name

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id.

Column Name: co_practitioner_name_2

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id_2.

Column Name: co_sign_to_do_user

Column Type: varchar

Max Length: 50

'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 40

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_group_service
Column Type: date
The date of the group service.

Column Name: date_of_note
Column Type: date
The date of the note.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: discipline_code
Column Type: varchar
Max Length: 40
'Discipline'

Column Name: discipline_value
Column Type: varchar
Max Length: 40
The description associated with discipline_code. See discipline_code for more information.

Column Name: document_routing_status

Column Type: varchar
Max Length: 50
Status of the document

Column Name: draft_final_code
Column Type: varchar
Max Length: 5
'Draft/Final'

Column Name: draft_final_value
Column Type: varchar
Max Length: 40
The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value
Column Type: varchar
Max Length: 4096
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id
Column Type: varchar
Max Length: 255
'External System Identifier'

Column Name: finalized_signature
Column Type: varchar
Max Length: 255
'Finalized Signature'

Column Name: has_nonmed_diag_flg_code
Column Type: varchar
Max Length: 50
The non-medical diagnosis flag.

Column Name: has_nonmed_diag_flg_value
Column Type: varchar
Max Length: 50
The description associated with has_nonmed_diag_flg_code. See has_nonmed_diag_flg_code for more information.

Column Name: jointodiagnosisobject1
Column Type: varchar
Max Length: 40
'Diagnosis 1'

Column Name: jointodiagnosisobject2
Column Type: varchar
Max Length: 40
'Diagnosis 2'

Column Name: jointodiagnosisobject3
Column Type: varchar
Max Length: 40
'Diagnosis 3'

Column Name: jointodiagnosisobject4
Column Type: varchar
Max Length: 40
'Diagnosis 4'

Column Name: location_code
Column Type: varchar
Max Length: 50
The location of the service.

Column Name: location_value
Column Type: varchar
Max Length: 40
The description associated with location_code. See location_code for more information.

Column Name: medical_diag1_DSM_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag1_DSM_code. See medical_diag1_DSM_code for more information.

Column Name: medical_diag_1_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1 ICD 10'

Column Name: medical_diag_1_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code
Column Type: varchar
Max Length: 40

'Medical Diagnosis 1 ICD 9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_imo_code. See medical_diag_1_imo_code for more information.

Column Name: medical_diag2_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag2_DSM_code. See medical_diag2_DSM_code for more information.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_imo_code. See medical_diag_2_imo_code for more information.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40
'Medical Diagnosis 3 ICD 10'

Column Name: medical_diag_3_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 3 ICD 9'

Column Name: medical_diag_3_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_3_imo_code. See medical_diag_3_imo_code for more information.

Column Name: medical_diag_4_icd10_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD 10'

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD 9'

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value
Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_imo_code. See medical_diag_4_imo_code for more information.

Column Name: medical_diagnosis_1_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1'

Column Name: medical_diagnosis_1_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2'

Column Name: medical_diagnosis_2_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: medical_diagnosis_3_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 3'

Column Name: medical_diagnosis_3_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_3_code. See medical_diagnosis_3_code for more information.

Column Name: medical_diagnosis_4_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 4'

Column Name: medical_diagnosis_4_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_4_code. See medical_diagnosis_4_code for more information.

Column Name: notes_entry_index_nu

Column Type: varchar

Max Length: 50
The notes entry index.

Column Name: number_clients_in_group
Column Type: integer
'Number Of Clients In Group'

Column Name: orig_note_uniq_id_num
Column Type: varchar
Max Length: 20
'Original Note Unique ID Number'

Column Name: practitioner_id
Column Type: varchar
Max Length: 15
The practitioner associated with the note.

Column Name: practitioner_name
Column Type: varchar
Max Length: 40
The name associated with practitioner_id.

Column Name: psycho_add_on_duration
Column Type: integer
The psychotherapy add-on duration.

Column Name: reason_for_visit_code
Column Type: varchar
Max Length: 50
'Reason for Visit'

Column Name: reason_for_visit_value
Column Type: varchar
Max Length: 250
The description associated with reason_for_visit_code. See reason_for_visit_code for more information.

Column Name: recommended_decision
Column Type: varchar
Max Length: 32700
'Recommended Decision'

Column Name: release_type_code
Column Type: varchar
Max Length: 50
The value entered in the field 'Are you releasing to myHealthPointe or External providers?'

Column Name: release_type_value
Column Type: varchar
Max Length: 40
The description associated with release_type_code.

Column Name: select_tp_version_code
Column Type: varchar
Max Length: 5
'Select T.P. Version'

Column Name: select_tp_version_value
Column Type: varchar
Max Length: 40
The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: service_charge_code
Column Type: varchar
Max Length: 40
The service charge code.

Column Name: service_duration
Column Type: varchar
Max Length: 5
The duration of the service.

Column Name: service_end_time
Column Type: varchar
Max Length: 10
The end time of the service.

Column Name: service_program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: service_start_time
Column Type: varchar
Max Length: 10
The start time of the service.

Column Name: session_start_end_times
Column Type: varchar
Max Length: 32766
'Start/End Time(s)'

Column Name: ss_note_20_char_text_1
Column Type: varchar
Max Length: 20
'SS Note 20 Character 1'

Column Name: ss_note_20_char_text_10
Column Type: varchar
Max Length: 20
'SS Note 20 Character 10'

Column Name: ss_note_20_char_text_2
Column Type: varchar
Max Length: 20
'SS Note 20 Character 2'

Column Name: ss_note_20_char_text_3
Column Type: varchar
Max Length: 20
'SS Note 20 Character 3'

Column Name: ss_note_20_char_text_4
Column Type: varchar
Max Length: 20
'SS Note 20 Character 4'

Column Name: ss_note_20_char_text_5
Column Type: varchar
Max Length: 20
'SS Note 20 Character 5'

Column Name: ss_note_20_char_text_6
Column Type: varchar
Max Length: 20
'SS Note 20 Character 6'

Column Name: ss_note_20_char_text_7
Column Type: varchar
Max Length: 20
'SS Note 20 Character 7'

Column Name: ss_note_20_char_text_8
Column Type: varchar
Max Length: 20
'SS Note 20 Character 8'

Column Name: ss_note_20_char_text_9
Column Type: varchar
Max Length: 20
'SS Note 20 Character 9'

Column Name: ss_note_40_char_text_1
Column Type: varchar
Max Length: 40
'SS Note 40 Character 1'

Column Name: ss_note_40_char_text_10
Column Type: varchar
Max Length: 40
'SS Note 40 Character 10'

Column Name: ss_note_40_char_text_2
Column Type: varchar
Max Length: 40
'SS Note 40 Character 2'

Column Name: ss_note_40_char_text_3
Column Type: varchar
Max Length: 40
'SS Note 40 Character 3'

Column Name: ss_note_40_char_text_4
Column Type: varchar
Max Length: 40
'SS Note 40 Character 4'

Column Name: ss_note_40_char_text_5
Column Type: varchar
Max Length: 40
'SS Note 40 Character 5'

Column Name: ss_note_40_char_text_6
Column Type: varchar
Max Length: 40
'SS Note 40 Character 6'

Column Name: ss_note_40_char_text_7
Column Type: varchar
Max Length: 40
'SS Note 40 Character 7'

Column Name: ss_note_40_char_text_8
Column Type: varchar
Max Length: 40
'SS Note 40 Character 8'

Column Name: ss_note_40_char_text_9
Column Type: varchar
Max Length: 40
'SS Note 40 Character 9'

Column Name: ss_note_80_char_text_1
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 9'

Column Name: ss_note_date_1
Column Type: date
'SS Note Date 1'

Column Name: ss_note_date_10
Column Type: date
'SS Note Date 10'

Column Name: ss_note_date_2

Column Type: date
'SS Note Date 2'

Column Name: ss_note_date_3
Column Type: date
'SS Note Date 3'

Column Name: ss_note_date_4
Column Type: date
'SS Note Date 4'

Column Name: ss_note_date_5
Column Type: date
'SS Note Date 5'

Column Name: ss_note_date_6
Column Type: date
'SS Note Date 6'

Column Name: ss_note_date_7
Column Type: date
'SS Note Date 7'

Column Name: ss_note_date_8
Column Type: date
'SS Note Date 8'

Column Name: ss_note_date_9
Column Type: date
'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 10'

Column Name: ss_note_dsm_diag_10_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 1'

Column Name: ss_note_dsm_diag_1_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_1_code`. See `ss_note_dsm_diag_1_code` for more information.

Column Name: `ss_note_dsm_diag_2_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 2'

Column Name: `ss_note_dsm_diag_2_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_2_code`. See `ss_note_dsm_diag_2_code` for more information.

Column Name: `ss_note_dsm_diag_3_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 3'

Column Name: `ss_note_dsm_diag_3_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_3_code`. See `ss_note_dsm_diag_3_code` for more information.

Column Name: `ss_note_dsm_diag_4_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 4'

Column Name: `ss_note_dsm_diag_4_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_4_code`. See `ss_note_dsm_diag_4_code` for more information.

Column Name: `ss_note_dsm_diag_5_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 5'

Column Name: `ss_note_dsm_diag_5_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_5_code`. See `ss_note_dsm_diag_5_code` for more information.

Column Name: `ss_note_dsm_diag_6_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 6'

Column Name: ss_note_dsm_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_6_code. See ss_note_dsm_diag_6_code for more information.

Column Name: ss_note_dsm_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 7'

Column Name: ss_note_dsm_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_7_code. See ss_note_dsm_diag_7_code for more information.

Column Name: ss_note_dsm_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 8'

Column Name: ss_note_dsm_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_8_code. See ss_note_dsm_diag_8_code for more information.

Column Name: ss_note_dsm_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 9'

Column Name: ss_note_dsm_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_9_code. See ss_note_dsm_diag_9_code for more information.

Column Name: ss_note_icd9_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 10'

Column Name: ss_note_icd9_diag_10_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_10_code`. See `ss_note_icd9_diag_10_code` for more information.

Column Name: `ss_note_icd9_diag_1_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 1'

Column Name: `ss_note_icd9_diag_1_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_1_code`. See `ss_note_icd9_diag_1_code` for more information.

Column Name: `ss_note_icd9_diag_2_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 2'

Column Name: `ss_note_icd9_diag_2_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_2_code`. See `ss_note_icd9_diag_2_code` for more information.

Column Name: `ss_note_icd9_diag_3_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 3'

Column Name: `ss_note_icd9_diag_3_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_3_code`. See `ss_note_icd9_diag_3_code` for more information.

Column Name: `ss_note_icd9_diag_4_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 4'

Column Name: `ss_note_icd9_diag_4_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_4_code`. See `ss_note_icd9_diag_4_code` for more information.

Column Name: `ss_note_icd9_diag_5_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 5'

Column Name: ss_note_icd9_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_5_code. See ss_note_icd9_diag_5_code for more information.

Column Name: ss_note_icd9_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 6'

Column Name: ss_note_icd9_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_6_code. See ss_note_icd9_diag_6_code for more information.

Column Name: ss_note_icd9_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 7'

Column Name: ss_note_icd9_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_7_code. See ss_note_icd9_diag_7_code for more information.

Column Name: ss_note_icd9_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 8'

Column Name: ss_note_icd9_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_8_code. See ss_note_icd9_diag_8_code for more information.

Column Name: ss_note_icd9_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 9'

Column Name: ss_note_icd9_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_9_code`. See `ss_note_icd9_diag_9_code` for more information.

Column Name: `ss_note_multi_dict_10_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 10'

Column Name: `ss_note_multi_dict_10_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_10_code`. See `ss_note_multi_dict_10_code` for more information.

Column Name: `ss_note_multi_dict_1_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 1'

Column Name: `ss_note_multi_dict_1_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_1_code`. See `ss_note_multi_dict_1_code` for more information.

Column Name: `ss_note_multi_dict_2_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 2'

Column Name: `ss_note_multi_dict_2_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_2_code`. See `ss_note_multi_dict_2_code` for more information.

Column Name: `ss_note_multi_dict_3_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 3'

Column Name: `ss_note_multi_dict_3_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_3_code`. See `ss_note_multi_dict_3_code` for more information.

Column Name: `ss_note_multi_dict_4_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 4'

Column Name: ss_note_multi_dict_4_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_4_code. See ss_note_multi_dict_4_code for more information.

Column Name: ss_note_multi_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 5'

Column Name: ss_note_multi_dict_5_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_5_code. See ss_note_multi_dict_5_code for more information.

Column Name: ss_note_multi_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 6'

Column Name: ss_note_multi_dict_6_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 7'

Column Name: ss_note_multi_dict_7_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_7_code. See ss_note_multi_dict_7_code for more information.

Column Name: ss_note_multi_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 8'

Column Name: ss_note_multi_dict_8_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_8_code. See ss_note_multi_dict_8_code for more information.

Column Name: ss_note_multi_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 9'

Column Name: ss_note_multi_dict_9_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_9_code. See ss_note_multi_dict_9_code for more information.

Column Name: ss_note_scroll_text_1

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 1'

Column Name: ss_note_scroll_text_10

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 10'

Column Name: ss_note_scroll_text_2

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 2'

Column Name: ss_note_scroll_text_3

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 3'

Column Name: ss_note_scroll_text_4

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 4'

Column Name: ss_note_scroll_text_5

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 5'

Column Name: ss_note_scroll_text_6

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 6'

Column Name: ss_note_scroll_text_7

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 7'

Column Name: ss_note_scroll_text_8
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 8'

Column Name: ss_note_scroll_text_9
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 9'

Column Name: ss_note_sing_dict_10_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 10'

Column Name: ss_note_sing_dict_10_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 1'

Column Name: ss_note_sing_dict_1_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 2'

Column Name: ss_note_sing_dict_2_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 3'

Column Name: ss_note_sing_dict_3_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 4'

Column Name: ss_note_sing_dict_4_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 5'

Column Name: ss_note_sing_dict_5_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 6'

Column Name: ss_note_sing_dict_6_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 7'

Column Name: ss_note_sing_dict_7_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 8'

Column Name: ss_note_sing_dict_8_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 9'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1

Column Type: varchar

Max Length: 20

'SS Note Staff Member 1'

Column Name: ss_note_staff_10

Column Type: varchar

Max Length: 20

'SS Note Staff Member 10'

Column Name: ss_note_staff_2

Column Type: varchar

Max Length: 20

'SS Note Staff Member 2'

Column Name: ss_note_staff_3

Column Type: varchar

Max Length: 20

'SS Note Staff Member 3'

Column Name: ss_note_staff_4

Column Type: varchar

Max Length: 20

'SS Note Staff Member 4'

Column Name: ss_note_staff_5
Column Type: varchar
Max Length: 20
'SS Note Staff Member 5'

Column Name: ss_note_staff_6
Column Type: varchar
Max Length: 20
'SS Note Staff Member 6'

Column Name: ss_note_staff_7
Column Type: varchar
Max Length: 20
'SS Note Staff Member 7'

Column Name: ss_note_staff_8
Column Type: varchar
Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar
Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6
Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7
Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar
Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar
Max Length: 10
'SS Note Time 9'

Column Name: transcription_note
Column Type: bit
Is this is Transcription note

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_supp

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
Whether the note is confidential.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date

Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field
Column Type: varchar
Max Length: 32700
The contents of the notes field.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_11
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 11'

Column Name: ss_note_20_char_text_12
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 12'

Column Name: ss_note_20_char_text_13
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 13'

Column Name: ss_note_20_char_text_14
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 14'

Column Name: ss_note_20_char_text_15
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 15'

Column Name: ss_note_20_char_text_16
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 16'

Column Name: ss_note_20_char_text_17
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 17'

Column Name: ss_note_20_char_text_18
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 18'

Column Name: ss_note_20_char_text_19
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 19'

Column Name: ss_note_20_char_text_20
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 20'

Column Name: ss_note_20_char_text_21
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 21'

Column Name: ss_note_20_char_text_22
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 22'

Column Name: ss_note_20_char_text_23
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 23'

Column Name: ss_note_20_char_text_24
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 24'

Column Name: ss_note_20_char_text_25
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 25'

Column Name: ss_note_20_char_text_26
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 26'

Column Name: ss_note_20_char_text_27
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 27'

Column Name: ss_note_20_char_text_28
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 28'

Column Name: ss_note_20_char_text_29
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 29'

Column Name: ss_note_20_char_text_30
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 30'

Column Name: ss_note_40_char_text_11
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 11'

Column Name: ss_note_40_char_text_12
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 12'

Column Name: ss_note_40_char_text_13
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 13'

Column Name: ss_note_40_char_text_14
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 14'

Column Name: ss_note_40_char_text_15
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 15'

Column Name: ss_note_40_char_text_16
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 16'

Column Name: ss_note_40_char_text_17
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 17'

Column Name: ss_note_40_char_text_18
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 18'

Column Name: ss_note_40_char_text_19
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 19'

Column Name: ss_note_40_char_text_20
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 20'

Column Name: ss_note_40_char_text_21
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 21'

Column Name: ss_note_40_char_text_22
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 22'

Column Name: ss_note_40_char_text_23
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 23'

Column Name: ss_note_40_char_text_24
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 24'

Column Name: ss_note_40_char_text_25
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 25'

Column Name: ss_note_40_char_text_26
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 26'

Column Name: ss_note_40_char_text_27
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 27'

Column Name: ss_note_40_char_text_28
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 28'

Column Name: ss_note_40_char_text_29
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 29'

Column Name: ss_note_40_char_text_30
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 30'

Column Name: ss_note_80_char_text_11
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 11'

Column Name: ss_note_80_char_text_12
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 12'

Column Name: ss_note_80_char_text_13
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 13'

Column Name: ss_note_80_char_text_14
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 14'

Column Name: ss_note_80_char_text_15
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 15'

Column Name: ss_note_80_char_text_16
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 16'

Column Name: ss_note_80_char_text_17
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 17'

Column Name: ss_note_80_char_text_18
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 18'

Column Name: ss_note_80_char_text_19
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 19'

Column Name: ss_note_80_char_text_20
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 20'

Column Name: ss_note_80_char_text_21
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 21'

Column Name: ss_note_80_char_text_22
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 22'

Column Name: ss_note_80_char_text_23
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 23'

Column Name: ss_note_80_char_text_24
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 24'

Column Name: ss_note_80_char_text_25
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 25'

Column Name: ss_note_80_char_text_26
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 26'

Column Name: ss_note_80_char_text_27
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 27'

Column Name: ss_note_80_char_text_28
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 28'

Column Name: ss_note_80_char_text_29
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 29'

Column Name: ss_note_80_char_text_30
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 30'

Column Name: ss_note_date_11
Column Type: date
'SS Note Date 11'

Column Name: ss_note_date_12
Column Type: date
'SS Note Date 12'

Column Name: ss_note_date_13
Column Type: date
'SS Note Date 13'

Column Name: ss_note_date_14
Column Type: date
'SS Note Date 14'

Column Name: ss_note_date_15
Column Type: date
'SS Note Date 15'

Column Name: ss_note_date_16
Column Type: date
'SS Note Date 16'

Column Name: ss_note_date_17
Column Type: date
'SS Note Date 17'

Column Name: ss_note_date_18
Column Type: date
'SS Note Date 18'

Column Name: ss_note_date_19
Column Type: date
'SS Note Date 19'

Column Name: ss_note_date_20
Column Type: date
'SS Note Date 20'

Column Name: ss_note_date_21
Column Type: date
'SS Note Date 21'

Column Name: ss_note_date_22
Column Type: date
'SS Note Date 22'

Column Name: ss_note_date_23
Column Type: date
'SS Note Date 23'

Column Name: ss_note_date_24
Column Type: date
'SS Note Date 24'

Column Name: ss_note_date_25
Column Type: date
'SS Note Date 25'

Column Name: ss_note_date_26
Column Type: date
'SS Note Date 26'

Column Name: ss_note_date_27
Column Type: date
'SS Note Date 27'

Column Name: ss_note_date_28
Column Type: date
'SS Note Date 28'

Column Name: ss_note_date_29
Column Type: date
'SS Note Date 29'

Column Name: ss_note_date_30
Column Type: date
'SS Note Date 30'

Column Name: ss_note_dsm_diag_11_code
Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 11'

Column Name: ss_note_dsm_diag_11_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_11_code. See ss_note_dsm_diag_11_code for more information.

Column Name: ss_note_dsm_diag_12_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 12'

Column Name: ss_note_dsm_diag_12_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_12_code. See ss_note_dsm_diag_12_code for more information.

Column Name: ss_note_dsm_diag_13_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 13'

Column Name: ss_note_dsm_diag_13_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_13_code. See ss_note_dsm_diag_13_code for more information.

Column Name: ss_note_dsm_diag_14_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 14'

Column Name: ss_note_dsm_diag_14_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_14_code. See ss_note_dsm_diag_14_code for more information.

Column Name: ss_note_dsm_diag_15_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 15'

Column Name: ss_note_dsm_diag_15_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_15_code. See ss_note_dsm_diag_15_code for more information.

Column Name: ss_note_dsm_diag_16_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 16'

Column Name: ss_note_dsm_diag_16_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_16_code. See ss_note_dsm_diag_16_code for more information.

Column Name: ss_note_dsm_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 17'

Column Name: ss_note_dsm_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_17_code. See ss_note_dsm_diag_17_code for more information.

Column Name: ss_note_dsm_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 18'

Column Name: ss_note_dsm_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_18_code. See ss_note_dsm_diag_18_code for more information.

Column Name: ss_note_dsm_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 19'

Column Name: ss_note_dsm_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_19_code. See ss_note_dsm_diag_19_code for more information.

Column Name: ss_note_dsm_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 20'

Column Name: ss_note_dsm_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_20_code. See ss_note_dsm_diag_20_code for more information.

Column Name: ss_note_dsm_diag_21_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 21'

Column Name: ss_note_dsm_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_21_code. See ss_note_dsm_diag_21_code for more information.

Column Name: ss_note_dsm_diag_22_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 22'

Column Name: ss_note_dsm_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_22_code. See ss_note_dsm_diag_22_code for more information.

Column Name: ss_note_dsm_diag_23_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 23'

Column Name: ss_note_dsm_diag_23_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_23_code. See ss_note_dsm_diag_23_code for more information.

Column Name: ss_note_dsm_diag_24_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 24'

Column Name: ss_note_dsm_diag_24_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_24_code. See ss_note_dsm_diag_24_code for more information.

Column Name: ss_note_dsm_diag_25_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 25'

Column Name: ss_note_dsm_diag_25_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_25_code. See ss_note_dsm_diag_25_code for more information.

Column Name: ss_note_dsm_diag_26_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 26'

Column Name: ss_note_dsm_diag_26_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_26_code. See ss_note_dsm_diag_26_code for more information.

Column Name: ss_note_dsm_diag_27_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 27'

Column Name: ss_note_dsm_diag_27_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_27_code. See ss_note_dsm_diag_27_code for more information.

Column Name: ss_note_dsm_diag_28_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 28'

Column Name: ss_note_dsm_diag_28_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_28_code. See ss_note_dsm_diag_28_code for more information.

Column Name: ss_note_dsm_diag_29_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 29'

Column Name: ss_note_dsm_diag_29_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_29_code. See ss_note_dsm_diag_29_code for more information.

Column Name: ss_note_dsm_diag_30_code

Column Type: varchar
Max Length: 20
'SS Note DSM Diagnosis 30'

Column Name: ss_note_dsm_diag_30_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_30_code. See ss_note_dsm_diag_30_code for more information.

Column Name: ss_note_icd9_diag_11_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 11'

Column Name: ss_note_icd9_diag_11_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_11_code. See ss_note_icd9_diag_11_code for more information.

Column Name: ss_note_icd9_diag_12_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 12'

Column Name: ss_note_icd9_diag_12_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_12_code. See ss_note_icd9_diag_12_code for more information.

Column Name: ss_note_icd9_diag_13_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 13'

Column Name: ss_note_icd9_diag_13_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_13_code. See ss_note_icd9_diag_13_code for more information.

Column Name: ss_note_icd9_diag_14_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 14'

Column Name: ss_note_icd9_diag_14_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_14_code. See ss_note_icd9_diag_14_code for more information.

Column Name: ss_note_icd9_diag_15_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 15'

Column Name: ss_note_icd9_diag_15_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_15_code. See ss_note_icd9_diag_15_code for more information.

Column Name: ss_note_icd9_diag_16_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 16'

Column Name: ss_note_icd9_diag_16_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_16_code. See ss_note_icd9_diag_16_code for more information.

Column Name: ss_note_icd9_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 17'

Column Name: ss_note_icd9_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_17_code. See ss_note_icd9_diag_17_code for more information.

Column Name: ss_note_icd9_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 18'

Column Name: ss_note_icd9_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_18_code. See ss_note_icd9_diag_18_code for more information.

Column Name: ss_note_icd9_diag_19_code

Column Type: varchar

Max Length: 20
'SS Note ICD9 Diagnosis 19'

Column Name: ss_note_icd9_diag_19_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_19_code. See ss_note_icd9_diag_19_code for more information.

Column Name: ss_note_icd9_diag_20_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 20'

Column Name: ss_note_icd9_diag_20_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_20_code. See ss_note_icd9_diag_20_code for more information.

Column Name: ss_note_icd9_diag_21_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 21'

Column Name: ss_note_icd9_diag_21_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_21_code. See ss_note_icd9_diag_21_code for more information.

Column Name: ss_note_icd9_diag_22_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 22'

Column Name: ss_note_icd9_diag_22_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_22_code. See ss_note_icd9_diag_22_code for more information.

Column Name: ss_note_icd9_diag_23_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 23'

Column Name: ss_note_icd9_diag_23_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_icd9_diag_23_code`. See `ss_note_icd9_diag_23_code` for more information.

Column Name: `ss_note_icd9_diag_24_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 24'

Column Name: `ss_note_icd9_diag_24_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_24_code`. See `ss_note_icd9_diag_24_code` for more information.

Column Name: `ss_note_icd9_diag_25_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 25'

Column Name: `ss_note_icd9_diag_25_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_25_code`. See `ss_note_icd9_diag_25_code` for more information.

Column Name: `ss_note_icd9_diag_26_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 26'

Column Name: `ss_note_icd9_diag_26_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_26_code`. See `ss_note_icd9_diag_26_code` for more information.

Column Name: `ss_note_icd9_diag_27_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 27'

Column Name: `ss_note_icd9_diag_27_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_27_code`. See `ss_note_icd9_diag_27_code` for more information.

Column Name: `ss_note_icd9_diag_28_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 28'

Column Name: ss_note_icd9_diag_28_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_28_code. See ss_note_icd9_diag_28_code for more information.

Column Name: ss_note_icd9_diag_29_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 29'

Column Name: ss_note_icd9_diag_29_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_29_code. See ss_note_icd9_diag_29_code for more information.

Column Name: ss_note_icd9_diag_30_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 30'

Column Name: ss_note_icd9_diag_30_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_30_code. See ss_note_icd9_diag_30_code for more information.

Column Name: ss_note_multi_dict_11_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_note_multi_dict_11_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_11_code. See ss_note_multi_dict_11_code for more information.

Column Name: ss_note_multi_dict_12_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_note_multi_dict_12_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_12_code. See ss_note_multi_dict_12_code for more information.

Column Name: ss_note_multi_dict_13_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_note_multi_dict_13_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_13_code. See ss_note_multi_dict_13_code for more information.

Column Name: ss_note_multi_dict_14_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_note_multi_dict_14_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_14_code. See ss_note_multi_dict_14_code for more information.

Column Name: ss_note_multi_dict_15_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_note_multi_dict_15_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_15_code. See ss_note_multi_dict_15_code for more information.

Column Name: ss_note_multi_dict_16_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_note_multi_dict_16_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_16_code. See ss_note_multi_dict_16_code for more information.

Column Name: ss_note_multi_dict_17_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_note_multi_dict_17_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_17_code. See ss_note_multi_dict_17_code for more information.

Column Name: ss_note_multi_dict_18_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_note_multi_dict_18_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_18_code. See ss_note_multi_dict_18_code for more information.

Column Name: ss_note_multi_dict_19_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_note_multi_dict_19_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_19_code. See ss_note_multi_dict_19_code for more information.

Column Name: ss_note_multi_dict_20_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_note_multi_dict_20_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_20_code. See ss_note_multi_dict_20_code for more information.

Column Name: ss_note_multi_dict_21_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_note_multi_dict_21_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_21_code. See ss_note_multi_dict_21_code for more information.

Column Name: ss_note_multi_dict_22_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_note_multi_dict_22_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_22_code. See ss_note_multi_dict_22_code for more information.

Column Name: ss_note_multi_dict_23_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_note_multi_dict_23_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_23_code. See ss_note_multi_dict_23_code for more information.

Column Name: ss_note_multi_dict_24_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_note_multi_dict_24_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_24_code. See ss_note_multi_dict_24_code for more information.

Column Name: ss_note_multi_dict_25_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_note_multi_dict_25_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_25_code. See ss_note_multi_dict_25_code for more information.

Column Name: ss_note_multi_dict_26_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_note_multi_dict_26_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_26_code. See ss_note_multi_dict_26_code for more information.

Column Name: ss_note_multi_dict_27_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_note_multi_dict_27_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_27_code. See ss_note_multi_dict_27_code for more information.

Column Name: ss_note_multi_dict_28_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_note_multi_dict_28_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_28_code. See ss_note_multi_dict_28_code for more information.

Column Name: ss_note_multi_dict_29_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_note_multi_dict_29_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_29_code. See ss_note_multi_dict_29_code for more information.

Column Name: ss_note_multi_dict_30_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_note_multi_dict_30_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_30_code. See ss_note_multi_dict_30_code for more information.

Column Name: ss_note_scroll_text_11
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 11'

Column Name: ss_note_scroll_text_12
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 12'

Column Name: ss_note_scroll_text_13
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 13'

Column Name: ss_note_scroll_text_14
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 14'

Column Name: ss_note_scroll_text_15
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 15'

Column Name: ss_note_scroll_text_16
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 16'

Column Name: ss_note_scroll_text_17
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 17'

Column Name: ss_note_scroll_text_18
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 18'

Column Name: ss_note_scroll_text_19
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 19'

Column Name: ss_note_scroll_text_20
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 20'

Column Name: ss_note_scroll_text_21
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 21'

Column Name: ss_note_scroll_text_22
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 22'

Column Name: ss_note_scroll_text_23
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 23'

Column Name: ss_note_scroll_text_24
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 24'

Column Name: ss_note_scroll_text_25
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 25'

Column Name: ss_note_scroll_text_26
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 26'

Column Name: ss_note_scroll_text_27
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 27'

Column Name: ss_note_scroll_text_28
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 28'

Column Name: ss_note_scroll_text_29
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 29'

Column Name: ss_note_scroll_text_30
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 30'

Column Name: ss_note_sing_dict_11_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 11'

Column Name: ss_note_sing_dict_11_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_11_code. See ss_note_single_dict_11_code for more information.

Column Name: ss_note_sing_dict_12_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 12'

Column Name: ss_note_sing_dict_12_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_12_code. See ss_note_single_dict_12_code for more information.

Column Name: ss_note_sing_dict_13_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 13'

Column Name: ss_note_sing_dict_13_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_13_code. See ss_note_single_dict_13_code for more information.

Column Name: ss_note_sing_dict_14_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 14'

Column Name: ss_note_sing_dict_14_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_14_code. See ss_note_single_dict_14_code for more information.

Column Name: ss_note_sing_dict_15_code
Column Type: varchar
Max Length: 50

'SS Note Single Response Dictionary 15'

Column Name: ss_note_sing_dict_15_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_15_code. See ss_note_single_dict_15_code for more information.

Column Name: ss_note_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 16'

Column Name: ss_note_sing_dict_16_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_16_code. See ss_note_single_dict_16_code for more information.

Column Name: ss_note_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 17'

Column Name: ss_note_sing_dict_17_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_17_code. See ss_note_single_dict_17_code for more information.

Column Name: ss_note_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 18'

Column Name: ss_note_sing_dict_18_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_18_code. See ss_note_single_dict_18_code for more information.

Column Name: ss_note_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 19'

Column Name: ss_note_sing_dict_19_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_19_code. See ss_note_single_dict_19_code for more information.

Column Name: ss_note_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 20'

Column Name: ss_note_sing_dict_20_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_20_code. See ss_note_single_dict_20_code for more information.

Column Name: ss_note_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 21'

Column Name: ss_note_sing_dict_21_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_21_code. See ss_note_single_dict_21_code for more information.

Column Name: ss_note_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 22'

Column Name: ss_note_sing_dict_22_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_22_code. See ss_note_single_dict_22_code for more information.

Column Name: ss_note_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 23'

Column Name: ss_note_sing_dict_23_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_23_code. See ss_note_single_dict_23_code for more information.

Column Name: ss_note_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 24'

Column Name: ss_note_sing_dict_24_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_24_code. See ss_note_single_dict_24_code for more information.

Column Name: ss_note_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 25'

Column Name: ss_note_sing_dict_25_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_25_code. See ss_note_single_dict_25_code for more information.

Column Name: ss_note_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 26'

Column Name: ss_note_sing_dict_26_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_26_code. See ss_note_single_dict_26_code for more information.

Column Name: ss_note_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 27'

Column Name: ss_note_sing_dict_27_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_27_code. See ss_note_single_dict_27_code for more information.

Column Name: ss_note_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 28'

Column Name: ss_note_sing_dict_28_value

Column Type: varchar

Max Length: 50

The description associated with `ss_note_single_dict_28_code`. See `ss_note_single_dict_28_code` for more information.

Column Name: `ss_note_sing_dict_29_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 29'

Column Name: `ss_note_sing_dict_29_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_single_dict_29_code`. See `ss_note_single_dict_29_code` for more information.

Column Name: `ss_note_sing_dict_30_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 30'

Column Name: `ss_note_sing_dict_30_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_single_dict_30_code`. See `ss_note_single_dict_30_code` for more information.

Column Name: `ss_note_time_11`

Column Type: `varchar`

Max Length: 50

'SS Note Time 11'

Column Name: `ss_note_time_12`

Column Type: `varchar`

Max Length: 50

'SS Note Time 12'

Column Name: `ss_note_time_13`

Column Type: `varchar`

Max Length: 50

'SS Note Time 13'

Column Name: `ss_note_time_14`

Column Type: `varchar`

Max Length: 50

'SS Note Time 14'

Column Name: `ss_note_time_15`

Column Type: `varchar`

Max Length: 50

'SS Note Time 15'

Column Name: ss_note_time_16
Column Type: varchar
Max Length: 50
'SS Note Time 16'

Column Name: ss_note_time_17
Column Type: varchar
Max Length: 50
'SS Note Time 17'

Column Name: ss_note_time_18
Column Type: varchar
Max Length: 50
'SS Note Time 18'

Column Name: ss_note_time_19
Column Type: varchar
Max Length: 50
'SS Note Time 19'

Column Name: ss_note_time_20
Column Type: varchar
Max Length: 50
'SS Note Time 20'

Column Name: ss_note_time_21
Column Type: varchar
Max Length: 50
'SS Note Time 21'

Column Name: ss_note_time_22
Column Type: varchar
Max Length: 50
'SS Note Time 22'

Column Name: ss_note_time_23
Column Type: varchar
Max Length: 50
'SS Note Time 23'

Column Name: ss_note_time_24
Column Type: varchar
Max Length: 50
'SS Note Time 24'

Column Name: ss_note_time_25
Column Type: varchar
Max Length: 50
'SS Note Time 25'

Column Name: ss_note_time_26
Column Type: varchar
Max Length: 50
'SS Note Time 26'

Column Name: ss_note_time_27
Column Type: varchar
Max Length: 50
'SS Note Time 27'

Column Name: ss_note_time_28
Column Type: varchar
Max Length: 50
'SS Note Time 28'

Column Name: ss_note_time_29
Column Type: varchar
Max Length: 50
'SS Note Time 29'

Column Name: ss_note_time_30
Column Type: varchar
Max Length: 50
'SS Note Time 30'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

[Ambulatory_Progress_Notes_\(Diagnosis_Entry\)](#)

Table Name: SYSTEM.cw_patient_notes_supp_1

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
'Progress Notes Pointer'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
'Confidential Notes'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
'Notes Field'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_31
Column Type: varchar
Max Length: 20
'SS Note 20 Character 31'

Column Name: ss_note_20_char_text_32
Column Type: varchar
Max Length: 20
'SS Note 20 Character 32'

Column Name: ss_note_20_char_text_33
Column Type: varchar
Max Length: 20
'SS Note 20 Character 33'

Column Name: ss_note_20_char_text_34
Column Type: varchar
Max Length: 20
'SS Note 20 Character 34'

Column Name: ss_note_20_char_text_35
Column Type: varchar
Max Length: 20
'SS Note 20 Character 35'

Column Name: ss_note_20_char_text_36
Column Type: varchar
Max Length: 20
'SS Note 20 Character 36'

Column Name: ss_note_20_char_text_37
Column Type: varchar
Max Length: 20
'SS Note 20 Character 37'

Column Name: ss_note_20_char_text_38
Column Type: varchar
Max Length: 20
'SS Note 20 Character 38'

Column Name: ss_note_20_char_text_39
Column Type: varchar
Max Length: 20
'SS Note 20 Character 39'

Column Name: ss_note_20_char_text_40
Column Type: varchar
Max Length: 20
'SS Note 20 Character 40'

Column Name: ss_note_20_char_text_41
Column Type: varchar
Max Length: 20
'SS Note 20 Character 41'

Column Name: ss_note_20_char_text_42
Column Type: varchar
Max Length: 20
'SS Note 20 Character 42'

Column Name: ss_note_20_char_text_43
Column Type: varchar
Max Length: 20
'SS Note 20 Character 43'

Column Name: ss_note_20_char_text_44
Column Type: varchar
Max Length: 20
'SS Note 20 Character 44'

Column Name: ss_note_20_char_text_45
Column Type: varchar
Max Length: 20
'SS Note 20 Character 45'

Column Name: ss_note_20_char_text_46
Column Type: varchar
Max Length: 20
'SS Note 20 Character 46'

Column Name: ss_note_20_char_text_47
Column Type: varchar
Max Length: 20
'SS Note 20 Character 47'

Column Name: ss_note_20_char_text_48
Column Type: varchar
Max Length: 20
'SS Note 20 Character 48'

Column Name: ss_note_20_char_text_49
Column Type: varchar
Max Length: 20
'SS Note 20 Character 49'

Column Name: ss_note_20_char_text_50
Column Type: varchar
Max Length: 20
'SS Note 20 Character 50'

Column Name: ss_note_40_char_text_31
Column Type: varchar
Max Length: 40
'SS Note 40 Character 31'

Column Name: ss_note_40_char_text_32
Column Type: varchar
Max Length: 40
'SS Note 40 Character 32'

Column Name: ss_note_40_char_text_33
Column Type: varchar
Max Length: 40
'SS Note 40 Character 33'

Column Name: ss_note_40_char_text_34
Column Type: varchar
Max Length: 40
'SS Note 40 Character 34'

Column Name: ss_note_40_char_text_35
Column Type: varchar
Max Length: 40
'SS Note 40 Character 35'

Column Name: ss_note_40_char_text_36
Column Type: varchar
Max Length: 40
'SS Note 40 Character 36'

Column Name: ss_note_40_char_text_37
Column Type: varchar
Max Length: 40
'SS Note 40 Character 37'

Column Name: ss_note_40_char_text_38
Column Type: varchar
Max Length: 40
'SS Note 40 Character 38'

Column Name: ss_note_40_char_text_39
Column Type: varchar
Max Length: 40
'SS Note 40 Character 39'

Column Name: ss_note_40_char_text_40
Column Type: varchar
Max Length: 40
'SS Note 40 Character 40'

Column Name: ss_note_40_char_text_41
Column Type: varchar
Max Length: 40
'SS Note 40 Character 41'

Column Name: ss_note_40_char_text_42
Column Type: varchar
Max Length: 40
'SS Note 40 Character 42'

Column Name: ss_note_40_char_text_43
Column Type: varchar
Max Length: 40
'SS Note 40 Character 43'

Column Name: ss_note_40_char_text_44
Column Type: varchar
Max Length: 40
'SS Note 40 Character 44'

Column Name: ss_note_40_char_text_45
Column Type: varchar
Max Length: 40
'SS Note 40 Character 45'

Column Name: ss_note_40_char_text_46
Column Type: varchar
Max Length: 40
'SS Note 40 Character 46'

Column Name: ss_note_40_char_text_47
Column Type: varchar
Max Length: 40
'SS Note 40 Character 47'

Column Name: ss_note_40_char_text_48
Column Type: varchar
Max Length: 40
'SS Note 40 Character 48'

Column Name: ss_note_40_char_text_49
Column Type: varchar
Max Length: 40
'SS Note 40 Character 49'

Column Name: ss_note_40_char_text_50
Column Type: varchar
Max Length: 40
'SS Note 40 Character 50'

Column Name: ss_note_80_char_text_31
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 31'

Column Name: ss_note_80_char_text_32
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 32'

Column Name: ss_note_80_char_text_33
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 33'

Column Name: ss_note_80_char_text_34
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 34'

Column Name: ss_note_80_char_text_35
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 35'

Column Name: ss_note_80_char_text_36
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 36'

Column Name: ss_note_80_char_text_37
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 37'

Column Name: ss_note_80_char_text_38
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 38'

Column Name: ss_note_80_char_text_39
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 39'

Column Name: ss_note_80_char_text_40
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 40'

Column Name: ss_note_80_char_text_41
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 41'

Column Name: ss_note_80_char_text_42
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 42'

Column Name: ss_note_80_char_text_43
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 43'

Column Name: ss_note_80_char_text_44
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 44'

Column Name: ss_note_80_char_text_45
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 45'

Column Name: ss_note_80_char_text_46
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 46'

Column Name: ss_note_80_char_text_47
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 47'

Column Name: ss_note_80_char_text_48
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 48'

Column Name: ss_note_80_char_text_49
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 49'

Column Name: ss_note_80_char_text_50
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 50'

Column Name: ss_note_date_31
Column Type: date
'SS Note Date 31'

Column Name: ss_note_date_32
Column Type: date
'SS Note Date 32'

Column Name: ss_note_date_33
Column Type: date
'SS Note Date 33'

Column Name: ss_note_date_34
Column Type: date
'SS Note Date 34'

Column Name: ss_note_date_35
Column Type: date
'SS Note Date 35'

Column Name: ss_note_date_36
Column Type: date
'SS Note Date 36'

Column Name: ss_note_date_37
Column Type: date
'SS Note Date 37'

Column Name: ss_note_date_38
Column Type: date

'SS Note Date 38'

Column Name: ss_note_date_39

Column Type: date

'SS Note Date 39'

Column Name: ss_note_date_40

Column Type: date

'SS Note Date 40'

Column Name: ss_note_date_41

Column Type: date

'SS Note Date 41'

Column Name: ss_note_date_42

Column Type: date

'SS Note Date 42'

Column Name: ss_note_date_43

Column Type: date

'SS Note Date 43'

Column Name: ss_note_date_44

Column Type: date

'SS Note Date 44'

Column Name: ss_note_date_45

Column Type: date

'SS Note Date 45'

Column Name: ss_note_date_46

Column Type: date

'SS Note Date 46'

Column Name: ss_note_date_47

Column Type: date

'SS Note Date 47'

Column Name: ss_note_date_48

Column Type: date

'SS Note Date 48'

Column Name: ss_note_date_49

Column Type: date

'SS Note Date 49'

Column Name: ss_note_date_50

Column Type: date

'SS Note Date 50'

Column Name: ss_note_dsm_diag_31_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 31'

Column Name: ss_note_dsm_diag_31_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_31_code. See ss_note_dsm_diag_31_code for more information.

Column Name: ss_note_dsm_diag_32_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 32'

Column Name: ss_note_dsm_diag_32_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_32_code. See ss_note_dsm_diag_32_code for more information.

Column Name: ss_note_dsm_diag_33_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 33'

Column Name: ss_note_dsm_diag_33_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_33_code. See ss_note_dsm_diag_33_code for more information.

Column Name: ss_note_dsm_diag_34_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 34'

Column Name: ss_note_dsm_diag_34_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_34_code. See ss_note_dsm_diag_34_code for more information.

Column Name: ss_note_dsm_diag_35_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 35'

Column Name: ss_note_dsm_diag_35_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_35_code. See ss_note_dsm_diag_35_code for more information.

Column Name: ss_note_dsm_diag_36_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 36'

Column Name: ss_note_dsm_diag_36_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_36_code. See ss_note_dsm_diag_36_code for more information.

Column Name: ss_note_dsm_diag_37_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 37'

Column Name: ss_note_dsm_diag_37_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_37_code. See ss_note_dsm_diag_37_code for more information.

Column Name: ss_note_dsm_diag_38_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 38'

Column Name: ss_note_dsm_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_38_code. See ss_note_dsm_diag_38_code for more information.

Column Name: ss_note_dsm_diag_39_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 39'

Column Name: ss_note_dsm_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_39_code. See ss_note_dsm_diag_39_code for more information.

Column Name: ss_note_dsm_diag_40_code

Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 40'

Column Name: ss_note_dsm_diag_40_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_40_code. See ss_note_dsm_diag_40_code for more information.

Column Name: ss_note_dsm_diag_41_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 41'

Column Name: ss_note_dsm_diag_41_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_41_code. See ss_note_dsm_diag_41_code for more information.

Column Name: ss_note_dsm_diag_42_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 42'

Column Name: ss_note_dsm_diag_42_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_42_code. See ss_note_dsm_diag_42_code for more information.

Column Name: ss_note_dsm_diag_43_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 43'

Column Name: ss_note_dsm_diag_43_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_43_code. See ss_note_dsm_diag_43_code for more information.

Column Name: ss_note_dsm_diag_44_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 44'

Column Name: ss_note_dsm_diag_44_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_44_code. See ss_note_dsm_diag_44_code for more information.

Column Name: ss_note_dsm_diag_45_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 45'

Column Name: ss_note_dsm_diag_45_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_45_code. See ss_note_dsm_diag_45_code for more information.

Column Name: ss_note_dsm_diag_46_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 46'

Column Name: ss_note_dsm_diag_46_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_46_code. See ss_note_dsm_diag_46_code for more information.

Column Name: ss_note_dsm_diag_47_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 47'

Column Name: ss_note_dsm_diag_47_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_47_code. See ss_note_dsm_diag_47_code for more information.

Column Name: ss_note_dsm_diag_48_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 48'

Column Name: ss_note_dsm_diag_48_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_48_code. See ss_note_dsm_diag_48_code for more information.

Column Name: ss_note_dsm_diag_49_code

Column Type: varchar

Max Length: 20
'SS Note DSM IV Diagnosis 49'

Column Name: ss_note_dsm_diag_49_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_49_code. See ss_note_dsm_diag_49_code for more information.

Column Name: ss_note_dsm_diag_50_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 50'

Column Name: ss_note_dsm_diag_50_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_50_code. See ss_note_dsm_diag_50_code for more information.

Column Name: ss_note_icd9_diag_31_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 31'

Column Name: ss_note_icd9_diag_31_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_31_code. See ss_note_icd9_diag_31_code for more information.

Column Name: ss_note_icd9_diag_32_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 32'

Column Name: ss_note_icd9_diag_32_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_32_code. See ss_note_icd9_diag_32_code for more information.

Column Name: ss_note_icd9_diag_33_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 33'

Column Name: ss_note_icd9_diag_33_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_icd9_diag_33_code`. See `ss_note_icd9_diag_33_code` for more information.

Column Name: `ss_note_icd9_diag_34_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 34'

Column Name: `ss_note_icd9_diag_34_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_34_code`. See `ss_note_icd9_diag_34_code` for more information.

Column Name: `ss_note_icd9_diag_35_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 35'

Column Name: `ss_note_icd9_diag_35_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_35_code`. See `ss_note_icd9_diag_35_code` for more information.

Column Name: `ss_note_icd9_diag_36_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 36'

Column Name: `ss_note_icd9_diag_36_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_36_code`. See `ss_note_icd9_diag_36_code` for more information.

Column Name: `ss_note_icd9_diag_37_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 37'

Column Name: `ss_note_icd9_diag_37_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_37_code`. See `ss_note_icd9_diag_37_code` for more information.

Column Name: `ss_note_icd9_diag_38_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 38'

Column Name: ss_note_icd9_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_38_code. See ss_note_icd9_diag_38_code for more information.

Column Name: ss_note_icd9_diag_39_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 39'

Column Name: ss_note_icd9_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_39_code. See ss_note_icd9_diag_39_code for more information.

Column Name: ss_note_icd9_diag_40_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 40'

Column Name: ss_note_icd9_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_40_code. See ss_note_icd9_diag_40_code for more information.

Column Name: ss_note_icd9_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 41'

Column Name: ss_note_icd9_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_41_code. See ss_note_icd9_diag_41_code for more information.

Column Name: ss_note_icd9_diag_42_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 42'

Column Name: ss_note_icd9_diag_42_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_42_code`. See `ss_note_icd9_diag_42_code` for more information.

Column Name: `ss_note_icd9_diag_43_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 43'

Column Name: `ss_note_icd9_diag_43_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_43_code`. See `ss_note_icd9_diag_43_code` for more information.

Column Name: `ss_note_icd9_diag_44_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 44'

Column Name: `ss_note_icd9_diag_44_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_44_code`. See `ss_note_icd9_diag_44_code` for more information.

Column Name: `ss_note_icd9_diag_45_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 45'

Column Name: `ss_note_icd9_diag_45_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_45_code`. See `ss_note_icd9_diag_45_code` for more information.

Column Name: `ss_note_icd9_diag_46_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 46'

Column Name: `ss_note_icd9_diag_46_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_46_code`. See `ss_note_icd9_diag_46_code` for more information.

Column Name: `ss_note_icd9_diag_47_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 47'

Column Name: ss_note_icd9_diag_47_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_47_code. See ss_note_icd9_diag_47_code for more information.

Column Name: ss_note_icd9_diag_48_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 48'

Column Name: ss_note_icd9_diag_48_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_48_code. See ss_note_icd9_diag_48_code for more information.

Column Name: ss_note_icd9_diag_49_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 49'

Column Name: ss_note_icd9_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_49_code. See ss_note_icd9_diag_49_code for more information.

Column Name: ss_note_icd9_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 50'

Column Name: ss_note_icd9_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_50_code. See ss_note_icd9_diag_50_code for more information.

Column Name: ss_note_integer_1

Column Type: integer

'SS Note Integer 1'

Column Name: ss_note_integer_2

Column Type: integer

'SS Note Integer 2'

Column Name: ss_note_integer_3

Column Type: integer
'SS Note Integer 3'

Column Name: ss_note_integer_4
Column Type: integer
'SS Note Integer 4'

Column Name: ss_note_integer_5
Column Type: integer
'SS Note Integer 5'

Column Name: ss_note_integer_6
Column Type: integer
'SS Note Integer 6'

Column Name: ss_note_multi_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 31'

Column Name: ss_note_multi_dict_31_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_31_code. See ss_note_multi_dict_31_code for more information.

Column Name: ss_note_multi_dict_32_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 32'

Column Name: ss_note_multi_dict_32_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_32_code. See ss_note_multi_dict_32_code for more information.

Column Name: ss_note_multi_dict_33_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 33'

Column Name: ss_note_multi_dict_33_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_33_code. See ss_note_multi_dict_33_code for more information.

Column Name: ss_note_multi_dict_34_code
Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 34'

Column Name: ss_note_multi_dict_34_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_34_code. See ss_note_multi_dict_34_code for more information.

Column Name: ss_note_multi_dict_35_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 35'

Column Name: ss_note_multi_dict_35_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_35_code. See ss_note_multi_dict_35_code for more information.

Column Name: ss_note_multi_dict_36_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 36'

Column Name: ss_note_multi_dict_36_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_36_code. See ss_note_multi_dict_36_code for more information.

Column Name: ss_note_multi_dict_37_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 37'

Column Name: ss_note_multi_dict_37_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_37_code. See ss_note_multi_dict_37_code for more information.

Column Name: ss_note_multi_dict_38_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 38'

Column Name: ss_note_multi_dict_38_value
Column Type: varchar
Max Length: 32700

The description associated with ss_note_multi_dict_38_code. See ss_note_multi_dict_38_code for more information.

Column Name: ss_note_multi_dict_39_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 39'

Column Name: ss_note_multi_dict_39_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_39_code. See ss_note_multi_dict_39_code for more information.

Column Name: ss_note_multi_dict_40_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 40'

Column Name: ss_note_multi_dict_40_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_40_code. See ss_note_multi_dict_40_code for more information.

Column Name: ss_note_multi_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 41'

Column Name: ss_note_multi_dict_41_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_41_code. See ss_note_multi_dict_41_code for more information.

Column Name: ss_note_multi_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 42'

Column Name: ss_note_multi_dict_42_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_42_code. See ss_note_multi_dict_42_code for more information.

Column Name: ss_note_multi_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 43'

Column Name: ss_note_multi_dict_43_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_43_code. See ss_note_multi_dict_43_code for more information.

Column Name: ss_note_multi_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 44'

Column Name: ss_note_multi_dict_44_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_44_code. See ss_note_multi_dict_44_code for more information.

Column Name: ss_note_multi_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 45'

Column Name: ss_note_multi_dict_45_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_45_code. See ss_note_multi_dict_45_code for more information.

Column Name: ss_note_multi_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 46'

Column Name: ss_note_multi_dict_46_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_46_code. See ss_note_multi_dict_46_code for more information.

Column Name: ss_note_multi_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 47'

Column Name: ss_note_multi_dict_47_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_47_code. See ss_note_multi_dict_47_code for more information.

Column Name: ss_note_multi_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 48'

Column Name: ss_note_multi_dict_48_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_48_code. See ss_note_multi_dict_48_code for more information.

Column Name: ss_note_multi_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 49'

Column Name: ss_note_multi_dict_49_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_49_code. See ss_note_multi_dict_49_code for more information.

Column Name: ss_note_multi_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 50'

Column Name: ss_note_multi_dict_50_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_50_code. See ss_note_multi_dict_50_code for more information.

Column Name: ss_note_scroll_text_31

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 31'

Column Name: ss_note_scroll_text_32

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 32'

Column Name: ss_note_scroll_text_33

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 33'

Column Name: ss_note_scroll_text_34
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 34'

Column Name: ss_note_scroll_text_35
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 35'

Column Name: ss_note_scroll_text_36
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 36'

Column Name: ss_note_scroll_text_37
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 37'

Column Name: ss_note_scroll_text_38
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 38'

Column Name: ss_note_scroll_text_39
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 39'

Column Name: ss_note_scroll_text_40
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 40'

Column Name: ss_note_scroll_text_41
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 41'

Column Name: ss_note_scroll_text_42
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 42'

Column Name: ss_note_scroll_text_43
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 43'

Column Name: ss_note_scroll_text_44
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 44'

Column Name: ss_note_scroll_text_45
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 45'

Column Name: ss_note_scroll_text_46
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 46'

Column Name: ss_note_scroll_text_47
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 47'

Column Name: ss_note_scroll_text_48
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 48'

Column Name: ss_note_scroll_text_49
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 49'

Column Name: ss_note_scroll_text_50
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 50'

Column Name: ss_note_sing_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 31'

Column Name: ss_note_sing_dict_31_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_31_code. See ss_note_sing_dict_31_code for more information.

Column Name: ss_note_sing_dict_32_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 32'

Column Name: ss_note_sing_dict_32_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_32_code. See ss_note_sing_dict_32_code for more information.

Column Name: ss_note_sing_dict_33_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 33'

Column Name: ss_note_sing_dict_33_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_33_code. See ss_note_sing_dict_33_code for more information.

Column Name: ss_note_sing_dict_34_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 34'

Column Name: ss_note_sing_dict_34_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_34_code. See ss_note_sing_dict_34_code for more information.

Column Name: ss_note_sing_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 35'

Column Name: ss_note_sing_dict_35_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_35_code. See ss_note_sing_dict_35_code for more information.

Column Name: ss_note_sing_dict_36_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 36'

Column Name: ss_note_sing_dict_36_value

Column Type: varchar

Max Length: 80

The description associated with `ss_note_sing_dict_36_code`. See `ss_note_sing_dict_36_code` for more information.

Column Name: `ss_note_sing_dict_37_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 37'

Column Name: `ss_note_sing_dict_37_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_37_code`. See `ss_note_sing_dict_37_code` for more information.

Column Name: `ss_note_sing_dict_38_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 38'

Column Name: `ss_note_sing_dict_38_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_38_code`. See `ss_note_sing_dict_38_code` for more information.

Column Name: `ss_note_sing_dict_39_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 39'

Column Name: `ss_note_sing_dict_39_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_39_code`. See `ss_note_sing_dict_39_code` for more information.

Column Name: `ss_note_sing_dict_40_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 40'

Column Name: `ss_note_sing_dict_40_value`

Column Type: `varchar`

Max Length: 80

The description associated with `ss_note_sing_dict_40_code`. See `ss_note_sing_dict_40_code` for more information.

Column Name: `ss_note_sing_dict_41_code`

Column Type: `varchar`

Max Length: 20

'SS Note Single Response Dictionary 41'

Column Name: ss_note_sing_dict_41_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_41_code. See ss_note_sing_dict_41_code for more information.

Column Name: ss_note_sing_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 42'

Column Name: ss_note_sing_dict_42_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_42_code. See ss_note_sing_dict_42_code for more information.

Column Name: ss_note_sing_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 43'

Column Name: ss_note_sing_dict_43_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_43_code. See ss_note_sing_dict_43_code for more information.

Column Name: ss_note_sing_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 44'

Column Name: ss_note_sing_dict_44_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_44_code. See ss_note_sing_dict_44_code for more information.

Column Name: ss_note_sing_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 45'

Column Name: ss_note_sing_dict_45_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_45_code. See ss_note_sing_dict_45_code for more information.

Column Name: ss_note_sing_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 46'

Column Name: ss_note_sing_dict_46_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_46_code. See ss_note_sing_dict_46_code for more information.

Column Name: ss_note_sing_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 47'

Column Name: ss_note_sing_dict_47_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_47_code. See ss_note_sing_dict_47_code for more information.

Column Name: ss_note_sing_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 48'

Column Name: ss_note_sing_dict_48_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_48_code. See ss_note_sing_dict_48_code for more information.

Column Name: ss_note_sing_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 49'

Column Name: ss_note_sing_dict_49_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_49_code. See ss_note_sing_dict_49_code for more information.

Column Name: ss_note_sing_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 50'

Column Name: ss_note_sing_dict_50_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_50_code. See ss_note_sing_dict_50_code for more information.

Column Name: ss_note_time_31

Column Type: varchar

Max Length: 50

'SS Note Time 31'

Column Name: ss_note_time_32

Column Type: varchar

Max Length: 50

'SS Note Time 32'

Column Name: ss_note_time_33

Column Type: varchar

Max Length: 50

'SS Note Time 33'

Column Name: ss_note_time_34

Column Type: varchar

Max Length: 50

'SS Note Time 34'

Column Name: ss_note_time_35

Column Type: varchar

Max Length: 50

'SS Note Time 35'

Column Name: ss_note_time_36

Column Type: varchar

Max Length: 50

'SS Note Time 36'

Column Name: ss_note_time_37

Column Type: varchar

Max Length: 50

'SS Note Time 37'

Column Name: ss_note_time_38

Column Type: varchar

Max Length: 50

'SS Note Time 38'

Column Name: ss_note_time_39

Column Type: varchar

Max Length: 50
'SS Note Time 39'

Column Name: ss_note_time_40
Column Type: varchar
Max Length: 50
'SS Note Time 40'

Column Name: ss_note_time_41
Column Type: varchar
Max Length: 50
'SS Note Time 41'

Column Name: ss_note_time_42
Column Type: varchar
Max Length: 50
'SS Note Time 42'

Column Name: ss_note_time_43
Column Type: varchar
Max Length: 50
'SS Note Time 43'

Column Name: ss_note_time_44
Column Type: varchar
Max Length: 50
'SS Note Time 44'

Column Name: ss_note_time_45
Column Type: varchar
Max Length: 50
'SS Note Time 45'

Column Name: ss_note_time_46
Column Type: varchar
Max Length: 50
'SS Note Time 46'

Column Name: ss_note_time_47
Column Type: varchar
Max Length: 50
'SS Note Time 47'

Column Name: ss_note_time_48
Column Type: varchar
Max Length: 50
'SS Note Time 48'

Column Name: ss_note_time_49
Column Type: varchar

Max Length: 50
'SS Note Time 49'

Column Name: ss_note_time_50
Column Type: varchar
Max Length: 50
'SS Note Time 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_supp_2

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: ss_note_integer_10

Column Type: integer

'SS Note Integer 10'

Column Name: ss_note_integer_11

Column Type: integer

'SS Note Integer 11'

Column Name: ss_note_integer_12

Column Type: integer

'SS Note Integer 12'

Column Name: ss_note_integer_13

Column Type: integer

'SS Note Integer 13'

Column Name: ss_note_integer_14

Column Type: integer

'SS Note Integer 14'

Column Name: ss_note_integer_15

Column Type: integer

'SS Note Integer 15'

Column Name: ss_note_integer_16

Column Type: integer

'SS Note Integer 16'

Column Name: ss_note_integer_17

Column Type: integer

'SS Note Integer 17'

Column Name: ss_note_integer_18

Column Type: integer

'SS Note Integer 18'

Column Name: ss_note_integer_19

Column Type: integer

'SS Note Integer 19'

Column Name: ss_note_integer_20

Column Type: integer

'SS Note Integer 20'

Column Name: ss_note_integer_21

Column Type: integer

'SS Note Integer 21'

Column Name: ss_note_integer_22

Column Type: integer

'SS Note Integer 22'

Column Name: ss_note_integer_23

Column Type: integer

'SS Note Integer 23'

Column Name: ss_note_integer_24

Column Type: integer

'SS Note Integer 24'

Column Name: ss_note_integer_25

Column Type: integer

'SS Note Integer 25'

Column Name: ss_note_integer_26

Column Type: integer

'SS Note Integer 26'

Column Name: ss_note_integer_27

Column Type: integer

'SS Note Integer 27'

Column Name: ss_note_integer_28

Column Type: integer

'SS Note Integer 28'

Column Name: ss_note_integer_29

Column Type: integer

'SS Note Integer 29'

Column Name: ss_note_integer_30

Column Type: integer

'SS Note Integer 30'

Column Name: ss_note_integer_31
Column Type: integer
'SS Note Integer 31'

Column Name: ss_note_integer_32
Column Type: integer
'SS Note Integer 32'

Column Name: ss_note_integer_33
Column Type: integer
'SS Note Integer 33'

Column Name: ss_note_integer_34
Column Type: integer
'SS Note Integer 34'

Column Name: ss_note_integer_35
Column Type: integer
'SS Note Integer 35'

Column Name: ss_note_integer_36
Column Type: integer
'SS Note Integer 36'

Column Name: ss_note_integer_37
Column Type: integer
'SS Note Integer 37'

Column Name: ss_note_integer_38
Column Type: integer
'SS Note Integer 38'

Column Name: ss_note_integer_39
Column Type: integer
'SS Note Integer 39'

Column Name: ss_note_integer_40
Column Type: integer
'SS Note Integer 40'

Column Name: ss_note_integer_41
Column Type: integer
'SS Note Integer 41'

Column Name: ss_note_integer_42
Column Type: integer
'SS Note Integer 42'

Column Name: ss_note_integer_43
Column Type: integer

'SS Note Integer 43'

Column Name: ss_note_integer_44

Column Type: integer

'SS Note Integer 44'

Column Name: ss_note_integer_45

Column Type: integer

'SS Note Integer 45'

Column Name: ss_note_integer_46

Column Type: integer

'SS Note Integer 46'

Column Name: ss_note_integer_47

Column Type: integer

'SS Note Integer 47'

Column Name: ss_note_integer_48

Column Type: integer

'SS Note Integer 48'

Column Name: ss_note_integer_49

Column Type: integer

'SS Note Integer 49'

Column Name: ss_note_integer_50

Column Type: integer

'SS Note Integer 50'

Column Name: ss_note_integer_7

Column Type: integer

'SS Note Integer 7'

Column Name: ss_note_integer_8

Column Type: integer

'SS Note Integer 8'

Column Name: ss_note_integer_9

Column Type: integer

'SS Note Integer 9'

Column Name: ss_note_staff_11

Column Type: varchar

Max Length: 20

'SS Note Staff Member 11'

Column Name: ss_note_staff_12

Column Type: varchar

Max Length: 20

'SS Note Staff Member 12'

Column Name: ss_note_staff_13

Column Type: varchar

Max Length: 20

'SS Note Staff Member 13'

Column Name: ss_note_staff_14

Column Type: varchar

Max Length: 20

'SS Note Staff Member 14'

Column Name: ss_note_staff_15

Column Type: varchar

Max Length: 20

'SS Note Staff Member 15'

Column Name: ss_note_staff_16

Column Type: varchar

Max Length: 20

'SS Note Staff Member 16'

Column Name: ss_note_staff_17

Column Type: varchar

Max Length: 20

'SS Note Staff Member 17'

Column Name: ss_note_staff_18

Column Type: varchar

Max Length: 20

'SS Note Staff Member 18'

Column Name: ss_note_staff_19

Column Type: varchar

Max Length: 20

'SS Note Staff Member 19'

Column Name: ss_note_staff_20

Column Type: varchar

Max Length: 20

'SS Note Staff Member 20'

Column Name: ss_note_staff_21

Column Type: varchar

Max Length: 20

'SS Note Staff Member 21'

Column Name: ss_note_staff_22

Column Type: varchar

Max Length: 20

'SS Note Staff Member 22'

Column Name: ss_note_staff_23

Column Type: varchar

Max Length: 20

'SS Note Staff Member 23'

Column Name: ss_note_staff_24

Column Type: varchar

Max Length: 20

'SS Note Staff Member 24'

Column Name: ss_note_staff_25

Column Type: varchar

Max Length: 20

'SS Note Staff Member 25'

Column Name: ss_note_staff_26

Column Type: varchar

Max Length: 20

'SS Note Staff Member 26'

Column Name: ss_note_staff_27

Column Type: varchar

Max Length: 20

'SS Note Staff Member 27'

Column Name: ss_note_staff_28

Column Type: varchar

Max Length: 20

'SS Note Staff Member 28'

Column Name: ss_note_staff_29

Column Type: varchar

Max Length: 20

'SS Note Staff Member 29'

Column Name: ss_note_staff_30

Column Type: varchar

Max Length: 20

'SS Note Staff Member 30'

Column Name: ss_note_staff_31

Column Type: varchar

Max Length: 20

'SS Note Staff Member 31'

Column Name: ss_note_staff_32

Column Type: varchar

Max Length: 20

'SS Note Staff Member 32'

Column Name: ss_note_staff_33

Column Type: varchar

Max Length: 20

'SS Note Staff Member 33'

Column Name: ss_note_staff_34

Column Type: varchar

Max Length: 20

'SS Note Staff Member 34'

Column Name: ss_note_staff_35

Column Type: varchar

Max Length: 20

'SS Note Staff Member 35'

Column Name: ss_note_staff_36

Column Type: varchar

Max Length: 20

'SS Note Staff Member 36'

Column Name: ss_note_staff_37

Column Type: varchar

Max Length: 20

'SS Note Staff Member 37'

Column Name: ss_note_staff_38

Column Type: varchar

Max Length: 20

'SS Note Staff Member 38'

Column Name: ss_note_staff_39

Column Type: varchar

Max Length: 20

'SS Note Staff Member 39'

Column Name: ss_note_staff_40

Column Type: varchar

Max Length: 20

'SS Note Staff Member 40'

Column Name: ss_note_staff_41

Column Type: varchar

Max Length: 20

'SS Note Staff Member 41'

Column Name: ss_note_staff_42

Column Type: varchar

Max Length: 20

'SS Note Staff Member 42'

Column Name: ss_note_staff_43

Column Type: varchar

Max Length: 20

'SS Note Staff Member 43'

Column Name: ss_note_staff_44

Column Type: varchar

Max Length: 20

'SS Note Staff Member 44'

Column Name: ss_note_staff_45

Column Type: varchar

Max Length: 20

'SS Note Staff Member 45'

Column Name: ss_note_staff_46

Column Type: varchar

Max Length: 20

'SS Note Staff Member 46'

Column Name: ss_note_staff_47

Column Type: varchar

Max Length: 20

'SS Note Staff Member 47'

Column Name: ss_note_staff_48

Column Type: varchar

Max Length: 20

'SS Note Staff Member 48'

Column Name: ss_note_staff_49

Column Type: varchar

Max Length: 20

'SS Note Staff Member 49'

Column Name: ss_note_staff_50

Column Type: varchar

Max Length: 20

'SS Note Staff Member 50'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_supp_3

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: form_number

Column Type: varchar

Max Length: 50

The form number of the form that last updated the row.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notec_multi_dict_10_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 10'

Column Name: ss_notec_multi_dict_10_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_10_code. See ss_notec_multi_dict_10_code for more information.

Column Name: ss_notec_multi_dict_11_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_notec_multi_dict_11_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_11_code. See ss_notec_multi_dict_11_code for more information.

Column Name: ss_notec_multi_dict_12_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_notec_multi_dict_12_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_12_code. See ss_notec_multi_dict_12_code for more information.

Column Name: ss_notec_multi_dict_13_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_notec_multi_dict_13_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_13_code. See ss_notec_multi_dict_13_code for more information.

Column Name: ss_notec_multi_dict_14_code

Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_notec_multi_dict_14_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_14_code. See ss_notec_multi_dict_14_code for more information.

Column Name: ss_notec_multi_dict_15_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_notec_multi_dict_15_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_15_code. See ss_notec_multi_dict_15_code for more information.

Column Name: ss_notec_multi_dict_16_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_notec_multi_dict_16_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_16_code. See ss_notec_multi_dict_16_code for more information.

Column Name: ss_notec_multi_dict_17_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_notec_multi_dict_17_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_17_code. See ss_notec_multi_dict_17_code for more information.

Column Name: ss_notec_multi_dict_18_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_notec_multi_dict_18_value
Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_18_code. See ss_notec_multi_dict_18_code for more information.

Column Name: ss_notec_multi_dict_19_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_notec_multi_dict_19_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_19_code. See ss_notec_multi_dict_19_code for more information.

Column Name: ss_notec_multi_dict_1_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 1'

Column Name: ss_notec_multi_dict_1_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_1_code. See ss_notec_multi_dict_1_code for more information.

Column Name: ss_notec_multi_dict_20_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_notec_multi_dict_20_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_20_code. See ss_notec_multi_dict_20_code for more information.

Column Name: ss_notec_multi_dict_21_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_notec_multi_dict_21_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_21_code. See ss_notec_multi_dict_21_code for more information.

Column Name: ss_notec_multi_dict_22_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_notec_multi_dict_22_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_22_code. See ss_notec_multi_dict_22_code for more information.

Column Name: ss_notec_multi_dict_23_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_notec_multi_dict_23_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_23_code. See ss_notec_multi_dict_23_code for more information.

Column Name: ss_notec_multi_dict_24_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_notec_multi_dict_24_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_24_code. See ss_notec_multi_dict_24_code for more information.

Column Name: ss_notec_multi_dict_25_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_notec_multi_dict_25_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_25_code. See ss_notec_multi_dict_25_code for more information.

Column Name: ss_notec_multi_dict_26_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_notec_multi_dict_26_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_26_code. See ss_notec_multi_dict_26_code for more information.

Column Name: ss_notec_multi_dict_27_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_notec_multi_dict_27_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_27_code. See ss_notec_multi_dict_27_code for more information.

Column Name: ss_notec_multi_dict_28_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_notec_multi_dict_28_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_28_code. See ss_notec_multi_dict_28_code for more information.

Column Name: ss_notec_multi_dict_29_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_notec_multi_dict_29_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_29_code. See ss_notec_multi_dict_29_code for more information.

Column Name: ss_notec_multi_dict_2_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 2'

Column Name: ss_notec_multi_dict_2_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_2_code. See ss_notec_multi_dict_2_code for more information.

Column Name: ss_notec_multi_dict_30_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_notec_multi_dict_30_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_30_code. See ss_notec_multi_dict_30_code for more information.

Column Name: ss_notec_multi_dict_31_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 31'

Column Name: ss_notec_multi_dict_31_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_31_code. See ss_notec_multi_dict_31_code for more information.

Column Name: ss_notec_multi_dict_32_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 32'

Column Name: ss_notec_multi_dict_32_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_32_code. See ss_notec_multi_dict_32_code for more information.

Column Name: ss_notec_multi_dict_33_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 33'

Column Name: ss_notec_multi_dict_33_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_33_code. See ss_notec_multi_dict_33_code for more information.

Column Name: ss_notec_multi_dict_34_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 34'

Column Name: ss_notec_multi_dict_34_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_34_code. See ss_notec_multi_dict_34_code for more information.

Column Name: ss_notec_multi_dict_35_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 35'

Column Name: ss_notec_multi_dict_35_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_35_code. See ss_notec_multi_dict_35_code for more information.

Column Name: ss_notec_multi_dict_36_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 36'

Column Name: ss_notec_multi_dict_36_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_36_code. See ss_notec_multi_dict_36_code for more information.

Column Name: ss_notec_multi_dict_37_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 37'

Column Name: ss_notec_multi_dict_37_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_37_code. See ss_notec_multi_dict_37_code for more information.

Column Name: ss_notec_multi_dict_38_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 38'

Column Name: ss_notec_multi_dict_38_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_38_code. See ss_notec_multi_dict_38_code for more information.

Column Name: ss_notec_multi_dict_39_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 39'

Column Name: ss_notec_multi_dict_39_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_39_code. See ss_notec_multi_dict_39_code for more information.

Column Name: ss_notec_multi_dict_3_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 3'

Column Name: ss_notec_multi_dict_3_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_3_code. See ss_notec_multi_dict_3_code for more information.

Column Name: ss_notec_multi_dict_40_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 40'

Column Name: ss_notec_multi_dict_40_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_40_code. See ss_notec_multi_dict_40_code for more information.

Column Name: ss_notec_multi_dict_41_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 41'

Column Name: ss_notec_multi_dict_41_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_41_code. See ss_notec_multi_dict_41_code for more information.

Column Name: ss_notec_multi_dict_42_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 42'

Column Name: ss_notec_multi_dict_42_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_42_code. See ss_notec_multi_dict_42_code for more information.

Column Name: ss_notec_multi_dict_43_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 43'

Column Name: ss_notec_multi_dict_43_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_43_code. See ss_notec_multi_dict_43_code for more information.

Column Name: ss_notec_multi_dict_44_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 44'

Column Name: ss_notec_multi_dict_44_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_44_code. See ss_notec_multi_dict_44_code for more information.

Column Name: ss_notec_multi_dict_45_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 45'

Column Name: ss_notec_multi_dict_45_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_45_code. See ss_notec_multi_dict_45_code for more information.

Column Name: ss_notec_multi_dict_46_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 46'

Column Name: ss_notec_multi_dict_46_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_46_code. See ss_notec_multi_dict_46_code for more information.

Column Name: ss_notec_multi_dict_47_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 47'

Column Name: ss_notec_multi_dict_47_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_47_code. See ss_notec_multi_dict_47_code for more information.

Column Name: ss_notec_multi_dict_48_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 48'

Column Name: ss_notec_multi_dict_48_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_48_code. See ss_notec_multi_dict_48_code for more information.

Column Name: ss_notec_multi_dict_49_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 49'

Column Name: ss_notec_multi_dict_49_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_49_code. See ss_notec_multi_dict_49_code for more information.

Column Name: ss_notec_multi_dict_4_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 4'

Column Name: ss_notec_multi_dict_4_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_4_code. See ss_notec_multi_dict_4_code for more information.

Column Name: ss_notec_multi_dict_50_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 50'

Column Name: ss_notec_multi_dict_50_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_50_code. See ss_notec_multi_dict_50_code for more information.

Column Name: ss_notec_multi_dict_5_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 5'

Column Name: ss_notec_multi_dict_5_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_5_code. See ss_notec_multi_dict_5_code for more information.

Column Name: ss_notec_multi_dict_6_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 6'

Column Name: ss_notec_multi_dict_6_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_6_code. See ss_notec_multi_dict_6_code for more information.

Column Name: ss_notec_multi_dict_7_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 7'

Column Name: ss_notec_multi_dict_7_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_7_code. See ss_notec_multi_dict_7_code for more information.

Column Name: ss_notec_multi_dict_8_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 8'

Column Name: ss_notec_multi_dict_8_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_8_code. See ss_notec_multi_dict_8_code for more information.

Column Name: ss_notec_multi_dict_9_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 9'

Column Name: ss_notec_multi_dict_9_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_9_code. See ss_notec_multi_dict_9_code for more information.

Column Name: ss_notec_sing_dict_10_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 10'

Column Name: ss_notec_sing_dict_10_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_10_code. See ss_notec_sing_dict_10_code for more information.

Column Name: ss_notec_sing_dict_11_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 11'

Column Name: ss_notec_sing_dict_11_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_11_code. See ss_notec_sing_dict_11_code for more information.

Column Name: ss_notec_sing_dict_12_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 12'

Column Name: ss_notec_sing_dict_12_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_12_code. See ss_notec_sing_dict_12_code for more information.

Column Name: ss_notec_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 13'

Column Name: ss_notec_sing_dict_13_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_13_code. See ss_notec_sing_dict_13_code for more information.

Column Name: ss_notec_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 14'

Column Name: ss_notec_sing_dict_14_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_14_code. See ss_notec_sing_dict_14_code for more information.

Column Name: ss_notec_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 15'

Column Name: ss_notec_sing_dict_15_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_15_code. See ss_notec_sing_dict_15_code for more information.

Column Name: ss_notec_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 16'

Column Name: ss_notec_sing_dict_16_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_16_code. See ss_notec_sing_dict_16_code for more information.

Column Name: ss_notec_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 17'

Column Name: ss_notec_sing_dict_17_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_17_code. See ss_notec_sing_dict_17_code for more information.

Column Name: ss_notec_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 18'

Column Name: ss_notec_sing_dict_18_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_18_code. See ss_notec_sing_dict_18_code for more information.

Column Name: ss_notec_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 19'

Column Name: ss_notec_sing_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_19_code. See ss_notec_sing_dict_19_code for more information.

Column Name: ss_notec_sing_dict_1_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 1'

Column Name: ss_notec_sing_dict_1_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_1_code. See ss_notec_sing_dict_1_code for more information.

Column Name: ss_notec_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 20'

Column Name: ss_notec_sing_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_20_code. See ss_notec_sing_dict_20_code for more information.

Column Name: ss_notec_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 21'

Column Name: ss_notec_sing_dict_21_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_21_code. See ss_notec_sing_dict_21_code for more information.

Column Name: ss_notec_sing_dict_22_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 22'

Column Name: ss_notec_sing_dict_22_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_22_code. See ss_notec_sing_dict_22_code for more information.

Column Name: ss_notec_sing_dict_23_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 23'

Column Name: ss_notec_sing_dict_23_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_23_code. See ss_notec_sing_dict_23_code for more information.

Column Name: ss_notec_sing_dict_24_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 24'

Column Name: ss_notec_sing_dict_24_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_24_code. See ss_notec_sing_dict_24_code for more information.

Column Name: ss_notec_sing_dict_25_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 25'

Column Name: ss_notec_sing_dict_25_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_25_code. See ss_notec_sing_dict_25_code for more information.

Column Name: ss_notec_sing_dict_26_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 26'

Column Name: ss_notec_sing_dict_26_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_26_code. See ss_notec_sing_dict_26_code for more information.

Column Name: ss_notec_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 27'

Column Name: ss_notec_sing_dict_27_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_27_code. See ss_notec_sing_dict_27_code for more information.

Column Name: ss_notec_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 28'

Column Name: ss_notec_sing_dict_28_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_28_code. See ss_notec_sing_dict_28_code for more information.

Column Name: ss_notec_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 29'

Column Name: ss_notec_sing_dict_29_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_29_code. See ss_notec_sing_dict_29_code for more information.

Column Name: ss_notec_sing_dict_2_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 2'

Column Name: ss_notec_sing_dict_2_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_2_code. See ss_notec_sing_dict_2_code for more information.

Column Name: ss_notec_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 30'

Column Name: ss_notec_sing_dict_30_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_30_code. See ss_notec_sing_dict_30_code for more information.

Column Name: ss_notec_sing_dict_31_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 31'

Column Name: ss_notec_sing_dict_31_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_31_code. See ss_notec_sing_dict_31_code for more information.

Column Name: ss_notec_sing_dict_32_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 32'

Column Name: ss_notec_sing_dict_32_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_32_code. See ss_notec_sing_dict_32_code for more information.

Column Name: ss_notec_sing_dict_33_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 33'

Column Name: ss_notec_sing_dict_33_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_33_code. See ss_notec_sing_dict_33_code for more information.

Column Name: ss_notec_sing_dict_34_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 34'

Column Name: ss_notec_sing_dict_34_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_34_code. See ss_notec_sing_dict_34_code for more information.

Column Name: ss_notec_sing_dict_35_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 35'

Column Name: ss_notec_sing_dict_35_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_35_code. See ss_notec_sing_dict_35_code for more information.

Column Name: ss_notec_sing_dict_36_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 36'

Column Name: ss_notec_sing_dict_36_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_36_code. See ss_notec_sing_dict_36_code for more information.

Column Name: ss_notec_sing_dict_37_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 37'

Column Name: ss_notec_sing_dict_37_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_37_code. See ss_notec_sing_dict_37_code for more information.

Column Name: ss_notec_sing_dict_38_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 38'

Column Name: ss_notec_sing_dict_38_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_38_code. See ss_notec_sing_dict_38_code for more information.

Column Name: ss_notec_sing_dict_39_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 39'

Column Name: ss_notec_sing_dict_39_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_39_code. See ss_notec_sing_dict_39_code for more information.

Column Name: ss_notec_sing_dict_3_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 3'

Column Name: ss_notec_sing_dict_3_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_3_code. See ss_notec_sing_dict_3_code for more information.

Column Name: ss_notec_sing_dict_40_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 40'

Column Name: ss_notec_sing_dict_40_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_40_code. See ss_notec_sing_dict_40_code for more information.

Column Name: ss_notec_sing_dict_41_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 41'

Column Name: ss_notec_sing_dict_41_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_41_code. See ss_notec_sing_dict_41_code for more information.

Column Name: ss_notec_sing_dict_42_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 42'

Column Name: ss_notec_sing_dict_42_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_42_code. See ss_notec_sing_dict_42_code for more information.

Column Name: ss_notec_sing_dict_43_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 43'

Column Name: ss_notec_sing_dict_43_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_43_code. See ss_notec_sing_dict_43_code for more information.

Column Name: ss_notec_sing_dict_44_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 44'

Column Name: ss_notec_sing_dict_44_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_44_code. See ss_notec_sing_dict_44_code for more information.

Column Name: ss_notec_sing_dict_45_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 45'

Column Name: ss_notec_sing_dict_45_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_45_code. See ss_notec_sing_dict_45_code for more information.

Column Name: ss_notec_sing_dict_46_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 46'

Column Name: ss_notec_sing_dict_46_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_46_code. See ss_notec_sing_dict_46_code for more information.

Column Name: ss_notec_sing_dict_47_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 47'

Column Name: ss_notec_sing_dict_47_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_47_code. See ss_notec_sing_dict_47_code for more information.

Column Name: ss_notec_sing_dict_48_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 48'

Column Name: ss_notec_sing_dict_48_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_48_code. See ss_notec_sing_dict_48_code for more information.

Column Name: ss_notec_sing_dict_49_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 49'

Column Name: ss_notec_sing_dict_49_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_49_code. See ss_notec_sing_dict_49_code for more information.

Column Name: ss_notec_sing_dict_4_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 4'

Column Name: ss_notec_sing_dict_4_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_4_code. See ss_notec_sing_dict_4_code for more information.

Column Name: ss_notec_sing_dict_50_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 50'

Column Name: ss_notec_sing_dict_50_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_50_code. See ss_notec_sing_dict_50_code for more information.

Column Name: ss_notec_sing_dict_5_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 5'

Column Name: ss_notec_sing_dict_5_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_5_code. See ss_notec_sing_dict_5_code for more information.

Column Name: ss_notec_sing_dict_6_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 6'

Column Name: ss_notec_sing_dict_6_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_6_code. See ss_notec_sing_dict_6_code for more information.

Column Name: ss_notec_sing_dict_7_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 7'

Column Name: ss_notec_sing_dict_7_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_7_code. See ss_notec_sing_dict_7_code for more information.

Column Name: ss_notec_sing_dict_8_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 8'

Column Name: ss_notec_sing_dict_8_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_8_code. See ss_notec_sing_dict_8_code for more information.

Column Name: ss_notec_sing_dict_9_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 9'

Column Name: ss_notec_sing_dict_9_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_9_code. See ss_notec_sing_dict_9_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_supp_4

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 50

Unique ID for a progress note.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mult_dic_51_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 51'

Column Name: ss_notc_mult_dic_51_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_51_code. See ss_notc_mult_dic_51_code for more information.

Column Name: ss_notc_mult_dic_52_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 52'

Column Name: ss_notc_mult_dic_52_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_52_code. See ss_notc_mult_dic_52_code for more information.

Column Name: ss_notc_mult_dic_53_code

Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 53'

Column Name: ss_notc_mult_dic_53_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_53_code. See ss_notc_mult_dic_53_code for more information.

Column Name: ss_notc_mult_dic_54_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 54'

Column Name: ss_notc_mult_dic_54_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_54_code. See ss_notc_mult_dic_54_code for more information.

Column Name: ss_notc_mult_dic_55_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 55'

Column Name: ss_notc_mult_dic_55_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_55_code. See ss_notc_mult_dic_55_code for more information.

Column Name: ss_notc_mult_dic_56_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 56'

Column Name: ss_notc_mult_dic_56_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_56_code. See ss_notc_mult_dic_56_code for more information.

Column Name: ss_notc_mult_dic_57_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 57'

Column Name: ss_notc_mult_dic_57_value
Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_57_code. See ss_notc_mult_dic_57_code for more information.

Column Name: ss_notc_mult_dic_58_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 58'

Column Name: ss_notc_mult_dic_58_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_58_code. See ss_notc_mult_dic_58_code for more information.

Column Name: ss_notc_mult_dic_59_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 59'

Column Name: ss_notc_mult_dic_59_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_59_code. See ss_notc_mult_dic_59_code for more information.

Column Name: ss_notc_mult_dic_60_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 60'

Column Name: ss_notc_mult_dic_60_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_60_code. See ss_notc_mult_dic_60_code for more information.

Column Name: ss_notc_mult_dic_61_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 61'

Column Name: ss_notc_mult_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_61_code. See ss_notc_mult_dic_61_code for more information.

Column Name: ss_notc_mult_dic_62_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 62'

Column Name: ss_notc_mult_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_62_code. See ss_notc_mult_dic_62_code for more information.

Column Name: ss_notc_mult_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 63'

Column Name: ss_notc_mult_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_63_code. See ss_notc_mult_dic_63_code for more information.

Column Name: ss_notc_mult_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 64'

Column Name: ss_notc_mult_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_64_code. See ss_notc_mult_dic_64_code for more information.

Column Name: ss_notc_mult_dic_65_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 65'

Column Name: ss_notc_mult_dic_65_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mult_dic_65_code. See ss_notc_mult_dic_65_code for more information.

Column Name: ss_notc_mult_dic_66_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 66'

Column Name: ss_notc_mult_dic_66_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_66_code`. See `ss_notc_mult_dic_66_code` for more information.

Column Name: `ss_notc_mult_dic_67_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 67'

Column Name: `ss_notc_mult_dic_67_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_67_code`. See `ss_notc_mult_dic_67_code` for more information.

Column Name: `ss_notc_mult_dic_68_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 68'

Column Name: `ss_notc_mult_dic_68_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_68_code`. See `ss_notc_mult_dic_68_code` for more information.

Column Name: `ss_notc_mult_dic_69_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 69'

Column Name: `ss_notc_mult_dic_69_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_69_code`. See `ss_notc_mult_dic_69_code` for more information.

Column Name: `ss_notc_mult_dic_70_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 70'

Column Name: `ss_notc_mult_dic_70_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_70_code`. See `ss_notc_mult_dic_70_code` for more information.

Column Name: `ss_notc_mult_dic_71_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 71'

Column Name: ss_notc_mult_dic_71_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_71_code. See ss_notc_mult_dic_71_code for more information.

Column Name: ss_notc_mult_dic_72_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 72'

Column Name: ss_notc_mult_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_72_code. See ss_notc_mult_dic_72_code for more information.

Column Name: ss_notc_mult_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 73'

Column Name: ss_notc_mult_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_73_code. See ss_notc_mult_dic_73_code for more information.

Column Name: ss_notc_mult_dic_74_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 74'

Column Name: ss_notc_mult_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_74_code. See ss_notc_mult_dic_74_code for more information.

Column Name: ss_notc_mult_dic_75_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 75'

Column Name: ss_notc_mult_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mult_dic_75_code. See ss_notc_mult_dic_75_code for more information.

Column Name: ss_notc_mult_dic_76_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 76'

Column Name: ss_notc_mult_dic_76_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_76_code. See ss_notc_mult_dic_76_code for more information.

Column Name: ss_notc_mult_dic_77_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 77'

Column Name: ss_notc_mult_dic_77_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_77_code. See ss_notc_mult_dic_77_code for more information.

Column Name: ss_notc_mult_dic_78_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 78'

Column Name: ss_notc_mult_dic_78_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_78_code. See ss_notc_mult_dic_78_code for more information.

Column Name: ss_notc_mult_dic_79_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 79'

Column Name: ss_notc_mult_dic_79_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_79_code. See ss_notc_mult_dic_79_code for more information.

Column Name: ss_notc_mult_dic_80_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 80'

Column Name: ss_notc_mult_dic_80_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_80_code. See ss_notc_mult_dic_80_code for more information.

Column Name: ss_notc_sin_dic_51_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 51'

Column Name: ss_notc_sin_dic_51_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_51_code. See ss_notc_sin_dic_51_code for more information.

Column Name: ss_notc_sin_dic_52_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 52'

Column Name: ss_notc_sin_dic_52_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_52_code. See ss_notc_sin_dic_52_code for more information.

Column Name: ss_notc_sin_dic_53_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 53'

Column Name: ss_notc_sin_dic_53_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_53_code. See ss_notc_sin_dic_53_code for more information.

Column Name: ss_notc_sin_dic_54_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 54'

Column Name: ss_notc_sin_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_54_code. See ss_notc_sin_dic_54_code for more information.

Column Name: ss_notc_sin_dic_55_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 55'

Column Name: ss_notc_sin_dic_55_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_55_code. See ss_notc_sin_dic_55_code for more information.

Column Name: ss_notc_sin_dic_56_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 56'

Column Name: ss_notc_sin_dic_56_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_56_code. See ss_notc_sin_dic_56_code for more information.

Column Name: ss_notc_sin_dic_57_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 57'

Column Name: ss_notc_sin_dic_57_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_57_code. See ss_notc_sin_dic_57_code for more information.

Column Name: ss_notc_sin_dic_58_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 58'

Column Name: ss_notc_sin_dic_58_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_58_code. See ss_notc_sin_dic_58_code for more information.

Column Name: ss_notc_sin_dic_59_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 59'

Column Name: ss_notc_sin_dic_59_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_59_code. See ss_notc_sin_dic_59_code for more information.

Column Name: ss_notc_sin_dic_60_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 60'

Column Name: ss_notc_sin_dic_60_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_60_code. See ss_notc_sin_dic_60_code for more information.

Column Name: ss_notc_sin_dic_61_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 61'

Column Name: ss_notc_sin_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_61_code. See ss_notc_sin_dic_61_code for more information.

Column Name: ss_notc_sin_dic_62_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 62'

Column Name: ss_notc_sin_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_62_code. See ss_notc_sin_dic_62_code for more information.

Column Name: ss_notc_sin_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 63'

Column Name: ss_notc_sin_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_63_code. See ss_notc_sin_dic_63_code for more information.

Column Name: ss_notc_sin_dic_64_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 64'

Column Name: ss_notc_sin_dic_64_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_64_code. See ss_notc_sin_dic_64_code for more information.

Column Name: ss_notc_sin_dic_65_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 65'

Column Name: ss_notc_sin_dic_65_value
Column Type: varchar
Max Length: 265
The description associated with ss_notc_sin_dic_65_code. See ss_notc_sin_dic_65_code for more information.

Column Name: ss_notc_sin_dic_66_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 66'

Column Name: ss_notc_sin_dic_66_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_66_code. See ss_notc_sin_dic_66_code for more information.

Column Name: ss_notc_sin_dic_67_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 67'

Column Name: ss_notc_sin_dic_67_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_67_code. See ss_notc_sin_dic_67_code for more information.

Column Name: ss_notc_sin_dic_68_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 68'

Column Name: ss_notc_sin_dic_68_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_68_code. See ss_notc_sin_dic_68_code for more information.

Column Name: ss_notc_sin_dic_69_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 69'

Column Name: ss_notc_sin_dic_69_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_69_code. See ss_notc_sin_dic_69_code for more information.

Column Name: ss_notc_sin_dic_70_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 70'

Column Name: ss_notc_sin_dic_70_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_70_code. See ss_notc_sin_dic_70_code for more information.

Column Name: ss_notc_sin_dic_71_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 71'

Column Name: ss_notc_sin_dic_71_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_71_code. See ss_notc_sin_dic_71_code for more information.

Column Name: ss_notc_sin_dic_72_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 72'

Column Name: ss_notc_sin_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_72_code. See ss_notc_sin_dic_72_code for more information.

Column Name: ss_notc_sin_dic_73_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 73'

Column Name: ss_notc_sin_dic_73_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_73_code. See ss_notc_sin_dic_73_code for more information.

Column Name: ss_notc_sin_dic_74_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 74'

Column Name: ss_notc_sin_dic_74_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_74_code. See ss_notc_sin_dic_74_code for more information.

Column Name: ss_notc_sin_dic_75_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 75'

Column Name: ss_notc_sin_dic_75_value
Column Type: varchar
Max Length: 275
The description associated with ss_notc_sin_dic_75_code. See ss_notc_sin_dic_75_code for more information.

Column Name: ss_notc_sin_dic_76_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 76'

Column Name: ss_notc_sin_dic_76_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_76_code. See ss_notc_sin_dic_76_code for more information.

Column Name: ss_notc_sin_dic_77_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 77'

Column Name: ss_notc_sin_dic_77_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_77_code. See ss_notc_sin_dic_77_code for more information.

Column Name: ss_notc_sin_dic_78_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 78'

Column Name: ss_notc_sin_dic_78_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_78_code. See ss_notc_sin_dic_78_code for more information.

Column Name: ss_notc_sin_dic_79_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 79'

Column Name: ss_notc_sin_dic_79_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_79_code. See ss_notc_sin_dic_79_code for more information.

Column Name: ss_notc_sin_dic_80_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 80'

Column Name: ss_notc_sin_dic_80_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_80_code. See ss_notc_sin_dic_80_code for more information.

Column Name: ss_note_mul_dict_51_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 51'

Column Name: ss_note_mul_dict_51_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_51_code limited to 255 characters. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_51_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_51_code. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_52_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 52'

Column Name: ss_note_mul_dict_52_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_52_code limited to 255 characters. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_52_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_52_code. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_53_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 53'

Column Name: ss_note_mul_dict_53_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_53_code limited to 255 characters. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_53_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_53_code. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_54_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 54'

Column Name: ss_note_mul_dict_54_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_54_code limited to 255 characters. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_54_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_54_code. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_55_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 55'

Column Name: ss_note_mul_dict_55_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_55_code limited to 255 characters. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_55_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_55_code. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_56_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 56'

Column Name: ss_note_mul_dict_56_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_56_code limited to 255 characters. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_56_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_56_code. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_57_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 57'

Column Name: ss_note_mul_dict_57_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_57_code limited to 255 characters. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_57_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_57_code. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_58_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 58'

Column Name: ss_note_mul_dict_58_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_58_code limited to 255 characters. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_58_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_58_code. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_59_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 59'

Column Name: ss_note_mul_dict_59_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_59_code limited to 255 characters. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_59_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_59_code. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_60_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 60'

Column Name: ss_note_mul_dict_60_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_60_code limited to 255 characters. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_60_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_60_code. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_61_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 61'

Column Name: ss_note_mul_dict_61_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_61_code limited to 255 characters. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_61_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_61_code. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_62_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 62'

Column Name: ss_note_mul_dict_62_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_62_code limited to 255 characters. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_62_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_62_code. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_63_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 63'

Column Name: ss_note_mul_dict_63_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_63_code limited to 255 characters. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_63_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_63_code. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_64_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 64'

Column Name: ss_note_mul_dict_64_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_64_code limited to 255 characters. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_64_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_64_code. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_65_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 65'

Column Name: ss_note_mul_dict_65_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_65_code limited to 255 characters. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_65_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_65_code. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_66_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 66'

Column Name: ss_note_mul_dict_66_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_66_code limited to 255 characters. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_66_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_66_code. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_67_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 67'

Column Name: ss_note_mul_dict_67_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_67_code limited to 255 characters. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_67_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_67_code. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_68_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 68'

Column Name: ss_note_mul_dict_68_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_68_code limited to 255 characters. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_68_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_68_code. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_69_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 69'

Column Name: ss_note_mul_dict_69_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_69_code limited to 255 characters. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_69_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_69_code. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_70_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 70'

Column Name: ss_note_mul_dict_70_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_70_code limited to 255 characters. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_70_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_70_code. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_71_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 71'

Column Name: ss_note_mul_dict_71_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_71_code limited to 255 characters. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_71_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_71_code. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_72_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 72'

Column Name: ss_note_mul_dict_72_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_72_code limited to 255 characters. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_72_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_72_code. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_73_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 73'

Column Name: ss_note_mul_dict_73_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_73_code limited to 255 characters. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_73_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_73_code. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_74_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 74'

Column Name: ss_note_mul_dict_74_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_74_code limited to 255 characters. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_74_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_74_code. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_75_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 75'

Column Name: ss_note_mul_dict_75_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_75_code limited to 255 characters. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_75_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_75_code. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_76_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 76'

Column Name: ss_note_mul_dict_76_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_76_code limited to 255 characters. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_76_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_76_code. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_77_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 77'

Column Name: ss_note_mul_dict_77_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_77_code limited to 255 characters. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_77_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_77_code. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_78_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 78'

Column Name: ss_note_mul_dict_78_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_78_code limited to 255 characters. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_78_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_78_code. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_79_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 79'

Column Name: ss_note_mul_dict_79_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_79_code limited to 255 characters. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_79_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_79_code. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_80_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 80'

Column Name: ss_note_mul_dict_80_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_80_code limited to 255 characters. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_mul_dict_80_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_80_code. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_scroll_text_51
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 51'

Column Name: ss_note_scroll_text_52
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 52'

Column Name: ss_note_scroll_text_53
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 53'

Column Name: ss_note_scroll_text_54
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 54'

Column Name: ss_note_scroll_text_55
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 55'

Column Name: ss_note_scroll_text_56
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 56'

Column Name: ss_note_scroll_text_57
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 57'

Column Name: ss_note_scroll_text_58
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 58'

Column Name: ss_note_scroll_text_59
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 59'

Column Name: ss_note_scroll_text_60
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 60'

Column Name: ss_note_scroll_text_61
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 61'

Column Name: ss_note_scroll_text_62
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 62'

Column Name: ss_note_scroll_text_63
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 63'

Column Name: ss_note_scroll_text_64
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 64'

Column Name: ss_note_scroll_text_65
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 65'

Column Name: ss_note_scroll_text_66
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 66'

Column Name: ss_note_scroll_text_67
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 67'

Column Name: ss_note_scroll_text_68
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 68'

Column Name: ss_note_scroll_text_69
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 69'

Column Name: ss_note_scroll_text_70
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 70'

Column Name: ss_note_scroll_text_71
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 71'

Column Name: ss_note_scroll_text_72
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 72'

Column Name: ss_note_scroll_text_73
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 73'

Column Name: ss_note_scroll_text_74
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 74'

Column Name: ss_note_scroll_text_75
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 75'

Column Name: ss_note_scroll_text_76
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 76'

Column Name: ss_note_scroll_text_77
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 77'

Column Name: ss_note_scroll_text_78
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 78'

Column Name: ss_note_scroll_text_79
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 79'

Column Name: ss_note_scroll_text_80
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 80'

Column Name: ss_note_sin_dict_51_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 51'

Column Name: ss_note_sin_dict_51_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_51_code. See ss_note_sin_dict_51_code for more information.

Column Name: ss_note_sin_dict_52_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 52'

Column Name: ss_note_sin_dict_52_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_52_code. See ss_note_sin_dict_52_code for more information.

Column Name: ss_note_sin_dict_53_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 53'

Column Name: ss_note_sin_dict_53_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_53_code. See ss_note_sin_dict_53_code for more information.

Column Name: ss_note_sin_dict_54_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 54'

Column Name: ss_note_sin_dict_54_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_54_code. See ss_note_sin_dict_54_code for more information.

Column Name: ss_note_sin_dict_55_code
Column Type: varchar
Max Length: 50

'SS Note Single Response Dictionary 55'

Column Name: ss_note_sin_dict_55_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_55_code. See ss_note_sin_dict_55_code for more information.

Column Name: ss_note_sin_dict_56_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 56'

Column Name: ss_note_sin_dict_56_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_56_code. See ss_note_sin_dict_56_code for more information.

Column Name: ss_note_sin_dict_57_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 57'

Column Name: ss_note_sin_dict_57_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_57_code. See ss_note_sin_dict_57_code for more information.

Column Name: ss_note_sin_dict_58_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 58'

Column Name: ss_note_sin_dict_58_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_58_code. See ss_note_sin_dict_58_code for more information.

Column Name: ss_note_sin_dict_59_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 59'

Column Name: ss_note_sin_dict_59_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_59_code. See ss_note_sin_dict_59_code for more information.

Column Name: ss_note_sin_dict_60_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 60'

Column Name: ss_note_sin_dict_60_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_60_code. See ss_note_sin_dict_60_code for more information.

Column Name: ss_note_sin_dict_61_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 61'

Column Name: ss_note_sin_dict_61_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_61_code. See ss_note_sin_dict_61_code for more information.

Column Name: ss_note_sin_dict_62_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 62'

Column Name: ss_note_sin_dict_62_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_62_code. See ss_note_sin_dict_62_code for more information.

Column Name: ss_note_sin_dict_63_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 63'

Column Name: ss_note_sin_dict_63_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_63_code. See ss_note_sin_dict_63_code for more information.

Column Name: ss_note_sin_dict_64_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 64'

Column Name: ss_note_sin_dict_64_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_64_code. See ss_note_sin_dict_64_code for more information.

Column Name: ss_note_sin_dict_65_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 65'

Column Name: ss_note_sin_dict_65_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_65_code. See ss_note_sin_dict_65_code for more information.

Column Name: ss_note_sin_dict_66_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 66'

Column Name: ss_note_sin_dict_66_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_66_code. See ss_note_sin_dict_66_code for more information.

Column Name: ss_note_sin_dict_67_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 67'

Column Name: ss_note_sin_dict_67_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_67_code. See ss_note_sin_dict_67_code for more information.

Column Name: ss_note_sin_dict_68_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 68'

Column Name: ss_note_sin_dict_68_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_68_code. See ss_note_sin_dict_68_code for more information.

Column Name: ss_note_sin_dict_69_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 69'

Column Name: ss_note_sin_dict_69_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_69_code. See ss_note_sin_dict_69_code for more information.

Column Name: ss_note_sin_dict_70_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 70'

Column Name: ss_note_sin_dict_70_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_70_code. See ss_note_sin_dict_70_code for more information.

Column Name: ss_note_sin_dict_71_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 71'

Column Name: ss_note_sin_dict_71_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_71_code. See ss_note_sin_dict_71_code for more information.

Column Name: ss_note_sin_dict_72_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 72'

Column Name: ss_note_sin_dict_72_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_72_code. See ss_note_sin_dict_72_code for more information.

Column Name: ss_note_sin_dict_73_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 73'

Column Name: ss_note_sin_dict_73_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_73_code. See ss_note_sin_dict_73_code for more information.

Column Name: ss_note_sin_dict_74_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 74'

Column Name: ss_note_sin_dict_74_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_74_code. See ss_note_sin_dict_74_code for more information.

Column Name: ss_note_sin_dict_75_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 75'

Column Name: ss_note_sin_dict_75_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_75_code. See ss_note_sin_dict_75_code for more information.

Column Name: ss_note_sin_dict_76_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 76'

Column Name: ss_note_sin_dict_76_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_76_code. See ss_note_sin_dict_76_code for more information.

Column Name: ss_note_sin_dict_77_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 77'

Column Name: ss_note_sin_dict_77_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_77_code. See ss_note_sin_dict_77_code for more information.

Column Name: ss_note_sin_dict_78_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 78'

Column Name: ss_note_sin_dict_78_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_78_code. See ss_note_sin_dict_78_code for more information.

Column Name: ss_note_sin_dict_79_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 79'

Column Name: ss_note_sin_dict_79_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_79_code. See ss_note_sin_dict_79_code for more information.

Column Name: ss_note_sin_dict_80_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 80'

Column Name: ss_note_sin_dict_80_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_80_code. See ss_note_sin_dict_80_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_supp_5

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar

Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: ebp_code
Column Type: varchar
Max Length: 50
'Evidence-Based Practices'

Column Name: ebp_element_code
Column Type: varchar
Max Length: 50
'Evidence-Based Practice Elements'

Column Name: ebp_element_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_element_code

Column Name: ebp_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_code

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mul_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 100'

Column Name: ss_notc_mul_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_100_code. See ss_notc_mul_dic_100_code for more information.

Column Name: ss_notc_mul_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 101'

Column Name: ss_notc_mul_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_101_code. See ss_notc_mul_dic_101_code for more information.

Column Name: ss_notc_mul_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 102'

Column Name: ss_notc_mul_dic_102_value
Column Type: varchar
Max Length: 255

The description associated with ss_notc_mul_dic_102_code. See ss_notc_mul_dic_102_code for more information.

Column Name: ss_notc_mul_dic_103_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 103'

Column Name: ss_notc_mul_dic_103_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_103_code. See ss_notc_mul_dic_103_code for more information.

Column Name: ss_notc_mul_dic_104_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 104'

Column Name: ss_notc_mul_dic_104_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_104_code. See ss_notc_mul_dic_104_code for more information.

Column Name: ss_notc_mul_dic_105_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 105'

Column Name: ss_notc_mul_dic_105_value
Column Type: varchar
Max Length: 275
The description associated with ss_notc_mul_dic_105_code. See ss_notc_mul_dic_105_code for more information.

Column Name: ss_notc_mul_dic_106_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 106'

Column Name: ss_notc_mul_dic_106_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_106_code. See ss_notc_mul_dic_106_code for more information.

Column Name: ss_notc_mul_dic_107_code
Column Type: varchar
Max Length: 50

'SS Note Copy Multiple Response Dictionary 107'

Column Name: ss_notc_mul_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_107_code. See ss_notc_mul_dic_107_code for more information.

Column Name: ss_notc_mul_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 108'

Column Name: ss_notc_mul_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_108_code. See ss_notc_mul_dic_108_code for more information.

Column Name: ss_notc_mul_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 109'

Column Name: ss_notc_mul_dic_109_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_109_code. See ss_notc_mul_dic_109_code for more information.

Column Name: ss_notc_mul_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 110'

Column Name: ss_notc_mul_dic_110_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_110_code. See ss_notc_mul_dic_110_code for more information.

Column Name: ss_notc_mul_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 81'

Column Name: ss_notc_mul_dic_81_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_81_code. See ss_notc_mul_dic_81_code for more information.

Column Name: ss_notc_mul_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 82'

Column Name: ss_notc_mul_dic_82_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_82_code. See ss_notc_mul_dic_82_code for more information.

Column Name: ss_notc_mul_dic_83_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 83'

Column Name: ss_notc_mul_dic_83_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_83_code. See ss_notc_mul_dic_83_code for more information.

Column Name: ss_notc_mul_dic_84_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 84'

Column Name: ss_notc_mul_dic_84_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_84_code. See ss_notc_mul_dic_84_code for more information.

Column Name: ss_notc_mul_dic_85_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 85'

Column Name: ss_notc_mul_dic_85_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_85_code. See ss_notc_mul_dic_85_code for more information.

Column Name: ss_notc_mul_dic_86_code
Column Type: varchar
Max Length: 50

'SS Note Copy Multiple Response Dictionary 86'

Column Name: ss_notc_mul_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_86_code. See ss_notc_mul_dic_86_code for more information.

Column Name: ss_notc_mul_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 87'

Column Name: ss_notc_mul_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_87_code. See ss_notc_mul_dic_87_code for more information.

Column Name: ss_notc_mul_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 88'

Column Name: ss_notc_mul_dic_88_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_88_code. See ss_notc_mul_dic_88_code for more information.

Column Name: ss_notc_mul_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 89'

Column Name: ss_notc_mul_dic_89_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_89_code. See ss_notc_mul_dic_89_code for more information.

Column Name: ss_notc_mul_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 90'

Column Name: ss_notc_mul_dic_90_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_90_code. See ss_notc_mul_dic_90_code for more information.

Column Name: ss_notc_mul_dic_91_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 91'

Column Name: ss_notc_mul_dic_91_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_91_code. See ss_notc_mul_dic_91_code for more information.

Column Name: ss_notc_mul_dic_92_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 92'

Column Name: ss_notc_mul_dic_92_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_92_code. See ss_notc_mul_dic_92_code for more information.

Column Name: ss_notc_mul_dic_93_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 93'

Column Name: ss_notc_mul_dic_93_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_93_code. See ss_notc_mul_dic_93_code for more information.

Column Name: ss_notc_mul_dic_94_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 94'

Column Name: ss_notc_mul_dic_94_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_94_code. See ss_notc_mul_dic_94_code for more information.

Column Name: ss_notc_mul_dic_95_code
Column Type: varchar
Max Length: 50

'SS Note Copy Multiple Response Dictionary 95'

Column Name: ss_notc_mul_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mul_dic_95_code. See ss_notc_mul_dic_95_code for more information.

Column Name: ss_notc_mul_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 96'

Column Name: ss_notc_mul_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_96_code. See ss_notc_mul_dic_96_code for more information.

Column Name: ss_notc_mul_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 97'

Column Name: ss_notc_mul_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_97_code. See ss_notc_mul_dic_97_code for more information.

Column Name: ss_notc_mul_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 98'

Column Name: ss_notc_mul_dic_98_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_98_code. See ss_notc_mul_dic_98_code for more information.

Column Name: ss_notc_mul_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 99'

Column Name: ss_notc_mul_dic_99_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_99_code. See ss_notc_mul_dic_99_code for more information.

Column Name: ss_notc_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 100'

Column Name: ss_notc_sin_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_100_code. See ss_notc_sin_dic_100_code for more information.

Column Name: ss_notc_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 101'

Column Name: ss_notc_sin_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_101_code. See ss_notc_sin_dic_101_code for more information.

Column Name: ss_notc_sin_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 102'

Column Name: ss_notc_sin_dic_102_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_102_code. See ss_notc_sin_dic_102_code for more information.

Column Name: ss_notc_sin_dic_103_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 103'

Column Name: ss_notc_sin_dic_103_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_103_code. See ss_notc_sin_dic_103_code for more information.

Column Name: ss_notc_sin_dic_104_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 104'

Column Name: ss_notc_sin_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_104_code. See ss_notc_sin_dic_104_code for more information.

Column Name: ss_notc_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 105'

Column Name: ss_notc_sin_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_sin_dic_105_code. See ss_notc_sin_dic_105_code for more information.

Column Name: ss_notc_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 106'

Column Name: ss_notc_sin_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_106_code. See ss_notc_sin_dic_106_code for more information.

Column Name: ss_notc_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 107'

Column Name: ss_notc_sin_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_107_code. See ss_notc_sin_dic_107_code for more information.

Column Name: ss_notc_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 108'

Column Name: ss_notc_sin_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_sin_dic_108_code`. See `ss_notc_sin_dic_108_code` for more information.

Column Name: `ss_notc_sin_dic_109_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 109'

Column Name: `ss_notc_sin_dic_109_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_109_code`. See `ss_notc_sin_dic_109_code` for more information.

Column Name: `ss_notc_sin_dic_110_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 110'

Column Name: `ss_notc_sin_dic_110_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_110_code`. See `ss_notc_sin_dic_110_code` for more information.

Column Name: `ss_notc_sin_dic_81_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 81'

Column Name: `ss_notc_sin_dic_81_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_81_code`. See `ss_notc_sin_dic_81_code` for more information.

Column Name: `ss_notc_sin_dic_82_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 82'

Column Name: `ss_notc_sin_dic_82_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_82_code`. See `ss_notc_sin_dic_82_code` for more information.

Column Name: `ss_notc_sin_dic_83_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Single Response Dictionary 83'

Column Name: ss_notc_sin_dic_83_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_83_code. See ss_notc_sin_dic_83_code for more information.

Column Name: ss_notc_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 84'

Column Name: ss_notc_sin_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_84_code. See ss_notc_sin_dic_84_code for more information.

Column Name: ss_notc_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 85'

Column Name: ss_notc_sin_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_85_code. See ss_notc_sin_dic_85_code for more information.

Column Name: ss_notc_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 86'

Column Name: ss_notc_sin_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_86_code. See ss_notc_sin_dic_86_code for more information.

Column Name: ss_notc_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 87'

Column Name: ss_notc_sin_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_87_code. See ss_notc_sin_dic_87_code for more information.

Column Name: ss_notc_sin_dic_88_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 88'

Column Name: ss_notc_sin_dic_88_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_88_code. See ss_notc_sin_dic_88_code for more information.

Column Name: ss_notc_sin_dic_89_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 89'

Column Name: ss_notc_sin_dic_89_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_89_code. See ss_notc_sin_dic_89_code for more information.

Column Name: ss_notc_sin_dic_90_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 90'

Column Name: ss_notc_sin_dic_90_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_90_code. See ss_notc_sin_dic_90_code for more information.

Column Name: ss_notc_sin_dic_91_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 91'

Column Name: ss_notc_sin_dic_91_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_91_code. See ss_notc_sin_dic_91_code for more information.

Column Name: ss_notc_sin_dic_92_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 92'

Column Name: ss_notc_sin_dic_92_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_92_code. See ss_notc_sin_dic_92_code for more information.

Column Name: ss_notc_sin_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 93'

Column Name: ss_notc_sin_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_93_code. See ss_notc_sin_dic_93_code for more information.

Column Name: ss_notc_sin_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 94'

Column Name: ss_notc_sin_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_94_code. See ss_notc_sin_dic_94_code for more information.

Column Name: ss_notc_sin_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 95'

Column Name: ss_notc_sin_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_sin_dic_95_code. See ss_notc_sin_dic_95_code for more information.

Column Name: ss_notc_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 96'

Column Name: ss_notc_sin_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_96_code. See ss_notc_sin_dic_96_code for more information.

Column Name: ss_notc_sin_dic_97_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 97'

Column Name: ss_notc_sin_dic_97_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_97_code. See ss_notc_sin_dic_97_code for more information.

Column Name: ss_notc_sin_dic_98_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 98'

Column Name: ss_notc_sin_dic_98_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_98_code. See ss_notc_sin_dic_98_code for more information.

Column Name: ss_notc_sin_dic_99_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 99'

Column Name: ss_notc_sin_dic_99_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_99_code. See ss_notc_sin_dic_99_code for more information.

Column Name: ss_note_mul_dic_100_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 100'

Column Name: ss_note_mul_dic_100_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_100_code limited to 255 characters. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_100_value
Column Type: varchar
Max Length: 32700

The description associated with ss_note_mul_dic_100_code. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_101_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 101'

Column Name: ss_note_mul_dic_101_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_101_code limited to 255 characters. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_101_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_101_code. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_102_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 102'

Column Name: ss_note_mul_dic_102_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_102_code limited to 255 characters. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_102_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_102_code. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_103_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 103'

Column Name: ss_note_mul_dic_103_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_103_code limited to 255 characters. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_103_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_103_code. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_104_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 104'

Column Name: ss_note_mul_dic_104_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_104_code limited to 255 characters. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_104_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_104_code. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_105_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 105'

Column Name: ss_note_mul_dic_105_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_105_code limited to 255 characters. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_105_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_105_code. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_106_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 106'

Column Name: ss_note_mul_dic_106_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_106_code limited to 255 characters. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_106_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_106_code. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_107_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 107'

Column Name: ss_note_mul_dic_107_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_107_code limited to 255 characters. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_107_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_107_code. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_108_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 108'

Column Name: ss_note_mul_dic_108_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_108_code limited to 255 characters. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_108_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_108_code. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_109_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 109'

Column Name: ss_note_mul_dic_109_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_109_code limited to 255 characters. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_109_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_109_code. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_110_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 110'

Column Name: ss_note_mul_dic_110_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_110_code limited to 255 characters. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_110_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_110_code. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_81_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 81'

Column Name: ss_note_mul_dic_81_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_81_code limited to 255 characters. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_81_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_81_code. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_82_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 82'

Column Name: ss_note_mul_dic_82_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_82_code limited to 255 characters. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_82_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_82_code. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_83_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 83'

Column Name: ss_note_mul_dic_83_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_83_code limited to 255 characters. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_83_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_83_code. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_84_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 84'

Column Name: ss_note_mul_dic_84_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_84_code limited to 255 characters. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_84_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_84_code. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_85_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 85'

Column Name: ss_note_mul_dic_85_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_85_code limited to 255 characters. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_85_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_85_code. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_86_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 86'

Column Name: ss_note_mul_dic_86_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_86_code limited to 255 characters. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_86_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_86_code. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_87_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 87'

Column Name: ss_note_mul_dic_87_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_87_code limited to 255 characters. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_87_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_87_code. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_88_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 88'

Column Name: ss_note_mul_dic_88_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_88_code limited to 255 characters. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_88_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_88_code. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_89_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 89'

Column Name: ss_note_mul_dic_89_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_89_code limited to 255 characters. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_89_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_89_code. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_90_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 90'

Column Name: ss_note_mul_dic_90_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_90_code limited to 255 characters. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_90_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_90_code. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_91_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 91'

Column Name: ss_note_mul_dic_91_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_91_code limited to 255 characters. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_91_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_91_code. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_92_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 92'

Column Name: ss_note_mul_dic_92_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_92_code limited to 255 characters. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_92_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_92_code. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_93_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 93'

Column Name: ss_note_mul_dic_93_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_93_code limited to 255 characters. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_93_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_93_code. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_94_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 94'

Column Name: ss_note_mul_dic_94_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_94_code limited to 255 characters. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_94_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_94_code. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_95_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 95'

Column Name: ss_note_mul_dic_95_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_95_code limited to 255 characters. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_95_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_95_code. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_96_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 96'

Column Name: ss_note_mul_dic_96_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_96_code limited to 255 characters. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_96_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_96_code. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_97_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 97'

Column Name: ss_note_mul_dic_97_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_97_code limited to 255 characters. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_97_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_97_code. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_98_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 98'

Column Name: ss_note_mul_dic_98_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_98_code limited to 255 characters. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_98_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_98_code. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_99_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 99'

Column Name: ss_note_mul_dic_99_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_99_code limited to 255 characters. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_mul_dic_99_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_99_code. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_scroll_text_100

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 100'

Column Name: ss_note_scroll_text_101

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 101'

Column Name: ss_note_scroll_text_102

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 102'

Column Name: ss_note_scroll_text_103

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 103'

Column Name: ss_note_scroll_text_104

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 104'

Column Name: ss_note_scroll_text_105

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 105'

Column Name: ss_note_scroll_text_106

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 106'

Column Name: ss_note_scroll_text_107

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 107'

Column Name: ss_note_scroll_text_108

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 108'

Column Name: ss_note_scroll_text_109

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 109'

Column Name: ss_note_scroll_text_110

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 110'

Column Name: ss_note_scroll_text_81

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 81'

Column Name: ss_note_scroll_text_82

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 82'

Column Name: ss_note_scroll_text_83

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 83'

Column Name: ss_note_scroll_text_84

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 84'

Column Name: ss_note_scroll_text_85

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 85'

Column Name: ss_note_scroll_text_86

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 86'

Column Name: ss_note_scroll_text_87

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 87'

Column Name: ss_note_scroll_text_88

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 88'

Column Name: ss_note_scroll_text_89

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 89'

Column Name: ss_note_scroll_text_90

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 90'

Column Name: ss_note_scroll_text_91

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 91'

Column Name: ss_note_scroll_text_92

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 92'

Column Name: ss_note_scroll_text_93

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 93'

Column Name: ss_note_scroll_text_94

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 94'

Column Name: ss_note_scroll_text_95

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 95'

Column Name: ss_note_scroll_text_96

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 96'

Column Name: ss_note_scroll_text_97

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 97'

Column Name: ss_note_scroll_text_98

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 98'

Column Name: ss_note_scroll_text_99

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 99'

Column Name: ss_note_sin_dic_100_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 100'

Column Name: ss_note_sin_dic_100_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_100_code. See ss_note_sin_dic_100_code for more information.

Column Name: ss_note_sin_dic_101_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 101'

Column Name: ss_note_sin_dic_101_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_101_code. See ss_note_sin_dic_101_code for more information.

Column Name: ss_note_sin_dic_102_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 102'

Column Name: ss_note_sin_dic_102_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_102_code. See ss_note_sin_dic_102_code for more information.

Column Name: ss_note_sin_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 103'

Column Name: ss_note_sin_dic_103_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_103_code. See ss_note_sin_dic_103_code for more information.

Column Name: ss_note_sin_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 104'

Column Name: ss_note_sin_dic_104_value

Column Type: varchar

Max Length: 50

The description associated with `ss_note_sin_dic_104_code`. See `ss_note_sin_dic_104_code` for more information.

Column Name: `ss_note_sin_dic_105_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 105'

Column Name: `ss_note_sin_dic_105_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_105_code`. See `ss_note_sin_dic_105_code` for more information.

Column Name: `ss_note_sin_dic_106_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 106'

Column Name: `ss_note_sin_dic_106_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_106_code`. See `ss_note_sin_dic_106_code` for more information.

Column Name: `ss_note_sin_dic_107_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 107'

Column Name: `ss_note_sin_dic_107_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_107_code`. See `ss_note_sin_dic_107_code` for more information.

Column Name: `ss_note_sin_dic_108_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 108'

Column Name: `ss_note_sin_dic_108_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_108_code`. See `ss_note_sin_dic_108_code` for more information.

Column Name: `ss_note_sin_dic_109_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 109'

Column Name: ss_note_sin_dic_109_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_109_code. See ss_note_sin_dic_109_code for more information.

Column Name: ss_note_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 110'

Column Name: ss_note_sin_dic_110_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_110_code. See ss_note_sin_dic_110_code for more information.

Column Name: ss_note_sin_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 81'

Column Name: ss_note_sin_dic_81_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_81_code. See ss_note_sin_dic_81_code for more information.

Column Name: ss_note_sin_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 82'

Column Name: ss_note_sin_dic_82_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_82_code. See ss_note_sin_dic_82_code for more information.

Column Name: ss_note_sin_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 83'

Column Name: ss_note_sin_dic_83_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_83_code. See ss_note_sin_dic_83_code for more information.

Column Name: ss_note_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 84'

Column Name: ss_note_sin_dic_84_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_84_code. See ss_note_sin_dic_84_code for more information.

Column Name: ss_note_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 85'

Column Name: ss_note_sin_dic_85_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_85_code. See ss_note_sin_dic_85_code for more information.

Column Name: ss_note_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 86'

Column Name: ss_note_sin_dic_86_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_86_code. See ss_note_sin_dic_86_code for more information.

Column Name: ss_note_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 87'

Column Name: ss_note_sin_dic_87_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_87_code. See ss_note_sin_dic_87_code for more information.

Column Name: ss_note_sin_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 88'

Column Name: ss_note_sin_dic_88_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_88_code. See ss_note_sin_dic_88_code for more information.

Column Name: ss_note_sin_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 89'

Column Name: ss_note_sin_dic_89_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_89_code. See ss_note_sin_dic_89_code for more information.

Column Name: ss_note_sin_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 90'

Column Name: ss_note_sin_dic_90_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_90_code. See ss_note_sin_dic_90_code for more information.

Column Name: ss_note_sin_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 91'

Column Name: ss_note_sin_dic_91_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_91_code. See ss_note_sin_dic_91_code for more information.

Column Name: ss_note_sin_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 92'

Column Name: ss_note_sin_dic_92_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_92_code. See ss_note_sin_dic_92_code for more information.

Column Name: ss_note_sin_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 93'

Column Name: ss_note_sin_dic_93_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_93_code. See ss_note_sin_dic_93_code for more information.

Column Name: ss_note_sin_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 94'

Column Name: ss_note_sin_dic_94_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_94_code. See ss_note_sin_dic_94_code for more information.

Column Name: ss_note_sin_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 95'

Column Name: ss_note_sin_dic_95_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_95_code. See ss_note_sin_dic_95_code for more information.

Column Name: ss_note_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 96'

Column Name: ss_note_sin_dic_96_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_96_code. See ss_note_sin_dic_96_code for more information.

Column Name: ss_note_sin_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 97'

Column Name: ss_note_sin_dic_97_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_97_code. See ss_note_sin_dic_97_code for more information.

Column Name: ss_note_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 98'

Column Name: ss_note_sin_dic_98_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_98_code. See ss_note_sin_dic_98_code for more information.

Column Name: ss_note_sin_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 99'

Column Name: ss_note_sin_dic_99_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_99_code. See ss_note_sin_dic_99_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_supp_6

Table Description: This table returns the facility location fields stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID

Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: facloc_address_1
Column Type: varchar
Max Length: 50
'Facility Location Address - Street'

Column Name: facloc_address_2
Column Type: varchar
Max Length: 50
'Facility Location Address - Street 2'

Column Name: facloc_city
Column Type: varchar
Max Length: 50
'Facility Location City'

Column Name: facloc_id_code
Column Type: varchar
Max Length: 50
'Facility Location Code Identifier'

Column Name: facloc_id_code_qual
Column Type: varchar
Max Length: 50
'Facility Location Code Qualifier'

Column Name: facloc_name
Column Type: varchar

Max Length: 50
'Facility Location Name'

Column Name: facloc_state
Column Type: varchar
Max Length: 50
'Facility Location State'

Column Name: facloc_zip_code
Column Type: varchar
Max Length: 50
'Facility Location Zip Code'

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_51
Column Type: varchar
Max Length: 20
SS Note 20 Character 51

Column Name: ss_note_20_char_text_52
Column Type: varchar
Max Length: 20
SS Note 20 Character 52

Column Name: ss_note_20_char_text_53
Column Type: varchar
Max Length: 20
SS Note 20 Character 53

Column Name: ss_note_20_char_text_54
Column Type: varchar
Max Length: 20
SS Note 20 Character 54

Column Name: ss_note_20_char_text_55
Column Type: varchar

Max Length: 20
SS Note 20 Character 55

Column Name: ss_note_20_char_text_56
Column Type: varchar
Max Length: 20
SS Note 20 Character 56

Column Name: ss_note_20_char_text_57
Column Type: varchar
Max Length: 20
SS Note 20 Character 57

Column Name: ss_note_20_char_text_58
Column Type: varchar
Max Length: 20
SS Note 20 Character 58

Column Name: ss_note_20_char_text_59
Column Type: varchar
Max Length: 20
SS Note 20 Character 59

Column Name: ss_note_20_char_text_60
Column Type: varchar
Max Length: 20
SS Note 20 Character 60

Column Name: ss_note_20_char_text_61
Column Type: varchar
Max Length: 20
SS Note 20 Character 61

Column Name: ss_note_20_char_text_62
Column Type: varchar
Max Length: 20
SS Note 20 Character 62

Column Name: ss_note_20_char_text_63
Column Type: varchar
Max Length: 20
SS Note 20 Character 63

Column Name: ss_note_20_char_text_64
Column Type: varchar
Max Length: 20
SS Note 20 Character 64

Column Name: ss_note_20_char_text_65
Column Type: varchar

Max Length: 20
SS Note 20 Character 65

Column Name: ss_note_20_char_text_66
Column Type: varchar
Max Length: 20
SS Note 20 Character 66

Column Name: ss_note_20_char_text_67
Column Type: varchar
Max Length: 20
SS Note 20 Character 67

Column Name: ss_note_20_char_text_68
Column Type: varchar
Max Length: 20
SS Note 20 Character 68

Column Name: ss_note_20_char_text_69
Column Type: varchar
Max Length: 20
SS Note 20 Character 69

Column Name: ss_note_20_char_text_70
Column Type: varchar
Max Length: 20
SS Note 20 Character 70

Column Name: ss_note_20_char_text_71
Column Type: varchar
Max Length: 20
SS Note 20 Character 71

Column Name: ss_note_20_char_text_72
Column Type: varchar
Max Length: 20
SS Note 20 Character 72

Column Name: ss_note_20_char_text_73
Column Type: varchar
Max Length: 20
SS Note 20 Character 73

Column Name: ss_note_20_char_text_74
Column Type: varchar
Max Length: 20
SS Note 20 Character 74

Column Name: ss_note_20_char_text_75
Column Type: varchar

Max Length: 20
SS Note 20 Character 75

Column Name: ss_note_20_char_text_76
Column Type: varchar
Max Length: 20
SS Note 20 Character 76

Column Name: ss_note_40_char_text_51
Column Type: varchar
Max Length: 40
SS Note 40 Character 51

Column Name: ss_note_40_char_text_52
Column Type: varchar
Max Length: 40
SS Note 40 Character 52

Column Name: ss_note_40_char_text_53
Column Type: varchar
Max Length: 40
SS Note 40 Character 53

Column Name: ss_note_40_char_text_54
Column Type: varchar
Max Length: 40
SS Note 40 Character 54

Column Name: ss_note_40_char_text_55
Column Type: varchar
Max Length: 40
SS Note 40 Character 55

Column Name: ss_note_40_char_text_56
Column Type: varchar
Max Length: 40
SS Note 40 Character 56

Column Name: ss_note_40_char_text_57
Column Type: varchar
Max Length: 40
SS Note 40 Character 57

Column Name: ss_note_40_char_text_58
Column Type: varchar
Max Length: 40
SS Note 40 Character 58

Column Name: ss_note_40_char_text_59
Column Type: varchar

Max Length: 40
SS Note 40 Character 59

Column Name: ss_note_40_char_text_60
Column Type: varchar
Max Length: 40
SS Note 40 Character 60

Column Name: ss_note_40_char_text_61
Column Type: varchar
Max Length: 40
SS Note 40 Character 61

Column Name: ss_note_40_char_text_62
Column Type: varchar
Max Length: 40
SS Note 40 Character 62

Column Name: ss_note_40_char_text_63
Column Type: varchar
Max Length: 40
SS Note 40 Character 63

Column Name: ss_note_40_char_text_64
Column Type: varchar
Max Length: 40
SS Note 40 Character 64

Column Name: ss_note_40_char_text_65
Column Type: varchar
Max Length: 40
SS Note 40 Character 65

Column Name: ss_note_40_char_text_66
Column Type: varchar
Max Length: 40
SS Note 40 Character 66

Column Name: ss_note_40_char_text_67
Column Type: varchar
Max Length: 40
SS Note 40 Character 67

Column Name: ss_note_40_char_text_68
Column Type: varchar
Max Length: 40
SS Note 40 Character 68

Column Name: ss_note_40_char_text_69
Column Type: varchar

Max Length: 40
SS Note 40 Character 69

Column Name: ss_note_40_char_text_70
Column Type: varchar
Max Length: 40
SS Note 40 Character 70

Column Name: ss_note_40_char_text_71
Column Type: varchar
Max Length: 40
SS Note 40 Character 71

Column Name: ss_note_40_char_text_72
Column Type: varchar
Max Length: 40
SS Note 40 Character 72

Column Name: ss_note_40_char_text_73
Column Type: varchar
Max Length: 40
SS Note 40 Character 73)

Column Name: ss_note_40_char_text_74
Column Type: varchar
Max Length: 40
SS Note 40 Character 74

Column Name: ss_note_40_char_text_75
Column Type: varchar
Max Length: 40
SS Note 40 Character 75

Column Name: ss_note_40_char_text_76
Column Type: varchar
Max Length: 40
SS Note 40 Character 76

Column Name: ss_note_date_51
Column Type: date
SS Note Date 51

Column Name: ss_note_date_52
Column Type: date
SS Note Date 52

Column Name: ss_note_date_53
Column Type: date
SS Note Date 53

Column Name: ss_note_date_54
Column Type: date
SS Note Date 54

Column Name: ss_note_date_55
Column Type: date
SS Note Date 55

Column Name: ss_note_date_56
Column Type: date
SS Note Date 56

Column Name: ss_note_date_57
Column Type: date
SS Note Date 57

Column Name: ss_note_date_58
Column Type: date
SS Note Date 58

Column Name: ss_note_date_59
Column Type: date
SS Note Date 59

Column Name: ss_note_date_60
Column Type: date
SS Note Date 60

Column Name: ss_note_integer_51
Column Type: integer
SS Note Integer 51

Column Name: ss_note_integer_52
Column Type: integer
SS Note Integer 52

Column Name: ss_note_integer_53
Column Type: integer
SS Note Integer 53

Column Name: ss_note_integer_54
Column Type: integer
SS Note Integer 54

Column Name: ss_note_integer_55
Column Type: integer
SS Note Integer 55

Column Name: ss_note_integer_56
Column Type: integer

SS Note Integer 56

Column Name: ss_note_integer_57

Column Type: integer

SS Note Integer 57

Column Name: ss_note_integer_58

Column Type: integer

SS Note Integer 58

Column Name: ss_note_integer_59

Column Type: integer

SS Note Integer 59

Column Name: ss_note_integer_60

Column Type: integer

SS Note Integer 60

Column Name: ss_note_scroll_text_111

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 111

Column Name: ss_note_scroll_text_112

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 112

Column Name: ss_note_scroll_text_113

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 113

Column Name: ss_note_scroll_text_114

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 114

Column Name: ss_note_scroll_text_115

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 115

Column Name: ss_note_scroll_text_116

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 116

Column Name: ss_note_scroll_text_117

Column Type: varchar

Max Length: 32700
SS Note Scrolling Free Text 117

Column Name: ss_note_scroll_text_118
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 118

Column Name: ss_note_scroll_text_119
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 119

Column Name: ss_note_scroll_text_120
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 120

Column Name: ss_note_scroll_text_121
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 121

Column Name: ss_note_scroll_text_122
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 122

Column Name: ss_note_scroll_text_123
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 123

Column Name: ss_note_scroll_text_124
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 124

Column Name: ss_note_scroll_text_125
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 125

Column Name: ss_note_scroll_text_126
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 126

Column Name: ss_note_scroll_text_127
Column Type: varchar

Max Length: 32700
SS Note Scrolling Free Text 127

Column Name: ss_note_scroll_text_128
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 128

Column Name: ss_note_scroll_text_129
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 129

Column Name: ss_note_scroll_text_130
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 130

Column Name: ss_note_scroll_text_131
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 131

Column Name: ss_note_scroll_text_132
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 132

Column Name: ss_note_scroll_text_133
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 133

Column Name: ss_note_scroll_text_134
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 134

Column Name: ss_note_scroll_text_135
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 135

Column Name: ss_note_scroll_text_136
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 136

Column Name: ss_note_time_51
Column Type: varchar

Max Length: 10
SS Note Time 51

Column Name: ss_note_time_52
Column Type: varchar
Max Length: 10
SS Note Time 52

Column Name: ss_note_time_53
Column Type: varchar
Max Length: 10
SS Note Time 53

Column Name: ss_note_time_54
Column Type: varchar
Max Length: 10
SS Note Time 54

Column Name: ss_note_time_55
Column Type: varchar
Max Length: 10
SS Note Time 55

Column Name: ss_note_time_56
Column Type: varchar
Max Length: 10
SS Note Time 56

Column Name: ss_note_time_57
Column Type: varchar
Max Length: 10
SS Note Time 57

Column Name: ss_note_time_58
Column Type: varchar
Max Length: 10
SS Note Time 58

Column Name: ss_note_time_59
Column Type: varchar
Max Length: 10
SS Note Time 59

Column Name: ss_note_time_60
Column Type: varchar
Max Length: 10
SS Note Time 60

Column Name: user_row_access_code
Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form:

Ambulatory_Progress_Notes_(Diagnosis_Entry)

Table Name: SYSTEM.cw_patient_notes_tpnotes

Table Description: This table returns the information stored for the treatment plan grid in progress notes forms.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20
The unique ID associated with the note.

Column Name: tp_notes_id
Column Type: integer
Id column for auditing purposes

Column Name: select_tp_version_code
Column Type: varchar
Max Length: 50
'Select T.P. Version'

Column Name: select_tp_version_value
Column Type: varchar
Max Length: 255
The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: note_add_which_tp_plan_prob
Column Type: varchar

Max Length: 32000

The treatment plan problem to add to the note.

Column Name: notes

Column Type: varchar

Max Length: 32000

Notes for the selected TP item.

Documentation for form: Amputations

Table Name: SYSTEM.amputations

Table Description: This table returns the finding information entered via the 'Amputations' form.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

'FACILITY'

Column Name: PATID

Column Type: varchar

Max Length: 20

'Patient ID'

Column Name: active_void_status

Column Type: varchar

Max Length: 50

'active_void_status'

Column Name: amputation_site

Column Type: varchar

Max Length: 50

'amputation_site'

Column Name: amputation_site_val

Column Type: varchar

Max Length: 40

value for amputation site

Column Name: client_name

Column Type: varchar

Max Length: 40

client name (2)

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
'data_entry_by'

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
'data_entry_time'

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 10
'data_entry_user_id'

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 10
'data_entry_user_name'

Column Name: date_of_entry
Column Type: date
'date_of_entry'

Column Name: digits
Column Type: varchar
Max Length: 50
'digits'

Column Name: digits_val
Column Type: varchar
Max Length: 75
digits value

Column Name: entry_person
Column Type: varchar
Max Length: 10
'entry_person'

Column Name: laterality
Column Type: varchar
Max Length: 50
'laterality'

Column Name: laterality_val
Column Type: varchar
Max Length: 40
laterality value

Column Name: option_id

Column Type: varchar
Max Length: 40
'option_id'

Column Name: upd_data_entry_by
Column Type: varchar
Max Length: 40
'update data entry by'

Column Name: upd_data_entry_time
Column Type: varchar
Max Length: 10
'update data entry time'

Column Name: upd_data_entry_user_id
Column Type: varchar
Max Length: 10
'update data entry user id'

Column Name: upd_data_entry_user_name
Column Type: varchar
Max Length: 10
'update data entry user name'

Column Name: upd_date_of_entry
Column Type: date
'update date of entry'

Column Name: upd_entry_person
Column Type: varchar
Max Length: 10
'update entry person'

Documentation for form: Amputations

Table Name: SYSTEM.amputations_delete

Table Description: This table returns the finding information entered via the 'Amputations' form.

Column Name: ID
Column Type: integer

Column Name: date_of_entry
Column Type: date
'date_of_entry'

Column Name: entry_person
Column Type: varchar
Max Length: 10
'entry_person'

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
'data_entry_time'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
'data_entry_by'

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 10
'data_entry_user_id'

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 10
'data_entry_user_name'

Column Name: FACILITY
Column Type: integer
'FACILITY'

Column Name: PATID
Column Type: varchar
Max Length: 20
'active_void_status'

Column Name: active_void_status
Column Type: varchar
Max Length: 50
'active_void_status'

Column Name: amputation_site
Column Type: varchar
Max Length: 50
'amputation_site'

Column Name: amputation_site_val
Column Type: varchar
Max Length: 40
value for amputation site

Column Name: client_name

Column Type: varchar
Max Length: 40
client name (2)

Column Name: digits
Column Type: varchar
Max Length: 50
'digits'

Column Name: digits_val
Column Type: varchar
Max Length: 75
digits value

Column Name: laterality
Column Type: varchar
Max Length: 50
'laterality'

Column Name: laterality_val
Column Type: varchar
Max Length: 40
laterality value

Column Name: option_id
Column Type: varchar
Max Length: 40
'option_id'

Column Name: upd_data_entry_by
Column Type: varchar
Max Length: 40
'update data entry by'

Column Name: upd_data_entry_time
Column Type: varchar
Max Length: 10
'update data entry time'

Column Name: upd_data_entry_user_id
Column Type: varchar
Max Length: 10
'update data entry user id'

Column Name: upd_data_entry_user_name
Column Type: varchar
Max Length: 10
'update data entry user name'

Column Name: upd_date_of_entry

Column Type: date
'update date of entry'

Column Name: upd_entry_person
Column Type: varchar
Max Length: 10
'update entry person'

Documentation for form: Amputations

Table Name: SYSTEM.amputations_update

Table Description: This table returns the finding information entered via the 'Amputations' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
'FACILITY'

Column Name: PATID
Column Type: varchar
Max Length: 20
'Patient ID'

Column Name: active_void_status
Column Type: varchar
Max Length: 50
'active void status'

Column Name: amputation_site
Column Type: varchar
Max Length: 50
'amputation site'

Column Name: amputation_site_val
Column Type: varchar
Max Length: 40
value for amputation site

Column Name: client_name
Column Type: varchar
Max Length: 40
client name

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
'data_entry_by'

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
'data_entry_time'

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 10
'data_entry_user_id'

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 10
'data_entry_user_name'

Column Name: date_of_entry
Column Type: date
'date_of_entry'

Column Name: digits
Column Type: varchar
Max Length: 50
'digits'

Column Name: digits_val
Column Type: varchar
Max Length: 75
digits value

Column Name: entry_person
Column Type: varchar
Max Length: 10
'entry_person'

Column Name: laterality
Column Type: varchar
Max Length: 50
'laterality'

Column Name: laterality_val
Column Type: varchar
Max Length: 40
laterality value

Column Name: option_id

Column Type: varchar
Max Length: 40
'option_id'

Column Name: original_row_id
Column Type: varchar
Max Length: 40
original row ID from SYSTEM.amputations table

Column Name: upd_data_entry_by
Column Type: varchar
Max Length: 40
'update data entry by'

Column Name: upd_data_entry_time
Column Type: varchar
Max Length: 10
'update data entry time'

Column Name: upd_data_entry_user_id
Column Type: varchar
Max Length: 10
'update data entry user id'

Column Name: upd_data_entry_user_name
Column Type: varchar
Max Length: 10
'update data entry user name'

Column Name: upd_date_of_entry
Column Type: date
'update date of entry'

Column Name: upd_entry_person
Column Type: varchar
Max Length: 10
'update entry person'

Documentation for form: Medication_Reconciliation_(2011_Edition)

Table Name: SYSTEM.cw_med_reconciliation_med

Table Description: This table returns the information stored in the 'Medication Reconciliation' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: LINK_TO_DMR
Column Type: varchar
Max Length: 50
'Link To DMR For Internal Use'

Column Name: MMR_uniqueid
Column Type: varchar
Max Length: 50
DMR Unique ID

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: comments
Column Type: varchar
Max Length: 1000
'Comments'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar

Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: data_source
Column Type: varchar
Max Length: 255
'Data Source'

Column Name: disposition_code
Column Type: varchar
Max Length: 50
'Disposition'

Column Name: disposition_of_meds_code
Column Type: varchar
Max Length: 50
'Disposition Of Meds Brought In'

Column Name: disposition_of_meds_value

Column Type: varchar

Max Length: 40

The description associated with disposition_of_meds_code. See disposition_of_meds_code for more information.

Column Name: disposition_value

Column Type: varchar

Max Length: 40

The description associated with disposition_code. See disposition_code for more information.

Column Name: indication_for_medication

Column Type: varchar

Max Length: 2000

'Indication For Medication'

Column Name: last_dose_taken_date

Column Type: date

'Date of Last Dose Taken'

Column Name: last_dose_taken_time

Column Type: varchar

Max Length: 50

'Time of Last Dose Taken'

Column Name: medication

Column Type: varchar

Max Length: 1000

'Medication'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: reason_not_continue_code

Column Type: varchar

Max Length: 255

'Reason For Not Continuing'

Column Name: reason_not_continue_shval

Column Type: varchar

Max Length: 255

The description associated with reason_not_continue_code limited to 255 characters. See reason_not_continue_code for more information.

Column Name: reason_not_continue_value

Column Type: varchar

Max Length: 4096

The description associated with reason_not_continue_code. See reason_not_continue_code for more information.

Column Name: row_identifier

Column Type: varchar

Max Length: 2000

'Row Identifier'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Medication_Reconciliation_(2011_Edition)

Table Name: SYSTEM.site_specific_med_rec

Table Description: This table returns site specific data from the 'Medication Reconciliation' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The number of the associated episode.

Column Name: FACILITY

Column Type: integer

The system code the client is defined in.

Column Name: LINK_TO_DMR

Column Type: varchar

Max Length: 50

The unique ID of the non-site specific medication reconciliation data this data is associated with.

Column Name: MMR_uniqueid

Column Type: varchar

Max Length: 50

The unique ID of this site specific medication reconciliation record.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the reconciliation.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this row of data.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated this row of data.

Column Name: data_entry_date

Column Type: date

The date this row of data was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last saved this row of data.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time this row of data was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 40
The user ID that last updated this row of data.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The last user name that updated this row of data.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The description of the form that last saved this row of data.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last saved this row of data.

Column Name: ss_dict_1_code
Column Type: varchar
Max Length: 50
The code for 'SS Medication Reconciliation Single Response Dictionary 1'.

Column Name: ss_dict_1_value
Column Type: varchar
Max Length: 40
The description associated with ss_dict_1_code. See ss_dict_1_code for more information.

Column Name: ss_dict_2_code
Column Type: varchar
Max Length: 50
The code for 'SS Medication Reconciliation Single Response Dictionary 2'.

Column Name: ss_dict_2_value
Column Type: varchar
Max Length: 40
The description associated with ss_dict_2_code. See ss_dict_2_code for more information.

Column Name: ss_dict_3_code
Column Type: varchar
Max Length: 50
The code for 'SS Medication Reconciliation Single Response Dictionary 3'.

Column Name: ss_dict_3_value
Column Type: varchar

Max Length: 40

The description associated with ss_dict_3_code. See ss_dict_3_code for more information.

Column Name: ss_dict_4_code

Column Type: varchar

Max Length: 50

The code for 'SS Medication Reconciliation Single Response Dictionary 4'.

Column Name: ss_dict_4_value

Column Type: varchar

Max Length: 40

The description associated with ss_dict_4_code. See ss_dict_4_code for more information.

Column Name: ss_dict_5_code

Column Type: varchar

Max Length: 50

The code for 'SS Medication Reconciliation Single Response Dictionary 5'.

Column Name: ss_dict_5_value

Column Type: varchar

Max Length: 40

The description associated with ss_dict_5_code. See ss_dict_5_code for more information.

Column Name: ss_freetext_40_1

Column Type: varchar

Max Length: 40

'SS Medication Reconciliation Free Text 1'.

Column Name: ss_freetext_40_2

Column Type: varchar

Max Length: 40

'SS Medication Reconciliation Free Text 2'.

Column Name: ss_freetext_40_3

Column Type: varchar

Max Length: 40

'SS Medication Reconciliation Free Text 3'.

Column Name: ss_freetext_40_4

Column Type: varchar

Max Length: 40

'SS Medication Reconciliation Free Text 4'.

Column Name: ss_freetext_40_5

Column Type: varchar

Max Length: 40

'SS Medication Reconciliation Free Text 5'.

Column Name: ss_mult_dict_1_codes_all

Column Type: varchar

Max Length: 255

The code for 'SS Medication Reconciliation Multiple Response Dictionary 1'.

Column Name: ss_mult_dict_1_shval

Column Type: varchar

Max Length: 255

The description associated with ss_mult_dict_1_code limited to 255 characters. See ss_mult_dict_1_code for more information.

Column Name: ss_mult_dict_1_value

Column Type: varchar

Max Length: 4096

The description associated with ss_mult_dict_1_code. See ss_mult_dict_1_code for more information.

Column Name: ss_mult_dict_2_codes_all

Column Type: varchar

Max Length: 255

The code for 'SS Medication Reconciliation Multiple Response Dictionary 2'.

Column Name: ss_mult_dict_2_shval

Column Type: varchar

Max Length: 255

The description associated with ss_mult_dict_2_code limited to 255 characters. See ss_mult_dict_2_code for more information.

Column Name: ss_mult_dict_2_value

Column Type: varchar

Max Length: 4096

The description associated with ss_mult_dict_2_code. See ss_mult_dict_2_code for more information.

Column Name: ss_mult_dict_3_codes_all

Column Type: varchar

Max Length: 255

The code for 'SS Medication Reconciliation Multiple Response Dictionary 3'.

Column Name: ss_mult_dict_3_shval

Column Type: varchar

Max Length: 255

The description associated with ss_mult_dict_3_code limited to 255 characters. See ss_mult_dict_3_code for more information.

Column Name: ss_mult_dict_3_value

Column Type: varchar

Max Length: 4096

The description associated with ss_mult_dict_3_code. See ss_mult_dict_3_code for more information.

Column Name: ss_mult_dict_4_codes_all

Column Type: varchar

Max Length: 255

The code for 'SS Medication Reconciliation Multiple Response Dictionary 4'.

Column Name: ss_mult_dict_4_shval

Column Type: varchar

Max Length: 255

The description associated with ss_mult_dict_4_code limited to 255 characters. See ss_mult_dict_4_code for more information.

Column Name: ss_mult_dict_4_value

Column Type: varchar

Max Length: 4096

The description associated with ss_mult_dict_4_code. See ss_mult_dict_4_code for more information.

Column Name: ss_mult_dict_5_codes_all

Column Type: varchar

Max Length: 255

The code for 'SS Medication Reconciliation Multiple Response Dictionary 5'.

Column Name: ss_mult_dict_5_shval

Column Type: varchar

Max Length: 255

The description associated with ss_mult_dict_5_code limited to 255 characters. See ss_mult_dict_5_code for more information.

Column Name: ss_mult_dict_5_value

Column Type: varchar

Max Length: 4096

The description associated with ss_mult_dict_5_code. See ss_mult_dict_5_code for more information.

Column Name: ss_scrolltext_1

Column Type: varchar

Max Length: 32766

'SS Medication Reconciliation Scrolling Free Text 1'.

Column Name: ss_scrolltext_2

Column Type: varchar

Max Length: 32766

'SS Medication Reconciliation Scrolling Free Text 2'.

Column Name: ss_scrolltext_3

Column Type: varchar

Max Length: 32766

'SS Medication Reconciliation Scrolling Free Text 3'.

Column Name: ss_scrolltext_4

Column Type: varchar

Max Length: 32766

'SS Medication Reconciliation Scrolling Free Text 4'.

Column Name: ss_scrolltext_5

Column Type: varchar

Max Length: 32766

'SS Medication Reconciliation Scrolling Free Text 5'.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Clinical_Reconciliation

Table Name: SYSTEM.ccd_tempstorage

Table Description: Temporary storage table for imported CCDs

Column Name: ID

Column Type: integer

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number the diagnosis is associated with.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_TO_DOCUMENT_IMAGE

Column Type: varchar

Max Length: 50

The id of the associated image in DocM.DocumentImage table (if provided)

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: client_name

Column Type: varchar

Max Length: 50

The name associated with PATID.

Column Name: confidentiality_code

Column Type: varchar

Max Length: 50

Column Name: confidentiality_code_sys
Column Type: varchar
Max Length: 50

Column Name: confidentiality_disp_name
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The last user name to update this row of data.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The last user name to update this row of data.

Column Name: data_entry_date
Column Type: date
The date this row of data was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 20

The User ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 50

data_entry_user_name - The User Name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: file_name

Column Type: varchar

Max Length: 2000

Column Name: file_name_no_path

Column Type: varchar

Max Length: 2000

The file name without the path.

Column Name: last_reviewed_date

Column Type: date

Last reviewed date (ccd>author>time)

Column Name: no_known_allergies

Column Type: bit

Flag to keep the Client's no known allergy status

Column Name: no_known_medication_allergies

Column Type: bit

Flag to keep the Client's no known medication allergy status

Column Name: no_known_medications

Column Type: bit

Flag to keep the Client's no known medication status

Column Name: no_known_problems

Column Type: bit

Flag to keep the Client's no known problem status

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: provider_referred_to
Column Type: varchar
Max Length: 50

Column Name: provider_referred_to_name
Column Type: varchar
Max Length: 40

Column Name: reason_for_import_code
Column Type: varchar
Max Length: 50

Column Name: reason_for_import_value
Column Type: varchar
Max Length: 50

Column Name: transition_in_care_code
Column Type: varchar
Max Length: 50

Column Name: transition_in_care_value
Column Type: varchar
Max Length: 50

Documentation for form: Clinical_Reconciliation

Table Name: SYSTEM.ccd_tempstorage_allergy

Table Description: Temporary storage table for imported CCDs (allergy data)

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_DETAIL
Column Type: varchar

Max Length: 50
'JOIN TO DETAIL' JOIN_TO_DETAIL

Column Name: code
Column Type: varchar
Max Length: 50
Allergen code corresponding to the code system

Column Name: code_system
Column Type: varchar
Max Length: 50
Allergen code system

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the service.

Column Name: date_recognized
Column Type: date
Date Recognized

Column Name: display_name
Column Type: varchar
Max Length: 255
Allergen name

Column Name: last_recon_action_code
Column Type: varchar
Max Length: 50
The action was last taken.

Column Name: last_recon_action_value
Column Type: varchar
Max Length: 50
Action description was last taken.

Column Name: last_reconciliation_date
Column Type: date
Last Reconciliation Date

Column Name: last_reconciliation_id
Column Type: varchar
Max Length: 50
'Last Reconciliation ID' Last Reconciliation ID

Column Name: last_reviewed_date
Column Type: date
Last reviewed date (ccd>author>time)

Column Name: negationInd
Column Type: bit
Presents the no known allergy status.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: status_active_code
Column Type: varchar
Max Length: 50
Active status code of the status code. CWS Dictionary #10038

Column Name: status_active_value
Column Type: varchar
Max Length: 50
Active status description of the status code. CWS Dictionary #10038

Column Name: status_avatar_code
Column Type: varchar

Max Length: 50
Associated Avatar status code of the status.

Column Name: status_avatar_value
Column Type: varchar
Max Length: 50
Associated Avatar status description of the status.

Column Name: status_code
Column Type: varchar
Max Length: 50
'Status'

Column Name: status_code_system
Column Type: varchar
Max Length: 50
Status code system

Column Name: status_display_name
Column Type: varchar
Max Length: 50
Status

Column Name: type
Column Type: varchar
Max Length: 50
The type of patch that is being updated.

Documentation for form: Clinical_Reconciliation

Table Name: SYSTEM.ccd_tempstorage_medication

Table Description: Temporary storage table for imported CCDs (medication data)

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_DETAIL
Column Type: varchar
Max Length: 50
'JOIN TO DETAIL' JOIN_TO_DETAIL

Column Name: active_code

Column Type: varchar
Max Length: 50
The code for 'Active'.

Column Name: active_code_system
Column Type: varchar
Max Length: 50
Active code system

Column Name: active_display_name
Column Type: varchar
Max Length: 50
Active code description

Column Name: code
Column Type: varchar
Max Length: 50
Medication code corresponding to the code system

Column Name: code_system
Column Type: varchar
Max Length: 50
Medication code system

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar

Max Length: 20
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the service.

Column Name: display_name
Column Type: varchar
Max Length: 255
Medication name

Column Name: dose_quantity
Column Type: varchar
Max Length: 50
Dose Qty

Column Name: dose_quantity_unit
Column Type: varchar
Max Length: 50
Dose Qty Unit

Column Name: end_date
Column Type: date
'End Date'

Column Name: form_code
Column Type: varchar
Max Length: 50
Form Code

Column Name: form_code_system
Column Type: varchar
Max Length: 50
Form code system

Column Name: form_display_name
Column Type: varchar
Max Length: 50
Form description

Column Name: last_recon_action_code
Column Type: varchar
Max Length: 50
The action was last taken.

Column Name: last_recon_action_value
Column Type: varchar
Max Length: 50

Action description was last taken.

Column Name: last_reconciliation_date
Column Type: date
Last Reconciliation Date Last Reconciliation Date

Column Name: last_reconciliation_id
Column Type: varchar
Max Length: 50
'Last Reconciliation ID' Last Reconciliation ID

Column Name: last_reviewed_date
Column Type: date
Last reviewed date (ccd>author>time)

Column Name: negationInd
Column Type: bit
Presents the no known medication status.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: rate_quantity
Column Type: varchar
Max Length: 50
Rate Qty

Column Name: rate_quantity_unit
Column Type: varchar
Max Length: 50
Rate Qty Unit

Column Name: route_code
Column Type: varchar
Max Length: 50
'Route code'

Column Name: route_code_system
Column Type: varchar
Max Length: 50
Route code system

Column Name: route_display_name
Column Type: varchar
Max Length: 50
Route description

Column Name: start_date

Column Type: date
'Start Date'

Documentation for form: Clinical_Reconciliation

Table Name: SYSTEM.ccd_tempstorage_problem

Table Description: Temporary storage table for imported CCDs (problem data)

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_DETAIL
Column Type: varchar
Max Length: 50
'JOIN TO DETAIL' JOIN_TO_DETAIL

Column Name: code
Column Type: varchar
Max Length: 50
Problem code corresponding to the code system

Column Name: code_system
Column Type: varchar
Max Length: 50
Problem code system

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the service.

Column Name: date_of_onset
Column Type: date
Date of Onset

Column Name: date_of_resolve
Column Type: date
Date of Resolve

Column Name: display_name
Column Type: varchar
Max Length: 50
Problem name

Column Name: last_recon_action_code
Column Type: varchar
Max Length: 50
The action was last taken.

Column Name: last_recon_action_value
Column Type: varchar
Max Length: 50
Action description was last taken.

Column Name: last_reconciliation_date
Column Type: date
Last Reconciliation Date Last Reconciliation Date

Column Name: last_reconciliation_id
Column Type: varchar
Max Length: 50
'Last Reconciliation ID' Last Reconciliation ID

Column Name: last_reviewed_date
Column Type: date
Last reviewed date (ccd>author>time)

Column Name: negationInd
Column Type: bit
Presents the no known problem status.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: status_active_code
Column Type: varchar
Max Length: 50
Active status code of the status code. CWS Dictionary #10038

Column Name: status_active_value
Column Type: varchar
Max Length: 50
Active status description of the status code. CWS Dictionary #10038

Column Name: status_avatar_code
Column Type: varchar
Max Length: 50
Associated Avatar status code of the status.

Column Name: status_avatar_value
Column Type: varchar
Max Length: 50
Associated Avatar status description of the status.

Column Name: status_code
Column Type: varchar
Max Length: 50
'Status'

Column Name: status_code_system
Column Type: varchar
Max Length: 50
Status code system

Column Name: status_display_name
Column Type: varchar
Max Length: 50
Status

Documentation for form: Clinical_Reconciliation

Table Name: SYSTEM.cw_client_clinical_info

Table Description: This table returns information regarding a Client's current clinical information.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code that generated the data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: client_name
Column Type: varchar
Max Length: 50
'Client Name'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the data entry source that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 20

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 50

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: known_allergies_code

Column Type: varchar

Max Length: 50

This is only set by the CARECONSV.CWS.Allergies.AllergiesServiceV2

Column Name: known_allergies_value

Column Type: varchar

Max Length: 50

The description associated with known_allergies_code See known_allergies_code for more information.

Column Name: known_food_allergies_code

Column Type: varchar

Max Length: 50

Flag to keep the Client's known food allergies status

Column Name: known_food_allergies_value

Column Type: varchar

Max Length: 50

Known Food Allergies value

Column Name: known_med_allergies_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known medication allergies status

Column Name: known_med_allergies_value
Column Type: varchar
Max Length: 50
The description associated with known_med_allergies_code. See known_med_allergies_code for more information.

Column Name: known_medications_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known medication status

Column Name: known_medications_value
Column Type: varchar
Max Length: 50
The description associated with known_medications_code. See known_medications_code for more information.

Column Name: known_problems_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known problem status

Column Name: known_problems_value
Column Type: varchar
Max Length: 50
The description associated with known_problems_code. See known_problems_code for more information.

Column Name: last_reconciliation_id
Column Type: varchar
Max Length: 50
The Clinical Reconciliation Unique ID saved when the row is updated via 'Clinical Reconciliation'.

Column Name: no_known_allergies_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known allergy status

Column Name: no_known_allergies_value
Column Type: varchar
Max Length: 50
The description associated with no_known_allergies_code. See no_known_allergies_code for more information.

Column Name: option_id
Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Documentation for form: Clinical_Reconciliation

Table Name: SYSTEM.cw_client_clinical_info_audit

Table Description: This table returns information regarding a Client's historical clinical information.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code that generated the data.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: client_name

Column Type: varchar

Max Length: 50

'Client Name'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the row.

Column Name: known_med_allergies_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known medication allergies status

Column Name: known_med_allergies_value
Column Type: varchar
Max Length: 50
The description associated with known_med_allergies_code. See known_med_allergies_code for more information.

Column Name: known_medications_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known medication status

Column Name: known_medications_value
Column Type: varchar
Max Length: 50
The description associated with known_medications_code. See known_medications_code for more information.

Column Name: known_problems_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known problem status

Column Name: known_problems_value
Column Type: varchar
Max Length: 50
The description associated with known_problems_code. See known_problems_code for more information.

Column Name: last_reconciliation_id
Column Type: varchar
Max Length: 50
The Clinical Reconciliation Unique ID saved when the row is updated via 'Clinical Reconciliation'.

Column Name: no_known_allergies_code
Column Type: varchar
Max Length: 50
Flag to keep the Client's known allergy status

Column Name: no_known_allergies_value
Column Type: varchar
Max Length: 50
The description associated with no_known_allergies_code. See no_known_allergies_code for more information.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Documentation for form: Clinical_Reconciliation

Table Name: [SYSTEM.cw_client_medications](#)

Table Description: This table returns medication that were ordered for the client.

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: EPISODE_NUMBER
Column Type: varchar
Max Length: 255

Column Name: medication_unique_id
Column Type: varchar
Max Length: 50

Column Name: medication_source
Column Type: varchar
Max Length: 255

Column Name: medication_code

Column Type: varchar
Max Length: 50

Column Name: medication_description
Column Type: varchar
Max Length: 255

Column Name: medication_start_date
Column Type: date

Column Name: medication_end_date
Column Type: date

Column Name: medication_type
Column Type: varchar
Max Length: 255

Column Name: medication_source_description
Column Type: varchar
Max Length: 255

Column Name: medication_routine_or_prn_code
Column Type: varchar
Max Length: 255

Column Name: medication_routine_or_prn_value
Column Type: varchar
Max Length: 255

Column Name: medication_duration
Column Type: varchar
Max Length: 50

Column Name: medication_prescriber
Column Type: varchar
Max Length: 200

Column Name: medication_status
Column Type: varchar
Max Length: 50

Documentation for form: Clinical_Reconciliation

Table Name: SYSTEM.cw_clinical_reconciliation

Table Description: This table returns data from the 'Clinical Reconciliation' form.

Column Name: ID

Column Type: integer

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

The unique ID that joins the reconciliation to the visit.

Column Name: EPISODE_NUMBER

Column Type: integer

episode number associated with reconciliation

Column Name: FACILITY

Column Type: integer

The system code that data was generated for.

Column Name: JOIN_TO_DOCUMENT_IMAGE

Column Type: varchar

Max Length: 50

The id of the associated image in DocM.DocumentImage table (if provided)

Column Name: PATID

Column Type: varchar

Max Length: 20

The ID of the client.

Column Name: client_name

Column Type: varchar

Max Length: 50

The name of the client.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The username that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 20

The 'User ID' who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 50

The 'User Description' of the 'User ID'.

Column Name: option_id

Column Type: varchar

Max Length: 20

The form that last updated the row.

Column Name: performed_for_id

Column Type: varchar

Max Length: 50

The prescriber ID that the user performed the reconciliation on behalf of

Column Name: performed_for_name

Column Type: varchar

Max Length: 50

The description associated with performed_for_id. See performed_for_id for more information.

Column Name: reason_for_reconc_code

Column Type: varchar

Max Length: 50

The reason for reconciliation code.

Column Name: reason_for_reconc_value

Column Type: varchar

Max Length: 50

The description associated with reason_for_reconc_code. See reason_for_reconc_code for more information.

Column Name: reconciliation_date
Column Type: date
The date of reconciliation.

Column Name: reconciliation_type
Column Type: varchar
Max Length: 50
The type of reconciliation.

Column Name: rec_type_code
Column Type: varchar
Max Length: 50
reconciliation type code (either 'Admission' or 'General')

Column Name: rec_type_value
Column Type: varchar
Max Length: 50
reconciliation type value (either 'Admission' or 'General')

Column Name: transit_of_care_to_assoc
Column Type: integer
Episode Number (Transition of Care Record) to associate with the Medication Reconciliation. This is a requirement for the Medication Reconciliation Measures Reporting.

Documentation for form: Clinical_Reconciliation

Table Name: SYSTEM.cw_clinical_reconciliation_detail

Table Description: This table returns data from the 'Clinical Reconciliation' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code the data was generated for.

Column Name: JOIN_TO_DETAIL
Column Type: integer
'JOIN TO DETAIL'

Column Name: PATID
Column Type: varchar

Max Length: 20
The client ID.

Column Name: action_code
Column Type: varchar
Max Length: 50
'Action Code'.

Column Name: action_value
Column Type: varchar
Max Length: 50
The description associated with action_code. See action_code for more information.

Column Name: compliance
Column Type: varchar
Max Length: 50
'Compliance'

Column Name: description
Column Type: varchar
Max Length: 2000
'Description'

Column Name: indication_for_medication
Column Type: varchar
Max Length: 2000
'Indication for Medication'

Column Name: last_rec_date
Column Type: date
Last record date.

Column Name: last_updated
Column Type: date
'Last Updated'

Column Name: med_type_to_add_code
Column Type: varchar
Max Length: 50
Medicine type to add.

Column Name: med_type_to_add_value
Column Type: varchar
Max Length: 50
The description associated with med_type_to_add_code. See med_type_to_add_code for more information.

Column Name: new_item_to_add
Column Type: varchar
Max Length: 50

'New Item to Add'

Column Name: prescriber
Column Type: varchar
Max Length: 50
'Prescriber'

Column Name: prescriber_name
Column Type: varchar
Max Length: 40
'Prescriber Name'

Column Name: result
Column Type: varchar
Max Length: 2000
'Result'

Column Name: row_identifier
Column Type: varchar
Max Length: 2000
The row ID.

Column Name: source
Column Type: varchar
Max Length: 50
'Source'

Column Name: start_date
Column Type: date
'Start Date'

Documentation for form: Clinical_Reconciliation

Table Name: SYSTEM.cw_home_medication_list

Table Description: This table returns medication data from the 'Clinical Reconciliation' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code the data was generated for.

Column Name: PATID
Column Type: varchar
Max Length: 20

The Client ID.

Column Name: additional_order_text
Column Type: varchar
Max Length: 50
'Additional Order Text'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The 'User Description' of the 'User ID'.

Column Name: date_of_last_dose
Column Type: date
'Date of Last Dose'

Column Name: deleted_list_item
Column Type: varchar
Max Length: 50
'Deleted Last Item'

Column Name: describe_other_dispo
Column Type: varchar
Max Length: 50
'Describe Other Disposition'

Column Name: describe_other_route
Column Type: varchar
Max Length: 50
'Describe other Route'

Column Name: disposition_of_item_code
Column Type: varchar
Max Length: 50
'Disposition of Item code'

Column Name: disposition_of_item_value
Column Type: varchar
Max Length: 50
The description of the associated disposition_of_item_code See disposition_of_item_code for more information.

Column Name: dosage
Column Type: varchar
Max Length: 50
'Dosage'

Column Name: external_list_id
Column Type: varchar
Max Length: 50
'External List Identifier'

Column Name: home_med_note
Column Type: varchar
Max Length: 4096
'Home Medication Note'

Column Name: home_med_note_stream
Column Type: longvarchar
Max Length: 2147483647
Stream to enter home medication note.

Column Name: inactivated_list_item
Column Type: varchar
Max Length: 50
'Inactivated List Item'

Column Name: indication_for_medication
Column Type: varchar
Max Length: 2000
'Indication For Medication'

Column Name: indication_for_use

Column Type: varchar

Max Length: 50

'Indication for Use'

Column Name: item_with_clientfam_code

Column Type: varchar

Max Length: 50

'Item with Client/Family at Time of Admission code'

Column Name: item_with_clientfam_value

Column Type: varchar

Max Length: 50

The description of the associated item_with_clientfam_code See item_with_clientfam_code for more information.

Column Name: last_dose_verified_code

Column Type: varchar

Max Length: 50

Details if the last medication dose was verified code.

Column Name: last_dose_verified_value

Column Type: varchar

Max Length: 50

The description of the associated last_dose_verified_code See last_dose_verified_code for more information.

Column Name: last_reconciliation_id

Column Type: varchar

Max Length: 50

'Last Reconciliation ID'

Column Name: medication_comp_code

Column Type: varchar

Max Length: 50

'Medication Compliance code'. Details how the client is taking their medication.

Column Name: medication_comp_value

Column Type: varchar

Max Length: 50

The description of the associated medication_comp_code See medication_comp_code for more information.

Column Name: name_of_unlisted_med

Column Type: varchar

Max Length: 255

The name of an unlisted medication.

Column Name: option_desc

Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: order_code
Column Type: varchar
Max Length: 50
'Order code'

Column Name: orderconnect_rx_id
Column Type: integer
'OrderConnect RX Id'

Column Name: order_description
Column Type: varchar
Max Length: 100
The description of the associated order_code. See order_code for more information.

Column Name: quantity_brought_to
Column Type: varchar
Max Length: 50
'Quantity Brought To Facility'

Column Name: route_of_admin_code
Column Type: varchar
Max Length: 50
'Route of Administration'

Column Name: route_of_admin_value
Column Type: varchar
Max Length: 50
The description of the associated route_of_admin_code See route_of_admin_code for more information.

Column Name: schedule
Column Type: varchar
Max Length: 512
'Schedule'

Column Name: source_code
Column Type: varchar
Max Length: 50
'Source code'. Will be (1) for "Client/Family/Caregiver" or (2) for "Agency".

Column Name: source_value
Column Type: varchar

Max Length: 50

The description associated with source_code. See source_code for more information.

Column Name: time_of_last_dose

Column Type: varchar

Max Length: 50

'Time of Last Dose'

Column Name: units

Column Type: varchar

Max Length: 50

'Units'

Documentation for form: NEW_Clinical_Reconciliation

Table Name: SYSTEM.cw_clinical_reconciliation

Table Description: This table returns data from the 'Clinical Reconciliation' form.

Column Name: ID

Column Type: integer

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

The unique ID that joins the reconciliation to the visit.

Column Name: EPISODE_NUMBER

Column Type: integer

episode number associated with reconciliation

Column Name: FACILITY

Column Type: integer

The system code that data was generated for.

Column Name: JOIN_TO_DOCUMENT_IMAGE

Column Type: varchar

Max Length: 50

The id of the associated image in DocM.DocumentImage table (if provided)

Column Name: PATID

Column Type: varchar

Max Length: 20

The ID of the client.

Column Name: client_name

Column Type: varchar

Max Length: 50
The name of the client.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The username that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The 'User Description' of the 'User ID'.

Column Name: option_id
Column Type: varchar
Max Length: 20
The form that last updated the row.

Column Name: performed_for_id
Column Type: varchar
Max Length: 50
The prescriber ID that the user performed the reconciliation on behalf of

Column Name: performed_for_name
Column Type: varchar
Max Length: 50

The description associated with performed_for_id. See performed_for_id for more information.

Column Name: reason_for_reconc_code

Column Type: varchar

Max Length: 50

The reason for reconciliation code.

Column Name: reason_for_reconc_value

Column Type: varchar

Max Length: 50

The description associated with reason_for_reconc_code. See reason_for_reconc_code for more information.

Column Name: reconciliation_date

Column Type: date

The date of reconciliation.

Column Name: reconciliation_type

Column Type: varchar

Max Length: 50

The type of reconciliation.

Column Name: rec_type_code

Column Type: varchar

Max Length: 50

reconciliation type code (either 'Admission' or 'General')

Column Name: rec_type_value

Column Type: varchar

Max Length: 50

reconciliation type value (either 'Admission' or 'General')

Column Name: transit_of_care_to_assoc

Column Type: integer

Episode Number (Transition of Care Record) to associate with the Medication Reconciliation. This is a requirement for the Medication Reconciliation Measures Reporting.

Documentation for form: Assessment_Problem_Planning

Table Name: SYSTEM.cw_assess_prob_plan_detail

Table Description: This table returns the detail information entered via the 'Assessment Problem Planning' form.

Column Name: AssessmentParent

Column Type: integer

parent assessment record

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: FACILITY
Column Type: integer
The system code in which the vitals were entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the vitals were entered.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' of the user which last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: date_of_onset
Column Type: date
The 'Date Of Onset'

Column Name: link_to_problem
Column Type: varchar
Max Length: 40
Problem Historic

Column Name: plan
Column Type: varchar
Max Length: 32000
The 'Plan'

Column Name: problem_code
Column Type: varchar
Max Length: 40
'Problem'

Column Name: problem_description
Column Type: varchar
Max Length: 200
The description for the 'Problem' code

Column Name: problem_number
Column Type: varchar
Max Length: 40
The 'Problem Order Number'

Column Name: status_code
Column Type: varchar
Max Length: 40
The 'Status Code'

Column Name: status_value
Column Type: varchar
Max Length: 40
Value for the 'Status Code'

Column Name: unique_problem_code
Column Type: varchar
Max Length: 50
'Unique Problem Search Code'

Column Name: unique_problem_description
Column Type: varchar
Max Length: 200
The description for the 'Unique Problem Search Code' code

Column Name: childsub
Column Type: integer

Documentation for form: Assessment_Problem_Planning

Table Name: SYSTEM.cw_assess_prob_plan_hdr

Table Description: This table returns the header information entered via the 'Assessment Problem Planning' form.

Column Name: ID
Column Type: integer

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: FACILITY
Column Type: integer
The system code in which the vitals were entered.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID for which the vitals were entered.

Column Name: assessment_date
Column Type: date
Assessment Date

Column Name: assessment_unique_id
Column Type: varchar
Max Length: 80
The 'Assessment Unique ID'

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' of the user which last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Documentation for form: Child_and_Adolescent_Needs_and_Strengths

Table Name: SYSTEM.cw_cans_assessment

Table Description: This table contains the data filed in the 'Child and Adolescent Needs and Strengths' Assessment form

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The facility of the service.

Column Name: EPISODE_NUMBER

Column Type: integer

The client episode of the service.

Column Name: PATID

Column Type: varchar

Max Length: 20

The Avatar client ID associated with the assessment.

Column Name: adjustment_to_trauma

Column Type: integer

Child Behavioral Emotional Needs '9. Adjustment To Trauma'

Column Name: anger_control

Column Type: integer

Child Behavioral Emotional Needs '7. Anger Control'

Column Name: anxiety

Column Type: integer

Child Behavioral Emotional Needs '4. Anxiety'

Column Name: assessor

Column Type: varchar

Max Length: 50

The practitioner ID associated with the assessment.

Column Name: cans_unique_id

Column Type: varchar

Max Length: 50

An ID unique to a client and facility to identify a row of data.

Column Name: caregiver_1

Column Type: varchar

Max Length: 50

'Caregiver 1'

Column Name: caregiver_2

Column Type: varchar

Max Length: 50

'Caregiver 2'

Column Name: caregiver_3

Column Type: varchar

Max Length: 50

'Caregiver 3'

Column Name: caregiver_a_name

Column Type: varchar

Max Length: 50

'Caregiver Name'

Column Name: case_name

Column Type: varchar

Max Length: 50

'Case Name'

Column Name: case_number

Column Type: varchar

Max Length: 50

'Case Number'

Column Name: cga_developmental

Column Type: integer

Caregiver Resources and Needs '49a. Developmental'

Column Name: cga_involvement_with_care

Column Type: integer

Caregiver Resources and Needs '42a. Involvement with Care'

Column Name: cga_knowledge
Column Type: integer
Caregiver Resources and Needs '43a. Knowledge'

Column Name: cga_medical_physical
Column Type: integer
Caregiver Resources and Needs '46a. Medical Physical'

Column Name: cga_mental_health
Column Type: integer
Caregiver Resources and Needs '47a. Mental Health'

Column Name: cga_residential_stability
Column Type: integer
Caregiver Resources and Needs '45a. Residential Stability'

Column Name: cga_safety
Column Type: integer
Caregiver Resources and Needs '50a. Safety'

Column Name: cga_social_resources
Column Type: integer
Caregiver Resources and Needs '44a. Social Resources'

Column Name: cga_substance_use
Column Type: integer
Caregiver Resources and Needs '48a. Substance Use'

Column Name: cga_supervision
Column Type: integer
Caregiver Resources and Needs '41a. Supervision'

Column Name: community_life
Column Type: integer
Strengths Domain '38. Community Life'

Column Name: conduct
Column Type: integer
Child Behavioral Emotional Needs '6. Conduct'

Column Name: cultural_identity
Column Type: integer
Strengths Domain '37. Cultural Identity'

Column Name: cultural_stress
Column Type: integer
Cultural Factors '31. Cultural Stress'

Column Name: danger_to_others
Column Type: integer

Risk Behaviors '24. Danger to Others'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated this data row.

Column Name: data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: data_entry_offset

Column Type: numeric

The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time when this data row was last updated.

Column Name: data_entry_time_j

Column Type: time

The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

The time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

The short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user id that last updated this data row.

Column Name: data_entry_user_name

Column Type: varchar
Max Length: 50
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: date_of_assessment
Column Type: date
'Date of Assessment'

Column Name: decision_making
Column Type: integer
Life Domain Functioning '14. Decision Making'

Column Name: delinquent_behavior
Column Type: integer
Risk Behaviors '26. Delinquent Behavior'

Column Name: depression
Column Type: integer
Child Behavioral Emotional Needs '3. Depression'

Column Name: dev_intellectual
Column Type: integer
Life Domain Functioning '13. Dev Intellectual'

Column Name: document_routing_status
Column Type: varchar
Max Length: 50
Status of the document

Column Name: draft_final_code
Column Type: varchar
Max Length: 50
'Draft/Final'

Column Name: draft_final_value
Column Type: varchar
Max Length: 50
Description associated with the code in 'draft_final_code'.

Column Name: educational_setting
Column Type: integer
Strengths Domain '34. Educational Setting'

Column Name: family_functioning
Column Type: integer
Life Domain Functioning '10. Family Functioning'

Column Name: family_strengths
Column Type: integer
Strengths Domain '32. Family Strengths'

Column Name: form_status_code
Column Type: varchar
Max Length: 50
'Form Status'

Column Name: form_status_value
Column Type: varchar
Max Length: 50
Description associated with the code in 'form_status_code'.

Column Name: impulsivity_hyperactivity
Column Type: integer
Child Behavioral Emotional Needs '2. Impulsivity Hyperactivity'

Column Name: intentional_misbehavior
Column Type: integer
Risk Behaviors '28. Intentional Misbehavior'

Column Name: interpersonal
Column Type: integer
Strengths Domain '33. Interpersonal'

Column Name: lang
Column Type: integer
Cultural Factors '29. Language'

Column Name: living_situation
Column Type: integer
Life Domain Functioning '11. Living Situation'

Column Name: medical_physical
Column Type: integer
Life Domain Functioning '18. Medical Physical'

Column Name: natural_supports
Column Type: integer
Strengths Domain '39. Natural Supports'

Column Name: no_known_caregiver_code
Column Type: varchar
Max Length: 50
'Youth has no known caregiver. Skip Caregiver Resources and Needs Domain.'

Column Name: no_known_caregiver_value
Column Type: varchar

Max Length: 50
Description associated with code in 'no_known_caregiver_code'

Column Name: non_sucid_self_injs_behav
Column Type: integer
Risk Behaviors '22. Non-Suicidal Self-Injurious Behavior'

Column Name: oppositional
Column Type: integer
Child Behavioral Emotional Needs '5. Oppositional'

Column Name: other_self_harm_recklsns
Column Type: integer
Risk Behaviors '23. Other Self-Harm (Recklessness)'

Column Name: psych_thought_disorder
Column Type: integer
Child Behavioral Emotional Needs '1. Psychosis (Thought Disorder)'

Column Name: resiliency
Column Type: integer
Strengths Domain '40. Resiliency'

Column Name: runaway
Column Type: integer
Risk Behaviors '27. Runaway'

Column Name: school_achievement
Column Type: integer
Life Domain Functioning '16. School Achievement'

Column Name: school_attendance
Column Type: integer
Life Domain Functioning '17. School Attendance'

Column Name: school_behavior
Column Type: integer
Life Domain Functioning '15. School Behavior'

Column Name: sexual_aggression
Column Type: integer
Risk Behaviors '25. Sexual Aggression'

Column Name: sexual_development
Column Type: integer
Life Domain Functioning '19. Sexual Development'

Column Name: sleep
Column Type: integer
Life Domain Functioning '20. Sleep'

Column Name: social_functioning
Column Type: integer
Life Domain Functioning '12. Social Functioning'

Column Name: spiritual_religious
Column Type: integer
Strengths Domain '36. Spiritual Religious'

Column Name: ss_cans_date1
Column Type: date
'SS CANS Assessment Date 1'

Column Name: ss_cans_date2
Column Type: date
'SS CANS Assessment Date 2'

Column Name: ss_cans_date3
Column Type: date
'SS CANS Assessment Date 3'

Column Name: ss_cans_date4
Column Type: date
'SS CANS Assessment Date 4'

Column Name: ss_cans_date5
Column Type: date
'SS CANS Assessment Date 5'

Column Name: ss_cans_multi_sel_dict1
Column Type: varchar
Max Length: 40
'SS CANS Assessment Multiple Select Dictionary 1'

Column Name: ss_cans_multi_sel_dict2
Column Type: varchar
Max Length: 40
'SS CANS Assessment Multiple Select Dictionary 2'

Column Name: ss_cans_multi_sel_dict3
Column Type: varchar
Max Length: 40
'SS CANS Assessment Multiple Select Dictionary 3'

Column Name: ss_cans_multi_sel_dict4
Column Type: varchar
Max Length: 40
'SS CANS Assessment Multiple Select Dictionary 4'

Column Name: ss_cans_multi_sel_dict5

Column Type: varchar
Max Length: 40
'SS CANS Assessment Multiple Select Dictionary 5'

Column Name: ss_cans_practitioner1
Column Type: varchar
Max Length: 50
'SS CANS Assessment Practitioner 1'

Column Name: ss_cans_practitioner2
Column Type: varchar
Max Length: 50
'SS CANS Assessment Practitioner 2'

Column Name: ss_cans_practitioner3
Column Type: varchar
Max Length: 50
'SS CANS Assessment Practitioner 3'

Column Name: ss_cans_practitioner4
Column Type: varchar
Max Length: 50
'SS CANS Assessment Practitioner 4'

Column Name: ss_cans_practitioner5
Column Type: varchar
Max Length: 50
'SS CANS Assessment Practitioner 5'

Column Name: ss_cans_scroll_freetext1
Column Type: longvarchar
Max Length: 2147483647
'SS CANS Assessment Scrolling Free Text 1'

Column Name: ss_cans_scroll_freetext2
Column Type: longvarchar
Max Length: 2147483647
'SS CANS Assessment Scrolling Free Text 2'

Column Name: ss_cans_scroll_freetext3
Column Type: longvarchar
Max Length: 2147483647
'SS CANS Assessment Scrolling Free Text 3'

Column Name: ss_cans_scroll_freetext4
Column Type: longvarchar
Max Length: 2147483647
'SS CANS Assessment Scrolling Free Text 4'

Column Name: ss_cans_scroll_freetext5

Column Type: longvarchar
Max Length: 2147483647
'SS CANS Assessment Scrolling Free Text 5'

Column Name: ss_cans_single_sel_dict1
Column Type: varchar
Max Length: 40
'SS CANS Assessment Single Select Dictionary 1'

Column Name: ss_cans_single_sel_dict2
Column Type: varchar
Max Length: 40
'SS CANS Assessment Single Select Dictionary 2'

Column Name: ss_cans_single_sel_dict3
Column Type: varchar
Max Length: 40
'SS CANS Assessment Single Select Dictionary 3'

Column Name: ss_cans_single_sel_dict4
Column Type: varchar
Max Length: 40
'SS CANS Assessment Single Select Dictionary 4'

Column Name: ss_cans_single_sel_dict5
Column Type: varchar
Max Length: 40
'SS CANS Assessment Single Select Dictionary 5'

Column Name: ss_cans_text_long1
Column Type: varchar
Max Length: 80
'SS CANS Assessment Text Long 1'

Column Name: ss_cans_text_long2
Column Type: varchar
Max Length: 80
'SS CANS Assessment Text Long 2'

Column Name: ss_cans_text_long3
Column Type: varchar
Max Length: 80
'SS CANS Assessment Text Long 3'

Column Name: ss_cans_text_long4
Column Type: varchar
Max Length: 80
'SS CANS Assessment Text Long 4'

Column Name: ss_cans_text_long5

Column Type: varchar
Max Length: 80
'SS CANS Assessment Text Long 5'

Column Name: ss_cans_text_short1
Column Type: varchar
Max Length: 40
'SS CANS Assessment Text Short 1'

Column Name: ss_cans_text_short2
Column Type: varchar
Max Length: 40
'SS CANS Assessment Text Short 2'

Column Name: ss_cans_text_short3
Column Type: varchar
Max Length: 40
'SS CANS Assessment Text Short 3'

Column Name: ss_cans_text_short4
Column Type: varchar
Max Length: 40
'SS CANS Assessment Text Short 4'

Column Name: ss_cans_text_short5
Column Type: varchar
Max Length: 40
'SS CANS Assessment Text Short 5'

Column Name: ss_cans_time1
Column Type: varchar
Max Length: 50
'SS CANS Assessment Time 1'

Column Name: ss_cans_time2
Column Type: varchar
Max Length: 50
'SS CANS Assessment Time 2'

Column Name: ss_cans_time3
Column Type: varchar
Max Length: 50
'SS CANS Assessment Time 3'

Column Name: ss_cans_time4
Column Type: varchar
Max Length: 50
'SS CANS Assessment Time 4'

Column Name: ss_cans_time5

Column Type: varchar
Max Length: 50
'SS CANS Assessment Time 5'

Column Name: status_flag
Column Type: varchar
Max Length: 50
Status of the compile process for particular row of data

Column Name: status_flag_value
Column Type: varchar
Max Length: 50
Description associated with 'status_flag'. See 'status_flag' form more information.

Column Name: substance_use
Column Type: integer
Child Behavioral Emotional Needs '8. Substance Use'

Column Name: suicide_risk
Column Type: integer
Risk Behaviors '21. Suicide Risk'

Column Name: talents_interests
Column Type: integer
Strengths Domain '35. Talents Interests'

Column Name: total_cben_score
Column Type: integer
'Total Child Behavioral/Emotional Needs Score'

Column Name: total_cf_score
Column Type: integer
'Total Cultural Factors Score'

Column Name: total_crn_score
Column Type: integer
'Total Caregiver Resources and Needs Score'

Column Name: total_ldf_score
Column Type: integer
'Total Life Domain Functioning Score'

Column Name: total_rb_score
Column Type: integer
'Total Risk Behaviors Score'

Column Name: total_sd_score
Column Type: integer
'Total Strengths Domain Score'

Column Name: traditions_and_rituals
Column Type: integer
Cultural Factors '30. Traditions and Rituals'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: CWSTEMP.cw_patient_notes

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotes table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20
The unique ID associated with the note.

Column Name: notes_field
Column Type: varchar
Max Length: 32700
The written note information.

Column Name: note_type_code
Column Type: varchar
Max Length: 50
'Note Type'

Column Name: note_type_value
Column Type: varchar
Max Length: 40

The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time

Column Type: varchar

Max Length: 25

'Note Time'

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: New_Existing_Service_code

Column Type: varchar

Max Length: 5

'Progress Note For'

Column Name: New_Existing_Service_value

Column Type: varchar

Max Length: 40

The description associated with New_Existing_Service_code. See New_Existing_Service_code for more information.

Column Name: service_program_value

Column Type: varchar

Max Length: 40

The description associated with service_program_code. See service_program_code for more information.

Column Name: note_addresses

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_which_tp_plan_prob

Column Type: varchar

Max Length: 32700

The treatment plan problem to add to the note.

Column Name: Tx_Note_UniqueId
Column Type: varchar
Max Length: 40
The unique ID associated with the treatment.

Column Name: service_charge_value
Column Type: varchar
Max Length: 40
The description associated with service_charge_code. See service_charge_code for more information.

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID that joins the note to the service.

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: Option_Id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: TODO_ID
Column Type: varchar
Max Length: 20
'To Do Id'

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768
The add-on notes.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 40
The additional service information.

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

The description associated with add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

The description associated with add_svc_info_code. See add_svc_info_code for more information.

Column Name: aps_link

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Appointment'

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

'Service Status'

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

The description associated with billing_status_code. See billing_status_code for more information.

Column Name: calpm_ebpss_csi_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practices / Service Strategies (CSI)'

Column Name: calpm_ebpss_csi_value

Column Type: varchar

Max Length: 200

The description associated with calpm_ebpss_csi_code. See calpm_ebpss_csi_code for more information.

Column Name: calpm_ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

The description associated with calpm_ebpss_csi_value_code. See calpm_ebpss_csi_value_code for more information.

Column Name: client_prob_list_codes

Column Type: varchar

Max Length: 50

The codes associated with the client problem list.

Column Name: client_prob_list_shvals

Column Type: varchar

Max Length: 255

The description associated with client_prob_list_code limited to 255 characters. See client_prob_list_code for more information.

Column Name: client_prob_list_vals

Column Type: varchar

Max Length: 32700

The description associated with client_prob_list_code. See client_prob_list_code for more information.

Column Name: clinical_instructions

Column Type: varchar

Max Length: 32700

'Clinical Instructions'

Column Name: clinical_quality_code

Column Type: varchar

Max Length: 255

'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val

Column Type: varchar

Max Length: 255

'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: clinical_quality_value

Column Type: varchar

Max Length: 4096

'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: confidential_note

Column Type: varchar

Max Length: 50

The confidential note.

Column Name: co_pract_duration

Column Type: numeric

The first co-practitioner duration.

Column Name: co_pract2_duration

Column Type: numeric

The second co-practitioner duration.

Column Name: co_practitioner_id

Column Type: varchar

Max Length: 15

The first co-practitioner ID.

Column Name: co_practitioner_id_2

Column Type: varchar

Max Length: 15

The second co-practitioner ID.

Column Name: co_practitioner_name

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id.

Column Name: co_practitioner_name_2

Column Type: varchar

Max Length: 40

The name associated with co_practitioner_id_2.

Column Name: co_sign_to_do_user

Column Type: varchar

Max Length: 50

'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 40

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_group_service
Column Type: date
The date of the group service.

Column Name: date_of_note
Column Type: date
The date of the note.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: discipline_code
Column Type: varchar
Max Length: 40
'Discipline'

Column Name: discipline_value
Column Type: varchar
Max Length: 40
The description associated with discipline_code. See discipline_code for more information.

Column Name: draft_final_code
Column Type: varchar
Max Length: 5
'Draft/Final'

Column Name: draft_final_value
Column Type: varchar
Max Length: 40
The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255
'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value

Column Type: varchar

Max Length: 4096

'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id

Column Type: varchar

Max Length: 255

'External System Identifier'

Column Name: has_nonmed_diag_flg_code

Column Type: varchar

Max Length: 50

The non-medical diagnosis flag.

Column Name: has_nonmed_diag_flg_value

Column Type: varchar

Max Length: 50

The description associated with has_nonmed_diag_flg_code. See has_nonmed_diag_flg_code for more information.

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

'Diagnosis 1'

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

'Diagnosis 2'

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

'Diagnosis 3'

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

'Diagnosis 4'

Column Name: location_code

Column Type: varchar

Max Length: 15

The location of the service.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: medical_diag1_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag1_DSM_code. See medical_diag1_DSM_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD 10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD 9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_imo_code. See medical_diag_1_imo_code for more information.

Column Name: medical_diag2_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag2_DSM_code. See medical_diag2_DSM_code for more information.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_imo_code. See medical_diag_2_imo_code for more information.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_imo_code. See medical_diag_3_imo_code for more information.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40
'Medical Diagnosis 4 ICD 10'

Column Name: medical_diag_4_icd10_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 4 ICD 9'

Column Name: medical_diag_4_icd9_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value
Column Type: varchar
Max Length: 40
The description associated with medical_diag_4_imo_code. See medical_diag_4_imo_code for more information.

Column Name: medical_diagnosis_1_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 1'

Column Name: medical_diagnosis_1_value
Column Type: varchar
Max Length: 32700
The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code
Column Type: varchar
Max Length: 40
'Medical Diagnosis 2'

Column Name: medical_diagnosis_2_value
Column Type: varchar
Max Length: 32700
The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: medical_diagnosis_3_code
Column Type: varchar

Max Length: 50
'Medical Diagnosis 3'

Column Name: medical_diagnosis_3_value
Column Type: varchar
Max Length: 32700
The description associated with medical_diagnosis_3_code. See medical_diagnosis_3_code for more information.

Column Name: medical_diagnosis_4_code
Column Type: varchar
Max Length: 50
'Medical Diagnosis 4'

Column Name: medical_diagnosis_4_value
Column Type: varchar
Max Length: 32700
The description associated with medical_diagnosis_4_code. See medical_diagnosis_4_code for more information.

Column Name: notes_entry_index_nu
Column Type: varchar
Max Length: 50
The notes entry index.

Column Name: number_clients_in_group
Column Type: integer
'Number Of Clients In Group'

Column Name: orig_note_uniq_id_num
Column Type: varchar
Max Length: 20
'Original Note Unique ID Number'

Column Name: practitioner_id
Column Type: varchar
Max Length: 15
The practitioner associated with the note.

Column Name: practitioner_name
Column Type: varchar
Max Length: 40
The name associated with practitioner_id.

Column Name: psycho_add_on_duration
Column Type: integer
The psychotherapy add-on duration.

Column Name: reason_for_visit_code
Column Type: varchar

Max Length: 50
'Reason for Visit'

Column Name: reason_for_visit_value
Column Type: varchar
Max Length: 250
The description associated with reason_for_visit_code. See reason_for_visit_code for more information.

Column Name: recommended_decision
Column Type: varchar
Max Length: 32700
'Recommended Decision'

Column Name: select_tp_version_code
Column Type: varchar
Max Length: 5
'Select T.P. Version'

Column Name: select_tp_version_value
Column Type: varchar
Max Length: 40
The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: service_charge_code
Column Type: varchar
Max Length: 40
The service charge code.

Column Name: service_duration
Column Type: varchar
Max Length: 5
The duration of the service.

Column Name: service_end_time
Column Type: varchar
Max Length: 10
The end time of the service.

Column Name: service_program_code
Column Type: varchar
Max Length: 15
The program of the service.

Column Name: service_start_time
Column Type: varchar
Max Length: 10
The start time of the service.

Column Name: session_start_end_times
Column Type: varchar

Max Length: 32766

'Start/End Time(s)'

Column Name: ss_note_20_char_text_1

Column Type: varchar

Max Length: 20

'SS Note 20 Character 1'

Column Name: ss_note_20_char_text_10

Column Type: varchar

Max Length: 20

'SS Note 20 Character 10'

Column Name: ss_note_20_char_text_2

Column Type: varchar

Max Length: 20

'SS Note 20 Character 2'

Column Name: ss_note_20_char_text_3

Column Type: varchar

Max Length: 20

'SS Note 20 Character 3'

Column Name: ss_note_20_char_text_4

Column Type: varchar

Max Length: 20

'SS Note 20 Character 4'

Column Name: ss_note_20_char_text_5

Column Type: varchar

Max Length: 20

'SS Note 20 Character 5'

Column Name: ss_note_20_char_text_6

Column Type: varchar

Max Length: 20

'SS Note 20 Character 6'

Column Name: ss_note_20_char_text_7

Column Type: varchar

Max Length: 20

'SS Note 20 Character 7'

Column Name: ss_note_20_char_text_8

Column Type: varchar

Max Length: 20

'SS Note 20 Character 8'

Column Name: ss_note_20_char_text_9

Column Type: varchar

Max Length: 20
'SS Note 20 Character 9'

Column Name: ss_note_40_char_text_1
Column Type: varchar
Max Length: 40
'SS Note 40 Character 1'

Column Name: ss_note_40_char_text_10
Column Type: varchar
Max Length: 40
'SS Note 40 Character 10'

Column Name: ss_note_40_char_text_2
Column Type: varchar
Max Length: 40
'SS Note 40 Character 2'

Column Name: ss_note_40_char_text_3
Column Type: varchar
Max Length: 40
'SS Note 40 Character 3'

Column Name: ss_note_40_char_text_4
Column Type: varchar
Max Length: 40
'SS Note 40 Character 4'

Column Name: ss_note_40_char_text_5
Column Type: varchar
Max Length: 40
'SS Note 40 Character 5'

Column Name: ss_note_40_char_text_6
Column Type: varchar
Max Length: 40
'SS Note 40 Character 6'

Column Name: ss_note_40_char_text_7
Column Type: varchar
Max Length: 40
'SS Note 40 Character 7'

Column Name: ss_note_40_char_text_8
Column Type: varchar
Max Length: 40
'SS Note 40 Character 8'

Column Name: ss_note_40_char_text_9
Column Type: varchar

Max Length: 40
'SS Note 40 Character 9'

Column Name: ss_note_80_char_text_1
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 9'

Column Name: ss_note_date_1
Column Type: date
'SS Note Date 1'

Column Name: ss_note_date_10
Column Type: date
'SS Note Date 10'

Column Name: ss_note_date_2
Column Type: date
'SS Note Date 2'

Column Name: ss_note_date_3
Column Type: date
'SS Note Date 3'

Column Name: ss_note_date_4
Column Type: date
'SS Note Date 4'

Column Name: ss_note_date_5
Column Type: date
'SS Note Date 5'

Column Name: ss_note_date_6
Column Type: date
'SS Note Date 6'

Column Name: ss_note_date_7
Column Type: date
'SS Note Date 7'

Column Name: ss_note_date_8
Column Type: date
'SS Note Date 8'

Column Name: ss_note_date_9
Column Type: date
'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 10'

Column Name: ss_note_dsm_diag_10_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 1'

Column Name: ss_note_dsm_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 2'

Column Name: ss_note_dsm_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_2_code. See ss_note_dsm_diag_2_code for more information.

Column Name: ss_note_dsm_diag_3_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 3'

Column Name: ss_note_dsm_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_3_code. See ss_note_dsm_diag_3_code for more information.

Column Name: ss_note_dsm_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 4'

Column Name: ss_note_dsm_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_4_code. See ss_note_dsm_diag_4_code for more information.

Column Name: ss_note_dsm_diag_5_code

Column Type: varchar

Max Length: 20
'SS Note DSM IV Diagnosis 5'

Column Name: ss_note_dsm_diag_5_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_5_code. See ss_note_dsm_diag_5_code for more information.

Column Name: ss_note_dsm_diag_6_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 6'

Column Name: ss_note_dsm_diag_6_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_6_code. See ss_note_dsm_diag_6_code for more information.

Column Name: ss_note_dsm_diag_7_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 7'

Column Name: ss_note_dsm_diag_7_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_7_code. See ss_note_dsm_diag_7_code for more information.

Column Name: ss_note_dsm_diag_8_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 8'

Column Name: ss_note_dsm_diag_8_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_8_code. See ss_note_dsm_diag_8_code for more information.

Column Name: ss_note_dsm_diag_9_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 9'

Column Name: ss_note_dsm_diag_9_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_9_code`. See `ss_note_dsm_diag_9_code` for more information.

Column Name: `ss_note_icd9_diag_10_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 10'

Column Name: `ss_note_icd9_diag_10_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_10_code`. See `ss_note_icd9_diag_10_code` for more information.

Column Name: `ss_note_icd9_diag_1_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 1'

Column Name: `ss_note_icd9_diag_1_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_1_code`. See `ss_note_icd9_diag_1_code` for more information.

Column Name: `ss_note_icd9_diag_2_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 2'

Column Name: `ss_note_icd9_diag_2_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_2_code`. See `ss_note_icd9_diag_2_code` for more information.

Column Name: `ss_note_icd9_diag_3_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 3'

Column Name: `ss_note_icd9_diag_3_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_3_code`. See `ss_note_icd9_diag_3_code` for more information.

Column Name: `ss_note_icd9_diag_4_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 4'

Column Name: ss_note_icd9_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_4_code. See ss_note_icd9_diag_4_code for more information.

Column Name: ss_note_icd9_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 5'

Column Name: ss_note_icd9_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_5_code. See ss_note_icd9_diag_5_code for more information.

Column Name: ss_note_icd9_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 6'

Column Name: ss_note_icd9_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_6_code. See ss_note_icd9_diag_6_code for more information.

Column Name: ss_note_icd9_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 7'

Column Name: ss_note_icd9_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_7_code. See ss_note_icd9_diag_7_code for more information.

Column Name: ss_note_icd9_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 8'

Column Name: ss_note_icd9_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_8_code`. See `ss_note_icd9_diag_8_code` for more information.

Column Name: `ss_note_icd9_diag_9_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 9'

Column Name: `ss_note_icd9_diag_9_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_9_code`. See `ss_note_icd9_diag_9_code` for more information.

Column Name: `ss_note_multi_dict_10_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 10'

Column Name: `ss_note_multi_dict_10_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_10_code`. See `ss_note_multi_dict_10_code` for more information.

Column Name: `ss_note_multi_dict_1_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 1'

Column Name: `ss_note_multi_dict_1_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_1_code`. See `ss_note_multi_dict_1_code` for more information.

Column Name: `ss_note_multi_dict_2_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 2'

Column Name: `ss_note_multi_dict_2_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_2_code`. See `ss_note_multi_dict_2_code` for more information.

Column Name: `ss_note_multi_dict_3_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 3'

Column Name: ss_note_multi_dict_3_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_3_code. See ss_note_multi_dict_3_code for more information.

Column Name: ss_note_multi_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 4'

Column Name: ss_note_multi_dict_4_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_4_code. See ss_note_multi_dict_4_code for more information.

Column Name: ss_note_multi_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 5'

Column Name: ss_note_multi_dict_5_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_5_code. See ss_note_multi_dict_5_code for more information.

Column Name: ss_note_multi_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 6'

Column Name: ss_note_multi_dict_6_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 7'

Column Name: ss_note_multi_dict_7_value

Column Type: varchar

Max Length: 32700

The description associated with `ss_note_multi_dict_7_code`. See `ss_note_multi_dict_7_code` for more information.

Column Name: `ss_note_multi_dict_8_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 8'

Column Name: `ss_note_multi_dict_8_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_8_code`. See `ss_note_multi_dict_8_code` for more information.

Column Name: `ss_note_multi_dict_9_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 9'

Column Name: `ss_note_multi_dict_9_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_9_code`. See `ss_note_multi_dict_9_code` for more information.

Column Name: `ss_note_scroll_text_1`

Column Type: `varchar`

Max Length: 32700

'SS Note Scrolling Text 1'

Column Name: `ss_note_scroll_text_10`

Column Type: `varchar`

Max Length: 32700

'SS Note Scrolling Text 10'

Column Name: `ss_note_scroll_text_2`

Column Type: `varchar`

Max Length: 32700

'SS Note Scrolling Text 2'

Column Name: `ss_note_scroll_text_3`

Column Type: `varchar`

Max Length: 32700

'SS Note Scrolling Text 3'

Column Name: `ss_note_scroll_text_4`

Column Type: `varchar`

Max Length: 32700

'SS Note Scrolling Text 4'

Column Name: ss_note_scroll_text_5
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 5'

Column Name: ss_note_scroll_text_6
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 6'

Column Name: ss_note_scroll_text_7
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 7'

Column Name: ss_note_scroll_text_8
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 8'

Column Name: ss_note_scroll_text_9
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 9'

Column Name: ss_note_sing_dict_10_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 10'

Column Name: ss_note_sing_dict_10_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 1'

Column Name: ss_note_sing_dict_1_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 2'

Column Name: ss_note_sing_dict_2_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 3'

Column Name: ss_note_sing_dict_3_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 4'

Column Name: ss_note_sing_dict_4_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 5'

Column Name: ss_note_sing_dict_5_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 6'

Column Name: ss_note_sing_dict_6_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 7'

Column Name: ss_note_sing_dict_7_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 8'

Column Name: ss_note_sing_dict_8_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 9'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1

Column Type: varchar

Max Length: 20

'SS Note Staff Member 1'

Column Name: ss_note_staff_10

Column Type: varchar

Max Length: 20

'SS Note Staff Member 10'

Column Name: ss_note_staff_2

Column Type: varchar

Max Length: 20

'SS Note Staff Member 2'

Column Name: ss_note_staff_3
Column Type: varchar
Max Length: 20
'SS Note Staff Member 3'

Column Name: ss_note_staff_4
Column Type: varchar
Max Length: 20
'SS Note Staff Member 4'

Column Name: ss_note_staff_5
Column Type: varchar
Max Length: 20
'SS Note Staff Member 5'

Column Name: ss_note_staff_6
Column Type: varchar
Max Length: 20
'SS Note Staff Member 6'

Column Name: ss_note_staff_7
Column Type: varchar
Max Length: 20
'SS Note Staff Member 7'

Column Name: ss_note_staff_8
Column Type: varchar
Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar
Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6
Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7
Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar
Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar
Max Length: 10
'SS Note Time 9'

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.'

Column Name: user_row_access_code
Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: CWSTEMP.cw_patient_notes_supp

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp table.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 50

The unique ID associated with the note.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: PREFILEID

Column Type: varchar

Max Length: 50

The unique ID associated with the prefiller.

Column Name: confidential_note

Column Type: varchar

Max Length: 50

Whether the note is confidential.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
The contents of the notes field.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_11
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 11'

Column Name: ss_note_20_char_text_12
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 12'

Column Name: ss_note_20_char_text_13
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 13'

Column Name: ss_note_20_char_text_14
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 14'

Column Name: ss_note_20_char_text_15
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 15'

Column Name: ss_note_20_char_text_16
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 16'

Column Name: ss_note_20_char_text_17
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 17'

Column Name: ss_note_20_char_text_18
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 18'

Column Name: ss_note_20_char_text_19
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 19'

Column Name: ss_note_20_char_text_20
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 20'

Column Name: ss_note_20_char_text_21
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 21'

Column Name: ss_note_20_char_text_22
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 22'

Column Name: ss_note_20_char_text_23
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 23'

Column Name: ss_note_20_char_text_24
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 24'

Column Name: ss_note_20_char_text_25
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 25'

Column Name: ss_note_20_char_text_26
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 26'

Column Name: ss_note_20_char_text_27
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 27'

Column Name: ss_note_20_char_text_28
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 28'

Column Name: ss_note_20_char_text_29
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 29'

Column Name: ss_note_20_char_text_30
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 30'

Column Name: ss_note_40_char_text_11
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 11'

Column Name: ss_note_40_char_text_12
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 12'

Column Name: ss_note_40_char_text_13
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 13'

Column Name: ss_note_40_char_text_14
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 14'

Column Name: ss_note_40_char_text_15
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 15'

Column Name: ss_note_40_char_text_16
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 16'

Column Name: ss_note_40_char_text_17
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 17'

Column Name: ss_note_40_char_text_18
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 18'

Column Name: ss_note_40_char_text_19
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 19'

Column Name: ss_note_40_char_text_20
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 20'

Column Name: ss_note_40_char_text_21
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 21'

Column Name: ss_note_40_char_text_22
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 22'

Column Name: ss_note_40_char_text_23
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 23'

Column Name: ss_note_40_char_text_24
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 24'

Column Name: ss_note_40_char_text_25
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 25'

Column Name: ss_note_40_char_text_26
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 26'

Column Name: ss_note_40_char_text_27
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 27'

Column Name: ss_note_40_char_text_28
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 28'

Column Name: ss_note_40_char_text_29
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 29'

Column Name: ss_note_40_char_text_30
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 30'

Column Name: ss_note_80_char_text_11
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 11'

Column Name: ss_note_80_char_text_12
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 12'

Column Name: ss_note_80_char_text_13
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 13'

Column Name: ss_note_80_char_text_14
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 14'

Column Name: ss_note_80_char_text_15
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 15'

Column Name: ss_note_80_char_text_16
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 16'

Column Name: ss_note_80_char_text_17
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 17'

Column Name: ss_note_80_char_text_18
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 18'

Column Name: ss_note_80_char_text_19
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 19'

Column Name: ss_note_80_char_text_20
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 20'

Column Name: ss_note_80_char_text_21
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 21'

Column Name: ss_note_80_char_text_22
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 22'

Column Name: ss_note_80_char_text_23
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 23'

Column Name: ss_note_80_char_text_24
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 24'

Column Name: ss_note_80_char_text_25
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 25'

Column Name: ss_note_80_char_text_26
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 26'

Column Name: ss_note_80_char_text_27
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 27'

Column Name: ss_note_80_char_text_28
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 28'

Column Name: ss_note_80_char_text_29
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 29'

Column Name: ss_note_80_char_text_30
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 30'

Column Name: ss_note_date_11
Column Type: date
'SS Note Date 11'

Column Name: ss_note_date_12
Column Type: date
'SS Note Date 12'

Column Name: ss_note_date_13
Column Type: date
'SS Note Date 13'

Column Name: ss_note_date_14
Column Type: date
'SS Note Date 14'

Column Name: ss_note_date_15
Column Type: date
'SS Note Date 15'

Column Name: ss_note_date_16
Column Type: date
'SS Note Date 16'

Column Name: ss_note_date_17
Column Type: date
'SS Note Date 17'

Column Name: ss_note_date_18
Column Type: date
'SS Note Date 18'

Column Name: ss_note_date_19
Column Type: date

'SS Note Date 19'

Column Name: ss_note_date_20

Column Type: date

'SS Note Date 20'

Column Name: ss_note_date_21

Column Type: date

'SS Note Date 21'

Column Name: ss_note_date_22

Column Type: date

'SS Note Date 22'

Column Name: ss_note_date_23

Column Type: date

'SS Note Date 23'

Column Name: ss_note_date_24

Column Type: date

'SS Note Date 24'

Column Name: ss_note_date_25

Column Type: date

'SS Note Date 25'

Column Name: ss_note_date_26

Column Type: date

'SS Note Date 26'

Column Name: ss_note_date_27

Column Type: date

'SS Note Date 27'

Column Name: ss_note_date_28

Column Type: date

'SS Note Date 28'

Column Name: ss_note_date_29

Column Type: date

'SS Note Date 29'

Column Name: ss_note_date_30

Column Type: date

'SS Note Date 30'

Column Name: ss_note_dsm_diag_11_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 11'

Column Name: ss_note_dsm_diag_11_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_11_code. See ss_note_dsm_diag_11_code for more information.

Column Name: ss_note_dsm_diag_12_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 12'

Column Name: ss_note_dsm_diag_12_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_12_code. See ss_note_dsm_diag_12_code for more information.

Column Name: ss_note_dsm_diag_13_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 13'

Column Name: ss_note_dsm_diag_13_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_13_code. See ss_note_dsm_diag_13_code for more information.

Column Name: ss_note_dsm_diag_14_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 14'

Column Name: ss_note_dsm_diag_14_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_14_code. See ss_note_dsm_diag_14_code for more information.

Column Name: ss_note_dsm_diag_15_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 15'

Column Name: ss_note_dsm_diag_15_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_15_code. See ss_note_dsm_diag_15_code for more information.

Column Name: ss_note_dsm_diag_16_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 16'

Column Name: ss_note_dsm_diag_16_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_16_code. See ss_note_dsm_diag_16_code for more information.

Column Name: ss_note_dsm_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 17'

Column Name: ss_note_dsm_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_17_code. See ss_note_dsm_diag_17_code for more information.

Column Name: ss_note_dsm_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 18'

Column Name: ss_note_dsm_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_18_code. See ss_note_dsm_diag_18_code for more information.

Column Name: ss_note_dsm_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 19'

Column Name: ss_note_dsm_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_19_code. See ss_note_dsm_diag_19_code for more information.

Column Name: ss_note_dsm_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 20'

Column Name: ss_note_dsm_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_20_code. See ss_note_dsm_diag_20_code for more information.

Column Name: ss_note_dsm_diag_21_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 21'

Column Name: ss_note_dsm_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_21_code. See ss_note_dsm_diag_21_code for more information.

Column Name: ss_note_dsm_diag_22_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 22'

Column Name: ss_note_dsm_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_22_code. See ss_note_dsm_diag_22_code for more information.

Column Name: ss_note_dsm_diag_23_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 23'

Column Name: ss_note_dsm_diag_23_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_23_code. See ss_note_dsm_diag_23_code for more information.

Column Name: ss_note_dsm_diag_24_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 24'

Column Name: ss_note_dsm_diag_24_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_24_code. See ss_note_dsm_diag_24_code for more information.

Column Name: ss_note_dsm_diag_25_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 25'

Column Name: ss_note_dsm_diag_25_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_25_code. See ss_note_dsm_diag_25_code for more information.

Column Name: ss_note_dsm_diag_26_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 26'

Column Name: ss_note_dsm_diag_26_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_26_code. See ss_note_dsm_diag_26_code for more information.

Column Name: ss_note_dsm_diag_27_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 27'

Column Name: ss_note_dsm_diag_27_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_27_code. See ss_note_dsm_diag_27_code for more information.

Column Name: ss_note_dsm_diag_28_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 28'

Column Name: ss_note_dsm_diag_28_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_28_code. See ss_note_dsm_diag_28_code for more information.

Column Name: ss_note_dsm_diag_29_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 29'

Column Name: ss_note_dsm_diag_29_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_29_code. See ss_note_dsm_diag_29_code for more information.

Column Name: ss_note_dsm_diag_30_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 30'

Column Name: ss_note_dsm_diag_30_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_30_code. See ss_note_dsm_diag_30_code for more information.

Column Name: ss_note_icd9_diag_11_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 11'

Column Name: ss_note_icd9_diag_11_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_11_code. See ss_note_icd9_diag_11_code for more information.

Column Name: ss_note_icd9_diag_12_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 12'

Column Name: ss_note_icd9_diag_12_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_12_code. See ss_note_icd9_diag_12_code for more information.

Column Name: ss_note_icd9_diag_13_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 13'

Column Name: ss_note_icd9_diag_13_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_13_code. See ss_note_icd9_diag_13_code for more information.

Column Name: ss_note_icd9_diag_14_code

Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 14'

Column Name: ss_note_icd9_diag_14_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_14_code. See ss_note_icd9_diag_14_code for more information.

Column Name: ss_note_icd9_diag_15_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 15'

Column Name: ss_note_icd9_diag_15_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_15_code. See ss_note_icd9_diag_15_code for more information.

Column Name: ss_note_icd9_diag_16_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 16'

Column Name: ss_note_icd9_diag_16_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_16_code. See ss_note_icd9_diag_16_code for more information.

Column Name: ss_note_icd9_diag_17_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 17'

Column Name: ss_note_icd9_diag_17_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_17_code. See ss_note_icd9_diag_17_code for more information.

Column Name: ss_note_icd9_diag_18_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 18'

Column Name: ss_note_icd9_diag_18_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_18_code. See ss_note_icd9_diag_18_code for more information.

Column Name: ss_note_icd9_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 19'

Column Name: ss_note_icd9_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_19_code. See ss_note_icd9_diag_19_code for more information.

Column Name: ss_note_icd9_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 20'

Column Name: ss_note_icd9_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_20_code. See ss_note_icd9_diag_20_code for more information.

Column Name: ss_note_icd9_diag_21_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 21'

Column Name: ss_note_icd9_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_21_code. See ss_note_icd9_diag_21_code for more information.

Column Name: ss_note_icd9_diag_22_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 22'

Column Name: ss_note_icd9_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_22_code. See ss_note_icd9_diag_22_code for more information.

Column Name: ss_note_icd9_diag_23_code

Column Type: varchar

Max Length: 20
'SS Note ICD9 Diagnosis 23'

Column Name: ss_note_icd9_diag_23_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_23_code. See ss_note_icd9_diag_23_code for more information.

Column Name: ss_note_icd9_diag_24_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 24'

Column Name: ss_note_icd9_diag_24_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_24_code. See ss_note_icd9_diag_24_code for more information.

Column Name: ss_note_icd9_diag_25_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 25'

Column Name: ss_note_icd9_diag_25_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_25_code. See ss_note_icd9_diag_25_code for more information.

Column Name: ss_note_icd9_diag_26_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 26'

Column Name: ss_note_icd9_diag_26_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_26_code. See ss_note_icd9_diag_26_code for more information.

Column Name: ss_note_icd9_diag_27_code
Column Type: varchar
Max Length: 20
'SS Note ICD9 Diagnosis 27'

Column Name: ss_note_icd9_diag_27_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_icd9_diag_27_code`. See `ss_note_icd9_diag_27_code` for more information.

Column Name: `ss_note_icd9_diag_28_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 28'

Column Name: `ss_note_icd9_diag_28_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_28_code`. See `ss_note_icd9_diag_28_code` for more information.

Column Name: `ss_note_icd9_diag_29_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 29'

Column Name: `ss_note_icd9_diag_29_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_29_code`. See `ss_note_icd9_diag_29_code` for more information.

Column Name: `ss_note_icd9_diag_30_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 30'

Column Name: `ss_note_icd9_diag_30_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_30_code`. See `ss_note_icd9_diag_30_code` for more information.

Column Name: `ss_note_multi_dict_11_code`

Column Type: `varchar`

Max Length: 20

'SS Note Copy Multiple Response Dictionary 11'

Column Name: `ss_note_multi_dict_11_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_11_code`. See `ss_note_multi_dict_11_code` for more information.

Column Name: `ss_note_multi_dict_12_code`

Column Type: `varchar`

Max Length: 20

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_note_multi_dict_12_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_12_code. See ss_note_multi_dict_12_code for more information.

Column Name: ss_note_multi_dict_13_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_note_multi_dict_13_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_13_code. See ss_note_multi_dict_13_code for more information.

Column Name: ss_note_multi_dict_14_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_note_multi_dict_14_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_14_code. See ss_note_multi_dict_14_code for more information.

Column Name: ss_note_multi_dict_15_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_note_multi_dict_15_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_15_code. See ss_note_multi_dict_15_code for more information.

Column Name: ss_note_multi_dict_16_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_note_multi_dict_16_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_16_code. See ss_note_multi_dict_16_code for more information.

Column Name: ss_note_multi_dict_17_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_note_multi_dict_17_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_17_code. See ss_note_multi_dict_17_code for more information.

Column Name: ss_note_multi_dict_18_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_note_multi_dict_18_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_18_code. See ss_note_multi_dict_18_code for more information.

Column Name: ss_note_multi_dict_19_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_note_multi_dict_19_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_19_code. See ss_note_multi_dict_19_code for more information.

Column Name: ss_note_multi_dict_20_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_note_multi_dict_20_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_20_code. See ss_note_multi_dict_20_code for more information.

Column Name: ss_note_multi_dict_21_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_note_multi_dict_21_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_21_code. See ss_note_multi_dict_21_code for more information.

Column Name: ss_note_multi_dict_22_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_note_multi_dict_22_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_22_code. See ss_note_multi_dict_22_code for more information.

Column Name: ss_note_multi_dict_23_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_note_multi_dict_23_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_23_code. See ss_note_multi_dict_23_code for more information.

Column Name: ss_note_multi_dict_24_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_note_multi_dict_24_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_24_code. See ss_note_multi_dict_24_code for more information.

Column Name: ss_note_multi_dict_25_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_note_multi_dict_25_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_25_code. See ss_note_multi_dict_25_code for more information.

Column Name: ss_note_multi_dict_26_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_note_multi_dict_26_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_26_code. See ss_note_multi_dict_26_code for more information.

Column Name: ss_note_multi_dict_27_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_note_multi_dict_27_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_27_code. See ss_note_multi_dict_27_code for more information.

Column Name: ss_note_multi_dict_28_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_note_multi_dict_28_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_28_code. See ss_note_multi_dict_28_code for more information.

Column Name: ss_note_multi_dict_29_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_note_multi_dict_29_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_29_code. See ss_note_multi_dict_29_code for more information.

Column Name: ss_note_multi_dict_30_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_note_multi_dict_30_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_30_code. See ss_note_multi_dict_30_code for more information.

Column Name: ss_note_scroll_text_11

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 11'

Column Name: ss_note_scroll_text_12

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 12'

Column Name: ss_note_scroll_text_13

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 13'

Column Name: ss_note_scroll_text_14

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 14'

Column Name: ss_note_scroll_text_15

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 15'

Column Name: ss_note_scroll_text_16

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 16'

Column Name: ss_note_scroll_text_17

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 17'

Column Name: ss_note_scroll_text_18

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 18'

Column Name: ss_note_scroll_text_19

Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 19'

Column Name: ss_note_scroll_text_20
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 20'

Column Name: ss_note_scroll_text_21
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 21'

Column Name: ss_note_scroll_text_22
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 22'

Column Name: ss_note_scroll_text_23
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 23'

Column Name: ss_note_scroll_text_24
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 24'

Column Name: ss_note_scroll_text_25
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 25'

Column Name: ss_note_scroll_text_26
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 26'

Column Name: ss_note_scroll_text_27
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 27'

Column Name: ss_note_scroll_text_28
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 28'

Column Name: ss_note_scroll_text_29
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 29'

Column Name: ss_note_scroll_text_30
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 30'

Column Name: ss_note_sing_dict_11_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 11'

Column Name: ss_note_sing_dict_11_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_11_code. See ss_note_single_dict_11_code for more information.

Column Name: ss_note_sing_dict_12_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 12'

Column Name: ss_note_sing_dict_12_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_12_code. See ss_note_single_dict_12_code for more information.

Column Name: ss_note_sing_dict_13_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 13'

Column Name: ss_note_sing_dict_13_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_13_code. See ss_note_single_dict_13_code for more information.

Column Name: ss_note_sing_dict_14_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 14'

Column Name: ss_note_sing_dict_14_value
Column Type: varchar
Max Length: 50

The description associated with ss_note_single_dict_14_code. See ss_note_single_dict_14_code for more information.

Column Name: ss_note_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 15'

Column Name: ss_note_sing_dict_15_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_15_code. See ss_note_single_dict_15_code for more information.

Column Name: ss_note_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 16'

Column Name: ss_note_sing_dict_16_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_16_code. See ss_note_single_dict_16_code for more information.

Column Name: ss_note_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 17'

Column Name: ss_note_sing_dict_17_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_17_code. See ss_note_single_dict_17_code for more information.

Column Name: ss_note_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 18'

Column Name: ss_note_sing_dict_18_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_18_code. See ss_note_single_dict_18_code for more information.

Column Name: ss_note_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 19'

Column Name: ss_note_sing_dict_19_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_19_code. See ss_note_single_dict_19_code for more information.

Column Name: ss_note_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 20'

Column Name: ss_note_sing_dict_20_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_20_code. See ss_note_single_dict_20_code for more information.

Column Name: ss_note_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 21'

Column Name: ss_note_sing_dict_21_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_21_code. See ss_note_single_dict_21_code for more information.

Column Name: ss_note_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 22'

Column Name: ss_note_sing_dict_22_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_22_code. See ss_note_single_dict_22_code for more information.

Column Name: ss_note_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 23'

Column Name: ss_note_sing_dict_23_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_23_code. See ss_note_single_dict_23_code for more information.

Column Name: ss_note_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 24'

Column Name: ss_note_sing_dict_24_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_24_code. See ss_note_single_dict_24_code for more information.

Column Name: ss_note_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 25'

Column Name: ss_note_sing_dict_25_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_25_code. See ss_note_single_dict_25_code for more information.

Column Name: ss_note_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 26'

Column Name: ss_note_sing_dict_26_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_26_code. See ss_note_single_dict_26_code for more information.

Column Name: ss_note_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 27'

Column Name: ss_note_sing_dict_27_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_27_code. See ss_note_single_dict_27_code for more information.

Column Name: ss_note_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 28'

Column Name: ss_note_sing_dict_28_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_28_code. See ss_note_single_dict_28_code for more information.

Column Name: ss_note_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 29'

Column Name: ss_note_sing_dict_29_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_29_code. See ss_note_single_dict_29_code for more information.

Column Name: ss_note_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 30'

Column Name: ss_note_sing_dict_30_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_30_code. See ss_note_single_dict_30_code for more information.

Column Name: ss_note_time_11

Column Type: varchar

Max Length: 50

'SS Note Time 11'

Column Name: ss_note_time_12

Column Type: varchar

Max Length: 50

'SS Note Time 12'

Column Name: ss_note_time_13

Column Type: varchar

Max Length: 50

'SS Note Time 13'

Column Name: ss_note_time_14

Column Type: varchar

Max Length: 50

'SS Note Time 14'

Column Name: ss_note_time_15
Column Type: varchar
Max Length: 50
'SS Note Time 15'

Column Name: ss_note_time_16
Column Type: varchar
Max Length: 50
'SS Note Time 16'

Column Name: ss_note_time_17
Column Type: varchar
Max Length: 50
'SS Note Time 17'

Column Name: ss_note_time_18
Column Type: varchar
Max Length: 50
'SS Note Time 18'

Column Name: ss_note_time_19
Column Type: varchar
Max Length: 50
'SS Note Time 19'

Column Name: ss_note_time_20
Column Type: varchar
Max Length: 50
'SS Note Time 20'

Column Name: ss_note_time_21
Column Type: varchar
Max Length: 50
'SS Note Time 21'

Column Name: ss_note_time_22
Column Type: varchar
Max Length: 50
'SS Note Time 22'

Column Name: ss_note_time_23
Column Type: varchar
Max Length: 50
'SS Note Time 23'

Column Name: ss_note_time_24
Column Type: varchar
Max Length: 50
'SS Note Time 24'

Column Name: ss_note_time_25
Column Type: varchar
Max Length: 50
'SS Note Time 25'

Column Name: ss_note_time_26
Column Type: varchar
Max Length: 50
'SS Note Time 26'

Column Name: ss_note_time_27
Column Type: varchar
Max Length: 50
'SS Note Time 27'

Column Name: ss_note_time_28
Column Type: varchar
Max Length: 50
'SS Note Time 28'

Column Name: ss_note_time_29
Column Type: varchar
Max Length: 50
'SS Note Time 29'

Column Name: ss_note_time_30
Column Type: varchar
Max Length: 50
'SS Note Time 30'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: CWSTEMP.cw_patient_notes_supp_1

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp1 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
'Progress Notes Pointer'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiler.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
'Confidential Notes'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
'Notes Field'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_31
Column Type: varchar

Max Length: 20
'SS Note 20 Character 31'

Column Name: ss_note_20_char_text_32
Column Type: varchar
Max Length: 20
'SS Note 20 Character 32'

Column Name: ss_note_20_char_text_33
Column Type: varchar
Max Length: 20
'SS Note 20 Character 33'

Column Name: ss_note_20_char_text_34
Column Type: varchar
Max Length: 20
'SS Note 20 Character 34'

Column Name: ss_note_20_char_text_35
Column Type: varchar
Max Length: 20
'SS Note 20 Character 35'

Column Name: ss_note_20_char_text_36
Column Type: varchar
Max Length: 20
'SS Note 20 Character 36'

Column Name: ss_note_20_char_text_37
Column Type: varchar
Max Length: 20
'SS Note 20 Character 37'

Column Name: ss_note_20_char_text_38
Column Type: varchar
Max Length: 20
'SS Note 20 Character 38'

Column Name: ss_note_20_char_text_39
Column Type: varchar
Max Length: 20
'SS Note 20 Character 39'

Column Name: ss_note_20_char_text_40
Column Type: varchar
Max Length: 20
'SS Note 20 Character 40'

Column Name: ss_note_20_char_text_41
Column Type: varchar

Max Length: 20
'SS Note 20 Character 41'

Column Name: ss_note_20_char_text_42
Column Type: varchar
Max Length: 20
'SS Note 20 Character 42'

Column Name: ss_note_20_char_text_43
Column Type: varchar
Max Length: 20
'SS Note 20 Character 43'

Column Name: ss_note_20_char_text_44
Column Type: varchar
Max Length: 20
'SS Note 20 Character 44'

Column Name: ss_note_20_char_text_45
Column Type: varchar
Max Length: 20
'SS Note 20 Character 45'

Column Name: ss_note_20_char_text_46
Column Type: varchar
Max Length: 20
'SS Note 20 Character 46'

Column Name: ss_note_20_char_text_47
Column Type: varchar
Max Length: 20
'SS Note 20 Character 47'

Column Name: ss_note_20_char_text_48
Column Type: varchar
Max Length: 20
'SS Note 20 Character 48'

Column Name: ss_note_20_char_text_49
Column Type: varchar
Max Length: 20
'SS Note 20 Character 49'

Column Name: ss_note_20_char_text_50
Column Type: varchar
Max Length: 20
'SS Note 20 Character 50'

Column Name: ss_note_40_char_text_31
Column Type: varchar

Max Length: 40
'SS Note 40 Character 31'

Column Name: ss_note_40_char_text_32
Column Type: varchar
Max Length: 40
'SS Note 40 Character 32'

Column Name: ss_note_40_char_text_33
Column Type: varchar
Max Length: 40
'SS Note 40 Character 33'

Column Name: ss_note_40_char_text_34
Column Type: varchar
Max Length: 40
'SS Note 40 Character 34'

Column Name: ss_note_40_char_text_35
Column Type: varchar
Max Length: 40
'SS Note 40 Character 35'

Column Name: ss_note_40_char_text_36
Column Type: varchar
Max Length: 40
'SS Note 40 Character 36'

Column Name: ss_note_40_char_text_37
Column Type: varchar
Max Length: 40
'SS Note 40 Character 37'

Column Name: ss_note_40_char_text_38
Column Type: varchar
Max Length: 40
'SS Note 40 Character 38'

Column Name: ss_note_40_char_text_39
Column Type: varchar
Max Length: 40
'SS Note 40 Character 39'

Column Name: ss_note_40_char_text_40
Column Type: varchar
Max Length: 40
'SS Note 40 Character 40'

Column Name: ss_note_40_char_text_41
Column Type: varchar

Max Length: 40
'SS Note 40 Character 41'

Column Name: ss_note_40_char_text_42
Column Type: varchar
Max Length: 40
'SS Note 40 Character 42'

Column Name: ss_note_40_char_text_43
Column Type: varchar
Max Length: 40
'SS Note 40 Character 43'

Column Name: ss_note_40_char_text_44
Column Type: varchar
Max Length: 40
'SS Note 40 Character 44'

Column Name: ss_note_40_char_text_45
Column Type: varchar
Max Length: 40
'SS Note 40 Character 45'

Column Name: ss_note_40_char_text_46
Column Type: varchar
Max Length: 40
'SS Note 40 Character 46'

Column Name: ss_note_40_char_text_47
Column Type: varchar
Max Length: 40
'SS Note 40 Character 47'

Column Name: ss_note_40_char_text_48
Column Type: varchar
Max Length: 40
'SS Note 40 Character 48'

Column Name: ss_note_40_char_text_49
Column Type: varchar
Max Length: 40
'SS Note 40 Character 49'

Column Name: ss_note_40_char_text_50
Column Type: varchar
Max Length: 40
'SS Note 40 Character 50'

Column Name: ss_note_80_char_text_31
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 31'

Column Name: ss_note_80_char_text_32
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 32'

Column Name: ss_note_80_char_text_33
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 33'

Column Name: ss_note_80_char_text_34
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 34'

Column Name: ss_note_80_char_text_35
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 35'

Column Name: ss_note_80_char_text_36
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 36'

Column Name: ss_note_80_char_text_37
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 37'

Column Name: ss_note_80_char_text_38
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 38'

Column Name: ss_note_80_char_text_39
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 39'

Column Name: ss_note_80_char_text_40
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 40'

Column Name: ss_note_80_char_text_41
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 41'

Column Name: ss_note_80_char_text_42
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 42'

Column Name: ss_note_80_char_text_43
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 43'

Column Name: ss_note_80_char_text_44
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 44'

Column Name: ss_note_80_char_text_45
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 45'

Column Name: ss_note_80_char_text_46
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 46'

Column Name: ss_note_80_char_text_47
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 47'

Column Name: ss_note_80_char_text_48
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 48'

Column Name: ss_note_80_char_text_49
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 49'

Column Name: ss_note_80_char_text_50
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 50'

Column Name: ss_note_date_31
Column Type: date

'SS Note Date 31'

Column Name: ss_note_date_32

Column Type: date

'SS Note Date 32'

Column Name: ss_note_date_33

Column Type: date

'SS Note Date 33'

Column Name: ss_note_date_34

Column Type: date

'SS Note Date 34'

Column Name: ss_note_date_35

Column Type: date

'SS Note Date 35'

Column Name: ss_note_date_36

Column Type: date

'SS Note Date 36'

Column Name: ss_note_date_37

Column Type: date

'SS Note Date 37'

Column Name: ss_note_date_38

Column Type: date

'SS Note Date 38'

Column Name: ss_note_date_39

Column Type: date

'SS Note Date 39'

Column Name: ss_note_date_40

Column Type: date

'SS Note Date 40'

Column Name: ss_note_date_41

Column Type: date

'SS Note Date 41'

Column Name: ss_note_date_42

Column Type: date

'SS Note Date 42'

Column Name: ss_note_date_43

Column Type: date

'SS Note Date 43'

Column Name: ss_note_date_44
Column Type: date
'SS Note Date 44'

Column Name: ss_note_date_45
Column Type: date
'SS Note Date 45'

Column Name: ss_note_date_46
Column Type: date
'SS Note Date 46'

Column Name: ss_note_date_47
Column Type: date
'SS Note Date 47'

Column Name: ss_note_date_48
Column Type: date
'SS Note Date 48'

Column Name: ss_note_date_49
Column Type: date
'SS Note Date 49'

Column Name: ss_note_date_50
Column Type: date
'SS Note Date 50'

Column Name: ss_note_dsm_diag_31_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 31'

Column Name: ss_note_dsm_diag_31_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_31_code. See ss_note_dsm_diag_31_code for more information.

Column Name: ss_note_dsm_diag_32_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 32'

Column Name: ss_note_dsm_diag_32_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_32_code. See ss_note_dsm_diag_32_code for more information.

Column Name: ss_note_dsm_diag_33_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 33'

Column Name: ss_note_dsm_diag_33_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_33_code. See ss_note_dsm_diag_33_code for more information.

Column Name: ss_note_dsm_diag_34_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 34'

Column Name: ss_note_dsm_diag_34_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_34_code. See ss_note_dsm_diag_34_code for more information.

Column Name: ss_note_dsm_diag_35_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 35'

Column Name: ss_note_dsm_diag_35_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_35_code. See ss_note_dsm_diag_35_code for more information.

Column Name: ss_note_dsm_diag_36_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 36'

Column Name: ss_note_dsm_diag_36_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_36_code. See ss_note_dsm_diag_36_code for more information.

Column Name: ss_note_dsm_diag_37_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 37'

Column Name: ss_note_dsm_diag_37_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_37_code. See ss_note_dsm_diag_37_code for more information.

Column Name: ss_note_dsm_diag_38_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 38'

Column Name: ss_note_dsm_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_38_code. See ss_note_dsm_diag_38_code for more information.

Column Name: ss_note_dsm_diag_39_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 39'

Column Name: ss_note_dsm_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_39_code. See ss_note_dsm_diag_39_code for more information.

Column Name: ss_note_dsm_diag_40_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 40'

Column Name: ss_note_dsm_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_40_code. See ss_note_dsm_diag_40_code for more information.

Column Name: ss_note_dsm_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 41'

Column Name: ss_note_dsm_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_41_code. See ss_note_dsm_diag_41_code for more information.

Column Name: ss_note_dsm_diag_42_code

Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 42'

Column Name: ss_note_dsm_diag_42_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_42_code. See ss_note_dsm_diag_42_code for more information.

Column Name: ss_note_dsm_diag_43_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 43'

Column Name: ss_note_dsm_diag_43_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_43_code. See ss_note_dsm_diag_43_code for more information.

Column Name: ss_note_dsm_diag_44_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 44'

Column Name: ss_note_dsm_diag_44_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_44_code. See ss_note_dsm_diag_44_code for more information.

Column Name: ss_note_dsm_diag_45_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 45'

Column Name: ss_note_dsm_diag_45_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_45_code. See ss_note_dsm_diag_45_code for more information.

Column Name: ss_note_dsm_diag_46_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 46'

Column Name: ss_note_dsm_diag_46_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_46_code. See ss_note_dsm_diag_46_code for more information.

Column Name: ss_note_dsm_diag_47_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 47'

Column Name: ss_note_dsm_diag_47_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_47_code. See ss_note_dsm_diag_47_code for more information.

Column Name: ss_note_dsm_diag_48_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 48'

Column Name: ss_note_dsm_diag_48_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_48_code. See ss_note_dsm_diag_48_code for more information.

Column Name: ss_note_dsm_diag_49_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 49'

Column Name: ss_note_dsm_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_49_code. See ss_note_dsm_diag_49_code for more information.

Column Name: ss_note_dsm_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 50'

Column Name: ss_note_dsm_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_50_code. See ss_note_dsm_diag_50_code for more information.

Column Name: ss_note_icd9_diag_31_code

Column Type: varchar

Max Length: 20
'SS Note ICD-9 Code 31'

Column Name: ss_note_icd9_diag_31_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_31_code. See ss_note_icd9_diag_31_code for more information.

Column Name: ss_note_icd9_diag_32_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 32'

Column Name: ss_note_icd9_diag_32_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_32_code. See ss_note_icd9_diag_32_code for more information.

Column Name: ss_note_icd9_diag_33_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 33'

Column Name: ss_note_icd9_diag_33_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_33_code. See ss_note_icd9_diag_33_code for more information.

Column Name: ss_note_icd9_diag_34_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 34'

Column Name: ss_note_icd9_diag_34_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_34_code. See ss_note_icd9_diag_34_code for more information.

Column Name: ss_note_icd9_diag_35_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 35'

Column Name: ss_note_icd9_diag_35_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_icd9_diag_35_code`. See `ss_note_icd9_diag_35_code` for more information.

Column Name: `ss_note_icd9_diag_36_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 36'

Column Name: `ss_note_icd9_diag_36_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_36_code`. See `ss_note_icd9_diag_36_code` for more information.

Column Name: `ss_note_icd9_diag_37_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 37'

Column Name: `ss_note_icd9_diag_37_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_37_code`. See `ss_note_icd9_diag_37_code` for more information.

Column Name: `ss_note_icd9_diag_38_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 38'

Column Name: `ss_note_icd9_diag_38_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_38_code`. See `ss_note_icd9_diag_38_code` for more information.

Column Name: `ss_note_icd9_diag_39_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 39'

Column Name: `ss_note_icd9_diag_39_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_39_code`. See `ss_note_icd9_diag_39_code` for more information.

Column Name: `ss_note_icd9_diag_40_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 40'

Column Name: ss_note_icd9_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_40_code. See ss_note_icd9_diag_40_code for more information.

Column Name: ss_note_icd9_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 41'

Column Name: ss_note_icd9_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_41_code. See ss_note_icd9_diag_41_code for more information.

Column Name: ss_note_icd9_diag_42_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 42'

Column Name: ss_note_icd9_diag_42_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_42_code. See ss_note_icd9_diag_42_code for more information.

Column Name: ss_note_icd9_diag_43_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 43'

Column Name: ss_note_icd9_diag_43_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_43_code. See ss_note_icd9_diag_43_code for more information.

Column Name: ss_note_icd9_diag_44_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 44'

Column Name: ss_note_icd9_diag_44_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_44_code`. See `ss_note_icd9_diag_44_code` for more information.

Column Name: `ss_note_icd9_diag_45_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 45'

Column Name: `ss_note_icd9_diag_45_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_45_code`. See `ss_note_icd9_diag_45_code` for more information.

Column Name: `ss_note_icd9_diag_46_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 46'

Column Name: `ss_note_icd9_diag_46_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_46_code`. See `ss_note_icd9_diag_46_code` for more information.

Column Name: `ss_note_icd9_diag_47_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 47'

Column Name: `ss_note_icd9_diag_47_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_47_code`. See `ss_note_icd9_diag_47_code` for more information.

Column Name: `ss_note_icd9_diag_48_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 48'

Column Name: `ss_note_icd9_diag_48_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_48_code`. See `ss_note_icd9_diag_48_code` for more information.

Column Name: `ss_note_icd9_diag_49_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 49'

Column Name: ss_note_icd9_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_49_code. See ss_note_icd9_diag_49_code for more information.

Column Name: ss_note_icd9_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 50'

Column Name: ss_note_icd9_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_50_code. See ss_note_icd9_diag_50_code for more information.

Column Name: ss_note_integer_1

Column Type: integer

'SS Note Integer 1'

Column Name: ss_note_integer_2

Column Type: integer

'SS Note Integer 2'

Column Name: ss_note_integer_3

Column Type: integer

'SS Note Integer 3'

Column Name: ss_note_integer_4

Column Type: integer

'SS Note Integer 4'

Column Name: ss_note_integer_5

Column Type: integer

'SS Note Integer 5'

Column Name: ss_note_integer_6

Column Type: integer

'SS Note Integer 6'

Column Name: ss_note_multi_dict_31_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 31'

Column Name: ss_note_multi_dict_31_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_31_code. See ss_note_multi_dict_31_code for more information.

Column Name: ss_note_multi_dict_32_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 32'

Column Name: ss_note_multi_dict_32_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_32_code. See ss_note_multi_dict_32_code for more information.

Column Name: ss_note_multi_dict_33_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 33'

Column Name: ss_note_multi_dict_33_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_33_code. See ss_note_multi_dict_33_code for more information.

Column Name: ss_note_multi_dict_34_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 34'

Column Name: ss_note_multi_dict_34_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_34_code. See ss_note_multi_dict_34_code for more information.

Column Name: ss_note_multi_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 35'

Column Name: ss_note_multi_dict_35_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_35_code. See ss_note_multi_dict_35_code for more information.

Column Name: ss_note_multi_dict_36_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 36'

Column Name: ss_note_multi_dict_36_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_36_code. See ss_note_multi_dict_36_code for more information.

Column Name: ss_note_multi_dict_37_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 37'

Column Name: ss_note_multi_dict_37_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_37_code. See ss_note_multi_dict_37_code for more information.

Column Name: ss_note_multi_dict_38_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 38'

Column Name: ss_note_multi_dict_38_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_38_code. See ss_note_multi_dict_38_code for more information.

Column Name: ss_note_multi_dict_39_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 39'

Column Name: ss_note_multi_dict_39_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_39_code. See ss_note_multi_dict_39_code for more information.

Column Name: ss_note_multi_dict_40_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 40'

Column Name: ss_note_multi_dict_40_value
Column Type: varchar
Max Length: 32700

The description associated with ss_note_multi_dict_40_code. See ss_note_multi_dict_40_code for more information.

Column Name: ss_note_multi_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 41'

Column Name: ss_note_multi_dict_41_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_41_code. See ss_note_multi_dict_41_code for more information.

Column Name: ss_note_multi_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 42'

Column Name: ss_note_multi_dict_42_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_42_code. See ss_note_multi_dict_42_code for more information.

Column Name: ss_note_multi_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 43'

Column Name: ss_note_multi_dict_43_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_43_code. See ss_note_multi_dict_43_code for more information.

Column Name: ss_note_multi_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 44'

Column Name: ss_note_multi_dict_44_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_44_code. See ss_note_multi_dict_44_code for more information.

Column Name: ss_note_multi_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 45'

Column Name: ss_note_multi_dict_45_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_45_code. See ss_note_multi_dict_45_code for more information.

Column Name: ss_note_multi_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 46'

Column Name: ss_note_multi_dict_46_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_46_code. See ss_note_multi_dict_46_code for more information.

Column Name: ss_note_multi_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 47'

Column Name: ss_note_multi_dict_47_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_47_code. See ss_note_multi_dict_47_code for more information.

Column Name: ss_note_multi_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 48'

Column Name: ss_note_multi_dict_48_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_48_code. See ss_note_multi_dict_48_code for more information.

Column Name: ss_note_multi_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 49'

Column Name: ss_note_multi_dict_49_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_49_code. See ss_note_multi_dict_49_code for more information.

Column Name: ss_note_multi_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 50'

Column Name: ss_note_multi_dict_50_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_50_code. See ss_note_multi_dict_50_code for more information.

Column Name: ss_note_scroll_text_31

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 31'

Column Name: ss_note_scroll_text_32

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 32'

Column Name: ss_note_scroll_text_33

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 33'

Column Name: ss_note_scroll_text_34

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 34'

Column Name: ss_note_scroll_text_35

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 35'

Column Name: ss_note_scroll_text_36

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 36'

Column Name: ss_note_scroll_text_37

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 37'

Column Name: ss_note_scroll_text_38

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 38'

Column Name: ss_note_scroll_text_39
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 39'

Column Name: ss_note_scroll_text_40
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 40'

Column Name: ss_note_scroll_text_41
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 41'

Column Name: ss_note_scroll_text_42
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 42'

Column Name: ss_note_scroll_text_43
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 43'

Column Name: ss_note_scroll_text_44
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 44'

Column Name: ss_note_scroll_text_45
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 45'

Column Name: ss_note_scroll_text_46
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 46'

Column Name: ss_note_scroll_text_47
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 47'

Column Name: ss_note_scroll_text_48

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 48'

Column Name: ss_note_scroll_text_49
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 49'

Column Name: ss_note_scroll_text_50
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 50'

Column Name: ss_note_sing_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 31'

Column Name: ss_note_sing_dict_31_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_31_code. See ss_note_sing_dict_31_code for more information.

Column Name: ss_note_sing_dict_32_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 32'

Column Name: ss_note_sing_dict_32_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_32_code. See ss_note_sing_dict_32_code for more information.

Column Name: ss_note_sing_dict_33_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 33'

Column Name: ss_note_sing_dict_33_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_33_code. See ss_note_sing_dict_33_code for more information.

Column Name: ss_note_sing_dict_34_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 34'

Column Name: ss_note_sing_dict_34_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_34_code. See ss_note_sing_dict_34_code for more information.

Column Name: ss_note_sing_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 35'

Column Name: ss_note_sing_dict_35_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_35_code. See ss_note_sing_dict_35_code for more information.

Column Name: ss_note_sing_dict_36_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 36'

Column Name: ss_note_sing_dict_36_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_36_code. See ss_note_sing_dict_36_code for more information.

Column Name: ss_note_sing_dict_37_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 37'

Column Name: ss_note_sing_dict_37_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_37_code. See ss_note_sing_dict_37_code for more information.

Column Name: ss_note_sing_dict_38_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 38'

Column Name: ss_note_sing_dict_38_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_38_code. See ss_note_sing_dict_38_code for more information.

Column Name: ss_note_sing_dict_39_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 39'

Column Name: ss_note_sing_dict_39_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_39_code. See ss_note_sing_dict_39_code for more information.

Column Name: ss_note_sing_dict_40_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 40'

Column Name: ss_note_sing_dict_40_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_40_code. See ss_note_sing_dict_40_code for more information.

Column Name: ss_note_sing_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 41'

Column Name: ss_note_sing_dict_41_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_41_code. See ss_note_sing_dict_41_code for more information.

Column Name: ss_note_sing_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 42'

Column Name: ss_note_sing_dict_42_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_42_code. See ss_note_sing_dict_42_code for more information.

Column Name: ss_note_sing_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 43'

Column Name: ss_note_sing_dict_43_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_43_code. See ss_note_sing_dict_43_code for more information.

Column Name: ss_note_sing_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 44'

Column Name: ss_note_sing_dict_44_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_44_code. See ss_note_sing_dict_44_code for more information.

Column Name: ss_note_sing_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 45'

Column Name: ss_note_sing_dict_45_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_45_code. See ss_note_sing_dict_45_code for more information.

Column Name: ss_note_sing_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 46'

Column Name: ss_note_sing_dict_46_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_46_code. See ss_note_sing_dict_46_code for more information.

Column Name: ss_note_sing_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 47'

Column Name: ss_note_sing_dict_47_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_47_code. See ss_note_sing_dict_47_code for more information.

Column Name: ss_note_sing_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 48'

Column Name: ss_note_sing_dict_48_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_48_code. See ss_note_sing_dict_48_code for more information.

Column Name: ss_note_sing_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 49'

Column Name: ss_note_sing_dict_49_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_49_code. See ss_note_sing_dict_49_code for more information.

Column Name: ss_note_sing_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 50'

Column Name: ss_note_sing_dict_50_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_50_code. See ss_note_sing_dict_50_code for more information.

Column Name: ss_note_time_31

Column Type: varchar

Max Length: 50

'SS Note Time 31'

Column Name: ss_note_time_32

Column Type: varchar

Max Length: 50

'SS Note Time 32'

Column Name: ss_note_time_33

Column Type: varchar

Max Length: 50

'SS Note Time 33'

Column Name: ss_note_time_34
Column Type: varchar
Max Length: 50
'SS Note Time 34'

Column Name: ss_note_time_35
Column Type: varchar
Max Length: 50
'SS Note Time 35'

Column Name: ss_note_time_36
Column Type: varchar
Max Length: 50
'SS Note Time 36'

Column Name: ss_note_time_37
Column Type: varchar
Max Length: 50
'SS Note Time 37'

Column Name: ss_note_time_38
Column Type: varchar
Max Length: 50
'SS Note Time 38'

Column Name: ss_note_time_39
Column Type: varchar
Max Length: 50
'SS Note Time 39'

Column Name: ss_note_time_40
Column Type: varchar
Max Length: 50
'SS Note Time 40'

Column Name: ss_note_time_41
Column Type: varchar
Max Length: 50
'SS Note Time 41'

Column Name: ss_note_time_42
Column Type: varchar
Max Length: 50
'SS Note Time 42'

Column Name: ss_note_time_43
Column Type: varchar
Max Length: 50
'SS Note Time 43'

Column Name: ss_note_time_44
Column Type: varchar
Max Length: 50
'SS Note Time 44'

Column Name: ss_note_time_45
Column Type: varchar
Max Length: 50
'SS Note Time 45'

Column Name: ss_note_time_46
Column Type: varchar
Max Length: 50
'SS Note Time 46'

Column Name: ss_note_time_47
Column Type: varchar
Max Length: 50
'SS Note Time 47'

Column Name: ss_note_time_48
Column Type: varchar
Max Length: 50
'SS Note Time 48'

Column Name: ss_note_time_49
Column Type: varchar
Max Length: 50
'SS Note Time 49'

Column Name: ss_note_time_50
Column Type: varchar
Max Length: 50
'SS Note Time 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: CWSTEMP.cw_patient_notes_supp_2

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp2 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiler.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_integer_10
Column Type: integer
'SS Note Integer 10'

Column Name: ss_note_integer_11
Column Type: integer
'SS Note Integer 11'

Column Name: ss_note_integer_12
Column Type: integer
'SS Note Integer 12'

Column Name: ss_note_integer_13
Column Type: integer
'SS Note Integer 13'

Column Name: ss_note_integer_14
Column Type: integer
'SS Note Integer 14'

Column Name: ss_note_integer_15
Column Type: integer
'SS Note Integer 15'

Column Name: ss_note_integer_16
Column Type: integer
'SS Note Integer 16'

Column Name: ss_note_integer_17
Column Type: integer
'SS Note Integer 17'

Column Name: ss_note_integer_18
Column Type: integer
'SS Note Integer 18'

Column Name: ss_note_integer_19
Column Type: integer
'SS Note Integer 19'

Column Name: ss_note_integer_20
Column Type: integer
'SS Note Integer 20'

Column Name: ss_note_integer_21
Column Type: integer
'SS Note Integer 21'

Column Name: ss_note_integer_22
Column Type: integer
'SS Note Integer 22'

Column Name: ss_note_integer_23
Column Type: integer
'SS Note Integer 23'

Column Name: ss_note_integer_24
Column Type: integer

'SS Note Integer 24'

Column Name: ss_note_integer_25

Column Type: integer

'SS Note Integer 25'

Column Name: ss_note_integer_26

Column Type: integer

'SS Note Integer 26'

Column Name: ss_note_integer_27

Column Type: integer

'SS Note Integer 27'

Column Name: ss_note_integer_28

Column Type: integer

'SS Note Integer 28'

Column Name: ss_note_integer_29

Column Type: integer

'SS Note Integer 29'

Column Name: ss_note_integer_30

Column Type: integer

'SS Note Integer 30'

Column Name: ss_note_integer_31

Column Type: integer

'SS Note Integer 31'

Column Name: ss_note_integer_32

Column Type: integer

'SS Note Integer 32'

Column Name: ss_note_integer_33

Column Type: integer

'SS Note Integer 33'

Column Name: ss_note_integer_34

Column Type: integer

'SS Note Integer 34'

Column Name: ss_note_integer_35

Column Type: integer

'SS Note Integer 35'

Column Name: ss_note_integer_36

Column Type: integer

'SS Note Integer 36'

Column Name: ss_note_integer_37
Column Type: integer
'SS Note Integer 37'

Column Name: ss_note_integer_38
Column Type: integer
'SS Note Integer 38'

Column Name: ss_note_integer_39
Column Type: integer
'SS Note Integer 39'

Column Name: ss_note_integer_40
Column Type: integer
'SS Note Integer 40'

Column Name: ss_note_integer_41
Column Type: integer
'SS Note Integer 41'

Column Name: ss_note_integer_42
Column Type: integer
'SS Note Integer 42'

Column Name: ss_note_integer_43
Column Type: integer
'SS Note Integer 43'

Column Name: ss_note_integer_44
Column Type: integer
'SS Note Integer 44'

Column Name: ss_note_integer_45
Column Type: integer
'SS Note Integer 45'

Column Name: ss_note_integer_46
Column Type: integer
'SS Note Integer 46'

Column Name: ss_note_integer_47
Column Type: integer
'SS Note Integer 47'

Column Name: ss_note_integer_48
Column Type: integer
'SS Note Integer 48'

Column Name: ss_note_integer_49
Column Type: integer

'SS Note Integer 49'

Column Name: ss_note_integer_50

Column Type: integer

'SS Note Integer 50'

Column Name: ss_note_integer_7

Column Type: integer

'SS Note Integer 7'

Column Name: ss_note_integer_8

Column Type: integer

'SS Note Integer 8'

Column Name: ss_note_integer_9

Column Type: integer

'SS Note Integer 9'

Column Name: ss_note_staff_11

Column Type: varchar

Max Length: 20

'SS Note Staff Member 11'

Column Name: ss_note_staff_12

Column Type: varchar

Max Length: 20

'SS Note Staff Member 12'

Column Name: ss_note_staff_13

Column Type: varchar

Max Length: 20

'SS Note Staff Member 13'

Column Name: ss_note_staff_14

Column Type: varchar

Max Length: 20

'SS Note Staff Member 14'

Column Name: ss_note_staff_15

Column Type: varchar

Max Length: 20

'SS Note Staff Member 15'

Column Name: ss_note_staff_16

Column Type: varchar

Max Length: 20

'SS Note Staff Member 16'

Column Name: ss_note_staff_17

Column Type: varchar

Max Length: 20
'SS Note Staff Member 17'

Column Name: ss_note_staff_18
Column Type: varchar
Max Length: 20
'SS Note Staff Member 18'

Column Name: ss_note_staff_19
Column Type: varchar
Max Length: 20
'SS Note Staff Member 19'

Column Name: ss_note_staff_20
Column Type: varchar
Max Length: 20
'SS Note Staff Member 20'

Column Name: ss_note_staff_21
Column Type: varchar
Max Length: 20
'SS Note Staff Member 21'

Column Name: ss_note_staff_22
Column Type: varchar
Max Length: 20
'SS Note Staff Member 22'

Column Name: ss_note_staff_23
Column Type: varchar
Max Length: 20
'SS Note Staff Member 23'

Column Name: ss_note_staff_24
Column Type: varchar
Max Length: 20
'SS Note Staff Member 24'

Column Name: ss_note_staff_25
Column Type: varchar
Max Length: 20
'SS Note Staff Member 25'

Column Name: ss_note_staff_26
Column Type: varchar
Max Length: 20
'SS Note Staff Member 26'

Column Name: ss_note_staff_27
Column Type: varchar

Max Length: 20
'SS Note Staff Member 27'

Column Name: ss_note_staff_28
Column Type: varchar
Max Length: 20
'SS Note Staff Member 28'

Column Name: ss_note_staff_29
Column Type: varchar
Max Length: 20
'SS Note Staff Member 29'

Column Name: ss_note_staff_30
Column Type: varchar
Max Length: 20
'SS Note Staff Member 30'

Column Name: ss_note_staff_31
Column Type: varchar
Max Length: 20
'SS Note Staff Member 31'

Column Name: ss_note_staff_32
Column Type: varchar
Max Length: 20
'SS Note Staff Member 32'

Column Name: ss_note_staff_33
Column Type: varchar
Max Length: 20
'SS Note Staff Member 33'

Column Name: ss_note_staff_34
Column Type: varchar
Max Length: 20
'SS Note Staff Member 34'

Column Name: ss_note_staff_35
Column Type: varchar
Max Length: 20
'SS Note Staff Member 35'

Column Name: ss_note_staff_36
Column Type: varchar
Max Length: 20
'SS Note Staff Member 36'

Column Name: ss_note_staff_37
Column Type: varchar

Max Length: 20
'SS Note Staff Member 37'

Column Name: ss_note_staff_38
Column Type: varchar
Max Length: 20
'SS Note Staff Member 38'

Column Name: ss_note_staff_39
Column Type: varchar
Max Length: 20
'SS Note Staff Member 39'

Column Name: ss_note_staff_40
Column Type: varchar
Max Length: 20
'SS Note Staff Member 40'

Column Name: ss_note_staff_41
Column Type: varchar
Max Length: 20
'SS Note Staff Member 41'

Column Name: ss_note_staff_42
Column Type: varchar
Max Length: 20
'SS Note Staff Member 42'

Column Name: ss_note_staff_43
Column Type: varchar
Max Length: 20
'SS Note Staff Member 43'

Column Name: ss_note_staff_44
Column Type: varchar
Max Length: 20
'SS Note Staff Member 44'

Column Name: ss_note_staff_45
Column Type: varchar
Max Length: 20
'SS Note Staff Member 45'

Column Name: ss_note_staff_46
Column Type: varchar
Max Length: 20
'SS Note Staff Member 46'

Column Name: ss_note_staff_47
Column Type: varchar

Max Length: 20
'SS Note Staff Member 47'

Column Name: ss_note_staff_48
Column Type: varchar
Max Length: 20
'SS Note Staff Member 48'

Column Name: ss_note_staff_49
Column Type: varchar
Max Length: 20
'SS Note Staff Member 49'

Column Name: ss_note_staff_50
Column Type: varchar
Max Length: 20
'SS Note Staff Member 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: CWSTEMP.cw_patient_notes_supp_3

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp3 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiller.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
The form number of the form that last updated the row.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notec_multi_dict_10_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 10'

Column Name: ss_notec_multi_dict_10_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_10_code. See ss_notec_multi_dict_10_code for more information.

Column Name: ss_notec_multi_dict_11_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_notec_multi_dict_11_value
Column Type: varchar
Max Length: 32759

The description associated with `ss_notec_multi_dict_11_code`. See `ss_notec_multi_dict_11_code` for more information.

Column Name: `ss_notec_multi_dict_12_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 12'

Column Name: `ss_notec_multi_dict_12_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_12_code`. See `ss_notec_multi_dict_12_code` for more information.

Column Name: `ss_notec_multi_dict_13_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 13'

Column Name: `ss_notec_multi_dict_13_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_13_code`. See `ss_notec_multi_dict_13_code` for more information.

Column Name: `ss_notec_multi_dict_14_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 14'

Column Name: `ss_notec_multi_dict_14_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_14_code`. See `ss_notec_multi_dict_14_code` for more information.

Column Name: `ss_notec_multi_dict_15_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 15'

Column Name: `ss_notec_multi_dict_15_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_15_code`. See `ss_notec_multi_dict_15_code` for more information.

Column Name: `ss_notec_multi_dict_16_code`
Column Type: `varchar`
Max Length: 255

'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_notec_multi_dict_16_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_16_code. See ss_notec_multi_dict_16_code for more information.

Column Name: ss_notec_multi_dict_17_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_notec_multi_dict_17_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_17_code. See ss_notec_multi_dict_17_code for more information.

Column Name: ss_notec_multi_dict_18_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_notec_multi_dict_18_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_18_code. See ss_notec_multi_dict_18_code for more information.

Column Name: ss_notec_multi_dict_19_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_notec_multi_dict_19_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_19_code. See ss_notec_multi_dict_19_code for more information.

Column Name: ss_notec_multi_dict_1_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 1'

Column Name: ss_notec_multi_dict_1_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_1_code. See ss_notec_multi_dict_1_code for more information.

Column Name: ss_notec_multi_dict_20_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_notec_multi_dict_20_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_20_code. See ss_notec_multi_dict_20_code for more information.

Column Name: ss_notec_multi_dict_21_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_notec_multi_dict_21_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_21_code. See ss_notec_multi_dict_21_code for more information.

Column Name: ss_notec_multi_dict_22_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_notec_multi_dict_22_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_22_code. See ss_notec_multi_dict_22_code for more information.

Column Name: ss_notec_multi_dict_23_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_notec_multi_dict_23_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_23_code. See ss_notec_multi_dict_23_code for more information.

Column Name: ss_notec_multi_dict_24_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_notec_multi_dict_24_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_24_code. See ss_notec_multi_dict_24_code for more information.

Column Name: ss_notec_multi_dict_25_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_notec_multi_dict_25_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_25_code. See ss_notec_multi_dict_25_code for more information.

Column Name: ss_notec_multi_dict_26_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_notec_multi_dict_26_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_26_code. See ss_notec_multi_dict_26_code for more information.

Column Name: ss_notec_multi_dict_27_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_notec_multi_dict_27_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_27_code. See ss_notec_multi_dict_27_code for more information.

Column Name: ss_notec_multi_dict_28_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_notec_multi_dict_28_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_28_code. See ss_notec_multi_dict_28_code for more information.

Column Name: ss_notec_multi_dict_29_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_notec_multi_dict_29_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_29_code. See ss_notec_multi_dict_29_code for more information.

Column Name: ss_notec_multi_dict_2_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 2'

Column Name: ss_notec_multi_dict_2_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_2_code. See ss_notec_multi_dict_2_code for more information.

Column Name: ss_notec_multi_dict_30_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_notec_multi_dict_30_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_30_code. See ss_notec_multi_dict_30_code for more information.

Column Name: ss_notec_multi_dict_31_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 31'

Column Name: ss_notec_multi_dict_31_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_31_code. See ss_notec_multi_dict_31_code for more information.

Column Name: ss_notec_multi_dict_32_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 32'

Column Name: ss_notec_multi_dict_32_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_32_code. See ss_notec_multi_dict_32_code for more information.

Column Name: ss_notec_multi_dict_33_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 33'

Column Name: ss_notec_multi_dict_33_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_33_code. See ss_notec_multi_dict_33_code for more information.

Column Name: ss_notec_multi_dict_34_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 34'

Column Name: ss_notec_multi_dict_34_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_34_code. See ss_notec_multi_dict_34_code for more information.

Column Name: ss_notec_multi_dict_35_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 35'

Column Name: ss_notec_multi_dict_35_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_35_code. See ss_notec_multi_dict_35_code for more information.

Column Name: ss_notec_multi_dict_36_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 36'

Column Name: ss_notec_multi_dict_36_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_36_code. See ss_notec_multi_dict_36_code for more information.

Column Name: ss_notec_multi_dict_37_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 37'

Column Name: ss_notec_multi_dict_37_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_37_code. See ss_notec_multi_dict_37_code for more information.

Column Name: ss_notec_multi_dict_38_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 38'

Column Name: ss_notec_multi_dict_38_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_38_code. See ss_notec_multi_dict_38_code for more information.

Column Name: ss_notec_multi_dict_39_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 39'

Column Name: ss_notec_multi_dict_39_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_39_code. See ss_notec_multi_dict_39_code for more information.

Column Name: ss_notec_multi_dict_3_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 3'

Column Name: ss_notec_multi_dict_3_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_3_code. See ss_notec_multi_dict_3_code for more information.

Column Name: ss_notec_multi_dict_40_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 40'

Column Name: ss_notec_multi_dict_40_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_40_code. See ss_notec_multi_dict_40_code for more information.

Column Name: ss_notec_multi_dict_41_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 41'

Column Name: ss_notec_multi_dict_41_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_41_code. See ss_notec_multi_dict_41_code for more information.

Column Name: ss_notec_multi_dict_42_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 42'

Column Name: ss_notec_multi_dict_42_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_42_code. See ss_notec_multi_dict_42_code for more information.

Column Name: ss_notec_multi_dict_43_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 43'

Column Name: ss_notec_multi_dict_43_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_43_code. See ss_notec_multi_dict_43_code for more information.

Column Name: ss_notec_multi_dict_44_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 44'

Column Name: ss_notec_multi_dict_44_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_44_code. See ss_notec_multi_dict_44_code for more information.

Column Name: ss_notec_multi_dict_45_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 45'

Column Name: ss_notec_multi_dict_45_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_45_code. See ss_notec_multi_dict_45_code for more information.

Column Name: ss_notec_multi_dict_46_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 46'

Column Name: ss_notec_multi_dict_46_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_46_code. See ss_notec_multi_dict_46_code for more information.

Column Name: ss_notec_multi_dict_47_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 47'

Column Name: ss_notec_multi_dict_47_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_47_code. See ss_notec_multi_dict_47_code for more information.

Column Name: ss_notec_multi_dict_48_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 48'

Column Name: ss_notec_multi_dict_48_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_48_code. See ss_notec_multi_dict_48_code for more information.

Column Name: ss_notec_multi_dict_49_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 49'

Column Name: ss_notec_multi_dict_49_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_49_code. See ss_notec_multi_dict_49_code for more information.

Column Name: ss_notec_multi_dict_4_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 4'

Column Name: ss_notec_multi_dict_4_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_4_code. See ss_notec_multi_dict_4_code for more information.

Column Name: ss_notec_multi_dict_50_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 50'

Column Name: ss_notec_multi_dict_50_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_50_code. See ss_notec_multi_dict_50_code for more information.

Column Name: ss_notec_multi_dict_5_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 5'

Column Name: ss_notec_multi_dict_5_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_5_code. See ss_notec_multi_dict_5_code for more information.

Column Name: ss_notec_multi_dict_6_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 6'

Column Name: ss_notec_multi_dict_6_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_6_code`. See `ss_notec_multi_dict_6_code` for more information.

Column Name: `ss_notec_multi_dict_7_code`
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 7'

Column Name: `ss_notec_multi_dict_7_value`
Column Type: varchar
Max Length: 32759
The description associated with `ss_notec_multi_dict_7_code`. See `ss_notec_multi_dict_7_code` for more information.

Column Name: `ss_notec_multi_dict_8_code`
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 8'

Column Name: `ss_notec_multi_dict_8_value`
Column Type: varchar
Max Length: 32759
The description associated with `ss_notec_multi_dict_8_code`. See `ss_notec_multi_dict_8_code` for more information.

Column Name: `ss_notec_multi_dict_9_code`
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 9'

Column Name: `ss_notec_multi_dict_9_value`
Column Type: varchar
Max Length: 32759
The description associated with `ss_notec_multi_dict_9_code`. See `ss_notec_multi_dict_9_code` for more information.

Column Name: `ss_notec_sing_dict_10_code`
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 10'

Column Name: `ss_notec_sing_dict_10_value`
Column Type: varchar
Max Length: 255
The description associated with `ss_notec_sing_dict_10_code`. See `ss_notec_sing_dict_10_code` for more information.

Column Name: `ss_notec_sing_dict_11_code`
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 11'

Column Name: ss_notec_sing_dict_11_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_11_code. See ss_notec_sing_dict_11_code for more information.

Column Name: ss_notec_sing_dict_12_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 12'

Column Name: ss_notec_sing_dict_12_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_12_code. See ss_notec_sing_dict_12_code for more information.

Column Name: ss_notec_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 13'

Column Name: ss_notec_sing_dict_13_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_13_code. See ss_notec_sing_dict_13_code for more information.

Column Name: ss_notec_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 14'

Column Name: ss_notec_sing_dict_14_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_14_code. See ss_notec_sing_dict_14_code for more information.

Column Name: ss_notec_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 15'

Column Name: ss_notec_sing_dict_15_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_15_code. See ss_notec_sing_dict_15_code for more information.

Column Name: ss_notec_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 16'

Column Name: ss_notec_sing_dict_16_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_16_code. See ss_notec_sing_dict_16_code for more information.

Column Name: ss_notec_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 17'

Column Name: ss_notec_sing_dict_17_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_17_code. See ss_notec_sing_dict_17_code for more information.

Column Name: ss_notec_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 18'

Column Name: ss_notec_sing_dict_18_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_18_code. See ss_notec_sing_dict_18_code for more information.

Column Name: ss_notec_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 19'

Column Name: ss_notec_sing_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_19_code. See ss_notec_sing_dict_19_code for more information.

Column Name: ss_notec_sing_dict_1_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 1'

Column Name: ss_notec_sing_dict_1_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_1_code. See ss_notec_sing_dict_1_code for more information.

Column Name: ss_notec_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 20'

Column Name: ss_notec_sing_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_20_code. See ss_notec_sing_dict_20_code for more information.

Column Name: ss_notec_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 21'

Column Name: ss_notec_sing_dict_21_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_21_code. See ss_notec_sing_dict_21_code for more information.

Column Name: ss_notec_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 22'

Column Name: ss_notec_sing_dict_22_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_22_code. See ss_notec_sing_dict_22_code for more information.

Column Name: ss_notec_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 23'

Column Name: ss_notec_sing_dict_23_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_23_code. See ss_notec_sing_dict_23_code for more information.

Column Name: ss_notec_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 24'

Column Name: ss_notec_sing_dict_24_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_24_code. See ss_notec_sing_dict_24_code for more information.

Column Name: ss_notec_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 25'

Column Name: ss_notec_sing_dict_25_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_25_code. See ss_notec_sing_dict_25_code for more information.

Column Name: ss_notec_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 26'

Column Name: ss_notec_sing_dict_26_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_26_code. See ss_notec_sing_dict_26_code for more information.

Column Name: ss_notec_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 27'

Column Name: ss_notec_sing_dict_27_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_27_code. See ss_notec_sing_dict_27_code for more information.

Column Name: ss_notec_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 28'

Column Name: ss_notec_sing_dict_28_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_28_code. See ss_notec_sing_dict_28_code for more information.

Column Name: ss_notec_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 29'

Column Name: ss_notec_sing_dict_29_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_29_code. See ss_notec_sing_dict_29_code for more information.

Column Name: ss_notec_sing_dict_2_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 2'

Column Name: ss_notec_sing_dict_2_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_2_code. See ss_notec_sing_dict_2_code for more information.

Column Name: ss_notec_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 30'

Column Name: ss_notec_sing_dict_30_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_30_code. See ss_notec_sing_dict_30_code for more information.

Column Name: ss_notec_sing_dict_31_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 31'

Column Name: ss_notec_sing_dict_31_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_31_code. See ss_notec_sing_dict_31_code for more information.

Column Name: ss_notec_sing_dict_32_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 32'

Column Name: ss_notec_sing_dict_32_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_32_code. See ss_notec_sing_dict_32_code for more information.

Column Name: ss_notec_sing_dict_33_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 33'

Column Name: ss_notec_sing_dict_33_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_33_code. See ss_notec_sing_dict_33_code for more information.

Column Name: ss_notec_sing_dict_34_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 34'

Column Name: ss_notec_sing_dict_34_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_34_code. See ss_notec_sing_dict_34_code for more information.

Column Name: ss_notec_sing_dict_35_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 35'

Column Name: ss_notec_sing_dict_35_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_35_code. See ss_notec_sing_dict_35_code for more information.

Column Name: ss_notec_sing_dict_36_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 36'

Column Name: ss_notec_sing_dict_36_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_36_code. See ss_notec_sing_dict_36_code for more information.

Column Name: ss_notec_sing_dict_37_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 37'

Column Name: ss_notec_sing_dict_37_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_37_code. See ss_notec_sing_dict_37_code for more information.

Column Name: ss_notec_sing_dict_38_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 38'

Column Name: ss_notec_sing_dict_38_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_38_code. See ss_notec_sing_dict_38_code for more information.

Column Name: ss_notec_sing_dict_39_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 39'

Column Name: ss_notec_sing_dict_39_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_39_code. See ss_notec_sing_dict_39_code for more information.

Column Name: ss_notec_sing_dict_3_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 3'

Column Name: ss_notec_sing_dict_3_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_3_code. See ss_notec_sing_dict_3_code for more information.

Column Name: ss_notec_sing_dict_40_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 40'

Column Name: ss_notec_sing_dict_40_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_40_code. See ss_notec_sing_dict_40_code for more information.

Column Name: ss_notec_sing_dict_41_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 41'

Column Name: ss_notec_sing_dict_41_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_41_code. See ss_notec_sing_dict_41_code for more information.

Column Name: ss_notec_sing_dict_42_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 42'

Column Name: ss_notec_sing_dict_42_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_42_code. See ss_notec_sing_dict_42_code for more information.

Column Name: ss_notec_sing_dict_43_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 43'

Column Name: ss_notec_sing_dict_43_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_43_code. See ss_notec_sing_dict_43_code for more information.

Column Name: ss_notec_sing_dict_44_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 44'

Column Name: ss_notec_sing_dict_44_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_44_code. See ss_notec_sing_dict_44_code for more information.

Column Name: ss_notec_sing_dict_45_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 45'

Column Name: ss_notec_sing_dict_45_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_45_code. See ss_notec_sing_dict_45_code for more information.

Column Name: ss_notec_sing_dict_46_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 46'

Column Name: ss_notec_sing_dict_46_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_46_code. See ss_notec_sing_dict_46_code for more information.

Column Name: ss_notec_sing_dict_47_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 47'

Column Name: ss_notec_sing_dict_47_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_47_code. See ss_notec_sing_dict_47_code for more information.

Column Name: ss_notec_sing_dict_48_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 48'

Column Name: ss_notec_sing_dict_48_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_48_code. See ss_notec_sing_dict_48_code for more information.

Column Name: ss_notec_sing_dict_49_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 49'

Column Name: ss_notec_sing_dict_49_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_49_code. See ss_notec_sing_dict_49_code for more information.

Column Name: ss_notec_sing_dict_4_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 4'

Column Name: ss_notec_sing_dict_4_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_4_code. See ss_notec_sing_dict_4_code for more information.

Column Name: ss_notec_sing_dict_50_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 50'

Column Name: ss_notec_sing_dict_50_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_50_code. See ss_notec_sing_dict_50_code for more information.

Column Name: ss_notec_sing_dict_5_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 5'

Column Name: ss_notec_sing_dict_5_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_5_code. See ss_notec_sing_dict_5_code for more information.

Column Name: ss_notec_sing_dict_6_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 6'

Column Name: ss_notec_sing_dict_6_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_6_code. See ss_notec_sing_dict_6_code for more information.

Column Name: ss_notec_sing_dict_7_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 7'

Column Name: ss_notec_sing_dict_7_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_7_code. See ss_notec_sing_dict_7_code for more information.

Column Name: ss_notec_sing_dict_8_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 8'

Column Name: ss_notec_sing_dict_8_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_8_code. See ss_notec_sing_dict_8_code for more information.

Column Name: ss_notec_sing_dict_9_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 9'

Column Name: ss_notec_sing_dict_9_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_9_code. See ss_notec_sing_dict_9_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: CWSTEMP.cw_patient_notes_supp_4

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp4 table.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a progress note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar

Max Length: 50

The unique ID associated with the prefiller.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the service.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the service.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: form_number

Column Type: varchar

Max Length: 50

'Form Number'

Column Name: option_desc

Column Type: varchar

Max Length: 81

The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mult_dic_51_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 51'

Column Name: ss_notc_mult_dic_51_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_51_code. See ss_notc_mult_dic_51_code for more information.

Column Name: ss_notc_mult_dic_52_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 52'

Column Name: ss_notc_mult_dic_52_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_52_code. See ss_notc_mult_dic_52_code for more information.

Column Name: ss_notc_mult_dic_53_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 53'

Column Name: ss_notc_mult_dic_53_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_53_code. See ss_notc_mult_dic_53_code for more information.

Column Name: ss_notc_mult_dic_54_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 54'

Column Name: ss_notc_mult_dic_54_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_54_code. See ss_notc_mult_dic_54_code for more information.

Column Name: ss_notc_mult_dic_55_code

Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 55'

Column Name: ss_notc_mult_dic_55_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_55_code. See ss_notc_mult_dic_55_code for more information.

Column Name: ss_notc_mult_dic_56_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 56'

Column Name: ss_notc_mult_dic_56_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_56_code. See ss_notc_mult_dic_56_code for more information.

Column Name: ss_notc_mult_dic_57_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 57'

Column Name: ss_notc_mult_dic_57_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_57_code. See ss_notc_mult_dic_57_code for more information.

Column Name: ss_notc_mult_dic_58_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 58'

Column Name: ss_notc_mult_dic_58_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_58_code. See ss_notc_mult_dic_58_code for more information.

Column Name: ss_notc_mult_dic_59_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 59'

Column Name: ss_notc_mult_dic_59_value
Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_59_code. See ss_notc_mult_dic_59_code for more information.

Column Name: ss_notc_mult_dic_60_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 60'

Column Name: ss_notc_mult_dic_60_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_60_code. See ss_notc_mult_dic_60_code for more information.

Column Name: ss_notc_mult_dic_61_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 61'

Column Name: ss_notc_mult_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_61_code. See ss_notc_mult_dic_61_code for more information.

Column Name: ss_notc_mult_dic_62_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 62'

Column Name: ss_notc_mult_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_62_code. See ss_notc_mult_dic_62_code for more information.

Column Name: ss_notc_mult_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 63'

Column Name: ss_notc_mult_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_63_code. See ss_notc_mult_dic_63_code for more information.

Column Name: ss_notc_mult_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 64'

Column Name: ss_notc_mult_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_64_code. See ss_notc_mult_dic_64_code for more information.

Column Name: ss_notc_mult_dic_65_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 65'

Column Name: ss_notc_mult_dic_65_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mult_dic_65_code. See ss_notc_mult_dic_65_code for more information.

Column Name: ss_notc_mult_dic_66_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 66'

Column Name: ss_notc_mult_dic_66_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_66_code. See ss_notc_mult_dic_66_code for more information.

Column Name: ss_notc_mult_dic_67_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 67'

Column Name: ss_notc_mult_dic_67_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_67_code. See ss_notc_mult_dic_67_code for more information.

Column Name: ss_notc_mult_dic_68_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 68'

Column Name: ss_notc_mult_dic_68_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_68_code`. See `ss_notc_mult_dic_68_code` for more information.

Column Name: `ss_notc_mult_dic_69_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 69'

Column Name: `ss_notc_mult_dic_69_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_69_code`. See `ss_notc_mult_dic_69_code` for more information.

Column Name: `ss_notc_mult_dic_70_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 70'

Column Name: `ss_notc_mult_dic_70_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_70_code`. See `ss_notc_mult_dic_70_code` for more information.

Column Name: `ss_notc_mult_dic_71_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 71'

Column Name: `ss_notc_mult_dic_71_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_71_code`. See `ss_notc_mult_dic_71_code` for more information.

Column Name: `ss_notc_mult_dic_72_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 72'

Column Name: `ss_notc_mult_dic_72_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_72_code`. See `ss_notc_mult_dic_72_code` for more information.

Column Name: `ss_notc_mult_dic_73_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 73'

Column Name: ss_notc_mult_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_73_code. See ss_notc_mult_dic_73_code for more information.

Column Name: ss_notc_mult_dic_74_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 74'

Column Name: ss_notc_mult_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_74_code. See ss_notc_mult_dic_74_code for more information.

Column Name: ss_notc_mult_dic_75_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 75'

Column Name: ss_notc_mult_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mult_dic_75_code. See ss_notc_mult_dic_75_code for more information.

Column Name: ss_notc_mult_dic_76_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 76'

Column Name: ss_notc_mult_dic_76_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_76_code. See ss_notc_mult_dic_76_code for more information.

Column Name: ss_notc_mult_dic_77_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 77'

Column Name: ss_notc_mult_dic_77_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_77_code`. See `ss_notc_mult_dic_77_code` for more information.

Column Name: `ss_notc_mult_dic_78_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 78'

Column Name: `ss_notc_mult_dic_78_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_78_code`. See `ss_notc_mult_dic_78_code` for more information.

Column Name: `ss_notc_mult_dic_79_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 79'

Column Name: `ss_notc_mult_dic_79_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_79_code`. See `ss_notc_mult_dic_79_code` for more information.

Column Name: `ss_notc_mult_dic_80_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 80'

Column Name: `ss_notc_mult_dic_80_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_80_code`. See `ss_notc_mult_dic_80_code` for more information.

Column Name: `ss_notc_sin_dic_51_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 51'

Column Name: `ss_notc_sin_dic_51_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_sin_dic_51_code`. See `ss_notc_sin_dic_51_code` for more information.

Column Name: `ss_notc_sin_dic_52_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 52'

Column Name: ss_notc_sin_dic_52_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_52_code. See ss_notc_sin_dic_52_code for more information.

Column Name: ss_notc_sin_dic_53_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 53'

Column Name: ss_notc_sin_dic_53_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_53_code. See ss_notc_sin_dic_53_code for more information.

Column Name: ss_notc_sin_dic_54_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 54'

Column Name: ss_notc_sin_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_54_code. See ss_notc_sin_dic_54_code for more information.

Column Name: ss_notc_sin_dic_55_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 55'

Column Name: ss_notc_sin_dic_55_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_55_code. See ss_notc_sin_dic_55_code for more information.

Column Name: ss_notc_sin_dic_56_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 56'

Column Name: ss_notc_sin_dic_56_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_56_code. See ss_notc_sin_dic_56_code for more information.

Column Name: ss_notc_sin_dic_57_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 57'

Column Name: ss_notc_sin_dic_57_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_57_code. See ss_notc_sin_dic_57_code for more information.

Column Name: ss_notc_sin_dic_58_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 58'

Column Name: ss_notc_sin_dic_58_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_58_code. See ss_notc_sin_dic_58_code for more information.

Column Name: ss_notc_sin_dic_59_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 59'

Column Name: ss_notc_sin_dic_59_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_59_code. See ss_notc_sin_dic_59_code for more information.

Column Name: ss_notc_sin_dic_60_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 60'

Column Name: ss_notc_sin_dic_60_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_60_code. See ss_notc_sin_dic_60_code for more information.

Column Name: ss_notc_sin_dic_61_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 61'

Column Name: ss_notc_sin_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_61_code. See ss_notc_sin_dic_61_code for more information.

Column Name: ss_notc_sin_dic_62_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 62'

Column Name: ss_notc_sin_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_62_code. See ss_notc_sin_dic_62_code for more information.

Column Name: ss_notc_sin_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 63'

Column Name: ss_notc_sin_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_63_code. See ss_notc_sin_dic_63_code for more information.

Column Name: ss_notc_sin_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 64'

Column Name: ss_notc_sin_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_64_code. See ss_notc_sin_dic_64_code for more information.

Column Name: ss_notc_sin_dic_65_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 65'

Column Name: ss_notc_sin_dic_65_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_sin_dic_65_code. See ss_notc_sin_dic_65_code for more information.

Column Name: ss_notc_sin_dic_66_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 66'

Column Name: ss_notc_sin_dic_66_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_66_code. See ss_notc_sin_dic_66_code for more information.

Column Name: ss_notc_sin_dic_67_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 67'

Column Name: ss_notc_sin_dic_67_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_67_code. See ss_notc_sin_dic_67_code for more information.

Column Name: ss_notc_sin_dic_68_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 68'

Column Name: ss_notc_sin_dic_68_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_68_code. See ss_notc_sin_dic_68_code for more information.

Column Name: ss_notc_sin_dic_69_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 69'

Column Name: ss_notc_sin_dic_69_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_69_code. See ss_notc_sin_dic_69_code for more information.

Column Name: ss_notc_sin_dic_70_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 70'

Column Name: ss_notc_sin_dic_70_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_70_code. See ss_notc_sin_dic_70_code for more information.

Column Name: ss_notc_sin_dic_71_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 71'

Column Name: ss_notc_sin_dic_71_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_71_code. See ss_notc_sin_dic_71_code for more information.

Column Name: ss_notc_sin_dic_72_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 72'

Column Name: ss_notc_sin_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_72_code. See ss_notc_sin_dic_72_code for more information.

Column Name: ss_notc_sin_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 73'

Column Name: ss_notc_sin_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_73_code. See ss_notc_sin_dic_73_code for more information.

Column Name: ss_notc_sin_dic_74_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 74'

Column Name: ss_notc_sin_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_74_code. See ss_notc_sin_dic_74_code for more information.

Column Name: ss_notc_sin_dic_75_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 75'

Column Name: ss_notc_sin_dic_75_value
Column Type: varchar
Max Length: 275
The description associated with ss_notc_sin_dic_75_code. See ss_notc_sin_dic_75_code for more information.

Column Name: ss_notc_sin_dic_76_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 76'

Column Name: ss_notc_sin_dic_76_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_76_code. See ss_notc_sin_dic_76_code for more information.

Column Name: ss_notc_sin_dic_77_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 77'

Column Name: ss_notc_sin_dic_77_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_77_code. See ss_notc_sin_dic_77_code for more information.

Column Name: ss_notc_sin_dic_78_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 78'

Column Name: ss_notc_sin_dic_78_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_78_code. See ss_notc_sin_dic_78_code for more information.

Column Name: ss_notc_sin_dic_79_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 79'

Column Name: ss_notc_sin_dic_79_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_79_code. See ss_notc_sin_dic_79_code for more information.

Column Name: ss_notc_sin_dic_80_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 80'

Column Name: ss_notc_sin_dic_80_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_80_code. See ss_notc_sin_dic_80_code for more information.

Column Name: ss_note_mul_dict_51_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 51'

Column Name: ss_note_mul_dict_51_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_51_code limited to 255 characters. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_51_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_51_code. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_52_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 52'

Column Name: ss_note_mul_dict_52_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_52_code limited to 255 characters. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_52_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_52_code. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_53_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 53'

Column Name: ss_note_mul_dict_53_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_53_code limited to 255 characters. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_53_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_53_code. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_54_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 54'

Column Name: ss_note_mul_dict_54_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_54_code limited to 255 characters. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_54_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_54_code. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_55_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 55'

Column Name: ss_note_mul_dict_55_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_55_code limited to 255 characters. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_55_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_55_code. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_56_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 56'

Column Name: ss_note_mul_dict_56_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_56_code limited to 255 characters. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_56_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_56_code. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_57_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 57'

Column Name: ss_note_mul_dict_57_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_57_code limited to 255 characters. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_57_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_57_code. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_58_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 58'

Column Name: ss_note_mul_dict_58_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_58_code limited to 255 characters. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_58_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_58_code. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_59_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 59'

Column Name: ss_note_mul_dict_59_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_59_code limited to 255 characters. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_59_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_59_code. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_60_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 60'

Column Name: ss_note_mul_dict_60_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_60_code limited to 255 characters. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_60_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_60_code. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_61_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 61'

Column Name: ss_note_mul_dict_61_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_61_code limited to 255 characters. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_61_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_61_code. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_62_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 62'

Column Name: ss_note_mul_dict_62_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_62_code limited to 255 characters. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_62_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_62_code. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_63_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 63'

Column Name: ss_note_mul_dict_63_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_63_code limited to 255 characters. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_63_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_63_code. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_64_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 64'

Column Name: ss_note_mul_dict_64_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_64_code limited to 255 characters. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_64_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_64_code. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_65_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 65'

Column Name: ss_note_mul_dict_65_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_65_code limited to 255 characters. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_65_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_65_code. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_66_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 66'

Column Name: ss_note_mul_dict_66_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_66_code limited to 255 characters. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_66_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_66_code. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_67_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 67'

Column Name: ss_note_mul_dict_67_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_67_code limited to 255 characters. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_67_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_67_code. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_68_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 68'

Column Name: ss_note_mul_dict_68_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_68_code limited to 255 characters. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_68_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_68_code. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_69_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 69'

Column Name: ss_note_mul_dict_69_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_69_code limited to 255 characters. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_69_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_69_code. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_70_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 70'

Column Name: ss_note_mul_dict_70_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_70_code limited to 255 characters. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_70_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_70_code. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_71_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 71'

Column Name: ss_note_mul_dict_71_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_71_code limited to 255 characters. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_71_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_71_code. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_72_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 72'

Column Name: ss_note_mul_dict_72_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_72_code limited to 255 characters. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_72_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_72_code. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_73_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 73'

Column Name: ss_note_mul_dict_73_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_73_code limited to 255 characters. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_73_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_73_code. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_74_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 74'

Column Name: ss_note_mul_dict_74_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_74_code limited to 255 characters. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_74_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_74_code. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_75_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 75'

Column Name: ss_note_mul_dict_75_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_75_code limited to 255 characters. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_75_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_75_code. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_76_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 76'

Column Name: ss_note_mul_dict_76_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_76_code limited to 255 characters. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_76_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_76_code. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_77_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 77'

Column Name: ss_note_mul_dict_77_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_77_code limited to 255 characters. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_77_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_77_code. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_78_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 78'

Column Name: ss_note_mul_dict_78_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_78_code limited to 255 characters. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_78_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_78_code. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_79_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 79'

Column Name: ss_note_mul_dict_79_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_79_code limited to 255 characters. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_79_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_79_code. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_80_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 80'

Column Name: ss_note_mul_dict_80_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_80_code limited to 255 characters. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_mul_dict_80_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_80_code. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_scroll_text_51

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 51'

Column Name: ss_note_scroll_text_52

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 52'

Column Name: ss_note_scroll_text_53

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 53'

Column Name: ss_note_scroll_text_54

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 54'

Column Name: ss_note_scroll_text_55
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 55'

Column Name: ss_note_scroll_text_56
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 56'

Column Name: ss_note_scroll_text_57
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 57'

Column Name: ss_note_scroll_text_58
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 58'

Column Name: ss_note_scroll_text_59
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 59'

Column Name: ss_note_scroll_text_60
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 60'

Column Name: ss_note_scroll_text_61
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 61'

Column Name: ss_note_scroll_text_62
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 62'

Column Name: ss_note_scroll_text_63
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 63'

Column Name: ss_note_scroll_text_64
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 64'

Column Name: ss_note_scroll_text_65
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 65'

Column Name: ss_note_scroll_text_66
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 66'

Column Name: ss_note_scroll_text_67
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 67'

Column Name: ss_note_scroll_text_68
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 68'

Column Name: ss_note_scroll_text_69
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 69'

Column Name: ss_note_scroll_text_70
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 70'

Column Name: ss_note_scroll_text_71
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 71'

Column Name: ss_note_scroll_text_72
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 72'

Column Name: ss_note_scroll_text_73
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 73'

Column Name: ss_note_scroll_text_74
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 74'

Column Name: ss_note_scroll_text_75
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 75'

Column Name: ss_note_scroll_text_76
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 76'

Column Name: ss_note_scroll_text_77
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 77'

Column Name: ss_note_scroll_text_78
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 78'

Column Name: ss_note_scroll_text_79
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 79'

Column Name: ss_note_scroll_text_80
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 80'

Column Name: ss_note_sin_dict_51_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 51'

Column Name: ss_note_sin_dict_51_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_51_code. See ss_note_sin_dict_51_code for more information.

Column Name: ss_note_sin_dict_52_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 52'

Column Name: ss_note_sin_dict_52_value
Column Type: varchar
Max Length: 50

The description associated with ss_note_sin_dict_52_code. See ss_note_sin_dict_52_code for more information.

Column Name: ss_note_sin_dict_53_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 53'

Column Name: ss_note_sin_dict_53_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_53_code. See ss_note_sin_dict_53_code for more information.

Column Name: ss_note_sin_dict_54_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 54'

Column Name: ss_note_sin_dict_54_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_54_code. See ss_note_sin_dict_54_code for more information.

Column Name: ss_note_sin_dict_55_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 55'

Column Name: ss_note_sin_dict_55_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_55_code. See ss_note_sin_dict_55_code for more information.

Column Name: ss_note_sin_dict_56_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 56'

Column Name: ss_note_sin_dict_56_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_56_code. See ss_note_sin_dict_56_code for more information.

Column Name: ss_note_sin_dict_57_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 57'

Column Name: ss_note_sin_dict_57_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_57_code. See ss_note_sin_dict_57_code for more information.

Column Name: ss_note_sin_dict_58_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 58'

Column Name: ss_note_sin_dict_58_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_58_code. See ss_note_sin_dict_58_code for more information.

Column Name: ss_note_sin_dict_59_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 59'

Column Name: ss_note_sin_dict_59_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_59_code. See ss_note_sin_dict_59_code for more information.

Column Name: ss_note_sin_dict_60_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 60'

Column Name: ss_note_sin_dict_60_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_60_code. See ss_note_sin_dict_60_code for more information.

Column Name: ss_note_sin_dict_61_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 61'

Column Name: ss_note_sin_dict_61_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_61_code. See ss_note_sin_dict_61_code for more information.

Column Name: ss_note_sin_dict_62_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 62'

Column Name: ss_note_sin_dict_62_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_62_code. See ss_note_sin_dict_62_code for more information.

Column Name: ss_note_sin_dict_63_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 63'

Column Name: ss_note_sin_dict_63_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_63_code. See ss_note_sin_dict_63_code for more information.

Column Name: ss_note_sin_dict_64_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 64'

Column Name: ss_note_sin_dict_64_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_64_code. See ss_note_sin_dict_64_code for more information.

Column Name: ss_note_sin_dict_65_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 65'

Column Name: ss_note_sin_dict_65_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_65_code. See ss_note_sin_dict_65_code for more information.

Column Name: ss_note_sin_dict_66_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 66'

Column Name: ss_note_sin_dict_66_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_66_code. See ss_note_sin_dict_66_code for more information.

Column Name: ss_note_sin_dict_67_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 67'

Column Name: ss_note_sin_dict_67_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_67_code. See ss_note_sin_dict_67_code for more information.

Column Name: ss_note_sin_dict_68_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 68'

Column Name: ss_note_sin_dict_68_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_68_code. See ss_note_sin_dict_68_code for more information.

Column Name: ss_note_sin_dict_69_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 69'

Column Name: ss_note_sin_dict_69_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_69_code. See ss_note_sin_dict_69_code for more information.

Column Name: ss_note_sin_dict_70_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 70'

Column Name: ss_note_sin_dict_70_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_70_code. See ss_note_sin_dict_70_code for more information.

Column Name: ss_note_sin_dict_71_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 71'

Column Name: ss_note_sin_dict_71_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_71_code. See ss_note_sin_dict_71_code for more information.

Column Name: ss_note_sin_dict_72_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 72'

Column Name: ss_note_sin_dict_72_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_72_code. See ss_note_sin_dict_72_code for more information.

Column Name: ss_note_sin_dict_73_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 73'

Column Name: ss_note_sin_dict_73_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_73_code. See ss_note_sin_dict_73_code for more information.

Column Name: ss_note_sin_dict_74_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 74'

Column Name: ss_note_sin_dict_74_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_74_code. See ss_note_sin_dict_74_code for more information.

Column Name: ss_note_sin_dict_75_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 75'

Column Name: ss_note_sin_dict_75_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_75_code. See ss_note_sin_dict_75_code for more information.

Column Name: ss_note_sin_dict_76_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 76'

Column Name: ss_note_sin_dict_76_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_76_code. See ss_note_sin_dict_76_code for more information.

Column Name: ss_note_sin_dict_77_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 77'

Column Name: ss_note_sin_dict_77_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_77_code. See ss_note_sin_dict_77_code for more information.

Column Name: ss_note_sin_dict_78_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 78'

Column Name: ss_note_sin_dict_78_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_78_code. See ss_note_sin_dict_78_code for more information.

Column Name: ss_note_sin_dict_79_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 79'

Column Name: ss_note_sin_dict_79_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_79_code. See ss_note_sin_dict_79_code for more information.

Column Name: ss_note_sin_dict_80_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 80'

Column Name: ss_note_sin_dict_80_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_80_code. See ss_note_sin_dict_80_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: CWSTEMP.cw_patient_notes_supp_5

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp5 table.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 50

Unique ID for a note.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: PREFILEID

Column Type: varchar

Max Length: 50

The unique ID associated with the prefiller.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the service.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the service.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: ebp_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practices'

Column Name: ebp_element_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practice Elements'

Column Name: ebp_element_value

Column Type: varchar

Max Length: 32000

The description associated with ebp_element_code

Column Name: ebp_value

Column Type: varchar

Max Length: 32000

The description associated with ebp_code

Column Name: form_number

Column Type: varchar

Max Length: 50

'Form Number'

Column Name: option_desc

Column Type: varchar

Max Length: 81

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: ss_notc_mul_dic_100_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 100'

Column Name: ss_notc_mul_dic_100_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_100_code. See ss_notc_mul_dic_100_code for more information.

Column Name: ss_notc_mul_dic_101_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 101'

Column Name: ss_notc_mul_dic_101_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_101_code. See ss_notc_mul_dic_101_code for more information.

Column Name: ss_notc_mul_dic_102_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 102'

Column Name: ss_notc_mul_dic_102_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_102_code. See ss_notc_mul_dic_102_code for more information.

Column Name: ss_notc_mul_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 103'

Column Name: ss_notc_mul_dic_103_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_103_code. See ss_notc_mul_dic_103_code for more information.

Column Name: ss_notc_mul_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 104'

Column Name: ss_notc_mul_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_104_code. See ss_notc_mul_dic_104_code for more information.

Column Name: ss_notc_mul_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 105'

Column Name: ss_notc_mul_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mul_dic_105_code. See ss_notc_mul_dic_105_code for more information.

Column Name: ss_notc_mul_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 106'

Column Name: ss_notc_mul_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_106_code. See ss_notc_mul_dic_106_code for more information.

Column Name: ss_notc_mul_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 107'

Column Name: ss_notc_mul_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_107_code. See ss_notc_mul_dic_107_code for more information.

Column Name: ss_notc_mul_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 108'

Column Name: ss_notc_mul_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_108_code. See ss_notc_mul_dic_108_code for more information.

Column Name: ss_notc_mul_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 109'

Column Name: ss_notc_mul_dic_109_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mul_dic_109_code`. See `ss_notc_mul_dic_109_code` for more information.

Column Name: `ss_notc_mul_dic_110_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 110'

Column Name: `ss_notc_mul_dic_110_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mul_dic_110_code`. See `ss_notc_mul_dic_110_code` for more information.

Column Name: `ss_notc_mul_dic_81_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 81'

Column Name: `ss_notc_mul_dic_81_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mul_dic_81_code`. See `ss_notc_mul_dic_81_code` for more information.

Column Name: `ss_notc_mul_dic_82_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 82'

Column Name: `ss_notc_mul_dic_82_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mul_dic_82_code`. See `ss_notc_mul_dic_82_code` for more information.

Column Name: `ss_notc_mul_dic_83_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 83'

Column Name: `ss_notc_mul_dic_83_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mul_dic_83_code`. See `ss_notc_mul_dic_83_code` for more information.

Column Name: `ss_notc_mul_dic_84_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Multiple Response Dictionary 84'

Column Name: ss_notc_mul_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_84_code. See ss_notc_mul_dic_84_code for more information.

Column Name: ss_notc_mul_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 85'

Column Name: ss_notc_mul_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_85_code. See ss_notc_mul_dic_85_code for more information.

Column Name: ss_notc_mul_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 86'

Column Name: ss_notc_mul_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_86_code. See ss_notc_mul_dic_86_code for more information.

Column Name: ss_notc_mul_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 87'

Column Name: ss_notc_mul_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_87_code. See ss_notc_mul_dic_87_code for more information.

Column Name: ss_notc_mul_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 88'

Column Name: ss_notc_mul_dic_88_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_88_code. See ss_notc_mul_dic_88_code for more information.

Column Name: ss_notc_mul_dic_89_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 89'

Column Name: ss_notc_mul_dic_89_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_89_code. See ss_notc_mul_dic_89_code for more information.

Column Name: ss_notc_mul_dic_90_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 90'

Column Name: ss_notc_mul_dic_90_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_90_code. See ss_notc_mul_dic_90_code for more information.

Column Name: ss_notc_mul_dic_91_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 91'

Column Name: ss_notc_mul_dic_91_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_91_code. See ss_notc_mul_dic_91_code for more information.

Column Name: ss_notc_mul_dic_92_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 92'

Column Name: ss_notc_mul_dic_92_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_92_code. See ss_notc_mul_dic_92_code for more information.

Column Name: ss_notc_mul_dic_93_code
Column Type: varchar
Max Length: 50

'SS Note Copy Multiple Response Dictionary 93'

Column Name: ss_notc_mul_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_93_code. See ss_notc_mul_dic_93_code for more information.

Column Name: ss_notc_mul_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 94'

Column Name: ss_notc_mul_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_94_code. See ss_notc_mul_dic_94_code for more information.

Column Name: ss_notc_mul_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 95'

Column Name: ss_notc_mul_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mul_dic_95_code. See ss_notc_mul_dic_95_code for more information.

Column Name: ss_notc_mul_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 96'

Column Name: ss_notc_mul_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_96_code. See ss_notc_mul_dic_96_code for more information.

Column Name: ss_notc_mul_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 97'

Column Name: ss_notc_mul_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_97_code. See ss_notc_mul_dic_97_code for more information.

Column Name: ss_notc_mul_dic_98_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 98'

Column Name: ss_notc_mul_dic_98_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_98_code. See ss_notc_mul_dic_98_code for more information.

Column Name: ss_notc_mul_dic_99_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 99'

Column Name: ss_notc_mul_dic_99_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_99_code. See ss_notc_mul_dic_99_code for more information.

Column Name: ss_notc_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 100'

Column Name: ss_notc_sin_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_100_code. See ss_notc_sin_dic_100_code for more information.

Column Name: ss_notc_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 101'

Column Name: ss_notc_sin_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_101_code. See ss_notc_sin_dic_101_code for more information.

Column Name: ss_notc_sin_dic_102_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 102'

Column Name: ss_notc_sin_dic_102_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_102_code. See ss_notc_sin_dic_102_code for more information.

Column Name: ss_notc_sin_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 103'

Column Name: ss_notc_sin_dic_103_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_103_code. See ss_notc_sin_dic_103_code for more information.

Column Name: ss_notc_sin_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 104'

Column Name: ss_notc_sin_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_104_code. See ss_notc_sin_dic_104_code for more information.

Column Name: ss_notc_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 105'

Column Name: ss_notc_sin_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_sin_dic_105_code. See ss_notc_sin_dic_105_code for more information.

Column Name: ss_notc_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 106'

Column Name: ss_notc_sin_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_106_code. See ss_notc_sin_dic_106_code for more information.

Column Name: ss_notc_sin_dic_107_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 107'

Column Name: ss_notc_sin_dic_107_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_107_code. See ss_notc_sin_dic_107_code for more information.

Column Name: ss_notc_sin_dic_108_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 108'

Column Name: ss_notc_sin_dic_108_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_108_code. See ss_notc_sin_dic_108_code for more information.

Column Name: ss_notc_sin_dic_109_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 109'

Column Name: ss_notc_sin_dic_109_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_109_code. See ss_notc_sin_dic_109_code for more information.

Column Name: ss_notc_sin_dic_110_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 110'

Column Name: ss_notc_sin_dic_110_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_110_code. See ss_notc_sin_dic_110_code for more information.

Column Name: ss_notc_sin_dic_81_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 81'

Column Name: ss_notc_sin_dic_81_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_81_code. See ss_notc_sin_dic_81_code for more information.

Column Name: ss_notc_sin_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 82'

Column Name: ss_notc_sin_dic_82_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_82_code. See ss_notc_sin_dic_82_code for more information.

Column Name: ss_notc_sin_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 83'

Column Name: ss_notc_sin_dic_83_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_83_code. See ss_notc_sin_dic_83_code for more information.

Column Name: ss_notc_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 84'

Column Name: ss_notc_sin_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_84_code. See ss_notc_sin_dic_84_code for more information.

Column Name: ss_notc_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 85'

Column Name: ss_notc_sin_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_85_code. See ss_notc_sin_dic_85_code for more information.

Column Name: ss_notc_sin_dic_86_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 86'

Column Name: ss_notc_sin_dic_86_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_86_code. See ss_notc_sin_dic_86_code for more information.

Column Name: ss_notc_sin_dic_87_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 87'

Column Name: ss_notc_sin_dic_87_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_87_code. See ss_notc_sin_dic_87_code for more information.

Column Name: ss_notc_sin_dic_88_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 88'

Column Name: ss_notc_sin_dic_88_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_88_code. See ss_notc_sin_dic_88_code for more information.

Column Name: ss_notc_sin_dic_89_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 89'

Column Name: ss_notc_sin_dic_89_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_89_code. See ss_notc_sin_dic_89_code for more information.

Column Name: ss_notc_sin_dic_90_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 90'

Column Name: ss_notc_sin_dic_90_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_90_code. See ss_notc_sin_dic_90_code for more information.

Column Name: ss_notc_sin_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 91'

Column Name: ss_notc_sin_dic_91_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_91_code. See ss_notc_sin_dic_91_code for more information.

Column Name: ss_notc_sin_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 92'

Column Name: ss_notc_sin_dic_92_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_92_code. See ss_notc_sin_dic_92_code for more information.

Column Name: ss_notc_sin_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 93'

Column Name: ss_notc_sin_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_93_code. See ss_notc_sin_dic_93_code for more information.

Column Name: ss_notc_sin_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 94'

Column Name: ss_notc_sin_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_sin_dic_94_code`. See `ss_notc_sin_dic_94_code` for more information.

Column Name: `ss_notc_sin_dic_95_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 95'

Column Name: `ss_notc_sin_dic_95_value`
Column Type: `varchar`
Max Length: 265
The description associated with `ss_notc_sin_dic_95_code`. See `ss_notc_sin_dic_95_code` for more information.

Column Name: `ss_notc_sin_dic_96_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 96'

Column Name: `ss_notc_sin_dic_96_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_96_code`. See `ss_notc_sin_dic_96_code` for more information.

Column Name: `ss_notc_sin_dic_97_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 97'

Column Name: `ss_notc_sin_dic_97_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_97_code`. See `ss_notc_sin_dic_97_code` for more information.

Column Name: `ss_notc_sin_dic_98_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 98'

Column Name: `ss_notc_sin_dic_98_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_98_code`. See `ss_notc_sin_dic_98_code` for more information.

Column Name: `ss_notc_sin_dic_99_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Single Response Dictionary 99'

Column Name: ss_notc_sin_dic_99_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_99_code. See ss_notc_sin_dic_99_code for more information.

Column Name: ss_note_mul_dic_100_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 100'

Column Name: ss_note_mul_dic_100_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_100_code limited to 255 characters. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_100_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_100_code. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_101_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 101'

Column Name: ss_note_mul_dic_101_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_101_code limited to 255 characters. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_101_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_101_code. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_102_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 102'

Column Name: ss_note_mul_dic_102_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_102_code limited to 255 characters. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_102_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_102_code. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_103_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 103'

Column Name: ss_note_mul_dic_103_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_103_code limited to 255 characters. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_103_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_103_code. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_104_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 104'

Column Name: ss_note_mul_dic_104_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_104_code limited to 255 characters. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_104_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_104_code. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_105_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 105'

Column Name: ss_note_mul_dic_105_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_105_code limited to 255 characters. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_105_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_105_code. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_106_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 106'

Column Name: ss_note_mul_dic_106_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_106_code limited to 255 characters. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_106_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_106_code. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_107_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 107'

Column Name: ss_note_mul_dic_107_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_107_code limited to 255 characters. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_107_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_107_code. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_108_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 108'

Column Name: ss_note_mul_dic_108_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_108_code limited to 255 characters. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_108_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_108_code. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_109_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 109'

Column Name: ss_note_mul_dic_109_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_109_code limited to 255 characters. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_109_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_109_code. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_110_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 110'

Column Name: ss_note_mul_dic_110_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_110_code limited to 255 characters. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_110_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_110_code. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_81_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 81'

Column Name: ss_note_mul_dic_81_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_81_code limited to 255 characters. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_81_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_81_code. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_82_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 82'

Column Name: ss_note_mul_dic_82_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_82_code limited to 255 characters. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_82_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_82_code. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_83_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 83'

Column Name: ss_note_mul_dic_83_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_83_code limited to 255 characters. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_83_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_83_code. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_84_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 84'

Column Name: ss_note_mul_dic_84_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_84_code limited to 255 characters. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_84_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_84_code. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_85_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 85'

Column Name: ss_note_mul_dic_85_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_85_code limited to 255 characters. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_85_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_85_code. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_86_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 86'

Column Name: ss_note_mul_dic_86_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_86_code limited to 255 characters. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_86_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_86_code. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_87_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 87'

Column Name: ss_note_mul_dic_87_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_87_code limited to 255 characters. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_87_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_87_code. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_88_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 88'

Column Name: ss_note_mul_dic_88_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_88_code limited to 255 characters. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_88_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_88_code. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_89_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 89'

Column Name: ss_note_mul_dic_89_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_89_code limited to 255 characters. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_89_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_89_code. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_90_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 90'

Column Name: ss_note_mul_dic_90_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_90_code limited to 255 characters. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_90_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_90_code. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_91_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 91'

Column Name: ss_note_mul_dic_91_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_91_code limited to 255 characters. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_91_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_91_code. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_92_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 92'

Column Name: ss_note_mul_dic_92_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_92_code limited to 255 characters. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_92_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_92_code. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_93_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 93'

Column Name: ss_note_mul_dic_93_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_93_code limited to 255 characters. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_93_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_93_code. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_94_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 94'

Column Name: ss_note_mul_dic_94_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_94_code limited to 255 characters. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_94_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_94_code. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_95_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 95'

Column Name: ss_note_mul_dic_95_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_95_code limited to 255 characters. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_95_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_95_code. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_96_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 96'

Column Name: ss_note_mul_dic_96_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_96_code limited to 255 characters. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_96_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_96_code. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_97_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 97'

Column Name: ss_note_mul_dic_97_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_97_code limited to 255 characters. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_97_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_97_code. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_98_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 98'

Column Name: ss_note_mul_dic_98_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_98_code limited to 255 characters. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_98_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_98_code. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_99_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 99'

Column Name: ss_note_mul_dic_99_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_99_code limited to 255 characters. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_mul_dic_99_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_99_code. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_scroll_text_100

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 100'

Column Name: ss_note_scroll_text_101

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 101'

Column Name: ss_note_scroll_text_102

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 102'

Column Name: ss_note_scroll_text_103

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 103'

Column Name: ss_note_scroll_text_104

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 104'

Column Name: ss_note_scroll_text_105

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 105'

Column Name: ss_note_scroll_text_106

Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 106'

Column Name: ss_note_scroll_text_107
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 107'

Column Name: ss_note_scroll_text_108
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 108'

Column Name: ss_note_scroll_text_109
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 109'

Column Name: ss_note_scroll_text_110
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 110'

Column Name: ss_note_scroll_text_81
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 81'

Column Name: ss_note_scroll_text_82
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 82'

Column Name: ss_note_scroll_text_83
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 83'

Column Name: ss_note_scroll_text_84
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 84'

Column Name: ss_note_scroll_text_85
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 85'

Column Name: ss_note_scroll_text_86
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 86'

Column Name: ss_note_scroll_text_87
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 87'

Column Name: ss_note_scroll_text_88
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 88'

Column Name: ss_note_scroll_text_89
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 89'

Column Name: ss_note_scroll_text_90
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 90'

Column Name: ss_note_scroll_text_91
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 91'

Column Name: ss_note_scroll_text_92
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 92'

Column Name: ss_note_scroll_text_93
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 93'

Column Name: ss_note_scroll_text_94
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 94'

Column Name: ss_note_scroll_text_95
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 95'

Column Name: ss_note_scroll_text_96
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 96'

Column Name: ss_note_scroll_text_97
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 97'

Column Name: ss_note_scroll_text_98
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 98'

Column Name: ss_note_scroll_text_99
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 99'

Column Name: ss_note_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 100'

Column Name: ss_note_sin_dic_100_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_100_code. See ss_note_sin_dic_100_code for more information.

Column Name: ss_note_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 101'

Column Name: ss_note_sin_dic_101_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_101_code. See ss_note_sin_dic_101_code for more information.

Column Name: ss_note_sin_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 102'

Column Name: ss_note_sin_dic_102_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_102_code. See ss_note_sin_dic_102_code for more information.

Column Name: ss_note_sin_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 103'

Column Name: ss_note_sin_dic_103_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_103_code. See ss_note_sin_dic_103_code for more information.

Column Name: ss_note_sin_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 104'

Column Name: ss_note_sin_dic_104_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_104_code. See ss_note_sin_dic_104_code for more information.

Column Name: ss_note_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 105'

Column Name: ss_note_sin_dic_105_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_105_code. See ss_note_sin_dic_105_code for more information.

Column Name: ss_note_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 106'

Column Name: ss_note_sin_dic_106_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_106_code. See ss_note_sin_dic_106_code for more information.

Column Name: ss_note_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 107'

Column Name: ss_note_sin_dic_107_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_107_code. See ss_note_sin_dic_107_code for more information.

Column Name: ss_note_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 108'

Column Name: ss_note_sin_dic_108_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_108_code. See ss_note_sin_dic_108_code for more information.

Column Name: ss_note_sin_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 109'

Column Name: ss_note_sin_dic_109_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_109_code. See ss_note_sin_dic_109_code for more information.

Column Name: ss_note_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 110'

Column Name: ss_note_sin_dic_110_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_110_code. See ss_note_sin_dic_110_code for more information.

Column Name: ss_note_sin_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 81'

Column Name: ss_note_sin_dic_81_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_81_code. See ss_note_sin_dic_81_code for more information.

Column Name: ss_note_sin_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 82'

Column Name: ss_note_sin_dic_82_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_82_code. See ss_note_sin_dic_82_code for more information.

Column Name: ss_note_sin_dic_83_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 83'

Column Name: ss_note_sin_dic_83_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_83_code. See ss_note_sin_dic_83_code for more information.

Column Name: ss_note_sin_dic_84_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 84'

Column Name: ss_note_sin_dic_84_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_84_code. See ss_note_sin_dic_84_code for more information.

Column Name: ss_note_sin_dic_85_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 85'

Column Name: ss_note_sin_dic_85_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_85_code. See ss_note_sin_dic_85_code for more information.

Column Name: ss_note_sin_dic_86_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 86'

Column Name: ss_note_sin_dic_86_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_86_code. See ss_note_sin_dic_86_code for more information.

Column Name: ss_note_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 87'

Column Name: ss_note_sin_dic_87_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_87_code. See ss_note_sin_dic_87_code for more information.

Column Name: ss_note_sin_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 88'

Column Name: ss_note_sin_dic_88_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_88_code. See ss_note_sin_dic_88_code for more information.

Column Name: ss_note_sin_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 89'

Column Name: ss_note_sin_dic_89_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_89_code. See ss_note_sin_dic_89_code for more information.

Column Name: ss_note_sin_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 90'

Column Name: ss_note_sin_dic_90_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_90_code. See ss_note_sin_dic_90_code for more information.

Column Name: ss_note_sin_dic_91_code

Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 91'

Column Name: ss_note_sin_dic_91_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_91_code. See ss_note_sin_dic_91_code for more information.

Column Name: ss_note_sin_dic_92_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 92'

Column Name: ss_note_sin_dic_92_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_92_code. See ss_note_sin_dic_92_code for more information.

Column Name: ss_note_sin_dic_93_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 93'

Column Name: ss_note_sin_dic_93_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_93_code. See ss_note_sin_dic_93_code for more information.

Column Name: ss_note_sin_dic_94_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 94'

Column Name: ss_note_sin_dic_94_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_94_code. See ss_note_sin_dic_94_code for more information.

Column Name: ss_note_sin_dic_95_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 95'

Column Name: ss_note_sin_dic_95_value
Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_95_code. See ss_note_sin_dic_95_code for more information.

Column Name: ss_note_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 96'

Column Name: ss_note_sin_dic_96_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_96_code. See ss_note_sin_dic_96_code for more information.

Column Name: ss_note_sin_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 97'

Column Name: ss_note_sin_dic_97_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_97_code. See ss_note_sin_dic_97_code for more information.

Column Name: ss_note_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 98'

Column Name: ss_note_sin_dic_98_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_98_code. See ss_note_sin_dic_98_code for more information.

Column Name: ss_note_sin_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 99'

Column Name: ss_note_sin_dic_99_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_99_code. See ss_note_sin_dic_99_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: CWSTEMP.cw_patient_notes_supp_6

Table Description: This table is used as a pre-filing storage of the SYSTEM.cwpatientnotessupp6 table.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 50

Unique ID for a note.

Column Name: PATID

Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PREFILEID
Column Type: varchar
Max Length: 50
The unique ID associated with the prefiler.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_51
Column Type: varchar
Max Length: 20
SS Note 20 Character 51

Column Name: ss_note_20_char_text_52
Column Type: varchar
Max Length: 20
SS Note 20 Character 52

Column Name: ss_note_20_char_text_53
Column Type: varchar
Max Length: 20
SS Note 20 Character 53

Column Name: ss_note_20_char_text_54
Column Type: varchar
Max Length: 20
SS Note 20 Character 54

Column Name: ss_note_20_char_text_55
Column Type: varchar
Max Length: 20
SS Note 20 Character 55

Column Name: ss_note_20_char_text_56
Column Type: varchar
Max Length: 20
SS Note 20 Character 56

Column Name: ss_note_20_char_text_57
Column Type: varchar
Max Length: 20
SS Note 20 Character 57

Column Name: ss_note_20_char_text_58
Column Type: varchar
Max Length: 20
SS Note 20 Character 58

Column Name: ss_note_20_char_text_59
Column Type: varchar
Max Length: 20
SS Note 20 Character 59

Column Name: ss_note_20_char_text_60
Column Type: varchar
Max Length: 20
SS Note 20 Character 60

Column Name: ss_note_20_char_text_61
Column Type: varchar
Max Length: 20
SS Note 20 Character 61

Column Name: ss_note_20_char_text_62
Column Type: varchar
Max Length: 20
SS Note 20 Character 62

Column Name: ss_note_20_char_text_63
Column Type: varchar
Max Length: 20
SS Note 20 Character 63

Column Name: ss_note_20_char_text_64
Column Type: varchar
Max Length: 20
SS Note 20 Character 64

Column Name: ss_note_20_char_text_65
Column Type: varchar
Max Length: 20
SS Note 20 Character 65

Column Name: ss_note_20_char_text_66
Column Type: varchar
Max Length: 20
SS Note 20 Character 66

Column Name: ss_note_20_char_text_67
Column Type: varchar
Max Length: 20
SS Note 20 Character 67

Column Name: ss_note_20_char_text_68
Column Type: varchar
Max Length: 20
SS Note 20 Character 68

Column Name: ss_note_20_char_text_69
Column Type: varchar
Max Length: 20
SS Note 20 Character 69

Column Name: ss_note_20_char_text_70
Column Type: varchar
Max Length: 20
SS Note 20 Character 70

Column Name: ss_note_20_char_text_71
Column Type: varchar
Max Length: 20
SS Note 20 Character 71

Column Name: ss_note_20_char_text_72
Column Type: varchar
Max Length: 20
SS Note 20 Character 72

Column Name: ss_note_20_char_text_73
Column Type: varchar
Max Length: 20
SS Note 20 Character 73

Column Name: ss_note_20_char_text_74
Column Type: varchar
Max Length: 20
SS Note 20 Character 74

Column Name: ss_note_20_char_text_75
Column Type: varchar
Max Length: 20
SS Note 20 Character 75

Column Name: ss_note_20_char_text_76
Column Type: varchar
Max Length: 20
SS Note 20 Character 76

Column Name: ss_note_40_char_text_51
Column Type: varchar
Max Length: 40
SS Note 40 Character 51

Column Name: ss_note_40_char_text_52
Column Type: varchar
Max Length: 40
SS Note 40 Character 52

Column Name: ss_note_40_char_text_53
Column Type: varchar
Max Length: 40
SS Note 40 Character 53

Column Name: ss_note_40_char_text_54
Column Type: varchar
Max Length: 40
SS Note 40 Character 54

Column Name: ss_note_40_char_text_55
Column Type: varchar
Max Length: 40
SS Note 40 Character 55

Column Name: ss_note_40_char_text_56
Column Type: varchar
Max Length: 40
SS Note 40 Character 56

Column Name: ss_note_40_char_text_57
Column Type: varchar
Max Length: 40
SS Note 40 Character 57

Column Name: ss_note_40_char_text_58
Column Type: varchar
Max Length: 40
SS Note 40 Character 58

Column Name: ss_note_40_char_text_59
Column Type: varchar
Max Length: 40
SS Note 40 Character 59

Column Name: ss_note_40_char_text_60
Column Type: varchar
Max Length: 40
SS Note 40 Character 60

Column Name: ss_note_40_char_text_61
Column Type: varchar
Max Length: 40
SS Note 40 Character 61

Column Name: ss_note_40_char_text_62
Column Type: varchar
Max Length: 40
SS Note 40 Character 62

Column Name: ss_note_40_char_text_63
Column Type: varchar
Max Length: 40
SS Note 40 Character 63

Column Name: ss_note_40_char_text_64
Column Type: varchar
Max Length: 40
SS Note 40 Character 64

Column Name: ss_note_40_char_text_65
Column Type: varchar
Max Length: 40
SS Note 40 Character 65

Column Name: ss_note_40_char_text_66
Column Type: varchar
Max Length: 40
SS Note 40 Character 66

Column Name: ss_note_40_char_text_67
Column Type: varchar
Max Length: 40
SS Note 40 Character 67

Column Name: ss_note_40_char_text_68
Column Type: varchar
Max Length: 40
SS Note 40 Character 68

Column Name: ss_note_40_char_text_69
Column Type: varchar
Max Length: 40
SS Note 40 Character 69

Column Name: ss_note_40_char_text_70
Column Type: varchar
Max Length: 40
SS Note 40 Character 70

Column Name: ss_note_40_char_text_71
Column Type: varchar
Max Length: 40
SS Note 40 Character 71

Column Name: ss_note_40_char_text_72
Column Type: varchar
Max Length: 40
SS Note 40 Character 72

Column Name: ss_note_40_char_text_73
Column Type: varchar
Max Length: 40
SS Note 40 Character 73)

Column Name: ss_note_40_char_text_74
Column Type: varchar
Max Length: 40
SS Note 40 Character 74

Column Name: ss_note_40_char_text_75
Column Type: varchar
Max Length: 40
SS Note 40 Character 75

Column Name: ss_note_40_char_text_76
Column Type: varchar
Max Length: 40
SS Note 40 Character 76

Column Name: ss_note_date_51
Column Type: date
SS Note Date 51

Column Name: ss_note_date_52
Column Type: date
SS Note Date 52

Column Name: ss_note_date_53
Column Type: date
SS Note Date 53

Column Name: ss_note_date_54
Column Type: date
SS Note Date 54

Column Name: ss_note_date_55
Column Type: date
SS Note Date 55

Column Name: ss_note_date_56
Column Type: date
SS Note Date 56

Column Name: ss_note_date_57
Column Type: date
SS Note Date 57

Column Name: ss_note_date_58
Column Type: date
SS Note Date 58

Column Name: ss_note_date_59
Column Type: date

SS Note Date 59

Column Name: ss_note_date_60

Column Type: date

SS Note Date 60

Column Name: ss_note_integer_51

Column Type: integer

SS Note Integer 51

Column Name: ss_note_integer_52

Column Type: integer

SS Note Integer 52

Column Name: ss_note_integer_53

Column Type: integer

SS Note Integer 53

Column Name: ss_note_integer_54

Column Type: integer

SS Note Integer 54

Column Name: ss_note_integer_55

Column Type: integer

SS Note Integer 55

Column Name: ss_note_integer_56

Column Type: integer

SS Note Integer 56

Column Name: ss_note_integer_57

Column Type: integer

SS Note Integer 57

Column Name: ss_note_integer_58

Column Type: integer

SS Note Integer 58

Column Name: ss_note_integer_59

Column Type: integer

SS Note Integer 59

Column Name: ss_note_integer_60

Column Type: integer

SS Note Integer 60

Column Name: ss_note_scroll_text_111

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 111

Column Name: ss_note_scroll_text_112
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 112

Column Name: ss_note_scroll_text_113
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 113

Column Name: ss_note_scroll_text_114
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 114

Column Name: ss_note_scroll_text_115
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 115

Column Name: ss_note_scroll_text_116
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 116

Column Name: ss_note_scroll_text_117
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 117

Column Name: ss_note_scroll_text_118
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 118

Column Name: ss_note_scroll_text_119
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 119

Column Name: ss_note_scroll_text_120
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 120

Column Name: ss_note_scroll_text_121
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 121

Column Name: ss_note_scroll_text_122
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 122

Column Name: ss_note_scroll_text_123
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 123

Column Name: ss_note_scroll_text_124
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 124

Column Name: ss_note_scroll_text_125
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 125

Column Name: ss_note_scroll_text_126
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 126

Column Name: ss_note_scroll_text_127
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 127

Column Name: ss_note_scroll_text_128
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 128

Column Name: ss_note_scroll_text_129
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 129

Column Name: ss_note_scroll_text_130
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 130

Column Name: ss_note_scroll_text_131
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 131

Column Name: ss_note_scroll_text_132
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 132

Column Name: ss_note_scroll_text_133
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 133

Column Name: ss_note_scroll_text_134
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 134

Column Name: ss_note_scroll_text_135
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 135

Column Name: ss_note_scroll_text_136
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 136

Column Name: ss_note_time_51
Column Type: varchar
Max Length: 10
SS Note Time 51

Column Name: ss_note_time_52
Column Type: varchar
Max Length: 10
SS Note Time 52

Column Name: ss_note_time_53
Column Type: varchar
Max Length: 10
SS Note Time 53

Column Name: ss_note_time_54
Column Type: varchar
Max Length: 10
SS Note Time 54

Column Name: ss_note_time_55
Column Type: varchar
Max Length: 10
SS Note Time 55

Column Name: ss_note_time_56
Column Type: varchar
Max Length: 10
SS Note Time 56

Column Name: ss_note_time_57
Column Type: varchar
Max Length: 10
SS Note Time 57

Column Name: ss_note_time_58
Column Type: varchar
Max Length: 10
SS Note Time 58

Column Name: ss_note_time_59
Column Type: varchar
Max Length: 10
SS Note Time 59

Column Name: ss_note_time_60
Column Type: varchar
Max Length: 10
SS Note Time 60

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: SYSTEM.cw_group_notes

Table Description: This table returns the information stored in the 'Progress Notes (Group and Individual)', 'Independent Group Progress Notes', 'Enter Group Default Note', and 'Edit Group Note for Individual' forms.

Column Name: ID
Column Type: integer

Column Name: APPOINTMENT_ID
Column Type: varchar
Max Length: 40

Column Name: calpm_ebpss_csi_code
Column Type: varchar
Max Length: 50

Column Name: calpm_ebpss_csi_value
Column Type: varchar
Max Length: 200

Column Name: co_pract_duration
Column Type: varchar
Max Length: 40

Column Name: co_pract_duration_2
Column Type: varchar
Max Length: 40

Column Name: co_practitioner_id
Column Type: varchar
Max Length: 15

Column Name: co_practitioner_id_2
Column Type: varchar
Max Length: 15

Column Name: co_practitioner_name
Column Type: varchar
Max Length: 40

Column Name: co_practitioner_name_2
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: date_of_service
Column Type: date

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40

Column Name: location_code
Column Type: varchar
Max Length: 15

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: note_date
Column Type: date

Column Name: note_for_code
Column Type: varchar
Max Length: 20

Column Name: note_for_value
Column Type: varchar
Max Length: 40

Column Name: note_time
Column Type: varchar
Max Length: 10

Column Name: note_type_code
Column Type: varchar
Max Length: 40

Column Name: note_type_value
Column Type: varchar
Max Length: 80

Column Name: notes_field
Column Type: varchar
Max Length: 32766

Column Name: number_clients_in_group
Column Type: varchar
Max Length: 40

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: practitioner_id
Column Type: varchar
Max Length: 15

Column Name: practitioner_name
Column Type: varchar
Max Length: 40

Column Name: service_charge_code
Column Type: varchar
Max Length: 40

Column Name: service_charge_value
Column Type: varchar
Max Length: 40

Column Name: service_duration
Column Type: varchar
Max Length: 5

Column Name: service_end_time
Column Type: varchar
Max Length: 10

Column Name: service_program_code
Column Type: varchar
Max Length: 40

Column Name: service_program_value
Column Type: varchar
Max Length: 80

Column Name: service_start_time
Column Type: varchar
Max Length: 10

Column Name: SNOTuniqueid
Column Type: varchar
Max Length: 50

Column Name: TODO_ID
Column Type: varchar
Max Length: 20

Column Name: user_to_send_scr_code
Column Type: varchar
Max Length: 50

Column Name: user_to_send_cosign_code
Column Type: varchar
Max Length: 50

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 40

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096

Column Name: psycho_add_on_duration
Column Type: integer

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768

Column Name: session_start_end_times
Column Type: varchar
Max Length: 32766

Column Name: external_system_id
Column Type: varchar
Max Length: 255

Column Name: clinical_quality_code
Column Type: varchar
Max Length: 255

Column Name: clinical_quality_sh_val
Column Type: varchar
Max Length: 255

Column Name: clinical_quality_value
Column Type: varchar
Max Length: 4096

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 255

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80

Column Name: ebps_code
Column Type: varchar
Max Length: 255

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255

Column Name: ebps_value
Column Type: varchar
Max Length: 4096

Column Name: unique_note_id
Column Type: integer

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: SYSTEM.cw_note_to_do

Table Description: This table returns data stored with to-do's from progress notes.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data is stored.

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID for a row.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID

Column Name: TODO_ID
Column Type: varchar
Max Length: 20
The unique ID for a to-do note.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: SYSTEM.cw_note_todo_link

Table Description: Progress Notes ToDo ID Link for ToDo's History.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data is stored.

Column Name: NOTuniqueid
Column Type: varchar
Max Length: 50
The unique ID for a progress note.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID

Column Name: to_do_id
Column Type: varchar
Max Length: 20
Unique ID for a to-do note.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: SYSTEM.cw_patient_notes

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20
The unique ID associated with the note.

Column Name: notes_field
Column Type: varchar
Max Length: 32700
The written note information.

Column Name: note_type_code
Column Type: varchar
Max Length: 50
'Note Type'

Column Name: note_type_value

Column Type: varchar

Max Length: 40

The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time

Column Type: varchar

Max Length: 25

'Note Time'

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: New_Existing_Service_code

Column Type: varchar

Max Length: 5

'Progress Note For'

Column Name: New_Existing_Service_value

Column Type: varchar

Max Length: 40

The description associated with New_Existing_Service_code. See New_Existing_Service_code for more information.

Column Name: service_program_value

Column Type: varchar

Max Length: 40

The description associated with service_program_code. See service_program_code for more information.

Column Name: note_addresses

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_which_tp_plan_prob

Column Type: varchar
Max Length: 32700
The treatment plan problem to add to the note.

Column Name: Tx_Note_UniqueId
Column Type: varchar
Max Length: 40
The unique ID associated with the treatment.

Column Name: service_charge_value
Column Type: varchar
Max Length: 40
The description associated with service_charge_code. See service_charge_code for more information.

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
The unique ID that joins the note to the service.

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: Option_Id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: TODO_ID
Column Type: varchar
Max Length: 20
'To Do Id'

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768
The add-on notes.

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 40
The additional service information.

Column Name: add_svc_info_shval

Column Type: varchar

Max Length: 255

The description associated with add_svc_info_code limited to 255 characters. See add_svc_info_code for more information.

Column Name: add_svc_info_value

Column Type: varchar

Max Length: 4096

The description associated with add_svc_info_code. See add_svc_info_code for more information.

Column Name: aps_link

Column Type: varchar

Max Length: 40

'Note Addresses Which Existing Appointment'

Column Name: billing_status_code

Column Type: varchar

Max Length: 50

'Service Status'

Column Name: billing_status_value

Column Type: varchar

Max Length: 50

The description associated with billing_status_code. See billing_status_code for more information.

Column Name: calpm_ebpss_csi_code

Column Type: varchar

Max Length: 50

'Evidence-Based Practices / Service Strategies (CSI)'

Column Name: calpm_ebpss_csi_value

Column Type: varchar

Max Length: 200

The description associated with calpm_ebpss_csi_code. See calpm_ebpss_csi_code for more information.

Column Name: calpm_ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

The description associated with calpm_ebpss_csi_value_code. See calpm_ebpss_csi_value_code for more information.

Column Name: client_prob_list_codes

Column Type: varchar

Max Length: 50

The codes associated with the client problem list.

Column Name: client_prob_list_shvals

Column Type: varchar

Max Length: 255

The description associated with client_prob_list_code limited to 255 characters. See client_prob_list_code for more information.

Column Name: client_prob_list_vals

Column Type: varchar

Max Length: 32700

The description associated with client_prob_list_code. See client_prob_list_code for more information.

Column Name: clinical_instructions

Column Type: varchar

Max Length: 32700

'Clinical Instructions'

Column Name: clinical_quality_code

Column Type: varchar

Max Length: 255

'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val

Column Type: varchar

Max Length: 255

'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: clinical_quality_value

Column Type: varchar

Max Length: 4096

'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: confidential_note

Column Type: varchar

Max Length: 50

The confidential note.

Column Name: co_pract_duration

Column Type: numeric

The first co-practitioner duration.

Column Name: co_pract2_duration

Column Type: numeric

The second co-practitioner duration.

Column Name: co_practitioner_id

Column Type: varchar

Max Length: 15

The first co-practitioner ID.

Column Name: co_practitioner_id_2

Column Type: varchar

Max Length: 15

The second co-practitioner ID.

Column Name: co_practitioner_name
Column Type: varchar
Max Length: 40
The name associated with co_practitioner_id.

Column Name: co_practitioner_name_2
Column Type: varchar
Max Length: 40
The name associated with co_practitioner_id_2.

Column Name: co_sign_to_do_user
Column Type: varchar
Max Length: 50
'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 40
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_group_service
Column Type: date
The date of the group service.

Column Name: date_of_note
Column Type: date
The date of the note.

Column Name: date_of_service
Column Type: date
The date of the service.

Column Name: discipline_code
Column Type: varchar
Max Length: 40
'Discipline'

Column Name: discipline_value
Column Type: varchar
Max Length: 40
The description associated with discipline_code. See discipline_code for more information.

Column Name: document_routing_status
Column Type: varchar
Max Length: 50
Status of the document

Column Name: draft_final_code
Column Type: varchar
Max Length: 5
'Draft/Final'

Column Name: draft_final_value
Column Type: varchar
Max Length: 40
The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code
Column Type: varchar
Max Length: 255
'Evidence Based Practices'

Column Name: ebps_sh_val

Column Type: varchar

Max Length: 255

'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value

Column Type: varchar

Max Length: 4096

'The description associated with ebps_code. See ebps_code for more information.'

Column Name: external_system_id

Column Type: varchar

Max Length: 255

'External System Identifier'

Column Name: finalized_signature

Column Type: varchar

Max Length: 255

'Finalized Signature'

Column Name: has_nonmed_diag_flg_code

Column Type: varchar

Max Length: 50

The non-medical diagnosis flag.

Column Name: has_nonmed_diag_flg_value

Column Type: varchar

Max Length: 50

The description associated with has_nonmed_diag_flg_code. See has_nonmed_diag_flg_code for more information.

Column Name: jointodiagnosisobject1

Column Type: varchar

Max Length: 40

'Diagnosis 1'

Column Name: jointodiagnosisobject2

Column Type: varchar

Max Length: 40

'Diagnosis 2'

Column Name: jointodiagnosisobject3

Column Type: varchar

Max Length: 40

'Diagnosis 3'

Column Name: jointodiagnosisobject4

Column Type: varchar

Max Length: 40

'Diagnosis 4'

Column Name: location_code

Column Type: varchar

Max Length: 50

The location of the service.

Column Name: location_value

Column Type: varchar

Max Length: 40

The description associated with location_code. See location_code for more information.

Column Name: medical_diag1_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag1_DSM_code. See medical_diag1_DSM_code for more information.

Column Name: medical_diag_1_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD 10'

Column Name: medical_diag_1_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd10_code. See medical_diag_1_icd10_code for more information.

Column Name: medical_diag_1_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1 ICD 9'

Column Name: medical_diag_1_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_icd9_code. See medical_diag_1_icd9_code for more information.

Column Name: medical_diag_1_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_1_imo_code. See medical_diag_1_imo_code for more information.

Column Name: medical_diag2_DSM_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag2_DSM_code. See medical_diag2_DSM_code for more information.

Column Name: medical_diag_2_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 10'

Column Name: medical_diag_2_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd10_code. See medical_diag_2_icd10_code for more information.

Column Name: medical_diag_2_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2 ICD 9'

Column Name: medical_diag_2_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_icd9_code. See medical_diag_2_icd9_code for more information.

Column Name: medical_diag_2_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_2_imo_code. See medical_diag_2_imo_code for more information.

Column Name: medical_diag_3_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 10'

Column Name: medical_diag_3_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd10_code. See medical_diag_3_icd10_code for more information.

Column Name: medical_diag_3_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 3 ICD 9'

Column Name: medical_diag_3_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_icd9_code. See medical_diag_3_icd9_code for more information.

Column Name: medical_diag_3_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_3_imo_code. See medical_diag_3_imo_code for more information.

Column Name: medical_diag_4_icd10_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 10'

Column Name: medical_diag_4_icd10_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd10_code. See medical_diag_4_icd10_code for more information.

Column Name: medical_diag_4_icd9_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 4 ICD 9'

Column Name: medical_diag_4_icd9_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_icd9_code. See medical_diag_4_icd9_code for more information.

Column Name: medical_diag_4_imo_value

Column Type: varchar

Max Length: 40

The description associated with medical_diag_4_imo_code. See medical_diag_4_imo_code for more information.

Column Name: medical_diagnosis_1_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 1'

Column Name: medical_diagnosis_1_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code

Column Type: varchar

Max Length: 40

'Medical Diagnosis 2'

Column Name: medical_diagnosis_2_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: medical_diagnosis_3_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 3'

Column Name: medical_diagnosis_3_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_3_code. See medical_diagnosis_3_code for more information.

Column Name: medical_diagnosis_4_code

Column Type: varchar

Max Length: 50

'Medical Diagnosis 4'

Column Name: medical_diagnosis_4_value

Column Type: varchar

Max Length: 32700

The description associated with medical_diagnosis_4_code. See medical_diagnosis_4_code for more information.

Column Name: notes_entry_index_nu

Column Type: varchar

Max Length: 50

The notes entry index.

Column Name: number_clients_in_group

Column Type: integer

'Number Of Clients In Group'

Column Name: orig_note_uniq_id_num

Column Type: varchar

Max Length: 20

'Original Note Unique ID Number'

Column Name: practitioner_id

Column Type: varchar

Max Length: 15

The practitioner associated with the note.

Column Name: practitioner_name

Column Type: varchar

Max Length: 40

The name associated with practitioner_id.

Column Name: psycho_add_on_duration

Column Type: integer

The psychotherapy add-on duration.

Column Name: reason_for_visit_code

Column Type: varchar

Max Length: 50

'Reason for Visit'

Column Name: reason_for_visit_value

Column Type: varchar

Max Length: 250

The description associated with reason_for_visit_code. See reason_for_visit_code for more information.

Column Name: recommended_decision

Column Type: varchar

Max Length: 32700

'Recommended Decision'

Column Name: release_type_code

Column Type: varchar

Max Length: 50

The value entered in the field 'Are you releasing to myHealthPointe or External providers?'

Column Name: release_type_value

Column Type: varchar

Max Length: 40

The description associated with release_type_code.

Column Name: select_tp_version_code

Column Type: varchar

Max Length: 5

'Select T.P. Version'

Column Name: select_tp_version_value

Column Type: varchar

Max Length: 40

The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: service_charge_code

Column Type: varchar

Max Length: 40

The service charge code.

Column Name: service_duration

Column Type: varchar

Max Length: 5

The duration of the service.

Column Name: service_end_time

Column Type: varchar

Max Length: 10

The end time of the service.

Column Name: service_program_code

Column Type: varchar

Max Length: 15

The program of the service.

Column Name: service_start_time

Column Type: varchar

Max Length: 10

The start time of the service.

Column Name: session_start_end_times

Column Type: varchar

Max Length: 32766

'Start/End Time(s)'

Column Name: ss_note_20_char_text_1

Column Type: varchar

Max Length: 20

'SS Note 20 Character 1'

Column Name: ss_note_20_char_text_10

Column Type: varchar

Max Length: 20

'SS Note 20 Character 10'

Column Name: ss_note_20_char_text_2

Column Type: varchar

Max Length: 20

'SS Note 20 Character 2'

Column Name: ss_note_20_char_text_3

Column Type: varchar

Max Length: 20

'SS Note 20 Character 3'

Column Name: ss_note_20_char_text_4

Column Type: varchar

Max Length: 20

'SS Note 20 Character 4'

Column Name: ss_note_20_char_text_5

Column Type: varchar

Max Length: 20

'SS Note 20 Character 5'

Column Name: ss_note_20_char_text_6

Column Type: varchar

Max Length: 20

'SS Note 20 Character 6'

Column Name: ss_note_20_char_text_7

Column Type: varchar

Max Length: 20

'SS Note 20 Character 7'

Column Name: ss_note_20_char_text_8

Column Type: varchar

Max Length: 20

'SS Note 20 Character 8'

Column Name: ss_note_20_char_text_9

Column Type: varchar

Max Length: 20

'SS Note 20 Character 9'

Column Name: ss_note_40_char_text_1

Column Type: varchar

Max Length: 40

'SS Note 40 Character 1'

Column Name: ss_note_40_char_text_10

Column Type: varchar

Max Length: 40

'SS Note 40 Character 10'

Column Name: ss_note_40_char_text_2

Column Type: varchar

Max Length: 40

'SS Note 40 Character 2'

Column Name: ss_note_40_char_text_3

Column Type: varchar

Max Length: 40

'SS Note 40 Character 3'

Column Name: ss_note_40_char_text_4

Column Type: varchar

Max Length: 40

'SS Note 40 Character 4'

Column Name: ss_note_40_char_text_5

Column Type: varchar

Max Length: 40

'SS Note 40 Character 5'

Column Name: ss_note_40_char_text_6

Column Type: varchar

Max Length: 40

'SS Note 40 Character 6'

Column Name: ss_note_40_char_text_7

Column Type: varchar

Max Length: 40

'SS Note 40 Character 7'

Column Name: ss_note_40_char_text_8

Column Type: varchar

Max Length: 40

'SS Note 40 Character 8'

Column Name: ss_note_40_char_text_9

Column Type: varchar

Max Length: 40

'SS Note 40 Character 9'

Column Name: ss_note_80_char_text_1

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 9'

Column Name: ss_note_date_1

Column Type: date

'SS Note Date 1'

Column Name: ss_note_date_10

Column Type: date

'SS Note Date 10'

Column Name: ss_note_date_2

Column Type: date

'SS Note Date 2'

Column Name: ss_note_date_3

Column Type: date

'SS Note Date 3'

Column Name: ss_note_date_4

Column Type: date

'SS Note Date 4'

Column Name: ss_note_date_5

Column Type: date

'SS Note Date 5'

Column Name: ss_note_date_6

Column Type: date

'SS Note Date 6'

Column Name: ss_note_date_7
Column Type: date
'SS Note Date 7'

Column Name: ss_note_date_8
Column Type: date
'SS Note Date 8'

Column Name: ss_note_date_9
Column Type: date
'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 10'

Column Name: ss_note_dsm_diag_10_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 1'

Column Name: ss_note_dsm_diag_1_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 2'

Column Name: ss_note_dsm_diag_2_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_2_code. See ss_note_dsm_diag_2_code for more information.

Column Name: ss_note_dsm_diag_3_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 3'

Column Name: ss_note_dsm_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_3_code. See ss_note_dsm_diag_3_code for more information.

Column Name: ss_note_dsm_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 4'

Column Name: ss_note_dsm_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_4_code. See ss_note_dsm_diag_4_code for more information.

Column Name: ss_note_dsm_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 5'

Column Name: ss_note_dsm_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_5_code. See ss_note_dsm_diag_5_code for more information.

Column Name: ss_note_dsm_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 6'

Column Name: ss_note_dsm_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_6_code. See ss_note_dsm_diag_6_code for more information.

Column Name: ss_note_dsm_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 7'

Column Name: ss_note_dsm_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_7_code. See ss_note_dsm_diag_7_code for more information.

Column Name: ss_note_dsm_diag_8_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 8'

Column Name: ss_note_dsm_diag_8_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_8_code. See ss_note_dsm_diag_8_code for more information.

Column Name: ss_note_dsm_diag_9_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 9'

Column Name: ss_note_dsm_diag_9_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_9_code. See ss_note_dsm_diag_9_code for more information.

Column Name: ss_note_icd9_diag_10_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 10'

Column Name: ss_note_icd9_diag_10_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_10_code. See ss_note_icd9_diag_10_code for more information.

Column Name: ss_note_icd9_diag_1_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 1'

Column Name: ss_note_icd9_diag_1_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_1_code. See ss_note_icd9_diag_1_code for more information.

Column Name: ss_note_icd9_diag_2_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 2'

Column Name: ss_note_icd9_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_2_code. See ss_note_icd9_diag_2_code for more information.

Column Name: ss_note_icd9_diag_3_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 3'

Column Name: ss_note_icd9_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_3_code. See ss_note_icd9_diag_3_code for more information.

Column Name: ss_note_icd9_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 4'

Column Name: ss_note_icd9_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_4_code. See ss_note_icd9_diag_4_code for more information.

Column Name: ss_note_icd9_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 5'

Column Name: ss_note_icd9_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_5_code. See ss_note_icd9_diag_5_code for more information.

Column Name: ss_note_icd9_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 6'

Column Name: ss_note_icd9_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_6_code. See ss_note_icd9_diag_6_code for more information.

Column Name: ss_note_icd9_diag_7_code

Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 7'

Column Name: ss_note_icd9_diag_7_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_7_code. See ss_note_icd9_diag_7_code for more information.

Column Name: ss_note_icd9_diag_8_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 8'

Column Name: ss_note_icd9_diag_8_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_8_code. See ss_note_icd9_diag_8_code for more information.

Column Name: ss_note_icd9_diag_9_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 9'

Column Name: ss_note_icd9_diag_9_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_9_code. See ss_note_icd9_diag_9_code for more information.

Column Name: ss_note_multi_dict_10_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 10'

Column Name: ss_note_multi_dict_10_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_10_code. See ss_note_multi_dict_10_code for more information.

Column Name: ss_note_multi_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 1'

Column Name: ss_note_multi_dict_1_value
Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_1_code. See ss_note_multi_dict_1_code for more information.

Column Name: ss_note_multi_dict_2_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 2'

Column Name: ss_note_multi_dict_2_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_2_code. See ss_note_multi_dict_2_code for more information.

Column Name: ss_note_multi_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 3'

Column Name: ss_note_multi_dict_3_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_3_code. See ss_note_multi_dict_3_code for more information.

Column Name: ss_note_multi_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 4'

Column Name: ss_note_multi_dict_4_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_4_code. See ss_note_multi_dict_4_code for more information.

Column Name: ss_note_multi_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 5'

Column Name: ss_note_multi_dict_5_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_5_code. See ss_note_multi_dict_5_code for more information.

Column Name: ss_note_multi_dict_6_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 6'

Column Name: ss_note_multi_dict_6_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 7'

Column Name: ss_note_multi_dict_7_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_7_code. See ss_note_multi_dict_7_code for more information.

Column Name: ss_note_multi_dict_8_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 8'

Column Name: ss_note_multi_dict_8_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_8_code. See ss_note_multi_dict_8_code for more information.

Column Name: ss_note_multi_dict_9_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 9'

Column Name: ss_note_multi_dict_9_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_9_code. See ss_note_multi_dict_9_code for more information.

Column Name: ss_note_scroll_text_1
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Text 1'

Column Name: ss_note_scroll_text_10
Column Type: varchar
Max Length: 32700

'SS Note Scrolling Text 10'

Column Name: ss_note_scroll_text_2

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 2'

Column Name: ss_note_scroll_text_3

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 3'

Column Name: ss_note_scroll_text_4

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 4'

Column Name: ss_note_scroll_text_5

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 5'

Column Name: ss_note_scroll_text_6

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 6'

Column Name: ss_note_scroll_text_7

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 7'

Column Name: ss_note_scroll_text_8

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 8'

Column Name: ss_note_scroll_text_9

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Text 9'

Column Name: ss_note_sing_dict_10_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 10'

Column Name: ss_note_sing_dict_10_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 1'

Column Name: ss_note_sing_dict_1_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 2'

Column Name: ss_note_sing_dict_2_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 3'

Column Name: ss_note_sing_dict_3_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 4'

Column Name: ss_note_sing_dict_4_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 5'

Column Name: ss_note_sing_dict_5_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 6'

Column Name: ss_note_sing_dict_6_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 7'

Column Name: ss_note_sing_dict_7_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 8'

Column Name: ss_note_sing_dict_8_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 9'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1
Column Type: varchar
Max Length: 20
'SS Note Staff Member 1'

Column Name: ss_note_staff_10
Column Type: varchar
Max Length: 20
'SS Note Staff Member 10'

Column Name: ss_note_staff_2
Column Type: varchar
Max Length: 20
'SS Note Staff Member 2'

Column Name: ss_note_staff_3
Column Type: varchar
Max Length: 20
'SS Note Staff Member 3'

Column Name: ss_note_staff_4
Column Type: varchar
Max Length: 20
'SS Note Staff Member 4'

Column Name: ss_note_staff_5
Column Type: varchar
Max Length: 20
'SS Note Staff Member 5'

Column Name: ss_note_staff_6
Column Type: varchar
Max Length: 20
'SS Note Staff Member 6'

Column Name: ss_note_staff_7
Column Type: varchar
Max Length: 20
'SS Note Staff Member 7'

Column Name: ss_note_staff_8
Column Type: varchar
Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar

Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6
Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7
Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar
Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar

Max Length: 10
'SS Note Time 9'

Column Name: transcription_note
Column Type: bit
Is this is Transcription note

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: SYSTEM.cw_patient_notes_supp

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar

Max Length: 50

The unique ID associated with the note.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: confidential_note

Column Type: varchar

Max Length: 50

Whether the note is confidential.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field
Column Type: varchar
Max Length: 32700
The contents of the notes field.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_11
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 11'

Column Name: ss_note_20_char_text_12
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 12'

Column Name: ss_note_20_char_text_13
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 13'

Column Name: ss_note_20_char_text_14

Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 14'

Column Name: ss_note_20_char_text_15
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 15'

Column Name: ss_note_20_char_text_16
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 16'

Column Name: ss_note_20_char_text_17
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 17'

Column Name: ss_note_20_char_text_18
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 18'

Column Name: ss_note_20_char_text_19
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 19'

Column Name: ss_note_20_char_text_20
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 20'

Column Name: ss_note_20_char_text_21
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 21'

Column Name: ss_note_20_char_text_22
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 22'

Column Name: ss_note_20_char_text_23
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 23'

Column Name: ss_note_20_char_text_24

Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 24'

Column Name: ss_note_20_char_text_25
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 25'

Column Name: ss_note_20_char_text_26
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 26'

Column Name: ss_note_20_char_text_27
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 27'

Column Name: ss_note_20_char_text_28
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 28'

Column Name: ss_note_20_char_text_29
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 29'

Column Name: ss_note_20_char_text_30
Column Type: varchar
Max Length: 20
'SS Note 20 Character Text 30'

Column Name: ss_note_40_char_text_11
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 11'

Column Name: ss_note_40_char_text_12
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 12'

Column Name: ss_note_40_char_text_13
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 13'

Column Name: ss_note_40_char_text_14

Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 14'

Column Name: ss_note_40_char_text_15
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 15'

Column Name: ss_note_40_char_text_16
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 16'

Column Name: ss_note_40_char_text_17
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 17'

Column Name: ss_note_40_char_text_18
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 18'

Column Name: ss_note_40_char_text_19
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 19'

Column Name: ss_note_40_char_text_20
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 20'

Column Name: ss_note_40_char_text_21
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 21'

Column Name: ss_note_40_char_text_22
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 22'

Column Name: ss_note_40_char_text_23
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 23'

Column Name: ss_note_40_char_text_24

Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 24'

Column Name: ss_note_40_char_text_25
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 25'

Column Name: ss_note_40_char_text_26
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 26'

Column Name: ss_note_40_char_text_27
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 27'

Column Name: ss_note_40_char_text_28
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 28'

Column Name: ss_note_40_char_text_29
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 29'

Column Name: ss_note_40_char_text_30
Column Type: varchar
Max Length: 40
'SS Note 40 Character Text 30'

Column Name: ss_note_80_char_text_11
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 11'

Column Name: ss_note_80_char_text_12
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 12'

Column Name: ss_note_80_char_text_13
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 13'

Column Name: ss_note_80_char_text_14

Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 14'

Column Name: ss_note_80_char_text_15
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 15'

Column Name: ss_note_80_char_text_16
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 16'

Column Name: ss_note_80_char_text_17
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 17'

Column Name: ss_note_80_char_text_18
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 18'

Column Name: ss_note_80_char_text_19
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 19'

Column Name: ss_note_80_char_text_20
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 20'

Column Name: ss_note_80_char_text_21
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 21'

Column Name: ss_note_80_char_text_22
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 22'

Column Name: ss_note_80_char_text_23
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 23'

Column Name: ss_note_80_char_text_24

Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 24'

Column Name: ss_note_80_char_text_25
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 25'

Column Name: ss_note_80_char_text_26
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 26'

Column Name: ss_note_80_char_text_27
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 27'

Column Name: ss_note_80_char_text_28
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 28'

Column Name: ss_note_80_char_text_29
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 29'

Column Name: ss_note_80_char_text_30
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 30'

Column Name: ss_note_date_11
Column Type: date
'SS Note Date 11'

Column Name: ss_note_date_12
Column Type: date
'SS Note Date 12'

Column Name: ss_note_date_13
Column Type: date
'SS Note Date 13'

Column Name: ss_note_date_14
Column Type: date
'SS Note Date 14'

Column Name: ss_note_date_15
Column Type: date
'SS Note Date 15'

Column Name: ss_note_date_16
Column Type: date
'SS Note Date 16'

Column Name: ss_note_date_17
Column Type: date
'SS Note Date 17'

Column Name: ss_note_date_18
Column Type: date
'SS Note Date 18'

Column Name: ss_note_date_19
Column Type: date
'SS Note Date 19'

Column Name: ss_note_date_20
Column Type: date
'SS Note Date 20'

Column Name: ss_note_date_21
Column Type: date
'SS Note Date 21'

Column Name: ss_note_date_22
Column Type: date
'SS Note Date 22'

Column Name: ss_note_date_23
Column Type: date
'SS Note Date 23'

Column Name: ss_note_date_24
Column Type: date
'SS Note Date 24'

Column Name: ss_note_date_25
Column Type: date
'SS Note Date 25'

Column Name: ss_note_date_26
Column Type: date
'SS Note Date 26'

Column Name: ss_note_date_27
Column Type: date

'SS Note Date 27'

Column Name: ss_note_date_28

Column Type: date

'SS Note Date 28'

Column Name: ss_note_date_29

Column Type: date

'SS Note Date 29'

Column Name: ss_note_date_30

Column Type: date

'SS Note Date 30'

Column Name: ss_note_dsm_diag_11_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 11'

Column Name: ss_note_dsm_diag_11_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_11_code. See ss_note_dsm_diag_11_code for more information.

Column Name: ss_note_dsm_diag_12_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 12'

Column Name: ss_note_dsm_diag_12_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_12_code. See ss_note_dsm_diag_12_code for more information.

Column Name: ss_note_dsm_diag_13_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 13'

Column Name: ss_note_dsm_diag_13_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_13_code. See ss_note_dsm_diag_13_code for more information.

Column Name: ss_note_dsm_diag_14_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 14'

Column Name: ss_note_dsm_diag_14_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_14_code. See ss_note_dsm_diag_14_code for more information.

Column Name: ss_note_dsm_diag_15_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 15'

Column Name: ss_note_dsm_diag_15_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_15_code. See ss_note_dsm_diag_15_code for more information.

Column Name: ss_note_dsm_diag_16_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 16'

Column Name: ss_note_dsm_diag_16_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_16_code. See ss_note_dsm_diag_16_code for more information.

Column Name: ss_note_dsm_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 17'

Column Name: ss_note_dsm_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_17_code. See ss_note_dsm_diag_17_code for more information.

Column Name: ss_note_dsm_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 18'

Column Name: ss_note_dsm_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_dsm_diag_18_code`. See `ss_note_dsm_diag_18_code` for more information.

Column Name: `ss_note_dsm_diag_19_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 19'

Column Name: `ss_note_dsm_diag_19_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_19_code`. See `ss_note_dsm_diag_19_code` for more information.

Column Name: `ss_note_dsm_diag_20_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 20'

Column Name: `ss_note_dsm_diag_20_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_20_code`. See `ss_note_dsm_diag_20_code` for more information.

Column Name: `ss_note_dsm_diag_21_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 21'

Column Name: `ss_note_dsm_diag_21_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_21_code`. See `ss_note_dsm_diag_21_code` for more information.

Column Name: `ss_note_dsm_diag_22_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 22'

Column Name: `ss_note_dsm_diag_22_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_22_code`. See `ss_note_dsm_diag_22_code` for more information.

Column Name: `ss_note_dsm_diag_23_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 23'

Column Name: ss_note_dsm_diag_23_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_23_code. See ss_note_dsm_diag_23_code for more information.

Column Name: ss_note_dsm_diag_24_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 24'

Column Name: ss_note_dsm_diag_24_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_24_code. See ss_note_dsm_diag_24_code for more information.

Column Name: ss_note_dsm_diag_25_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 25'

Column Name: ss_note_dsm_diag_25_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_25_code. See ss_note_dsm_diag_25_code for more information.

Column Name: ss_note_dsm_diag_26_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 26'

Column Name: ss_note_dsm_diag_26_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_26_code. See ss_note_dsm_diag_26_code for more information.

Column Name: ss_note_dsm_diag_27_code

Column Type: varchar

Max Length: 20

'SS Note DSM Diagnosis 27'

Column Name: ss_note_dsm_diag_27_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_dsm_diag_27_code`. See `ss_note_dsm_diag_27_code` for more information.

Column Name: `ss_note_dsm_diag_28_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 28'

Column Name: `ss_note_dsm_diag_28_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_28_code`. See `ss_note_dsm_diag_28_code` for more information.

Column Name: `ss_note_dsm_diag_29_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 29'

Column Name: `ss_note_dsm_diag_29_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_29_code`. See `ss_note_dsm_diag_29_code` for more information.

Column Name: `ss_note_dsm_diag_30_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM Diagnosis 30'

Column Name: `ss_note_dsm_diag_30_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_30_code`. See `ss_note_dsm_diag_30_code` for more information.

Column Name: `ss_note_icd9_diag_11_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 11'

Column Name: `ss_note_icd9_diag_11_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_11_code`. See `ss_note_icd9_diag_11_code` for more information.

Column Name: `ss_note_icd9_diag_12_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 12'

Column Name: ss_note_icd9_diag_12_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_12_code. See ss_note_icd9_diag_12_code for more information.

Column Name: ss_note_icd9_diag_13_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 13'

Column Name: ss_note_icd9_diag_13_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_13_code. See ss_note_icd9_diag_13_code for more information.

Column Name: ss_note_icd9_diag_14_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 14'

Column Name: ss_note_icd9_diag_14_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_14_code. See ss_note_icd9_diag_14_code for more information.

Column Name: ss_note_icd9_diag_15_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 15'

Column Name: ss_note_icd9_diag_15_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_15_code. See ss_note_icd9_diag_15_code for more information.

Column Name: ss_note_icd9_diag_16_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 16'

Column Name: ss_note_icd9_diag_16_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_16_code`. See `ss_note_icd9_diag_16_code` for more information.

Column Name: `ss_note_icd9_diag_17_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 17'

Column Name: `ss_note_icd9_diag_17_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_17_code`. See `ss_note_icd9_diag_17_code` for more information.

Column Name: `ss_note_icd9_diag_18_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 18'

Column Name: `ss_note_icd9_diag_18_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_18_code`. See `ss_note_icd9_diag_18_code` for more information.

Column Name: `ss_note_icd9_diag_19_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 19'

Column Name: `ss_note_icd9_diag_19_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_19_code`. See `ss_note_icd9_diag_19_code` for more information.

Column Name: `ss_note_icd9_diag_20_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 20'

Column Name: `ss_note_icd9_diag_20_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_20_code`. See `ss_note_icd9_diag_20_code` for more information.

Column Name: `ss_note_icd9_diag_21_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 21'

Column Name: ss_note_icd9_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_21_code. See ss_note_icd9_diag_21_code for more information.

Column Name: ss_note_icd9_diag_22_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 22'

Column Name: ss_note_icd9_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_22_code. See ss_note_icd9_diag_22_code for more information.

Column Name: ss_note_icd9_diag_23_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 23'

Column Name: ss_note_icd9_diag_23_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_23_code. See ss_note_icd9_diag_23_code for more information.

Column Name: ss_note_icd9_diag_24_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 24'

Column Name: ss_note_icd9_diag_24_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_24_code. See ss_note_icd9_diag_24_code for more information.

Column Name: ss_note_icd9_diag_25_code

Column Type: varchar

Max Length: 20

'SS Note ICD9 Diagnosis 25'

Column Name: ss_note_icd9_diag_25_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_25_code`. See `ss_note_icd9_diag_25_code` for more information.

Column Name: `ss_note_icd9_diag_26_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 26'

Column Name: `ss_note_icd9_diag_26_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_26_code`. See `ss_note_icd9_diag_26_code` for more information.

Column Name: `ss_note_icd9_diag_27_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 27'

Column Name: `ss_note_icd9_diag_27_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_27_code`. See `ss_note_icd9_diag_27_code` for more information.

Column Name: `ss_note_icd9_diag_28_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 28'

Column Name: `ss_note_icd9_diag_28_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_28_code`. See `ss_note_icd9_diag_28_code` for more information.

Column Name: `ss_note_icd9_diag_29_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 29'

Column Name: `ss_note_icd9_diag_29_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_29_code`. See `ss_note_icd9_diag_29_code` for more information.

Column Name: `ss_note_icd9_diag_30_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD9 Diagnosis 30'

Column Name: ss_note_icd9_diag_30_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_30_code. See ss_note_icd9_diag_30_code for more information.

Column Name: ss_note_multi_dict_11_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_note_multi_dict_11_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_11_code. See ss_note_multi_dict_11_code for more information.

Column Name: ss_note_multi_dict_12_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_note_multi_dict_12_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_12_code. See ss_note_multi_dict_12_code for more information.

Column Name: ss_note_multi_dict_13_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_note_multi_dict_13_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_13_code. See ss_note_multi_dict_13_code for more information.

Column Name: ss_note_multi_dict_14_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_note_multi_dict_14_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_14_code. See ss_note_multi_dict_14_code for more information.

Column Name: ss_note_multi_dict_15_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_note_multi_dict_15_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_15_code. See ss_note_multi_dict_15_code for more information.

Column Name: ss_note_multi_dict_16_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_note_multi_dict_16_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_16_code. See ss_note_multi_dict_16_code for more information.

Column Name: ss_note_multi_dict_17_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_note_multi_dict_17_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_17_code. See ss_note_multi_dict_17_code for more information.

Column Name: ss_note_multi_dict_18_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_note_multi_dict_18_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_18_code. See ss_note_multi_dict_18_code for more information.

Column Name: ss_note_multi_dict_19_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_note_multi_dict_19_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_19_code. See ss_note_multi_dict_19_code for more information.

Column Name: ss_note_multi_dict_20_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_note_multi_dict_20_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_20_code. See ss_note_multi_dict_20_code for more information.

Column Name: ss_note_multi_dict_21_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_note_multi_dict_21_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_21_code. See ss_note_multi_dict_21_code for more information.

Column Name: ss_note_multi_dict_22_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_note_multi_dict_22_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_22_code. See ss_note_multi_dict_22_code for more information.

Column Name: ss_note_multi_dict_23_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_note_multi_dict_23_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_23_code. See ss_note_multi_dict_23_code for more information.

Column Name: ss_note_multi_dict_24_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_note_multi_dict_24_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_24_code. See ss_note_multi_dict_24_code for more information.

Column Name: ss_note_multi_dict_25_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_note_multi_dict_25_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_25_code. See ss_note_multi_dict_25_code for more information.

Column Name: ss_note_multi_dict_26_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_note_multi_dict_26_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_26_code. See ss_note_multi_dict_26_code for more information.

Column Name: ss_note_multi_dict_27_code
Column Type: varchar
Max Length: 20
'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_note_multi_dict_27_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_27_code. See ss_note_multi_dict_27_code for more information.

Column Name: ss_note_multi_dict_28_code
Column Type: varchar
Max Length: 20

'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_note_multi_dict_28_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_28_code. See ss_note_multi_dict_28_code for more information.

Column Name: ss_note_multi_dict_29_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_note_multi_dict_29_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_29_code. See ss_note_multi_dict_29_code for more information.

Column Name: ss_note_multi_dict_30_code

Column Type: varchar

Max Length: 20

'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_note_multi_dict_30_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_30_code. See ss_note_multi_dict_30_code for more information.

Column Name: ss_note_scroll_text_11

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 11'

Column Name: ss_note_scroll_text_12

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 12'

Column Name: ss_note_scroll_text_13

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 13'

Column Name: ss_note_scroll_text_14

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 14'

Column Name: ss_note_scroll_text_15
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 15'

Column Name: ss_note_scroll_text_16
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 16'

Column Name: ss_note_scroll_text_17
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 17'

Column Name: ss_note_scroll_text_18
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 18'

Column Name: ss_note_scroll_text_19
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 19'

Column Name: ss_note_scroll_text_20
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 20'

Column Name: ss_note_scroll_text_21
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 21'

Column Name: ss_note_scroll_text_22
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 22'

Column Name: ss_note_scroll_text_23
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 23'

Column Name: ss_note_scroll_text_24
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 24'

Column Name: ss_note_scroll_text_25
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 25'

Column Name: ss_note_scroll_text_26
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 26'

Column Name: ss_note_scroll_text_27
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 27'

Column Name: ss_note_scroll_text_28
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 28'

Column Name: ss_note_scroll_text_29
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 29'

Column Name: ss_note_scroll_text_30
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 30'

Column Name: ss_note_sing_dict_11_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 11'

Column Name: ss_note_sing_dict_11_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_single_dict_11_code. See ss_note_single_dict_11_code for more information.

Column Name: ss_note_sing_dict_12_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 12'

Column Name: ss_note_sing_dict_12_value
Column Type: varchar
Max Length: 50

The description associated with ss_note_single_dict_12_code. See ss_note_single_dict_12_code for more information.

Column Name: ss_note_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 13'

Column Name: ss_note_sing_dict_13_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_13_code. See ss_note_single_dict_13_code for more information.

Column Name: ss_note_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 14'

Column Name: ss_note_sing_dict_14_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_14_code. See ss_note_single_dict_14_code for more information.

Column Name: ss_note_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 15'

Column Name: ss_note_sing_dict_15_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_15_code. See ss_note_single_dict_15_code for more information.

Column Name: ss_note_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 16'

Column Name: ss_note_sing_dict_16_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_16_code. See ss_note_single_dict_16_code for more information.

Column Name: ss_note_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 17'

Column Name: ss_note_sing_dict_17_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_17_code. See ss_note_single_dict_17_code for more information.

Column Name: ss_note_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 18'

Column Name: ss_note_sing_dict_18_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_18_code. See ss_note_single_dict_18_code for more information.

Column Name: ss_note_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 19'

Column Name: ss_note_sing_dict_19_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_19_code. See ss_note_single_dict_19_code for more information.

Column Name: ss_note_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 20'

Column Name: ss_note_sing_dict_20_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_20_code. See ss_note_single_dict_20_code for more information.

Column Name: ss_note_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 21'

Column Name: ss_note_sing_dict_21_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_21_code. See ss_note_single_dict_21_code for more information.

Column Name: ss_note_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 22'

Column Name: ss_note_sing_dict_22_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_22_code. See ss_note_single_dict_22_code for more information.

Column Name: ss_note_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 23'

Column Name: ss_note_sing_dict_23_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_23_code. See ss_note_single_dict_23_code for more information.

Column Name: ss_note_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 24'

Column Name: ss_note_sing_dict_24_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_24_code. See ss_note_single_dict_24_code for more information.

Column Name: ss_note_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 25'

Column Name: ss_note_sing_dict_25_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_25_code. See ss_note_single_dict_25_code for more information.

Column Name: ss_note_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 26'

Column Name: ss_note_sing_dict_26_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_26_code. See ss_note_single_dict_26_code for more information.

Column Name: ss_note_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 27'

Column Name: ss_note_sing_dict_27_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_27_code. See ss_note_single_dict_27_code for more information.

Column Name: ss_note_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 28'

Column Name: ss_note_sing_dict_28_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_28_code. See ss_note_single_dict_28_code for more information.

Column Name: ss_note_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 29'

Column Name: ss_note_sing_dict_29_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_29_code. See ss_note_single_dict_29_code for more information.

Column Name: ss_note_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 30'

Column Name: ss_note_sing_dict_30_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_single_dict_30_code. See ss_note_single_dict_30_code for more information.

Column Name: ss_note_time_11
Column Type: varchar
Max Length: 50
'SS Note Time 11'

Column Name: ss_note_time_12
Column Type: varchar
Max Length: 50
'SS Note Time 12'

Column Name: ss_note_time_13
Column Type: varchar
Max Length: 50
'SS Note Time 13'

Column Name: ss_note_time_14
Column Type: varchar
Max Length: 50
'SS Note Time 14'

Column Name: ss_note_time_15
Column Type: varchar
Max Length: 50
'SS Note Time 15'

Column Name: ss_note_time_16
Column Type: varchar
Max Length: 50
'SS Note Time 16'

Column Name: ss_note_time_17
Column Type: varchar
Max Length: 50
'SS Note Time 17'

Column Name: ss_note_time_18
Column Type: varchar
Max Length: 50
'SS Note Time 18'

Column Name: ss_note_time_19
Column Type: varchar
Max Length: 50
'SS Note Time 19'

Column Name: ss_note_time_20
Column Type: varchar

Max Length: 50
'SS Note Time 20'

Column Name: ss_note_time_21
Column Type: varchar
Max Length: 50
'SS Note Time 21'

Column Name: ss_note_time_22
Column Type: varchar
Max Length: 50
'SS Note Time 22'

Column Name: ss_note_time_23
Column Type: varchar
Max Length: 50
'SS Note Time 23'

Column Name: ss_note_time_24
Column Type: varchar
Max Length: 50
'SS Note Time 24'

Column Name: ss_note_time_25
Column Type: varchar
Max Length: 50
'SS Note Time 25'

Column Name: ss_note_time_26
Column Type: varchar
Max Length: 50
'SS Note Time 26'

Column Name: ss_note_time_27
Column Type: varchar
Max Length: 50
'SS Note Time 27'

Column Name: ss_note_time_28
Column Type: varchar
Max Length: 50
'SS Note Time 28'

Column Name: ss_note_time_29
Column Type: varchar
Max Length: 50
'SS Note Time 29'

Column Name: ss_note_time_30
Column Type: varchar

Max Length: 50
'SS Note Time 30'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: SYSTEM.cw_patient_notes_supp_1

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 50

'Progress Notes Pointer'

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: confidential_note

Column Type: varchar

Max Length: 50

'Confidential Notes'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: notes_field

Column Type: varchar

Max Length: 32766

'Notes Field'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_31

Column Type: varchar

Max Length: 20

'SS Note 20 Character 31'

Column Name: ss_note_20_char_text_32
Column Type: varchar
Max Length: 20
'SS Note 20 Character 32'

Column Name: ss_note_20_char_text_33
Column Type: varchar
Max Length: 20
'SS Note 20 Character 33'

Column Name: ss_note_20_char_text_34
Column Type: varchar
Max Length: 20
'SS Note 20 Character 34'

Column Name: ss_note_20_char_text_35
Column Type: varchar
Max Length: 20
'SS Note 20 Character 35'

Column Name: ss_note_20_char_text_36
Column Type: varchar
Max Length: 20
'SS Note 20 Character 36'

Column Name: ss_note_20_char_text_37
Column Type: varchar
Max Length: 20
'SS Note 20 Character 37'

Column Name: ss_note_20_char_text_38
Column Type: varchar
Max Length: 20
'SS Note 20 Character 38'

Column Name: ss_note_20_char_text_39
Column Type: varchar
Max Length: 20
'SS Note 20 Character 39'

Column Name: ss_note_20_char_text_40
Column Type: varchar
Max Length: 20
'SS Note 20 Character 40'

Column Name: ss_note_20_char_text_41
Column Type: varchar
Max Length: 20
'SS Note 20 Character 41'

Column Name: ss_note_20_char_text_42
Column Type: varchar
Max Length: 20
'SS Note 20 Character 42'

Column Name: ss_note_20_char_text_43
Column Type: varchar
Max Length: 20
'SS Note 20 Character 43'

Column Name: ss_note_20_char_text_44
Column Type: varchar
Max Length: 20
'SS Note 20 Character 44'

Column Name: ss_note_20_char_text_45
Column Type: varchar
Max Length: 20
'SS Note 20 Character 45'

Column Name: ss_note_20_char_text_46
Column Type: varchar
Max Length: 20
'SS Note 20 Character 46'

Column Name: ss_note_20_char_text_47
Column Type: varchar
Max Length: 20
'SS Note 20 Character 47'

Column Name: ss_note_20_char_text_48
Column Type: varchar
Max Length: 20
'SS Note 20 Character 48'

Column Name: ss_note_20_char_text_49
Column Type: varchar
Max Length: 20
'SS Note 20 Character 49'

Column Name: ss_note_20_char_text_50
Column Type: varchar
Max Length: 20
'SS Note 20 Character 50'

Column Name: ss_note_40_char_text_31
Column Type: varchar
Max Length: 40
'SS Note 40 Character 31'

Column Name: ss_note_40_char_text_32
Column Type: varchar
Max Length: 40
'SS Note 40 Character 32'

Column Name: ss_note_40_char_text_33
Column Type: varchar
Max Length: 40
'SS Note 40 Character 33'

Column Name: ss_note_40_char_text_34
Column Type: varchar
Max Length: 40
'SS Note 40 Character 34'

Column Name: ss_note_40_char_text_35
Column Type: varchar
Max Length: 40
'SS Note 40 Character 35'

Column Name: ss_note_40_char_text_36
Column Type: varchar
Max Length: 40
'SS Note 40 Character 36'

Column Name: ss_note_40_char_text_37
Column Type: varchar
Max Length: 40
'SS Note 40 Character 37'

Column Name: ss_note_40_char_text_38
Column Type: varchar
Max Length: 40
'SS Note 40 Character 38'

Column Name: ss_note_40_char_text_39
Column Type: varchar
Max Length: 40
'SS Note 40 Character 39'

Column Name: ss_note_40_char_text_40
Column Type: varchar
Max Length: 40
'SS Note 40 Character 40'

Column Name: ss_note_40_char_text_41
Column Type: varchar
Max Length: 40
'SS Note 40 Character 41'

Column Name: ss_note_40_char_text_42
Column Type: varchar
Max Length: 40
'SS Note 40 Character 42'

Column Name: ss_note_40_char_text_43
Column Type: varchar
Max Length: 40
'SS Note 40 Character 43'

Column Name: ss_note_40_char_text_44
Column Type: varchar
Max Length: 40
'SS Note 40 Character 44'

Column Name: ss_note_40_char_text_45
Column Type: varchar
Max Length: 40
'SS Note 40 Character 45'

Column Name: ss_note_40_char_text_46
Column Type: varchar
Max Length: 40
'SS Note 40 Character 46'

Column Name: ss_note_40_char_text_47
Column Type: varchar
Max Length: 40
'SS Note 40 Character 47'

Column Name: ss_note_40_char_text_48
Column Type: varchar
Max Length: 40
'SS Note 40 Character 48'

Column Name: ss_note_40_char_text_49
Column Type: varchar
Max Length: 40
'SS Note 40 Character 49'

Column Name: ss_note_40_char_text_50
Column Type: varchar
Max Length: 40
'SS Note 40 Character 50'

Column Name: ss_note_80_char_text_31
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 31'

Column Name: ss_note_80_char_text_32
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 32'

Column Name: ss_note_80_char_text_33
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 33'

Column Name: ss_note_80_char_text_34
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 34'

Column Name: ss_note_80_char_text_35
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 35'

Column Name: ss_note_80_char_text_36
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 36'

Column Name: ss_note_80_char_text_37
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 37'

Column Name: ss_note_80_char_text_38
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 38'

Column Name: ss_note_80_char_text_39
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 39'

Column Name: ss_note_80_char_text_40
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 40'

Column Name: ss_note_80_char_text_41
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 41'

Column Name: ss_note_80_char_text_42
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 42'

Column Name: ss_note_80_char_text_43
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 43'

Column Name: ss_note_80_char_text_44
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 44'

Column Name: ss_note_80_char_text_45
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 45'

Column Name: ss_note_80_char_text_46
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 46'

Column Name: ss_note_80_char_text_47
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 47'

Column Name: ss_note_80_char_text_48
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 48'

Column Name: ss_note_80_char_text_49
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 49'

Column Name: ss_note_80_char_text_50
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 50'

Column Name: ss_note_date_31
Column Type: date
'SS Note Date 31'

Column Name: ss_note_date_32
Column Type: date
'SS Note Date 32'

Column Name: ss_note_date_33
Column Type: date
'SS Note Date 33'

Column Name: ss_note_date_34
Column Type: date
'SS Note Date 34'

Column Name: ss_note_date_35
Column Type: date
'SS Note Date 35'

Column Name: ss_note_date_36
Column Type: date
'SS Note Date 36'

Column Name: ss_note_date_37
Column Type: date
'SS Note Date 37'

Column Name: ss_note_date_38
Column Type: date
'SS Note Date 38'

Column Name: ss_note_date_39
Column Type: date
'SS Note Date 39'

Column Name: ss_note_date_40
Column Type: date
'SS Note Date 40'

Column Name: ss_note_date_41
Column Type: date
'SS Note Date 41'

Column Name: ss_note_date_42
Column Type: date
'SS Note Date 42'

Column Name: ss_note_date_43
Column Type: date
'SS Note Date 43'

Column Name: ss_note_date_44
Column Type: date

'SS Note Date 44'

Column Name: ss_note_date_45

Column Type: date

'SS Note Date 45'

Column Name: ss_note_date_46

Column Type: date

'SS Note Date 46'

Column Name: ss_note_date_47

Column Type: date

'SS Note Date 47'

Column Name: ss_note_date_48

Column Type: date

'SS Note Date 48'

Column Name: ss_note_date_49

Column Type: date

'SS Note Date 49'

Column Name: ss_note_date_50

Column Type: date

'SS Note Date 50'

Column Name: ss_note_dsm_diag_31_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 31'

Column Name: ss_note_dsm_diag_31_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_31_code. See ss_note_dsm_diag_31_code for more information.

Column Name: ss_note_dsm_diag_32_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 32'

Column Name: ss_note_dsm_diag_32_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_32_code. See ss_note_dsm_diag_32_code for more information.

Column Name: ss_note_dsm_diag_33_code

Column Type: varchar

Max Length: 20
'SS Note DSM IV Diagnosis 33'

Column Name: ss_note_dsm_diag_33_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_33_code. See ss_note_dsm_diag_33_code for more information.

Column Name: ss_note_dsm_diag_34_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 34'

Column Name: ss_note_dsm_diag_34_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_34_code. See ss_note_dsm_diag_34_code for more information.

Column Name: ss_note_dsm_diag_35_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 35'

Column Name: ss_note_dsm_diag_35_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_35_code. See ss_note_dsm_diag_35_code for more information.

Column Name: ss_note_dsm_diag_36_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 36'

Column Name: ss_note_dsm_diag_36_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_36_code. See ss_note_dsm_diag_36_code for more information.

Column Name: ss_note_dsm_diag_37_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 37'

Column Name: ss_note_dsm_diag_37_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_dsm_diag_37_code`. See `ss_note_dsm_diag_37_code` for more information.

Column Name: `ss_note_dsm_diag_38_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 38'

Column Name: `ss_note_dsm_diag_38_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_38_code`. See `ss_note_dsm_diag_38_code` for more information.

Column Name: `ss_note_dsm_diag_39_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 39'

Column Name: `ss_note_dsm_diag_39_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_39_code`. See `ss_note_dsm_diag_39_code` for more information.

Column Name: `ss_note_dsm_diag_40_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 40'

Column Name: `ss_note_dsm_diag_40_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_40_code`. See `ss_note_dsm_diag_40_code` for more information.

Column Name: `ss_note_dsm_diag_41_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 41'

Column Name: `ss_note_dsm_diag_41_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_41_code`. See `ss_note_dsm_diag_41_code` for more information.

Column Name: `ss_note_dsm_diag_42_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 42'

Column Name: ss_note_dsm_diag_42_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_42_code. See ss_note_dsm_diag_42_code for more information.

Column Name: ss_note_dsm_diag_43_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 43'

Column Name: ss_note_dsm_diag_43_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_43_code. See ss_note_dsm_diag_43_code for more information.

Column Name: ss_note_dsm_diag_44_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 44'

Column Name: ss_note_dsm_diag_44_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_44_code. See ss_note_dsm_diag_44_code for more information.

Column Name: ss_note_dsm_diag_45_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 45'

Column Name: ss_note_dsm_diag_45_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_45_code. See ss_note_dsm_diag_45_code for more information.

Column Name: ss_note_dsm_diag_46_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 46'

Column Name: ss_note_dsm_diag_46_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_dsm_diag_46_code`. See `ss_note_dsm_diag_46_code` for more information.

Column Name: `ss_note_dsm_diag_47_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 47'

Column Name: `ss_note_dsm_diag_47_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_47_code`. See `ss_note_dsm_diag_47_code` for more information.

Column Name: `ss_note_dsm_diag_48_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 48'

Column Name: `ss_note_dsm_diag_48_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_48_code`. See `ss_note_dsm_diag_48_code` for more information.

Column Name: `ss_note_dsm_diag_49_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 49'

Column Name: `ss_note_dsm_diag_49_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_49_code`. See `ss_note_dsm_diag_49_code` for more information.

Column Name: `ss_note_dsm_diag_50_code`

Column Type: `varchar`

Max Length: 20

'SS Note DSM IV Diagnosis 50'

Column Name: `ss_note_dsm_diag_50_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_dsm_diag_50_code`. See `ss_note_dsm_diag_50_code` for more information.

Column Name: `ss_note_icd9_diag_31_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 31'

Column Name: ss_note_icd9_diag_31_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_31_code. See ss_note_icd9_diag_31_code for more information.

Column Name: ss_note_icd9_diag_32_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 32'

Column Name: ss_note_icd9_diag_32_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_32_code. See ss_note_icd9_diag_32_code for more information.

Column Name: ss_note_icd9_diag_33_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 33'

Column Name: ss_note_icd9_diag_33_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_33_code. See ss_note_icd9_diag_33_code for more information.

Column Name: ss_note_icd9_diag_34_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 34'

Column Name: ss_note_icd9_diag_34_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_34_code. See ss_note_icd9_diag_34_code for more information.

Column Name: ss_note_icd9_diag_35_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 35'

Column Name: ss_note_icd9_diag_35_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_35_code`. See `ss_note_icd9_diag_35_code` for more information.

Column Name: `ss_note_icd9_diag_36_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 36'

Column Name: `ss_note_icd9_diag_36_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_36_code`. See `ss_note_icd9_diag_36_code` for more information.

Column Name: `ss_note_icd9_diag_37_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 37'

Column Name: `ss_note_icd9_diag_37_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_37_code`. See `ss_note_icd9_diag_37_code` for more information.

Column Name: `ss_note_icd9_diag_38_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 38'

Column Name: `ss_note_icd9_diag_38_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_38_code`. See `ss_note_icd9_diag_38_code` for more information.

Column Name: `ss_note_icd9_diag_39_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 39'

Column Name: `ss_note_icd9_diag_39_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_39_code`. See `ss_note_icd9_diag_39_code` for more information.

Column Name: `ss_note_icd9_diag_40_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 40'

Column Name: ss_note_icd9_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_40_code. See ss_note_icd9_diag_40_code for more information.

Column Name: ss_note_icd9_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 41'

Column Name: ss_note_icd9_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_41_code. See ss_note_icd9_diag_41_code for more information.

Column Name: ss_note_icd9_diag_42_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 42'

Column Name: ss_note_icd9_diag_42_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_42_code. See ss_note_icd9_diag_42_code for more information.

Column Name: ss_note_icd9_diag_43_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 43'

Column Name: ss_note_icd9_diag_43_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_43_code. See ss_note_icd9_diag_43_code for more information.

Column Name: ss_note_icd9_diag_44_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 44'

Column Name: ss_note_icd9_diag_44_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_44_code`. See `ss_note_icd9_diag_44_code` for more information.

Column Name: `ss_note_icd9_diag_45_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 45'

Column Name: `ss_note_icd9_diag_45_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_45_code`. See `ss_note_icd9_diag_45_code` for more information.

Column Name: `ss_note_icd9_diag_46_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 46'

Column Name: `ss_note_icd9_diag_46_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_46_code`. See `ss_note_icd9_diag_46_code` for more information.

Column Name: `ss_note_icd9_diag_47_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 47'

Column Name: `ss_note_icd9_diag_47_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_47_code`. See `ss_note_icd9_diag_47_code` for more information.

Column Name: `ss_note_icd9_diag_48_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 48'

Column Name: `ss_note_icd9_diag_48_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_48_code`. See `ss_note_icd9_diag_48_code` for more information.

Column Name: `ss_note_icd9_diag_49_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 49'

Column Name: ss_note_icd9_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_49_code. See ss_note_icd9_diag_49_code for more information.

Column Name: ss_note_icd9_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 50'

Column Name: ss_note_icd9_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_50_code. See ss_note_icd9_diag_50_code for more information.

Column Name: ss_note_integer_1

Column Type: integer

'SS Note Integer 1'

Column Name: ss_note_integer_2

Column Type: integer

'SS Note Integer 2'

Column Name: ss_note_integer_3

Column Type: integer

'SS Note Integer 3'

Column Name: ss_note_integer_4

Column Type: integer

'SS Note Integer 4'

Column Name: ss_note_integer_5

Column Type: integer

'SS Note Integer 5'

Column Name: ss_note_integer_6

Column Type: integer

'SS Note Integer 6'

Column Name: ss_note_multi_dict_31_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 31'

Column Name: ss_note_multi_dict_31_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_31_code. See ss_note_multi_dict_31_code for more information.

Column Name: ss_note_multi_dict_32_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 32'

Column Name: ss_note_multi_dict_32_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_32_code. See ss_note_multi_dict_32_code for more information.

Column Name: ss_note_multi_dict_33_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 33'

Column Name: ss_note_multi_dict_33_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_33_code. See ss_note_multi_dict_33_code for more information.

Column Name: ss_note_multi_dict_34_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 34'

Column Name: ss_note_multi_dict_34_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_34_code. See ss_note_multi_dict_34_code for more information.

Column Name: ss_note_multi_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 35'

Column Name: ss_note_multi_dict_35_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_35_code. See ss_note_multi_dict_35_code for more information.

Column Name: ss_note_multi_dict_36_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 36'

Column Name: ss_note_multi_dict_36_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_36_code. See ss_note_multi_dict_36_code for more information.

Column Name: ss_note_multi_dict_37_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 37'

Column Name: ss_note_multi_dict_37_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_37_code. See ss_note_multi_dict_37_code for more information.

Column Name: ss_note_multi_dict_38_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 38'

Column Name: ss_note_multi_dict_38_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_38_code. See ss_note_multi_dict_38_code for more information.

Column Name: ss_note_multi_dict_39_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 39'

Column Name: ss_note_multi_dict_39_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_39_code. See ss_note_multi_dict_39_code for more information.

Column Name: ss_note_multi_dict_40_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 40'

Column Name: ss_note_multi_dict_40_value
Column Type: varchar
Max Length: 32700

The description associated with ss_note_multi_dict_40_code. See ss_note_multi_dict_40_code for more information.

Column Name: ss_note_multi_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 41'

Column Name: ss_note_multi_dict_41_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_41_code. See ss_note_multi_dict_41_code for more information.

Column Name: ss_note_multi_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 42'

Column Name: ss_note_multi_dict_42_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_42_code. See ss_note_multi_dict_42_code for more information.

Column Name: ss_note_multi_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 43'

Column Name: ss_note_multi_dict_43_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_43_code. See ss_note_multi_dict_43_code for more information.

Column Name: ss_note_multi_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 44'

Column Name: ss_note_multi_dict_44_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_44_code. See ss_note_multi_dict_44_code for more information.

Column Name: ss_note_multi_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 45'

Column Name: ss_note_multi_dict_45_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_45_code. See ss_note_multi_dict_45_code for more information.

Column Name: ss_note_multi_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 46'

Column Name: ss_note_multi_dict_46_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_46_code. See ss_note_multi_dict_46_code for more information.

Column Name: ss_note_multi_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 47'

Column Name: ss_note_multi_dict_47_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_47_code. See ss_note_multi_dict_47_code for more information.

Column Name: ss_note_multi_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 48'

Column Name: ss_note_multi_dict_48_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_48_code. See ss_note_multi_dict_48_code for more information.

Column Name: ss_note_multi_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 49'

Column Name: ss_note_multi_dict_49_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_49_code. See ss_note_multi_dict_49_code for more information.

Column Name: ss_note_multi_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 50'

Column Name: ss_note_multi_dict_50_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_50_code. See ss_note_multi_dict_50_code for more information.

Column Name: ss_note_scroll_text_31

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 31'

Column Name: ss_note_scroll_text_32

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 32'

Column Name: ss_note_scroll_text_33

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 33'

Column Name: ss_note_scroll_text_34

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 34'

Column Name: ss_note_scroll_text_35

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 35'

Column Name: ss_note_scroll_text_36

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 36'

Column Name: ss_note_scroll_text_37

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 37'

Column Name: ss_note_scroll_text_38

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 38'

Column Name: ss_note_scroll_text_39
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 39'

Column Name: ss_note_scroll_text_40
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 40'

Column Name: ss_note_scroll_text_41
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 41'

Column Name: ss_note_scroll_text_42
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 42'

Column Name: ss_note_scroll_text_43
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 43'

Column Name: ss_note_scroll_text_44
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 44'

Column Name: ss_note_scroll_text_45
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 45'

Column Name: ss_note_scroll_text_46
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 46'

Column Name: ss_note_scroll_text_47
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 47'

Column Name: ss_note_scroll_text_48

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 48'

Column Name: ss_note_scroll_text_49
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 49'

Column Name: ss_note_scroll_text_50
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 50'

Column Name: ss_note_sing_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 31'

Column Name: ss_note_sing_dict_31_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_31_code. See ss_note_sing_dict_31_code for more information.

Column Name: ss_note_sing_dict_32_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 32'

Column Name: ss_note_sing_dict_32_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_32_code. See ss_note_sing_dict_32_code for more information.

Column Name: ss_note_sing_dict_33_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 33'

Column Name: ss_note_sing_dict_33_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_33_code. See ss_note_sing_dict_33_code for more information.

Column Name: ss_note_sing_dict_34_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 34'

Column Name: ss_note_sing_dict_34_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_34_code. See ss_note_sing_dict_34_code for more information.

Column Name: ss_note_sing_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 35'

Column Name: ss_note_sing_dict_35_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_35_code. See ss_note_sing_dict_35_code for more information.

Column Name: ss_note_sing_dict_36_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 36'

Column Name: ss_note_sing_dict_36_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_36_code. See ss_note_sing_dict_36_code for more information.

Column Name: ss_note_sing_dict_37_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 37'

Column Name: ss_note_sing_dict_37_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_37_code. See ss_note_sing_dict_37_code for more information.

Column Name: ss_note_sing_dict_38_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 38'

Column Name: ss_note_sing_dict_38_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_38_code. See ss_note_sing_dict_38_code for more information.

Column Name: ss_note_sing_dict_39_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 39'

Column Name: ss_note_sing_dict_39_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_39_code. See ss_note_sing_dict_39_code for more information.

Column Name: ss_note_sing_dict_40_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 40'

Column Name: ss_note_sing_dict_40_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_40_code. See ss_note_sing_dict_40_code for more information.

Column Name: ss_note_sing_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 41'

Column Name: ss_note_sing_dict_41_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_41_code. See ss_note_sing_dict_41_code for more information.

Column Name: ss_note_sing_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 42'

Column Name: ss_note_sing_dict_42_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_42_code. See ss_note_sing_dict_42_code for more information.

Column Name: ss_note_sing_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 43'

Column Name: ss_note_sing_dict_43_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_43_code. See ss_note_sing_dict_43_code for more information.

Column Name: ss_note_sing_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 44'

Column Name: ss_note_sing_dict_44_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_44_code. See ss_note_sing_dict_44_code for more information.

Column Name: ss_note_sing_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 45'

Column Name: ss_note_sing_dict_45_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_45_code. See ss_note_sing_dict_45_code for more information.

Column Name: ss_note_sing_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 46'

Column Name: ss_note_sing_dict_46_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_46_code. See ss_note_sing_dict_46_code for more information.

Column Name: ss_note_sing_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 47'

Column Name: ss_note_sing_dict_47_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_47_code. See ss_note_sing_dict_47_code for more information.

Column Name: ss_note_sing_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 48'

Column Name: ss_note_sing_dict_48_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_48_code. See ss_note_sing_dict_48_code for more information.

Column Name: ss_note_sing_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 49'

Column Name: ss_note_sing_dict_49_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_49_code. See ss_note_sing_dict_49_code for more information.

Column Name: ss_note_sing_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 50'

Column Name: ss_note_sing_dict_50_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_50_code. See ss_note_sing_dict_50_code for more information.

Column Name: ss_note_time_31

Column Type: varchar

Max Length: 50

'SS Note Time 31'

Column Name: ss_note_time_32

Column Type: varchar

Max Length: 50

'SS Note Time 32'

Column Name: ss_note_time_33

Column Type: varchar

Max Length: 50

'SS Note Time 33'

Column Name: ss_note_time_34
Column Type: varchar
Max Length: 50
'SS Note Time 34'

Column Name: ss_note_time_35
Column Type: varchar
Max Length: 50
'SS Note Time 35'

Column Name: ss_note_time_36
Column Type: varchar
Max Length: 50
'SS Note Time 36'

Column Name: ss_note_time_37
Column Type: varchar
Max Length: 50
'SS Note Time 37'

Column Name: ss_note_time_38
Column Type: varchar
Max Length: 50
'SS Note Time 38'

Column Name: ss_note_time_39
Column Type: varchar
Max Length: 50
'SS Note Time 39'

Column Name: ss_note_time_40
Column Type: varchar
Max Length: 50
'SS Note Time 40'

Column Name: ss_note_time_41
Column Type: varchar
Max Length: 50
'SS Note Time 41'

Column Name: ss_note_time_42
Column Type: varchar
Max Length: 50
'SS Note Time 42'

Column Name: ss_note_time_43
Column Type: varchar
Max Length: 50
'SS Note Time 43'

Column Name: ss_note_time_44
Column Type: varchar
Max Length: 50
'SS Note Time 44'

Column Name: ss_note_time_45
Column Type: varchar
Max Length: 50
'SS Note Time 45'

Column Name: ss_note_time_46
Column Type: varchar
Max Length: 50
'SS Note Time 46'

Column Name: ss_note_time_47
Column Type: varchar
Max Length: 50
'SS Note Time 47'

Column Name: ss_note_time_48
Column Type: varchar
Max Length: 50
'SS Note Time 48'

Column Name: ss_note_time_49
Column Type: varchar
Max Length: 50
'SS Note Time 49'

Column Name: ss_note_time_50
Column Type: varchar
Max Length: 50
'SS Note Time 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: SYSTEM.cw_patient_notes_supp_2

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_integer_10
Column Type: integer
'SS Note Integer 10'

Column Name: ss_note_integer_11
Column Type: integer
'SS Note Integer 11'

Column Name: ss_note_integer_12
Column Type: integer
'SS Note Integer 12'

Column Name: ss_note_integer_13
Column Type: integer
'SS Note Integer 13'

Column Name: ss_note_integer_14
Column Type: integer
'SS Note Integer 14'

Column Name: ss_note_integer_15
Column Type: integer
'SS Note Integer 15'

Column Name: ss_note_integer_16
Column Type: integer
'SS Note Integer 16'

Column Name: ss_note_integer_17
Column Type: integer
'SS Note Integer 17'

Column Name: ss_note_integer_18
Column Type: integer
'SS Note Integer 18'

Column Name: ss_note_integer_19
Column Type: integer
'SS Note Integer 19'

Column Name: ss_note_integer_20
Column Type: integer
'SS Note Integer 20'

Column Name: ss_note_integer_21
Column Type: integer
'SS Note Integer 21'

Column Name: ss_note_integer_22
Column Type: integer
'SS Note Integer 22'

Column Name: ss_note_integer_23
Column Type: integer
'SS Note Integer 23'

Column Name: ss_note_integer_24
Column Type: integer

'SS Note Integer 24'

Column Name: ss_note_integer_25

Column Type: integer

'SS Note Integer 25'

Column Name: ss_note_integer_26

Column Type: integer

'SS Note Integer 26'

Column Name: ss_note_integer_27

Column Type: integer

'SS Note Integer 27'

Column Name: ss_note_integer_28

Column Type: integer

'SS Note Integer 28'

Column Name: ss_note_integer_29

Column Type: integer

'SS Note Integer 29'

Column Name: ss_note_integer_30

Column Type: integer

'SS Note Integer 30'

Column Name: ss_note_integer_31

Column Type: integer

'SS Note Integer 31'

Column Name: ss_note_integer_32

Column Type: integer

'SS Note Integer 32'

Column Name: ss_note_integer_33

Column Type: integer

'SS Note Integer 33'

Column Name: ss_note_integer_34

Column Type: integer

'SS Note Integer 34'

Column Name: ss_note_integer_35

Column Type: integer

'SS Note Integer 35'

Column Name: ss_note_integer_36

Column Type: integer

'SS Note Integer 36'

Column Name: ss_note_integer_37
Column Type: integer
'SS Note Integer 37'

Column Name: ss_note_integer_38
Column Type: integer
'SS Note Integer 38'

Column Name: ss_note_integer_39
Column Type: integer
'SS Note Integer 39'

Column Name: ss_note_integer_40
Column Type: integer
'SS Note Integer 40'

Column Name: ss_note_integer_41
Column Type: integer
'SS Note Integer 41'

Column Name: ss_note_integer_42
Column Type: integer
'SS Note Integer 42'

Column Name: ss_note_integer_43
Column Type: integer
'SS Note Integer 43'

Column Name: ss_note_integer_44
Column Type: integer
'SS Note Integer 44'

Column Name: ss_note_integer_45
Column Type: integer
'SS Note Integer 45'

Column Name: ss_note_integer_46
Column Type: integer
'SS Note Integer 46'

Column Name: ss_note_integer_47
Column Type: integer
'SS Note Integer 47'

Column Name: ss_note_integer_48
Column Type: integer
'SS Note Integer 48'

Column Name: ss_note_integer_49
Column Type: integer

'SS Note Integer 49'

Column Name: ss_note_integer_50

Column Type: integer

'SS Note Integer 50'

Column Name: ss_note_integer_7

Column Type: integer

'SS Note Integer 7'

Column Name: ss_note_integer_8

Column Type: integer

'SS Note Integer 8'

Column Name: ss_note_integer_9

Column Type: integer

'SS Note Integer 9'

Column Name: ss_note_staff_11

Column Type: varchar

Max Length: 20

'SS Note Staff Member 11'

Column Name: ss_note_staff_12

Column Type: varchar

Max Length: 20

'SS Note Staff Member 12'

Column Name: ss_note_staff_13

Column Type: varchar

Max Length: 20

'SS Note Staff Member 13'

Column Name: ss_note_staff_14

Column Type: varchar

Max Length: 20

'SS Note Staff Member 14'

Column Name: ss_note_staff_15

Column Type: varchar

Max Length: 20

'SS Note Staff Member 15'

Column Name: ss_note_staff_16

Column Type: varchar

Max Length: 20

'SS Note Staff Member 16'

Column Name: ss_note_staff_17

Column Type: varchar

Max Length: 20
'SS Note Staff Member 17'

Column Name: ss_note_staff_18
Column Type: varchar
Max Length: 20
'SS Note Staff Member 18'

Column Name: ss_note_staff_19
Column Type: varchar
Max Length: 20
'SS Note Staff Member 19'

Column Name: ss_note_staff_20
Column Type: varchar
Max Length: 20
'SS Note Staff Member 20'

Column Name: ss_note_staff_21
Column Type: varchar
Max Length: 20
'SS Note Staff Member 21'

Column Name: ss_note_staff_22
Column Type: varchar
Max Length: 20
'SS Note Staff Member 22'

Column Name: ss_note_staff_23
Column Type: varchar
Max Length: 20
'SS Note Staff Member 23'

Column Name: ss_note_staff_24
Column Type: varchar
Max Length: 20
'SS Note Staff Member 24'

Column Name: ss_note_staff_25
Column Type: varchar
Max Length: 20
'SS Note Staff Member 25'

Column Name: ss_note_staff_26
Column Type: varchar
Max Length: 20
'SS Note Staff Member 26'

Column Name: ss_note_staff_27
Column Type: varchar

Max Length: 20
'SS Note Staff Member 27'

Column Name: ss_note_staff_28
Column Type: varchar
Max Length: 20
'SS Note Staff Member 28'

Column Name: ss_note_staff_29
Column Type: varchar
Max Length: 20
'SS Note Staff Member 29'

Column Name: ss_note_staff_30
Column Type: varchar
Max Length: 20
'SS Note Staff Member 30'

Column Name: ss_note_staff_31
Column Type: varchar
Max Length: 20
'SS Note Staff Member 31'

Column Name: ss_note_staff_32
Column Type: varchar
Max Length: 20
'SS Note Staff Member 32'

Column Name: ss_note_staff_33
Column Type: varchar
Max Length: 20
'SS Note Staff Member 33'

Column Name: ss_note_staff_34
Column Type: varchar
Max Length: 20
'SS Note Staff Member 34'

Column Name: ss_note_staff_35
Column Type: varchar
Max Length: 20
'SS Note Staff Member 35'

Column Name: ss_note_staff_36
Column Type: varchar
Max Length: 20
'SS Note Staff Member 36'

Column Name: ss_note_staff_37
Column Type: varchar

Max Length: 20
'SS Note Staff Member 37'

Column Name: ss_note_staff_38
Column Type: varchar
Max Length: 20
'SS Note Staff Member 38'

Column Name: ss_note_staff_39
Column Type: varchar
Max Length: 20
'SS Note Staff Member 39'

Column Name: ss_note_staff_40
Column Type: varchar
Max Length: 20
'SS Note Staff Member 40'

Column Name: ss_note_staff_41
Column Type: varchar
Max Length: 20
'SS Note Staff Member 41'

Column Name: ss_note_staff_42
Column Type: varchar
Max Length: 20
'SS Note Staff Member 42'

Column Name: ss_note_staff_43
Column Type: varchar
Max Length: 20
'SS Note Staff Member 43'

Column Name: ss_note_staff_44
Column Type: varchar
Max Length: 20
'SS Note Staff Member 44'

Column Name: ss_note_staff_45
Column Type: varchar
Max Length: 20
'SS Note Staff Member 45'

Column Name: ss_note_staff_46
Column Type: varchar
Max Length: 20
'SS Note Staff Member 46'

Column Name: ss_note_staff_47
Column Type: varchar

Max Length: 20
'SS Note Staff Member 47'

Column Name: ss_note_staff_48
Column Type: varchar
Max Length: 20
'SS Note Staff Member 48'

Column Name: ss_note_staff_49
Column Type: varchar
Max Length: 20
'SS Note Staff Member 49'

Column Name: ss_note_staff_50
Column Type: varchar
Max Length: 20
'SS Note Staff Member 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: SYSTEM.cw_patient_notes_supp_3

Table Description: This table returns the information stored in the 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Progress Notes (Group and Individual)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time

Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
The form number of the form that last updated the row.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notec_multi_dict_10_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 10'

Column Name: ss_notec_multi_dict_10_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_10_code. See ss_notec_multi_dict_10_code for more information.

Column Name: ss_notec_multi_dict_11_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_notec_multi_dict_11_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_11_code. See ss_notec_multi_dict_11_code for more information.

Column Name: ss_notec_multi_dict_12_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_notec_multi_dict_12_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_12_code. See ss_notec_multi_dict_12_code for more information.

Column Name: ss_notec_multi_dict_13_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_notec_multi_dict_13_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_13_code. See ss_notec_multi_dict_13_code for more information.

Column Name: ss_notec_multi_dict_14_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_notec_multi_dict_14_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_14_code. See ss_notec_multi_dict_14_code for more information.

Column Name: ss_notec_multi_dict_15_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_notec_multi_dict_15_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_15_code. See ss_notec_multi_dict_15_code for more information.

Column Name: ss_notec_multi_dict_16_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_notec_multi_dict_16_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_16_code. See ss_notec_multi_dict_16_code for more information.

Column Name: ss_notec_multi_dict_17_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_notec_multi_dict_17_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_17_code. See ss_notec_multi_dict_17_code for more information.

Column Name: ss_notec_multi_dict_18_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_notec_multi_dict_18_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_18_code. See ss_notec_multi_dict_18_code for more information.

Column Name: ss_notec_multi_dict_19_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_notec_multi_dict_19_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_19_code. See ss_notec_multi_dict_19_code for more information.

Column Name: ss_notec_multi_dict_1_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 1'

Column Name: ss_notec_multi_dict_1_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_1_code. See ss_notec_multi_dict_1_code for more information.

Column Name: ss_notec_multi_dict_20_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_notec_multi_dict_20_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_20_code. See ss_notec_multi_dict_20_code for more information.

Column Name: ss_notec_multi_dict_21_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_notec_multi_dict_21_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_21_code. See ss_notec_multi_dict_21_code for more information.

Column Name: ss_notec_multi_dict_22_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_notec_multi_dict_22_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_22_code. See ss_notec_multi_dict_22_code for more information.

Column Name: ss_notec_multi_dict_23_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_notec_multi_dict_23_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_23_code. See ss_notec_multi_dict_23_code for more information.

Column Name: ss_notec_multi_dict_24_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_notec_multi_dict_24_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_24_code. See ss_notec_multi_dict_24_code for more information.

Column Name: ss_notec_multi_dict_25_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_notec_multi_dict_25_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_25_code. See ss_notec_multi_dict_25_code for more information.

Column Name: ss_notec_multi_dict_26_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_notec_multi_dict_26_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_26_code. See ss_notec_multi_dict_26_code for more information.

Column Name: ss_notec_multi_dict_27_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_notec_multi_dict_27_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_27_code. See ss_notec_multi_dict_27_code for more information.

Column Name: ss_notec_multi_dict_28_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_notec_multi_dict_28_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_28_code. See ss_notec_multi_dict_28_code for more information.

Column Name: ss_notec_multi_dict_29_code

Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_notec_multi_dict_29_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_29_code. See ss_notec_multi_dict_29_code for more information.

Column Name: ss_notec_multi_dict_2_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 2'

Column Name: ss_notec_multi_dict_2_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_2_code. See ss_notec_multi_dict_2_code for more information.

Column Name: ss_notec_multi_dict_30_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_notec_multi_dict_30_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_30_code. See ss_notec_multi_dict_30_code for more information.

Column Name: ss_notec_multi_dict_31_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 31'

Column Name: ss_notec_multi_dict_31_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_31_code. See ss_notec_multi_dict_31_code for more information.

Column Name: ss_notec_multi_dict_32_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 32'

Column Name: ss_notec_multi_dict_32_value
Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_32_code. See ss_notec_multi_dict_32_code for more information.

Column Name: ss_notec_multi_dict_33_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 33'

Column Name: ss_notec_multi_dict_33_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_33_code. See ss_notec_multi_dict_33_code for more information.

Column Name: ss_notec_multi_dict_34_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 34'

Column Name: ss_notec_multi_dict_34_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_34_code. See ss_notec_multi_dict_34_code for more information.

Column Name: ss_notec_multi_dict_35_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 35'

Column Name: ss_notec_multi_dict_35_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_35_code. See ss_notec_multi_dict_35_code for more information.

Column Name: ss_notec_multi_dict_36_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 36'

Column Name: ss_notec_multi_dict_36_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_36_code. See ss_notec_multi_dict_36_code for more information.

Column Name: ss_notec_multi_dict_37_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 37'

Column Name: ss_notec_multi_dict_37_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_37_code. See ss_notec_multi_dict_37_code for more information.

Column Name: ss_notec_multi_dict_38_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 38'

Column Name: ss_notec_multi_dict_38_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_38_code. See ss_notec_multi_dict_38_code for more information.

Column Name: ss_notec_multi_dict_39_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 39'

Column Name: ss_notec_multi_dict_39_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_39_code. See ss_notec_multi_dict_39_code for more information.

Column Name: ss_notec_multi_dict_3_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 3'

Column Name: ss_notec_multi_dict_3_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_3_code. See ss_notec_multi_dict_3_code for more information.

Column Name: ss_notec_multi_dict_40_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 40'

Column Name: ss_notec_multi_dict_40_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_40_code. See ss_notec_multi_dict_40_code for more information.

Column Name: ss_notec_multi_dict_41_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 41'

Column Name: ss_notec_multi_dict_41_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_41_code. See ss_notec_multi_dict_41_code for more information.

Column Name: ss_notec_multi_dict_42_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 42'

Column Name: ss_notec_multi_dict_42_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_42_code. See ss_notec_multi_dict_42_code for more information.

Column Name: ss_notec_multi_dict_43_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 43'

Column Name: ss_notec_multi_dict_43_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_43_code. See ss_notec_multi_dict_43_code for more information.

Column Name: ss_notec_multi_dict_44_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 44'

Column Name: ss_notec_multi_dict_44_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_44_code. See ss_notec_multi_dict_44_code for more information.

Column Name: ss_notec_multi_dict_45_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 45'

Column Name: ss_notec_multi_dict_45_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_45_code. See ss_notec_multi_dict_45_code for more information.

Column Name: ss_notec_multi_dict_46_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 46'

Column Name: ss_notec_multi_dict_46_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_46_code. See ss_notec_multi_dict_46_code for more information.

Column Name: ss_notec_multi_dict_47_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 47'

Column Name: ss_notec_multi_dict_47_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_47_code. See ss_notec_multi_dict_47_code for more information.

Column Name: ss_notec_multi_dict_48_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 48'

Column Name: ss_notec_multi_dict_48_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_48_code. See ss_notec_multi_dict_48_code for more information.

Column Name: ss_notec_multi_dict_49_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 49'

Column Name: ss_notec_multi_dict_49_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_49_code`. See `ss_notec_multi_dict_49_code` for more information.

Column Name: `ss_notec_multi_dict_4_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 4'

Column Name: `ss_notec_multi_dict_4_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_4_code`. See `ss_notec_multi_dict_4_code` for more information.

Column Name: `ss_notec_multi_dict_50_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 50'

Column Name: `ss_notec_multi_dict_50_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_50_code`. See `ss_notec_multi_dict_50_code` for more information.

Column Name: `ss_notec_multi_dict_5_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 5'

Column Name: `ss_notec_multi_dict_5_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_5_code`. See `ss_notec_multi_dict_5_code` for more information.

Column Name: `ss_notec_multi_dict_6_code`
Column Type: `varchar`
Max Length: 255
'SS Note Copy Multiple Response Dictionary 6'

Column Name: `ss_notec_multi_dict_6_value`
Column Type: `varchar`
Max Length: 32759
The description associated with `ss_notec_multi_dict_6_code`. See `ss_notec_multi_dict_6_code` for more information.

Column Name: `ss_notec_multi_dict_7_code`
Column Type: `varchar`
Max Length: 255

'SS Note Copy Multiple Response Dictionary 7'

Column Name: ss_notec_multi_dict_7_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_7_code. See ss_notec_multi_dict_7_code for more information.

Column Name: ss_notec_multi_dict_8_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 8'

Column Name: ss_notec_multi_dict_8_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_8_code. See ss_notec_multi_dict_8_code for more information.

Column Name: ss_notec_multi_dict_9_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 9'

Column Name: ss_notec_multi_dict_9_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_9_code. See ss_notec_multi_dict_9_code for more information.

Column Name: ss_notec_sing_dict_10_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 10'

Column Name: ss_notec_sing_dict_10_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_10_code. See ss_notec_sing_dict_10_code for more information.

Column Name: ss_notec_sing_dict_11_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 11'

Column Name: ss_notec_sing_dict_11_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_11_code. See ss_notec_sing_dict_11_code for more information.

Column Name: ss_notec_sing_dict_12_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 12'

Column Name: ss_notec_sing_dict_12_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_12_code. See ss_notec_sing_dict_12_code for more information.

Column Name: ss_notec_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 13'

Column Name: ss_notec_sing_dict_13_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_13_code. See ss_notec_sing_dict_13_code for more information.

Column Name: ss_notec_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 14'

Column Name: ss_notec_sing_dict_14_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_14_code. See ss_notec_sing_dict_14_code for more information.

Column Name: ss_notec_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 15'

Column Name: ss_notec_sing_dict_15_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_15_code. See ss_notec_sing_dict_15_code for more information.

Column Name: ss_notec_sing_dict_16_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 16'

Column Name: ss_notec_sing_dict_16_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_16_code. See ss_notec_sing_dict_16_code for more information.

Column Name: ss_notec_sing_dict_17_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 17'

Column Name: ss_notec_sing_dict_17_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_17_code. See ss_notec_sing_dict_17_code for more information.

Column Name: ss_notec_sing_dict_18_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 18'

Column Name: ss_notec_sing_dict_18_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_18_code. See ss_notec_sing_dict_18_code for more information.

Column Name: ss_notec_sing_dict_19_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 19'

Column Name: ss_notec_sing_dict_19_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_19_code. See ss_notec_sing_dict_19_code for more information.

Column Name: ss_notec_sing_dict_1_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 1'

Column Name: ss_notec_sing_dict_1_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_1_code. See ss_notec_sing_dict_1_code for more information.

Column Name: ss_notec_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 20'

Column Name: ss_notec_sing_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_20_code. See ss_notec_sing_dict_20_code for more information.

Column Name: ss_notec_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 21'

Column Name: ss_notec_sing_dict_21_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_21_code. See ss_notec_sing_dict_21_code for more information.

Column Name: ss_notec_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 22'

Column Name: ss_notec_sing_dict_22_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_22_code. See ss_notec_sing_dict_22_code for more information.

Column Name: ss_notec_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 23'

Column Name: ss_notec_sing_dict_23_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_23_code. See ss_notec_sing_dict_23_code for more information.

Column Name: ss_notec_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 24'

Column Name: ss_notec_sing_dict_24_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_24_code. See ss_notec_sing_dict_24_code for more information.

Column Name: ss_notec_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 25'

Column Name: ss_notec_sing_dict_25_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_25_code. See ss_notec_sing_dict_25_code for more information.

Column Name: ss_notec_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 26'

Column Name: ss_notec_sing_dict_26_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_26_code. See ss_notec_sing_dict_26_code for more information.

Column Name: ss_notec_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 27'

Column Name: ss_notec_sing_dict_27_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_27_code. See ss_notec_sing_dict_27_code for more information.

Column Name: ss_notec_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 28'

Column Name: ss_notec_sing_dict_28_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_28_code. See ss_notec_sing_dict_28_code for more information.

Column Name: ss_notec_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 29'

Column Name: ss_notec_sing_dict_29_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_29_code. See ss_notec_sing_dict_29_code for more information.

Column Name: ss_notec_sing_dict_2_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 2'

Column Name: ss_notec_sing_dict_2_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_2_code. See ss_notec_sing_dict_2_code for more information.

Column Name: ss_notec_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 30'

Column Name: ss_notec_sing_dict_30_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_30_code. See ss_notec_sing_dict_30_code for more information.

Column Name: ss_notec_sing_dict_31_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 31'

Column Name: ss_notec_sing_dict_31_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_31_code. See ss_notec_sing_dict_31_code for more information.

Column Name: ss_notec_sing_dict_32_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 32'

Column Name: ss_notec_sing_dict_32_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_32_code. See ss_notec_sing_dict_32_code for more information.

Column Name: ss_notec_sing_dict_33_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 33'

Column Name: ss_notec_sing_dict_33_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_33_code. See ss_notec_sing_dict_33_code for more information.

Column Name: ss_notec_sing_dict_34_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 34'

Column Name: ss_notec_sing_dict_34_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_34_code. See ss_notec_sing_dict_34_code for more information.

Column Name: ss_notec_sing_dict_35_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 35'

Column Name: ss_notec_sing_dict_35_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_35_code. See ss_notec_sing_dict_35_code for more information.

Column Name: ss_notec_sing_dict_36_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 36'

Column Name: ss_notec_sing_dict_36_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_36_code. See ss_notec_sing_dict_36_code for more information.

Column Name: ss_notec_sing_dict_37_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 37'

Column Name: ss_notec_sing_dict_37_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_37_code. See ss_notec_sing_dict_37_code for more information.

Column Name: ss_notec_sing_dict_38_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 38'

Column Name: ss_notec_sing_dict_38_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_38_code. See ss_notec_sing_dict_38_code for more information.

Column Name: ss_notec_sing_dict_39_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 39'

Column Name: ss_notec_sing_dict_39_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_39_code. See ss_notec_sing_dict_39_code for more information.

Column Name: ss_notec_sing_dict_3_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 3'

Column Name: ss_notec_sing_dict_3_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_3_code. See ss_notec_sing_dict_3_code for more information.

Column Name: ss_notec_sing_dict_40_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 40'

Column Name: ss_notec_sing_dict_40_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_40_code. See ss_notec_sing_dict_40_code for more information.

Column Name: ss_notec_sing_dict_41_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 41'

Column Name: ss_notec_sing_dict_41_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_41_code. See ss_notec_sing_dict_41_code for more information.

Column Name: ss_notec_sing_dict_42_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 42'

Column Name: ss_notec_sing_dict_42_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_42_code. See ss_notec_sing_dict_42_code for more information.

Column Name: ss_notec_sing_dict_43_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 43'

Column Name: ss_notec_sing_dict_43_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_43_code. See ss_notec_sing_dict_43_code for more information.

Column Name: ss_notec_sing_dict_44_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 44'

Column Name: ss_notec_sing_dict_44_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_44_code. See ss_notec_sing_dict_44_code for more information.

Column Name: ss_notec_sing_dict_45_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 45'

Column Name: ss_notec_sing_dict_45_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_45_code. See ss_notec_sing_dict_45_code for more information.

Column Name: ss_notec_sing_dict_46_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 46'

Column Name: ss_notec_sing_dict_46_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_46_code. See ss_notec_sing_dict_46_code for more information.

Column Name: ss_notec_sing_dict_47_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 47'

Column Name: ss_notec_sing_dict_47_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_47_code. See ss_notec_sing_dict_47_code for more information.

Column Name: ss_notec_sing_dict_48_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 48'

Column Name: ss_notec_sing_dict_48_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_48_code. See ss_notec_sing_dict_48_code for more information.

Column Name: ss_notec_sing_dict_49_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 49'

Column Name: ss_notec_sing_dict_49_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_49_code. See ss_notec_sing_dict_49_code for more information.

Column Name: ss_notec_sing_dict_4_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 4'

Column Name: ss_notec_sing_dict_4_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_4_code. See ss_notec_sing_dict_4_code for more information.

Column Name: ss_notec_sing_dict_50_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 50'

Column Name: ss_notec_sing_dict_50_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_50_code. See ss_notec_sing_dict_50_code for more information.

Column Name: ss_notec_sing_dict_5_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 5'

Column Name: ss_notec_sing_dict_5_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_5_code. See ss_notec_sing_dict_5_code for more information.

Column Name: ss_notec_sing_dict_6_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 6'

Column Name: ss_notec_sing_dict_6_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_6_code. See ss_notec_sing_dict_6_code for more information.

Column Name: ss_notec_sing_dict_7_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 7'

Column Name: ss_notec_sing_dict_7_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_7_code. See ss_notec_sing_dict_7_code for more information.

Column Name: ss_notec_sing_dict_8_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 8'

Column Name: ss_notec_sing_dict_8_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_8_code. See ss_notec_sing_dict_8_code for more information.

Column Name: ss_notec_sing_dict_9_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 9'

Column Name: ss_notec_sing_dict_9_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_9_code. See ss_notec_sing_dict_9_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: SYSTEM.cw_patient_notes_supp_4

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a progress note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mult_dic_51_code
Column Type: varchar
Max Length: 50

'SS Note Copy Multiple Response Dictionary 51'

Column Name: ss_notc_mult_dic_51_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_51_code. See ss_notc_mult_dic_51_code for more information.

Column Name: ss_notc_mult_dic_52_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 52'

Column Name: ss_notc_mult_dic_52_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_52_code. See ss_notc_mult_dic_52_code for more information.

Column Name: ss_notc_mult_dic_53_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 53'

Column Name: ss_notc_mult_dic_53_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_53_code. See ss_notc_mult_dic_53_code for more information.

Column Name: ss_notc_mult_dic_54_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 54'

Column Name: ss_notc_mult_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_54_code. See ss_notc_mult_dic_54_code for more information.

Column Name: ss_notc_mult_dic_55_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 55'

Column Name: ss_notc_mult_dic_55_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_55_code`. See `ss_notc_mult_dic_55_code` for more information.

Column Name: `ss_notc_mult_dic_56_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 56'

Column Name: `ss_notc_mult_dic_56_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_56_code`. See `ss_notc_mult_dic_56_code` for more information.

Column Name: `ss_notc_mult_dic_57_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 57'

Column Name: `ss_notc_mult_dic_57_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_57_code`. See `ss_notc_mult_dic_57_code` for more information.

Column Name: `ss_notc_mult_dic_58_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 58'

Column Name: `ss_notc_mult_dic_58_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_58_code`. See `ss_notc_mult_dic_58_code` for more information.

Column Name: `ss_notc_mult_dic_59_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 59'

Column Name: `ss_notc_mult_dic_59_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_59_code`. See `ss_notc_mult_dic_59_code` for more information.

Column Name: `ss_notc_mult_dic_60_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Multiple Response Dictionary 60'

Column Name: ss_notc_mult_dic_60_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_60_code. See ss_notc_mult_dic_60_code for more information.

Column Name: ss_notc_mult_dic_61_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 61'

Column Name: ss_notc_mult_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_61_code. See ss_notc_mult_dic_61_code for more information.

Column Name: ss_notc_mult_dic_62_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 62'

Column Name: ss_notc_mult_dic_62_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_62_code. See ss_notc_mult_dic_62_code for more information.

Column Name: ss_notc_mult_dic_63_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 63'

Column Name: ss_notc_mult_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_63_code. See ss_notc_mult_dic_63_code for more information.

Column Name: ss_notc_mult_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 64'

Column Name: ss_notc_mult_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_64_code`. See `ss_notc_mult_dic_64_code` for more information.

Column Name: `ss_notc_mult_dic_65_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 65'

Column Name: `ss_notc_mult_dic_65_value`
Column Type: `varchar`
Max Length: 265
The description associated with `ss_notc_mult_dic_65_code`. See `ss_notc_mult_dic_65_code` for more information.

Column Name: `ss_notc_mult_dic_66_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 66'

Column Name: `ss_notc_mult_dic_66_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_66_code`. See `ss_notc_mult_dic_66_code` for more information.

Column Name: `ss_notc_mult_dic_67_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 67'

Column Name: `ss_notc_mult_dic_67_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_67_code`. See `ss_notc_mult_dic_67_code` for more information.

Column Name: `ss_notc_mult_dic_68_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Multiple Response Dictionary 68'

Column Name: `ss_notc_mult_dic_68_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_mult_dic_68_code`. See `ss_notc_mult_dic_68_code` for more information.

Column Name: `ss_notc_mult_dic_69_code`
Column Type: `varchar`
Max Length: 50

'SS Note Copy Multiple Response Dictionary 69'

Column Name: ss_notc_mult_dic_69_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_69_code. See ss_notc_mult_dic_69_code for more information.

Column Name: ss_notc_mult_dic_70_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 70'

Column Name: ss_notc_mult_dic_70_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_70_code. See ss_notc_mult_dic_70_code for more information.

Column Name: ss_notc_mult_dic_71_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 71'

Column Name: ss_notc_mult_dic_71_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_71_code. See ss_notc_mult_dic_71_code for more information.

Column Name: ss_notc_mult_dic_72_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 72'

Column Name: ss_notc_mult_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_72_code. See ss_notc_mult_dic_72_code for more information.

Column Name: ss_notc_mult_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 73'

Column Name: ss_notc_mult_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_73_code. See ss_notc_mult_dic_73_code for more information.

Column Name: ss_notc_mult_dic_74_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 74'

Column Name: ss_notc_mult_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_74_code. See ss_notc_mult_dic_74_code for more information.

Column Name: ss_notc_mult_dic_75_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 75'

Column Name: ss_notc_mult_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mult_dic_75_code. See ss_notc_mult_dic_75_code for more information.

Column Name: ss_notc_mult_dic_76_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 76'

Column Name: ss_notc_mult_dic_76_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_76_code. See ss_notc_mult_dic_76_code for more information.

Column Name: ss_notc_mult_dic_77_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 77'

Column Name: ss_notc_mult_dic_77_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_77_code. See ss_notc_mult_dic_77_code for more information.

Column Name: ss_notc_mult_dic_78_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 78'

Column Name: ss_notc_mult_dic_78_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_78_code. See ss_notc_mult_dic_78_code for more information.

Column Name: ss_notc_mult_dic_79_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 79'

Column Name: ss_notc_mult_dic_79_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_79_code. See ss_notc_mult_dic_79_code for more information.

Column Name: ss_notc_mult_dic_80_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 80'

Column Name: ss_notc_mult_dic_80_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_80_code. See ss_notc_mult_dic_80_code for more information.

Column Name: ss_notc_sin_dic_51_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 51'

Column Name: ss_notc_sin_dic_51_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_51_code. See ss_notc_sin_dic_51_code for more information.

Column Name: ss_notc_sin_dic_52_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 52'

Column Name: ss_notc_sin_dic_52_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_52_code. See ss_notc_sin_dic_52_code for more information.

Column Name: ss_notc_sin_dic_53_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 53'

Column Name: ss_notc_sin_dic_53_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_53_code. See ss_notc_sin_dic_53_code for more information.

Column Name: ss_notc_sin_dic_54_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 54'

Column Name: ss_notc_sin_dic_54_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_54_code. See ss_notc_sin_dic_54_code for more information.

Column Name: ss_notc_sin_dic_55_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 55'

Column Name: ss_notc_sin_dic_55_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_55_code. See ss_notc_sin_dic_55_code for more information.

Column Name: ss_notc_sin_dic_56_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 56'

Column Name: ss_notc_sin_dic_56_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_56_code. See ss_notc_sin_dic_56_code for more information.

Column Name: ss_notc_sin_dic_57_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 57'

Column Name: ss_notc_sin_dic_57_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_57_code. See ss_notc_sin_dic_57_code for more information.

Column Name: ss_notc_sin_dic_58_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 58'

Column Name: ss_notc_sin_dic_58_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_58_code. See ss_notc_sin_dic_58_code for more information.

Column Name: ss_notc_sin_dic_59_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 59'

Column Name: ss_notc_sin_dic_59_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_59_code. See ss_notc_sin_dic_59_code for more information.

Column Name: ss_notc_sin_dic_60_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 60'

Column Name: ss_notc_sin_dic_60_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_60_code. See ss_notc_sin_dic_60_code for more information.

Column Name: ss_notc_sin_dic_61_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 61'

Column Name: ss_notc_sin_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_61_code. See ss_notc_sin_dic_61_code for more information.

Column Name: ss_notc_sin_dic_62_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 62'

Column Name: ss_notc_sin_dic_62_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_62_code. See ss_notc_sin_dic_62_code for more information.

Column Name: ss_notc_sin_dic_63_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 63'

Column Name: ss_notc_sin_dic_63_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_63_code. See ss_notc_sin_dic_63_code for more information.

Column Name: ss_notc_sin_dic_64_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 64'

Column Name: ss_notc_sin_dic_64_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_64_code. See ss_notc_sin_dic_64_code for more information.

Column Name: ss_notc_sin_dic_65_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 65'

Column Name: ss_notc_sin_dic_65_value
Column Type: varchar
Max Length: 265
The description associated with ss_notc_sin_dic_65_code. See ss_notc_sin_dic_65_code for more information.

Column Name: ss_notc_sin_dic_66_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 66'

Column Name: ss_notc_sin_dic_66_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_66_code. See ss_notc_sin_dic_66_code for more information.

Column Name: ss_notc_sin_dic_67_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 67'

Column Name: ss_notc_sin_dic_67_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_67_code. See ss_notc_sin_dic_67_code for more information.

Column Name: ss_notc_sin_dic_68_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 68'

Column Name: ss_notc_sin_dic_68_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_68_code. See ss_notc_sin_dic_68_code for more information.

Column Name: ss_notc_sin_dic_69_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 69'

Column Name: ss_notc_sin_dic_69_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_69_code. See ss_notc_sin_dic_69_code for more information.

Column Name: ss_notc_sin_dic_70_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 70'

Column Name: ss_notc_sin_dic_70_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_70_code. See ss_notc_sin_dic_70_code for more information.

Column Name: ss_notc_sin_dic_71_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 71'

Column Name: ss_notc_sin_dic_71_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_71_code. See ss_notc_sin_dic_71_code for more information.

Column Name: ss_notc_sin_dic_72_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 72'

Column Name: ss_notc_sin_dic_72_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_72_code. See ss_notc_sin_dic_72_code for more information.

Column Name: ss_notc_sin_dic_73_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 73'

Column Name: ss_notc_sin_dic_73_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_73_code. See ss_notc_sin_dic_73_code for more information.

Column Name: ss_notc_sin_dic_74_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 74'

Column Name: ss_notc_sin_dic_74_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_74_code. See ss_notc_sin_dic_74_code for more information.

Column Name: ss_notc_sin_dic_75_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 75'

Column Name: ss_notc_sin_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_sin_dic_75_code. See ss_notc_sin_dic_75_code for more information.

Column Name: ss_notc_sin_dic_76_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 76'

Column Name: ss_notc_sin_dic_76_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_76_code. See ss_notc_sin_dic_76_code for more information.

Column Name: ss_notc_sin_dic_77_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 77'

Column Name: ss_notc_sin_dic_77_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_77_code. See ss_notc_sin_dic_77_code for more information.

Column Name: ss_notc_sin_dic_78_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 78'

Column Name: ss_notc_sin_dic_78_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_78_code. See ss_notc_sin_dic_78_code for more information.

Column Name: ss_notc_sin_dic_79_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 79'

Column Name: ss_notc_sin_dic_79_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_sin_dic_79_code`. See `ss_notc_sin_dic_79_code` for more information.

Column Name: `ss_notc_sin_dic_80_code`
Column Type: `varchar`
Max Length: 50
'SS Note Copy Single Response Dictionary 80'

Column Name: `ss_notc_sin_dic_80_value`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_notc_sin_dic_80_code`. See `ss_notc_sin_dic_80_code` for more information.

Column Name: `ss_note_mul_dict_51_code`
Column Type: `varchar`
Max Length: 20
'SS Note Multi Response Dictionary 51'

Column Name: `ss_note_mul_dict_51_shval`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_note_mul_dict_51_code` limited to 255 characters. See `ss_note_mul_dict_51_code` for more information.

Column Name: `ss_note_mul_dict_51_value`
Column Type: `varchar`
Max Length: 32700
The description associated with `ss_note_mul_dict_51_code`. See `ss_note_mul_dict_51_code` for more information.

Column Name: `ss_note_mul_dict_52_code`
Column Type: `varchar`
Max Length: 20
'SS Note Multi Response Dictionary 52'

Column Name: `ss_note_mul_dict_52_shval`
Column Type: `varchar`
Max Length: 255
The description associated with `ss_note_mul_dict_52_code` limited to 255 characters. See `ss_note_mul_dict_52_code` for more information.

Column Name: `ss_note_mul_dict_52_value`
Column Type: `varchar`
Max Length: 32700
The description associated with `ss_note_mul_dict_52_code`. See `ss_note_mul_dict_52_code` for more information.

Column Name: `ss_note_mul_dict_53_code`
Column Type: `varchar`

Max Length: 20
'SS Note Multi Response Dictionary 53'

Column Name: ss_note_mul_dict_53_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_53_code limited to 255 characters. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_53_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_53_code. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_54_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 54'

Column Name: ss_note_mul_dict_54_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_54_code limited to 255 characters. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_54_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_54_code. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_55_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 55'

Column Name: ss_note_mul_dict_55_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_55_code limited to 255 characters. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_55_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_55_code. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_56_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 56'

Column Name: ss_note_mul_dict_56_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_56_code limited to 255 characters. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_56_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_56_code. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_57_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 57'

Column Name: ss_note_mul_dict_57_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_57_code limited to 255 characters. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_57_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_57_code. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_58_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 58'

Column Name: ss_note_mul_dict_58_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_58_code limited to 255 characters. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_58_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_58_code. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_59_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 59'

Column Name: ss_note_mul_dict_59_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_59_code limited to 255 characters. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_59_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_59_code. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_60_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 60'

Column Name: ss_note_mul_dict_60_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_60_code limited to 255 characters. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_60_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_60_code. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_61_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 61'

Column Name: ss_note_mul_dict_61_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_61_code limited to 255 characters. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_61_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_61_code. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_62_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 62'

Column Name: ss_note_mul_dict_62_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_62_code limited to 255 characters. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_62_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_62_code. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_63_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 63'

Column Name: ss_note_mul_dict_63_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_63_code limited to 255 characters. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_63_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_63_code. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_64_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 64'

Column Name: ss_note_mul_dict_64_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_64_code limited to 255 characters. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_64_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_64_code. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_65_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 65'

Column Name: ss_note_mul_dict_65_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_65_code limited to 255 characters. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_65_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_65_code. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_66_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 66'

Column Name: ss_note_mul_dict_66_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_66_code limited to 255 characters. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_66_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_66_code. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_67_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 67'

Column Name: ss_note_mul_dict_67_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_67_code limited to 255 characters. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_67_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_67_code. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_68_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 68'

Column Name: ss_note_mul_dict_68_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_68_code limited to 255 characters. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_68_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_68_code. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_69_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 69'

Column Name: ss_note_mul_dict_69_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_69_code limited to 255 characters. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_69_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_69_code. See ss_note_mul_dict_69_code for more information.

Column Name: ss_note_mul_dict_70_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 70'

Column Name: ss_note_mul_dict_70_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_70_code limited to 255 characters. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_70_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_70_code. See ss_note_mul_dict_70_code for more information.

Column Name: ss_note_mul_dict_71_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 71'

Column Name: ss_note_mul_dict_71_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_71_code limited to 255 characters. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_71_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_71_code. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_72_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 72'

Column Name: ss_note_mul_dict_72_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_72_code limited to 255 characters. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_72_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_72_code. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_73_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 73'

Column Name: ss_note_mul_dict_73_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_73_code limited to 255 characters. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_73_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_73_code. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_74_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 74'

Column Name: ss_note_mul_dict_74_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_74_code limited to 255 characters. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_74_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_74_code. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_75_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 75'

Column Name: ss_note_mul_dict_75_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_75_code limited to 255 characters. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_75_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_75_code. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_76_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 76'

Column Name: ss_note_mul_dict_76_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_76_code limited to 255 characters. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_76_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_76_code. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_77_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 77'

Column Name: ss_note_mul_dict_77_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_77_code limited to 255 characters. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_77_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_77_code. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_78_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 78'

Column Name: ss_note_mul_dict_78_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_78_code limited to 255 characters. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_78_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_78_code. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_79_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 79'

Column Name: ss_note_mul_dict_79_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_79_code limited to 255 characters. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_79_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_79_code. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_80_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 80'

Column Name: ss_note_mul_dict_80_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_80_code limited to 255 characters. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_mul_dict_80_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_80_code. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_scroll_text_51

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 51'

Column Name: ss_note_scroll_text_52

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 52'

Column Name: ss_note_scroll_text_53

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 53'

Column Name: ss_note_scroll_text_54

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 54'

Column Name: ss_note_scroll_text_55

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 55'

Column Name: ss_note_scroll_text_56
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 56'

Column Name: ss_note_scroll_text_57
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 57'

Column Name: ss_note_scroll_text_58
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 58'

Column Name: ss_note_scroll_text_59
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 59'

Column Name: ss_note_scroll_text_60
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 60'

Column Name: ss_note_scroll_text_61
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 61'

Column Name: ss_note_scroll_text_62
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 62'

Column Name: ss_note_scroll_text_63
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 63'

Column Name: ss_note_scroll_text_64
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 64'

Column Name: ss_note_scroll_text_65
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 65'

Column Name: ss_note_scroll_text_66
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 66'

Column Name: ss_note_scroll_text_67
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 67'

Column Name: ss_note_scroll_text_68
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 68'

Column Name: ss_note_scroll_text_69
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 69'

Column Name: ss_note_scroll_text_70
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 70'

Column Name: ss_note_scroll_text_71
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 71'

Column Name: ss_note_scroll_text_72
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 72'

Column Name: ss_note_scroll_text_73
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 73'

Column Name: ss_note_scroll_text_74
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 74'

Column Name: ss_note_scroll_text_75
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 75'

Column Name: ss_note_scroll_text_76
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 76'

Column Name: ss_note_scroll_text_77
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 77'

Column Name: ss_note_scroll_text_78
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 78'

Column Name: ss_note_scroll_text_79
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 79'

Column Name: ss_note_scroll_text_80
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 80'

Column Name: ss_note_sin_dict_51_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 51'

Column Name: ss_note_sin_dict_51_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_51_code. See ss_note_sin_dict_51_code for more information.

Column Name: ss_note_sin_dict_52_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 52'

Column Name: ss_note_sin_dict_52_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_52_code. See ss_note_sin_dict_52_code for more information.

Column Name: ss_note_sin_dict_53_code
Column Type: varchar

Max Length: 50
'SS Note Single Response Dictionary 53'

Column Name: ss_note_sin_dict_53_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_53_code. See ss_note_sin_dict_53_code for more information.

Column Name: ss_note_sin_dict_54_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 54'

Column Name: ss_note_sin_dict_54_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_54_code. See ss_note_sin_dict_54_code for more information.

Column Name: ss_note_sin_dict_55_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 55'

Column Name: ss_note_sin_dict_55_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_55_code. See ss_note_sin_dict_55_code for more information.

Column Name: ss_note_sin_dict_56_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 56'

Column Name: ss_note_sin_dict_56_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_56_code. See ss_note_sin_dict_56_code for more information.

Column Name: ss_note_sin_dict_57_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 57'

Column Name: ss_note_sin_dict_57_value
Column Type: varchar
Max Length: 50

The description associated with ss_note_sin_dict_57_code. See ss_note_sin_dict_57_code for more information.

Column Name: ss_note_sin_dict_58_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 58'

Column Name: ss_note_sin_dict_58_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_58_code. See ss_note_sin_dict_58_code for more information.

Column Name: ss_note_sin_dict_59_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 59'

Column Name: ss_note_sin_dict_59_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_59_code. See ss_note_sin_dict_59_code for more information.

Column Name: ss_note_sin_dict_60_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 60'

Column Name: ss_note_sin_dict_60_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_60_code. See ss_note_sin_dict_60_code for more information.

Column Name: ss_note_sin_dict_61_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 61'

Column Name: ss_note_sin_dict_61_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_61_code. See ss_note_sin_dict_61_code for more information.

Column Name: ss_note_sin_dict_62_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 62'

Column Name: ss_note_sin_dict_62_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_62_code. See ss_note_sin_dict_62_code for more information.

Column Name: ss_note_sin_dict_63_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 63'

Column Name: ss_note_sin_dict_63_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_63_code. See ss_note_sin_dict_63_code for more information.

Column Name: ss_note_sin_dict_64_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 64'

Column Name: ss_note_sin_dict_64_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_64_code. See ss_note_sin_dict_64_code for more information.

Column Name: ss_note_sin_dict_65_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 65'

Column Name: ss_note_sin_dict_65_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_65_code. See ss_note_sin_dict_65_code for more information.

Column Name: ss_note_sin_dict_66_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 66'

Column Name: ss_note_sin_dict_66_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_66_code. See ss_note_sin_dict_66_code for more information.

Column Name: ss_note_sin_dict_67_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 67'

Column Name: ss_note_sin_dict_67_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_67_code. See ss_note_sin_dict_67_code for more information.

Column Name: ss_note_sin_dict_68_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 68'

Column Name: ss_note_sin_dict_68_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_68_code. See ss_note_sin_dict_68_code for more information.

Column Name: ss_note_sin_dict_69_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 69'

Column Name: ss_note_sin_dict_69_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_69_code. See ss_note_sin_dict_69_code for more information.

Column Name: ss_note_sin_dict_70_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 70'

Column Name: ss_note_sin_dict_70_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_70_code. See ss_note_sin_dict_70_code for more information.

Column Name: ss_note_sin_dict_71_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 71'

Column Name: ss_note_sin_dict_71_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_71_code. See ss_note_sin_dict_71_code for more information.

Column Name: ss_note_sin_dict_72_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 72'

Column Name: ss_note_sin_dict_72_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_72_code. See ss_note_sin_dict_72_code for more information.

Column Name: ss_note_sin_dict_73_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 73'

Column Name: ss_note_sin_dict_73_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_73_code. See ss_note_sin_dict_73_code for more information.

Column Name: ss_note_sin_dict_74_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 74'

Column Name: ss_note_sin_dict_74_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_74_code. See ss_note_sin_dict_74_code for more information.

Column Name: ss_note_sin_dict_75_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 75'

Column Name: ss_note_sin_dict_75_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_75_code. See ss_note_sin_dict_75_code for more information.

Column Name: ss_note_sin_dict_76_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 76'

Column Name: ss_note_sin_dict_76_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_76_code. See ss_note_sin_dict_76_code for more information.

Column Name: ss_note_sin_dict_77_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 77'

Column Name: ss_note_sin_dict_77_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_77_code. See ss_note_sin_dict_77_code for more information.

Column Name: ss_note_sin_dict_78_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 78'

Column Name: ss_note_sin_dict_78_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_78_code. See ss_note_sin_dict_78_code for more information.

Column Name: ss_note_sin_dict_79_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 79'

Column Name: ss_note_sin_dict_79_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_79_code. See ss_note_sin_dict_79_code for more information.

Column Name: ss_note_sin_dict_80_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 80'

Column Name: ss_note_sin_dict_80_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_80_code. See ss_note_sin_dict_80_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: SYSTEM.cw_patient_notes_supp_5

Table Description: This table returns the site specific information stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: NOT_uniqueid

Column Type: varchar

Max Length: 50

Unique ID for a note.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the service.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the service.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: ebp_code

Column Type: varchar
Max Length: 50
'Evidence-Based Practices'

Column Name: ebp_element_code
Column Type: varchar
Max Length: 50
'Evidence-Based Practice Elements'

Column Name: ebp_element_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_element_code

Column Name: ebp_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_code

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mul_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 100'

Column Name: ss_notc_mul_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_100_code. See ss_notc_mul_dic_100_code for more information.

Column Name: ss_notc_mul_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 101'

Column Name: ss_notc_mul_dic_101_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_101_code. See ss_notc_mul_dic_101_code for more information.

Column Name: ss_notc_mul_dic_102_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 102'

Column Name: ss_notc_mul_dic_102_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_102_code. See ss_notc_mul_dic_102_code for more information.

Column Name: ss_notc_mul_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 103'

Column Name: ss_notc_mul_dic_103_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_103_code. See ss_notc_mul_dic_103_code for more information.

Column Name: ss_notc_mul_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 104'

Column Name: ss_notc_mul_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_104_code. See ss_notc_mul_dic_104_code for more information.

Column Name: ss_notc_mul_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 105'

Column Name: ss_notc_mul_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mul_dic_105_code. See ss_notc_mul_dic_105_code for more information.

Column Name: ss_notc_mul_dic_106_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 106'

Column Name: ss_notc_mul_dic_106_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_106_code. See ss_notc_mul_dic_106_code for more information.

Column Name: ss_notc_mul_dic_107_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 107'

Column Name: ss_notc_mul_dic_107_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_107_code. See ss_notc_mul_dic_107_code for more information.

Column Name: ss_notc_mul_dic_108_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 108'

Column Name: ss_notc_mul_dic_108_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_108_code. See ss_notc_mul_dic_108_code for more information.

Column Name: ss_notc_mul_dic_109_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 109'

Column Name: ss_notc_mul_dic_109_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_109_code. See ss_notc_mul_dic_109_code for more information.

Column Name: ss_notc_mul_dic_110_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 110'

Column Name: ss_notc_mul_dic_110_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_110_code. See ss_notc_mul_dic_110_code for more information.

Column Name: ss_notc_mul_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 81'

Column Name: ss_notc_mul_dic_81_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_81_code. See ss_notc_mul_dic_81_code for more information.

Column Name: ss_notc_mul_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 82'

Column Name: ss_notc_mul_dic_82_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_82_code. See ss_notc_mul_dic_82_code for more information.

Column Name: ss_notc_mul_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 83'

Column Name: ss_notc_mul_dic_83_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_83_code. See ss_notc_mul_dic_83_code for more information.

Column Name: ss_notc_mul_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 84'

Column Name: ss_notc_mul_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_84_code. See ss_notc_mul_dic_84_code for more information.

Column Name: ss_notc_mul_dic_85_code

Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 85'

Column Name: ss_notc_mul_dic_85_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_85_code. See ss_notc_mul_dic_85_code for more information.

Column Name: ss_notc_mul_dic_86_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 86'

Column Name: ss_notc_mul_dic_86_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_86_code. See ss_notc_mul_dic_86_code for more information.

Column Name: ss_notc_mul_dic_87_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 87'

Column Name: ss_notc_mul_dic_87_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_87_code. See ss_notc_mul_dic_87_code for more information.

Column Name: ss_notc_mul_dic_88_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 88'

Column Name: ss_notc_mul_dic_88_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_88_code. See ss_notc_mul_dic_88_code for more information.

Column Name: ss_notc_mul_dic_89_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 89'

Column Name: ss_notc_mul_dic_89_value
Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_89_code. See ss_notc_mul_dic_89_code for more information.

Column Name: ss_notc_mul_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 90'

Column Name: ss_notc_mul_dic_90_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_90_code. See ss_notc_mul_dic_90_code for more information.

Column Name: ss_notc_mul_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 91'

Column Name: ss_notc_mul_dic_91_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_91_code. See ss_notc_mul_dic_91_code for more information.

Column Name: ss_notc_mul_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 92'

Column Name: ss_notc_mul_dic_92_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_92_code. See ss_notc_mul_dic_92_code for more information.

Column Name: ss_notc_mul_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 93'

Column Name: ss_notc_mul_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_93_code. See ss_notc_mul_dic_93_code for more information.

Column Name: ss_notc_mul_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 94'

Column Name: ss_notc_mul_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_94_code. See ss_notc_mul_dic_94_code for more information.

Column Name: ss_notc_mul_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 95'

Column Name: ss_notc_mul_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mul_dic_95_code. See ss_notc_mul_dic_95_code for more information.

Column Name: ss_notc_mul_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 96'

Column Name: ss_notc_mul_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_96_code. See ss_notc_mul_dic_96_code for more information.

Column Name: ss_notc_mul_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 97'

Column Name: ss_notc_mul_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_97_code. See ss_notc_mul_dic_97_code for more information.

Column Name: ss_notc_mul_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 98'

Column Name: ss_notc_mul_dic_98_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_98_code. See ss_notc_mul_dic_98_code for more information.

Column Name: ss_notc_mul_dic_99_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 99'

Column Name: ss_notc_mul_dic_99_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_99_code. See ss_notc_mul_dic_99_code for more information.

Column Name: ss_notc_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 100'

Column Name: ss_notc_sin_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_100_code. See ss_notc_sin_dic_100_code for more information.

Column Name: ss_notc_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 101'

Column Name: ss_notc_sin_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_101_code. See ss_notc_sin_dic_101_code for more information.

Column Name: ss_notc_sin_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 102'

Column Name: ss_notc_sin_dic_102_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_102_code. See ss_notc_sin_dic_102_code for more information.

Column Name: ss_notc_sin_dic_103_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 103'

Column Name: ss_notc_sin_dic_103_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_103_code. See ss_notc_sin_dic_103_code for more information.

Column Name: ss_notc_sin_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 104'

Column Name: ss_notc_sin_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_104_code. See ss_notc_sin_dic_104_code for more information.

Column Name: ss_notc_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 105'

Column Name: ss_notc_sin_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_sin_dic_105_code. See ss_notc_sin_dic_105_code for more information.

Column Name: ss_notc_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 106'

Column Name: ss_notc_sin_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_106_code. See ss_notc_sin_dic_106_code for more information.

Column Name: ss_notc_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 107'

Column Name: ss_notc_sin_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_107_code. See ss_notc_sin_dic_107_code for more information.

Column Name: ss_notc_sin_dic_108_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 108'

Column Name: ss_notc_sin_dic_108_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_108_code. See ss_notc_sin_dic_108_code for more information.

Column Name: ss_notc_sin_dic_109_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 109'

Column Name: ss_notc_sin_dic_109_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_109_code. See ss_notc_sin_dic_109_code for more information.

Column Name: ss_notc_sin_dic_110_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 110'

Column Name: ss_notc_sin_dic_110_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_110_code. See ss_notc_sin_dic_110_code for more information.

Column Name: ss_notc_sin_dic_81_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 81'

Column Name: ss_notc_sin_dic_81_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_81_code. See ss_notc_sin_dic_81_code for more information.

Column Name: ss_notc_sin_dic_82_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 82'

Column Name: ss_notc_sin_dic_82_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_82_code. See ss_notc_sin_dic_82_code for more information.

Column Name: ss_notc_sin_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 83'

Column Name: ss_notc_sin_dic_83_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_83_code. See ss_notc_sin_dic_83_code for more information.

Column Name: ss_notc_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 84'

Column Name: ss_notc_sin_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_84_code. See ss_notc_sin_dic_84_code for more information.

Column Name: ss_notc_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 85'

Column Name: ss_notc_sin_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_85_code. See ss_notc_sin_dic_85_code for more information.

Column Name: ss_notc_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 86'

Column Name: ss_notc_sin_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_86_code. See ss_notc_sin_dic_86_code for more information.

Column Name: ss_notc_sin_dic_87_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 87'

Column Name: ss_notc_sin_dic_87_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_87_code. See ss_notc_sin_dic_87_code for more information.

Column Name: ss_notc_sin_dic_88_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 88'

Column Name: ss_notc_sin_dic_88_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_88_code. See ss_notc_sin_dic_88_code for more information.

Column Name: ss_notc_sin_dic_89_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 89'

Column Name: ss_notc_sin_dic_89_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_89_code. See ss_notc_sin_dic_89_code for more information.

Column Name: ss_notc_sin_dic_90_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 90'

Column Name: ss_notc_sin_dic_90_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_90_code. See ss_notc_sin_dic_90_code for more information.

Column Name: ss_notc_sin_dic_91_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 91'

Column Name: ss_notc_sin_dic_91_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_91_code. See ss_notc_sin_dic_91_code for more information.

Column Name: ss_notc_sin_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 92'

Column Name: ss_notc_sin_dic_92_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_92_code. See ss_notc_sin_dic_92_code for more information.

Column Name: ss_notc_sin_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 93'

Column Name: ss_notc_sin_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_93_code. See ss_notc_sin_dic_93_code for more information.

Column Name: ss_notc_sin_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 94'

Column Name: ss_notc_sin_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_94_code. See ss_notc_sin_dic_94_code for more information.

Column Name: ss_notc_sin_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 95'

Column Name: ss_notc_sin_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_sin_dic_95_code. See ss_notc_sin_dic_95_code for more information.

Column Name: ss_notc_sin_dic_96_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 96'

Column Name: ss_notc_sin_dic_96_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_96_code. See ss_notc_sin_dic_96_code for more information.

Column Name: ss_notc_sin_dic_97_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 97'

Column Name: ss_notc_sin_dic_97_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_97_code. See ss_notc_sin_dic_97_code for more information.

Column Name: ss_notc_sin_dic_98_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 98'

Column Name: ss_notc_sin_dic_98_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_98_code. See ss_notc_sin_dic_98_code for more information.

Column Name: ss_notc_sin_dic_99_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 99'

Column Name: ss_notc_sin_dic_99_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_99_code. See ss_notc_sin_dic_99_code for more information.

Column Name: ss_note_mul_dic_100_code
Column Type: varchar
Max Length: 20

'SS Note Multi Response Dictionary 100'

Column Name: ss_note_mul_dic_100_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_100_code limited to 255 characters. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_100_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_100_code. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_101_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 101'

Column Name: ss_note_mul_dic_101_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_101_code limited to 255 characters. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_101_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_101_code. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_102_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 102'

Column Name: ss_note_mul_dic_102_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_102_code limited to 255 characters. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_102_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_102_code. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_103_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 103'

Column Name: ss_note_mul_dic_103_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_103_code limited to 255 characters. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_103_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_103_code. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_104_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 104'

Column Name: ss_note_mul_dic_104_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_104_code limited to 255 characters. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_104_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_104_code. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_105_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 105'

Column Name: ss_note_mul_dic_105_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_105_code limited to 255 characters. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_105_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_105_code. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_106_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 106'

Column Name: ss_note_mul_dic_106_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_106_code limited to 255 characters. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_106_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_106_code. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_107_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 107'

Column Name: ss_note_mul_dic_107_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_107_code limited to 255 characters. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_107_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_107_code. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_108_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 108'

Column Name: ss_note_mul_dic_108_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_108_code limited to 255 characters. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_108_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_108_code. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_109_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 109'

Column Name: ss_note_mul_dic_109_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_109_code limited to 255 characters. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_109_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_109_code. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_110_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 110'

Column Name: ss_note_mul_dic_110_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_110_code limited to 255 characters. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_110_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_110_code. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_81_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 81'

Column Name: ss_note_mul_dic_81_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_81_code limited to 255 characters. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_81_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dic_81_code. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_82_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 82'

Column Name: ss_note_mul_dic_82_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_82_code limited to 255 characters. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_82_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_82_code. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_83_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 83'

Column Name: ss_note_mul_dic_83_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_83_code limited to 255 characters. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_83_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_83_code. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_84_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 84'

Column Name: ss_note_mul_dic_84_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_84_code limited to 255 characters. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_84_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_84_code. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_85_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 85'

Column Name: ss_note_mul_dic_85_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_85_code limited to 255 characters. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_85_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_85_code. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_86_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 86'

Column Name: ss_note_mul_dic_86_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_86_code limited to 255 characters. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_86_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_86_code. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_87_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 87'

Column Name: ss_note_mul_dic_87_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_87_code limited to 255 characters. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_87_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_87_code. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_88_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 88'

Column Name: ss_note_mul_dic_88_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_88_code limited to 255 characters. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_88_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_88_code. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_89_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 89'

Column Name: ss_note_mul_dic_89_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_89_code limited to 255 characters. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_89_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_89_code. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_90_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 90'

Column Name: ss_note_mul_dic_90_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_90_code limited to 255 characters. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_90_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_90_code. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_91_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 91'

Column Name: ss_note_mul_dic_91_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_91_code limited to 255 characters. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_91_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_91_code. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_92_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 92'

Column Name: ss_note_mul_dic_92_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_92_code limited to 255 characters. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_92_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_92_code. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_93_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 93'

Column Name: ss_note_mul_dic_93_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_93_code limited to 255 characters. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_93_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_93_code. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_94_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 94'

Column Name: ss_note_mul_dic_94_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_94_code limited to 255 characters. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_94_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_94_code. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_95_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 95'

Column Name: ss_note_mul_dic_95_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_95_code limited to 255 characters. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_95_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_95_code. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_96_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 96'

Column Name: ss_note_mul_dic_96_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_96_code limited to 255 characters. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_96_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_96_code. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_97_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 97'

Column Name: ss_note_mul_dic_97_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_97_code limited to 255 characters. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_97_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_97_code. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_98_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 98'

Column Name: ss_note_mul_dic_98_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_98_code limited to 255 characters. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_98_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_98_code. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_99_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 99'

Column Name: ss_note_mul_dic_99_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_99_code limited to 255 characters. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_mul_dic_99_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_99_code. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_scroll_text_100

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 100'

Column Name: ss_note_scroll_text_101

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 101'

Column Name: ss_note_scroll_text_102

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 102'

Column Name: ss_note_scroll_text_103

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 103'

Column Name: ss_note_scroll_text_104

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 104'

Column Name: ss_note_scroll_text_105

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 105'

Column Name: ss_note_scroll_text_106

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 106'

Column Name: ss_note_scroll_text_107

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 107'

Column Name: ss_note_scroll_text_108

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 108'

Column Name: ss_note_scroll_text_109
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 109'

Column Name: ss_note_scroll_text_110
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 110'

Column Name: ss_note_scroll_text_81
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 81'

Column Name: ss_note_scroll_text_82
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 82'

Column Name: ss_note_scroll_text_83
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 83'

Column Name: ss_note_scroll_text_84
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 84'

Column Name: ss_note_scroll_text_85
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 85'

Column Name: ss_note_scroll_text_86
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 86'

Column Name: ss_note_scroll_text_87
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 87'

Column Name: ss_note_scroll_text_88

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 88'

Column Name: ss_note_scroll_text_89
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 89'

Column Name: ss_note_scroll_text_90
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 90'

Column Name: ss_note_scroll_text_91
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 91'

Column Name: ss_note_scroll_text_92
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 92'

Column Name: ss_note_scroll_text_93
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 93'

Column Name: ss_note_scroll_text_94
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 94'

Column Name: ss_note_scroll_text_95
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 95'

Column Name: ss_note_scroll_text_96
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 96'

Column Name: ss_note_scroll_text_97
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 97'

Column Name: ss_note_scroll_text_98

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 98'

Column Name: ss_note_scroll_text_99
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 99'

Column Name: ss_note_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 100'

Column Name: ss_note_sin_dic_100_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_100_code. See ss_note_sin_dic_100_code for more information.

Column Name: ss_note_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 101'

Column Name: ss_note_sin_dic_101_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_101_code. See ss_note_sin_dic_101_code for more information.

Column Name: ss_note_sin_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 102'

Column Name: ss_note_sin_dic_102_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_102_code. See ss_note_sin_dic_102_code for more information.

Column Name: ss_note_sin_dic_103_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 103'

Column Name: ss_note_sin_dic_103_value
Column Type: varchar
Max Length: 50

The description associated with `ss_note_sin_dic_103_code`. See `ss_note_sin_dic_103_code` for more information.

Column Name: `ss_note_sin_dic_104_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 104'

Column Name: `ss_note_sin_dic_104_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_104_code`. See `ss_note_sin_dic_104_code` for more information.

Column Name: `ss_note_sin_dic_105_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 105'

Column Name: `ss_note_sin_dic_105_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_105_code`. See `ss_note_sin_dic_105_code` for more information.

Column Name: `ss_note_sin_dic_106_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 106'

Column Name: `ss_note_sin_dic_106_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_106_code`. See `ss_note_sin_dic_106_code` for more information.

Column Name: `ss_note_sin_dic_107_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 107'

Column Name: `ss_note_sin_dic_107_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_107_code`. See `ss_note_sin_dic_107_code` for more information.

Column Name: `ss_note_sin_dic_108_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 108'

Column Name: ss_note_sin_dic_108_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_108_code. See ss_note_sin_dic_108_code for more information.

Column Name: ss_note_sin_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 109'

Column Name: ss_note_sin_dic_109_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_109_code. See ss_note_sin_dic_109_code for more information.

Column Name: ss_note_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 110'

Column Name: ss_note_sin_dic_110_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_110_code. See ss_note_sin_dic_110_code for more information.

Column Name: ss_note_sin_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 81'

Column Name: ss_note_sin_dic_81_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_81_code. See ss_note_sin_dic_81_code for more information.

Column Name: ss_note_sin_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 82'

Column Name: ss_note_sin_dic_82_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_82_code. See ss_note_sin_dic_82_code for more information.

Column Name: ss_note_sin_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 83'

Column Name: ss_note_sin_dic_83_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_83_code. See ss_note_sin_dic_83_code for more information.

Column Name: ss_note_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 84'

Column Name: ss_note_sin_dic_84_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_84_code. See ss_note_sin_dic_84_code for more information.

Column Name: ss_note_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 85'

Column Name: ss_note_sin_dic_85_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_85_code. See ss_note_sin_dic_85_code for more information.

Column Name: ss_note_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 86'

Column Name: ss_note_sin_dic_86_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_86_code. See ss_note_sin_dic_86_code for more information.

Column Name: ss_note_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 87'

Column Name: ss_note_sin_dic_87_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_87_code. See ss_note_sin_dic_87_code for more information.

Column Name: ss_note_sin_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 88'

Column Name: ss_note_sin_dic_88_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_88_code. See ss_note_sin_dic_88_code for more information.

Column Name: ss_note_sin_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 89'

Column Name: ss_note_sin_dic_89_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_89_code. See ss_note_sin_dic_89_code for more information.

Column Name: ss_note_sin_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 90'

Column Name: ss_note_sin_dic_90_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_90_code. See ss_note_sin_dic_90_code for more information.

Column Name: ss_note_sin_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 91'

Column Name: ss_note_sin_dic_91_value

Column Type: varchar

Max Length: 50

The description associated with `ss_note_sin_dic_91_code`. See `ss_note_sin_dic_91_code` for more information.

Column Name: `ss_note_sin_dic_92_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 92'

Column Name: `ss_note_sin_dic_92_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_92_code`. See `ss_note_sin_dic_92_code` for more information.

Column Name: `ss_note_sin_dic_93_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 93'

Column Name: `ss_note_sin_dic_93_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_93_code`. See `ss_note_sin_dic_93_code` for more information.

Column Name: `ss_note_sin_dic_94_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 94'

Column Name: `ss_note_sin_dic_94_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_94_code`. See `ss_note_sin_dic_94_code` for more information.

Column Name: `ss_note_sin_dic_95_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 95'

Column Name: `ss_note_sin_dic_95_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sin_dic_95_code`. See `ss_note_sin_dic_95_code` for more information.

Column Name: `ss_note_sin_dic_96_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 96'

Column Name: ss_note_sin_dic_96_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_96_code. See ss_note_sin_dic_96_code for more information.

Column Name: ss_note_sin_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 97'

Column Name: ss_note_sin_dic_97_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_97_code. See ss_note_sin_dic_97_code for more information.

Column Name: ss_note_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 98'

Column Name: ss_note_sin_dic_98_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_98_code. See ss_note_sin_dic_98_code for more information.

Column Name: ss_note_sin_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 99'

Column Name: ss_note_sin_dic_99_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_99_code. See ss_note_sin_dic_99_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: SYSTEM.cw_patient_notes_supp_6

Table Description: This table returns the facility location fields stored in the 'Progress Notes (Group and Individual)', 'Inpatient Progress Notes', 'Inpatient Progress Notes (Diagnosis Entry)', 'Ambulatory Progress Notes', and 'Ambulatory Progress Notes (Diagnosis Entry)' forms.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 50
Unique ID for a note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: facloc_address_1
Column Type: varchar
Max Length: 50
'Facility Location Address - Street'

Column Name: facloc_address_2
Column Type: varchar
Max Length: 50
'Facility Location Address - Street 2'

Column Name: facloc_city
Column Type: varchar
Max Length: 50
'Facility Location City'

Column Name: facloc_id_code
Column Type: varchar

Max Length: 50
'Facility Location Code Identifier'

Column Name: facloc_id_code_qual
Column Type: varchar
Max Length: 50
'Facility Location Code Qualifier'

Column Name: facloc_name
Column Type: varchar
Max Length: 50
'Facility Location Name'

Column Name: facloc_state
Column Type: varchar
Max Length: 50
'Facility Location State'

Column Name: facloc_zip_code
Column Type: varchar
Max Length: 50
'Facility Location Zip Code'

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_51
Column Type: varchar
Max Length: 20
SS Note 20 Character 51

Column Name: ss_note_20_char_text_52
Column Type: varchar
Max Length: 20
SS Note 20 Character 52

Column Name: ss_note_20_char_text_53
Column Type: varchar

Max Length: 20
SS Note 20 Character 53

Column Name: ss_note_20_char_text_54
Column Type: varchar
Max Length: 20
SS Note 20 Character 54

Column Name: ss_note_20_char_text_55
Column Type: varchar
Max Length: 20
SS Note 20 Character 55

Column Name: ss_note_20_char_text_56
Column Type: varchar
Max Length: 20
SS Note 20 Character 56

Column Name: ss_note_20_char_text_57
Column Type: varchar
Max Length: 20
SS Note 20 Character 57

Column Name: ss_note_20_char_text_58
Column Type: varchar
Max Length: 20
SS Note 20 Character 58

Column Name: ss_note_20_char_text_59
Column Type: varchar
Max Length: 20
SS Note 20 Character 59

Column Name: ss_note_20_char_text_60
Column Type: varchar
Max Length: 20
SS Note 20 Character 60

Column Name: ss_note_20_char_text_61
Column Type: varchar
Max Length: 20
SS Note 20 Character 61

Column Name: ss_note_20_char_text_62
Column Type: varchar
Max Length: 20
SS Note 20 Character 62

Column Name: ss_note_20_char_text_63
Column Type: varchar

Max Length: 20
SS Note 20 Character 63

Column Name: ss_note_20_char_text_64
Column Type: varchar
Max Length: 20
SS Note 20 Character 64

Column Name: ss_note_20_char_text_65
Column Type: varchar
Max Length: 20
SS Note 20 Character 65

Column Name: ss_note_20_char_text_66
Column Type: varchar
Max Length: 20
SS Note 20 Character 66

Column Name: ss_note_20_char_text_67
Column Type: varchar
Max Length: 20
SS Note 20 Character 67

Column Name: ss_note_20_char_text_68
Column Type: varchar
Max Length: 20
SS Note 20 Character 68

Column Name: ss_note_20_char_text_69
Column Type: varchar
Max Length: 20
SS Note 20 Character 69

Column Name: ss_note_20_char_text_70
Column Type: varchar
Max Length: 20
SS Note 20 Character 70

Column Name: ss_note_20_char_text_71
Column Type: varchar
Max Length: 20
SS Note 20 Character 71

Column Name: ss_note_20_char_text_72
Column Type: varchar
Max Length: 20
SS Note 20 Character 72

Column Name: ss_note_20_char_text_73
Column Type: varchar

Max Length: 20
SS Note 20 Character 73

Column Name: ss_note_20_char_text_74
Column Type: varchar
Max Length: 20
SS Note 20 Character 74

Column Name: ss_note_20_char_text_75
Column Type: varchar
Max Length: 20
SS Note 20 Character 75

Column Name: ss_note_20_char_text_76
Column Type: varchar
Max Length: 20
SS Note 20 Character 76

Column Name: ss_note_40_char_text_51
Column Type: varchar
Max Length: 40
SS Note 40 Character 51

Column Name: ss_note_40_char_text_52
Column Type: varchar
Max Length: 40
SS Note 40 Character 52

Column Name: ss_note_40_char_text_53
Column Type: varchar
Max Length: 40
SS Note 40 Character 53

Column Name: ss_note_40_char_text_54
Column Type: varchar
Max Length: 40
SS Note 40 Character 54

Column Name: ss_note_40_char_text_55
Column Type: varchar
Max Length: 40
SS Note 40 Character 55

Column Name: ss_note_40_char_text_56
Column Type: varchar
Max Length: 40
SS Note 40 Character 56

Column Name: ss_note_40_char_text_57
Column Type: varchar

Max Length: 40
SS Note 40 Character 57

Column Name: ss_note_40_char_text_58
Column Type: varchar
Max Length: 40
SS Note 40 Character 58

Column Name: ss_note_40_char_text_59
Column Type: varchar
Max Length: 40
SS Note 40 Character 59

Column Name: ss_note_40_char_text_60
Column Type: varchar
Max Length: 40
SS Note 40 Character 60

Column Name: ss_note_40_char_text_61
Column Type: varchar
Max Length: 40
SS Note 40 Character 61

Column Name: ss_note_40_char_text_62
Column Type: varchar
Max Length: 40
SS Note 40 Character 62

Column Name: ss_note_40_char_text_63
Column Type: varchar
Max Length: 40
SS Note 40 Character 63

Column Name: ss_note_40_char_text_64
Column Type: varchar
Max Length: 40
SS Note 40 Character 64

Column Name: ss_note_40_char_text_65
Column Type: varchar
Max Length: 40
SS Note 40 Character 65

Column Name: ss_note_40_char_text_66
Column Type: varchar
Max Length: 40
SS Note 40 Character 66

Column Name: ss_note_40_char_text_67
Column Type: varchar

Max Length: 40
SS Note 40 Character 67

Column Name: ss_note_40_char_text_68
Column Type: varchar
Max Length: 40
SS Note 40 Character 68

Column Name: ss_note_40_char_text_69
Column Type: varchar
Max Length: 40
SS Note 40 Character 69

Column Name: ss_note_40_char_text_70
Column Type: varchar
Max Length: 40
SS Note 40 Character 70

Column Name: ss_note_40_char_text_71
Column Type: varchar
Max Length: 40
SS Note 40 Character 71

Column Name: ss_note_40_char_text_72
Column Type: varchar
Max Length: 40
SS Note 40 Character 72

Column Name: ss_note_40_char_text_73
Column Type: varchar
Max Length: 40
SS Note 40 Character 73)

Column Name: ss_note_40_char_text_74
Column Type: varchar
Max Length: 40
SS Note 40 Character 74

Column Name: ss_note_40_char_text_75
Column Type: varchar
Max Length: 40
SS Note 40 Character 75

Column Name: ss_note_40_char_text_76
Column Type: varchar
Max Length: 40
SS Note 40 Character 76

Column Name: ss_note_date_51
Column Type: date

SS Note Date 51

Column Name: ss_note_date_52

Column Type: date

SS Note Date 52

Column Name: ss_note_date_53

Column Type: date

SS Note Date 53

Column Name: ss_note_date_54

Column Type: date

SS Note Date 54

Column Name: ss_note_date_55

Column Type: date

SS Note Date 55

Column Name: ss_note_date_56

Column Type: date

SS Note Date 56

Column Name: ss_note_date_57

Column Type: date

SS Note Date 57

Column Name: ss_note_date_58

Column Type: date

SS Note Date 58

Column Name: ss_note_date_59

Column Type: date

SS Note Date 59

Column Name: ss_note_date_60

Column Type: date

SS Note Date 60

Column Name: ss_note_integer_51

Column Type: integer

SS Note Integer 51

Column Name: ss_note_integer_52

Column Type: integer

SS Note Integer 52

Column Name: ss_note_integer_53

Column Type: integer

SS Note Integer 53

Column Name: ss_note_integer_54
Column Type: integer
SS Note Integer 54

Column Name: ss_note_integer_55
Column Type: integer
SS Note Integer 55

Column Name: ss_note_integer_56
Column Type: integer
SS Note Integer 56

Column Name: ss_note_integer_57
Column Type: integer
SS Note Integer 57

Column Name: ss_note_integer_58
Column Type: integer
SS Note Integer 58

Column Name: ss_note_integer_59
Column Type: integer
SS Note Integer 59

Column Name: ss_note_integer_60
Column Type: integer
SS Note Integer 60

Column Name: ss_note_scroll_text_111
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 111

Column Name: ss_note_scroll_text_112
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 112

Column Name: ss_note_scroll_text_113
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 113

Column Name: ss_note_scroll_text_114
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 114

Column Name: ss_note_scroll_text_115
Column Type: varchar

Max Length: 32700
SS Note Scrolling Free Text 115

Column Name: ss_note_scroll_text_116
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 116

Column Name: ss_note_scroll_text_117
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 117

Column Name: ss_note_scroll_text_118
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 118

Column Name: ss_note_scroll_text_119
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 119

Column Name: ss_note_scroll_text_120
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 120

Column Name: ss_note_scroll_text_121
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 121

Column Name: ss_note_scroll_text_122
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 122

Column Name: ss_note_scroll_text_123
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 123

Column Name: ss_note_scroll_text_124
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 124

Column Name: ss_note_scroll_text_125
Column Type: varchar

Max Length: 32700
SS Note Scrolling Free Text 125

Column Name: ss_note_scroll_text_126
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 126

Column Name: ss_note_scroll_text_127
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 127

Column Name: ss_note_scroll_text_128
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 128

Column Name: ss_note_scroll_text_129
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 129

Column Name: ss_note_scroll_text_130
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 130

Column Name: ss_note_scroll_text_131
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 131

Column Name: ss_note_scroll_text_132
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 132

Column Name: ss_note_scroll_text_133
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 133

Column Name: ss_note_scroll_text_134
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 134

Column Name: ss_note_scroll_text_135
Column Type: varchar

Max Length: 32700
SS Note Scrolling Free Text 135

Column Name: ss_note_scroll_text_136
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 136

Column Name: ss_note_time_51
Column Type: varchar
Max Length: 10
SS Note Time 51

Column Name: ss_note_time_52
Column Type: varchar
Max Length: 10
SS Note Time 52

Column Name: ss_note_time_53
Column Type: varchar
Max Length: 10
SS Note Time 53

Column Name: ss_note_time_54
Column Type: varchar
Max Length: 10
SS Note Time 54

Column Name: ss_note_time_55
Column Type: varchar
Max Length: 10
SS Note Time 55

Column Name: ss_note_time_56
Column Type: varchar
Max Length: 10
SS Note Time 56

Column Name: ss_note_time_57
Column Type: varchar
Max Length: 10
SS Note Time 57

Column Name: ss_note_time_58
Column Type: varchar
Max Length: 10
SS Note Time 58

Column Name: ss_note_time_59
Column Type: varchar

Max Length: 10
SS Note Time 59

Column Name: ss_note_time_60
Column Type: varchar
Max Length: 10
SS Note Time 60

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: SYSTEM.cw_patient_notes_tnotes

Table Description: This table returns the information stored for the treatment plan grid in progress notes forms.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: NOT_uniqueid
Column Type: varchar
Max Length: 20
The unique ID associated with the note.

Column Name: tp_notes_id
Column Type: integer
Id column for auditing purposes

Column Name: select_tp_version_code
Column Type: varchar
Max Length: 50
'Select T.P. Version'

Column Name: select_tp_version_value

Column Type: varchar

Max Length: 255

The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: note_add_which_tp_plan_prob

Column Type: varchar

Max Length: 32000

The treatment plan problem to add to the note.

Column Name: notes

Column Type: varchar

Max Length: 32000

Notes for the selected TP item.

Documentation for form: Progress_Notes_(Group_and_Individual)

Table Name: SYSTEM.cw_scratch_notes

Table Description: This table returns the information stored in the 'Enter Default Group Note' and 'Progress Notes (Group and Individual)' forms.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: JOIN_TO_TX_HISTORY

Column Type: varchar

Max Length: 40

The unique ID that joins the note to the service.

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number.

Column Name: FACILITY

Column Type: integer

The system code in which the data is stored.

Column Name: Option_Desc

Column Type: varchar
Max Length: 80
The description of the form that filed the note.

Column Name: Option_Id
Column Type: varchar
Max Length: 20
The unique identifier of the form that filed the note.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client id.

Column Name: SNOTuniqueid
Column Type: varchar
Max Length: 50
The unique ID that identifies the scratch note.

Column Name: TODO_ID
Column Type: varchar
Max Length: 20
The unique ID associated with the To-Do.

Column Name: clinical_quality_code
Column Type: varchar
Max Length: 255
'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val
Column Type: varchar
Max Length: 255
'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: clinical_quality_value
Column Type: varchar
Max Length: 4096
'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: ebps_code

Column Type: varchar

Max Length: 255

'Evidence Based Practices'

Column Name: ebps_sh_val

Column Type: varchar

Max Length: 255

'The description associated with ebps_code. See ebps_code for more information.'

Column Name: ebps_value

Column Type: varchar

Max Length: 4096

'The description associated with ebps_code. See ebps_code for more information.

Column Name: external_system_id

Column Type: varchar

Max Length: 255

'External System Identifier'

Column Name: group_name_or_number

Column Type: varchar

Max Length: 50

The group this note is for.

Column Name: note_addresses

Column Type: varchar

Max Length: 40

Service that this note addresses.

Column Name: notes_field

Column Type: varchar

Max Length: 32766

The full note detail.

Column Name: note_time

Column Type: varchar

Max Length: 50

The time of the note.

Column Name: note_type_code

Column Type: varchar

Max Length: 50

The type of note (dictionary code).

Column Name: note_type_value

Column Type: varchar

Max Length: 50

The type of note (description).

Column Name: transition_of_care_code

Column Type: varchar

Max Length: 1

'Is This A Transition Of Care?'

Column Name: transition_of_care_value

Column Type: varchar

Max Length: 80

'The description associated with transition_of_care_code. See transition_of_care_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: user_to_send_cosign__code

Column Type: varchar

Max Length: 50

User to send a cosign notification to.

Column Name: user_to_send_scratch_code

Column Type: varchar

Max Length: 50

User to send the scratch to.

Documentation for form: MH_Outcomes

Table Name: CWSSF.florida_fsr_mh_outcomes

Table Description: This table returns information stored in the FSR 'MH Outcomes' form.

Column Name: blank_row_id

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the record.

Column Name: FMO_uniqueid

Column Type: varchar

Max Length: 12

The unique ID for the MH Outcomes record.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: admission_type_code
Column Type: varchar
Max Length: 50
'Admission type' code.

Column Name: admission_type_value
Column Type: varchar
Max Length: 40
The value of the 'admission_type_code'.

Column Name: adult_or_child_code
Column Type: varchar
Max Length: 50
'Adult or Child' code.

Column Name: adult_or_child_value
Column Type: varchar
Max Length: 40
The value of the 'adult_or_child_code'.

Column Name: annual_family_income
Column Type: varchar
Max Length: 5
'Annual Family Income'.

Column Name: at_risk_emot_dist_code
Column Type: varchar
Max Length: 50
'At-Risk of Emotional Disturbance' code.

Column Name: at_risk_emot_dist_value
Column Type: varchar
Max Length: 40
The value of the 'at_risk_emot_dist_code'.

Column Name: cgas_scale_rating

Column Type: varchar
Max Length: 5
'CGAS Scale Rating of Client'.

Column Name: client_name
Column Type: varchar
Max Length: 50
The client name.

Column Name: client_pid
Column Type: varchar
Max Length: 50
The client padded ID.

Column Name: commit_dpt_juv_just_code
Column Type: varchar
Max Length: 50
'Was the Child Committed or Recommitted to the Department of Juvenile Justice (in the last 90 days)' code.

Column Name: commit_dpt_juv_just_value
Column Type: varchar
Max Length: 40
The value of the 'commit_dpt_juv_just_code'.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The source that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: def_from_prev_rec_code

Column Type: varchar

Max Length: 50

'Default from previous record' code.

Column Name: def_from_prev_rec_value

Column Type: varchar

Max Length: 40

The value of 'def_from_prev_rec_code'.

Column Name: depend_crim_status_code

Column Type: varchar

Max Length: 50

'Dependency/Criminal Status' code.

Column Name: depend_crim_status_value

Column Type: varchar

Max Length: 100

The value of 'depend_crim_status_code' code.

Column Name: develop_disab_code

Column Type: varchar

Max Length: 50

'Developmentally Disabled?' code.

Column Name: develop_disab_value

Column Type: varchar

Max Length: 40

The value of 'develop_disab_code'.

Column Name: discharge_reason_code

Column Type: varchar

Max Length: 50

'Discharge Reason' code.

Column Name: discharge_reason_value

Column Type: varchar

Max Length: 100

The value of 'discharge_reason_code'.

Column Name: employment_status_code
Column Type: varchar
Max Length: 50
'Employment Status' code.

Column Name: employment_status_value
Column Type: varchar
Max Length: 255
The value of 'employment_status_code'.

Column Name: evaluation_by
Column Type: varchar
Max Length: 20
'Evaluation By' code.

Column Name: evaluation_by_name
Column Type: varchar
Max Length: 50
The name associatd with 'evaluation_by'.

Column Name: evaluation_date
Column Type: date
'Evaluation Date'.

Column Name: evidence_mh_probs_code
Column Type: varchar
Max Length: 50
'Evidence of Mental Health Problems' code.

Column Name: evidence_mh_probs_value
Column Type: varchar
Max Length: 100
The value of 'evidence_mh_probs_code'.

Column Name: family_size
Column Type: varchar
Max Length: 5
'Family Size'.

Column Name: file_generation_date
Column Type: date
'File Generation Date'.

Column Name: hearing_impaired_code
Column Type: varchar
Max Length: 50
'Hearing Impaired?' code.

Column Name: hearing_impaired_value

Column Type: varchar
Max Length: 40
The value of 'hearing_impaired_code'.

Column Name: high_school_grade_code
Column Type: varchar
Max Length: 50
'Highest School Grade (Education Level)' code.

Column Name: high_school_grade_value
Column Type: varchar
Max Length: 255
The value of 'high_school_grade_code'.

Column Name: initial_perf_eval_date
Column Type: date
'Initial Performance Evaluation Date'.

Column Name: limited_english_code
Column Type: varchar
Max Length: 50
'Limited English?' code.

Column Name: limited_english_value
Column Type: varchar
Max Length: 40
The value of 'limited_english_code'.

Column Name: marital_status_code
Column Type: varchar
Max Length: 50
'Marital Status' code.

Column Name: marital_status_value
Column Type: varchar
Max Length: 255
The value of 'marital_status_code'.

Column Name: meets_baker_act_code
Column Type: varchar
Max Length: 50
'Meets Baker Act Criteria' code.

Column Name: meets_baker_act_value
Column Type: varchar
Max Length: 40
The value of 'meets_baker_act_code'.

Column Name: mh_diagnosis
Column Type: varchar

Max Length: 50
'MH Diagnosis' code.

Column Name: mh_diagnosis_desc
Column Type: varchar
Max Length: 50
The value of 'mh_diagnosis' code.

Column Name: mh_diagnosis_icd10
Column Type: varchar
Max Length: 50
'MH Diagnosis ICD-10' code.

Column Name: mh_diagnosis_icd10_desc
Column Type: varchar
Max Length: 50
The value of 'mh_diagnosis_icd10' code.

Column Name: mh_outcomes_status_code
Column Type: varchar
Max Length: 50
'MH Outcomes Status' code.

Column Name: mh_outcomes_status_value
Column Type: varchar
Max Length: 40
The value of 'mh_outcomes_status_code'.

Column Name: monthly_inc_govt_src
Column Type: varchar
Max Length: 5
'Monthly Income from Government Sources'.

Column Name: monthly_inc_other_src
Column Type: varchar
Max Length: 5
'Monthly Income from Other Sources'.

Column Name: monthly_inc_paid_emp
Column Type: varchar
Max Length: 5
'Monthly Income from Paid Employment'.

Column Name: next_review_date
Column Type: date
'Next Review Date'.

Column Name: non_ambulatory_code
Column Type: varchar
Max Length: 50

'Non-Ambulatory' code.

Column Name: non_ambulatory_value

Column Type: varchar

Max Length: 40

The value of 'non_ambulatory_code'.

Column Name: number_days_spent_commun

Column Type: varchar

Max Length: 5

'Number of Days Spent in the Community (in the last 30 days)'.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: physically_disab_code

Column Type: varchar

Max Length: 50

'Physically Disabled?' code.

Column Name: physically_disab_value

Column Type: varchar

Max Length: 40

The value of 'physically_disab_code'.

Column Name: prim_income_source_code

Column Type: varchar

Max Length: 50

'Primary Income Source' code.

Column Name: prim_income_source_value

Column Type: varchar

Max Length: 40

The value of 'prim_income_source_code'.

Column Name: prognosis_code

Column Type: varchar

Max Length: 50

'Prognosis' code.

Column Name: prognosis_value

Column Type: varchar

Max Length: 40

The value of 'prognosis_code'.

Column Name: purp_of_perf_eval_code
Column Type: varchar
Max Length: 50
'Purpose of Performance Evaluation' code.

Column Name: purp_of_perf_eval_value
Column Type: varchar
Max Length: 40
The value of 'purp_of_perf_eval_code'.

Column Name: reassigned_to_do_id
Column Type: integer
Reassigned internal To Do Id.

Column Name: received_med_idp_code
Column Type: varchar
Max Length: 50
'Received Medication through Indigent Drug Program(IDP)?' code.

Column Name: received_med_idp_value
Column Type: varchar
Max Length: 40
The value of 'received_med_idp_code'.

Column Name: received_med_pap_code
Column Type: varchar
Max Length: 50
'Received Medication through Patient Assistance Program (PAP)?' code.

Column Name: received_med_pap_value
Column Type: varchar
Max Length: 40
The value of 'received_med_pap_code'.

Column Name: rec_psych_dis_inc_code
Column Type: varchar
Max Length: 50
'Receives Psychiatric Disability Income' code.

Column Name: rec_psych_dis_inc_value
Column Type: varchar
Max Length: 40
The value of 'rec_psych_dis_inc_code'.

Column Name: referral_source_code
Column Type: varchar
Max Length: 50
'Referral Source' code.

Column Name: referral_source_value
Column Type: varchar
Max Length: 255
The value of 'referral_source_code'.

Column Name: residential_status_code
Column Type: varchar
Max Length: 50
'Residential Status' code.

Column Name: residential_status_value
Column Type: varchar
Max Length: 255
The value of 'residential_status_code'.

Column Name: sa_diagnosis
Column Type: varchar
Max Length: 150
'SA Diagnosis' code.

Column Name: sa_diagnosis_desc
Column Type: varchar
Max Length: 50
The value of 'sa_diagnosis'.

Column Name: sa_diagnosis_icd10
Column Type: varchar
Max Length: 150
'SA Diagnosis ICD-10' code.

Column Name: sa_diagnosis_icd10_desc
Column Type: varchar
Max Length: 50
The value of 'sa_diagnosis_icd10'.

Column Name: school_attendance_code
Column Type: varchar
Max Length: 50
'School Attendance (Suspended / Expelled in the last 30 days)' code.

Column Name: school_attendance_value
Column Type: varchar
Max Length: 50
The value of 'school_attendance_code'.

Column Name: school_days_attended
Column Type: varchar
Max Length: 5
'School Days Attended (in the last 90 days)' code.

Column Name: soc_connectedness_code
Column Type: varchar
Max Length: 50
'Social Connectedness' code.

Column Name: soc_connectedness_value
Column Type: varchar
Max Length: 60
The value of 'soc_connectedness_code'.

Column Name: take_atyp_antipsyc_code
Column Type: varchar
Max Length: 50
'Taking Atypical Antipsychotic Medication?' code.

Column Name: take_atyp_antipsyc_value
Column Type: varchar
Max Length: 40
The value of 'take_atyp_antipsyc_code'.

Column Name: tanf_status_code
Column Type: varchar
Max Length: 50
'TANF Status?' code.

Column Name: tanf_status_value
Column Type: varchar
Max Length: 40
The value of 'tanf_status_code'.

Column Name: team_member_notify
Column Type: varchar
Max Length: 20
'Team Member To Notify' user id.

Column Name: team_member_notify_name
Column Type: varchar
Max Length: 50
'Team Member To Notify' user name.

Column Name: times_arrested
Column Type: integer
'Times Arrested (in the last 30 days)'.

Column Name: total_days_worked
Column Type: varchar
Max Length: 5
'Total Days Worked (in the last 30 days)'.

Column Name: total_school_days_avail
Column Type: varchar
Max Length: 5
'Total School Days Available (in the last 90 days)'.

Column Name: unable_to_perf_ind_code
Column Type: varchar
Max Length: 50
'Unable to Perform Independently?' code.

Column Name: unable_to_perf_ind_value
Column Type: varchar
Max Length: 40
The value of 'unable_to_perf_ind_code'.

Column Name: veteran_status_code
Column Type: varchar
Max Length: 50
'Veteran Status' code.

Column Name: veteran_status_value
Column Type: varchar
Max Length: 255
The value of 'veteran_status_code'.

Column Name: visually_impaired_code
Column Type: varchar
Max Length: 50
'Visually Impaired?' code.

Column Name: visually_impaired_value
Column Type: varchar
Max Length: 40
The value of 'visually_impaired_code'.

Documentation for form: Task_Definitions

Table Name: SYSTEM.task

Table Description: Patient tasks.

Column Name: ID
Column Type: integer

Column Name: allowable_window
Column Type: varchar

Max Length: 50

Column Name: allowable_window_units

Column Type: varchar

Max Length: 50

Column Name: allowable_window_unit_val

Column Type: varchar

Max Length: 50

Column Name: CanComplete

Column Type: varchar

Max Length: 50

Internal use only, is not a persistent property.

Column Name: CanReschedule

Column Type: varchar

Max Length: 50

Internal use only, is not a persistent property.

Column Name: days_of_week

Column Type: varchar

Max Length: 50

Column Name: end_date_time

Column Type: timestamp

Column Name: episode

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: frequency_per_period

Column Type: varchar

Max Length: 50

Column Name: group_entry_id

Column Type: integer

What group entry created this task

Column Name: group_task_id

Column Type: integer
What group created this task

Column Name: last_performed_date_time
Column Type: timestamp

Column Name: last_success_date_time
Column Type: timestamp

Column Name: next_available_date_time
Column Type: timestamp

Column Name: oe_frequency_code
Column Type: varchar
Max Length: 50

Column Name: offset_event
Column Type: varchar
Max Length: 50
This is the offset event associated to the group. Will be blank if a group did not create the task

Column Name: one_time_only
Column Type: varchar
Max Length: 50
Whether or not the task is only to be done once.

Column Name: order_type
Column Type: varchar
Max Length: 50
Order Type

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PRN_interval
Column Type: varchar
Max Length: 50
PRN Interval

Column Name: PRN_interval_units
Column Type: varchar
Max Length: 50
PRN Interval Units

Column Name: PRN_max_per_period
Column Type: varchar
Max Length: 50
PRN Max Per Period

Column Name: PRN_max_period
Column Type: varchar
Max Length: 50
PRN Max Period

Column Name: PRN_max_period_unit
Column Type: varchar
Max Length: 50
PRN Max Period Unit

Column Name: parent_task_group_id
Column Type: integer

Column Name: period
Column Type: integer

Column Name: period_unit
Column Type: varchar
Max Length: 50

Column Name: priority_value
Column Type: varchar
Max Length: 50
Priority Value

Column Name: ReadOnly
Column Type: varchar
Max Length: 50
Internal use only, is not a persistent property.

Column Name: rescheduled_first_occ
Column Type: timestamp
Datetime of the first occurrence of a task if it differs from the scheduled time indicated by the timing/frequency.

Column Name: rescheduled_second_occ
Column Type: timestamp
Datetime of the second occurrence of a task if it differs from the scheduled time indicated by the timing/frequency.

Column Name: responsible_category
Column Type: varchar

Max Length: 1000

Column Name: responsible_category_value

Column Type: varchar

Max Length: 1000

Column Name: shift_period

Column Type: varchar

Max Length: 1000

Column Name: shift_period_code

Column Type: varchar

Max Length: 50

Column Name: source_description

Column Type: varchar

Max Length: 1000

User-facing description of the source/event which created the task.

Column Name: source_event

Column Type: varchar

Max Length: 50

Column Name: source_id

Column Type: varchar

Max Length: 100

Column Name: source_type

Column Type: varchar

Max Length: 50

Column Name: start_date_time

Column Type: timestamp

Column Name: task_action_identifier

Column Type: varchar

Max Length: 50

Column Name: task_action_type

Column Type: varchar

Max Length: 50

Column Name: task_action_type_value
Column Type: varchar
Max Length: 50

Column Name: task_code
Column Type: varchar
Max Length: 50

Column Name: task_description
Column Type: varchar
Max Length: 10000

Column Name: TaskID
Column Type: integer
This is the ID created when a Task is created. It will be used primarily for XML payload

Column Name: TaskOccurrence
Column Type: varchar
Max Length: 4096
Internal use only, is not a persistent property. Only used to generate XML payload of task occurrences which are created by a "parent" Task.

Column Name: task_title
Column Type: varchar
Max Length: 50

Column Name: time_of_day
Column Type: varchar
Max Length: 5000

Column Name: timing_code
Column Type: varchar
Max Length: 50

Column Name: timing_description
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp
the UTC date and time the data was saved.

Column Name: is_PRN
Column Type: varchar
Max Length: 50
is this a PRN task

Column Name: is_STAT
Column Type: varchar
Max Length: 50
is this a STAT task

Column Name: priority
Column Type: varchar
Max Length: 50
Priority Code

Documentation for form: Task_Definitions

Table Name: SYSTEM.task_definitions

Table Description: Task Definitions class storage for CWSTABLE1100

Column Name: ID
Column Type: integer

Column Name: allow_custom_timing
Column Type: integer

Column Name: allowable_window_units
Column Type: varchar
Max Length: 50

Column Name: allowable_window_of_time
Column Type: integer

Column Name: billable
Column Type: integer

Column Name: deactivate
Column Type: bit

Column Name: def_categories_responsible
Column Type: varchar
Max Length: 1000
Radplus user roles

Column Name: default_duration
Column Type: integer

Column Name: default_duration_units
Column Type: varchar
Max Length: 50

Column Name: default_timing
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: initial_task_service_code
Column Type: varchar
Max Length: 50

Column Name: override_task_source
Column Type: integer

Column Name: send_reminder_to_do
Column Type: integer

Column Name: service_code
Column Type: varchar
Max Length: 50

Column Name: task_action_identifier
Column Type: varchar
Max Length: 50

Column Name: task_action_type
Column Type: varchar

Max Length: 50
task_action_identifier

Column Name: task_code
Column Type: varchar
Max Length: 50

Column Name: task_description
Column Type: varchar
Max Length: 1000
Description for task object

Column Name: task_title
Column Type: varchar
Max Length: 50

Column Name: timing
Column Type: varchar
Max Length: 50

Column Name: to_do_categories
Column Type: varchar
Max Length: 50

Column Name: to_do_late_notify_time
Column Type: varchar
Max Length: 50

Column Name: to_do_recipients
Column Type: varchar
Max Length: 50

Column Name: to_do_remind_notify_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Documentation for form: Task_Definitions

Table Name: SYSTEM.task_definitions_audit

Table Description: Task definitions audit table

Column Name: ID
Column Type: integer

Column Name: allow_custom_timing
Column Type: integer

Column Name: allowable_window_units
Column Type: varchar
Max Length: 50

Column Name: allowable_window_of_time
Column Type: integer

Column Name: billable
Column Type: integer

Column Name: deactivate
Column Type: bit

Column Name: def_categories_responsible
Column Type: varchar
Max Length: 1000
Radplus user roles

Column Name: default_duration
Column Type: integer

Column Name: default_duration_units
Column Type: varchar
Max Length: 50

Column Name: default_timing
Column Type: varchar
Max Length: 50

Column Name: FACILITY

Column Type: integer

Column Name: initial_task_service_code

Column Type: varchar

Max Length: 50

Column Name: join_to_current

Column Type: varchar

Max Length: 50

The action performed on row.

Column Name: override_task_source

Column Type: integer

Column Name: send_reminder_to_do

Column Type: integer

Column Name: service_code

Column Type: varchar

Max Length: 50

Column Name: task_action_identifier

Column Type: varchar

Max Length: 50

Column Name: task_action_type

Column Type: varchar

Max Length: 50

task_action_identifier

Column Name: task_code

Column Type: varchar

Max Length: 50

Column Name: task_description

Column Type: varchar

Max Length: 1000

Description for task object

Column Name: task_title

Column Type: varchar

Max Length: 50

Column Name: timing

Column Type: varchar

Max Length: 50

Column Name: to_do_categories

Column Type: varchar

Max Length: 50

Column Name: to_do_late_notify_time

Column Type: varchar

Max Length: 50

Column Name: to_do_recipients

Column Type: varchar

Max Length: 50

Column Name: to_do_remind_notify_time

Column Type: varchar

Max Length: 50

Column Name: data_entry_action

Column Type: varchar

Max Length: 50

The action performed on row.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 50
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Documentation for form: Task_Definitions

Table Name: SYSTEM.task_event

Table Description: Task events

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the task event was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID

Column Name: STAFFID
Column Type: varchar
Max Length: 50
Staff ID

Column Name: comments
Column Type: varchar
Max Length: 32766
Comments of the task event

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The source that last updated this data row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_time_j

Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: event_date_time
Column Type: timestamp
Date of the task event

Column Name: event_reason_code
Column Type: varchar
Max Length: 50
Reason Code associated to the task event

Column Name: event_reason_text
Column Type: varchar
Max Length: 32766
Reason text of the task event

Column Name: event_reason_value
Column Type: varchar
Max Length: 50
The description associated with field event_reason_code. See field event_reason_code for more information.

Column Name: parent_task_ID
Column Type: varchar
Max Length: 100

parent task ID

Column Name: status_code

Column Type: varchar

Max Length: 50

Status of the task event

Column Name: status_value

Column Type: varchar

Max Length: 50

The description associated with field status_code. See field status_code for more information.

Column Name: task_occurrence_id

Column Type: integer

Task Occurrence Row ID

Column Name: void_STAFFID

Column Type: varchar

Max Length: 50

Void Staff ID

Column Name: void_data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: void_data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: void_data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: void_data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: void_data_entry_source

Column Type: varchar

Max Length: 255

The source that last updated this data row.

Column Name: void_data_entry_time

Column Type: varchar

Max Length: 15

The time when this data row was last updated.

Column Name: void_data_entry_time_j

Column Type: time
the time with fractional seconds when the data was saved.

Column Name: void_data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: void_data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: void_data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: void_data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: void_data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: voided
Column Type: bit

Column Name: voided_reason_code
Column Type: varchar
Max Length: 50
Reason for voiding the task event

Column Name: voided_reason_text
Column Type: varchar
Max Length: 32766
Reason for voiding the task event

Column Name: voided_reason_value
Column Type: varchar
Max Length: 50
The description associated with field voided_reason_code. See field voided_reason_code for more information.

Documentation for form: Void_Progress_Notes

Table Name: SYSTEM.cw_append_notes_voided

Table Description: This table returns information associated with edits of voided progress notes.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
'Episode Number'.

Column Name: FACILITY
Column Type: integer
The facility in which the progress note edit was voided.

Column Name: FILING_COUNTER
Column Type: integer
The number of times this edit was voided.

Column Name: NOT_filing_counter
Column Type: integer
The number of times this note was voided.

Column Name: NTAuniqueid
Column Type: varchar
Max Length: 50
Reference to information associated to the edit of the voided note.

Column Name: PATID
Column Type: varchar
Max Length: 20
'Client ID'.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The User ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The username who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: list_of_notes_code

Column Type: varchar

Max Length: 50

Reference code to information associated with the voided note.

Column Name: list_of_notes_value

Column Type: varchar

Max Length: 50

The value of list_of_notes_code. See list_of_notes_code for more information.

Column Name: new_comms_to_be_append

Column Type: varchar

Max Length: 32766

'Comments'.

Column Name: notes_entry_index_nu

Column Type: varchar

Max Length: 50

Reference to information associated with the voided note.

Column Name: note_type_code

Column Type: varchar

Max Length: 50

Note Type Code.

Column Name: note_type_value

Column Type: varchar

Max Length: 50

The value of note_type_code. See note_type_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: void_data_entry_by

Column Type: varchar

Max Length: 40

The user who voided the row.

Column Name: void_data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that voided the row.

Column Name: void_data_entry_date

Column Type: date

The date the row was voided.

Column Name: void_data_entry_time

Column Type: varchar

Max Length: 10

The time the row was voided.

Column Name: void_data_entry_user_id

Column Type: varchar
Max Length: 40
The 'User ID' who voided the row.

Column Name: void_data_entry_user_name
Column Type: varchar
Max Length: 40
The username who voided the row.

Column Name: void_option_desc
Column Type: varchar
Max Length: 80
The name of the form that voided the row.

Column Name: void_option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that voided the row.

Documentation for form: Void_Progress_Notes

Table Name: SYSTEM.cw_notes_voided

Table Description: This table returns voided progress notes.

Column Name: blank_row_id
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: Filing_Hist
Column Type: varchar
Max Length: 20
Unique historic where the data will be stored.

Column Name: notes_field
Column Type: varchar
Max Length: 32759

'Notes Field'

Column Name: note_type_code

Column Type: varchar

Max Length: 50

'Note Type code'

Column Name: note_type_value

Column Type: varchar

Max Length: 40

The description associated with note_type_code. See note_type_code for more information.

Column Name: note_time

Column Type: varchar

Max Length: 25

'Note Time'

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: new_existing_svc_code

Column Type: varchar

Max Length: 5

'New Existing Service Code For. (Progress Note For)'

Column Name: new_existing_svc_value

Column Type: varchar

Max Length: 40

The description associated with new_existing_svc_code. See new_existing_svc_code for more information.

Column Name: service_charge_code

Column Type: varchar

Max Length: 40

'Service Charge Code'

Column Name: service_program_code
Column Type: varchar
Max Length: 6
'Service Program code'

Column Name: service_program_value
Column Type: varchar
Max Length: 40
The description associated with service_program_code. See service_program_code for more information.

Column Name: service_duration
Column Type: varchar
Max Length: 5
'Service Duration'

Column Name: note_addresses
Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Service/Appointment'

Column Name: note_add_wh_tp_plan_prob
Column Type: varchar
Max Length: 32759
'Note Addresses Which Treatment Plan Problem'

Column Name: Tx_Note_UniqueId
Column Type: varchar
Max Length: 40
Unique ID for a service note.

Column Name: FILING_COUNTER
Column Type: integer
'Filing Counter'

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10
'Group Name Or Number'

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40
Unique ID for a service.

Column Name: TODO_ID
Column Type: varchar
Max Length: 20
'To Do Id'

Column Name: aps_link

Column Type: varchar
Max Length: 40
'Note Addresses Which Existing Appointment'

Column Name: clinical_quality_code
Column Type: varchar
Max Length: 255
'Clinical Quality Indicators'

Column Name: clinical_quality_sh_val
Column Type: varchar
Max Length: 255
'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: clinical_quality_value
Column Type: varchar
Max Length: 4096
'The description associated with clinical_quality_code. See clinical_quality_code for more information.'

Column Name: co_sign_to_do_user
Column Type: varchar
Max Length: 50
'User To Send Co-Sign To Do Item To'

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_group_service

Column Type: date

Date of service for group.

Column Name: draft_final_code

Column Type: varchar

Max Length: 5

'Draft/Final code'

Column Name: draft_final_value

Column Type: varchar

Max Length: 40

The description associated with draft_final_code. See draft_final_code for more information.

Column Name: ebps_code

Column Type: varchar

Max Length: 255

'Evidence Based Practices'

Column Name: ebps_sh_val

Column Type: varchar

Max Length: 255

'The description associated with ebps_code. See ebps_code for more information.

Column Name: ebps_value

Column Type: varchar

Max Length: 4096

'The description associated with ebps_code. See ebps_code for more information.

Column Name: external_system_id

Column Type: varchar

Max Length: 255

'External System Identifier'

Column Name: finalized_signature
Column Type: varchar
Max Length: 255
'Finalized Signature'

Column Name: medical_diagnosis_1_code
Column Type: varchar
Max Length: 50
'Medical Diagnosis 1 code'

Column Name: medical_diagnosis_1_value
Column Type: varchar
Max Length: 32759
The description associated with medical_diagnosis_1_code. See medical_diagnosis_1_code for more information.

Column Name: medical_diagnosis_2_code
Column Type: varchar
Max Length: 50
'Medical Diagnosis 2 code'

Column Name: medical_diagnosis_2_value
Column Type: varchar
Max Length: 32759
The description associated with medical_diagnosis_2_code. See medical_diagnosis_2_code for more information.

Column Name: notes_entry_index_num
Column Type: varchar
Max Length: 50
'Notes Entry Index Number for Internal Use'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: orig_note_uniq_id_num
Column Type: varchar
Max Length: 20
'Original Note Unique ID Number'

Column Name: reason_for_void_code
Column Type: varchar
Max Length: 50

'Reason For Voiding The Note code'

Column Name: reason_for_void_value

Column Type: varchar

Max Length: 50

The description associated with reason_for_void_code. See reason_for_void_code for more information.

Column Name: select_tp_version_code

Column Type: varchar

Max Length: 5

'Select T.P. Version code'

Column Name: select_tp_version_value

Column Type: varchar

Max Length: 40

The description associated with select_tp_version_code. See select_tp_version_code for more information.

Column Name: session_start_end_times

Column Type: varchar

Max Length: 32759

'Start/End Time(s)'

Column Name: ss_note_20_char_text_1

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 1'

Column Name: ss_note_20_char_text_10

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 10'

Column Name: ss_note_20_char_text_2

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 2'

Column Name: ss_note_20_char_text_3

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 3'

Column Name: ss_note_20_char_text_4

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 4'

Column Name: ss_note_20_char_text_5

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 5'

Column Name: ss_note_20_char_text_6

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 6'

Column Name: ss_note_20_char_text_7

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 7'

Column Name: ss_note_20_char_text_8

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 8'

Column Name: ss_note_20_char_text_9

Column Type: varchar

Max Length: 20

'SS Note 20 Character Text 9'

Column Name: ss_note_40_char_text_1

Column Type: varchar

Max Length: 40

'SS Note 40 Character Text 1'

Column Name: ss_note_40_char_text_10

Column Type: varchar

Max Length: 40

'SS Note 40 Character Text 10'

Column Name: ss_note_40_char_text_2

Column Type: varchar

Max Length: 40

'SS Note 40 Character Text 2'

Column Name: ss_note_40_char_text_3

Column Type: varchar

Max Length: 40

'SS Note 40 Character Text 3'

Column Name: ss_note_40_char_text_4

Column Type: varchar

Max Length: 40

'SS Note 40 Character Text 4'

Column Name: ss_note_40_char_text_5

Column Type: varchar

Max Length: 40

'SS Note 40 Character Text 5'

Column Name: ss_note_40_char_text_6

Column Type: varchar

Max Length: 40

'SS Note 40 Character Text 6'

Column Name: ss_note_40_char_text_7

Column Type: varchar

Max Length: 40

'SS Note 40 Character Text 7'

Column Name: ss_note_40_char_text_8

Column Type: varchar

Max Length: 40

'SS Note 40 Character Text 8'

Column Name: ss_note_40_char_text_9

Column Type: varchar

Max Length: 40

'SS Note 40 Character Text 9'

Column Name: ss_note_80_char_text_1

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 1'

Column Name: ss_note_80_char_text_10

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 10'

Column Name: ss_note_80_char_text_2

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 2'

Column Name: ss_note_80_char_text_3

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 3'

Column Name: ss_note_80_char_text_4

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 4'

Column Name: ss_note_80_char_text_5

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 5'

Column Name: ss_note_80_char_text_6

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 6'

Column Name: ss_note_80_char_text_7

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 7'

Column Name: ss_note_80_char_text_8

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 8'

Column Name: ss_note_80_char_text_9

Column Type: varchar

Max Length: 80

'SS Note 80 Character Text 9'

Column Name: ss_note_date_1

Column Type: date

'SS Note Date 1'

Column Name: ss_note_date_10

Column Type: date

'SS Note Date 10'

Column Name: ss_note_date_2

Column Type: date

'SS Note Date 2'

Column Name: ss_note_date_3

Column Type: date

'SS Note Date 3'

Column Name: ss_note_date_4

Column Type: date

'SS Note Date 4'

Column Name: ss_note_date_5

Column Type: date

'SS Note Date 5'

Column Name: ss_note_date_6

Column Type: date

'SS Note Date 6'

Column Name: ss_note_date_7
Column Type: date
'SS Note Date 7'

Column Name: ss_note_date_8
Column Type: date
'SS Note Date 8'

Column Name: ss_note_date_9
Column Type: date
'SS Note Date 9'

Column Name: ss_note_dsm_diag_10_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 10 code'

Column Name: ss_note_dsm_diag_10_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_10_code. See ss_note_dsm_diag_10_code for more information.

Column Name: ss_note_dsm_diag_1_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 1 code'

Column Name: ss_note_dsm_diag_1_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_1_code. See ss_note_dsm_diag_1_code for more information.

Column Name: ss_note_dsm_diag_2_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 2 code'

Column Name: ss_note_dsm_diag_2_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_2_code. See ss_note_dsm_diag_2_code for more information.

Column Name: ss_note_dsm_diag_3_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 3 code'

Column Name: ss_note_dsm_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_3_code. See ss_note_dsm_diag_3_code for more information.

Column Name: ss_note_dsm_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 4 code'

Column Name: ss_note_dsm_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_4_code. See ss_note_dsm_diag_4_code for more information.

Column Name: ss_note_dsm_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 5 code'

Column Name: ss_note_dsm_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_5_code. See ss_note_dsm_diag_5_code for more information.

Column Name: ss_note_dsm_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 6 code'

Column Name: ss_note_dsm_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_6_code. See ss_note_dsm_diag_6_code for more information.

Column Name: ss_note_dsm_diag_7_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 7 code'

Column Name: ss_note_dsm_diag_7_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_7_code. See ss_note_dsm_diag_7_code for more information.

Column Name: ss_note_dsm_diag_8_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 8 code'

Column Name: ss_note_dsm_diag_8_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_8_code. See ss_note_dsm_diag_8_code for more information.

Column Name: ss_note_dsm_diag_9_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 9 code'

Column Name: ss_note_dsm_diag_9_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_9_code. See ss_note_dsm_diag_9_code for more information.

Column Name: ss_note_icd9_diag_10_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Diagnosis 10 code'

Column Name: ss_note_icd9_diag_10_val
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_10_code. See ss_note_icd9_diag_10_code for more information.

Column Name: ss_note_icd9_diag_1_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Diagnosis 1 code'

Column Name: ss_note_icd9_diag_1_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_1_code. See ss_note_icd9_diag_1_code for more information.

Column Name: ss_note_icd9_diag_2_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Diagnosis 2 code'

Column Name: ss_note_icd9_diag_2_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_2_code. See ss_note_icd9_diag_2_code for more information.

Column Name: ss_note_icd9_diag_3_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 3 code'

Column Name: ss_note_icd9_diag_3_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_3_code. See ss_note_icd9_diag_3_code for more information.

Column Name: ss_note_icd9_diag_4_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 4 code'

Column Name: ss_note_icd9_diag_4_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_4_code. See ss_note_icd9_diag_4_code for more information.

Column Name: ss_note_icd9_diag_5_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 5 code'

Column Name: ss_note_icd9_diag_5_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_5_code. See ss_note_icd9_diag_5_code for more information.

Column Name: ss_note_icd9_diag_6_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Diagnosis 6 code'

Column Name: ss_note_icd9_diag_6_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_6_code. See ss_note_icd9_diag_6_code for more information.

Column Name: ss_note_icd9_diag_7_code

Column Type: varchar
Max Length: 20
'SS Note ICD-9 Diagnosis 7 code'

Column Name: ss_note_icd9_diag_7_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_7_code. See ss_note_icd9_diag_7_code for more information.

Column Name: ss_note_icd9_diag_8_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Diagnosis 8 code'

Column Name: ss_note_icd9_diag_8_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_8_code. See ss_note_icd9_diag_8_code for more information.

Column Name: ss_note_icd9_diag_9_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Diagnosis 9 code'

Column Name: ss_note_icd9_diag_9_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_9_code. See ss_note_icd9_diag_9_code for more information.

Column Name: ss_note_multi_dict_10_cod
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 10 code'

Column Name: ss_note_multi_dict_10_val
Column Type: varchar
Max Length: 32759
The description associated with ss_note_multi_dict_10_code. See ss_note_multi_dict_10_code for more information.

Column Name: ss_note_multi_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 1 code'

Column Name: ss_note_multi_dict_1_val
Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_1_code. See ss_note_multi_dict_1_code for more information.

Column Name: ss_note_multi_dict_2_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 2 code'

Column Name: ss_note_multi_dict_2_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_2_code. See ss_note_multi_dict_2_code for more information.

Column Name: ss_note_multi_dict_3_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 3 code'

Column Name: ss_note_multi_dict_3_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_3_code. See ss_note_multi_dict_3_code for more information.

Column Name: ss_note_multi_dict_4_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 4 code'

Column Name: ss_note_multi_dict_4_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_4_code. See ss_note_multi_dict_4_code for more information.

Column Name: ss_note_multi_dict_5_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 5 code'

Column Name: ss_note_multi_dict_5_val

Column Type: varchar

Max Length: 32759

The description associated with ss_note_multi_dict_5_code. See ss_note_multi_dict_5_code for more information.

Column Name: ss_note_multi_dict_6_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 6 code'

Column Name: ss_note_multi_dict_6_val
Column Type: varchar
Max Length: 32759
The description associated with ss_note_multi_dict_6_code. See ss_note_multi_dict_6_code for more information.

Column Name: ss_note_multi_dict_7_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 7 code'

Column Name: ss_note_multi_dict_7_val
Column Type: varchar
Max Length: 32759
The description associated with ss_note_multi_dict_7_code. See ss_note_multi_dict_7_code for more information.

Column Name: ss_note_multi_dict_8_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 8 code'

Column Name: ss_note_multi_dict_8_val
Column Type: varchar
Max Length: 32759
The description associated with ss_note_multi_dict_8_code. See ss_note_multi_dict_8_code for more information.

Column Name: ss_note_multi_dict_9_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 9 code'

Column Name: ss_note_multi_dict_9_val
Column Type: varchar
Max Length: 32759
The description associated with ss_note_multi_dict_9_code. See ss_note_multi_dict_9_code for more information.

Column Name: ss_note_scroll_text_1
Column Type: varchar
Max Length: 32759
'SS Note Scrolling Free Text 1'

Column Name: ss_note_scroll_text_10
Column Type: varchar
Max Length: 32759

'SS Note Scrolling Free Text 10'

Column Name: ss_note_scroll_text_2

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 2'

Column Name: ss_note_scroll_text_3

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 3'

Column Name: ss_note_scroll_text_4

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 4'

Column Name: ss_note_scroll_text_5

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 5'

Column Name: ss_note_scroll_text_6

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 6'

Column Name: ss_note_scroll_text_7

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 7'

Column Name: ss_note_scroll_text_8

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 8'

Column Name: ss_note_scroll_text_9

Column Type: varchar

Max Length: 32759

'SS Note Scrolling Free Text 9'

Column Name: ss_note_sing_dict_10_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 10 code'

Column Name: ss_note_sing_dict_10_val

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_10_code. See ss_note_sing_dict_10_code for more information.

Column Name: ss_note_sing_dict_1_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 1 code'

Column Name: ss_note_sing_dict_1_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_1_code. See ss_note_sing_dict_1_code for more information.

Column Name: ss_note_sing_dict_2_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 2 code'

Column Name: ss_note_sing_dict_2_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_2_code. See ss_note_sing_dict_2_code for more information.

Column Name: ss_note_sing_dict_3_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 3 code'

Column Name: ss_note_sing_dict_3_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_3_code. See ss_note_sing_dict_3_code for more information.

Column Name: ss_note_sing_dict_4_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 4 code'

Column Name: ss_note_sing_dict_4_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_4_code. See ss_note_sing_dict_4_code for more information.

Column Name: ss_note_sing_dict_5_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 5 code'

Column Name: ss_note_sing_dict_5_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_5_code. See ss_note_sing_dict_5_code for more information.

Column Name: ss_note_sing_dict_6_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 6 code'

Column Name: ss_note_sing_dict_6_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_6_code. See ss_note_sing_dict_6_code for more information.

Column Name: ss_note_sing_dict_7_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 7 code'

Column Name: ss_note_sing_dict_7_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_7_code. See ss_note_sing_dict_7_code for more information.

Column Name: ss_note_sing_dict_8_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 8 code'

Column Name: ss_note_sing_dict_8_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_8_code. See ss_note_sing_dict_8_code for more information.

Column Name: ss_note_sing_dict_9_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 9 code'

Column Name: ss_note_sing_dict_9_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_9_code. See ss_note_sing_dict_9_code for more information.

Column Name: ss_note_staff_1
Column Type: varchar
Max Length: 20
'SS Note Staff Member 1'

Column Name: ss_note_staff_10
Column Type: varchar
Max Length: 20
'SS Note Staff Member 10'

Column Name: ss_note_staff_2
Column Type: varchar
Max Length: 20
'SS Note Staff Member 2'

Column Name: ss_note_staff_3
Column Type: varchar
Max Length: 20
'SS Note Staff Member 3'

Column Name: ss_note_staff_4
Column Type: varchar
Max Length: 20
'SS Note Staff Member 4'

Column Name: ss_note_staff_5
Column Type: varchar
Max Length: 20
'SS Note Staff Member 5'

Column Name: ss_note_staff_6
Column Type: varchar
Max Length: 20
'SS Note Staff Member 6'

Column Name: ss_note_staff_7
Column Type: varchar
Max Length: 20
'SS Note Staff Member 7'

Column Name: ss_note_staff_8
Column Type: varchar
Max Length: 20
'SS Note Staff Member 8'

Column Name: ss_note_staff_9
Column Type: varchar

Max Length: 20
'SS Note Staff Member 9'

Column Name: ss_note_time_1
Column Type: varchar
Max Length: 10
'SS Note Time 1'

Column Name: ss_note_time_10
Column Type: varchar
Max Length: 10
'SS Note Time 10'

Column Name: ss_note_time_2
Column Type: varchar
Max Length: 10
'SS Note Time 2'

Column Name: ss_note_time_3
Column Type: varchar
Max Length: 10
'SS Note Time 3'

Column Name: ss_note_time_4
Column Type: varchar
Max Length: 10
'SS Note Time 4'

Column Name: ss_note_time_5
Column Type: varchar
Max Length: 10
'SS Note Time 5'

Column Name: ss_note_time_6
Column Type: varchar
Max Length: 10
'SS Note Time 6'

Column Name: ss_note_time_7
Column Type: varchar
Max Length: 10
'SS Note Time 7'

Column Name: ss_note_time_8
Column Type: varchar
Max Length: 10
'SS Note Time 8'

Column Name: ss_note_time_9
Column Type: varchar

Max Length: 10
'SS Note Time 9'

Column Name: transcription_note
Column Type: bit
Is this is Transcription note

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 1
'Is This A Transition Of Care?'

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80
'The description associated with transition_of_care_code. See transition_of_care_code for more information.'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: void_comments
Column Type: varchar
Max Length: 32759
'Void Comments'

Column Name: void_data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row for a void.

Column Name: void_data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row for a void.

Column Name: void_data_entry_date
Column Type: date
The date the row was voided.

Column Name: void_data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row for a void.

Column Name: void_data_entry_time
Column Type: varchar

Max Length: 10

The time the row was last updated for a void.

Column Name: void_data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' that last updated the row for a void.

Column Name: void_data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the 'User ID' for a void.

Column Name: void_option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row for a void.

Column Name: void_option_id

Column Type: varchar

Max Length: 40

The unique ID of the form that last updated the row for a void.

Documentation for form: Void_Progress_Notes

Table Name: SYSTEM.cw_patient_not_void_sup_4

Table Description: This table returns supplemental information stored in the 'Void Progress Notes' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILING_COUNTER
Column Type: integer
Filing Counter

Column Name: Filing_Hist
Column Type: varchar
Max Length: 50
Unique Identifier used for filing.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
The unique identifier for a form.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mult_dic_51_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 51 code'

Column Name: ss_notc_mult_dic_51_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mult_dic_51_code. See ss_notc_mult_dic_51_code for more information.

Column Name: ss_notc_mult_dic_52_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 52 code'

Column Name: ss_notc_mult_dic_52_value
Column Type: varchar
Max Length: 255

The description associated with `ss_notc_mult_dic_52_code`. See `ss_notc_mult_dic_52_code` for more information.

Column Name: `ss_notc_mult_dic_53_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 53 code'

Column Name: `ss_notc_mult_dic_53_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_53_code`. See `ss_notc_mult_dic_53_code` for more information.

Column Name: `ss_notc_mult_dic_54_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 54 code'

Column Name: `ss_notc_mult_dic_54_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_54_code`. See `ss_notc_mult_dic_54_code` for more information.

Column Name: `ss_notc_mult_dic_55_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 55 code'

Column Name: `ss_notc_mult_dic_55_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_55_code`. See `ss_notc_mult_dic_55_code` for more information.

Column Name: `ss_notc_mult_dic_56_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 56 code'

Column Name: `ss_notc_mult_dic_56_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_56_code`. See `ss_notc_mult_dic_56_code` for more information.

Column Name: `ss_notc_mult_dic_57_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 57 code'

Column Name: ss_notc_mult_dic_57_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_57_code. See ss_notc_mult_dic_57_code for more information.

Column Name: ss_notc_mult_dic_58_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 58 code'

Column Name: ss_notc_mult_dic_58_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_58_code. See ss_notc_mult_dic_58_code for more information.

Column Name: ss_notc_mult_dic_59_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 59 code'

Column Name: ss_notc_mult_dic_59_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_59_code. See ss_notc_mult_dic_59_code for more information.

Column Name: ss_notc_mult_dic_60_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 60 code'

Column Name: ss_notc_mult_dic_60_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_60_code. See ss_notc_mult_dic_60_code for more information.

Column Name: ss_notc_mult_dic_61_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 61 code'

Column Name: ss_notc_mult_dic_61_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_61_code`. See `ss_notc_mult_dic_61_code` for more information.

Column Name: `ss_notc_mult_dic_62_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 62 code'

Column Name: `ss_notc_mult_dic_62_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_62_code`. See `ss_notc_mult_dic_62_code` for more information.

Column Name: `ss_notc_mult_dic_63_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 63 code'

Column Name: `ss_notc_mult_dic_63_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_63_code`. See `ss_notc_mult_dic_63_code` for more information.

Column Name: `ss_notc_mult_dic_64_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 64 code'

Column Name: `ss_notc_mult_dic_64_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_64_code`. See `ss_notc_mult_dic_64_code` for more information.

Column Name: `ss_notc_mult_dic_65_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 65 code'

Column Name: `ss_notc_mult_dic_65_value`

Column Type: `varchar`

Max Length: 265

The description associated with `ss_notc_mult_dic_65_code`. See `ss_notc_mult_dic_65_code` for more information.

Column Name: `ss_notc_mult_dic_66_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 66 code'

Column Name: ss_notc_mult_dic_66_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_66_code. See ss_notc_mult_dic_66_code for more information.

Column Name: ss_notc_mult_dic_67_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 67 code'

Column Name: ss_notc_mult_dic_67_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_67_code. See ss_notc_mult_dic_67_code for more information.

Column Name: ss_notc_mult_dic_68_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 68 code'

Column Name: ss_notc_mult_dic_68_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_68_code. See ss_notc_mult_dic_68_code for more information.

Column Name: ss_notc_mult_dic_69_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 69 code'

Column Name: ss_notc_mult_dic_69_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_69_code. See ss_notc_mult_dic_69_code for more information.

Column Name: ss_notc_mult_dic_70_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 70 code'

Column Name: ss_notc_mult_dic_70_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_70_code`. See `ss_notc_mult_dic_70_code` for more information.

Column Name: `ss_notc_mult_dic_71_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 71 code'

Column Name: `ss_notc_mult_dic_71_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_71_code`. See `ss_notc_mult_dic_71_code` for more information.

Column Name: `ss_notc_mult_dic_72_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 72 code'

Column Name: `ss_notc_mult_dic_72_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_72_code`. See `ss_notc_mult_dic_72_code` for more information.

Column Name: `ss_notc_mult_dic_73_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 73 code'

Column Name: `ss_notc_mult_dic_73_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_73_code`. See `ss_notc_mult_dic_73_code` for more information.

Column Name: `ss_notc_mult_dic_74_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 74 code'

Column Name: `ss_notc_mult_dic_74_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_74_code`. See `ss_notc_mult_dic_74_code` for more information.

Column Name: `ss_notc_mult_dic_75_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 75 code'

Column Name: ss_notc_mult_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mult_dic_75_code. See ss_notc_mult_dic_75_code for more information.

Column Name: ss_notc_mult_dic_76_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 76 code'

Column Name: ss_notc_mult_dic_76_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_76_code. See ss_notc_mult_dic_76_code for more information.

Column Name: ss_notc_mult_dic_77_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 77 code'

Column Name: ss_notc_mult_dic_77_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_77_code. See ss_notc_mult_dic_77_code for more information.

Column Name: ss_notc_mult_dic_78_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 78 code'

Column Name: ss_notc_mult_dic_78_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mult_dic_78_code. See ss_notc_mult_dic_78_code for more information.

Column Name: ss_notc_mult_dic_79_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 79 code'

Column Name: ss_notc_mult_dic_79_value

Column Type: varchar

Max Length: 255

The description associated with `ss_notc_mult_dic_79_code`. See `ss_notc_mult_dic_79_code` for more information.

Column Name: `ss_notc_mult_dic_80_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Multiple Response Dictionary 80 code'

Column Name: `ss_notc_mult_dic_80_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_mult_dic_80_code`. See `ss_notc_mult_dic_80_code` for more information.

Column Name: `ss_notc_sin_dic_51_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 51 code'

Column Name: `ss_notc_sin_dic_51_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_sin_dic_51_code`. See `ss_notc_sin_dic_51_code` for more information.

Column Name: `ss_notc_sin_dic_52_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 52 code'

Column Name: `ss_notc_sin_dic_52_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_sin_dic_52_code`. See `ss_notc_sin_dic_52_code` for more information.

Column Name: `ss_notc_sin_dic_53_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 53 code'

Column Name: `ss_notc_sin_dic_53_value`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_notc_sin_dic_53_code`. See `ss_notc_sin_dic_53_code` for more information.

Column Name: `ss_notc_sin_dic_54_code`

Column Type: `varchar`

Max Length: 50

'SS Note Copy Single Response Dictionary 54 code'

Column Name: ss_notc_sin_dic_54_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_54_code. See ss_notc_sin_dic_54_code for more information.

Column Name: ss_notc_sin_dic_55_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 55 code'

Column Name: ss_notc_sin_dic_55_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_55_code. See ss_notc_sin_dic_55_code for more information.

Column Name: ss_notc_sin_dic_56_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 56 code'

Column Name: ss_notc_sin_dic_56_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_56_code. See ss_notc_sin_dic_56_code for more information.

Column Name: ss_notc_sin_dic_57_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 57 code'

Column Name: ss_notc_sin_dic_57_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_57_code. See ss_notc_sin_dic_57_code for more information.

Column Name: ss_notc_sin_dic_58_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 58 code'

Column Name: ss_notc_sin_dic_58_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_58_code. See ss_notc_sin_dic_58_code for more information.

Column Name: ss_notc_sin_dic_59_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 59 code'

Column Name: ss_notc_sin_dic_59_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_59_code. See ss_notc_sin_dic_59_code for more information.

Column Name: ss_notc_sin_dic_60_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 60 code'

Column Name: ss_notc_sin_dic_60_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_60_code. See ss_notc_sin_dic_60_code for more information.

Column Name: ss_notc_sin_dic_61_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 61 code'

Column Name: ss_notc_sin_dic_61_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_61_code. See ss_notc_sin_dic_61_code for more information.

Column Name: ss_notc_sin_dic_62_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 62 code'

Column Name: ss_notc_sin_dic_62_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_62_code. See ss_notc_sin_dic_62_code for more information.

Column Name: ss_notc_sin_dic_63_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 63 code'

Column Name: ss_notc_sin_dic_63_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_63_code. See ss_notc_sin_dic_63_code for more information.

Column Name: ss_notc_sin_dic_64_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 64 code'

Column Name: ss_notc_sin_dic_64_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_64_code. See ss_notc_sin_dic_64_code for more information.

Column Name: ss_notc_sin_dic_65_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 65 code'

Column Name: ss_notc_sin_dic_65_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_sin_dic_65_code. See ss_notc_sin_dic_65_code for more information.

Column Name: ss_notc_sin_dic_66_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 66 code'

Column Name: ss_notc_sin_dic_66_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_66_code. See ss_notc_sin_dic_66_code for more information.

Column Name: ss_notc_sin_dic_67_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 67 code'

Column Name: ss_notc_sin_dic_67_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_67_code. See ss_notc_sin_dic_67_code for more information.

Column Name: ss_notc_sin_dic_68_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 68 code'

Column Name: ss_notc_sin_dic_68_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_68_code. See ss_notc_sin_dic_68_code for more information.

Column Name: ss_notc_sin_dic_69_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 69 code'

Column Name: ss_notc_sin_dic_69_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_69_code. See ss_notc_sin_dic_69_code for more information.

Column Name: ss_notc_sin_dic_70_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 70 code'

Column Name: ss_notc_sin_dic_70_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_70_code. See ss_notc_sin_dic_70_code for more information.

Column Name: ss_notc_sin_dic_71_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 71 code'

Column Name: ss_notc_sin_dic_71_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_71_code. See ss_notc_sin_dic_71_code for more information.

Column Name: ss_notc_sin_dic_72_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 72 code'

Column Name: ss_notc_sin_dic_72_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_72_code. See ss_notc_sin_dic_72_code for more information.

Column Name: ss_notc_sin_dic_73_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 73 code'

Column Name: ss_notc_sin_dic_73_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_73_code. See ss_notc_sin_dic_73_code for more information.

Column Name: ss_notc_sin_dic_74_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 74 code'

Column Name: ss_notc_sin_dic_74_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_74_code. See ss_notc_sin_dic_74_code for more information.

Column Name: ss_notc_sin_dic_75_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 75 code'

Column Name: ss_notc_sin_dic_75_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_sin_dic_75_code. See ss_notc_sin_dic_75_code for more information.

Column Name: ss_notc_sin_dic_76_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 76 code'

Column Name: ss_notc_sin_dic_76_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_76_code. See ss_notc_sin_dic_76_code for more information.

Column Name: ss_notc_sin_dic_77_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 77 code'

Column Name: ss_notc_sin_dic_77_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_77_code. See ss_notc_sin_dic_77_code for more information.

Column Name: ss_notc_sin_dic_78_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 78 code'

Column Name: ss_notc_sin_dic_78_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_78_code. See ss_notc_sin_dic_78_code for more information.

Column Name: ss_notc_sin_dic_79_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 79 code'

Column Name: ss_notc_sin_dic_79_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_79_code. See ss_notc_sin_dic_79_code for more information.

Column Name: ss_notc_sin_dic_80_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 80 code'

Column Name: ss_notc_sin_dic_80_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_80_code. See ss_notc_sin_dic_80_code for more information.

Column Name: ss_note_mul_dict_51_code
Column Type: varchar
Max Length: 20

'SS Note Multi Response Dictionary 51 code'

Column Name: ss_note_mul_dict_51_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_51_code limited to 255 characters. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_51_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_51_code. See ss_note_mul_dict_51_code for more information.

Column Name: ss_note_mul_dict_52_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 52 code'

Column Name: ss_note_mul_dict_52_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_52_code limited to 255 characters. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_52_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_52_code. See ss_note_mul_dict_52_code for more information.

Column Name: ss_note_mul_dict_53_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 53 code'

Column Name: ss_note_mul_dict_53_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_53_code limited to 255 characters. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_53_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_53_code. See ss_note_mul_dict_53_code for more information.

Column Name: ss_note_mul_dict_54_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 54 code'

Column Name: ss_note_mul_dict_54_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_54_code limited to 255 characters. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_54_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_54_code. See ss_note_mul_dict_54_code for more information.

Column Name: ss_note_mul_dict_55_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 55 code'

Column Name: ss_note_mul_dict_55_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_55_code limited to 255 characters. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_55_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_55_code. See ss_note_mul_dict_55_code for more information.

Column Name: ss_note_mul_dict_56_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 56 code'

Column Name: ss_note_mul_dict_56_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_56_code limited to 255 characters. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_56_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_56_code. See ss_note_mul_dict_56_code for more information.

Column Name: ss_note_mul_dict_57_code

Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 57 code'

Column Name: ss_note_mul_dict_57_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_57_code limited to 255 characters. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_57_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_57_code. See ss_note_mul_dict_57_code for more information.

Column Name: ss_note_mul_dict_58_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 58 code'

Column Name: ss_note_mul_dict_58_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_58_code limited to 255 characters. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_58_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_58_code. See ss_note_mul_dict_58_code for more information.

Column Name: ss_note_mul_dict_59_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 59 code'

Column Name: ss_note_mul_dict_59_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_59_code limited to 255 characters. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_59_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_59_code. See ss_note_mul_dict_59_code for more information.

Column Name: ss_note_mul_dict_60_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 60 code'

Column Name: ss_note_mul_dict_60_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_60_code limited to 255 characters. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_60_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_60_code. See ss_note_mul_dict_60_code for more information.

Column Name: ss_note_mul_dict_61_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 61 code'

Column Name: ss_note_mul_dict_61_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_61_code limited to 255 characters. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_61_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_61_code. See ss_note_mul_dict_61_code for more information.

Column Name: ss_note_mul_dict_62_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 62 code'

Column Name: ss_note_mul_dict_62_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_62_code limited to 255 characters. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_62_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_62_code. See ss_note_mul_dict_62_code for more information.

Column Name: ss_note_mul_dict_63_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 63 code'

Column Name: ss_note_mul_dict_63_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_63_code limited to 255 characters. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_63_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_63_code. See ss_note_mul_dict_63_code for more information.

Column Name: ss_note_mul_dict_64_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 64 code'

Column Name: ss_note_mul_dict_64_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_64_code limited to 255 characters. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_64_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_mul_dict_64_code. See ss_note_mul_dict_64_code for more information.

Column Name: ss_note_mul_dict_65_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 65 code'

Column Name: ss_note_mul_dict_65_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dict_65_code limited to 255 characters. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_65_value
Column Type: varchar
Max Length: 32700

The description associated with ss_note_mul_dict_65_code. See ss_note_mul_dict_65_code for more information.

Column Name: ss_note_mul_dict_66_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 66 code'

Column Name: ss_note_mul_dict_66_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_66_code limited to 255 characters. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_66_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_66_code. See ss_note_mul_dict_66_code for more information.

Column Name: ss_note_mul_dict_67_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 67 code'

Column Name: ss_note_mul_dict_67_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_67_code limited to 255 characters. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_67_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_67_code. See ss_note_mul_dict_67_code for more information.

Column Name: ss_note_mul_dict_68_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 68 code'

Column Name: ss_note_mul_dict_68_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_68_code limited to 255 characters. See ss_note_mul_dict_68_code for more information.

Column Name: ss_note_mul_dict_68_value

Column Type: varchar

Max Length: 32700

The description associated with `ss_note_mul_dict_68_code`. See `ss_note_mul_dict_68_code` for more information.

Column Name: `ss_note_mul_dict_69_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 69 code'

Column Name: `ss_note_mul_dict_69_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_note_mul_dict_69_code` limited to 255 characters. See `ss_note_mul_dict_69_code` for more information.

Column Name: `ss_note_mul_dict_69_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_mul_dict_69_code`. See `ss_note_mul_dict_69_code` for more information.

Column Name: `ss_note_mul_dict_70_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 70 code'

Column Name: `ss_note_mul_dict_70_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_note_mul_dict_70_code` limited to 255 characters. See `ss_note_mul_dict_70_code` for more information.

Column Name: `ss_note_mul_dict_70_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_mul_dict_70_code`. See `ss_note_mul_dict_70_code` for more information.

Column Name: `ss_note_mul_dict_71_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 71 code'

Column Name: `ss_note_mul_dict_71_shval`

Column Type: `varchar`

Max Length: 255

The description associated with `ss_note_mul_dict_71_code` limited to 255 characters. See `ss_note_mul_dict_71_code` for more information.

Column Name: `ss_note_mul_dict_71_value`

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_71_code. See ss_note_mul_dict_71_code for more information.

Column Name: ss_note_mul_dict_72_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 72 code'

Column Name: ss_note_mul_dict_72_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_72_code limited to 255 characters. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_72_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_72_code. See ss_note_mul_dict_72_code for more information.

Column Name: ss_note_mul_dict_73_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 73 code'

Column Name: ss_note_mul_dict_73_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_73_code limited to 255 characters. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_73_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_73_code. See ss_note_mul_dict_73_code for more information.

Column Name: ss_note_mul_dict_74_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 74 code'

Column Name: ss_note_mul_dict_74_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_74_code limited to 255 characters. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_74_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_74_code. See ss_note_mul_dict_74_code for more information.

Column Name: ss_note_mul_dict_75_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 75 code'

Column Name: ss_note_mul_dict_75_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_75_code limited to 255 characters. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_75_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_75_code. See ss_note_mul_dict_75_code for more information.

Column Name: ss_note_mul_dict_76_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 76 code'

Column Name: ss_note_mul_dict_76_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_76_code limited to 255 characters. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_76_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_76_code. See ss_note_mul_dict_76_code for more information.

Column Name: ss_note_mul_dict_77_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 77 code'

Column Name: ss_note_mul_dict_77_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_77_code limited to 255 characters. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_77_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_77_code. See ss_note_mul_dict_77_code for more information.

Column Name: ss_note_mul_dict_78_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 78 code'

Column Name: ss_note_mul_dict_78_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_78_code limited to 255 characters. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_78_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_78_code. See ss_note_mul_dict_78_code for more information.

Column Name: ss_note_mul_dict_79_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 79 code'

Column Name: ss_note_mul_dict_79_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_79_code limited to 255 characters. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_79_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_79_code. See ss_note_mul_dict_79_code for more information.

Column Name: ss_note_mul_dict_80_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 80 code'

Column Name: ss_note_mul_dict_80_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dict_80_code limited to 255 characters. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_mul_dict_80_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dict_80_code. See ss_note_mul_dict_80_code for more information.

Column Name: ss_note_scroll_text_51

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 51'

Column Name: ss_note_scroll_text_52

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 52'

Column Name: ss_note_scroll_text_53

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 53'

Column Name: ss_note_scroll_text_54

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 54'

Column Name: ss_note_scroll_text_55

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 55'

Column Name: ss_note_scroll_text_56

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 56'

Column Name: ss_note_scroll_text_57

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 57'

Column Name: ss_note_scroll_text_58

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 58'

Column Name: ss_note_scroll_text_59

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 59'

Column Name: ss_note_scroll_text_60
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 60'

Column Name: ss_note_scroll_text_61
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 61'

Column Name: ss_note_scroll_text_62
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 62'

Column Name: ss_note_scroll_text_63
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 63'

Column Name: ss_note_scroll_text_64
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 64'

Column Name: ss_note_scroll_text_65
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 65'

Column Name: ss_note_scroll_text_66
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 66'

Column Name: ss_note_scroll_text_67
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 67'

Column Name: ss_note_scroll_text_68
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 68'

Column Name: ss_note_scroll_text_69

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 69'

Column Name: ss_note_scroll_text_70
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 70'

Column Name: ss_note_scroll_text_71
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 71'

Column Name: ss_note_scroll_text_72
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 72'

Column Name: ss_note_scroll_text_73
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 73'

Column Name: ss_note_scroll_text_74
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 74'

Column Name: ss_note_scroll_text_75
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 75'

Column Name: ss_note_scroll_text_76
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 76'

Column Name: ss_note_scroll_text_77
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 77'

Column Name: ss_note_scroll_text_78
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 78'

Column Name: ss_note_scroll_text_79

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 79'

Column Name: ss_note_scroll_text_80
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 80'

Column Name: ss_note_sin_dict_51_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 51 code'

Column Name: ss_note_sin_dict_51_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_51_code. See ss_note_sin_dict_51_code for more information.

Column Name: ss_note_sin_dict_52_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 52 code'

Column Name: ss_note_sin_dict_52_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_52_code. See ss_note_sin_dict_52_code for more information.

Column Name: ss_note_sin_dict_53_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 53 code'

Column Name: ss_note_sin_dict_53_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_53_code. See ss_note_sin_dict_53_code for more information.

Column Name: ss_note_sin_dict_54_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 54 code'

Column Name: ss_note_sin_dict_54_value
Column Type: varchar
Max Length: 50

The description associated with ss_note_sin_dict_54_code. See ss_note_sin_dict_54_code for more information.

Column Name: ss_note_sin_dict_55_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 55 code'

Column Name: ss_note_sin_dict_55_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_55_code. See ss_note_sin_dict_55_code for more information.

Column Name: ss_note_sin_dict_56_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 56 code'

Column Name: ss_note_sin_dict_56_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_56_code. See ss_note_sin_dict_56_code for more information.

Column Name: ss_note_sin_dict_57_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 57 code'

Column Name: ss_note_sin_dict_57_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_57_code. See ss_note_sin_dict_57_code for more information.

Column Name: ss_note_sin_dict_58_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 58 code'

Column Name: ss_note_sin_dict_58_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_58_code. See ss_note_sin_dict_58_code for more information.

Column Name: ss_note_sin_dict_59_code
Column Type: varchar
Max Length: 50

'SS Note Single Response Dictionary 59 code'

Column Name: ss_note_sin_dict_59_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_59_code. See ss_note_sin_dict_59_code for more information.

Column Name: ss_note_sin_dict_60_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 60 code'

Column Name: ss_note_sin_dict_60_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_60_code. See ss_note_sin_dict_60_code for more information.

Column Name: ss_note_sin_dict_61_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 61 code'

Column Name: ss_note_sin_dict_61_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_61_code. See ss_note_sin_dict_61_code for more information.

Column Name: ss_note_sin_dict_62_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 62 code'

Column Name: ss_note_sin_dict_62_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_62_code. See ss_note_sin_dict_62_code for more information.

Column Name: ss_note_sin_dict_63_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 63 code'

Column Name: ss_note_sin_dict_63_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_63_code. See ss_note_sin_dict_63_code for more information.

Column Name: ss_note_sin_dict_64_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 64 code'

Column Name: ss_note_sin_dict_64_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_64_code. See ss_note_sin_dict_64_code for more information.

Column Name: ss_note_sin_dict_65_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 65 code'

Column Name: ss_note_sin_dict_65_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_65_code. See ss_note_sin_dict_65_code for more information.

Column Name: ss_note_sin_dict_66_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 66 code'

Column Name: ss_note_sin_dict_66_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_66_code. See ss_note_sin_dict_66_code for more information.

Column Name: ss_note_sin_dict_67_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 67 code'

Column Name: ss_note_sin_dict_67_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_67_code. See ss_note_sin_dict_67_code for more information.

Column Name: ss_note_sin_dict_68_code
Column Type: varchar
Max Length: 50

'SS Note Single Response Dictionary 68 code'

Column Name: ss_note_sin_dict_68_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_68_code. See ss_note_sin_dict_68_code for more information.

Column Name: ss_note_sin_dict_69_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 69 code'

Column Name: ss_note_sin_dict_69_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_69_code. See ss_note_sin_dict_69_code for more information.

Column Name: ss_note_sin_dict_70_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 70 code'

Column Name: ss_note_sin_dict_70_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_70_code. See ss_note_sin_dict_70_code for more information.

Column Name: ss_note_sin_dict_71_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 71 code'

Column Name: ss_note_sin_dict_71_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_71_code. See ss_note_sin_dict_71_code for more information.

Column Name: ss_note_sin_dict_72_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 72 code'

Column Name: ss_note_sin_dict_72_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_72_code. See ss_note_sin_dict_72_code for more information.

Column Name: ss_note_sin_dict_73_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 73 code'

Column Name: ss_note_sin_dict_73_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_73_code. See ss_note_sin_dict_73_code for more information.

Column Name: ss_note_sin_dict_74_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 74 code'

Column Name: ss_note_sin_dict_74_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_74_code. See ss_note_sin_dict_74_code for more information.

Column Name: ss_note_sin_dict_75_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 75 code'

Column Name: ss_note_sin_dict_75_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_75_code. See ss_note_sin_dict_75_code for more information.

Column Name: ss_note_sin_dict_76_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 76 code'

Column Name: ss_note_sin_dict_76_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dict_76_code. See ss_note_sin_dict_76_code for more information.

Column Name: ss_note_sin_dict_77_code
Column Type: varchar
Max Length: 50

'SS Note Single Response Dictionary 77 code'

Column Name: ss_note_sin_dict_77_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_77_code. See ss_note_sin_dict_77_code for more information.

Column Name: ss_note_sin_dict_78_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 78 code'

Column Name: ss_note_sin_dict_78_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_78_code. See ss_note_sin_dict_78_code for more information.

Column Name: ss_note_sin_dict_79_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 79 code'

Column Name: ss_note_sin_dict_79_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_79_code. See ss_note_sin_dict_79_code for more information.

Column Name: ss_note_sin_dict_80_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 80 code'

Column Name: ss_note_sin_dict_80_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dict_80_code. See ss_note_sin_dict_80_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Void_Progress_Notes

Table Name: SYSTEM.cw_patient_not_void_sup_5

Table Description: This table returns supplemental information stored in the 'Void Progress Notes' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILING_COUNTER
Column Type: integer
Filing Counter

Column Name: Filing_Hist
Column Type: varchar
Max Length: 50
Unique Identifier used for filing.

Column Name: PATID
Column Type: varchar

Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: ebp_code
Column Type: varchar
Max Length: 50
'Evidence-Based Practices'

Column Name: ebp_element_code
Column Type: varchar
Max Length: 50
'Evidence-Based Practice Elements'

Column Name: ebp_element_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_element_code

Column Name: ebp_value
Column Type: varchar
Max Length: 32000
The description associated with ebp_code

Column Name: form_number
Column Type: varchar
Max Length: 50
The unique identifier for a form.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notc_mul_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 100 code'

Column Name: ss_notc_mul_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_100_code. See ss_notc_mul_dic_100_code for more information.

Column Name: ss_notc_mul_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 101 code'

Column Name: ss_notc_mul_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_mul_dic_101_code. See ss_notc_mul_dic_101_code for more information.

Column Name: ss_notc_mul_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Multiple Response Dictionary 102 code'

Column Name: ss_notc_mul_dic_102_value
Column Type: varchar
Max Length: 255

The description associated with ss_notc_mul_dic_102_code. See ss_notc_mul_dic_102_code for more information.

Column Name: ss_notc_mul_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 103 code'

Column Name: ss_notc_mul_dic_103_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_103_code. See ss_notc_mul_dic_103_code for more information.

Column Name: ss_notc_mul_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 104 code'

Column Name: ss_notc_mul_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_104_code. See ss_notc_mul_dic_104_code for more information.

Column Name: ss_notc_mul_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 105 code'

Column Name: ss_notc_mul_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_mul_dic_105_code. See ss_notc_mul_dic_105_code for more information.

Column Name: ss_notc_mul_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 106 code'

Column Name: ss_notc_mul_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_106_code. See ss_notc_mul_dic_106_code for more information.

Column Name: ss_notc_mul_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 107 code'

Column Name: ss_notc_mul_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_107_code. See ss_notc_mul_dic_107_code for more information.

Column Name: ss_notc_mul_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 108 code'

Column Name: ss_notc_mul_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_108_code. See ss_notc_mul_dic_108_code for more information.

Column Name: ss_notc_mul_dic_109_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 109 code'

Column Name: ss_notc_mul_dic_109_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_109_code. See ss_notc_mul_dic_109_code for more information.

Column Name: ss_notc_mul_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 110 code'

Column Name: ss_notc_mul_dic_110_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_110_code. See ss_notc_mul_dic_110_code for more information.

Column Name: ss_notc_mul_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 81 code'

Column Name: ss_notc_mul_dic_81_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_81_code. See ss_notc_mul_dic_81_code for more information.

Column Name: ss_notc_mul_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 82 code'

Column Name: ss_notc_mul_dic_82_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_82_code. See ss_notc_mul_dic_82_code for more information.

Column Name: ss_notc_mul_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 83 code'

Column Name: ss_notc_mul_dic_83_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_83_code. See ss_notc_mul_dic_83_code for more information.

Column Name: ss_notc_mul_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 84 code'

Column Name: ss_notc_mul_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_84_code. See ss_notc_mul_dic_84_code for more information.

Column Name: ss_notc_mul_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 85 code'

Column Name: ss_notc_mul_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_85_code. See ss_notc_mul_dic_85_code for more information.

Column Name: ss_notc_mul_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 86 code'

Column Name: ss_notc_mul_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_86_code. See ss_notc_mul_dic_86_code for more information.

Column Name: ss_notc_mul_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 87 code'

Column Name: ss_notc_mul_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_87_code. See ss_notc_mul_dic_87_code for more information.

Column Name: ss_notc_mul_dic_88_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 88 code'

Column Name: ss_notc_mul_dic_88_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_88_code. See ss_notc_mul_dic_88_code for more information.

Column Name: ss_notc_mul_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 89 code'

Column Name: ss_notc_mul_dic_89_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_89_code. See ss_notc_mul_dic_89_code for more information.

Column Name: ss_notc_mul_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 90 code'

Column Name: ss_notc_mul_dic_90_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_90_code. See ss_notc_mul_dic_90_code for more information.

Column Name: ss_notc_mul_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 91 code'

Column Name: ss_notc_mul_dic_91_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_91_code. See ss_notc_mul_dic_91_code for more information.

Column Name: ss_notc_mul_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 92 code'

Column Name: ss_notc_mul_dic_92_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_92_code. See ss_notc_mul_dic_92_code for more information.

Column Name: ss_notc_mul_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 93 code'

Column Name: ss_notc_mul_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_93_code. See ss_notc_mul_dic_93_code for more information.

Column Name: ss_notc_mul_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 94 code'

Column Name: ss_notc_mul_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_94_code. See ss_notc_mul_dic_94_code for more information.

Column Name: ss_notc_mul_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 95 code'

Column Name: ss_notc_mul_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_mul_dic_95_code. See ss_notc_mul_dic_95_code for more information.

Column Name: ss_notc_mul_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 96 code'

Column Name: ss_notc_mul_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_96_code. See ss_notc_mul_dic_96_code for more information.

Column Name: ss_notc_mul_dic_97_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 97 code'

Column Name: ss_notc_mul_dic_97_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_97_code. See ss_notc_mul_dic_97_code for more information.

Column Name: ss_notc_mul_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 98 code'

Column Name: ss_notc_mul_dic_98_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_98_code. See ss_notc_mul_dic_98_code for more information.

Column Name: ss_notc_mul_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Copy Multiple Response Dictionary 99 code'

Column Name: ss_notc_mul_dic_99_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_mul_dic_99_code. See ss_notc_mul_dic_99_code for more information.

Column Name: ss_notc_sin_dic_100_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 100 code'

Column Name: ss_notc_sin_dic_100_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_100_code. See ss_notc_sin_dic_100_code for more information.

Column Name: ss_notc_sin_dic_101_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 101 code'

Column Name: ss_notc_sin_dic_101_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_101_code. See ss_notc_sin_dic_101_code for more information.

Column Name: ss_notc_sin_dic_102_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 102 code'

Column Name: ss_notc_sin_dic_102_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_102_code. See ss_notc_sin_dic_102_code for more information.

Column Name: ss_notc_sin_dic_103_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 103 code'

Column Name: ss_notc_sin_dic_103_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_103_code. See ss_notc_sin_dic_103_code for more information.

Column Name: ss_notc_sin_dic_104_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 104 code'

Column Name: ss_notc_sin_dic_104_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_104_code. See ss_notc_sin_dic_104_code for more information.

Column Name: ss_notc_sin_dic_105_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 105 code'

Column Name: ss_notc_sin_dic_105_value

Column Type: varchar

Max Length: 275

The description associated with ss_notc_sin_dic_105_code. See ss_notc_sin_dic_105_code for more information.

Column Name: ss_notc_sin_dic_106_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 106 code'

Column Name: ss_notc_sin_dic_106_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_106_code. See ss_notc_sin_dic_106_code for more information.

Column Name: ss_notc_sin_dic_107_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 107 code'

Column Name: ss_notc_sin_dic_107_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_107_code. See ss_notc_sin_dic_107_code for more information.

Column Name: ss_notc_sin_dic_108_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 108 code'

Column Name: ss_notc_sin_dic_108_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_108_code. See ss_notc_sin_dic_108_code for more information.

Column Name: ss_notc_sin_dic_109_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 109 code'

Column Name: ss_notc_sin_dic_109_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_109_code. See ss_notc_sin_dic_109_code for more information.

Column Name: ss_notc_sin_dic_110_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 110 code'

Column Name: ss_notc_sin_dic_110_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_110_code. See ss_notc_sin_dic_110_code for more information.

Column Name: ss_notc_sin_dic_81_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 81 code'

Column Name: ss_notc_sin_dic_81_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_81_code. See ss_notc_sin_dic_81_code for more information.

Column Name: ss_notc_sin_dic_82_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 82 code'

Column Name: ss_notc_sin_dic_82_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_82_code. See ss_notc_sin_dic_82_code for more information.

Column Name: ss_notc_sin_dic_83_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 83 code'

Column Name: ss_notc_sin_dic_83_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_83_code. See ss_notc_sin_dic_83_code for more information.

Column Name: ss_notc_sin_dic_84_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 84 code'

Column Name: ss_notc_sin_dic_84_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_84_code. See ss_notc_sin_dic_84_code for more information.

Column Name: ss_notc_sin_dic_85_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 85 code'

Column Name: ss_notc_sin_dic_85_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_85_code. See ss_notc_sin_dic_85_code for more information.

Column Name: ss_notc_sin_dic_86_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 86 code'

Column Name: ss_notc_sin_dic_86_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_86_code. See ss_notc_sin_dic_86_code for more information.

Column Name: ss_notc_sin_dic_87_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 87 code'

Column Name: ss_notc_sin_dic_87_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_87_code. See ss_notc_sin_dic_87_code for more information.

Column Name: ss_notc_sin_dic_88_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 88 code'

Column Name: ss_notc_sin_dic_88_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_88_code. See ss_notc_sin_dic_88_code for more information.

Column Name: ss_notc_sin_dic_89_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 89 code'

Column Name: ss_notc_sin_dic_89_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_89_code. See ss_notc_sin_dic_89_code for more information.

Column Name: ss_notc_sin_dic_90_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 90 code'

Column Name: ss_notc_sin_dic_90_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_90_code. See ss_notc_sin_dic_90_code for more information.

Column Name: ss_notc_sin_dic_91_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 91 code'

Column Name: ss_notc_sin_dic_91_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_91_code. See ss_notc_sin_dic_91_code for more information.

Column Name: ss_notc_sin_dic_92_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 92 code'

Column Name: ss_notc_sin_dic_92_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_92_code. See ss_notc_sin_dic_92_code for more information.

Column Name: ss_notc_sin_dic_93_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 93 code'

Column Name: ss_notc_sin_dic_93_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_93_code. See ss_notc_sin_dic_93_code for more information.

Column Name: ss_notc_sin_dic_94_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 94 code'

Column Name: ss_notc_sin_dic_94_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_94_code. See ss_notc_sin_dic_94_code for more information.

Column Name: ss_notc_sin_dic_95_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 95 code'

Column Name: ss_notc_sin_dic_95_value

Column Type: varchar

Max Length: 265

The description associated with ss_notc_sin_dic_95_code. See ss_notc_sin_dic_95_code for more information.

Column Name: ss_notc_sin_dic_96_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 96 code'

Column Name: ss_notc_sin_dic_96_value

Column Type: varchar

Max Length: 255

The description associated with ss_notc_sin_dic_96_code. See ss_notc_sin_dic_96_code for more information.

Column Name: ss_notc_sin_dic_97_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 97 code'

Column Name: ss_notc_sin_dic_97_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_97_code. See ss_notc_sin_dic_97_code for more information.

Column Name: ss_notc_sin_dic_98_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 98 code'

Column Name: ss_notc_sin_dic_98_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_98_code. See ss_notc_sin_dic_98_code for more information.

Column Name: ss_notc_sin_dic_99_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 99 code'

Column Name: ss_notc_sin_dic_99_value
Column Type: varchar
Max Length: 255
The description associated with ss_notc_sin_dic_99_code. See ss_notc_sin_dic_99_code for more information.

Column Name: ss_note_mul_dic_100_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 100 code'

Column Name: ss_note_mul_dic_100_shval
Column Type: varchar
Max Length: 255
The description associated with ss_note_mul_dic_100_code limited to 255 characters. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_100_value
Column Type: varchar
Max Length: 32700

The description associated with ss_note_mul_dic_100_code. See ss_note_mul_dic_100_code for more information.

Column Name: ss_note_mul_dic_101_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 101 code'

Column Name: ss_note_mul_dic_101_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_101_code limited to 255 characters. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_101_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_101_code. See ss_note_mul_dic_101_code for more information.

Column Name: ss_note_mul_dic_102_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 102 code'

Column Name: ss_note_mul_dic_102_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_102_code limited to 255 characters. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_102_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_102_code. See ss_note_mul_dic_102_code for more information.

Column Name: ss_note_mul_dic_103_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 103 code'

Column Name: ss_note_mul_dic_103_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_103_code limited to 255 characters. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_103_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_103_code. See ss_note_mul_dic_103_code for more information.

Column Name: ss_note_mul_dic_104_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 104 code'

Column Name: ss_note_mul_dic_104_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_104_code limited to 255 characters. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_104_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_104_code. See ss_note_mul_dic_104_code for more information.

Column Name: ss_note_mul_dic_105_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 105 code'

Column Name: ss_note_mul_dic_105_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_105_code limited to 255 characters. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_105_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_105_code. See ss_note_mul_dic_105_code for more information.

Column Name: ss_note_mul_dic_106_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 106 code'

Column Name: ss_note_mul_dic_106_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_106_code limited to 255 characters. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_106_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_106_code. See ss_note_mul_dic_106_code for more information.

Column Name: ss_note_mul_dic_107_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 107 code'

Column Name: ss_note_mul_dic_107_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_107_code limited to 255 characters. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_107_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_107_code. See ss_note_mul_dic_107_code for more information.

Column Name: ss_note_mul_dic_108_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 108 code'

Column Name: ss_note_mul_dic_108_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_108_code limited to 255 characters. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_108_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_108_code. See ss_note_mul_dic_108_code for more information.

Column Name: ss_note_mul_dic_109_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 109 code'

Column Name: ss_note_mul_dic_109_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_109_code limited to 255 characters. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_109_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_109_code. See ss_note_mul_dic_109_code for more information.

Column Name: ss_note_mul_dic_110_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 110 code'

Column Name: ss_note_mul_dic_110_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_110_code limited to 255 characters. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_110_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_110_code. See ss_note_mul_dic_110_code for more information.

Column Name: ss_note_mul_dic_81_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 81 code'

Column Name: ss_note_mul_dic_81_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_81_code limited to 255 characters. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_81_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_81_code. See ss_note_mul_dic_81_code for more information.

Column Name: ss_note_mul_dic_82_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 82 code'

Column Name: ss_note_mul_dic_82_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_82_code limited to 255 characters. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_82_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_82_code. See ss_note_mul_dic_82_code for more information.

Column Name: ss_note_mul_dic_83_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 83 code'

Column Name: ss_note_mul_dic_83_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_83_code limited to 255 characters. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_83_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_83_code. See ss_note_mul_dic_83_code for more information.

Column Name: ss_note_mul_dic_84_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 84 code'

Column Name: ss_note_mul_dic_84_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_84_code limited to 255 characters. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_84_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_84_code. See ss_note_mul_dic_84_code for more information.

Column Name: ss_note_mul_dic_85_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 85 code'

Column Name: ss_note_mul_dic_85_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_85_code limited to 255 characters. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_85_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_85_code. See ss_note_mul_dic_85_code for more information.

Column Name: ss_note_mul_dic_86_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 86 code'

Column Name: ss_note_mul_dic_86_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_86_code limited to 255 characters. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_86_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_86_code. See ss_note_mul_dic_86_code for more information.

Column Name: ss_note_mul_dic_87_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 87 code'

Column Name: ss_note_mul_dic_87_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_87_code limited to 255 characters. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_87_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_87_code. See ss_note_mul_dic_87_code for more information.

Column Name: ss_note_mul_dic_88_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 88 code'

Column Name: ss_note_mul_dic_88_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_88_code limited to 255 characters. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_88_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_88_code. See ss_note_mul_dic_88_code for more information.

Column Name: ss_note_mul_dic_89_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 89 code'

Column Name: ss_note_mul_dic_89_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_89_code limited to 255 characters. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_89_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_89_code. See ss_note_mul_dic_89_code for more information.

Column Name: ss_note_mul_dic_90_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 90 code'

Column Name: ss_note_mul_dic_90_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_90_code limited to 255 characters. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_90_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_90_code. See ss_note_mul_dic_90_code for more information.

Column Name: ss_note_mul_dic_91_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 91 code'

Column Name: ss_note_mul_dic_91_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_91_code limited to 255 characters. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_91_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_91_code. See ss_note_mul_dic_91_code for more information.

Column Name: ss_note_mul_dic_92_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 92 code'

Column Name: ss_note_mul_dic_92_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_92_code limited to 255 characters. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_92_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_92_code. See ss_note_mul_dic_92_code for more information.

Column Name: ss_note_mul_dic_93_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 93 code'

Column Name: ss_note_mul_dic_93_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_93_code limited to 255 characters. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_93_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_93_code. See ss_note_mul_dic_93_code for more information.

Column Name: ss_note_mul_dic_94_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 94 code'

Column Name: ss_note_mul_dic_94_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_94_code limited to 255 characters. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_94_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_94_code. See ss_note_mul_dic_94_code for more information.

Column Name: ss_note_mul_dic_95_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 95 code'

Column Name: ss_note_mul_dic_95_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_95_code limited to 255 characters. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_95_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_95_code. See ss_note_mul_dic_95_code for more information.

Column Name: ss_note_mul_dic_96_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 96 code'

Column Name: ss_note_mul_dic_96_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_96_code limited to 255 characters. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_96_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_96_code. See ss_note_mul_dic_96_code for more information.

Column Name: ss_note_mul_dic_97_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 97 code'

Column Name: ss_note_mul_dic_97_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_97_code limited to 255 characters. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_97_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_97_code. See ss_note_mul_dic_97_code for more information.

Column Name: ss_note_mul_dic_98_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 98 code'

Column Name: ss_note_mul_dic_98_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_98_code limited to 255 characters. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_98_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_98_code. See ss_note_mul_dic_98_code for more information.

Column Name: ss_note_mul_dic_99_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 99 code'

Column Name: ss_note_mul_dic_99_shval

Column Type: varchar

Max Length: 255

The description associated with ss_note_mul_dic_99_code limited to 255 characters. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_mul_dic_99_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_mul_dic_99_code. See ss_note_mul_dic_99_code for more information.

Column Name: ss_note_scroll_text_100

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 100'

Column Name: ss_note_scroll_text_101

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 101'

Column Name: ss_note_scroll_text_102

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 102'

Column Name: ss_note_scroll_text_103

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 103'

Column Name: ss_note_scroll_text_104

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 104'

Column Name: ss_note_scroll_text_105

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 105'

Column Name: ss_note_scroll_text_106

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 106'

Column Name: ss_note_scroll_text_107

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 107'

Column Name: ss_note_scroll_text_108

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 108'

Column Name: ss_note_scroll_text_109

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 109'

Column Name: ss_note_scroll_text_110

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 110'

Column Name: ss_note_scroll_text_81

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 81'

Column Name: ss_note_scroll_text_82

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 82'

Column Name: ss_note_scroll_text_83

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 83'

Column Name: ss_note_scroll_text_84

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 84'

Column Name: ss_note_scroll_text_85

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 85'

Column Name: ss_note_scroll_text_86

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 86'

Column Name: ss_note_scroll_text_87

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 87'

Column Name: ss_note_scroll_text_88

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 88'

Column Name: ss_note_scroll_text_89

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 89'

Column Name: ss_note_scroll_text_90

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 90'

Column Name: ss_note_scroll_text_91

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 91'

Column Name: ss_note_scroll_text_92

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 92'

Column Name: ss_note_scroll_text_93

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 93'

Column Name: ss_note_scroll_text_94

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 94'

Column Name: ss_note_scroll_text_95

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 95'

Column Name: ss_note_scroll_text_96

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 96'

Column Name: ss_note_scroll_text_97

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 97'

Column Name: ss_note_scroll_text_98

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 98'

Column Name: ss_note_scroll_text_99

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 99'

Column Name: ss_note_sin_dic_100_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 100 code'

Column Name: ss_note_sin_dic_100_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_100_code. See ss_note_sin_dic_100_code for more information.

Column Name: ss_note_sin_dic_101_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 101 code'

Column Name: ss_note_sin_dic_101_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_101_code. See ss_note_sin_dic_101_code for more information.

Column Name: ss_note_sin_dic_102_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 102 code'

Column Name: ss_note_sin_dic_102_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_102_code. See ss_note_sin_dic_102_code for more information.

Column Name: ss_note_sin_dic_103_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 103 code'

Column Name: ss_note_sin_dic_103_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_103_code. See ss_note_sin_dic_103_code for more information.

Column Name: ss_note_sin_dic_104_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 104 code'

Column Name: ss_note_sin_dic_104_value

Column Type: varchar

Max Length: 50

The description associated with `ss_note_sin_dic_104_code`. See `ss_note_sin_dic_104_code` for more information.

Column Name: `ss_note_sin_dic_105_code`
Column Type: `varchar`
Max Length: 50
'SS Note Single Response Dictionary 105 code'

Column Name: `ss_note_sin_dic_105_value`
Column Type: `varchar`
Max Length: 50
The description associated with `ss_note_sin_dic_105_code`. See `ss_note_sin_dic_105_code` for more information.

Column Name: `ss_note_sin_dic_106_code`
Column Type: `varchar`
Max Length: 50
'SS Note Single Response Dictionary 106 code'

Column Name: `ss_note_sin_dic_106_value`
Column Type: `varchar`
Max Length: 50
The description associated with `ss_note_sin_dic_106_code`. See `ss_note_sin_dic_106_code` for more information.

Column Name: `ss_note_sin_dic_107_code`
Column Type: `varchar`
Max Length: 50
'SS Note Single Response Dictionary 107 code'

Column Name: `ss_note_sin_dic_107_value`
Column Type: `varchar`
Max Length: 50
The description associated with `ss_note_sin_dic_107_code`. See `ss_note_sin_dic_107_code` for more information.

Column Name: `ss_note_sin_dic_108_code`
Column Type: `varchar`
Max Length: 50
'SS Note Single Response Dictionary 108 code'

Column Name: `ss_note_sin_dic_108_value`
Column Type: `varchar`
Max Length: 50
The description associated with `ss_note_sin_dic_108_code`. See `ss_note_sin_dic_108_code` for more information.

Column Name: `ss_note_sin_dic_109_code`
Column Type: `varchar`
Max Length: 50

'SS Note Single Response Dictionary 109 code'

Column Name: ss_note_sin_dic_109_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_109_code. See ss_note_sin_dic_109_code for more information.

Column Name: ss_note_sin_dic_110_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 110 code'

Column Name: ss_note_sin_dic_110_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_110_code. See ss_note_sin_dic_110_code for more information.

Column Name: ss_note_sin_dic_81_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 81 code'

Column Name: ss_note_sin_dic_81_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_81_code. See ss_note_sin_dic_81_code for more information.

Column Name: ss_note_sin_dic_82_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 82 code'

Column Name: ss_note_sin_dic_82_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_82_code. See ss_note_sin_dic_82_code for more information.

Column Name: ss_note_sin_dic_83_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 83 code'

Column Name: ss_note_sin_dic_83_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_83_code. See ss_note_sin_dic_83_code for more information.

Column Name: ss_note_sin_dic_84_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 84 code'

Column Name: ss_note_sin_dic_84_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_84_code. See ss_note_sin_dic_84_code for more information.

Column Name: ss_note_sin_dic_85_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 85 code'

Column Name: ss_note_sin_dic_85_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_85_code. See ss_note_sin_dic_85_code for more information.

Column Name: ss_note_sin_dic_86_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 86 code'

Column Name: ss_note_sin_dic_86_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_86_code. See ss_note_sin_dic_86_code for more information.

Column Name: ss_note_sin_dic_87_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 87 code'

Column Name: ss_note_sin_dic_87_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sin_dic_87_code. See ss_note_sin_dic_87_code for more information.

Column Name: ss_note_sin_dic_88_code
Column Type: varchar
Max Length: 50

'SS Note Single Response Dictionary 88 code'

Column Name: ss_note_sin_dic_88_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_88_code. See ss_note_sin_dic_88_code for more information.

Column Name: ss_note_sin_dic_89_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 89 code'

Column Name: ss_note_sin_dic_89_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_89_code. See ss_note_sin_dic_89_code for more information.

Column Name: ss_note_sin_dic_90_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 90 code'

Column Name: ss_note_sin_dic_90_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_90_code. See ss_note_sin_dic_90_code for more information.

Column Name: ss_note_sin_dic_91_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 91 code'

Column Name: ss_note_sin_dic_91_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_91_code. See ss_note_sin_dic_91_code for more information.

Column Name: ss_note_sin_dic_92_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 92 code'

Column Name: ss_note_sin_dic_92_value

Column Type: varchar

Max Length: 50

The description associated with `ss_note_sin_dic_92_code`. See `ss_note_sin_dic_92_code` for more information.

Column Name: `ss_note_sin_dic_93_code`
Column Type: `varchar`
Max Length: 50
'SS Note Single Response Dictionary 93 code'

Column Name: `ss_note_sin_dic_93_value`
Column Type: `varchar`
Max Length: 50
The description associated with `ss_note_sin_dic_93_code`. See `ss_note_sin_dic_93_code` for more information.

Column Name: `ss_note_sin_dic_94_code`
Column Type: `varchar`
Max Length: 50
'SS Note Single Response Dictionary 94 code'

Column Name: `ss_note_sin_dic_94_value`
Column Type: `varchar`
Max Length: 50
The description associated with `ss_note_sin_dic_94_code`. See `ss_note_sin_dic_94_code` for more information.

Column Name: `ss_note_sin_dic_95_code`
Column Type: `varchar`
Max Length: 50
'SS Note Single Response Dictionary 95 code'

Column Name: `ss_note_sin_dic_95_value`
Column Type: `varchar`
Max Length: 50
The description associated with `ss_note_sin_dic_95_code`. See `ss_note_sin_dic_95_code` for more information.

Column Name: `ss_note_sin_dic_96_code`
Column Type: `varchar`
Max Length: 50
'SS Note Single Response Dictionary 96 code'

Column Name: `ss_note_sin_dic_96_value`
Column Type: `varchar`
Max Length: 50
The description associated with `ss_note_sin_dic_96_code`. See `ss_note_sin_dic_96_code` for more information.

Column Name: `ss_note_sin_dic_97_code`
Column Type: `varchar`
Max Length: 50

'SS Note Single Response Dictionary 97 code'

Column Name: ss_note_sin_dic_97_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_97_code. See ss_note_sin_dic_97_code for more information.

Column Name: ss_note_sin_dic_98_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 98 code'

Column Name: ss_note_sin_dic_98_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_98_code. See ss_note_sin_dic_98_code for more information.

Column Name: ss_note_sin_dic_99_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 99 code'

Column Name: ss_note_sin_dic_99_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sin_dic_99_code. See ss_note_sin_dic_99_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Void_Progress_Notes

Table Name: SYSTEM.cw_patient_not_void_sup_6

Table Description: This table returns supplemental information stored in the 'Void Progress Notes' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILING_COUNTER
Column Type: integer
Filing Counter

Column Name: Filing_Hist
Column Type: varchar
Max Length: 50
Unique Identifier used for filing.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: facloc_address_1
Column Type: varchar
Max Length: 50
'Facility Location Address - Street'

Column Name: facloc_address_2
Column Type: varchar
Max Length: 50
'Facility Location Address - Street 2'

Column Name: facloc_city
Column Type: varchar
Max Length: 50
'Facility Location City'

Column Name: facloc_id_code
Column Type: varchar
Max Length: 50
'Facility Location Code Identifier'

Column Name: facloc_id_code_qual
Column Type: varchar
Max Length: 50
'Facility Location Code Qualifier'

Column Name: facloc_name
Column Type: varchar

Max Length: 50
'Facility Location Name'

Column Name: facloc_state
Column Type: varchar
Max Length: 50
'Facility Location State'

Column Name: facloc_zip_code
Column Type: varchar
Max Length: 50
'Facility Location Zip Code'

Column Name: form_number
Column Type: varchar
Max Length: 50
'Form Number'

Column Name: option_desc
Column Type: varchar
Max Length: 81
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_51
Column Type: varchar
Max Length: 20
SS Note 20 Character 51

Column Name: ss_note_20_char_text_52
Column Type: varchar
Max Length: 20
SS Note 20 Character 52

Column Name: ss_note_20_char_text_53
Column Type: varchar
Max Length: 20
SS Note 20 Character 53

Column Name: ss_note_20_char_text_54
Column Type: varchar
Max Length: 20
SS Note 20 Character 54

Column Name: ss_note_20_char_text_55
Column Type: varchar

Max Length: 20
SS Note 20 Character 55

Column Name: ss_note_20_char_text_56
Column Type: varchar
Max Length: 20
SS Note 20 Character 56

Column Name: ss_note_20_char_text_57
Column Type: varchar
Max Length: 20
SS Note 20 Character 57

Column Name: ss_note_20_char_text_58
Column Type: varchar
Max Length: 20
SS Note 20 Character 58

Column Name: ss_note_20_char_text_59
Column Type: varchar
Max Length: 20
SS Note 20 Character 59

Column Name: ss_note_20_char_text_60
Column Type: varchar
Max Length: 20
SS Note 20 Character 60

Column Name: ss_note_20_char_text_61
Column Type: varchar
Max Length: 20
SS Note 20 Character 61

Column Name: ss_note_20_char_text_62
Column Type: varchar
Max Length: 20
SS Note 20 Character 62

Column Name: ss_note_20_char_text_63
Column Type: varchar
Max Length: 20
SS Note 20 Character 63

Column Name: ss_note_20_char_text_64
Column Type: varchar
Max Length: 20
SS Note 20 Character 64

Column Name: ss_note_20_char_text_65
Column Type: varchar

Max Length: 20
SS Note 20 Character 65

Column Name: ss_note_20_char_text_66
Column Type: varchar
Max Length: 20
SS Note 20 Character 66

Column Name: ss_note_20_char_text_67
Column Type: varchar
Max Length: 20
SS Note 20 Character 67

Column Name: ss_note_20_char_text_68
Column Type: varchar
Max Length: 20
SS Note 20 Character 68

Column Name: ss_note_20_char_text_69
Column Type: varchar
Max Length: 20
SS Note 20 Character 69

Column Name: ss_note_20_char_text_70
Column Type: varchar
Max Length: 20
SS Note 20 Character 70

Column Name: ss_note_20_char_text_71
Column Type: varchar
Max Length: 20
SS Note 20 Character 71

Column Name: ss_note_20_char_text_72
Column Type: varchar
Max Length: 20
SS Note 20 Character 72

Column Name: ss_note_20_char_text_73
Column Type: varchar
Max Length: 20
SS Note 20 Character 73

Column Name: ss_note_20_char_text_74
Column Type: varchar
Max Length: 20
SS Note 20 Character 74

Column Name: ss_note_20_char_text_75
Column Type: varchar

Max Length: 20
SS Note 20 Character 75

Column Name: ss_note_20_char_text_76
Column Type: varchar
Max Length: 20
SS Note 20 Character 76

Column Name: ss_note_40_char_text_51
Column Type: varchar
Max Length: 40
SS Note 40 Character 51

Column Name: ss_note_40_char_text_52
Column Type: varchar
Max Length: 40
SS Note 40 Character 52

Column Name: ss_note_40_char_text_53
Column Type: varchar
Max Length: 40
SS Note 40 Character 53

Column Name: ss_note_40_char_text_54
Column Type: varchar
Max Length: 40
SS Note 40 Character 54

Column Name: ss_note_40_char_text_55
Column Type: varchar
Max Length: 40
SS Note 40 Character 55

Column Name: ss_note_40_char_text_56
Column Type: varchar
Max Length: 40
SS Note 40 Character 56

Column Name: ss_note_40_char_text_57
Column Type: varchar
Max Length: 40
SS Note 40 Character 57

Column Name: ss_note_40_char_text_58
Column Type: varchar
Max Length: 40
SS Note 40 Character 58

Column Name: ss_note_40_char_text_59
Column Type: varchar

Max Length: 40
SS Note 40 Character 59

Column Name: ss_note_40_char_text_60
Column Type: varchar
Max Length: 40
SS Note 40 Character 60

Column Name: ss_note_40_char_text_61
Column Type: varchar
Max Length: 40
SS Note 40 Character 61

Column Name: ss_note_40_char_text_62
Column Type: varchar
Max Length: 40
SS Note 40 Character 62

Column Name: ss_note_40_char_text_63
Column Type: varchar
Max Length: 40
SS Note 40 Character 63

Column Name: ss_note_40_char_text_64
Column Type: varchar
Max Length: 40
SS Note 40 Character 64

Column Name: ss_note_40_char_text_65
Column Type: varchar
Max Length: 40
SS Note 40 Character 65

Column Name: ss_note_40_char_text_66
Column Type: varchar
Max Length: 40
SS Note 40 Character 66

Column Name: ss_note_40_char_text_67
Column Type: varchar
Max Length: 40
SS Note 40 Character 67

Column Name: ss_note_40_char_text_68
Column Type: varchar
Max Length: 40
SS Note 40 Character 68

Column Name: ss_note_40_char_text_69
Column Type: varchar

Max Length: 40
SS Note 40 Character 69

Column Name: ss_note_40_char_text_70
Column Type: varchar
Max Length: 40
SS Note 40 Character 70

Column Name: ss_note_40_char_text_71
Column Type: varchar
Max Length: 40
SS Note 40 Character 71

Column Name: ss_note_40_char_text_72
Column Type: varchar
Max Length: 40
SS Note 40 Character 72

Column Name: ss_note_40_char_text_73
Column Type: varchar
Max Length: 40
SS Note 40 Character 73)

Column Name: ss_note_40_char_text_74
Column Type: varchar
Max Length: 40
SS Note 40 Character 74

Column Name: ss_note_40_char_text_75
Column Type: varchar
Max Length: 40
SS Note 40 Character 75

Column Name: ss_note_40_char_text_76
Column Type: varchar
Max Length: 40
SS Note 40 Character 76

Column Name: ss_note_date_51
Column Type: date
SS Note Date 51

Column Name: ss_note_date_52
Column Type: date
SS Note Date 52

Column Name: ss_note_date_53
Column Type: date
SS Note Date 53

Column Name: ss_note_date_54
Column Type: date
SS Note Date 54

Column Name: ss_note_date_55
Column Type: date
SS Note Date 55

Column Name: ss_note_date_56
Column Type: date
SS Note Date 56

Column Name: ss_note_date_57
Column Type: date
SS Note Date 57

Column Name: ss_note_date_58
Column Type: date
SS Note Date 58

Column Name: ss_note_date_59
Column Type: date
SS Note Date 59

Column Name: ss_note_date_60
Column Type: date
SS Note Date 60

Column Name: ss_note_integer_51
Column Type: integer
SS Note Integer 51

Column Name: ss_note_integer_52
Column Type: integer
SS Note Integer 52

Column Name: ss_note_integer_53
Column Type: integer
SS Note Integer 53

Column Name: ss_note_integer_54
Column Type: integer
SS Note Integer 54

Column Name: ss_note_integer_55
Column Type: integer
SS Note Integer 55

Column Name: ss_note_integer_56
Column Type: integer

SS Note Integer 56

Column Name: ss_note_integer_57

Column Type: integer

SS Note Integer 57

Column Name: ss_note_integer_58

Column Type: integer

SS Note Integer 58

Column Name: ss_note_integer_59

Column Type: integer

SS Note Integer 59

Column Name: ss_note_integer_60

Column Type: integer

SS Note Integer 60

Column Name: ss_note_scroll_text_111

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 111

Column Name: ss_note_scroll_text_112

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 112

Column Name: ss_note_scroll_text_113

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 113

Column Name: ss_note_scroll_text_114

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 114

Column Name: ss_note_scroll_text_115

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 115

Column Name: ss_note_scroll_text_116

Column Type: varchar

Max Length: 32700

SS Note Scrolling Free Text 116

Column Name: ss_note_scroll_text_117

Column Type: varchar

Max Length: 32700
SS Note Scrolling Free Text 117

Column Name: ss_note_scroll_text_118
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 118

Column Name: ss_note_scroll_text_119
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 119

Column Name: ss_note_scroll_text_120
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 120

Column Name: ss_note_scroll_text_121
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 121

Column Name: ss_note_scroll_text_122
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 122

Column Name: ss_note_scroll_text_123
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 123

Column Name: ss_note_scroll_text_124
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 124

Column Name: ss_note_scroll_text_125
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 125

Column Name: ss_note_scroll_text_126
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 126

Column Name: ss_note_scroll_text_127
Column Type: varchar

Max Length: 32700
SS Note Scrolling Free Text 127

Column Name: ss_note_scroll_text_128
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 128

Column Name: ss_note_scroll_text_129
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 129

Column Name: ss_note_scroll_text_130
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 130

Column Name: ss_note_scroll_text_131
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 131

Column Name: ss_note_scroll_text_132
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 132

Column Name: ss_note_scroll_text_133
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 133

Column Name: ss_note_scroll_text_134
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 134

Column Name: ss_note_scroll_text_135
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 135

Column Name: ss_note_scroll_text_136
Column Type: varchar
Max Length: 32700
SS Note Scrolling Free Text 136

Column Name: ss_note_time_51
Column Type: varchar

Max Length: 10
SS Note Time 51

Column Name: ss_note_time_52
Column Type: varchar
Max Length: 10
SS Note Time 52

Column Name: ss_note_time_53
Column Type: varchar
Max Length: 10
SS Note Time 53

Column Name: ss_note_time_54
Column Type: varchar
Max Length: 10
SS Note Time 54

Column Name: ss_note_time_55
Column Type: varchar
Max Length: 10
SS Note Time 55

Column Name: ss_note_time_56
Column Type: varchar
Max Length: 10
SS Note Time 56

Column Name: ss_note_time_57
Column Type: varchar
Max Length: 10
SS Note Time 57

Column Name: ss_note_time_58
Column Type: varchar
Max Length: 10
SS Note Time 58

Column Name: ss_note_time_59
Column Type: varchar
Max Length: 10
SS Note Time 59

Column Name: ss_note_time_60
Column Type: varchar
Max Length: 10
SS Note Time 60

Column Name: user_row_access_code
Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Void_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_voided_supp

Table Description: This table returns supplemental information stored in the 'Void Progress Notes' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

The episode number associated with PATID.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: FILING_COUNTER

Column Type: integer

'Filing Counter'

Column Name: Filing_Hist

Column Type: varchar

Max Length: 50

Unique string used for filing.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: confidential_note

Column Type: varchar

Max Length: 50

'Confidential Note'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field

Column Type: varchar

Max Length: 32766

'Notes'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_11

Column Type: varchar

Max Length: 20

'SS Note 20 Character 11'

Column Name: ss_note_20_char_text_12

Column Type: varchar

Max Length: 20

'SS Note 20 Character 12'

Column Name: ss_note_20_char_text_13

Column Type: varchar

Max Length: 20

'SS Note 20 Character 13'

Column Name: ss_note_20_char_text_14

Column Type: varchar

Max Length: 20

'SS Note 20 Character 14'

Column Name: ss_note_20_char_text_15

Column Type: varchar

Max Length: 20

'SS Note 20 Character 15'

Column Name: ss_note_20_char_text_16

Column Type: varchar

Max Length: 20

'SS Note 20 Character 16'

Column Name: ss_note_20_char_text_17

Column Type: varchar

Max Length: 20

'SS Note 20 Character 17'

Column Name: ss_note_20_char_text_18
Column Type: varchar
Max Length: 20
'SS Note 20 Character 18'

Column Name: ss_note_20_char_text_19
Column Type: varchar
Max Length: 20
'SS Note 20 Character 19'

Column Name: ss_note_20_char_text_20
Column Type: varchar
Max Length: 20
'SS Note 20 Character 20'

Column Name: ss_note_20_char_text_21
Column Type: varchar
Max Length: 20
'SS Note 20 Character 21'

Column Name: ss_note_20_char_text_22
Column Type: varchar
Max Length: 20
'SS Note 20 Character 22'

Column Name: ss_note_20_char_text_23
Column Type: varchar
Max Length: 20
'SS Note 20 Character 23'

Column Name: ss_note_20_char_text_24
Column Type: varchar
Max Length: 20
'SS Note 20 Character 24'

Column Name: ss_note_20_char_text_25
Column Type: varchar
Max Length: 20
'SS Note 20 Character 25'

Column Name: ss_note_20_char_text_26
Column Type: varchar
Max Length: 20
'SS Note 20 Character 26'

Column Name: ss_note_20_char_text_27
Column Type: varchar
Max Length: 20
'SS Note 20 Character 27'

Column Name: ss_note_20_char_text_28
Column Type: varchar
Max Length: 20
'SS Note 20 Character 28'

Column Name: ss_note_20_char_text_29
Column Type: varchar
Max Length: 20
'SS Note 20 Character 29'

Column Name: ss_note_20_char_text_30
Column Type: varchar
Max Length: 20
'SS Note 20 Character 30'

Column Name: ss_note_40_char_text_11
Column Type: varchar
Max Length: 40
'SS Note 40 Character 11'

Column Name: ss_note_40_char_text_12
Column Type: varchar
Max Length: 40
'SS Note 40 Character 12'

Column Name: ss_note_40_char_text_13
Column Type: varchar
Max Length: 40
'SS Note 40 Character 13'

Column Name: ss_note_40_char_text_14
Column Type: varchar
Max Length: 40
'SS Note 40 Character 14'

Column Name: ss_note_40_char_text_15
Column Type: varchar
Max Length: 40
'SS Note 40 Character 15'

Column Name: ss_note_40_char_text_16
Column Type: varchar
Max Length: 40
'SS Note 40 Character 16'

Column Name: ss_note_40_char_text_17
Column Type: varchar
Max Length: 40
'SS Note 40 Character 17'

Column Name: ss_note_40_char_text_18
Column Type: varchar
Max Length: 40
'SS Note 40 Character 18'

Column Name: ss_note_40_char_text_19
Column Type: varchar
Max Length: 40
'SS Note 40 Character 19'

Column Name: ss_note_40_char_text_20
Column Type: varchar
Max Length: 40
'SS Note 40 Character 20'

Column Name: ss_note_40_char_text_21
Column Type: varchar
Max Length: 40
'SS Note 40 Character 21'

Column Name: ss_note_40_char_text_22
Column Type: varchar
Max Length: 40
'SS Note 40 Character 22'

Column Name: ss_note_40_char_text_23
Column Type: varchar
Max Length: 40
'SS Note 40 Character 23'

Column Name: ss_note_40_char_text_24
Column Type: varchar
Max Length: 40
'SS Note 40 Character 24'

Column Name: ss_note_40_char_text_25
Column Type: varchar
Max Length: 40
'SS Note 40 Character 25'

Column Name: ss_note_40_char_text_26
Column Type: varchar
Max Length: 40
'SS Note 40 Character 26'

Column Name: ss_note_40_char_text_27
Column Type: varchar
Max Length: 40
'SS Note 40 Character 27'

Column Name: ss_note_40_char_text_28
Column Type: varchar
Max Length: 40
'SS Note 40 Character 28'

Column Name: ss_note_40_char_text_29
Column Type: varchar
Max Length: 40
'SS Note 40 Character 29'

Column Name: ss_note_40_char_text_30
Column Type: varchar
Max Length: 40
'SS Note 40 Character 30'

Column Name: ss_note_80_char_text_11
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 11'

Column Name: ss_note_80_char_text_12
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 12'

Column Name: ss_note_80_char_text_13
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 13'

Column Name: ss_note_80_char_text_14
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 14'

Column Name: ss_note_80_char_text_15
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 15'

Column Name: ss_note_80_char_text_16
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 16'

Column Name: ss_note_80_char_text_17
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 17'

Column Name: ss_note_80_char_text_18
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 18'

Column Name: ss_note_80_char_text_19
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 19'

Column Name: ss_note_80_char_text_20
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 20'

Column Name: ss_note_80_char_text_21
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 21'

Column Name: ss_note_80_char_text_22
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 22'

Column Name: ss_note_80_char_text_23
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 23'

Column Name: ss_note_80_char_text_24
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 24'

Column Name: ss_note_80_char_text_25
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 25'

Column Name: ss_note_80_char_text_26
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 26'

Column Name: ss_note_80_char_text_27
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 27'

Column Name: ss_note_80_char_text_28
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 28'

Column Name: ss_note_80_char_text_29
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 29'

Column Name: ss_note_80_char_text_30
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 30'

Column Name: ss_note_date_11
Column Type: date
'SS Note Date 11'

Column Name: ss_note_date_12
Column Type: date
'SS Note Date 12'

Column Name: ss_note_date_13
Column Type: date
'SS Note Date 13'

Column Name: ss_note_date_14
Column Type: date
'SS Note Date 14'

Column Name: ss_note_date_15
Column Type: date
'SS Note Date 15'

Column Name: ss_note_date_16
Column Type: date
'SS Note Date 16'

Column Name: ss_note_date_17
Column Type: date
'SS Note Date 17'

Column Name: ss_note_date_18
Column Type: date
'SS Note Date 18'

Column Name: ss_note_date_19
Column Type: date

'SS Note Date 19'

Column Name: ss_note_date_20

Column Type: date

'SS Note Date 20'

Column Name: ss_note_date_21

Column Type: date

'SS Note Date 21'

Column Name: ss_note_date_22

Column Type: date

'SS Note Date 22'

Column Name: ss_note_date_23

Column Type: date

'SS Note Date 23'

Column Name: ss_note_date_24

Column Type: date

'SS Note Date 24'

Column Name: ss_note_date_25

Column Type: date

'SS Note Date 25'

Column Name: ss_note_date_26

Column Type: date

'SS Note Date 26'

Column Name: ss_note_date_27

Column Type: date

'SS Note Date 27'

Column Name: ss_note_date_28

Column Type: date

'SS Note Date 28'

Column Name: ss_note_date_29

Column Type: date

'SS Note Date 29'

Column Name: ss_note_date_30

Column Type: date

'SS Note Date 30'

Column Name: ss_note_dsm_diag_11_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 11'

Column Name: ss_note_dsm_diag_11_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_11_code. See ss_note_dsm_diag_11_code for more information.

Column Name: ss_note_dsm_diag_12_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 12'

Column Name: ss_note_dsm_diag_12_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_12_code. See ss_note_dsm_diag_12_code for more information.

Column Name: ss_note_dsm_diag_13_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 13'

Column Name: ss_note_dsm_diag_13_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_13_code. See ss_note_dsm_diag_13_code for more information.

Column Name: ss_note_dsm_diag_14_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 14'

Column Name: ss_note_dsm_diag_14_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_14_code. See ss_note_dsm_diag_14_code for more information.

Column Name: ss_note_dsm_diag_15_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 15'

Column Name: ss_note_dsm_diag_15_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_15_code. See ss_note_dsm_diag_15_code for more information.

Column Name: ss_note_dsm_diag_16_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 16'

Column Name: ss_note_dsm_diag_16_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_16_code. See ss_note_dsm_diag_16_code for more information.

Column Name: ss_note_dsm_diag_17_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 17'

Column Name: ss_note_dsm_diag_17_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_17_code. See ss_note_dsm_diag_17_code for more information.

Column Name: ss_note_dsm_diag_18_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 18'

Column Name: ss_note_dsm_diag_18_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_18_code. See ss_note_dsm_diag_18_code for more information.

Column Name: ss_note_dsm_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 19'

Column Name: ss_note_dsm_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_19_code. See ss_note_dsm_diag_19_code for more information.

Column Name: ss_note_dsm_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 20'

Column Name: ss_note_dsm_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_20_code. See ss_note_dsm_diag_20_code for more information.

Column Name: ss_note_dsm_diag_21_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 21'

Column Name: ss_note_dsm_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_21_code. See ss_note_dsm_diag_21_code for more information.

Column Name: ss_note_dsm_diag_22_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 22'

Column Name: ss_note_dsm_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_22_code. See ss_note_dsm_diag_22_code for more information.

Column Name: ss_note_dsm_diag_23_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 23'

Column Name: ss_note_dsm_diag_23_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_23_code. See ss_note_dsm_diag_23_code for more information.

Column Name: ss_note_dsm_diag_24_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 24'

Column Name: ss_note_dsm_diag_24_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_24_code. See ss_note_dsm_diag_24_code for more information.

Column Name: ss_note_dsm_diag_25_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 25'

Column Name: ss_note_dsm_diag_25_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_25_code. See ss_note_dsm_diag_25_code for more information.

Column Name: ss_note_dsm_diag_26_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 26'

Column Name: ss_note_dsm_diag_26_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_26_code. See ss_note_dsm_diag_26_code for more information.

Column Name: ss_note_dsm_diag_27_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 27'

Column Name: ss_note_dsm_diag_27_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_27_code. See ss_note_dsm_diag_27_code for more information.

Column Name: ss_note_dsm_diag_28_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 28'

Column Name: ss_note_dsm_diag_28_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_28_code. See ss_note_dsm_diag_28_code for more information.

Column Name: ss_note_dsm_diag_29_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 29'

Column Name: ss_note_dsm_diag_29_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_29_code. See ss_note_dsm_diag_29_code for more information.

Column Name: ss_note_dsm_diag_30_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 30'

Column Name: ss_note_dsm_diag_30_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_30_code. See ss_note_dsm_diag_30_code for more information.

Column Name: ss_note_icd9_diag_11_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 11'

Column Name: ss_note_icd9_diag_11_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_11_code. See ss_note_icd9_diag_11_code for more information.

Column Name: ss_note_icd9_diag_12_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 12'

Column Name: ss_note_icd9_diag_12_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_12_code. See ss_note_icd9_diag_12_code for more information.

Column Name: ss_note_icd9_diag_13_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 13'

Column Name: ss_note_icd9_diag_13_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_13_code. See ss_note_icd9_diag_13_code for more information.

Column Name: ss_note_icd9_diag_14_code

Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 14'

Column Name: ss_note_icd9_diag_14_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_14_code. See ss_note_icd9_diag_14_code for more information.

Column Name: ss_note_icd9_diag_15_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 15'

Column Name: ss_note_icd9_diag_15_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_15_code. See ss_note_icd9_diag_15_code for more information.

Column Name: ss_note_icd9_diag_16_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 16'

Column Name: ss_note_icd9_diag_16_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_16_code. See ss_note_icd9_diag_16_code for more information.

Column Name: ss_note_icd9_diag_17_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 17'

Column Name: ss_note_icd9_diag_17_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_17_code. See ss_note_icd9_diag_17_code for more information.

Column Name: ss_note_icd9_diag_18_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 18'

Column Name: ss_note_icd9_diag_18_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_18_code. See ss_note_icd9_diag_18_code for more information.

Column Name: ss_note_icd9_diag_19_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 19'

Column Name: ss_note_icd9_diag_19_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_19_code. See ss_note_icd9_diag_19_code for more information.

Column Name: ss_note_icd9_diag_20_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 20'

Column Name: ss_note_icd9_diag_20_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_20_code. See ss_note_icd9_diag_20_code for more information.

Column Name: ss_note_icd9_diag_21_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 21'

Column Name: ss_note_icd9_diag_21_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_21_code. See ss_note_icd9_diag_21_code for more information.

Column Name: ss_note_icd9_diag_22_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 22'

Column Name: ss_note_icd9_diag_22_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_22_code. See ss_note_icd9_diag_22_code for more information.

Column Name: ss_note_icd9_diag_23_code

Column Type: varchar

Max Length: 20
'SS Note ICD-9 Code 23'

Column Name: ss_note_icd9_diag_23_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_23_code. See ss_note_icd9_diag_23_code for more information.

Column Name: ss_note_icd9_diag_24_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 24'

Column Name: ss_note_icd9_diag_24_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_24_code. See ss_note_icd9_diag_24_code for more information.

Column Name: ss_note_icd9_diag_25_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 25'

Column Name: ss_note_icd9_diag_25_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_25_code. See ss_note_icd9_diag_25_code for more information.

Column Name: ss_note_icd9_diag_26_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 26'

Column Name: ss_note_icd9_diag_26_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_26_code. See ss_note_icd9_diag_26_code for more information.

Column Name: ss_note_icd9_diag_27_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 27'

Column Name: ss_note_icd9_diag_27_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_icd9_diag_27_code`. See `ss_note_icd9_diag_27_code` for more information.

Column Name: `ss_note_icd9_diag_28_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 28'

Column Name: `ss_note_icd9_diag_28_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_28_code`. See `ss_note_icd9_diag_28_code` for more information.

Column Name: `ss_note_icd9_diag_29_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 29'

Column Name: `ss_note_icd9_diag_29_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_29_code`. See `ss_note_icd9_diag_29_code` for more information.

Column Name: `ss_note_icd9_diag_30_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 30'

Column Name: `ss_note_icd9_diag_30_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_30_code`. See `ss_note_icd9_diag_30_code` for more information.

Column Name: `ss_note_multi_dict_11_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 11'

Column Name: `ss_note_multi_dict_11_value`

Column Type: `varchar`

Max Length: 32700

The description associated with `ss_note_multi_dict_11_code`. See `ss_note_multi_dict_11_code` for more information.

Column Name: `ss_note_multi_dict_12_code`

Column Type: `varchar`

Max Length: 20

'SS Note Multi Response Dictionary 12'

Column Name: ss_note_multi_dict_12_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_12_code. See ss_note_multi_dict_12_code for more information.

Column Name: ss_note_multi_dict_13_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 13'

Column Name: ss_note_multi_dict_13_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_13_code. See ss_note_multi_dict_13_code for more information.

Column Name: ss_note_multi_dict_14_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 14'

Column Name: ss_note_multi_dict_14_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_14_code. See ss_note_multi_dict_14_code for more information.

Column Name: ss_note_multi_dict_15_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 15'

Column Name: ss_note_multi_dict_15_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_15_code. See ss_note_multi_dict_15_code for more information.

Column Name: ss_note_multi_dict_16_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 16'

Column Name: ss_note_multi_dict_16_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_16_code. See ss_note_multi_dict_16_code for more information.

Column Name: ss_note_multi_dict_17_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 17'

Column Name: ss_note_multi_dict_17_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_17_code. See ss_note_multi_dict_17_code for more information.

Column Name: ss_note_multi_dict_18_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 18'

Column Name: ss_note_multi_dict_18_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_18_code. See ss_note_multi_dict_18_code for more information.

Column Name: ss_note_multi_dict_19_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 19'

Column Name: ss_note_multi_dict_19_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_19_code. See ss_note_multi_dict_19_code for more information.

Column Name: ss_note_multi_dict_20_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 20'

Column Name: ss_note_multi_dict_20_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_20_code. See ss_note_multi_dict_20_code for more information.

Column Name: ss_note_multi_dict_21_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 21'

Column Name: ss_note_multi_dict_21_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_21_code. See ss_note_multi_dict_21_code for more information.

Column Name: ss_note_multi_dict_22_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 22'

Column Name: ss_note_multi_dict_22_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_22_code. See ss_note_multi_dict_22_code for more information.

Column Name: ss_note_multi_dict_23_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 23'

Column Name: ss_note_multi_dict_23_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_23_code. See ss_note_multi_dict_23_code for more information.

Column Name: ss_note_multi_dict_24_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 24'

Column Name: ss_note_multi_dict_24_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_24_code. See ss_note_multi_dict_24_code for more information.

Column Name: ss_note_multi_dict_25_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 25'

Column Name: ss_note_multi_dict_25_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_25_code. See ss_note_multi_dict_25_code for more information.

Column Name: ss_note_multi_dict_26_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 26'

Column Name: ss_note_multi_dict_26_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_26_code. See ss_note_multi_dict_26_code for more information.

Column Name: ss_note_multi_dict_27_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 27'

Column Name: ss_note_multi_dict_27_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_27_code. See ss_note_multi_dict_27_code for more information.

Column Name: ss_note_multi_dict_28_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 28'

Column Name: ss_note_multi_dict_28_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_28_code. See ss_note_multi_dict_28_code for more information.

Column Name: ss_note_multi_dict_29_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 29'

Column Name: ss_note_multi_dict_29_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_29_code. See ss_note_multi_dict_29_code for more information.

Column Name: ss_note_multi_dict_30_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 30'

Column Name: ss_note_multi_dict_30_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_30_code. See ss_note_multi_dict_30_code for more information.

Column Name: ss_note_scroll_text_11

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 11'

Column Name: ss_note_scroll_text_12

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 12'

Column Name: ss_note_scroll_text_13

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 13'

Column Name: ss_note_scroll_text_14

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 14'

Column Name: ss_note_scroll_text_15

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 15'

Column Name: ss_note_scroll_text_16

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 16'

Column Name: ss_note_scroll_text_17

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 17'

Column Name: ss_note_scroll_text_18

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 18'

Column Name: ss_note_scroll_text_19

Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 19'

Column Name: ss_note_scroll_text_20
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 20'

Column Name: ss_note_scroll_text_21
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 21'

Column Name: ss_note_scroll_text_22
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 22'

Column Name: ss_note_scroll_text_23
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 23'

Column Name: ss_note_scroll_text_24
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 24'

Column Name: ss_note_scroll_text_25
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 25'

Column Name: ss_note_scroll_text_26
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 26'

Column Name: ss_note_scroll_text_27
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 27'

Column Name: ss_note_scroll_text_28
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 28'

Column Name: ss_note_scroll_text_29
Column Type: varchar

Max Length: 32700
'SS Note Scrolling Free Text 29'

Column Name: ss_note_scroll_text_30
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 30'

Column Name: ss_note_sing_dict_11_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 11'

Column Name: ss_note_sing_dict_11_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sing_dict_11_code. See ss_note_sing_dict_11_code for more information.

Column Name: ss_note_sing_dict_12_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 12'

Column Name: ss_note_sing_dict_12_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sing_dict_12_code. See ss_note_sing_dict_12_code for more information.

Column Name: ss_note_sing_dict_13_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 13'

Column Name: ss_note_sing_dict_13_value
Column Type: varchar
Max Length: 50
The description associated with ss_note_sing_dict_13_code. See ss_note_sing_dict_13_code for more information.

Column Name: ss_note_sing_dict_14_code
Column Type: varchar
Max Length: 50
'SS Note Single Response Dictionary 14'

Column Name: ss_note_sing_dict_14_value
Column Type: varchar
Max Length: 50

The description associated with `ss_note_sing_dict_14_code`. See `ss_note_sing_dict_14_code` for more information.

Column Name: `ss_note_sing_dict_15_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 15'

Column Name: `ss_note_sing_dict_15_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sing_dict_15_code`. See `ss_note_sing_dict_15_code` for more information.

Column Name: `ss_note_sing_dict_16_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 16'

Column Name: `ss_note_sing_dict_16_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sing_dict_16_code`. See `ss_note_sing_dict_16_code` for more information.

Column Name: `ss_note_sing_dict_17_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 17'

Column Name: `ss_note_sing_dict_17_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sing_dict_17_code`. See `ss_note_sing_dict_17_code` for more information.

Column Name: `ss_note_sing_dict_18_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 18'

Column Name: `ss_note_sing_dict_18_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sing_dict_18_code`. See `ss_note_sing_dict_18_code` for more information.

Column Name: `ss_note_sing_dict_19_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 19'

Column Name: ss_note_sing_dict_19_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sing_dict_19_code. See ss_note_sing_dict_19_code for more information.

Column Name: ss_note_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 20'

Column Name: ss_note_sing_dict_20_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sing_dict_20_code. See ss_note_sing_dict_20_code for more information.

Column Name: ss_note_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 21'

Column Name: ss_note_sing_dict_21_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sing_dict_21_code. See ss_note_sing_dict_21_code for more information.

Column Name: ss_note_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 22'

Column Name: ss_note_sing_dict_22_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sing_dict_22_code. See ss_note_sing_dict_22_code for more information.

Column Name: ss_note_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 23'

Column Name: ss_note_sing_dict_23_value

Column Type: varchar

Max Length: 50

The description associated with `ss_note_sing_dict_23_code`. See `ss_note_sing_dict_23_code` for more information.

Column Name: `ss_note_sing_dict_24_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 24'

Column Name: `ss_note_sing_dict_24_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sing_dict_24_code`. See `ss_note_sing_dict_24_code` for more information.

Column Name: `ss_note_sing_dict_25_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 25'

Column Name: `ss_note_sing_dict_25_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sing_dict_25_code`. See `ss_note_sing_dict_25_code` for more information.

Column Name: `ss_note_sing_dict_26_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 26'

Column Name: `ss_note_sing_dict_26_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sing_dict_26_code`. See `ss_note_sing_dict_26_code` for more information.

Column Name: `ss_note_sing_dict_27_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 27'

Column Name: `ss_note_sing_dict_27_value`

Column Type: `varchar`

Max Length: 50

The description associated with `ss_note_sing_dict_27_code`. See `ss_note_sing_dict_27_code` for more information.

Column Name: `ss_note_sing_dict_28_code`

Column Type: `varchar`

Max Length: 50

'SS Note Single Response Dictionary 28'

Column Name: ss_note_sing_dict_28_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sing_dict_28_code. See ss_note_sing_dict_28_code for more information.

Column Name: ss_note_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 29'

Column Name: ss_note_sing_dict_29_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sing_dict_29_code. See ss_note_sing_dict_29_code for more information.

Column Name: ss_note_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Single Response Dictionary 30'

Column Name: ss_note_sing_dict_30_value

Column Type: varchar

Max Length: 50

The description associated with ss_note_sing_dict_30_code. See ss_note_sing_dict_30_code for more information.

Column Name: ss_note_time_11

Column Type: varchar

Max Length: 50

'SS Note Time 11'

Column Name: ss_note_time_12

Column Type: varchar

Max Length: 50

'SS Note Time 12'

Column Name: ss_note_time_13

Column Type: varchar

Max Length: 50

'SS Note Time 13'

Column Name: ss_note_time_14

Column Type: varchar

Max Length: 50

'SS Note Time 14'

Column Name: ss_note_time_15
Column Type: varchar
Max Length: 50
'SS Note Time 15'

Column Name: ss_note_time_16
Column Type: varchar
Max Length: 50
'SS Note Time 16'

Column Name: ss_note_time_17
Column Type: varchar
Max Length: 50
'SS Note Time 17'

Column Name: ss_note_time_18
Column Type: varchar
Max Length: 50
'SS Note Time 18'

Column Name: ss_note_time_19
Column Type: varchar
Max Length: 50
'SS Note Time 19'

Column Name: ss_note_time_20
Column Type: varchar
Max Length: 50
'SS Note Time 20'

Column Name: ss_note_time_21
Column Type: varchar
Max Length: 50
'SS Note Time 21'

Column Name: ss_note_time_22
Column Type: varchar
Max Length: 50
'SS Note Time 22'

Column Name: ss_note_time_23
Column Type: varchar
Max Length: 50
'SS Note Time 23'

Column Name: ss_note_time_24
Column Type: varchar
Max Length: 50
'SS Note Time 24'

Column Name: ss_note_time_25
Column Type: varchar
Max Length: 50
'SS Note Time 25'

Column Name: ss_note_time_26
Column Type: varchar
Max Length: 50
'SS Note Time 26'

Column Name: ss_note_time_27
Column Type: varchar
Max Length: 50
'SS Note Time 27'

Column Name: ss_note_time_28
Column Type: varchar
Max Length: 50
'SS Note Time 28'

Column Name: ss_note_time_29
Column Type: varchar
Max Length: 50
'SS Note Time 29'

Column Name: ss_note_time_30
Column Type: varchar
Max Length: 50
'SS Note Time 30'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Void_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_voided_supp_1

Table Description: This table returns supplemental information stored in the 'Void Progress Notes' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILING_COUNTER
Column Type: integer
Filing Counter

Column Name: Filing_Hist
Column Type: varchar
Max Length: 50
Unique Identifier used for filing.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: confidential_note
Column Type: varchar
Max Length: 50
'Confidential Note'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: notes_field
Column Type: varchar
Max Length: 32766
'Notes'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row.

Column Name: ss_note_20_char_text_31
Column Type: varchar

Max Length: 20
'SS Note 20 Character 31'

Column Name: ss_note_20_char_text_32
Column Type: varchar
Max Length: 20
'SS Note 20 Character 32'

Column Name: ss_note_20_char_text_33
Column Type: varchar
Max Length: 20
'SS Note 20 Character 33'

Column Name: ss_note_20_char_text_34
Column Type: varchar
Max Length: 20
'SS Note 20 Character 34'

Column Name: ss_note_20_char_text_35
Column Type: varchar
Max Length: 20
'SS Note 20 Character 35'

Column Name: ss_note_20_char_text_36
Column Type: varchar
Max Length: 20
'SS Note 20 Character 36'

Column Name: ss_note_20_char_text_37
Column Type: varchar
Max Length: 20
'SS Note 20 Character 37'

Column Name: ss_note_20_char_text_38
Column Type: varchar
Max Length: 20
'SS Note 20 Character 38'

Column Name: ss_note_20_char_text_39
Column Type: varchar
Max Length: 20
'SS Note 20 Character 39'

Column Name: ss_note_20_char_text_40
Column Type: varchar
Max Length: 20
'SS Note 20 Character 40'

Column Name: ss_note_20_char_text_41
Column Type: varchar

Max Length: 20
'SS Note 20 Character 41'

Column Name: ss_note_20_char_text_42
Column Type: varchar
Max Length: 20
'SS Note 20 Character 42'

Column Name: ss_note_20_char_text_43
Column Type: varchar
Max Length: 20
'SS Note 20 Character 43'

Column Name: ss_note_20_char_text_44
Column Type: varchar
Max Length: 20
'SS Note 20 Character 44'

Column Name: ss_note_20_char_text_45
Column Type: varchar
Max Length: 20
'SS Note 20 Character 45'

Column Name: ss_note_20_char_text_46
Column Type: varchar
Max Length: 20
'SS Note 20 Character 46'

Column Name: ss_note_20_char_text_47
Column Type: varchar
Max Length: 20
'SS Note 20 Character 47'

Column Name: ss_note_20_char_text_48
Column Type: varchar
Max Length: 20
'SS Note 20 Character 48'

Column Name: ss_note_20_char_text_49
Column Type: varchar
Max Length: 20
'SS Note 20 Character 49'

Column Name: ss_note_20_char_text_50
Column Type: varchar
Max Length: 20
'SS Note 20 Character 50'

Column Name: ss_note_40_char_text_31
Column Type: varchar

Max Length: 40
'SS Note 40 Character 31'

Column Name: ss_note_40_char_text_32
Column Type: varchar
Max Length: 40
'SS Note 40 Character 32'

Column Name: ss_note_40_char_text_33
Column Type: varchar
Max Length: 40
'SS Note 40 Character 33'

Column Name: ss_note_40_char_text_34
Column Type: varchar
Max Length: 40
'SS Note 40 Character 34'

Column Name: ss_note_40_char_text_35
Column Type: varchar
Max Length: 40
'SS Note 40 Character 35'

Column Name: ss_note_40_char_text_36
Column Type: varchar
Max Length: 40
'SS Note 40 Character 36'

Column Name: ss_note_40_char_text_37
Column Type: varchar
Max Length: 40
'SS Note 40 Character 37'

Column Name: ss_note_40_char_text_38
Column Type: varchar
Max Length: 40
'SS Note 40 Character 38'

Column Name: ss_note_40_char_text_39
Column Type: varchar
Max Length: 40
'SS Note 40 Character 39'

Column Name: ss_note_40_char_text_40
Column Type: varchar
Max Length: 40
'SS Note 40 Character 40'

Column Name: ss_note_40_char_text_41
Column Type: varchar

Max Length: 40
'SS Note 40 Character 41'

Column Name: ss_note_40_char_text_42
Column Type: varchar
Max Length: 40
'SS Note 40 Character 42'

Column Name: ss_note_40_char_text_43
Column Type: varchar
Max Length: 40
'SS Note 40 Character 43'

Column Name: ss_note_40_char_text_44
Column Type: varchar
Max Length: 40
'SS Note 40 Character 44'

Column Name: ss_note_40_char_text_45
Column Type: varchar
Max Length: 40
'SS Note 40 Character 45'

Column Name: ss_note_40_char_text_46
Column Type: varchar
Max Length: 40
'SS Note 40 Character 46'

Column Name: ss_note_40_char_text_47
Column Type: varchar
Max Length: 40
'SS Note 40 Character 47'

Column Name: ss_note_40_char_text_48
Column Type: varchar
Max Length: 40
'SS Note 40 Character 48'

Column Name: ss_note_40_char_text_49
Column Type: varchar
Max Length: 40
'SS Note 40 Character 49'

Column Name: ss_note_40_char_text_50
Column Type: varchar
Max Length: 40
'SS Note 40 Character 50'

Column Name: ss_note_80_char_text_31
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 31'

Column Name: ss_note_80_char_text_32
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 32'

Column Name: ss_note_80_char_text_33
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 33'

Column Name: ss_note_80_char_text_34
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 34'

Column Name: ss_note_80_char_text_35
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 35'

Column Name: ss_note_80_char_text_36
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 36'

Column Name: ss_note_80_char_text_37
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 37'

Column Name: ss_note_80_char_text_38
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 38'

Column Name: ss_note_80_char_text_39
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 39'

Column Name: ss_note_80_char_text_40
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 40'

Column Name: ss_note_80_char_text_41
Column Type: varchar

Max Length: 80
'SS Note 80 Character Text 41'

Column Name: ss_note_80_char_text_42
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 42'

Column Name: ss_note_80_char_text_43
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 43'

Column Name: ss_note_80_char_text_44
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 44'

Column Name: ss_note_80_char_text_45
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 45'

Column Name: ss_note_80_char_text_46
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 46'

Column Name: ss_note_80_char_text_47
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 47'

Column Name: ss_note_80_char_text_48
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 48'

Column Name: ss_note_80_char_text_49
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 49'

Column Name: ss_note_80_char_text_50
Column Type: varchar
Max Length: 80
'SS Note 80 Character Text 50'

Column Name: ss_note_date_31
Column Type: date

'SS Note Date 31'

Column Name: ss_note_date_32

Column Type: date

'SS Note Date 32'

Column Name: ss_note_date_33

Column Type: date

'SS Note Date 33'

Column Name: ss_note_date_34

Column Type: date

'SS Note Date 34'

Column Name: ss_note_date_35

Column Type: date

'SS Note Date 35'

Column Name: ss_note_date_36

Column Type: date

'SS Note Date 36'

Column Name: ss_note_date_37

Column Type: date

'SS Note Date 37'

Column Name: ss_note_date_38

Column Type: date

'SS Note Date 38'

Column Name: ss_note_date_39

Column Type: date

'SS Note Date 39'

Column Name: ss_note_date_40

Column Type: date

'SS Note Date 40'

Column Name: ss_note_date_41

Column Type: date

'SS Note Date 41'

Column Name: ss_note_date_42

Column Type: date

'SS Note Date 42'

Column Name: ss_note_date_43

Column Type: date

'SS Note Date 43'

Column Name: ss_note_date_44
Column Type: date
'SS Note Date 44'

Column Name: ss_note_date_45
Column Type: date
'SS Note Date 45'

Column Name: ss_note_date_46
Column Type: date
'SS Note Date 46'

Column Name: ss_note_date_47
Column Type: date
'SS Note Date 47'

Column Name: ss_note_date_48
Column Type: date
'SS Note Date 48'

Column Name: ss_note_date_49
Column Type: date
'SS Note Date 49'

Column Name: ss_note_date_50
Column Type: date
'SS Note Date 50'

Column Name: ss_note_dsm_diag_31_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 31'

Column Name: ss_note_dsm_diag_31_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_31_code. See ss_note_dsm_diag_31_code for more information.

Column Name: ss_note_dsm_diag_32_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 32'

Column Name: ss_note_dsm_diag_32_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_32_code. See ss_note_dsm_diag_32_code for more information.

Column Name: ss_note_dsm_diag_33_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 33'

Column Name: ss_note_dsm_diag_33_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_33_code. See ss_note_dsm_diag_33_code for more information.

Column Name: ss_note_dsm_diag_34_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 34'

Column Name: ss_note_dsm_diag_34_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_34_code. See ss_note_dsm_diag_34_code for more information.

Column Name: ss_note_dsm_diag_35_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 35'

Column Name: ss_note_dsm_diag_35_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_35_code. See ss_note_dsm_diag_35_code for more information.

Column Name: ss_note_dsm_diag_36_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 36'

Column Name: ss_note_dsm_diag_36_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_36_code. See ss_note_dsm_diag_36_code for more information.

Column Name: ss_note_dsm_diag_37_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 37'

Column Name: ss_note_dsm_diag_37_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_37_code. See ss_note_dsm_diag_37_code for more information.

Column Name: ss_note_dsm_diag_38_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 38'

Column Name: ss_note_dsm_diag_38_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_38_code. See ss_note_dsm_diag_38_code for more information.

Column Name: ss_note_dsm_diag_39_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 39'

Column Name: ss_note_dsm_diag_39_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_39_code. See ss_note_dsm_diag_39_code for more information.

Column Name: ss_note_dsm_diag_40_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 40'

Column Name: ss_note_dsm_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_40_code. See ss_note_dsm_diag_40_code for more information.

Column Name: ss_note_dsm_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 41'

Column Name: ss_note_dsm_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_41_code. See ss_note_dsm_diag_41_code for more information.

Column Name: ss_note_dsm_diag_42_code

Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 42'

Column Name: ss_note_dsm_diag_42_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_42_code. See ss_note_dsm_diag_42_code for more information.

Column Name: ss_note_dsm_diag_43_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 43'

Column Name: ss_note_dsm_diag_43_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_43_code. See ss_note_dsm_diag_43_code for more information.

Column Name: ss_note_dsm_diag_44_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 44'

Column Name: ss_note_dsm_diag_44_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_44_code. See ss_note_dsm_diag_44_code for more information.

Column Name: ss_note_dsm_diag_45_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 45'

Column Name: ss_note_dsm_diag_45_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_dsm_diag_45_code. See ss_note_dsm_diag_45_code for more information.

Column Name: ss_note_dsm_diag_46_code
Column Type: varchar
Max Length: 20
'SS Note DSM IV Diagnosis 46'

Column Name: ss_note_dsm_diag_46_value
Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_46_code. See ss_note_dsm_diag_46_code for more information.

Column Name: ss_note_dsm_diag_47_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 47'

Column Name: ss_note_dsm_diag_47_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_47_code. See ss_note_dsm_diag_47_code for more information.

Column Name: ss_note_dsm_diag_48_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 48'

Column Name: ss_note_dsm_diag_48_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_48_code. See ss_note_dsm_diag_48_code for more information.

Column Name: ss_note_dsm_diag_49_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 49'

Column Name: ss_note_dsm_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_49_code. See ss_note_dsm_diag_49_code for more information.

Column Name: ss_note_dsm_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note DSM IV Diagnosis 50'

Column Name: ss_note_dsm_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_dsm_diag_50_code. See ss_note_dsm_diag_50_code for more information.

Column Name: ss_note_icd9_diag_31_code

Column Type: varchar

Max Length: 20
'SS Note ICD-9 Code 31'

Column Name: ss_note_icd9_diag_31_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_31_code. See ss_note_icd9_diag_31_code for more information.

Column Name: ss_note_icd9_diag_32_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 32'

Column Name: ss_note_icd9_diag_32_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_32_code. See ss_note_icd9_diag_32_code for more information.

Column Name: ss_note_icd9_diag_33_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 33'

Column Name: ss_note_icd9_diag_33_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_33_code. See ss_note_icd9_diag_33_code for more information.

Column Name: ss_note_icd9_diag_34_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 34'

Column Name: ss_note_icd9_diag_34_value
Column Type: varchar
Max Length: 250
The description associated with ss_note_icd9_diag_34_code. See ss_note_icd9_diag_34_code for more information.

Column Name: ss_note_icd9_diag_35_code
Column Type: varchar
Max Length: 20
'SS Note ICD-9 Code 35'

Column Name: ss_note_icd9_diag_35_value
Column Type: varchar
Max Length: 250

The description associated with `ss_note_icd9_diag_35_code`. See `ss_note_icd9_diag_35_code` for more information.

Column Name: `ss_note_icd9_diag_36_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 36'

Column Name: `ss_note_icd9_diag_36_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_36_code`. See `ss_note_icd9_diag_36_code` for more information.

Column Name: `ss_note_icd9_diag_37_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 37'

Column Name: `ss_note_icd9_diag_37_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_37_code`. See `ss_note_icd9_diag_37_code` for more information.

Column Name: `ss_note_icd9_diag_38_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 38'

Column Name: `ss_note_icd9_diag_38_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_38_code`. See `ss_note_icd9_diag_38_code` for more information.

Column Name: `ss_note_icd9_diag_39_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 39'

Column Name: `ss_note_icd9_diag_39_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_39_code`. See `ss_note_icd9_diag_39_code` for more information.

Column Name: `ss_note_icd9_diag_40_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 40'

Column Name: ss_note_icd9_diag_40_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_40_code. See ss_note_icd9_diag_40_code for more information.

Column Name: ss_note_icd9_diag_41_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 41'

Column Name: ss_note_icd9_diag_41_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_41_code. See ss_note_icd9_diag_41_code for more information.

Column Name: ss_note_icd9_diag_42_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 42'

Column Name: ss_note_icd9_diag_42_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_42_code. See ss_note_icd9_diag_42_code for more information.

Column Name: ss_note_icd9_diag_43_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 43'

Column Name: ss_note_icd9_diag_43_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_43_code. See ss_note_icd9_diag_43_code for more information.

Column Name: ss_note_icd9_diag_44_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 44'

Column Name: ss_note_icd9_diag_44_value

Column Type: varchar

Max Length: 250

The description associated with `ss_note_icd9_diag_44_code`. See `ss_note_icd9_diag_44_code` for more information.

Column Name: `ss_note_icd9_diag_45_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 45'

Column Name: `ss_note_icd9_diag_45_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_45_code`. See `ss_note_icd9_diag_45_code` for more information.

Column Name: `ss_note_icd9_diag_46_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 46'

Column Name: `ss_note_icd9_diag_46_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_46_code`. See `ss_note_icd9_diag_46_code` for more information.

Column Name: `ss_note_icd9_diag_47_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 47'

Column Name: `ss_note_icd9_diag_47_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_47_code`. See `ss_note_icd9_diag_47_code` for more information.

Column Name: `ss_note_icd9_diag_48_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 48'

Column Name: `ss_note_icd9_diag_48_value`

Column Type: `varchar`

Max Length: 250

The description associated with `ss_note_icd9_diag_48_code`. See `ss_note_icd9_diag_48_code` for more information.

Column Name: `ss_note_icd9_diag_49_code`

Column Type: `varchar`

Max Length: 20

'SS Note ICD-9 Code 49'

Column Name: ss_note_icd9_diag_49_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_49_code. See ss_note_icd9_diag_49_code for more information.

Column Name: ss_note_icd9_diag_50_code

Column Type: varchar

Max Length: 20

'SS Note ICD-9 Code 50'

Column Name: ss_note_icd9_diag_50_value

Column Type: varchar

Max Length: 250

The description associated with ss_note_icd9_diag_50_code. See ss_note_icd9_diag_50_code for more information.

Column Name: ss_note_integer_1

Column Type: integer

'SS Note Integer 1'

Column Name: ss_note_integer_2

Column Type: integer

'SS Note Integer 2'

Column Name: ss_note_integer_3

Column Type: integer

'SS Note Integer 3'

Column Name: ss_note_integer_4

Column Type: integer

'SS Note Integer 4'

Column Name: ss_note_integer_5

Column Type: integer

'SS Note Integer 5'

Column Name: ss_note_integer_6

Column Type: integer

'SS Note Integer 6'

Column Name: ss_note_multi_dict_31_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 31'

Column Name: ss_note_multi_dict_31_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_31_code. See ss_note_multi_dict_31_code for more information.

Column Name: ss_note_multi_dict_32_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 32'

Column Name: ss_note_multi_dict_32_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_32_code. See ss_note_multi_dict_32_code for more information.

Column Name: ss_note_multi_dict_33_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 33'

Column Name: ss_note_multi_dict_33_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_33_code. See ss_note_multi_dict_33_code for more information.

Column Name: ss_note_multi_dict_34_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 34'

Column Name: ss_note_multi_dict_34_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_34_code. See ss_note_multi_dict_34_code for more information.

Column Name: ss_note_multi_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 35'

Column Name: ss_note_multi_dict_35_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_35_code. See ss_note_multi_dict_35_code for more information.

Column Name: ss_note_multi_dict_36_code

Column Type: varchar

Max Length: 20
'SS Note Multi Response Dictionary 36'

Column Name: ss_note_multi_dict_36_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_36_code. See ss_note_multi_dict_36_code for more information.

Column Name: ss_note_multi_dict_37_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 37'

Column Name: ss_note_multi_dict_37_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_37_code. See ss_note_multi_dict_37_code for more information.

Column Name: ss_note_multi_dict_38_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 38'

Column Name: ss_note_multi_dict_38_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_38_code. See ss_note_multi_dict_38_code for more information.

Column Name: ss_note_multi_dict_39_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 39'

Column Name: ss_note_multi_dict_39_value
Column Type: varchar
Max Length: 32700
The description associated with ss_note_multi_dict_39_code. See ss_note_multi_dict_39_code for more information.

Column Name: ss_note_multi_dict_40_code
Column Type: varchar
Max Length: 20
'SS Note Multi Response Dictionary 40'

Column Name: ss_note_multi_dict_40_value
Column Type: varchar
Max Length: 32700

The description associated with ss_note_multi_dict_40_code. See ss_note_multi_dict_40_code for more information.

Column Name: ss_note_multi_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 41'

Column Name: ss_note_multi_dict_41_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_41_code. See ss_note_multi_dict_41_code for more information.

Column Name: ss_note_multi_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 42'

Column Name: ss_note_multi_dict_42_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_42_code. See ss_note_multi_dict_42_code for more information.

Column Name: ss_note_multi_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 43'

Column Name: ss_note_multi_dict_43_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_43_code. See ss_note_multi_dict_43_code for more information.

Column Name: ss_note_multi_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 44'

Column Name: ss_note_multi_dict_44_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_44_code. See ss_note_multi_dict_44_code for more information.

Column Name: ss_note_multi_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 45'

Column Name: ss_note_multi_dict_45_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_45_code. See ss_note_multi_dict_45_code for more information.

Column Name: ss_note_multi_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 46'

Column Name: ss_note_multi_dict_46_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_46_code. See ss_note_multi_dict_46_code for more information.

Column Name: ss_note_multi_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 47'

Column Name: ss_note_multi_dict_47_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_47_code. See ss_note_multi_dict_47_code for more information.

Column Name: ss_note_multi_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 48'

Column Name: ss_note_multi_dict_48_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_48_code. See ss_note_multi_dict_48_code for more information.

Column Name: ss_note_multi_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 49'

Column Name: ss_note_multi_dict_49_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_49_code. See ss_note_multi_dict_49_code for more information.

Column Name: ss_note_multi_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Multi Response Dictionary 50'

Column Name: ss_note_multi_dict_50_value

Column Type: varchar

Max Length: 32700

The description associated with ss_note_multi_dict_50_code. See ss_note_multi_dict_50_code for more information.

Column Name: ss_note_scroll_text_31

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 31'

Column Name: ss_note_scroll_text_32

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 32'

Column Name: ss_note_scroll_text_33

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 33'

Column Name: ss_note_scroll_text_34

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 34'

Column Name: ss_note_scroll_text_35

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 35'

Column Name: ss_note_scroll_text_36

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 36'

Column Name: ss_note_scroll_text_37

Column Type: varchar

Max Length: 32700

'SS Note Scrolling Free Text 37'

Column Name: ss_note_scroll_text_38

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 38'

Column Name: ss_note_scroll_text_39
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 39'

Column Name: ss_note_scroll_text_40
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 40'

Column Name: ss_note_scroll_text_41
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 41'

Column Name: ss_note_scroll_text_42
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 42'

Column Name: ss_note_scroll_text_43
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 43'

Column Name: ss_note_scroll_text_44
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 44'

Column Name: ss_note_scroll_text_45
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 45'

Column Name: ss_note_scroll_text_46
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 46'

Column Name: ss_note_scroll_text_47
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 47'

Column Name: ss_note_scroll_text_48

Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 48'

Column Name: ss_note_scroll_text_49
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 49'

Column Name: ss_note_scroll_text_50
Column Type: varchar
Max Length: 32700
'SS Note Scrolling Free Text 50'

Column Name: ss_note_sing_dict_31_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 31'

Column Name: ss_note_sing_dict_31_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_31_code. See ss_note_sing_dict_31_code for more information.

Column Name: ss_note_sing_dict_32_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 32'

Column Name: ss_note_sing_dict_32_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_32_code. See ss_note_sing_dict_32_code for more information.

Column Name: ss_note_sing_dict_33_code
Column Type: varchar
Max Length: 20
'SS Note Single Response Dictionary 33'

Column Name: ss_note_sing_dict_33_value
Column Type: varchar
Max Length: 80
The description associated with ss_note_sing_dict_33_code. See ss_note_sing_dict_33_code for more information.

Column Name: ss_note_sing_dict_34_code
Column Type: varchar
Max Length: 20

'SS Note Single Response Dictionary 34'

Column Name: ss_note_sing_dict_34_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_34_code. See ss_note_sing_dict_34_code for more information.

Column Name: ss_note_sing_dict_35_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 35'

Column Name: ss_note_sing_dict_35_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_35_code. See ss_note_sing_dict_35_code for more information.

Column Name: ss_note_sing_dict_36_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 36'

Column Name: ss_note_sing_dict_36_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_36_code. See ss_note_sing_dict_36_code for more information.

Column Name: ss_note_sing_dict_37_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 37'

Column Name: ss_note_sing_dict_37_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_37_code. See ss_note_sing_dict_37_code for more information.

Column Name: ss_note_sing_dict_38_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 38'

Column Name: ss_note_sing_dict_38_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_38_code. See ss_note_sing_dict_38_code for more information.

Column Name: ss_note_sing_dict_39_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 39'

Column Name: ss_note_sing_dict_39_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_39_code. See ss_note_sing_dict_39_code for more information.

Column Name: ss_note_sing_dict_40_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 40'

Column Name: ss_note_sing_dict_40_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_40_code. See ss_note_sing_dict_40_code for more information.

Column Name: ss_note_sing_dict_41_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 41'

Column Name: ss_note_sing_dict_41_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_41_code. See ss_note_sing_dict_41_code for more information.

Column Name: ss_note_sing_dict_42_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 42'

Column Name: ss_note_sing_dict_42_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_42_code. See ss_note_sing_dict_42_code for more information.

Column Name: ss_note_sing_dict_43_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 43'

Column Name: ss_note_sing_dict_43_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_43_code. See ss_note_sing_dict_43_code for more information.

Column Name: ss_note_sing_dict_44_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 44'

Column Name: ss_note_sing_dict_44_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_44_code. See ss_note_sing_dict_44_code for more information.

Column Name: ss_note_sing_dict_45_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 45'

Column Name: ss_note_sing_dict_45_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_45_code. See ss_note_sing_dict_45_code for more information.

Column Name: ss_note_sing_dict_46_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 46'

Column Name: ss_note_sing_dict_46_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_46_code. See ss_note_sing_dict_46_code for more information.

Column Name: ss_note_sing_dict_47_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 47'

Column Name: ss_note_sing_dict_47_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_47_code. See ss_note_sing_dict_47_code for more information.

Column Name: ss_note_sing_dict_48_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 48'

Column Name: ss_note_sing_dict_48_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_48_code. See ss_note_sing_dict_48_code for more information.

Column Name: ss_note_sing_dict_49_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 49'

Column Name: ss_note_sing_dict_49_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_49_code. See ss_note_sing_dict_49_code for more information.

Column Name: ss_note_sing_dict_50_code

Column Type: varchar

Max Length: 20

'SS Note Single Response Dictionary 50'

Column Name: ss_note_sing_dict_50_value

Column Type: varchar

Max Length: 80

The description associated with ss_note_sing_dict_50_code. See ss_note_sing_dict_50_code for more information.

Column Name: ss_note_time_31

Column Type: varchar

Max Length: 50

'SS Note Time 31'

Column Name: ss_note_time_32

Column Type: varchar

Max Length: 50

'SS Note Time 32'

Column Name: ss_note_time_33

Column Type: varchar

Max Length: 50

'SS Note Time 33'

Column Name: ss_note_time_34
Column Type: varchar
Max Length: 50
'SS Note Time 34'

Column Name: ss_note_time_35
Column Type: varchar
Max Length: 50
'SS Note Time 35'

Column Name: ss_note_time_36
Column Type: varchar
Max Length: 50
'SS Note Time 36'

Column Name: ss_note_time_37
Column Type: varchar
Max Length: 50
'SS Note Time 37'

Column Name: ss_note_time_38
Column Type: varchar
Max Length: 50
'SS Note Time 38'

Column Name: ss_note_time_39
Column Type: varchar
Max Length: 50
'SS Note Time 39'

Column Name: ss_note_time_40
Column Type: varchar
Max Length: 50
'SS Note Time 40'

Column Name: ss_note_time_41
Column Type: varchar
Max Length: 50
'SS Note Time 41'

Column Name: ss_note_time_42
Column Type: varchar
Max Length: 50
'SS Note Time 42'

Column Name: ss_note_time_43
Column Type: varchar
Max Length: 50
'SS Note Time 43'

Column Name: ss_note_time_44
Column Type: varchar
Max Length: 50
'SS Note Time 44'

Column Name: ss_note_time_45
Column Type: varchar
Max Length: 50
'SS Note Time 45'

Column Name: ss_note_time_46
Column Type: varchar
Max Length: 50
'SS Note Time 46'

Column Name: ss_note_time_47
Column Type: varchar
Max Length: 50
'SS Note Time 47'

Column Name: ss_note_time_48
Column Type: varchar
Max Length: 50
'SS Note Time 48'

Column Name: ss_note_time_49
Column Type: varchar
Max Length: 50
'SS Note Time 49'

Column Name: ss_note_time_50
Column Type: varchar
Max Length: 50
'SS Note Time 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Void_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_voided_supp_2

Table Description: This table returns supplemental information stored in the 'Void Progress Notes' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILING_COUNTER
Column Type: integer
'Filing Counter'

Column Name: Filing_Hist
Column Type: varchar
Max Length: 50
Unique string used for filing.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_note_integer_10
Column Type: integer
'SS Note Integer 10'

Column Name: ss_note_integer_11
Column Type: integer

'SS Note Integer 11'

Column Name: ss_note_integer_12

Column Type: integer

'SS Note Integer 12'

Column Name: ss_note_integer_13

Column Type: integer

'SS Note Integer 13'

Column Name: ss_note_integer_14

Column Type: integer

'SS Note Integer 14'

Column Name: ss_note_integer_15

Column Type: integer

'SS Note Integer 15'

Column Name: ss_note_integer_16

Column Type: integer

'SS Note Integer 16'

Column Name: ss_note_integer_17

Column Type: integer

'SS Note Integer 17'

Column Name: ss_note_integer_18

Column Type: integer

'SS Note Integer 18'

Column Name: ss_note_integer_19

Column Type: integer

'SS Note Integer 19'

Column Name: ss_note_integer_20

Column Type: integer

'SS Note Integer 20'

Column Name: ss_note_integer_21

Column Type: integer

'SS Note Integer 21'

Column Name: ss_note_integer_22

Column Type: integer

'SS Note Integer 22'

Column Name: ss_note_integer_23

Column Type: integer

'SS Note Integer 23'

Column Name: ss_note_integer_24
Column Type: integer
'SS Note Integer 24'

Column Name: ss_note_integer_25
Column Type: integer
'SS Note Integer 25'

Column Name: ss_note_integer_26
Column Type: integer
'SS Note Integer 26'

Column Name: ss_note_integer_27
Column Type: integer
'SS Note Integer 27'

Column Name: ss_note_integer_28
Column Type: integer
'SS Note Integer 28'

Column Name: ss_note_integer_29
Column Type: integer
'SS Note Integer 29'

Column Name: ss_note_integer_30
Column Type: integer
'SS Note Integer 30'

Column Name: ss_note_integer_31
Column Type: integer
'SS Note Integer 31'

Column Name: ss_note_integer_32
Column Type: integer
'SS Note Integer 32'

Column Name: ss_note_integer_33
Column Type: integer
'SS Note Integer 33'

Column Name: ss_note_integer_34
Column Type: integer
'SS Note Integer 34'

Column Name: ss_note_integer_35
Column Type: integer
'SS Note Integer 35'

Column Name: ss_note_integer_36
Column Type: integer

'SS Note Integer 36'

Column Name: ss_note_integer_37

Column Type: integer

'SS Note Integer 37'

Column Name: ss_note_integer_38

Column Type: integer

'SS Note Integer 38'

Column Name: ss_note_integer_39

Column Type: integer

'SS Note Integer 39'

Column Name: ss_note_integer_40

Column Type: integer

'SS Note Integer 40'

Column Name: ss_note_integer_41

Column Type: integer

'SS Note Integer 41'

Column Name: ss_note_integer_42

Column Type: integer

'SS Note Integer 42'

Column Name: ss_note_integer_43

Column Type: integer

'SS Note Integer 43'

Column Name: ss_note_integer_44

Column Type: integer

'SS Note Integer 44'

Column Name: ss_note_integer_45

Column Type: integer

'SS Note Integer 45'

Column Name: ss_note_integer_46

Column Type: integer

'SS Note Integer 46'

Column Name: ss_note_integer_47

Column Type: integer

'SS Note Integer 47'

Column Name: ss_note_integer_48

Column Type: integer

'SS Note Integer 48'

Column Name: ss_note_integer_49
Column Type: integer
'SS Note Integer 49'

Column Name: ss_note_integer_50
Column Type: integer
'SS Note Integer 50'

Column Name: ss_note_integer_7
Column Type: integer
'SS Note Integer 7'

Column Name: ss_note_integer_8
Column Type: integer
'SS Note Integer 8'

Column Name: ss_note_integer_9
Column Type: integer
'SS Note Integer 9'

Column Name: ss_note_staff_11
Column Type: varchar
Max Length: 20
'SS Note Staff Member 11'

Column Name: ss_note_staff_12
Column Type: varchar
Max Length: 20
'SS Note Staff Member 12'

Column Name: ss_note_staff_13
Column Type: varchar
Max Length: 20
'SS Note Staff Member 13'

Column Name: ss_note_staff_14
Column Type: varchar
Max Length: 20
'SS Note Staff Member 14'

Column Name: ss_note_staff_15
Column Type: varchar
Max Length: 20
'SS Note Staff Member 15'

Column Name: ss_note_staff_16
Column Type: varchar
Max Length: 20
'SS Note Staff Member 16'

Column Name: ss_note_staff_17
Column Type: varchar
Max Length: 20
'SS Note Staff Member 17'

Column Name: ss_note_staff_18
Column Type: varchar
Max Length: 20
'SS Note Staff Member 18'

Column Name: ss_note_staff_19
Column Type: varchar
Max Length: 20
'SS Note Staff Member 19'

Column Name: ss_note_staff_20
Column Type: varchar
Max Length: 20
'SS Note Staff Member 20'

Column Name: ss_note_staff_21
Column Type: varchar
Max Length: 20
'SS Note Staff Member 21'

Column Name: ss_note_staff_22
Column Type: varchar
Max Length: 20
'SS Note Staff Member 22'

Column Name: ss_note_staff_23
Column Type: varchar
Max Length: 20
'SS Note Staff Member 23'

Column Name: ss_note_staff_24
Column Type: varchar
Max Length: 20
'SS Note Staff Member 24'

Column Name: ss_note_staff_25
Column Type: varchar
Max Length: 20
'SS Note Staff Member 25'

Column Name: ss_note_staff_26
Column Type: varchar
Max Length: 20
'SS Note Staff Member 26'

Column Name: ss_note_staff_27
Column Type: varchar
Max Length: 20
'SS Note Staff Member 27'

Column Name: ss_note_staff_28
Column Type: varchar
Max Length: 20
'SS Note Staff Member 28'

Column Name: ss_note_staff_29
Column Type: varchar
Max Length: 20
'SS Note Staff Member 29'

Column Name: ss_note_staff_30
Column Type: varchar
Max Length: 20
'SS Note Staff Member 30'

Column Name: ss_note_staff_31
Column Type: varchar
Max Length: 20
'SS Note Staff Member 31'

Column Name: ss_note_staff_32
Column Type: varchar
Max Length: 20
'SS Note Staff Member 32'

Column Name: ss_note_staff_33
Column Type: varchar
Max Length: 20
'SS Note Staff Member 33'

Column Name: ss_note_staff_34
Column Type: varchar
Max Length: 20
'SS Note Staff Member 34'

Column Name: ss_note_staff_35
Column Type: varchar
Max Length: 20
'SS Note Staff Member 35'

Column Name: ss_note_staff_36
Column Type: varchar
Max Length: 20
'SS Note Staff Member 36'

Column Name: ss_note_staff_37
Column Type: varchar
Max Length: 20
'SS Note Staff Member 37'

Column Name: ss_note_staff_38
Column Type: varchar
Max Length: 20
'SS Note Staff Member 38'

Column Name: ss_note_staff_39
Column Type: varchar
Max Length: 20
'SS Note Staff Member 39'

Column Name: ss_note_staff_40
Column Type: varchar
Max Length: 20
'SS Note Staff Member 40'

Column Name: ss_note_staff_41
Column Type: varchar
Max Length: 20
'SS Note Staff Member 41'

Column Name: ss_note_staff_42
Column Type: varchar
Max Length: 20
'SS Note Staff Member 42'

Column Name: ss_note_staff_43
Column Type: varchar
Max Length: 20
'SS Note Staff Member 43'

Column Name: ss_note_staff_44
Column Type: varchar
Max Length: 20
'SS Note Staff Member 44'

Column Name: ss_note_staff_45
Column Type: varchar
Max Length: 20
'SS Note Staff Member 45'

Column Name: ss_note_staff_46
Column Type: varchar
Max Length: 20
'SS Note Staff Member 46'

Column Name: ss_note_staff_47
Column Type: varchar
Max Length: 20
'SS Note Staff Member 47'

Column Name: ss_note_staff_48
Column Type: varchar
Max Length: 20
'SS Note Staff Member 48'

Column Name: ss_note_staff_49
Column Type: varchar
Max Length: 20
'SS Note Staff Member 49'

Column Name: ss_note_staff_50
Column Type: varchar
Max Length: 20
'SS Note Staff Member 50'

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Void_Progress_Notes

Table Name: SYSTEM.cw_patient_notes_voided_supp_3

Table Description: This table returns supplemental information stored in the 'Void Progress Notes' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_time

Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with PATID.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FILING_COUNTER
Column Type: integer
'Filing Counter'

Column Name: Filing_Hist
Column Type: varchar
Max Length: 50
Unique string used for filing.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_number
Column Type: varchar
Max Length: 50
Unique ID for a form.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: ss_notec_multi_dict_10_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 10'

Column Name: ss_notec_multi_dict_10_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_10_code. See ss_notec_multi_dict_10_code for more information.

Column Name: ss_notec_multi_dict_11_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 11'

Column Name: ss_notec_multi_dict_11_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_11_code. See ss_notec_multi_dict_11_code for more information.

Column Name: ss_notec_multi_dict_12_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 12'

Column Name: ss_notec_multi_dict_12_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_12_code. See ss_notec_multi_dict_12_code for more information.

Column Name: ss_notec_multi_dict_13_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 13'

Column Name: ss_notec_multi_dict_13_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_13_code. See ss_notec_multi_dict_13_code for more information.

Column Name: ss_notec_multi_dict_14_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 14'

Column Name: ss_notec_multi_dict_14_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_14_code. See ss_notec_multi_dict_14_code for more information.

Column Name: ss_notec_multi_dict_15_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 15'

Column Name: ss_notec_multi_dict_15_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_15_code. See ss_notec_multi_dict_15_code for more information.

Column Name: ss_notec_multi_dict_16_code

Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 16'

Column Name: ss_notec_multi_dict_16_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_16_code. See ss_notec_multi_dict_16_code for more information.

Column Name: ss_notec_multi_dict_17_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 17'

Column Name: ss_notec_multi_dict_17_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_17_code. See ss_notec_multi_dict_17_code for more information.

Column Name: ss_notec_multi_dict_18_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 18'

Column Name: ss_notec_multi_dict_18_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_18_code. See ss_notec_multi_dict_18_code for more information.

Column Name: ss_notec_multi_dict_19_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 19'

Column Name: ss_notec_multi_dict_19_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_19_code. See ss_notec_multi_dict_19_code for more information.

Column Name: ss_notec_multi_dict_1_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 1'

Column Name: ss_notec_multi_dict_1_value
Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_1_code. See ss_notec_multi_dict_1_code for more information.

Column Name: ss_notec_multi_dict_20_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 20'

Column Name: ss_notec_multi_dict_20_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_20_code. See ss_notec_multi_dict_20_code for more information.

Column Name: ss_notec_multi_dict_21_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 21'

Column Name: ss_notec_multi_dict_21_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_21_code. See ss_notec_multi_dict_21_code for more information.

Column Name: ss_notec_multi_dict_22_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 22'

Column Name: ss_notec_multi_dict_22_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_22_code. See ss_notec_multi_dict_22_code for more information.

Column Name: ss_notec_multi_dict_23_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 23'

Column Name: ss_notec_multi_dict_23_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_23_code. See ss_notec_multi_dict_23_code for more information.

Column Name: ss_notec_multi_dict_24_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 24'

Column Name: ss_notec_multi_dict_24_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_24_code. See ss_notec_multi_dict_24_code for more information.

Column Name: ss_notec_multi_dict_25_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 25'

Column Name: ss_notec_multi_dict_25_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_25_code. See ss_notec_multi_dict_25_code for more information.

Column Name: ss_notec_multi_dict_26_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 26'

Column Name: ss_notec_multi_dict_26_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_26_code. See ss_notec_multi_dict_26_code for more information.

Column Name: ss_notec_multi_dict_27_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 27'

Column Name: ss_notec_multi_dict_27_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_27_code. See ss_notec_multi_dict_27_code for more information.

Column Name: ss_notec_multi_dict_28_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 28'

Column Name: ss_notec_multi_dict_28_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_28_code. See ss_notec_multi_dict_28_code for more information.

Column Name: ss_notec_multi_dict_29_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 29'

Column Name: ss_notec_multi_dict_29_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_29_code. See ss_notec_multi_dict_29_code for more information.

Column Name: ss_notec_multi_dict_2_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 2'

Column Name: ss_notec_multi_dict_2_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_2_code. See ss_notec_multi_dict_2_code for more information.

Column Name: ss_notec_multi_dict_30_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 30'

Column Name: ss_notec_multi_dict_30_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_30_code. See ss_notec_multi_dict_30_code for more information.

Column Name: ss_notec_multi_dict_31_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 31'

Column Name: ss_notec_multi_dict_31_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_31_code. See ss_notec_multi_dict_31_code for more information.

Column Name: ss_notec_multi_dict_32_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 32'

Column Name: ss_notec_multi_dict_32_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_32_code. See ss_notec_multi_dict_32_code for more information.

Column Name: ss_notec_multi_dict_33_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 33'

Column Name: ss_notec_multi_dict_33_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_33_code. See ss_notec_multi_dict_33_code for more information.

Column Name: ss_notec_multi_dict_34_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 34'

Column Name: ss_notec_multi_dict_34_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_34_code. See ss_notec_multi_dict_34_code for more information.

Column Name: ss_notec_multi_dict_35_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 35'

Column Name: ss_notec_multi_dict_35_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_35_code. See ss_notec_multi_dict_35_code for more information.

Column Name: ss_notec_multi_dict_36_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 36'

Column Name: ss_notec_multi_dict_36_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_36_code. See ss_notec_multi_dict_36_code for more information.

Column Name: ss_notec_multi_dict_37_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 37'

Column Name: ss_notec_multi_dict_37_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_37_code. See ss_notec_multi_dict_37_code for more information.

Column Name: ss_notec_multi_dict_38_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 38'

Column Name: ss_notec_multi_dict_38_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_38_code. See ss_notec_multi_dict_38_code for more information.

Column Name: ss_notec_multi_dict_39_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 39'

Column Name: ss_notec_multi_dict_39_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_39_code. See ss_notec_multi_dict_39_code for more information.

Column Name: ss_notec_multi_dict_3_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 3'

Column Name: ss_notec_multi_dict_3_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_3_code. See ss_notec_multi_dict_3_code for more information.

Column Name: ss_notec_multi_dict_40_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 40'

Column Name: ss_notec_multi_dict_40_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_40_code. See ss_notec_multi_dict_40_code for more information.

Column Name: ss_notec_multi_dict_41_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 41'

Column Name: ss_notec_multi_dict_41_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_41_code. See ss_notec_multi_dict_41_code for more information.

Column Name: ss_notec_multi_dict_42_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 42'

Column Name: ss_notec_multi_dict_42_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_42_code. See ss_notec_multi_dict_42_code for more information.

Column Name: ss_notec_multi_dict_43_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 43'

Column Name: ss_notec_multi_dict_43_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_43_code. See ss_notec_multi_dict_43_code for more information.

Column Name: ss_notec_multi_dict_44_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 44'

Column Name: ss_notec_multi_dict_44_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_44_code. See ss_notec_multi_dict_44_code for more information.

Column Name: ss_notec_multi_dict_45_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 45'

Column Name: ss_notec_multi_dict_45_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_45_code. See ss_notec_multi_dict_45_code for more information.

Column Name: ss_notec_multi_dict_46_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 46'

Column Name: ss_notec_multi_dict_46_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_46_code. See ss_notec_multi_dict_46_code for more information.

Column Name: ss_notec_multi_dict_47_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 47'

Column Name: ss_notec_multi_dict_47_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_47_code. See ss_notec_multi_dict_47_code for more information.

Column Name: ss_notec_multi_dict_48_code
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 48'

Column Name: ss_notec_multi_dict_48_value
Column Type: varchar
Max Length: 32759
The description associated with ss_notec_multi_dict_48_code. See ss_notec_multi_dict_48_code for more information.

Column Name: ss_notec_multi_dict_49_code
Column Type: varchar
Max Length: 255

'SS Note Copy Multiple Response Dictionary 49'

Column Name: ss_notec_multi_dict_49_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_49_code. See ss_notec_multi_dict_49_code for more information.

Column Name: ss_notec_multi_dict_4_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 4'

Column Name: ss_notec_multi_dict_4_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_4_code. See ss_notec_multi_dict_4_code for more information.

Column Name: ss_notec_multi_dict_50_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 50'

Column Name: ss_notec_multi_dict_50_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_50_code. See ss_notec_multi_dict_50_code for more information.

Column Name: ss_notec_multi_dict_5_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 5'

Column Name: ss_notec_multi_dict_5_value

Column Type: varchar

Max Length: 32759

The description associated with ss_notec_multi_dict_5_code. See ss_notec_multi_dict_5_code for more information.

Column Name: ss_notec_multi_dict_6_code

Column Type: varchar

Max Length: 255

'SS Note Copy Multiple Response Dictionary 6'

Column Name: ss_notec_multi_dict_6_value

Column Type: varchar

Max Length: 32759

The description associated with `ss_notec_multi_dict_6_code`. See `ss_notec_multi_dict_6_code` for more information.

Column Name: `ss_notec_multi_dict_7_code`
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 7'

Column Name: `ss_notec_multi_dict_7_value`
Column Type: varchar
Max Length: 32759
The description associated with `ss_notec_multi_dict_7_code`. See `ss_notec_multi_dict_7_code` for more information.

Column Name: `ss_notec_multi_dict_8_code`
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 8'

Column Name: `ss_notec_multi_dict_8_value`
Column Type: varchar
Max Length: 32759
The description associated with `ss_notec_multi_dict_8_code`. See `ss_notec_multi_dict_8_code` for more information.

Column Name: `ss_notec_multi_dict_9_code`
Column Type: varchar
Max Length: 255
'SS Note Copy Multiple Response Dictionary 9'

Column Name: `ss_notec_multi_dict_9_value`
Column Type: varchar
Max Length: 32759
The description associated with `ss_notec_multi_dict_9_code`. See `ss_notec_multi_dict_9_code` for more information.

Column Name: `ss_notec_sing_dict_10_code`
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 10'

Column Name: `ss_notec_sing_dict_10_value`
Column Type: varchar
Max Length: 255
The description associated with `ss_notec_sing_dict_10_code`. See `ss_notec_sing_dict_10_code` for more information.

Column Name: `ss_notec_sing_dict_11_code`
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 11'

Column Name: ss_notec_sing_dict_11_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_11_code. See ss_notec_sing_dict_11_code for more information.

Column Name: ss_notec_sing_dict_12_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 12'

Column Name: ss_notec_sing_dict_12_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_12_code. See ss_notec_sing_dict_12_code for more information.

Column Name: ss_notec_sing_dict_13_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 13'

Column Name: ss_notec_sing_dict_13_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_13_code. See ss_notec_sing_dict_13_code for more information.

Column Name: ss_notec_sing_dict_14_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 14'

Column Name: ss_notec_sing_dict_14_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_14_code. See ss_notec_sing_dict_14_code for more information.

Column Name: ss_notec_sing_dict_15_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 15'

Column Name: ss_notec_sing_dict_15_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_15_code. See ss_notec_sing_dict_15_code for more information.

Column Name: ss_notec_sing_dict_16_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 16'

Column Name: ss_notec_sing_dict_16_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_16_code. See ss_notec_sing_dict_16_code for more information.

Column Name: ss_notec_sing_dict_17_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 17'

Column Name: ss_notec_sing_dict_17_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_17_code. See ss_notec_sing_dict_17_code for more information.

Column Name: ss_notec_sing_dict_18_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 18'

Column Name: ss_notec_sing_dict_18_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_18_code. See ss_notec_sing_dict_18_code for more information.

Column Name: ss_notec_sing_dict_19_code
Column Type: varchar
Max Length: 50
'SS Note Copy Single Response Dictionary 19'

Column Name: ss_notec_sing_dict_19_value
Column Type: varchar
Max Length: 255
The description associated with ss_notec_sing_dict_19_code. See ss_notec_sing_dict_19_code for more information.

Column Name: ss_notec_sing_dict_1_code
Column Type: varchar
Max Length: 50

'SS Note Copy Single Response Dictionary 1'

Column Name: ss_notec_sing_dict_1_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_1_code. See ss_notec_sing_dict_1_code for more information.

Column Name: ss_notec_sing_dict_20_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 20'

Column Name: ss_notec_sing_dict_20_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_20_code. See ss_notec_sing_dict_20_code for more information.

Column Name: ss_notec_sing_dict_21_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 21'

Column Name: ss_notec_sing_dict_21_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_21_code. See ss_notec_sing_dict_21_code for more information.

Column Name: ss_notec_sing_dict_22_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 22'

Column Name: ss_notec_sing_dict_22_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_22_code. See ss_notec_sing_dict_22_code for more information.

Column Name: ss_notec_sing_dict_23_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 23'

Column Name: ss_notec_sing_dict_23_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_23_code. See ss_notec_sing_dict_23_code for more information.

Column Name: ss_notec_sing_dict_24_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 24'

Column Name: ss_notec_sing_dict_24_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_24_code. See ss_notec_sing_dict_24_code for more information.

Column Name: ss_notec_sing_dict_25_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 25'

Column Name: ss_notec_sing_dict_25_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_25_code. See ss_notec_sing_dict_25_code for more information.

Column Name: ss_notec_sing_dict_26_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 26'

Column Name: ss_notec_sing_dict_26_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_26_code. See ss_notec_sing_dict_26_code for more information.

Column Name: ss_notec_sing_dict_27_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 27'

Column Name: ss_notec_sing_dict_27_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_27_code. See ss_notec_sing_dict_27_code for more information.

Column Name: ss_notec_sing_dict_28_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 28'

Column Name: ss_notec_sing_dict_28_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_28_code. See ss_notec_sing_dict_28_code for more information.

Column Name: ss_notec_sing_dict_29_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 29'

Column Name: ss_notec_sing_dict_29_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_29_code. See ss_notec_sing_dict_29_code for more information.

Column Name: ss_notec_sing_dict_2_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 2'

Column Name: ss_notec_sing_dict_2_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_2_code. See ss_notec_sing_dict_2_code for more information.

Column Name: ss_notec_sing_dict_30_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 30'

Column Name: ss_notec_sing_dict_30_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_30_code. See ss_notec_sing_dict_30_code for more information.

Column Name: ss_notec_sing_dict_31_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 31'

Column Name: ss_notec_sing_dict_31_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_31_code. See ss_notec_sing_dict_31_code for more information.

Column Name: ss_notec_sing_dict_32_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 32'

Column Name: ss_notec_sing_dict_32_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_32_code. See ss_notec_sing_dict_32_code for more information.

Column Name: ss_notec_sing_dict_33_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 33'

Column Name: ss_notec_sing_dict_33_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_33_code. See ss_notec_sing_dict_33_code for more information.

Column Name: ss_notec_sing_dict_34_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 34'

Column Name: ss_notec_sing_dict_34_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_34_code. See ss_notec_sing_dict_34_code for more information.

Column Name: ss_notec_sing_dict_35_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 35'

Column Name: ss_notec_sing_dict_35_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_35_code. See ss_notec_sing_dict_35_code for more information.

Column Name: ss_notec_sing_dict_36_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 36'

Column Name: ss_notec_sing_dict_36_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_36_code. See ss_notec_sing_dict_36_code for more information.

Column Name: ss_notec_sing_dict_37_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 37'

Column Name: ss_notec_sing_dict_37_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_37_code. See ss_notec_sing_dict_37_code for more information.

Column Name: ss_notec_sing_dict_38_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 38'

Column Name: ss_notec_sing_dict_38_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_38_code. See ss_notec_sing_dict_38_code for more information.

Column Name: ss_notec_sing_dict_39_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 39'

Column Name: ss_notec_sing_dict_39_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_39_code. See ss_notec_sing_dict_39_code for more information.

Column Name: ss_notec_sing_dict_3_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 3'

Column Name: ss_notec_sing_dict_3_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_3_code. See ss_notec_sing_dict_3_code for more information.

Column Name: ss_notec_sing_dict_40_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 40'

Column Name: ss_notec_sing_dict_40_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_40_code. See ss_notec_sing_dict_40_code for more information.

Column Name: ss_notec_sing_dict_41_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 41'

Column Name: ss_notec_sing_dict_41_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_41_code. See ss_notec_sing_dict_41_code for more information.

Column Name: ss_notec_sing_dict_42_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 42'

Column Name: ss_notec_sing_dict_42_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_42_code. See ss_notec_sing_dict_42_code for more information.

Column Name: ss_notec_sing_dict_43_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 43'

Column Name: ss_notec_sing_dict_43_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_43_code. See ss_notec_sing_dict_43_code for more information.

Column Name: ss_notec_sing_dict_44_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 44'

Column Name: ss_notec_sing_dict_44_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_44_code. See ss_notec_sing_dict_44_code for more information.

Column Name: ss_notec_sing_dict_45_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 45'

Column Name: ss_notec_sing_dict_45_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_45_code. See ss_notec_sing_dict_45_code for more information.

Column Name: ss_notec_sing_dict_46_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 46'

Column Name: ss_notec_sing_dict_46_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_46_code. See ss_notec_sing_dict_46_code for more information.

Column Name: ss_notec_sing_dict_47_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 47'

Column Name: ss_notec_sing_dict_47_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_47_code. See ss_notec_sing_dict_47_code for more information.

Column Name: ss_notec_sing_dict_48_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 48'

Column Name: ss_notec_sing_dict_48_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_48_code. See ss_notec_sing_dict_48_code for more information.

Column Name: ss_notec_sing_dict_49_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 49'

Column Name: ss_notec_sing_dict_49_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_49_code. See ss_notec_sing_dict_49_code for more information.

Column Name: ss_notec_sing_dict_4_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 4'

Column Name: ss_notec_sing_dict_4_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_4_code. See ss_notec_sing_dict_4_code for more information.

Column Name: ss_notec_sing_dict_50_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 50'

Column Name: ss_notec_sing_dict_50_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_50_code. See ss_notec_sing_dict_50_code for more information.

Column Name: ss_notec_sing_dict_5_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 5'

Column Name: ss_notec_sing_dict_5_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_5_code. See ss_notec_sing_dict_5_code for more information.

Column Name: ss_notec_sing_dict_6_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 6'

Column Name: ss_notec_sing_dict_6_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_6_code. See ss_notec_sing_dict_6_code for more information.

Column Name: ss_notec_sing_dict_7_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 7'

Column Name: ss_notec_sing_dict_7_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_7_code. See ss_notec_sing_dict_7_code for more information.

Column Name: ss_notec_sing_dict_8_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 8'

Column Name: ss_notec_sing_dict_8_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_8_code. See ss_notec_sing_dict_8_code for more information.

Column Name: ss_notec_sing_dict_9_code

Column Type: varchar

Max Length: 50

'SS Note Copy Single Response Dictionary 9'

Column Name: ss_notec_sing_dict_9_value

Column Type: varchar

Max Length: 255

The description associated with ss_notec_sing_dict_9_code. See ss_notec_sing_dict_9_code for more information.

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Progress_Note_Corrections

Table Name: SYSTEM.Progress_Note_Corrections

Table Description: This table returns information stored in the 'Progress Note Corrections' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: NOT_Hist
Column Type: varchar
Max Length: 20
The progress notes data link for the data row.

Column Name: aps_link
Column Type: varchar
Max Length: 40
The appointment link to for the data row.

Column Name: service_link
Column Type: varchar
Max Length: 40
The service link for the data row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The date the data row was last updated.

Column Name: data_entry_by_option

Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user the row was updated by.

Column Name: option_id
Column Type: varchar
Max Length: 40
The option id of the form that updated the row.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The option description of the form that updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The name of the user that updated data row.

Column Name: action_code
Column Type: varchar
Max Length: 50
The Correction Action code taken on the updated data row.

Column Name: action_value
Column Type: varchar
Max Length: 40
The Correction Action value taken on the updated data row.

Column Name: reason_code
Column Type: varchar
Max Length: 50
The Reason for Correction taken on the updated data row.

Column Name: reason_value
Column Type: varchar
Max Length: 40
The Reason for Correction value taken on the updated data row.

Column Name: delete_serv_code
Column Type: varchar
Max Length: 50
delete_serv_code - The delete service code action taken on the updated data row.

Column Name: delete_serv_value

Column Type: varchar
Max Length: 40
The delete service value action taken on the updated data row.

Column Name: correction_comments
Column Type: varchar
Max Length: 32759
The correction comments taken on the updated data row.

Documentation for form: CWS_Vital_Signs

Table Name: SYSTEM.cw_voided_vital_signs

Table Description: This table returns the vital sign records which were voided via the 'CWS Vital Signs' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the vital sign record was voided.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID for which the vitals were entered.

Column Name: Unique_Row_Id
Column Type: varchar
Max Length: 50
'Unique Row Id'

Column Name: admin_date_actual
Column Type: date
'Date'.

Column Name: admin_time_actual_h
Column Type: time
'Time'.

Column Name: admin_unique_id
Column Type: varchar
Max Length: 50
The eMAR administration unique ID.

Column Name: data_entry_by

Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The User ID of the user which last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: emar_event_code
Column Type: varchar
Max Length: 50
"R" for "Results" or "A" for "Administration".

Column Name: emar_event_value
Column Type: varchar
Max Length: 50
The description associated with emar_event_code. See emar_event_code for more information.

Column Name: measured_unit
Column Type: varchar
Max Length: 50
The unit of measurement for the vital sign reading.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The description of the last option that saved the vital sign.

Column Name: option_id
Column Type: varchar
Max Length: 20
The ID of the last option that saved the vital sign.

Column Name: order_number
Column Type: varchar
Max Length: 50
eMAR Order Number.

Column Name: order_unique_id
Column Type: varchar
Max Length: 50
The unique ID for the order number.

Column Name: reading
Column Type: varchar
Max Length: 50
The code for the vital sign associated with the reading value.

Column Name: reading_entry
Column Type: varchar
Max Length: 50
The value associated with the vital sign (reading).

Column Name: reading_value

Column Type: varchar

Max Length: 50

The description associated with reading_code. See reading_code for more information.

Column Name: void_data_entry_by

Column Type: varchar

Max Length: 40

The 'User Description' of the user which voided the vital record.

Column Name: void_data_entry_by_option

Column Type: varchar

Max Length: 40

The 'User Description' of the user which voided the vital record.

Column Name: void_data_entry_date

Column Type: date

The date the vital record was voided.

Column Name: void_data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the void data was saved.

Column Name: void_data_entry_source

Column Type: varchar

Max Length: 255

The name of the form which was used to void the vital record.

Column Name: void_data_entry_time

Column Type: varchar

Max Length: 15

The time the vital record was voided.

Column Name: void_data_entry_time_j

Column Type: time

the time with fractional seconds when the void data was saved.

Column Name: void_data_entry_tz_short

Column Type: varchar

Max Length: 8

the short abbreviation for the void data timezone.

Column Name: void_data_entry_user_id

Column Type: varchar

Max Length: 40

The User ID of the user which voided the vital record.

Column Name: void_data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the user which voided the vital record.

Column Name: void_data_entry_utc

Column Type: timestamp

the UTC date and time the void data was saved.

Column Name: void_data_ent_tz_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the void data was saved.

Column Name: void_option_desc

Column Type: varchar

Max Length: 80

The description of the option that voided the vital sign.

Column Name: void_option_id

Column Type: varchar

Max Length: 20

The ID of the option that voided the vital sign.

Documentation for form: Site_Specific_CWS_Vital_Signs

Table Name: SYSTEM.cw_vital_signs

Table Description: This table returns the information entered via the 'Vitals Entry' or 'CWS Vital Signs' forms.

Column Name: ID

Column Type: integer

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: FACILITY

Column Type: integer

The system code in which the vitals were entered.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID for which the vitals were entered.

Column Name: Unique_Row_Id

Column Type: varchar

Max Length: 50

The unique ID for the vital record entry. Will be the 'Date' in format (YYYYMMDD), the time in format (HHMMSS), 1, followed by the data entry date and time in UTC (Coordinated Universal Time).

Column Name: admin_date_actual

Column Type: date

'Date'

Column Name: admin_time_actual_h

Column Type: time

'Time'

Column Name: admin_unique_id

Column Type: varchar

Max Length: 50

The eMAR administration unique ID.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar
Max Length: 8
the short abbreviation for the timezone.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' of the user which last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: emar_attached_result
Column Type: bit
Flag to indicate whether or not the user attached to an already existing result/vital when filing an eMAR administration.

Column Name: edit_comments
Column Type: varchar
Max Length: 50
edit comments

Column Name: edit_increment_ID
Column Type: integer
ID that groups vital signs edited together

Column Name: emar_event_code
Column Type: varchar
Max Length: 50
"R" for "Results" or "A" for "Administration".

Column Name: emar_event_value
Column Type: varchar
Max Length: 50
The description associated with emar_event_code. See emar_event_code for more information.

Column Name: JOIN_RESULT_DETAIL_ID
Column Type: varchar
Max Length: 80
The link the the SYSTEM.results_detail row ID.

Column Name: measured_unit
Column Type: varchar
Max Length: 50

The unit of measurement for the vital sign reading.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The description of the option that last filed the form.

Column Name: option_id

Column Type: varchar

Max Length: 20

The option ID that last filed the form.

Column Name: order_number

Column Type: varchar

Max Length: 50

eMAR Order Number.

Column Name: order_unique_id

Column Type: varchar

Max Length: 50

The eMAR unique ID for the order number.

Column Name: reading

Column Type: varchar

Max Length: 50

The code for the vital sign associated with the reading value.

Column Name: reading_entry

Column Type: varchar

Max Length: 80

The value associated with the vital sign (reading).

Column Name: reading_value

Column Type: varchar

Max Length: 80

The value and measurement for the associated row.

Column Name: vital_sign

Column Type: varchar

Max Length: 50

The description associated with the reading property. See the reading property for more information.

Column Name: voided_code

Column Type: varchar

Max Length: 40

Voided

Column Name: voided_value

Column Type: varchar

Max Length: 255

The description associated with voided_code.

Column Name: void_reason_code
Column Type: varchar
Max Length: 40
Void Reason

Column Name: void_reason_value
Column Type: varchar
Max Length: 255
The description associated with void_reason_code. See void_reason_code for more information.

Documentation for form: Site_Specific_CWS_Vital_Signs

Table Name: SYSTEM.cw_vitals_single_row_view

Table Description: This table returns the information entered via the 'Vitals Entry' or 'CWS Vital Signs' forms.
(Used on the Widget)

Column Name: data_entry_date
Column Type: date

Column Name: RefusedVitals
Column Type: varchar
Max Length: 80

Column Name: BloodPressure
Column Type: varchar
Max Length: 80

Column Name: BloodPressure2
Column Type: varchar
Max Length: 80

Column Name: BloodPressure3
Column Type: varchar
Max Length: 80

Column Name: BloodPressureMethod
Column Type: varchar
Max Length: 80

Column Name: BloodPressureMethod2
Column Type: varchar
Max Length: 80

Column Name: BloodPressureMethod3
Column Type: varchar
Max Length: 80

Column Name: BloodPressureArm
Column Type: varchar
Max Length: 80

Column Name: BloodPressureArm2
Column Type: varchar
Max Length: 80

Column Name: BloodPressureArm3
Column Type: varchar
Max Length: 80

Column Name: Pulse
Column Type: varchar
Max Length: 80

Column Name: HeartRateType
Column Type: varchar
Max Length: 80

Column Name: TimeTaken2
Column Type: varchar
Max Length: 80

Column Name: TimeTaken3
Column Type: varchar
Max Length: 80

Column Name: Temp
Column Type: varchar
Max Length: 80

Column Name: TemperatureSite
Column Type: varchar
Max Length: 80

Column Name: Height
Column Type: varchar
Max Length: 80

Column Name: Weight
Column Type: varchar
Max Length: 80

Column Name: BMI
Column Type: varchar
Max Length: 80

Column Name: BMIPercentile
Column Type: varchar
Max Length: 80

Column Name: PainScale
Column Type: varchar
Max Length: 80

Column Name: SmokingStatus
Column Type: varchar
Max Length: 80

Column Name: Cigarettes
Column Type: varchar
Max Length: 80

Column Name: Respiratory
Column Type: varchar
Max Length: 80

Column Name: spO2
Column Type: varchar
Max Length: 80

Column Name: OxygenDeliveryMethod
Column Type: varchar
Max Length: 80

Column Name: OxygenFlow
Column Type: varchar
Max Length: 80

Column Name: BloodGlucose
Column Type: varchar
Max Length: 80

Column Name: FastingIndicator
Column Type: varchar
Max Length: 80

Column Name: WaistCirc
Column Type: varchar
Max Length: 80

Column Name: WaistCircCm
Column Type: varchar
Max Length: 80

Column Name: HeadCirc
Column Type: varchar
Max Length: 80

Column Name: HeadCircCm
Column Type: varchar
Max Length: 80

Column Name: LengthIn
Column Type: varchar
Max Length: 80

Column Name: LengthCm
Column Type: varchar
Max Length: 80

Column Name: CO
Column Type: varchar
Max Length: 80

Column Name: LMP
Column Type: varchar
Max Length: 80

Column Name: Position
Column Type: varchar
Max Length: 80

Column Name: Position2
Column Type: varchar
Max Length: 80

Column Name: Position3
Column Type: varchar
Max Length: 80

Column Name: Location
Column Type: varchar
Max Length: 80

Column Name: Notes
Column Type: varchar
Max Length: 80

Column Name: InhaledOxyConcent
Column Type: varchar
Max Length: 80

Column Name: WeightLengthPerc
Column Type: varchar
Max Length: 80

Column Name: HeadCircumferencePerc
Column Type: varchar
Max Length: 80

Column Name: Unique_Row_Id
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: FACILITY
Column Type: integer

Column Name: admin_date_actual
Column Type: date

Column Name: admin_time_actual_h
Column Type: time

Column Name: data_entry_time
Column Type: varchar
Max Length: 15

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: option_id
Column Type: varchar
Max Length: 20

Column Name: option_desc
Column Type: varchar
Max Length: 80

Column Name: voided_code
Column Type: varchar
Max Length: 40

Column Name: ID
Column Type: integer

Documentation for form: Import_Clinical_Information

Table Name: SYSTEM.ccd_tempstorage

Table Description: Temporary storage table for imported CCDs

Column Name: ID
Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number the diagnosis is associated with.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_DOCUMENT_IMAGE

Column Type: varchar

Max Length: 50

The id of the associated image in DocM.DocumentImage table (if provided)

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: client_name

Column Type: varchar

Max Length: 50

The name associated with PATID.

Column Name: confidentiality_code

Column Type: varchar

Max Length: 50

Column Name: confidentiality_code_sys

Column Type: varchar

Max Length: 50

Column Name: confidentiality_disp_name

Column Type: varchar

Max Length: 50

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The last user name to update this row of data.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The last user name to update this row of data.

Column Name: data_entry_date

Column Type: date

The date this row of data was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The User ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
data_entry_user_name - The User Name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: file_name
Column Type: varchar
Max Length: 2000

Column Name: file_name_no_path
Column Type: varchar
Max Length: 2000
The file name without the path.

Column Name: last_reviewed_date
Column Type: date
Last reviewed date (ccd>author>time)

Column Name: no_known_allergies
Column Type: bit
Flag to keep the Client's no known allergy status

Column Name: no_known_medication_allergies
Column Type: bit
Flag to keep the Client's no known medication allergy status

Column Name: no_known_medications
Column Type: bit
Flag to keep the Client's no known medication status

Column Name: no_known_problems
Column Type: bit
Flag to keep the Client's no known problem status

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provider_referred_to
Column Type: varchar
Max Length: 50

Column Name: provider_referred_to_name
Column Type: varchar
Max Length: 40

Column Name: reason_for_import_code
Column Type: varchar
Max Length: 50

Column Name: reason_for_import_value
Column Type: varchar
Max Length: 50

Column Name: transition_in_care_code
Column Type: varchar
Max Length: 50

Column Name: transition_in_care_value
Column Type: varchar
Max Length: 50

Documentation for form: Import_Clinical_Information

Table Name: SYSTEM.ccd_tempstorage_allergy

Table Description: Temporary storage table for imported CCDs (allergy data)

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_TO_DETAIL

Column Type: varchar

Max Length: 50

'JOIN TO DETAIL' JOIN_TO_DETAIL

Column Name: code

Column Type: varchar

Max Length: 50

Allergen code corresponding to the code system

Column Name: code_system

Column Type: varchar

Max Length: 50

Allergen code system

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the service.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 15

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 20

The user ID who last updated the service.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 50

The user name who last updated the service.

Column Name: date_recognized

Column Type: date

Date Recognized

Column Name: display_name

Column Type: varchar

Max Length: 255

Allergen name

Column Name: last_recon_action_code

Column Type: varchar

Max Length: 50

The action was last taken.

Column Name: last_recon_action_value

Column Type: varchar

Max Length: 50

Action description was last taken.

Column Name: last_reconciliation_date

Column Type: date

Last Reconciliation Date

Column Name: last_reconciliation_id

Column Type: varchar

Max Length: 50

'Last Reconciliation ID' Last Reconciliation ID

Column Name: last_reviewed_date

Column Type: date

Last reviewed date (ccd>author>time)

Column Name: negationInd

Column Type: bit
Presents the no known allergy status.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: status_active_code
Column Type: varchar
Max Length: 50
Active status code of the status code. CWS Dictionary #10038

Column Name: status_active_value
Column Type: varchar
Max Length: 50
Active status description of the status code. CWS Dictionary #10038

Column Name: status_avatar_code
Column Type: varchar
Max Length: 50
Associated Avatar status code of the status.

Column Name: status_avatar_value
Column Type: varchar
Max Length: 50
Associated Avatar status description of the status.

Column Name: status_code
Column Type: varchar
Max Length: 50
'Status'

Column Name: status_code_system
Column Type: varchar
Max Length: 50
Status code system

Column Name: status_display_name
Column Type: varchar
Max Length: 50
Status

Column Name: type
Column Type: varchar
Max Length: 50
The type of patch that is being updated.

Documentation for form: Import_Clinical_Information

Table Name: SYSTEM.ccd_tempstorage_medication

Table Description: Temporary storage table for imported CCDs (medication data)

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_DETAIL
Column Type: varchar
Max Length: 50
'JOIN TO DETAIL' JOIN_TO_DETAIL

Column Name: active_code
Column Type: varchar
Max Length: 50
The code for 'Active'.

Column Name: active_code_system
Column Type: varchar
Max Length: 50
Active code system

Column Name: active_display_name
Column Type: varchar
Max Length: 50
Active code description

Column Name: code
Column Type: varchar
Max Length: 50
Medication code corresponding to the code system

Column Name: code_system
Column Type: varchar
Max Length: 50
Medication code system

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the service.

Column Name: display_name
Column Type: varchar
Max Length: 255
Medication name

Column Name: dose_quantity
Column Type: varchar
Max Length: 50
Dose Qty

Column Name: dose_quantity_unit
Column Type: varchar
Max Length: 50
Dose Qty Unit

Column Name: end_date
Column Type: date
'End Date'

Column Name: form_code
Column Type: varchar

Max Length: 50

Form Code

Column Name: form_code_system

Column Type: varchar

Max Length: 50

Form code system

Column Name: form_display_name

Column Type: varchar

Max Length: 50

Form description

Column Name: last_recon_action_code

Column Type: varchar

Max Length: 50

The action was last taken.

Column Name: last_recon_action_value

Column Type: varchar

Max Length: 50

Action description was last taken.

Column Name: last_reconciliation_date

Column Type: date

Last Reconciliation Date Last Reconciliation Date

Column Name: last_reconciliation_id

Column Type: varchar

Max Length: 50

'Last Reconciliation ID' Last Reconciliation ID

Column Name: last_reviewed_date

Column Type: date

Last reviewed date (ccd>author>time)

Column Name: negationInd

Column Type: bit

Presents the no known medication status.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: rate_quantity

Column Type: varchar

Max Length: 50

Rate Qty

Column Name: rate_quantity_unit
Column Type: varchar
Max Length: 50
Rate Qty Unit

Column Name: route_code
Column Type: varchar
Max Length: 50
'Route code'

Column Name: route_code_system
Column Type: varchar
Max Length: 50
Route code system

Column Name: route_display_name
Column Type: varchar
Max Length: 50
Route description

Column Name: start_date
Column Type: date
'Start Date'

Documentation for form: Import_Clinical_Information

Table Name: SYSTEM.ccd_tempstorage_problem

Table Description: Temporary storage table for imported CCDs (problem data)

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_DETAIL
Column Type: varchar
Max Length: 50
'JOIN TO DETAIL' JOIN_TO_DETAIL

Column Name: code
Column Type: varchar
Max Length: 50
Problem code corresponding to the code system

Column Name: code_system
Column Type: varchar
Max Length: 50
Problem code system

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the service.

Column Name: date_of_onset
Column Type: date
Date of Onset

Column Name: date_of_resolve
Column Type: date
Date of Resolve

Column Name: display_name
Column Type: varchar

Max Length: 50

Problem name

Column Name: last_recon_action_code

Column Type: varchar

Max Length: 50

The action was last taken.

Column Name: last_recon_action_value

Column Type: varchar

Max Length: 50

Action description was last taken.

Column Name: last_reconciliation_date

Column Type: date

Last Reconciliation Date Last Reconciliation Date

Column Name: last_reconciliation_id

Column Type: varchar

Max Length: 50

'Last Reconciliation ID' Last Reconciliation ID

Column Name: last_reviewed_date

Column Type: date

Last reviewed date (ccd>author>time)

Column Name: negationInd

Column Type: bit

Presents the no known problem status.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: status_active_code

Column Type: varchar

Max Length: 50

Active status code of the status code. CWS Dictionary #10038

Column Name: status_active_value

Column Type: varchar

Max Length: 50

Active status description of the status code. CWS Dictionary #10038

Column Name: status_avatar_code

Column Type: varchar

Max Length: 50

Associated Avatar status code of the status.

Column Name: status_avatar_value
Column Type: varchar
Max Length: 50
Associated Avatar status description of the status.

Column Name: status_code
Column Type: varchar
Max Length: 50
'Status'

Column Name: status_code_system
Column Type: varchar
Max Length: 50
Status code system

Column Name: status_display_name
Column Type: varchar
Max Length: 50
Status

Documentation for form: CCD_Scheduling_Definition

Table Name: SYSTEM.ccd_export_log

Table Description: CCD Export Log Table

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: export_type_code
Column Type: varchar
Max Length: 50
The process type used to export the CCD

Column Name: export_type_value
Column Type: varchar
Max Length: 50
The description for the export_type_code.

Column Name: export_date
Column Type: date
The date the CCD is exported.

Column Name: export_time
Column Type: varchar
Max Length: 50
The time the CCD is exported.

Column Name: client_count
Column Type: varchar
Max Length: 50
The client count the process has exported.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The last user name to update this row of data.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The last user name to update this row of data.

Column Name: data_entry_date
Column Type: date
The date this row of data was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar

Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The User ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
data_entry_user_name - The User Name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Documentation for form: CCD_Scheduling_Definition

Table Name: SYSTEM.ccd_scheduling_definition

Table Description: This table represents CCD Scheduling task data.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data is stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID if ccd task is 'CLIENT' category

Column Name: client_program_sel
Column Type: varchar
Max Length: 50
ccd task category. 'CLIENT', 'PROGRAM' or 'ALL'

Column Name: content
Column Type: varchar
Max Length: 32000
'content'

Column Name: content_version
Column Type: varchar
Max Length: 50
'content dictionary code version 1-PM (TABLE #1027) 2-SDK (Clinical Document Sections)'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data Entry By

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
Data Entry By Option (30003)

Column Name: data_entry_date
Column Type: date
Data Entry Date

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
source or form that filed the data

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
Data Entry Time

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
data entry user id

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
data entry user name

Column Name: programs
Column Type: varchar
Max Length: 32000
'&' delimited string of programs if ccd task is 'PROGRAM' category

Column Name: purpose_code

Column Type: varchar
Max Length: 50
The reason for which CCDs are generated.

Column Name: purpose_value
Column Type: varchar
Max Length: 50
The description for the purpose_code. See purpose_code for more information.

Column Name: receiving_provider
Column Type: varchar
Max Length: 32000
'&' delimited string of provider GUIDs

Column Name: sched_def_id
Column Type: integer
CCD Scheduling definition task ID

Column Name: send_on_inp_disch
Column Type: varchar
Max Length: 50
'Y' or 'N' for ccd tasks of 'DISCHARGE' purpose

Column Name: task
Column Type: integer
System Task Scheduler task number

Documentation for form: Independent_Group_Progress_Notes

Table Name: SYSTEM.cw_group_notes

Table Description: This table returns the information stored in the 'Progress Notes (Group and Individual)', 'Independent Group Progress Notes', 'Enter Group Default Note', and 'Edit Group Note for Individual' forms.

Column Name: ID
Column Type: integer

Column Name: APPOINTMENT_ID
Column Type: varchar
Max Length: 40

Column Name: calpm_ebpss_csi_code
Column Type: varchar
Max Length: 50

Column Name: calpm_ebpss_csi_value
Column Type: varchar
Max Length: 200

Column Name: co_pract_duration
Column Type: varchar
Max Length: 40

Column Name: co_pract_duration_2
Column Type: varchar
Max Length: 40

Column Name: co_practitioner_id
Column Type: varchar
Max Length: 15

Column Name: co_practitioner_id_2
Column Type: varchar
Max Length: 15

Column Name: co_practitioner_name
Column Type: varchar
Max Length: 40

Column Name: co_practitioner_name_2
Column Type: varchar
Max Length: 40

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

Column Name: date_of_service
Column Type: date

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: GROUP_ID
Column Type: varchar
Max Length: 10

Column Name: JOIN_TO_TX_HISTORY
Column Type: varchar
Max Length: 40

Column Name: location_code
Column Type: varchar
Max Length: 15

Column Name: location_value
Column Type: varchar
Max Length: 40

Column Name: note_date
Column Type: date

Column Name: note_for_code
Column Type: varchar
Max Length: 20

Column Name: note_for_value
Column Type: varchar
Max Length: 40

Column Name: note_time
Column Type: varchar
Max Length: 10

Column Name: note_type_code
Column Type: varchar
Max Length: 40

Column Name: note_type_value
Column Type: varchar
Max Length: 80

Column Name: notes_field
Column Type: varchar
Max Length: 32766

Column Name: number_clients_in_group
Column Type: varchar
Max Length: 40

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: practitioner_id
Column Type: varchar
Max Length: 15

Column Name: practitioner_name
Column Type: varchar
Max Length: 40

Column Name: service_charge_code
Column Type: varchar
Max Length: 40

Column Name: service_charge_value
Column Type: varchar
Max Length: 40

Column Name: service_duration
Column Type: varchar
Max Length: 5

Column Name: service_end_time
Column Type: varchar
Max Length: 10

Column Name: service_program_code
Column Type: varchar
Max Length: 40

Column Name: service_program_value
Column Type: varchar
Max Length: 80

Column Name: service_start_time
Column Type: varchar
Max Length: 10

Column Name: SNOTuniqueid
Column Type: varchar
Max Length: 50

Column Name: TODO_ID
Column Type: varchar
Max Length: 20

Column Name: user_to_send_scr_code
Column Type: varchar
Max Length: 50

Column Name: user_to_send_cosign_code
Column Type: varchar
Max Length: 50

Column Name: add_svc_info_code
Column Type: varchar
Max Length: 40

Column Name: add_svc_info_shval
Column Type: varchar
Max Length: 255

Column Name: add_svc_info_value
Column Type: varchar
Max Length: 4096

Column Name: psycho_add_on_duration
Column Type: integer

Column Name: add_on_notes
Column Type: varchar
Max Length: 32768

Column Name: session_start_end_times
Column Type: varchar
Max Length: 32766

Column Name: external_system_id
Column Type: varchar
Max Length: 255

Column Name: clinical_quality_code
Column Type: varchar
Max Length: 255

Column Name: clinical_quality_sh_val
Column Type: varchar
Max Length: 255

Column Name: clinical_quality_value
Column Type: varchar
Max Length: 4096

Column Name: transition_of_care_code
Column Type: varchar
Max Length: 255

Column Name: transition_of_care_value
Column Type: varchar
Max Length: 80

Column Name: ebps_code
Column Type: varchar
Max Length: 255

Column Name: ebps_sh_val
Column Type: varchar
Max Length: 255

Column Name: ebps_value
Column Type: varchar
Max Length: 4096

Column Name: unique_note_id
Column Type: integer

Documentation for form: Implantable_Device_List

Table Name: SYSTEM.cw_implantable_device

Table Description: This table returns the information in the 'Implantable Device List' form.

Column Name: ID
Column Type: integer

Column Name: brand_name
Column Type: varchar
Max Length: 1024
The device's brand name.

Column Name: company_name
Column Type: varchar
Max Length: 1024
The device's company name.

Column Name: device_description
Column Type: varchar
Max Length: 1024
The description of the device.

Column Name: distinct_identifier
Column Type: varchar
Max Length: 255
DonationIdNumber if one exists otherwise a GUID

Column Name: does_label_contain_nrl
Column Type: varchar
Max Length: 1024
Whether or not the label contains NRL.

Column Name: donation_id_number
Column Type: varchar
Max Length: 1024
The device's donation ID number.

Column Name: expiration_date
Column Type: date
The device's date of expiration.

Column Name: FACILITY
Column Type: integer
The system code that data was generated for.

Column Name: lot_batch_number
Column Type: varchar
Max Length: 1024
The device's lot batch number.

Column Name: mri_safety_status
Column Type: varchar
Max Length: 1024
The device's MRI safety status.

Column Name: manufactured_date
Column Type: date
The device's date of manufacturing.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: serial_number
Column Type: varchar
Max Length: 1024
The serial number of the device.

Column Name: status_code
Column Type: varchar
Max Length: 1024
The status of the device.

Column Name: status_value
Column Type: varchar
Max Length: 1024
The description associated with status_code. See status_code for more information.

Column Name: UDI
Column Type: varchar
Max Length: 255
The Unique Device Identification number.

Column Name: version_model_number
Column Type: varchar
Max Length: 1024
The device's version model number.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The username that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The 'User ID' who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 50

The 'User Description' of the 'User ID'.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: device_identifier

Column Type: varchar

Max Length: 50

The 'device identifier' part of the 'UDI' value.

Column Name: device_type_code

Column Type: varchar

Max Length: 1024

The devicetype of the device.

Column Name: device_type_value

Column Type: varchar

Max Length: 1024

The description associated with device_type_code. See device_type_code for more information.

Column Name: option_id

Column Type: varchar

Max Length: 50

The form that last updated the row.

Documentation for form: Product_Final_to_Draft_Override

Table Name: SYSTEM.cw_prod_final_to_draft_ov

Table Description: This table returns information stored in the 'Product Final to Draft Override' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

Episode Number

Column Name: FACILITY

Column Type: integer

The system code in which the data is stored.

Column Name: INDIRECT

Column Type: varchar

Max Length: 50

'Entity Database'

Column Name: PATID

Column Type: varchar

Max Length: 20

Client ID

Column Name: audit_date

Column Type: date

The date the row was last updated.

Column Name: audit_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: audit_time_sec

Column Type: varchar

Max Length: 50

The time the row was last updated in seconds.

Column Name: audit_user

Column Type: varchar

Max Length: 50

The user ID that last updated the row.

Column Name: historic

Column Type: varchar

Max Length: 50

Unique string used for referencing data.

Column Name: option

Column Type: varchar

Max Length: 50

'Option'

Column Name: override_reason

Column Type: varchar

Max Length: 500

'Override Reason'

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Health_Maintenance_Guideline_Definition_-_Custom

Table Name: SYSTEM.cw_immunization_cust_def

Table Description: This table returns data from a custom immunization definition.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: comments

Column Type: varchar

Max Length: 32766

'Comments'

Column Name: CMI_uniqueid

Column Type: varchar

Max Length: 50

The unique ID used to identify the custom immunization.

Column Name: FACILITY

Column Type: integer

The system code that generated the data.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID.

Column Name: age_from

Column Type: varchar

Max Length: 50

'Age From'

Column Name: age_to

Column Type: varchar

Max Length: 50

'Age To'

Column Name: client_name

Column Type: varchar

Max Length: 50

The name of the selected client.

Column Name: custom_start_date

Column Type: date

'Start Date'

Column Name: cust_reason_code

Column Type: varchar

Max Length: 50

'Customization Reason code'

Column Name: cust_reason_value

Column Type: varchar

Max Length: 40

The description associated with cust_reason_code. See cust_reason_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The 'User ID' who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: data_entry_utc
Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_birth
Column Type: date
'Client Date Of Birth'

Column Name: declined_by_code
Column Type: varchar
Max Length: 50
'Declined By Code'

Column Name: declined_by_value
Column Type: varchar
Max Length: 40
The description associated with declined_by_code. See declined_by_code for more information.

Column Name: declined_code
Column Type: varchar
Max Length: 50
'Declined code'

Column Name: declined_value
Column Type: varchar
Max Length: 40
The description associated with declined_code. See declined_code for more information.

Column Name: dose_code
Column Type: varchar
Max Length: 50
'Dose code'

Column Name: dose_value
Column Type: varchar
Max Length: 40
The description associated with dose_code. See dose_code for more information.

Column Name: interval_num
Column Type: varchar
Max Length: 50
'Interval #'

Column Name: interval_since_code
Column Type: varchar
Max Length: 50
'Interval Since code'

Column Name: interval_since_value
Column Type: varchar
Max Length: 40
The description associated with interval_since_code. See interval_since_code for more information.

Column Name: interval_unit_code

Column Type: varchar

Max Length: 50

'Interval Unit Code'

Column Name: interval_unit_value

Column Type: varchar

Max Length: 40

The description associated with interval_unit_code. See interval_unit_code for more information.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The description of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

'Option Id'

Column Name: recurring_code

Column Type: varchar

Max Length: 50

'Recurring code'

Column Name: recurring_value

Column Type: varchar

Max Length: 40

The description associated with recurring_code. See recurring_code for more information.

Column Name: sex_code

Column Type: varchar

Max Length: 5

'Sex'

Column Name: sex_value

Column Type: varchar

Max Length: 40

The description associated with sex_code. See sex_code for more information.

Column Name: start_date

Column Type: varchar

Max Length: 20

'Start Date' Text

Column Name: vaccine_code

Column Type: varchar

Max Length: 50

'Vaccine code'

Column Name: vaccine_value

Column Type: varchar

Max Length: 40

The description associated with vaccine_code. See vaccine_code for more information.

Column Name: year_month_code

Column Type: varchar

Max Length: 50

'Year/Month code'

Column Name: year_month_value

Column Type: varchar

Max Length: 40

The description associated with year_month_code. See year_month_code for more information.

Documentation for form: Health_Maintenance_Guideline_Definition_-_Custom

Table Name: SYSTEM.cw_wellness_cust_def

Table Description: This table returns the custom wellness guideline definitions created via the 'Customize Wellness' section of the 'Health Maintenance Guideline Definition - Custom' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID for which the wellness definition was created.

Column Name: comments

Column Type: varchar

Max Length: 32766

'Comments'

Column Name: CMW_uniqueid

Column Type: varchar

Max Length: 50

The unique ID of the custom wellness guideline record. Will be specific to the Client ID.

Column Name: FACILITY

Column Type: integer

The system code in which the definition was created.

Column Name: age
Column Type: varchar
Max Length: 50
'Age From'

Column Name: age_to
Column Type: varchar
Max Length: 50
'Age To'

Column Name: client_name
Column Type: varchar
Max Length: 50
The name of the selected client.

Column Name: custom_start_date
Column Type: date
'Start Date'

Column Name: cust_reason_code
Column Type: varchar
Max Length: 50
'Customization Reason'

Column Name: cust_reason_value
Column Type: varchar
Max Length: 40
The description associated with cust_reason_code. See cust_reason_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The 'User Description' of the user which created the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description' of the user which created the row.

Column Name: data_entry_date
Column Type: date
The date the row was created.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar
Max Length: 255
The name of the form used to create the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was created.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The User ID of the user which created the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user which created the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_birth
Column Type: date
'Client Date Of Birth'

Column Name: declined_by_code
Column Type: varchar
Max Length: 50
'Declined By'

Column Name: declined_by_value
Column Type: varchar
Max Length: 40
The description associated with declined_by_code. See declined_by_code for more information.

Column Name: declined_code

Column Type: varchar

Max Length: 50

'Declined?'

Column Name: declined_value

Column Type: varchar

Max Length: 40

The description associated with declined_code. See declined_code for more information.

Column Name: gender_code

Column Type: varchar

Max Length: 50

'Gender'

Column Name: gender_value

Column Type: varchar

Max Length: 40

The description associated with gender_code. See gender_code for more information.

Column Name: interval_num

Column Type: varchar

Max Length: 50

'Interval #'

Column Name: interval_unit_code

Column Type: varchar

Max Length: 50

'Interval Unit'

Column Name: interval_unit_value

Column Type: varchar

Max Length: 40

The description associated with interval_unit_code. See interval_unit_code for more information.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form used to create the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form used to create the row.

Column Name: recurring_code

Column Type: varchar

Max Length: 50

'Recurring'

Column Name: recurring_value

Column Type: varchar

Max Length: 40

The description associated with recurring_code. See recurring_code for more information.

Column Name: sex_code

Column Type: varchar

Max Length: 5

'Sex'

Column Name: sex_value

Column Type: varchar

Max Length: 40

The description associated with sex_code. See sex_code for more information.

Column Name: start_date

Column Type: varchar

Max Length: 20

'Start Date' text

Column Name: wellness_item_code

Column Type: varchar

Max Length: 50

'Wellness Item'

Column Name: wellness_item_value

Column Type: varchar

Max Length: 40

The description associated with wellness_item_code. See wellness_item_code for more information.

Column Name: year_month_code

Column Type: varchar

Max Length: 50

'Year/Month'

Column Name: year_month_value

Column Type: varchar

Max Length: 40

The description associated with year_month_code. See year_month_code for more information.

Documentation for form: Client_Health_Maintenance

Table Name: SYSTEM.audit_alerts_immunization

Table Description: This table returns audited immunization alert information from the 'Client Health Maintenance' form.

Column Name: ID
Column Type: integer

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description'.

Column Name: CMI_uniqueid
Column Type: varchar
Max Length: 50
The unique ID used to identify the custom immunization.

Column Name: FACILITY
Column Type: integer
The system code the data was generated for.

Column Name: HMIuniqueid
Column Type: varchar
Max Length: 50
The HMI unique ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID.

Column Name: age
Column Type: numeric
'Client current age'

Column Name: client_address
Column Type: varchar
Max Length: 50

The address of the selected client.

Column Name: client_city

Column Type: varchar

Max Length: 50

The city of the selected client.

Column Name: client_name

Column Type: varchar

Max Length: 50

The name of the selected client.

Column Name: client_phone

Column Type: varchar

Max Length: 50

The phone number of the selected client.

Column Name: client_state

Column Type: varchar

Max Length: 50

The state of the selected client.

Column Name: client_zip

Column Type: varchar

Max Length: 50

The zip code of the selected client.

Column Name: customized

Column Type: varchar

Max Length: 50

'Customized'

Column Name: cust_reason

Column Type: varchar

Max Length: 50

'Customization Reason'

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The username that last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_birth
Column Type: date
'Client Date Of Birth'

Column Name: dose_code
Column Type: varchar
Max Length: 50
'Dose code'

Column Name: due_date
Column Type: date
'Due Date'

Column Name: item_code
Column Type: varchar
Max Length: 50
'Vaccine/Wellness Item code'

Column Name: item_value
Column Type: varchar
Max Length: 50
The description associated with item_code. See item_code for more information.

Documentation for form: Client_Health_Maintenance

Table Name: SYSTEM.audit_alerts_wellness

Table Description: This table returns audited wellness alert information from the 'Client Health Maintenance' form.

Column Name: ID
Column Type: integer

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description'.

Column Name: CMW_uniqueid
Column Type: varchar
Max Length: 50
The unique ID of the custom wellness guideline record. Will be specific to the Client ID.

Column Name: FACILITY
Column Type: integer
The system code the data was generated for.

Column Name: HMWuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the wellness guideline definition.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID.

Column Name: age
Column Type: numeric
'Client current age'

Column Name: client_address
Column Type: varchar
Max Length: 50
The address of the selected client.

Column Name: client_city
Column Type: varchar
Max Length: 50
The city of the selected client.

Column Name: client_name
Column Type: varchar
Max Length: 50
The name of the selected client.

Column Name: client_phone
Column Type: varchar
Max Length: 50
The phone number of the selected client.

Column Name: client_state
Column Type: varchar
Max Length: 50
The state of the selected client.

Column Name: client_zip
Column Type: varchar
Max Length: 50
The zip code of the selected client.

Column Name: customized
Column Type: varchar
Max Length: 50
'Customized'

Column Name: cust_reason
Column Type: varchar
Max Length: 50
'Customization Reason'

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' that last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The username that last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_birth

Column Type: date

'Client Date Of Birth'

Column Name: due_date

Column Type: date

'Due date'

Column Name: item_code

Column Type: varchar

Max Length: 50

'Vaccine/Wellness Item code'

Column Name: item_value

Column Type: varchar

Max Length: 50

The description associated with item_code. See item_code for more information.

Documentation for form: Client_Health_Maintenance

Table Name: SYSTEM.cw_hm_alerts_immunization

Table Description: This table returns immunization alert information from the 'Client Health Maintenance' form.

Column Name: ID
Column Type: integer

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description'.

Column Name: CMI_uniqueid
Column Type: varchar
Max Length: 50
The unique ID used to identify the custom immunization.

Column Name: FACILITY
Column Type: integer
The system code the data was generated for.

Column Name: HMIuniqueid
Column Type: varchar
Max Length: 50
The HMI unique ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID.

Column Name: client_address
Column Type: varchar
Max Length: 50
The address of the selected client.

Column Name: client_city
Column Type: varchar
Max Length: 50
The city of the selected client.

Column Name: client_name
Column Type: varchar
Max Length: 50
The name of the selected client.

Column Name: client_phone
Column Type: varchar
Max Length: 50
The phone number of the selected client.

Column Name: client_state
Column Type: varchar
Max Length: 50
The state of the selected client.

Column Name: client_zip
Column Type: varchar
Max Length: 50
The zip code of the selected client.

Column Name: customized
Column Type: varchar
Max Length: 50
'Customized'

Column Name: cust_reason
Column Type: varchar
Max Length: 50
'Customization Reason'

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j

Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The username that last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_birth
Column Type: date
'Client Date Of Birth'

Column Name: dose_code
Column Type: varchar
Max Length: 50
'Dose code'

Column Name: due_date
Column Type: date
'Due Date'

Column Name: item_code
Column Type: varchar
Max Length: 50
'Vaccine/Wellness Item code'

Column Name: item_value
Column Type: varchar
Max Length: 50
The description associated with item_code. See item_code for more information.

Column Name: sex_code
Column Type: varchar
Max Length: 5
'Sex'

Column Name: sex_value
Column Type: varchar
Max Length: 40
The description associated with sex_code. See sex_code for more information.

Documentation for form: Client_Health_Maintenance

Table Name: SYSTEM.cw_hm_alerts_wellness

Table Description: This table returns wellness alert information from the 'Client Health Maintenance' form.

Column Name: ID
Column Type: integer

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description'.

Column Name: CMW_uniqueid
Column Type: varchar
Max Length: 50
The unique ID of the custom wellness guideline record. Will be specific to the Client ID.

Column Name: FACILITY
Column Type: integer
The system code the data was generated for.

Column Name: HMWuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the wellness guideline definition.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID.

Column Name: client_address
Column Type: varchar
Max Length: 50
The address of the selected client.

Column Name: client_city
Column Type: varchar
Max Length: 50
The city of the selected client.

Column Name: client_name
Column Type: varchar
Max Length: 50
The name of the selected client.

Column Name: client_phone
Column Type: varchar
Max Length: 50
The phone number of the selected client.

Column Name: client_state
Column Type: varchar
Max Length: 50
The state of the selected client.

Column Name: client_zip
Column Type: varchar
Max Length: 50
The zip code of the selected client.

Column Name: customized
Column Type: varchar
Max Length: 50
'Customized'

Column Name: cust_reason
Column Type: varchar
Max Length: 50
'Customization Reason'

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The username that last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_birth
Column Type: date
'Client Date Of Birth'

Column Name: due_date
Column Type: date
'Due date'

Column Name: item_code
Column Type: varchar
Max Length: 50
'Vaccine/Wellness Item code'

Column Name: item_value

Column Type: varchar

Max Length: 50

The description associated with item_code. See item_code for more information.

Column Name: sex_code

Column Type: varchar

Max Length: 5

'Sex'

Column Name: sex_value

Column Type: varchar

Max Length: 40

The description associated with sex_code. See sex_code for more information.

Documentation for form: Client_Health_Maintenance

Table Name: SYSTEM.cw_immunization_history

Table Description: This table returns data of a client's immunization history.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code the data was generated for.

Column Name: HMIuniqueid

Column Type: varchar

Max Length: 50

The HMI unique ID.

Column Name: NDC

Column Type: varchar

Max Length: 50

'NDC'

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID.

Column Name: administered_by_code

Column Type: varchar
Max Length: 50
'Administered By'

Column Name: administered_by_value
Column Type: varchar
Max Length: 40
The description associated with administered_by_code. See administered_by_code for more information.

Column Name: administration_comments
Column Type: varchar
Max Length: 999
'Administration Comments'

Column Name: body_site_other
Column Type: varchar
Max Length: 50
'Body Site - Other'

Column Name: data_control_identifier
Column Type: varchar
Max Length: 40
'Data Control Identifier'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The 'User ID' who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 40
'The name of the form that last updated the form'

Column Name: data_entry_time
Column Type: varchar
Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the 'User ID'.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date

Column Type: date

'Date'

Column Name: date_published

Column Type: date

'Date Published'.

Column Name: dosage

Column Type: varchar

Max Length: 50

'Dosage'

Column Name: dose_code

Column Type: varchar

Max Length: 50

'Dose code'

Column Name: dose_value

Column Type: varchar

Max Length: 40

The description associated with dose_code. See dose_code for more information.

Column Name: edition_status_code

Column Type: varchar

Max Length: 50

'Edition Status code'

Column Name: edition_status_value

Column Type: varchar

Max Length: 50

The description associated with edition_status_code. See edition_status_code for more information.

Column Name: exp_date

Column Type: date

'Expiration Date'

Column Name: immunization_source_code

Column Type: varchar

Max Length: 50

'Immunization source code'

Column Name: immunization_source_value

Column Type: varchar

Max Length: 100

The description associated with immunization_source_code. See immunization_source_code for more information.

Column Name: lot_num

Column Type: varchar

Max Length: 50

'Lot #'

Column Name: manufacturer_code

Column Type: varchar

Max Length: 50

'Manufacturer code'

Column Name: manufacturer_value

Column Type: varchar

Max Length: 128

The description associated with manufacturer_code. See manufacturer_code for more information.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The description of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20
'Option Id'

Column Name: ordered_by_code
Column Type: varchar
Max Length: 50
'Ordered By code'

Column Name: ordered_by_value
Column Type: varchar
Max Length: 40
The description associated with ordered_by_code. See ordered_by_code for more information.

Column Name: provided_by_code
Column Type: varchar
Max Length: 50
'Provided By code'

Column Name: provided_by_value
Column Type: varchar
Max Length: 40
The description associated with provided_by_code. See provided_by_code for more information.

Column Name: reason_code
Column Type: varchar
Max Length: 50
'Reason code'

Column Name: reason_description
Column Type: varchar
Max Length: 100
The description of reason_code. See reason_code for more information.

Column Name: reason_type_code
Column Type: varchar
Max Length: 5
'Reason Type code'

Column Name: reason_type_value
Column Type: varchar
Max Length: 10
The description associated with reason_type_code. See reason_type_code for more information.

Column Name: refused_code
Column Type: varchar
Max Length: 50
'Refused code'

Column Name: refused_value
Column Type: varchar

Max Length: 40

The description associated with refused_code. See refused_code for more information.

Column Name: route_code

Column Type: varchar

Max Length: 50

'Route code'

Column Name: route_other

Column Type: varchar

Max Length: 50

'Route - Other'

Column Name: route_value

Column Type: varchar

Max Length: 40

The description associated with route_code. See route_code for more information.

Column Name: site_code

Column Type: varchar

Max Length: 50

'Site code'

Column Name: site_value

Column Type: varchar

Max Length: 40

The description associated with site_code. See site_code for more information.

Column Name: time

Column Type: varchar

Max Length: 50

'Time'

Column Name: under_19_consent_code

Column Type: varchar

Max Length: 50

'(If Under 19) Consent for Vaccine code'

Column Name: under_19_consent_value

Column Type: varchar

Max Length: 50

The description associated with under_19_consent_code. See under_19_consent_code for more information.

Column Name: under_19_vfc_elig_code

Column Type: varchar

Max Length: 50

'(If Under 19) VFC Eligibility Code'

Column Name: under_19_vfc_elig_value

Column Type: varchar

Max Length: 50

The description associated with under_19_vfc_elig_code. See under_19_vfc_elig_code for more information.

Column Name: under_19_vfc_status

Column Type: varchar

Max Length: 50

'(If Under 19) (VFC Status)'

Column Name: under_19_vfc_vac_src_code

Column Type: varchar

Max Length: 50

'(If Under 19) Vaccine Source code'

Column Name: under_19_vfc_vac_src_val

Column Type: varchar

Max Length: 50

The description associated with under_19_vfc_vac_src_code. See under_19_vfc_vac_src_code for more information.

Column Name: unit_code

Column Type: varchar

Max Length: 50

'Unit code'

Column Name: unit_other

Column Type: varchar

Max Length: 50

'Unit - Other'

Column Name: unit_value

Column Type: varchar

Max Length: 40

The description associated with unit_code. See unit_code for more information.

Column Name: vaccine_code

Column Type: varchar

Max Length: 50

'Vaccine code'

Column Name: vaccine_stmt_shown

Column Type: varchar

Max Length: 50

'Vaccine Statement Shown to Patient'

Column Name: vaccine_stmt_shown_date

Column Type: date

'Date Vaccine Statement Shown to Patient'

Column Name: vaccine_value

Column Type: varchar

Max Length: 40

The description associated with vaccine_code. See vaccine_code for more information.

Column Name: vis_edition_date

Column Type: date

'VIS Edition Date'

Column Name: vis_last_updated_date

Column Type: date

'VIS Last Updated Date'

Column Name: vis_number

Column Type: varchar

Max Length: 50

'VIS Number'

Column Name: vis_stmt_name

Column Type: varchar

Max Length: 50

'Name of VIS Statement'

Documentation for form: Client_Health_Maintenance

Table Name: SYSTEM.cw_wellness_history

Table Description: This table returns the information stored via the 'Wellness' grid within the 'Client Health Maintenance' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code in which the record was filed.

Column Name: HMWuniqueid

Column Type: varchar

Max Length: 50

The ID assigned to wellness record row. Will be unique to the Client.

Column Name: PATID

Column Type: varchar

Max Length: 20

The Client ID for which the row is associated.

Column Name: administered_by_code

Column Type: varchar

Max Length: 50

ID of the staff who administered the wellness item.

Column Name: administered_by_value

Column Type: varchar

Max Length: 40

The description associated with administered_by_code. See administered_by_code for more information.

Column Name: comments

Column Type: varchar

Max Length: 999

'Comments'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The User ID of the user which last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date
Column Type: date
'Date'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: provided_by_code
Column Type: varchar
Max Length: 50
'Provided By'

Column Name: provided_by_value
Column Type: varchar
Max Length: 40
The description associated with provided_by_code. See provided_by_code for more information.

Column Name: refused_code
Column Type: varchar
Max Length: 50

'Refused'

Column Name: refused_value

Column Type: varchar

Max Length: 40

The description associated with refused_code. See refused_code for more information.

Column Name: wellness_item_code

Column Type: varchar

Max Length: 50

'Wellness Item'

Column Name: wellness_item_value

Column Type: varchar

Max Length: 40

The description associated with wellness_item_code. See wellness_item_code for more information.

Documentation for form: Non-Administered_Treatment

Table Name: SYSTEM.non_administered_treatment

Table Description: This table returns information related to non-administered treatments from the 'Non-Administered Treatment' form.

Column Name: ID

Column Type: integer

Column Name: EPISODE_NUMBER

Column Type: integer

'Episode Number'.

Column Name: FACILITY

Column Type: integer

The system code in which the non-administered treatments are stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The unique ID of the client.

Column Name: comments

Column Type: varchar

Max Length: 32700

'Comments'.

Column Name: data_entry_by

Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The 'User Description'.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The username who last updated the row.

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: patient_name
Column Type: varchar
Max Length: 50
The name of the client selected.

Column Name: practioner_name
Column Type: varchar

Max Length: 100
The Practitioner name.

Column Name: practitioner_id
Column Type: varchar
Max Length: 50
The unique ID of the practitioner.

Column Name: protocol_reason_code
Column Type: varchar
Max Length: 50
Reason code for Non-Administered Protocol.

Column Name: protocol_reason_value
Column Type: varchar
Max Length: 250
The value of protocol_reason_code.

Column Name: record_date
Column Type: date
The date that the non-administered treatment was recorded.

Column Name: record_name
Column Type: varchar
Max Length: 400
The record name.

Column Name: record_time
Column Type: time
The time that the non-administered treatment was recorded.

Column Name: treatment_protocol_code
Column Type: varchar
Max Length: 50
The treatment protocol code.

Documentation for form: Nursing_Caseload_Assignment

Table Name: SYSTEM.cw_nursing_caseload

Table Description: This table returns the information stored in the 'Nursing Caseload Assignment' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer

Column Name: USERID
Column Type: varchar
Max Length: 40

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: active
Column Type: varchar
Max Length: 50

Column Name: effective_date
Column Type: date

Column Name: effective_time
Column Type: time

Column Name: patient_name
Column Type: varchar
Max Length: 50

Column Name: release_date
Column Type: date

Column Name: release_time
Column Type: time

Column Name: release_method
Column Type: varchar
Max Length: 50

Column Name: user_description

Column Type: varchar
Max Length: 50

Column Name: user_row_access_code

Column Type: integer

If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Documentation for form: Export_Health_Information

Table Name: SYSTEM.health_info_export_log

Table Description: Audit log for data exported using form 'Export Health Information'

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

Client id

Column Name: batch_id

Column Type: varchar

Max Length: 50

Batch id that the exported data was included in, if any

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The last user name to update this row of data.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The last user name to update this row of data.

Column Name: data_entry_date

Column Type: date

The date this row of data was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 20
The User ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The User Name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: export_date
Column Type: date
Export date in local time

Column Name: export_time
Column Type: varchar
Max Length: 15

Export time in local time

Column Name: export_type_code

Column Type: varchar

Max Length: 50

type of data eport (F)ile or (C)areConnect

Column Name: export_type_value

Column Type: varchar

Max Length: 50

type of data eport (F)ile or (C)areConnect

Column Name: link_to_source_data

Column Type: varchar

Max Length: 50

Link value that can be used to join with source data (ADT = HRS, VXU = HMI, ORU = result row id)

Column Name: message_event

Column Type: varchar

Max Length: 50

HL7 message event code (e.g. A01, V04, R01)

Column Name: message_type

Column Type: varchar

Max Length: 50

HL7 message type (e.g. ADT, VXU, ORU)

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: source_activity_date

Column Type: date

The date when the source activity took place

Documentation for form: Client_List/Reminder_List

Table Name: SYSTEM.client_reminder_list

Table Description: This table returns reminders that need to be given to the client from the 'Client List/Reminder List' form.

Column Name: ID

Column Type: integer

Column Name: EPISODE_NUMBER
Column Type: integer
The episode number associated with the reminder.

Column Name: FACILITY
Column Type: integer
The system code in which the client reminders are stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
'Client ID'.

Column Name: actual_com_method_code
Column Type: varchar
Max Length: 50
The Actual Communication Method code.

Column Name: actual_com_method_value
Column Type: varchar
Max Length: 50
The value of actual_com_method_code. See actual_com_method_code for more information.

Column Name: age
Column Type: varchar
Max Length: 50
The age of the client associated with the reminder.

Column Name: client_name
Column Type: varchar
Max Length: 50
The name of the client for whom the reminder was created.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 40

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' that last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The username that last updated the row.

Column Name: episode_information

Column Type: varchar

Max Length: 20

Returns information associated with the episode.

Column Name: gender

Column Type: varchar

Max Length: 50

The gender of the client associated with the reminder.

Column Name: gender_value

Column Type: varchar

Max Length: 50

The value of gender.

Column Name: option_id

Column Type: varchar

Max Length: 40

The unique ID of the form that last updated the row.

Column Name: pref_com_method_code

Column Type: varchar

Max Length: 50

The client's communication preference code.

Column Name: pref_com_method_value

Column Type: varchar

Max Length: 50

The value of pref_com_method_code. See pref_com_method_code for more information.

Column Name: program

Column Type: varchar

Max Length: 50

'Programs'.

Column Name: program_code

Column Type: varchar

Max Length: 50

The code of the program that the client who the reminder is being created for is associated with.

Column Name: reminder_completion_date

Column Type: date

The date that the reminder is completed.

Column Name: reminder_create_by

Column Type: varchar

Max Length: 50

The person who created the reminder.

Column Name: reminder_create_date

Column Type: date

The date that the reminder is created.

Column Name: reminder_type_code

Column Type: varchar

Max Length: 50

The reminder type code.

Column Name: reminder_type_value

Column Type: varchar

Max Length: 50

The value of reminder_type_code. See reminder_type_code for more information.

Documentation for form: Avatar_eMAR

Table Name: eMAR.eMAR_addl_admin_data

Table Description: eMAR Additional Administration Data

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: PATID

Column Type: varchar

Max Length: 20

Column Name: order_number
Column Type: varchar
Max Length: 50

Column Name: order_unique_id
Column Type: varchar
Max Length: 50

Column Name: admin_date_actual
Column Type: date

Column Name: admin_time_actual_h
Column Type: time

Column Name: admin_unique_id
Column Type: varchar
Max Length: 50

Column Name: reading
Column Type: varchar
Max Length: 50

Column Name: reading_entry
Column Type: varchar
Max Length: 80

Column Name: reading_value
Column Type: varchar
Max Length: 80

Column Name: measured_unit
Column Type: varchar
Max Length: 50

Column Name: emar_event_code
Column Type: varchar
Max Length: 50

Column Name: emar_event_value
Column Type: varchar
Max Length: 50

Documentation for form: Avatar_eMAR

Table Name: eMAR.eMAR_clinical_parameters

Table Description: eMAR Titration Parameter data

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: admin_date_actual
Column Type: date

Column Name: admin_time_actual_h
Column Type: time

Column Name: admin_unique_id
Column Type: varchar
Max Length: 50

Column Name: infusion_event_code
Column Type: varchar
Max Length: 50

Column Name: infusion_event_val
Column Type: varchar
Max Length: 50

Column Name: order_number
Column Type: varchar
Max Length: 50

Column Name: order_unique_id
Column Type: varchar
Max Length: 50

Column Name: titr_param_code
Column Type: varchar
Max Length: 50

Column Name: titr_param_data
Column Type: varchar
Max Length: 50

Column Name: titr_param_value
Column Type: varchar
Max Length: 50

Documentation for form: Avatar_eMAR

Table Name: eMAR.eMAR_followup_reminders

Table Description: eMAR Follow Up Reminders

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: order_number

Column Type: varchar
Max Length: 50

Column Name: order_unique_id
Column Type: varchar
Max Length: 50

Column Name: unique_followup_id
Column Type: varchar
Max Length: 50

Column Name: admin_event_ID
Column Type: varchar
Max Length: 256

Column Name: followup_completed_code
Column Type: varchar
Max Length: 50

Column Name: followup_completed_value
Column Type: varchar
Max Length: 50

Column Name: followup_header_code
Column Type: varchar
Max Length: 50

Column Name: followup_header_value
Column Type: varchar
Max Length: 50

Column Name: followup_date
Column Type: date

Column Name: followup_time
Column Type: varchar
Max Length: 50

Column Name: followup_h_time
Column Type: time

Column Name: is_first_dose_code
Column Type: varchar
Max Length: 50

Column Name: is_first_dose_value
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50

Column Name: data_entry_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: reason_text
Column Type: varchar
Max Length: 200

Column Name: reason_code
Column Type: varchar
Max Length: 20

Column Name: reason_value
Column Type: varchar
Max Length: 40

Documentation for form: Avatar_eMAR

Table Name: eMAR.eMAR_hrs_of_admin_hist

Table Description: eMAR Hours of Administration History

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: order_number
Column Type: varchar
Max Length: 50

Column Name: order_unique_id
Column Type: varchar
Max Length: 50

Column Name: admin_hours_unique_id
Column Type: varchar
Max Length: 550

Column Name: admin_hrs_edit
Column Type: varchar
Max Length: 550

Column Name: admin_hrs_edit_by_user
Column Type: varchar
Max Length: 50

Column Name: admin_hrs_edit_by_userid
Column Type: varchar
Max Length: 50

Column Name: admin_hrs_edit_time
Column Type: time

Column Name: admin_hrs_edit_by_optid
Column Type: varchar
Max Length: 50

Column Name: admin_hrs_edit_eff_date
Column Type: date

Column Name: admin_hrs_edit_eff_time

Column Type: time

Documentation for form: Avatar_eMAR

Table Name: eMAR.specimen_data

Table Description: Specimen Collection Data

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

Column Name: PATID

Column Type: varchar

Max Length: 20

Column Name: order_number

Column Type: varchar

Max Length: 50

Column Name: order_unique_id

Column Type: varchar

Max Length: 50

Column Name: admin_date_actual

Column Type: date

Column Name: admin_time_actual_h

Column Type: time

Column Name: admin_unique_id

Column Type: varchar

Max Length: 50

Column Name: client_refused_code

Column Type: varchar
Max Length: 50

Column Name: client_refused_value
Column Type: varchar
Max Length: 50

Column Name: client_refused_reason
Column Type: varchar
Max Length: 32766

Column Name: clinical_information
Column Type: varchar
Max Length: 32767

Column Name: collection_date
Column Type: date

Column Name: collection_time
Column Type: time

Column Name: collection_site_code
Column Type: varchar
Max Length: 50

Column Name: collection_site_value
Column Type: varchar
Max Length: 50

Column Name: completed_by_user_id
Column Type: varchar
Max Length: 50

Column Name: fasting_code
Column Type: varchar
Max Length: 50

Column Name: fasting_value
Column Type: varchar
Max Length: 50

Column Name: signed_by_user_id
Column Type: varchar
Max Length: 50

Column Name: specimen_container_code
Column Type: varchar
Max Length: 50

Column Name: specimen_container_value
Column Type: varchar
Max Length: 50

Column Name: specimen_type_code
Column Type: varchar
Max Length: 50

Column Name: specimen_type_value
Column Type: varchar
Max Length: 50

Column Name: specimen_volume
Column Type: varchar
Max Length: 50

Column Name: specimen_volume_unit
Column Type: varchar
Max Length: 50

Documentation for form: Final_to_Draft_Override

Table Name: SYSTEM.cw_pn_override

Table Description: This table returns the information stored in the 'Final to Draft Override' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code where the data is stored.

Column Name: NOTuniqueid
Column Type: varchar
Max Length: 50
The unique ID for a Note used for filing.

Column Name: Option_Desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: Option_Id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row.

Column Name: OverRideIndex
Column Type: integer
'Override Index'

Column Name: PATID
Column Type: varchar
Max Length: 20
Client ID

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255

The name of the form that last updated the row.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: override_code

Column Type: varchar

Max Length: 50

'Draft/Final'

Column Name: override_reason

Column Type: varchar

Max Length: 31000

'Override Reason'

Column Name: override_value

Column Type: varchar

Max Length: 50

The description associated with override_code. See override_code for more information.

Documentation for form: Client_Profile/_/_Physicians_Orders

Table Name: OrderEntry.history_client_order

Table Description: This table contains one row for every client order stored in Avatar OE.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The client Episode with which the order is associated

Column Name: FACILITY
Column Type: integer
The FACILITY (Root System Code) in which the data was stored

Column Name: FREQUENCYID
Column Type: varchar
Max Length: 50
The order's Frequency Code

Column Name: ICD9CODE
Column Type: varchar
Max Length: 50
The order's ICD-9 diagnosis code

Column Name: JOIN_TO_DIAGNOSIS_OBJECT
Column Type: varchar
Max Length: 40
Used to JOIN to SYSTEM.RADplus_IMO_results table
Diagnosis JOIN and associated values v2011010

Column Name: ORDERID
Column Type: varchar
Max Length: 50
The order's Order Code

Column Name: ORDUniqueid
Column Type: varchar
Max Length: 50
The order's ORD unique ID within the client's orders

Column Name: PATID
Column Type: varchar

Max Length: 20
The Client ID for whom this order was created

Column Name: administer_am_0100
Column Type: varchar
Max Length: 50
Is this order to be administered at 1:00 AM ?

Column Name: administer_am_0130
Column Type: varchar
Max Length: 50
Is this order to be administered at 1:30 AM ?

Column Name: administer_am_0200
Column Type: varchar
Max Length: 50
Is this order to be administered at 2:00 AM ?

Column Name: administer_am_0230
Column Type: varchar
Max Length: 50
Is this order to be administered at 2:30 AM ?

Column Name: administer_am_0300
Column Type: varchar
Max Length: 50
Is this order to be administered at 3:00 AM ?

Column Name: administer_am_0330
Column Type: varchar
Max Length: 50
Is this order to be administered at 3:30 AM ?

Column Name: administer_am_0400
Column Type: varchar
Max Length: 50
Is this order to be administered at 4:00 AM ?

Column Name: administer_am_0430
Column Type: varchar
Max Length: 50
Is this order to be administered at 4:30 AM ?

Column Name: administer_am_0500
Column Type: varchar
Max Length: 50
Is this order to be administered at 5:00 AM ?

Column Name: administer_am_0530
Column Type: varchar

Max Length: 50
Is this order to be administered at 5:30 AM ?

Column Name: administer_am_0600
Column Type: varchar
Max Length: 50
Is this order to be administered at 6:00 AM ?

Column Name: administer_am_0630
Column Type: varchar
Max Length: 50
Is this order to be administered at 6:30 AM ?

Column Name: administer_am_0700
Column Type: varchar
Max Length: 50
Is this order to be administered at 7:00 AM ?

Column Name: administer_am_0730
Column Type: varchar
Max Length: 50
Is this order to be administered at 7:30 AM ?

Column Name: administer_am_0800
Column Type: varchar
Max Length: 50
Is this order to be administered at 8:00 AM ?

Column Name: administer_am_0830
Column Type: varchar
Max Length: 50
Is this order to be administered at 8:30 AM ?

Column Name: administer_am_0900
Column Type: varchar
Max Length: 50
Is this order to be administered at 9:00 AM ?

Column Name: administer_am_0930
Column Type: varchar
Max Length: 50
Is this order to be administered at 9:30 AM ?

Column Name: administer_am_1000
Column Type: varchar
Max Length: 50
Is this order to be administered at 10:00 AM ?

Column Name: administer_am_1030
Column Type: varchar

Max Length: 50
Is this order to be administered at 10:30 AM ?

Column Name: administer_am_1100
Column Type: varchar
Max Length: 50
Is this order to be administered at 11:00 AM ?

Column Name: administer_am_1130
Column Type: varchar
Max Length: 50
Is this order to be administered at 11:30 AM ?

Column Name: administer_am_1230
Column Type: varchar
Max Length: 50
Is this order to be administered at 12:30 AM ?

Column Name: administer_am_midnight
Column Type: varchar
Max Length: 50
Is this order to be administered at 12:00 AM (Midnight) ?

Column Name: administer_pm_0100
Column Type: varchar
Max Length: 50
Is this order to be administered at 1:00 PM ?

Column Name: administer_pm_0130
Column Type: varchar
Max Length: 50
Is this order to be administered at 1:30 PM ?

Column Name: administer_pm_0200
Column Type: varchar
Max Length: 50
Is this order to be administered at 2:00 PM ?

Column Name: administer_pm_0230
Column Type: varchar
Max Length: 50
Is this order to be administered at 2:30 PM ?

Column Name: administer_pm_0300
Column Type: varchar
Max Length: 50
Is this order to be administered at 3:00 PM ?

Column Name: administer_pm_0330
Column Type: varchar

Max Length: 50
Is this order to be administered at 3:30 PM ?

Column Name: administer_pm_0400
Column Type: varchar
Max Length: 50
Is this order to be administered at 4:00 PM ?

Column Name: administer_pm_0430
Column Type: varchar
Max Length: 50
Is this order to be administered at 4:30 PM ?

Column Name: administer_pm_0500
Column Type: varchar
Max Length: 50
Is this order to be administered at 5:00 PM ?

Column Name: administer_pm_0530
Column Type: varchar
Max Length: 50
Is this order to be administered at 5:30 PM ?

Column Name: administer_pm_0600
Column Type: varchar
Max Length: 50
Is this order to be administered at 6:00 PM ?

Column Name: administer_pm_0630
Column Type: varchar
Max Length: 50
Is this order to be administered at 6:30 PM ?

Column Name: administer_pm_0700
Column Type: varchar
Max Length: 50
Is this order to be administered at 7:00 PM ?

Column Name: administer_pm_0730
Column Type: varchar
Max Length: 50
Is this order to be administered at 7:30 PM ?

Column Name: administer_pm_0800
Column Type: varchar
Max Length: 50
Is this order to be administered at 8:00 PM ?

Column Name: administer_pm_0830
Column Type: varchar

Max Length: 50

Is this order to be administered at 8:30 PM ?

Column Name: administer_pm_0900

Column Type: varchar

Max Length: 50

Is this order to be administered at 9:00 PM ?

Column Name: administer_pm_0930

Column Type: varchar

Max Length: 50

Is this order to be administered at 9:30 PM ?

Column Name: administer_pm_1000

Column Type: varchar

Max Length: 50

Is this order to be administered at 10:00 PM ?

Column Name: administer_pm_1030

Column Type: varchar

Max Length: 50

Is this order to be administered at 10:30 PM ?

Column Name: administer_pm_1100

Column Type: varchar

Max Length: 50

Is this order to be administered at 11:00 PM ?

Column Name: administer_pm_1130

Column Type: varchar

Max Length: 50

Is this order to be administered at 11:30 PM ?

Column Name: administer_pm_1230

Column Type: varchar

Max Length: 50

Is this order to be administered at 12:30 PM ?

Column Name: administer_pm_noon

Column Type: varchar

Max Length: 50

Is this order to be administered at 12:00 PM (Noon) ?

Column Name: administration_route

Column Type: varchar

Max Length: 50

The order's Route of Adminiistration

Column Name: administration_route_code

Column Type: varchar

Max Length: 50
The order's Route of Administration Code

Column Name: administration_times
Column Type: varchar
Max Length: 4096
The order's Hours of Administration

Column Name: admin_method_code
Column Type: varchar
Max Length: 50
The order's Administration Method Code (IV orders only)

Column Name: admin_method_value
Column Type: varchar
Max Length: 50
The order's Administration Method Value (IV orders only)

Column Name: am_0600_1130am_code
Column Type: varchar
Max Length: 50
The order's specified Hours of Administration codes between 6:00 AM and 11:30 AM

Column Name: am_0600_1130am_value
Column Type: varchar
Max Length: 75
The order's specified Hours of Administration values between 6:00 AM and 11:30 AM

Column Name: am_12midnight_0530am_code
Column Type: varchar
Max Length: 50
The order's specified Hours of Administration codes between 12:00 AM (Midnight) and 5:30 AM

Column Name: am_12midnight_0530am_value
Column Type: varchar
Max Length: 80
The order's specified Hours of Administration values between 12:00 AM (Midnight) and 5:30 AM

Column Name: basic_dup_order_ovr_code
Column Type: varchar
Max Length: 50
Override code for Basic Duplicate Override Check alert

Column Name: basic_dup_order_ovr_text
Column Type: varchar
Max Length: 80
Override text for Basic Duplicate Override Check alert

Column Name: basic_dup_order_ovr_value
Column Type: varchar

Max Length: 50
Override value for Basic Duplicate Override Check alert

Column Name: change_by
Column Type: varchar
Max Length: 50
Order last changed by User

Column Name: change_by_option
Column Type: varchar
Max Length: 50
Order last changed by (option) User

Column Name: change_by_pract_id
Column Type: varchar
Max Length: 50
Order last changed by Practitioner ID

Column Name: change_by_pract_name
Column Type: varchar
Max Length: 50
Order last changed by Practitioner Name

Column Name: change_by_pr_not_enr
Column Type: varchar
Max Length: 50
Order last changed by Practitioner Who Is Not Enrolled

Column Name: change_by_user_id
Column Type: varchar
Max Length: 50
Order last changed by User ID

Column Name: change_by_user_name
Column Type: varchar
Max Length: 50
Order last changed by User ID Name

Column Name: change_date
Column Type: date
Order last changed date

Column Name: change_delay_ent_code
Column Type: varchar
Max Length: 50
Order last changed Delayed Entry code

Column Name: change_delay_ent_value
Column Type: varchar
Max Length: 50

Order last changed Delayed Entry value

Column Name: change_eff_date

Column Type: date

Order last changed Effective Date

Column Name: change_eff_time

Column Type: varchar

Max Length: 50

Order last changed Effective Time

Column Name: change_ent_src_code

Column Type: varchar

Max Length: 50

Order last changed Order Entry Source code

Column Name: change_ent_src_value

Column Type: varchar

Max Length: 50

Order last changed Order Entry Source value

Column Name: change_explanation

Column Type: varchar

Max Length: 32766

Order last changed Explanation

Column Name: change_explanation_255

Column Type: varchar

Max Length: 255

Order last changed Explanation (255 character limit)

Column Name: change_reason_code

Column Type: varchar

Max Length: 50

Order last changed Reason for Change code

Column Name: change_reason_value

Column Type: varchar

Max Length: 50

Order last changed Reason for Change value

Column Name: change_time

Column Type: varchar

Max Length: 50

Order last changed time

Column Name: client_educ_by_userid

Column Type: varchar

Max Length: 50

Client Education By User ID

Column Name: client_educ_by_user_name
Column Type: varchar
Max Length: 50
Client Education By User Name

Column Name: client_educ_date
Column Type: date
Client Education Date

Column Name: client_educ_filed_by_user
Column Type: varchar
Max Length: 50
Client Education Filed By User Name

Column Name: client_educ_filed_by_usid
Column Type: varchar
Max Length: 50
Client Education Filed By User ID

Column Name: client_educ_filed_date
Column Type: date
Client Education Filed Date

Column Name: client_educ_filed_time
Column Type: varchar
Max Length: 50
Client Education Filed Time

Column Name: client_educ_time
Column Type: varchar
Max Length: 50
Client Education Time

Column Name: comments
Column Type: varchar
Max Length: 32766
The order's Comments

Column Name: comments_255
Column Type: varchar
Max Length: 255
The order's Comments (255 character limit)

Column Name: completed_flag
Column Type: varchar
Max Length: 2
Completed flag.

Column Name: consult_practitioner_id

Column Type: varchar
Max Length: 50
Consulting Practitioner ID.

Column Name: consult_practitioner_name
Column Type: varchar
Max Length: 50
Consulting Practitioner Name.

Column Name: consult_team_id
Column Type: varchar
Max Length: 50
Consulting Team ID.

Column Name: consult_team_name
Column Type: varchar
Max Length: 50
Consulting Team Name.

Column Name: created_by
Column Type: varchar
Max Length: 50
Order created by User

Column Name: created_by_option
Column Type: varchar
Max Length: 50
Order created by (option) User

Column Name: created_by_pre_auth_code
Column Type: varchar
Max Length: 50
Order created by via Pre-Authorized Order code

Column Name: created_by_pre_auth_value
Column Type: varchar
Max Length: 50
Order created by via Pre-Authorized Order value

Column Name: created_by_user_id
Column Type: varchar
Max Length: 50
Order created by User ID

Column Name: created_by_user_name
Column Type: varchar
Max Length: 50
Order created by User ID Name

Column Name: created_date

Column Type: date
Order created date

Column Name: created_time
Column Type: varchar
Max Length: 50
Order created time

Column Name: created_time_h
Column Type: time
Order created time

Column Name: current_duration
Column Type: varchar
Max Length: 50
The order's current Duration

Column Name: current_duration_numeric
Column Type: integer
The order's current Duration (numeric data type)

Column Name: current_dur_days
Column Type: varchar
Max Length: 50
The order's current Duration (Days)

Column Name: current_dur_days_numeric
Column Type: integer
The order's current Duration (Days) (numeric data type)

Column Name: current_dur_doses
Column Type: varchar
Max Length: 50
The order's current Duration (Doses)

Column Name: current_dur_doses_numeric
Column Type: integer
The order's current Duration (Doses) (numeric data type)

Column Name: current_dur_hrs
Column Type: varchar
Max Length: 50
The order's current Duration (Hours)

Column Name: current_dur_hrs_numeric
Column Type: integer
The order's current Duration (Hours) (numeric data type)

Column Name: current_dur_mins
Column Type: varchar

Max Length: 50

The order's current Duration (Minutes)

Column Name: current_dur_mins_numeric

Column Type: integer

The order's current Duration (Minutes) (numeric data type)

Column Name: current_stop_date

Column Type: date

The order's current Stop Date

Column Name: current_stop_time

Column Type: varchar

Max Length: 50

The order's current Stop Time

Column Name: current_stop_time_h

Column Type: time

The order's current Stop Time

Column Name: cust_frequency_att_code

Column Type: varchar

Max Length: 50

The order's flag (code) for whether Frequency Code attributes were customized

Column Name: cust_frequency_att_value

Column Type: varchar

Max Length: 50

The order's flag (value) for whether Frequency Code attributes were customized

Column Name: daily_administration_code

Column Type: varchar

Max Length: 50

Does administration of this order occur Daily (code)?

Column Name: daily_administration_value

Column Type: varchar

Max Length: 50

Does administration of this order occur Daily (value)?

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The source that last updated this data row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: days_administered_code
Column Type: varchar
Max Length: 50
The days that this order is administered (codes)

Column Name: days_administered_friday
Column Type: varchar
Max Length: 50
Is this order administered on Friday

Column Name: days_administered_monday
Column Type: varchar
Max Length: 50
Is this order administered on Monday?

Column Name: days_administered_saturday
Column Type: varchar
Max Length: 50
Is this order administered on Saturday?

Column Name: days_administered_sunday
Column Type: varchar
Max Length: 50
Is this order administered on Sunday?

Column Name: days_administered_thursday
Column Type: varchar
Max Length: 50
Is this order administered on Thursday?

Column Name: days_administered_tuesday
Column Type: varchar
Max Length: 50
Is this order administered on Tuesday?

Column Name: days_administered_value
Column Type: varchar
Max Length: 1024
The days that this order is administered (values)

Column Name: days_administered_wednesday
Column Type: varchar
Max Length: 50
Is this order administered on Wednesday?

Column Name: delayed_entry_code
Column Type: varchar
Max Length: 50
The order's Delayed Entry code (Create New Order)

Column Name: delayed_entry_value
Column Type: varchar
Max Length: 50
The order's Delayed Entry value (Create New Order)

Column Name: diag_icd10_code
Column Type: varchar
Max Length: 40
The order's ICD10 diagnosis code

Column Name: diag_icd10_value
Column Type: varchar
Max Length: 255
The order's ICD10 diagnosis code value

Column Name: diag_icd9_code
Column Type: varchar
Max Length: 40
The order's ICD9 diagnosis code

Column Name: diag_icd9_value
Column Type: varchar
Max Length: 255
The order's ICD9 diagnosis code value

Column Name: diag_imo_code
Column Type: varchar
Max Length: 255
The order's IMO diagnosis code

Column Name: diag_imo_value
Column Type: varchar
Max Length: 255
The order's IMO diagnosis code value

Column Name: diagnosis_code
Column Type: varchar
Max Length: 40
The order's diagnosis code

Column Name: diagnosis_value
Column Type: varchar
Max Length: 255
the order's diagnosis code value

Column Name: discontinued_by
Column Type: varchar
Max Length: 50
The order was Discontinued By User

Column Name: discontinued_by_opt
Column Type: varchar
Max Length: 50
The order was Discontinued By (option) User

Column Name: discontinued_by_user_id

Column Type: varchar

Max Length: 50

The order was Discontinued By User ID

Column Name: discontinued_by_user_name

Column Type: varchar

Max Length: 50

The order was Discontinued By User ID Name

Column Name: discontinued_date

Column Type: date

The order's Discontinue Date

Column Name: discontinued_time

Column Type: varchar

Max Length: 50

The order's Discontinue Time

Column Name: discontinue_reason_code

Column Type: varchar

Max Length: 1024

The order's Discontinue Reason code

Column Name: discontinue_reason_text

Column Type: varchar

Max Length: 32766

The order's Discontinue Reason Text

Column Name: discontinue_reason_txt255

Column Type: varchar

Max Length: 255

The order's Discontinue Reason Text (255 character limit)

Column Name: discontinue_reason_value

Column Type: varchar

Max Length: 50

The order's Discontinue Reason value

Column Name: dis_delay_ent_code

Column Type: varchar

Max Length: 50

The order's Discontinue Delayed Entry code

Column Name: dis_delay_ent_value

Column Type: varchar

Max Length: 50

The order's Discontinue Delayed Entry value

Column Name: dis_effective_date
Column Type: date
The order's Discontinue Effective Dtae

Column Name: dis_effective_time
Column Type: varchar
Max Length: 50
The order's Discontinue Effective Time

Column Name: dis_ent_src_code
Column Type: varchar
Max Length: 50
The order's Discontinue Order Entry Source code

Column Name: dis_ent_src_value
Column Type: varchar
Max Length: 50
The order's Discontinue Order Entry Source value

Column Name: dispense_as_written_code
Column Type: varchar
Max Length: 50
The order's Dispense As Written code

Column Name: dispense_as_written_value
Column Type: varchar
Max Length: 50
The order's Dispense As Written value

Column Name: dispense_qty_unit_code
Column Type: varchar
Max Length: 50
The order's Dispense Quantity Unit code

Column Name: dispense_qty_unit_value
Column Type: varchar
Max Length: 50
The order's Dispense Quantity Unit value

Column Name: dispense_quantity
Column Type: varchar
Max Length: 50
The order's Dispense Quantity

Column Name: dispense_quantity_numeric
Column Type: numeric
The order's Dispense Quantity (numeric data type)

Column Name: dis_pract_id
Column Type: varchar

Max Length: 50
The order's Discontinue Practitioner ID

Column Name: dis_pract_name
Column Type: varchar
Max Length: 50
The order's Discontinue Practitioner Name

Column Name: dis_pr_not_enr
Column Type: varchar
Max Length: 32000
The order's Discontinue Practitioner Who Is Not Enrolled

Column Name: dis_rd_bk_conf_code
Column Type: varchar
Max Length: 2
The order's Discontinue Read-Back Confirmation code
Discontinue Read-back Confirmation code

Column Name: dis_rd_bk_conf_value
Column Type: varchar
Max Length: 50
The order's Read-Back Confirmation value
Discontinue Read-back Confirmation value

Column Name: dis_review_date
Column Type: date
The order Discontinue Review Date

Column Name: dis_review_time
Column Type: varchar
Max Length: 50
The order's Discontinue Review Time

Column Name: dosage
Column Type: varchar
Max Length: 50
The order's Dosage (Strength of the order's Order Code, if a medication)

Column Name: dosage_form
Column Type: varchar
Max Length: 50
The order's Dosage Form (if a medication)

Column Name: dosage_numeric
Column Type: numeric
The order's Dosage (Strength of the order's Order Code, if a medication) (numeric data type)

Column Name: dosage_unit
Column Type: varchar

Max Length: 1024

The order's Dosage Unit (Strength Unit of the order's Order Code, if a medication)

Column Name: effective_stop_date

Column Type: date

The order's Effective Stop date (the earlier of the order's Stop Date or DC Effective Date)

Column Name: effective_stop_is_dc

Column Type: varchar

Max Length: 1

The order's Effective Stop Date is the order's DC Effective Date

Column Name: effective_stop_time

Column Type: varchar

Max Length: 50

The order's Effective Stop Time (the earlier of the order's Stop Time or Effective DC Time)

Column Name: every_nth_day

Column Type: integer

The order's Every Nth Day value (for order's administered Not Daily according to an interval of days)

Column Name: every_nth_hour

Column Type: integer

The order's Every Nth Hour value (for order's administered Not Daily according to an interval of hours)

Column Name: every_nth_minute

Column Type: integer

The order's Every Nth Minute value (for order's administered Not Daily according to an interval of minutes)

Column Name: expected_days_supply

Column Type: integer

The order's Expected Days Supply or specified Days Supply

Column Name: fill_days_supply

Column Type: integer

The Days Supply actually being filled for the order, for NCPDP claims

Column Name: filler_filled_flag_code

Column Type: varchar

Max Length: 50

The order's Filled by the Filling System code

Column Name: filler_filled_flag_value

Column Type: varchar

Max Length: 50

The order's Filled by the Filling System value

Column Name: filler_order_number

Column Type: varchar

Max Length: 50

The order's Filler Order Number (supplied by the filling system)

Column Name: filler_order_number_on_dc

Column Type: varchar

Max Length: 50

The order's filler order number if rejected by the filling system

Column Name: fill_quantity

Column Type: integer

The order's Fill Quantity, for NCPDP claims

Column Name: first_dose_code

Column Type: varchar

Max Length: 50

The order's First Dose code (Does this order represent a first dose of this medication for the client at this facility)

Column Name: first_dose_value

Column Type: varchar

Max Length: 50

The order's First Dose value (Does this order represent a first dose of this medication for the client at this facility)

Column Name: frequency_description

Column Type: varchar

Max Length: 50

The order's Frequency Code description

Column Name: fulfillment_status_code

Column Type: varchar

Max Length: 50

Fulfillment Status Code.

Column Name: fulfillment_status_value

Column Type: varchar

Max Length: 50

Fulfillment Status Value.

Column Name: give_init_dose_now_code

Column Type: varchar

Max Length: 50

The order's Give Initial Dose Now code

Column Name: give_init_dose_now_value

Column Type: varchar

Max Length: 50

The order's Give Initial Dose Now value

Column Name: icd_9_description

Column Type: varchar

Max Length: 32000
The order's ICD9 diagnosis code description
v2011010

Column Name: infuse_amount
Column Type: varchar
Max Length: 50
The order's Infuse Amount

Column Name: infuse_ovr_time
Column Type: varchar
Max Length: 50
The order's Infuse Over Time

Column Name: infuse_ovr_time_unit_code
Column Type: varchar
Max Length: 50
The order's Infuse Over Time Unit code

Column Name: infuse_ovr_time_unit_val
Column Type: varchar
Max Length: 50
The order's Infuse Over Time Unit value

Column Name: last_action_date
Column Type: date
The order's Last Action Date

Column Name: last_action_taken_code
Column Type: varchar
Max Length: 50
The order's Last Action Taken code

Column Name: last_action_taken_value
Column Type: varchar
Max Length: 50
The order's Last Action Taken value

Column Name: last_action_val_code
Column Type: varchar
Max Length: 50
The order's Last Action Validated code
Last action Validated code

Column Name: last_action_val_value
Column Type: varchar
Max Length: 50
The order's Last Action Validated value
Last action Validated value

Column Name: last_billed_date

Column Type: date

The order's Last Billed Date

Column Name: last_post_service_date

Column Type: date

The order's last Billing Post Service Date

Column Name: last_renew_by

Column Type: varchar

Max Length: 50

The order's Last Renewed By User

Column Name: last_renew_by_option

Column Type: varchar

Max Length: 50

The order's Last Renewed By (option) User

Column Name: last_renew_by_user_id

Column Type: varchar

Max Length: 50

The order's Last Renewed By User ID

Column Name: last_renew_by_user_name

Column Type: varchar

Max Length: 50

The order's Last Renewed By User ID Name

Column Name: last_renew_date

Column Type: date

The order's Last Renew Date

Column Name: last_renew_delay_ent_code

Column Type: varchar

Max Length: 50

The order's Last Renew Delayed Entry code

Column Name: last_renew_delay_ent_value

Column Type: varchar

Max Length: 50

The order's Last Renew Delayed Entry value

Column Name: last_renew_eff_date

Column Type: date

The order's Last Renew Effective Date

Column Name: last_renew_eff_time

Column Type: varchar

Max Length: 50

The order's Last Renew Effective Time

Column Name: last_renew_ent_src_code
Column Type: varchar
Max Length: 50
The order's Last Renew Order Entry Source code

Column Name: last_renew_ent_src_value
Column Type: varchar
Max Length: 50
The order's Last Renew Order Entry Source value

Column Name: last_renew_num_days
Column Type: varchar
Max Length: 50
The order's Last Renew For Number of Days

Column Name: last_renew_num_doses
Column Type: varchar
Max Length: 50
The order's Last Renew for Number of Doses

Column Name: last_renew_num_hrs
Column Type: varchar
Max Length: 50
The order's Last Renew For Number of Hours

Column Name: last_renew_num_mins
Column Type: varchar
Max Length: 50
The order's Last Renew for Number of Minutes

Column Name: last_renew_pract_id
Column Type: varchar
Max Length: 50
The order's Last Renew Practitioner ID

Column Name: last_renew_pract_name
Column Type: varchar
Max Length: 50
The order's Last Renew Practitioner Name

Column Name: last_renew_pr_nt_enr
Column Type: varchar
Max Length: 50
The order's Last Renew Practitioner Who Is Not Enrolled

Column Name: last_renew_protocol_code
Column Type: varchar
Max Length: 50
Last Renew Protocol code.

Column Name: last_renew_protocol_text
Column Type: varchar
Max Length: 50
Last Renew Protocol text.

Column Name: last_renew_protocol_value
Column Type: varchar
Max Length: 50
Last Renew Protocol value.

Column Name: last_renew_reason_code
Column Type: varchar
Max Length: 50
The order's Last Renew Reason code

Column Name: last_renew_reason_text
Column Type: varchar
Max Length: 32766
The order's Last Renew Reason Text

Column Name: last_renew_reason_txt255
Column Type: varchar
Max Length: 255
The order's Last Renew Reason Text (255 character limit)

Column Name: last_renew_reason_value
Column Type: varchar
Max Length: 50
The order's Last Renew Reason value

Column Name: last_renew_review_dt
Column Type: date
The order's Last Renew Review Date

Column Name: last_renew_rev_time
Column Type: varchar
Max Length: 50
The order's Last Renew Review Time

Column Name: last_renew_stop_date
Column Type: date
The order's Last Renew Stop Date

Column Name: last_renew_stop_time
Column Type: varchar
Max Length: 50
The order's Last Renew Stop Time

Column Name: last_renew_time

Column Type: varchar
Max Length: 50
The order's Last Renew Time
- v23

Column Name: last_renw_rd_bk_conf_code
Column Type: varchar
Max Length: 2
The order's Last Renew Read-Back Confirmation code
Renew Read-back Confirmation code

Column Name: last_renw_rd_bk_conf_value
Column Type: varchar
Max Length: 50
The order's Last Renew Read-Back Confirmation value
Renew Read-back Confirmation value

Column Name: last_update_data_entry_by
Column Type: varchar
Max Length: 50
The order's last update data entry by User

Column Name: last_update_data_entry_by_option
Column Type: varchar
Max Length: 50
The order's last update data entry by (option) User

Column Name: last_update_data_entry_date
Column Type: date
The order's last update data entry date

Column Name: last_update_data_entry_time
Column Type: varchar
Max Length: 50
The order's last update data entry time

Column Name: last_upd_data_entry_src
Column Type: varchar
Max Length: 255
The order's last update data entry source

Column Name: last_upd_data_entry_usrid
Column Type: varchar
Max Length: 50
The order's last update data entry User Id

Column Name: last_upd_data_entry_usnm
Column Type: varchar
Max Length: 50
The order's last update data entry User ID Name

Column Name: last_used_fill_number
Column Type: integer
The order's last used fill number, for NCPDP claims

Column Name: latest_hold_by_user_id
Column Type: varchar
Max Length: 50
The order's latest Hold data entry by User ID

Column Name: latest_hold_by_user_name
Column Type: varchar
Max Length: 50
The order's latest Hold data entry by User ID Name

Column Name: latest_hold_eff_date
Column Type: date
The order's latest Hold Effective Date
Lastest Hold Order Effective Date

Column Name: latest_hold_eff_time
Column Type: varchar
Max Length: 50
The order's latest Hold Effecive Time
Latest Hold Order Effective Time

Column Name: latest_hold_entry_by
Column Type: varchar
Max Length: 50
The order's latest data entry by User

Column Name: latest_hold_entry_byopt
Column Type: varchar
Max Length: 50
The order's latest Hold data entry by (option) User

Column Name: latest_hold_entry_date
Column Type: date
The order's latest Hold entry date

Column Name: latest_hold_entry_source
Column Type: varchar
Max Length: 255
The order's latest Hold entry source

Column Name: latest_hold_entry_time
Column Type: varchar
Max Length: 50
The order's latest Hold entry time

Column Name: latest_hold_pract_id
Column Type: varchar
Max Length: 50
The order's latest Hold Practitioner ID
Latest Hold Order Reviewing Practitioner

Column Name: latest_hold_pract_name
Column Type: varchar
Max Length: 50
The order's latest Hold Practitioner Name
Latest Hold Order Reviewing Practitioner Name

Column Name: latest_hold_pr_not_enr
Column Type: varchar
Max Length: 50
The order's latest Hold Practitioner Who Is Not Enrolled
Latest Hold Order Practitioner Who Is Not Enrolled

Column Name: latest_hold_rd_bk_conf_code
Column Type: varchar
Max Length: 2
The order's latest Hold Read-Back Confirmation code
Hold Read-back Confirmation code

Column Name: latest_hold_rd_bk_conf_value
Column Type: varchar
Max Length: 50
The order's latest Hold Read-Back Confirmation value
Hold Read-back Confirmation value

Column Name: latest_hold_reason_code
Column Type: varchar
Max Length: 50
The order's latest Hold Reason code
Latest Hold Order Reason Code

Column Name: latest_hold_reason_text
Column Type: varchar
Max Length: 32766
The order's latest Hold Reason Text
Latest Hold Order Reason Text

Column Name: latest_hold_reason_value
Column Type: varchar
Max Length: 50
The order's latest Hold reason value
Latest Hold Order Reason Code Value

Column Name: latest_hold_reas_txt255
Column Type: varchar

Max Length: 255
The order's latest Hold Reason Text (255 character limit)
Latest Hold Order Reason Text

Column Name: latest_hold_review_date
Column Type: date
The order's latest Hold Review Date
Latest Hold Order Review Date

Column Name: latest_hold_review_time
Column Type: varchar
Max Length: 50
The order's latest Hold Review Time
Latest Hold Order Review Time

Column Name: latest_resm_rd_bk_conf_code
Column Type: varchar
Max Length: 2
The order's latest Resume Read-Back Confirmation code
Resume Read-back Confirmation code

Column Name: latest_resm_rd_bk_conf_value
Column Type: varchar
Max Length: 50
The order's latest Resume Read-Back Confirmation value
Resume Read-back Confirmation value

Column Name: latest_resume_by_user_id
Column Type: varchar
Max Length: 50
The order's latest Resume data entry by User ID

Column Name: latest_resume_by_username
Column Type: varchar
Max Length: 50
The order's latest Resume data entry by User ID Name

Column Name: latest_resume_eff_date
Column Type: date
The order's latest Resume Effective Date
Lastest Resume Order Effective Date

Column Name: latest_resume_eff_time
Column Type: varchar
Max Length: 50
The order's latest Resume Effective Time
Latest Resume Order Effective Time

Column Name: latest_resume_entry_by
Column Type: varchar

Max Length: 50
The order's latest Resume data entry by User

Column Name: latest_resume_entry_byopt
Column Type: varchar
Max Length: 50
The order's latest Resume data entry by (option) User

Column Name: latest_resume_entry_date
Column Type: date
The order's latest Resume data entry date

Column Name: latest_resume_entry_src
Column Type: varchar
Max Length: 255
The order's latest Resume entry source

Column Name: latest_resume_entry_time
Column Type: varchar
Max Length: 50
The order's latest Resume data entry time

Column Name: latest_resume_pract_id
Column Type: varchar
Max Length: 50
The order's latest Resume Practitioner ID
Latest Resume Order Reviewing Practitioner

Column Name: latest_resume_pract_name
Column Type: varchar
Max Length: 50
The order's latest Resume Practitioner Name
Latest Resume Order Reviewing Practitioner Name

Column Name: latest_resume_pr_not_enr
Column Type: varchar
Max Length: 50
The order's latest Resume Practitioner Who Is Not Enrolled
Latest Resume Order Practitioner Who Is Not Enrolled

Column Name: latest_resume_reason_code
Column Type: varchar
Max Length: 50
The order's latest Resume Reason code
Latest Resume Order Reason Code

Column Name: latest_resume_reason_text
Column Type: varchar
Max Length: 32766
The order's latest Resume Reason Text

Latest Resume Order Reason Text

Column Name: latest_resume_reas_txt255

Column Type: varchar

Max Length: 255

The order's latest Resume Reason Text (255 character limit)

Latest Resume Order Reason Text

Column Name: latest_resume_reason_value

Column Type: varchar

Max Length: 50

The order's latest Resume Reason value

Latest Resume Order Reason Code Value

Column Name: latest_resume_review_date

Column Type: date

The order's latest Resume Review Date

Latest Resume Order Review Date

Column Name: latest_resume_review_time

Column Type: varchar

Max Length: 50

The order's latest Resume Review Time

Latest Resume Order Review Time

Column Name: make_orders_open_end_code

Column Type: varchar

Max Length: 50

The order's Make Order Open-Ended code

Column Name: make_orders_open_end_value

Column Type: varchar

Max Length: 50

The order's Make Order Open-Ended value

Column Name: med_category_code

Column Type: varchar

Max Length: 255

The order's Medication Category code (from the order's Order Code, for medications)

Column Name: med_category_value_long

Column Type: varchar

Max Length: 4096

The order's Medication Category value (long) (from the order's Order Code, for medications)

Column Name: med_category_value_short

Column Type: varchar

Max Length: 255

The order's Medication Category value (short) (from the order's Order Code, for medications)

Column Name: non_formulary_override
Column Type: varchar
Max Length: 80
The order's Non-Formulary Override text
Non-formulary Pharmacy Order Warning Override Text

Column Name: non_formulary_ovrd_code
Column Type: varchar
Max Length: 50
The order's Non-formulary Override code
Non-formulary override code (dictionary-based)

Column Name: non_formulary_ovrd_value
Column Type: varchar
Max Length: 50
The order's Non-formulary Override value
Non-formulary override code value (from dictionary)

Column Name: now_and_then_first
Column Type: varchar
Max Length: 50
Give Now First Order Number

Column Name: now_and_then_ongoing
Column Type: varchar
Max Length: 50
Give Now Ongoing Order Number

Column Name: now_and_then_second
Column Type: varchar
Max Length: 50
Give Now Second Order Number

Column Name: now_and_then_type
Column Type: varchar
Max Length: 50
Give Now Order Type

Column Name: number_of_refills
Column Type: varchar
Max Length: 50
The order's Number of Refill Allowed

Column Name: number_of_refills_numeric
Column Type: integer
The order's Number of Refill Allowed (numeric data type)

Column Name: oc_action
Column Type: varchar
Max Length: 50

The order's OrderConnect action (when integrated with Order Connect for OTE external pharmacy mode)

Column Name: oc_assoc_order_history_id

Column Type: varchar

Max Length: 50

The order's OrderConnect associated OrderHistoryID (when integrated with Order Connect for OTE external pharmacy mode)

Column Name: oc_assoc_rx_id

Column Type: varchar

Max Length: 50

The order's OrderConnect associated RxID (when integrated with Order Connect for OTE external pharmacy mode)

Column Name: oc_calc_total_rx_duration

Column Type: integer

The order's OrderConnect calculated total prescriptoin duration (when integrated with Order Connect for OTE external pharmacy mode)

Column Name: oc_dc_pendingapprove_info

Column Type: varchar

Max Length: 50

The order's OrderConnect DC Pending Approval information (when integrated with Order Connect for OTE external pharmacy mode)

Column Name: oc_earliest_fill_date

Column Type: date

The order's OrderConnect Earliest Fill Date (when integrated with Order Connect for OTE external pharmacy mode)

Column Name: oc_note_to_pharmacy

Column Type: varchar

Max Length: 255

The order's OrderConnect Note to Pharmacist (when integrated with Order Connect for OTE external pharmacy mode)

Column Name: oe_source_val_ovr

Column Type: varchar

Max Length: 50

The 'Order Requires Validation Override' extended attribute of the Order Entry Source

Column Name: one_time_only_code

Column Type: varchar

Max Length: 50

The order's One-time-Only code

Column Name: one_time_only_value

Column Type: varchar

Max Length: 50

The order's One-Time-Only value

Column Name: ord_disc_protocol_code
Column Type: varchar
Max Length: 50
Order Discontinue Protocol code.

Column Name: ord_disc_protocol_text
Column Type: varchar
Max Length: 50
Order Discontinue Protocol code.

Column Name: ord_disc_protocol_value
Column Type: varchar
Max Length: 50
Order Discontinue Protocol value.

Column Name: order_category_code
Column Type: varchar
Max Length: 50
The order's Order Category code (Leave, Discharge, History-Only, Other)

Column Name: order_category_value
Column Type: varchar
Max Length: 50
The order's Order Category value (Leave, Discharge, History-Only, Other)

Column Name: order_changed_code
Column Type: varchar
Max Length: 50
The order's Order Changed code

Column Name: order_changed_value
Column Type: varchar
Max Length: 50
The order's Order Changed value

Column Name: order_date
Column Type: date
The order's Order Date

Column Name: order_dc_via_modify_x
Column Type: varchar
Max Length: 50
The order was DC'd via a Modify flag

Column Name: order_description
Column Type: varchar
Max Length: 100
The order's Order Code Description

Column Name: order_entry_source_code
Column Type: varchar
Max Length: 50
The order's Order Entry Source code (Create New Order)

Column Name: order_entry_source_value
Column Type: varchar
Max Length: 50
The order's Order Entry Source value (Create New Order)

Column Name: order_guidelines
Column Type: varchar
Max Length: 32766
The order's Order Guidelines (from the order's Order Code)
Order Guidelines (previously call Dosage / Lab Test Guidelines)

Column Name: order_guidelines_255
Column Type: varchar
Max Length: 255
The order's Order Guidelines (from the order's Order Code) (255 character limit)
Order Guidelines (previously called Dosage / Lab Test Guidelines)

Column Name: ordering_prac_npi
Column Type: varchar
Max Length: 100
The NPI Number defined for the Ordering Practitioner

Column Name: ordering_pract_id
Column Type: varchar
Max Length: 50
The order's Ordering Practitioner ID

Column Name: ordering_pract_name
Column Type: varchar
Max Length: 50
The order's Ordering Practitioner Name

Column Name: ordering_pr_not_enr
Column Type: varchar
Max Length: 50
The order's Ordering Practitioner Who Is Not Enrolled

Column Name: order_status_code
Column Type: varchar
Max Length: 50
The order's Order Status code

Column Name: order_status_value
Column Type: varchar
Max Length: 50

The order's Order Status value

Column Name: order_text

Column Type: varchar

Max Length: 32766

The order's Order Text

Column Name: order_text_255

Column Type: varchar

Max Length: 255

The order's Order Text (255 character limit)

Column Name: order_time

Column Type: varchar

Max Length: 50

The order's Order Time

Column Name: order_type_category_code

Column Type: varchar

Max Length: 10

The order's Order Type Category code

Column Name: order_type_category_value

Column Type: varchar

Max Length: 50

The order's Order Type Category value

Column Name: order_type_code

Column Type: varchar

Max Length: 50

The order's Order Type code

Column Name: order_type_value

Column Type: varchar

Max Length: 50

The order's Order Type value

Column Name: order_unique_id

Column Type: varchar

Max Length: 50

The order's Order Number

Column Name: ordnum_dcd_during_modify

Column Type: varchar

Max Length: 50

The Order Number that was DC'd during the Modify action that created this order

Column Name: ord_val_protocol_code

Column Type: varchar

Max Length: 50

Order Validate Protocol code.

Column Name: ord_val_protocol_text

Column Type: varchar

Max Length: 50

Order Validate Protocol code.

Column Name: ord_val_protocol_value

Column Type: varchar

Max Length: 50

Order Validate Protocol value.

Column Name: orig_dur_doses_numeric

Column Type: integer

The order's original Duration (Doses) (numeric data type)

Column Name: original_duration

Column Type: varchar

Max Length: 50

The order's original Duration

Column Name: original_dur_days

Column Type: varchar

Max Length: 50

The order's original Duration (Days)

Column Name: original_dur_days_numeric

Column Type: integer

The order's original Duration (Days) (numeric data type)

Column Name: original_dur_doses

Column Type: varchar

Max Length: 50

The order's original Duration (Doses)

Column Name: original_dur_hrs

Column Type: varchar

Max Length: 50

The order's original Duration (Hours)

Column Name: original_dur_hrs_numeric

Column Type: integer

The order's original Duration (Hooours) (numeric data type)

Column Name: original_dur_mins

Column Type: varchar

Max Length: 50

The order's original Duration (Minutes)

Column Name: original_dur_mins_numeric

Column Type: integer
The order's original Duration (Minutes) (numeric data type)

Column Name: original_stop_date
Column Type: date
The order's original Stop Date

Column Name: original_stop_time
Column Type: varchar
Max Length: 50
The order's original Stop Time

Column Name: pm_0600_1130pm_code
Column Type: varchar
Max Length: 50
The order's specified Hours of Administration codes between 6:00 PM and 11:30 PM

Column Name: pm_0600_1130pm_value
Column Type: varchar
Max Length: 75
The order's specified Hours of Administration values between 6:00 PM and 11:30 PM

Column Name: pm_noon_0530pm_code
Column Type: varchar
Max Length: 50
The order's specified Hours of Administration codes between 12:00 PM (Noon) and 5:30 PM

Column Name: pm_noon_0530pm_value
Column Type: varchar
Max Length: 75
The order's specified Hours of Administration values between 12:00 PM (Noon) and 5:30 PM

Column Name: pre_auth_link
Column Type: varchar
Max Length: 50
The order's link to a Pre-Authorized order

Column Name: problems_code
Column Type: varchar
Max Length: 4096
The order's Associated Problems codes

Column Name: problems_value
Column Type: varchar
Max Length: 4096
The order's Associated Problems values

Column Name: protocol_code
Column Type: varchar
Max Length: 50

Protocol code.

Column Name: protocol_text

Column Type: varchar

Max Length: 50

Protocol text.

Column Name: protocol_value

Column Type: varchar

Max Length: 50

Protocol value.

Column Name: quantity

Column Type: varchar

Max Length: 50

The order's Quantity / Dose per administration

Column Name: quantity_numeric

Column Type: numeric

The order's Quantity / Dose per administration (numeric data type)

Column Name: quantity_unit

Column Type: varchar

Max Length: 50

The order's Quantity / Dose per administration Unit

Column Name: rate_amount

Column Type: varchar

Max Length: 50

The order's Rate Amount (IV orders only)

Column Name: rate_unit_code

Column Type: varchar

Max Length: 50

The order's Rate Unit code (IV orders only)

Column Name: rate_unit_value

Column Type: varchar

Max Length: 50

The order's Rate Unit value (IV ordders only)

Column Name: read_back_confirm_code

Column Type: varchar

Max Length: 2

The order's Read-Back Confirmation code (Create New Order)

Read-back Confirmation code

Column Name: read_back_confirm_value

Column Type: varchar

Max Length: 50

The order's Read-Back Confirmation value (Create New Order)
Read-back Confirmation value

Column Name: reason_code
Column Type: varchar
Max Length: 32000
The order's Reason Code

Column Name: reason_text
Column Type: varchar
Max Length: 32766
The order's Reason Text

Column Name: reason_text_255
Column Type: varchar
Max Length: 255
The order's Reason Text (255 character limit)

Column Name: reason_value
Column Type: varchar
Max Length: 32000
The order's Reason value

Column Name: reordered_order_number
Column Type: varchar
Max Length: 50
If reordered, the Order Number of the subsequent order

Column Name: reorder_of_order_number
Column Type: varchar
Max Length: 50
If created via a Reorder, the Order Number of the previous order that was Reordered

Column Name: reschd_1st_dose_date
Column Type: date
Rescheduled first dose date.

Column Name: reschd_1st_dose_time
Column Type: varchar
Max Length: 10
Rescheduled first dose time.

Column Name: reschd_2nd_dose_date
Column Type: date
Rescheduled second dose date.

Column Name: reschd_2nd_dose_skip_code
Column Type: varchar
Max Length: 10
Skip second dose code.

Column Name: reschd_2nd_dose_skip_val
Column Type: varchar
Max Length: 20
Skip second dose value.

Column Name: reschd_2nd_dose_time
Column Type: varchar
Max Length: 10
Rescheduled second dose time.

Column Name: results_status_code
Column Type: varchar
Max Length: 20
The order's Results Status code

Column Name: results_status_date
Column Type: date
The order's Results Status date

Column Name: results_status_time
Column Type: varchar
Max Length: 10
The order's Results Status time

Column Name: results_status_value
Column Type: varchar
Max Length: 200
The order's Results Status value

Column Name: routine_or_prn_code
Column Type: varchar
Max Length: 50
The order's Routine / PRN / STAT / Other code

Column Name: routine_or_prn_value
Column Type: varchar
Max Length: 50
The order's Routine / PRN / STAT / Other value

Column Name: self_administered_code
Column Type: varchar
Max Length: 50
The order's Self-Administered code

Column Name: self_administered_value
Column Type: varchar
Max Length: 50
The order's Self-Administered value

Column Name: special_instructions
Column Type: varchar
Max Length: 32766
The order's Special/Additional Instructions

Column Name: special_instructions_255
Column Type: varchar
Max Length: 255
The order's Special/Additional Instructions (255 character limit)

Column Name: start_date
Column Type: date
The order's Start Date

Column Name: start_time
Column Type: varchar
Max Length: 50
The order's Start Time

Column Name: start_time_h
Column Type: time
The order's Start Time

Column Name: times_24_hour
Column Type: varchar
Max Length: 50
The order's Times / 24 Hours value

Column Name: times_24_hour_numeric
Column Type: integer
The order's Times / 24 Hours value (numeric data type)

Column Name: treatment_setting_code
Column Type: varchar
Max Length: 50
The Treatment Setting code of the client Episode for the order

Column Name: treatment_setting_value
Column Type: varchar
Max Length: 50
The Treatment Setting value of the client Episode for the order

Column Name: unique_session_id_create
Column Type: varchar
Max Length: 255
The Unique Session ID from when the order was created
Unique Session ID associated with Create New Order action

Column Name: unique_session_id_latest
Column Type: varchar

Max Length: 255
The Unique Session ID from when the order was last updated
Unique Session ID associated with latest action

Column Name: unit_dose
Column Type: varchar
Max Length: 50
Unit Dose value from fill details

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: uses_ssi_instructions
Column Type: varchar
Max Length: 1
Y/N flag indicating whether the order uses Sliding Scale Insulin instructions

Column Name: validated_by
Column Type: varchar
Max Length: 50
The order's Validated By User

Column Name: validated_by_option
Column Type: varchar
Max Length: 50
The order's Validate data entry by (option) User

Column Name: validated_by_user_id
Column Type: varchar
Max Length: 50
The order's Validate data entry by User Id

Column Name: validated_by_user_name
Column Type: varchar
Max Length: 50
The order's Validate data entry by User ID Name

Column Name: validated_date
Column Type: date
The order's Validate date entry date

Column Name: validate_delay_ent_code
Column Type: varchar
Max Length: 50
The order's Validate Delayed Entry code

Column Name: validate_delay_ent_value

Column Type: varchar
Max Length: 50
The order's Validate Delayed Entry value

Column Name: validated_time
Column Type: varchar
Max Length: 50
The order's Validate data entry time

Column Name: validate_ent_src_code
Column Type: varchar
Max Length: 50
The order's Validate Order Entry Source code

Column Name: validate_ent_src_value
Column Type: varchar
Max Length: 50
The order's Validate Order Entry Source value

Column Name: validate_pract_id
Column Type: varchar
Max Length: 50
The order's Validate Practitioner ID

Column Name: validate_pract_name
Column Type: varchar
Max Length: 50
The order's Validate Practitioner Name

Column Name: validate_pr_not_enr
Column Type: varchar
Max Length: 50
The order's Validate Practitioner Who Is Not Enrolled

Column Name: validate_reason_code
Column Type: varchar
Max Length: 50
The order's Validate Reason code

Column Name: validate_reason_text
Column Type: varchar
Max Length: 32766
The order's Validate Reason Text

Column Name: validate_reason_txt255
Column Type: varchar
Max Length: 255
The order's Validate Reason Text (255 character limit)

Column Name: validate_reason_value

Column Type: varchar
Max Length: 50
The order's Validate Reason value

Column Name: validate_review_date
Column Type: date
The order's Validate Review Date

Column Name: validate_review_time
Column Type: varchar
Max Length: 50
The order's Validate Review Time

Column Name: v_dosage_lab_test
Column Type: varchar
Max Length: 32766
The order's Order Guidelines (from the order's Order Code)

Column Name: v_dosage_lab_test_255
Column Type: varchar
Max Length: 255
The order's Order Guidelines (from the order's Order Code) (255 character limit)

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.history_client_order_lab

Table Description: External Laboratory Order details

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
System code.

Column Name: ORDuniqueid
Column Type: varchar
Max Length: 50
Order unique ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID.

Column Name: abn_image
Column Type: longvarbinary
Max Length: 2147483647
ABN Image

Column Name: abn_required
Column Type: integer
Flags a lab order has having an ABN attached.

Column Name: communication_method
Column Type: varchar
Max Length: 50
Communication Method

Column Name: last_activity
Column Type: varchar
Max Length: 100
Last Activity message

Column Name: specimen_collect_code
Column Type: varchar
Max Length: 50
Specimen Collection code.

Column Name: specimen_collect_value
Column Type: varchar
Max Length: 50
Specimen Collection Value

Column Name: specimen_site
Column Type: varchar
Max Length: 50
Specimen Site ; av - 60128

Column Name: specimen_type_code
Column Type: varchar
Max Length: 50
Specimen Type Code

Column Name: specimen_type_value
Column Type: varchar
Max Length: 50
Specimen Type value

Column Name: vendor_name
Column Type: varchar
Max Length: 50
Vendor name associated with laboratory order.

Documentation for form: Client_Profile/_/_Physicians_Orders

Table Name: OrderEntry.history_client_order_renew

Table Description: This table contains one row for every client order renewal in Avatar OE.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODENUMBER
Column Type: integer
The client episode for the order that was renewed.

Column Name: FACILITY
Column Type: integer
The FACILITY (Root System Code) in which the data was stored

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID for whom this order was created

Column Name: RNWuniqueid
Column Type: varchar
Max Length: 50
The renewal's RNW unique ID within the client's renewals

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time when this data row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: effective_date
Column Type: date
Effective date of the renewal.

Column Name: effective_time
Column Type: varchar
Max Length: 50
Effective time of the renewal.

Column Name: link_to_order_hist
Column Type: varchar
Max Length: 50

Link to the ORD unique ID in OrderEntry.history_client_order.

Column Name: number_of_days
Column Type: varchar
Max Length: 50
Number of days renewed.

Column Name: number_of_doses
Column Type: varchar
Max Length: 50
Number of doses renewed.

Column Name: number_of_hours
Column Type: varchar
Max Length: 50
Number of hours renewed.

Column Name: number_of_minutes
Column Type: varchar
Max Length: 50
Number of minutes renewed.

Column Name: oe_source_val_ovr
Column Type: varchar
Max Length: 50
The 'Order Requires Validation Override' extended attribute of the Order Entry Source".

Column Name: open_ended_code
Column Type: varchar
Max Length: 50
Whether the renewal is open ended (code).

Column Name: open_ended_value
Column Type: varchar
Max Length: 50
Whether the renewal is open ended (value).

Column Name: order_entry_source_code
Column Type: varchar
Max Length: 50
Order Entry Source code

Column Name: order_entry_source_value
Column Type: varchar
Max Length: 50
Order Entry Source value

Column Name: practitioner
Column Type: varchar
Max Length: 50

Practitioner ID.

Column Name: practitioner_name
Column Type: varchar
Max Length: 50
Practitioner name.

Column Name: pract_not_enrolled
Column Type: varchar
Max Length: 50
Practitioner not enrolled.

Column Name: protocol_code
Column Type: varchar
Max Length: 50
'Renew Protocol' code.

Column Name: protocol_text
Column Type: varchar
Max Length: 50
'Renew Protocol Text'.

Column Name: protocol_value
Column Type: varchar
Max Length: 50
'Renew Protocol' value.

Column Name: renew_rd_bk_conf_code
Column Type: varchar
Max Length: 2
Renew Read-back Confirmation code.

Column Name: renew_rd_bk_conf_value
Column Type: varchar
Max Length: 50
Renew Read-back Confirmation value.

Column Name: renew_reason_code
Column Type: varchar
Max Length: 50
Renewal reason (code).

Column Name: renew_reason_text
Column Type: varchar
Max Length: 32766
Renew reason text (full).

Column Name: renew_reason_txt255
Column Type: varchar
Max Length: 255

Renewal reason text (max length 255 characters).

Column Name: renew_reason_value
Column Type: varchar
Max Length: 50
Renewal reason (value).

Column Name: review_date
Column Type: date
Review date.

Column Name: review_time
Column Type: varchar
Max Length: 50
Review time.

Column Name: stop_date_prior_to_renew
Column Type: date
Order stop date prior to renewal.

Column Name: stop_time_prior_to_renew
Column Type: varchar
Max Length: 50
Order stop time prior to renewal.

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.history_log_warn_clinical

Table Description: Clinical Alert warning override information.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: CAWuniqueid
Column Type: varchar
Max Length: 50
Unique identifier for override record.

Column Name: EPISODE_NUMBER
Column Type: integer
Episode number associated with override record.

Column Name: FACILITY
Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the override record.

Column Name: alert_message

Column Type: varchar

Max Length: 32000

The warning message that was presented to the user.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The source that the order was filed from.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The 'User ID' who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 50

The 'User Description' of the user which last updated the row.

Column Name: override_code

Column Type: varchar

Max Length: 50

Reason the warning was overridden.

Column Name: override_text
Column Type: varchar
Max Length: 250
Short explanation of why the warning was overridden.

Column Name: override_value
Column Type: varchar
Max Length: 50
Description associated with override reason code.

Column Name: parent_node_for_subs
Column Type: varchar
Max Length: 50
The identifier of the order that this override applies to.

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.history_log_warn_consent

Table Description: Consent warning override information.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode number associated with override record.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: MCWuniqueid
Column Type: varchar
Max Length: 50
Unique identifier for override record.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the override record.

Column Name: alert_message
Column Type: varchar

Max Length: 32000

The warning message that was presented to the user.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_source

Column Type: varchar

Max Length: 255

The source that the order was filed from.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The 'User ID' who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 50

The 'User Description' of the user which last updated the row.

Column Name: override_code

Column Type: varchar

Max Length: 50

Reason the warning was overridden.

Column Name: override_text

Column Type: varchar

Max Length: 250

Short explanation of why the warning was overridden.

Column Name: override_value

Column Type: varchar

Max Length: 50

Description associated with override reason code.

Column Name: parent_node_for_subs

Column Type: varchar

Max Length: 50

The identifier of the order that this override applies to.

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.history_log_warn_dose

Table Description: Dosage range warning override information.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: DRWuniqueid

Column Type: varchar

Max Length: 50

Unique identifier for override record.

Column Name: EPISODE_NUMBER

Column Type: integer

Episode number associated with override record.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the override record.

Column Name: alert_message

Column Type: varchar

Max Length: 32000

The warning message that was presented to the user.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The source that the order was filed from.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The 'User Description' of the user which last updated the row.

Column Name: override_code
Column Type: varchar
Max Length: 50
Reason the warning was overridden.

Column Name: override_text
Column Type: varchar
Max Length: 250
Short explanation of why the warning was overridden.

Column Name: override_value
Column Type: varchar
Max Length: 50
Description associated with override reason code.

Column Name: parent_node_for_subs
Column Type: varchar
Max Length: 50
The identifier of the order that this override applies to.

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.history_log_warn_ing_dup

Table Description: Order Entry Ingredient Duplication warning messages

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: IDWuniqueid
Column Type: varchar
Max Length: 50
Ingredient duplication warning row ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data entry by User.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
Data entry option ID.

Column Name: data_entry_date
Column Type: date
Data entry date.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar

Max Length: 255
Data entry source.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
Data entry time.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
Data entry by user ID.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
Data entry user name.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: override_code
Column Type: varchar
Max Length: 50
Override code selected during entry of order.

Column Name: override_text
Column Type: varchar
Max Length: 250
Override Notes entered during entry of order.

Column Name: override_value
Column Type: varchar
Max Length: 50
Value associated with override code.

Column Name: parent_node_for_subs
Column Type: varchar
Max Length: 50
Link to OrderEntry.history_client_order table.

Column Name: screening_message
Column Type: varchar
Max Length: 500
Warning message.

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.history_log_warn_ther_dup

Table Description: Order Entry Therapeutic Duplication warning messages

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: TDWuniqueid
Column Type: varchar
Max Length: 50
Therapeutic duplication warning row ID.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data entry by User.

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 50
Data entry option ID.

Column Name: data_entry_date
Column Type: date
Data entry date.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data entry source.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
Data entry time.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
Data entry by user ID.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
Data entry user name.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: override_code

Column Type: varchar
Max Length: 50
Override code selected during entry of order.

Column Name: override_text
Column Type: varchar
Max Length: 250
Override Notes entered during entry of order.

Column Name: override_value
Column Type: varchar
Max Length: 50
Value associated with override code.

Column Name: parent_node_for_subs
Column Type: varchar
Max Length: 50
Link to OrderEntry.history_client_order table.

Column Name: screening_message
Column Type: varchar
Max Length: 500
Warning message.

Documentation for form: Client_Profile/_/_Physicians_Orders

Table Name: OrderEntry.history_order_alert

Table Description: Order Entry Screening warning messages

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
Episode number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: ORDuniqueid
Column Type: varchar
Max Length: 50
Order row ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: alert_message
Column Type: varchar
Max Length: 32000
Alert message.

Column Name: alert_type
Column Type: varchar
Max Length: 50
Alert type.

Column Name: alert_unique_id
Column Type: varchar
Max Length: 50
Alert row ID.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data entry by User.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
Data entry option ID.

Column Name: data_entry_date
Column Type: date
Data entry date.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
Data entry time.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar

Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
Data entry by user ID.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
Data entry user name.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: override_code
Column Type: varchar
Max Length: 32000
Override code selected during entry of order.

Column Name: override_text
Column Type: varchar
Max Length: 32000
Override Notes entered during entry of order.

Column Name: override_value
Column Type: varchar
Max Length: 50
Value associated with override code.

Column Name: warning_clinical_effect
Column Type: varchar
Max Length: 150
Warning clinical effect.

Column Name: warning_severity_level
Column Type: varchar
Max Length: 50
Warning severity level.

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.hx_order_iv

Table Description: This table contains PCA and Titrate data for certain Non-Product-Based intravenous orders.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: order_unique_id
Column Type: varchar
Max Length: 50

Column Name: init_rate
Column Type: varchar
Max Length: 50

Column Name: init_rate_unit_code
Column Type: varchar
Max Length: 50

Column Name: init_rate_unit_val
Column Type: varchar
Max Length: 50

Column Name: inc_units
Column Type: varchar
Max Length: 50

Column Name: inc_units_unit_code
Column Type: varchar
Max Length: 50

Column Name: inc_units_unit_val
Column Type: varchar
Max Length: 50

Column Name: time_increment
Column Type: varchar
Max Length: 50

Column Name: max_rate
Column Type: varchar
Max Length: 50

Column Name: max_rate_unit_code
Column Type: varchar
Max Length: 50

Column Name: max_rate_unit_val
Column Type: varchar
Max Length: 50

Column Name: titr_params_1
Column Type: varchar
Max Length: 50

Column Name: titr_params_end_1
Column Type: varchar
Max Length: 50

Column Name: titr_params_code_1
Column Type: varchar
Max Length: 50

Column Name: titr_params_val_1
Column Type: varchar
Max Length: 50

Column Name: load_dose
Column Type: varchar
Max Length: 50

Column Name: load_dose_unit_code
Column Type: varchar
Max Length: 50

Column Name: load_dose_unit_val
Column Type: varchar
Max Length: 50

Column Name: basal_rate
Column Type: varchar
Max Length: 50

Column Name: basal_rate_unit_code
Column Type: varchar
Max Length: 50

Column Name: basal_rate_unit_val
Column Type: varchar
Max Length: 50

Column Name: pca_dose
Column Type: varchar
Max Length: 50

Column Name: pca_dose_unit_code
Column Type: varchar
Max Length: 50

Column Name: pca_dose_unit_val
Column Type: varchar
Max Length: 50

Column Name: lockout
Column Type: varchar
Max Length: 50

Column Name: max_dose
Column Type: varchar
Max Length: 50

Column Name: max_dose_unit_code
Column Type: varchar
Max Length: 50

Column Name: max_dose_unit_val
Column Type: varchar
Max Length: 50

Column Name: max_dose_4h
Column Type: varchar
Max Length: 50

Column Name: max_dose_unit_4h_code
Column Type: varchar
Max Length: 50

Column Name: max_dose_unit_4h_val
Column Type: varchar
Max Length: 50

Column Name: break_dose
Column Type: varchar
Max Length: 50

Column Name: break_dose_unit_code
Column Type: varchar
Max Length: 50

Column Name: break_dose_unit_val
Column Type: varchar
Max Length: 50

Column Name: break_params_code
Column Type: varchar
Max Length: 50

Column Name: break_params_val
Column Type: varchar
Max Length: 50

Column Name: recipe_id
Column Type: integer

Column Name: csi_code
Column Type: varchar
Max Length: 50

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.hx_order_vent_mode

Table Description: This table contains one row for every client order of order type category Vent in Avatar OE.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The FACILITY (Root System Code) in which the data was stored

Column Name: order_unique_id
Column Type: varchar
Max Length: 50
The order's Order Number

Column Name: vent_mode_code
Column Type: varchar
Max Length: 50
The vent mode code

Column Name: vent_mode_value
Column Type: varchar
Max Length: 50
The vent mode value

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.hx_order_vent_settings

Table Description: This table contains one row for every vent setting parameter in every client order of order type category Vent in Avatar OE.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The FACILITY (Root System Code) in which the data was stored

Column Name: order_unique_id
Column Type: varchar
Max Length: 50
The order's Order Number

Column Name: vent_setting_answer
Column Type: varchar
Max Length: 50
The value for the vent setting

Column Name: vent_setting_code
Column Type: varchar
Max Length: 50
The Vent Setting code

Column Name: vent_setting_value
Column Type: varchar
Max Length: 50
The vent setting value

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.hx_order_wound

Table Description: This table contains one row for every client order of order type category Wound in Avatar OE.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The FACILITY (Root System Code) in which the data was stored

Column Name: WOUND
Column Type: integer
a foreign key to the SYSTEM.cw_client_wound_definition table

Column Name: order_unique_id
Column Type: varchar

Max Length: 50
The order's Order Number

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.order_entry_cs_utilities

Table Description: Stores OE Order data as of the filing of each order action - Client Profile/Physicians Orders, Order Entry Console, Renew Due To Do, Validation Required To Do, "automatic" Discontinues

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: action_code
Column Type: varchar
Max Length: 50

Column Name: action_code_value
Column Type: varchar
Max Length: 60

Column Name: action_unique_id
Column Type: varchar
Max Length: 50

Column Name: action_unique_session_id
Column Type: varchar
Max Length: 50

Column Name: am_0600_1130am_code
Column Type: varchar
Max Length: 50

Column Name: am_0600_1130am_value
Column Type: varchar
Max Length: 80

Column Name: am_12midnight_0530am_code
Column Type: varchar
Max Length: 50

Column Name: am_12midnight_0530am_value
Column Type: varchar
Max Length: 80

Column Name: change_explanation
Column Type: varchar
Max Length: 32766

Column Name: change_explanation_255
Column Type: varchar
Max Length: 255

Column Name: changing_practitioner
Column Type: varchar
Max Length: 50

Column Name: changing_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: changing_pract_not_enroll
Column Type: varchar
Max Length: 50

Column Name: comments
Column Type: varchar
Max Length: 32766

Column Name: comments_255
Column Type: varchar
Max Length: 255

Column Name: created_by_preauthor_code
Column Type: varchar
Max Length: 50

Column Name: customize_frequency_code
Column Type: varchar
Max Length: 50

Column Name: daily_administration_code
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50

Column Name: days_administered_code
Column Type: varchar
Max Length: 50

Column Name: days_administered_value
Column Type: varchar
Max Length: 50

Column Name: delayed_entry_code
Column Type: varchar
Max Length: 50

Column Name: discontinued_by
Column Type: varchar
Max Length: 50

Column Name: discontinued_date
Column Type: date

Column Name: diagnosis_code
Column Type: varchar
Max Length: 40

Column Name: diagnosis_value
Column Type: varchar
Max Length: 255

Column Name: discontinued_time
Column Type: varchar
Max Length: 50

Column Name: discontinue_reason_code
Column Type: varchar
Max Length: 50

Column Name: discontinue_reason_text
Column Type: varchar
Max Length: 32766

Column Name: discontinue_reason_value

Column Type: varchar
Max Length: 50

Column Name: discontinue_reas_text_255
Column Type: varchar
Max Length: 255

Column Name: dis_effective_date
Column Type: date

Column Name: dis_effective_time
Column Type: varchar
Max Length: 50

Column Name: dispense_as_written
Column Type: varchar
Max Length: 50

Column Name: dis_practitioner
Column Type: varchar
Max Length: 50

Column Name: dis_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: dis_pract_not_enroll
Column Type: varchar
Max Length: 50

Column Name: dis_rd_bk_conf_code
Column Type: varchar
Max Length: 2

Column Name: dis_rd_bk_conf_value
Column Type: varchar
Max Length: 50

Column Name: dosage
Column Type: varchar

Max Length: 50

Column Name: dosage_form

Column Type: varchar

Max Length: 50

Column Name: dosage_lab_test_guidelines

Column Type: varchar

Max Length: 32766

Column Name: dosage_unit

Column Type: varchar

Max Length: 50

Column Name: durationdays

Column Type: varchar

Max Length: 50

Column Name: durationhours

Column Type: varchar

Max Length: 50

Column Name: durationminutes

Column Type: varchar

Max Length: 50

Column Name: effective_date

Column Type: date

Column Name: effective_time

Column Type: varchar

Max Length: 50

Column Name: every_nth_day

Column Type: varchar

Max Length: 50

Column Name: first_dose_code

Column Type: varchar

Max Length: 50

Column Name: first_dose_value
Column Type: varchar
Max Length: 50

Column Name: frequency_code
Column Type: varchar
Max Length: 50

Column Name: frequency_code_value
Column Type: varchar
Max Length: 50

Column Name: hold_date
Column Type: date

Column Name: hold_effective_date
Column Type: date

Column Name: hold_effective_time
Column Type: varchar
Max Length: 50

Column Name: hold_practitioner
Column Type: varchar
Max Length: 50

Column Name: hold_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: hold_pract_not_enroll
Column Type: varchar
Max Length: 50

Column Name: hold_reason_code
Column Type: varchar
Max Length: 50

Column Name: hold_reason_text
Column Type: varchar
Max Length: 32766

Column Name: hold_reason_text_255
Column Type: varchar
Max Length: 255

Column Name: hold_reason_value
Column Type: varchar
Max Length: 50

Column Name: hold_time
Column Type: varchar
Max Length: 50

Column Name: icd_9_code_OLD
Column Type: varchar
Max Length: 50

Column Name: icd_9_code_value_OLD
Column Type: varchar
Max Length: 250

Column Name: icd_9_code
Column Type: varchar
Max Length: 40

Column Name: icd_9_code_value
Column Type: varchar
Max Length: 255

Column Name: icd_10_code
Column Type: varchar
Max Length: 40

Column Name: icd_10_code_value
Column Type: varchar
Max Length: 255

Column Name: diag_imo_code
Column Type: varchar
Max Length: 255

Column Name: diag_imo_value
Column Type: varchar
Max Length: 255

Column Name: JOIN_TO_DIAGNOSIS_OBJECT
Column Type: varchar
Max Length: 40

Column Name: last_renew_reason_code
Column Type: varchar
Max Length: 50

Column Name: last_renew_reason_text
Column Type: varchar
Max Length: 32766

Column Name: last_renew_reason_text_255
Column Type: varchar
Max Length: 255

Column Name: last_renew_reason_value
Column Type: varchar
Max Length: 50

Column Name: last_renw_rd_bk_conf_code
Column Type: varchar
Max Length: 2

Column Name: last_renw_rd_bk_conf_value
Column Type: varchar
Max Length: 50

Column Name: latest_hold_rd_bk_conf_code
Column Type: varchar
Max Length: 2

Column Name: latest_hold_rd_bk_conf_value
Column Type: varchar
Max Length: 50

Column Name: latest_resm_rd_bk_conf_code
Column Type: varchar
Max Length: 2

Column Name: latest_resm_rd_bk_conf_value
Column Type: varchar
Max Length: 50

Column Name: leave_discharge_hist_code
Column Type: varchar
Max Length: 50

Column Name: leave_disch_hist_value
Column Type: varchar
Max Length: 50

Column Name: non_form_text_ovrd_255
Column Type: varchar
Max Length: 255

Column Name: non_formulary_ovrd_code
Column Type: varchar
Max Length: 50

Column Name: non_formulary_ovrd_value
Column Type: varchar
Max Length: 50

Column Name: non_formulary_text_override
Column Type: varchar
Max Length: 32766

Column Name: notification_print_date
Column Type: date

Column Name: notification_print_date_time

Column Type: timestamp

Column Name: notification_printed

Column Type: varchar

Max Length: 50

Column Name: notification_printed_by

Column Type: varchar

Max Length: 50

Column Name: notification_print_time

Column Type: time

Column Name: notification_print_userid

Column Type: varchar

Max Length: 50

Column Name: notification_print_usernm

Column Type: varchar

Max Length: 50

Column Name: notify_prtq1

Column Type: varchar

Max Length: 80

Column Name: notify_prtq1_enabled

Column Type: varchar

Max Length: 10

Column Name: notify_prtq1_name

Column Type: varchar

Max Length: 40

Column Name: notify_prtq1_pgm

Column Type: varchar

Max Length: 80

Column Name: notify_prtq1_pgm_enabled

Column Type: varchar

Max Length: 10

Column Name: notify_prtq1_pgm_name
Column Type: varchar
Max Length: 40

Column Name: notify_prtq1_pgm_printed
Column Type: varchar
Max Length: 10

Column Name: notify_prtq1_printed
Column Type: varchar
Max Length: 10

Column Name: notify_prtq1_unit
Column Type: varchar
Max Length: 80

Column Name: notify_prtq1_unit_enabled
Column Type: varchar
Max Length: 10

Column Name: notify_prtq1_unit_name
Column Type: varchar
Max Length: 40

Column Name: notify_prtq1_unit_printed
Column Type: varchar
Max Length: 10

Column Name: number_of_refills
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_by
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_clar_req_by
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_clar_req_date
Column Type: date

Column Name: nursing_ack_clar_req_flag
Column Type: varchar
Max Length: 2

Column Name: nursing_ack_clar_req_text
Column Type: varchar
Max Length: 80

Column Name: nursing_ack_clar_req_time
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_clarreq_usrid
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_clarreq_usrnm
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_date
Column Type: date

Column Name: nursing_ack_flag
Column Type: varchar
Max Length: 2

Column Name: nursing_ack_time
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_user_id
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_user_name
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_ver_by
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_ver_comment
Column Type: varchar
Max Length: 80

Column Name: nursing_ack_ver_date
Column Type: date

Column Name: nursing_ack_ver_flag
Column Type: varchar
Max Length: 2

Column Name: nursing_ack_ver_time
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_ver_user_id
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_ver_user_name
Column Type: varchar
Max Length: 50

Column Name: one_time_only_code
Column Type: varchar
Max Length: 50

Column Name: open_ended_order
Column Type: varchar
Max Length: 2

Column Name: order_changed_code

Column Type: varchar
Max Length: 50

Column Name: order_code
Column Type: varchar
Max Length: 50

Column Name: order_code_value
Column Type: varchar
Max Length: 100

Column Name: order_date
Column Type: date

Column Name: order_entry_source_code
Column Type: varchar
Max Length: 50

Column Name: protocol_code
Column Type: varchar
Max Length: 50

Column Name: protocol_value
Column Type: varchar
Max Length: 50

Column Name: protocol_text
Column Type: varchar
Max Length: 50

Column Name: action_oe_source_code
Column Type: varchar
Max Length: 50

Column Name: action_oe_source_value
Column Type: varchar
Max Length: 50

Column Name: action_protocol_code
Column Type: varchar

Max Length: 50

Column Name: action_protocol_value

Column Type: varchar

Max Length: 50

Column Name: action_protocol_text

Column Type: varchar

Max Length: 50

Column Name: order_entry_source_value

Column Type: varchar

Max Length: 50

Column Name: order_guidelines

Column Type: varchar

Max Length: 32766

Column Name: order_guidelines_255

Column Type: varchar

Max Length: 255

Column Name: ordering_practitioner

Column Type: varchar

Max Length: 50

Column Name: ordering_pract_name

Column Type: varchar

Max Length: 50

Column Name: ordering_pract_not_enroll

Column Type: varchar

Max Length: 50

Column Name: completed_flag

Column Type: varchar

Max Length: 50

Column Name: order_status_code

Column Type: varchar

Max Length: 50

Column Name: order_status_value

Column Type: varchar

Max Length: 50

Column Name: order_text

Column Type: varchar

Max Length: 32766

Column Name: order_text_255

Column Type: varchar

Max Length: 255

Column Name: order_time

Column Type: varchar

Max Length: 50

Column Name: order_type_code

Column Type: varchar

Max Length: 50

Column Name: order_type_value

Column Type: varchar

Max Length: 50

Column Name: order_unique_id

Column Type: varchar

Max Length: 50

Column Name: order_validated_by

Column Type: varchar

Max Length: 50

Column Name: order_validated_date

Column Type: date

Column Name: order_validated_time

Column Type: varchar

Max Length: 50

Column Name: order_validated_user_id
Column Type: varchar
Max Length: 50

Column Name: order_validated_user_name
Column Type: varchar
Max Length: 50

Column Name: patient_name
Column Type: varchar
Max Length: 50

Column Name: pm_0600_1130pm_code
Column Type: varchar
Max Length: 50

Column Name: pm_0600_1130pm_value
Column Type: varchar
Max Length: 80

Column Name: pm_noon_0530pm_code
Column Type: varchar
Max Length: 50

Column Name: pm_noon_0530pm_value
Column Type: varchar
Max Length: 80

Column Name: print_notification_prompt
Column Type: varchar
Max Length: 2

Column Name: problems_code
Column Type: varchar
Max Length: 4096

Column Name: problems_value
Column Type: varchar
Max Length: 4096

Column Name: program_code
Column Type: varchar
Max Length: 50

Column Name: program_code_value
Column Type: varchar
Max Length: 50

Column Name: quantity
Column Type: varchar
Max Length: 50

Column Name: quantity_to_be_dispensed
Column Type: varchar
Max Length: 50

Column Name: quantity_unit
Column Type: varchar
Max Length: 50

Column Name: read_back_confirm_code
Column Type: varchar
Max Length: 2

Column Name: read_back_confirm_value
Column Type: varchar
Max Length: 50

Column Name: reason_code
Column Type: varchar
Max Length: 30000

Column Name: reason_for_change_code
Column Type: varchar
Max Length: 50

Column Name: reason_for_change_value
Column Type: varchar
Max Length: 50

Column Name: reason_text
Column Type: varchar
Max Length: 32766

Column Name: reason_text_255
Column Type: varchar
Max Length: 255

Column Name: reason_value
Column Type: varchar
Max Length: 32000

Column Name: renewing_practitioner
Column Type: varchar
Max Length: 50

Column Name: renewing_pract_name
Column Type: varchar
Max Length: 50

Column Name: renewing_pract_not_enroll
Column Type: varchar
Max Length: 50

Column Name: resume_date
Column Type: date

Column Name: resume_effective_date
Column Type: date

Column Name: resume_effective_time
Column Type: varchar
Max Length: 50

Column Name: resume_practitioner
Column Type: varchar
Max Length: 50

Column Name: resume_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: resume_pract_not_enroll
Column Type: varchar
Max Length: 50

Column Name: resume_reason_code
Column Type: varchar
Max Length: 50

Column Name: resume_reason_text
Column Type: varchar
Max Length: 32766

Column Name: resume_reason_text_255
Column Type: varchar
Max Length: 255

Column Name: resume_reason_value
Column Type: varchar
Max Length: 50

Column Name: resume_time
Column Type: varchar
Max Length: 50

Column Name: review_date
Column Type: date

Column Name: reviewing_practitioner
Column Type: varchar
Max Length: 50

Column Name: reviewing_pract_name
Column Type: varchar
Max Length: 50

Column Name: reviewing_pract_not_enroll

Column Type: varchar
Max Length: 50

Column Name: review_time
Column Type: varchar
Max Length: 50

Column Name: route_of_administration
Column Type: varchar
Max Length: 50

Column Name: route_of_admin_code
Column Type: varchar
Max Length: 50

Column Name: routine_or_prn_code
Column Type: varchar
Max Length: 50

Column Name: routine_or_prn_value
Column Type: varchar
Max Length: 50

Column Name: spec_addl_instruct_255
Column Type: varchar
Max Length: 255

Column Name: special_additional_instructions
Column Type: varchar
Max Length: 32766

Column Name: start_date
Column Type: date

Column Name: start_time
Column Type: varchar
Max Length: 50

Column Name: stop_date
Column Type: date

Column Name: stop_time
Column Type: varchar
Max Length: 50

Column Name: times24_hour
Column Type: varchar
Max Length: 50

Column Name: treatment_setting_code
Column Type: varchar
Max Length: 50

Column Name: treatment_setting_value
Column Type: varchar
Max Length: 50

Column Name: validated_practitioner
Column Type: varchar
Max Length: 50

Column Name: validated_pract_name
Column Type: varchar
Max Length: 50

Column Name: validated_pract_not_enrolled
Column Type: varchar
Max Length: 50

Column Name: validate_effec_date
Column Type: date

Column Name: validate_effec_time
Column Type: varchar
Max Length: 50

Column Name: validate_reason_code
Column Type: varchar
Max Length: 50

Column Name: validate_reason_text
Column Type: varchar
Max Length: 32766

Column Name: validate_reason_value
Column Type: varchar
Max Length: 50

Column Name: validate_text_255
Column Type: varchar
Max Length: 255

Column Name: x_class_version
Column Type: numeric

Column Name: uses_ssi_instructions
Column Type: varchar
Max Length: 1

Column Name: expected_days_supply
Column Type: integer

Column Name: give_init_dose_now_code
Column Type: varchar
Max Length: 50

Column Name: give_init_dose_now_value
Column Type: varchar
Max Length: 50

Column Name: admin_method_code
Column Type: varchar
Max Length: 50

Column Name: admin_method_value
Column Type: varchar
Max Length: 50

Column Name: rate_amount

Column Type: varchar
Max Length: 50

Column Name: rate_unit_code
Column Type: varchar
Max Length: 50

Column Name: rate_unit_value
Column Type: varchar
Max Length: 50

Column Name: self_administered_code
Column Type: varchar
Max Length: 50

Column Name: self_administered_value
Column Type: varchar
Max Length: 50

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.order_mesg_status

Table Description: Order message transmission (via CareFabric interface) status.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
System code.

Column Name: event_date_time
Column Type: timestamp
The date and time that the order-related event (such as new or discontinue order or a specimen collection) occurred in the system.

Column Name: event_message_id
Column Type: varchar
Max Length: 50
A unique message identifier for that placer order number and order-related event.

Column Name: event_message_type
Column Type: varchar
Max Length: 50
The Order Control Code associated to the order message the was generated from the event (Ex: 'NW' (New), 'CA' (Cancel), 'SC' (Status change such as collection).

Column Name: placer_number
Column Type: varchar
Max Length: 50
The order number assigned to the order message at the time it was send out of Avatar. It could be the OE order number, a recurring order number, or a group order number.

Column Name: retry_attempts
Column Type: integer
If the message failed, how many time it was retried.

Column Name: status_code
Column Type: varchar
Max Length: 10
The status code of the order message that was sent (S - Success, E - Error, Q - Placed on the RadPlus Transfer Queue)

Column Name: status_code_value
Column Type: varchar

Max Length: 50

The status value of the order message that was sent.

Column Name: status_message

Column Type: varchar

Max Length: 500

Details related to the order status. Will contain the error message if the status is 'E' (Error).

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.order_var_dose_data

Table Description: Stores variable dose data for Avatar OE orders

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

Column Name: PATID

Column Type: varchar

Max Length: 20

Column Name: order_unique_id

Column Type: varchar

Max Length: 50

Column Name: EPISODE_NUMBER

Column Type: integer

Column Name: var_dose_line

Column Type: varchar

Max Length: 50

Column Name: var_dose_qty

Column Type: varchar

Max Length: 50

Column Name: var_dose_qty_numeric
Column Type: numeric

Column Name: var_dose_qty_unit_code
Column Type: varchar
Max Length: 50

Column Name: var_dose_qty_unit_value
Column Type: varchar
Max Length: 50

Column Name: var_dose_freq_code
Column Type: varchar
Max Length: 50

Column Name: var_dose_freq_code_value
Column Type: varchar
Max Length: 50

Column Name: var_dose_admin_hours
Column Type: varchar
Max Length: 50

Column Name: var_dose_admin_days
Column Type: varchar
Max Length: 50

Documentation for form: Client_Profile/_Physicians_Orders

Table Name: OrderEntry.recurring_order_nums

Table Description: This table contains one row for every placer order number sent on a recurring order.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer

The FACILITY (Root System Code) in which the data was stored

Column Name: admin_unique_id
Column Type: varchar
Max Length: 50
Administration Unique ID

Column Name: order_unique_id
Column Type: varchar
Max Length: 50
The order's Order Number

Column Name: placer_num
Column Type: varchar
Max Length: 50
The order's Placer Number

Documentation for form: Renew/Validate_Orders

Table Name: OrderEntry.history_client_order_renew

Table Description: This table contains one row for every client order renewal in Avatar OE.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODENUMBER
Column Type: integer
The client episode for the order that was renewed.

Column Name: FACILITY
Column Type: integer
The FACILITY (Root System Code) in which the data was stored

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID for whom this order was created

Column Name: RNWuniqueid
Column Type: varchar
Max Length: 50
The renewal's RNW unique ID within the client's renewals

Column Name: data_entry_by

Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated this data row.

Column Name: data_entry_date
Column Type: date
The date when this data row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The name of the form that last updated the row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time when this data row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: effective_date
Column Type: date
Effective date of the renewal.

Column Name: effective_time
Column Type: varchar
Max Length: 50
Effective time of the renewal.

Column Name: link_to_order_hist
Column Type: varchar
Max Length: 50
Link to the ORD unique ID in OrderEntry.history_client_order.

Column Name: number_of_days
Column Type: varchar
Max Length: 50
Number of days renewed.

Column Name: number_of_doses
Column Type: varchar
Max Length: 50
Number of doses renewed.

Column Name: number_of_hours
Column Type: varchar
Max Length: 50
Number of hours renewed.

Column Name: number_of_minutes
Column Type: varchar
Max Length: 50
Number of minutes renewed.

Column Name: oe_source_val_ovr
Column Type: varchar
Max Length: 50
The 'Order Requires Validation Override' extended attribute of the Order Entry Source".

Column Name: open_ended_code
Column Type: varchar
Max Length: 50
Whether the renewal is open ended (code).

Column Name: open_ended_value

Column Type: varchar
Max Length: 50
Whether the renewal is open ended (value).

Column Name: order_entry_source_code
Column Type: varchar
Max Length: 50
Order Entry Source code

Column Name: order_entry_source_value
Column Type: varchar
Max Length: 50
Order Entry Source value

Column Name: practitioner
Column Type: varchar
Max Length: 50
Practitioner ID.

Column Name: practitioner_name
Column Type: varchar
Max Length: 50
Practitioner name.

Column Name: pract_not_enrolled
Column Type: varchar
Max Length: 50
Practitioner not enrolled.

Column Name: protocol_code
Column Type: varchar
Max Length: 50
'Renew Protocol' code.

Column Name: protocol_text
Column Type: varchar
Max Length: 50
'Renew Protocol Text'.

Column Name: protocol_value
Column Type: varchar
Max Length: 50
'Renew Protocol' value.

Column Name: renew_rd_bk_conf_code
Column Type: varchar
Max Length: 2
Renew Read-back Confirmation code.

Column Name: renew_rd_bk_conf_value

Column Type: varchar
Max Length: 50
Renew Read-back Confirmation value.

Column Name: renew_reason_code
Column Type: varchar
Max Length: 50
Renewal reason (code).

Column Name: renew_reason_text
Column Type: varchar
Max Length: 32766
Renew reason text (full).

Column Name: renew_reason_txt255
Column Type: varchar
Max Length: 255
Renewal reason text (max length 255 characters).

Column Name: renew_reason_value
Column Type: varchar
Max Length: 50
Renewal reason (value).

Column Name: review_date
Column Type: date
Review date.

Column Name: review_time
Column Type: varchar
Max Length: 50
Review time.

Column Name: stop_date_prior_to_renew
Column Type: date
Order stop date prior to renewal.

Column Name: stop_time_prior_to_renew
Column Type: varchar
Max Length: 50
Order stop time prior to renewal.

Documentation for form: Renew/Validate_Orders

Table Name: OrderEntry.order_entry_cs_utilities

Table Description: Stores OE Order data as of the filing of each order action - Client Profile/Physicians Orders, Order Entry Console, Renew Due To Do, Validation Required To Do, "automatic" Discontinues

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: action_code
Column Type: varchar
Max Length: 50

Column Name: action_code_value
Column Type: varchar
Max Length: 60

Column Name: action_unique_id
Column Type: varchar
Max Length: 50

Column Name: action_unique_session_id
Column Type: varchar
Max Length: 50

Column Name: am_0600_1130am_code
Column Type: varchar
Max Length: 50

Column Name: am_0600_1130am_value
Column Type: varchar
Max Length: 80

Column Name: am_12midnight_0530am_code
Column Type: varchar
Max Length: 50

Column Name: am_12midnight_0530am_value
Column Type: varchar
Max Length: 80

Column Name: change_explanation
Column Type: varchar
Max Length: 32766

Column Name: change_explanation_255
Column Type: varchar
Max Length: 255

Column Name: changing_practitioner
Column Type: varchar
Max Length: 50

Column Name: changing_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: changing_pract_not_enroll
Column Type: varchar
Max Length: 50

Column Name: comments
Column Type: varchar
Max Length: 32766

Column Name: comments_255
Column Type: varchar
Max Length: 255

Column Name: created_by_preauthor_code
Column Type: varchar
Max Length: 50

Column Name: customize_frequency_code
Column Type: varchar
Max Length: 50

Column Name: daily_administration_code
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50

Column Name: days_administered_code
Column Type: varchar
Max Length: 50

Column Name: days_administered_value
Column Type: varchar
Max Length: 50

Column Name: delayed_entry_code

Column Type: varchar
Max Length: 50

Column Name: discontinued_by
Column Type: varchar
Max Length: 50

Column Name: discontinued_date
Column Type: date

Column Name: diagnosis_code
Column Type: varchar
Max Length: 40

Column Name: diagnosis_value
Column Type: varchar
Max Length: 255

Column Name: discontinued_time
Column Type: varchar
Max Length: 50

Column Name: discontinue_reason_code
Column Type: varchar
Max Length: 50

Column Name: discontinue_reason_text
Column Type: varchar
Max Length: 32766

Column Name: discontinue_reason_value
Column Type: varchar
Max Length: 50

Column Name: discontinue_reas_text_255
Column Type: varchar
Max Length: 255

Column Name: dis_effective_date
Column Type: date

Column Name: dis_effective_time
Column Type: varchar
Max Length: 50

Column Name: dispense_as_written
Column Type: varchar
Max Length: 50

Column Name: dis_practitioner
Column Type: varchar
Max Length: 50

Column Name: dis_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: dis_pract_not_enroll
Column Type: varchar
Max Length: 50

Column Name: dis_rd_bk_conf_code
Column Type: varchar
Max Length: 2

Column Name: dis_rd_bk_conf_value
Column Type: varchar
Max Length: 50

Column Name: dosage
Column Type: varchar
Max Length: 50

Column Name: dosage_form
Column Type: varchar
Max Length: 50

Column Name: dosage_lab_test_guidelines
Column Type: varchar
Max Length: 32766

Column Name: dosage_unit
Column Type: varchar
Max Length: 50

Column Name: durationdays
Column Type: varchar
Max Length: 50

Column Name: durationhours
Column Type: varchar
Max Length: 50

Column Name: durationminutes
Column Type: varchar
Max Length: 50

Column Name: effective_date
Column Type: date

Column Name: effective_time
Column Type: varchar
Max Length: 50

Column Name: every_nth_day
Column Type: varchar
Max Length: 50

Column Name: first_dose_code
Column Type: varchar
Max Length: 50

Column Name: first_dose_value
Column Type: varchar
Max Length: 50

Column Name: frequency_code
Column Type: varchar
Max Length: 50

Column Name: frequency_code_value
Column Type: varchar
Max Length: 50

Column Name: hold_date
Column Type: date

Column Name: hold_effective_date
Column Type: date

Column Name: hold_effective_time
Column Type: varchar
Max Length: 50

Column Name: hold_practitioner
Column Type: varchar
Max Length: 50

Column Name: hold_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: hold_pract_not_enroll
Column Type: varchar
Max Length: 50

Column Name: hold_reason_code
Column Type: varchar
Max Length: 50

Column Name: hold_reason_text
Column Type: varchar
Max Length: 32766

Column Name: hold_reason_text_255
Column Type: varchar
Max Length: 255

Column Name: hold_reason_value

Column Type: varchar
Max Length: 50

Column Name: hold_time
Column Type: varchar
Max Length: 50

Column Name: icd_9_code_OLD
Column Type: varchar
Max Length: 50

Column Name: icd_9_code_value_OLD
Column Type: varchar
Max Length: 250

Column Name: icd_9_code
Column Type: varchar
Max Length: 40

Column Name: icd_9_code_value
Column Type: varchar
Max Length: 255

Column Name: icd_10_code
Column Type: varchar
Max Length: 40

Column Name: icd_10_code_value
Column Type: varchar
Max Length: 255

Column Name: diag_imo_code
Column Type: varchar
Max Length: 255

Column Name: diag_imo_value
Column Type: varchar
Max Length: 255

Column Name: JOIN_TO_DIAGNOSIS_OBJECT

Column Type: varchar
Max Length: 40

Column Name: last_renew_reason_code
Column Type: varchar
Max Length: 50

Column Name: last_renew_reason_text
Column Type: varchar
Max Length: 32766

Column Name: last_renew_reason_text_255
Column Type: varchar
Max Length: 255

Column Name: last_renew_reason_value
Column Type: varchar
Max Length: 50

Column Name: last_renw_rd_bk_conf_code
Column Type: varchar
Max Length: 2

Column Name: last_renw_rd_bk_conf_value
Column Type: varchar
Max Length: 50

Column Name: latest_hold_rd_bk_conf_code
Column Type: varchar
Max Length: 2

Column Name: latest_hold_rd_bk_conf_value
Column Type: varchar
Max Length: 50

Column Name: latest_resm_rd_bk_conf_code
Column Type: varchar
Max Length: 2

Column Name: latest_resm_rd_bk_conf_value

Column Type: varchar
Max Length: 50

Column Name: leave_discharge_hist_code
Column Type: varchar
Max Length: 50

Column Name: leave_disch_hist_value
Column Type: varchar
Max Length: 50

Column Name: non_form_text_ovrd_255
Column Type: varchar
Max Length: 255

Column Name: non_formulary_ovrd_code
Column Type: varchar
Max Length: 50

Column Name: non_formulary_ovrd_value
Column Type: varchar
Max Length: 50

Column Name: non_formulary_text_override
Column Type: varchar
Max Length: 32766

Column Name: notification_print_date
Column Type: date

Column Name: notification_print_date_time
Column Type: timestamp

Column Name: notification_printed
Column Type: varchar
Max Length: 50

Column Name: notification_printed_by
Column Type: varchar
Max Length: 50

Column Name: notification_print_time
Column Type: time

Column Name: notification_print_userid
Column Type: varchar
Max Length: 50

Column Name: notification_print_usernm
Column Type: varchar
Max Length: 50

Column Name: notify_prtq1
Column Type: varchar
Max Length: 80

Column Name: notify_prtq1_enabled
Column Type: varchar
Max Length: 10

Column Name: notify_prtq1_name
Column Type: varchar
Max Length: 40

Column Name: notify_prtq1_pgm
Column Type: varchar
Max Length: 80

Column Name: notify_prtq1_pgm_enabled
Column Type: varchar
Max Length: 10

Column Name: notify_prtq1_pgm_name
Column Type: varchar
Max Length: 40

Column Name: notify_prtq1_pgm_printed
Column Type: varchar
Max Length: 10

Column Name: notify_prtq1_printed
Column Type: varchar
Max Length: 10

Column Name: notify_prtq1_unit
Column Type: varchar
Max Length: 80

Column Name: notify_prtq1_unit_enabled
Column Type: varchar
Max Length: 10

Column Name: notify_prtq1_unit_name
Column Type: varchar
Max Length: 40

Column Name: notify_prtq1_unit_printed
Column Type: varchar
Max Length: 10

Column Name: number_of_refills
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_by
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_clar_req_by
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_clar_req_date
Column Type: date

Column Name: nursing_ack_clar_req_flag
Column Type: varchar
Max Length: 2

Column Name: nursing_ack_clar_req_text
Column Type: varchar
Max Length: 80

Column Name: nursing_ack_clar_req_time
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_clarreq_usrid
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_clarreq_usrnm
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_date
Column Type: date

Column Name: nursing_ack_flag
Column Type: varchar
Max Length: 2

Column Name: nursing_ack_time
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_user_id
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_user_name
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_ver_by
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_ver_comment

Column Type: varchar
Max Length: 80

Column Name: nursing_ack_ver_date
Column Type: date

Column Name: nursing_ack_ver_flag
Column Type: varchar
Max Length: 2

Column Name: nursing_ack_ver_time
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_ver_user_id
Column Type: varchar
Max Length: 50

Column Name: nursing_ack_ver_user_name
Column Type: varchar
Max Length: 50

Column Name: one_time_only_code
Column Type: varchar
Max Length: 50

Column Name: open_ended_order
Column Type: varchar
Max Length: 2

Column Name: order_changed_code
Column Type: varchar
Max Length: 50

Column Name: order_code
Column Type: varchar
Max Length: 50

Column Name: order_code_value
Column Type: varchar

Max Length: 100

Column Name: order_date

Column Type: date

Column Name: order_entry_source_code

Column Type: varchar

Max Length: 50

Column Name: protocol_code

Column Type: varchar

Max Length: 50

Column Name: protocol_value

Column Type: varchar

Max Length: 50

Column Name: protocol_text

Column Type: varchar

Max Length: 50

Column Name: action_oe_source_code

Column Type: varchar

Max Length: 50

Column Name: action_oe_source_value

Column Type: varchar

Max Length: 50

Column Name: action_protocol_code

Column Type: varchar

Max Length: 50

Column Name: action_protocol_value

Column Type: varchar

Max Length: 50

Column Name: action_protocol_text

Column Type: varchar

Max Length: 50

Column Name: order_entry_source_value
Column Type: varchar
Max Length: 50

Column Name: order_guidelines
Column Type: varchar
Max Length: 32766

Column Name: order_guidelines_255
Column Type: varchar
Max Length: 255

Column Name: ordering_practitioner
Column Type: varchar
Max Length: 50

Column Name: ordering_pract_name
Column Type: varchar
Max Length: 50

Column Name: ordering_pract_not_enroll
Column Type: varchar
Max Length: 50

Column Name: completed_flag
Column Type: varchar
Max Length: 50

Column Name: order_status_code
Column Type: varchar
Max Length: 50

Column Name: order_status_value
Column Type: varchar
Max Length: 50

Column Name: order_text
Column Type: varchar
Max Length: 32766

Column Name: order_text_255
Column Type: varchar
Max Length: 255

Column Name: order_time
Column Type: varchar
Max Length: 50

Column Name: order_type_code
Column Type: varchar
Max Length: 50

Column Name: order_type_value
Column Type: varchar
Max Length: 50

Column Name: order_unique_id
Column Type: varchar
Max Length: 50

Column Name: order_validated_by
Column Type: varchar
Max Length: 50

Column Name: order_validated_date
Column Type: date

Column Name: order_validated_time
Column Type: varchar
Max Length: 50

Column Name: order_validated_user_id
Column Type: varchar
Max Length: 50

Column Name: order_validated_user_name
Column Type: varchar
Max Length: 50

Column Name: patient_name
Column Type: varchar
Max Length: 50

Column Name: pm_0600_1130pm_code
Column Type: varchar
Max Length: 50

Column Name: pm_0600_1130pm_value
Column Type: varchar
Max Length: 80

Column Name: pm_noon_0530pm_code
Column Type: varchar
Max Length: 50

Column Name: pm_noon_0530pm_value
Column Type: varchar
Max Length: 80

Column Name: print_notification_prompt
Column Type: varchar
Max Length: 2

Column Name: problems_code
Column Type: varchar
Max Length: 4096

Column Name: problems_value
Column Type: varchar
Max Length: 4096

Column Name: program_code
Column Type: varchar
Max Length: 50

Column Name: program_code_value
Column Type: varchar
Max Length: 50

Column Name: quantity
Column Type: varchar
Max Length: 50

Column Name: quantity_to_be_dispensed
Column Type: varchar
Max Length: 50

Column Name: quantity_unit
Column Type: varchar
Max Length: 50

Column Name: read_back_confirm_code
Column Type: varchar
Max Length: 2

Column Name: read_back_confirm_value
Column Type: varchar
Max Length: 50

Column Name: reason_code
Column Type: varchar
Max Length: 30000

Column Name: reason_for_change_code
Column Type: varchar
Max Length: 50

Column Name: reason_for_change_value
Column Type: varchar
Max Length: 50

Column Name: reason_text
Column Type: varchar
Max Length: 32766

Column Name: reason_text_255
Column Type: varchar
Max Length: 255

Column Name: reason_value
Column Type: varchar
Max Length: 32000

Column Name: renewing_practitioner
Column Type: varchar
Max Length: 50

Column Name: renewing_pract_name
Column Type: varchar
Max Length: 50

Column Name: renewing_pract_not_enroll
Column Type: varchar
Max Length: 50

Column Name: resume_date
Column Type: date

Column Name: resume_effective_date
Column Type: date

Column Name: resume_effective_time
Column Type: varchar
Max Length: 50

Column Name: resume_practitioner
Column Type: varchar
Max Length: 50

Column Name: resume_practitioner_name
Column Type: varchar
Max Length: 50

Column Name: resume_pract_not_enroll
Column Type: varchar
Max Length: 50

Column Name: resume_reason_code

Column Type: varchar
Max Length: 50

Column Name: resume_reason_text
Column Type: varchar
Max Length: 32766

Column Name: resume_reason_text_255
Column Type: varchar
Max Length: 255

Column Name: resume_reason_value
Column Type: varchar
Max Length: 50

Column Name: resume_time
Column Type: varchar
Max Length: 50

Column Name: review_date
Column Type: date

Column Name: reviewing_practitioner
Column Type: varchar
Max Length: 50

Column Name: reviewing_pract_name
Column Type: varchar
Max Length: 50

Column Name: reviewing_pract_not_enroll
Column Type: varchar
Max Length: 50

Column Name: review_time
Column Type: varchar
Max Length: 50

Column Name: route_of_administration
Column Type: varchar

Max Length: 50

Column Name: route_of_admin_code

Column Type: varchar

Max Length: 50

Column Name: routine_or_prn_code

Column Type: varchar

Max Length: 50

Column Name: routine_or_prn_value

Column Type: varchar

Max Length: 50

Column Name: spec_addl_instruct_255

Column Type: varchar

Max Length: 255

Column Name: special_additional_instructions

Column Type: varchar

Max Length: 32766

Column Name: start_date

Column Type: date

Column Name: start_time

Column Type: varchar

Max Length: 50

Column Name: stop_date

Column Type: date

Column Name: stop_time

Column Type: varchar

Max Length: 50

Column Name: times24_hour

Column Type: varchar

Max Length: 50

Column Name: treatment_setting_code
Column Type: varchar
Max Length: 50

Column Name: treatment_setting_value
Column Type: varchar
Max Length: 50

Column Name: validated_practitioner
Column Type: varchar
Max Length: 50

Column Name: validated_pract_name
Column Type: varchar
Max Length: 50

Column Name: validated_pract_not_enrolled
Column Type: varchar
Max Length: 50

Column Name: validate_effec_date
Column Type: date

Column Name: validate_effec_time
Column Type: varchar
Max Length: 50

Column Name: validate_reason_code
Column Type: varchar
Max Length: 50

Column Name: validate_reason_text
Column Type: varchar
Max Length: 32766

Column Name: validate_reason_value
Column Type: varchar
Max Length: 50

Column Name: validate_text_255
Column Type: varchar
Max Length: 255

Column Name: x_class_version
Column Type: numeric

Column Name: uses_ssi_instructions
Column Type: varchar
Max Length: 1

Column Name: expected_days_supply
Column Type: integer

Column Name: give_init_dose_now_code
Column Type: varchar
Max Length: 50

Column Name: give_init_dose_now_value
Column Type: varchar
Max Length: 50

Column Name: admin_method_code
Column Type: varchar
Max Length: 50

Column Name: admin_method_value
Column Type: varchar
Max Length: 50

Column Name: rate_amount
Column Type: varchar
Max Length: 50

Column Name: rate_unit_code
Column Type: varchar
Max Length: 50

Column Name: rate_unit_value
Column Type: varchar

Max Length: 50

Column Name: self_administered_code

Column Type: varchar

Max Length: 50

Column Name: self_administered_value

Column Type: varchar

Max Length: 50

Column Name: data_entry_utc

Column Type: timestamp

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

Column Name: data_entry_time_j

Column Type: time

Column Name: data_entry_offset

Column Type: numeric

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

Documentation for form: Medication_Regimen_Review

Table Name: OrderEntry.med_regimen_review

Table Description: Populated with data from the Medication Regimen Review form

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer
Episode number

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: RV1uniqueid
Column Type: varchar
Max Length: 50
Medication Regimen Review unique ID

Column Name: comments
Column Type: varchar
Max Length: 32000
Comments for the Medication Regimen Review

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
Data entry by User

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
Data entry option ID

Column Name: data_entry_date
Column Type: date
Data entry date

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
Data entry source

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
Data entry time

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
Data entry by user ID

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 50

Data entry user name

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: option_id

Column Type: varchar

Max Length: 50

Option ID

Column Name: orders

Column Type: varchar

Max Length: 50

Orders associated with the Medication Regimen Review

Documentation for form: Medication_Regimen_Review

Table Name: OrderEntry.med_regimen_review_detail

Table Description: Stores OE Medication Regimen Review data.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: EPISODE_NUMBER

Column Type: integer

Client episode.

Column Name: FACILITY

Column Type: integer

The facility where the data is stored.

Column Name: FREQUENCYID

Column Type: varchar

Max Length: 50

Frequency Code.

Column Name: ICD9CODE

Column Type: varchar

Max Length: 50

The ICD-9 code.

Column Name: JOIN_TO_DIAGNOSIS_OBJECT

Column Type: varchar

Max Length: 40

Link to associated diagnosis.

Column Name: ORDERID

Column Type: varchar

Max Length: 50

Order code.

Column Name: PATID

Column Type: varchar

Max Length: 20

Client ID.

Column Name: RV2uniqueid

Column Type: varchar

Max Length: 50

RV2 (historic) ID.

Column Name: administer_am_0100

Column Type: varchar

Max Length: 50

Hours of administration - 01:00am.

Column Name: administer_am_0130

Column Type: varchar

Max Length: 50

Hours of administration - 01:30am.

Column Name: administer_am_0200

Column Type: varchar

Max Length: 50

Hours of administration - 02:00am.

Column Name: administer_am_0230

Column Type: varchar

Max Length: 50

Hours of administration - 02:30am.

Column Name: administer_am_0300

Column Type: varchar

Max Length: 50

Hours of administration - 03:00am.

Column Name: administer_am_0330

Column Type: varchar

Max Length: 50

Hours of administration - 03:30am.

Column Name: administer_am_0400
Column Type: varchar
Max Length: 50
Hours of administration - 04:00am.

Column Name: administer_am_0430
Column Type: varchar
Max Length: 50
Hours of administration - 04:30am.

Column Name: administer_am_0500
Column Type: varchar
Max Length: 50
Hours of administration - 05:00am.

Column Name: administer_am_0530
Column Type: varchar
Max Length: 50
Hours of administration - 05:30am.

Column Name: administer_am_0600
Column Type: varchar
Max Length: 50
Hours of administration - 06:00am.

Column Name: administer_am_0630
Column Type: varchar
Max Length: 50
Hours of administration - 06:30am.

Column Name: administer_am_0700
Column Type: varchar
Max Length: 50
Hours of administration - 07:00am.

Column Name: administer_am_0730
Column Type: varchar
Max Length: 50
Hours of administration - 07:30am.

Column Name: administer_am_0800
Column Type: varchar
Max Length: 50
Hours of administration - 08:00am.

Column Name: administer_am_0830
Column Type: varchar
Max Length: 50

Hours of administration - 08:30am.

Column Name: administer_am_0900
Column Type: varchar
Max Length: 50
Hours of administration - 09:00am.

Column Name: administer_am_0930
Column Type: varchar
Max Length: 50
Hours of administration - 09:30am.

Column Name: administer_am_1000
Column Type: varchar
Max Length: 50
Hours of administration - 10:00am.

Column Name: administer_am_1030
Column Type: varchar
Max Length: 50
Hours of administration - 10:30am.

Column Name: administer_am_1100
Column Type: varchar
Max Length: 50
Hours of administration - 11:00am.

Column Name: administer_am_1130
Column Type: varchar
Max Length: 50
Hours of administration - 11:30am.

Column Name: administer_am_1230
Column Type: varchar
Max Length: 50
Hours of administration - 12:30pm.

Column Name: administer_am_midnight
Column Type: varchar
Max Length: 50
Hours of administration - Midnight.

Column Name: administer_pm_0100
Column Type: varchar
Max Length: 50
Hours of administration - 01:00pm.

Column Name: administer_pm_0130
Column Type: varchar
Max Length: 50

Hours of administration - 01:30pm.

Column Name: administer_pm_0200
Column Type: varchar
Max Length: 50
Hours of administration - 02:00pm.

Column Name: administer_pm_0230
Column Type: varchar
Max Length: 50
Hours of administration - 02:30pm.

Column Name: administer_pm_0300
Column Type: varchar
Max Length: 50
Hours of administration - 03:00pm.

Column Name: administer_pm_0330
Column Type: varchar
Max Length: 50
Hours of administration - 03:30pm.

Column Name: administer_pm_0400
Column Type: varchar
Max Length: 50
Hours of administration - 04:00pm.

Column Name: administer_pm_0430
Column Type: varchar
Max Length: 50
Hours of administration - 04:30pm.

Column Name: administer_pm_0500
Column Type: varchar
Max Length: 50
Hours of administration - 05:00pm.

Column Name: administer_pm_0530
Column Type: varchar
Max Length: 50
Hours of administration - 05:30pm.

Column Name: administer_pm_0600
Column Type: varchar
Max Length: 50
Hours of administration - 06:00pm.

Column Name: administer_pm_0630
Column Type: varchar
Max Length: 50

Hours of administration - 06:30pm.

Column Name: administer_pm_0700
Column Type: varchar
Max Length: 50
Hours of administration - 07:00pm.

Column Name: administer_pm_0730
Column Type: varchar
Max Length: 50
Hours of administration - 07:30pm.

Column Name: administer_pm_0800
Column Type: varchar
Max Length: 50
Hours of administration - 08:00pm.

Column Name: administer_pm_0830
Column Type: varchar
Max Length: 50
Hours of administration - 08:30pm.

Column Name: administer_pm_0900
Column Type: varchar
Max Length: 50
Hours of administration - 09:00pm.

Column Name: administer_pm_0930
Column Type: varchar
Max Length: 50
Hours of administration - 09:30pm.

Column Name: administer_pm_1000
Column Type: varchar
Max Length: 50
Hours of administration - 10:00pm.

Column Name: administer_pm_1030
Column Type: varchar
Max Length: 50
Hours of administration - 10:30pm.

Column Name: administer_pm_1100
Column Type: varchar
Max Length: 50
Hours of administration - 11:00pm.

Column Name: administer_pm_1130
Column Type: varchar
Max Length: 50

Hours of administration - 11:30pm.

Column Name: administer_pm_1230

Column Type: varchar

Max Length: 50

Hours of administration - 12:30pm.

Column Name: administer_pm_noon

Column Type: varchar

Max Length: 50

Hours of administration - 12:30pm.

Column Name: administration_route

Column Type: varchar

Max Length: 50

Route of administration.

Column Name: administration_route_code

Column Type: varchar

Max Length: 50

Route of administration code.

Column Name: administration_times

Column Type: varchar

Max Length: 4096

Administration times.

Column Name: am_0600_1130am_code

Column Type: varchar

Max Length: 50

AM(06:00-11:30 AM) code.

Column Name: am_0600_1130am_value

Column Type: varchar

Max Length: 75

AM(06:00-11:30 AM) value.

Column Name: am_12midnight_0530am_code

Column Type: varchar

Max Length: 50

AM(12 Midnight-05:30 AM) code.

Column Name: am_12midnight_0530am_value

Column Type: varchar

Max Length: 80

AM(12 Midnight-05:30 AM) value.

Column Name: basic_dup_order_ovr_code

Column Type: varchar

Max Length: 50

Perform Basic Duplicate Order Code Checking code.

Column Name: basic_dup_order_ovr_text

Column Type: varchar

Max Length: 80

Perform Basic Duplicate Order Code Checking text.

Column Name: basic_dup_order_ovr_value

Column Type: varchar

Max Length: 50

Perform Basic Duplicate Order Code Checking value.

Column Name: change_by

Column Type: varchar

Max Length: 50

Order Changed By.

Column Name: change_by_option

Column Type: varchar

Max Length: 50

Order Changed By (Option).

Column Name: change_by_pract_id

Column Type: varchar

Max Length: 50

Order Changed By Practitioner.

Column Name: change_by_pract_name

Column Type: varchar

Max Length: 50

Order Changed By Practitioner Name.

Column Name: change_by_pr_not_enr

Column Type: varchar

Max Length: 50

Order Changed By Practitioner Who Is Not Enrolled.

Column Name: change_by_user_id

Column Type: varchar

Max Length: 50

Order Changed User ID.

Column Name: change_by_user_name

Column Type: varchar

Max Length: 50

Order Changed User Name.

Column Name: change_date

Column Type: date

Order Changed Date.

Column Name: change_delay_ent_code
Column Type: varchar
Max Length: 50
Change Delayed Entry code.

Column Name: change_delay_ent_value
Column Type: varchar
Max Length: 50
Change Delayed Entry value.

Column Name: change_eff_date
Column Type: date
Change Effective Date.

Column Name: change_eff_time
Column Type: varchar
Max Length: 50
Change Effective Time.

Column Name: change_ent_src_code
Column Type: varchar
Max Length: 50
Change Order Entry Source code.

Column Name: change_ent_src_value
Column Type: varchar
Max Length: 50
Change Order Entry Source value.

Column Name: change_explanation
Column Type: varchar
Max Length: 32766
Explanation of change.

Column Name: change_explanation_255
Column Type: varchar
Max Length: 255
Explanation of change (max length 255 characters).

Column Name: change_reason_code
Column Type: varchar
Max Length: 50
Reason for Change code.

Column Name: change_reason_value
Column Type: varchar
Max Length: 50
Reason for Change value.

Column Name: change_time
Column Type: varchar
Max Length: 50
Order Changed Time.

Column Name: comments
Column Type: varchar
Max Length: 32766
Comments.

Column Name: comments_255
Column Type: varchar
Max Length: 255
Comments (max length 255 characters).

Column Name: created_by
Column Type: varchar
Max Length: 50
Order Created By.

Column Name: created_by_option
Column Type: varchar
Max Length: 50
Order Created By (Option).

Column Name: created_by_pre_auth_code
Column Type: varchar
Max Length: 50
Order Created By Pre-Authorized Order code.

Column Name: created_by_pre_auth_value
Column Type: varchar
Max Length: 50
Order Created By Pre-Authorized Order value.

Column Name: created_by_user_id
Column Type: varchar
Max Length: 50
Order Created User ID.

Column Name: created_by_user_name
Column Type: varchar
Max Length: 50
Order Created User Name.

Column Name: created_date
Column Type: date
Order Created Date.

Column Name: created_time

Column Type: varchar
Max Length: 50
Order Created Time.

Column Name: current_duration
Column Type: varchar
Max Length: 50
Duration (Days).

Column Name: current_duration_numeric
Column Type: integer
Duration (Days) (Numeric).

Column Name: current_dur_days
Column Type: varchar
Max Length: 50
Duration (Days).

Column Name: current_dur_days_numeric
Column Type: integer
Duration (Days) (Numeric).

Column Name: current_dur_hrs
Column Type: varchar
Max Length: 50
Duration (Hours).

Column Name: current_dur_hrs_numeric
Column Type: integer
Duration (Hours) (Numeric).

Column Name: current_dur_mins
Column Type: varchar
Max Length: 50
Duration (Minutes).

Column Name: current_dur_mins_numeric
Column Type: integer
Duration (Minutes) (Numeric).

Column Name: current_stop_date
Column Type: date
Current Stop Date.

Column Name: current_stop_time
Column Type: varchar
Max Length: 50
Current Stop Time.

Column Name: cust_frequency_att_code

Column Type: varchar
Max Length: 50
Customize Frequency Code Attributes code.

Column Name: cust_frequency_att_value
Column Type: varchar
Max Length: 50
Customize Frequency Code Attributes value.

Column Name: daily_administration_code
Column Type: varchar
Max Length: 50
Daily Administration code.

Column Name: daily_administration_value
Column Type: varchar
Max Length: 50
Daily Administration value.

Column Name: days_administered_code
Column Type: varchar
Max Length: 50
Days Administered code.

Column Name: days_administered_friday
Column Type: varchar
Max Length: 50
Days Administered: Friday?

Column Name: days_administered_monday
Column Type: varchar
Max Length: 50
Days Administered: Monday?

Column Name: days_administered_saturday
Column Type: varchar
Max Length: 50
Days Administered: Saturday?

Column Name: days_administered_sunday
Column Type: varchar
Max Length: 50
Days Administered: Sunday?

Column Name: days_administered_thursday
Column Type: varchar
Max Length: 50
Days Administered: Thursday?

Column Name: days_administered_tuesday

Column Type: varchar
Max Length: 50
Days Administered: Tuesday?

Column Name: days_administered_value
Column Type: varchar
Max Length: 50
Days Administered value.

Column Name: days_administered_wednesday
Column Type: varchar
Max Length: 50
Days Administered: Wednesday?

Column Name: delayed_entry_code
Column Type: varchar
Max Length: 50
Delayed Entry code.

Column Name: delayed_entry_value
Column Type: varchar
Max Length: 50
Delayed Entry value.

Column Name: diag_icd10_code
Column Type: varchar
Max Length: 40
ICD-10 Diagnosis code.

Column Name: diag_icd10_value
Column Type: varchar
Max Length: 255
ICD-10 Diagnosis value.

Column Name: diag_icd9_code
Column Type: varchar
Max Length: 40
ICD-9 Diagnosis code.

Column Name: diag_icd9_value
Column Type: varchar
Max Length: 255
ICD-9 Diagnosis value.

Column Name: diag_imo_code
Column Type: varchar
Max Length: 255
IMO diagnosis code.

Column Name: diag_imo_value

Column Type: varchar
Max Length: 255
IMO diagnosis value.

Column Name: diagnosis_code
Column Type: varchar
Max Length: 40
Diagnosis code.

Column Name: diagnosis_value
Column Type: varchar
Max Length: 255
Diagnosis value.

Column Name: discontinued_by
Column Type: varchar
Max Length: 50
Order Discontinued By.

Column Name: discontinued_by_opt
Column Type: varchar
Max Length: 50
Order Discontinue By (Option).

Column Name: discontinued_by_user_id
Column Type: varchar
Max Length: 50
Order Discontinue User ID.

Column Name: discontinued_by_user_name
Column Type: varchar
Max Length: 50
Order Discontinue Username.

Column Name: discontinued_date
Column Type: date
Order Discontinued Date.

Column Name: discontinued_time
Column Type: varchar
Max Length: 50
Order Discontinued Time.

Column Name: discontinue_reason_code
Column Type: varchar
Max Length: 50
Discontinue Reason Code.

Column Name: discontinue_reason_text
Column Type: varchar

Max Length: 32766
Discontinue Reason Text.

Column Name: discontinue_reason_txt255
Column Type: varchar
Max Length: 255
Discontinue Reason Text (max length 255 characters).

Column Name: discontinue_reason_value
Column Type: varchar
Max Length: 50
Discontinue Reason value.

Column Name: dis_delay_ent_code
Column Type: varchar
Max Length: 50
Order Discontinue Delayed Entry code.

Column Name: dis_delay_ent_value
Column Type: varchar
Max Length: 50
Order Discontinue Delayed Entry value.

Column Name: dis_effective_date
Column Type: date
Order Discontinue Effective Date.

Column Name: dis_effective_time
Column Type: varchar
Max Length: 50
Order Discontinue Effective Time.

Column Name: dis_ent_src_code
Column Type: varchar
Max Length: 50
Order Discontinue Order Entry Source code.

Column Name: dis_ent_src_value
Column Type: varchar
Max Length: 50
Order Discontinue Order Entry Source value.

Column Name: dispense_as_written_code
Column Type: varchar
Max Length: 50
Dispense As Written (DAW) code.

Column Name: dispense_as_written_value
Column Type: varchar
Max Length: 50

Dispense As Written (DAW) value.

Column Name: dispense_quantity
Column Type: varchar
Max Length: 50
Quantity To Be Dispensed.

Column Name: dispense_quantity_numeric
Column Type: numeric
Quantity To Be Dispensed (Numeric).

Column Name: dis_pract_id
Column Type: varchar
Max Length: 50
Order Discontinue Practitioner.

Column Name: dis_pract_name
Column Type: varchar
Max Length: 50
Order Discontinue Practitioner name.

Column Name: dis_pr_not_enr
Column Type: varchar
Max Length: 50
Order Discontinue Practitioner Who Is Not Enrolled.

Column Name: dis_rd_bk_conf_code
Column Type: varchar
Max Length: 2
Discontinue - Confirmation: This Order Was Read Back To The Ordering Practitioner code.

Column Name: dis_rd_bk_conf_value
Column Type: varchar
Max Length: 50
Discontinue - Confirmation: This Order Was Read Back To The Ordering Practitioner value.

Column Name: dis_review_date
Column Type: date
Order Discontinue Review Date.

Column Name: dis_review_time
Column Type: varchar
Max Length: 50
Order Discontinue Review Time.

Column Name: dosage
Column Type: varchar
Max Length: 50
Dosage.

Column Name: dosage_form
Column Type: varchar
Max Length: 50
Dosage Form.

Column Name: dosage_numeric
Column Type: numeric
Dosage (Numeric).

Column Name: dosage_unit
Column Type: varchar
Max Length: 50
Dosage Unit.

Column Name: effective_stop_date
Column Type: date
Effective Stop Date.

Column Name: effective_stop_is_dc
Column Type: varchar
Max Length: 1
Effective Stop Date (Is Discontinued?).

Column Name: effective_stop_time
Column Type: varchar
Max Length: 50
Effective Stop Time.

Column Name: every_nth_day
Column Type: integer
Every Nth Day.

Column Name: filler_filled_flag_code
Column Type: varchar
Max Length: 50
Filler Filled Flag Code.

Column Name: filler_filled_flag_value
Column Type: varchar
Max Length: 50
Filler Filled Flag value.

Column Name: filler_order_number
Column Type: varchar
Max Length: 50
Filler Order Number.

Column Name: filler_order_number_on_dc
Column Type: varchar
Max Length: 50

Filler Order Number For DC.

Column Name: first_dose_code

Column Type: varchar

Max Length: 50

Check here if this order is a FIRST DOSE of this medication code.

Column Name: first_dose_value

Column Type: varchar

Max Length: 50

Check here if this order is a FIRST DOSE of this medication value.

Column Name: frequency_description

Column Type: varchar

Max Length: 50

Frequency Description.

Column Name: icd_9_description

Column Type: varchar

Max Length: 50

ICD-9 Description.

Column Name: last_action_date

Column Type: date

Last Action Date.

Column Name: last_action_taken_code

Column Type: varchar

Max Length: 50

Last Action Taken code.

Column Name: last_action_taken_value

Column Type: varchar

Max Length: 50

Last Action Taken value.

Column Name: last_action_val_code

Column Type: varchar

Max Length: 50

Last Action Validated code.

Column Name: last_action_val_value

Column Type: varchar

Max Length: 50

Last Action Validated value.

Column Name: last_renew_by

Column Type: varchar

Max Length: 50

Last Renew - Data Entry Person.

Column Name: last_renew_by_option
Column Type: varchar
Max Length: 50
Last Renew - Data Entry Person (Option).

Column Name: last_renew_by_user_id
Column Type: varchar
Max Length: 50
Last Renew - Data Entry User ID.

Column Name: last_renew_by_user_name
Column Type: varchar
Max Length: 50
Last Renew - Data Entry User Name.

Column Name: last_renew_date
Column Type: date
Last Renew - Date Of Entry.

Column Name: last_renew_delay_ent_code
Column Type: varchar
Max Length: 50
Last Renew Delayed Entry code.

Column Name: last_renew_delay_ent_value
Column Type: varchar
Max Length: 50
Last Renew Delayed Entry value.

Column Name: last_renew_eff_date
Column Type: date
Last Renew - Order Renew Effective Date.

Column Name: last_renew_eff_time
Column Type: varchar
Max Length: 50
Last Renew - Order Renew Effective Time.

Column Name: last_renew_ent_src_code
Column Type: varchar
Max Length: 50
Last Renew Order Entry Source code.

Column Name: last_renew_ent_src_value
Column Type: varchar
Max Length: 50
Last Renew Order Entry Source value.

Column Name: last_renew_num_days

Column Type: varchar
Max Length: 50
Last Renew - Number Of Days To Renew.

Column Name: last_renew_num_hrs
Column Type: varchar
Max Length: 50
Last Renew - Number Of Hours To Renew.

Column Name: last_renew_num_mins
Column Type: varchar
Max Length: 50
Last Renew - Number Of Minutes To Renew.

Column Name: last_renew_pract_id
Column Type: varchar
Max Length: 50
Last Renew - Order Renew Practitioner.

Column Name: last_renew_pract_name
Column Type: varchar
Max Length: 50
Last Renew - Order Renew Practitioner Name.

Column Name: last_renew_pr_nt_enr
Column Type: varchar
Max Length: 50
Last Renew - Order Renew Practitioner Who Is Not Enrolled.

Column Name: last_renew_reason_code
Column Type: varchar
Max Length: 50
Renew Reason Code.

Column Name: last_renew_reason_text
Column Type: varchar
Max Length: 32766
Renew Reason Text.

Column Name: last_renew_reason_txt255
Column Type: varchar
Max Length: 255
Renew Reason Text (max length 255).

Column Name: last_renew_reason_value
Column Type: varchar
Max Length: 50
Renew Reason value.

Column Name: last_renew_review_dt

Column Type: date
Last Renew - Order Renew Review Date.

Column Name: last_renew_rev_time
Column Type: varchar
Max Length: 50
Last Renew - Order Renew Review Time.

Column Name: last_renew_stop_date
Column Type: date
Last Renew - Stop Date Prior To Renew.

Column Name: last_renew_stop_time
Column Type: varchar
Max Length: 50
Last Renew - Order Renew Review Time.

Column Name: last_renew_time
Column Type: varchar
Max Length: 50
Last Renew - Data Entry Time.

Column Name: last_renw_rd_bk_conf_code
Column Type: varchar
Max Length: 2
Renew - Confirmation: This Order Was Read Back To The Ordering Practitioner code.

Column Name: last_renw_rd_bk_conf_value
Column Type: varchar
Max Length: 50
Renew - Confirmation: This Order Was Read Back To The Ordering Practitioner value.

Column Name: last_update_data_entry_by
Column Type: varchar
Max Length: 50
last_update_data_entry_by - Entry Person.

Column Name: last_update_data_entry_by_option
Column Type: varchar
Max Length: 50
last_update_data_entry_by_option - Data Entry By (Option).

Column Name: last_update_data_entry_date
Column Type: date
last_update_data_entry_date - Date Of Entry.

Column Name: last_update_data_entry_time
Column Type: varchar
Max Length: 50
last_update_data_entry_time - Data Entry Time.

Column Name: last_upd_data_entry_src
Column Type: varchar
Max Length: 255
last_upd_data_entry_src - Data Entry Source.

Column Name: last_upd_data_entry_usrid
Column Type: varchar
Max Length: 50
last_upd_data_entry_usrid - Data Entry User ID.

Column Name: last_upd_data_entry_usnm
Column Type: varchar
Max Length: 50
last_upd_data_entry_usnm - Data Entry User Name.

Column Name: latest_hold_byopt
Column Type: varchar
Max Length: 50
Latest Hold Order - Data Entry By (Option).

Column Name: latest_hold_by_user_id
Column Type: varchar
Max Length: 50
Latest Hold Order - Data Entry User ID.

Column Name: latest_hold_by_user_name
Column Type: varchar
Max Length: 50
Latest Hold Order - Data Entry User Name.

Column Name: latest_hold_eff_date
Column Type: date
Latest Hold Order - Effective Date.

Column Name: latest_hold_eff_time
Column Type: varchar
Max Length: 50
Latest Hold Order - Effective Time.

Column Name: latest_hold_entry_by
Column Type: varchar
Max Length: 50
Latest Hold Order - Entry Person.

Column Name: latest_hold_entry_date
Column Type: date
Latest Hold Order - Date Of Entry.

Column Name: latest_hold_entry_source

Column Type: varchar
Max Length: 255
Latest Hold Order - Data Entry Source.

Column Name: latest_hold_entry_time
Column Type: varchar
Max Length: 50
Latest Hold Order - Data Entry Time.

Column Name: latest_hold_pract_id
Column Type: varchar
Max Length: 50
Latest Hold Order Reviewing Practitioner

Column Name: latest_hold_pract_name
Column Type: varchar
Max Length: 50
Latest Hold Order Reviewing Practitioner Name

Column Name: latest_hold_pr_not_enr
Column Type: varchar
Max Length: 50
Latest Hold Order Practitioner Who Is Not Enrolled

Column Name: latest_hold_rd_bk_conf_code
Column Type: varchar
Max Length: 2
Hold Read-back Confirmation code

Column Name: latest_hold_rd_bk_conf_value
Column Type: varchar
Max Length: 50
Hold Read-back Confirmation value

Column Name: latest_hold_reason_code
Column Type: varchar
Max Length: 50
Latest Hold Order Reason Code

Column Name: latest_hold_reason_text
Column Type: varchar
Max Length: 32766
Latest Hold Order Reason Text

Column Name: latest_hold_reason_value
Column Type: varchar
Max Length: 50
Latest Hold Order Reason Code Value

Column Name: latest_hold_reas_txt255

Column Type: varchar
Max Length: 255
Latest Hold Order Reason Text

Column Name: latest_hold_review_date
Column Type: date
Latest Hold Order Review Date

Column Name: latest_hold_review_time
Column Type: varchar
Max Length: 50
Latest Hold Order Review Time

Column Name: latest_resm_rd_bk_conf_code
Column Type: varchar
Max Length: 2
Resume Read-back Confirmation code

Column Name: latest_resm_rd_bk_conf_value
Column Type: varchar
Max Length: 50
Resume Read-back Confirmation value

Column Name: latest_resume_by_opt
Column Type: varchar
Max Length: 50
Latest Resume Order - Data Entry By (Option).

Column Name: latest_resume_by_user_id
Column Type: varchar
Max Length: 50
Latest Resume Order - Data Entry User ID.

Column Name: latest_resume_by_username
Column Type: varchar
Max Length: 50
Latest Resume Order - Data Entry User Name.

Column Name: latest_resume_eff_date
Column Type: date
Latest Resume Order Effective Date

Column Name: latest_resume_eff_time
Column Type: varchar
Max Length: 50
Latest Resume Order Effective Time

Column Name: latest_resume_entry_by
Column Type: varchar
Max Length: 50

Latest Resume Order - Entry Person.

Column Name: latest_resume_entry_date

Column Type: date

Latest Resume Order - Date Of Entry.

Column Name: latest_resume_entry_src

Column Type: varchar

Max Length: 255

Latest Resume Order - Data Entry Source.

Column Name: latest_resume_entry_time

Column Type: varchar

Max Length: 50

Latest Resume Order - Data Entry Time.

Column Name: latest_resume_pract_id

Column Type: varchar

Max Length: 50

Latest Resume Order Reviewing Practitioner

Column Name: latest_resume_pract_name

Column Type: varchar

Max Length: 50

Latest Resume Order Reviewing Practitioner Name

Column Name: latest_resume_pr_not_enr

Column Type: varchar

Max Length: 50

Column Name: latest_resume_reason_code

Column Type: varchar

Max Length: 50

Latest Resume Order Reason Code

Column Name: latest_resume_reason_text

Column Type: varchar

Max Length: 32766

Latest Resume Order Reason Text

Column Name: latest_resume_reason_value

Column Type: varchar

Max Length: 50

Latest Resume Order Reason Code Value

Column Name: latest_resume_reas_txt255

Column Type: varchar

Max Length: 255

Latest Resume Order Reason Text

Column Name: latest_resume_review_date
Column Type: date
Latest Resume Order Review Date

Column Name: latest_resume_review_time
Column Type: varchar
Max Length: 50
Latest Resume Order Review Time

Column Name: make_orders_open_end_code
Column Type: varchar
Max Length: 50
Make Order(s) Open Ended code.

Column Name: make_orders_open_end_value
Column Type: varchar
Max Length: 50
Make Order(s) Open Ended value.

Column Name: med_category_code
Column Type: varchar
Max Length: 255
Medication Category code.

Column Name: med_category_value_long
Column Type: varchar
Max Length: 4096
Medication Category value (long).

Column Name: med_category_value_short
Column Type: varchar
Max Length: 255
Medication Category value (short).

Column Name: non_formulary_override
Column Type: varchar
Max Length: 80
Non-formulary Pharmacy Order Warning Override Text

Column Name: non_formulary_ovrd_code
Column Type: varchar
Max Length: 50
Non-formulary override code (dictionary-based)

Column Name: non_formulary_ovrd_value
Column Type: varchar
Max Length: 50
Non-formulary override code value (from dictionary)

Column Name: number_of_refills
Column Type: varchar
Max Length: 50
Number of Refills Allowed.

Column Name: number_of_refills_numeric
Column Type: integer
Number of Refills Allowed (numeric).

Column Name: one_time_only_code
Column Type: varchar
Max Length: 50
One Time Only code.

Column Name: one_time_only_value
Column Type: varchar
Max Length: 50
One Time Only value.

Column Name: order_category_code
Column Type: varchar
Max Length: 50
Order Category code.

Column Name: order_category_value
Column Type: varchar
Max Length: 50
Order Category value.

Column Name: order_changed_code
Column Type: varchar
Max Length: 50
Order Changed? (code)

Column Name: order_changed_value
Column Type: varchar
Max Length: 50
Order Changed? (value)

Column Name: order_date
Column Type: date
Order Date.

Column Name: order_description
Column Type: varchar
Max Length: 100
Order Description.

Column Name: order_entry_source_code
Column Type: varchar

Max Length: 50
Order Entry Source code.

Column Name: order_entry_source_value
Column Type: varchar
Max Length: 50
Order Entry Source value.

Column Name: order_guidelines
Column Type: varchar
Max Length: 32766
Order Guidelines (previously call Dosage / Lab Test Guidelines)

Column Name: order_guidelines_255
Column Type: varchar
Max Length: 255
Order Guidelines (previously called Dosage / Lab Test Guidelines)

Column Name: ordering_pract_id
Column Type: varchar
Max Length: 50
Ordering Practitioner.

Column Name: ordering_pract_name
Column Type: varchar
Max Length: 50
Ordering Practitioner Name.

Column Name: ordering_pr_not_enr
Column Type: varchar
Max Length: 50
Ordering Practitioner Who is Not Enrolled

Column Name: order_status_code
Column Type: varchar
Max Length: 50
Order Status code.

Column Name: order_status_value
Column Type: varchar
Max Length: 50
Order Status value.

Column Name: order_text
Column Type: varchar
Max Length: 32766
Order Text.

Column Name: order_text_255
Column Type: varchar

Max Length: 255
Order Text (max length 255).

Column Name: order_time
Column Type: varchar
Max Length: 50
Order Time.

Column Name: order_type_category_code
Column Type: varchar
Max Length: 10
Order Type Category Code

Column Name: order_type_category_value
Column Type: varchar
Max Length: 50
Order Type Category Value

Column Name: order_type_code
Column Type: varchar
Max Length: 50
Order Type code.

Column Name: order_type_value
Column Type: varchar
Max Length: 50
Order Type value.

Column Name: order_unique_id
Column Type: varchar
Max Length: 50
Order Unique ID.

Column Name: original_duration
Column Type: varchar
Max Length: 50
Original Duration.

Column Name: original_dur_days
Column Type: varchar
Max Length: 50
Original Duration (Days).

Column Name: original_dur_days_numeric
Column Type: integer
Original Duration (Days numeric).

Column Name: original_dur_hrs
Column Type: varchar
Max Length: 50

Original Duration (Hours).

Column Name: original_dur_hrs_numeric

Column Type: integer

Original Duration (Hours numeric).

Column Name: original_dur_mins

Column Type: varchar

Max Length: 50

Original Duration (Minutes).

Column Name: original_dur_mins_numeric

Column Type: integer

Original Duration (Minutes numeric).

Column Name: original_stop_date

Column Type: date

Original Stop Date.

Column Name: original_stop_time

Column Type: varchar

Max Length: 50

Original Stop Time.

Column Name: parent_node_for_subs

Column Type: varchar

Max Length: 50

Parent node (System use only).

Column Name: pm_0600_1130pm_code

Column Type: varchar

Max Length: 50

PM(06:00-11:30 PM) code.

Column Name: pm_0600_1130pm_value

Column Type: varchar

Max Length: 75

PM(06:00-11:30 PM) value.

Column Name: pm_noon_0530pm_code

Column Type: varchar

Max Length: 50

PM(12 Noon-05:30 PM) code.

Column Name: pm_noon_0530pm_value

Column Type: varchar

Max Length: 75

PM(12 Noon-05:30 PM) value.

Column Name: pre_auth_link

Column Type: varchar
Max Length: 50
Link To Client Pre-Authorized Orders History (System Use Only)

Column Name: problems_code
Column Type: varchar
Max Length: 4096
Problems code.

Column Name: problems_value
Column Type: varchar
Max Length: 4096
Problems value.

Column Name: quantity
Column Type: varchar
Max Length: 50
Quantity.

Column Name: quantity_numeric
Column Type: numeric
Quantity (numeric).

Column Name: quantity_unit
Column Type: varchar
Max Length: 50
Quantity Unit.

Column Name: read_back_confirm_code
Column Type: varchar
Max Length: 2
Read-back Confirmation code

Column Name: read_back_confirm_value
Column Type: varchar
Max Length: 50
Read-back Confirmation value

Column Name: reason_code
Column Type: varchar
Max Length: 32000
Reason code.

Column Name: reason_text
Column Type: varchar
Max Length: 32766
Reason Text.

Column Name: reason_text_255
Column Type: varchar

Max Length: 255
Reason Text (max length 255).

Column Name: reason_value
Column Type: varchar
Max Length: 32000
Reason value.

Column Name: results_status_code
Column Type: varchar
Max Length: 20
Results Status code.

Column Name: results_status_date
Column Type: date
Results Status date.

Column Name: results_status_time
Column Type: varchar
Max Length: 10
Results Status Time.

Column Name: results_status_value
Column Type: varchar
Max Length: 200
Results Status value.

Column Name: routine_or_prn_code
Column Type: varchar
Max Length: 50
Routine or PRN code.

Column Name: routine_or_prn_value
Column Type: varchar
Max Length: 50
Routine or PRN value.

Column Name: special_instructions
Column Type: varchar
Max Length: 32766
Special Instructions.

Column Name: special_instructions_255
Column Type: varchar
Max Length: 255
Special Instructions (max length 255).

Column Name: start_date
Column Type: date
Start Date.

Column Name: start_time
Column Type: varchar
Max Length: 50
Start Time.

Column Name: times_24_hour
Column Type: varchar
Max Length: 50
Times/24 Hour.

Column Name: times_24_hour_numeric
Column Type: integer
Times/24 Hour (Numeric).

Column Name: treatment_setting_code
Column Type: varchar
Max Length: 50
Treatment Setting code.

Column Name: treatment_setting_value
Column Type: varchar
Max Length: 50
Treatment Setting value.

Column Name: unique_session_id_create
Column Type: varchar
Max Length: 50
Unique Session ID associated with Create New Order action

Column Name: unique_session_id_latest
Column Type: varchar
Max Length: 50
Unique Session ID associated with latest action

Column Name: validated_by
Column Type: varchar
Max Length: 50
Order Validated By.

Column Name: validated_by_option
Column Type: varchar
Max Length: 50
Order Validated By (Option).

Column Name: validated_by_user_id
Column Type: varchar
Max Length: 50
Order Validated User ID.

Column Name: validated_by_user_name
Column Type: varchar
Max Length: 50
Order Validated User Name.

Column Name: validated_date
Column Type: date
Order Validated Date.

Column Name: validate_delay_ent_code
Column Type: varchar
Max Length: 50
Order Validate Delayed Entry code.

Column Name: validate_delay_ent_value
Column Type: varchar
Max Length: 50
Order Validate Delayed Entry value.

Column Name: validated_time
Column Type: varchar
Max Length: 50
Order Validated Time.

Column Name: validate_ent_src_code
Column Type: varchar
Max Length: 50
Order Validate Order Entry Source code.

Column Name: validate_ent_src_value
Column Type: varchar
Max Length: 50
Order Validate Order Entry Source value.

Column Name: validate_pract_id
Column Type: varchar
Max Length: 50
Order Validate Practitioner.

Column Name: validate_pract_name
Column Type: varchar
Max Length: 50
Order Validate Practitioner name.

Column Name: validate_pr_not_enr
Column Type: varchar
Max Length: 50
Order Validate Practitioner Who Is Not Enrolled

Column Name: validate_reason_code

Column Type: varchar
Max Length: 50
Order Validate code.

Column Name: validate_reason_text
Column Type: varchar
Max Length: 32766
Order Validate text.

Column Name: validate_reason_txt255
Column Type: varchar
Max Length: 255
Order Validate text (max length 255).

Column Name: validate_reason_value
Column Type: varchar
Max Length: 50
Order Validate value.

Column Name: validate_review_date
Column Type: date
Order Validate Review Date.

Column Name: validate_review_time
Column Type: varchar
Max Length: 50
Order Validate Review Time.

Column Name: v_dosage_lab_test
Column Type: varchar
Max Length: 32766
Order Guidelines.

Column Name: v_dosage_lab_test_255
Column Type: varchar
Max Length: 255
Order Guidelines (max length 255).

Documentation for form: Order_Consent

Table Name: OrderEntry.aoe_answers

Table Description: This table contains the answers to AOE question for a specific order.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
System code.

Column Name: ORDuniqueid
Column Type: varchar
Max Length: 50
Order unique ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID.

Column Name: answer
Column Type: varchar
Max Length: 50
Answer.

Column Name: answer_value
Column Type: varchar
Max Length: 50
Answer Value.

Column Name: aoe_id
Column Type: varchar
Max Length: 50
Ask on order entry ID.

Column Name: aoe_question_id
Column Type: varchar
Max Length: 50
Question Identifier.

Column Name: question
Column Type: varchar
Max Length: 50
Question.

Documentation for form: Order_Consent

Table Name: OrderEntry.consent

Table Description: This table returns entries filed in the 'Consent' form.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: ORDERID

Column Type: varchar

Max Length: 50

'Order Code'

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the consent.

Column Name: comments

Column Type: varchar

Max Length: 32766

'Comments'

Column Name: consent_date

Column Type: date

'Consent Date'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: last_review_date
Column Type: date
'Last Review Date'

Column Name: order_description
Column Type: varchar
Max Length: 100
Description associated with the order code selected in 'Order Code' field.

Column Name: override_reason_code
Column Type: varchar
Max Length: 50
'Consent Override Reason'

Column Name: override_reason_value
Column Type: varchar
Max Length: 50
Description associated with 'Consent Override Reason' code.

Column Name: signature
Column Type: longvarbinary
Max Length: 2147483647
'Capture Signature'

Column Name: signature_entered
Column Type: varchar
Max Length: 50
Indicates if a signature was entered.

Documentation for form: Order_Consent

Table Name: OrderEntry.user_def_aoe_answers

Table Description: Ask On Order Entry Quesiton Answers.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: ORDuniqueid
Column Type: varchar
Max Length: 50
Order unique ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID.

Column Name: answer_text
Column Type: varchar
Max Length: 32766
Answer text.

Column Name: aoe_entry_id
Column Type: varchar
Max Length: 50
Unique ID for AOE entry.

Column Name: dictionary_answer_value
Column Type: varchar
Max Length: 32766
For dictionary type AOE's this is the value associated with the dictionary code.

Column Name: dictionary_file
Column Type: varchar
Max Length: 50
Dictionary File

Column Name: dictionary_namespace
Column Type: varchar
Max Length: 50
Dictionary Namespace

Column Name: dictionary_number
Column Type: varchar
Max Length: 50
Dictionary field number

Column Name: question_text
Column Type: varchar
Max Length: 32766
Question text.

Documentation for form: Order_Fulfillment

Table Name: OrderEntry.fulfillment_status

Table Description: Fulfillment Status

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID.

Column Name: completed_code
Column Type: varchar
Max Length: 50
Fulfillment Completed code

Column Name: completed_value
Column Type: varchar
Max Length: 50
Fulfillment Completed value

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_h
Column Type: varchar
Max Length: 50
The time the row was last updated (Cache system time).

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_historic
Column Type: varchar
Max Length: 50
Historic associated with modeled form.

Column Name: fulfillment_form
Column Type: varchar
Max Length: 50
Modeled form where fulfillment was entered.

Column Name: fulfillment_optionCSMid
Column Type: varchar
Max Length: 50

Internal modeled form ID.

Column Name: fulfillment_status_code
Column Type: varchar
Max Length: 50
Fulfillment Status Code.

Column Name: fulfillment_status_value
Column Type: varchar
Max Length: 50
Fulfillment Status Value

Column Name: order_unique_id
Column Type: varchar
Max Length: 50
Order Number

Documentation for form: Order_Entry_Forms_Printing

Table Name: OrderEntry.temp_history_client_order

Table Description: Populated with data for orders to be printed via the Order Entry Forms Printing process.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EPISODE_NUMBER
Column Type: integer
The client Episode with which the order is associated

Column Name: FACILITY
Column Type: integer
The FACILITY (Root System Code) in which the data was stored

Column Name: FREQUENCYID
Column Type: varchar
Max Length: 50
The order's Frequency Code

Column Name: ICD9CODE
Column Type: varchar
Max Length: 50
The order's ICD-9 diagnosis code

Column Name: JOIN_TO_DIAGNOSIS_OBJECT

Column Type: varchar
Max Length: 40
Used to JOIN to SYSTEM.RADplus_IMO_results table
Diagnosis JOIN and associated values v2011010

Column Name: ORDERID
Column Type: varchar
Max Length: 50
The order's Order Code

Column Name: ORDuniqueid
Column Type: varchar
Max Length: 50
The order's ORD unique ID within the client's orders

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID for whom this order was created

Column Name: TNuniqueid
Column Type: varchar
Max Length: 50
TN unique ID.

Column Name: administer_am_0100
Column Type: varchar
Max Length: 50
Is this order to be administered at 1:00 AM ?

Column Name: administer_am_0130
Column Type: varchar
Max Length: 50
Is this order to be administered at 1:30 AM ?

Column Name: administer_am_0200
Column Type: varchar
Max Length: 50
Is this order to be administered at 2:00 AM ?

Column Name: administer_am_0230
Column Type: varchar
Max Length: 50
Is this order to be administered at 2:30 AM ?

Column Name: administer_am_0300
Column Type: varchar
Max Length: 50
Is this order to be administered at 3:00 AM ?

Column Name: administer_am_0330
Column Type: varchar
Max Length: 50
Is this order to be administered at 3:30 AM ?

Column Name: administer_am_0400
Column Type: varchar
Max Length: 50
Is this order to be administered at 4:00 AM ?

Column Name: administer_am_0430
Column Type: varchar
Max Length: 50
Is this order to be administered at 4:30 AM ?

Column Name: administer_am_0500
Column Type: varchar
Max Length: 50
Is this order to be administered at 5:00 AM ?

Column Name: administer_am_0530
Column Type: varchar
Max Length: 50
Is this order to be administered at 5:30 AM ?

Column Name: administer_am_0600
Column Type: varchar
Max Length: 50
Is this order to be administered at 6:00 AM ?

Column Name: administer_am_0630
Column Type: varchar
Max Length: 50
Is this order to be administered at 6:30 AM ?

Column Name: administer_am_0700
Column Type: varchar
Max Length: 50
Is this order to be administered at 7:00 AM ?

Column Name: administer_am_0730
Column Type: varchar
Max Length: 50
Is this order to be administered at 7:30 AM ?

Column Name: administer_am_0800
Column Type: varchar
Max Length: 50
Is this order to be administered at 8:00 AM ?

Column Name: administer_am_0830
Column Type: varchar
Max Length: 50
Is this order to be administered at 8:30 AM ?

Column Name: administer_am_0900
Column Type: varchar
Max Length: 50
Is this order to be administered at 9:00 AM ?

Column Name: administer_am_0930
Column Type: varchar
Max Length: 50
Is this order to be administered at 9:30 AM ?

Column Name: administer_am_1000
Column Type: varchar
Max Length: 50
Is this order to be administered at 10:00 AM ?

Column Name: administer_am_1030
Column Type: varchar
Max Length: 50
Is this order to be administered at 10:30 AM ?

Column Name: administer_am_1100
Column Type: varchar
Max Length: 50
Is this order to be administered at 11:00 AM ?

Column Name: administer_am_1130
Column Type: varchar
Max Length: 50
Is this order to be administered at 11:30 AM ?

Column Name: administer_am_1230
Column Type: varchar
Max Length: 50
Is this order to be administered at 12:30 PM ?

Column Name: administer_am_midnight
Column Type: varchar
Max Length: 50
Is this order to be administered at 12:00 AM (Midnight) ?

Column Name: administer_pm_0100
Column Type: varchar
Max Length: 50
Is this order to be administered at 1:00 PM ?

Column Name: administer_pm_0130
Column Type: varchar
Max Length: 50
Is this order to be administered at 1:30 PM ?

Column Name: administer_pm_0200
Column Type: varchar
Max Length: 50
Is this order to be administered at 2:00 PM ?

Column Name: administer_pm_0230
Column Type: varchar
Max Length: 50
Is this order to be administered at 2:30 PM ?

Column Name: administer_pm_0300
Column Type: varchar
Max Length: 50
Is this order to be administered at 3:00 PM ?

Column Name: administer_pm_0330
Column Type: varchar
Max Length: 50
Is this order to be administered at 3:30 PM ?

Column Name: administer_pm_0400
Column Type: varchar
Max Length: 50
Is this order to be administered at 4:00 PM ?

Column Name: administer_pm_0430
Column Type: varchar
Max Length: 50
Is this order to be administered at 4:30 PM ?

Column Name: administer_pm_0500
Column Type: varchar
Max Length: 50
Is this order to be administered at 5:00 PM ?

Column Name: administer_pm_0530
Column Type: varchar
Max Length: 50
Is this order to be administered at 5:30 PM ?

Column Name: administer_pm_0600
Column Type: varchar
Max Length: 50
Is this order to be administered at 6:00 PM ?

Column Name: administer_pm_0630
Column Type: varchar
Max Length: 50
Is this order to be administered at 6:30 PM ?

Column Name: administer_pm_0700
Column Type: varchar
Max Length: 50
Is this order to be administered at 7:00 PM ?

Column Name: administer_pm_0730
Column Type: varchar
Max Length: 50
Is this order to be administered at 7:30 PM ?

Column Name: administer_pm_0800
Column Type: varchar
Max Length: 50
Is this order to be administered at 8:00 PM ?

Column Name: administer_pm_0830
Column Type: varchar
Max Length: 50
Is this order to be administered at 8:30 PM ?

Column Name: administer_pm_0900
Column Type: varchar
Max Length: 50
Is this order to be administered at 9:00 PM ?

Column Name: administer_pm_0930
Column Type: varchar
Max Length: 50
Is this order to be administered at 9:30 PM ?

Column Name: administer_pm_1000
Column Type: varchar
Max Length: 50
Is this order to be administered at 10:00 PM ?

Column Name: administer_pm_1030
Column Type: varchar
Max Length: 50
Is this order to be administered at 10:30 PM ?

Column Name: administer_pm_1100
Column Type: varchar
Max Length: 50
Is this order to be administered at 11:00 PM ?

Column Name: administer_pm_1130
Column Type: varchar
Max Length: 50
Is this order to be administered at 11:30 PM ?

Column Name: administer_pm_1230
Column Type: varchar
Max Length: 50
Is this order to be administered at 12:30 PM ?

Column Name: administer_pm_noon
Column Type: varchar
Max Length: 50
Is this order to be administered at 12:00 PM (Noon) ?

Column Name: administration_route
Column Type: varchar
Max Length: 50
The order's Route of Adminiistration

Column Name: administration_times
Column Type: varchar
Max Length: 4096
The order's Hours of Administration

Column Name: admin_method_code
Column Type: varchar
Max Length: 50
The order's Administration Method Code (IV orders only)

Column Name: admin_method_value
Column Type: varchar
Max Length: 50
The order's Administration Method Value (IV orders only)

Column Name: am_0600_1130am_code
Column Type: varchar
Max Length: 50
The order's specified Hours of Administration codes between 6:00 AM and 11:30 AM

Column Name: am_0600_1130am_value
Column Type: varchar
Max Length: 100
The order's specified Hours of Administration values between 6:00 AM and 11:30 AM

Column Name: am_12midnight_0530am_code
Column Type: varchar
Max Length: 50
The order's specified Hours of Administration codes between 12:00 AM (Midnight) and 5:30 AM

Column Name: am_12midnight_0530am_value

Column Type: varchar

Max Length: 4096

The order's specified Hours of Administration values between 12:00 AM (Midnight) and 5:30 AM

Column Name: basic_dup_order_ovr_code

Column Type: varchar

Max Length: 50

Override code for Basic Duplicate Override Check alert

Column Name: basic_dup_order_ovr_text

Column Type: varchar

Max Length: 80

Override text for Basic Duplicate Override Check alert

Column Name: basic_dup_order_ovr_value

Column Type: varchar

Max Length: 50

Override value for Basic Duplicate Override Check alert

Column Name: change_by

Column Type: varchar

Max Length: 50

Order last changed by User

Column Name: change_by_option

Column Type: varchar

Max Length: 50

Order last changed by (option) User

Column Name: change_by_pract_id

Column Type: varchar

Max Length: 50

Order last changed by Practitioner ID

Column Name: change_by_pract_name

Column Type: varchar

Max Length: 50

Order last changed by Practitioner Name

Column Name: change_by_pr_not_enr

Column Type: varchar

Max Length: 50

Order last changed by Practitioner Who Is Not Enrolled

Column Name: change_by_user_id

Column Type: varchar

Max Length: 50

Order last changed by User ID

Column Name: change_by_user_name
Column Type: varchar
Max Length: 50
Order last changed by User ID Name

Column Name: change_date
Column Type: date
Order last changed date

Column Name: change_delay_ent_code
Column Type: varchar
Max Length: 50
Order last changed Delayed Entry code

Column Name: change_delay_ent_value
Column Type: varchar
Max Length: 50
Order last changed Delayed Entry value

Column Name: change_eff_date
Column Type: date
Order last changed Effective Date

Column Name: change_eff_time
Column Type: varchar
Max Length: 50
Order last changed Effective Time

Column Name: change_ent_src_code
Column Type: varchar
Max Length: 50
Order last changed Order Entry Source code

Column Name: change_ent_src_value
Column Type: varchar
Max Length: 50
Order last changed Order Entry Source value

Column Name: change_explanation
Column Type: varchar
Max Length: 32766
Order last changed Explanation

Column Name: change_explanation_255
Column Type: varchar
Max Length: 255
Order last changed Explanation (255 character limit)

Column Name: change_reason_code
Column Type: varchar

Max Length: 50
Order last changed Reason for Change code

Column Name: change_reason_value
Column Type: varchar
Max Length: 50
Order last changed Reason for Change value

Column Name: change_time
Column Type: varchar
Max Length: 50
Order last changed time

Column Name: comments
Column Type: varchar
Max Length: 32766
The order's Comments

Column Name: comments_255
Column Type: varchar
Max Length: 255
The order's Comments (255 character limit)

Column Name: created_by
Column Type: varchar
Max Length: 50
Order created by User

Column Name: created_by_option
Column Type: varchar
Max Length: 50
Order created by (option) User

Column Name: created_by_pre_auth_code
Column Type: varchar
Max Length: 50
Order created by via Pre-Authorized Order code

Column Name: created_by_pre_auth_value
Column Type: varchar
Max Length: 50
Order created by via Pre-Authorized Order value

Column Name: created_by_user_id
Column Type: varchar
Max Length: 50
Order created by User ID

Column Name: created_by_user_name
Column Type: varchar

Max Length: 50
Order created by User ID Name

Column Name: created_date
Column Type: date
Order created date

Column Name: created_time
Column Type: varchar
Max Length: 50
Order created time

Column Name: current_duration
Column Type: varchar
Max Length: 50
The order's current Duration

Column Name: current_duration_numeric
Column Type: integer
The order's current Duration (numeric data type)

Column Name: current_dur_days
Column Type: varchar
Max Length: 50
The order's current Duration (Days)

Column Name: current_dur_days_numeric
Column Type: integer
The order's current Duration (Days) (numeric data type)

Column Name: current_dur_hrs
Column Type: varchar
Max Length: 50
The order's current Duration (Hours)

Column Name: current_dur_hrs_numeric
Column Type: integer
The order's current Duration (Hours) (numeric data type)

Column Name: current_dur_mins
Column Type: varchar
Max Length: 50
The order's current Duration (Minutes)

Column Name: current_dur_mins_numeric
Column Type: integer
The order's current Duration (Minutes) (numeric data type)

Column Name: current_stop_date
Column Type: date

The order's current Stop Date

Column Name: current_stop_time

Column Type: varchar

Max Length: 50

The order's current Stop Time

Column Name: cust_frequency_att_code

Column Type: varchar

Max Length: 50

The order's flag (code) for whether Frequency Code attributes were customized

Column Name: cust_frequency_att_value

Column Type: varchar

Max Length: 50

The order's flag (value) for whether Frequency Code attributes were customized

Column Name: daily_administration_code

Column Type: varchar

Max Length: 50

Does administration of this order occur Daily (code)?

Column Name: daily_administration_value

Column Type: varchar

Max Length: 50

Does administration of this order occur Daily (value)?

Column Name: days_administered_code

Column Type: varchar

Max Length: 50

The days that this order is administered (codes)

Column Name: days_administered_friday

Column Type: varchar

Max Length: 50

Is this order administered on Friday

Column Name: days_administered_monday

Column Type: varchar

Max Length: 50

Is this order administered on Monday?

Column Name: days_administered_saturday

Column Type: varchar

Max Length: 50

Is this order administered on Saturday?

Column Name: days_administered_sunday

Column Type: varchar

Max Length: 50

Is this order administered on Sunday?

Column Name: days_administered_thursday

Column Type: varchar

Max Length: 50

Is this order administered on Thursday?

Column Name: days_administered_tuesday

Column Type: varchar

Max Length: 50

Is this order administered on Tuesday?

Column Name: days_administered_value

Column Type: varchar

Max Length: 50

The days that this order is administered (values)

Column Name: days_administered_wednesday

Column Type: varchar

Max Length: 50

Is this order administered on Wednesday?

Column Name: delayed_entry_code

Column Type: varchar

Max Length: 50

The order's Delayed Entry code (Create New Order)

Column Name: delayed_entry_value

Column Type: varchar

Max Length: 50

The order's Delayed Entry value (Create New Order)

Column Name: diag_icd10_code

Column Type: varchar

Max Length: 40

The order's ICD10 diagnosis code

Column Name: diag_icd10_value

Column Type: varchar

Max Length: 255

The order's ICD10 diagnosis code value

Column Name: diag_icd9_code

Column Type: varchar

Max Length: 40

The order's ICD9 diagnosis code

Column Name: diag_icd9_value

Column Type: varchar

Max Length: 255

The order's ICD9 diagnosis code value

Column Name: diag_imo_code

Column Type: varchar

Max Length: 255

The order's IMO diagnosis code

Column Name: diag_imo_value

Column Type: varchar

Max Length: 255

The order's IMO diagnosis code value

Column Name: diagnosis_code

Column Type: varchar

Max Length: 40

The order's diagnosis code

Column Name: diagnosis_value

Column Type: varchar

Max Length: 255

the order's diagnosis code value

Column Name: discontinued_by

Column Type: varchar

Max Length: 50

The order was Discontinued By User

Column Name: discontinued_by_opt

Column Type: varchar

Max Length: 50

The order was Discontinued By (option) User

Column Name: discontinued_by_user_id

Column Type: varchar

Max Length: 50

The order was Discontinued By User ID

Column Name: discontinued_by_user_name

Column Type: varchar

Max Length: 50

The order was Discontinued By User ID Name

Column Name: discontinued_date

Column Type: date

The order's Discontinue Date

Column Name: discontinued_time

Column Type: varchar

Max Length: 50

The order's Discontinue Time

Column Name: discontinue_reason_code
Column Type: varchar
Max Length: 50
The order's Discontinue Reason code

Column Name: discontinue_reason_text
Column Type: varchar
Max Length: 32766
The order's Discontinue Reason Text

Column Name: discontinue_reason_txt255
Column Type: varchar
Max Length: 255
The order's Discontinue Reason Text (255 character limit)

Column Name: discontinue_reason_value
Column Type: varchar
Max Length: 50
The order's Discontinue Reason value

Column Name: dis_delay_ent_code
Column Type: varchar
Max Length: 50
The order's Discontinue Delayed Entry code

Column Name: dis_delay_ent_value
Column Type: varchar
Max Length: 50
The order's Discontinue Delayed Entry value

Column Name: dis_effective_date
Column Type: date
The order's Discontinue Effective Dtae

Column Name: dis_effective_time
Column Type: varchar
Max Length: 50
The order's Discontinue Effective Time

Column Name: dis_ent_src_code
Column Type: varchar
Max Length: 50
The order's Discontinue Order Entry Source code

Column Name: dis_ent_src_value
Column Type: varchar
Max Length: 50
The order's Discontinue Order Entry Source value

Column Name: dispense_as_written_code
Column Type: varchar
Max Length: 50
The order's Dispense As Written code

Column Name: dispense_as_written_value
Column Type: varchar
Max Length: 50
The order's Dispense As Written value

Column Name: dispense_quantity
Column Type: varchar
Max Length: 50
The order's Dispense Quantity

Column Name: dispense_quantity_numeric
Column Type: numeric
The order's Dispense Quantity (numeric data type)

Column Name: dis_pract_id
Column Type: varchar
Max Length: 50
The order's Discontinue Practitioner ID

Column Name: dis_pract_name
Column Type: varchar
Max Length: 50
The order's Discontinue Practitioner Name

Column Name: dis_pr_not_enr
Column Type: varchar
Max Length: 50
The order's Discontinue Practitioner Who Is Not Enrolled

Column Name: dis_rd_bk_conf_code
Column Type: varchar
Max Length: 2
The order's Discontinue Read-Back Confirmation code

Column Name: dis_rd_bk_conf_value
Column Type: varchar
Max Length: 50
The order's Read-Back Confirmation value

Column Name: dis_review_date
Column Type: date
The order Discontinue Review Date

Column Name: dis_review_time
Column Type: varchar

Max Length: 50
The order's Discontinue Review Time

Column Name: dosage
Column Type: varchar
Max Length: 50
The order's Dosage (Strength of the order's Order Code, if a medication)

Column Name: dosage_form
Column Type: varchar
Max Length: 50
The order's Dosage Form (if a medication)

Column Name: dosage_numeric
Column Type: numeric
The order's Dosage (Strength of the order's Order Code, if a medication) (numeric data type)

Column Name: dosage_unit
Column Type: varchar
Max Length: 50
The order's Dosage Unit (Strength Unit of the order's Order Code, if a medication)

Column Name: effective_stop_date
Column Type: date
The order's Effective Stop date (the earlier of the order's Stop Date or DC Effective Date)

Column Name: effective_stop_is_dc
Column Type: varchar
Max Length: 1
The order's Effective Stop Date is the order's DC Effective Date

Column Name: effective_stop_time
Column Type: varchar
Max Length: 50
The order's Effective Stop Time (the earlier of the order's Stop Time or Effective DC Time)

Column Name: every_nth_day
Column Type: integer
The order's Every Nth Day value (for order's administered Not Daily according to an interval of days)

Column Name: every_nth_hour
Column Type: integer
The order's Every Nth Hour value (for order's administered Not Daily according to an interval of hours)

Column Name: every_nth_minute
Column Type: integer
The order's Every Nth Minute value (for order's administered Not Daily according to an interval of minutes)

Column Name: expected_days_supply
Column Type: integer

The order's Expected Days Supply or specified Days Supply

Column Name: fill_days_supply

Column Type: integer

The Days Supply actually being filled for the order, for NCPDP claims

Column Name: filler_filled_flag_code

Column Type: varchar

Max Length: 50

The order's Filled by the Filling System code

Column Name: filler_filled_flag_value

Column Type: varchar

Max Length: 50

The order's Filled by the Filling System value

Column Name: filler_order_number

Column Type: varchar

Max Length: 50

The order's Filler Order Number (supplied by the filling system)

Column Name: filler_order_number_on_dc

Column Type: varchar

Max Length: 50

The order's filler order number if rejected by the filling system

Column Name: fill_quantity

Column Type: integer

The order's Fill Quantity, for NCPDP claims

Column Name: first_dose_code

Column Type: varchar

Max Length: 50

The order's First Dose code (Does this order represent a first dose of this medication for the client at this facility)

Column Name: first_dose_value

Column Type: varchar

Max Length: 50

The order's First Dose value (Does this order represent a first dose of this medication for the client at this facility)

Column Name: frequency_description

Column Type: varchar

Max Length: 50

The order's Frequency Code description

Column Name: give_init_dose_now_code

Column Type: varchar

Max Length: 50

The order's Give Initial Dose Now code

Column Name: give_init_dose_now_value

Column Type: varchar

Max Length: 50

The order's Give Initial Dose Now value

Column Name: icd_9_description

Column Type: varchar

Max Length: 50

The order's ICD9 diagnosis code description

Column Name: last_action_date

Column Type: date

The order's Last Action Date

Column Name: last_action_taken_code

Column Type: varchar

Max Length: 50

The order's Last Action Taken code

Column Name: last_action_taken_value

Column Type: varchar

Max Length: 50

The order's Last Action Taken value

Column Name: last_action_val_code

Column Type: varchar

Max Length: 50

The order's Last Action Validated code

Column Name: last_action_val_value

Column Type: varchar

Max Length: 50

The order's Last Action Validated value

Column Name: last_billed_date

Column Type: date

The order's Last Billed Date

Column Name: last_post_service_date

Column Type: date

The order's last Billing Post Service Date

Column Name: last_renew_by

Column Type: varchar

Max Length: 50

The order's Last Renewed By User

Column Name: last_renew_by_option

Column Type: varchar
Max Length: 50
The order's Last Renewed By (option) User

Column Name: last_renew_by_user_id
Column Type: varchar
Max Length: 50
The order's Last Renewed By User ID

Column Name: last_renew_by_user_name
Column Type: varchar
Max Length: 50
The order's Last Renewed By User ID Name

Column Name: last_renew_date
Column Type: date
The order's Last Renew Date

Column Name: last_renew_delay_ent_code
Column Type: varchar
Max Length: 50
The order's Last Renew Delayed Entry code

Column Name: last_renew_delay_ent_value
Column Type: varchar
Max Length: 50
The order's Last Renew Delayed Entry value

Column Name: last_renew_eff_date
Column Type: date
The order's Last Renew Effective Date

Column Name: last_renew_eff_time
Column Type: varchar
Max Length: 50
The order's Last Renew Effective Time

Column Name: last_renew_ent_src_code
Column Type: varchar
Max Length: 50
The order's Last Renew Order Entry Source code

Column Name: last_renew_ent_src_value
Column Type: varchar
Max Length: 50
The order's Last Renew Order Entry Source value

Column Name: last_renew_num_days
Column Type: varchar
Max Length: 50

The order's Last Renew For Number of Days

Column Name: last_renew_num_hrs

Column Type: varchar

Max Length: 50

The order's Last Renew For Number of Hours

Column Name: last_renew_num_mins

Column Type: varchar

Max Length: 50

The order's Last Renew for Number of Minutes

Column Name: last_renew_pract_id

Column Type: varchar

Max Length: 50

The order's Last Renew Practitioner ID

Column Name: last_renew_pract_name

Column Type: varchar

Max Length: 50

The order's Last Renew Practitioner Name

Column Name: last_renew_pr_nt_enr

Column Type: varchar

Max Length: 50

The order's Last Renew Practitioner Who Is Not Enrolled

Column Name: last_renew_reason_code

Column Type: varchar

Max Length: 50

The order's Last Renew Reason code

Column Name: last_renew_reason_text

Column Type: varchar

Max Length: 32766

The order's Last Renew Reason Text

Column Name: last_renew_reason_txt255

Column Type: varchar

Max Length: 255

The order's Last Renew Reason Text (255 character limit)

Column Name: last_renew_reason_value

Column Type: varchar

Max Length: 50

The order's Last Renew Reason value

Column Name: last_renew_review_dt

Column Type: date

The order's Last Renew Review Date

Column Name: last_renew_rev_time
Column Type: varchar
Max Length: 50
The order's Last Renew Review Time

Column Name: last_renew_stop_date
Column Type: date
The order's Last Renew Stop Date

Column Name: last_renew_stop_time
Column Type: varchar
Max Length: 50
The order's Last Renew Stop Time

Column Name: last_renew_time
Column Type: varchar
Max Length: 50
The order's Last Renew Time

Column Name: last_renw_rd_bk_conf_code
Column Type: varchar
Max Length: 2
The order's Last Renew Read-Back Confirmation code

Column Name: last_renw_rd_bk_conf_value
Column Type: varchar
Max Length: 50
The order's Last Renew Read-Back Confirmation value

Column Name: last_update_data_entry_by
Column Type: varchar
Max Length: 50
The order's last update data entry by User

Column Name: last_update_data_entry_by_option
Column Type: varchar
Max Length: 50
The order's last update data entry by (option) User

Column Name: last_update_data_entry_date
Column Type: date
The order's last update data entry date

Column Name: last_update_data_entry_time
Column Type: varchar
Max Length: 50
The order's last update data entry time

Column Name: last_upd_data_entry_usrid

Column Type: varchar
Max Length: 50
The order's last update data entry User Id

Column Name: last_upd_data_entry_usrnm
Column Type: varchar
Max Length: 50
The order's last update data entry User ID Name

Column Name: last_used_fill_number
Column Type: integer
The order's last used fill number, for NCPDP claims

Column Name: latest_hold_entry_byopt
Column Type: varchar
Max Length: 50
The order's latest Hold data entry by (option) User

Column Name: latest_hold_by_user_id
Column Type: varchar
Max Length: 50
The order's latest Hold data entry by User ID

Column Name: latest_hold_by_user_name
Column Type: varchar
Max Length: 50
The order's latest Hold data entry by User ID Name

Column Name: latest_hold_eff_date
Column Type: date
The order's latest Hold Effective Date

Column Name: latest_hold_eff_time
Column Type: varchar
Max Length: 50
The order's latest Hold Effective Time

Column Name: latest_hold_entry_by
Column Type: varchar
Max Length: 50
The order's latest data entry by User

Column Name: latest_hold_entry_date
Column Type: date
The order's latest Hold entry date

Column Name: latest_hold_entry_time
Column Type: varchar
Max Length: 50
The order's latest Hold entry time

Column Name: latest_hold_pract_id

Column Type: varchar

Max Length: 50

The order's latest Hold Practitioner ID

Column Name: latest_hold_pract_name

Column Type: varchar

Max Length: 50

The order's latest Hold Practitioner Name

Column Name: latest_hold_pr_not_enr

Column Type: varchar

Max Length: 50

The order's latest Hold Practitioner Who Is Not Enrolled

Column Name: latest_hold_rd_bk_conf_code

Column Type: varchar

Max Length: 2

The order's latest Hold Read-Back Confirmation code

Column Name: latest_hold_rd_bk_conf_value

Column Type: varchar

Max Length: 50

The order's latest Hold Read-Back Confirmation value

Column Name: latest_hold_reason_code

Column Type: varchar

Max Length: 50

The order's latest Hold Reason code

Column Name: latest_hold_reason_text

Column Type: varchar

Max Length: 32766

The order's latest Hold Reason Text

Column Name: latest_hold_reason_value

Column Type: varchar

Max Length: 50

The order's latest Hold reason value

Column Name: latest_hold_reas_txt255

Column Type: varchar

Max Length: 255

The order's latest Hold reason Text (255 character limit)

Column Name: latest_hold_review_date

Column Type: date

The order's latest Hold Review Date

Column Name: latest_hold_review_time

Column Type: varchar

Max Length: 50

The order's latest Hold Review Time

Column Name: latest_resm_rd_bk_conf_code

Column Type: varchar

Max Length: 2

The order's latest Resume Read-Back Confirmation code

Column Name: latest_resm_rd_bk_conf_value

Column Type: varchar

Max Length: 50

The order's latest Resume Read-Back Confirmation value

Column Name: latest_resume_entry_byopt

Column Type: varchar

Max Length: 50

The order's latest Resume data entry by (option) User

Column Name: latest_resume_by_user_id

Column Type: varchar

Max Length: 50

The order's latest Resume data entry by User ID

Column Name: latest_resume_by_username

Column Type: varchar

Max Length: 50

The order's latest Resume data entry by User ID Name

Column Name: latest_resume_eff_date

Column Type: date

The order's latest Resume Effective Date

Column Name: latest_resume_eff_time

Column Type: varchar

Max Length: 50

The order's latest Resume Effective Time

Column Name: latest_resume_entry_by

Column Type: varchar

Max Length: 50

The order's latest Resume data entry by User

Column Name: latest_resume_entry_date

Column Type: date

The order's latest Resume data entry date

Column Name: latest_resume_entry_time

Column Type: varchar

Max Length: 50

The order's latest Resume data entry time

Column Name: latest_resume_pract_id

Column Type: varchar

Max Length: 50

The order's latest Resume Practitioner ID

Column Name: latest_resume_pract_name

Column Type: varchar

Max Length: 50

The order's latest Resume Practitioner Name

Column Name: latest_resume_pr_not_enr

Column Type: varchar

Max Length: 50

The order's latest Resume Practitioner Who Is Not Enrolled

Column Name: latest_resume_reason_code

Column Type: varchar

Max Length: 50

The order's latest Resume Reason code

Column Name: latest_resume_reason_text

Column Type: varchar

Max Length: 32766

The order's latest Resume Reason Text

Column Name: latest_resume_reas_txt255

Column Type: varchar

Max Length: 255

The order's latest Resume Reason Text (255 character limit)

Column Name: latest_resume_reason_value

Column Type: varchar

Max Length: 50

The order's latest Resume Reason value

Column Name: latest_resume_review_date

Column Type: date

The order's latest Resume Review Date

Column Name: latest_resume_review_time

Column Type: varchar

Max Length: 50

The order's latest Resume Review Time

Column Name: make_orders_open_end_code

Column Type: varchar

Max Length: 50

The order's Make Order OPen-Ended code

Column Name: make_orders_open_end_value

Column Type: varchar

Max Length: 50

The order's Make Order Open-Ended value

Column Name: med_category_code

Column Type: varchar

Max Length: 255

The order's Medication Category code (from the order's Order Code, for medications)

Column Name: med_category_value_long

Column Type: varchar

Max Length: 4096

The order's Medication Category value (long) (from the order's Order Code, for medications)

Column Name: med_category_value_short

Column Type: varchar

Max Length: 255

The order's Medication Category value (short) (from the order's Order Code, for medications)

Column Name: non_formulary_override

Column Type: varchar

Max Length: 80

The order's Non-Formulary Override text

Column Name: non_formulary_ovrd_code

Column Type: varchar

Max Length: 50

The order's Non-formulary Override code

Column Name: non_formulary_ovrd_value

Column Type: varchar

Max Length: 50

The order's Non-formulary Override value

Column Name: number_of_refills

Column Type: varchar

Max Length: 50

The order's Number of Refill Allowed

Column Name: number_of_refills_numeric

Column Type: integer

The order's Number of Refill Allowed (numeric data type)

Column Name: one_time_only_code

Column Type: varchar

Max Length: 50

The order's One-time-Only code

Column Name: one_time_only_value

Column Type: varchar

Max Length: 50

The order's One-Time-Only value

Column Name: order_category_code

Column Type: varchar

Max Length: 50

The order's Order Category code (Leave, Discharge, History-Only, Other)

Column Name: order_category_value

Column Type: varchar

Max Length: 50

The order's Order Category value (Leave, Discharge, History-Only, Other)

Column Name: order_changed_code

Column Type: varchar

Max Length: 50

The order's Order Changed code

Column Name: order_changed_value

Column Type: varchar

Max Length: 50

The order's Order Changed value

Column Name: order_date

Column Type: date

The order's Order Date

Column Name: order_description

Column Type: varchar

Max Length: 100

The order's Order Code Description

Column Name: order_entry_source_code

Column Type: varchar

Max Length: 50

The order's Order Entry Source code (Create New Order)

Column Name: order_entry_source_value

Column Type: varchar

Max Length: 50

The order's Order Entry Source value (Create New Order)

Column Name: order_guidelines

Column Type: varchar

Max Length: 32766

The order's Order Guidelines (from the order's Order Code)

Column Name: order_guidelines_255
Column Type: varchar
Max Length: 255
The order's Order Guidelines (from the order's Order Code) (255 character limit)

Column Name: ordering_pract_id
Column Type: varchar
Max Length: 50
The order's Ordering Practitioner ID

Column Name: ordering_pract_name
Column Type: varchar
Max Length: 50
The order's Ordering Practitioner Name

Column Name: ordering_pr_not_enr
Column Type: varchar
Max Length: 50
The order's Ordering Practitioner Who Is Not Enrolled

Column Name: order_num_plus_rx_num
Column Type: varchar
Max Length: 50
Order number plus Rx Number

Column Name: order_status_code
Column Type: varchar
Max Length: 50
The order's Order Status code

Column Name: order_status_value
Column Type: varchar
Max Length: 50
The order's Order Status code

Column Name: order_text
Column Type: varchar
Max Length: 32766
The order's Order Text

Column Name: order_text_255
Column Type: varchar
Max Length: 255
The order's Order Text (255 character limit)

Column Name: order_time
Column Type: varchar
Max Length: 50
The order's Order Time

Column Name: order_type_category_code
Column Type: varchar
Max Length: 10
The order's Order Type Category code

Column Name: order_type_category_value
Column Type: varchar
Max Length: 50
The order's Order Type Category value

Column Name: order_type_code
Column Type: varchar
Max Length: 50
The order's Order Type code

Column Name: order_type_value
Column Type: varchar
Max Length: 50
The order's Order Type value

Column Name: order_unique_id
Column Type: varchar
Max Length: 50
The order's Order Number

Column Name: original_duration
Column Type: varchar
Max Length: 50
The order's original Duration

Column Name: original_dur_days
Column Type: varchar
Max Length: 50
The order's original Duration (Days)

Column Name: original_dur_days_numeric
Column Type: integer
The order's original Duration (Days) (numeric data type)

Column Name: original_dur_hrs
Column Type: varchar
Max Length: 50
The order's original Duration (Hours)

Column Name: original_dur_hrs_numeric
Column Type: integer
The order's original Duration (Hours) (numeric data type)

Column Name: original_dur_mins
Column Type: varchar

Max Length: 50
The order's original Duration (Minutes)

Column Name: original_dur_mins_numeric
Column Type: integer
The order's original Duration (Minutes) (numeric data type)

Column Name: original_stop_date
Column Type: date
The order's original Stop Date

Column Name: original_stop_time
Column Type: varchar
Max Length: 50
The order's original Stop Time

Column Name: pm_0600_1130pm_code
Column Type: varchar
Max Length: 50
The order's specified Hours of Administration codes between 6:00 PM and 11:30 PM

Column Name: pm_0600_1130pm_value
Column Type: varchar
Max Length: 100
The order's specified Hours of Administration values between 6:00 PM and 11:30 PM

Column Name: pm_noon_0530pm_code
Column Type: varchar
Max Length: 50
The order's specified Hours of Administration codes between 12:00 PM (Noon) and 5:30 PM

Column Name: pm_noon_0530pm_value
Column Type: varchar
Max Length: 4096
The order's specified Hours of Administration values between 12:00 PM (Noon) and 5:30 PM

Column Name: pre_auth_link
Column Type: varchar
Max Length: 50
The order's link to a Pre-Authorized order

Column Name: problems_code
Column Type: varchar
Max Length: 4096
The order's Associated Problems codes

Column Name: problems_value
Column Type: varchar
Max Length: 4096
The order's Associated Problems values

Column Name: quantity
Column Type: varchar
Max Length: 50
The order's Quantity / Dose per administration

Column Name: quantity_numeric
Column Type: numeric
The order's Quantity / Dose per administration (numeric data type)

Column Name: quantity_unit
Column Type: varchar
Max Length: 50
The order's Quantity / Dose per administration Unit

Column Name: rate_amount
Column Type: varchar
Max Length: 50
The order's Rate Amount (IV orders only)

Column Name: rate_unit_code
Column Type: varchar
Max Length: 50
The order's Rate Unit code (IV orders only)

Column Name: rate_unit_value
Column Type: varchar
Max Length: 50
The order's Rate Unit value (IV ordders only)

Column Name: read_back_confirm_code
Column Type: varchar
Max Length: 2
The order's Read-Back Confirmation code (Create New Order)

Column Name: read_back_confirm_value
Column Type: varchar
Max Length: 50
The order's Read-Back Confirmation value (Create New Order)

Column Name: reason_code
Column Type: varchar
Max Length: 32000
The order's Reason Code

Column Name: reason_text
Column Type: varchar
Max Length: 32766
The order's Reason Text

Column Name: reason_text_255
Column Type: varchar
Max Length: 255
The order's Reson Text (255 character limit)

Column Name: reason_value
Column Type: varchar
Max Length: 32000
The order's Reason value

Column Name: results_status_code
Column Type: varchar
Max Length: 20
The order's Results Status code

Column Name: results_status_date
Column Type: date
The order's Results Status date

Column Name: results_status_time
Column Type: varchar
Max Length: 10
The order's Results Status time

Column Name: results_status_value
Column Type: varchar
Max Length: 200
The order's Results Status value

Column Name: routine_or_prn_code
Column Type: varchar
Max Length: 50
The order's Routine / PRN / STAT / Other code

Column Name: routine_or_prn_value
Column Type: varchar
Max Length: 50
The order's Routine / PRN / STAT / Other value

Column Name: self_administered_code
Column Type: varchar
Max Length: 50
The order's Self-Administered code

Column Name: self_administered_value
Column Type: varchar
Max Length: 50
The order's Self-Administered value

Column Name: special_instructions

Column Type: varchar
Max Length: 32766
The order's Special/Additional Instructions

Column Name: special_instructions_255
Column Type: varchar
Max Length: 255
The order's Special/Additional Instructions (255 character limit)

Column Name: start_date
Column Type: date
The order's Start Date

Column Name: start_time
Column Type: varchar
Max Length: 50
The order's Start Time

Column Name: times_24_hour
Column Type: varchar
Max Length: 50
The order's Times / 24 Hours value

Column Name: times_24_hour_numeric
Column Type: integer
The order's Times / 24 Hours value (numeric data type)

Column Name: treatment_setting_code
Column Type: varchar
Max Length: 50
The Treatment Setting code of the client Episode for the order

Column Name: treatment_setting_value
Column Type: varchar
Max Length: 50
The Treatment Setting value of the client Episode for the order

Column Name: unique_session_id_create
Column Type: varchar
Max Length: 50
The Unique Session ID from when the order was created

Column Name: unique_session_id_latest
Column Type: varchar
Max Length: 50
The Unique Session ID from when the order was last updated

Column Name: uses_ssi_instructions
Column Type: varchar
Max Length: 1

Y/N flag indicating whether the order uses Sliding Scale Insulin instructions

Column Name: validated_by

Column Type: varchar

Max Length: 50

The order's Validated By User

Column Name: validated_by_option

Column Type: varchar

Max Length: 50

The order's Validate data entry by (option) User

Column Name: validated_by_user_id

Column Type: varchar

Max Length: 50

The order's Validate data entry by User Id

Column Name: validated_by_user_name

Column Type: varchar

Max Length: 50

The order's Validate data entry by User ID Name

Column Name: validated_date

Column Type: date

The order's Validate date entry date

Column Name: validate_delay_ent_code

Column Type: varchar

Max Length: 50

The order's Validate Delayed Entry code

Column Name: validate_delay_ent_value

Column Type: varchar

Max Length: 50

The order's Validate Delayed Entry value

Column Name: validated_time

Column Type: varchar

Max Length: 50

The order's Validate data entry time

Column Name: validate_ent_src_code

Column Type: varchar

Max Length: 50

The order's Validate Order Entry Source code

Column Name: validate_ent_src_value

Column Type: varchar

Max Length: 50

The order's Validate Order Entry Source value

Column Name: validate_pract_id
Column Type: varchar
Max Length: 50
The order's Validate Practitioner ID

Column Name: validate_pract_name
Column Type: varchar
Max Length: 50
The order's Validate Practitioner Name

Column Name: validate_pr_not_enr
Column Type: varchar
Max Length: 50
The order's Validate Practitioner Who Is Not Enrolled

Column Name: validate_reason_code
Column Type: varchar
Max Length: 50
The order's Validate Reason code

Column Name: validate_reason_text
Column Type: varchar
Max Length: 32766
The order's Validate Reason Text

Column Name: validate_reason_txt255
Column Type: varchar
Max Length: 255
The order's Validate Reason Text (255 character limit)

Column Name: validate_reason_value
Column Type: varchar
Max Length: 50
The order's Validate Reason value

Column Name: validate_review_date
Column Type: date
The order's Validate Review Date

Column Name: validate_review_time
Column Type: varchar
Max Length: 50
The order's Validate Review Time

Column Name: variable_sort_data_1
Column Type: varchar
Max Length: 100
Variable Sort Field 1 (System Use Only).

Column Name: v_dosage_lab_test
Column Type: varchar
Max Length: 32766
The order's Order Guidelines (from the order's Order Code)

Column Name: v_dosage_lab_test_255
Column Type: varchar
Max Length: 255
The order's Order Guidelines (from the order's Order Code) (255 character limit)

Documentation for form: Results_Reconciliation

Table Name: SYSTEM.results_msg_assignment

Table Description: This table returns any HL7 transmissions which were resolved using the 'Results Reconciliation' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the HL7 message was reconciled

Column Name: PATID
Column Type: varchar
Max Length: 20
The Client ID within the Avatar system

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The 'User Description' of the user which last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated

Column Name: data_entry_time
Column Type: varchar

Max Length: 50
The time the row was last updated

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The User ID of the user which last updated the row

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the user which last updated the row.

Column Name: date_of_birth
Column Type: date
The Client's date of birth

Column Name: external_PATID
Column Type: varchar
Max Length: 32000
The ID of the Client within the HL7 message

Column Name: message_index
Column Type: varchar
Max Length: 50
The unique ID for the HL7 message

Column Name: message_status
Column Type: varchar
Max Length: 50
The message status

Column Name: observation_date
Column Type: date
'Observation Date'

Column Name: patient_name
Column Type: varchar
Max Length: 32000
The name associated with the PATID

Column Name: patient_sex
Column Type: varchar
Max Length: 32000
The Client's gender

Column Name: universal_svc_id_value
Column Type: varchar
Max Length: 32000
'Universal Service ID Value'

Documentation for form: Results_Document_Upload

Table Name: SYSTEM.results_detail

Table Description: This table contains standardized storage for test results.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: JOIN_RESULT_DETAIL_NTE
Column Type: varchar
Max Length: 50

Column Name: JOIN_RESULT_HEADER_DETAIL
Column Type: varchar
Max Length: 50

Column Name: JOIN_RESULT_DETAIL_IMAGE
Column Type: varchar
Max Length: 50

Column Name: AM_careplan_req_att_code
Column Type: varchar
Max Length: 50

Column Name: AM_careplan_unique_id
Column Type: varchar
Max Length: 50

Column Name: AM_cp_result_unique_id
Column Type: varchar

Max Length: 50

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

Column Name: data_entry_utc

Column Type: timestamp

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

Column Name: data_entry_time_j

Column Type: time

Column Name: data_entry_offset

Column Type: numeric

Column Name: data_entry_timezone_short

Column Type: varchar
Max Length: 8

Column Name: data_entry_source
Column Type: varchar
Max Length: 40

Column Name: date_normal_value
Column Type: date

Column Name: filler_order_number
Column Type: varchar
Max Length: 200

Column Name: group_count
Column Type: integer

Column Name: Interface_Vendor_Name
Column Type: varchar
Max Length: 200

Column Name: Interface_Vendor_Type
Column Type: varchar
Max Length: 50

Column Name: manual_entry_flag
Column Type: varchar
Max Length: 50

Column Name: obs_abnormal_flag_code
Column Type: varchar
Max Length: 50

Column Name: obs_abnormal_flag_value
Column Type: varchar
Max Length: 255

Column Name: obs_abnormal_flag_is_abn
Column Type: varchar
Max Length: 1

Column Name: obs_reference_range
Column Type: varchar
Max Length: 128

Column Name: obs_result_status_code
Column Type: varchar
Max Length: 50

Column Name: obs_result_status_value
Column Type: varchar
Max Length: 255

Column Name: obs_value_unit_value
Column Type: varchar
Max Length: 50

Column Name: obs_value_unit_type
Column Type: varchar
Max Length: 50

Column Name: observation_alt_id_code
Column Type: varchar
Max Length: 50

Column Name: observation_alt_id_value
Column Type: varchar
Max Length: 50

Column Name: observation_alt_id_code_type
Column Type: varchar
Max Length: 50

Column Name: observation_date
Column Type: date

Column Name: observation_id_code
Column Type: varchar
Max Length: 50

Column Name: observation_id_code_type
Column Type: varchar
Max Length: 50

Column Name: observation_id_value
Column Type: varchar
Max Length: 255

Column Name: observation_id_value_alt
Column Type: varchar
Max Length: 255

Column Name: observation_sub_id
Column Type: varchar
Max Length: 50

Column Name: observation_time
Column Type: varchar
Max Length: 50

Column Name: observation_value
Column Type: varchar
Max Length: 24000

Column Name: observation_value_numeric
Column Type: numeric

Column Name: observation_value_unit
Column Type: varchar
Max Length: 50

Column Name: OE_order_unique_id
Column Type: varchar
Max Length: 50

Column Name: performing_org_address
Column Type: varchar
Max Length: 50

Column Name: performing_org_address_2
Column Type: varchar
Max Length: 50

Column Name: performing_org_city
Column Type: varchar
Max Length: 50

Column Name: performing_org_name
Column Type: varchar
Max Length: 50

Column Name: performing_org_state
Column Type: varchar
Max Length: 50

Column Name: performing_org_zip
Column Type: varchar
Max Length: 50

Column Name: performing_org_country
Column Type: varchar
Max Length: 50

Column Name: performing_org_county
Column Type: varchar
Max Length: 50

Column Name: performing_org_med_dir
Column Type: varchar
Max Length: 50

Column Name: performing_org_med_degree
Column Type: varchar
Max Length: 50

Column Name: placer_order_number
Column Type: varchar
Max Length: 50

Column Name: received_date
Column Type: date

Column Name: received_from_application
Column Type: varchar
Max Length: 50

Column Name: received_from_facility
Column Type: varchar
Max Length: 50

Column Name: received_time
Column Type: varchar
Max Length: 50

Column Name: responsible_observer
Column Type: varchar
Max Length: 255

Column Name: reviewed_date
Column Type: varchar
Max Length: 50

Column Name: reviewed_by
Column Type: varchar
Max Length: 50

Column Name: set_id
Column Type: varchar
Max Length: 50

Column Name: component_delimiter
Column Type: varchar
Max Length: 50

Column Name: subcomponent_delimiter
Column Type: varchar
Max Length: 50

Column Name: repeat_delimiter

Column Type: varchar
Max Length: 50

Column Name: time_normal_value
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_code
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_code_typ
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_value
Column Type: varchar
Max Length: 255

Column Name: value_type_code
Column Type: varchar
Max Length: 50

Column Name: obs_id_code_ver
Column Type: varchar
Max Length: 50

Column Name: obs_alt_id_code_ver
Column Type: varchar
Max Length: 50

Column Name: obs_id_orig_text
Column Type: varchar
Max Length: 50

Column Name: obs_value_unit_alt_code
Column Type: varchar
Max Length: 50

Column Name: obs_value_unit_alt_value

Column Type: varchar
Max Length: 50

Column Name: obs_value_unit_alt_typ
Column Type: varchar
Max Length: 50

Column Name: obs_value_unit_ver
Column Type: varchar
Max Length: 50

Column Name: obs_value_unit_alt_ver
Column Type: varchar
Max Length: 50

Column Name: obs_value_unit_orig_text
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_flag_value
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_code_typ
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_alt_code
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_alt_value
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_alt_code_typ
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_code_ver

Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_alt_code_ver
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_orig_text
Column Type: varchar
Max Length: 50

Column Name: obs_method_code
Column Type: varchar
Max Length: 50

Column Name: obs_method_value
Column Type: varchar
Max Length: 50

Column Name: obs_method_code_typ
Column Type: varchar
Max Length: 50

Column Name: obs_method_alt_code
Column Type: varchar
Max Length: 50

Column Name: obs_method_alt_value
Column Type: varchar
Max Length: 50

Column Name: obs_method_alt_code_typ
Column Type: varchar
Max Length: 50

Column Name: obs_method_code_ver
Column Type: varchar
Max Length: 50

Column Name: obs_method_alt_code_ver

Column Type: varchar
Max Length: 50

Column Name: obs_method_orig_text
Column Type: varchar
Max Length: 50

Column Name: analysis_date
Column Type: varchar
Max Length: 50

Column Name: analysis_time
Column Type: varchar
Max Length: 50

Column Name: performing_org_name_all
Column Type: varchar
Max Length: 768

Column Name: performing_org_addr_typ
Column Type: varchar
Max Length: 50

Column Name: perform_org_med_dir_all
Column Type: varchar
Max Length: 768

Column Name: related_to_specimen_yn
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_val_alt
Column Type: varchar
Max Length: 255

Column Name: observation_id
Column Type: integer

Column Name: probability
Column Type: varchar

Max Length: 5

Column Name: nature_of_abn_test

Column Type: varchar

Max Length: 15

Column Name: producers_id

Column Type: varchar

Max Length: 20

Column Name: performing_org_phone

Column Type: varchar

Max Length: 20

Column Name: comment_source

Column Type: varchar

Max Length: 3

Column Name: result_dtl_entered_date

Column Type: date

Documentation for form: Results_Document_Upload

Table Name: SYSTEM.results_header

Table Description: Standardized storage for test results (labs, and other tests)

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: PATID

Column Type: varchar

Max Length: 20

Column Name: EPISODE_NUMBER

Column Type: integer

Column Name: JOIN_RESULT_HEADER

Column Type: varchar

Max Length: 50

Column Name: JOIN_RESULT_HEADER_DETAIL

Column Type: varchar

Max Length: 50

Column Name: JOIN_RESULT_HEADER_NOTE

Column Type: varchar

Max Length: 50

Column Name: additives

Column Type: varchar

Max Length: 50

Column Name: AM_careplan_unique_id

Column Type: varchar

Max Length: 50

Column Name: body_site_code

Column Type: varchar

Max Length: 50

Column Name: body_site_value

Column Type: varchar

Max Length: 50

Column Name: call_back_phone_number

Column Type: varchar

Max Length: 50

Column Name: collection_volume

Column Type: varchar

Max Length: 50

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

Column Name: data_entry_utc

Column Type: timestamp

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

Column Name: data_entry_time_j

Column Type: time

Column Name: data_entry_offset

Column Type: numeric

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

Column Name: data_entry_source

Column Type: varchar
Max Length: 40

Column Name: date_of_transaction
Column Type: date

Column Name: diagnostic_service_code
Column Type: varchar
Max Length: 50

Column Name: diagnostic_service_value
Column Type: varchar
Max Length: 255

Column Name: External_PATID
Column Type: varchar
Max Length: 20

Column Name: filler_field_1
Column Type: varchar
Max Length: 50

Column Name: filler_order_number
Column Type: varchar
Max Length: 200

Column Name: Interface_Vendor_ID
Column Type: varchar
Max Length: 50

Column Name: Interface_Vendor_Name
Column Type: varchar
Max Length: 200

Column Name: Interface_Vendor_Type
Column Type: varchar
Max Length: 50

Column Name: manual_entry_flag
Column Type: varchar

Max Length: 50

Column Name: OE_order_unique_id

Column Type: varchar

Max Length: 50

Column Name: ordering_facility_name

Column Type: varchar

Max Length: 50

Column Name: ordering_provider

Column Type: varchar

Max Length: 50

Column Name: ordering_provider_name

Column Type: varchar

Max Length: 50

Column Name: ordering_prv_not_enrolled

Column Type: varchar

Max Length: 50

Column Name: patient_account_number

Column Type: varchar

Max Length: 50

Column Name: placer_field_1

Column Type: varchar

Max Length: 50

Column Name: placer_order_number

Column Type: varchar

Max Length: 50

Column Name: placer_number_out

Column Type: varchar

Max Length: 50

Column Name: reason_for_test_code

Column Type: varchar

Max Length: 50

Column Name: reason_for_test_code_type

Column Type: varchar

Max Length: 50

Column Name: reason_for_test_value

Column Type: varchar

Max Length: 255

Column Name: received_date

Column Type: date

Column Name: received_from_application

Column Type: varchar

Max Length: 50

Column Name: received_from_facility

Column Type: varchar

Max Length: 50

Column Name: received_time

Column Type: varchar

Max Length: 50

Column Name: reflex_test_code

Column Type: varchar

Max Length: 50

Column Name: reflex_test_value

Column Type: varchar

Max Length: 50

Column Name: relevant_clinical_info

Column Type: varchar

Max Length: 32767

Column Name: result_rpt_change_date

Column Type: date

Column Name: result_rpt_change_time
Column Type: varchar
Max Length: 50

Column Name: result_status_code
Column Type: varchar
Max Length: 50

Column Name: result_status_value
Column Type: varchar
Max Length: 255

Column Name: set_id
Column Type: varchar
Max Length: 50

Column Name: specimen_action_code
Column Type: varchar
Max Length: 50

Column Name: specimen_action_value
Column Type: varchar
Max Length: 50

Column Name: specimen_free_text
Column Type: varchar
Max Length: 50

Column Name: specimen_collection_date
Column Type: date

Column Name: specimen_collection_time
Column Type: varchar
Max Length: 50

Column Name: specimen_received_date
Column Type: date

Column Name: specimen_received_time

Column Type: varchar
Max Length: 50

Column Name: specimen_source_code
Column Type: varchar
Max Length: 50

Column Name: specimen_source_value
Column Type: varchar
Max Length: 255

Column Name: specimen_src_dict_code
Column Type: varchar
Max Length: 50

Column Name: specimen_src_dict_value
Column Type: varchar
Max Length: 50

Column Name: start_date
Column Type: date

Column Name: start_time
Column Type: varchar
Max Length: 50

Column Name: end_date
Column Type: date

Column Name: end_time
Column Type: varchar
Max Length: 50

Column Name: time_of_transaction
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_code
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_code_typ
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_value
Column Type: varchar
Max Length: 255

Column Name: universal_svc_id_code_alt
Column Type: varchar
Max Length: 255

Column Name: universal_svc_id_type_alt
Column Type: varchar
Max Length: 255

Column Name: universal_svc_id_val_alt
Column Type: varchar
Max Length: 255

Column Name: parent_placer_number
Column Type: varchar
Max Length: 50

Column Name: parent_filler_number
Column Type: varchar
Max Length: 50

Column Name: parent_observ_id_code
Column Type: varchar
Max Length: 50

Column Name: parent_observ_sub_id
Column Type: varchar
Max Length: 50

Column Name: placer_order_number_all
Column Type: varchar
Max Length: 768

Column Name: filler_order_number_all
Column Type: varchar
Max Length: 768

Column Name: placer_group_number
Column Type: varchar
Max Length: 50

Column Name: placer_group_number_all
Column Type: varchar
Max Length: 768

Column Name: ordering_provider_all
Column Type: varchar
Max Length: 768

Column Name: call_back_phone_all
Column Type: varchar
Max Length: 768

Column Name: call_back_alt_phone
Column Type: varchar
Max Length: 50

Column Name: call_back_alt_phone_all
Column Type: varchar
Max Length: 768

Column Name: call_back_email
Column Type: varchar
Max Length: 50

Column Name: call_back_alt_email
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_name_all
Column Type: varchar
Max Length: 768

Column Name: ordering_fac_street
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_street2
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_city
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_state
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_zip
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_country
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_addr_type
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_county
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_phone
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_phone_all
Column Type: varchar
Max Length: 768

Column Name: ordering_fac_alt_phone
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_alt_phon_all
Column Type: varchar
Max Length: 768

Column Name: ordering_fac_email
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_alt_email
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_street
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_street2
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_city
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_state
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_zip
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_country
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_addr_type
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_county
Column Type: varchar
Max Length: 50

Column Name: field_delimiter
Column Type: varchar
Max Length: 50

Column Name: component_delimiter
Column Type: varchar
Max Length: 50

Column Name: subcomponent_delimiter
Column Type: varchar
Max Length: 50

Column Name: repeat_delimiter
Column Type: varchar
Max Length: 50

Column Name: univer_svc_id_ver
Column Type: varchar
Max Length: 50

Column Name: univer_svc_id_ver_alt
Column Type: varchar
Max Length: 50

Column Name: univer_svc_id_orig_text
Column Type: varchar
Max Length: 50

Column Name: observation_end_date
Column Type: date

Column Name: observation_end_time
Column Type: varchar
Max Length: 50

Column Name: parent_observ_id_all
Column Type: varchar
Max Length: 768

Column Name: parent_placer_number_all
Column Type: varchar
Max Length: 768

Column Name: parent_filler_number_all
Column Type: varchar
Max Length: 768

Column Name: reason_alt_code
Column Type: varchar
Max Length: 50

Column Name: reason_alt_value
Column Type: varchar
Max Length: 50

Column Name: reason_alt_code_type
Column Type: varchar
Max Length: 50

Column Name: reason_code_ver
Column Type: varchar
Max Length: 50

Column Name: reason_alt_code_ver
Column Type: varchar
Max Length: 50

Column Name: reason_orig_text
Column Type: varchar
Max Length: 50

Column Name: result_interpreter_name
Column Type: varchar
Max Length: 32000

Column Name: result_interpreter_all
Column Type: varchar
Max Length: 32000

Column Name: next_of_kin_info
Column Type: varchar
Max Length: 1024

Column Name: patient_info
Column Type: varchar
Max Length: 1024

Column Name: relevant_info_value
Column Type: varchar
Max Length: 50

Column Name: relevant_info_code_typ
Column Type: varchar
Max Length: 50

Column Name: relevant_info_alt_code
Column Type: varchar
Max Length: 50

Column Name: relevant_info_alt_value
Column Type: varchar
Max Length: 50

Column Name: relevant_info_alt_code_typ
Column Type: varchar
Max Length: 50

Column Name: relevant_info_code_ver
Column Type: varchar
Max Length: 50

Column Name: relevant_info_alt_code_ver
Column Type: varchar
Max Length: 50

Column Name: relevant_info_orig_text
Column Type: varchar
Max Length: 50

Column Name: results_copied_to_all
Column Type: varchar
Max Length: 768

Column Name: results_copied_to
Column Type: varchar
Max Length: 50

Column Name: handling_code
Column Type: varchar
Max Length: 50

Column Name: handling_value
Column Type: varchar
Max Length: 50

Column Name: handling_code_typ
Column Type: varchar
Max Length: 50

Column Name: handling_alt_code
Column Type: varchar
Max Length: 50

Column Name: handling_alt_value
Column Type: varchar
Max Length: 50

Column Name: handling_alt_code_typ
Column Type: varchar
Max Length: 50

Column Name: handling_code_ver
Column Type: varchar
Max Length: 50

Column Name: handling_alt_code_ver
Column Type: varchar
Max Length: 50

Column Name: handling_orig_text
Column Type: varchar
Max Length: 50

Column Name: v_client_name
Column Type: varchar
Max Length: 50

Column Name: program_code
Column Type: varchar
Max Length: 50

Column Name: program_value
Column Type: varchar
Max Length: 50

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: patient_id
Column Type: varchar
Max Length: 20

Column Name: results_entered_by
Column Type: varchar
Max Length: 50

Column Name: order_date
Column Type: date

Column Name: lab_name
Column Type: varchar
Max Length: 50

Column Name: collectors_comment
Column Type: varchar
Max Length: 50

Column Name: last_modified_datetime
Column Type: varchar
Max Length: 50

Column Name: voided_date
Column Type: date

Column Name: voided_time
Column Type: varchar
Max Length: 50

Column Name: voided_by
Column Type: varchar
Max Length: 50

Column Name: voided_by_user_name
Column Type: varchar
Max Length: 40

Column Name: void_note
Column Type: varchar
Max Length: 500

Column Name: display_type_code
Column Type: integer

Column Name: display_type_value
Column Type: varchar
Max Length: 50

Column Name: payor

Column Type: varchar
Max Length: 50

Column Name: laboratory_assigned_id
Column Type: varchar
Max Length: 50

Column Name: agency_name
Column Type: varchar
Max Length: 50

Column Name: agency_addr_1
Column Type: varchar
Max Length: 50

Column Name: agency_addr_2
Column Type: varchar
Max Length: 50

Column Name: agency_city
Column Type: varchar
Max Length: 50

Column Name: agency_state
Column Type: varchar
Max Length: 50

Column Name: agency_zip
Column Type: varchar
Max Length: 50

Column Name: cpt_code
Column Type: varchar
Max Length: 50

Column Name: result_type
Column Type: varchar
Max Length: 50

Column Name: visit_id

Column Type: varchar
Max Length: 50

Column Name: report_category_code
Column Type: varchar
Max Length: 50

Column Name: report_category_value
Column Type: varchar
Max Length: 255

Documentation for form: Results_Document_Upload

Table Name: SYSTEM.results_upload

Table Description: This table contains additional values for results entered in the 'Results Document Upload' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_RESULT_DETAIL_UPLOAD
Column Type: varchar
Max Length: 50
Results Detail table ID

Column Name: JOIN_RESULT_HEADER
Column Type: varchar
Max Length: 50
Results Header table ID

Column Name: JOIN_TO_DOCUMENT_IMAGE
Column Type: varchar
Max Length: 1028
The id of the associated image in DocM.DocumentImage table (if provided)

Column Name: PATID
Column Type: varchar
Max Length: 20
Patient ID

Column Name: additional_notes

Column Type: varchar

Max Length: 50

Additional Notes

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

The time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

The short abbreviation for the timezone.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The 'User ID' who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The 'User Description' of the user which last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: fhir_diag_report_id

Column Type: varchar

Max Length: 1028

The id of the associated diagnostic report in CareFabric diagnostic report service

Column Name: order_number

Column Type: varchar

Max Length: 50

OE Order Number

Column Name: results_status_code

Column Type: varchar

Max Length: 50

Results Status code

Column Name: results_status_value

Column Type: varchar

Max Length: 50

Results Status value

Column Name: reviewing_provider

Column Type: varchar

Max Length: 50

Reviewing Provider

Column Name: staff_to_notify

Column Type: varchar

Max Length: 50

Additional Staff Member to Notify

Documentation for form: Results_Entry

Table Name: SYSTEM.results_detail

Table Description: This table contains standardized storage for test results.

Column Name: ID

Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: JOIN_RESULT_DETAIL_NTE
Column Type: varchar
Max Length: 50

Column Name: JOIN_RESULT_HEADER_DETAIL
Column Type: varchar
Max Length: 50

Column Name: JOIN_RESULT_DETAIL_IMAGE
Column Type: varchar
Max Length: 50

Column Name: AM_careplan_req_att_code
Column Type: varchar
Max Length: 50

Column Name: AM_careplan_unique_id
Column Type: varchar
Max Length: 50

Column Name: AM_cp_result_unique_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name

Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: data_entry_source
Column Type: varchar
Max Length: 40

Column Name: date_normal_value
Column Type: date

Column Name: filler_order_number

Column Type: varchar
Max Length: 200

Column Name: group_count
Column Type: integer

Column Name: Interface_Vendor_Name
Column Type: varchar
Max Length: 200

Column Name: Interface_Vendor_Type
Column Type: varchar
Max Length: 50

Column Name: manual_entry_flag
Column Type: varchar
Max Length: 50

Column Name: obs_abnormal_flag_code
Column Type: varchar
Max Length: 50

Column Name: obs_abnormal_flag_value
Column Type: varchar
Max Length: 255

Column Name: obs_abnormal_flag_is_abn
Column Type: varchar
Max Length: 1

Column Name: obs_reference_range
Column Type: varchar
Max Length: 128

Column Name: obs_result_status_code
Column Type: varchar
Max Length: 50

Column Name: obs_result_status_value
Column Type: varchar

Max Length: 255

Column Name: obs_value_unit_value

Column Type: varchar

Max Length: 50

Column Name: obs_value_unit_type

Column Type: varchar

Max Length: 50

Column Name: observation_alt_id_code

Column Type: varchar

Max Length: 50

Column Name: observation_alt_id_value

Column Type: varchar

Max Length: 50

Column Name: observation_alt_id_code_type

Column Type: varchar

Max Length: 50

Column Name: observation_date

Column Type: date

Column Name: observation_id_code

Column Type: varchar

Max Length: 50

Column Name: observation_id_code_type

Column Type: varchar

Max Length: 50

Column Name: observation_id_value

Column Type: varchar

Max Length: 255

Column Name: observation_id_value_alt

Column Type: varchar

Max Length: 255

Column Name: observation_sub_id
Column Type: varchar
Max Length: 50

Column Name: observation_time
Column Type: varchar
Max Length: 50

Column Name: observation_value
Column Type: varchar
Max Length: 24000

Column Name: observation_value_numeric
Column Type: numeric

Column Name: observation_value_unit
Column Type: varchar
Max Length: 50

Column Name: OE_order_unique_id
Column Type: varchar
Max Length: 50

Column Name: performing_org_address
Column Type: varchar
Max Length: 50

Column Name: performing_org_address_2
Column Type: varchar
Max Length: 50

Column Name: performing_org_city
Column Type: varchar
Max Length: 50

Column Name: performing_org_name
Column Type: varchar
Max Length: 50

Column Name: performing_org_state
Column Type: varchar
Max Length: 50

Column Name: performing_org_zip
Column Type: varchar
Max Length: 50

Column Name: performing_org_country
Column Type: varchar
Max Length: 50

Column Name: performing_org_county
Column Type: varchar
Max Length: 50

Column Name: performing_org_med_dir
Column Type: varchar
Max Length: 50

Column Name: performing_org_med_degree
Column Type: varchar
Max Length: 50

Column Name: placer_order_number
Column Type: varchar
Max Length: 50

Column Name: received_date
Column Type: date

Column Name: received_from_application
Column Type: varchar
Max Length: 50

Column Name: received_from_facility
Column Type: varchar
Max Length: 50

Column Name: received_time
Column Type: varchar
Max Length: 50

Column Name: responsible_observer
Column Type: varchar
Max Length: 255

Column Name: reviewed_date
Column Type: varchar
Max Length: 50

Column Name: reviewed_by
Column Type: varchar
Max Length: 50

Column Name: set_id
Column Type: varchar
Max Length: 50

Column Name: component_delimiter
Column Type: varchar
Max Length: 50

Column Name: subcomponent_delimiter
Column Type: varchar
Max Length: 50

Column Name: repeat_delimiter
Column Type: varchar
Max Length: 50

Column Name: time_normal_value
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_code
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_code_typ
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_value
Column Type: varchar
Max Length: 255

Column Name: value_type_code
Column Type: varchar
Max Length: 50

Column Name: obs_id_code_ver
Column Type: varchar
Max Length: 50

Column Name: obs_alt_id_code_ver
Column Type: varchar
Max Length: 50

Column Name: obs_id_orig_text
Column Type: varchar
Max Length: 50

Column Name: obs_value_unit_alt_code
Column Type: varchar
Max Length: 50

Column Name: obs_value_unit_alt_value
Column Type: varchar
Max Length: 50

Column Name: obs_value_unit_alt_typ
Column Type: varchar
Max Length: 50

Column Name: obs_value_unit_ver
Column Type: varchar
Max Length: 50

Column Name: obs_value_unit_alt_ver
Column Type: varchar
Max Length: 50

Column Name: obs_value_unit_orig_text
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_flag_value
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_code_typ
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_alt_code
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_alt_value
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_alt_code_typ
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_code_ver
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_alt_code_ver
Column Type: varchar
Max Length: 50

Column Name: obs_abnorm_orig_text
Column Type: varchar
Max Length: 50

Column Name: obs_method_code
Column Type: varchar
Max Length: 50

Column Name: obs_method_value
Column Type: varchar
Max Length: 50

Column Name: obs_method_code_typ
Column Type: varchar
Max Length: 50

Column Name: obs_method_alt_code
Column Type: varchar
Max Length: 50

Column Name: obs_method_alt_value
Column Type: varchar
Max Length: 50

Column Name: obs_method_alt_code_typ
Column Type: varchar
Max Length: 50

Column Name: obs_method_code_ver
Column Type: varchar
Max Length: 50

Column Name: obs_method_alt_code_ver
Column Type: varchar
Max Length: 50

Column Name: obs_method_orig_text
Column Type: varchar
Max Length: 50

Column Name: analysis_date
Column Type: varchar
Max Length: 50

Column Name: analysis_time
Column Type: varchar
Max Length: 50

Column Name: performing_org_name_all
Column Type: varchar
Max Length: 768

Column Name: performing_org_addr_typ
Column Type: varchar
Max Length: 50

Column Name: perform_org_med_dir_all
Column Type: varchar
Max Length: 768

Column Name: related_to_specimen_yn
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_val_alt
Column Type: varchar
Max Length: 255

Column Name: observation_id
Column Type: integer

Column Name: probability
Column Type: varchar
Max Length: 5

Column Name: nature_of_abn_test
Column Type: varchar
Max Length: 15

Column Name: producers_id
Column Type: varchar
Max Length: 20

Column Name: performing_org_phone

Column Type: varchar
Max Length: 20

Column Name: comment_source
Column Type: varchar
Max Length: 3

Column Name: result_dtl_entered_date
Column Type: date

Documentation for form: Results_Entry

Table Name: SYSTEM.results_detail_nte

Table Description: This table contains standardized storage for test results for the NTE segments.

Column Name: ID
Column Type: integer

Column Name: comment
Column Type: varchar
Max Length: 32767

Column Name: comment_type_code
Column Type: varchar
Max Length: 50

Column Name: comment_type_value
Column Type: varchar
Max Length: 50

Column Name: comment_type_code_typ
Column Type: varchar
Max Length: 50

Column Name: comment_type_alt_code
Column Type: varchar
Max Length: 50

Column Name: comment_type_alt_value
Column Type: varchar
Max Length: 50

Column Name: comment_type_alt_code_typ
Column Type: varchar
Max Length: 50

Column Name: comment_type_code_ver
Column Type: varchar
Max Length: 50

Column Name: comment_type_alt_code_ver
Column Type: varchar
Max Length: 50

Column Name: comment_type_orig_text
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: filler_order_number
Column Type: varchar
Max Length: 200

Column Name: Interface_Vendor_Name
Column Type: varchar
Max Length: 200

Column Name: Interface_Vendor_Type
Column Type: varchar
Max Length: 50

Column Name: JOIN_RESULT_DETAIL_NTE
Column Type: varchar
Max Length: 50

Column Name: JOIN_RESULT_HEADER_DETAIL
Column Type: varchar
Max Length: 50

Column Name: manual_entry_flag
Column Type: varchar
Max Length: 50

Column Name: observation_date
Column Type: date

Column Name: observation_id_code
Column Type: varchar
Max Length: 50

Column Name: observation_id_code_type
Column Type: varchar
Max Length: 50

Column Name: observation_id_value
Column Type: varchar
Max Length: 255

Column Name: observation_sub_id
Column Type: varchar
Max Length: 50

Column Name: observation_time
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: set_id
Column Type: varchar
Max Length: 50

Column Name: source_of_comment_code

Column Type: varchar
Max Length: 50

Column Name: source_of_comment_value
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_code
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_code_typ
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_value
Column Type: varchar
Max Length: 255

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar

Max Length: 50

Column Name: data_entry_utc

Column Type: timestamp

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

Column Name: data_entry_time_j

Column Type: time

Column Name: data_entry_offset

Column Type: numeric

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

Column Name: data_entry_source

Column Type: varchar

Max Length: 40

Documentation for form: Results_Entry

Table Name: SYSTEM.results_header

Table Description: Standardized storage for test results (labs, and other tests)

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: PATID

Column Type: varchar

Max Length: 20

Column Name: EPISODE_NUMBER
Column Type: integer

Column Name: JOIN_RESULT_HEADER
Column Type: varchar
Max Length: 50

Column Name: JOIN_RESULT_HEADER_DETAIL
Column Type: varchar
Max Length: 50

Column Name: JOIN_RESULT_HEADER_NOTE
Column Type: varchar
Max Length: 50

Column Name: additives
Column Type: varchar
Max Length: 50

Column Name: AM_careplan_unique_id
Column Type: varchar
Max Length: 50

Column Name: body_site_code
Column Type: varchar
Max Length: 50

Column Name: body_site_value
Column Type: varchar
Max Length: 50

Column Name: call_back_phone_number
Column Type: varchar
Max Length: 50

Column Name: collection_volume
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: data_entry_source
Column Type: varchar
Max Length: 40

Column Name: date_of_transaction
Column Type: date

Column Name: diagnostic_service_code
Column Type: varchar
Max Length: 50

Column Name: diagnostic_service_value
Column Type: varchar
Max Length: 255

Column Name: External_PATID
Column Type: varchar
Max Length: 20

Column Name: filler_field_1
Column Type: varchar
Max Length: 50

Column Name: filler_order_number
Column Type: varchar
Max Length: 200

Column Name: Interface_Vendor_ID
Column Type: varchar
Max Length: 50

Column Name: Interface_Vendor_Name
Column Type: varchar
Max Length: 200

Column Name: Interface_Vendor_Type
Column Type: varchar
Max Length: 50

Column Name: manual_entry_flag
Column Type: varchar
Max Length: 50

Column Name: OE_order_unique_id
Column Type: varchar
Max Length: 50

Column Name: ordering_facility_name
Column Type: varchar
Max Length: 50

Column Name: ordering_provider
Column Type: varchar
Max Length: 50

Column Name: ordering_provider_name
Column Type: varchar
Max Length: 50

Column Name: ordering_prv_not_enrolled
Column Type: varchar
Max Length: 50

Column Name: patient_account_number
Column Type: varchar
Max Length: 50

Column Name: placer_field_1
Column Type: varchar
Max Length: 50

Column Name: placer_order_number
Column Type: varchar
Max Length: 50

Column Name: placer_number_out
Column Type: varchar
Max Length: 50

Column Name: reason_for_test_code
Column Type: varchar
Max Length: 50

Column Name: reason_for_test_code_type
Column Type: varchar
Max Length: 50

Column Name: reason_for_test_value
Column Type: varchar
Max Length: 255

Column Name: received_date
Column Type: date

Column Name: received_from_application
Column Type: varchar
Max Length: 50

Column Name: received_from_facility
Column Type: varchar
Max Length: 50

Column Name: received_time
Column Type: varchar
Max Length: 50

Column Name: reflex_test_code
Column Type: varchar
Max Length: 50

Column Name: reflex_test_value
Column Type: varchar
Max Length: 50

Column Name: relevant_clinical_info
Column Type: varchar
Max Length: 32767

Column Name: result_rpt_change_date
Column Type: date

Column Name: result_rpt_change_time
Column Type: varchar
Max Length: 50

Column Name: result_status_code
Column Type: varchar
Max Length: 50

Column Name: result_status_value
Column Type: varchar
Max Length: 255

Column Name: set_id
Column Type: varchar
Max Length: 50

Column Name: specimen_action_code
Column Type: varchar
Max Length: 50

Column Name: specimen_action_value
Column Type: varchar
Max Length: 50

Column Name: specimen_free_text
Column Type: varchar
Max Length: 50

Column Name: specimen_collection_date
Column Type: date

Column Name: specimen_collection_time
Column Type: varchar
Max Length: 50

Column Name: specimen_received_date
Column Type: date

Column Name: specimen_received_time
Column Type: varchar
Max Length: 50

Column Name: specimen_source_code
Column Type: varchar
Max Length: 50

Column Name: specimen_source_value
Column Type: varchar
Max Length: 255

Column Name: specimen_src_dict_code
Column Type: varchar
Max Length: 50

Column Name: specimen_src_dict_value
Column Type: varchar
Max Length: 50

Column Name: start_date
Column Type: date

Column Name: start_time
Column Type: varchar
Max Length: 50

Column Name: end_date
Column Type: date

Column Name: end_time
Column Type: varchar
Max Length: 50

Column Name: time_of_transaction
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_code
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_code_typ
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_value
Column Type: varchar
Max Length: 255

Column Name: universal_svc_id_code_alt
Column Type: varchar
Max Length: 255

Column Name: universal_svc_id_type_alt
Column Type: varchar
Max Length: 255

Column Name: universal_svc_id_val_alt
Column Type: varchar
Max Length: 255

Column Name: parent_placer_number
Column Type: varchar
Max Length: 50

Column Name: parent_filler_number
Column Type: varchar
Max Length: 50

Column Name: parent_observ_id_code
Column Type: varchar
Max Length: 50

Column Name: parent_observ_sub_id
Column Type: varchar
Max Length: 50

Column Name: placer_order_number_all
Column Type: varchar
Max Length: 768

Column Name: filler_order_number_all
Column Type: varchar
Max Length: 768

Column Name: placer_group_number
Column Type: varchar
Max Length: 50

Column Name: placer_group_number_all
Column Type: varchar
Max Length: 768

Column Name: ordering_provider_all
Column Type: varchar
Max Length: 768

Column Name: call_back_phone_all
Column Type: varchar
Max Length: 768

Column Name: call_back_alt_phone
Column Type: varchar
Max Length: 50

Column Name: call_back_alt_phone_all
Column Type: varchar
Max Length: 768

Column Name: call_back_email
Column Type: varchar
Max Length: 50

Column Name: call_back_alt_email
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_name_all
Column Type: varchar
Max Length: 768

Column Name: ordering_fac_street
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_street2
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_city
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_state
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_zip
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_country
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_addr_type
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_county
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_phone
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_phone_all
Column Type: varchar
Max Length: 768

Column Name: ordering_fac_alt_phone
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_alt_phon_all
Column Type: varchar
Max Length: 768

Column Name: ordering_fac_email
Column Type: varchar
Max Length: 50

Column Name: ordering_fac_alt_email
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_street
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_street2
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_city
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_state
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_zip
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_country
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_addr_type
Column Type: varchar
Max Length: 50

Column Name: ordering_prov_county
Column Type: varchar
Max Length: 50

Column Name: field_delimiter
Column Type: varchar
Max Length: 50

Column Name: component_delimiter
Column Type: varchar
Max Length: 50

Column Name: subcomponent_delimiter
Column Type: varchar
Max Length: 50

Column Name: repeat_delimiter
Column Type: varchar
Max Length: 50

Column Name: univer_svc_id_ver
Column Type: varchar
Max Length: 50

Column Name: univer_svc_id_ver_alt
Column Type: varchar
Max Length: 50

Column Name: univer_svc_id_orig_text
Column Type: varchar
Max Length: 50

Column Name: observation_end_date
Column Type: date

Column Name: observation_end_time
Column Type: varchar
Max Length: 50

Column Name: parent_observ_id_all
Column Type: varchar
Max Length: 768

Column Name: parent_placer_number_all
Column Type: varchar
Max Length: 768

Column Name: parent_filler_number_all
Column Type: varchar
Max Length: 768

Column Name: reason_alt_code
Column Type: varchar
Max Length: 50

Column Name: reason_alt_value
Column Type: varchar
Max Length: 50

Column Name: reason_alt_code_type
Column Type: varchar
Max Length: 50

Column Name: reason_code_ver
Column Type: varchar
Max Length: 50

Column Name: reason_alt_code_ver
Column Type: varchar
Max Length: 50

Column Name: reason_orig_text

Column Type: varchar
Max Length: 50

Column Name: result_interpreter_name
Column Type: varchar
Max Length: 32000

Column Name: result_interpreter_all
Column Type: varchar
Max Length: 32000

Column Name: next_of_kin_info
Column Type: varchar
Max Length: 1024

Column Name: patient_info
Column Type: varchar
Max Length: 1024

Column Name: relevant_info_value
Column Type: varchar
Max Length: 50

Column Name: relevant_info_code_typ
Column Type: varchar
Max Length: 50

Column Name: relevant_info_alt_code
Column Type: varchar
Max Length: 50

Column Name: relevant_info_alt_value
Column Type: varchar
Max Length: 50

Column Name: relevant_info_alt_code_typ
Column Type: varchar
Max Length: 50

Column Name: relevant_info_code_ver

Column Type: varchar
Max Length: 50

Column Name: relevant_info_alt_code_ver
Column Type: varchar
Max Length: 50

Column Name: relevant_info_orig_text
Column Type: varchar
Max Length: 50

Column Name: results_copied_to_all
Column Type: varchar
Max Length: 768

Column Name: results_copied_to
Column Type: varchar
Max Length: 50

Column Name: handling_code
Column Type: varchar
Max Length: 50

Column Name: handling_value
Column Type: varchar
Max Length: 50

Column Name: handling_code_typ
Column Type: varchar
Max Length: 50

Column Name: handling_alt_code
Column Type: varchar
Max Length: 50

Column Name: handling_alt_value
Column Type: varchar
Max Length: 50

Column Name: handling_alt_code_typ

Column Type: varchar
Max Length: 50

Column Name: handling_code_ver
Column Type: varchar
Max Length: 50

Column Name: handling_alt_code_ver
Column Type: varchar
Max Length: 50

Column Name: handling_orig_text
Column Type: varchar
Max Length: 50

Column Name: v_client_name
Column Type: varchar
Max Length: 50

Column Name: program_code
Column Type: varchar
Max Length: 50

Column Name: program_value
Column Type: varchar
Max Length: 50

Column Name: user_row_access_code
Column Type: integer
If sub system codes are enabled this will be either a 0, 1, or 2. 0 for no access, 1 for access to row and user that is logged into the same sub-system code, and 2 for access to row and user that is logged into different sub-system code.

Column Name: patient_id
Column Type: varchar
Max Length: 20

Column Name: results_entered_by
Column Type: varchar
Max Length: 50

Column Name: order_date
Column Type: date

Column Name: lab_name
Column Type: varchar
Max Length: 50

Column Name: collectors_comment
Column Type: varchar
Max Length: 50

Column Name: last_modified_datetime
Column Type: varchar
Max Length: 50

Column Name: voided_date
Column Type: date

Column Name: voided_time
Column Type: varchar
Max Length: 50

Column Name: voided_by
Column Type: varchar
Max Length: 50

Column Name: voided_by_user_name
Column Type: varchar
Max Length: 40

Column Name: void_note
Column Type: varchar
Max Length: 500

Column Name: display_type_code
Column Type: integer

Column Name: display_type_value
Column Type: varchar
Max Length: 50

Column Name: payor
Column Type: varchar
Max Length: 50

Column Name: laboratory_assigned_id
Column Type: varchar
Max Length: 50

Column Name: agency_name
Column Type: varchar
Max Length: 50

Column Name: agency_addr_1
Column Type: varchar
Max Length: 50

Column Name: agency_addr_2
Column Type: varchar
Max Length: 50

Column Name: agency_city
Column Type: varchar
Max Length: 50

Column Name: agency_state
Column Type: varchar
Max Length: 50

Column Name: agency_zip
Column Type: varchar
Max Length: 50

Column Name: cpt_code
Column Type: varchar
Max Length: 50

Column Name: result_type
Column Type: varchar
Max Length: 50

Column Name: visit_id
Column Type: varchar
Max Length: 50

Column Name: report_category_code
Column Type: varchar
Max Length: 50

Column Name: report_category_value
Column Type: varchar
Max Length: 255

Documentation for form: Results_Entry

Table Name: SYSTEM.results_header_nte

Table Description: This table contains standardized storage for test results for the NTE segments.

Column Name: ID
Column Type: integer

Column Name: comment
Column Type: varchar
Max Length: 32767

Column Name: comment_type_code
Column Type: varchar
Max Length: 50

Column Name: comment_type_value
Column Type: varchar
Max Length: 50

Column Name: comment_type_code_typ
Column Type: varchar
Max Length: 50

Column Name: comment_type_alt_code
Column Type: varchar
Max Length: 50

Column Name: comment_type_alt_value
Column Type: varchar
Max Length: 50

Column Name: comment_type_alt_code_typ
Column Type: varchar
Max Length: 50

Column Name: comment_type_code_ver
Column Type: varchar
Max Length: 50

Column Name: comment_type_alt_code_ver
Column Type: varchar
Max Length: 50

Column Name: comment_type_orig_text
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: filler_order_number
Column Type: varchar
Max Length: 200

Column Name: Interface_Vendor_Name
Column Type: varchar
Max Length: 200

Column Name: Interface_Vendor_Type
Column Type: varchar
Max Length: 50

Column Name: JOIN_RESULT_HEADER_DETAIL

Column Type: varchar
Max Length: 50

Column Name: manual_entry_flag
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: set_id
Column Type: varchar
Max Length: 50

Column Name: source_of_comment_code
Column Type: varchar
Max Length: 50

Column Name: source_of_comment_value
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_code
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_code_typ
Column Type: varchar
Max Length: 50

Column Name: universal_svc_id_value
Column Type: varchar
Max Length: 255

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_id

Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: data_entry_source
Column Type: varchar
Max Length: 50

Documentation for form: Results_Entry

Table Name: SYSTEM.results_header_spm

Table Description: This table contains standardized storage for test results for the SPM segments.

Column Name: ID
Column Type: integer

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short

Column Type: varchar
Max Length: 8

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_source
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: JOIN_RESULT_HEADER
Column Type: varchar
Max Length: 50

Column Name: set_id
Column Type: varchar
Max Length: 50

Column Name: placer_specimen_id
Column Type: varchar
Max Length: 128

Column Name: filler_specimen_id
Column Type: varchar
Max Length: 128

Column Name: type_code
Column Type: varchar

Max Length: 50

Column Name: type_value

Column Type: varchar

Max Length: 50

Column Name: type_code_typ

Column Type: varchar

Max Length: 50

Column Name: type_alt_code

Column Type: varchar

Max Length: 50

Column Name: type_alt_value

Column Type: varchar

Max Length: 50

Column Name: type_alt_code_typ

Column Type: varchar

Max Length: 50

Column Name: type_code_ver

Column Type: varchar

Max Length: 50

Column Name: type_alt_code_ver

Column Type: varchar

Max Length: 50

Column Name: type_original_text

Column Type: varchar

Max Length: 50

Column Name: type_mod_code

Column Type: varchar

Max Length: 50

Column Name: type_mod_value

Column Type: varchar

Max Length: 50

Column Name: type_mod_code_typ

Column Type: varchar

Max Length: 50

Column Name: type_mod_alt_code

Column Type: varchar

Max Length: 50

Column Name: type_mod_alt_value

Column Type: varchar

Max Length: 50

Column Name: type_mod_alt_code_typ

Column Type: varchar

Max Length: 50

Column Name: type_mod_code_ver

Column Type: varchar

Max Length: 50

Column Name: type_mod_alt_code_ver

Column Type: varchar

Max Length: 50

Column Name: type_mod_original_text

Column Type: varchar

Max Length: 50

Column Name: additives_code

Column Type: varchar

Max Length: 50

Column Name: additives_value

Column Type: varchar

Max Length: 50

Column Name: additives_code_typ

Column Type: varchar

Max Length: 50

Column Name: additives_alt_code

Column Type: varchar

Max Length: 50

Column Name: additives_alt_value

Column Type: varchar

Max Length: 50

Column Name: additives_alt_code_typ

Column Type: varchar

Max Length: 50

Column Name: additives_code_ver

Column Type: varchar

Max Length: 50

Column Name: additives_alt_code_ver

Column Type: varchar

Max Length: 50

Column Name: additives_original_text

Column Type: varchar

Max Length: 50

Column Name: coll_meth_code

Column Type: varchar

Max Length: 50

Column Name: coll_meth_value

Column Type: varchar

Max Length: 50

Column Name: coll_meth_code_typ

Column Type: varchar

Max Length: 50

Column Name: coll_meth_alt_code

Column Type: varchar

Max Length: 50

Column Name: coll_meth_alt_value

Column Type: varchar

Max Length: 50

Column Name: coll_meth_alt_code_typ

Column Type: varchar

Max Length: 50

Column Name: coll_meth_code_ver

Column Type: varchar

Max Length: 50

Column Name: coll_meth_alt_code_ver

Column Type: varchar

Max Length: 50

Column Name: coll_meth_original_text

Column Type: varchar

Max Length: 50

Column Name: src_site_code

Column Type: varchar

Max Length: 50

Column Name: src_site_value

Column Type: varchar

Max Length: 50

Column Name: src_site_code_typ

Column Type: varchar

Max Length: 50

Column Name: src_site_alt_code

Column Type: varchar

Max Length: 50

Column Name: src_site_alt_value

Column Type: varchar

Max Length: 50

Column Name: src_site_alt_code_typ

Column Type: varchar

Max Length: 50

Column Name: src_site_code_ver

Column Type: varchar

Max Length: 50

Column Name: src_site_alt_code_ver

Column Type: varchar

Max Length: 50

Column Name: src_site_original_text

Column Type: varchar

Max Length: 50

Column Name: src_site_mod_code

Column Type: varchar

Max Length: 50

Column Name: src_site_mod_value

Column Type: varchar

Max Length: 50

Column Name: src_site_mod_code_typ

Column Type: varchar

Max Length: 50

Column Name: src_site_mod_alt_code

Column Type: varchar

Max Length: 50

Column Name: src_site_mod_alt_value

Column Type: varchar

Max Length: 50

Column Name: src_site_mod_alt_code_typ

Column Type: varchar

Max Length: 50

Column Name: src_site_mod_code_ver

Column Type: varchar

Max Length: 50

Column Name: src_site_mod_alt_code_ver

Column Type: varchar

Max Length: 50

Column Name: src_site_mod_orig_text

Column Type: varchar

Max Length: 50

Column Name: role_code

Column Type: varchar

Max Length: 50

Column Name: role_value

Column Type: varchar

Max Length: 50

Column Name: role_code_typ

Column Type: varchar

Max Length: 50

Column Name: role_alt_code

Column Type: varchar

Max Length: 50

Column Name: role_alt_value

Column Type: varchar

Max Length: 50

Column Name: role_alt_code_typ

Column Type: varchar

Max Length: 50

Column Name: role_code_ver

Column Type: varchar

Max Length: 50

Column Name: role_alt_code_ver

Column Type: varchar

Max Length: 50

Column Name: role_original_text

Column Type: varchar

Max Length: 50

Column Name: collection_amt_qty

Column Type: varchar

Max Length: 50

Column Name: collection_amt_units

Column Type: varchar

Max Length: 50

Column Name: collection_amt_units_all

Column Type: varchar

Max Length: 50

Column Name: specimen_description

Column Type: varchar

Max Length: 50

Column Name: collection_date

Column Type: date

Column Name: collection_time

Column Type: varchar

Max Length: 50

Column Name: collection_end_date

Column Type: date

Column Name: collection_end_time

Column Type: varchar

Max Length: 50

Column Name: specimen_received_date
Column Type: date

Column Name: specimen_received_time
Column Type: varchar
Max Length: 50

Column Name: reject_code
Column Type: varchar
Max Length: 50

Column Name: reject_value
Column Type: varchar
Max Length: 50

Column Name: reject_code_typ
Column Type: varchar
Max Length: 50

Column Name: reject_alt_code
Column Type: varchar
Max Length: 50

Column Name: reject_alt_value
Column Type: varchar
Max Length: 50

Column Name: reject_alt_code_typ
Column Type: varchar
Max Length: 50

Column Name: reject_code_ver
Column Type: varchar
Max Length: 50

Column Name: reject_alt_code_ver
Column Type: varchar
Max Length: 50

Column Name: reject_original_text
Column Type: varchar
Max Length: 50

Column Name: condition_code
Column Type: varchar
Max Length: 50

Column Name: condition_value
Column Type: varchar
Max Length: 50

Column Name: condition_code_typ
Column Type: varchar
Max Length: 50

Column Name: condition_alt_code
Column Type: varchar
Max Length: 50

Column Name: condition_alt_value
Column Type: varchar
Max Length: 50

Column Name: condition_alt_code_typ
Column Type: varchar
Max Length: 50

Column Name: condition_original_text
Column Type: varchar
Max Length: 50

Documentation for form: Results_Entry

Table Name: SYSTEM.results_patient_nte

Table Description: This table contains standardized storage for test results for the NTE segments.

Column Name: ID

Column Type: integer

Column Name: comment

Column Type: varchar

Max Length: 32767

Column Name: comment_type_code

Column Type: varchar

Max Length: 50

Column Name: comment_type_value

Column Type: varchar

Max Length: 50

Column Name: comment_type_code_typ

Column Type: varchar

Max Length: 50

Column Name: comment_type_alt_code

Column Type: varchar

Max Length: 50

Column Name: comment_type_alt_value

Column Type: varchar

Max Length: 50

Column Name: comment_type_alt_code_typ

Column Type: varchar

Max Length: 50

Column Name: comment_type_code_ver

Column Type: varchar

Max Length: 50

Column Name: comment_type_alt_code_ver

Column Type: varchar

Max Length: 50

Column Name: comment_type_orig_text

Column Type: varchar

Max Length: 50

Column Name: FACILITY

Column Type: integer

Column Name: Interface_Vendor_Name

Column Type: varchar

Max Length: 200

Column Name: Interface_Vendor_Type

Column Type: varchar

Max Length: 50

Column Name: manual_entry_flag

Column Type: varchar

Max Length: 50

Column Name: PATID

Column Type: varchar

Max Length: 20

Column Name: set_id

Column Type: varchar

Max Length: 50

Column Name: source_of_comment_code

Column Type: varchar

Max Length: 50

Column Name: source_of_comment_value

Column Type: varchar

Max Length: 50

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: data_entry_source
Column Type: varchar
Max Length: 50

Column Name: JOIN_RESULT_HEADER_NOTE
Column Type: varchar

Max Length: 50

Documentation for form: POC_Results_Entry

Table Name: SYSTEM.poc_results_link

Table Description: This table returns a link between modeled forms and SYSTEM.results_header when filed through 'POC Results Entry'

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_RESULT_HEADER

Column Type: varchar

Max Length: 50

Results Header table unique ID

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the data.

Column Name: admin_unique_id

Column Type: varchar

Max Length: 50

The collection related to this POC result.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated this data row.

Column Name: data_entry_date

Column Type: date

The date when this data row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_source
Column Type: varchar
Max Length: 255
The source that last updated this data row.

Column Name: data_entry_time
Column Type: varchar
Max Length: 15
The time when this data row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user id that last updated this data row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name that last updated this data row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: form_CSMid
Column Type: varchar
Max Length: 50
Internal modeled form ID.

Column Name: form_desc
Column Type: varchar
Max Length: 50

Modeled form name.

Column Name: form_historic

Column Type: varchar

Max Length: 50

Historic associated with modeled form.

Column Name: form_id

Column Type: varchar

Max Length: 50

Internal modeled form ID.

Column Name: option_desc

Column Type: varchar

Max Length: 80

The option name that last updated this data row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The option identifier that last updated this data_row.

Documentation for form: Funding_Source_Service_Authorization

Table Name: SYSTEM.history_fund_auth

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid

Column Type: varchar

Max Length: 50

Column Name: FACILITY

Column Type: integer

Column Name: FUNDSRCID

Column Type: varchar

Max Length: 50

Column Name: GUID

Column Type: varchar

Max Length: 50

Column Name: PLAN_ID
Column Type: varchar
Max Length: 50

Column Name: UTCTimeStamp
Column Type: timestamp

Column Name: auth_grouping_code
Column Type: varchar
Max Length: 50

Column Name: auth_grp_or_indiv_code
Column Type: varchar
Max Length: 50

Column Name: auth_grp_or_indiv_value
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_code
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_value
Column Type: varchar
Max Length: 50

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: begin_date_of_auth
Column Type: date

Column Name: claimed_units_1
Column Type: integer

Column Name: claimed_units_10
Column Type: integer

Column Name: claimed_units_11
Column Type: integer

Column Name: claimed_units_12
Column Type: integer

Column Name: claimed_units_13
Column Type: integer

Column Name: claimed_units_14
Column Type: integer

Column Name: claimed_units_15
Column Type: integer

Column Name: claimed_units_16
Column Type: integer

Column Name: claimed_units_17
Column Type: integer

Column Name: claimed_units_18
Column Type: integer

Column Name: claimed_units_19
Column Type: integer

Column Name: claimed_units_2
Column Type: integer

Column Name: claimed_units_20
Column Type: integer

Column Name: claimed_units_21
Column Type: integer

Column Name: claimed_units_22
Column Type: integer

Column Name: claimed_units_23
Column Type: integer

Column Name: claimed_units_24
Column Type: integer

Column Name: claimed_units_25
Column Type: integer

Column Name: claimed_units_26
Column Type: integer

Column Name: claimed_units_27
Column Type: integer

Column Name: claimed_units_28
Column Type: integer

Column Name: claimed_units_29
Column Type: integer

Column Name: claimed_units_3
Column Type: integer

Column Name: claimed_units_30
Column Type: integer

Column Name: claimed_units_31
Column Type: integer

Column Name: claimed_units_32
Column Type: integer

Column Name: claimed_units_33
Column Type: integer

Column Name: claimed_units_34
Column Type: integer

Column Name: claimed_units_35
Column Type: integer

Column Name: claimed_units_36
Column Type: integer

Column Name: claimed_units_37
Column Type: integer

Column Name: claimed_units_38
Column Type: integer

Column Name: claimed_units_39
Column Type: integer

Column Name: claimed_units_4
Column Type: integer

Column Name: claimed_units_40
Column Type: integer

Column Name: claimed_units_5
Column Type: integer

Column Name: claimed_units_6
Column Type: integer

Column Name: claimed_units_7
Column Type: integer

Column Name: claimed_units_8
Column Type: integer

Column Name: claimed_units_9
Column Type: integer

Column Name: code_authorized_1
Column Type: varchar
Max Length: 50

Column Name: code_authorized_10
Column Type: varchar
Max Length: 50

Column Name: code_authorized_11
Column Type: varchar
Max Length: 50

Column Name: code_authorized_12
Column Type: varchar
Max Length: 50

Column Name: code_authorized_13
Column Type: varchar
Max Length: 50

Column Name: code_authorized_14
Column Type: varchar
Max Length: 50

Column Name: code_authorized_15
Column Type: varchar
Max Length: 50

Column Name: code_authorized_16
Column Type: varchar
Max Length: 50

Column Name: code_authorized_17
Column Type: varchar
Max Length: 50

Column Name: code_authorized_18

Column Type: varchar
Max Length: 50

Column Name: code_authorized_19
Column Type: varchar
Max Length: 50

Column Name: code_authorized_2
Column Type: varchar
Max Length: 50

Column Name: code_authorized_20
Column Type: varchar
Max Length: 50

Column Name: code_authorized_21
Column Type: varchar
Max Length: 50

Column Name: code_authorized_22
Column Type: varchar
Max Length: 50

Column Name: code_authorized_23
Column Type: varchar
Max Length: 50

Column Name: code_authorized_24
Column Type: varchar
Max Length: 50

Column Name: code_authorized_25
Column Type: varchar
Max Length: 50

Column Name: code_authorized_26
Column Type: varchar
Max Length: 50

Column Name: code_authorized_27

Column Type: varchar
Max Length: 50

Column Name: code_authorized_28
Column Type: varchar
Max Length: 50

Column Name: code_authorized_29
Column Type: varchar
Max Length: 50

Column Name: code_authorized_3
Column Type: varchar
Max Length: 50

Column Name: code_authorized_30
Column Type: varchar
Max Length: 50

Column Name: code_authorized_31
Column Type: varchar
Max Length: 50

Column Name: code_authorized_32
Column Type: varchar
Max Length: 50

Column Name: code_authorized_33
Column Type: varchar
Max Length: 50

Column Name: code_authorized_34
Column Type: varchar
Max Length: 50

Column Name: code_authorized_35
Column Type: varchar
Max Length: 50

Column Name: code_authorized_36

Column Type: varchar
Max Length: 50

Column Name: code_authorized_37
Column Type: varchar
Max Length: 50

Column Name: code_authorized_38
Column Type: varchar
Max Length: 50

Column Name: code_authorized_39
Column Type: varchar
Max Length: 50

Column Name: code_authorized_4
Column Type: varchar
Max Length: 50

Column Name: code_authorized_40
Column Type: varchar
Max Length: 50

Column Name: code_authorized_5
Column Type: varchar
Max Length: 50

Column Name: code_authorized_6
Column Type: varchar
Max Length: 50

Column Name: code_authorized_7
Column Type: varchar
Max Length: 50

Column Name: code_authorized_8
Column Type: varchar
Max Length: 50

Column Name: code_authorized_9

Column Type: varchar
Max Length: 50

Column Name: comments_on_auth
Column Type: varchar
Max Length: 32766

Column Name: curr_auth_stat_reas_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_stat_reas_value
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_value
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar

Max Length: 40

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: end_date_of_auth

Column Type: date

Column Name: funding_source_name

Column Type: varchar

Max Length: 50

Column Name: init_or_contin_auth_code

Column Type: varchar

Max Length: 50

Column Name: init_or_contin_auth_value

Column Type: varchar

Max Length: 50

Column Name: internal_comments

Column Type: varchar

Max Length: 32766

Column Name: letter_type_code

Column Type: varchar

Max Length: 50

Column Name: letter_type_value

Column Type: varchar

Max Length: 50

Column Name: next_review_date

Column Type: date

Column Name: option_desc

Column Type: varchar

Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: primary_diagnosis
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_10_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_10_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_11_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_11_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_12_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_12_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_13_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_13_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_14_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_14_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_15_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_15_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_16_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_16_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_17_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_17_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_18_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_18_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_19_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_19_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_1_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_1_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_20_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_20_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_21_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_21_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_22_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_22_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_23_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_23_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_24_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_24_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_25_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_25_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_26_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_26_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_27_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_27_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_28_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_28_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_29_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_29_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_2_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_2_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_30_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_30_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_31_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_31_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_32_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_32_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_33_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_33_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_34_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_34_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_5_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_5_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_6_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_6_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_7_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_7_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_8_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_8_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_9_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_9_value
Column Type: varchar
Max Length: 50

Column Name: secondary_diagnosis
Column Type: varchar
Max Length: 50

Column Name: type_of_auth_code
Column Type: varchar
Max Length: 50

Column Name: type_of_auth_value
Column Type: varchar
Max Length: 50

Column Name: units_authorized_1
Column Type: varchar
Max Length: 50

Column Name: units_authorized_10
Column Type: varchar
Max Length: 50

Column Name: units_authorized_11
Column Type: varchar
Max Length: 50

Column Name: units_authorized_12
Column Type: varchar
Max Length: 50

Column Name: units_authorized_13
Column Type: varchar
Max Length: 50

Column Name: units_authorized_14
Column Type: varchar
Max Length: 50

Column Name: units_authorized_15
Column Type: varchar
Max Length: 50

Column Name: units_authorized_16
Column Type: varchar
Max Length: 50

Column Name: units_authorized_17
Column Type: varchar
Max Length: 50

Column Name: units_authorized_18
Column Type: varchar
Max Length: 50

Column Name: units_authorized_19
Column Type: varchar
Max Length: 50

Column Name: units_authorized_2
Column Type: varchar
Max Length: 50

Column Name: units_authorized_20
Column Type: varchar
Max Length: 50

Column Name: units_authorized_21
Column Type: varchar
Max Length: 50

Column Name: units_authorized_22
Column Type: varchar
Max Length: 50

Column Name: units_authorized_23
Column Type: varchar
Max Length: 50

Column Name: units_authorized_24
Column Type: varchar
Max Length: 50

Column Name: units_authorized_25
Column Type: varchar
Max Length: 50

Column Name: units_authorized_26
Column Type: varchar
Max Length: 50

Column Name: units_authorized_27
Column Type: varchar
Max Length: 50

Column Name: units_authorized_28
Column Type: varchar
Max Length: 50

Column Name: units_authorized_29
Column Type: varchar
Max Length: 50

Column Name: units_authorized_3
Column Type: varchar
Max Length: 50

Column Name: units_authorized_30
Column Type: varchar
Max Length: 50

Column Name: units_authorized_31
Column Type: varchar
Max Length: 50

Column Name: units_authorized_32
Column Type: varchar
Max Length: 50

Column Name: units_authorized_33
Column Type: varchar
Max Length: 50

Column Name: units_authorized_34
Column Type: varchar
Max Length: 50

Column Name: units_authorized_35
Column Type: varchar
Max Length: 50

Column Name: units_authorized_36
Column Type: varchar
Max Length: 50

Column Name: units_authorized_37
Column Type: varchar
Max Length: 50

Column Name: units_authorized_38
Column Type: varchar
Max Length: 50

Column Name: units_authorized_39
Column Type: varchar
Max Length: 50

Column Name: units_authorized_4
Column Type: varchar
Max Length: 50

Column Name: units_authorized_40
Column Type: varchar
Max Length: 50

Column Name: units_authorized_5
Column Type: varchar
Max Length: 50

Column Name: units_authorized_6
Column Type: varchar
Max Length: 50

Column Name: units_authorized_7
Column Type: varchar
Max Length: 50

Column Name: units_authorized_8
Column Type: varchar
Max Length: 50

Column Name: units_authorized_9
Column Type: varchar
Max Length: 50

Documentation for form: Funding_Source_Service_Authorization

Table Name: SYSTEM.history_fund_auths_proc

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDID
Column Type: varchar
Max Length: 50

Column Name: claimed_units
Column Type: integer

Column Name: code_authorized
Column Type: varchar
Max Length: 50

Column Name: counter
Column Type: integer

Column Name: proc_code_type_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_value
Column Type: varchar
Max Length: 50

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Documentation for form: Funding_Source_Service_Authorization

Table Name: SYSTEM.history_member_auths_2

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID

Column Type: varchar
Max Length: 50

Column Name: GUID
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PLAN_ID
Column Type: varchar
Max Length: 50

Column Name: UTCTimeStamp
Column Type: timestamp

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_value
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: auth_grouping_code
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_code
Column Type: varchar

Max Length: 50

Column Name: authorization_number

Column Type: varchar

Max Length: 50

Column Name: begin_date_of_auth

Column Type: date

Column Name: begin_date_of_serv_1

Column Type: date

Column Name: begin_date_of_serv_10

Column Type: date

Column Name: begin_date_of_serv_11

Column Type: date

Column Name: begin_date_of_serv_12

Column Type: date

Column Name: begin_date_of_serv_13

Column Type: date

Column Name: begin_date_of_serv_14

Column Type: date

Column Name: begin_date_of_serv_15

Column Type: date

Column Name: begin_date_of_serv_16

Column Type: date

Column Name: begin_date_of_serv_17

Column Type: date

Column Name: begin_date_of_serv_18

Column Type: date

Column Name: begin_date_of_serv_19
Column Type: date

Column Name: begin_date_of_serv_2
Column Type: date

Column Name: begin_date_of_serv_20
Column Type: date

Column Name: begin_date_of_serv_21
Column Type: date

Column Name: begin_date_of_serv_22
Column Type: date

Column Name: begin_date_of_serv_23
Column Type: date

Column Name: begin_date_of_serv_24
Column Type: date

Column Name: begin_date_of_serv_25
Column Type: date

Column Name: begin_date_of_serv_26
Column Type: date

Column Name: begin_date_of_serv_27
Column Type: date

Column Name: begin_date_of_serv_28
Column Type: date

Column Name: begin_date_of_serv_29
Column Type: date

Column Name: begin_date_of_serv_3
Column Type: date

Column Name: begin_date_of_serv_30
Column Type: date

Column Name: begin_date_of_serv_31
Column Type: date

Column Name: begin_date_of_serv_32
Column Type: date

Column Name: begin_date_of_serv_33
Column Type: date

Column Name: begin_date_of_serv_34
Column Type: date

Column Name: begin_date_of_serv_35
Column Type: date

Column Name: begin_date_of_serv_36
Column Type: date

Column Name: begin_date_of_serv_37
Column Type: date

Column Name: begin_date_of_serv_38
Column Type: date

Column Name: begin_date_of_serv_39
Column Type: date

Column Name: begin_date_of_serv_4
Column Type: date

Column Name: begin_date_of_serv_40
Column Type: date

Column Name: begin_date_of_serv_5
Column Type: date

Column Name: begin_date_of_serv_6
Column Type: date

Column Name: begin_date_of_serv_7
Column Type: date

Column Name: begin_date_of_serv_8
Column Type: date

Column Name: begin_date_of_serv_9
Column Type: date

Column Name: clm_stat_inh_svc_cd
Column Type: varchar
Max Length: 50

Column Name: clm_stat_inh_svc_val
Column Type: varchar
Max Length: 50

Column Name: clm_stat_reas_inh_svc_cd
Column Type: varchar
Max Length: 50

Column Name: clm_stat_reas_inh_svc_val
Column Type: varchar
Max Length: 50

Column Name: cont_prov_auth
Column Type: varchar
Max Length: 40

Column Name: curr_auth_stat_reas_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_code
Column Type: varchar
Max Length: 50

Column Name: end_date_of_auth
Column Type: date

Column Name: end_date_of_serv_1
Column Type: date

Column Name: end_date_of_serv_10
Column Type: date

Column Name: end_date_of_serv_11
Column Type: date

Column Name: end_date_of_serv_12
Column Type: date

Column Name: end_date_of_serv_13
Column Type: date

Column Name: end_date_of_serv_14
Column Type: date

Column Name: end_date_of_serv_15
Column Type: date

Column Name: end_date_of_serv_16
Column Type: date

Column Name: end_date_of_serv_17
Column Type: date

Column Name: end_date_of_serv_18
Column Type: date

Column Name: end_date_of_serv_19
Column Type: date

Column Name: end_date_of_serv_2
Column Type: date

Column Name: end_date_of_serv_20
Column Type: date

Column Name: end_date_of_serv_21
Column Type: date

Column Name: end_date_of_serv_22
Column Type: date

Column Name: end_date_of_serv_23
Column Type: date

Column Name: end_date_of_serv_24
Column Type: date

Column Name: end_date_of_serv_25
Column Type: date

Column Name: end_date_of_serv_26
Column Type: date

Column Name: end_date_of_serv_27
Column Type: date

Column Name: end_date_of_serv_28
Column Type: date

Column Name: end_date_of_serv_29
Column Type: date

Column Name: end_date_of_serv_3

Column Type: date

Column Name: end_date_of_serv_30

Column Type: date

Column Name: end_date_of_serv_31

Column Type: date

Column Name: end_date_of_serv_32

Column Type: date

Column Name: end_date_of_serv_33

Column Type: date

Column Name: end_date_of_serv_34

Column Type: date

Column Name: end_date_of_serv_35

Column Type: date

Column Name: end_date_of_serv_36

Column Type: date

Column Name: end_date_of_serv_37

Column Type: date

Column Name: end_date_of_serv_38

Column Type: date

Column Name: end_date_of_serv_39

Column Type: date

Column Name: end_date_of_serv_4

Column Type: date

Column Name: end_date_of_serv_40

Column Type: date

Column Name: end_date_of_serv_5
Column Type: date

Column Name: end_date_of_serv_6
Column Type: date

Column Name: end_date_of_serv_7
Column Type: date

Column Name: end_date_of_serv_8
Column Type: date

Column Name: end_date_of_serv_9
Column Type: date

Column Name: inhibit_adj_code
Column Type: varchar
Max Length: 50

Column Name: inhibit_adj_value
Column Type: varchar
Max Length: 50

Column Name: level_of_care_code
Column Type: varchar
Max Length: 50

Column Name: next_review_date
Column Type: date

Column Name: performing_provider
Column Type: varchar
Max Length: 50

Column Name: primary_account_code
Column Type: varchar
Max Length: 50

Column Name: provider_connect_user
Column Type: varchar
Max Length: 150

Column Name: provider_to_be_auth
Column Type: varchar
Max Length: 50

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50

Column Name: prov_submitting_request
Column Type: varchar
Max Length: 50

Column Name: status_code
Column Type: varchar
Max Length: 50

Column Name: status_value
Column Type: varchar
Max Length: 50

Column Name: total_estimated_liab
Column Type: numeric

Documentation for form: Funding_Source_Service_Authorization

Table Name: SYSTEM.history_member_auths_proc

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: claimed_units
Column Type: integer

Column Name: code_authorized
Column Type: varchar
Max Length: 50

Column Name: counter
Column Type: integer

Column Name: est_liab
Column Type: numeric

Column Name: proc_code_type_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_value
Column Type: varchar
Max Length: 50

Column Name: provider_to_be_auth
Column Type: varchar
Max Length: 50

Column Name: rem_liab
Column Type: numeric

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Column Name: units_requested
Column Type: varchar
Max Length: 50

Documentation for form: Funding_Source_Service_Authorization

Table Name: SYSTEM.history_prov_auths_proc

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTUniqueID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: PROVID
Column Type: varchar
Max Length: 20

Column Name: claimed_units
Column Type: integer

Column Name: code_authorized
Column Type: varchar
Max Length: 50

Column Name: counter
Column Type: integer

Column Name: est_liab
Column Type: numeric

Column Name: proc_code_type_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_value
Column Type: varchar
Max Length: 50

Column Name: rem_liab
Column Type: numeric

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Documentation for form: Funding_Source_Service_Authorization

Table Name: SYSTEM.history_provider_auths

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: GUID
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGuniqueid
Column Type: varchar
Max Length: 50

Column Name: PLAN_ID
Column Type: varchar
Max Length: 50

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: UTCTimeStamp
Column Type: timestamp

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_value
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: auth_grouping_code
Column Type: varchar
Max Length: 50

Column Name: auth_grp_or_indiv_code
Column Type: varchar
Max Length: 50

Column Name: auth_grp_or_indiv_value
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_code
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_value
Column Type: varchar
Max Length: 50

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: begin_date_of_auth
Column Type: date

Column Name: claimed_units_1
Column Type: integer

Column Name: claimed_units_10
Column Type: integer

Column Name: claimed_units_11
Column Type: integer

Column Name: claimed_units_12
Column Type: integer

Column Name: claimed_units_13
Column Type: integer

Column Name: claimed_units_14

Column Type: integer

Column Name: claimed_units_15

Column Type: integer

Column Name: claimed_units_16

Column Type: integer

Column Name: claimed_units_17

Column Type: integer

Column Name: claimed_units_18

Column Type: integer

Column Name: claimed_units_19

Column Type: integer

Column Name: claimed_units_2

Column Type: integer

Column Name: claimed_units_20

Column Type: integer

Column Name: claimed_units_21

Column Type: integer

Column Name: claimed_units_22

Column Type: integer

Column Name: claimed_units_23

Column Type: integer

Column Name: claimed_units_24

Column Type: integer

Column Name: claimed_units_25

Column Type: integer

Column Name: claimed_units_26
Column Type: integer

Column Name: claimed_units_27
Column Type: integer

Column Name: claimed_units_28
Column Type: integer

Column Name: claimed_units_29
Column Type: integer

Column Name: claimed_units_3
Column Type: integer

Column Name: claimed_units_30
Column Type: integer

Column Name: claimed_units_31
Column Type: integer

Column Name: claimed_units_32
Column Type: integer

Column Name: claimed_units_33
Column Type: integer

Column Name: claimed_units_34
Column Type: integer

Column Name: claimed_units_35
Column Type: integer

Column Name: claimed_units_36
Column Type: integer

Column Name: claimed_units_37

Column Type: integer

Column Name: claimed_units_38

Column Type: integer

Column Name: claimed_units_39

Column Type: integer

Column Name: claimed_units_4

Column Type: integer

Column Name: claimed_units_40

Column Type: integer

Column Name: claimed_units_5

Column Type: integer

Column Name: claimed_units_6

Column Type: integer

Column Name: claimed_units_7

Column Type: integer

Column Name: claimed_units_8

Column Type: integer

Column Name: claimed_units_9

Column Type: integer

Column Name: code_authorized_1

Column Type: varchar

Max Length: 50

Column Name: code_authorized_10

Column Type: varchar

Max Length: 50

Column Name: code_authorized_11

Column Type: varchar
Max Length: 50

Column Name: code_authorized_12
Column Type: varchar
Max Length: 50

Column Name: code_authorized_13
Column Type: varchar
Max Length: 50

Column Name: code_authorized_14
Column Type: varchar
Max Length: 50

Column Name: code_authorized_15
Column Type: varchar
Max Length: 50

Column Name: code_authorized_16
Column Type: varchar
Max Length: 50

Column Name: code_authorized_17
Column Type: varchar
Max Length: 50

Column Name: code_authorized_18
Column Type: varchar
Max Length: 50

Column Name: code_authorized_19
Column Type: varchar
Max Length: 50

Column Name: code_authorized_2
Column Type: varchar
Max Length: 50

Column Name: code_authorized_20

Column Type: varchar
Max Length: 50

Column Name: code_authorized_21
Column Type: varchar
Max Length: 50

Column Name: code_authorized_22
Column Type: varchar
Max Length: 50

Column Name: code_authorized_23
Column Type: varchar
Max Length: 50

Column Name: code_authorized_24
Column Type: varchar
Max Length: 50

Column Name: code_authorized_25
Column Type: varchar
Max Length: 50

Column Name: code_authorized_26
Column Type: varchar
Max Length: 50

Column Name: code_authorized_27
Column Type: varchar
Max Length: 50

Column Name: code_authorized_28
Column Type: varchar
Max Length: 50

Column Name: code_authorized_29
Column Type: varchar
Max Length: 50

Column Name: code_authorized_3

Column Type: varchar
Max Length: 50

Column Name: code_authorized_30
Column Type: varchar
Max Length: 50

Column Name: code_authorized_31
Column Type: varchar
Max Length: 50

Column Name: code_authorized_32
Column Type: varchar
Max Length: 50

Column Name: code_authorized_33
Column Type: varchar
Max Length: 50

Column Name: code_authorized_34
Column Type: varchar
Max Length: 50

Column Name: code_authorized_35
Column Type: varchar
Max Length: 50

Column Name: code_authorized_36
Column Type: varchar
Max Length: 50

Column Name: code_authorized_37
Column Type: varchar
Max Length: 50

Column Name: code_authorized_38
Column Type: varchar
Max Length: 50

Column Name: code_authorized_39

Column Type: varchar
Max Length: 50

Column Name: code_authorized_4
Column Type: varchar
Max Length: 50

Column Name: code_authorized_40
Column Type: varchar
Max Length: 50

Column Name: code_authorized_5
Column Type: varchar
Max Length: 50

Column Name: code_authorized_6
Column Type: varchar
Max Length: 50

Column Name: code_authorized_7
Column Type: varchar
Max Length: 50

Column Name: code_authorized_8
Column Type: varchar
Max Length: 50

Column Name: code_authorized_9
Column Type: varchar
Max Length: 50

Column Name: comments_on_auth
Column Type: varchar
Max Length: 32766

Column Name: curr_auth_stat_reas_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_stat_reas_value

Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_value
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: end_date_of_auth
Column Type: date

Column Name: est_liab_code_1
Column Type: numeric

Column Name: est_liab_code_10
Column Type: numeric

Column Name: est_liab_code_11
Column Type: numeric

Column Name: est_liab_code_12
Column Type: numeric

Column Name: est_liab_code_13
Column Type: numeric

Column Name: est_liab_code_14
Column Type: numeric

Column Name: est_liab_code_15
Column Type: numeric

Column Name: est_liab_code_16
Column Type: numeric

Column Name: est_liab_code_17
Column Type: numeric

Column Name: est_liab_code_18
Column Type: numeric

Column Name: est_liab_code_19
Column Type: numeric

Column Name: est_liab_code_2
Column Type: numeric

Column Name: est_liab_code_20
Column Type: numeric

Column Name: est_liab_code_21

Column Type: numeric

Column Name: est_liab_code_22

Column Type: numeric

Column Name: est_liab_code_23

Column Type: numeric

Column Name: est_liab_code_24

Column Type: numeric

Column Name: est_liab_code_25

Column Type: numeric

Column Name: est_liab_code_26

Column Type: numeric

Column Name: est_liab_code_27

Column Type: numeric

Column Name: est_liab_code_28

Column Type: numeric

Column Name: est_liab_code_29

Column Type: numeric

Column Name: est_liab_code_3

Column Type: numeric

Column Name: est_liab_code_30

Column Type: numeric

Column Name: est_liab_code_31

Column Type: numeric

Column Name: est_liab_code_32

Column Type: numeric

Column Name: est_liab_code_33
Column Type: numeric

Column Name: est_liab_code_34
Column Type: numeric

Column Name: est_liab_code_35
Column Type: numeric

Column Name: est_liab_code_36
Column Type: numeric

Column Name: est_liab_code_37
Column Type: numeric

Column Name: est_liab_code_38
Column Type: numeric

Column Name: est_liab_code_39
Column Type: numeric

Column Name: est_liab_code_4
Column Type: numeric

Column Name: est_liab_code_40
Column Type: numeric

Column Name: est_liab_code_5
Column Type: numeric

Column Name: est_liab_code_6
Column Type: numeric

Column Name: est_liab_code_7
Column Type: numeric

Column Name: est_liab_code_8

Column Type: numeric

Column Name: est_liab_code_9

Column Type: numeric

Column Name: init_or_contin_auth_code

Column Type: varchar

Max Length: 50

Column Name: init_or_contin_auth_value

Column Type: varchar

Max Length: 50

Column Name: internal_comments

Column Type: varchar

Max Length: 32766

Column Name: letter_type_code

Column Type: varchar

Max Length: 50

Column Name: letter_type_value

Column Type: varchar

Max Length: 50

Column Name: next_review_date

Column Type: date

Column Name: option_desc

Column Type: varchar

Max Length: 50

Column Name: option_id

Column Type: varchar

Max Length: 50

Column Name: performing_provider

Column Type: varchar

Max Length: 50

Column Name: performing_prv_type_code
Column Type: varchar
Max Length: 50

Column Name: performing_prv_type_value
Column Type: varchar
Max Length: 50

Column Name: perf_provider_name
Column Type: varchar
Max Length: 50

Column Name: primary_diagnosis
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_10_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_10_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_11_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_11_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_12_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_12_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_13_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_13_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_14_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_14_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_15_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_15_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_16_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_16_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_17_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_17_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_18_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_18_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_19_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_19_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_1_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_1_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_20_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_20_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_21_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_21_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_22_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_22_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_23_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_23_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_24_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_24_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_25_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_25_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_26_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_26_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_27_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_27_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_28_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_28_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_29_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_29_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_2_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_2_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_30_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_30_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_31_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_31_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_32_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_32_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_33_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_33_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_34_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_34_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_5_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_5_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_6_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_6_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_7_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_7_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_8_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_8_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_9_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_9_value
Column Type: varchar
Max Length: 50

Column Name: provider_name
Column Type: varchar
Max Length: 50

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50

Column Name: rem_liab_1
Column Type: numeric

Column Name: rem_liab_10
Column Type: numeric

Column Name: rem_liab_11
Column Type: numeric

Column Name: rem_liab_12
Column Type: numeric

Column Name: rem_liab_13
Column Type: numeric

Column Name: rem_liab_14
Column Type: numeric

Column Name: rem_liab_15
Column Type: numeric

Column Name: rem_liab_16
Column Type: numeric

Column Name: rem_liab_17
Column Type: numeric

Column Name: rem_liab_18
Column Type: numeric

Column Name: rem_liab_19
Column Type: numeric

Column Name: rem_liab_2
Column Type: numeric

Column Name: rem_liab_20
Column Type: numeric

Column Name: rem_liab_21
Column Type: numeric

Column Name: rem_liab_22
Column Type: numeric

Column Name: rem_liab_23
Column Type: numeric

Column Name: rem_liab_24
Column Type: numeric

Column Name: rem_liab_25
Column Type: numeric

Column Name: rem_liab_26
Column Type: numeric

Column Name: rem_liab_27
Column Type: numeric

Column Name: rem_liab_28
Column Type: numeric

Column Name: rem_liab_29
Column Type: numeric

Column Name: rem_liab_3
Column Type: numeric

Column Name: rem_liab_30
Column Type: numeric

Column Name: rem_liab_31
Column Type: numeric

Column Name: rem_liab_32
Column Type: numeric

Column Name: rem_liab_33
Column Type: numeric

Column Name: rem_liab_34
Column Type: numeric

Column Name: rem_liab_35
Column Type: numeric

Column Name: rem_liab_36
Column Type: numeric

Column Name: rem_liab_37
Column Type: numeric

Column Name: rem_liab_38
Column Type: numeric

Column Name: rem_liab_39
Column Type: numeric

Column Name: rem_liab_4
Column Type: numeric

Column Name: rem_liab_40
Column Type: numeric

Column Name: rem_liab_5
Column Type: numeric

Column Name: rem_liab_6
Column Type: numeric

Column Name: rem_liab_7
Column Type: numeric

Column Name: rem_liab_8
Column Type: numeric

Column Name: rem_liab_9
Column Type: numeric

Column Name: rem_liab_total
Column Type: numeric

Column Name: secondary_diagnosis
Column Type: varchar
Max Length: 50

Column Name: status_code
Column Type: varchar
Max Length: 50

Column Name: status_value
Column Type: varchar
Max Length: 50

Column Name: total_estimated_liab
Column Type: numeric

Column Name: type_of_auth_code
Column Type: varchar
Max Length: 50

Column Name: type_of_auth_value
Column Type: varchar
Max Length: 50

Column Name: units_authorized_1
Column Type: varchar
Max Length: 50

Column Name: units_authorized_10
Column Type: varchar
Max Length: 50

Column Name: units_authorized_11
Column Type: varchar
Max Length: 50

Column Name: units_authorized_12
Column Type: varchar
Max Length: 50

Column Name: units_authorized_13

Column Type: varchar
Max Length: 50

Column Name: units_authorized_14
Column Type: varchar
Max Length: 50

Column Name: units_authorized_15
Column Type: varchar
Max Length: 50

Column Name: units_authorized_16
Column Type: varchar
Max Length: 50

Column Name: units_authorized_17
Column Type: varchar
Max Length: 50

Column Name: units_authorized_18
Column Type: varchar
Max Length: 50

Column Name: units_authorized_19
Column Type: varchar
Max Length: 50

Column Name: units_authorized_2
Column Type: varchar
Max Length: 50

Column Name: units_authorized_20
Column Type: varchar
Max Length: 50

Column Name: units_authorized_21
Column Type: varchar
Max Length: 50

Column Name: units_authorized_22

Column Type: varchar
Max Length: 50

Column Name: units_authorized_23
Column Type: varchar
Max Length: 50

Column Name: units_authorized_24
Column Type: varchar
Max Length: 50

Column Name: units_authorized_25
Column Type: varchar
Max Length: 50

Column Name: units_authorized_26
Column Type: varchar
Max Length: 50

Column Name: units_authorized_27
Column Type: varchar
Max Length: 50

Column Name: units_authorized_28
Column Type: varchar
Max Length: 50

Column Name: units_authorized_29
Column Type: varchar
Max Length: 50

Column Name: units_authorized_3
Column Type: varchar
Max Length: 50

Column Name: units_authorized_30
Column Type: varchar
Max Length: 50

Column Name: units_authorized_31

Column Type: varchar
Max Length: 50

Column Name: units_authorized_32
Column Type: varchar
Max Length: 50

Column Name: units_authorized_33
Column Type: varchar
Max Length: 50

Column Name: units_authorized_34
Column Type: varchar
Max Length: 50

Column Name: units_authorized_35
Column Type: varchar
Max Length: 50

Column Name: units_authorized_36
Column Type: varchar
Max Length: 50

Column Name: units_authorized_37
Column Type: varchar
Max Length: 50

Column Name: units_authorized_38
Column Type: varchar
Max Length: 50

Column Name: units_authorized_39
Column Type: varchar
Max Length: 50

Column Name: units_authorized_4
Column Type: varchar
Max Length: 50

Column Name: units_authorized_40

Column Type: varchar
Max Length: 50

Column Name: units_authorized_5
Column Type: varchar
Max Length: 50

Column Name: units_authorized_6
Column Type: varchar
Max Length: 50

Column Name: units_authorized_7
Column Type: varchar
Max Length: 50

Column Name: units_authorized_8
Column Type: varchar
Max Length: 50

Column Name: units_authorized_9
Column Type: varchar
Max Length: 50

Documentation for form: Funding_Source_Service_Authorization

Table Name: SYSTEM.mso_service_authorization

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTUniqueID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar

Max Length: 20

Column Name: authorization_number

Column Type: varchar

Max Length: 50

Column Name: begin_date_of_service

Column Type: date

Column Name: end_date_of_service

Column Type: date

Column Name: estimated_liability_code

Column Type: varchar

Max Length: 30

Column Name: procedure_code

Column Type: varchar

Max Length: 50

Column Name: procedure_code_type

Column Type: varchar

Max Length: 50

Column Name: procedure_code_type_value

Column Type: varchar

Max Length: 50

Column Name: procedure_value

Column Type: varchar

Max Length: 50

Column Name: requested_units

Column Type: varchar

Max Length: 50

Column Name: row_number

Column Type: integer

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Documentation for form: Funding_Source_Service_Authorization

Table Name: SYSTEM.service_auth_detail

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: ID
Column Type: integer

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50
The unique ID of the service authorization.

Column Name: FACILITY
Column Type: integer
The system code the service authorization is defined in.

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50
The ID number of the funding source this authorization applies to.

Column Name: GUID
Column Type: varchar
Max Length: 50
An ID number for the authorization that is likely to be unique, even on other system codes.

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50
The unique ID of the funding source's registration.

Column Name: JOIN_TO_member_CONuniqueid
Column Type: varchar
Max Length: 50
The unique ID of the client's enrollment in the funding source's plan.

Column Name: JOIN_TO_provider_REGuniqueid

Column Type: varchar
Max Length: 50
The unique ID of the contracting provider's registration history.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the service authorization.

Column Name: PLAN_ID
Column Type: varchar
Max Length: 50
The code for 'Benefit Plan'.

Column Name: PROVID
Column Type: varchar
Max Length: 50
The ID number of the contracting provider this authorization applies to.

Column Name: UTCTimeStamp
Column Type: timestamp
The date and time the authorization was made, in coordinated universal time.

Column Name: account_code
Column Type: varchar
Max Length: 50
The code for 'Account'.

Column Name: account_level
Column Type: varchar
Max Length: 50
The level of the budget tracking account.

Column Name: account_level_name
Column Type: varchar
Max Length: 50
The name of the budget tracking account level.

Column Name: account_status_code
Column Type: varchar
Max Length: 50
The code for 'Status'.

Column Name: account_status_value
Column Type: varchar
Max Length: 50
The description associated with account_status_code. See account_status_code for more information.

Column Name: account_value
Column Type: varchar

Max Length: 50

The description associated with account_code. See account_code for more information.

Column Name: auth_grouping_code

Column Type: varchar

Max Length: 50

The code for 'Authorization Grouping'.

Column Name: auth_grouping_value

Column Type: varchar

Max Length: 50

The description associated with auth_grouping_code. See auth_grouping_code for more information.

Column Name: auth_grp_or_indiv_code

Column Type: varchar

Max Length: 50

The code for 'Individual Authorizations Or Authorization Grouping'.

Column Name: auth_grp_or_indiv_value

Column Type: varchar

Max Length: 50

The description associated with auth_grp_or_indiv_code. See auth_grp_or_indiv_code for more information.

Column Name: auth_level_care_code

Column Type: varchar

Max Length: 50

The code for 'Authorized Level of Care'.

Column Name: auth_level_care_value

Column Type: varchar

Max Length: 50

The description associated with auth_level_care_code. See auth_level_care_code for more information.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: auth_status_change_day

Column Type: varchar

Max Length: 50

The day the 'Current Authorization Status' changed from "Pending to Approved".

Column Name: auth_status_change_min

Column Type: varchar

Max Length: 50

The minute the 'Current Authorization Status' changed from "Pending to Approved".

Column Name: auth_status_change_sec

Column Type: varchar

Max Length: 50

The second the 'Current Authorization Status' changed from "Pending to Approved".

Column Name: auth_type_code

Column Type: varchar

Max Length: 50

The code for 'Authorization Type'.

Column Name: auth_type_value

Column Type: varchar

Max Length: 1024

The description associated with auth_type_code. See auth_type_code for more information.

Column Name: begin_date_of_auth

Column Type: date

'Begin Date of Authorization'

Column Name: clm_stat_inh_svc_cd

Column Type: varchar

Max Length: 50

The code for 'Claim Status for Inhibited Services'.

Column Name: clm_stat_inh_svc_val

Column Type: varchar

Max Length: 50

The description associated with clm_stat_inh_svc_code. See clm_stat_inh_svc_code for more information.

Column Name: clm_stat_reas_inh_svc_cd

Column Type: varchar

Max Length: 50

The code for 'Claim Status Reason for Inhibited Services'.

Column Name: clm_stat_reas_inh_svc_val

Column Type: varchar

Max Length: 50

The description associated with clm_stat_reas_inh_svc_code. See clm_stat_reas_inh_svc_code for more information.

Column Name: comments_on_auth

Column Type: varchar

Max Length: 32766

'Comments On Authorization'

Column Name: cont_prov_auth

Column Type: varchar

Max Length: 40

'Contracting Provider Authorization'

Column Name: cpauth_denied_amount

Column Type: numeric

The total estimated liability for denied member authorizations tied to contracting provider auth.

Column Name: curr_auth_stat_reas_code

Column Type: varchar

Max Length: 50

The code for 'Current Authorization Status Reason'.

Column Name: curr_auth_stat_reas_value

Column Type: varchar

Max Length: 50

The description associated with curr_auth_stat_reas_code. See curr_auth_stat_reas_code for more information.

Column Name: curr_auth_status_code

Column Type: varchar

Max Length: 50

The code for 'Current Authorization Status'.

Column Name: curr_auth_status_value

Column Type: varchar

Max Length: 50

The description associated with curr_auth_status_code. See curr_auth_status_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated the row of data.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row of data.

Column Name: data_entry_date

Column Type: date

The date the row of data was last updated.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row of data was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row of data.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row of data.

Column Name: end_date_of_auth

Column Type: date

'End Date of Authorization'

Column Name: financial_eligibility

Column Type: varchar

Max Length: 32766

Information on the client's financial eligibility.

Column Name: funding_source_name

Column Type: varchar

Max Length: 50

The name of the funding source.

Column Name: inhibit_adj_code

Column Type: varchar

Max Length: 50

The code for 'Inhibit Adjudication For Services Claimed During Authorization Period'.

Column Name: inhibit_adj_value

Column Type: varchar

Max Length: 50

The description associated with inhibit_adj_code. See inhibit_adj_code for more information.

Column Name: inhibit_cpt_svc_code_code

Column Type: varchar

Max Length: 1024

The code for 'Exclude CPT Service Code'.

Column Name: inhibit_cpt_svc_code_val

Column Type: varchar

Max Length: 1024

The description associated with inhibit_cpt_svc_code_code. See inhibit_cpt_svc_code_code for more information.

Column Name: inhibit_procedure_group_cd

Column Type: varchar

Max Length: 1024

The code for 'Exclude Procedure Code Group Definition'.

Column Name: inhibit_procedure_group_val

Column Type: varchar

Max Length: 1024

The description associated with inhibit_procedure_group_code. See inhibit_procedure_group_code for more information.

Column Name: inhibit_revenue_code_code

Column Type: varchar
Max Length: 1024
The code for 'Exclude Revenue Code'.

Column Name: inhibit_revenue_code_val
Column Type: varchar
Max Length: 1024
The description associated with inhibit_revenue_code_code. See inhibit_revenue_code_code for more information.

Column Name: init_or_contin_auth_code
Column Type: varchar
Max Length: 50
The code for 'Initial Or Continuing Authorization'.

Column Name: init_or_contin_auth_value
Column Type: varchar
Max Length: 50
The description associated with init_or_contin_auth_code. See init_or_contin_auth_code for more information.

Column Name: internal_comments
Column Type: varchar
Max Length: 32766
'Internal Comments'

Column Name: jointoprimdiagnosis
Column Type: varchar
Max Length: 40
The unique ID of the primary diagnosis.

Column Name: jointosecdiagnosis
Column Type: varchar
Max Length: 40
The unique ID of the secondary diagnosis.

Column Name: letter_type_code
Column Type: varchar
Max Length: 50
The code for 'Letter Type'.

Column Name: letter_type_value
Column Type: varchar
Max Length: 50
The description associated with letter_type_code. See letter_type_code for more information.

Column Name: level_of_care_code
Column Type: varchar
Max Length: 50
The code for 'Primary Level of Care'.

Column Name: level_of_care_value

Column Type: varchar

Max Length: 50

The description associated with level_of_care_code. See level_of_care_code for more information.

Column Name: next_review_date

Column Type: date

'Next Review Date'

Column Name: option_desc

Column Type: varchar

Max Length: 50

The name of the form that last updated the row of data.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row of data.

Column Name: original_data_entry_person

Column Type: varchar

Max Length: 50

The user name that originally entered this row of data.

Column Name: original_date_entry

Column Type: date

The date this row of data was originally updated.

Column Name: original_time_entry

Column Type: varchar

Max Length: 50

The time this row of data was originally updated.

Column Name: performing_provider

Column Type: varchar

Max Length: 50

The code for 'Performing Provider'.

Column Name: performing_prov_type

Column Type: varchar

Max Length: 50

The code for 'Provider Type'.

Column Name: performing_prv_type_value

Column Type: varchar

Max Length: 50

The description associated with performing_prv_type_code. See performing_prv_type_code for more information.

Column Name: perf_provider_name

Column Type: varchar

Max Length: 50

The description of the associated performing_provider. See performing_provider for more information.

Column Name: planned_admit_date

Column Type: date

'Planned Admit Date'

Column Name: prevent_push_code

Column Type: varchar

Max Length: 50

The code for 'Prevent Approved Services From Pushing To Parent System'.

Column Name: prevent_push_value

Column Type: varchar

Max Length: 50

The description associated with prevent_push_code. See prevent_push_code for more information.

Column Name: primary_account_code

Column Type: varchar

Max Length: 50

'Primary Account'

Column Name: primary_account_value

Column Type: varchar

Max Length: 50

The description associated with primary_account_code. See primary_account_code for more information.

Column Name: primary_diagnosis

Column Type: varchar

Max Length: 50

'Primary Diagnosis Authorized'

Column Name: prim_dsm4_diag_code

Column Type: varchar

Max Length: 40

The DSM-IV code for the primary diagnosis.

Column Name: prim_dsm4_diag_value

Column Type: varchar

Max Length: 40

The description associated with prim_dsm4_diag_code. See prim_dsm4_diag_code for more information.

Column Name: prim_icd10_diag_code

Column Type: varchar

Max Length: 40

The ICD-10 code for the primary diagnosis.

Column Name: prim_icd10_diag_value

Column Type: varchar

Max Length: 40

The description associated with prim_icd10_diag_code. See prim_icd10_diag_code for more information.

Column Name: prim_icd9_diag_code

Column Type: varchar

Max Length: 40

The ICD-9 code for the primary diagnosis.

Column Name: prim_icd9_diag_value

Column Type: varchar

Max Length: 40

The description associated with prim_icd9_diag_code. See prim_icd9_diag_code for more information.

Column Name: provider_connect_user

Column Type: varchar

Max Length: 150

The provider connect user ID associated with this request.

Column Name: provider_name

Column Type: varchar

Max Length: 50

The description of the associated PROVID, See PROVID for more information.

Column Name: provider_to_be_auth

Column Type: varchar

Max Length: 50

'Provider to be Authorized'

Column Name: prov_pgm_link

Column Type: varchar

Max Length: 50

The unique ID of the provider's program.

Column Name: prov_pgm_name

Column Type: varchar

Max Length: 50

The name of the provider's program.

Column Name: prov_submitting_request

Column Type: varchar

Max Length: 50

The ID of the contracting provider that submitted this service authorization request.

Column Name: rem_liab_total

Column Type: numeric

'Remaining Total Liability'

Column Name: sec_dsm4_diag_code

Column Type: varchar

Max Length: 40

The DSM-IV code for the secondary diagnosis.

Column Name: sec_dsm4_diag_value

Column Type: varchar

Max Length: 40

The description associated with sec_dsm4_diag_code. See sec_dsm4_diag_code for more information.

Column Name: sec_icd10_diag_code

Column Type: varchar

Max Length: 40

The ICD-10 code for the secondary diagnosis.

Column Name: sec_icd10_diag_value

Column Type: varchar

Max Length: 40

The description associated with sec_icd10_diag_code. See sec_icd10_diag_code for more information.

Column Name: sec_icd9_diag_code

Column Type: varchar

Max Length: 40

The ICD-9 code for the secondary diagnosis.

Column Name: sec_icd9_diag_value

Column Type: varchar

Max Length: 40

The description associated with sec_icd9_diag_code. See sec_icd9_diag_code for more information.

Column Name: secondary_diagnosis

Column Type: varchar

Max Length: 50

'Secondary Diagnosis Authorized'

Column Name: status_code

Column Type: varchar

Max Length: 50

The code for 'Status'.

Column Name: status_value

Column Type: varchar

Max Length: 50

The description associated with status_code. See status_code for more information.

Column Name: total_estimated_liab

Column Type: numeric

'Total Estimated Liability'

Column Name: type_of_auth_code

Column Type: varchar

Max Length: 50

The code for 'Type Of Authorization'.

Column Name: type_of_auth_value

Column Type: varchar

Max Length: 50

The description associated with type_of_auth_code. See type_of_auth_code for more information.

Column Name: unique_case_idenfier

Column Type: varchar

Max Length: 50

'Associated Case'

Documentation for form: Funding_Source_Service_Authorization

Table Name: SYSTEM.service_auth_svc

Table Description: This table returns the allowance of services for an authorization from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: ID

Column Type: integer

Column Name: AUTUniqueID

Column Type: varchar

Max Length: 50

The unique ID of the service authorization.

Column Name: FACILITY

Column Type: integer

The system code the service authorization is defined in.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID the service authorization applies to.

Column Name: PROVID

Column Type: varchar

Max Length: 20

The ID of the authorized service provider.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: begin_date_of_service
Column Type: date
'Begin Date of Service'

Column Name: claimed_units
Column Type: integer
The number of units of service already claimed under this authorization.

Column Name: end_date_of_service
Column Type: date
'End Date of Service'

Column Name: estimated_liability_code
Column Type: numeric
'Estimated Liability Code'

Column Name: frequency_limit
Column Type: numeric
'Frequency Limit'.

Column Name: frequency_periods
Column Type: numeric
'Frequency Periods'.

Column Name: frequency_type_code
Column Type: varchar
Max Length: 50
The code for 'Frequency Type'.

Column Name: frequency_type_value
Column Type: varchar
Max Length: 50
The description associated with frequency_type_code See frequency_type_code for more information.

Column Name: procedure_code
Column Type: varchar
Max Length: 50
The code for 'Code Authorized'.

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50
The code for 'Procedure Code Type'.

Column Name: procedure_code_type_value
Column Type: varchar
Max Length: 50
The description associated with procedure_code_type_code. See procedure_code_type_code for more information.

Column Name: procedure_value

Column Type: varchar

Max Length: 50

The description associated with procedure_code. See procedure_code for more information.

Column Name: remain_liability

Column Type: numeric

The amount of liability the funding source has for this service.

Column Name: requested_units

Column Type: varchar

Max Length: 50

'Requested Units'

Column Name: row_number

Column Type: integer

The number of the authorized service within this authorization.

Column Name: units_authorized

Column Type: varchar

Max Length: 50

'Units Authorized'

Documentation for form: Service_Authorization

Table Name: SYSTEM.TAR_auth_defaults

Table Description: This table holds the high level default information for creating a service authorization from a TAR.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

The system code the service authorization defaults are defined in.

Column Name: FUNDSRCID

Column Type: varchar

Max Length: 50

Default funding source for authorization.

Column Name: PLAN_ID

Column Type: varchar

Max Length: 50

Default plan for authorization.

Column Name: auth_status_reason_code
Column Type: varchar
Max Length: 50
Default authorization status reason code.

Column Name: care_manager
Column Type: varchar
Max Length: 50
Default care manager for TAR authorization.

Column Name: claim_status_code
Column Type: varchar
Max Length: 50
Default claim status code for blackout days.

Column Name: claim_status_reason_code
Column Type: varchar
Max Length: 50
Default claim status reason code for blackout days.

Column Name: level_of_care_acute
Column Type: varchar
Max Length: 50
Acute authorized level of care.

Column Name: level_of_care_admin
Column Type: varchar
Max Length: 50
Admin authorized level of care.

Documentation for form: Service_Authorization

Table Name: SYSTEM.TAR_auth_defaults_svc

Table Description: This table holds the acute and admin procedure codes for creating a service authorization from a TAR.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code the service authorization defaults are defined in.

Column Name: TAR_type_code

Column Type: varchar
Max Length: 50
The type of TAR authorization (AC - Acute Day / AD Admin Day).

Column Name: procedure_code
Column Type: varchar
Max Length: 50
Procedure code.

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50
Type of procedure code.

Column Name: procedure_code_type_value
Column Type: varchar
Max Length: 50
Type of procedure code.

Column Name: procedure_value
Column Type: varchar
Max Length: 50
Procedure code.

Column Name: units_authorized
Column Type: varchar
Max Length: 50
Number of units authorized for procedure code.

Column Name: units_authorized_max
Column Type: varchar
Max Length: 50
Maximum number of units allowed for authorization.

Documentation for form: Service_Authorization

Table Name: SYSTEM.history_fund_auth

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: GUID
Column Type: varchar
Max Length: 50

Column Name: PLAN_ID
Column Type: varchar
Max Length: 50

Column Name: UTCTimeStamp
Column Type: timestamp

Column Name: auth_grouping_code
Column Type: varchar
Max Length: 50

Column Name: auth_grp_or_indiv_code
Column Type: varchar
Max Length: 50

Column Name: auth_grp_or_indiv_value
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_code
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_value
Column Type: varchar
Max Length: 50

Column Name: authorization_number
Column Type: varchar

Max Length: 50

Column Name: begin_date_of_auth
Column Type: date

Column Name: claimed_units_1
Column Type: integer

Column Name: claimed_units_10
Column Type: integer

Column Name: claimed_units_11
Column Type: integer

Column Name: claimed_units_12
Column Type: integer

Column Name: claimed_units_13
Column Type: integer

Column Name: claimed_units_14
Column Type: integer

Column Name: claimed_units_15
Column Type: integer

Column Name: claimed_units_16
Column Type: integer

Column Name: claimed_units_17
Column Type: integer

Column Name: claimed_units_18
Column Type: integer

Column Name: claimed_units_19
Column Type: integer

Column Name: claimed_units_2
Column Type: integer

Column Name: claimed_units_20
Column Type: integer

Column Name: claimed_units_21
Column Type: integer

Column Name: claimed_units_22
Column Type: integer

Column Name: claimed_units_23
Column Type: integer

Column Name: claimed_units_24
Column Type: integer

Column Name: claimed_units_25
Column Type: integer

Column Name: claimed_units_26
Column Type: integer

Column Name: claimed_units_27
Column Type: integer

Column Name: claimed_units_28
Column Type: integer

Column Name: claimed_units_29
Column Type: integer

Column Name: claimed_units_3
Column Type: integer

Column Name: claimed_units_30

Column Type: integer

Column Name: claimed_units_31

Column Type: integer

Column Name: claimed_units_32

Column Type: integer

Column Name: claimed_units_33

Column Type: integer

Column Name: claimed_units_34

Column Type: integer

Column Name: claimed_units_35

Column Type: integer

Column Name: claimed_units_36

Column Type: integer

Column Name: claimed_units_37

Column Type: integer

Column Name: claimed_units_38

Column Type: integer

Column Name: claimed_units_39

Column Type: integer

Column Name: claimed_units_4

Column Type: integer

Column Name: claimed_units_40

Column Type: integer

Column Name: claimed_units_5

Column Type: integer

Column Name: claimed_units_6
Column Type: integer

Column Name: claimed_units_7
Column Type: integer

Column Name: claimed_units_8
Column Type: integer

Column Name: claimed_units_9
Column Type: integer

Column Name: code_authorized_1
Column Type: varchar
Max Length: 50

Column Name: code_authorized_10
Column Type: varchar
Max Length: 50

Column Name: code_authorized_11
Column Type: varchar
Max Length: 50

Column Name: code_authorized_12
Column Type: varchar
Max Length: 50

Column Name: code_authorized_13
Column Type: varchar
Max Length: 50

Column Name: code_authorized_14
Column Type: varchar
Max Length: 50

Column Name: code_authorized_15
Column Type: varchar
Max Length: 50

Column Name: code_authorized_16
Column Type: varchar
Max Length: 50

Column Name: code_authorized_17
Column Type: varchar
Max Length: 50

Column Name: code_authorized_18
Column Type: varchar
Max Length: 50

Column Name: code_authorized_19
Column Type: varchar
Max Length: 50

Column Name: code_authorized_2
Column Type: varchar
Max Length: 50

Column Name: code_authorized_20
Column Type: varchar
Max Length: 50

Column Name: code_authorized_21
Column Type: varchar
Max Length: 50

Column Name: code_authorized_22
Column Type: varchar
Max Length: 50

Column Name: code_authorized_23
Column Type: varchar
Max Length: 50

Column Name: code_authorized_24
Column Type: varchar
Max Length: 50

Column Name: code_authorized_25
Column Type: varchar
Max Length: 50

Column Name: code_authorized_26
Column Type: varchar
Max Length: 50

Column Name: code_authorized_27
Column Type: varchar
Max Length: 50

Column Name: code_authorized_28
Column Type: varchar
Max Length: 50

Column Name: code_authorized_29
Column Type: varchar
Max Length: 50

Column Name: code_authorized_3
Column Type: varchar
Max Length: 50

Column Name: code_authorized_30
Column Type: varchar
Max Length: 50

Column Name: code_authorized_31
Column Type: varchar
Max Length: 50

Column Name: code_authorized_32
Column Type: varchar
Max Length: 50

Column Name: code_authorized_33
Column Type: varchar
Max Length: 50

Column Name: code_authorized_34
Column Type: varchar
Max Length: 50

Column Name: code_authorized_35
Column Type: varchar
Max Length: 50

Column Name: code_authorized_36
Column Type: varchar
Max Length: 50

Column Name: code_authorized_37
Column Type: varchar
Max Length: 50

Column Name: code_authorized_38
Column Type: varchar
Max Length: 50

Column Name: code_authorized_39
Column Type: varchar
Max Length: 50

Column Name: code_authorized_4
Column Type: varchar
Max Length: 50

Column Name: code_authorized_40
Column Type: varchar
Max Length: 50

Column Name: code_authorized_5
Column Type: varchar
Max Length: 50

Column Name: code_authorized_6
Column Type: varchar
Max Length: 50

Column Name: code_authorized_7
Column Type: varchar
Max Length: 50

Column Name: code_authorized_8
Column Type: varchar
Max Length: 50

Column Name: code_authorized_9
Column Type: varchar
Max Length: 50

Column Name: comments_on_auth
Column Type: varchar
Max Length: 32766

Column Name: curr_auth_stat_reas_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_stat_reas_value
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_value
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: end_date_of_auth
Column Type: date

Column Name: funding_source_name
Column Type: varchar
Max Length: 50

Column Name: init_or_contin_auth_code
Column Type: varchar
Max Length: 50

Column Name: init_or_contin_auth_value
Column Type: varchar
Max Length: 50

Column Name: internal_comments
Column Type: varchar
Max Length: 32766

Column Name: letter_type_code
Column Type: varchar
Max Length: 50

Column Name: letter_type_value
Column Type: varchar
Max Length: 50

Column Name: next_review_date
Column Type: date

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: primary_diagnosis
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_10_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_10_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_11_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_11_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_12_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_12_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_13_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_13_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_14_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_14_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_15_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_15_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_16_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_16_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_17_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_17_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_18_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_18_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_19_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_19_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_1_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_1_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_20_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_20_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_21_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_21_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_22_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_22_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_23_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_23_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_24_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_24_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_25_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_25_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_26_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_26_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_27_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_27_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_28_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_28_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_29_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_29_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_2_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_2_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_30_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_30_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_31_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_31_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_32_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_32_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_33_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_33_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_34_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_34_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_5_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_5_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_6_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_6_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_7_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_7_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_8_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_8_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_9_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_9_value
Column Type: varchar
Max Length: 50

Column Name: secondary_diagnosis
Column Type: varchar
Max Length: 50

Column Name: type_of_auth_code
Column Type: varchar
Max Length: 50

Column Name: type_of_auth_value
Column Type: varchar
Max Length: 50

Column Name: units_authorized_1
Column Type: varchar
Max Length: 50

Column Name: units_authorized_10
Column Type: varchar
Max Length: 50

Column Name: units_authorized_11

Column Type: varchar
Max Length: 50

Column Name: units_authorized_12
Column Type: varchar
Max Length: 50

Column Name: units_authorized_13
Column Type: varchar
Max Length: 50

Column Name: units_authorized_14
Column Type: varchar
Max Length: 50

Column Name: units_authorized_15
Column Type: varchar
Max Length: 50

Column Name: units_authorized_16
Column Type: varchar
Max Length: 50

Column Name: units_authorized_17
Column Type: varchar
Max Length: 50

Column Name: units_authorized_18
Column Type: varchar
Max Length: 50

Column Name: units_authorized_19
Column Type: varchar
Max Length: 50

Column Name: units_authorized_2
Column Type: varchar
Max Length: 50

Column Name: units_authorized_20

Column Type: varchar
Max Length: 50

Column Name: units_authorized_21
Column Type: varchar
Max Length: 50

Column Name: units_authorized_22
Column Type: varchar
Max Length: 50

Column Name: units_authorized_23
Column Type: varchar
Max Length: 50

Column Name: units_authorized_24
Column Type: varchar
Max Length: 50

Column Name: units_authorized_25
Column Type: varchar
Max Length: 50

Column Name: units_authorized_26
Column Type: varchar
Max Length: 50

Column Name: units_authorized_27
Column Type: varchar
Max Length: 50

Column Name: units_authorized_28
Column Type: varchar
Max Length: 50

Column Name: units_authorized_29
Column Type: varchar
Max Length: 50

Column Name: units_authorized_3

Column Type: varchar
Max Length: 50

Column Name: units_authorized_30
Column Type: varchar
Max Length: 50

Column Name: units_authorized_31
Column Type: varchar
Max Length: 50

Column Name: units_authorized_32
Column Type: varchar
Max Length: 50

Column Name: units_authorized_33
Column Type: varchar
Max Length: 50

Column Name: units_authorized_34
Column Type: varchar
Max Length: 50

Column Name: units_authorized_35
Column Type: varchar
Max Length: 50

Column Name: units_authorized_36
Column Type: varchar
Max Length: 50

Column Name: units_authorized_37
Column Type: varchar
Max Length: 50

Column Name: units_authorized_38
Column Type: varchar
Max Length: 50

Column Name: units_authorized_39

Column Type: varchar
Max Length: 50

Column Name: units_authorized_4
Column Type: varchar
Max Length: 50

Column Name: units_authorized_40
Column Type: varchar
Max Length: 50

Column Name: units_authorized_5
Column Type: varchar
Max Length: 50

Column Name: units_authorized_6
Column Type: varchar
Max Length: 50

Column Name: units_authorized_7
Column Type: varchar
Max Length: 50

Column Name: units_authorized_8
Column Type: varchar
Max Length: 50

Column Name: units_authorized_9
Column Type: varchar
Max Length: 50

Documentation for form: Service_Authorization

Table Name: SYSTEM.history_fund_auths_proc

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDID
Column Type: varchar
Max Length: 50

Column Name: claimed_units
Column Type: integer

Column Name: code_authorized
Column Type: varchar
Max Length: 50

Column Name: counter
Column Type: integer

Column Name: proc_code_type_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_value
Column Type: varchar
Max Length: 50

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Documentation for form: Service_Authorization

Table Name: SYSTEM.history_member_auths_2

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: GUID
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PLAN_ID
Column Type: varchar
Max Length: 50

Column Name: UTCTimeStamp
Column Type: timestamp

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_value
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: auth_grouping_code
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_code
Column Type: varchar
Max Length: 50

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: begin_date_of_auth
Column Type: date

Column Name: begin_date_of_serv_1
Column Type: date

Column Name: begin_date_of_serv_10
Column Type: date

Column Name: begin_date_of_serv_11
Column Type: date

Column Name: begin_date_of_serv_12
Column Type: date

Column Name: begin_date_of_serv_13
Column Type: date

Column Name: begin_date_of_serv_14
Column Type: date

Column Name: begin_date_of_serv_15

Column Type: date

Column Name: begin_date_of_serv_16

Column Type: date

Column Name: begin_date_of_serv_17

Column Type: date

Column Name: begin_date_of_serv_18

Column Type: date

Column Name: begin_date_of_serv_19

Column Type: date

Column Name: begin_date_of_serv_2

Column Type: date

Column Name: begin_date_of_serv_20

Column Type: date

Column Name: begin_date_of_serv_21

Column Type: date

Column Name: begin_date_of_serv_22

Column Type: date

Column Name: begin_date_of_serv_23

Column Type: date

Column Name: begin_date_of_serv_24

Column Type: date

Column Name: begin_date_of_serv_25

Column Type: date

Column Name: begin_date_of_serv_26

Column Type: date

Column Name: begin_date_of_serv_27
Column Type: date

Column Name: begin_date_of_serv_28
Column Type: date

Column Name: begin_date_of_serv_29
Column Type: date

Column Name: begin_date_of_serv_3
Column Type: date

Column Name: begin_date_of_serv_30
Column Type: date

Column Name: begin_date_of_serv_31
Column Type: date

Column Name: begin_date_of_serv_32
Column Type: date

Column Name: begin_date_of_serv_33
Column Type: date

Column Name: begin_date_of_serv_34
Column Type: date

Column Name: begin_date_of_serv_35
Column Type: date

Column Name: begin_date_of_serv_36
Column Type: date

Column Name: begin_date_of_serv_37
Column Type: date

Column Name: begin_date_of_serv_38

Column Type: date

Column Name: begin_date_of_serv_39

Column Type: date

Column Name: begin_date_of_serv_4

Column Type: date

Column Name: begin_date_of_serv_40

Column Type: date

Column Name: begin_date_of_serv_5

Column Type: date

Column Name: begin_date_of_serv_6

Column Type: date

Column Name: begin_date_of_serv_7

Column Type: date

Column Name: begin_date_of_serv_8

Column Type: date

Column Name: begin_date_of_serv_9

Column Type: date

Column Name: clm_stat_inh_svc_cd

Column Type: varchar

Max Length: 50

Column Name: clm_stat_inh_svc_val

Column Type: varchar

Max Length: 50

Column Name: clm_stat_reas_inh_svc_cd

Column Type: varchar

Max Length: 50

Column Name: clm_stat_reas_inh_svc_val
Column Type: varchar
Max Length: 50

Column Name: cont_prov_auth
Column Type: varchar
Max Length: 40

Column Name: curr_auth_stat_reas_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_code
Column Type: varchar
Max Length: 50

Column Name: end_date_of_auth
Column Type: date

Column Name: end_date_of_serv_1
Column Type: date

Column Name: end_date_of_serv_10
Column Type: date

Column Name: end_date_of_serv_11
Column Type: date

Column Name: end_date_of_serv_12
Column Type: date

Column Name: end_date_of_serv_13
Column Type: date

Column Name: end_date_of_serv_14
Column Type: date

Column Name: end_date_of_serv_15
Column Type: date

Column Name: end_date_of_serv_16
Column Type: date

Column Name: end_date_of_serv_17
Column Type: date

Column Name: end_date_of_serv_18
Column Type: date

Column Name: end_date_of_serv_19
Column Type: date

Column Name: end_date_of_serv_2
Column Type: date

Column Name: end_date_of_serv_20
Column Type: date

Column Name: end_date_of_serv_21
Column Type: date

Column Name: end_date_of_serv_22
Column Type: date

Column Name: end_date_of_serv_23
Column Type: date

Column Name: end_date_of_serv_24
Column Type: date

Column Name: end_date_of_serv_25
Column Type: date

Column Name: end_date_of_serv_26
Column Type: date

Column Name: end_date_of_serv_27
Column Type: date

Column Name: end_date_of_serv_28
Column Type: date

Column Name: end_date_of_serv_29
Column Type: date

Column Name: end_date_of_serv_3
Column Type: date

Column Name: end_date_of_serv_30
Column Type: date

Column Name: end_date_of_serv_31
Column Type: date

Column Name: end_date_of_serv_32
Column Type: date

Column Name: end_date_of_serv_33
Column Type: date

Column Name: end_date_of_serv_34
Column Type: date

Column Name: end_date_of_serv_35
Column Type: date

Column Name: end_date_of_serv_36
Column Type: date

Column Name: end_date_of_serv_37
Column Type: date

Column Name: end_date_of_serv_38
Column Type: date

Column Name: end_date_of_serv_39
Column Type: date

Column Name: end_date_of_serv_4
Column Type: date

Column Name: end_date_of_serv_40
Column Type: date

Column Name: end_date_of_serv_5
Column Type: date

Column Name: end_date_of_serv_6
Column Type: date

Column Name: end_date_of_serv_7
Column Type: date

Column Name: end_date_of_serv_8
Column Type: date

Column Name: end_date_of_serv_9
Column Type: date

Column Name: inhibit_adj_code
Column Type: varchar
Max Length: 50

Column Name: inhibit_adj_value
Column Type: varchar
Max Length: 50

Column Name: level_of_care_code
Column Type: varchar
Max Length: 50

Column Name: next_review_date

Column Type: date

Column Name: performing_provider

Column Type: varchar

Max Length: 50

Column Name: primary_account_code

Column Type: varchar

Max Length: 50

Column Name: provider_connect_user

Column Type: varchar

Max Length: 150

Column Name: provider_to_be_auth

Column Type: varchar

Max Length: 50

Column Name: prov_pgm_link

Column Type: varchar

Max Length: 50

Column Name: prov_pgm_name

Column Type: varchar

Max Length: 50

Column Name: prov_submitting_request

Column Type: varchar

Max Length: 50

Column Name: status_code

Column Type: varchar

Max Length: 50

Column Name: status_value

Column Type: varchar

Max Length: 50

Column Name: total_estimated_liab

Column Type: numeric

Documentation for form: Service_Authorization

Table Name: SYSTEM.history_member_auths_proc

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: claimed_units
Column Type: integer

Column Name: code_authorized
Column Type: varchar
Max Length: 50

Column Name: counter
Column Type: integer

Column Name: est_liab
Column Type: numeric

Column Name: proc_code_type_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_value

Column Type: varchar
Max Length: 50

Column Name: provider_to_be_auth
Column Type: varchar
Max Length: 50

Column Name: rem_liab
Column Type: numeric

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Column Name: units_requested
Column Type: varchar
Max Length: 50

Documentation for form: Service_Authorization

Table Name: SYSTEM.history_prov_auths_proc

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTUniqueID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: PROVID
Column Type: varchar
Max Length: 20

Column Name: claimed_units
Column Type: integer

Column Name: code_authorized
Column Type: varchar
Max Length: 50

Column Name: counter
Column Type: integer

Column Name: est_liab
Column Type: numeric

Column Name: proc_code_type_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_value
Column Type: varchar
Max Length: 50

Column Name: rem_liab
Column Type: numeric

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Documentation for form: Service_Authorization

Table Name: SYSTEM.history_provider_auths

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: GUID
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGuniqueid
Column Type: varchar
Max Length: 50

Column Name: PLAN_ID
Column Type: varchar
Max Length: 50

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: UTCTimeStamp
Column Type: timestamp

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_value
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar

Max Length: 50

Column Name: account_level_name

Column Type: varchar

Max Length: 50

Column Name: auth_grouping_code

Column Type: varchar

Max Length: 50

Column Name: auth_grp_or_indiv_code

Column Type: varchar

Max Length: 50

Column Name: auth_grp_or_indiv_value

Column Type: varchar

Max Length: 50

Column Name: auth_level_care_code

Column Type: varchar

Max Length: 50

Column Name: auth_level_care_value

Column Type: varchar

Max Length: 50

Column Name: authorization_number

Column Type: varchar

Max Length: 50

Column Name: begin_date_of_auth

Column Type: date

Column Name: claimed_units_1

Column Type: integer

Column Name: claimed_units_10

Column Type: integer

Column Name: claimed_units_11
Column Type: integer

Column Name: claimed_units_12
Column Type: integer

Column Name: claimed_units_13
Column Type: integer

Column Name: claimed_units_14
Column Type: integer

Column Name: claimed_units_15
Column Type: integer

Column Name: claimed_units_16
Column Type: integer

Column Name: claimed_units_17
Column Type: integer

Column Name: claimed_units_18
Column Type: integer

Column Name: claimed_units_19
Column Type: integer

Column Name: claimed_units_2
Column Type: integer

Column Name: claimed_units_20
Column Type: integer

Column Name: claimed_units_21
Column Type: integer

Column Name: claimed_units_22
Column Type: integer

Column Name: claimed_units_23
Column Type: integer

Column Name: claimed_units_24
Column Type: integer

Column Name: claimed_units_25
Column Type: integer

Column Name: claimed_units_26
Column Type: integer

Column Name: claimed_units_27
Column Type: integer

Column Name: claimed_units_28
Column Type: integer

Column Name: claimed_units_29
Column Type: integer

Column Name: claimed_units_3
Column Type: integer

Column Name: claimed_units_30
Column Type: integer

Column Name: claimed_units_31
Column Type: integer

Column Name: claimed_units_32
Column Type: integer

Column Name: claimed_units_33
Column Type: integer

Column Name: claimed_units_34
Column Type: integer

Column Name: claimed_units_35
Column Type: integer

Column Name: claimed_units_36
Column Type: integer

Column Name: claimed_units_37
Column Type: integer

Column Name: claimed_units_38
Column Type: integer

Column Name: claimed_units_39
Column Type: integer

Column Name: claimed_units_4
Column Type: integer

Column Name: claimed_units_40
Column Type: integer

Column Name: claimed_units_5
Column Type: integer

Column Name: claimed_units_6
Column Type: integer

Column Name: claimed_units_7
Column Type: integer

Column Name: claimed_units_8
Column Type: integer

Column Name: claimed_units_9
Column Type: integer

Column Name: code_authorized_1
Column Type: varchar
Max Length: 50

Column Name: code_authorized_10
Column Type: varchar
Max Length: 50

Column Name: code_authorized_11
Column Type: varchar
Max Length: 50

Column Name: code_authorized_12
Column Type: varchar
Max Length: 50

Column Name: code_authorized_13
Column Type: varchar
Max Length: 50

Column Name: code_authorized_14
Column Type: varchar
Max Length: 50

Column Name: code_authorized_15
Column Type: varchar
Max Length: 50

Column Name: code_authorized_16
Column Type: varchar
Max Length: 50

Column Name: code_authorized_17
Column Type: varchar
Max Length: 50

Column Name: code_authorized_18
Column Type: varchar
Max Length: 50

Column Name: code_authorized_19
Column Type: varchar
Max Length: 50

Column Name: code_authorized_2
Column Type: varchar
Max Length: 50

Column Name: code_authorized_20
Column Type: varchar
Max Length: 50

Column Name: code_authorized_21
Column Type: varchar
Max Length: 50

Column Name: code_authorized_22
Column Type: varchar
Max Length: 50

Column Name: code_authorized_23
Column Type: varchar
Max Length: 50

Column Name: code_authorized_24
Column Type: varchar
Max Length: 50

Column Name: code_authorized_25
Column Type: varchar
Max Length: 50

Column Name: code_authorized_26
Column Type: varchar
Max Length: 50

Column Name: code_authorized_27
Column Type: varchar
Max Length: 50

Column Name: code_authorized_28
Column Type: varchar
Max Length: 50

Column Name: code_authorized_29
Column Type: varchar
Max Length: 50

Column Name: code_authorized_3
Column Type: varchar
Max Length: 50

Column Name: code_authorized_30
Column Type: varchar
Max Length: 50

Column Name: code_authorized_31
Column Type: varchar
Max Length: 50

Column Name: code_authorized_32
Column Type: varchar
Max Length: 50

Column Name: code_authorized_33
Column Type: varchar
Max Length: 50

Column Name: code_authorized_34
Column Type: varchar
Max Length: 50

Column Name: code_authorized_35
Column Type: varchar
Max Length: 50

Column Name: code_authorized_36
Column Type: varchar
Max Length: 50

Column Name: code_authorized_37
Column Type: varchar
Max Length: 50

Column Name: code_authorized_38
Column Type: varchar
Max Length: 50

Column Name: code_authorized_39
Column Type: varchar
Max Length: 50

Column Name: code_authorized_4
Column Type: varchar
Max Length: 50

Column Name: code_authorized_40
Column Type: varchar
Max Length: 50

Column Name: code_authorized_5
Column Type: varchar
Max Length: 50

Column Name: code_authorized_6
Column Type: varchar
Max Length: 50

Column Name: code_authorized_7
Column Type: varchar
Max Length: 50

Column Name: code_authorized_8
Column Type: varchar
Max Length: 50

Column Name: code_authorized_9
Column Type: varchar
Max Length: 50

Column Name: comments_on_auth
Column Type: varchar
Max Length: 32766

Column Name: curr_auth_stat_reas_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_stat_reas_value
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_value
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: end_date_of_auth
Column Type: date

Column Name: est_liab_code_1
Column Type: numeric

Column Name: est_liab_code_10
Column Type: numeric

Column Name: est_liab_code_11
Column Type: numeric

Column Name: est_liab_code_12
Column Type: numeric

Column Name: est_liab_code_13
Column Type: numeric

Column Name: est_liab_code_14
Column Type: numeric

Column Name: est_liab_code_15
Column Type: numeric

Column Name: est_liab_code_16
Column Type: numeric

Column Name: est_liab_code_17
Column Type: numeric

Column Name: est_liab_code_18
Column Type: numeric

Column Name: est_liab_code_19
Column Type: numeric

Column Name: est_liab_code_2
Column Type: numeric

Column Name: est_liab_code_20
Column Type: numeric

Column Name: est_liab_code_21
Column Type: numeric

Column Name: est_liab_code_22
Column Type: numeric

Column Name: est_liab_code_23
Column Type: numeric

Column Name: est_liab_code_24
Column Type: numeric

Column Name: est_liab_code_25
Column Type: numeric

Column Name: est_liab_code_26
Column Type: numeric

Column Name: est_liab_code_27
Column Type: numeric

Column Name: est_liab_code_28
Column Type: numeric

Column Name: est_liab_code_29
Column Type: numeric

Column Name: est_liab_code_3
Column Type: numeric

Column Name: est_liab_code_30
Column Type: numeric

Column Name: est_liab_code_31
Column Type: numeric

Column Name: est_liab_code_32
Column Type: numeric

Column Name: est_liab_code_33
Column Type: numeric

Column Name: est_liab_code_34
Column Type: numeric

Column Name: est_liab_code_35
Column Type: numeric

Column Name: est_liab_code_36
Column Type: numeric

Column Name: est_liab_code_37
Column Type: numeric

Column Name: est_liab_code_38
Column Type: numeric

Column Name: est_liab_code_39
Column Type: numeric

Column Name: est_liab_code_4
Column Type: numeric

Column Name: est_liab_code_40
Column Type: numeric

Column Name: est_liab_code_5
Column Type: numeric

Column Name: est_liab_code_6
Column Type: numeric

Column Name: est_liab_code_7
Column Type: numeric

Column Name: est_liab_code_8
Column Type: numeric

Column Name: est_liab_code_9
Column Type: numeric

Column Name: init_or_contin_auth_code
Column Type: varchar
Max Length: 50

Column Name: init_or_contin_auth_value
Column Type: varchar
Max Length: 50

Column Name: internal_comments
Column Type: varchar
Max Length: 32766

Column Name: letter_type_code
Column Type: varchar
Max Length: 50

Column Name: letter_type_value
Column Type: varchar
Max Length: 50

Column Name: next_review_date
Column Type: date

Column Name: option_desc

Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: performing_provider
Column Type: varchar
Max Length: 50

Column Name: performing_prv_type_code
Column Type: varchar
Max Length: 50

Column Name: performing_prv_type_value
Column Type: varchar
Max Length: 50

Column Name: perf_provider_name
Column Type: varchar
Max Length: 50

Column Name: primary_diagnosis
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_10_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_10_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_11_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_11_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_12_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_12_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_13_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_13_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_14_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_14_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_15_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_15_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_16_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_16_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_17_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_17_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_18_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_18_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_19_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_19_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_1_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_1_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_20_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_20_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_21_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_21_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_22_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_22_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_23_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_23_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_24_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_24_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_25_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_25_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_26_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_26_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_27_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_27_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_28_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_28_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_29_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_29_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_2_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_2_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_30_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_30_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_31_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_31_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_32_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_32_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_33_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_33_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_34_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_34_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_5_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_5_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_6_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_6_value

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_7_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_7_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_8_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_8_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_9_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_9_value
Column Type: varchar
Max Length: 50

Column Name: provider_name
Column Type: varchar
Max Length: 50

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50

Column Name: rem_liab_1

Column Type: numeric

Column Name: rem_liab_10

Column Type: numeric

Column Name: rem_liab_11

Column Type: numeric

Column Name: rem_liab_12

Column Type: numeric

Column Name: rem_liab_13

Column Type: numeric

Column Name: rem_liab_14

Column Type: numeric

Column Name: rem_liab_15

Column Type: numeric

Column Name: rem_liab_16

Column Type: numeric

Column Name: rem_liab_17

Column Type: numeric

Column Name: rem_liab_18

Column Type: numeric

Column Name: rem_liab_19

Column Type: numeric

Column Name: rem_liab_2

Column Type: numeric

Column Name: rem_liab_20

Column Type: numeric

Column Name: rem_liab_21
Column Type: numeric

Column Name: rem_liab_22
Column Type: numeric

Column Name: rem_liab_23
Column Type: numeric

Column Name: rem_liab_24
Column Type: numeric

Column Name: rem_liab_25
Column Type: numeric

Column Name: rem_liab_26
Column Type: numeric

Column Name: rem_liab_27
Column Type: numeric

Column Name: rem_liab_28
Column Type: numeric

Column Name: rem_liab_29
Column Type: numeric

Column Name: rem_liab_3
Column Type: numeric

Column Name: rem_liab_30
Column Type: numeric

Column Name: rem_liab_31
Column Type: numeric

Column Name: rem_liab_32

Column Type: numeric

Column Name: rem_liab_33

Column Type: numeric

Column Name: rem_liab_34

Column Type: numeric

Column Name: rem_liab_35

Column Type: numeric

Column Name: rem_liab_36

Column Type: numeric

Column Name: rem_liab_37

Column Type: numeric

Column Name: rem_liab_38

Column Type: numeric

Column Name: rem_liab_39

Column Type: numeric

Column Name: rem_liab_4

Column Type: numeric

Column Name: rem_liab_40

Column Type: numeric

Column Name: rem_liab_5

Column Type: numeric

Column Name: rem_liab_6

Column Type: numeric

Column Name: rem_liab_7

Column Type: numeric

Column Name: rem_liab_8
Column Type: numeric

Column Name: rem_liab_9
Column Type: numeric

Column Name: rem_liab_total
Column Type: numeric

Column Name: secondary_diagnosis
Column Type: varchar
Max Length: 50

Column Name: status_code
Column Type: varchar
Max Length: 50

Column Name: status_value
Column Type: varchar
Max Length: 50

Column Name: total_estimated_liab
Column Type: numeric

Column Name: type_of_auth_code
Column Type: varchar
Max Length: 50

Column Name: type_of_auth_value
Column Type: varchar
Max Length: 50

Column Name: units_authorized_1
Column Type: varchar
Max Length: 50

Column Name: units_authorized_10
Column Type: varchar
Max Length: 50

Column Name: units_authorized_11
Column Type: varchar
Max Length: 50

Column Name: units_authorized_12
Column Type: varchar
Max Length: 50

Column Name: units_authorized_13
Column Type: varchar
Max Length: 50

Column Name: units_authorized_14
Column Type: varchar
Max Length: 50

Column Name: units_authorized_15
Column Type: varchar
Max Length: 50

Column Name: units_authorized_16
Column Type: varchar
Max Length: 50

Column Name: units_authorized_17
Column Type: varchar
Max Length: 50

Column Name: units_authorized_18
Column Type: varchar
Max Length: 50

Column Name: units_authorized_19
Column Type: varchar
Max Length: 50

Column Name: units_authorized_2
Column Type: varchar
Max Length: 50

Column Name: units_authorized_20
Column Type: varchar
Max Length: 50

Column Name: units_authorized_21
Column Type: varchar
Max Length: 50

Column Name: units_authorized_22
Column Type: varchar
Max Length: 50

Column Name: units_authorized_23
Column Type: varchar
Max Length: 50

Column Name: units_authorized_24
Column Type: varchar
Max Length: 50

Column Name: units_authorized_25
Column Type: varchar
Max Length: 50

Column Name: units_authorized_26
Column Type: varchar
Max Length: 50

Column Name: units_authorized_27
Column Type: varchar
Max Length: 50

Column Name: units_authorized_28
Column Type: varchar
Max Length: 50

Column Name: units_authorized_29
Column Type: varchar
Max Length: 50

Column Name: units_authorized_3
Column Type: varchar
Max Length: 50

Column Name: units_authorized_30
Column Type: varchar
Max Length: 50

Column Name: units_authorized_31
Column Type: varchar
Max Length: 50

Column Name: units_authorized_32
Column Type: varchar
Max Length: 50

Column Name: units_authorized_33
Column Type: varchar
Max Length: 50

Column Name: units_authorized_34
Column Type: varchar
Max Length: 50

Column Name: units_authorized_35
Column Type: varchar
Max Length: 50

Column Name: units_authorized_36
Column Type: varchar
Max Length: 50

Column Name: units_authorized_37
Column Type: varchar
Max Length: 50

Column Name: units_authorized_38
Column Type: varchar
Max Length: 50

Column Name: units_authorized_39
Column Type: varchar
Max Length: 50

Column Name: units_authorized_4
Column Type: varchar
Max Length: 50

Column Name: units_authorized_40
Column Type: varchar
Max Length: 50

Column Name: units_authorized_5
Column Type: varchar
Max Length: 50

Column Name: units_authorized_6
Column Type: varchar
Max Length: 50

Column Name: units_authorized_7
Column Type: varchar
Max Length: 50

Column Name: units_authorized_8
Column Type: varchar
Max Length: 50

Column Name: units_authorized_9
Column Type: varchar
Max Length: 50

Documentation for form: Service_Authorization

Table Name: SYSTEM.mso_service_authorization

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTUniqueID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: begin_date_of_service
Column Type: date

Column Name: end_date_of_service
Column Type: date

Column Name: estimated_liability_code
Column Type: varchar
Max Length: 30

Column Name: procedure_code
Column Type: varchar
Max Length: 50

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50

Column Name: procedure_code_type_value
Column Type: varchar
Max Length: 50

Column Name: procedure_value
Column Type: varchar
Max Length: 50

Column Name: requested_units
Column Type: varchar
Max Length: 50

Column Name: row_number
Column Type: integer

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Documentation for form: Service_Authorization

Table Name: SYSTEM.service_auth_detail

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: ID
Column Type: integer

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50
The unique ID of the service authorization.

Column Name: FACILITY
Column Type: integer
The system code the service authorization is defined in.

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50
The ID number of the funding source this authorization applies to.

Column Name: GUID
Column Type: varchar

Max Length: 50

An ID number for the authorization that is likely to be unique, even on other system codes.

Column Name: JOIN_TO_contract_CORuniqueid

Column Type: varchar

Max Length: 50

The unique ID of the funding source's registration.

Column Name: JOIN_TO_member_CONuniqueid

Column Type: varchar

Max Length: 50

The unique ID of the client's enrollment in the funding source's plan.

Column Name: JOIN_TO_provider_REGuniqueid

Column Type: varchar

Max Length: 50

The unique ID of the contracting provider's registration history.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the service authorization.

Column Name: PLAN_ID

Column Type: varchar

Max Length: 50

The code for 'Benefit Plan'.

Column Name: PROVID

Column Type: varchar

Max Length: 50

The ID number of the contracting provider this authorization applies to.

Column Name: UTCTimeStamp

Column Type: timestamp

The date and time the authorization was made, in coordinated universal time.

Column Name: account_code

Column Type: varchar

Max Length: 50

The code for 'Account'.

Column Name: account_level

Column Type: varchar

Max Length: 50

The level of the budget tracking account.

Column Name: account_level_name

Column Type: varchar

Max Length: 50

The name of the budget tracking account level.

Column Name: account_status_code

Column Type: varchar

Max Length: 50

The code for 'Status'.

Column Name: account_status_value

Column Type: varchar

Max Length: 50

The description associated with account_status_code. See account_status_code for more information.

Column Name: account_value

Column Type: varchar

Max Length: 50

The description associated with account_code. See account_code for more information.

Column Name: auth_grouping_code

Column Type: varchar

Max Length: 50

The code for 'Authorization Grouping'.

Column Name: auth_grouping_value

Column Type: varchar

Max Length: 50

The description associated with auth_grouping_code. See auth_grouping_code for more information.

Column Name: auth_grp_or_indiv_code

Column Type: varchar

Max Length: 50

The code for 'Individual Authorizations Or Authorization Grouping'.

Column Name: auth_grp_or_indiv_value

Column Type: varchar

Max Length: 50

The description associated with auth_grp_or_indiv_code. See auth_grp_or_indiv_code for more information.

Column Name: auth_level_care_code

Column Type: varchar

Max Length: 50

The code for 'Authorized Level of Care'.

Column Name: auth_level_care_value

Column Type: varchar

Max Length: 50

The description associated with auth_level_care_code. See auth_level_care_code for more information.

Column Name: authorization_number

Column Type: varchar

Max Length: 50
'Authorization Number'

Column Name: auth_status_change_day
Column Type: varchar
Max Length: 50
The day the 'Current Authorization Status' changed from "Pending to Approved".

Column Name: auth_status_change_min
Column Type: varchar
Max Length: 50
The minute the 'Current Authorization Status' changed from "Pending to Approved".

Column Name: auth_status_change_sec
Column Type: varchar
Max Length: 50
The second the 'Current Authorization Status' changed from "Pending to Approved".

Column Name: auth_type_code
Column Type: varchar
Max Length: 50
The code for 'Authorization Type'.

Column Name: auth_type_value
Column Type: varchar
Max Length: 1024
The description associated with auth_type_code. See auth_type_code for more information.

Column Name: begin_date_of_auth
Column Type: date
'Begin Date of Authorization'

Column Name: clm_stat_inh_svc_cd
Column Type: varchar
Max Length: 50
The code for 'Claim Status for Inhibited Services'.

Column Name: clm_stat_inh_svc_val
Column Type: varchar
Max Length: 50
The description associated with clm_stat_inh_svc_code. See clm_stat_inh_svc_code for more information.

Column Name: clm_stat_reas_inh_svc_cd
Column Type: varchar
Max Length: 50
The code for 'Claim Status Reason for Inhibited Services'.

Column Name: clm_stat_reas_inh_svc_val
Column Type: varchar
Max Length: 50

The description associated with clm_stat_reas_inh_svc_code. See clm_stat_reas_inh_svc_code for more information.

Column Name: comments_on_auth

Column Type: varchar

Max Length: 32766

'Comments On Authorization'

Column Name: cont_prov_auth

Column Type: varchar

Max Length: 40

'Contracting Provider Authorization'

Column Name: cpauth_denied_amount

Column Type: numeric

The total estimated liability for denied member authorizations tied to contracting provider auth.

Column Name: curr_auth_stat_reas_code

Column Type: varchar

Max Length: 50

The code for 'Current Authorization Status Reason'.

Column Name: curr_auth_stat_reas_value

Column Type: varchar

Max Length: 50

The description associated with curr_auth_stat_reas_code. See curr_auth_stat_reas_code for more information.

Column Name: curr_auth_status_code

Column Type: varchar

Max Length: 50

The code for 'Current Authorization Status'.

Column Name: curr_auth_status_value

Column Type: varchar

Max Length: 50

The description associated with curr_auth_status_code. See curr_auth_status_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated the row of data.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row of data.

Column Name: data_entry_date

Column Type: date

The date the row of data was last updated.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row of data was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row of data.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row of data.

Column Name: end_date_of_auth

Column Type: date

'End Date of Authorization'

Column Name: financial_eligibility

Column Type: varchar

Max Length: 32766

Information on the client's financial eligibility.

Column Name: funding_source_name

Column Type: varchar

Max Length: 50

The name of the funding source.

Column Name: inhibit_adj_code

Column Type: varchar

Max Length: 50

The code for 'Inhibit Adjudication For Services Claimed During Authorization Period'.

Column Name: inhibit_adj_value

Column Type: varchar

Max Length: 50

The description associated with inhibit_adj_code. See inhibit_adj_code for more information.

Column Name: inhibit_cpt_svc_code_code

Column Type: varchar

Max Length: 1024

The code for 'Exclude CPT Service Code'.

Column Name: inhibit_cpt_svc_code_val

Column Type: varchar

Max Length: 1024

The description associated with inhibit_cpt_svc_code_code. See inhibit_cpt_svc_code_code for more information.

Column Name: inhibit_procedure_group_cd

Column Type: varchar

Max Length: 1024

The code for 'Exclude Procedure Code Group Definition'.

Column Name: inhibit_procedure_group_val

Column Type: varchar

Max Length: 1024

The description associated with inhibit_procedure_group_code. See inhibit_procedure_group_code for more information.

Column Name: inhibit_revenue_code_code

Column Type: varchar

Max Length: 1024

The code for 'Exclude Revenue Code'.

Column Name: inhibit_revenue_code_val

Column Type: varchar

Max Length: 1024

The description associated with inhibit_revenue_code_code. See inhibit_revenue_code_code for more information.

Column Name: init_or_contin_auth_code

Column Type: varchar

Max Length: 50

The code for 'Initial Or Continuing Authorization'.

Column Name: init_or_contin_auth_value

Column Type: varchar

Max Length: 50

The description associated with init_or_contin_auth_code. See init_or_contin_auth_code for more information.

Column Name: internal_comments

Column Type: varchar

Max Length: 32766

'Internal Comments'

Column Name: jointoprimdiagnosis

Column Type: varchar

Max Length: 40

The unique ID of the primary diagnosis.

Column Name: jointosecdiagnosis

Column Type: varchar

Max Length: 40

The unique ID of the secondary diagnosis.

Column Name: letter_type_code

Column Type: varchar

Max Length: 50

The code for 'Letter Type'.

Column Name: letter_type_value

Column Type: varchar

Max Length: 50

The description associated with letter_type_code. See letter_type_code for more information.

Column Name: level_of_care_code

Column Type: varchar

Max Length: 50

The code for 'Primary Level of Care'.

Column Name: level_of_care_value

Column Type: varchar

Max Length: 50

The description associated with level_of_care_code. See level_of_care_code for more information.

Column Name: next_review_date

Column Type: date

'Next Review Date'

Column Name: option_desc

Column Type: varchar

Max Length: 50

The name of the form that last updated the row of data.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row of data.

Column Name: original_data_entry_person

Column Type: varchar

Max Length: 50

The user name that originally entered this row of data.

Column Name: original_date_entry

Column Type: date

The date this row of data was originally updated.

Column Name: original_time_entry

Column Type: varchar

Max Length: 50

The time this row of data was originally updated.

Column Name: performing_provider

Column Type: varchar
Max Length: 50
The code for 'Performing Provider'.

Column Name: performing_prov_type
Column Type: varchar
Max Length: 50
The code for 'Provider Type'.

Column Name: performing_prv_type_value
Column Type: varchar
Max Length: 50
The description associated with performing_prv_type_code. See performing_prv_type_code for more information.

Column Name: perf_provider_name
Column Type: varchar
Max Length: 50
The description of the associated performing_provider. See performing_provider for more information.

Column Name: planned_admit_date
Column Type: date
'Planned Admit Date'

Column Name: prevent_push_code
Column Type: varchar
Max Length: 50
The code for 'Prevent Approved Services From Pushing To Parent System'.

Column Name: prevent_push_value
Column Type: varchar
Max Length: 50
The description associated with prevent_push_code. See prevent_push_code for more information.

Column Name: primary_account_code
Column Type: varchar
Max Length: 50
'Primary Account'

Column Name: primary_account_value
Column Type: varchar
Max Length: 50
The description associated with primary_account_code. See primary_account_code for more information.

Column Name: primary_diagnosis
Column Type: varchar
Max Length: 50
'Primary Diagnosis Authorized'

Column Name: prim_dsm4_diag_code

Column Type: varchar
Max Length: 40
The DSM-IV code for the primary diagnosis.

Column Name: prim_dsm4_diag_value
Column Type: varchar
Max Length: 40
The description associated with prim_dsm4_diag_code. See prim_dsm4_diag_code for more information.

Column Name: prim_icd10_diag_code
Column Type: varchar
Max Length: 40
The ICD-10 code for the primary diagnosis.

Column Name: prim_icd10_diag_value
Column Type: varchar
Max Length: 40
The description associated with prim_icd10_diag_code. See prim_icd10_diag_code for more information.

Column Name: prim_icd9_diag_code
Column Type: varchar
Max Length: 40
The ICD-9 code for the primary diagnosis.

Column Name: prim_icd9_diag_value
Column Type: varchar
Max Length: 40
The description associated with prim_icd9_diag_code. See prim_icd9_diag_code for more information.

Column Name: provider_connect_user
Column Type: varchar
Max Length: 150
The provider connect user ID associated with this request.

Column Name: provider_name
Column Type: varchar
Max Length: 50
The description of the associated PROVID, See PROVID for more information.

Column Name: provider_to_be_auth
Column Type: varchar
Max Length: 50
'Provider to be Authorized'

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50
The unique ID of the provider's program.

Column Name: prov_pgm_name

Column Type: varchar
Max Length: 50
The name of the provider's program.

Column Name: prov_submitting_request
Column Type: varchar
Max Length: 50
The ID of the contracting provider that submitted this service authorization request.

Column Name: rem_liab_total
Column Type: numeric
'Remaining Total Liability'

Column Name: sec_dsm4_diag_code
Column Type: varchar
Max Length: 40
The DSM-IV code for the secondary diagnosis.

Column Name: sec_dsm4_diag_value
Column Type: varchar
Max Length: 40
The description associated with sec_dsm4_diag_code. See sec_dsm4_diag_code for more information.

Column Name: sec_icd10_diag_code
Column Type: varchar
Max Length: 40
The ICD-10 code for the secondary diagnosis.

Column Name: sec_icd10_diag_value
Column Type: varchar
Max Length: 40
The description associated with sec_icd10_diag_code. See sec_icd10_diag_code for more information.

Column Name: sec_icd9_diag_code
Column Type: varchar
Max Length: 40
The ICD-9 code for the secondary diagnosis.

Column Name: sec_icd9_diag_value
Column Type: varchar
Max Length: 40
The description associated with sec_icd9_diag_code. See sec_icd9_diag_code for more information.

Column Name: secondary_diagnosis
Column Type: varchar
Max Length: 50
'Secondary Diagnosis Authorized'

Column Name: status_code
Column Type: varchar

Max Length: 50
The code for 'Status'.

Column Name: status_value
Column Type: varchar
Max Length: 50
The description associated with status_code. See status_code for more information.

Column Name: total_estimated_liab
Column Type: numeric
'Total Estimated Liability'

Column Name: type_of_auth_code
Column Type: varchar
Max Length: 50
The code for 'Type Of Authorization'.

Column Name: type_of_auth_value
Column Type: varchar
Max Length: 50
The description associated with type_of_auth_code. See type_of_auth_code for more information.

Column Name: unique_case_idenfier
Column Type: varchar
Max Length: 50
'Associated Case'

Documentation for form: Service_Authorization

Table Name: SYSTEM.service_auth_ss_member

Table Description: The table returns site specific data associated with service authorization of a member.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
System Code the data is stored in

Column Name: PATID
Column Type: varchar
Max Length: 20
Avatar Client ID

Column Name: AUTuniqueid

Column Type: varchar
Max Length: 50
Unique service authorization ID for MSO member

Column Name: ss_date_1
Column Type: date
Site Specific Date 1

Column Name: ss_date_10
Column Type: date
Site Specific Date 10

Column Name: ss_date_2
Column Type: date
Site Specific Date 2

Column Name: ss_date_3
Column Type: date
Site Specific Date 3

Column Name: ss_date_4
Column Type: date
Site Specific Date 4

Column Name: ss_date_5
Column Type: date
Site Specific Date 5

Column Name: ss_date_6
Column Type: date
Site Specific Date 6

Column Name: ss_date_7
Column Type: date
Site Specific Date 7

Column Name: ss_date_8
Column Type: date
Site Specific Date 8

Column Name: ss_date_9
Column Type: date
Site Specific Date 9

Column Name: ss_free_text_1
Column Type: varchar
Max Length: 50
Site Specific Free Text 1

Column Name: ss_free_text_10

Column Type: varchar
Max Length: 50
Site Specific Free Text 10

Column Name: ss_free_text_2
Column Type: varchar
Max Length: 50
Site Specific Free Text 2

Column Name: ss_free_text_3
Column Type: varchar
Max Length: 50
Site Specific Free Text 3

Column Name: ss_free_text_4
Column Type: varchar
Max Length: 50
Site Specific Free Text 4

Column Name: ss_free_text_5
Column Type: varchar
Max Length: 50
Site Specific Free Text 5

Column Name: ss_free_text_6
Column Type: varchar
Max Length: 50
Site Specific Free Text 6

Column Name: ss_free_text_7
Column Type: varchar
Max Length: 50
Site Specific Free Text 7

Column Name: ss_free_text_8
Column Type: varchar
Max Length: 50
Site Specific Free Text 8

Column Name: ss_free_text_9
Column Type: varchar
Max Length: 50
Site Specific Free Text 9

Column Name: ss_multi_dict_10_codes
Column Type: varchar
Max Length: 50
'&' delimited list of Site Specific Multi Select Dictionary 10 codes. MSO Dictionary 10032.11 in Member file.

Column Name: ss_multi_dict_10_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_10_codes. See ss_multi_dict_10_codes for more information.

Column Name: ss_multi_dict_1_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 1 codes. MSO Dictionary 10032.01 in Member file.

Column Name: ss_multi_dict_1_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_1_codes. See ss_multi_dict_1_codes for more information.

Column Name: ss_multi_dict_2_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 2 codes. MSO Dictionary 10032.02 in Member file.

Column Name: ss_multi_dict_2_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_2_codes. See ss_multi_dict_2_codes for more information.

Column Name: ss_multi_dict_3_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 3 codes. MSO Dictionary 10032.03 in Member file.

Column Name: ss_multi_dict_3_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_3_codes. See ss_multi_dict_3_codes for more information.

Column Name: ss_multi_dict_4_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 4 codes. MSO Dictionary 10032.04 in Member file.

Column Name: ss_multi_dict_4_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_4_codes. See ss_multi_dict_4_codes for more information.

Column Name: ss_multi_dict_5_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 5 codes. MSO Dictionary 10032.05 in Member file.

Column Name: ss_multi_dict_5_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_5_codes. See ss_multi_dict_5_codes for more information.

Column Name: ss_multi_dict_6_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 6 codes. MSO Dictionary 10032.06 in Member file.

Column Name: ss_multi_dict_6_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_6_codes. See ss_multi_dict_6_codes for more information.

Column Name: ss_multi_dict_7_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 7 codes. MSO Dictionary 10032.07 in Member file.

Column Name: ss_multi_dict_7_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_7_codes. See ss_multi_dict_7_codes for more information.

Column Name: ss_multi_dict_8_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 8 codes. MSO Dictionary 10032.08 in Member file.

Column Name: ss_multi_dict_8_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_8_codes. See ss_multi_dict_8_codes for more information.

Column Name: ss_multi_dict_9_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 9 codes. MSO Dictionary 10032.09 in Member file.

Column Name: ss_multi_dict_9_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_9_codes. See ss_multi_dict_9_codes for more information.

Column Name: ss_scrolling_free_text_1

Column Type: varchar

Max Length: 32700

Site Specific Scrolling Free Text 1

Column Name: ss_scrolling_free_text_10

Column Type: varchar
Max Length: 32700
Site Specific Scrolling Free Text 10

Column Name: ss_scrolling_free_text_2
Column Type: varchar
Max Length: 32700
Site Specific Scrolling Free Text 2

Column Name: ss_scrolling_free_text_3
Column Type: varchar
Max Length: 32700
Site Specific Scrolling Free Text 3

Column Name: ss_scrolling_free_text_4
Column Type: varchar
Max Length: 32700
Site Specific Scrolling Free Text 4

Column Name: ss_scrolling_free_text_5
Column Type: varchar
Max Length: 32700
Site Specific Scrolling Free Text 5

Column Name: ss_scrolling_free_text_6
Column Type: varchar
Max Length: 32700
Site Specific Scrolling Free Text 6

Column Name: ss_scrolling_free_text_7
Column Type: varchar
Max Length: 32700
Site Specific Scrolling Free Text 7

Column Name: ss_scrolling_free_text_8
Column Type: varchar
Max Length: 32700
Site Specific Scrolling Free Text 8

Column Name: ss_scrolling_free_text_9
Column Type: varchar
Max Length: 32700
Site Specific Scrolling Free Text 9

Column Name: ss_single_dict_10_code
Column Type: varchar
Max Length: 50
Site Specific Single Select Dictionary 10 Code. MSO Dictionary 10031.11 in Member file.

Column Name: ss_single_dict_10_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_10_code. See ss_single_dict_10_code for more information.

Column Name: ss_single_dict_1_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 1 Code. MSO Dictionary 10031.01 in Member file.

Column Name: ss_single_dict_1_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_1_code. See ss_single_dict_1_code for more information.

Column Name: ss_single_dict_2_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 2 Code. MSO Dictionary 10031.02 in Member file.

Column Name: ss_single_dict_2_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_2_code. See ss_single_dict_2_code for more information.

Column Name: ss_single_dict_3_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 3 Code. MSO Dictionary 10031.03 in Member file.

Column Name: ss_single_dict_3_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_3_code. See ss_single_dict_3_code for more information.

Column Name: ss_single_dict_4_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 4 Code. MSO Dictionary 10031.04 in Member file.

Column Name: ss_single_dict_4_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_4_code. See ss_single_dict_4_code for more information.

Column Name: ss_single_dict_5_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 5 Code. MSO Dictionary 10031.05 in Member file.

Column Name: ss_single_dict_5_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_5_code. See ss_single_dict_5_code for more information.

Column Name: ss_single_dict_6_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 6 Code. MSO Dictionary 10031.06 in Member file.

Column Name: ss_single_dict_6_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_6_code. See ss_single_dict_6_code for more information.

Column Name: ss_single_dict_7_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 7 Code. MSO Dictionary 10031.07 in Member file.

Column Name: ss_single_dict_7_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_7_code. See ss_single_dict_7_code for more information.

Column Name: ss_single_dict_8_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 8 Code. MSO Dictionary 10031.08 in Member file.

Column Name: ss_single_dict_8_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_8_code. See ss_single_dict_8_code for more information.

Column Name: ss_single_dict_9_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 9 Code. MSO Dictionary 10031.09 in Member file.

Column Name: ss_single_dict_9_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_9_code. See ss_single_dict_9_code for more information.

Column Name: ss_time_1

Column Type: varchar

Max Length: 50

Site Specific Time 1

Column Name: ss_time_10

Column Type: varchar
Max Length: 50
Site Specific Time 10

Column Name: ss_time_2
Column Type: varchar
Max Length: 50
Site Specific Time 2

Column Name: ss_time_3
Column Type: varchar
Max Length: 50
Site Specific Time 3

Column Name: ss_time_4
Column Type: varchar
Max Length: 50
Site Specific Time 4

Column Name: ss_time_5
Column Type: varchar
Max Length: 50
Site Specific Time 5

Column Name: ss_time_6
Column Type: varchar
Max Length: 50
Site Specific Time 6

Column Name: ss_time_7
Column Type: varchar
Max Length: 50
Site Specific Time 7

Column Name: ss_time_8
Column Type: varchar
Max Length: 50
Site Specific Time 8

Column Name: ss_time_9
Column Type: varchar
Max Length: 50
Site Specific Time 9

Documentation for form: Service_Authorization

Table Name: SYSTEM.service_auth_svc

Table Description: This table returns the allowance of services for an authorization from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: ID
Column Type: integer

Column Name: AUTUniqueID
Column Type: varchar
Max Length: 50
The unique ID of the service authorization.

Column Name: FACILITY
Column Type: integer
The system code the service authorization is defined in.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID the service authorization applies to.

Column Name: PROVID
Column Type: varchar
Max Length: 20
The ID of the authorized service provider.

Column Name: authorization_number
Column Type: varchar
Max Length: 50
'Authorization Number'

Column Name: begin_date_of_service
Column Type: date
'Begin Date of Service'

Column Name: claimed_units
Column Type: integer
The number of units of service already claimed under this authorization.

Column Name: end_date_of_service
Column Type: date
'End Date of Service'

Column Name: estimated_liability_code

Column Type: numeric
'Estimated Liability Code'

Column Name: frequency_limit
Column Type: numeric
'Frequency Limit'.

Column Name: frequency_periods
Column Type: numeric
'Frequency Periods'.

Column Name: frequency_type_code
Column Type: varchar
Max Length: 50
The code for 'Frequency Type'.

Column Name: frequency_type_value
Column Type: varchar
Max Length: 50
The description associated with frequency_type_code See frequency_type_code for more information.

Column Name: procedure_code
Column Type: varchar
Max Length: 50
The code for 'Code Authorized'.

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50
The code for 'Procedure Code Type'.

Column Name: procedure_code_type_value
Column Type: varchar
Max Length: 50
The description associated with procedure_code_type_code. See procedure_code_type_code for more information.

Column Name: procedure_value
Column Type: varchar
Max Length: 50
The description associated with procedure_code. See procedure_code for more information.

Column Name: remain_liability
Column Type: numeric
The amount of liability the funding source has for this service.

Column Name: requested_units
Column Type: varchar
Max Length: 50
'Requested Units'

Column Name: row_number
Column Type: integer
The number of the authorized service within this authorization.

Column Name: units_authorized
Column Type: varchar
Max Length: 50
'Units Authorized'

Documentation for form: Service_Authorization_(Unlimited_Codes)

Table Name: SYSTEM.history_fund_auth

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: GUID
Column Type: varchar
Max Length: 50

Column Name: PLAN_ID
Column Type: varchar
Max Length: 50

Column Name: UTCTimeStamp
Column Type: timestamp

Column Name: auth_grouping_code
Column Type: varchar

Max Length: 50

Column Name: auth_grp_or_indiv_code

Column Type: varchar

Max Length: 50

Column Name: auth_grp_or_indiv_value

Column Type: varchar

Max Length: 50

Column Name: auth_level_care_code

Column Type: varchar

Max Length: 50

Column Name: auth_level_care_value

Column Type: varchar

Max Length: 50

Column Name: authorization_number

Column Type: varchar

Max Length: 50

Column Name: begin_date_of_auth

Column Type: date

Column Name: claimed_units_1

Column Type: integer

Column Name: claimed_units_10

Column Type: integer

Column Name: claimed_units_11

Column Type: integer

Column Name: claimed_units_12

Column Type: integer

Column Name: claimed_units_13

Column Type: integer

Column Name: claimed_units_14
Column Type: integer

Column Name: claimed_units_15
Column Type: integer

Column Name: claimed_units_16
Column Type: integer

Column Name: claimed_units_17
Column Type: integer

Column Name: claimed_units_18
Column Type: integer

Column Name: claimed_units_19
Column Type: integer

Column Name: claimed_units_2
Column Type: integer

Column Name: claimed_units_20
Column Type: integer

Column Name: claimed_units_21
Column Type: integer

Column Name: claimed_units_22
Column Type: integer

Column Name: claimed_units_23
Column Type: integer

Column Name: claimed_units_24
Column Type: integer

Column Name: claimed_units_25
Column Type: integer

Column Name: claimed_units_26
Column Type: integer

Column Name: claimed_units_27
Column Type: integer

Column Name: claimed_units_28
Column Type: integer

Column Name: claimed_units_29
Column Type: integer

Column Name: claimed_units_3
Column Type: integer

Column Name: claimed_units_30
Column Type: integer

Column Name: claimed_units_31
Column Type: integer

Column Name: claimed_units_32
Column Type: integer

Column Name: claimed_units_33
Column Type: integer

Column Name: claimed_units_34
Column Type: integer

Column Name: claimed_units_35
Column Type: integer

Column Name: claimed_units_36
Column Type: integer

Column Name: claimed_units_37
Column Type: integer

Column Name: claimed_units_38
Column Type: integer

Column Name: claimed_units_39
Column Type: integer

Column Name: claimed_units_4
Column Type: integer

Column Name: claimed_units_40
Column Type: integer

Column Name: claimed_units_5
Column Type: integer

Column Name: claimed_units_6
Column Type: integer

Column Name: claimed_units_7
Column Type: integer

Column Name: claimed_units_8
Column Type: integer

Column Name: claimed_units_9
Column Type: integer

Column Name: code_authorized_1
Column Type: varchar
Max Length: 50

Column Name: code_authorized_10
Column Type: varchar
Max Length: 50

Column Name: code_authorized_11
Column Type: varchar
Max Length: 50

Column Name: code_authorized_12
Column Type: varchar
Max Length: 50

Column Name: code_authorized_13
Column Type: varchar
Max Length: 50

Column Name: code_authorized_14
Column Type: varchar
Max Length: 50

Column Name: code_authorized_15
Column Type: varchar
Max Length: 50

Column Name: code_authorized_16
Column Type: varchar
Max Length: 50

Column Name: code_authorized_17
Column Type: varchar
Max Length: 50

Column Name: code_authorized_18
Column Type: varchar
Max Length: 50

Column Name: code_authorized_19
Column Type: varchar
Max Length: 50

Column Name: code_authorized_2
Column Type: varchar
Max Length: 50

Column Name: code_authorized_20
Column Type: varchar
Max Length: 50

Column Name: code_authorized_21
Column Type: varchar
Max Length: 50

Column Name: code_authorized_22
Column Type: varchar
Max Length: 50

Column Name: code_authorized_23
Column Type: varchar
Max Length: 50

Column Name: code_authorized_24
Column Type: varchar
Max Length: 50

Column Name: code_authorized_25
Column Type: varchar
Max Length: 50

Column Name: code_authorized_26
Column Type: varchar
Max Length: 50

Column Name: code_authorized_27
Column Type: varchar
Max Length: 50

Column Name: code_authorized_28
Column Type: varchar
Max Length: 50

Column Name: code_authorized_29
Column Type: varchar
Max Length: 50

Column Name: code_authorized_3
Column Type: varchar
Max Length: 50

Column Name: code_authorized_30
Column Type: varchar
Max Length: 50

Column Name: code_authorized_31
Column Type: varchar
Max Length: 50

Column Name: code_authorized_32
Column Type: varchar
Max Length: 50

Column Name: code_authorized_33
Column Type: varchar
Max Length: 50

Column Name: code_authorized_34
Column Type: varchar
Max Length: 50

Column Name: code_authorized_35
Column Type: varchar
Max Length: 50

Column Name: code_authorized_36
Column Type: varchar
Max Length: 50

Column Name: code_authorized_37
Column Type: varchar
Max Length: 50

Column Name: code_authorized_38
Column Type: varchar
Max Length: 50

Column Name: code_authorized_39
Column Type: varchar
Max Length: 50

Column Name: code_authorized_4
Column Type: varchar
Max Length: 50

Column Name: code_authorized_40
Column Type: varchar
Max Length: 50

Column Name: code_authorized_5
Column Type: varchar
Max Length: 50

Column Name: code_authorized_6
Column Type: varchar
Max Length: 50

Column Name: code_authorized_7
Column Type: varchar
Max Length: 50

Column Name: code_authorized_8
Column Type: varchar
Max Length: 50

Column Name: code_authorized_9
Column Type: varchar
Max Length: 50

Column Name: comments_on_auth
Column Type: varchar
Max Length: 32766

Column Name: curr_auth_stat_reas_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_stat_reas_value
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_value
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: end_date_of_auth
Column Type: date

Column Name: funding_source_name
Column Type: varchar

Max Length: 50

Column Name: init_or_contin_auth_code

Column Type: varchar

Max Length: 50

Column Name: init_or_contin_auth_value

Column Type: varchar

Max Length: 50

Column Name: internal_comments

Column Type: varchar

Max Length: 32766

Column Name: letter_type_code

Column Type: varchar

Max Length: 50

Column Name: letter_type_value

Column Type: varchar

Max Length: 50

Column Name: next_review_date

Column Type: date

Column Name: option_desc

Column Type: varchar

Max Length: 50

Column Name: option_id

Column Type: varchar

Max Length: 50

Column Name: primary_diagnosis

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_10_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_10_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_11_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_11_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_12_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_12_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_13_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_13_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_14_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_14_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_15_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_15_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_16_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_16_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_17_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_17_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_18_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_18_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_19_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_19_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_1_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_1_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_20_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_20_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_21_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_21_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_22_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_22_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_23_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_23_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_24_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_24_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_25_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_25_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_26_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_26_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_27_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_27_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_28_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_28_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_29_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_29_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_2_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_2_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_30_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_30_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_31_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_31_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_32_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_32_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_33_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_33_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_34_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_34_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_5_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_5_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_6_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_6_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_7_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_7_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_8_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_8_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_9_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_9_value
Column Type: varchar
Max Length: 50

Column Name: secondary_diagnosis
Column Type: varchar
Max Length: 50

Column Name: type_of_auth_code
Column Type: varchar
Max Length: 50

Column Name: type_of_auth_value
Column Type: varchar
Max Length: 50

Column Name: units_authorized_1
Column Type: varchar
Max Length: 50

Column Name: units_authorized_10
Column Type: varchar
Max Length: 50

Column Name: units_authorized_11
Column Type: varchar
Max Length: 50

Column Name: units_authorized_12
Column Type: varchar
Max Length: 50

Column Name: units_authorized_13
Column Type: varchar
Max Length: 50

Column Name: units_authorized_14
Column Type: varchar
Max Length: 50

Column Name: units_authorized_15
Column Type: varchar
Max Length: 50

Column Name: units_authorized_16
Column Type: varchar
Max Length: 50

Column Name: units_authorized_17
Column Type: varchar
Max Length: 50

Column Name: units_authorized_18
Column Type: varchar
Max Length: 50

Column Name: units_authorized_19
Column Type: varchar
Max Length: 50

Column Name: units_authorized_2
Column Type: varchar
Max Length: 50

Column Name: units_authorized_20
Column Type: varchar
Max Length: 50

Column Name: units_authorized_21
Column Type: varchar
Max Length: 50

Column Name: units_authorized_22
Column Type: varchar
Max Length: 50

Column Name: units_authorized_23
Column Type: varchar
Max Length: 50

Column Name: units_authorized_24
Column Type: varchar
Max Length: 50

Column Name: units_authorized_25
Column Type: varchar
Max Length: 50

Column Name: units_authorized_26
Column Type: varchar
Max Length: 50

Column Name: units_authorized_27
Column Type: varchar
Max Length: 50

Column Name: units_authorized_28
Column Type: varchar
Max Length: 50

Column Name: units_authorized_29
Column Type: varchar
Max Length: 50

Column Name: units_authorized_3
Column Type: varchar
Max Length: 50

Column Name: units_authorized_30
Column Type: varchar
Max Length: 50

Column Name: units_authorized_31
Column Type: varchar
Max Length: 50

Column Name: units_authorized_32
Column Type: varchar
Max Length: 50

Column Name: units_authorized_33
Column Type: varchar
Max Length: 50

Column Name: units_authorized_34
Column Type: varchar
Max Length: 50

Column Name: units_authorized_35
Column Type: varchar
Max Length: 50

Column Name: units_authorized_36
Column Type: varchar
Max Length: 50

Column Name: units_authorized_37
Column Type: varchar
Max Length: 50

Column Name: units_authorized_38
Column Type: varchar
Max Length: 50

Column Name: units_authorized_39
Column Type: varchar
Max Length: 50

Column Name: units_authorized_4
Column Type: varchar
Max Length: 50

Column Name: units_authorized_40
Column Type: varchar
Max Length: 50

Column Name: units_authorized_5
Column Type: varchar
Max Length: 50

Column Name: units_authorized_6
Column Type: varchar
Max Length: 50

Column Name: units_authorized_7
Column Type: varchar
Max Length: 50

Column Name: units_authorized_8
Column Type: varchar
Max Length: 50

Column Name: units_authorized_9
Column Type: varchar
Max Length: 50

Documentation for form: Service_Authorization_(Unlimited_Codes)

Table Name: SYSTEM.history_fund_auths_proc

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDID
Column Type: varchar
Max Length: 50

Column Name: claimed_units
Column Type: integer

Column Name: code_authorized
Column Type: varchar
Max Length: 50

Column Name: counter
Column Type: integer

Column Name: proc_code_type_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_value
Column Type: varchar
Max Length: 50

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Documentation for form: Service_Authorization_(Unlimited_Codes)

Table Name: SYSTEM.history_member_auths_2

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: GUID
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PLAN_ID
Column Type: varchar
Max Length: 50

Column Name: UTCTimeStamp
Column Type: timestamp

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_value
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: auth_grouping_code
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_code
Column Type: varchar
Max Length: 50

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: begin_date_of_auth
Column Type: date

Column Name: begin_date_of_serv_1
Column Type: date

Column Name: begin_date_of_serv_10
Column Type: date

Column Name: begin_date_of_serv_11
Column Type: date

Column Name: begin_date_of_serv_12
Column Type: date

Column Name: begin_date_of_serv_13
Column Type: date

Column Name: begin_date_of_serv_14
Column Type: date

Column Name: begin_date_of_serv_15
Column Type: date

Column Name: begin_date_of_serv_16
Column Type: date

Column Name: begin_date_of_serv_17
Column Type: date

Column Name: begin_date_of_serv_18
Column Type: date

Column Name: begin_date_of_serv_19
Column Type: date

Column Name: begin_date_of_serv_2
Column Type: date

Column Name: begin_date_of_serv_20
Column Type: date

Column Name: begin_date_of_serv_21
Column Type: date

Column Name: begin_date_of_serv_22
Column Type: date

Column Name: begin_date_of_serv_23
Column Type: date

Column Name: begin_date_of_serv_24
Column Type: date

Column Name: begin_date_of_serv_25
Column Type: date

Column Name: begin_date_of_serv_26
Column Type: date

Column Name: begin_date_of_serv_27
Column Type: date

Column Name: begin_date_of_serv_28
Column Type: date

Column Name: begin_date_of_serv_29
Column Type: date

Column Name: begin_date_of_serv_3
Column Type: date

Column Name: begin_date_of_serv_30
Column Type: date

Column Name: begin_date_of_serv_31
Column Type: date

Column Name: begin_date_of_serv_32
Column Type: date

Column Name: begin_date_of_serv_33
Column Type: date

Column Name: begin_date_of_serv_34
Column Type: date

Column Name: begin_date_of_serv_35
Column Type: date

Column Name: begin_date_of_serv_36
Column Type: date

Column Name: begin_date_of_serv_37
Column Type: date

Column Name: begin_date_of_serv_38
Column Type: date

Column Name: begin_date_of_serv_39
Column Type: date

Column Name: begin_date_of_serv_4
Column Type: date

Column Name: begin_date_of_serv_40
Column Type: date

Column Name: begin_date_of_serv_5
Column Type: date

Column Name: begin_date_of_serv_6
Column Type: date

Column Name: begin_date_of_serv_7
Column Type: date

Column Name: begin_date_of_serv_8
Column Type: date

Column Name: begin_date_of_serv_9
Column Type: date

Column Name: clm_stat_inh_svc_cd
Column Type: varchar
Max Length: 50

Column Name: clm_stat_inh_svc_val
Column Type: varchar
Max Length: 50

Column Name: clm_stat_reas_inh_svc_cd
Column Type: varchar
Max Length: 50

Column Name: clm_stat_reas_inh_svc_val
Column Type: varchar
Max Length: 50

Column Name: cont_prov_auth
Column Type: varchar
Max Length: 40

Column Name: curr_auth_stat_reas_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_code
Column Type: varchar
Max Length: 50

Column Name: end_date_of_auth
Column Type: date

Column Name: end_date_of_serv_1
Column Type: date

Column Name: end_date_of_serv_10
Column Type: date

Column Name: end_date_of_serv_11
Column Type: date

Column Name: end_date_of_serv_12
Column Type: date

Column Name: end_date_of_serv_13
Column Type: date

Column Name: end_date_of_serv_14
Column Type: date

Column Name: end_date_of_serv_15
Column Type: date

Column Name: end_date_of_serv_16
Column Type: date

Column Name: end_date_of_serv_17
Column Type: date

Column Name: end_date_of_serv_18
Column Type: date

Column Name: end_date_of_serv_19
Column Type: date

Column Name: end_date_of_serv_2
Column Type: date

Column Name: end_date_of_serv_20
Column Type: date

Column Name: end_date_of_serv_21
Column Type: date

Column Name: end_date_of_serv_22

Column Type: date

Column Name: end_date_of_serv_23

Column Type: date

Column Name: end_date_of_serv_24

Column Type: date

Column Name: end_date_of_serv_25

Column Type: date

Column Name: end_date_of_serv_26

Column Type: date

Column Name: end_date_of_serv_27

Column Type: date

Column Name: end_date_of_serv_28

Column Type: date

Column Name: end_date_of_serv_29

Column Type: date

Column Name: end_date_of_serv_3

Column Type: date

Column Name: end_date_of_serv_30

Column Type: date

Column Name: end_date_of_serv_31

Column Type: date

Column Name: end_date_of_serv_32

Column Type: date

Column Name: end_date_of_serv_33

Column Type: date

Column Name: end_date_of_serv_34
Column Type: date

Column Name: end_date_of_serv_35
Column Type: date

Column Name: end_date_of_serv_36
Column Type: date

Column Name: end_date_of_serv_37
Column Type: date

Column Name: end_date_of_serv_38
Column Type: date

Column Name: end_date_of_serv_39
Column Type: date

Column Name: end_date_of_serv_4
Column Type: date

Column Name: end_date_of_serv_40
Column Type: date

Column Name: end_date_of_serv_5
Column Type: date

Column Name: end_date_of_serv_6
Column Type: date

Column Name: end_date_of_serv_7
Column Type: date

Column Name: end_date_of_serv_8
Column Type: date

Column Name: end_date_of_serv_9

Column Type: date

Column Name: inhibit_adj_code

Column Type: varchar

Max Length: 50

Column Name: inhibit_adj_value

Column Type: varchar

Max Length: 50

Column Name: level_of_care_code

Column Type: varchar

Max Length: 50

Column Name: next_review_date

Column Type: date

Column Name: performing_provider

Column Type: varchar

Max Length: 50

Column Name: primary_account_code

Column Type: varchar

Max Length: 50

Column Name: provider_connect_user

Column Type: varchar

Max Length: 150

Column Name: provider_to_be_auth

Column Type: varchar

Max Length: 50

Column Name: prov_pgm_link

Column Type: varchar

Max Length: 50

Column Name: prov_pgm_name

Column Type: varchar

Max Length: 50

Column Name: prov_submitting_request
Column Type: varchar
Max Length: 50

Column Name: status_code
Column Type: varchar
Max Length: 50

Column Name: status_value
Column Type: varchar
Max Length: 50

Column Name: total_estimated_liab
Column Type: numeric

Documentation for form: Service_Authorization_(Unlimited_Codes)

Table Name: SYSTEM.history_member_auths_proc
Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: claimed_units
Column Type: integer

Column Name: code_authorized
Column Type: varchar
Max Length: 50

Column Name: counter
Column Type: integer

Column Name: est_liab
Column Type: numeric

Column Name: proc_code_type_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_value
Column Type: varchar
Max Length: 50

Column Name: provider_to_be_auth
Column Type: varchar
Max Length: 50

Column Name: rem_liab
Column Type: numeric

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Column Name: units_requested
Column Type: varchar
Max Length: 50

Documentation for form: Service_Authorization_(Unlimited_Codes)

Table Name: SYSTEM.history_prov_auths_proc

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTUniqueID

Column Type: varchar

Max Length: 50

Column Name: FACILITY

Column Type: integer

Column Name: PROVID

Column Type: varchar

Max Length: 20

Column Name: claimed_units

Column Type: integer

Column Name: code_authorized

Column Type: varchar

Max Length: 50

Column Name: counter

Column Type: integer

Column Name: est_liab

Column Type: numeric

Column Name: proc_code_type_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_value

Column Type: varchar

Max Length: 50

Column Name: rem_liab
Column Type: numeric

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Documentation for form: Service_Authorization_(Unlimited_Codes)

Table Name: SYSTEM.history_provider_auths

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: GUID
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGuniqueid
Column Type: varchar
Max Length: 50

Column Name: PLAN_ID

Column Type: varchar
Max Length: 50

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: UTCTimeStamp
Column Type: timestamp

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_value
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: auth_grouping_code
Column Type: varchar
Max Length: 50

Column Name: auth_grp_or_indiv_code
Column Type: varchar
Max Length: 50

Column Name: auth_grp_or_indiv_value
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_code
Column Type: varchar

Max Length: 50

Column Name: auth_level_care_value
Column Type: varchar
Max Length: 50

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: begin_date_of_auth
Column Type: date

Column Name: claimed_units_1
Column Type: integer

Column Name: claimed_units_10
Column Type: integer

Column Name: claimed_units_11
Column Type: integer

Column Name: claimed_units_12
Column Type: integer

Column Name: claimed_units_13
Column Type: integer

Column Name: claimed_units_14
Column Type: integer

Column Name: claimed_units_15
Column Type: integer

Column Name: claimed_units_16
Column Type: integer

Column Name: claimed_units_17

Column Type: integer

Column Name: claimed_units_18

Column Type: integer

Column Name: claimed_units_19

Column Type: integer

Column Name: claimed_units_2

Column Type: integer

Column Name: claimed_units_20

Column Type: integer

Column Name: claimed_units_21

Column Type: integer

Column Name: claimed_units_22

Column Type: integer

Column Name: claimed_units_23

Column Type: integer

Column Name: claimed_units_24

Column Type: integer

Column Name: claimed_units_25

Column Type: integer

Column Name: claimed_units_26

Column Type: integer

Column Name: claimed_units_27

Column Type: integer

Column Name: claimed_units_28

Column Type: integer

Column Name: claimed_units_29
Column Type: integer

Column Name: claimed_units_3
Column Type: integer

Column Name: claimed_units_30
Column Type: integer

Column Name: claimed_units_31
Column Type: integer

Column Name: claimed_units_32
Column Type: integer

Column Name: claimed_units_33
Column Type: integer

Column Name: claimed_units_34
Column Type: integer

Column Name: claimed_units_35
Column Type: integer

Column Name: claimed_units_36
Column Type: integer

Column Name: claimed_units_37
Column Type: integer

Column Name: claimed_units_38
Column Type: integer

Column Name: claimed_units_39
Column Type: integer

Column Name: claimed_units_4

Column Type: integer

Column Name: claimed_units_40

Column Type: integer

Column Name: claimed_units_5

Column Type: integer

Column Name: claimed_units_6

Column Type: integer

Column Name: claimed_units_7

Column Type: integer

Column Name: claimed_units_8

Column Type: integer

Column Name: claimed_units_9

Column Type: integer

Column Name: code_authorized_1

Column Type: varchar

Max Length: 50

Column Name: code_authorized_10

Column Type: varchar

Max Length: 50

Column Name: code_authorized_11

Column Type: varchar

Max Length: 50

Column Name: code_authorized_12

Column Type: varchar

Max Length: 50

Column Name: code_authorized_13

Column Type: varchar

Max Length: 50

Column Name: code_authorized_14
Column Type: varchar
Max Length: 50

Column Name: code_authorized_15
Column Type: varchar
Max Length: 50

Column Name: code_authorized_16
Column Type: varchar
Max Length: 50

Column Name: code_authorized_17
Column Type: varchar
Max Length: 50

Column Name: code_authorized_18
Column Type: varchar
Max Length: 50

Column Name: code_authorized_19
Column Type: varchar
Max Length: 50

Column Name: code_authorized_2
Column Type: varchar
Max Length: 50

Column Name: code_authorized_20
Column Type: varchar
Max Length: 50

Column Name: code_authorized_21
Column Type: varchar
Max Length: 50

Column Name: code_authorized_22
Column Type: varchar
Max Length: 50

Column Name: code_authorized_23
Column Type: varchar
Max Length: 50

Column Name: code_authorized_24
Column Type: varchar
Max Length: 50

Column Name: code_authorized_25
Column Type: varchar
Max Length: 50

Column Name: code_authorized_26
Column Type: varchar
Max Length: 50

Column Name: code_authorized_27
Column Type: varchar
Max Length: 50

Column Name: code_authorized_28
Column Type: varchar
Max Length: 50

Column Name: code_authorized_29
Column Type: varchar
Max Length: 50

Column Name: code_authorized_3
Column Type: varchar
Max Length: 50

Column Name: code_authorized_30
Column Type: varchar
Max Length: 50

Column Name: code_authorized_31
Column Type: varchar
Max Length: 50

Column Name: code_authorized_32
Column Type: varchar
Max Length: 50

Column Name: code_authorized_33
Column Type: varchar
Max Length: 50

Column Name: code_authorized_34
Column Type: varchar
Max Length: 50

Column Name: code_authorized_35
Column Type: varchar
Max Length: 50

Column Name: code_authorized_36
Column Type: varchar
Max Length: 50

Column Name: code_authorized_37
Column Type: varchar
Max Length: 50

Column Name: code_authorized_38
Column Type: varchar
Max Length: 50

Column Name: code_authorized_39
Column Type: varchar
Max Length: 50

Column Name: code_authorized_4
Column Type: varchar
Max Length: 50

Column Name: code_authorized_40
Column Type: varchar
Max Length: 50

Column Name: code_authorized_5
Column Type: varchar
Max Length: 50

Column Name: code_authorized_6
Column Type: varchar
Max Length: 50

Column Name: code_authorized_7
Column Type: varchar
Max Length: 50

Column Name: code_authorized_8
Column Type: varchar
Max Length: 50

Column Name: code_authorized_9
Column Type: varchar
Max Length: 50

Column Name: comments_on_auth
Column Type: varchar
Max Length: 32766

Column Name: curr_auth_stat_reas_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_stat_reas_value
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_value
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: end_date_of_auth
Column Type: date

Column Name: est_liab_code_1
Column Type: numeric

Column Name: est_liab_code_10
Column Type: numeric

Column Name: est_liab_code_11
Column Type: numeric

Column Name: est_liab_code_12
Column Type: numeric

Column Name: est_liab_code_13
Column Type: numeric

Column Name: est_liab_code_14
Column Type: numeric

Column Name: est_liab_code_15
Column Type: numeric

Column Name: est_liab_code_16
Column Type: numeric

Column Name: est_liab_code_17
Column Type: numeric

Column Name: est_liab_code_18
Column Type: numeric

Column Name: est_liab_code_19
Column Type: numeric

Column Name: est_liab_code_2
Column Type: numeric

Column Name: est_liab_code_20
Column Type: numeric

Column Name: est_liab_code_21
Column Type: numeric

Column Name: est_liab_code_22
Column Type: numeric

Column Name: est_liab_code_23
Column Type: numeric

Column Name: est_liab_code_24

Column Type: numeric

Column Name: est_liab_code_25

Column Type: numeric

Column Name: est_liab_code_26

Column Type: numeric

Column Name: est_liab_code_27

Column Type: numeric

Column Name: est_liab_code_28

Column Type: numeric

Column Name: est_liab_code_29

Column Type: numeric

Column Name: est_liab_code_3

Column Type: numeric

Column Name: est_liab_code_30

Column Type: numeric

Column Name: est_liab_code_31

Column Type: numeric

Column Name: est_liab_code_32

Column Type: numeric

Column Name: est_liab_code_33

Column Type: numeric

Column Name: est_liab_code_34

Column Type: numeric

Column Name: est_liab_code_35

Column Type: numeric

Column Name: est_liab_code_36
Column Type: numeric

Column Name: est_liab_code_37
Column Type: numeric

Column Name: est_liab_code_38
Column Type: numeric

Column Name: est_liab_code_39
Column Type: numeric

Column Name: est_liab_code_4
Column Type: numeric

Column Name: est_liab_code_40
Column Type: numeric

Column Name: est_liab_code_5
Column Type: numeric

Column Name: est_liab_code_6
Column Type: numeric

Column Name: est_liab_code_7
Column Type: numeric

Column Name: est_liab_code_8
Column Type: numeric

Column Name: est_liab_code_9
Column Type: numeric

Column Name: init_or_contin_auth_code
Column Type: varchar
Max Length: 50

Column Name: init_or_contin_auth_value
Column Type: varchar
Max Length: 50

Column Name: internal_comments
Column Type: varchar
Max Length: 32766

Column Name: letter_type_code
Column Type: varchar
Max Length: 50

Column Name: letter_type_value
Column Type: varchar
Max Length: 50

Column Name: next_review_date
Column Type: date

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: performing_provider
Column Type: varchar
Max Length: 50

Column Name: performing_prv_type_code
Column Type: varchar
Max Length: 50

Column Name: performing_prv_type_value
Column Type: varchar
Max Length: 50

Column Name: perf_provider_name

Column Type: varchar
Max Length: 50

Column Name: primary_diagnosis
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_10_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_10_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_11_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_11_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_12_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_12_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_13_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_13_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_14_code

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_14_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_15_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_15_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_16_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_16_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_17_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_17_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_18_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_18_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_19_code

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_19_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_1_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_1_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_20_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_20_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_21_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_21_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_22_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_22_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_23_code

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_23_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_24_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_24_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_25_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_25_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_26_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_26_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_27_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_27_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_28_code

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_28_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_29_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_29_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_2_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_2_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_30_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_30_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_31_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_31_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_32_code

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_32_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_33_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_33_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_34_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_34_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_code

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_code

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_5_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_5_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_6_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_6_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_7_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_7_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_8_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_8_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_9_code

Column Type: varchar
Max Length: 50

Column Name: proc_code_type_9_value
Column Type: varchar
Max Length: 50

Column Name: provider_name
Column Type: varchar
Max Length: 50

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50

Column Name: rem_liab_1
Column Type: numeric

Column Name: rem_liab_10
Column Type: numeric

Column Name: rem_liab_11
Column Type: numeric

Column Name: rem_liab_12
Column Type: numeric

Column Name: rem_liab_13
Column Type: numeric

Column Name: rem_liab_14
Column Type: numeric

Column Name: rem_liab_15
Column Type: numeric

Column Name: rem_liab_16
Column Type: numeric

Column Name: rem_liab_17
Column Type: numeric

Column Name: rem_liab_18
Column Type: numeric

Column Name: rem_liab_19
Column Type: numeric

Column Name: rem_liab_2
Column Type: numeric

Column Name: rem_liab_20
Column Type: numeric

Column Name: rem_liab_21
Column Type: numeric

Column Name: rem_liab_22
Column Type: numeric

Column Name: rem_liab_23
Column Type: numeric

Column Name: rem_liab_24
Column Type: numeric

Column Name: rem_liab_25
Column Type: numeric

Column Name: rem_liab_26
Column Type: numeric

Column Name: rem_liab_27
Column Type: numeric

Column Name: rem_liab_28
Column Type: numeric

Column Name: rem_liab_29
Column Type: numeric

Column Name: rem_liab_3
Column Type: numeric

Column Name: rem_liab_30
Column Type: numeric

Column Name: rem_liab_31
Column Type: numeric

Column Name: rem_liab_32
Column Type: numeric

Column Name: rem_liab_33
Column Type: numeric

Column Name: rem_liab_34
Column Type: numeric

Column Name: rem_liab_35
Column Type: numeric

Column Name: rem_liab_36
Column Type: numeric

Column Name: rem_liab_37
Column Type: numeric

Column Name: rem_liab_38
Column Type: numeric

Column Name: rem_liab_39
Column Type: numeric

Column Name: rem_liab_4
Column Type: numeric

Column Name: rem_liab_40
Column Type: numeric

Column Name: rem_liab_5
Column Type: numeric

Column Name: rem_liab_6
Column Type: numeric

Column Name: rem_liab_7
Column Type: numeric

Column Name: rem_liab_8
Column Type: numeric

Column Name: rem_liab_9
Column Type: numeric

Column Name: rem_liab_total
Column Type: numeric

Column Name: secondary_diagnosis
Column Type: varchar
Max Length: 50

Column Name: status_code
Column Type: varchar
Max Length: 50

Column Name: status_value
Column Type: varchar

Max Length: 50

Column Name: total_estimated_liab
Column Type: numeric

Column Name: type_of_auth_code
Column Type: varchar
Max Length: 50

Column Name: type_of_auth_value
Column Type: varchar
Max Length: 50

Column Name: units_authorized_1
Column Type: varchar
Max Length: 50

Column Name: units_authorized_10
Column Type: varchar
Max Length: 50

Column Name: units_authorized_11
Column Type: varchar
Max Length: 50

Column Name: units_authorized_12
Column Type: varchar
Max Length: 50

Column Name: units_authorized_13
Column Type: varchar
Max Length: 50

Column Name: units_authorized_14
Column Type: varchar
Max Length: 50

Column Name: units_authorized_15
Column Type: varchar
Max Length: 50

Column Name: units_authorized_16
Column Type: varchar
Max Length: 50

Column Name: units_authorized_17
Column Type: varchar
Max Length: 50

Column Name: units_authorized_18
Column Type: varchar
Max Length: 50

Column Name: units_authorized_19
Column Type: varchar
Max Length: 50

Column Name: units_authorized_2
Column Type: varchar
Max Length: 50

Column Name: units_authorized_20
Column Type: varchar
Max Length: 50

Column Name: units_authorized_21
Column Type: varchar
Max Length: 50

Column Name: units_authorized_22
Column Type: varchar
Max Length: 50

Column Name: units_authorized_23
Column Type: varchar
Max Length: 50

Column Name: units_authorized_24
Column Type: varchar
Max Length: 50

Column Name: units_authorized_25
Column Type: varchar
Max Length: 50

Column Name: units_authorized_26
Column Type: varchar
Max Length: 50

Column Name: units_authorized_27
Column Type: varchar
Max Length: 50

Column Name: units_authorized_28
Column Type: varchar
Max Length: 50

Column Name: units_authorized_29
Column Type: varchar
Max Length: 50

Column Name: units_authorized_3
Column Type: varchar
Max Length: 50

Column Name: units_authorized_30
Column Type: varchar
Max Length: 50

Column Name: units_authorized_31
Column Type: varchar
Max Length: 50

Column Name: units_authorized_32
Column Type: varchar
Max Length: 50

Column Name: units_authorized_33
Column Type: varchar
Max Length: 50

Column Name: units_authorized_34
Column Type: varchar
Max Length: 50

Column Name: units_authorized_35
Column Type: varchar
Max Length: 50

Column Name: units_authorized_36
Column Type: varchar
Max Length: 50

Column Name: units_authorized_37
Column Type: varchar
Max Length: 50

Column Name: units_authorized_38
Column Type: varchar
Max Length: 50

Column Name: units_authorized_39
Column Type: varchar
Max Length: 50

Column Name: units_authorized_4
Column Type: varchar
Max Length: 50

Column Name: units_authorized_40
Column Type: varchar
Max Length: 50

Column Name: units_authorized_5
Column Type: varchar
Max Length: 50

Column Name: units_authorized_6
Column Type: varchar
Max Length: 50

Column Name: units_authorized_7
Column Type: varchar
Max Length: 50

Column Name: units_authorized_8
Column Type: varchar
Max Length: 50

Column Name: units_authorized_9
Column Type: varchar
Max Length: 50

Documentation for form: Service_Authorization_(Unlimited_Codes)

Table Name: SYSTEM.mso_service_authorization

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTUniqueID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: begin_date_of_service
Column Type: date

Column Name: end_date_of_service
Column Type: date

Column Name: estimated_liability_code
Column Type: varchar
Max Length: 30

Column Name: procedure_code
Column Type: varchar
Max Length: 50

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50

Column Name: procedure_code_type_value
Column Type: varchar
Max Length: 50

Column Name: procedure_value
Column Type: varchar
Max Length: 50

Column Name: requested_units
Column Type: varchar
Max Length: 50

Column Name: row_number
Column Type: integer

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Documentation for form: Service_Authorization_(Unlimited_Codes)

Table Name: SYSTEM.service_auth_detail

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: ID
Column Type: integer

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50
The unique ID of the service authorization.

Column Name: FACILITY
Column Type: integer
The system code the service authorization is defined in.

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50
The ID number of the funding source this authorization applies to.

Column Name: GUID
Column Type: varchar
Max Length: 50
An ID number for the authorization that is likely to be unique, even on other system codes.

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50
The unique ID of the funding source's registration.

Column Name: JOIN_TO_member_CONuniqueid
Column Type: varchar
Max Length: 50
The unique ID of the client's enrollment in the funding source's plan.

Column Name: JOIN_TO_provider_REGuniqueid
Column Type: varchar
Max Length: 50
The unique ID of the contracting provider's registration history.

Column Name: PATID
Column Type: varchar
Max Length: 20

The client ID associated with the service authorization.

Column Name: PLAN_ID

Column Type: varchar

Max Length: 50

The code for 'Benefit Plan'.

Column Name: PROVID

Column Type: varchar

Max Length: 50

The ID number of the contracting provider this authorization applies to.

Column Name: UTCTimeStamp

Column Type: timestamp

The date and time the authorization was made, in coordinated universal time.

Column Name: account_code

Column Type: varchar

Max Length: 50

The code for 'Account'.

Column Name: account_level

Column Type: varchar

Max Length: 50

The level of the budget tracking account.

Column Name: account_level_name

Column Type: varchar

Max Length: 50

The name of the budget tracking account level.

Column Name: account_status_code

Column Type: varchar

Max Length: 50

The code for 'Status'.

Column Name: account_status_value

Column Type: varchar

Max Length: 50

The description associated with account_status_code. See account_status_code for more information.

Column Name: account_value

Column Type: varchar

Max Length: 50

The description associated with account_code. See account_code for more information.

Column Name: auth_grouping_code

Column Type: varchar

Max Length: 50

The code for 'Authorization Grouping'.

Column Name: auth_grouping_value

Column Type: varchar

Max Length: 50

The description associated with auth_grouping_code. See auth_grouping_code for more information.

Column Name: auth_grp_or_indiv_code

Column Type: varchar

Max Length: 50

The code for 'Individual Authorizations Or Authorization Grouping'.

Column Name: auth_grp_or_indiv_value

Column Type: varchar

Max Length: 50

The description associated with auth_grp_or_indiv_code. See auth_grp_or_indiv_code for more information.

Column Name: auth_level_care_code

Column Type: varchar

Max Length: 50

The code for 'Authorized Level of Care'.

Column Name: auth_level_care_value

Column Type: varchar

Max Length: 50

The description associated with auth_level_care_code. See auth_level_care_code for more information.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: auth_status_change_day

Column Type: varchar

Max Length: 50

The day the 'Current Authorization Status' changed from "Pending to Approved".

Column Name: auth_status_change_min

Column Type: varchar

Max Length: 50

The minute the 'Current Authorization Status' changed from "Pending to Approved".

Column Name: auth_status_change_sec

Column Type: varchar

Max Length: 50

The second the 'Current Authorization Status' changed from "Pending to Approved".

Column Name: auth_type_code

Column Type: varchar

Max Length: 50

The code for 'Authorization Type'.

Column Name: auth_type_value

Column Type: varchar

Max Length: 1024

The description associated with auth_type_code. See auth_type_code for more information.

Column Name: begin_date_of_auth

Column Type: date

'Begin Date of Authorization'

Column Name: clm_stat_inh_svc_cd

Column Type: varchar

Max Length: 50

The code for 'Claim Status for Inhibited Services'.

Column Name: clm_stat_inh_svc_val

Column Type: varchar

Max Length: 50

The description associated with clm_stat_inh_svc_code. See clm_stat_inh_svc_code for more information.

Column Name: clm_stat_reas_inh_svc_cd

Column Type: varchar

Max Length: 50

The code for 'Claim Status Reason for Inhibited Services'.

Column Name: clm_stat_reas_inh_svc_val

Column Type: varchar

Max Length: 50

The description associated with clm_stat_reas_inh_svc_code. See clm_stat_reas_inh_svc_code for more information.

Column Name: comments_on_auth

Column Type: varchar

Max Length: 32766

'Comments On Authorization'

Column Name: cont_prov_auth

Column Type: varchar

Max Length: 40

'Contracting Provider Authorization'

Column Name: cpauth_denied_amount

Column Type: numeric

The total estimated liability for denied member authorizations tied to contracting provider auth.

Column Name: curr_auth_stat_reas_code

Column Type: varchar

Max Length: 50

The code for 'Current Authorization Status Reason'.

Column Name: curr_auth_stat_reas_value

Column Type: varchar

Max Length: 50

The description associated with curr_auth_stat_reas_code. See curr_auth_stat_reas_code for more information.

Column Name: curr_auth_status_code

Column Type: varchar

Max Length: 50

The code for 'Current Authorization Status'.

Column Name: curr_auth_status_value

Column Type: varchar

Max Length: 50

The description associated with curr_auth_status_code. See curr_auth_status_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user name that last updated the row of data.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row of data.

Column Name: data_entry_date

Column Type: date

The date the row of data was last updated.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row of data was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row of data.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row of data.

Column Name: end_date_of_auth

Column Type: date

'End Date of Authorization'

Column Name: financial_eligibility
Column Type: varchar
Max Length: 32766
Information on the client's financial eligibility.

Column Name: funding_source_name
Column Type: varchar
Max Length: 50
The name of the funding source.

Column Name: inhibit_adj_code
Column Type: varchar
Max Length: 50
The code for 'Inhibit Adjudication For Services Claimed During Authorization Period'.

Column Name: inhibit_adj_value
Column Type: varchar
Max Length: 50
The description associated with inhibit_adj_code. See inhibit_adj_code for more information.

Column Name: inhibit_cpt_svc_code_code
Column Type: varchar
Max Length: 1024
The code for 'Exclude CPT Service Code'.

Column Name: inhibit_cpt_svc_code_val
Column Type: varchar
Max Length: 1024
The description associated with inhibit_cpt_svc_code_code. See inhibit_cpt_svc_code_code for more information.

Column Name: inhibit_procedure_group_cd
Column Type: varchar
Max Length: 1024
The code for 'Exclude Procedure Code Group Definition'.

Column Name: inhibit_procedure_group_val
Column Type: varchar
Max Length: 1024
The description associated with inhibit_procedure_group_code. See inhibit_procedure_group_code for more information.

Column Name: inhibit_revenue_code_code
Column Type: varchar
Max Length: 1024
The code for 'Exclude Revenue Code'.

Column Name: inhibit_revenue_code_val
Column Type: varchar
Max Length: 1024

The description associated with inhibit_revenue_code_code. See inhibit_revenue_code_code for more information.

Column Name: init_or_contin_auth_code

Column Type: varchar

Max Length: 50

The code for 'Initial Or Continuing Authorization'.

Column Name: init_or_contin_auth_value

Column Type: varchar

Max Length: 50

The description associated with init_or_contin_auth_code. See init_or_contin_auth_code for more information.

Column Name: internal_comments

Column Type: varchar

Max Length: 32766

'Internal Comments'

Column Name: jointoprimdiagnosis

Column Type: varchar

Max Length: 40

The unique ID of the primary diagnosis.

Column Name: jointosecdiagnosis

Column Type: varchar

Max Length: 40

The unique ID of the secondary diagnosis.

Column Name: letter_type_code

Column Type: varchar

Max Length: 50

The code for 'Letter Type'.

Column Name: letter_type_value

Column Type: varchar

Max Length: 50

The description associated with letter_type_code. See letter_type_code for more information.

Column Name: level_of_care_code

Column Type: varchar

Max Length: 50

The code for 'Primary Level of Care'.

Column Name: level_of_care_value

Column Type: varchar

Max Length: 50

The description associated with level_of_care_code. See level_of_care_code for more information.

Column Name: next_review_date

Column Type: date
'Next Review Date'

Column Name: option_desc
Column Type: varchar
Max Length: 50
The name of the form that last updated the row of data.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row of data.

Column Name: original_data_entry_person
Column Type: varchar
Max Length: 50
The user name that originally entered this row of data.

Column Name: original_date_entry
Column Type: date
The date this row of data was originally updated.

Column Name: original_time_entry
Column Type: varchar
Max Length: 50
The time this row of data was originally updated.

Column Name: performing_provider
Column Type: varchar
Max Length: 50
The code for 'Performing Provider'.

Column Name: performing_prov_type
Column Type: varchar
Max Length: 50
The code for 'Provider Type'.

Column Name: performing_prv_type_value
Column Type: varchar
Max Length: 50
The description associated with performing_prv_type_code. See performing_prv_type_code for more information.

Column Name: perf_provider_name
Column Type: varchar
Max Length: 50
The description of the associated performing_provider. See performing_provider for more information.

Column Name: planned_admit_date
Column Type: date

'Planned Admit Date'

Column Name: prevent_push_code

Column Type: varchar

Max Length: 50

The code for 'Prevent Approved Services From Pushing To Parent System'.

Column Name: prevent_push_value

Column Type: varchar

Max Length: 50

The description associated with prevent_push_code. See prevent_push_code for more information.

Column Name: primary_account_code

Column Type: varchar

Max Length: 50

'Primary Account'

Column Name: primary_account_value

Column Type: varchar

Max Length: 50

The description associated with primary_account_code. See primary_account_code for more information.

Column Name: primary_diagnosis

Column Type: varchar

Max Length: 50

'Primary Diagnosis Authorized'

Column Name: prim_dsm4_diag_code

Column Type: varchar

Max Length: 40

The DSM-IV code for the primary diagnosis.

Column Name: prim_dsm4_diag_value

Column Type: varchar

Max Length: 40

The description associated with prim_dsm4_diag_code. See prim_dsm4_diag_code for more information.

Column Name: prim_icd10_diag_code

Column Type: varchar

Max Length: 40

The ICD-10 code for the primary diagnosis.

Column Name: prim_icd10_diag_value

Column Type: varchar

Max Length: 40

The description associated with prim_icd10_diag_code. See prim_icd10_diag_code for more information.

Column Name: prim_icd9_diag_code

Column Type: varchar

Max Length: 40

The ICD-9 code for the primary diagnosis.

Column Name: prim_icd9_diag_value

Column Type: varchar

Max Length: 40

The description associated with prim_icd9_diag_code. See prim_icd9_diag_code for more information.

Column Name: provider_connect_user

Column Type: varchar

Max Length: 150

The provider connect user ID associated with this request.

Column Name: provider_name

Column Type: varchar

Max Length: 50

The description of the associated PROVID, See PROVID for more information.

Column Name: provider_to_be_auth

Column Type: varchar

Max Length: 50

'Provider to be Authorized'

Column Name: prov_pgm_link

Column Type: varchar

Max Length: 50

The unique ID of the provider's program.

Column Name: prov_pgm_name

Column Type: varchar

Max Length: 50

The name of the provider's program.

Column Name: prov_submitting_request

Column Type: varchar

Max Length: 50

The ID of the contracting provider that submitted this service authorization request.

Column Name: rem_liab_total

Column Type: numeric

'Remaining Total Liability'

Column Name: sec_dsm4_diag_code

Column Type: varchar

Max Length: 40

The DSM-IV code for the secondary diagnosis.

Column Name: sec_dsm4_diag_value

Column Type: varchar

Max Length: 40

The description associated with sec_dsm4_diag_code. See sec_dsm4_diag_code for more information.

Column Name: sec_icd10_diag_code
Column Type: varchar
Max Length: 40
The ICD-10 code for the secondary diagnosis.

Column Name: sec_icd10_diag_value
Column Type: varchar
Max Length: 40
The description associated with sec_icd10_diag_code. See sec_icd10_diag_code for more information.

Column Name: sec_icd9_diag_code
Column Type: varchar
Max Length: 40
The ICD-9 code for the secondary diagnosis.

Column Name: sec_icd9_diag_value
Column Type: varchar
Max Length: 40
The description associated with sec_icd9_diag_code. See sec_icd9_diag_code for more information.

Column Name: secondary_diagnosis
Column Type: varchar
Max Length: 50
'Secondary Diagnosis Authorized'

Column Name: status_code
Column Type: varchar
Max Length: 50
The code for 'Status'.

Column Name: status_value
Column Type: varchar
Max Length: 50
The description associated with status_code. See status_code for more information.

Column Name: total_estimated_liab
Column Type: numeric
'Total Estimated Liability'

Column Name: type_of_auth_code
Column Type: varchar
Max Length: 50
The code for 'Type Of Authorization'.

Column Name: type_of_auth_value
Column Type: varchar
Max Length: 50
The description associated with type_of_auth_code. See type_of_auth_code for more information.

Column Name: unique_case_identifer
Column Type: varchar
Max Length: 50
'Associated Case'

Documentation for form: Service_Authorization_(Unlimited_Codes)

Table Name: SYSTEM.service_auth_svc

Table Description: This table returns the allowance of services for an authorization from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: ID
Column Type: integer

Column Name: AUTUniqueID
Column Type: varchar
Max Length: 50
The unique ID of the service authorization.

Column Name: FACILITY
Column Type: integer
The system code the service authorization is defined in.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID the service authorization applies to.

Column Name: PROVID
Column Type: varchar
Max Length: 20
The ID of the authorized service provider.

Column Name: authorization_number
Column Type: varchar
Max Length: 50
'Authorization Number'

Column Name: begin_date_of_service
Column Type: date
'Begin Date of Service'

Column Name: claimed_units
Column Type: integer

The number of units of service already claimed under this authorization.

Column Name: end_date_of_service

Column Type: date

'End Date of Service'

Column Name: estimated_liability_code

Column Type: numeric

'Estimated Liability Code'

Column Name: frequency_limit

Column Type: numeric

'Frequency Limit'.

Column Name: frequency_periods

Column Type: numeric

'Frequency Periods'.

Column Name: frequency_type_code

Column Type: varchar

Max Length: 50

The code for 'Frequency Type'.

Column Name: frequency_type_value

Column Type: varchar

Max Length: 50

The description associated with frequency_type_code See frequency_type_code for more information.

Column Name: procedure_code

Column Type: varchar

Max Length: 50

The code for 'Code Authorized'.

Column Name: procedure_code_type

Column Type: varchar

Max Length: 50

The code for 'Procedure Code Type'.

Column Name: procedure_code_type_value

Column Type: varchar

Max Length: 50

The description associated with procedure_code_type_code. See procedure_code_type_code for more information.

Column Name: procedure_value

Column Type: varchar

Max Length: 50

The description associated with procedure_code. See procedure_code for more information.

Column Name: remain_liability

Column Type: numeric
The amount of liability the funding source has for this service.

Column Name: requested_units
Column Type: varchar
Max Length: 50
'Requested Units'

Column Name: row_number
Column Type: integer
The number of the authorized service within this authorization.

Column Name: units_authorized
Column Type: varchar
Max Length: 50
'Units Authorized'

Documentation for form: 837_Institutional_Defaults

Table Name: SYSTEM.billing_837i_claim_data

Table Description: This table returns the information stored in the '837 Institutional Defaults' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BATCHID
Column Type: varchar
Max Length: 50
'Batch Number'

Column Name: CMI_uniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with a row of data.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_837I_SBI_Uniqueid
Column Type: varchar
Max Length: 50
'837I Claim Data To Subscriber Data Link (Internal)'

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50
'Claim'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: attach_control_number
Column Type: varchar
Max Length: 50
'Attachment Control Number (PWK-06)'

Column Name: attachment_description
Column Type: varchar
Max Length: 50
'Attachment Description (PWK-07)'

Column Name: attach_report_type_code
Column Type: varchar
Max Length: 50
'Attachment Report Type Code (PWK-01)'

Column Name: attach_transmiss_code
Column Type: varchar
Max Length: 50
'Attachment Transmission Code (PWK-02)'

Column Name: attend_phys_prov_ident
Column Type: varchar
Max Length: 50
'Attending Physician/Provider Primary Identifier (NM1-09)'

Column Name: attend_phys_sec_identif
Column Type: varchar
Max Length: 50
'Attending Physician/Provider Secondary Identifier (REF-02)'

Column Name: att_phy_id_code_qual_1
Column Type: varchar
Max Length: 50
'Identification Code Qualifier (NM1-08)'

Column Name: att_phys_first_name
Column Type: varchar
Max Length: 50
'Attending Physician/Provider First Name (NM1-04)'

Column Name: att_phys_last_name
Column Type: varchar
Max Length: 60
'Attending Physician/Provider Last Name (NM1-03)'

Column Name: att_phys_mid_name
Column Type: varchar
Max Length: 50
'Attending Physician/Provider Middle Name (NM1-05)'

Column Name: claim_orig_reference_num
Column Type: varchar
Max Length: 50
'Claim Original Reference Number (REF(F8)-02)'

Column Name: condition_code_1
Column Type: varchar
Max Length: 50
'Condition Code 1 (HI-01.2)'

Column Name: condition_code_2
Column Type: varchar
Max Length: 50
'Condition Code 2 (HI-02.2)'

Column Name: condition_code_3
Column Type: varchar
Max Length: 50
'Condition Code 3 (HI-03.2)'

Column Name: condition_code_4
Column Type: varchar
Max Length: 50
'Condition Code 4 (HI-04.2)'

Column Name: condition_code_5
Column Type: varchar
Max Length: 50
'Condition Code 5 (HI-05.2)'

Column Name: condition_code_6
Column Type: varchar
Max Length: 50
'Condition Code 6 (HI-06.2)'

Column Name: condition_code_7
Column Type: varchar
Max Length: 50
'Condition Code 7 (HI-07.2)'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: delay_reason_code

Column Type: varchar

Max Length: 50

'Delay Reason Code (CLM-20)'

Column Name: entity_type_qualifier

Column Type: varchar

Max Length: 50

'Entity Type Qualifier (NM1-02)'

Column Name: health_cr_diagn_ind_code

Column Type: varchar

Max Length: 50

'Health Care Diagnosis Industry Code (HI-03)'

Column Name: lab_identif_code_qualif

Column Type: varchar

Max Length: 50

'Identification Code Qualifier (NM1-08)'

Column Name: lab_or_fac_add_line_1

Column Type: varchar

Max Length: 50

'Laboratory or Facility Address Line 1 (N3-01)'

Column Name: lab_or_fac_add_line_2

Column Type: varchar

Max Length: 50

'Laboratory or Facility Address Line 2 (N3-02)'

Column Name: lab_or_fac_city_name

Column Type: varchar

Max Length: 50

'Laboratory or Facility City Name (N4-01)'

Column Name: lab_or_fac_country_code

Column Type: varchar

Max Length: 50

'Country Code (N4-04)'

Column Name: lab_or_facility_name

Column Type: varchar

Max Length: 50

'Laboratory or Facility Name (NM1-03)'

Column Name: lab_or_fac_post_zone_zip

Column Type: varchar

Max Length: 10

'Laboratory or Facility Postal Zone or Zip (N4-03)'

Column Name: labor_fac_prim_identif
Column Type: varchar
Max Length: 50
'Laboratory or Facility Primary Identifier (NM1-09)'

Column Name: lab_prov_tax_code
Column Type: varchar
Max Length: 50
'Provider Taxonomy Code (PRV-03)'

Column Name: lab_or_fac_state_or_prov
Column Type: varchar
Max Length: 50
'Laboratory or Facility State or Province (N4-02)'

Column Name: occurrence_code_1
Column Type: varchar
Max Length: 50
'Occurrence Code 1 (HI-01.2)'

Column Name: occurrence_code_2
Column Type: varchar
Max Length: 50
'Occurrence Code 2 (HI-02.2)'

Column Name: occurrence_code_3
Column Type: varchar
Max Length: 50
'Occurrence Code 3 (HI-03.2)'

Column Name: occurrence_code_4
Column Type: varchar
Max Length: 50
'Occurrence Code 4 (HI-04.2)'

Column Name: occurrence_code_5
Column Type: varchar
Max Length: 50
'Occurrence Code 5 (HI-05.2)'

Column Name: occurrence_code_6
Column Type: varchar
Max Length: 50
'Occurrence Code 6 (HI-06.2)'

Column Name: occurrence_code_7
Column Type: varchar
Max Length: 50
'Occurrence Code 7 (HI-07.2)'

Column Name: occurrence_code_8
Column Type: varchar
Max Length: 50
'Occurrence Code 8 (HI-08.2)'

Column Name: occurrence_date_1
Column Type: date
'Occurrence Date 1 (HI-01.4)'

Column Name: occurrence_date_2
Column Type: date
'Occurrence Date 2 (HI-02.4)'

Column Name: occurrence_date_3
Column Type: date
'Occurrence Date 3 (HI-03.4)'

Column Name: occurrence_date_4
Column Type: date
'Occurrence Date 4 (HI-04.4)'

Column Name: occurrence_date_5
Column Type: date
'Occurrence Date 5 (HI-05.4)'

Column Name: occurrence_date_6
Column Type: date
'Occurrence Date 6 (HI-06.4)'

Column Name: occurrence_date_7
Column Type: date
'Occurrence Date 7 (HI-07.4)'

Column Name: occurrence_date_8
Column Type: date
'Occurrence Date 8 (HI-08.4)'

Column Name: occur_span_code_1
Column Type: varchar
Max Length: 50
'Occurrence Span Code 1 (HI-01.2)'

Column Name: occur_span_code_2
Column Type: varchar
Max Length: 50
'Occurrence Span Code 2 (HI-02.2)'

Column Name: ocr_spn_frm_thru_date_1
Column Type: varchar

Max Length: 50
'Occurrence Span From-Through Date 1 (HI-01.4)'

Column Name: ocr_spn_frm_thru_date_2
Column Type: varchar
Max Length: 50
'Occurrence Span From-Through Date 2 (HI-02.4)'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: oth_phy_lst_or_org_name
Column Type: varchar
Max Length: 60
'Other (Operating) Physician Last or Organization Name (NM1-03)'

Column Name: oth_phys_first_name
Column Type: varchar
Max Length: 50
'Other (Operating) Physician First Name (NM1-04)'

Column Name: oth_phys_id_code_qualif
Column Type: varchar
Max Length: 50
'Identification Code Qualifier (NM1-08)'

Column Name: oth_phys_identif
Column Type: varchar
Max Length: 50
'Other (Operating) Physician Identifier (NM1-09)'

Column Name: oth_phys_middle_name
Column Type: varchar
Max Length: 50
'Other (Operating) Physician Middle Name (NM1-05)'

Column Name: oth_phys_name_suffix
Column Type: varchar
Max Length: 50
'Other (Operating) Physician Name Suffix (NM1-07)'

Column Name: othr_procedure_code_1
Column Type: varchar

Max Length: 50
'Other Procedure Code 1 (HI-01.2)'

Column Name: othr_procedure_code_2
Column Type: varchar
Max Length: 50
'Other Procedure Code 2 (HI-02.2)'

Column Name: othr_procedure_code_3
Column Type: varchar
Max Length: 50
'Other Procedure Code 3 (HI-03.2)'

Column Name: othr_procedure_code_4
Column Type: varchar
Max Length: 50
'Other Procedure Code 4 (HI-04.2)'

Column Name: othr_procedure_code_5
Column Type: varchar
Max Length: 50
'Other Procedure Code 5 (HI-05.2)'

Column Name: othr_procedure_date_1
Column Type: date
'Other Procedure Date 1 (HI-01.4)'

Column Name: othr_procedure_date_2
Column Type: date
'Other Procedure Date 2 (HI-02.4)'

Column Name: othr_procedure_date_3
Column Type: date
'Other Procedure Date 3 (HI-03.4)'

Column Name: othr_procedure_date_4
Column Type: date
'Other Procedure Date 4 (HI-04.4)'

Column Name: othr_procedure_date_5
Column Type: date
'Other Procedure Date 5 (HI-05.4)'

Column Name: patient_amount_paid
Column Type: varchar
Max Length: 50
'Patient Amount Paid (AMT(F5)-02)'

Column Name: patient_response_amount
Column Type: varchar

Max Length: 50
'Patient Responsibility Amount (AMT(F3)-02)'

Column Name: peer_rev_authoriz_code
Column Type: varchar
Max Length: 50
'Peer Review Authorization Code (REF(G4)-02)'

Column Name: princip_proc_code
Column Type: varchar
Max Length: 50
'Principal Procedure Code (HI-01.2)'

Column Name: princip_proc_date
Column Type: date
'Principal Procedure Date (HI-01.4)'

Column Name: prin_proc_code_list_qualif_code
Column Type: varchar
Max Length: 50
'Principal Procedure - Code List Qualifier Code (HI-01)'

Column Name: prior_authoriz_number
Column Type: varchar
Max Length: 50
'Prior Authorization Number (REF(G1)-02)'

Column Name: prov_ref_identif_qualifier
Column Type: varchar
Max Length: 50
'Reference Identification Qualifier (REF-01)'

Column Name: reference_identif
Column Type: varchar
Max Length: 50
'Reference Identification (PRV-03)'

Column Name: reference_identif_qual
Column Type: varchar
Max Length: 50
'Reference Identification Qualifier (REF-01)'

Column Name: refer_pro_sec_ident
Column Type: varchar
Max Length: 50
'Referring Provider Secondary Identifier (REF-02)'

Column Name: refer_prov_code_qualif
Column Type: varchar
Max Length: 50

'Identification Code Qualifier (NM1-08)'

Column Name: refer_prov_first_name

Column Type: varchar

Max Length: 50

'Referring Provider First Name (NM1-04)'

Column Name: refer_prov_identifier

Column Type: varchar

Max Length: 50

'Referring Provider Identifier (NM1-09)'

Column Name: refer_prov_last_name

Column Type: varchar

Max Length: 50

'Referring Provider Last Name (NM1-03)'

Column Name: refer_prov_mid_name

Column Type: varchar

Max Length: 50

'Referring Provider Middle Name (NM1-05)'

Column Name: refer_prov_name_suffix

Column Type: varchar

Max Length: 50

'Referring Provider Name Suffix (NM1-07)'

Column Name: ref_prov_taxonomy_code

Column Type: varchar

Max Length: 50

'Provider Taxonomy Code (PRV-03)'

Column Name: release_of_info_code

Column Type: varchar

Max Length: 50

'Release Of Information Code (CLM-09)'

Column Name: serv_authoriz_excpt_code

Column Type: varchar

Max Length: 50

'Service Authorization Exception Code (REF(4N)-02)'

Column Name: value_amount_1

Column Type: varchar

Max Length: 50

'Value Amount 1 (HI-01.3)'

Column Name: value_amount_10

Column Type: varchar

Max Length: 50

'Value Amount 10 (HI-10.3)'

Column Name: value_amount_11

Column Type: varchar

Max Length: 50

'Value Amount 11 (HI-11.3)'

Column Name: value_amount_12

Column Type: varchar

Max Length: 50

'Value Amount 12 (HI-12.3)'

Column Name: value_amount_2

Column Type: varchar

Max Length: 50

'Value Amount 2 (HI-02.3)'

Column Name: value_amount_3

Column Type: varchar

Max Length: 50

'Value Amount 3 (HI-03.3)'

Column Name: value_amount_4

Column Type: varchar

Max Length: 50

'Value Amount 4 (HI-04.3)'

Column Name: value_amount_5

Column Type: varchar

Max Length: 50

'Value Amount 5 (HI-05.3)'

Column Name: value_amount_6

Column Type: varchar

Max Length: 50

'Value Amount 6 (HI-06.3)'

Column Name: value_amount_7

Column Type: varchar

Max Length: 50

'Value Amount 7 (HI-07.3)'

Column Name: value_amount_8

Column Type: varchar

Max Length: 50

'Value Amount 8 (HI-08.3)'

Column Name: value_amount_9

Column Type: varchar

Max Length: 50

'Value Amount 9 (HI-09.3)'

Column Name: value_code_1

Column Type: varchar

Max Length: 50

'Value Code 1 (HI-01.2)'

Column Name: value_code_10

Column Type: varchar

Max Length: 50

'Value Code 10 (HI-10.2)'

Column Name: value_code_11

Column Type: varchar

Max Length: 50

'Value Code 11 (HI-11.2)'

Column Name: value_code_12

Column Type: varchar

Max Length: 50

'Value Code 12 (HI-12.2)'

Column Name: value_code_2

Column Type: varchar

Max Length: 50

'Value Code 2 (HI-02.2)'

Column Name: value_code_3

Column Type: varchar

Max Length: 50

'Value Code 3 (HI-03.2)'

Column Name: value_code_4

Column Type: varchar

Max Length: 50

'Value Code 4 (HI-04.2)'

Column Name: value_code_5

Column Type: varchar

Max Length: 50

'Value Code 5 (HI-05.2)'

Column Name: value_code_6

Column Type: varchar

Max Length: 50

'Value Code 6 (HI-06.2)'

Column Name: value_code_7

Column Type: varchar

Max Length: 50

'Value Code 7 (HI-07.2)'

Column Name: value_code_8

Column Type: varchar

Max Length: 50

'Value Code 8 (HI-08.2)'

Column Name: value_code_9

Column Type: varchar

Max Length: 50

'Value Code 9 (HI-09.2)'

Documentation for form: 837_Professional_Defaults

Table Name: SYSTEM.billing_837p_claim_data

Table Description: This table returns the information stored in the '837 Professional Defaults' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: BATCHCODE

Column Type: varchar

Max Length: 50

'Batch Number'

Column Name: CMP_uniqueid

Column Type: varchar

Max Length: 50

The unique ID associated with a row of data.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_TO_837P_SBP_Uniqueid

Column Type: varchar

Max Length: 50

'837P Claim Data To Subscriber Data Link (Internal)'

Column Name: JOIN_TO_HCF_Uniqueid

Column Type: varchar

Max Length: 50

'Claim'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: accident_date
Column Type: date
'Accident Date (DTP(439)-03)'

Column Name: attach_control_number
Column Type: varchar
Max Length: 50
'Attachment Control Number (PWK-06)'

Column Name: attach_report_type_code
Column Type: varchar
Max Length: 50
'Attachment Report Type Code (PWK-01)'

Column Name: attach_transmiss_code
Column Type: varchar
Max Length: 50
'Attachment Transmission Code (PWK-02)'

Column Name: att_identif_code_qualif
Column Type: varchar
Max Length: 50
'Identification Code Qualifier (PWK-05)'

Column Name: auto_acc_state_or_prov
Column Type: varchar
Max Length: 50
'Auto Accident State or Province Code'

Column Name: claim_frequency_code
Column Type: varchar
Max Length: 50
'Claim Frequency Code (CLM-05.3)'

Column Name: claim_orig_reference_num
Column Type: varchar
Max Length: 50
'Claim Original Reference Number (REF(F8)-02)'

Column Name: country_code
Column Type: varchar
Max Length: 50
'Country Code (CLM-11.5)'

Column Name: data_entry_by

Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: delay_reason_code
Column Type: varchar
Max Length: 50
'Delay Reason Code (CLM-20)'

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description associated with delay_reason_code. See delay_reason_code for more information.

Column Name: entity_type_qualif
Column Type: varchar
Max Length: 50
'Entity Type Qualifier (NM1-02)'

Column Name: facility_type_code
Column Type: varchar
Max Length: 50
'Facility Type Code (CLM-05.1)'

Column Name: lab_identif_code_qualif
Column Type: varchar
Max Length: 50
'Identification Code Qualifier (NM1-08)'

Column Name: lab_or_fac_add_line_1
Column Type: varchar
Max Length: 50
'Laboratory or Facility Address Line 1 (N3-01)'

Column Name: lab_or_fac_add_line_2
Column Type: varchar
Max Length: 50
'Laboratory or Facility Address Line 2 (N3-02)'

Column Name: lab_or_fac_city_name
Column Type: varchar
Max Length: 60
'Laboratory or Facility City Name (N4-01)'

Column Name: lab_or_fac_cntry_code
Column Type: varchar
Max Length: 50
'Country Code (N4-04)'

Column Name: lab_or_facility_name
Column Type: varchar
Max Length: 50
'Laboratory or Facility Name (NM1-03)'

Column Name: lab_or_fac_post_zone_zip
Column Type: varchar
Max Length: 10
'Laboratory or Facility Postal Zone or Zip (N4-03)'

Column Name: labor_fac_prim_identif
Column Type: varchar
Max Length: 50
'Laboratory or Facility Primary Identifier (NM1-09)'

Column Name: lab_or_fac_ref_qualif
Column Type: varchar
Max Length: 50
'Reference Identification Qualifier (REF-01)'

Column Name: lab_or_fac_sec_identif
Column Type: varchar
Max Length: 50
'Laboratory or Facility Secondary Identifier (REF-02)'

Column Name: lab_or_fac_state_or_prov
Column Type: varchar
Max Length: 50
'Laboratory or Facility State or Province (N4-02)'

Column Name: last_seen_date
Column Type: date
'Last Seen Date (DTP(304)-03)'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: patient_amount_paid
Column Type: varchar
Max Length: 50
'Patient Amount Paid (AMT(F5)-02)'

Column Name: prior_authoriz_number
Column Type: varchar
Max Length: 50
'Prior Authorization Number (REF(G1)-02)'

Column Name: provider_tax_code

Column Type: varchar
Max Length: 50
'Provider Taxonomy Code (PRV-03)'

Column Name: reference_identif_qual
Column Type: varchar
Max Length: 50
'Reference Identification Qualifier (REF-01)'

Column Name: refer_pro_sec_ident
Column Type: varchar
Max Length: 50
'Referring Provider Secondary Identifier (REF-02)'

Column Name: refer_prov_code_qualif
Column Type: varchar
Max Length: 50
'Identification Code Qualifier (NM1-08)'

Column Name: refer_prov_first_name
Column Type: varchar
Max Length: 50
'Referring Provider First Name (NM1-04)'

Column Name: refer_prov_identifier
Column Type: varchar
Max Length: 50
'Referring Provider Identifier (NM1-09)'

Column Name: refer_prov_last_name
Column Type: varchar
Max Length: 50
'Referring Provider Last Name (NM1-03)'

Column Name: refer_prov_mid_name
Column Type: varchar
Max Length: 50
'Referring Provider Middle Name (NM1-05)'

Column Name: refer_prov_name_suffix
Column Type: varchar
Max Length: 50
'Referring Provider Name Suffix (NM1-07)'

Column Name: related_causes_code_1
Column Type: varchar
Max Length: 50
'Related Causes Code 1'

Column Name: related_causes_code_2

Column Type: varchar
Max Length: 50
'Related Causes Code 2'

Column Name: related_causes_code_3
Column Type: varchar
Max Length: 50
'Related Causes Code 3'

Column Name: release_of_info_code
Column Type: varchar
Max Length: 50
'Release Of Information Code (CLM-09)'

Column Name: render_prov_identif
Column Type: varchar
Max Length: 50
'Rendering Provider Identifier (NM1-09)'

Column Name: rend_prov_first_name
Column Type: varchar
Max Length: 50
'Rendering Provider First Name (NM1-04)'

Column Name: rend_prov_id_code_qualif
Column Type: varchar
Max Length: 50
'Identification Code Qualifier (NM1-08)'

Column Name: rend_prov_mid_name
Column Type: varchar
Max Length: 50
'Rendering Provider Middle Name (NM1-05)'

Column Name: rend_prov_ref_id_qual
Column Type: varchar
Max Length: 50
'Reference Identification Qualifier (REF-01)'

Column Name: rend_prov_sec_ident
Column Type: varchar
Max Length: 50
'Rendering Provider Secondary Identifier (REF-02)'

Column Name: rend_prov_tax_code
Column Type: varchar
Max Length: 50
'Provider Taxonomy Code (PRV-03)'

Column Name: rnd_prv_lst_or_org_nme

Column Type: varchar
Max Length: 60
'Rendering Provider Last or Organization Name (NM1-03)'

Column Name: total_amount_of_claim
Column Type: varchar
Max Length: 50
'Total Amount Of Claim (CLM-02)'

Documentation for form: 837_Professional_Defaults

Table Name: SYSTEM.billing_837p_other_sub

Table Description: This table returns the information stored in the '837 Professional Defaults' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: JOIN_TO_837P_CMP_Uniqueid
Column Type: varchar
Max Length: 50
'837P Other Payer To Claim Data Link (Internal)'

Column Name: OSPuniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with a row of data.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: ben_assign_cert_indic
Column Type: varchar
Max Length: 50
'Benefits Assignment Certification Indicator (OI-03)'

Column Name: claim_filing_indic_code
Column Type: varchar
Max Length: 50

'Claim Filing Indicator Code (SBR-09)'

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

The time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

The short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp
The UTC date and time the data was saved.

Column Name: indiv_relationship_code
Column Type: varchar
Max Length: 50
'Individual Relationship Code (SBR-02)'

Column Name: ins_group_or_pol_num
Column Type: varchar
Max Length: 50
'Insured Group Or Policy Number (SBR-03)'

Column Name: insurance_type_code
Column Type: varchar
Max Length: 50
'Insurance Type Code (SBR-05)'

Column Name: insured_group_name
Column Type: varchar
Max Length: 50
'Other Insured Group Name (SBR-04)'

Column Name: o_p_rend_pro_code_qual
Column Type: varchar
Max Length: 50
'Identification Code Qualifier (NM1-08)'

Column Name: o_p_ren_pro_sec_ident
Column Type: varchar
Max Length: 50
'Other Payer Rendering Provider Secondary Identifier (REF-02)'

Column Name: o_p_rn_prv_ref_id_qual
Column Type: varchar
Max Length: 50
'Reference Identification Qualifier (REF-01)'

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: other_ins_zip_code
Column Type: varchar

Max Length: 10
'Other Insured Zip Code (N4-03)'

Column Name: oth_ins_addr_line_1
Column Type: varchar
Max Length: 50
'Other Insured Address Line 1 (N3-01)'

Column Name: oth_ins_addr_line_2
Column Type: varchar
Max Length: 50
'Other Insured Address Line 2 (N3-02)'

Column Name: oth_ins_birth_date
Column Type: date
'Other Insured Birth Date (DMG-02)'

Column Name: oth_ins_city_name
Column Type: varchar
Max Length: 50
'Other Insured City Name (N4-01)'

Column Name: oth_ins_first_name
Column Type: varchar
Max Length: 50
'Other Insured First Name (NM1-04)'

Column Name: oth_ins_gender_code
Column Type: varchar
Max Length: 50
'Other Insured Gender Code (DMG-03)'

Column Name: oth_ins_middle_name
Column Type: varchar
Max Length: 50
'Other Insured Middle Name (NM1-05)'

Column Name: oth_insur_identif
Column Type: varchar
Max Length: 50
'Other Insured Identifier (NM1-09)'

Column Name: oth_insur_last_name
Column Type: varchar
Max Length: 60
'Other Insured Last Name (NM1-03)'

Column Name: oth_insur_state_code
Column Type: varchar
Max Length: 50

'Other Insured State Code (N4-02)'

Column Name: oth_pay_id_code_qualif

Column Type: varchar

Max Length: 50

'Identification Code Qualifier (NM1-08)'

Column Name: oth_pay_last_or_org_nme

Column Type: varchar

Max Length: 60

'Other Payer Last or Organization Name (NM1-03)'

Column Name: oth_payr_pat_paid_amt

Column Type: varchar

Max Length: 50

'Other Payer Patient Paid Amount (AMT-02)'

Column Name: oth_payr_pat_prim_id

Column Type: varchar

Max Length: 50

'Other Payer Patient Primary Identifier (NM1-09)'

Column Name: oth_payr_prim_identif

Column Type: varchar

Max Length: 50

'Other Payer Primary Identifier (NM1-09)'

Column Name: patient_first_name

Column Type: varchar

Max Length: 50

'Patient First Name (NM1-04)'

Column Name: patient_last_name

Column Type: varchar

Max Length: 50

'Patient Last Name (NM1-03)'

Column Name: patient_middle_name

Column Type: varchar

Max Length: 50

'Patient Middle Name (NM1-05)'

Column Name: patient_name_suffix

Column Type: varchar

Max Length: 50

'Patient Name Suffix (NM1-07)'

Column Name: pat_sign_source_code

Column Type: varchar

Max Length: 50

'Patient Signature Source Code (OI-04)'

Column Name: pay_resp_seq_num_code

Column Type: varchar

Max Length: 50

'Payer Responsibility Sequence Number Code (SBR-01)'

Column Name: release_of_info_code

Column Type: varchar

Max Length: 50

'Release Of Information Code (OI-06)'

Column Name: rendering_prov_identif

Column Type: varchar

Max Length: 50

'Rendering Provider Identifier (NM1-09)'

Documentation for form: 837_Professional_Defaults

Table Name: SYSTEM.billing_837p_service_data

Table Description: This table returns the information stored in the '837 Professional Defaults' form.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: BATCHID

Column Type: varchar

Max Length: 50

The batch ID associated with the data.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_TO_837P_CMP_Uniqueid

Column Type: varchar

Max Length: 50

'837P Service Data To Claim Data Link (Internal)'

Column Name: JOINTOSVCUniqueid

Column Type: varchar

Max Length: 50

'Service'

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: SVPuniqueid
Column Type: varchar
Max Length: 50
The unique ID associated with a row of data.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

The UTC date and time the data was saved.

Column Name: lab_or_fac_add_line

Column Type: varchar

Max Length: 50

'Laboratory or Facility Address Line (N3-01)'

Column Name: lab_or_fac_city_name

Column Type: varchar

Max Length: 50

'Laboratory or Facility City Name (N4-01)'

Column Name: lab_or_fac_id_code_qual

Column Type: varchar

Max Length: 50

'Identification Code Qualifier (NM1-08)'

Column Name: lab_or_fac_name

Column Type: varchar

Max Length: 60

'Laboratory or Facility Name (NM1-03)'

Column Name: lab_or_fac_post_or_zip

Column Type: varchar

Max Length: 50

'Laboratory or Facility Postal Zone or ZIP (N4-03)'

Column Name: lab_or_fac_prim_identif

Column Type: varchar

Max Length: 50

'Laboratory or Facility Primary Identifier (NM1-09)'

Column Name: lab_or_fac_ste_prv_cde

Column Type: varchar

Max Length: 50

'Laboratory or Facility State or Province Code (N4-02)'

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: prior_auth_or_ref_num
Column Type: varchar
Max Length: 50
'Prior Authorization or Referral Number (REF-02)'

Column Name: proced_modifier_1
Column Type: varchar
Max Length: 50
'Procedure Modifier 1 (SV1-01.4)'

Column Name: proced_modifier_2
Column Type: varchar
Max Length: 50
'Procedure Modifier 2 (SV1-01.5)'

Column Name: proced_modifier_3
Column Type: varchar
Max Length: 50
'Procedure Modifier 3 (SV1-01.6)'

Column Name: prod_or_serv_id_qualif
Column Type: varchar
Max Length: 50
'Product or Service ID Qualifier (SV1-01.3)'

Column Name: refer_ident_qualif
Column Type: varchar
Max Length: 50
'Reference Identification Qualifier (REF-01)'

Column Name: rend_prov_first_name
Column Type: varchar
Max Length: 50
'Rendering Provider First Name (NM1-04)'

Column Name: rend_prov_id_code_qual
Column Type: varchar
Max Length: 50
'Identification Code Qualifier (NM1-08)'

Column Name: rend_prov_identifier
Column Type: varchar
Max Length: 50
'Rendering Provider Identifier (NM1-09)'

Column Name: rend_provider_tax_code

Column Type: varchar

Max Length: 50

'Provider Taxonomy Code (PRV-03)'

Column Name: rend_prov_middle_name

Column Type: varchar

Max Length: 50

'Rendering Provider Middle Name (NM1-05)'

Column Name: rend_prov_sec_ident

Column Type: varchar

Max Length: 50

'Rendering Provider Secondary Identifier (REF-02)'

Column Name: rnd_prv_lst_or_org_nme

Column Type: varchar

Max Length: 60

'Rendering Provider Last or Organization Name (NM1-03)'

Documentation for form: 837_Health_Care_Claim_Institutional

Table Name: SYSTEM.batch_clm_svc_void_replac

Table Description: This table stores connection between replacement services and original services.

Column Name: ID

Column Type: integer

Column Name: BATCHID

Column Type: varchar

Max Length: 50

The Replacement Batch ID

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: JOIN_TO_HCF_UBF_Type

Column Type: varchar

Max Length: 50

The Replacement Claim HCF or UBF Type

Column Name: JOIN_TO_HCFUniqueid

Column Type: varchar

Max Length: 50
The Replacement Claim HCF Unique ID

Column Name: JOIN_TO_UBFHCFUniqueid
Column Type: varchar
Max Length: 50
The Replacement Claim HCF or UBF Unique ID

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50
The Replacement Claim UBF Unique ID

Column Name: ORIG_BATCHID
Column Type: varchar
Max Length: 50
The Original Batch ID that has been replaced.

Column Name: ORIG_JOIN_TO_HCF_UBF_Type
Column Type: varchar
Max Length: 50
The Original Claim HCF or UBF type that has been replaced.

Column Name: ORIG_JOIN_TO_HCFUniqueid
Column Type: varchar
Max Length: 50
The Original Claim HCF Unique ID that has been replaced.

Column Name: ORIG_JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50
The Original Claim UBF Unique ID that has been replaced.

Column Name: ORIG_SVCUniqueid
Column Type: varchar
Max Length: 50
The Original SVC Unique ID that has been replaced.

Column Name: SVCUniqueid
Column Type: varchar
Max Length: 50
The Replacement SVC Unique ID.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 40
The unique ID of the form that last updated the row.

Documentation for form: 837_Health_Care_Claim_Institutional

Table Name: SYSTEM.batch_ub_claim_lvl_sup

Table Description: This table returns information related to claims that are part of an 837.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID of the batch.

Column Name: CLAIMID
Column Type: integer
'Claim ID'

Column Name: FACILITY
Column Type: integer
The system code the revenue code is defined in.

Column Name: PATID
Column Type: varchar
Max Length: 20
The Unique ID of the 'Client'.

Column Name: PROVID
Column Type: varchar
Max Length: 50
'Provider'

Column Name: UBFuniqueid
Column Type: varchar
Max Length: 50
Reference to UB92 claim processing.

Column Name: con_cod_code
Column Type: varchar
Max Length: 50
'Condition Code 1'

Column Name: con_cod_sh_value
Column Type: varchar
Max Length: 255
The value of con_cod_code. See con_cod_code for more information.

Column Name: con_cod_value
Column Type: varchar
Max Length: 4096
The value of con_cod_code. See con_cod_code for more information.

Column Name: dem_project_id
Column Type: varchar
Max Length: 50
The 'Demonstration Project Identifier (2300-REF-02)'.

Column Name: diag_proc_code_qual_code
Column Type: varchar
Max Length: 50
'Diagnosis/Procedure Code Qualifier'

Column Name: diag_proc_code_qual_value
Column Type: varchar
Max Length: 50
The value of diag_proc_code_qual_code. See diag_proc_code_qual_code for more information.

Column Name: drg_code

Column Type: varchar
Max Length: 50
'Diagnosis/Procedure Code Qualifier'

Column Name: drg_value
Column Type: varchar
Max Length: 50
The value of drg_code. See drg_code for more information.

Column Name: ext_cau_of_inj_10_code
Column Type: varchar
Max Length: 50
'External Cause of Injury 10 (2300-HI-10-2)'

Column Name: ext_cau_of_inj_10_value
Column Type: varchar
Max Length: 50
The value of ext_cau_of_inj_10_code. See ext_cau_of_inj_10_code for more information.

Column Name: ext_cau_of_inj_11_code
Column Type: varchar
Max Length: 50
'External Cause of Injury 11 (2300-HI-11-2)'

Column Name: ext_cau_of_inj_11_value
Column Type: varchar
Max Length: 50
The value of ext_cau_of_inj_11_code. See ext_cau_of_inj_11_code for more information.

Column Name: ext_cau_of_inj_12_code
Column Type: varchar
Max Length: 50
'External Cause of Injury 12 (2300-HI-12-2)'

Column Name: ext_cau_of_inj_12_value
Column Type: varchar
Max Length: 50
The value of ext_cau_of_inj_12_code. See ext_cau_of_inj_12_code for more information.

Column Name: ext_cau_of_inj_1_code
Column Type: varchar
Max Length: 50
'External Cause of Injury 1 (2300-HI-01-2)'

Column Name: ext_cau_of_inj_1_value
Column Type: varchar
Max Length: 50
The value of ext_cau_of_inj_1_code. See ext_cau_of_inj_1_code for more information.

Column Name: ext_cau_of_inj_2_code

Column Type: varchar
Max Length: 50
'External Cause of Injury 2 (2300-HI-02-2)'

Column Name: ext_cau_of_inj_2_value
Column Type: varchar
Max Length: 50
The value of ext_cau_of_inj_2_code. See ext_cau_of_inj_2_code for more information.

Column Name: ext_cau_of_inj_3_code
Column Type: varchar
Max Length: 50
'External Cause of Injury 3 (2300-HI-03-2)'

Column Name: ext_cau_of_inj_3_value
Column Type: varchar
Max Length: 50
The value of ext_cau_of_inj_3_code. See ext_cau_of_inj_3_code for more information.

Column Name: ext_cau_of_inj_4_code
Column Type: varchar
Max Length: 50
'External Cause of Injury 4 (2300-HI-04-2)'

Column Name: ext_cau_of_inj_4_value
Column Type: varchar
Max Length: 50
The value of ext_cau_of_inj_4_code. See ext_cau_of_inj_4_code for more information.

Column Name: ext_cau_of_inj_5_code
Column Type: varchar
Max Length: 50
'External Cause of Injury 5 (2300-HI-05-2)'

Column Name: ext_cau_of_inj_5_value
Column Type: varchar
Max Length: 50
The value of ext_cau_of_inj_5_code. See ext_cau_of_inj_5_code for more information.

Column Name: ext_cau_of_inj_6_code
Column Type: varchar
Max Length: 50
'External Cause of Injury 6 (2300-HI-06-2)'

Column Name: ext_cau_of_inj_6_value
Column Type: varchar
Max Length: 50
The value of ext_cau_of_inj_6_code. See ext_cau_of_inj_6_code for more information.

Column Name: ext_cau_of_inj_7_code

Column Type: varchar
Max Length: 50
'External Cause of Injury 7 (2300-HI-07-2)'

Column Name: ext_cau_of_inj_7_value
Column Type: varchar
Max Length: 50
The value of ext_cau_of_inj_7_code. See ext_cau_of_inj_7_code for more information.

Column Name: ext_cau_of_inj_8_code
Column Type: varchar
Max Length: 50
'External Cause of Injury 8 (2300-HI-08-2)'

Column Name: ext_cau_of_inj_8_value
Column Type: varchar
Max Length: 50
The value of ext_cau_of_inj_8_code. See ext_cau_of_inj_8_code for more information.

Column Name: ext_cau_of_inj_9_code
Column Type: varchar
Max Length: 50
'External Cause of Injury 9 (2300-HI-09-2)'

Column Name: ext_cau_of_inj_9_value
Column Type: varchar
Max Length: 50
The value of ext_cau_of_inj_9_code. See ext_cau_of_inj_9_code for more information.

Column Name: member_id
Column Type: numeric
The UniqueID of the 'Client'

Column Name: occ_cod_10_code
Column Type: varchar
Max Length: 50
'Occurrence Code 10 (2300-HI-10-2)'

Column Name: occ_cod_10_value
Column Type: varchar
Max Length: 50
The value of occ_cod_10_code. See occ_cod_10_code for more information.

Column Name: occ_cod_11_code
Column Type: varchar
Max Length: 50
'Occurrence Code 11 (2300-HI-11-2)'

Column Name: occ_cod_11_value
Column Type: varchar

Max Length: 50

The value of occ_cod_11_code. See occ_cod_11_code for more information.

Column Name: occ_cod_12_code

Column Type: varchar

Max Length: 50

'Occurrence Code 12 (2300-HI-01-2)'

Column Name: occ_cod_12_value

Column Type: varchar

Max Length: 50

The value of occ_cod_12_code. See occ_cod_12_code for more information.

Column Name: occ_cod_1_code

Column Type: varchar

Max Length: 50

'Occurrence Code 1 (2300-HI-01-2)'

Column Name: occ_cod_1_value

Column Type: varchar

Max Length: 50

The value of occ_cod_1_code. See occ_cod_1_code for more information.

Column Name: occ_cod_2_code

Column Type: varchar

Max Length: 50

'Occurrence Code 2 (2300-HI-02-2)'

Column Name: occ_cod_2_value

Column Type: varchar

Max Length: 50

The value of occ_cod_2_code. See occ_cod_2_code for more information.

Column Name: occ_cod_3_code

Column Type: varchar

Max Length: 50

'Occurrence Code 3 (2300-HI-03-2)'

Column Name: occ_cod_3_value

Column Type: varchar

Max Length: 50

The value of occ_cod_3_code. See occ_cod_3_code for more information.

Column Name: occ_cod_4_code

Column Type: varchar

Max Length: 50

'Occurrence Code 1 (2300-HI-04-2)'

Column Name: occ_cod_4_value

Column Type: varchar

Max Length: 50

The value of occ_cod_4_code. See occ_cod_4_code for more information.

Column Name: occ_cod_5_code

Column Type: varchar

Max Length: 50

'Occurrence Code 5 (2300-HI-05-2)'

Column Name: occ_cod_5_value

Column Type: varchar

Max Length: 50

The value of occ_cod_5_code. See occ_cod_5_code for more information.

Column Name: occ_cod_6_code

Column Type: varchar

Max Length: 50

'Occurrence Code 6 (2300-HI-06-2)'

Column Name: occ_cod_6_value

Column Type: varchar

Max Length: 50

The value of occ_cod_6_code. See occ_cod_6_code for more information.

Column Name: occ_cod_7_code

Column Type: varchar

Max Length: 50

'Occurrence Code 7 (2300-HI-07-2)'

Column Name: occ_cod_7_value

Column Type: varchar

Max Length: 50

The value of occ_cod_7_code. See occ_cod_7_code for more information.

Column Name: occ_cod_8_code

Column Type: varchar

Max Length: 50

'Occurrence Code 8 (2300-HI-08-2)'

Column Name: occ_cod_8_value

Column Type: varchar

Max Length: 50

The value of occ_cod_8_code. See occ_cod_8_code for more information.

Column Name: occ_cod_9_code

Column Type: varchar

Max Length: 50

'Occurrence Code 9 (2300-HI-09-2)'

Column Name: occ_cod_9_value

Column Type: varchar

Max Length: 50

The value of occ_cod_9_code. See occ_cod_9_code for more information.

Column Name: occ_dat_1

Column Type: date

'Occurrence Date 1 (2300-HI-01-4)'

Column Name: occ_dat_10

Column Type: date

'Occurrence Date 10 (2300-HI-10-4)'

Column Name: occ_dat_11

Column Type: date

'Occurrence Date 11 (2300-HI-11-4)'

Column Name: occ_dat_12

Column Type: date

'Occurrence Date 12 (2300-HI-12-4)'

Column Name: occ_dat_2

Column Type: date

'Occurrence Date 2 (2300-HI-02-4)'

Column Name: occ_dat_3

Column Type: date

'Occurrence Date 3 (2300-HI-03-4)'

Column Name: occ_dat_4

Column Type: date

'Occurrence Date 4 (2300-HI-04-4)'

Column Name: occ_dat_5

Column Type: date

'Occurrence Date 5 (2300-HI-05-4)'

Column Name: occ_dat_6

Column Type: date

'Occurrence Date 6 (2300-HI-06-4)'

Column Name: occ_dat_7

Column Type: date

'Occurrence Date 7 (2300-HI-07-4)'

Column Name: occ_dat_8

Column Type: date

'Occurrence Date 8 (2300-HI-08-4)'

Column Name: occ_dat_9

Column Type: date

'Occurrence Date 9 (2300-HI-09-4)'

Column Name: occ_spa_cod_10_code
Column Type: varchar
Max Length: 50
'Occurrence Span Code 10 (2300-HI-10-2)'

Column Name: occ_spa_cod_10_value
Column Type: varchar
Max Length: 50
The value of occ_spa_cod_10_code. See occ_spa_cod_10_code for more information.

Column Name: occ_spa_cod_11_code
Column Type: varchar
Max Length: 50
'Occurrence Span Code 11 (2300-HI-11-2)'

Column Name: occ_spa_cod_11_value
Column Type: varchar
Max Length: 50
The value of occ_spa_cod_11_code. See occ_spa_cod_11_code for more information.

Column Name: occ_spa_cod_12_code
Column Type: varchar
Max Length: 50
'Occurrence Span Code 12 (2300-HI-12-2)'

Column Name: occ_spa_cod_12_value
Column Type: varchar
Max Length: 50
The value of occ_spa_cod_12_code. See occ_spa_cod_12_code for more information.

Column Name: occ_spa_cod_1_code
Column Type: varchar
Max Length: 50
'Occurrence Span Code 1 (2300-HI-01-2)'

Column Name: occ_spa_cod_1_value
Column Type: varchar
Max Length: 50
The value of occ_spa_cod_1_code. See occ_spa_cod_1_code for more information.

Column Name: occ_spa_cod_2_code
Column Type: varchar
Max Length: 50
'Occurrence Span Code 2 (2300-HI-02-2)'

Column Name: occ_spa_cod_2_value
Column Type: varchar
Max Length: 50
The value of occ_spa_cod_2_code. See occ_spa_cod_2_code for more information.

Column Name: occ_spa_cod_3_code
Column Type: varchar
Max Length: 50
'Occurrence Span Code 3 (2300-HI-03-2)'

Column Name: occ_spa_cod_3_value
Column Type: varchar
Max Length: 50
The value of occ_spa_cod_3_code. See occ_spa_cod_3_code for more information.

Column Name: occ_spa_cod_4_code
Column Type: varchar
Max Length: 50
'Occurrence Span Code 4 (2300-HI-04-2)'

Column Name: occ_spa_cod_4_value
Column Type: varchar
Max Length: 50
The value of occ_spa_cod_4_code. See occ_spa_cod_4_code for more information.

Column Name: occ_spa_cod_5_code
Column Type: varchar
Max Length: 50
'Occurrence Span Code 5 (2300-HI-05-2)'

Column Name: occ_spa_cod_5_value
Column Type: varchar
Max Length: 50
The value of occ_spa_cod_5_code. See occ_spa_cod_10_code for more information.

Column Name: occ_spa_cod_6_code
Column Type: varchar
Max Length: 50
'Occurrence Span Code 6 (2300-HI-06-2)'

Column Name: occ_spa_cod_6_value
Column Type: varchar
Max Length: 50
The value of occ_spa_cod_6_code. See occ_spa_cod_6_code for more information.

Column Name: occ_spa_cod_7_code
Column Type: varchar
Max Length: 50
'Occurrence Span Code 7 (2300-HI-07-2)'

Column Name: occ_spa_cod_7_value
Column Type: varchar
Max Length: 50
The value of occ_spa_cod_7_code. See occ_spa_cod_7_code for more information.

Column Name: occ_spa_cod_8_code
Column Type: varchar
Max Length: 50
'Occurrence Span Code 8 (2300-HI-08-2)'

Column Name: occ_spa_cod_8_value
Column Type: varchar
Max Length: 50
The value of occ_spa_cod_8_code. See occ_spa_cod_8_code for more information.

Column Name: occ_spa_cod_9_code
Column Type: varchar
Max Length: 50
'Occurrence Span Code 9 (2300-HI-09-2)'

Column Name: occ_spa_cod_9_value
Column Type: varchar
Max Length: 50
The value of occ_spa_cod_9_code. See occ_spa_cod_9_code for more information.

Column Name: occ_spa_fro_dat_1
Column Type: date
'Occurrence Span From Date 1 (2300-HI-01-4)'

Column Name: occ_spa_fro_dat_10
Column Type: date
'Occurrence Span From Date 10 (2300-HI-10-4)'

Column Name: occ_spa_fro_dat_11
Column Type: date
'Occurrence Span From Date 11 (2300-HI-11-4)'

Column Name: occ_spa_fro_dat_12
Column Type: date
'Occurrence Span From Date 12 (2300-HI-12-4)'

Column Name: occ_spa_fro_dat_2
Column Type: date
'Occurrence Span From Date 2 (2300-HI-02-4)'

Column Name: occ_spa_fro_dat_3
Column Type: date
'Occurrence Span From Date 3 (2300-HI-03-4)'

Column Name: occ_spa_fro_dat_4
Column Type: date
'Occurrence Span From Date 4 (2300-HI-04-4)'

Column Name: occ_spa_fro_dat_5

Column Type: date
'Occurrence Span From Date 5 (2300-HI-05-4)'

Column Name: occ_spa_fro_dat_6
Column Type: date
'Occurrence Span From Date 6 (2300-HI-06-4)'

Column Name: occ_spa_fro_dat_7
Column Type: date
'Occurrence Span From Date 7 (2300-HI-07-4)'

Column Name: occ_spa_fro_dat_8
Column Type: date
'Occurrence Span From Date 8 (2300-HI-08-4)'

Column Name: occ_spa_fro_dat_9
Column Type: date
'Occurrence Span From Date 9 (2300-HI-09-4)'

Column Name: occ_spa_thr_dat_1
Column Type: date
'Occurrence Span Through Date 1 (2300-HI-01-4)'

Column Name: occ_spa_thr_dat_10
Column Type: date
'Occurrence Span Through Date 11 (2300-HI-11-4)'

Column Name: occ_spa_thr_dat_11
Column Type: date
'Occurrence Span Through Date 11 (2300-HI-11-4)'

Column Name: occ_spa_thr_dat_12
Column Type: date
'Occurrence Span Through Date 12 (2300-HI-12-4)'

Column Name: occ_spa_thr_dat_2
Column Type: date
'Occurrence Span Through Date 2 (2300-HI-02-4)'

Column Name: occ_spa_thr_dat_3
Column Type: date
'Occurrence Span Through Date 3 (2300-HI-03-4)'

Column Name: occ_spa_thr_dat_4
Column Type: date
'Occurrence Span Through Date 4 (2300-HI-04-4)'

Column Name: occ_spa_thr_dat_5
Column Type: date
'Occurrence Span Through Date 5 (2300-HI-05-4)'

Column Name: occ_spa_thr_dat_6
Column Type: date
'Occurrence Span Through Date 6 (2300-HI-06-4)'

Column Name: occ_spa_thr_dat_7
Column Type: date
'Occurrence Span Through Date 7 (2300-HI-07-4)'

Column Name: occ_spa_thr_dat_8
Column Type: date
'Occurrence Span Through Date 8 (2300-HI-08-4)'

Column Name: occ_spa_thr_dat_9
Column Type: date
'Occurrence Span Through Date 9 (2300-HI-09-4)'

Column Name: oth_pro_cod_10_code
Column Type: varchar
Max Length: 50
'Other Procedure Code 10 (2300-HI-10-2)'

Column Name: oth_pro_cod_10_value
Column Type: varchar
Max Length: 50
The value of oth_pro_cod_10_code. See oth_pro_cod_10_code for more information.

Column Name: oth_pro_cod_11_code
Column Type: varchar
Max Length: 50
'Other Procedure Code 11 (2300-HI-11-2)'

Column Name: oth_pro_cod_11_value
Column Type: varchar
Max Length: 50
The value of oth_pro_cod_11_code. See oth_pro_cod_11_code for more information.

Column Name: oth_pro_cod_12_code
Column Type: varchar
Max Length: 50
'Other Procedure Code 12 (2300-HI-12-2)'

Column Name: oth_pro_cod_12_value
Column Type: varchar
Max Length: 50
The value of oth_pro_cod_12_code. See oth_pro_cod_12_code for more information.

Column Name: oth_pro_cod_1_code
Column Type: varchar
Max Length: 50

'Other Procedure Code 1 (2300-HI-01-2)'

Column Name: oth_pro_cod_1_value

Column Type: varchar

Max Length: 50

The value of oth_pro_cod_1_code. See oth_pro_cod_1_code for more information.

Column Name: oth_pro_cod_2_code

Column Type: varchar

Max Length: 50

'Other Procedure Code 2 (2300-HI-02-2)'

Column Name: oth_pro_cod_2_value

Column Type: varchar

Max Length: 50

The value of oth_pro_cod_2_code. See oth_pro_cod_2_code for more information.

Column Name: oth_pro_cod_3_code

Column Type: varchar

Max Length: 50

'Other Procedure Code 3 (2300-HI-03-2)'

Column Name: oth_pro_cod_3_value

Column Type: varchar

Max Length: 50

The value of oth_pro_cod_3_code. See oth_pro_cod_3_code for more information.

Column Name: oth_pro_cod_4_code

Column Type: varchar

Max Length: 50

'Other Procedure Code 4 (2300-HI-04-2)'

Column Name: oth_pro_cod_4_value

Column Type: varchar

Max Length: 50

The value of oth_pro_cod_4_code. See oth_pro_cod_4_code for more information.

Column Name: oth_pro_cod_5_code

Column Type: varchar

Max Length: 50

'Other Procedure Code 5 (2300-HI-05-2)'

Column Name: oth_pro_cod_5_value

Column Type: varchar

Max Length: 50

The value of oth_pro_cod_5_code. See oth_pro_cod_5_code for more information.

Column Name: oth_pro_cod_6_code

Column Type: varchar

Max Length: 50

'Other Procedure Code 6 (2300-HI-06-2)'

Column Name: oth_pro_cod_6_value

Column Type: varchar

Max Length: 50

The value of oth_pro_cod_5_code. See oth_pro_cod_6_code for more information.

Column Name: oth_pro_cod_7_code

Column Type: varchar

Max Length: 50

'Other Procedure Code 7 (2300-HI-07-2)'

Column Name: oth_pro_cod_7_value

Column Type: varchar

Max Length: 50

The value of oth_pro_cod_7_code. See oth_pro_cod_7_code for more information.

Column Name: oth_pro_cod_8_code

Column Type: varchar

Max Length: 50

'Other Procedure Code 8 (2300-HI-08-2)'

Column Name: oth_pro_cod_8_value

Column Type: varchar

Max Length: 50

The value of oth_pro_cod_8_code. See oth_pro_cod_8_code for more information.

Column Name: oth_pro_cod_9_code

Column Type: varchar

Max Length: 50

'Other Procedure Code 9 (2300-HI-09-2)'

Column Name: oth_pro_cod_9_value

Column Type: varchar

Max Length: 50

The value of oth_pro_cod_9_code. See oth_pro_cod_9_code for more information.

Column Name: oth_pro_dat_1

Column Type: date

'Other Procedure Date 1 (2300-HI-01-4))'

Column Name: oth_pro_dat_10

Column Type: date

'Other Procedure Date 10 (2300-HI-10-4))'

Column Name: oth_pro_dat_11

Column Type: date

'Other Procedure Date 11 (2300-HI-11-4))'

Column Name: oth_pro_dat_12

Column Type: date
'Other Procedure Date 12 (2300-HI-12-4))'

Column Name: oth_pro_dat_2
Column Type: date
'Other Procedure Date 2 (2300-HI-02-4))'

Column Name: oth_pro_dat_3
Column Type: date
'Other Procedure Date 3 (2300-HI-03-4))'

Column Name: oth_pro_dat_4
Column Type: date
'Other Procedure Date 4 (2300-HI-04-4))'

Column Name: oth_pro_dat_5
Column Type: date
'Other Procedure Date 5 (2300-HI-05-4))'

Column Name: oth_pro_dat_6
Column Type: date
'Other Procedure Date 6 (2300-HI-06-4))'

Column Name: oth_pro_dat_7
Column Type: date
'Other Procedure Date 7 (2300-HI-07-4))'

Column Name: oth_pro_dat_8
Column Type: date
'Other Procedure Date 8 (2300-HI-08-4))'

Column Name: oth_pro_dat_9
Column Type: date
'Other Procedure Date 9 (2300-HI-09-4))'

Column Name: pre_on_adm_ind_10_code
Column Type: varchar
Max Length: 50
'Present On Admission Indicator 10 (2300-HI-10-9)'

Column Name: pre_on_adm_ind_10_value
Column Type: varchar
Max Length: 50
The value of pre_on_adm_ind_10_code. See pre_on_adm_ind_10_code for more information.

Column Name: pre_on_adm_ind_11_code
Column Type: varchar
Max Length: 50
'Present On Admission Indicator 11 (2300-HI-11-9)'

Column Name: pre_on_adm_ind_11_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_ind_11_code. See pre_on_adm_ind_11_code for more information.

Column Name: pre_on_adm_ind_12_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator 12 (2300-HI-12-9)'

Column Name: pre_on_adm_ind_12_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_ind_12_code. See pre_on_adm_ind_12_code for more information.

Column Name: pre_on_adm_ind_1_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator 1 (2300-HI-01-9)'

Column Name: pre_on_adm_ind_1_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_ind_1_code. See pre_on_adm_ind_1_code for more information.

Column Name: pre_on_adm_ind_2_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator 2 (2300-HI-02-9)'

Column Name: pre_on_adm_ind_2_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_ind_2_code. See pre_on_adm_ind_2_code for more information.

Column Name: pre_on_adm_ind_3_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator 3 (2300-HI-03-9)'

Column Name: pre_on_adm_ind_3_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_ind_3_code. See pre_on_adm_ind_3_code for more information.

Column Name: pre_on_adm_ind_4_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator 4 (2300-HI-04-9)'

Column Name: pre_on_adm_ind_4_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_ind_4_code. See pre_on_adm_ind_4_code for more information.

Column Name: pre_on_adm_ind_5_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator 5 (2300-HI-05-9)'

Column Name: pre_on_adm_ind_5_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_ind_5_code. See pre_on_adm_ind_5_code for more information.

Column Name: pre_on_adm_ind_6_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator 6 (2300-HI-06-9)'

Column Name: pre_on_adm_ind_6_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_ind_6_code. See pre_on_adm_ind_6_code for more information.

Column Name: pre_on_adm_ind_7_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator 7 (2300-HI-07-9)'

Column Name: pre_on_adm_ind_7_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_ind_7_code. See pre_on_adm_ind_7_code for more information.

Column Name: pre_on_adm_ind_8_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator 8 (2300-HI-08-9)'

Column Name: pre_on_adm_ind_8_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_ind_8_code. See pre_on_adm_ind_8_code for more information.

Column Name: pre_on_adm_ind_9_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator 9 (2300-HI-09-9)'

Column Name: pre_on_adm_ind_9_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_ind_9_code. See pre_on_adm_ind_9_code for more information.

Column Name: pro_cod_pri_code

Column Type: varchar

Max Length: 50

'Procedure Code Principal (2300-HI-01-2)'

Column Name: pro_cod_pri_icd10

Column Type: varchar

Max Length: 50

The ICD 10 Code for Procedure Code Principal (2300-HI-01-2)

Column Name: pro_cod_pri_icd10_value

Column Type: varchar

Max Length: 200

The value of pro_cod_pri_icd10. See pro_cod_pri_icd10 for more information.

Column Name: pro_cod_pri_icd9

Column Type: varchar

Max Length: 50

The ICD 9 Code for Procedure Code Principal (2300-HI-01-2)

Column Name: pro_cod_pri_icd9_value

Column Type: varchar

Max Length: 200

The value of pro_cod_pri_icd9. See pro_cod_pri_icd9 for more information.

Column Name: pro_cod_pri_value

Column Type: varchar

Max Length: 50

The value of pro_cod_pri_code. See pro_cod_pri_code for more information.

Column Name: pro_dat_pri

Column Type: date

'Procedure Date Principal (2300-HI-01-4)'

Column Name: rea_for_vis_1_code

Column Type: varchar

Max Length: 50

'Reason For Visit 1 (2300-HI-01-2)'

Column Name: rea_for_vis_1_value

Column Type: varchar

Max Length: 50

The value of rea_for_vis_1_code. See rea_for_vis_1_code for more information.

Column Name: rea_for_vis_2_code

Column Type: varchar
Max Length: 50
'Reason For Visit 1 (2300-HI-02-2)'

Column Name: rea_for_vis_2_value
Column Type: varchar
Max Length: 50
The value of rea_for_vis_2_code. See rea_for_vis_2_code for more information.

Column Name: rea_for_vis_3_code
Column Type: varchar
Max Length: 50
'Reason For Visit 1 (2300-HI-03-2)'

Column Name: rea_for_vis_3_value
Column Type: varchar
Max Length: 50
The value of rea_for_vis_3_code. See rea_for_vis_3_code for more information.

Column Name: unique_row_id
Column Type: varchar
Max Length: 50
'Unique Row ID of the claim'

Column Name: val_amo_1
Column Type: varchar
Max Length: 50
'Value Amount 1 (2300-HI-01-5)'

Column Name: val_amo_10
Column Type: varchar
Max Length: 50
'Value Amount 10 (2300-HI-10-5)'

Column Name: val_amo_11
Column Type: varchar
Max Length: 50
'Value Amount 11 (2300-HI-11-5)'

Column Name: val_amo_12
Column Type: varchar
Max Length: 50
'Value Amount 12 (2300-HI-12-5)'

Column Name: val_amo_2
Column Type: varchar
Max Length: 50
'Value Amount 2 (2300-HI-02-5)'

Column Name: val_amo_3

Column Type: varchar
Max Length: 50
'Value Amount 3 (2300-HI-03-5)'

Column Name: val_amo_4
Column Type: varchar
Max Length: 50
'Value Amount 4 (2300-HI-04-5)'

Column Name: val_amo_5
Column Type: varchar
Max Length: 50
'Value Amount 5 (2300-HI-05-5)'

Column Name: val_amo_6
Column Type: varchar
Max Length: 50
'Value Amount 6 (2300-HI-06-5)'

Column Name: val_amo_7
Column Type: varchar
Max Length: 50
'Value Amount 7 (2300-HI-07-5)'

Column Name: val_amo_8
Column Type: varchar
Max Length: 50
'Value Amount 8 (2300-HI-08-5)'

Column Name: val_amo_9
Column Type: varchar
Max Length: 50
'Value Amount 9 (2300-HI-09-5)'

Column Name: val_cod_10_code
Column Type: varchar
Max Length: 50
'Value Code 10 (2300-HI-10-2)'

Column Name: val_cod_10_value
Column Type: varchar
Max Length: 50
The value of val_cod_10_code. See val_cod_10_code for more information.

Column Name: val_cod_11_code
Column Type: varchar
Max Length: 50
'Value Code 11 (2300-HI-11-2)'

Column Name: val_cod_11_value

Column Type: varchar
Max Length: 50
The value of val_cod_11_code. See val_cod_11_code for more information.

Column Name: val_cod_12_code
Column Type: varchar
Max Length: 50
'Value Code 12 (2300-HI-12-2)'

Column Name: val_cod_12_value
Column Type: varchar
Max Length: 50
The value of val_cod_12_code. See val_cod_12_code for more information.

Column Name: val_cod_1_code
Column Type: varchar
Max Length: 50
'Value Code 1 (2300-HI-1-2)'

Column Name: val_cod_1_value
Column Type: varchar
Max Length: 50
The value of val_cod_1_code. See val_cod_1_code for more information.

Column Name: val_cod_2_code
Column Type: varchar
Max Length: 50
'Value Code 2 (2300-HI-02-2)'

Column Name: val_cod_2_value
Column Type: varchar
Max Length: 50
The value of val_cod_2_code. See val_cod_2_code for more information.

Column Name: val_cod_3_code
Column Type: varchar
Max Length: 50
'Value Code 3 (2300-HI-03-2)'

Column Name: val_cod_3_value
Column Type: varchar
Max Length: 50
The value of val_cod_3_code. See val_cod_3_code for more information.

Column Name: val_cod_4_code
Column Type: varchar
Max Length: 50
'Value Code 4 (2300-HI-04-2)'

Column Name: val_cod_4_value

Column Type: varchar
Max Length: 50
The value of val_cod_4_code. See val_cod_4_code for more information.

Column Name: val_cod_5_code
Column Type: varchar
Max Length: 50
'Value Code 5 (2300-HI-05-2)'

Column Name: val_cod_5_value
Column Type: varchar
Max Length: 50
The value of val_cod_5_code. See val_cod_5_code for more information.

Column Name: val_cod_6_code
Column Type: varchar
Max Length: 50
'Value Code 6 (2300-HI-06-2)'

Column Name: val_cod_6_value
Column Type: varchar
Max Length: 50
The value of val_cod_6_code. See val_cod_6_code for more information.

Column Name: val_cod_7_code
Column Type: varchar
Max Length: 50
'Value Code 7 (2300-HI-07-2)'

Column Name: val_cod_7_value
Column Type: varchar
Max Length: 50
The value of val_cod_7_code. See val_cod_7_code for more information.

Column Name: val_cod_8_code
Column Type: varchar
Max Length: 50
'Value Code 8 (2300-HI-08-2)'

Column Name: val_cod_8_value
Column Type: varchar
Max Length: 50
The value of val_cod_8_code. See val_cod_8_code for more information.

Column Name: val_cod_9_code
Column Type: varchar
Max Length: 50
'Value Code 9 (2300-HI-09-2)'

Column Name: val_cod_9_value

Column Type: varchar

Max Length: 50

The value of val_cod_9_code. See val_cod_9_code for more information.

Documentation for form: 837_Health_Care_Claim_Institutional

Table Name: SYSTEM.billing_837_clm

Table Description: This table returns error data from an 837 file.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code the data was generated for.

Column Name: address_info_1

Column Type: varchar

Max Length: 50

The address line 1.

Column Name: address_info_2

Column Type: varchar

Max Length: 50

The address line 2.

Column Name: amount_qual_code

Column Type: varchar

Max Length: 50

The amount qualifier code.

Column Name: city_name

Column Type: varchar

Max Length: 50

The city name.

Column Name: claim_file_ind_code

Column Type: varchar

Max Length: 50

The claim file index code.

Column Name: claim_status_code

Column Type: varchar

Max Length: 50

The claim status code.

Column Name: claim_submt_id

Column Type: varchar

Max Length: 50

The claim submit ID.

Column Name: claim_submt_reason_code

Column Type: varchar

Max Length: 50

The claim submit reason code.

Column Name: clm_index

Column Type: varchar

Max Length: 50

The claim index.

Column Name: country_code

Column Type: varchar

Max Length: 50

'Country'

Column Name: credit_debit_flag_code

Column Type: varchar

Max Length: 50

Details if credit or debit is chosen.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

The 'User ID' who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID' that last updated the row.

Column Name: date_time_format_qual
Column Type: varchar
Max Length: 50
The date time format.

Column Name: date_time_period
Column Type: varchar
Max Length: 50
The date/time period.

Column Name: date_time_qualifier
Column Type: varchar
Max Length: 50
The date/time.

Column Name: delay_reason_code
Column Type: varchar
Max Length: 50
'Daily Reason code'

Column Name: description
Column Type: varchar
Max Length: 50
'Description'

Column Name: entity_id_code
Column Type: varchar
Max Length: 50
The database being accessed.

Column Name: entity_relat_code
Column Type: varchar
Max Length: 50
The entity relation code.

Column Name: entity_type_qualifier
Column Type: varchar
Max Length: 50
The database type code.

Column Name: file_index
Column Type: varchar
Max Length: 50
The file index.

Column Name: file_info_str
Column Type: varchar
Max Length: 50
The file information string.

Column Name: file_name
Column Type: varchar
Max Length: 255
'File Name'

Column Name: file_status
Column Type: varchar
Max Length: 50
'File Status'

Column Name: head_index
Column Type: integer
The head index.

Column Name: health_care_code_info_1
Column Type: varchar
Max Length: 50
'Health Care Code Information 1'

Column Name: health_care_code_info_10
Column Type: varchar
Max Length: 50
'Health Care Code Information 10'

Column Name: health_care_code_info_11
Column Type: varchar
Max Length: 50
'Health Care Code Information 11'

Column Name: health_care_code_info_12
Column Type: varchar
Max Length: 50
'Health Care Code Information 12'

Column Name: health_care_code_info_2
Column Type: varchar
Max Length: 50
'Health Care Code Information 2'

Column Name: health_care_code_info_3
Column Type: varchar
Max Length: 50
'Health Care Code Information 3'

Column Name: health_care_code_info_4
Column Type: varchar
Max Length: 50
'Health Care Code Information 4'

Column Name: health_care_code_info_5
Column Type: varchar
Max Length: 50
'Health Care Code Information 5'

Column Name: health_care_code_info_6
Column Type: varchar
Max Length: 50
'Health Care Code Information 6'

Column Name: health_care_code_info_7
Column Type: varchar
Max Length: 50
'Health Care Code Information 7'

Column Name: health_care_code_info_8
Column Type: varchar
Max Length: 50
'Health Care Code Information 8'

Column Name: health_care_code_info_9
Column Type: varchar
Max Length: 50
'Health Care Code Information 9'

Column Name: health_care_serv_loc
Column Type: varchar
Max Length: 50
'Health Care Service Location'

Column Name: id_code
Column Type: varchar
Max Length: 50
The ID code.

Column Name: id_code_qualifier
Column Type: varchar
Max Length: 50
The ID code qualifier.

Column Name: level_of_service_code
Column Type: varchar
Max Length: 50
The level of service code.

Column Name: location_id
Column Type: varchar
Max Length: 50
The location ID.

Column Name: location_qualifier
Column Type: varchar
Max Length: 50
The location qualifier.

Column Name: monetary_amount
Column Type: varchar
Max Length: 50
'Monetary Amount'

Column Name: name_first
Column Type: varchar
Max Length: 50
'First Name'

Column Name: name_last_org_name
Column Type: varchar
Max Length: 50
'Original Last Name'

Column Name: name_middle
Column Type: varchar
Max Length: 50
'Middle Name'

Column Name: name_prefix
Column Type: varchar
Max Length: 50
'Prefix'

Column Name: name_suffix
Column Type: varchar
Max Length: 50
'Suffix'

Column Name: non_inst_claim_code
Column Type: varchar
Max Length: 50
'None Instant Claim Code'

Column Name: patient_sig_source_code
Column Type: varchar
Max Length: 50
The patient signature source code.

Column Name: postal_code
Column Type: varchar
Max Length: 50
'Postal Code'

Column Name: prov_accept_code
Column Type: varchar
Max Length: 50
'Provider Accept Code'

Column Name: provider_agree_code
Column Type: varchar
Max Length: 50
'Provider Agree Code'

Column Name: provider_code
Column Type: varchar
Max Length: 50
'Provider Code'

Column Name: provider_org_code
Column Type: varchar
Max Length: 50
'Provider Organization Code'

Column Name: provider_spec_inf
Column Type: varchar
Max Length: 50
'Provider Specific Information'

Column Name: ptp_index
Column Type: varchar
Max Length: 50
The PTP index.

Column Name: ref_id
Column Type: varchar
Max Length: 50
'Reference ID'

Column Name: ref_id_1
Column Type: varchar
Max Length: 50
'Reference ID 1'

Column Name: ref_id_2
Column Type: varchar
Max Length: 50
'Reference ID 2'

Column Name: ref_id_pat_id
Column Type: varchar
Max Length: 50
'Reference ID/Client ID'

Column Name: ref_id_qual
Column Type: varchar
Max Length: 50
'Reference ID qualifier'

Column Name: ref_id_qual_pat_id
Column Type: varchar
Max Length: 50
'Reference ID qualifier/Client ID'

Column Name: related_causes_info
Column Type: varchar
Max Length: 50
'Related Causes Information'

Column Name: release_of_info_code
Column Type: varchar
Max Length: 50
'Release of Information code'

Column Name: segment
Column Type: varchar
Max Length: 80
The particular segment being accessed.

Column Name: segment_index
Column Type: varchar
Max Length: 50
The segment index.

Column Name: special_prog_code
Column Type: varchar
Max Length: 50
'Special Progress Code'

Column Name: state_or_prov_code
Column Type: varchar
Max Length: 50
'State or Provider Code'

Column Name: sub_index
Column Type: varchar
Max Length: 50
The sub index.

Column Name: version
Column Type: varchar
Max Length: 20
The 837 version.

Column Name: yes_no_cond_resp_code_1
Column Type: varchar
Max Length: 50
'Yes/No Condition Response Code 1'

Column Name: yes_no_cond_resp_code_2
Column Type: varchar
Max Length: 50
'Yes/No Condition Response Code 2'

Column Name: yes_no_cond_resp_code_3
Column Type: varchar
Max Length: 50
'Yes/No Condition Response Code 3'

Column Name: yes_no_cond_resp_code_4
Column Type: varchar
Max Length: 50
'Yes/No Condition Response Code 4'

Documentation for form: 837_Health_Care_Claim_Institutional

Table Name: SYSTEM.billing_837_compile_post

Table Description: This table returns compile/post data from an 837.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code the data was generated for.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique service string.

Column Name: authorization_number
Column Type: varchar

Max Length: 100
'Authorization Number'

Column Name: batch_number
Column Type: varchar
Max Length: 50
'Batch Number'

Column Name: claim_counter
Column Type: integer
The claim being accessed.

Column Name: claim_date_range_flag
Column Type: varchar
Max Length: 100
Was the claim submitted with more than one date.

Column Name: claim_status_code
Column Type: varchar
Max Length: 50
'Claim Status Code'

Column Name: copay_amount
Column Type: numeric
'Copay Amount'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The 'User ID' who last last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The 'User Description' of the 'User ID'.

Column Name: date_of_claim
Column Type: date
The date the claim was filed.

Column Name: deductible_amount
Column Type: numeric
'Deductible amount'

Column Name: diagnosis_code_1
Column Type: varchar
Max Length: 50
'Diagnosis Code 1'

Column Name: diagnosis_code_2
Column Type: varchar
Max Length: 50
'Diagnosis Code 2'

Column Name: diagnosis_code_3
Column Type: varchar
Max Length: 50
'Diagnosis Code 3'

Column Name: diagnosis_code_4
Column Type: varchar
Max Length: 50
'Diagnosis Code 4'

Column Name: diagnosis_code_5
Column Type: varchar
Max Length: 50
'Diagnosis Code 5'

Column Name: diagnosis_code_6
Column Type: varchar
Max Length: 50
'Diagnosis Code 6'

Column Name: diagnosis_code_7
Column Type: varchar
Max Length: 50
'Diagnosis Code 7'

Column Name: diagnosis_code_8
Column Type: varchar

Max Length: 50
'Diagnosis Code 8'

Column Name: diagnosis_ref_code
Column Type: varchar
Max Length: 50
'Diagnosis Reference Code'

Column Name: diagnosis_ref_value
Column Type: varchar
Max Length: 200
The description associated with diagnosis_ref_code. See diagnosis_ref_code for more information.

Column Name: diagnosis_value_1
Column Type: varchar
Max Length: 200
The description associated with diagnosis_code_1. See diagnosis_value_code for more information.

Column Name: diagnosis_value_2
Column Type: varchar
Max Length: 200
The description associated with diagnosis_code_2. See diagnosis_value_code for more information.

Column Name: diagnosis_value_3
Column Type: varchar
Max Length: 200
The description associated with diagnosis_code_3. See diagnosis_value_code for more information.

Column Name: diagnosis_value_4
Column Type: varchar
Max Length: 200
The description associated with diagnosis_code_4. See diagnosis_value_code for more information.

Column Name: diagnosis_value_5
Column Type: varchar
Max Length: 200
The description associated with diagnosis_code_5. See diagnosis_value_code for more information.

Column Name: diagnosis_value_6
Column Type: varchar
Max Length: 200
The description associated with diagnosis_code_6. See diagnosis_value_code for more information.

Column Name: diagnosis_value_7
Column Type: varchar
Max Length: 200
The description associated with diagnosis_code_7. See diagnosis_value_code for more information.

Column Name: diagnosis_value_8
Column Type: varchar

Max Length: 200

The description associated with diagnosis_code_8. See diagnosis_value_code for more information.

Column Name: duration

Column Type: varchar

Max Length: 50

'Duration'

Column Name: expected_disbursement_amount

Column Type: numeric

'Expected Disbursement Amount'

Column Name: explanation_of_coverage

Column Type: varchar

Max Length: 500

'Explanation of Coverage'

Column Name: fee_table_amount

Column Type: numeric

'Fee Table Amount'

Column Name: file_index

Column Type: varchar

Max Length: 50

The file index.

Column Name: file_info_str

Column Type: varchar

Max Length: 225

The file information string.

Column Name: file_name

Column Type: varchar

Max Length: 200

'File Name'

Column Name: file_status

Column Type: varchar

Max Length: 50

'File Status'

Column Name: funding_source_id

Column Type: varchar

Max Length: 50

'Funding Source ID'

Column Name: funding_source_name

Column Type: varchar

Max Length: 100

'Funding Source Name'

Column Name: level_of_care_code
Column Type: varchar
Max Length: 50
'Level of Care'

Column Name: level_of_care_value
Column Type: varchar
Max Length: 100
The description associated with level_of_care_code. See level_of_care_code for more information.

Column Name: line_item_control_number
Column Type: varchar
Max Length: 50
The line item control number.

Column Name: line_note
Column Type: varchar
Max Length: 500
'Line Note'

Column Name: location
Column Type: varchar
Max Length: 50
'Location'

Column Name: measurement_code_code
Column Type: varchar
Max Length: 100
'Measurement Code (837-2400-SV103/SV204)'.

Column Name: measurement_code_value
Column Type: varchar
Max Length: 50
The description associated with measurement_code_code. See measurement_code_code for more information.

Column Name: member_id
Column Type: varchar
Max Length: 20
'Member ID'

Column Name: member_name
Column Type: varchar
Max Length: 100
'Member Name'

Column Name: patient_control_number
Column Type: varchar
Max Length: 100

'Patient Control Number'

Column Name: performing_provider_index

Column Type: varchar

Max Length: 50

'Performing Provider Index'

Column Name: performing_provider_name

Column Type: varchar

Max Length: 100

'Performing Provider Name'

Column Name: procedure_code_code

Column Type: varchar

Max Length: 50

'Procedure Code'

Column Name: procedure_code_value

Column Type: varchar

Max Length: 200

The description associated with procedure_code_code. See procedure_code_code for more information.

Column Name: provider_id

Column Type: integer

'Provider ID;

Column Name: provider_name

Column Type: varchar

Max Length: 100

'Provider Name'

Column Name: provider_sort

Column Type: varchar

Max Length: 50

'Provider Sort'

Column Name: represent_admission

Column Type: varchar

Max Length: 50

'Represent Admission'

Column Name: result_string

Column Type: varchar

Max Length: 1000

The result string.

Column Name: service_counter

Column Type: integer

The particular service being accessed.

Column Name: service_date
Column Type: date
'Service Date'

Column Name: service_end_time
Column Type: varchar
Max Length: 10
'Service End Time'

Column Name: service_start_time
Column Type: varchar
Max Length: 10
'Service Start Time'

Column Name: service_units
Column Type: numeric
'Service Units'

Column Name: third_party_amount_paid
Column Type: numeric
'Third Party Amount Paid'

Column Name: third_party_payer_amt_1
Column Type: numeric
'Third Party Amount Paid 1'

Column Name: third_party_payer_amt_2
Column Type: numeric
'Third Party Amount Paid 2'

Column Name: third_party_payer_amt_3
Column Type: numeric
'Third Party Amount Paid 3'

Column Name: third_party_payer_amt_4
Column Type: numeric
'Third Party Amount Paid 4'

Column Name: third_party_payer_amt_5
Column Type: numeric
'Third Party Amount Paid 5'

Column Name: third_party_payer_amt_6
Column Type: numeric
'Third Party Amount Paid 6'

Column Name: third_party_payer_code_1
Column Type: varchar
Max Length: 50
'Third Party Payer 1'

Column Name: third_party_payer_code_2
Column Type: varchar
Max Length: 50
'Third Party Payer 2'

Column Name: third_party_payer_code_3
Column Type: varchar
Max Length: 50
'Third Party Payer 3'

Column Name: third_party_payer_code_4
Column Type: varchar
Max Length: 50
'Third Party Payer 4'

Column Name: third_party_payer_code_5
Column Type: varchar
Max Length: 50
'Third Party Payer 5'

Column Name: third_party_payer_code_6
Column Type: varchar
Max Length: 50
'Third Party Payer 6'

Column Name: third_party_payer_value_1
Column Type: varchar
Max Length: 50
The description associated with third_party_payer_code_1. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_2
Column Type: varchar
Max Length: 50
The description associated with third_party_payer_code_2. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_3
Column Type: varchar
Max Length: 50
The description associated with third_party_payer_code_3. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_4
Column Type: varchar
Max Length: 50
The description associated with third_party_payer_code_4. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_5

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_code_5. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_6

Column Type: varchar

Max Length: 50

The description associated with third_party_payer__code_6. See third_party_payer_value_code for more information.

Column Name: total_charge

Column Type: numeric

'Total Charge'

Column Name: type_of_service_code

Column Type: varchar

Max Length: 50

'Type of Service'

Column Name: type_of_service_value

Column Type: varchar

Max Length: 100

The description associated with type_of_service_code. See type_of_service_code for more information.

Column Name: version

Column Type: varchar

Max Length: 20

The 837 version.

Documentation for form: 837_Health_Care_Claim_Institutional

Table Name: SYSTEM.billing_837_error

Table Description: This table returns error data from an 837 file.

Column Name: ID

Column Type: varchar

Max Length: 254

Column Name: FACILITY

Column Type: integer

The system code the data was generated for.

Column Name: data_entry_by

Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The 'User Description' of the 'User ID'.

Column Name: error_message
Column Type: varchar
Max Length: 500
'Error Message'

Column Name: error_type_code
Column Type: integer
'Error Type'

Column Name: error_type_value
Column Type: varchar
Max Length: 50
The description associated with error_type_code. See error_type_code for more information.

Column Name: file_index
Column Type: varchar
Max Length: 50
The file index.

Column Name: file_info_str
Column Type: varchar
Max Length: 50

The file information string.

Column Name: file_name
Column Type: varchar
Max Length: 255
The file name.

Column Name: file_status
Column Type: varchar
Max Length: 50
'File Status'

Column Name: unique_counter
Column Type: integer
The unique counter.

Column Name: version
Column Type: varchar
Max Length: 20
837 version.

Documentation for form: 837_Health_Care_Claim_Institutional

Table Name: SYSTEM.billing_837_file

Table Description: This table returns data about an 837 file.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code the data was generated for.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date

Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The 'User Description' of the 'User ID'.

Column Name: file_index
Column Type: varchar
Max Length: 50
The file index.

Column Name: file_info_str
Column Type: varchar
Max Length: 50
The file information string.

Column Name: file_name
Column Type: varchar
Max Length: 255
'File Path\Name'

Column Name: file_status
Column Type: varchar
Max Length: 50
'File Status'

Column Name: segment
Column Type: varchar
Max Length: 80
The particular segment being accessed.

Column Name: segment_index
Column Type: varchar
Max Length: 50
The segment counter.

Column Name: version
Column Type: varchar

Max Length: 20
837 version.

Documentation for form: 837_Health_Care_Claim_Institutional

Table Name: SYSTEM.billing_837i_compile_post

Table Description: This table returns the information stored in the '837 Health Care Claim Institutional' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The service unique ID.

Column Name: adm_diagnosis_code
Column Type: varchar
Max Length: 50
'Admission Diagnosis Code'

Column Name: adm_diagnosis_value
Column Type: varchar
Max Length: 200
The description associated with adm_diagnosis_code. See adm_diagnosis_code for more information.

Column Name: admission_date
Column Type: date
'Admission Date'

Column Name: admission_hour
Column Type: varchar
Max Length: 50
'Admission Hour'

Column Name: admission_source
Column Type: varchar
Max Length: 50
'Admission Source'

Column Name: admission_type
Column Type: varchar
Max Length: 50
'Admission Type'

Column Name: authorization_number
Column Type: varchar
Max Length: 100
'Authorization Number'

Column Name: batch_number
Column Type: varchar
Max Length: 50
'Batch Number'

Column Name: claim_counter
Column Type: integer
'Claim Counter'

Column Name: claim_date_range_flag
Column Type: varchar
Max Length: 100
Was the claim submitted with more than one date.

Column Name: claim_status_code
Column Type: varchar
Max Length: 50
'Claim Status Code'

Column Name: copay_amount
Column Type: numeric
'Copay Amount'

Column Name: covered_days
Column Type: integer
'Covered Days'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the service.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the service.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the service.

Column Name: date_of_claim
Column Type: date
'Date of Claim'

Column Name: deductible_amount
Column Type: numeric
'Deductible Amount'

Column Name: diagnosis_code_1
Column Type: varchar
Max Length: 50
'Diagnosis Code 1'

Column Name: diagnosis_code_10
Column Type: varchar
Max Length: 50
'Diagnosis Code 10'

Column Name: diagnosis_code_11
Column Type: varchar
Max Length: 50
'Diagnosis Code 11'

Column Name: diagnosis_code_12
Column Type: varchar
Max Length: 50
'Diagnosis Code 12'

Column Name: diagnosis_code_2
Column Type: varchar
Max Length: 50
'Diagnosis Code 2'

Column Name: diagnosis_code_3

Column Type: varchar
Max Length: 50
'Diagnosis Code 3'

Column Name: diagnosis_code_4
Column Type: varchar
Max Length: 50
'Diagnosis Code 4'

Column Name: diagnosis_code_5
Column Type: varchar
Max Length: 50
'Diagnosis Code 5'

Column Name: diagnosis_code_6
Column Type: varchar
Max Length: 50
'Diagnosis Code 6'

Column Name: diagnosis_code_7
Column Type: varchar
Max Length: 50
'Diagnosis Code 7'

Column Name: diagnosis_code_8
Column Type: varchar
Max Length: 50
'Diagnosis Code 8'

Column Name: diagnosis_code_9
Column Type: varchar
Max Length: 50
'Diagnosis Code 9'

Column Name: diagnosis_ref_code
Column Type: varchar
Max Length: 50
'Diagnosis Reference Code'

Column Name: diagnosis_ref_value
Column Type: varchar
Max Length: 200
The description associated with diagnosis_ref_code. See diagnosis_ref_code for more information.

Column Name: diagnosis_value_1
Column Type: varchar
Max Length: 200
The description associated with diagnosis_code_1. See diagnosis_code_1 for more information.

Column Name: diagnosis_value_10

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code_10. See diagnosis_code_10 for more information.

Column Name: diagnosis_value_11

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code_11. See diagnosis_code_11 for more information.

Column Name: diagnosis_value_12

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code_12. See diagnosis_code_12 for more information.

Column Name: diagnosis_value_2

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code_2. See diagnosis_code_2 for more information.

Column Name: diagnosis_value_3

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code_3. See diagnosis_code_3 for more information.

Column Name: diagnosis_value_4

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code_4. See diagnosis_code_4 for more information.

Column Name: diagnosis_value_5

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code_5. See diagnosis_code_5 for more information.

Column Name: diagnosis_value_6

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code_6. See diagnosis_code_6 for more information.

Column Name: diagnosis_value_7

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code_7. See diagnosis_code_7 for more information.

Column Name: diagnosis_value_8

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code_8. See diagnosis_code_8 for more information.

Column Name: diagnosis_value_9

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code_9. See diagnosis_code_9 for more information.

Column Name: discharge_hour

Column Type: varchar

Max Length: 50

'Discharge Hour'

Column Name: duration

Column Type: varchar

Max Length: 50

'Duration'

Column Name: expected_disbursement_amount

Column Type: numeric

'Expected Disbursement Amount'

Column Name: explanation_of_coverage

Column Type: varchar

Max Length: 500

'Explanation of Coverage'

Column Name: federal_tax

Column Type: varchar

Max Length: 50

'Federal Tax'

Column Name: fee_table_amount

Column Type: numeric

'Fee Table Amount'

Column Name: file_index

Column Type: varchar

Max Length: 50

'File Index'

Column Name: file_info_str

Column Type: varchar

Max Length: 50

'File Information String'

Column Name: file_name

Column Type: varchar

Max Length: 250

'File Name'

Column Name: file_status

Column Type: varchar

Max Length: 50

'File Status'

Column Name: from_date

Column Type: date

'From Date'

Column Name: funding_source_id

Column Type: varchar

Max Length: 50

'Funding Source'

Column Name: funding_source_name

Column Type: varchar

Max Length: 100

'Funding Source Name'

Column Name: level_of_care_code

Column Type: varchar

Max Length: 50

'Level of Care'

Column Name: level_of_care_value

Column Type: varchar

Max Length: 100

The description associated with level_of_care_code. See level_of_care_code for more information.

Column Name: line_item_control_number

Column Type: varchar

Max Length: 50

'Line Item Control Number'

Column Name: line_note

Column Type: varchar

Max Length: 500

'Line Note'

Column Name: location

Column Type: varchar

Max Length: 50

'Location'

Column Name: measurement_code_code

Column Type: varchar

Max Length: 100

'Measurement Code (837-2400-SV103/SV204)'.

Column Name: measurement_code_value

Column Type: varchar

Max Length: 50

The description associated with measurement_code_code. See measurement_code_code for more information.

Column Name: member_id
Column Type: varchar
Max Length: 20
'Member ID'

Column Name: member_name
Column Type: varchar
Max Length: 100
'Member Name'

Column Name: non_covered_days
Column Type: integer
'Non Covered Days'

Column Name: patient_control_number
Column Type: varchar
Max Length: 100
'Patient Control Number'

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50
'Performing Provider Index'

Column Name: performing_provider_name
Column Type: varchar
Max Length: 100
'Performing Provider Name'

Column Name: prin_diagnosis_code
Column Type: varchar
Max Length: 50
'Principal Diagnosis'

Column Name: prin_diagnosis_value
Column Type: varchar
Max Length: 200
The description associated with prin_diagnosis_code. See prin_diagnosis_code for more information.

Column Name: procedure_code_code
Column Type: varchar
Max Length: 50
'Provider Code'

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50

'Procedure Code Type'

Column Name: procedure_code_value

Column Type: varchar

Max Length: 200

The description associated with procedure_code_code. See procedure_code_code for more information.

Column Name: provider_id

Column Type: integer

'Provider ID'

Column Name: provider_name

Column Type: varchar

Max Length: 100

'Provider'

Column Name: provider_sort

Column Type: varchar

Max Length: 50

'Provider Sort'

Column Name: represent_admission

Column Type: varchar

Max Length: 50

'Represent Admission'

Column Name: result_string

Column Type: varchar

Max Length: 1000

'Result String'

Column Name: service_counter

Column Type: integer

'Service Counter'

Column Name: service_date

Column Type: date

'Service Date'

Column Name: service_units

Column Type: numeric

'Service Units'

Column Name: status

Column Type: varchar

Max Length: 50

'Status'

Column Name: third_party_amount_paid

Column Type: numeric

'Third Party Amount Paid'

Column Name: third_party_payer_amt_1

Column Type: numeric

'Third Party payer Amount 1'

Column Name: third_party_payer_amt_2

Column Type: numeric

'Third Party Payer Amount 2'

Column Name: third_party_payer_amt_3

Column Type: numeric

'Third Party Payer Amount 3'.

Column Name: third_party_payer_amt_4

Column Type: numeric

'Third Party Payer Amount 4'

Column Name: third_party_payer_amt_5

Column Type: numeric

'Third Party Payer Amount 5'

Column Name: third_party_payer_amt_6

Column Type: numeric

'Third Party Payer Amount 6'

Column Name: third_party_payer_code_1

Column Type: varchar

Max Length: 50

'Third Party Payer Code 1'

Column Name: third_party_payer_code_2

Column Type: varchar

Max Length: 50

'Third Party Payer Code 2'

Column Name: third_party_payer_code_3

Column Type: varchar

Max Length: 50

'Third Party Payer Code 3'

Column Name: third_party_payer_code_4

Column Type: varchar

Max Length: 50

'Third Party Payer Code 4'

Column Name: third_party_payer_code_5

Column Type: varchar

Max Length: 50

'Third Party Payer Code 5'

Column Name: third_party_payer_code_6

Column Type: varchar

Max Length: 50

'Third Party Payer Code 6'

Column Name: third_party_payer_value_1

Column Type: varchar

Max Length: 50

The description associated with third_party_payer__code_1. See third_party_payer_code_1 for more information.

Column Name: third_party_payer_value_2

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_code_2. See third_party_payer_code_2 for more information.

Column Name: third_party_payer_value_3

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_code_3. See third_party_payer_code_3 for more information.

Column Name: third_party_payer_value_4

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_code_4. See third_party_payer_code_4 for more information.

Column Name: third_party_payer_value_5

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_code_5. See third_party_payer_code_5 for more information.

Column Name: third_party_payer_value_6

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_code_6. See third_party_payer_code_6 for more information.

Column Name: thought_date

Column Type: date

'Through Date'

Column Name: total_charge

Column Type: numeric

'Total Charge'

Column Name: type_of_bill
Column Type: varchar
Max Length: 50
'Type of Bill'

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50
'Type of Service Code'

Column Name: type_of_service_value
Column Type: varchar
Max Length: 100
The description associated with type_of_service_code. See type_of_service_code for more information.

Column Name: version
Column Type: varchar
Max Length: 20
'Version'

Documentation for form: 837_Health_Care_Claim_Institutional

Table Name: SYSTEM.mso_999_error

Table Description: This table returns 837 file data.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date

The date the row was last updated.

Column Name: data_entry_time

Column Type: varchar

Max Length: 10

The time the row was last updated.

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 50

The user name who last updated the row.

Column Name: error_message

Column Type: varchar

Max Length: 500

The 'Error Message'.

Column Name: file_997_created

Column Type: varchar

Max Length: 50

Indicates whether the file was created.

Column Name: file_index

Column Type: varchar

Max Length: 50

The file index.

Column Name: file_info_str

Column Type: varchar

Max Length: 50

The file information string.

Column Name: file_info_str_997

Column Type: varchar

Max Length: 50

The 997 file info string.

Column Name: file_name

Column Type: varchar

Max Length: 50

The 'File Name'.

Column Name: file_name_997

Column Type: varchar

Max Length: 50

The 997 file name.

Column Name: file_status
Column Type: varchar
Max Length: 50
The 'File Status'.

Column Name: unique_counter
Column Type: varchar
Max Length: 50
The unique counter.

Column Name: version
Column Type: varchar
Max Length: 20
The 837 version.

Column Name: version_999
Column Type: varchar
Max Length: 20
The 997 version.

Documentation for form: 837_Health_Care_Claim_Institutional

Table Name: SYSTEM.mso_999_file

Table Description: This table returns 837 file data.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: file_997_created
Column Type: varchar
Max Length: 50
Indicates whether the file was created.

Column Name: file_index
Column Type: varchar
Max Length: 50
The file index.

Column Name: file_info_str
Column Type: varchar
Max Length: 50
The file information string.

Column Name: file_info_str_997
Column Type: varchar
Max Length: 50
The 997 file info string.

Column Name: file_name
Column Type: varchar
Max Length: 255
The 'File Name'.

Column Name: file_name_997
Column Type: varchar
Max Length: 255
The 997 file name.

Column Name: file_status
Column Type: varchar
Max Length: 50
The 'File Status'.

Column Name: version
Column Type: varchar
Max Length: 20
The 837 version.

Column Name: version_999
Column Type: varchar
Max Length: 20
The 997 version.

Documentation for form: Fast_Service_Entry

Table Name: SYSTEM.batch_clm_svc_adj_codes

Table Description: This table returns adjustment codes assigned to services during claim adjudication, as well as HIPAA cross reference information associated to those codes.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: adj_amount
Column Type: varchar
Max Length: 50
The adjustment amount associated with the EOB message.

Column Name: adj_code_code
Column Type: varchar
Max Length: 50
The adjustment code associated with the EOB message.

Column Name: adj_code_value
Column Type: varchar
Max Length: 50
The description associated with adj_code_code. See adj_code_code for more information.

Column Name: adj_group_code_5010_code
Column Type: varchar
Max Length: 50
The HIPAA version 5010 adjustment group code associated with the EOB message.

Column Name: adj_group_code_5010_value
Column Type: varchar
Max Length: 50
The description associated with adj_group_code_5010_code. See adj_group_code_5010_code for more information.

Column Name: adj_group_code_code
Column Type: varchar
Max Length: 50
The adjustment group code associated with the EOB message.

Column Name: adj_group_code_value
Column Type: varchar
Max Length: 50
The description associated with adj_group_code_code. See adj_group_code_code for more information.

Column Name: adj_reason_code_code

Column Type: varchar

Max Length: 50

The adjustment reason code associated with the EOB message.

Column Name: adj_reason_code_value

Column Type: varchar

Max Length: 4096

The description associated with adj_reason_code_code. See adj_reason_code_code for more information.

Column Name: apd_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the claim status associated to the EOB message.

Column Name: apd_status_value

Column Type: varchar

Max Length: 50

The description associated with apd_status_code. See apd_status_code for more information.

Column Name: eob_message_code

Column Type: numeric

The unique numeric ID of the EOB message.

Column Name: eob_message_value

Column Type: varchar

Max Length: 50

The description associated with eob_message_code. See eob_message_code for more information.

Documentation for form: Fast_Service_Entry

Table Name: SYSTEM.batch_clm_svc_detail

Table Description: This table returns detailed information on MSO services.

Column Name: ID

Column Type: integer

Column Name: BATCHID

Column Type: varchar

Max Length: 50

The unique ID for the batch.

Column Name: CLAIMID

Column Type: integer

The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUID
Column Type: varchar
Max Length: 50
A unique identifier used internally to validate data.

Column Name: JOIN_TO_AUTUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the associated authorization.

Column Name: JOIN_TO_HCF_UBF_Type
Column Type: varchar
Max Length: 50
Indicator of whether this claim is of type "HCFA" or "UB92".

Column Name: JOIN_TO_HCFUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the claim if it is of type "HCFA".

Column Name: JOIN_TO_UBFHCFUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the claim.

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the claim if it is of type "UB92".

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PPIuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the associated performing provider.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: UTCTimestamp

Column Type: timestamp
The UTC time when the row was last updated.

Column Name: VOUCHERID
Column Type: integer
The unique ID for the voucher.

Column Name: ability_to_pay_amt
Column Type: numeric
The ability to pay amount deducted from the service.

Column Name: account_code
Column Type: varchar
Max Length: 50
The authorization account code.

Column Name: account_level
Column Type: varchar
Max Length: 50
The authorization account level.

Column Name: account_level_name
Column Type: varchar
Max Length: 50
The authorization account level name.

Column Name: account_name
Column Type: varchar
Max Length: 50
The authorization account name.

Column Name: add_on_notes
Column Type: varchar
Max Length: 32000
Add-on notes.

Column Name: adjudication_code
Column Type: varchar
Max Length: 50
The adjudication code.

Column Name: adjustment_reason_code
Column Type: varchar
Max Length: 50
One or more dictionary codes for claim adjustment reasons.

Column Name: adjustment_reason_value
Column Type: varchar
Max Length: 255

The description associated with adjustment_reason_code. See adjustment_reason_code for more information.

Column Name: approved_units

Column Type: numeric

Approved units.

Column Name: associated_code

Column Type: varchar

Max Length: 50

Associated code.

Column Name: authorization_assoc_code

Column Type: varchar

Max Length: 50

The authorization associated code.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

The authorization number.

Column Name: authorization_valid_code

Column Type: varchar

Max Length: 50

Indicator of whether the authorization is valid.

Column Name: authorization_valid_value

Column Type: varchar

Max Length: 50

The description associated with authorization_valid_code. See authorization_valid_code for more information.

Column Name: blackout_id

Column Type: integer

The unique blackout ID.

Column Name: carelink_service_ID

Column Type: varchar

Max Length: 50

The carelink service ID.

Column Name: claim_number_837

Column Type: varchar

Max Length: 50

837 claim number for the service.

Column Name: claim_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the claim status.

Column Name: claim_status_reason_code

Column Type: varchar

Max Length: 50

Dictionary code for the claim status reason.

Column Name: claim_status_reason_value

Column Type: varchar

Max Length: 4096

The description associated with claim_status_reason_code. See claim_status_reason_code for more information.

Column Name: claim_status_value

Column Type: varchar

Max Length: 50

The description associated with claim_status_code. See claim_status_code for more information.

Column Name: comments

Column Type: varchar

Max Length: 32766

Comments regarding the service.

Column Name: contains_overridden_field

Column Type: varchar

Max Length: 1

Indicator of whether there is an overridden field.If "Y", indicates that this service detail contains one or more fields whose values were manually overridden.

Column Name: copay_applies_to_ded_code

Column Type: varchar

Max Length: 50

'Co-Pay Counts Towards Deductible'

Column Name: copay_applies_to_ded_value

Column Type: varchar

Max Length: 50

The description associated with copay_applies_to_ded_code. See copay_applies_to_ded_code for more information.

Column Name: cost_center_code

Column Type: varchar

Max Length: 50

Dictionary code for the cost center.

Column Name: cost_center_value

Column Type: varchar

Max Length: 50

The description associated with cost_center_code. See cost_center_code for more information.

Column Name: covered_CBPuniqueid
Column Type: varchar
Max Length: 50
The unique ID for plan covered services.

Column Name: covered_LIBuniqueid
Column Type: varchar
Max Length: 50
The unique ID for plan liability rules level.

Column Name: covered_PLANID
Column Type: varchar
Max Length: 50
The unique ID for the associated coverage plan.

Column Name: cpt_code_code
Column Type: varchar
Max Length: 50
The CPT code.

Column Name: cpt_code_value
Column Type: varchar
Max Length: 80
The description associated with cpt_code_code. See cpt_code_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_service

Column Type: date

The date the service was rendered.

Column Name: date_of_service_end

Column Type: date

The date the service ended.

Column Name: delay_reason_code

Column Type: varchar

Max Length: 50

Dictionary code indicating the reason the claim was delayed.

Column Name: delay_reason_value

Column Type: varchar

Max Length: 50

The description associated with delay_reason_code. See delay_reason_code for more information.

Column Name: diagnosis_code

Column Type: varchar

Max Length: 50

Diagnosis code associated with the service.

Column Name: diagnosis_reference

Column Type: varchar
Max Length: 50
Diagnosis reference.

Column Name: diagnosis_reference_2
Column Type: varchar
Max Length: 50
Diagnosis reference 2.

Column Name: diagnosis_reference_3
Column Type: varchar
Max Length: 50
Diagnosis reference 3.

Column Name: diagnosis_reference_4
Column Type: varchar
Max Length: 50
Diagnosis reference 4.

Column Name: diagnosis_value
Column Type: varchar
Max Length: 200
The description associated with diagnosis_code. See diagnosis_code for more information.

Column Name: discipline_code
Column Type: varchar
Max Length: 40
Dictionary code indicating the medical discipline under which the service was rendered.

Column Name: discipline_value
Column Type: varchar
Max Length: 40
The description associated with discipline_code. See discipline_code for more information.

Column Name: documentation_time
Column Type: numeric
For group services, the documentation time

Column Name: drug_ref_id
Column Type: varchar
Max Length: 50
The service drug reference ID.

Column Name: drug_ref_id_qual
Column Type: varchar
Max Length: 50
The service drug reference qualifier.

Column Name: duration
Column Type: varchar

Max Length: 50
The service duration.

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 32000
Dictionary code indicating the evidence-based practices / service strategies (CSI) code for the service.

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 255
The description associated with ebpss_csi_code. See ebpss_csi_code for more information.

Column Name: ebpss_csi_value_long
Column Type: varchar
Max Length: 4096
The description associated with ebpss_csi_value_code. See ebpss_csi_value_code for more information.

Column Name: eligible_provider_code
Column Type: varchar
Max Length: 50
Indicator of whether the provider was eligible or not.

Column Name: eligible_provider_value
Column Type: varchar
Max Length: 50
The description associated with eligible_provider_code. See eligible_provider_code for more information.

Column Name: emergency_indicator_code
Column Type: varchar
Max Length: 50
'Emergency Indicator (837P-2400-SV109)'

Column Name: emergency_indicator_value
Column Type: varchar
Max Length: 50
The description associated with emergency_indicator_code. See emergency_indicator_code for more information.

Column Name: expected_disburse
Column Type: numeric
Expected disbursement for the service.

Column Name: explan_of_coverage
Column Type: varchar
Max Length: 32766
Explanation of coverage.

Column Name: group_service_units
Column Type: varchar

Max Length: 50
For group services, the total approved group service units

Column Name: group_service_units_day
Column Type: varchar
Max Length: 50
For group services, the total approved group service units per day

Column Name: hcpcs_code
Column Type: varchar
Max Length: 50
The HCPCS code.

Column Name: is_this_an_admission_code
Column Type: varchar
Max Length: 50
'Does This Service Represent An Admission'

Column Name: is_this_an_admission_value
Column Type: varchar
Max Length: 50
The description associated with is_this_an_admission_code. See is_this_an_admission_code for more information.

Column Name: level_of_care
Column Type: varchar
Max Length: 50
Level of care.

Column Name: line_item_control_num
Column Type: varchar
Max Length: 50
Line item control number.

Column Name: line_note_code
Column Type: varchar
Max Length: 50
Indicator dictionary code of the type of information captured in the service line note text.

Column Name: line_note_code_val
Column Type: varchar
Max Length: 50
The description associated with line_note_code_code. See line_note_code_code for more information.

Column Name: line_note_text
Column Type: varchar
Max Length: 80
Service line note text.

Column Name: location_code

Column Type: varchar
Max Length: 50
The service location code.

Column Name: location_value
Column Type: varchar
Max Length: 50
The description associated with location_code. See location_code for more information.

Column Name: manual_service_code
Column Type: varchar
Max Length: 50
Manual service code.

Column Name: manual_service_descript
Column Type: varchar
Max Length: 80
Manual service description.

Column Name: measurement_code_code
Column Type: varchar
Max Length: 50
'Measurement Code (837-2400-SV103/SV204)'.

Column Name: measurement_code_value
Column Type: varchar
Max Length: 50
The description associated with measurement_code_code. See measurement_code_code for more information.

Column Name: member_copay
Column Type: numeric
Member co-pay.

Column Name: member_deductible
Column Type: numeric
Member deductible.

Column Name: member_enrolled_dos_code
Column Type: varchar
Max Length: 50
'Member Enrolled On Date Of Service'

Column Name: member_enrolled_dos_value
Column Type: varchar
Max Length: 50
The description associated with member_enrolled_dos_code. See member_enrolled_dos_code for more information.

Column Name: member_id

Column Type: numeric
Member ID.

Column Name: national_drug_code
Column Type: varchar
Max Length: 50
National drug code.

Column Name: number_in_group
Column Type: numeric
For group services, the number of members in the group

Column Name: num_counselor_in_group
Column Type: numeric
For group services, the number of counselors in the group

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: original_proc_code_code
Column Type: varchar
Max Length: 50
Original procedure code.

Column Name: original_proc_code_type
Column Type: varchar
Max Length: 50
Original procedure type.

Column Name: original_proc_code_value
Column Type: varchar
Max Length: 80
The description associated with original_proc_code_code. See original_proc_code_code for more information.

Column Name: parent_nspace_link_to_DD
Column Type: varchar
Max Length: 50
Link to the associated parent service in SYSTEM.billing_tx_history.

Column Name: patient_account_number
Column Type: varchar
Max Length: 50

Patient account number.

Column Name: perf_prov_name
Column Type: varchar
Max Length: 50
Name of the performing provider.

Column Name: place_of_service_code
Column Type: varchar
Max Length: 50
Place of service code.

Column Name: population_code
Column Type: varchar
Max Length: 50
Population code.

Column Name: population_value
Column Type: varchar
Max Length: 50
The description associated with population_code. See population_code for more information.

Column Name: prev_batch_pended_from
Column Type: varchar
Max Length: 500
Previous batch the service was pended from.

Column Name: primary_service_id
Column Type: varchar
Max Length: 50
The primary service ID.

Column Name: private_pay_amt
Column Type: numeric
Private pay amount.

Column Name: private_pay_payer_code
Column Type: varchar
Max Length: 50
Payer code for private pay.

Column Name: private_pay_payer_value
Column Type: varchar
Max Length: 50
The description associated with private_pay_payer_code. See private_pay_payer_code for more information.

Column Name: proc_code_type_for_adj
Column Type: varchar
Max Length: 50

Procedure code type of adjustment.

Column Name: procedure_code_code
Column Type: varchar
Max Length: 50
Procedure code.

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50
Procedure code type.

Column Name: procedure_code_value
Column Type: varchar
Max Length: 80
The description associated with procedure_code_code. See procedure_code_code for more information.

Column Name: procedure_code_with_mod
Column Type: varchar
Max Length: 50
Procedure code with modifier.

Column Name: provider_to_be_auth
Column Type: varchar
Max Length: 50
Provider to be authorized.

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50
Provider program link.

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50
Provider program name.

Column Name: quantity
Column Type: varchar
Max Length: 50
Quantity.

Column Name: ref_p4
Column Type: varchar
Max Length: 50
REF*P4 segment

Column Name: remark_codes
Column Type: varchar
Max Length: 500

Claim status remark codes returned on an 837.

Column Name: remark_codes_value

Column Type: varchar

Max Length: 5096

The description associated with remark_codes_code. See remark_codes_code for more information.

Column Name: revenue_code_code

Column Type: varchar

Max Length: 50

Revenue code.

Column Name: revenue_code_value

Column Type: varchar

Max Length: 80

The description associated with revenue_code_code. See revenue_code_code for more information.

Column Name: service_comments

Column Type: varchar

Max Length: 32766

Service comments.

Column Name: service_end_time

Column Type: time

Service end time.

Column Name: service_start_time

Column Type: time

Service start time.

Column Name: service_units

Column Type: numeric

Service units.

Column Name: svc_bundle_837_id

Column Type: varchar

Max Length: 50

Service bundle 837 ID.

Column Name: svc_counts_as_visit

Column Type: varchar

Max Length: 50

Indicator code of whether the service counts as a visit.

Column Name: system_index

Column Type: varchar

Max Length: 50

Service index.

Column Name: third_party_amount_paid

Column Type: numeric
Third party amount paid

Column Name: third_party_payer_amt_1
Column Type: numeric
Third party payer amount 1.

Column Name: third_party_payer_amt_2
Column Type: numeric
Third party payer amount 2.

Column Name: third_party_payer_amt_3
Column Type: numeric
Third party payer amount 3.

Column Name: third_party_payer_amt_4
Column Type: numeric
Third party payer amount 4.

Column Name: third_party_payer_amt_5
Column Type: numeric
Third party payer amount 5.

Column Name: third_party_payer_amt_6
Column Type: numeric
Third party payer amount 6.

Column Name: third_party_payer_code_1
Column Type: varchar
Max Length: 50
Third party payer code 1.

Column Name: third_party_payer_code_2
Column Type: varchar
Max Length: 50
Third party payer code 2.

Column Name: third_party_payer_code_3
Column Type: varchar
Max Length: 50
Third party payer code 3.

Column Name: third_party_payer_code_4
Column Type: varchar
Max Length: 50
Third party payer code 4.

Column Name: third_party_payer_code_5
Column Type: varchar
Max Length: 50

Third party payer code 5.

Column Name: third_party_payer_code_6

Column Type: varchar

Max Length: 50

Third party payer code 6.

Column Name: third_party_payer_value_1

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_2

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_3

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_4

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_5

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_6

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: thrd_prty_allowed_amt

Column Type: numeric

Third party allowed amount.

Column Name: thrd_prty_billed_amt

Column Type: numeric

Third party billed amount

Column Name: thrd_prty_pay_adj_amt_11
Column Type: numeric
Third party payment adjustment amount 11.

Column Name: thrd_prty_pay_adj_amt_12
Column Type: numeric
Third party payment adjustment amount 12.

Column Name: thrd_prty_pay_adj_amt_13
Column Type: numeric
Third party payment adjustment amount 13.

Column Name: thrd_prty_pay_adj_amt_14
Column Type: numeric
Third party payment adjustment amount 14.

Column Name: thrd_prty_pay_adj_amt_15
Column Type: numeric
Third party payment adjustment amount 15.

Column Name: thrd_prty_pay_adj_amt_21
Column Type: numeric
Third party payment adjustment amount 21.

Column Name: thrd_prty_pay_adj_amt_22
Column Type: numeric
Third party payment adjustment amount 22.

Column Name: thrd_prty_pay_adj_amt_23
Column Type: numeric
Third party payment adjustment amount 23.

Column Name: thrd_prty_pay_adj_amt_24
Column Type: numeric
Third party payment adjustment amount 24.

Column Name: thrd_prty_pay_adj_amt_25
Column Type: numeric
Third party payment adjustment amount 25.

Column Name: thrd_prty_pay_adj_amt_31
Column Type: numeric
Third party payment adjustment amount 31.

Column Name: thrd_prty_pay_adj_amt_32
Column Type: numeric
Third party payment adjustment amount 32.

Column Name: thrd_prty_pay_adj_amt_33

Column Type: numeric
Third party payment adjustment amount 33.

Column Name: thrd_prty_pay_adj_amt_34
Column Type: numeric
Third party payment adjustment amount 34.

Column Name: thrd_prty_pay_adj_amt_35
Column Type: numeric
Third party payment adjustment amount 35.

Column Name: thrd_prty_pay_adj_amt_41
Column Type: numeric
Third party payment adjustment amount 41.

Column Name: thrd_prty_pay_adj_amt_42
Column Type: numeric
Third party payment adjustment amount 42.

Column Name: thrd_prty_pay_adj_amt_43
Column Type: numeric
Third party payment adjustment amount 43.

Column Name: thrd_prty_pay_adj_amt_44
Column Type: numeric
Third party payment adjustment amount 44.

Column Name: thrd_prty_pay_adj_amt_45
Column Type: numeric
Third party payment adjustment amount 45.

Column Name: thrd_prty_pay_adj_code_11
Column Type: varchar
Max Length: 50
Third party payment adjustment code 11.

Column Name: thrd_prty_pay_adj_code_12
Column Type: varchar
Max Length: 50
Third party payment adjustment code 12.

Column Name: thrd_prty_pay_adj_code_13
Column Type: varchar
Max Length: 50
Third party payment adjustment code 13.

Column Name: thrd_prty_pay_adj_code_14
Column Type: varchar
Max Length: 50
Third party payment adjustment code 14.

Column Name: thrd_prty_pay_adj_code_15
Column Type: varchar
Max Length: 50
Third party payment adjustment code 15.

Column Name: thrd_prty_pay_adj_code_21
Column Type: varchar
Max Length: 50
Third party payment adjustment code 21.

Column Name: thrd_prty_pay_adj_code_22
Column Type: varchar
Max Length: 50
Third party payment adjustment code 22.

Column Name: thrd_prty_pay_adj_code_23
Column Type: varchar
Max Length: 50
Third party payment adjustment code 23.

Column Name: thrd_prty_pay_adj_code_24
Column Type: varchar
Max Length: 50
Third party payment adjustment code 24.

Column Name: thrd_prty_pay_adj_code_25
Column Type: varchar
Max Length: 50
Third party payment adjustment code 25.

Column Name: thrd_prty_pay_adj_code_31
Column Type: varchar
Max Length: 50
Third party payment adjustment code 31.

Column Name: thrd_prty_pay_adj_code_32
Column Type: varchar
Max Length: 50
Third party payment adjustment code 32.

Column Name: thrd_prty_pay_adj_code_33
Column Type: varchar
Max Length: 50
Third party payment adjustment code 33.

Column Name: thrd_prty_pay_adj_code_34
Column Type: varchar
Max Length: 50
Third party payment adjustment code 34.

Column Name: thrd_prty_pay_adj_code_35
Column Type: varchar
Max Length: 50
Third party payment adjustment code 35.

Column Name: thrd_prty_pay_adj_code_41
Column Type: varchar
Max Length: 50
Third party payment adjustment code 41.

Column Name: thrd_prty_pay_adj_code_42
Column Type: varchar
Max Length: 50
Third party payment adjustment code 42.

Column Name: thrd_prty_pay_adj_code_43
Column Type: varchar
Max Length: 50
Third party payment adjustment code 43.

Column Name: thrd_prty_pay_adj_code_44
Column Type: varchar
Max Length: 50
Third party payment adjustment code 44.

Column Name: thrd_prty_pay_adj_code_45
Column Type: varchar
Max Length: 50
Third party payment adjustment code 45.

Column Name: thrd_prty_pay_adj_val_11
Column Type: varchar
Max Length: 50
The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_12
Column Type: varchar
Max Length: 50
The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_13
Column Type: varchar
Max Length: 50
The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_14

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_15

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_21

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_22

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_23

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_24

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_25

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_31

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_32

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_33

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_34

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_35

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_41

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_42

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_43

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_44

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_45

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_allow_1
Column Type: numeric
Third party payment allowed amount 1.

Column Name: thrd_prty_pay_allow_2
Column Type: numeric
Third party payment allowed amount 2.

Column Name: thrd_prty_pay_allow_3
Column Type: numeric
Third party payment allowed amount 3.

Column Name: thrd_prty_pay_allow_4
Column Type: numeric
Third party payment allowed amount 4.

Column Name: thrd_prty_pay_billed_1
Column Type: numeric
Third party payment billed 1.

Column Name: thrd_prty_pay_billed_2
Column Type: numeric
Third party payment billed 2.

Column Name: thrd_prty_pay_billed_3
Column Type: numeric
Third party payment billed 3.

Column Name: thrd_prty_pay_billed_4
Column Type: numeric
Third party payment billed 4.

Column Name: thrd_prty_pvt_pay_amt
Column Type: numeric
Third party private pay amount.

Column Name: total_charge
Column Type: numeric
Total charge for the service.

Column Name: total_fee_table_amt
Column Type: numeric
Total fee table amount for the service.

Column Name: travel_time
Column Type: numeric
For group services, the travel time

Column Name: trt_prov_type

Column Type: varchar
Max Length: 50
Treatment provider type.

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50
Dictionary code indicating whether the type of authorization is inpatient or outpatient.

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50
The description associated with type_of_service_code. See type_of_service_code for more information.

Column Name: unique_row_id
Column Type: varchar
Max Length: 50
The unique row ID.

Column Name: unit_of_measurement
Column Type: varchar
Max Length: 50
Unit of measurement.

Documentation for form: Fast_Service_Entry

Table Name: SYSTEM.batch_clm_svc_detail_ss

Table Description: This table returns site specific fields for MSO services.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: ss_batch_clm_date_1
Column Type: date
SS Batch Claim Date 1.

Column Name: ss_batch_clm_date_10
Column Type: date
SS Batch Claim Date 10.

Column Name: ss_batch_clm_date_2
Column Type: date
SS Batch Claim Date 2.

Column Name: ss_batch_clm_date_3
Column Type: date
SS Batch Claim Date 3.

Column Name: ss_batch_clm_date_4
Column Type: date
SS Batch Claim Date 4.

Column Name: ss_batch_clm_date_5
Column Type: date
SS Batch Claim Date 5.

Column Name: ss_batch_clm_date_6
Column Type: date
SS Batch Claim Date 6.

Column Name: ss_batch_clm_date_7
Column Type: date
SS Batch Claim Date 7.

Column Name: ss_batch_clm_date_8
Column Type: date
SS Batch Claim Date 8.

Column Name: ss_batch_clm_date_9
Column Type: date
SS Batch Claim Date 9.

Column Name: ss_batch_clm_dict_10_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 10 Cdoe.

Column Name: ss_batch_clm_dict_10_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 10 Value.

Column Name: ss_batch_clm_dict_1_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 1 Code.

Column Name: ss_batch_clm_dict_1_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 1 Value.

Column Name: ss_batch_clm_dict_2_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 2 Code.

Column Name: ss_batch_clm_dict_2_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 2 Value.

Column Name: ss_batch_clm_dict_3_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 3 Code.

Column Name: ss_batch_clm_dict_3_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 3 Value.

Column Name: ss_batch_clm_dict_4_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 4 Code.

Column Name: ss_batch_clm_dict_4_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 4 Value.

Column Name: ss_batch_clm_dict_5_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 5 Code.

Column Name: ss_batch_clm_dict_5_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 5 Value.

Column Name: ss_batch_clm_dict_6_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 6 Code.

Column Name: ss_batch_clm_dict_6_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 6 Value.

Column Name: ss_batch_clm_dict_7_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 7 Code.

Column Name: ss_batch_clm_dict_7_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 7 Value.

Column Name: ss_batch_clm_dict_8_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 8 Code.

Column Name: ss_batch_clm_dict_8_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 8 Value.

Column Name: ss_batch_clm_dict_9_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 9 Code.

Column Name: ss_batch_clm_dict_9_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 9 Value.

Column Name: ss_batch_clm_mult_1_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 1 Code.

Column Name: ss_batch_clm_mult_1_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 1 Short Value.

Column Name: ss_batch_clm_mult_1_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 1 Full Value.

Column Name: ss_batch_clm_mult_2_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 2 Code.

Column Name: ss_batch_clm_mult_2_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 2 Short Value.

Column Name: ss_batch_clm_mult_2_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 2 Full Value.

Column Name: ss_batch_clm_mult_3_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 3 Code.

Column Name: ss_batch_clm_mult_3_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 3 Short Value.

Column Name: ss_batch_clm_mult_3_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 3 Full Value.

Column Name: ss_batch_clm_mult_4_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 4 Code.

Column Name: ss_batch_clm_mult_4_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 4 Short Value.

Column Name: ss_batch_clm_mult_4_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 4 Full Value.

Column Name: ss_batch_clm_mult_5_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 5 Code.

Column Name: ss_batch_clm_mult_5_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 5 Short Value.

Column Name: ss_batch_clm_mult_5_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 5 Full Value.

Column Name: ss_batch_clm_scr_txt_1
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 1.

Column Name: ss_batch_clm_scr_txt_10
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 10.

Column Name: ss_batch_clm_scr_txt_2
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 2.

Column Name: ss_batch_clm_scr_txt_3
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 3.

Column Name: ss_batch_clm_scr_txt_4
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 4.

Column Name: ss_batch_clm_scr_txt_5
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 5.

Column Name: ss_batch_clm_scr_txt_6
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 6.

Column Name: ss_batch_clm_scr_txt_7
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 7.

Column Name: ss_batch_clm_scr_txt_8
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 8.

Column Name: ss_batch_clm_scr_txt_9
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 9.

Column Name: ss_batch_clm_time_1
Column Type: varchar
Max Length: 50
SS Batch Claim Time 1.

Column Name: ss_batch_clm_time_10
Column Type: varchar
Max Length: 50
SS Batch Claim Time 10.

Column Name: ss_batch_clm_time_2
Column Type: varchar
Max Length: 50
SS Batch Claim Time 2.

Column Name: ss_batch_clm_time_3
Column Type: varchar
Max Length: 50
SS Batch Claim Time 3.

Column Name: ss_batch_clm_time_4
Column Type: varchar
Max Length: 50
SS Batch Claim Time 4.

Column Name: ss_batch_clm_time_5
Column Type: varchar
Max Length: 50
SS Batch Claim Time 5.

Column Name: ss_batch_clm_time_6
Column Type: varchar
Max Length: 50
SS Batch Claim Time 6.

Column Name: ss_batch_clm_time_7
Column Type: varchar
Max Length: 50
SS Batch Claim Time 7.

Column Name: ss_batch_clm_time_8
Column Type: varchar
Max Length: 50
SS Batch Claim Time 8.

Column Name: ss_batch_clm_time_9
Column Type: varchar
Max Length: 50
SS Batch Claim Time 9.

Column Name: ss_batch_clm_txt_40_1
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 1.

Column Name: ss_batch_clm_txt_40_10
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 10.

Column Name: ss_batch_clm_txt_40_2
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 2.

Column Name: ss_batch_clm_txt_40_3
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 3.

Column Name: ss_batch_clm_txt_40_4
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 4.

Column Name: ss_batch_clm_txt_40_5
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 5.

Column Name: ss_batch_clm_txt_40_6
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 6.

Column Name: ss_batch_clm_txt_40_7
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 7.

Column Name: ss_batch_clm_txt_40_8
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 8.

Column Name: ss_batch_clm_txt_40_9
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 9.

Documentation for form: Fast_Service_Entry

Table Name: SYSTEM.billing_837_comp_clm_cas

Table Description: This table returns CAS-Claim Level Adjustments information of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar

Max Length: 50

Column Name: funding_source_id

Column Type: varchar

Max Length: 50

Column Name: provider_sort

Column Type: varchar

Max Length: 50

Column Name: member_id

Column Type: varchar

Max Length: 20

Column Name: provider_id

Column Type: integer

Column Name: performing_provider_index

Column Type: varchar

Max Length: 50

Column Name: claim_counter

Column Type: integer

Column Name: adj_amount1

Column Type: numeric

Column Name: adj_amount2

Column Type: numeric

Column Name: adj_amount3

Column Type: numeric

Column Name: adj_amount4

Column Type: numeric

Column Name: adj_amount5

Column Type: numeric

Column Name: adj_amount6
Column Type: numeric

Column Name: adj_grp_code
Column Type: varchar
Max Length: 50

Column Name: adj_grp_val
Column Type: varchar
Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code2
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code3

Column Type: varchar
Max Length: 50

Column Name: adj_reason_code4
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code5
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code6
Column Type: varchar
Max Length: 50

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Fast_Service_Entry

Table Name: SYSTEM.billing_837_comp_clm_cob

Table Description: This table returns detailed information on Claim-level Coordination of Benefits of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset

Column Type: numeric

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

Column Name: funding_source_id

Column Type: varchar

Max Length: 50

Column Name: provider_sort

Column Type: varchar

Max Length: 50

Column Name: member_id

Column Type: varchar

Max Length: 20

Column Name: provider_id

Column Type: integer

Column Name: performing_provider_index

Column Type: varchar

Max Length: 50

Column Name: claim_counter

Column Type: integer

Column Name: adj_pay_date

Column Type: date

Column Name: clm_filing_indic_code

Column Type: varchar

Max Length: 50

Column Name: end_stage_ren_pay_amt

Column Type: numeric

Column Name: file_index

Column Type: varchar
Max Length: 50

Column Name: hcpcs_payable_amount
Column Type: numeric

Column Name: indiv_relationship_code
Column Type: varchar
Max Length: 50

Column Name: ins_grp_or_policy_num
Column Type: varchar
Max Length: 50

Column Name: insur_group_name
Column Type: varchar
Max Length: 50

Column Name: insur_type_code
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: non_cov_amt_qual_code
Column Type: varchar
Max Length: 50

Column Name: non_cov_mon_amt
Column Type: varchar
Max Length: 50

Column Name: non_pay_prof_comp_amt
Column Type: numeric

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_city
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_identifier
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_first
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_last
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_state
Column Type: varchar
Max Length: 50

Column Name: other_pay_zip_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_1
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_2
Column Type: varchar
Max Length: 50

Column Name: other_sub_city
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_identifier
Column Type: varchar
Max Length: 80

Column Name: other_sub_name_first
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_last
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_sub_state
Column Type: varchar
Max Length: 50

Column Name: other_sub_zip_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_pat_sig_src
Column Type: varchar
Max Length: 50

Column Name: oth_ins_release_info_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_yes_no_cond_resp
Column Type: varchar
Max Length: 50

Column Name: payer_paid_mon_amt
Column Type: varchar
Max Length: 50

Column Name: payer_paid_qual_code
Column Type: varchar
Max Length: 50

Column Name: pay_resp_seq_num_code
Column Type: varchar
Max Length: 50

Column Name: reimburse_rate
Column Type: numeric

Column Name: remark_code1
Column Type: varchar
Max Length: 50

Column Name: remark_code2
Column Type: varchar
Max Length: 50

Column Name: remark_code3
Column Type: varchar
Max Length: 50

Column Name: remark_code4
Column Type: varchar
Max Length: 50

Column Name: remark_code5
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_mon_amt
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_qual_code
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Fast_Service_Entry

Table Name: SYSTEM.billing_837_comp_svc_cas

Table Description: This table returns Service Level Adjustments information of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar
Max Length: 50

Column Name: member_id
Column Type: varchar
Max Length: 20

Column Name: provider_id

Column Type: integer

Column Name: performing_provider_index

Column Type: varchar

Max Length: 50

Column Name: claim_counter

Column Type: integer

Column Name: service_counter

Column Type: integer

Column Name: adj_amount1

Column Type: numeric

Column Name: adj_amount2

Column Type: numeric

Column Name: adj_amount3

Column Type: numeric

Column Name: adj_amount4

Column Type: numeric

Column Name: adj_amount5

Column Type: numeric

Column Name: adj_amount6

Column Type: numeric

Column Name: adj_grp_code

Column Type: varchar

Max Length: 50

Column Name: adj_grp_val

Column Type: varchar

Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code2
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code3
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code4
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code5
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code6

Column Type: varchar
Max Length: 50

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Fast_Service_Entry

Table Name: SYSTEM.billing_837_comp_svc_cob

Table Description: This table returns detailed information on Service-level Coordination of Benefits of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar

Max Length: 50

Column Name: member_id

Column Type: varchar

Max Length: 20

Column Name: provider_id

Column Type: integer

Column Name: performing_provider_index

Column Type: varchar

Max Length: 50

Column Name: claim_counter

Column Type: integer

Column Name: service_counter

Column Type: integer

Column Name: file_index

Column Type: varchar

Max Length: 50

Column Name: adjudication_paymnt_dt

Column Type: date

Column Name: allowed_amount

Column Type: varchar

Max Length: 50

Column Name: billed_amount

Column Type: varchar

Max Length: 50

Column Name: bund_or_unbund_line_num

Column Type: numeric

Column Name: cob_payer_code

Column Type: varchar

Max Length: 50

Column Name: cob_payer_value

Column Type: varchar

Max Length: 50

Column Name: composite_med_proc_id

Column Type: varchar

Max Length: 150

Column Name: line_number

Column Type: varchar

Max Length: 50

Column Name: option_desc

Column Type: varchar

Max Length: 50

Column Name: option_id

Column Type: varchar

Max Length: 50

Column Name: paid_service_units

Column Type: numeric

Column Name: payer_prim_id

Column Type: varchar

Max Length: 50

Column Name: procedure_code

Column Type: varchar

Max Length: 50

Column Name: procedure_code_desc

Column Type: varchar

Max Length: 50

Column Name: procedure_modifier1

Column Type: varchar

Max Length: 50

Column Name: procedure_modifier2
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier3
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier4
Column Type: varchar
Max Length: 50

Column Name: prod_or_svc_id_qua_code
Column Type: varchar
Max Length: 50

Column Name: remaining_patient_liab
Column Type: varchar
Max Length: 50

Column Name: svc_line_paid_amt
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Fast_Service_Entry

Table Name: SYSTEM.budget_svc_detail

Table Description: This table returns services that contribute towards a provider's budget total.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: account_code
Column Type: varchar
Max Length: 50
'Provider'

Column Name: account_level
Column Type: varchar
Max Length: 50
'Provider'

Column Name: auth_used
Column Type: varchar
Max Length: 50
The number of the authorization that this service falls under.

Column Name: dollars_used
Column Type: varchar
Max Length: 50

Documentation for form: Fast_Service_Entry

Table Name: SYSTEM.history_member_svc

Table Description: This table returns detailed information on MSO services.

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: CLAIMID
Column Type: integer

Column Name: EOB_number
Column Type: varchar
Max Length: 30

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_HCF_UBF_Type
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_HCFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SVCUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_member_CONuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOINTOparentTXhistory
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_uniq_index_service
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_name
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: approved_units
Column Type: numeric

Column Name: authorization_number
Column Type: varchar

Max Length: 50

Column Name: authorization_valid_code

Column Type: varchar

Max Length: 50

Column Name: authorization_valid_value

Column Type: varchar

Max Length: 50

Column Name: bill_period

Column Type: date

Column Name: claim_status_code

Column Type: varchar

Max Length: 50

Column Name: claim_status_reason_code

Column Type: varchar

Max Length: 50

Column Name: claim_status_reason_value

Column Type: varchar

Max Length: 4096

Column Name: claim_status_value

Column Type: varchar

Max Length: 50

Column Name: copay_applies_to_ded_code

Column Type: varchar

Max Length: 50

Column Name: copay_applies_to_ded_value

Column Type: varchar

Max Length: 50

Column Name: covered_CBPuniqueid

Column Type: varchar

Max Length: 50

Column Name: covered_LIBuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_PLANID
Column Type: varchar
Max Length: 50

Column Name: cpt_code_code
Column Type: varchar
Max Length: 50

Column Name: cpt_code_value
Column Type: varchar
Max Length: 80

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: date_claims_received
Column Type: date

Column Name: date_of_service
Column Type: date

Column Name: delay_reason_code
Column Type: varchar
Max Length: 50

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50

Column Name: diagnosis_code
Column Type: varchar
Max Length: 50

Column Name: diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: duration
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_code
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_value
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_code
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_value

Column Type: varchar
Max Length: 50

Column Name: expected_disburse
Column Type: numeric

Column Name: is_this_an_admission_code
Column Type: varchar
Max Length: 50

Column Name: is_this_an_admission_value
Column Type: varchar
Max Length: 50

Column Name: level_of_care
Column Type: varchar
Max Length: 50

Column Name: member_copay
Column Type: numeric

Column Name: member_deductible
Column Type: numeric

Column Name: member_enrolled_dos_code
Column Type: varchar
Max Length: 50

Column Name: member_enrolled_dos_value
Column Type: varchar
Max Length: 50

Column Name: original_procedure_code_code
Column Type: varchar
Max Length: 50

Column Name: original_procedure_code_value
Column Type: varchar
Max Length: 80

Column Name: population_code
Column Type: varchar
Max Length: 50

Column Name: population_value
Column Type: varchar
Max Length: 50

Column Name: private_pay_amt
Column Type: numeric

Column Name: private_pay_payer_code
Column Type: varchar
Max Length: 50

Column Name: private_pay_payer_value
Column Type: varchar
Max Length: 50

Column Name: procedure_code_code
Column Type: varchar
Max Length: 50

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50

Column Name: procedure_code_value
Column Type: varchar
Max Length: 80

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80

Column Name: service_units
Column Type: numeric

Column Name: svc_bundle_837_id
Column Type: varchar
Max Length: 50

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50

Column Name: third_party_amount_paid
Column Type: numeric

Column Name: total_charge
Column Type: numeric

Column Name: total_fee_table_amt
Column Type: numeric

Column Name: trt_fac_member
Column Type: varchar
Max Length: 50

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50

Column Name: remark_codes
Column Type: varchar
Max Length: 500

Column Name: remark_codes_value
Column Type: varchar
Max Length: 5096

Column Name: adjustment_reason_code
Column Type: varchar
Max Length: 50

Column Name: adjustment_reason_value
Column Type: varchar
Max Length: 255

Column Name: voucher_number
Column Type: varchar
Max Length: 30

Documentation for form: Fast_Service_Entry

Table Name: SYSTEM.history_member_svc_unclm

Table Description: This table returns detailed information on MSO services.

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: CLAIMID
Column Type: integer

Column Name: EOB_number

Column Type: varchar
Max Length: 30

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_HCF_UBF_Type
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_HCFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SVCUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_contract_CORUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_member_CONUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_uniq_index_service
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_name
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: approved_units
Column Type: numeric

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: authorization_valid_code
Column Type: varchar
Max Length: 50

Column Name: authorization_valid_value
Column Type: varchar
Max Length: 50

Column Name: bill_period
Column Type: date

Column Name: claim_status_code
Column Type: varchar
Max Length: 50

Column Name: claim_status_reason_code
Column Type: varchar
Max Length: 50

Column Name: claim_status_reason_value
Column Type: varchar
Max Length: 4096

Column Name: claim_status_value
Column Type: varchar
Max Length: 50

Column Name: copay_applies_to_ded_code
Column Type: varchar
Max Length: 50

Column Name: copay_applies_to_ded_value
Column Type: varchar
Max Length: 50

Column Name: covered_CBPuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_LIBuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_PLANID
Column Type: varchar
Max Length: 50

Column Name: cpt_code_code
Column Type: varchar
Max Length: 50

Column Name: cpt_code_value
Column Type: varchar
Max Length: 80

Column Name: data_entry_date
Column Type: date

Column Name: date_claims_received
Column Type: date

Column Name: date_of_service
Column Type: date

Column Name: delay_reason_code
Column Type: varchar
Max Length: 50

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50

Column Name: diagnosis_code
Column Type: varchar
Max Length: 50

Column Name: diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: duration
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_code
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_value
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_code
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_value
Column Type: varchar
Max Length: 50

Column Name: expected_disburse
Column Type: numeric

Column Name: is_this_an_admission_code
Column Type: varchar
Max Length: 50

Column Name: is_this_an_admission_value
Column Type: varchar
Max Length: 50

Column Name: level_of_care
Column Type: varchar
Max Length: 50

Column Name: member_copay
Column Type: numeric

Column Name: member_deductible
Column Type: numeric

Column Name: member_enrolled_dos_code
Column Type: varchar
Max Length: 50

Column Name: member_enrolled_dos_value

Column Type: varchar
Max Length: 50

Column Name: private_pay_amt
Column Type: numeric

Column Name: private_pay_payer_code
Column Type: varchar
Max Length: 50

Column Name: private_pay_payer_value
Column Type: varchar
Max Length: 50

Column Name: procedure_code_code
Column Type: varchar
Max Length: 50

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50

Column Name: procedure_code_value
Column Type: varchar
Max Length: 80

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80

Column Name: service_units
Column Type: numeric

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50

Column Name: total_charge
Column Type: numeric

Column Name: total_fee_table_amt
Column Type: numeric

Column Name: trt_fac_member
Column Type: varchar
Max Length: 50

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50

Column Name: voucher_number
Column Type: varchar
Max Length: 30

Documentation for form: Fast_Service_Entry

Table Name: SYSTEM.mso_claim_adjustments

Table Description: This table returns detailed claim adjustment information of a claim

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar

Max Length: 50

Column Name: FACILITY

Column Type: integer

Column Name: JOIN_TO_HCFUBFUniqueid

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_RETRO_RECORD

Column Type: integer

Column Name: JOIN_TO_SVCUniqueid

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_COB

Column Type: varchar

Max Length: 50

Column Name: adj_amount1

Column Type: numeric

Column Name: adj_amount2

Column Type: numeric

Column Name: adj_amount3

Column Type: numeric

Column Name: adj_amount4

Column Type: numeric

Column Name: adj_amount5

Column Type: numeric

Column Name: adj_amount6

Column Type: numeric

Column Name: adj_grp_code
Column Type: varchar
Max Length: 50

Column Name: adj_grp_val
Column Type: varchar
Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code2
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code3
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code4

Column Type: varchar
Max Length: 50

Column Name: adj_reason_code5
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code6
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: pm_adjustment_code_ind
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Fast_Service_Entry

Table Name: SYSTEM.mso_claim_cob

Table Description: This table returns detailed information on Claim-level Coordination of Benefits

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_HCFUBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: adj_pay_date
Column Type: date

Column Name: clm_filing_indic_code
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar

Max Length: 50

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_utc

Column Type: timestamp

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

Column Name: data_entry_time_j

Column Type: time

Column Name: data_entry_offset

Column Type: numeric

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

Column Name: end_stage_ren_pay_amt

Column Type: numeric

Column Name: file_index

Column Type: varchar

Max Length: 50

Column Name: hcpcs_payable_amount

Column Type: numeric

Column Name: indiv_relationship_code

Column Type: varchar

Max Length: 50

Column Name: ins_grp_or_policy_num

Column Type: varchar

Max Length: 50

Column Name: insur_group_name

Column Type: varchar

Max Length: 50

Column Name: insur_type_code

Column Type: varchar

Max Length: 50

Column Name: line_number

Column Type: varchar

Max Length: 50

Column Name: non_cov_amt_qual_code

Column Type: varchar

Max Length: 50

Column Name: non_cov_mon_amt

Column Type: varchar

Max Length: 50

Column Name: non_pay_prof_comp_amt

Column Type: numeric

Column Name: option_desc

Column Type: varchar

Max Length: 50

Column Name: option_id

Column Type: varchar

Max Length: 50

Column Name: other_pay_address_1

Column Type: varchar

Max Length: 50

Column Name: other_pay_address_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_city
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_identifier
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_first
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_last
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_state
Column Type: varchar
Max Length: 50

Column Name: other_pay_zip_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_1
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_2
Column Type: varchar
Max Length: 50

Column Name: other_sub_city
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_identifier
Column Type: varchar
Max Length: 80

Column Name: other_sub_name_first
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_last
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_sub_state
Column Type: varchar
Max Length: 50

Column Name: other_sub_zip_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_pat_sig_src
Column Type: varchar
Max Length: 50

Column Name: oth_ins_release_info_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_yes_no_cond_resp
Column Type: varchar
Max Length: 50

Column Name: payer_paid_mon_amt
Column Type: varchar
Max Length: 50

Column Name: payer_paid_qual_code
Column Type: varchar
Max Length: 50

Column Name: pay_resp_seq_num_code
Column Type: varchar
Max Length: 50

Column Name: reimburse_rate
Column Type: numeric

Column Name: remark_code1
Column Type: varchar
Max Length: 50

Column Name: remark_code2
Column Type: varchar
Max Length: 50

Column Name: remark_code3
Column Type: varchar
Max Length: 50

Column Name: remark_code4
Column Type: varchar
Max Length: 50

Column Name: remark_code5
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_mon_amt
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_qual_code
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Fast_Service_Entry

Table Name: SYSTEM.provider_monthly_max

Table Description: This table returns services that contribute towards a provider's monthly dollar max.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PROVID
Column Type: varchar
Max Length: 50
'Provider'

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: auth_used
Column Type: varchar
Max Length: 50
The number of the authorization that this service falls under.

Column Name: dollars_used
Column Type: varchar
Max Length: 50

Column Name: max_month
Column Type: integer
The month that this service will be credited against.

Column Name: max_year
Column Type: integer
The year that this service will be credited against.

Column Name: pended
Column Type: varchar
Max Length: 50
A flag indicating whether the service was pended due to exhaustion of monthly max dollars.

Documentation for form: Claim_Processing_(UB-04)

Table Name: SYSTEM.batch_clm_svc_adj_codes

Table Description: This table returns adjustment codes assigned to services during claim adjudication, as well as HIPAA cross reference information associated to those codes.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: adj_amount
Column Type: varchar
Max Length: 50
The adjustment amount associated with the EOB message.

Column Name: adj_code_code
Column Type: varchar
Max Length: 50
The adjustment code associated with the EOB message.

Column Name: adj_code_value
Column Type: varchar
Max Length: 50
The description associated with adj_code_code. See adj_code_code for more information.

Column Name: adj_group_code_5010_code
Column Type: varchar
Max Length: 50
The HIPAA version 5010 adjustment group code associated with the EOB message.

Column Name: adj_group_code_5010_value
Column Type: varchar

Max Length: 50

The description associated with adj_group_code_5010_code. See adj_group_code_5010_code for more information.

Column Name: adj_group_code_code

Column Type: varchar

Max Length: 50

The adjustment group code associated with the EOB message.

Column Name: adj_group_code_value

Column Type: varchar

Max Length: 50

The description associated with adj_group_code_code. See adj_group_code_code for more information.

Column Name: adj_reason_code_code

Column Type: varchar

Max Length: 50

The adjustment reason code associated with the EOB message.

Column Name: adj_reason_code_value

Column Type: varchar

Max Length: 4096

The description associated with adj_reason_code_code. See adj_reason_code_code for more information.

Column Name: apd_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the claim status associated to the EOB message.

Column Name: apd_status_value

Column Type: varchar

Max Length: 50

The description associated with apd_status_code. See apd_status_code for more information.

Column Name: eob_message_code

Column Type: numeric

The unique numeric ID of the EOB message.

Column Name: eob_message_value

Column Type: varchar

Max Length: 50

The description associated with eob_message_code. See eob_message_code for more information.

Documentation for form: Claim_Processing_(UB-04)

Table Name: SYSTEM.batch_clm_svc_detail

Table Description: This table returns detailed information on MSO services.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUID
Column Type: varchar
Max Length: 50
A unique identifier used internally to validate data.

Column Name: JOIN_TO_AUTUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the associated authorization.

Column Name: JOIN_TO_HCF_UBF_Type
Column Type: varchar
Max Length: 50
Indicator of whether this claim is of type "HCFA" or "UB92".

Column Name: JOIN_TO_HCFUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the claim if it is of type "HCFA".

Column Name: JOIN_TO_UBFHCFUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the claim.

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the claim if it is of type "UB92".

Column Name: PATID
Column Type: varchar

Max Length: 20
The client ID associated with the data.

Column Name: PPluniqueid
Column Type: varchar
Max Length: 50
The unique ID for the associated performing provider.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: UTCTimestamp
Column Type: timestamp
The UTC time when the row was last updated.

Column Name: VOUCHERID
Column Type: integer
The unique ID for the voucher.

Column Name: ability_to_pay_amt
Column Type: numeric
The ability to pay amount deducted from the service.

Column Name: account_code
Column Type: varchar
Max Length: 50
The authorization account code.

Column Name: account_level
Column Type: varchar
Max Length: 50
The authorization account level.

Column Name: account_level_name
Column Type: varchar
Max Length: 50
The authorization account level name.

Column Name: account_name
Column Type: varchar
Max Length: 50
The authorization account name.

Column Name: add_on_notes
Column Type: varchar
Max Length: 32000
Add-on notes.

Column Name: adjudication_code

Column Type: varchar

Max Length: 50

The adjudication code.

Column Name: adjustment_reason_code

Column Type: varchar

Max Length: 50

One or more dictionary codes for claim adjustment reasons.

Column Name: adjustment_reason_value

Column Type: varchar

Max Length: 255

The description associated with adjustment_reason_code. See adjustment_reason_code for more information.

Column Name: approved_units

Column Type: numeric

Approved units.

Column Name: associated_code

Column Type: varchar

Max Length: 50

Associated code.

Column Name: authorization_assoc_code

Column Type: varchar

Max Length: 50

The authorization associated code.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

The authorization number.

Column Name: authorization_valid_code

Column Type: varchar

Max Length: 50

Indicator of whether the authorization is valid.

Column Name: authorization_valid_value

Column Type: varchar

Max Length: 50

The description associated with authorization_valid_code. See authorization_valid_code for more information.

Column Name: blackout_id

Column Type: integer

The unique blackout ID.

Column Name: carelink_service_ID
Column Type: varchar
Max Length: 50
The carelink service ID.

Column Name: claim_number_837
Column Type: varchar
Max Length: 50
837 claim number for the service.

Column Name: claim_status_code
Column Type: varchar
Max Length: 50
Dictionary code for the claim status.

Column Name: claim_status_reason_code
Column Type: varchar
Max Length: 50
Dictionary code for the claim status reason.

Column Name: claim_status_reason_value
Column Type: varchar
Max Length: 4096
The description associated with claim_status_reason_code. See claim_status_reason_code for more information.

Column Name: claim_status_value
Column Type: varchar
Max Length: 50
The description associated with claim_status_code. See claim_status_code for more information.

Column Name: comments
Column Type: varchar
Max Length: 32766
Comments regarding the service.

Column Name: contains_overridden_field
Column Type: varchar
Max Length: 1
Indicator of whether there is an overridden field.If "Y", indicates that this service detail contains one or more fields whose values were manually overridden.

Column Name: copay_applies_to_ded_code
Column Type: varchar
Max Length: 50
'Co-Pay Counts Towards Deductible'

Column Name: copay_applies_to_ded_value
Column Type: varchar
Max Length: 50

The description associated with copay_applies_to_ded_code. See copay_applies_to_ded_code for more information.

Column Name: cost_center_code
Column Type: varchar
Max Length: 50
Dictionary code for the cost center.

Column Name: cost_center_value
Column Type: varchar
Max Length: 50
The description associated with cost_center_code. See cost_center_code for more information.

Column Name: covered_CBPuniqueid
Column Type: varchar
Max Length: 50
The unique ID for plan covered services.

Column Name: covered_LIBuniqueid
Column Type: varchar
Max Length: 50
The unique ID for plan liability rules level.

Column Name: covered_PLANID
Column Type: varchar
Max Length: 50
The unique ID for the associated coverage plan.

Column Name: cpt_code_code
Column Type: varchar
Max Length: 50
The CPT code.

Column Name: cpt_code_value
Column Type: varchar
Max Length: 80
The description associated with cpt_code_code. See cpt_code_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_service

Column Type: date

The date the service was rendered.

Column Name: date_of_service_end

Column Type: date

The date the service ended.

Column Name: delay_reason_code

Column Type: varchar

Max Length: 50

Dictionary code indicating the reason the claim was delayed.

Column Name: delay_reason_value

Column Type: varchar

Max Length: 50

The description associated with delay_reason_code. See delay_reason_code for more information.

Column Name: diagnosis_code

Column Type: varchar

Max Length: 50

Diagnosis code associated with the service.

Column Name: diagnosis_reference

Column Type: varchar

Max Length: 50

Diagnosis reference.

Column Name: diagnosis_reference_2

Column Type: varchar

Max Length: 50

Diagnosis reference 2.

Column Name: diagnosis_reference_3

Column Type: varchar

Max Length: 50

Diagnosis reference 3.

Column Name: diagnosis_reference_4

Column Type: varchar

Max Length: 50

Diagnosis reference 4.

Column Name: diagnosis_value

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code. See diagnosis_code for more information.

Column Name: discipline_code

Column Type: varchar

Max Length: 40

Dictionary code indicating the medical discipline under which the service was rendered.

Column Name: discipline_value

Column Type: varchar

Max Length: 40

The description associated with discipline_code. See discipline_code for more information.

Column Name: documentation_time

Column Type: numeric

For group services, the documentation time

Column Name: drug_ref_id
Column Type: varchar
Max Length: 50
The service drug reference ID.

Column Name: drug_ref_id_qual
Column Type: varchar
Max Length: 50
The service drug reference qualifier.

Column Name: duration
Column Type: varchar
Max Length: 50
The service duration.

Column Name: ebpss_csi_code
Column Type: varchar
Max Length: 32000
Dictionary code indicating the evidence-based practices / service strategies (CSI) code for the service.

Column Name: ebpss_csi_value
Column Type: varchar
Max Length: 255
The description associated with ebpss_csi_code. See ebpss_csi_code for more information.

Column Name: ebpss_csi_value_long
Column Type: varchar
Max Length: 4096
The description associated with ebpss_csi_value_code. See ebpss_csi_value_code for more information.

Column Name: eligible_provider_code
Column Type: varchar
Max Length: 50
Indicator of whether the provider was eligible or not.

Column Name: eligible_provider_value
Column Type: varchar
Max Length: 50
The description associated with eligible_provider_code. See eligible_provider_code for more information.

Column Name: emergency_indicator_code
Column Type: varchar
Max Length: 50
'Emergency Indicator (837P-2400-SV109)'

Column Name: emergency_indicator_value
Column Type: varchar
Max Length: 50

The description associated with emergency_indicator_code. See emergency_indicator_code for more information.

Column Name: expected_disburse
Column Type: numeric
Expected disbursement for the service.

Column Name: explan_of_coverage
Column Type: varchar
Max Length: 32766
Explanation of coverage.

Column Name: group_service_units
Column Type: varchar
Max Length: 50
For group services, the total approved group service units

Column Name: group_service_units_day
Column Type: varchar
Max Length: 50
For group services, the total approved group service units per day

Column Name: hcpcs_code
Column Type: varchar
Max Length: 50
The HCPCS code.

Column Name: is_this_an_admission_code
Column Type: varchar
Max Length: 50
'Does This Service Represent An Admission'

Column Name: is_this_an_admission_value
Column Type: varchar
Max Length: 50
The description associated with is_this_an_admission_code. See is_this_an_admission_code for more information.

Column Name: level_of_care
Column Type: varchar
Max Length: 50
Level of care.

Column Name: line_item_control_num
Column Type: varchar
Max Length: 50
Line item control number.

Column Name: line_note_code
Column Type: varchar

Max Length: 50

Indicator dictionary code of the type of information captured in the service line note text.

Column Name: line_note_code_val

Column Type: varchar

Max Length: 50

The description associated with line_note_code_code. See line_note_code_code for more information.

Column Name: line_note_text

Column Type: varchar

Max Length: 80

Service line note text.

Column Name: location_code

Column Type: varchar

Max Length: 50

The service location code.

Column Name: location_value

Column Type: varchar

Max Length: 50

The description associated with location_code. See location_code for more information.

Column Name: manual_service_code

Column Type: varchar

Max Length: 50

Manual service code.

Column Name: manual_service_descript

Column Type: varchar

Max Length: 80

Manual service description.

Column Name: measurement_code_code

Column Type: varchar

Max Length: 50

'Measurement Code (837-2400-SV103/SV204)'.

Column Name: measurement_code_value

Column Type: varchar

Max Length: 50

The description associated with measurement_code_code. See measurement_code_code for more information.

Column Name: member_copay

Column Type: numeric

Member co-pay.

Column Name: member_deductible

Column Type: numeric

Member deductible.

Column Name: member_enrolled_dos_code

Column Type: varchar

Max Length: 50

'Member Enrolled On Date Of Service'

Column Name: member_enrolled_dos_value

Column Type: varchar

Max Length: 50

The description associated with member_enrolled_dos_code. See member_enrolled_dos_code for more information.

Column Name: member_id

Column Type: numeric

Member ID.

Column Name: national_drug_code

Column Type: varchar

Max Length: 50

National drug code.

Column Name: number_in_group

Column Type: numeric

For group services, the number of members in the group

Column Name: num_counselor_in_group

Column Type: numeric

For group services, the number of counselors in the group

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: original_proc_code_code

Column Type: varchar

Max Length: 50

Original procedure code.

Column Name: original_proc_code_type

Column Type: varchar

Max Length: 50

Original procedure type.

Column Name: original_proc_code_value

Column Type: varchar

Max Length: 80

The description associated with original_proc_code_code. See original_proc_code_code for more information.

Column Name: parent_nspace_link_to_DD

Column Type: varchar

Max Length: 50

Link to the associated parent service in SYSTEM.billing_tx_history.

Column Name: patient_account_number

Column Type: varchar

Max Length: 50

Patient account number.

Column Name: perf_prov_name

Column Type: varchar

Max Length: 50

Name of the performing provider.

Column Name: place_of_service_code

Column Type: varchar

Max Length: 50

Place of service code.

Column Name: population_code

Column Type: varchar

Max Length: 50

Population code.

Column Name: population_value

Column Type: varchar

Max Length: 50

The description associated with population_code. See population_code for more information.

Column Name: prev_batch_pended_from

Column Type: varchar

Max Length: 500

Previous batch the service was pended from.

Column Name: primary_service_id

Column Type: varchar

Max Length: 50

The primary service ID.

Column Name: private_pay_amt

Column Type: numeric

Private pay amount.

Column Name: private_pay_payer_code
Column Type: varchar
Max Length: 50
Payer code for private pay.

Column Name: private_pay_payer_value
Column Type: varchar
Max Length: 50
The description associated with private_pay_payer_code. See private_pay_payer_code for more information.

Column Name: proc_code_type_for_adj
Column Type: varchar
Max Length: 50
Procedure code type of adjustment.

Column Name: procedure_code_code
Column Type: varchar
Max Length: 50
Procedure code.

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50
Procedure code type.

Column Name: procedure_code_value
Column Type: varchar
Max Length: 80
The description associated with procedure_code_code. See procedure_code_code for more information.

Column Name: procedure_code_with_mod
Column Type: varchar
Max Length: 50
Procedure code with modifier.

Column Name: provider_to_be_auth
Column Type: varchar
Max Length: 50
Provider to be authorized.

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50
Provider program link.

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50
Provider program name.

Column Name: quantity
Column Type: varchar
Max Length: 50
Quantity.

Column Name: ref_p4
Column Type: varchar
Max Length: 50
REF*P4 segment

Column Name: remark_codes
Column Type: varchar
Max Length: 500
Claim status remark codes returned on an 837.

Column Name: remark_codes_value
Column Type: varchar
Max Length: 5096
The description associated with remark_codes_code. See remark_codes_code for more information.

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50
Revenue code.

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80
The description associated with revenue_code_code. See revenue_code_code for more information.

Column Name: service_comments
Column Type: varchar
Max Length: 32766
Service comments.

Column Name: service_end_time
Column Type: time
Service end time.

Column Name: service_start_time
Column Type: time
Service start time.

Column Name: service_units
Column Type: numeric
Service units.

Column Name: svc_bundle_837_id
Column Type: varchar

Max Length: 50
Service bundle 837 ID.

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50
Indicator code of whether the service counts as a visit.

Column Name: system_index
Column Type: varchar
Max Length: 50
Service index.

Column Name: third_party_amount_paid
Column Type: numeric
Third party amount paid

Column Name: third_party_payer_amt_1
Column Type: numeric
Third party payer amount 1.

Column Name: third_party_payer_amt_2
Column Type: numeric
Third party payer amount 2.

Column Name: third_party_payer_amt_3
Column Type: numeric
Third party payer amount 3.

Column Name: third_party_payer_amt_4
Column Type: numeric
Third party payer amount 4.

Column Name: third_party_payer_amt_5
Column Type: numeric
Third party payer amount 5.

Column Name: third_party_payer_amt_6
Column Type: numeric
Third party payer amount 6.

Column Name: third_party_payer_code_1
Column Type: varchar
Max Length: 50
Third party payer code 1.

Column Name: third_party_payer_code_2
Column Type: varchar
Max Length: 50
Third party payer code 2.

Column Name: third_party_payer_code_3

Column Type: varchar

Max Length: 50

Third party payer code 3.

Column Name: third_party_payer_code_4

Column Type: varchar

Max Length: 50

Third party payer code 4.

Column Name: third_party_payer_code_5

Column Type: varchar

Max Length: 50

Third party payer code 5.

Column Name: third_party_payer_code_6

Column Type: varchar

Max Length: 50

Third party payer code 6.

Column Name: third_party_payer_value_1

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_2

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_3

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_4

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_5

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_6

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: thrd_prty_allowed_amt

Column Type: numeric

Third party allowed amount.

Column Name: thrd_prty_billed_amt

Column Type: numeric

Third party billed amount

Column Name: thrd_prty_pay_adj_amt_11

Column Type: numeric

Third party payment adjustment amount 11.

Column Name: thrd_prty_pay_adj_amt_12

Column Type: numeric

Third party payment adjustment amount 12.

Column Name: thrd_prty_pay_adj_amt_13

Column Type: numeric

Third party payment adjustment amount 13.

Column Name: thrd_prty_pay_adj_amt_14

Column Type: numeric

Third party payment adjustment amount 14.

Column Name: thrd_prty_pay_adj_amt_15

Column Type: numeric

Third party payment adjustment amount 15.

Column Name: thrd_prty_pay_adj_amt_21

Column Type: numeric

Third party payment adjustment amount 21.

Column Name: thrd_prty_pay_adj_amt_22

Column Type: numeric

Third party payment adjustment amount 22.

Column Name: thrd_prty_pay_adj_amt_23

Column Type: numeric

Third party payment adjustment amount 23.

Column Name: thrd_prty_pay_adj_amt_24

Column Type: numeric

Third party payment adjustment amount 24.

Column Name: thrd_prty_pay_adj_amt_25
Column Type: numeric
Third party payment adjustment amount 25.

Column Name: thrd_prty_pay_adj_amt_31
Column Type: numeric
Third party payment adjustment amount 31.

Column Name: thrd_prty_pay_adj_amt_32
Column Type: numeric
Third party payment adjustment amount 32.

Column Name: thrd_prty_pay_adj_amt_33
Column Type: numeric
Third party payment adjustment amount 33.

Column Name: thrd_prty_pay_adj_amt_34
Column Type: numeric
Third party payment adjustment amount 34.

Column Name: thrd_prty_pay_adj_amt_35
Column Type: numeric
Third party payment adjustment amount 35.

Column Name: thrd_prty_pay_adj_amt_41
Column Type: numeric
Third party payment adjustment amount 41.

Column Name: thrd_prty_pay_adj_amt_42
Column Type: numeric
Third party payment adjustment amount 42.

Column Name: thrd_prty_pay_adj_amt_43
Column Type: numeric
Third party payment adjustment amount 43.

Column Name: thrd_prty_pay_adj_amt_44
Column Type: numeric
Third party payment adjustment amount 44.

Column Name: thrd_prty_pay_adj_amt_45
Column Type: numeric
Third party payment adjustment amount 45.

Column Name: thrd_prty_pay_adj_code_11
Column Type: varchar
Max Length: 50
Third party payment adjustment code 11.

Column Name: thrd_prty_pay_adj_code_12
Column Type: varchar
Max Length: 50
Third party payment adjustment code 12.

Column Name: thrd_prty_pay_adj_code_13
Column Type: varchar
Max Length: 50
Third party payment adjustment code 13.

Column Name: thrd_prty_pay_adj_code_14
Column Type: varchar
Max Length: 50
Third party payment adjustment code 14.

Column Name: thrd_prty_pay_adj_code_15
Column Type: varchar
Max Length: 50
Third party payment adjustment code 15.

Column Name: thrd_prty_pay_adj_code_21
Column Type: varchar
Max Length: 50
Third party payment adjustment code 21.

Column Name: thrd_prty_pay_adj_code_22
Column Type: varchar
Max Length: 50
Third party payment adjustment code 22.

Column Name: thrd_prty_pay_adj_code_23
Column Type: varchar
Max Length: 50
Third party payment adjustment code 23.

Column Name: thrd_prty_pay_adj_code_24
Column Type: varchar
Max Length: 50
Third party payment adjustment code 24.

Column Name: thrd_prty_pay_adj_code_25
Column Type: varchar
Max Length: 50
Third party payment adjustment code 25.

Column Name: thrd_prty_pay_adj_code_31
Column Type: varchar
Max Length: 50
Third party payment adjustment code 31.

Column Name: thrd_prty_pay_adj_code_32
Column Type: varchar
Max Length: 50
Third party payment adjustment code 32.

Column Name: thrd_prty_pay_adj_code_33
Column Type: varchar
Max Length: 50
Third party payment adjustment code 33.

Column Name: thrd_prty_pay_adj_code_34
Column Type: varchar
Max Length: 50
Third party payment adjustment code 34.

Column Name: thrd_prty_pay_adj_code_35
Column Type: varchar
Max Length: 50
Third party payment adjustment code 35.

Column Name: thrd_prty_pay_adj_code_41
Column Type: varchar
Max Length: 50
Third party payment adjustment code 41.

Column Name: thrd_prty_pay_adj_code_42
Column Type: varchar
Max Length: 50
Third party payment adjustment code 42.

Column Name: thrd_prty_pay_adj_code_43
Column Type: varchar
Max Length: 50
Third party payment adjustment code 43.

Column Name: thrd_prty_pay_adj_code_44
Column Type: varchar
Max Length: 50
Third party payment adjustment code 44.

Column Name: thrd_prty_pay_adj_code_45
Column Type: varchar
Max Length: 50
Third party payment adjustment code 45.

Column Name: thrd_prty_pay_adj_val_11
Column Type: varchar
Max Length: 50
The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_12

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_13

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_14

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_15

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_21

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_22

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_23

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_24

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_25

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_31

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_32

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_33

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_34

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_35

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_41

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_42

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_43

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_44

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_45

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_allow_1

Column Type: numeric

Third party payment allowed amount 1.

Column Name: thrd_prty_pay_allow_2

Column Type: numeric

Third party payment allowed amount 2.

Column Name: thrd_prty_pay_allow_3

Column Type: numeric

Third party payment allowed amount 3.

Column Name: thrd_prty_pay_allow_4

Column Type: numeric

Third party payment allowed amount 4.

Column Name: thrd_prty_pay_billed_1

Column Type: numeric

Third party payment billed 1.

Column Name: thrd_prty_pay_billed_2

Column Type: numeric

Third party payment billed 2.

Column Name: thrd_prty_pay_billed_3

Column Type: numeric

Third party payment billed 3.

Column Name: thrd_prty_pay_billed_4

Column Type: numeric

Third party payment billed 4.

Column Name: thrd_prty_pvt_pay_amt

Column Type: numeric

Third party private pay amount.

Column Name: total_charge
Column Type: numeric
Total charge for the service.

Column Name: total_fee_table_amt
Column Type: numeric
Total fee table amount for the service.

Column Name: travel_time
Column Type: numeric
For group services, the travel time

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50
Treatment provider type.

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50
Dictionary code indicating whether the type of authorization is inpatient or outpatient.

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50
The description associated with type_of_service_code. See type_of_service_code for more information.

Column Name: unique_row_id
Column Type: varchar
Max Length: 50
The unique row ID.

Column Name: unit_of_measurement
Column Type: varchar
Max Length: 50
Unit of measurement.

Documentation for form: Claim_Processing_(UB-04)

Table Name: SYSTEM.batch_clm_svc_detail_ss

Table Description: This table returns site specific fields for MSO services.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: ss_batch_clm_date_1
Column Type: date
SS Batch Claim Date 1.

Column Name: ss_batch_clm_date_10
Column Type: date
SS Batch Claim Date 10.

Column Name: ss_batch_clm_date_2
Column Type: date
SS Batch Claim Date 2.

Column Name: ss_batch_clm_date_3
Column Type: date
SS Batch Claim Date 3.

Column Name: ss_batch_clm_date_4
Column Type: date
SS Batch Claim Date 4.

Column Name: ss_batch_clm_date_5
Column Type: date
SS Batch Claim Date 5.

Column Name: ss_batch_clm_date_6
Column Type: date
SS Batch Claim Date 6.

Column Name: ss_batch_clm_date_7
Column Type: date
SS Batch Claim Date 7.

Column Name: ss_batch_clm_date_8
Column Type: date
SS Batch Claim Date 8.

Column Name: ss_batch_clm_date_9
Column Type: date
SS Batch Claim Date 9.

Column Name: ss_batch_clm_dict_10_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 10 Cdoe.

Column Name: ss_batch_clm_dict_10_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 10 Value.

Column Name: ss_batch_clm_dict_1_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 1 Code.

Column Name: ss_batch_clm_dict_1_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 1 Value.

Column Name: ss_batch_clm_dict_2_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 2 Code.

Column Name: ss_batch_clm_dict_2_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 2 Value.

Column Name: ss_batch_clm_dict_3_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 3 Code.

Column Name: ss_batch_clm_dict_3_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 3 Value.

Column Name: ss_batch_clm_dict_4_code

Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 4 Code.

Column Name: ss_batch_clm_dict_4_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 4 Value.

Column Name: ss_batch_clm_dict_5_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 5 Code.

Column Name: ss_batch_clm_dict_5_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 5 Value.

Column Name: ss_batch_clm_dict_6_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 6 Code.

Column Name: ss_batch_clm_dict_6_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 6 Value.

Column Name: ss_batch_clm_dict_7_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 7 Code.

Column Name: ss_batch_clm_dict_7_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 7 Value.

Column Name: ss_batch_clm_dict_8_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 8 Code.

Column Name: ss_batch_clm_dict_8_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 8 Value.

Column Name: ss_batch_clm_dict_9_code

Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 9 Code.

Column Name: ss_batch_clm_dict_9_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 9 Value.

Column Name: ss_batch_clm_mult_1_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 1 Code.

Column Name: ss_batch_clm_mult_1_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 1 Short Value.

Column Name: ss_batch_clm_mult_1_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 1 Full Value.

Column Name: ss_batch_clm_mult_2_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 2 Code.

Column Name: ss_batch_clm_mult_2_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 2 Short Value.

Column Name: ss_batch_clm_mult_2_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 2 Full Value.

Column Name: ss_batch_clm_mult_3_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 3 Code.

Column Name: ss_batch_clm_mult_3_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 3 Short Value.

Column Name: ss_batch_clm_mult_3_value

Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 3 Full Value.

Column Name: ss_batch_clm_mult_4_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 4 Code.

Column Name: ss_batch_clm_mult_4_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 4 Short Value.

Column Name: ss_batch_clm_mult_4_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 4 Full Value.

Column Name: ss_batch_clm_mult_5_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 5 Code.

Column Name: ss_batch_clm_mult_5_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 5 Short Value.

Column Name: ss_batch_clm_mult_5_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 5 Full Value.

Column Name: ss_batch_clm_scr_txt_1
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 1.

Column Name: ss_batch_clm_scr_txt_10
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 10.

Column Name: ss_batch_clm_scr_txt_2
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 2.

Column Name: ss_batch_clm_scr_txt_3

Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 3.

Column Name: ss_batch_clm_scr_txt_4
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 4.

Column Name: ss_batch_clm_scr_txt_5
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 5.

Column Name: ss_batch_clm_scr_txt_6
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 6.

Column Name: ss_batch_clm_scr_txt_7
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 7.

Column Name: ss_batch_clm_scr_txt_8
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 8.

Column Name: ss_batch_clm_scr_txt_9
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 9.

Column Name: ss_batch_clm_time_1
Column Type: varchar
Max Length: 50
SS Batch Claim Time 1.

Column Name: ss_batch_clm_time_10
Column Type: varchar
Max Length: 50
SS Batch Claim Time 10.

Column Name: ss_batch_clm_time_2
Column Type: varchar
Max Length: 50
SS Batch Claim Time 2.

Column Name: ss_batch_clm_time_3

Column Type: varchar
Max Length: 50
SS Batch Claim Time 3.

Column Name: ss_batch_clm_time_4
Column Type: varchar
Max Length: 50
SS Batch Claim Time 4.

Column Name: ss_batch_clm_time_5
Column Type: varchar
Max Length: 50
SS Batch Claim Time 5.

Column Name: ss_batch_clm_time_6
Column Type: varchar
Max Length: 50
SS Batch Claim Time 6.

Column Name: ss_batch_clm_time_7
Column Type: varchar
Max Length: 50
SS Batch Claim Time 7.

Column Name: ss_batch_clm_time_8
Column Type: varchar
Max Length: 50
SS Batch Claim Time 8.

Column Name: ss_batch_clm_time_9
Column Type: varchar
Max Length: 50
SS Batch Claim Time 9.

Column Name: ss_batch_clm_txt_40_1
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 1.

Column Name: ss_batch_clm_txt_40_10
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 10.

Column Name: ss_batch_clm_txt_40_2
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 2.

Column Name: ss_batch_clm_txt_40_3

Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 3.

Column Name: ss_batch_clm_txt_40_4
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 4.

Column Name: ss_batch_clm_txt_40_5
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 5.

Column Name: ss_batch_clm_txt_40_6
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 6.

Column Name: ss_batch_clm_txt_40_7
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 7.

Column Name: ss_batch_clm_txt_40_8
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 8.

Column Name: ss_batch_clm_txt_40_9
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 9.

Documentation for form: Claim_Processing_(UB-04)

Table Name: SYSTEM.billing_837_comp_clm_cas

Table Description: This table returns CAS-Claim Level Adjustments information of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar
Max Length: 50

Column Name: member_id
Column Type: varchar
Max Length: 20

Column Name: provider_id
Column Type: integer

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: adj_amount1
Column Type: numeric

Column Name: adj_amount2

Column Type: numeric

Column Name: adj_amount3

Column Type: numeric

Column Name: adj_amount4

Column Type: numeric

Column Name: adj_amount5

Column Type: numeric

Column Name: adj_amount6

Column Type: numeric

Column Name: adj_grp_code

Column Type: varchar

Max Length: 50

Column Name: adj_grp_val

Column Type: varchar

Max Length: 50

Column Name: adj_quantity1

Column Type: numeric

Column Name: adj_quantity2

Column Type: numeric

Column Name: adj_quantity3

Column Type: numeric

Column Name: adj_quantity4

Column Type: numeric

Column Name: adj_quantity5

Column Type: numeric

Column Name: adj_quantity6

Column Type: numeric

Column Name: adj_reason_code1

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code2

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code3

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code4

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code5

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code6

Column Type: varchar

Max Length: 50

Column Name: file_index

Column Type: varchar

Max Length: 50

Column Name: line_number

Column Type: varchar

Max Length: 50

Column Name: version

Column Type: varchar

Max Length: 50

Documentation for form: Claim_Processing_(UB-04)

Table Name: SYSTEM.billing_837_comp_clm_cob

Table Description: This table returns detailed information on Claim-level Coordination of Benefits of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar
Max Length: 50

Column Name: member_id
Column Type: varchar
Max Length: 20

Column Name: provider_id
Column Type: integer

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: adj_pay_date
Column Type: date

Column Name: clm_filing_indic_code
Column Type: varchar
Max Length: 50

Column Name: end_stage_ren_pay_amt
Column Type: numeric

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: hcpcs_payable_amount
Column Type: numeric

Column Name: indiv_relationship_code
Column Type: varchar
Max Length: 50

Column Name: ins_grp_or_policy_num
Column Type: varchar
Max Length: 50

Column Name: insur_group_name
Column Type: varchar
Max Length: 50

Column Name: insur_type_code
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: non_cov_amt_qual_code
Column Type: varchar
Max Length: 50

Column Name: non_cov_mon_amt
Column Type: varchar
Max Length: 50

Column Name: non_pay_prof_comp_amt
Column Type: numeric

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_city
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_identifier
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_first
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_last
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_state
Column Type: varchar
Max Length: 50

Column Name: other_pay_zip_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_1
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_2
Column Type: varchar
Max Length: 50

Column Name: other_sub_city
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_identifier
Column Type: varchar
Max Length: 80

Column Name: other_sub_name_first
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_last
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_sub_state
Column Type: varchar
Max Length: 50

Column Name: other_sub_zip_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_pat_sig_src
Column Type: varchar
Max Length: 50

Column Name: oth_ins_release_info_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_yes_no_cond_resp
Column Type: varchar
Max Length: 50

Column Name: payer_paid_mon_amt
Column Type: varchar
Max Length: 50

Column Name: payer_paid_qual_code
Column Type: varchar
Max Length: 50

Column Name: pay_resp_seq_num_code
Column Type: varchar
Max Length: 50

Column Name: reimburse_rate
Column Type: numeric

Column Name: remark_code1
Column Type: varchar
Max Length: 50

Column Name: remark_code2
Column Type: varchar
Max Length: 50

Column Name: remark_code3
Column Type: varchar
Max Length: 50

Column Name: remark_code4
Column Type: varchar
Max Length: 50

Column Name: remark_code5
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_mon_amt
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_qual_code
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_(UB-04)

Table Name: SYSTEM.billing_837_comp_svc_cas

Table Description: This table returns Service Level Adjustments information of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: funding_source_id
Column Type: varchar

Max Length: 50

Column Name: provider_sort

Column Type: varchar

Max Length: 50

Column Name: member_id

Column Type: varchar

Max Length: 20

Column Name: provider_id

Column Type: integer

Column Name: performing_provider_index

Column Type: varchar

Max Length: 50

Column Name: claim_counter

Column Type: integer

Column Name: service_counter

Column Type: integer

Column Name: adj_amount1

Column Type: numeric

Column Name: adj_amount2

Column Type: numeric

Column Name: adj_amount3

Column Type: numeric

Column Name: adj_amount4

Column Type: numeric

Column Name: adj_amount5

Column Type: numeric

Column Name: adj_amount6
Column Type: numeric

Column Name: adj_grp_code
Column Type: varchar
Max Length: 50

Column Name: adj_grp_val
Column Type: varchar
Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code2
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code3
Column Type: varchar

Max Length: 50

Column Name: adj_reason_code4

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code5

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code6

Column Type: varchar

Max Length: 50

Column Name: file_index

Column Type: varchar

Max Length: 50

Column Name: line_number

Column Type: varchar

Max Length: 50

Column Name: version

Column Type: varchar

Max Length: 50

Documentation for form: Claim_Processing_(UB-04)

Table Name: SYSTEM.billing_837_comp_svc_cob

Table Description: This table returns detailed information on Service-level Coordination of Benefits of a compiled claim

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar
Max Length: 50

Column Name: member_id
Column Type: varchar
Max Length: 20

Column Name: provider_id
Column Type: integer

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: service_counter
Column Type: integer

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: adjudication_paymnt_dt
Column Type: date

Column Name: allowed_amount
Column Type: varchar

Max Length: 50

Column Name: billed_amount

Column Type: varchar

Max Length: 50

Column Name: bund_or_unbund_line_num

Column Type: numeric

Column Name: cob_payer_code

Column Type: varchar

Max Length: 50

Column Name: cob_payer_value

Column Type: varchar

Max Length: 50

Column Name: composite_med_proc_id

Column Type: varchar

Max Length: 150

Column Name: line_number

Column Type: varchar

Max Length: 50

Column Name: option_desc

Column Type: varchar

Max Length: 50

Column Name: option_id

Column Type: varchar

Max Length: 50

Column Name: paid_service_units

Column Type: numeric

Column Name: payer_prim_id

Column Type: varchar

Max Length: 50

Column Name: procedure_code
Column Type: varchar
Max Length: 50

Column Name: procedure_code_desc
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier1
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier2
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier3
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier4
Column Type: varchar
Max Length: 50

Column Name: prod_or_svc_id_qua_code
Column Type: varchar
Max Length: 50

Column Name: remaining_patient_liab
Column Type: varchar
Max Length: 50

Column Name: svc_line_paid_amt
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_(UB-04)

Table Name: SYSTEM.budget_svc_detail

Table Description: This table returns services that contribute towards a provider's budget total.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: account_code
Column Type: varchar
Max Length: 50
'Provider'

Column Name: account_level
Column Type: varchar
Max Length: 50
'Provider'

Column Name: auth_used
Column Type: varchar
Max Length: 50
The number of the authorization that this service falls under.

Column Name: dollars_used
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_(UB-04)

Table Name: SYSTEM.history_member_svc

Table Description: This table returns detailed information on MSO services.

Column Name: BATCHID

Column Type: varchar

Max Length: 50

Column Name: CLAIMID

Column Type: integer

Column Name: EOB_number

Column Type: varchar

Max Length: 30

Column Name: FACILITY

Column Type: integer

Column Name: FUNDSRCID

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_HCF_UBF_Type

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_HCFUniqueid

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_SVCUniqueid

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_UBFUniqueid

Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_member_CONuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOINTOparentTXhistory
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_uniq_index_service
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_name
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar

Max Length: 50

Column Name: account_level_name

Column Type: varchar

Max Length: 50

Column Name: approved_units

Column Type: numeric

Column Name: authorization_number

Column Type: varchar

Max Length: 50

Column Name: authorization_valid_code

Column Type: varchar

Max Length: 50

Column Name: authorization_valid_value

Column Type: varchar

Max Length: 50

Column Name: bill_period

Column Type: date

Column Name: claim_status_code

Column Type: varchar

Max Length: 50

Column Name: claim_status_reason_code

Column Type: varchar

Max Length: 50

Column Name: claim_status_reason_value

Column Type: varchar

Max Length: 4096

Column Name: claim_status_value

Column Type: varchar

Max Length: 50

Column Name: copay_applies_to_ded_code
Column Type: varchar
Max Length: 50

Column Name: copay_applies_to_ded_value
Column Type: varchar
Max Length: 50

Column Name: covered_CBPuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_LIBuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_PLANID
Column Type: varchar
Max Length: 50

Column Name: cpt_code_code
Column Type: varchar
Max Length: 50

Column Name: cpt_code_value
Column Type: varchar
Max Length: 80

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: date_claims_received
Column Type: date

Column Name: date_of_service
Column Type: date

Column Name: delay_reason_code
Column Type: varchar
Max Length: 50

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50

Column Name: diagnosis_code
Column Type: varchar
Max Length: 50

Column Name: diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: duration
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_code
Column Type: varchar

Max Length: 50

Column Name: eligible_provider_value

Column Type: varchar

Max Length: 50

Column Name: emergency_indicator_code

Column Type: varchar

Max Length: 50

Column Name: emergency_indicator_value

Column Type: varchar

Max Length: 50

Column Name: expected_disburse

Column Type: numeric

Column Name: is_this_an_admission_code

Column Type: varchar

Max Length: 50

Column Name: is_this_an_admission_value

Column Type: varchar

Max Length: 50

Column Name: level_of_care

Column Type: varchar

Max Length: 50

Column Name: member_copay

Column Type: numeric

Column Name: member_deductible

Column Type: numeric

Column Name: member_enrolled_dos_code

Column Type: varchar

Max Length: 50

Column Name: member_enrolled_dos_value
Column Type: varchar
Max Length: 50

Column Name: original_procedure_code_code
Column Type: varchar
Max Length: 50

Column Name: original_procedure_code_value
Column Type: varchar
Max Length: 80

Column Name: population_code
Column Type: varchar
Max Length: 50

Column Name: population_value
Column Type: varchar
Max Length: 50

Column Name: private_pay_amt
Column Type: numeric

Column Name: private_pay_payer_code
Column Type: varchar
Max Length: 50

Column Name: private_pay_payer_value
Column Type: varchar
Max Length: 50

Column Name: procedure_code_code
Column Type: varchar
Max Length: 50

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50

Column Name: procedure_code_value

Column Type: varchar
Max Length: 80

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80

Column Name: service_units
Column Type: numeric

Column Name: svc_bundle_837_id
Column Type: varchar
Max Length: 50

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50

Column Name: third_party_amount_paid
Column Type: numeric

Column Name: total_charge
Column Type: numeric

Column Name: total_fee_table_amt
Column Type: numeric

Column Name: trt_fac_member
Column Type: varchar
Max Length: 50

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50

Column Name: remark_codes
Column Type: varchar
Max Length: 500

Column Name: remark_codes_value
Column Type: varchar
Max Length: 5096

Column Name: adjustment_reason_code
Column Type: varchar
Max Length: 50

Column Name: adjustment_reason_value
Column Type: varchar
Max Length: 255

Column Name: voucher_number
Column Type: varchar
Max Length: 30

Documentation for form: Claim_Processing_(UB-04)

Table Name: SYSTEM.history_member_svc_unclm

Table Description: This table returns detailed information on MSO services.

Column Name: BATCHID

Column Type: varchar

Max Length: 50

Column Name: CLAIMID

Column Type: integer

Column Name: EOB_number

Column Type: varchar

Max Length: 30

Column Name: FACILITY

Column Type: integer

Column Name: FUNDSRCID

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_HCF_UBF_Type

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_HCFUniqueid

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_SVCUniqueid

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_UBFUniqueid

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_member_CONuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_uniq_index_service
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_name
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: approved_units

Column Type: numeric

Column Name: authorization_number

Column Type: varchar

Max Length: 50

Column Name: authorization_valid_code

Column Type: varchar

Max Length: 50

Column Name: authorization_valid_value

Column Type: varchar

Max Length: 50

Column Name: bill_period

Column Type: date

Column Name: claim_status_code

Column Type: varchar

Max Length: 50

Column Name: claim_status_reason_code

Column Type: varchar

Max Length: 50

Column Name: claim_status_reason_value

Column Type: varchar

Max Length: 4096

Column Name: claim_status_value

Column Type: varchar

Max Length: 50

Column Name: copay_applies_to_ded_code

Column Type: varchar

Max Length: 50

Column Name: copay_applies_to_ded_value

Column Type: varchar

Max Length: 50

Column Name: covered_CBPuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_LIBuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_PLANID
Column Type: varchar
Max Length: 50

Column Name: cpt_code_code
Column Type: varchar
Max Length: 50

Column Name: cpt_code_value
Column Type: varchar
Max Length: 80

Column Name: data_entry_date
Column Type: date

Column Name: date_claims_received
Column Type: date

Column Name: date_of_service
Column Type: date

Column Name: delay_reason_code
Column Type: varchar
Max Length: 50

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50

Column Name: diagnosis_code

Column Type: varchar
Max Length: 50

Column Name: diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: duration
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_code
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_value
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_code
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_value
Column Type: varchar
Max Length: 50

Column Name: expected_disburse
Column Type: numeric

Column Name: is_this_an_admission_code
Column Type: varchar
Max Length: 50

Column Name: is_this_an_admission_value
Column Type: varchar
Max Length: 50

Column Name: level_of_care
Column Type: varchar

Max Length: 50

Column Name: member_copay

Column Type: numeric

Column Name: member_deductible

Column Type: numeric

Column Name: member_enrolled_dos_code

Column Type: varchar

Max Length: 50

Column Name: member_enrolled_dos_value

Column Type: varchar

Max Length: 50

Column Name: private_pay_amt

Column Type: numeric

Column Name: private_pay_payer_code

Column Type: varchar

Max Length: 50

Column Name: private_pay_payer_value

Column Type: varchar

Max Length: 50

Column Name: procedure_code_code

Column Type: varchar

Max Length: 50

Column Name: procedure_code_type

Column Type: varchar

Max Length: 50

Column Name: procedure_code_value

Column Type: varchar

Max Length: 80

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80

Column Name: service_units
Column Type: numeric

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50

Column Name: total_charge
Column Type: numeric

Column Name: total_fee_table_amt
Column Type: numeric

Column Name: trt_fac_member
Column Type: varchar
Max Length: 50

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50

Column Name: voucher_number
Column Type: varchar
Max Length: 30

Documentation for form: Claim_Processing_(UB-04)

Table Name: SYSTEM.mso_claim_adjustments

Table Description: This table returns detailed claim adjustment information of a claim

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_HCFUBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_RETRO_RECORD
Column Type: integer

Column Name: JOIN_TO_SVCUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_COB
Column Type: varchar
Max Length: 50

Column Name: adj_amount1
Column Type: numeric

Column Name: adj_amount2
Column Type: numeric

Column Name: adj_amount3
Column Type: numeric

Column Name: adj_amount4
Column Type: numeric

Column Name: adj_amount5
Column Type: numeric

Column Name: adj_amount6
Column Type: numeric

Column Name: adj_grp_code
Column Type: varchar
Max Length: 50

Column Name: adj_grp_val
Column Type: varchar
Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code2
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code3
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code4
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code5
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code6
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: pm_adjustment_code_ind
Column Type: varchar

Max Length: 50

Column Name: version

Column Type: varchar

Max Length: 50

Documentation for form: Claim_Processing_(UB-04)

Table Name: SYSTEM.mso_claim_cob

Table Description: This table returns detailed information on Claim-level Coordination of Benefits

Column Name: ID

Column Type: integer

Column Name: BATCHID

Column Type: varchar

Max Length: 50

Column Name: FACILITY

Column Type: integer

Column Name: JOIN_TO_HCFUBFUniqueid

Column Type: varchar

Max Length: 50

Column Name: adj_pay_date

Column Type: date

Column Name: clm_filing_indic_code

Column Type: varchar

Max Length: 50

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: end_stage_ren_pay_amt
Column Type: numeric

Column Name: file_index

Column Type: varchar
Max Length: 50

Column Name: hcpcs_payable_amount
Column Type: numeric

Column Name: indiv_relationship_code
Column Type: varchar
Max Length: 50

Column Name: ins_grp_or_policy_num
Column Type: varchar
Max Length: 50

Column Name: insur_group_name
Column Type: varchar
Max Length: 50

Column Name: insur_type_code
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: non_cov_amt_qual_code
Column Type: varchar
Max Length: 50

Column Name: non_cov_mon_amt
Column Type: varchar
Max Length: 50

Column Name: non_pay_prof_comp_amt
Column Type: numeric

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_city
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_identifier
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_first
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_last
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_state
Column Type: varchar
Max Length: 50

Column Name: other_pay_zip_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_1
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_2
Column Type: varchar
Max Length: 50

Column Name: other_sub_city
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_identifier
Column Type: varchar
Max Length: 80

Column Name: other_sub_name_first
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_last
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_sub_state
Column Type: varchar
Max Length: 50

Column Name: other_sub_zip_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_pat_sig_src
Column Type: varchar
Max Length: 50

Column Name: oth_ins_release_info_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_yes_no_cond_resp
Column Type: varchar
Max Length: 50

Column Name: payer_paid_mon_amt
Column Type: varchar
Max Length: 50

Column Name: payer_paid_qual_code
Column Type: varchar
Max Length: 50

Column Name: pay_resp_seq_num_code
Column Type: varchar
Max Length: 50

Column Name: reimburse_rate
Column Type: numeric

Column Name: remark_code1
Column Type: varchar
Max Length: 50

Column Name: remark_code2
Column Type: varchar
Max Length: 50

Column Name: remark_code3
Column Type: varchar
Max Length: 50

Column Name: remark_code4
Column Type: varchar
Max Length: 50

Column Name: remark_code5
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_mon_amt
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_qual_code
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_(UB-04)

Table Name: SYSTEM.provider_monthly_max

Table Description: This table returns services that contribute towards a provider's monthly dollar max.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PROVID
Column Type: varchar
Max Length: 50
'Provider'

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: auth_used
Column Type: varchar
Max Length: 50
The number of the authorization that this service falls under.

Column Name: dollars_used
Column Type: varchar
Max Length: 50

Column Name: max_month
Column Type: integer
The month that this service will be credited against.

Column Name: max_year
Column Type: integer

The year that this service will be credited against.

Column Name: pended

Column Type: varchar

Max Length: 50

A flag indicating whether the service was pended due to exhaustion of monthly max dollars.

Documentation for form: Claim_Processing_with_Override_(UB-04)

Table Name: SYSTEM.batch_clm_svc_adj_codes

Table Description: This table returns adjustment codes assigned to services during claim adjudication, as well as HIPAA cross reference information associated to those codes.

Column Name: ID

Column Type: integer

Column Name: BATCHID

Column Type: varchar

Max Length: 50

The unique ID for the batch.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: SVCUniqueid

Column Type: varchar

Max Length: 50

The unique ID for the service.

Column Name: adj_amount

Column Type: varchar

Max Length: 50

The adjustment amount associated with the EOB message.

Column Name: adj_code_code

Column Type: varchar

Max Length: 50

The adjustment code associated with the EOB message.

Column Name: adj_code_value

Column Type: varchar

Max Length: 50

The description associated with adj_code_code. See adj_code_code for more information.

Column Name: adj_group_code_5010_code

Column Type: varchar

Max Length: 50

The HIPAA version 5010 adjustment group code associated with the EOB message.

Column Name: adj_group_code_5010_value

Column Type: varchar

Max Length: 50

The description associated with adj_group_code_5010_code. See adj_group_code_5010_code for more information.

Column Name: adj_group_code_code

Column Type: varchar

Max Length: 50

The adjustment group code associated with the EOB message.

Column Name: adj_group_code_value

Column Type: varchar

Max Length: 50

The description associated with adj_group_code_code. See adj_group_code_code for more information.

Column Name: adj_reason_code_code

Column Type: varchar

Max Length: 50

The adjustment reason code associated with the EOB message.

Column Name: adj_reason_code_value

Column Type: varchar

Max Length: 4096

The description associated with adj_reason_code_code. See adj_reason_code_code for more information.

Column Name: apd_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the claim status associated to the EOB message.

Column Name: apd_status_value

Column Type: varchar

Max Length: 50

The description associated with apd_status_code. See apd_status_code for more information.

Column Name: eob_message_code

Column Type: numeric

The unique numeric ID of the EOB message.

Column Name: eob_message_value

Column Type: varchar

Max Length: 50

The description associated with eob_message_code. See eob_message_code for more information.

Documentation for form: Claim_Processing_with_Override_(UB-04)

Table Name: SYSTEM.batch_clm_svc_detail

Table Description: This table returns detailed information on MSO services.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUID
Column Type: varchar
Max Length: 50
A unique identifier used internally to validate data.

Column Name: JOIN_TO_AUTUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the associated authorization.

Column Name: JOIN_TO_HCF_UBF_Type
Column Type: varchar
Max Length: 50
Indicator of whether this claim is of type "HCFA" or "UB92".

Column Name: JOIN_TO_HCFUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the claim if it is of type "HCFA".

Column Name: JOIN_TO_UBFHCFUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the claim.

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the claim if it is of type "UB92".

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PPIuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the associated performing provider.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: UTCTimestamp
Column Type: timestamp
The UTC time when the row was last updated.

Column Name: VOUCHERID
Column Type: integer
The unique ID for the voucher.

Column Name: ability_to_pay_amt
Column Type: numeric
The ability to pay amount deducted from the service.

Column Name: account_code
Column Type: varchar
Max Length: 50
The authorization account code.

Column Name: account_level
Column Type: varchar
Max Length: 50
The authorization account level.

Column Name: account_level_name
Column Type: varchar
Max Length: 50
The authorization account level name.

Column Name: account_name
Column Type: varchar

Max Length: 50
The authorization account name.

Column Name: add_on_notes
Column Type: varchar
Max Length: 32000
Add-on notes.

Column Name: adjudication_code
Column Type: varchar
Max Length: 50
The adjudication code.

Column Name: adjustment_reason_code
Column Type: varchar
Max Length: 50
One or more dictionary codes for claim adjustment reasons.

Column Name: adjustment_reason_value
Column Type: varchar
Max Length: 255
The description associated with adjustment_reason_code. See adjustment_reason_code for more information.

Column Name: approved_units
Column Type: numeric
Approved units.

Column Name: associated_code
Column Type: varchar
Max Length: 50
Associated code.

Column Name: authorization_assoc_code
Column Type: varchar
Max Length: 50
The authorization associated code.

Column Name: authorization_number
Column Type: varchar
Max Length: 50
The authorization number.

Column Name: authorization_valid_code
Column Type: varchar
Max Length: 50
Indicator of whether the authorization is valid.

Column Name: authorization_valid_value
Column Type: varchar

Max Length: 50

The description associated with authorization_valid_code. See authorization_valid_code for more information.

Column Name: blackout_id

Column Type: integer

The unique blackout ID.

Column Name: carelink_service_ID

Column Type: varchar

Max Length: 50

The carelink service ID.

Column Name: claim_number_837

Column Type: varchar

Max Length: 50

837 claim number for the service.

Column Name: claim_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the claim status.

Column Name: claim_status_reason_code

Column Type: varchar

Max Length: 50

Dictionary code for the claim status reason.

Column Name: claim_status_reason_value

Column Type: varchar

Max Length: 4096

The description associated with claim_status_reason_code. See claim_status_reason_code for more information.

Column Name: claim_status_value

Column Type: varchar

Max Length: 50

The description associated with claim_status_code. See claim_status_code for more information.

Column Name: comments

Column Type: varchar

Max Length: 32766

Comments regarding the service.

Column Name: contains_overridden_field

Column Type: varchar

Max Length: 1

Indicator of whether there is an overridden field.If "Y", indicates that this service detail contains one or more fields whose values were manually overridden.

Column Name: copay_applies_to_ded_code
Column Type: varchar
Max Length: 50
'Co-Pay Counts Towards Deductible'

Column Name: copay_applies_to_ded_value
Column Type: varchar
Max Length: 50
The description associated with copay_applies_to_ded_code. See copay_applies_to_ded_code for more information.

Column Name: cost_center_code
Column Type: varchar
Max Length: 50
Dictionary code for the cost center.

Column Name: cost_center_value
Column Type: varchar
Max Length: 50
The description associated with cost_center_code. See cost_center_code for more information.

Column Name: covered_CBPuniqueid
Column Type: varchar
Max Length: 50
The unique ID for plan covered services.

Column Name: covered_LIBuniqueid
Column Type: varchar
Max Length: 50
The unique ID for plan liability rules level.

Column Name: covered_PLANID
Column Type: varchar
Max Length: 50
The unique ID for the associated coverage plan.

Column Name: cpt_code_code
Column Type: varchar
Max Length: 50
The CPT code.

Column Name: cpt_code_value
Column Type: varchar
Max Length: 80
The description associated with cpt_code_code. See cpt_code_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_service
Column Type: date
The date the service was rendered.

Column Name: date_of_service_end

Column Type: date

The date the service ended.

Column Name: delay_reason_code

Column Type: varchar

Max Length: 50

Dictionary code indicating the reason the claim was delayed.

Column Name: delay_reason_value

Column Type: varchar

Max Length: 50

The description associated with delay_reason_code. See delay_reason_code for more information.

Column Name: diagnosis_code

Column Type: varchar

Max Length: 50

Diagnosis code associated with the service.

Column Name: diagnosis_reference

Column Type: varchar

Max Length: 50

Diagnosis reference.

Column Name: diagnosis_reference_2

Column Type: varchar

Max Length: 50

Diagnosis reference 2.

Column Name: diagnosis_reference_3

Column Type: varchar

Max Length: 50

Diagnosis reference 3.

Column Name: diagnosis_reference_4

Column Type: varchar

Max Length: 50

Diagnosis reference 4.

Column Name: diagnosis_value

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code. See diagnosis_code for more information.

Column Name: discipline_code

Column Type: varchar

Max Length: 40

Dictionary code indicating the medical discipline under which the service was rendered.

Column Name: discipline_value

Column Type: varchar

Max Length: 40

The description associated with discipline_code. See discipline_code for more information.

Column Name: documentation_time

Column Type: numeric

For group services, the documentation time

Column Name: drug_ref_id

Column Type: varchar

Max Length: 50

The service drug reference ID.

Column Name: drug_ref_id_qual

Column Type: varchar

Max Length: 50

The service drug reference qualifier.

Column Name: duration

Column Type: varchar

Max Length: 50

The service duration.

Column Name: ebpss_csi_code

Column Type: varchar

Max Length: 32000

Dictionary code indicating the evidence-based practices / service strategies (CSI) code for the service.

Column Name: ebpss_csi_value

Column Type: varchar

Max Length: 255

The description associated with ebpss_csi_code. See ebpss_csi_code for more information.

Column Name: ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

The description associated with ebpss_csi_value_code. See ebpss_csi_value_code for more information.

Column Name: eligible_provider_code

Column Type: varchar

Max Length: 50

Indicator of whether the provider was eligible or not.

Column Name: eligible_provider_value

Column Type: varchar

Max Length: 50

The description associated with eligible_provider_code. See eligible_provider_code for more information.

Column Name: emergency_indicator_code

Column Type: varchar
Max Length: 50
'Emergency Indicator (837P-2400-SV109)'

Column Name: emergency_indicator_value
Column Type: varchar
Max Length: 50
The description associated with emergency_indicator_code. See emergency_indicator_code for more information.

Column Name: expected_disburse
Column Type: numeric
Expected disbursement for the service.

Column Name: explan_of_coverage
Column Type: varchar
Max Length: 32766
Explanation of coverage.

Column Name: group_service_units
Column Type: varchar
Max Length: 50
For group services, the total approved group service units

Column Name: group_service_units_day
Column Type: varchar
Max Length: 50
For group services, the total approved group service units per day

Column Name: hcpcs_code
Column Type: varchar
Max Length: 50
The HCPCS code.

Column Name: is_this_an_admission_code
Column Type: varchar
Max Length: 50
'Does This Service Represent An Admission'

Column Name: is_this_an_admission_value
Column Type: varchar
Max Length: 50
The description associated with is_this_an_admission_code. See is_this_an_admission_code for more information.

Column Name: level_of_care
Column Type: varchar
Max Length: 50
Level of care.

Column Name: line_item_control_num
Column Type: varchar
Max Length: 50
Line item control number.

Column Name: line_note_code
Column Type: varchar
Max Length: 50
Indicator dictionary code of the type of information captured in the service line note text.

Column Name: line_note_code_val
Column Type: varchar
Max Length: 50
The description associated with line_note_code_code. See line_note_code_code for more information.

Column Name: line_note_text
Column Type: varchar
Max Length: 80
Service line note text.

Column Name: location_code
Column Type: varchar
Max Length: 50
The service location code.

Column Name: location_value
Column Type: varchar
Max Length: 50
The description associated with location_code. See location_code for more information.

Column Name: manual_service_code
Column Type: varchar
Max Length: 50
Manual service code.

Column Name: manual_service_descript
Column Type: varchar
Max Length: 80
Manual service description.

Column Name: measurement_code_code
Column Type: varchar
Max Length: 50
'Measurement Code (837-2400-SV103/SV204)'.

Column Name: measurement_code_value
Column Type: varchar
Max Length: 50
The description associated with measurement_code_code. See measurement_code_code for more information.

Column Name: member_copay
Column Type: numeric
Member co-pay.

Column Name: member_deductible
Column Type: numeric
Member deductible.

Column Name: member_enrolled_dos_code
Column Type: varchar
Max Length: 50
'Member Enrolled On Date Of Service'

Column Name: member_enrolled_dos_value
Column Type: varchar
Max Length: 50
The description associated with member_enrolled_dos_code. See member_enrolled_dos_code for more information.

Column Name: member_id
Column Type: numeric
Member ID.

Column Name: national_drug_code
Column Type: varchar
Max Length: 50
National drug code.

Column Name: number_in_group
Column Type: numeric
For group services, the number of members in the group

Column Name: num_counselor_in_group
Column Type: numeric
For group services, the number of counselors in the group

Column Name: option_desc
Column Type: varchar
Max Length: 80
The name of the form that last updated the row.

Column Name: option_id
Column Type: varchar
Max Length: 20
The unique ID of the form that last updated the row.

Column Name: original_proc_code_code
Column Type: varchar
Max Length: 50

Original procedure code.

Column Name: original_proc_code_type

Column Type: varchar

Max Length: 50

Original procedure type.

Column Name: original_proc_code_value

Column Type: varchar

Max Length: 80

The description associated with original_proc_code_code. See original_proc_code_code for more information.

Column Name: parent_nspace_link_to_DD

Column Type: varchar

Max Length: 50

Link to the associated parent service in SYSTEM.billing_tx_history.

Column Name: patient_account_number

Column Type: varchar

Max Length: 50

Patient account number.

Column Name: perf_prov_name

Column Type: varchar

Max Length: 50

Name of the performing provider.

Column Name: place_of_service_code

Column Type: varchar

Max Length: 50

Place of service code.

Column Name: population_code

Column Type: varchar

Max Length: 50

Population code.

Column Name: population_value

Column Type: varchar

Max Length: 50

The description associated with population_code. See population_code for more information.

Column Name: prev_batch_pended_from

Column Type: varchar

Max Length: 500

Previous batch the service was pended from.

Column Name: primary_service_id

Column Type: varchar

Max Length: 50
The primary service ID.

Column Name: private_pay_amt
Column Type: numeric
Private pay amount.

Column Name: private_pay_payer_code
Column Type: varchar
Max Length: 50
Payer code for private pay.

Column Name: private_pay_payer_value
Column Type: varchar
Max Length: 50
The description associated with private_pay_payer_code. See private_pay_payer_code for more information.

Column Name: proc_code_type_for_adj
Column Type: varchar
Max Length: 50
Procedure code type of adjustment.

Column Name: procedure_code_code
Column Type: varchar
Max Length: 50
Procedure code.

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50
Procedure code type.

Column Name: procedure_code_value
Column Type: varchar
Max Length: 80
The description associated with procedure_code_code. See procedure_code_code for more information.

Column Name: procedure_code_with_mod
Column Type: varchar
Max Length: 50
Procedure code with modifier.

Column Name: provider_to_be_auth
Column Type: varchar
Max Length: 50
Provider to be authorized.

Column Name: prov_pgm_link
Column Type: varchar

Max Length: 50
Provider program link.

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50
Provider program name.

Column Name: quantity
Column Type: varchar
Max Length: 50
Quantity.

Column Name: ref_p4
Column Type: varchar
Max Length: 50
REF*P4 segment

Column Name: remark_codes
Column Type: varchar
Max Length: 500
Claim status remark codes returned on an 837.

Column Name: remark_codes_value
Column Type: varchar
Max Length: 5096
The description associated with remark_codes_code. See remark_codes_code for more information.

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50
Revenue code.

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80
The description associated with revenue_code_code. See revenue_code_code for more information.

Column Name: service_comments
Column Type: varchar
Max Length: 32766
Service comments.

Column Name: service_end_time
Column Type: time
Service end time.

Column Name: service_start_time
Column Type: time
Service start time.

Column Name: service_units
Column Type: numeric
Service units.

Column Name: svc_bundle_837_id
Column Type: varchar
Max Length: 50
Service bundle 837 ID.

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50
Indicator code of whether the service counts as a visit.

Column Name: system_index
Column Type: varchar
Max Length: 50
Service index.

Column Name: third_party_amount_paid
Column Type: numeric
Third party amount paid

Column Name: third_party_payer_amt_1
Column Type: numeric
Third party payer amount 1.

Column Name: third_party_payer_amt_2
Column Type: numeric
Third party payer amount 2.

Column Name: third_party_payer_amt_3
Column Type: numeric
Third party payer amount 3.

Column Name: third_party_payer_amt_4
Column Type: numeric
Third party payer amount 4.

Column Name: third_party_payer_amt_5
Column Type: numeric
Third party payer amount 5.

Column Name: third_party_payer_amt_6
Column Type: numeric
Third party payer amount 6.

Column Name: third_party_payer_code_1
Column Type: varchar

Max Length: 50
Third party payer code 1.

Column Name: third_party_payer_code_2
Column Type: varchar
Max Length: 50
Third party payer code 2.

Column Name: third_party_payer_code_3
Column Type: varchar
Max Length: 50
Third party payer code 3.

Column Name: third_party_payer_code_4
Column Type: varchar
Max Length: 50
Third party payer code 4.

Column Name: third_party_payer_code_5
Column Type: varchar
Max Length: 50
Third party payer code 5.

Column Name: third_party_payer_code_6
Column Type: varchar
Max Length: 50
Third party payer code 6.

Column Name: third_party_payer_value_1
Column Type: varchar
Max Length: 50
The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_2
Column Type: varchar
Max Length: 50
The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_3
Column Type: varchar
Max Length: 50
The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_4
Column Type: varchar
Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_5

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_6

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: thrd_prty_allowed_amt

Column Type: numeric

Third party allowed amount.

Column Name: thrd_prty_billed_amt

Column Type: numeric

Third party billed amount

Column Name: thrd_prty_pay_adj_amt_11

Column Type: numeric

Third party payment adjustment amount 11.

Column Name: thrd_prty_pay_adj_amt_12

Column Type: numeric

Third party payment adjustment amount 12.

Column Name: thrd_prty_pay_adj_amt_13

Column Type: numeric

Third party payment adjustment amount 13.

Column Name: thrd_prty_pay_adj_amt_14

Column Type: numeric

Third party payment adjustment amount 14.

Column Name: thrd_prty_pay_adj_amt_15

Column Type: numeric

Third party payment adjustment amount 15.

Column Name: thrd_prty_pay_adj_amt_21

Column Type: numeric

Third party payment adjustment amount 21.

Column Name: thrd_prty_pay_adj_amt_22

Column Type: numeric

Third party payment adjustment amount 22.

Column Name: thrd_prty_pay_adj_amt_23
Column Type: numeric
Third party payment adjustment amount 23.

Column Name: thrd_prty_pay_adj_amt_24
Column Type: numeric
Third party payment adjustment amount 24.

Column Name: thrd_prty_pay_adj_amt_25
Column Type: numeric
Third party payment adjustment amount 25.

Column Name: thrd_prty_pay_adj_amt_31
Column Type: numeric
Third party payment adjustment amount 31.

Column Name: thrd_prty_pay_adj_amt_32
Column Type: numeric
Third party payment adjustment amount 32.

Column Name: thrd_prty_pay_adj_amt_33
Column Type: numeric
Third party payment adjustment amount 33.

Column Name: thrd_prty_pay_adj_amt_34
Column Type: numeric
Third party payment adjustment amount 34.

Column Name: thrd_prty_pay_adj_amt_35
Column Type: numeric
Third party payment adjustment amount 35.

Column Name: thrd_prty_pay_adj_amt_41
Column Type: numeric
Third party payment adjustment amount 41.

Column Name: thrd_prty_pay_adj_amt_42
Column Type: numeric
Third party payment adjustment amount 42.

Column Name: thrd_prty_pay_adj_amt_43
Column Type: numeric
Third party payment adjustment amount 43.

Column Name: thrd_prty_pay_adj_amt_44
Column Type: numeric
Third party payment adjustment amount 44.

Column Name: thrd_prty_pay_adj_amt_45

Column Type: numeric
Third party payment adjustment amount 45.

Column Name: thrd_prty_pay_adj_code_11
Column Type: varchar
Max Length: 50
Third party payment adjustment code 11.

Column Name: thrd_prty_pay_adj_code_12
Column Type: varchar
Max Length: 50
Third party payment adjustment code 12.

Column Name: thrd_prty_pay_adj_code_13
Column Type: varchar
Max Length: 50
Third party payment adjustment code 13.

Column Name: thrd_prty_pay_adj_code_14
Column Type: varchar
Max Length: 50
Third party payment adjustment code 14.

Column Name: thrd_prty_pay_adj_code_15
Column Type: varchar
Max Length: 50
Third party payment adjustment code 15.

Column Name: thrd_prty_pay_adj_code_21
Column Type: varchar
Max Length: 50
Third party payment adjustment code 21.

Column Name: thrd_prty_pay_adj_code_22
Column Type: varchar
Max Length: 50
Third party payment adjustment code 22.

Column Name: thrd_prty_pay_adj_code_23
Column Type: varchar
Max Length: 50
Third party payment adjustment code 23.

Column Name: thrd_prty_pay_adj_code_24
Column Type: varchar
Max Length: 50
Third party payment adjustment code 24.

Column Name: thrd_prty_pay_adj_code_25
Column Type: varchar

Max Length: 50

Third party payment adjustment code 25.

Column Name: thrd_prty_pay_adj_code_31

Column Type: varchar

Max Length: 50

Third party payment adjustment code 31.

Column Name: thrd_prty_pay_adj_code_32

Column Type: varchar

Max Length: 50

Third party payment adjustment code 32.

Column Name: thrd_prty_pay_adj_code_33

Column Type: varchar

Max Length: 50

Third party payment adjustment code 33.

Column Name: thrd_prty_pay_adj_code_34

Column Type: varchar

Max Length: 50

Third party payment adjustment code 34.

Column Name: thrd_prty_pay_adj_code_35

Column Type: varchar

Max Length: 50

Third party payment adjustment code 35.

Column Name: thrd_prty_pay_adj_code_41

Column Type: varchar

Max Length: 50

Third party payment adjustment code 41.

Column Name: thrd_prty_pay_adj_code_42

Column Type: varchar

Max Length: 50

Third party payment adjustment code 42.

Column Name: thrd_prty_pay_adj_code_43

Column Type: varchar

Max Length: 50

Third party payment adjustment code 43.

Column Name: thrd_prty_pay_adj_code_44

Column Type: varchar

Max Length: 50

Third party payment adjustment code 44.

Column Name: thrd_prty_pay_adj_code_45

Column Type: varchar

Max Length: 50

Third party payment adjustment code 45.

Column Name: thrd_prty_pay_adj_val_11

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_12

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_13

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_14

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_15

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_21

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_22

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_23

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_24

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_25

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_31

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_32

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_33

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_34

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_35

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_41

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_42

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_43

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_44

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_45

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_allow_1

Column Type: numeric

Third party payment allowed amount 1.

Column Name: thrd_prty_pay_allow_2

Column Type: numeric

Third party payment allowed amount 2.

Column Name: thrd_prty_pay_allow_3

Column Type: numeric

Third party payment allowed amount 3.

Column Name: thrd_prty_pay_allow_4

Column Type: numeric

Third party payment allowed amount 4.

Column Name: thrd_prty_pay_billed_1

Column Type: numeric

Third party payment billed 1.

Column Name: thrd_prty_pay_billed_2

Column Type: numeric

Third party payment billed 2.

Column Name: thrd_prty_pay_billed_3

Column Type: numeric

Third party payment billed 3.

Column Name: thrd_prty_pay_billed_4
Column Type: numeric
Third party payment billed 4.

Column Name: thrd_prty_pvt_pay_amt
Column Type: numeric
Third party private pay amount.

Column Name: total_charge
Column Type: numeric
Total charge for the service.

Column Name: total_fee_table_amt
Column Type: numeric
Total fee table amount for the service.

Column Name: travel_time
Column Type: numeric
For group services, the travel time

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50
Treatment provider type.

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50
Dictionary code indicating whether the type of authorization is inpatient or outpatient.

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50
The description associated with type_of_service_code. See type_of_service_code for more information.

Column Name: unique_row_id
Column Type: varchar
Max Length: 50
The unique row ID.

Column Name: unit_of_measurement
Column Type: varchar
Max Length: 50
Unit of measurement.

Documentation for form: Claim_Processing_with_Override_(UB-04)

Table Name: SYSTEM.batch_clm_svc_detail_ss

Table Description: This table returns site specific fields for MSO services.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: ss_batch_clm_date_1
Column Type: date
SS Batch Claim Date 1.

Column Name: ss_batch_clm_date_10
Column Type: date
SS Batch Claim Date 10.

Column Name: ss_batch_clm_date_2
Column Type: date
SS Batch Claim Date 2.

Column Name: ss_batch_clm_date_3
Column Type: date
SS Batch Claim Date 3.

Column Name: ss_batch_clm_date_4
Column Type: date
SS Batch Claim Date 4.

Column Name: ss_batch_clm_date_5

Column Type: date
SS Batch Claim Date 5.

Column Name: ss_batch_clm_date_6
Column Type: date
SS Batch Claim Date 6.

Column Name: ss_batch_clm_date_7
Column Type: date
SS Batch Claim Date 7.

Column Name: ss_batch_clm_date_8
Column Type: date
SS Batch Claim Date 8.

Column Name: ss_batch_clm_date_9
Column Type: date
SS Batch Claim Date 9.

Column Name: ss_batch_clm_dict_10_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 10 Cdoe.

Column Name: ss_batch_clm_dict_10_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 10 Value.

Column Name: ss_batch_clm_dict_1_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 1 Code.

Column Name: ss_batch_clm_dict_1_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 1 Value.

Column Name: ss_batch_clm_dict_2_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 2 Code.

Column Name: ss_batch_clm_dict_2_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 2 Value.

Column Name: ss_batch_clm_dict_3_code

Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 3 Code.

Column Name: ss_batch_clm_dict_3_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 3 Value.

Column Name: ss_batch_clm_dict_4_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 4 Code.

Column Name: ss_batch_clm_dict_4_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 4 Value.

Column Name: ss_batch_clm_dict_5_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 5 Code.

Column Name: ss_batch_clm_dict_5_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 5 Value.

Column Name: ss_batch_clm_dict_6_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 6 Code.

Column Name: ss_batch_clm_dict_6_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 6 Value.

Column Name: ss_batch_clm_dict_7_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 7 Code.

Column Name: ss_batch_clm_dict_7_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 7 Value.

Column Name: ss_batch_clm_dict_8_code

Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 8 Code.

Column Name: ss_batch_clm_dict_8_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 8 Value.

Column Name: ss_batch_clm_dict_9_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 9 Code.

Column Name: ss_batch_clm_dict_9_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 9 Value.

Column Name: ss_batch_clm_mult_1_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 1 Code.

Column Name: ss_batch_clm_mult_1_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 1 Short Value.

Column Name: ss_batch_clm_mult_1_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 1 Full Value.

Column Name: ss_batch_clm_mult_2_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 2 Code.

Column Name: ss_batch_clm_mult_2_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 2 Short Value.

Column Name: ss_batch_clm_mult_2_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 2 Full Value.

Column Name: ss_batch_clm_mult_3_code

Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 3 Code.

Column Name: ss_batch_clm_mult_3_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 3 Short Value.

Column Name: ss_batch_clm_mult_3_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 3 Full Value.

Column Name: ss_batch_clm_mult_4_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 4 Code.

Column Name: ss_batch_clm_mult_4_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 4 Short Value.

Column Name: ss_batch_clm_mult_4_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 4 Full Value.

Column Name: ss_batch_clm_mult_5_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 5 Code.

Column Name: ss_batch_clm_mult_5_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 5 Short Value.

Column Name: ss_batch_clm_mult_5_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 5 Full Value.

Column Name: ss_batch_clm_scr_txt_1
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 1.

Column Name: ss_batch_clm_scr_txt_10

Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 10.

Column Name: ss_batch_clm_scr_txt_2
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 2.

Column Name: ss_batch_clm_scr_txt_3
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 3.

Column Name: ss_batch_clm_scr_txt_4
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 4.

Column Name: ss_batch_clm_scr_txt_5
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 5.

Column Name: ss_batch_clm_scr_txt_6
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 6.

Column Name: ss_batch_clm_scr_txt_7
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 7.

Column Name: ss_batch_clm_scr_txt_8
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 8.

Column Name: ss_batch_clm_scr_txt_9
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 9.

Column Name: ss_batch_clm_time_1
Column Type: varchar
Max Length: 50
SS Batch Claim Time 1.

Column Name: ss_batch_clm_time_10

Column Type: varchar
Max Length: 50
SS Batch Claim Time 10.

Column Name: ss_batch_clm_time_2
Column Type: varchar
Max Length: 50
SS Batch Claim Time 2.

Column Name: ss_batch_clm_time_3
Column Type: varchar
Max Length: 50
SS Batch Claim Time 3.

Column Name: ss_batch_clm_time_4
Column Type: varchar
Max Length: 50
SS Batch Claim Time 4.

Column Name: ss_batch_clm_time_5
Column Type: varchar
Max Length: 50
SS Batch Claim Time 5.

Column Name: ss_batch_clm_time_6
Column Type: varchar
Max Length: 50
SS Batch Claim Time 6.

Column Name: ss_batch_clm_time_7
Column Type: varchar
Max Length: 50
SS Batch Claim Time 7.

Column Name: ss_batch_clm_time_8
Column Type: varchar
Max Length: 50
SS Batch Claim Time 8.

Column Name: ss_batch_clm_time_9
Column Type: varchar
Max Length: 50
SS Batch Claim Time 9.

Column Name: ss_batch_clm_txt_40_1
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 1.

Column Name: ss_batch_clm_txt_40_10

Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 10.

Column Name: ss_batch_clm_txt_40_2
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 2.

Column Name: ss_batch_clm_txt_40_3
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 3.

Column Name: ss_batch_clm_txt_40_4
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 4.

Column Name: ss_batch_clm_txt_40_5
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 5.

Column Name: ss_batch_clm_txt_40_6
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 6.

Column Name: ss_batch_clm_txt_40_7
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 7.

Column Name: ss_batch_clm_txt_40_8
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 8.

Column Name: ss_batch_clm_txt_40_9
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 9.

Documentation for form: Claim_Processing_with_Override_(UB-04)

Table Name: SYSTEM.billing_837_comp_clm_cas

Table Description: This table returns CAS-Claim Level Adjustments information of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all

Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar
Max Length: 50

Column Name: member_id
Column Type: varchar
Max Length: 20

Column Name: provider_id
Column Type: integer

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: adj_amount1
Column Type: numeric

Column Name: adj_amount2
Column Type: numeric

Column Name: adj_amount3
Column Type: numeric

Column Name: adj_amount4
Column Type: numeric

Column Name: adj_amount5
Column Type: numeric

Column Name: adj_amount6
Column Type: numeric

Column Name: adj_grp_code
Column Type: varchar
Max Length: 50

Column Name: adj_grp_val
Column Type: varchar
Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code2
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code3
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code4
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code5
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code6
Column Type: varchar
Max Length: 50

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar

Max Length: 50

Column Name: version

Column Type: varchar

Max Length: 50

Documentation for form: Claim_Processing_with_Override_(UB-04)

Table Name: SYSTEM.billing_837_comp_clm_cob

Table Description: This table returns detailed information on Claim-level Coordination of Benefits of a compiled claim

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: cob_counter

Column Type: varchar

Max Length: 50

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar
Max Length: 50

Column Name: member_id
Column Type: varchar
Max Length: 20

Column Name: provider_id
Column Type: integer

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: adj_pay_date
Column Type: date

Column Name: clm_filing_indic_code
Column Type: varchar
Max Length: 50

Column Name: end_stage_ren_pay_amt
Column Type: numeric

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: hcpcs_payable_amount
Column Type: numeric

Column Name: indiv_relationship_code
Column Type: varchar
Max Length: 50

Column Name: ins_grp_or_policy_num
Column Type: varchar
Max Length: 50

Column Name: insur_group_name
Column Type: varchar
Max Length: 50

Column Name: insur_type_code
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: non_cov_amt_qual_code
Column Type: varchar
Max Length: 50

Column Name: non_cov_mon_amt
Column Type: varchar
Max Length: 50

Column Name: non_pay_prof_comp_amt
Column Type: numeric

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_city
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_identifier
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_first
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_last
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_state
Column Type: varchar
Max Length: 50

Column Name: other_pay_zip_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_1
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_2
Column Type: varchar
Max Length: 50

Column Name: other_sub_city
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_identifier
Column Type: varchar
Max Length: 80

Column Name: other_sub_name_first
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_last
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_sub_state
Column Type: varchar
Max Length: 50

Column Name: other_sub_zip_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_pat_sig_src
Column Type: varchar
Max Length: 50

Column Name: oth_ins_release_info_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_yes_no_cond_resp
Column Type: varchar
Max Length: 50

Column Name: payer_paid_mon_amt
Column Type: varchar
Max Length: 50

Column Name: payer_paid_qual_code
Column Type: varchar
Max Length: 50

Column Name: pay_resp_seq_num_code
Column Type: varchar
Max Length: 50

Column Name: reimburse_rate
Column Type: numeric

Column Name: remark_code1
Column Type: varchar
Max Length: 50

Column Name: remark_code2
Column Type: varchar
Max Length: 50

Column Name: remark_code3
Column Type: varchar
Max Length: 50

Column Name: remark_code4
Column Type: varchar
Max Length: 50

Column Name: remark_code5
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_mon_amt
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_qual_code
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_with_Override_(UB-04)

Table Name: SYSTEM.billing_837_comp_svc_cas

Table Description: This table returns Service Level Adjustments information of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: option_desc
Column Type: varchar

Max Length: 50

Column Name: option_id

Column Type: varchar

Max Length: 50

Column Name: funding_source_id

Column Type: varchar

Max Length: 50

Column Name: provider_sort

Column Type: varchar

Max Length: 50

Column Name: member_id

Column Type: varchar

Max Length: 20

Column Name: provider_id

Column Type: integer

Column Name: performing_provider_index

Column Type: varchar

Max Length: 50

Column Name: claim_counter

Column Type: integer

Column Name: service_counter

Column Type: integer

Column Name: adj_amount1

Column Type: numeric

Column Name: adj_amount2

Column Type: numeric

Column Name: adj_amount3

Column Type: numeric

Column Name: adj_amount4
Column Type: numeric

Column Name: adj_amount5
Column Type: numeric

Column Name: adj_amount6
Column Type: numeric

Column Name: adj_grp_code
Column Type: varchar
Max Length: 50

Column Name: adj_grp_val
Column Type: varchar
Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar

Max Length: 50

Column Name: adj_reason_code2

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code3

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code4

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code5

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code6

Column Type: varchar

Max Length: 50

Column Name: file_index

Column Type: varchar

Max Length: 50

Column Name: line_number

Column Type: varchar

Max Length: 50

Column Name: version

Column Type: varchar

Max Length: 50

Documentation for form: Claim_Processing_with_Override_(UB-04)

Table Name: SYSTEM.billing_837_comp_svc_cob

Table Description: This table returns detailed information on Service-level Coordination of Benefits of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all

Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar
Max Length: 50

Column Name: member_id
Column Type: varchar
Max Length: 20

Column Name: provider_id
Column Type: integer

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: service_counter
Column Type: integer

Column Name: file_index

Column Type: varchar
Max Length: 50

Column Name: adjudication_paymnt_dt
Column Type: date

Column Name: allowed_amount
Column Type: varchar
Max Length: 50

Column Name: billed_amount
Column Type: varchar
Max Length: 50

Column Name: bund_or_unbund_line_num
Column Type: numeric

Column Name: cob_payer_code
Column Type: varchar
Max Length: 50

Column Name: cob_payer_value
Column Type: varchar
Max Length: 50

Column Name: composite_med_proc_id
Column Type: varchar
Max Length: 150

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: paid_service_units
Column Type: numeric

Column Name: payer_prim_id
Column Type: varchar
Max Length: 50

Column Name: procedure_code
Column Type: varchar
Max Length: 50

Column Name: procedure_code_desc
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier1
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier2
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier3
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier4
Column Type: varchar
Max Length: 50

Column Name: prod_or_svc_id_qua_code
Column Type: varchar
Max Length: 50

Column Name: remaining_patient_liab
Column Type: varchar
Max Length: 50

Column Name: svc_line_paid_amt
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_with_Override_(UB-04)

Table Name: SYSTEM.budget_svc_detail

Table Description: This table returns services that contribute towards a provider's budget total.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: account_code
Column Type: varchar
Max Length: 50
'Provider'

Column Name: account_level
Column Type: varchar
Max Length: 50

'Provider'

Column Name: auth_used

Column Type: varchar

Max Length: 50

The number of the authorization that this service falls under.

Column Name: dollars_used

Column Type: varchar

Max Length: 50

Documentation for form: Claim_Processing_with_Override_(UB-04)

Table Name: SYSTEM.history_member_svc

Table Description: This table returns detailed information on MSO services.

Column Name: BATCHID

Column Type: varchar

Max Length: 50

Column Name: CLAIMID

Column Type: integer

Column Name: EOB_number

Column Type: varchar

Max Length: 30

Column Name: FACILITY

Column Type: integer

Column Name: FUNDSRCID

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_HCF_UBF_Type

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_HCFUniqueid

Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SVCuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_member_CONuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOINTOparentTXhistory
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_uniq_index_service
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: account_code
Column Type: varchar

Max Length: 50

Column Name: account_name

Column Type: varchar

Max Length: 50

Column Name: account_level

Column Type: varchar

Max Length: 50

Column Name: account_level_name

Column Type: varchar

Max Length: 50

Column Name: approved_units

Column Type: numeric

Column Name: authorization_number

Column Type: varchar

Max Length: 50

Column Name: authorization_valid_code

Column Type: varchar

Max Length: 50

Column Name: authorization_valid_value

Column Type: varchar

Max Length: 50

Column Name: bill_period

Column Type: date

Column Name: claim_status_code

Column Type: varchar

Max Length: 50

Column Name: claim_status_reason_code

Column Type: varchar

Max Length: 50

Column Name: claim_status_reason_value
Column Type: varchar
Max Length: 4096

Column Name: claim_status_value
Column Type: varchar
Max Length: 50

Column Name: copay_applies_to_ded_code
Column Type: varchar
Max Length: 50

Column Name: copay_applies_to_ded_value
Column Type: varchar
Max Length: 50

Column Name: covered_CBPuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_LIBuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_PLANID
Column Type: varchar
Max Length: 50

Column Name: cpt_code_code
Column Type: varchar
Max Length: 50

Column Name: cpt_code_value
Column Type: varchar
Max Length: 80

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: date_claims_received
Column Type: date

Column Name: date_of_service
Column Type: date

Column Name: delay_reason_code
Column Type: varchar
Max Length: 50

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50

Column Name: diagnosis_code
Column Type: varchar
Max Length: 50

Column Name: diagnosis_value
Column Type: varchar

Max Length: 200

Column Name: duration

Column Type: varchar

Max Length: 50

Column Name: eligible_provider_code

Column Type: varchar

Max Length: 50

Column Name: eligible_provider_value

Column Type: varchar

Max Length: 50

Column Name: emergency_indicator_code

Column Type: varchar

Max Length: 50

Column Name: emergency_indicator_value

Column Type: varchar

Max Length: 50

Column Name: expected_disburse

Column Type: numeric

Column Name: is_this_an_admission_code

Column Type: varchar

Max Length: 50

Column Name: is_this_an_admission_value

Column Type: varchar

Max Length: 50

Column Name: level_of_care

Column Type: varchar

Max Length: 50

Column Name: member_copay

Column Type: numeric

Column Name: member_deductible
Column Type: numeric

Column Name: member_enrolled_dos_code
Column Type: varchar
Max Length: 50

Column Name: member_enrolled_dos_value
Column Type: varchar
Max Length: 50

Column Name: original_procedure_code_code
Column Type: varchar
Max Length: 50

Column Name: original_procedure_code_value
Column Type: varchar
Max Length: 80

Column Name: population_code
Column Type: varchar
Max Length: 50

Column Name: population_value
Column Type: varchar
Max Length: 50

Column Name: private_pay_amt
Column Type: numeric

Column Name: private_pay_payer_code
Column Type: varchar
Max Length: 50

Column Name: private_pay_payer_value
Column Type: varchar
Max Length: 50

Column Name: procedure_code_code

Column Type: varchar
Max Length: 50

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50

Column Name: procedure_code_value
Column Type: varchar
Max Length: 80

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80

Column Name: service_units
Column Type: numeric

Column Name: svc_bundle_837_id
Column Type: varchar
Max Length: 50

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50

Column Name: third_party_amount_paid
Column Type: numeric

Column Name: total_charge
Column Type: numeric

Column Name: total_fee_table_amt
Column Type: numeric

Column Name: trt_fac_member
Column Type: varchar
Max Length: 50

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50

Column Name: remark_codes
Column Type: varchar
Max Length: 500

Column Name: remark_codes_value
Column Type: varchar
Max Length: 5096

Column Name: adjustment_reason_code
Column Type: varchar
Max Length: 50

Column Name: adjustment_reason_value
Column Type: varchar
Max Length: 255

Column Name: voucher_number
Column Type: varchar
Max Length: 30

Documentation for form: Claim_Processing_with_Override_(UB-04)

Table Name: SYSTEM.history_member_svc_unclm

Table Description: This table returns detailed information on MSO services.

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: CLAIMID
Column Type: integer

Column Name: EOB_number
Column Type: varchar
Max Length: 30

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_HCF_UBF_Type
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_HCFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SVCUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_member_CONuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_uniq_index_service
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_name
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: approved_units
Column Type: numeric

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: authorization_valid_code
Column Type: varchar
Max Length: 50

Column Name: authorization_valid_value
Column Type: varchar
Max Length: 50

Column Name: bill_period
Column Type: date

Column Name: claim_status_code
Column Type: varchar
Max Length: 50

Column Name: claim_status_reason_code
Column Type: varchar
Max Length: 50

Column Name: claim_status_reason_value
Column Type: varchar
Max Length: 4096

Column Name: claim_status_value
Column Type: varchar
Max Length: 50

Column Name: copay_applies_to_ded_code

Column Type: varchar
Max Length: 50

Column Name: copay_applies_to_ded_value
Column Type: varchar
Max Length: 50

Column Name: covered_CBPuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_LIBuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_PLANID
Column Type: varchar
Max Length: 50

Column Name: cpt_code_code
Column Type: varchar
Max Length: 50

Column Name: cpt_code_value
Column Type: varchar
Max Length: 80

Column Name: data_entry_date
Column Type: date

Column Name: date_claims_received
Column Type: date

Column Name: date_of_service
Column Type: date

Column Name: delay_reason_code
Column Type: varchar
Max Length: 50

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50

Column Name: diagnosis_code
Column Type: varchar
Max Length: 50

Column Name: diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: duration
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_code
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_value
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_code
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_value
Column Type: varchar
Max Length: 50

Column Name: expected_disburse
Column Type: numeric

Column Name: is_this_an_admission_code
Column Type: varchar
Max Length: 50

Column Name: is_this_an_admission_value
Column Type: varchar
Max Length: 50

Column Name: level_of_care
Column Type: varchar
Max Length: 50

Column Name: member_copay
Column Type: numeric

Column Name: member_deductible
Column Type: numeric

Column Name: member_enrolled_dos_code
Column Type: varchar
Max Length: 50

Column Name: member_enrolled_dos_value
Column Type: varchar
Max Length: 50

Column Name: private_pay_amt
Column Type: numeric

Column Name: private_pay_payer_code
Column Type: varchar
Max Length: 50

Column Name: private_pay_payer_value
Column Type: varchar
Max Length: 50

Column Name: procedure_code_code
Column Type: varchar
Max Length: 50

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50

Column Name: procedure_code_value
Column Type: varchar
Max Length: 80

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80

Column Name: service_units
Column Type: numeric

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50

Column Name: total_charge
Column Type: numeric

Column Name: total_fee_table_amt
Column Type: numeric

Column Name: trt_fac_member
Column Type: varchar
Max Length: 50

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50

Column Name: type_of_service_value

Column Type: varchar
Max Length: 50

Column Name: voucher_number
Column Type: varchar
Max Length: 30

Documentation for form: Claim_Processing_with_Override_(UB-04)

Table Name: SYSTEM.mso_claim_adjustments

Table Description: This table returns detailed claim adjustment information of a claim

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_HCFUBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_RETRO_RECORD
Column Type: integer

Column Name: JOIN_TO_SVCUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_COB
Column Type: varchar
Max Length: 50

Column Name: adj_amount1
Column Type: numeric

Column Name: adj_amount2
Column Type: numeric

Column Name: adj_amount3
Column Type: numeric

Column Name: adj_amount4
Column Type: numeric

Column Name: adj_amount5
Column Type: numeric

Column Name: adj_amount6
Column Type: numeric

Column Name: adj_grp_code
Column Type: varchar
Max Length: 50

Column Name: adj_grp_val
Column Type: varchar
Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code2
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code3
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code4
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code5
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code6
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: option_desc

Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: pm_adjustment_code_ind
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_with_Override_(UB-04)

Table Name: SYSTEM.mso_claim_cob

Table Description: This table returns detailed information on Claim-level Coordination of Benefits

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_HCFUBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: adj_pay_date
Column Type: date

Column Name: clm_filing_indic_code
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: end_stage_ren_pay_amt
Column Type: numeric

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: hcpcs_payable_amount
Column Type: numeric

Column Name: indiv_relationship_code
Column Type: varchar
Max Length: 50

Column Name: ins_grp_or_policy_num
Column Type: varchar
Max Length: 50

Column Name: insur_group_name
Column Type: varchar
Max Length: 50

Column Name: insur_type_code
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: non_cov_amt_qual_code
Column Type: varchar
Max Length: 50

Column Name: non_cov_mon_amt

Column Type: varchar
Max Length: 50

Column Name: non_pay_prof_comp_amt
Column Type: numeric

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_city
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id_qual
Column Type: varchar

Max Length: 50

Column Name: other_pay_country_code

Column Type: varchar

Max Length: 50

Column Name: other_pay_country_subdiv_code

Column Type: varchar

Max Length: 50

Column Name: other_pay_ent_id_code

Column Type: varchar

Max Length: 50

Column Name: other_pay_ent_type_qual

Column Type: varchar

Max Length: 50

Column Name: other_pay_id_code_qual_code

Column Type: varchar

Max Length: 50

Column Name: other_pay_identifier

Column Type: varchar

Max Length: 80

Column Name: other_pay_name_first

Column Type: varchar

Max Length: 80

Column Name: other_pay_name_last

Column Type: varchar

Max Length: 80

Column Name: other_pay_name_middle

Column Type: varchar

Max Length: 50

Column Name: other_pay_name_suffix

Column Type: varchar

Max Length: 50

Column Name: other_pay_prior_auth

Column Type: varchar

Max Length: 50

Column Name: other_pay_prior_auth_qual

Column Type: varchar

Max Length: 50

Column Name: other_pay_ref_num

Column Type: varchar

Max Length: 50

Column Name: other_pay_ref_num_qual

Column Type: varchar

Max Length: 50

Column Name: other_pay_sec_id_1

Column Type: varchar

Max Length: 50

Column Name: other_pay_sec_id_2

Column Type: varchar

Max Length: 50

Column Name: other_pay_sec_id_qual_1

Column Type: varchar

Max Length: 50

Column Name: other_pay_sec_id_qual_2

Column Type: varchar

Max Length: 50

Column Name: other_pay_state

Column Type: varchar

Max Length: 50

Column Name: other_pay_zip_code

Column Type: varchar

Max Length: 50

Column Name: other_sub_add_id

Column Type: varchar

Max Length: 50

Column Name: other_sub_add_id_qual

Column Type: varchar

Max Length: 50

Column Name: other_sub_address_1

Column Type: varchar

Max Length: 50

Column Name: other_sub_address_2

Column Type: varchar

Max Length: 50

Column Name: other_sub_city

Column Type: varchar

Max Length: 50

Column Name: other_sub_country_code

Column Type: varchar

Max Length: 50

Column Name: other_sub_country_subdiv_code

Column Type: varchar

Max Length: 50

Column Name: other_sub_ent_id_code

Column Type: varchar

Max Length: 50

Column Name: other_sub_ent_type_qual

Column Type: varchar

Max Length: 50

Column Name: other_sub_id_code_qual_code

Column Type: varchar

Max Length: 50

Column Name: other_sub_identifier

Column Type: varchar

Max Length: 80

Column Name: other_sub_name_first

Column Type: varchar

Max Length: 50

Column Name: other_sub_name_last

Column Type: varchar

Max Length: 50

Column Name: other_sub_name_middle

Column Type: varchar

Max Length: 50

Column Name: other_sub_name_suffix

Column Type: varchar

Max Length: 50

Column Name: other_sub_state

Column Type: varchar

Max Length: 50

Column Name: other_sub_zip_code

Column Type: varchar

Max Length: 50

Column Name: oth_ins_pat_sig_src

Column Type: varchar

Max Length: 50

Column Name: oth_ins_release_info_code

Column Type: varchar

Max Length: 50

Column Name: oth_ins_yes_no_cond_resp

Column Type: varchar

Max Length: 50

Column Name: payer_paid_mon_amt

Column Type: varchar

Max Length: 50

Column Name: payer_paid_qual_code

Column Type: varchar

Max Length: 50

Column Name: pay_resp_seq_num_code

Column Type: varchar

Max Length: 50

Column Name: reimburse_rate

Column Type: numeric

Column Name: remark_code1

Column Type: varchar

Max Length: 50

Column Name: remark_code2

Column Type: varchar

Max Length: 50

Column Name: remark_code3

Column Type: varchar

Max Length: 50

Column Name: remark_code4

Column Type: varchar

Max Length: 50

Column Name: remark_code5

Column Type: varchar

Max Length: 50

Column Name: rem_pat_liab_mon_amt

Column Type: varchar

Max Length: 50

Column Name: rem_pat_liab_qual_code
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_with_Override_(UB-04)

Table Name: SYSTEM.provider_monthly_max

Table Description: This table returns services that contribute towards a provider's monthly dollar max.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PROVID
Column Type: varchar
Max Length: 50
'Provider'

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: auth_used
Column Type: varchar
Max Length: 50

The number of the authorization that this service falls under.

Column Name: dollars_used
Column Type: varchar
Max Length: 50

Column Name: max_month
Column Type: integer
The month that this service will be credited against.

Column Name: max_year
Column Type: integer
The year that this service will be credited against.

Column Name: pended
Column Type: varchar
Max Length: 50
A flag indicating whether the service was pended due to exhaustion of monthly max dollars.

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.batch_claim_lvl_core

Table Description: This table returns information related to claims that are part of a batch.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID of the batch.

Column Name: CLAIMID
Column Type: integer
'Claim ID'

Column Name: Claim_Type_Code
Column Type: varchar
Max Length: 50
The claim type of the batch.

Column Name: Claim_Unique_ID
Column Type: varchar
Max Length: 50

The value of Claim_Type_Code. See Claim_Type_Code for more information.

Column Name: FACILITY

Column Type: integer

The system code in which the batch was created.

Column Name: GUID

Column Type: varchar

Max Length: 50

The unique ID of the row.

Column Name: HCFuniqueid

Column Type: varchar

Max Length: 50

Reference to HFCA 1500 claim processing.

Column Name: PATID

Column Type: varchar

Max Length: 20

The unique ID of the client.

Column Name: PROVID

Column Type: varchar

Max Length: 50

'Provider'

Column Name: UBFuniqueid

Column Type: varchar

Max Length: 50

Reference to UB92 claim processing.

Column Name: UTCTimestamp

Column Type: timestamp

The UTC time when the row was last updated.

Column Name: accept_assignment_code

Column Type: varchar

Max Length: 50

'Accept Assignment'

Column Name: accept_assignment_value

Column Type: varchar

Max Length: 50

The value of accept_assignment_code. See accept_assignment_code for more information.

Column Name: admission_date

Column Type: date

The date of the admission.

Column Name: admission_diagnosis_icd10

Column Type: varchar

Max Length: 50

The ICD 9 code for admitting_diagnosis.

Column Name: admission_diagnosis_icd10_value

Column Type: varchar

Max Length: 200

The value of admission_diagnosis_icd10. See admission_diagnosis_icd10 for more information.

Column Name: admission_diagnosis_icd9

Column Type: varchar

Max Length: 50

The ICD 9 code for admitting_diagnosis.

Column Name: admission_diagnosis_icd9_value

Column Type: varchar

Max Length: 200

The value of admission_diagnosis_icd9. See admission_diagnosis_icd9 for more information.

Column Name: admissiondiagnosisobject

Column Type: varchar

Max Length: 50

The admission diagnosis object.

Column Name: admission_hour

Column Type: varchar

Max Length: 50

The hour of the admission.

Column Name: admission_source_code

Column Type: varchar

Max Length: 50

The source of the admission.

Column Name: admission_source_value

Column Type: varchar

Max Length: 50

The value of admission_source_code. See admission_source_code for more information.

Column Name: admission_type_code

Column Type: varchar

Max Length: 50

The type of the admission.

Column Name: admission_type_value

Column Type: varchar

Max Length: 50

The value of admission_type_code. See admission_type_code for more information.

Column Name: admitting_diagnosis

Column Type: varchar
Max Length: 50
The diagnosis at the time of admission.

Column Name: admitting_diagnosis_value
Column Type: varchar
Max Length: 200
The value of admitting_diagnosis. See admitting_diagnosis for more information.

Column Name: amount_of_claim
Column Type: varchar
Max Length: 50
The amount of the claim.

Column Name: attending_physician
Column Type: varchar
Max Length: 50
The attending practitioner.

Column Name: attending_practitioner
Column Type: varchar
Max Length: 50
'Attending Practitioner'

Column Name: billing_enumerator
Column Type: varchar
Max Length: 50
The ProviderConnect billing enumerator for the claim.

Column Name: claim_date_range_flag
Column Type: varchar
Max Length: 50
Was the claim submitted with more than one date.

Column Name: claim_freq_type_code
Column Type: varchar
Max Length: 50
'Claim Frequency Code (2300-CLM-05-3)'

Column Name: claim_level_comments
Column Type: varchar
Max Length: 32766
'Claim Level Comments'

Column Name: claim_note_code
Column Type: varchar
Max Length: 50
'Claim Note Reference Code'

Column Name: claim_note_code_val

Column Type: varchar
Max Length: 50
The value of claim_note_code. See claim_note_code for more information.

Column Name: claim_note_text
Column Type: varchar
Max Length: 80
'Claim Note Text'

Column Name: cond_rel_to_auto_acc_code
Column Type: varchar
Max Length: 50
'Condition Related To Auto Accident'

Column Name: cond_rel_to_auto_acc_value
Column Type: varchar
Max Length: 50
The value of cond_rel_to_auto_acc_code. See cond_rel_to_auto_acc_code for more information.

Column Name: cond_rel_to_emp_code
Column Type: varchar
Max Length: 50
'Condition Related To Employment'

Column Name: cond_rel_to_emp_value
Column Type: varchar
Max Length: 50
The value of cond_rel_to_emp_code. See cond_rel_to_emp_code for more information.

Column Name: cond_rel_to_oth_acc_code
Column Type: varchar
Max Length: 50
'Condition Related To Other Accident'

Column Name: cond_rel_to_oth_acc_value
Column Type: varchar
Max Length: 50
The value of cond_rel_to_oth_acc_code. See cond_rel_to_oth_acc_code for more information.

Column Name: covered_days
Column Type: integer
The days covered in the batch.

Column Name: curr_charges
Column Type: numeric
'Current Charges Entered'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The 'User Description'.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The 'User ID' that last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name that last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_curr_ill

Column Type: date

'Date Of Current Illness/Injury/Pregnancy'

Column Name: discharge_hour

Column Type: varchar

Max Length: 50

The hour the client was discharged.

Column Name: eighth_diagnosis

Column Type: varchar

Max Length: 50

'Eighth Diagnosis'

Column Name: eighth_diagnosis_icd10

Column Type: varchar

Max Length: 50

The ICD 10 Code for eighth_diagnosis. See eighth_diagnosis for more information.

Column Name: eighth_diagnosis_icd10_value

Column Type: varchar

Max Length: 200

The System Code in which 270 file is compiled.

Column Name: eighth_diagnosis_icd9

Column Type: varchar

Max Length: 50

The ICD 9 Code for eighth_diagnosis.

Column Name: eighth_diagnosis_icd9_value

Column Type: varchar

Max Length: 200

The value of eighth_diagnosis_icd9. See eighth_diagnosis_icd9 for more information.

Column Name: eighthdiagnosisobject

Column Type: varchar

Max Length: 50

The eighth diagnosis object.

Column Name: eighth_diagnosis_value

Column Type: varchar

Max Length: 200

The value of eighth_diagnosis. See eighth_diagnosis for more information.

Column Name: ein_code

Column Type: varchar

Max Length: 50

'EIN'

Column Name: ein_value

Column Type: varchar

Max Length: 50

The value of ein_code. See ein_code for more information.

Column Name: eleventh_diagnosis

Column Type: varchar

Max Length: 50

'Eleventh Diagnosis'

Column Name: eleventh_diagnosis_icd10

Column Type: varchar

Max Length: 50

The ICD 10 Code for eleventh_diagnosis.

Column Name: eleventh_diagnosis_icd10_value

Column Type: varchar

Max Length: 200

The value of eleventh_diagnosis_icd10. See eleventh_diagnosis_icd10 for more information.

Column Name: eleventh_diagnosis_icd9

Column Type: varchar

Max Length: 50

The ICD 9 Code of eleventh_diagnosis.

Column Name: eleventh_diagnosis_icd9_value

Column Type: varchar

Max Length: 200

The value of eleventh_diagnosis_icd9. See eleventh_diagnosis_icd9 for more information.

Column Name: eleventhdiagnosisobject

Column Type: varchar

Max Length: 50

The eleventh diagnosis object.

Column Name: eleventh_diagnosis_value

Column Type: varchar

Max Length: 200

The value of eleventh_diagnosis. See eleventh_diagnosis for more information.

Column Name: facility_code_value

Column Type: varchar

Max Length: 50

The value of the facility code.

Column Name: fifth_diagnosis

Column Type: varchar

Max Length: 50

'Fifth Diagnosis'

Column Name: fifth_diagnosis_icd10

Column Type: varchar

Max Length: 50

The ICD 10 Code for fifth_diagnosis.

Column Name: fifth_diagnosis_icd10_value

Column Type: varchar

Max Length: 200

The value of fifth_diagnosis_icd10. See fifth_diagnosis_icd10 for more information.

Column Name: fifth_diagnosis_icd9

Column Type: varchar

Max Length: 50

The ICD 9 Code for fifth_diagnosis.

Column Name: fifth_diagnosis_icd9_value

Column Type: varchar

Max Length: 200

The value of fifth_diagnosis_icd9. See fifth_diagnosis_icd9 for more information.

Column Name: fifthdiagnosisobject

Column Type: varchar

Max Length: 50

The fifth diagnosis object.

Column Name: fifth_diagnosis_value

Column Type: varchar

Max Length: 200

The value of fifth_diagnosis. See fifth_diagnosis for more information.

Column Name: first_date_sim_ill

Column Type: date

'First Date Of Similar Illness'

Column Name: first_diagnosis

Column Type: varchar

Max Length: 50

'First Diagnosis'

Column Name: first_diagnosis_icd10

Column Type: varchar

Max Length: 50

The ICD 10 Code for first_diagnosis.

Column Name: first_diagnosis_icd10_value

Column Type: varchar

Max Length: 200

The value of first_diagnosis_icd10. See first_diagnosis_icd10 for more information.

Column Name: first_diagnosis_icd9

Column Type: varchar

Max Length: 50

The ICD 9 Code for first_diagnosis.

Column Name: first_diagnosis_icd9_value
Column Type: varchar
Max Length: 200
The value of first_diagnosis_icd9. See first_diagnosis_icd9 for more information.

Column Name: firstdiagnosisobject
Column Type: varchar
Max Length: 50
The first diagnosis object.

Column Name: first_diagnosis_value
Column Type: varchar
Max Length: 200
The value of first_diagnosis. See first_diagnosis for more information.

Column Name: fourth_diagnosis
Column Type: varchar
Max Length: 50
'Fourth Dianosis'

Column Name: fourth_diagnosis_icd10
Column Type: varchar
Max Length: 50
The ICD 10 Code for fourth_diagnosis.

Column Name: fourth_diagnosis_icd10_value
Column Type: varchar
Max Length: 200
The value iof fourth_diagnosis_icd10. See fourth_diagnosis_icd10 for more information.

Column Name: fourth_diagnosis_icd9
Column Type: varchar
Max Length: 50
The ICD 9 Code for fourth_diagnosis.

Column Name: fourth_diagnosis_icd9_value
Column Type: varchar
Max Length: 200
The value of fourth_diagnosis_icd9. See fourth_diagnosis_icd9 for more information.

Column Name: fourthdiagnosisobject
Column Type: varchar
Max Length: 50
The fourth diagnosis object.

Column Name: fourth_diagnosis_value
Column Type: varchar
Max Length: 200
The value of fourth_diagnosis. See fourth_diagnosis for more information.

Column Name: from_date
Column Type: date
The from date.

Column Name: hosp_from_date
Column Type: date
'Hospitalization From Date'

Column Name: hosp_thru_date
Column Type: date
'Hospitalization Through Date'

Column Name: medical_record_num
Column Type: varchar
Max Length: 50
'Medical Record Number'

Column Name: member_id
Column Type: numeric
'Member Name Or ID'

Column Name: ninth_diagnosis
Column Type: varchar
Max Length: 50
'Ninth Diagnosis'

Column Name: ninth_diagnosis_icd10
Column Type: varchar
Max Length: 50
The ICD 10 Code for ninth_diagnosis.

Column Name: ninth_diagnosis_icd10_value
Column Type: varchar
Max Length: 200
The value of ninth_diagnosis_icd10. See ninth_diagnosis_icd10 for more information.

Column Name: ninth_diagnosis_icd9
Column Type: varchar
Max Length: 50
The ICD 9 Code of ninth_diagnosis.

Column Name: ninth_diagnosis_icd9_value
Column Type: varchar
Max Length: 200
The value of ninth_diagnosis_icd9. See ninth_diagnosis_icd9 for more information.

Column Name: ninthdiagnosisobject
Column Type: varchar
Max Length: 50

The ninth diagnosis object.

Column Name: ninth_diagnosis_value

Column Type: varchar

Max Length: 200

The value of ninth_diagnosis. See ninth_diagnosis for more information.

Column Name: non_covered_days

Column Type: integer

'Non-Covered Days'

Column Name: option_desc

Column Type: varchar

Max Length: 50

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row.

Column Name: orig_submission_code

Column Type: varchar

Max Length: 50

'Original Submission Code'

Column Name: outside_lab_charges

Column Type: numeric

'Outside Lab Charges'

Column Name: outside_lab_code

Column Type: varchar

Max Length: 50

'Outside Lab'

Column Name: outside_lab_value

Column Type: varchar

Max Length: 50

The value of outside_lab_code. See outside_lab_code for more information.

Column Name: patient_control_number

Column Type: varchar

Max Length: 50

The patient control number.

Column Name: patient_paid_amt

Column Type: numeric

The patient paid amount.

Column Name: patient_status_code

Column Type: varchar
Max Length: 50
'Patient Status'

Column Name: patient_status_value
Column Type: varchar
Max Length: 50
The value of patient_status_code. See patient_status_code for more information.

Column Name: payer_claim_control_number
Column Type: varchar
Max Length: 50
The payer claim control number.

Column Name: pre_on_adm_eight_code
Column Type: varchar
Max Length: 50
'Present On Admission Indicator (Eighth) (2300-HI-08-9)'

Column Name: pre_on_adm_eight_value
Column Type: varchar
Max Length: 50
The value of pre_on_adm_eight_code. See pre_on_adm_eight_code for more information.

Column Name: pre_on_adm_elev_code
Column Type: varchar
Max Length: 50
'Present On Admission Indicator (Eleventh) (2300-HI-11-9)'

Column Name: pre_on_adm_elev_value
Column Type: varchar
Max Length: 50
The value of pre_on_adm_elev_code. See pre_on_adm_elev_code for more information.

Column Name: pre_on_adm_fifth_code
Column Type: varchar
Max Length: 50
'Present On Admission Indicator (Fifth) (2300-HI-05-9)'

Column Name: pre_on_adm_fifth_value
Column Type: varchar
Max Length: 50
The value of pre_on_adm_fifth_code. See pre_on_adm_fifth_code for more information.

Column Name: pre_on_adm_first_code
Column Type: varchar
Max Length: 50
'Present On Admission Indicator (first) (2300-HI-01-9)'

Column Name: pre_on_adm_first_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_first_code. See pre_on_adm_first_code for more information.

Column Name: pre_on_adm_four_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator (Fourth) (2300-HI-04-9)'

Column Name: pre_on_adm_four_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_four_code. See pre_on_adm_four_code for more information.

Column Name: pre_on_adm_ninth_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator (Ninth) (2300-HI-09-9)'

Column Name: pre_on_adm_ninth_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_ninth_code. See pre_on_adm_ninth_code for more information.

Column Name: pre_on_adm_princ_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator (Principal) (2300-HI-01-9)'

Column Name: pre_on_adm_princ_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_princ_code. See pre_on_adm_princ_code for more information.

Column Name: pre_on_adm_secon_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator (second) (2300-HI-02-9)'

Column Name: pre_on_adm_secon_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_secon_code. See pre_on_adm_secon_code for more information.

Column Name: pre_on_adm_seven_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator (Seventh) (2300-HI-07-9)'

Column Name: pre_on_adm_seven_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_seven_code. See pre_on_adm_seven_code for more information.

Column Name: pre_on_adm_sixth_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator (Sixth) (2300-HI-06-9)'

Column Name: pre_on_adm_sixth_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_sixth_code. See pre_on_adm_sixth_code for more information.

Column Name: pre_on_adm_tenth_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator (Tenth) (2300-HI-10-9)'

Column Name: pre_on_adm_tenth_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_tenth_code. See pre_on_adm_tenth_code for more information.

Column Name: pre_on_adm_third_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator (Third) (2300-HI-03-9)'

Column Name: pre_on_adm_third_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_third_code. See pre_on_adm_third_code for more information.

Column Name: pre_on_adm_twelv_code

Column Type: varchar

Max Length: 50

'Present On Admission Indicator (Twelfth) (2300-HI-12-9)'

Column Name: pre_on_adm_twelv_value

Column Type: varchar

Max Length: 50

The value of pre_on_adm_twelv_code. See pre_on_adm_twelv_code for more information.

Column Name: principal_diagnosis

Column Type: varchar

Max Length: 50

'Principal Diagnosis'

Column Name: principal_diagnosis_icd10

Column Type: varchar
Max Length: 50
The ICD 10 Code for principal_diagnosis.

Column Name: principal_diagnosis_icd10_value
Column Type: varchar
Max Length: 200
The value of principal_diagnosis_icd10. See principal_diagnosis_icd10 for more information.

Column Name: principal_diagnosis_icd9
Column Type: varchar
Max Length: 50
The ICD 9 Code for principal_diagnosis.

Column Name: principal_diagnosis_icd9_value
Column Type: varchar
Max Length: 200
The value of principal_diagnosis_icd9. See principal_diagnosis_icd9 for more information.

Column Name: principaldiagnosisobject
Column Type: varchar
Max Length: 50
The principal diagnosis object.

Column Name: principal_diagnosis_value
Column Type: varchar
Max Length: 200
'Principal Diagnosis'

Column Name: prior_auth_number
Column Type: varchar
Max Length: 50
'Prior Authorization Number'

Column Name: referring_physician
Column Type: varchar
Max Length: 50
'Referring Physician'

Column Name: resubmission_code
Column Type: varchar
Max Length: 50
'Resubmission Code'

Column Name: second_diagnosis
Column Type: varchar
Max Length: 50
'Second Diagnosis'

Column Name: second_diagnosis_icd10

Column Type: varchar
Max Length: 50
The ICD 10 Code for second_diagnosis.

Column Name: second_diagnosis_icd10_value
Column Type: varchar
Max Length: 200
The value of second_diagnosis_icd10. See second_diagnosis_icd10 for more information.

Column Name: second_diagnosis_icd9
Column Type: varchar
Max Length: 50
The ICD 9 Code for second_diagnosis.

Column Name: second_diagnosis_icd9_value
Column Type: varchar
Max Length: 200
The value of second_diagnosis_icd9. See second_diagnosis_icd9 for more information.

Column Name: seconddiagnosisobject
Column Type: varchar
Max Length: 50
The second diagnosis object.

Column Name: second_diagnosis_value
Column Type: varchar
Max Length: 200
The value of second_diagnosis. See second_diagnosis for more information.

Column Name: seventh_diagnosis
Column Type: varchar
Max Length: 50
'Seventh Diagnosis'

Column Name: seventh_diagnosis_icd10
Column Type: varchar
Max Length: 50
The ICD 10 code for seventh_diagnosis.

Column Name: seventh_diagnosis_icd10_value
Column Type: varchar
Max Length: 200
The value of seventh_diagnosis_icd10. See seventh_diagnosis_icd10 for more information.

Column Name: seventh_diagnosis_icd9
Column Type: varchar
Max Length: 50
The ICD 9 Code for seventh_diagnosis.

Column Name: seventh_diagnosis_icd9_value

Column Type: varchar

Max Length: 200

The value of seventh_diagnosis_icd9. See seventh_diagnosis_icd9 for more information.

Column Name: seventhdiagnosisobject

Column Type: varchar

Max Length: 50

The seventh diagnosis object.

Column Name: seventh_diagnosis_value

Column Type: varchar

Max Length: 200

The value of seventh_diagnosis. See seventh_diagnosis for more information.

Column Name: sixth_diagnosis

Column Type: varchar

Max Length: 50

'Sixth Diagnosis'

Column Name: sixth_diagnosis_icd10

Column Type: varchar

Max Length: 50

The ICD 10 code for sixth_diagnosis.

Column Name: sixth_diagnosis_icd10_value

Column Type: varchar

Max Length: 200

The value of sixth_diagnosis_icd10. See sixth_diagnosis_icd10 for more information.

Column Name: sixth_diagnosis_icd9

Column Type: varchar

Max Length: 50

The ICD 9 Code for sixth_diagnosis.

Column Name: sixth_diagnosis_icd9_value

Column Type: varchar

Max Length: 200

The value of sixth_diagnosis_icd9. See sixth_diagnosis_icd9 for more information.

Column Name: sixthdiagnosisobject

Column Type: varchar

Max Length: 50

The sixth diagnosis object.

Column Name: sixth_diagnosis_value

Column Type: varchar

Max Length: 200

The value of sixth_diagnosis. See sixth_diagnosis for more information.

Column Name: ssn_code

Column Type: varchar
Max Length: 50
'SSN'

Column Name: ssn_value
Column Type: varchar
Max Length: 50
The value of ssn_code. See ssn_code for more information.

Column Name: status
Column Type: varchar
Max Length: 50
The status of the claim.

Column Name: tenth_diagnosis
Column Type: varchar
Max Length: 50
'Tenth Diagnosis'

Column Name: tenth_diagnosis_icd10
Column Type: varchar
Max Length: 50
The ICD 10 Code for tenth_diagnosis.

Column Name: tenth_diagnosis_icd10_value
Column Type: varchar
Max Length: 200
The value of tenth_diagnosis_icd10. See tenth_diagnosis_icd10 for more information.

Column Name: tenth_diagnosis_icd9
Column Type: varchar
Max Length: 50
The ICD 9 Code for tenth_diagnosis.

Column Name: tenth_diagnosis_icd9_value
Column Type: varchar
Max Length: 200
The value of tenth_diagnosis_icd9. See tenth_diagnosis_icd9 for more information.

Column Name: tenthdiagnosisobject
Column Type: varchar
Max Length: 50
The tenth diagnosis object.

Column Name: tenth_diagnosis_value
Column Type: varchar
Max Length: 200
The value of tenth_diagnosis. See tenth_diagnosis for more information.

Column Name: third_diagnosis

Column Type: varchar
Max Length: 50
'Third Diagnosis'

Column Name: third_diagnosis_icd10
Column Type: varchar
Max Length: 50
The ICD 10 Code for third_diagnosis.

Column Name: third_diagnosis_icd10_value
Column Type: varchar
Max Length: 200
The value of third_diagnosis_icd10. See third_diagnosis_icd10 for information.

Column Name: third_diagnosis_icd9
Column Type: varchar
Max Length: 50
The ICD 9 Code for third_diagnosis.

Column Name: third_diagnosis_icd9_value
Column Type: varchar
Max Length: 200
The value of third_diagnosis_icd9. See third_diagnosis_icd9 for more information.

Column Name: thirddiagnosisobject
Column Type: varchar
Max Length: 50
The third diagnosis object.

Column Name: third_diagnosis_value
Column Type: varchar
Max Length: 200
The value of third_diagnosis. See third_diagnosis for more information.

Column Name: through_date
Column Type: date
The through date.

Column Name: tot_disbursement_amt
Column Type: numeric
'Total Expected Disbursement'

Column Name: tot_fee_table_amt
Column Type: numeric
'Total Fee Table Amount'

Column Name: trt_fac_member
Column Type: varchar
Max Length: 50
'Facility member'

Column Name: twelfth_diagnosis

Column Type: varchar

Max Length: 50

'Twelfth Diagnosis'

Column Name: twelfth_diagnosis_icd10

Column Type: varchar

Max Length: 50

The ICD 10 Code for twelfth_diagnosis.

Column Name: twelfth_diagnosis_icd10_value

Column Type: varchar

Max Length: 200

The value of twelfth_diagnosis_icd10. See twelfth_diagnosis_icd10 for more information.

Column Name: twelfth_diagnosis_icd9

Column Type: varchar

Max Length: 50

The ICD 9 Code for twelfth_diagnosis.

Column Name: twelfth_diagnosis_icd9_value

Column Type: varchar

Max Length: 200

The value of twelfth_diagnosis_icd9. See twelfth_diagnosis_icd9 for more information.

Column Name: twelfthdiagnosisobject

Column Type: varchar

Max Length: 50

The twelfth diagnosis object.

Column Name: twelfth_diagnosis_value

Column Type: varchar

Max Length: 200

The value of twelfth_diagnosis. See twelfth_diagnosis for more information.

Column Name: type_of_bill_code

Column Type: varchar

Max Length: 50

The type of bill.

Column Name: type_of_bill_value

Column Type: varchar

Max Length: 50

The value of typeofbillcode. See typeofbillcode for more information.

Column Name: unable_work_from_dat

Column Type: date

'Unable To Work From Date'

Column Name: unable_work_thru_dat
Column Type: date
'Unable To Work Through Date'

Column Name: unique_row_id
Column Type: varchar
Max Length: 50
The unique ID of the row.

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.batch_clm_svc_adj_codes

Table Description: This table returns adjustment codes assigned to services during claim adjudication, as well as HIPAA cross reference information associated to those codes.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: adj_amount
Column Type: varchar
Max Length: 50
The adjustment amount associated with the EOB message.

Column Name: adj_code_code
Column Type: varchar
Max Length: 50
The adjustment code associated with the EOB message.

Column Name: adj_code_value
Column Type: varchar
Max Length: 50

The description associated with adj_code_code. See adj_code_code for more information.

Column Name: adj_group_code_5010_code

Column Type: varchar

Max Length: 50

The HIPAA version 5010 adjustment group code associated with the EOB message.

Column Name: adj_group_code_5010_value

Column Type: varchar

Max Length: 50

The description associated with adj_group_code_5010_code. See adj_group_code_5010_code for more information.

Column Name: adj_group_code_code

Column Type: varchar

Max Length: 50

The adjustment group code associated with the EOB message.

Column Name: adj_group_code_value

Column Type: varchar

Max Length: 50

The description associated with adj_group_code_code. See adj_group_code_code for more information.

Column Name: adj_reason_code_code

Column Type: varchar

Max Length: 50

The adjustment reason code associated with the EOB message.

Column Name: adj_reason_code_value

Column Type: varchar

Max Length: 4096

The description associated with adj_reason_code_code. See adj_reason_code_code for more information.

Column Name: apd_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the claim status associated to the EOB message.

Column Name: apd_status_value

Column Type: varchar

Max Length: 50

The description associated with apd_status_code. See apd_status_code for more information.

Column Name: eob_message_code

Column Type: numeric

The unique numeric ID of the EOB message.

Column Name: eob_message_value

Column Type: varchar

Max Length: 50

The description associated with eob_message_code. See eob_message_code for more information.

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.batch_clm_svc_detail

Table Description: This table returns detailed information on MSO services.

Column Name: ID

Column Type: integer

Column Name: BATCHID

Column Type: varchar

Max Length: 50

The unique ID for the batch.

Column Name: CLAIMID

Column Type: integer

The claim number.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: GUID

Column Type: varchar

Max Length: 50

A unique identifier used internally to validate data.

Column Name: JOIN_TO_AUTUniqueid

Column Type: varchar

Max Length: 50

The unique ID for the associated authorization.

Column Name: JOIN_TO_HCF_UBF_Type

Column Type: varchar

Max Length: 50

Indicator of whether this claim is of type "HCFA" or "UB92".

Column Name: JOIN_TO_HCFUniqueid

Column Type: varchar

Max Length: 50

The unique ID for the claim if it is of type "HCFA".

Column Name: JOIN_TO_UBFHCFUniqueid

Column Type: varchar

Max Length: 50
The unique ID for the claim.

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the claim if it is of type "UB92".

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PPluniqueid
Column Type: varchar
Max Length: 50
The unique ID for the associated performing provider.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: UTCTimestamp
Column Type: timestamp
The UTC time when the row was last updated.

Column Name: VOUCHERID
Column Type: integer
The unique ID for the voucher.

Column Name: ability_to_pay_amt
Column Type: numeric
The ability to pay amount deducted from the service.

Column Name: account_code
Column Type: varchar
Max Length: 50
The authorization account code.

Column Name: account_level
Column Type: varchar
Max Length: 50
The authorization account level.

Column Name: account_level_name
Column Type: varchar
Max Length: 50
The authorization account level name.

Column Name: account_name
Column Type: varchar
Max Length: 50
The authorization account name.

Column Name: add_on_notes
Column Type: varchar
Max Length: 32000
Add-on notes.

Column Name: adjudication_code
Column Type: varchar
Max Length: 50
The adjudication code.

Column Name: adjustment_reason_code
Column Type: varchar
Max Length: 50
One or more dictionary codes for claim adjustment reasons.

Column Name: adjustment_reason_value
Column Type: varchar
Max Length: 255
The description associated with adjustment_reason_code. See adjustment_reason_code for more information.

Column Name: approved_units
Column Type: numeric
Approved units.

Column Name: associated_code
Column Type: varchar
Max Length: 50
Associated code.

Column Name: authorization_assoc_code
Column Type: varchar
Max Length: 50
The authorization associated code.

Column Name: authorization_number
Column Type: varchar
Max Length: 50
The authorization number.

Column Name: authorization_valid_code
Column Type: varchar
Max Length: 50
Indicator of whether the authorization is valid.

Column Name: authorization_valid_value

Column Type: varchar

Max Length: 50

The description associated with authorization_valid_code. See authorization_valid_code for more information.

Column Name: blackout_id

Column Type: integer

The unique blackout ID.

Column Name: carelink_service_ID

Column Type: varchar

Max Length: 50

The carelink service ID.

Column Name: claim_number_837

Column Type: varchar

Max Length: 50

837 claim number for the service.

Column Name: claim_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the claim status.

Column Name: claim_status_reason_code

Column Type: varchar

Max Length: 50

Dictionary code for the claim status reason.

Column Name: claim_status_reason_value

Column Type: varchar

Max Length: 4096

The description associated with claim_status_reason_code. See claim_status_reason_code for more information.

Column Name: claim_status_value

Column Type: varchar

Max Length: 50

The description associated with claim_status_code. See claim_status_code for more information.

Column Name: comments

Column Type: varchar

Max Length: 32766

Comments regarding the service.

Column Name: contains_overridden_field

Column Type: varchar

Max Length: 1

Indicator of whether there is an overridden field.If "Y", indicates that this service detail contains one or more fields whose values were manually overridden.

Column Name: copay_applies_to_ded_code

Column Type: varchar

Max Length: 50

'Co-Pay Counts Towards Deductible'

Column Name: copay_applies_to_ded_value

Column Type: varchar

Max Length: 50

The description associated with copay_applies_to_ded_code. See copay_applies_to_ded_code for more information.

Column Name: cost_center_code

Column Type: varchar

Max Length: 50

Dictionary code for the cost center.

Column Name: cost_center_value

Column Type: varchar

Max Length: 50

The description associated with cost_center_code. See cost_center_code for more information.

Column Name: covered_CBPuniqueid

Column Type: varchar

Max Length: 50

The unique ID for plan covered services.

Column Name: covered_LIBuniqueid

Column Type: varchar

Max Length: 50

The unique ID for plan liability rules level.

Column Name: covered_PLANID

Column Type: varchar

Max Length: 50

The unique ID for the associated coverage plan.

Column Name: cpt_code_code

Column Type: varchar

Max Length: 50

The CPT code.

Column Name: cpt_code_value

Column Type: varchar

Max Length: 80

The description associated with cpt_code_code. See cpt_code_code for more information.

Column Name: data_entry_by

Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_service
Column Type: date
The date the service was rendered.

Column Name: date_of_service_end
Column Type: date
The date the service ended.

Column Name: delay_reason_code
Column Type: varchar
Max Length: 50
Dictionary code indicating the reason the claim was delayed.

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50
The description associated with delay_reason_code. See delay_reason_code for more information.

Column Name: diagnosis_code
Column Type: varchar
Max Length: 50
Diagnosis code associated with the service.

Column Name: diagnosis_reference
Column Type: varchar
Max Length: 50
Diagnosis reference.

Column Name: diagnosis_reference_2
Column Type: varchar
Max Length: 50
Diagnosis reference 2.

Column Name: diagnosis_reference_3
Column Type: varchar
Max Length: 50
Diagnosis reference 3.

Column Name: diagnosis_reference_4
Column Type: varchar
Max Length: 50
Diagnosis reference 4.

Column Name: diagnosis_value
Column Type: varchar
Max Length: 200
The description associated with diagnosis_code. See diagnosis_code for more information.

Column Name: discipline_code
Column Type: varchar

Max Length: 40

Dictionary code indicating the medical discipline under which the service was rendered.

Column Name: discipline_value

Column Type: varchar

Max Length: 40

The description associated with discipline_code. See discipline_code for more information.

Column Name: documentation_time

Column Type: numeric

For group services, the documentation time

Column Name: drug_ref_id

Column Type: varchar

Max Length: 50

The service drug reference ID.

Column Name: drug_ref_id_qual

Column Type: varchar

Max Length: 50

The service drug reference qualifier.

Column Name: duration

Column Type: varchar

Max Length: 50

The service duration.

Column Name: ebpss_csi_code

Column Type: varchar

Max Length: 32000

Dictionary code indicating the evidence-based practices / service strategies (CSI) code for the service.

Column Name: ebpss_csi_value

Column Type: varchar

Max Length: 255

The description associated with ebpss_csi_code. See ebpss_csi_code for more information.

Column Name: ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

The description associated with ebpss_csi_value_code. See ebpss_csi_value_code for more information.

Column Name: eligible_provider_code

Column Type: varchar

Max Length: 50

Indicator of whether the provider was eligible or not.

Column Name: eligible_provider_value

Column Type: varchar

Max Length: 50

The description associated with eligible_provider_code. See eligible_provider_code for more information.

Column Name: emergency_indicator_code

Column Type: varchar

Max Length: 50

'Emergency Indicator (837P-2400-SV109)'

Column Name: emergency_indicator_value

Column Type: varchar

Max Length: 50

The description associated with emergency_indicator_code. See emergency_indicator_code for more information.

Column Name: expected_disburse

Column Type: numeric

Expected disbursement for the service.

Column Name: explan_of_coverage

Column Type: varchar

Max Length: 32766

Explanation of coverage.

Column Name: group_service_units

Column Type: varchar

Max Length: 50

For group services, the total approved group service units

Column Name: group_service_units_day

Column Type: varchar

Max Length: 50

For group services, the total approved group service units per day

Column Name: hcpcs_code

Column Type: varchar

Max Length: 50

The HCPCS code.

Column Name: is_this_an_admission_code

Column Type: varchar

Max Length: 50

'Does This Service Represent An Admission'

Column Name: is_this_an_admission_value

Column Type: varchar

Max Length: 50

The description associated with is_this_an_admission_code. See is_this_an_admission_code for more information.

Column Name: level_of_care

Column Type: varchar

Max Length: 50

Level of care.

Column Name: line_item_control_num

Column Type: varchar

Max Length: 50

Line item control number.

Column Name: line_note_code

Column Type: varchar

Max Length: 50

Indicator dictionary code of the type of information captured in the service line note text.

Column Name: line_note_code_val

Column Type: varchar

Max Length: 50

The description associated with line_note_code_code. See line_note_code_code for more information.

Column Name: line_note_text

Column Type: varchar

Max Length: 80

Service line note text.

Column Name: location_code

Column Type: varchar

Max Length: 50

The service location code.

Column Name: location_value

Column Type: varchar

Max Length: 50

The description associated with location_code. See location_code for more information.

Column Name: manual_service_code

Column Type: varchar

Max Length: 50

Manual service code.

Column Name: manual_service_descript

Column Type: varchar

Max Length: 80

Manual service description.

Column Name: measurement_code_code

Column Type: varchar

Max Length: 50

'Measurement Code (837-2400-SV103/SV204)'.

Column Name: measurement_code_value

Column Type: varchar

Max Length: 50

The description associated with measurement_code_code. See measurement_code_code for more information.

Column Name: member_copay

Column Type: numeric

Member co-pay.

Column Name: member_deductible

Column Type: numeric

Member deductible.

Column Name: member_enrolled_dos_code

Column Type: varchar

Max Length: 50

'Member Enrolled On Date Of Service'

Column Name: member_enrolled_dos_value

Column Type: varchar

Max Length: 50

The description associated with member_enrolled_dos_code. See member_enrolled_dos_code for more information.

Column Name: member_id

Column Type: numeric

Member ID.

Column Name: national_drug_code

Column Type: varchar

Max Length: 50

National drug code.

Column Name: number_in_group

Column Type: numeric

For group services, the number of members in the group

Column Name: num_counselor_in_group

Column Type: numeric

For group services, the number of counselors in the group

Column Name: option_desc

Column Type: varchar

Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: original_proc_code_code
Column Type: varchar
Max Length: 50
Original procedure code.

Column Name: original_proc_code_type
Column Type: varchar
Max Length: 50
Original procedure type.

Column Name: original_proc_code_value
Column Type: varchar
Max Length: 80
The description associated with original_proc_code_code. See original_proc_code_code for more information.

Column Name: parent_nspace_link_to_DD
Column Type: varchar
Max Length: 50
Link to the associated parent service in SYSTEM.billing_tx_history.

Column Name: patient_account_number
Column Type: varchar
Max Length: 50
Patient account number.

Column Name: perf_prov_name
Column Type: varchar
Max Length: 50
Name of the performing provider.

Column Name: place_of_service_code
Column Type: varchar
Max Length: 50
Place of service code.

Column Name: population_code
Column Type: varchar
Max Length: 50
Population code.

Column Name: population_value
Column Type: varchar
Max Length: 50
The description associated with population_code. See population_code for more information.

Column Name: prev_batch_pended_from
Column Type: varchar
Max Length: 500
Previous batch the service was pended from.

Column Name: primary_service_id
Column Type: varchar
Max Length: 50
The primary service ID.

Column Name: private_pay_amt
Column Type: numeric
Private pay amount.

Column Name: private_pay_payer_code
Column Type: varchar
Max Length: 50
Payer code for private pay.

Column Name: private_pay_payer_value
Column Type: varchar
Max Length: 50
The description associated with private_pay_payer_code. See private_pay_payer_code for more information.

Column Name: proc_code_type_for_adj
Column Type: varchar
Max Length: 50
Procedure code type of adjustment.

Column Name: procedure_code_code
Column Type: varchar
Max Length: 50
Procedure code.

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50
Procedure code type.

Column Name: procedure_code_value
Column Type: varchar
Max Length: 80
The description associated with procedure_code_code. See procedure_code_code for more information.

Column Name: procedure_code_with_mod
Column Type: varchar
Max Length: 50
Procedure code with modifier.

Column Name: provider_to_be_auth
Column Type: varchar
Max Length: 50
Provider to be authorized.

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50
Provider program link.

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50
Provider program name.

Column Name: quantity
Column Type: varchar
Max Length: 50
Quantity.

Column Name: ref_p4
Column Type: varchar
Max Length: 50
REF*P4 segment

Column Name: remark_codes
Column Type: varchar
Max Length: 500
Claim status remark codes returned on an 837.

Column Name: remark_codes_value
Column Type: varchar
Max Length: 5096
The description associated with remark_codes_code. See remark_codes_code for more information.

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50
Revenue code.

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80
The description associated with revenue_code_code. See revenue_code_code for more information.

Column Name: service_comments
Column Type: varchar
Max Length: 32766
Service comments.

Column Name: service_end_time
Column Type: time
Service end time.

Column Name: service_start_time
Column Type: time
Service start time.

Column Name: service_units
Column Type: numeric
Service units.

Column Name: svc_bundle_837_id
Column Type: varchar
Max Length: 50
Service bundle 837 ID.

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50
Indicator code of whether the service counts as a visit.

Column Name: system_index
Column Type: varchar
Max Length: 50
Service index.

Column Name: third_party_amount_paid
Column Type: numeric
Third party amount paid

Column Name: third_party_payer_amt_1
Column Type: numeric
Third party payer amount 1.

Column Name: third_party_payer_amt_2
Column Type: numeric
Third party payer amount 2.

Column Name: third_party_payer_amt_3
Column Type: numeric
Third party payer amount 3.

Column Name: third_party_payer_amt_4
Column Type: numeric
Third party payer amount 4.

Column Name: third_party_payer_amt_5
Column Type: numeric
Third party payer amount 5.

Column Name: third_party_payer_amt_6
Column Type: numeric
Third party payer amount 6.

Column Name: third_party_payer_code_1
Column Type: varchar
Max Length: 50
Third party payer code 1.

Column Name: third_party_payer_code_2
Column Type: varchar
Max Length: 50
Third party payer code 2.

Column Name: third_party_payer_code_3
Column Type: varchar
Max Length: 50
Third party payer code 3.

Column Name: third_party_payer_code_4
Column Type: varchar
Max Length: 50
Third party payer code 4.

Column Name: third_party_payer_code_5
Column Type: varchar
Max Length: 50
Third party payer code 5.

Column Name: third_party_payer_code_6
Column Type: varchar
Max Length: 50
Third party payer code 6.

Column Name: third_party_payer_value_1
Column Type: varchar
Max Length: 50
The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_2
Column Type: varchar
Max Length: 50
The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_3
Column Type: varchar
Max Length: 50
The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_4

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_5

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_6

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: thrd_prty_allowed_amt

Column Type: numeric

Third party allowed amount.

Column Name: thrd_prty_billed_amt

Column Type: numeric

Third party billed amount

Column Name: thrd_prty_pay_adj_amt_11

Column Type: numeric

Third party payment adjustment amount 11.

Column Name: thrd_prty_pay_adj_amt_12

Column Type: numeric

Third party payment adjustment amount 12.

Column Name: thrd_prty_pay_adj_amt_13

Column Type: numeric

Third party payment adjustment amount 13.

Column Name: thrd_prty_pay_adj_amt_14

Column Type: numeric

Third party payment adjustment amount 14.

Column Name: thrd_prty_pay_adj_amt_15

Column Type: numeric

Third party payment adjustment amount 15.

Column Name: thrd_prty_pay_adj_amt_21

Column Type: numeric

Third party payment adjustment amount 21.

Column Name: thrd_prty_pay_adj_amt_22

Column Type: numeric
Third party payment adjustment amount 22.

Column Name: thrd_prty_pay_adj_amt_23
Column Type: numeric
Third party payment adjustment amount 23.

Column Name: thrd_prty_pay_adj_amt_24
Column Type: numeric
Third party payment adjustment amount 24.

Column Name: thrd_prty_pay_adj_amt_25
Column Type: numeric
Third party payment adjustment amount 25.

Column Name: thrd_prty_pay_adj_amt_31
Column Type: numeric
Third party payment adjustment amount 31.

Column Name: thrd_prty_pay_adj_amt_32
Column Type: numeric
Third party payment adjustment amount 32.

Column Name: thrd_prty_pay_adj_amt_33
Column Type: numeric
Third party payment adjustment amount 33.

Column Name: thrd_prty_pay_adj_amt_34
Column Type: numeric
Third party payment adjustment amount 34.

Column Name: thrd_prty_pay_adj_amt_35
Column Type: numeric
Third party payment adjustment amount 35.

Column Name: thrd_prty_pay_adj_amt_41
Column Type: numeric
Third party payment adjustment amount 41.

Column Name: thrd_prty_pay_adj_amt_42
Column Type: numeric
Third party payment adjustment amount 42.

Column Name: thrd_prty_pay_adj_amt_43
Column Type: numeric
Third party payment adjustment amount 43.

Column Name: thrd_prty_pay_adj_amt_44
Column Type: numeric
Third party payment adjustment amount 44.

Column Name: thrd_prty_pay_adj_amt_45
Column Type: numeric
Third party payment adjustment amount 45.

Column Name: thrd_prty_pay_adj_code_11
Column Type: varchar
Max Length: 50
Third party payment adjustment code 11.

Column Name: thrd_prty_pay_adj_code_12
Column Type: varchar
Max Length: 50
Third party payment adjustment code 12.

Column Name: thrd_prty_pay_adj_code_13
Column Type: varchar
Max Length: 50
Third party payment adjustment code 13.

Column Name: thrd_prty_pay_adj_code_14
Column Type: varchar
Max Length: 50
Third party payment adjustment code 14.

Column Name: thrd_prty_pay_adj_code_15
Column Type: varchar
Max Length: 50
Third party payment adjustment code 15.

Column Name: thrd_prty_pay_adj_code_21
Column Type: varchar
Max Length: 50
Third party payment adjustment code 21.

Column Name: thrd_prty_pay_adj_code_22
Column Type: varchar
Max Length: 50
Third party payment adjustment code 22.

Column Name: thrd_prty_pay_adj_code_23
Column Type: varchar
Max Length: 50
Third party payment adjustment code 23.

Column Name: thrd_prty_pay_adj_code_24
Column Type: varchar
Max Length: 50
Third party payment adjustment code 24.

Column Name: thrd_prty_pay_adj_code_25
Column Type: varchar
Max Length: 50
Third party payment adjustment code 25.

Column Name: thrd_prty_pay_adj_code_31
Column Type: varchar
Max Length: 50
Third party payment adjustment code 31.

Column Name: thrd_prty_pay_adj_code_32
Column Type: varchar
Max Length: 50
Third party payment adjustment code 32.

Column Name: thrd_prty_pay_adj_code_33
Column Type: varchar
Max Length: 50
Third party payment adjustment code 33.

Column Name: thrd_prty_pay_adj_code_34
Column Type: varchar
Max Length: 50
Third party payment adjustment code 34.

Column Name: thrd_prty_pay_adj_code_35
Column Type: varchar
Max Length: 50
Third party payment adjustment code 35.

Column Name: thrd_prty_pay_adj_code_41
Column Type: varchar
Max Length: 50
Third party payment adjustment code 41.

Column Name: thrd_prty_pay_adj_code_42
Column Type: varchar
Max Length: 50
Third party payment adjustment code 42.

Column Name: thrd_prty_pay_adj_code_43
Column Type: varchar
Max Length: 50
Third party payment adjustment code 43.

Column Name: thrd_prty_pay_adj_code_44
Column Type: varchar
Max Length: 50
Third party payment adjustment code 44.

Column Name: thrd_prty_pay_adj_code_45

Column Type: varchar

Max Length: 50

Third party payment adjustment code 45.

Column Name: thrd_prty_pay_adj_val_11

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_12

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_13

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_14

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_15

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_21

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_22

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_23

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_24

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_25

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_31

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_32

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_33

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_34

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_35

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_41

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_42

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_43

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_44

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_45

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_allow_1

Column Type: numeric

Third party payment allowed amount 1.

Column Name: thrd_prty_pay_allow_2

Column Type: numeric

Third party payment allowed amount 2.

Column Name: thrd_prty_pay_allow_3

Column Type: numeric

Third party payment allowed amount 3.

Column Name: thrd_prty_pay_allow_4

Column Type: numeric

Third party payment allowed amount 4.

Column Name: thrd_prty_pay_billed_1

Column Type: numeric

Third party payment billed 1.

Column Name: thrd_prty_pay_billed_2

Column Type: numeric

Third party payment billed 2.

Column Name: thrd_prty_pay_billed_3

Column Type: numeric
Third party payment billed 3.

Column Name: thrd_prty_pay_billed_4
Column Type: numeric
Third party payment billed 4.

Column Name: thrd_prty_pvt_pay_amt
Column Type: numeric
Third party private pay amount.

Column Name: total_charge
Column Type: numeric
Total charge for the service.

Column Name: total_fee_table_amt
Column Type: numeric
Total fee table amount for the service.

Column Name: travel_time
Column Type: numeric
For group services, the travel time

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50
Treatment provider type.

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50
Dictionary code indicating whether the type of authorization is inpatient or outpatient.

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50
The description associated with type_of_service_code. See type_of_service_code for more information.

Column Name: unique_row_id
Column Type: varchar
Max Length: 50
The unique row ID.

Column Name: unit_of_measurement
Column Type: varchar
Max Length: 50
Unit of measurement.

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.batch_clm_svc_detail_ss

Table Description: This table returns site specific fields for MSO services.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: ss_batch_clm_date_1
Column Type: date
SS Batch Claim Date 1.

Column Name: ss_batch_clm_date_10
Column Type: date
SS Batch Claim Date 10.

Column Name: ss_batch_clm_date_2
Column Type: date
SS Batch Claim Date 2.

Column Name: ss_batch_clm_date_3
Column Type: date
SS Batch Claim Date 3.

Column Name: ss_batch_clm_date_4
Column Type: date
SS Batch Claim Date 4.

Column Name: ss_batch_clm_date_5

Column Type: date
SS Batch Claim Date 5.

Column Name: ss_batch_clm_date_6
Column Type: date
SS Batch Claim Date 6.

Column Name: ss_batch_clm_date_7
Column Type: date
SS Batch Claim Date 7.

Column Name: ss_batch_clm_date_8
Column Type: date
SS Batch Claim Date 8.

Column Name: ss_batch_clm_date_9
Column Type: date
SS Batch Claim Date 9.

Column Name: ss_batch_clm_dict_10_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 10 Cdoe.

Column Name: ss_batch_clm_dict_10_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 10 Value.

Column Name: ss_batch_clm_dict_1_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 1 Code.

Column Name: ss_batch_clm_dict_1_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 1 Value.

Column Name: ss_batch_clm_dict_2_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 2 Code.

Column Name: ss_batch_clm_dict_2_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 2 Value.

Column Name: ss_batch_clm_dict_3_code

Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 3 Code.

Column Name: ss_batch_clm_dict_3_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 3 Value.

Column Name: ss_batch_clm_dict_4_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 4 Code.

Column Name: ss_batch_clm_dict_4_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 4 Value.

Column Name: ss_batch_clm_dict_5_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 5 Code.

Column Name: ss_batch_clm_dict_5_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 5 Value.

Column Name: ss_batch_clm_dict_6_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 6 Code.

Column Name: ss_batch_clm_dict_6_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 6 Value.

Column Name: ss_batch_clm_dict_7_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 7 Code.

Column Name: ss_batch_clm_dict_7_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 7 Value.

Column Name: ss_batch_clm_dict_8_code

Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 8 Code.

Column Name: ss_batch_clm_dict_8_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 8 Value.

Column Name: ss_batch_clm_dict_9_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 9 Code.

Column Name: ss_batch_clm_dict_9_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 9 Value.

Column Name: ss_batch_clm_mult_1_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 1 Code.

Column Name: ss_batch_clm_mult_1_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 1 Short Value.

Column Name: ss_batch_clm_mult_1_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 1 Full Value.

Column Name: ss_batch_clm_mult_2_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 2 Code.

Column Name: ss_batch_clm_mult_2_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 2 Short Value.

Column Name: ss_batch_clm_mult_2_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 2 Full Value.

Column Name: ss_batch_clm_mult_3_code

Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 3 Code.

Column Name: ss_batch_clm_mult_3_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 3 Short Value.

Column Name: ss_batch_clm_mult_3_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 3 Full Value.

Column Name: ss_batch_clm_mult_4_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 4 Code.

Column Name: ss_batch_clm_mult_4_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 4 Short Value.

Column Name: ss_batch_clm_mult_4_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 4 Full Value.

Column Name: ss_batch_clm_mult_5_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 5 Code.

Column Name: ss_batch_clm_mult_5_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 5 Short Value.

Column Name: ss_batch_clm_mult_5_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 5 Full Value.

Column Name: ss_batch_clm_scr_txt_1
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 1.

Column Name: ss_batch_clm_scr_txt_10

Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 10.

Column Name: ss_batch_clm_scr_txt_2
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 2.

Column Name: ss_batch_clm_scr_txt_3
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 3.

Column Name: ss_batch_clm_scr_txt_4
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 4.

Column Name: ss_batch_clm_scr_txt_5
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 5.

Column Name: ss_batch_clm_scr_txt_6
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 6.

Column Name: ss_batch_clm_scr_txt_7
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 7.

Column Name: ss_batch_clm_scr_txt_8
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 8.

Column Name: ss_batch_clm_scr_txt_9
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 9.

Column Name: ss_batch_clm_time_1
Column Type: varchar
Max Length: 50
SS Batch Claim Time 1.

Column Name: ss_batch_clm_time_10

Column Type: varchar
Max Length: 50
SS Batch Claim Time 10.

Column Name: ss_batch_clm_time_2
Column Type: varchar
Max Length: 50
SS Batch Claim Time 2.

Column Name: ss_batch_clm_time_3
Column Type: varchar
Max Length: 50
SS Batch Claim Time 3.

Column Name: ss_batch_clm_time_4
Column Type: varchar
Max Length: 50
SS Batch Claim Time 4.

Column Name: ss_batch_clm_time_5
Column Type: varchar
Max Length: 50
SS Batch Claim Time 5.

Column Name: ss_batch_clm_time_6
Column Type: varchar
Max Length: 50
SS Batch Claim Time 6.

Column Name: ss_batch_clm_time_7
Column Type: varchar
Max Length: 50
SS Batch Claim Time 7.

Column Name: ss_batch_clm_time_8
Column Type: varchar
Max Length: 50
SS Batch Claim Time 8.

Column Name: ss_batch_clm_time_9
Column Type: varchar
Max Length: 50
SS Batch Claim Time 9.

Column Name: ss_batch_clm_txt_40_1
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 1.

Column Name: ss_batch_clm_txt_40_10

Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 10.

Column Name: ss_batch_clm_txt_40_2
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 2.

Column Name: ss_batch_clm_txt_40_3
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 3.

Column Name: ss_batch_clm_txt_40_4
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 4.

Column Name: ss_batch_clm_txt_40_5
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 5.

Column Name: ss_batch_clm_txt_40_6
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 6.

Column Name: ss_batch_clm_txt_40_7
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 7.

Column Name: ss_batch_clm_txt_40_8
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 8.

Column Name: ss_batch_clm_txt_40_9
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 9.

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.batch_hcfa_claim_lvl

Table Description: This table returns information related to claims that are part of a batch.

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: CLAIMID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: HCFuniqueid
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: accept_assignment_code
Column Type: varchar
Max Length: 50

Column Name: accept_assignment_value
Column Type: varchar
Max Length: 50

Column Name: claim_freq_type_code
Column Type: varchar
Max Length: 50

Column Name: claim_note_code
Column Type: varchar
Max Length: 50

Column Name: claim_note_code_val
Column Type: varchar
Max Length: 50

Column Name: claim_note_text
Column Type: varchar
Max Length: 80

Column Name: cond_rel_to_auto_acc_code
Column Type: varchar
Max Length: 50

Column Name: cond_rel_to_auto_acc_value
Column Type: varchar
Max Length: 50

Column Name: cond_rel_to_emp_code
Column Type: varchar
Max Length: 50

Column Name: cond_rel_to_emp_value
Column Type: varchar
Max Length: 50

Column Name: cond_rel_to_oth_acc_code
Column Type: varchar
Max Length: 50

Column Name: cond_rel_to_oth_acc_value
Column Type: varchar
Max Length: 50

Column Name: curr_charges
Column Type: numeric

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: date_of_curr_ill
Column Type: date

Column Name: eighth_diagnosis
Column Type: varchar
Max Length: 50

Column Name: eighth_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: ein_code
Column Type: varchar
Max Length: 50

Column Name: ein_value
Column Type: varchar
Max Length: 50

Column Name: eleventh_diagnosis
Column Type: varchar

Max Length: 50

Column Name: eleventh_diagnosis_value

Column Type: varchar

Max Length: 200

Column Name: fifth_diagnosis

Column Type: varchar

Max Length: 50

Column Name: fifth_diagnosis_value

Column Type: varchar

Max Length: 200

Column Name: first_date_sim_ill

Column Type: date

Column Name: fourth_diagnosis

Column Type: varchar

Max Length: 50

Column Name: fourth_diagnosis_value

Column Type: varchar

Max Length: 200

Column Name: hosp_from_date

Column Type: date

Column Name: hosp_thru_date

Column Type: date

Column Name: medical_record_num

Column Type: varchar

Max Length: 50

Column Name: member_id

Column Type: numeric

Column Name: ninth_diagnosis

Column Type: varchar
Max Length: 50

Column Name: ninth_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: orig_submission_code
Column Type: varchar
Max Length: 50

Column Name: outside_lab_charges
Column Type: numeric

Column Name: outside_lab_code
Column Type: varchar
Max Length: 50

Column Name: outside_lab_value
Column Type: varchar
Max Length: 50

Column Name: payer_claim_control_number
Column Type: varchar
Max Length: 50

Column Name: patient_control_number
Column Type: varchar
Max Length: 50

Column Name: patient_status_code
Column Type: varchar

Max Length: 50

Column Name: patient_status_value

Column Type: varchar

Max Length: 50

Column Name: principal_diagnosis

Column Type: varchar

Max Length: 50

Column Name: principal_diagnosis_value

Column Type: varchar

Max Length: 200

Column Name: prior_auth_number

Column Type: varchar

Max Length: 50

Column Name: referring_physician

Column Type: varchar

Max Length: 50

Column Name: resubmission_code

Column Type: varchar

Max Length: 50

Column Name: second_diagnosis

Column Type: varchar

Max Length: 50

Column Name: second_diagnosis_value

Column Type: varchar

Max Length: 200

Column Name: seventh_diagnosis

Column Type: varchar

Max Length: 50

Column Name: seventh_diagnosis_value

Column Type: varchar

Max Length: 200

Column Name: sixth_diagnosis

Column Type: varchar

Max Length: 50

Column Name: sixth_diagnosis_value

Column Type: varchar

Max Length: 200

Column Name: ssn_code

Column Type: varchar

Max Length: 50

Column Name: ssn_value

Column Type: varchar

Max Length: 50

Column Name: tenth_diagnosis

Column Type: varchar

Max Length: 50

Column Name: tenth_diagnosis_value

Column Type: varchar

Max Length: 200

Column Name: third_diagnosis

Column Type: varchar

Max Length: 50

Column Name: third_diagnosis_value

Column Type: varchar

Max Length: 200

Column Name: tot_disbursement_amt

Column Type: numeric

Column Name: tot_fee_table_amt

Column Type: numeric

Column Name: trt_fac_member
Column Type: varchar
Max Length: 50

Column Name: twelfth_diagnosis
Column Type: varchar
Max Length: 50

Column Name: twelfth_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: unable_work_from_dat
Column Type: date

Column Name: unable_work_thru_dat
Column Type: date

Column Name: unique_row_id
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.batch_ub92_claim_lvl

Table Description: This table returns information related to claims that are part of a batch.

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: CLAIMID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: UBFuniqueid
Column Type: varchar
Max Length: 50

Column Name: admission_date
Column Type: date

Column Name: admission_hour
Column Type: varchar
Max Length: 50

Column Name: admission_source_code
Column Type: varchar
Max Length: 50

Column Name: admission_source_value
Column Type: varchar
Max Length: 50

Column Name: admission_type_code
Column Type: varchar
Max Length: 50

Column Name: admission_type_value
Column Type: varchar
Max Length: 50

Column Name: admitting_diagnosis
Column Type: varchar
Max Length: 50

Column Name: admitting_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: amount_of_claim
Column Type: varchar
Max Length: 50

Column Name: attending_physician
Column Type: varchar
Max Length: 50

Column Name: claim_freq_type_code
Column Type: varchar
Max Length: 50

Column Name: claim_note_code
Column Type: varchar
Max Length: 50

Column Name: claim_note_code_val
Column Type: varchar
Max Length: 50

Column Name: claim_note_text
Column Type: varchar
Max Length: 80

Column Name: covered_days
Column Type: integer

Column Name: curr_charges
Column Type: numeric

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 50

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: discharge_hour

Column Type: varchar

Max Length: 50

Column Name: eighth_diagnosis

Column Type: varchar

Max Length: 50

Column Name: eighth_diagnosis_value

Column Type: varchar

Max Length: 200

Column Name: eleventh_diagnosis

Column Type: varchar

Max Length: 50

Column Name: eleventh_diagnosis_value

Column Type: varchar

Max Length: 200

Column Name: facility_code_value

Column Type: varchar

Max Length: 50

Column Name: fifth_diagnosis
Column Type: varchar
Max Length: 50

Column Name: fifth_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: first_diagnosis
Column Type: varchar
Max Length: 50

Column Name: first_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: fourth_diagnosis
Column Type: varchar
Max Length: 50

Column Name: fourth_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: from_date
Column Type: date

Column Name: medical_record_num
Column Type: varchar
Max Length: 50

Column Name: member_id
Column Type: numeric

Column Name: ninth_diagnosis
Column Type: varchar
Max Length: 50

Column Name: ninth_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: non_covered_days
Column Type: integer

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: payer_claim_control_number
Column Type: varchar
Max Length: 50

Column Name: patient_control_number
Column Type: varchar
Max Length: 50

Column Name: principal_diagnosis
Column Type: varchar
Max Length: 50

Column Name: principal_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: second_diagnosis
Column Type: varchar
Max Length: 50

Column Name: second_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: seventh_diagnosis

Column Type: varchar
Max Length: 50

Column Name: seventh_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: sixth_diagnosis
Column Type: varchar
Max Length: 50

Column Name: sixth_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: status
Column Type: varchar
Max Length: 50

Column Name: tenth_diagnosis
Column Type: varchar
Max Length: 50

Column Name: tenth_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: third_diagnosis
Column Type: varchar
Max Length: 50

Column Name: third_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: through_date
Column Type: date

Column Name: tot_disbursement_amt
Column Type: numeric

Column Name: tot_fee_table_amt
Column Type: numeric

Column Name: trt_fac_member
Column Type: varchar
Max Length: 50

Column Name: twelfth_diagnosis
Column Type: varchar
Max Length: 50

Column Name: twelfth_diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: type_of_bill_code
Column Type: varchar
Max Length: 50

Column Name: type_of_bill_value
Column Type: varchar
Max Length: 50

Column Name: unique_row_id
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.billing_837_comp_clm_cas

Table Description: This table returns CAS-Claim Level Adjustments information of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: JOIN_TO_cob_counter

Column Type: varchar

Max Length: 50

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_utc

Column Type: timestamp

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

Column Name: data_entry_time_j

Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar
Max Length: 50

Column Name: member_id
Column Type: varchar
Max Length: 20

Column Name: provider_id
Column Type: integer

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: adj_amount1
Column Type: numeric

Column Name: adj_amount2
Column Type: numeric

Column Name: adj_amount3
Column Type: numeric

Column Name: adj_amount4
Column Type: numeric

Column Name: adj_amount5
Column Type: numeric

Column Name: adj_amount6
Column Type: numeric

Column Name: adj_grp_code
Column Type: varchar
Max Length: 50

Column Name: adj_grp_val
Column Type: varchar
Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code2
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code3
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code4
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code5
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code6
Column Type: varchar
Max Length: 50

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.billing_837_comp_clm_cob

Table Description: This table returns detailed information on Claim-level Coordination of Benefits of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar
Max Length: 50

Column Name: member_id
Column Type: varchar
Max Length: 20

Column Name: provider_id
Column Type: integer

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: adj_pay_date
Column Type: date

Column Name: clm_filing_indic_code
Column Type: varchar
Max Length: 50

Column Name: end_stage_ren_pay_amt
Column Type: numeric

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: hcpcs_payable_amount
Column Type: numeric

Column Name: indiv_relationship_code
Column Type: varchar
Max Length: 50

Column Name: ins_grp_or_policy_num
Column Type: varchar
Max Length: 50

Column Name: insur_group_name
Column Type: varchar
Max Length: 50

Column Name: insur_type_code
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: non_cov_amt_qual_code
Column Type: varchar
Max Length: 50

Column Name: non_cov_mon_amt
Column Type: varchar
Max Length: 50

Column Name: non_pay_prof_comp_amt
Column Type: numeric

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_city
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_identifier
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_first
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_last
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_state
Column Type: varchar
Max Length: 50

Column Name: other_pay_zip_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_1
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_2
Column Type: varchar
Max Length: 50

Column Name: other_sub_city
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_identifier
Column Type: varchar
Max Length: 80

Column Name: other_sub_name_first
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_last
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_sub_state
Column Type: varchar
Max Length: 50

Column Name: other_sub_zip_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_pat_sig_src
Column Type: varchar
Max Length: 50

Column Name: oth_ins_release_info_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_yes_no_cond_resp
Column Type: varchar
Max Length: 50

Column Name: payer_paid_mon_amt
Column Type: varchar
Max Length: 50

Column Name: payer_paid_qual_code
Column Type: varchar
Max Length: 50

Column Name: pay_resp_seq_num_code
Column Type: varchar
Max Length: 50

Column Name: reimburse_rate
Column Type: numeric

Column Name: remark_code1
Column Type: varchar
Max Length: 50

Column Name: remark_code2
Column Type: varchar
Max Length: 50

Column Name: remark_code3
Column Type: varchar
Max Length: 50

Column Name: remark_code4
Column Type: varchar
Max Length: 50

Column Name: remark_code5
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_mon_amt
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_qual_code
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.billing_837_comp_svc_cas

Table Description: This table returns Service Level Adjustments information of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: funding_source_id
Column Type: varchar

Max Length: 50

Column Name: provider_sort

Column Type: varchar

Max Length: 50

Column Name: member_id

Column Type: varchar

Max Length: 20

Column Name: provider_id

Column Type: integer

Column Name: performing_provider_index

Column Type: varchar

Max Length: 50

Column Name: claim_counter

Column Type: integer

Column Name: service_counter

Column Type: integer

Column Name: adj_amount1

Column Type: numeric

Column Name: adj_amount2

Column Type: numeric

Column Name: adj_amount3

Column Type: numeric

Column Name: adj_amount4

Column Type: numeric

Column Name: adj_amount5

Column Type: numeric

Column Name: adj_amount6
Column Type: numeric

Column Name: adj_grp_code
Column Type: varchar
Max Length: 50

Column Name: adj_grp_val
Column Type: varchar
Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code2
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code3
Column Type: varchar

Max Length: 50

Column Name: adj_reason_code4

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code5

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code6

Column Type: varchar

Max Length: 50

Column Name: file_index

Column Type: varchar

Max Length: 50

Column Name: line_number

Column Type: varchar

Max Length: 50

Column Name: version

Column Type: varchar

Max Length: 50

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.billing_837_comp_svc_cob

Table Description: This table returns detailed information on Service-level Coordination of Benefits of a compiled claim

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

Column Name: cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar
Max Length: 50

Column Name: member_id
Column Type: varchar
Max Length: 20

Column Name: provider_id
Column Type: integer

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: service_counter
Column Type: integer

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: adjudication_paymnt_dt
Column Type: date

Column Name: allowed_amount
Column Type: varchar

Max Length: 50

Column Name: billed_amount

Column Type: varchar

Max Length: 50

Column Name: bund_or_unbund_line_num

Column Type: numeric

Column Name: cob_payer_code

Column Type: varchar

Max Length: 50

Column Name: cob_payer_value

Column Type: varchar

Max Length: 50

Column Name: composite_med_proc_id

Column Type: varchar

Max Length: 150

Column Name: line_number

Column Type: varchar

Max Length: 50

Column Name: option_desc

Column Type: varchar

Max Length: 50

Column Name: option_id

Column Type: varchar

Max Length: 50

Column Name: paid_service_units

Column Type: numeric

Column Name: payer_prim_id

Column Type: varchar

Max Length: 50

Column Name: procedure_code
Column Type: varchar
Max Length: 50

Column Name: procedure_code_desc
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier1
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier2
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier3
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier4
Column Type: varchar
Max Length: 50

Column Name: prod_or_svc_id_qua_code
Column Type: varchar
Max Length: 50

Column Name: remaining_patient_liab
Column Type: varchar
Max Length: 50

Column Name: svc_line_paid_amt
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.budget_svc_detail

Table Description: This table returns services that contribute towards a provider's budget total.

Column Name: ID

Column Type: integer

Column Name: BATCHID

Column Type: varchar

Max Length: 50

The unique ID for the batch.

Column Name: CLAIMID

Column Type: integer

The claim number.

Column Name: FACILITY

Column Type: integer

The system code in which the data was stored.

Column Name: SVCuniqueid

Column Type: varchar

Max Length: 50

The unique ID for the service.

Column Name: account_code

Column Type: varchar

Max Length: 50

'Provider'

Column Name: account_level

Column Type: varchar

Max Length: 50

'Provider'

Column Name: auth_used

Column Type: varchar

Max Length: 50

The number of the authorization that this service falls under.

Column Name: dollars_used

Column Type: varchar

Max Length: 50

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.history_member_svc

Table Description: This table returns detailed information on MSO services.

Column Name: BATCHID

Column Type: varchar

Max Length: 50

Column Name: CLAIMID

Column Type: integer

Column Name: EOB_number

Column Type: varchar

Max Length: 30

Column Name: FACILITY

Column Type: integer

Column Name: FUNDSRCID

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_HCF_UBF_Type

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_HCFUniqueid

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_SVCUniqueid

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_member_CONuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOINTOparentTXhistory
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_uniq_index_service
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_name
Column Type: varchar
Max Length: 50

Column Name: account_level

Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: approved_units
Column Type: numeric

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: authorization_valid_code
Column Type: varchar
Max Length: 50

Column Name: authorization_valid_value
Column Type: varchar
Max Length: 50

Column Name: bill_period
Column Type: date

Column Name: claim_status_code
Column Type: varchar
Max Length: 50

Column Name: claim_status_reason_code
Column Type: varchar
Max Length: 50

Column Name: claim_status_reason_value
Column Type: varchar
Max Length: 4096

Column Name: claim_status_value
Column Type: varchar
Max Length: 50

Column Name: copay_applies_to_ded_code
Column Type: varchar
Max Length: 50

Column Name: copay_applies_to_ded_value
Column Type: varchar
Max Length: 50

Column Name: covered_CBPuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_LIBuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_PLANID
Column Type: varchar
Max Length: 50

Column Name: cpt_code_code
Column Type: varchar
Max Length: 50

Column Name: cpt_code_value
Column Type: varchar
Max Length: 80

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: date_claims_received
Column Type: date

Column Name: date_of_service
Column Type: date

Column Name: delay_reason_code
Column Type: varchar
Max Length: 50

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50

Column Name: diagnosis_code
Column Type: varchar
Max Length: 50

Column Name: diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: duration
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_code

Column Type: varchar
Max Length: 50

Column Name: eligible_provider_value
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_code
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_value
Column Type: varchar
Max Length: 50

Column Name: expected_disburse
Column Type: numeric

Column Name: is_this_an_admission_code
Column Type: varchar
Max Length: 50

Column Name: is_this_an_admission_value
Column Type: varchar
Max Length: 50

Column Name: level_of_care
Column Type: varchar
Max Length: 50

Column Name: member_copay
Column Type: numeric

Column Name: member_deductible
Column Type: numeric

Column Name: member_enrolled_dos_code
Column Type: varchar
Max Length: 50

Column Name: member_enrolled_dos_value
Column Type: varchar
Max Length: 50

Column Name: original_procedure_code_code
Column Type: varchar
Max Length: 50

Column Name: original_procedure_code_value
Column Type: varchar
Max Length: 80

Column Name: population_code
Column Type: varchar
Max Length: 50

Column Name: population_value
Column Type: varchar
Max Length: 50

Column Name: private_pay_amt
Column Type: numeric

Column Name: private_pay_payer_code
Column Type: varchar
Max Length: 50

Column Name: private_pay_payer_value
Column Type: varchar
Max Length: 50

Column Name: procedure_code_code
Column Type: varchar
Max Length: 50

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50

Column Name: procedure_code_value
Column Type: varchar
Max Length: 80

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80

Column Name: service_units
Column Type: numeric

Column Name: svc_bundle_837_id
Column Type: varchar
Max Length: 50

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50

Column Name: third_party_amount_paid
Column Type: numeric

Column Name: total_charge
Column Type: numeric

Column Name: total_fee_table_amt
Column Type: numeric

Column Name: trt_fac_member
Column Type: varchar
Max Length: 50

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50

Column Name: remark_codes
Column Type: varchar
Max Length: 500

Column Name: remark_codes_value
Column Type: varchar
Max Length: 5096

Column Name: adjustment_reason_code
Column Type: varchar
Max Length: 50

Column Name: adjustment_reason_value
Column Type: varchar
Max Length: 255

Column Name: voucher_number
Column Type: varchar
Max Length: 30

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.history_member_svc_unclm

Table Description: This table returns detailed information on MSO services.

Column Name: BATCHID

Column Type: varchar

Max Length: 50

Column Name: CLAIMID

Column Type: integer

Column Name: EOB_number

Column Type: varchar

Max Length: 30

Column Name: FACILITY

Column Type: integer

Column Name: FUNDSRCID

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_HCF_UBF_Type

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_HCFUniqueid

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_SVCUniqueid

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_UBFUniqueid

Column Type: varchar

Max Length: 50

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_member_CONuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_uniq_index_service
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_name
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: approved_units

Column Type: numeric

Column Name: authorization_number

Column Type: varchar

Max Length: 50

Column Name: authorization_valid_code

Column Type: varchar

Max Length: 50

Column Name: authorization_valid_value

Column Type: varchar

Max Length: 50

Column Name: bill_period

Column Type: date

Column Name: claim_status_code

Column Type: varchar

Max Length: 50

Column Name: claim_status_reason_code

Column Type: varchar

Max Length: 50

Column Name: claim_status_reason_value

Column Type: varchar

Max Length: 4096

Column Name: claim_status_value

Column Type: varchar

Max Length: 50

Column Name: copay_applies_to_ded_code

Column Type: varchar

Max Length: 50

Column Name: copay_applies_to_ded_value

Column Type: varchar

Max Length: 50

Column Name: covered_CBPuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_LIBuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_PLANID
Column Type: varchar
Max Length: 50

Column Name: cpt_code_code
Column Type: varchar
Max Length: 50

Column Name: cpt_code_value
Column Type: varchar
Max Length: 80

Column Name: data_entry_date
Column Type: date

Column Name: date_claims_received
Column Type: date

Column Name: date_of_service
Column Type: date

Column Name: delay_reason_code
Column Type: varchar
Max Length: 50

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50

Column Name: diagnosis_code

Column Type: varchar
Max Length: 50

Column Name: diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: duration
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_code
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_value
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_code
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_value
Column Type: varchar
Max Length: 50

Column Name: expected_disburse
Column Type: numeric

Column Name: is_this_an_admission_code
Column Type: varchar
Max Length: 50

Column Name: is_this_an_admission_value
Column Type: varchar
Max Length: 50

Column Name: level_of_care
Column Type: varchar

Max Length: 50

Column Name: member_copay

Column Type: numeric

Column Name: member_deductible

Column Type: numeric

Column Name: member_enrolled_dos_code

Column Type: varchar

Max Length: 50

Column Name: member_enrolled_dos_value

Column Type: varchar

Max Length: 50

Column Name: private_pay_amt

Column Type: numeric

Column Name: private_pay_payer_code

Column Type: varchar

Max Length: 50

Column Name: private_pay_payer_value

Column Type: varchar

Max Length: 50

Column Name: procedure_code_code

Column Type: varchar

Max Length: 50

Column Name: procedure_code_type

Column Type: varchar

Max Length: 50

Column Name: procedure_code_value

Column Type: varchar

Max Length: 80

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80

Column Name: service_units
Column Type: numeric

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50

Column Name: total_charge
Column Type: numeric

Column Name: total_fee_table_amt
Column Type: numeric

Column Name: trt_fac_member
Column Type: varchar
Max Length: 50

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50

Column Name: voucher_number
Column Type: varchar
Max Length: 30

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.mso_claim_adjustments

Table Description: This table returns detailed claim adjustment information of a claim

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_HCFUBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_RETRO_RECORD
Column Type: integer

Column Name: JOIN_TO_SVCUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_COB
Column Type: varchar
Max Length: 50

Column Name: adj_amount1
Column Type: numeric

Column Name: adj_amount2
Column Type: numeric

Column Name: adj_amount3
Column Type: numeric

Column Name: adj_amount4
Column Type: numeric

Column Name: adj_amount5
Column Type: numeric

Column Name: adj_amount6
Column Type: numeric

Column Name: adj_grp_code
Column Type: varchar
Max Length: 50

Column Name: adj_grp_val
Column Type: varchar
Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code2
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code3
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code4
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code5
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code6
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: pm_adjustment_code_ind
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.mso_claim_cob

Table Description: This table returns detailed information on Claim-level Coordination of Benefits

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_HCFUBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: adj_pay_date
Column Type: date

Column Name: clm_filing_indic_code
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_utc

Column Type: timestamp

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

Column Name: data_entry_time_j

Column Type: time

Column Name: data_entry_offset

Column Type: numeric

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

Column Name: end_stage_ren_pay_amt

Column Type: numeric

Column Name: file_index

Column Type: varchar

Max Length: 50

Column Name: hcpcs_payable_amount

Column Type: numeric

Column Name: indiv_relationship_code

Column Type: varchar

Max Length: 50

Column Name: ins_grp_or_policy_num

Column Type: varchar

Max Length: 50

Column Name: insur_group_name

Column Type: varchar

Max Length: 50

Column Name: insur_type_code

Column Type: varchar

Max Length: 50

Column Name: line_number

Column Type: varchar

Max Length: 50

Column Name: non_cov_amt_qual_code

Column Type: varchar

Max Length: 50

Column Name: non_cov_mon_amt

Column Type: varchar

Max Length: 50

Column Name: non_pay_prof_comp_amt

Column Type: numeric

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_city
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_identifier
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_first
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_last
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_state
Column Type: varchar
Max Length: 50

Column Name: other_pay_zip_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_1
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_2
Column Type: varchar
Max Length: 50

Column Name: other_sub_city
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_identifier
Column Type: varchar
Max Length: 80

Column Name: other_sub_name_first
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_last
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_sub_state
Column Type: varchar
Max Length: 50

Column Name: other_sub_zip_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_pat_sig_src
Column Type: varchar
Max Length: 50

Column Name: oth_ins_release_info_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_yes_no_cond_resp
Column Type: varchar
Max Length: 50

Column Name: payer_paid_mon_amt
Column Type: varchar
Max Length: 50

Column Name: payer_paid_qual_code
Column Type: varchar
Max Length: 50

Column Name: pay_resp_seq_num_code
Column Type: varchar
Max Length: 50

Column Name: reimburse_rate
Column Type: numeric

Column Name: remark_code1
Column Type: varchar
Max Length: 50

Column Name: remark_code2
Column Type: varchar
Max Length: 50

Column Name: remark_code3
Column Type: varchar
Max Length: 50

Column Name: remark_code4
Column Type: varchar
Max Length: 50

Column Name: remark_code5
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_mon_amt
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_qual_code
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form: Claim_Processing_(CMS_1500)

Table Name: SYSTEM.provider_monthly_max

Table Description: This table returns services that contribute towards a provider's monthly dollar max.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PROVID
Column Type: varchar
Max Length: 50
'Provider'

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: auth_used
Column Type: varchar
Max Length: 50
The number of the authorization that this service falls under.

Column Name: dollars_used
Column Type: varchar
Max Length: 50

Column Name: max_month
Column Type: integer
The month that this service will be credited against.

Column Name: max_year
Column Type: integer
The year that this service will be credited against.

Column Name: pended
Column Type: varchar
Max Length: 50
A flag indicating whether the service was pended due to exhaustion of monthly max dollars.

Documentation for form:

Claim_Processing_with_Override_(CMS_1500)

Table Name: SYSTEM.batch_clm_svc_adj_codes

Table Description: This table returns adjustment codes assigned to services during claim adjudication, as well as HIPAA cross reference information associated to those codes.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: adj_amount
Column Type: varchar
Max Length: 50
The adjustment amount associated with the EOB message.

Column Name: adj_code_code
Column Type: varchar

Max Length: 50

The adjustment code associated with the EOB message.

Column Name: adj_code_value

Column Type: varchar

Max Length: 50

The description associated with adj_code_code. See adj_code_code for more information.

Column Name: adj_group_code_5010_code

Column Type: varchar

Max Length: 50

The HIPAA version 5010 adjustment group code associated with the EOB message.

Column Name: adj_group_code_5010_value

Column Type: varchar

Max Length: 50

The description associated with adj_group_code_5010_code. See adj_group_code_5010_code for more information.

Column Name: adj_group_code_code

Column Type: varchar

Max Length: 50

The adjustment group code associated with the EOB message.

Column Name: adj_group_code_value

Column Type: varchar

Max Length: 50

The description associated with adj_group_code_code. See adj_group_code_code for more information.

Column Name: adj_reason_code_code

Column Type: varchar

Max Length: 50

The adjustment reason code associated with the EOB message.

Column Name: adj_reason_code_value

Column Type: varchar

Max Length: 4096

The description associated with adj_reason_code_code. See adj_reason_code_code for more information.

Column Name: apd_status_code

Column Type: varchar

Max Length: 50

Dictionary code for the claim status associated to the EOB message.

Column Name: apd_status_value

Column Type: varchar

Max Length: 50

The description associated with apd_status_code. See apd_status_code for more information.

Column Name: eob_message_code

Column Type: numeric
The unique numeric ID of the EOB message.

Column Name: eob_message_value
Column Type: varchar
Max Length: 50
The description associated with eob_message_code. See eob_message_code for more information.

Documentation for form:

Claim_Processing_with_Override_(CMS_1500)

Table Name: SYSTEM.batch_clm_svc_detail

Table Description: This table returns detailed information on MSO services.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUID
Column Type: varchar
Max Length: 50
A unique identifier used internally to validate data.

Column Name: JOIN_TO_AUTUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the associated authorization.

Column Name: JOIN_TO_HCF_UBF_Type
Column Type: varchar
Max Length: 50
Indicator of whether this claim is of type "HCFA" or "UB92".

Column Name: JOIN_TO_HCFUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the claim if it is of type "HCFA".

Column Name: JOIN_TO_UBFHCFUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the claim.

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50
The unique ID for the claim if it is of type "UB92".

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PPluniqueid
Column Type: varchar
Max Length: 50
The unique ID for the associated performing provider.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: UTCTimestamp
Column Type: timestamp
The UTC time when the row was last updated.

Column Name: VOUCHERID
Column Type: integer
The unique ID for the voucher.

Column Name: ability_to_pay_amt
Column Type: numeric
The ability to pay amount deducted from the service.

Column Name: account_code
Column Type: varchar
Max Length: 50
The authorization account code.

Column Name: account_level
Column Type: varchar

Max Length: 50
The authorization account level.

Column Name: account_level_name
Column Type: varchar
Max Length: 50
The authorization account level name.

Column Name: account_name
Column Type: varchar
Max Length: 50
The authorization account name.

Column Name: add_on_notes
Column Type: varchar
Max Length: 32000
Add-on notes.

Column Name: adjudication_code
Column Type: varchar
Max Length: 50
The adjudication code.

Column Name: adjustment_reason_code
Column Type: varchar
Max Length: 50
One or more dictionary codes for claim adjustment reasons.

Column Name: adjustment_reason_value
Column Type: varchar
Max Length: 255
The description associated with adjustment_reason_code. See adjustment_reason_code for more information.

Column Name: approved_units
Column Type: numeric
Approved units.

Column Name: associated_code
Column Type: varchar
Max Length: 50
Associated code.

Column Name: authorization_assoc_code
Column Type: varchar
Max Length: 50
The authorization associated code.

Column Name: authorization_number
Column Type: varchar

Max Length: 50
The authorization number.

Column Name: authorization_valid_code
Column Type: varchar
Max Length: 50
Indicator of whether the authorization is valid.

Column Name: authorization_valid_value
Column Type: varchar
Max Length: 50
The description associated with authorization_valid_code. See authorization_valid_code for more information.

Column Name: blackout_id
Column Type: integer
The unique blackout ID.

Column Name: carelink_service_ID
Column Type: varchar
Max Length: 50
The carelink service ID.

Column Name: claim_number_837
Column Type: varchar
Max Length: 50
837 claim number for the service.

Column Name: claim_status_code
Column Type: varchar
Max Length: 50
Dictionary code for the claim status.

Column Name: claim_status_reason_code
Column Type: varchar
Max Length: 50
Dictionary code for the claim status reason.

Column Name: claim_status_reason_value
Column Type: varchar
Max Length: 4096
The description associated with claim_status_reason_code. See claim_status_reason_code for more information.

Column Name: claim_status_value
Column Type: varchar
Max Length: 50
The description associated with claim_status_code. See claim_status_code for more information.

Column Name: comments

Column Type: varchar
Max Length: 32766
Comments regarding the service.

Column Name: contains_overridden_field
Column Type: varchar
Max Length: 1
Indicator of whether there is an overridden field.If "Y", indicates that this service detail contains one or more fields whose values were manually overridden.

Column Name: copay_applies_to_ded_code
Column Type: varchar
Max Length: 50
'Co-Pay Counts Towards Deductible'

Column Name: copay_applies_to_ded_value
Column Type: varchar
Max Length: 50
The description associated with copay_applies_to_ded_code. See copay_applies_to_ded_code for more information.

Column Name: cost_center_code
Column Type: varchar
Max Length: 50
Dictionary code for the cost center.

Column Name: cost_center_value
Column Type: varchar
Max Length: 50
The description associated with cost_center_code. See cost_center_code for more information.

Column Name: covered_CBPuniqueid
Column Type: varchar
Max Length: 50
The unique ID for plan covered services.

Column Name: covered_LIBuniqueid
Column Type: varchar
Max Length: 50
The unique ID for plan liability rules level.

Column Name: covered_PLANID
Column Type: varchar
Max Length: 50
The unique ID for the associated coverage plan.

Column Name: cpt_code_code
Column Type: varchar
Max Length: 50
The CPT code.

Column Name: cpt_code_value

Column Type: varchar

Max Length: 80

The description associated with cpt_code_code. See cpt_code_code for more information.

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

The user who last updated the row.

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

The user name that last updated the row.

Column Name: data_entry_date

Column Type: date

The date the row was last updated.

Column Name: data_entry_offset

Column Type: numeric

the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

The time the row was last updated.

Column Name: data_entry_time_j

Column Type: time

the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

the time zone information for when the data was saved.

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

the short abbreviation for the timezone

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

The user ID who last updated the row.

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

The user name who last updated the row.

Column Name: data_entry_utc

Column Type: timestamp

the UTC date and time the data was saved.

Column Name: date_of_service

Column Type: date

The date the service was rendered.

Column Name: date_of_service_end

Column Type: date

The date the service ended.

Column Name: delay_reason_code

Column Type: varchar

Max Length: 50

Dictionary code indicating the reason the claim was delayed.

Column Name: delay_reason_value

Column Type: varchar

Max Length: 50

The description associated with delay_reason_code. See delay_reason_code for more information.

Column Name: diagnosis_code

Column Type: varchar

Max Length: 50

Diagnosis code associated with the service.

Column Name: diagnosis_reference

Column Type: varchar

Max Length: 50

Diagnosis reference.

Column Name: diagnosis_reference_2

Column Type: varchar

Max Length: 50

Diagnosis reference 2.

Column Name: diagnosis_reference_3

Column Type: varchar

Max Length: 50

Diagnosis reference 3.

Column Name: diagnosis_reference_4

Column Type: varchar

Max Length: 50

Diagnosis reference 4.

Column Name: diagnosis_value

Column Type: varchar

Max Length: 200

The description associated with diagnosis_code. See diagnosis_code for more information.

Column Name: discipline_code

Column Type: varchar

Max Length: 40

Dictionary code indicating the medical discipline under which the service was rendered.

Column Name: discipline_value

Column Type: varchar

Max Length: 40

The description associated with discipline_code. See discipline_code for more information.

Column Name: documentation_time

Column Type: numeric

For group services, the documentation time

Column Name: drug_ref_id

Column Type: varchar

Max Length: 50

The service drug reference ID.

Column Name: drug_ref_id_qual

Column Type: varchar

Max Length: 50

The service drug reference qualifier.

Column Name: duration

Column Type: varchar

Max Length: 50

The service duration.

Column Name: ebpss_csi_code

Column Type: varchar

Max Length: 32000

Dictionary code indicating the evidence-based practices / service strategies (CSI) code for the service.

Column Name: ebpss_csi_value

Column Type: varchar

Max Length: 255

The description associated with ebpss_csi_code. See ebpss_csi_code for more information.

Column Name: ebpss_csi_value_long

Column Type: varchar

Max Length: 4096

The description associated with ebpss_csi_value_code. See ebpss_csi_value_code for more information.

Column Name: eligible_provider_code

Column Type: varchar
Max Length: 50
Indicator of whether the provider was eligible or not.

Column Name: eligible_provider_value
Column Type: varchar
Max Length: 50
The description associated with eligible_provider_code. See eligible_provider_code for more information.

Column Name: emergency_indicator_code
Column Type: varchar
Max Length: 50
'Emergency Indicator (837P-2400-SV109)'

Column Name: emergency_indicator_value
Column Type: varchar
Max Length: 50
The description associated with emergency_indicator_code. See emergency_indicator_code for more information.

Column Name: expected_disburse
Column Type: numeric
Expected disbursement for the service.

Column Name: explan_of_coverage
Column Type: varchar
Max Length: 32766
Explanation of coverage.

Column Name: group_service_units
Column Type: varchar
Max Length: 50
For group services, the total approved group service units

Column Name: group_service_units_day
Column Type: varchar
Max Length: 50
For group services, the total approved group service units per day

Column Name: hcpcs_code
Column Type: varchar
Max Length: 50
The HCPCS code.

Column Name: is_this_an_admission_code
Column Type: varchar
Max Length: 50
'Does This Service Represent An Admission'

Column Name: is_this_an_admission_value

Column Type: varchar

Max Length: 50

The description associated with is_this_an_admission_code. See is_this_an_admission_code for more information.

Column Name: level_of_care

Column Type: varchar

Max Length: 50

Level of care.

Column Name: line_item_control_num

Column Type: varchar

Max Length: 50

Line item control number.

Column Name: line_note_code

Column Type: varchar

Max Length: 50

Indicator dictionary code of the type of information captured in the service line note text.

Column Name: line_note_code_val

Column Type: varchar

Max Length: 50

The description associated with line_note_code_code. See line_note_code_code for more information.

Column Name: line_note_text

Column Type: varchar

Max Length: 80

Service line note text.

Column Name: location_code

Column Type: varchar

Max Length: 50

The service location code.

Column Name: location_value

Column Type: varchar

Max Length: 50

The description associated with location_code. See location_code for more information.

Column Name: manual_service_code

Column Type: varchar

Max Length: 50

Manual service code.

Column Name: manual_service_descript

Column Type: varchar

Max Length: 80

Manual service description.

Column Name: measurement_code_code
Column Type: varchar
Max Length: 50
'Measurement Code (837-2400-SV103/SV204)'

Column Name: measurement_code_value
Column Type: varchar
Max Length: 50
The description associated with measurement_code_code. See measurement_code_code for more information.

Column Name: member_copay
Column Type: numeric
Member co-pay.

Column Name: member_deductible
Column Type: numeric
Member deductible.

Column Name: member_enrolled_dos_code
Column Type: varchar
Max Length: 50
'Member Enrolled On Date Of Service'

Column Name: member_enrolled_dos_value
Column Type: varchar
Max Length: 50
The description associated with member_enrolled_dos_code. See member_enrolled_dos_code for more information.

Column Name: member_id
Column Type: numeric
Member ID.

Column Name: national_drug_code
Column Type: varchar
Max Length: 50
National drug code.

Column Name: number_in_group
Column Type: numeric
For group services, the number of members in the group

Column Name: num_counselor_in_group
Column Type: numeric
For group services, the number of counselors in the group

Column Name: option_desc
Column Type: varchar
Max Length: 80

The name of the form that last updated the row.

Column Name: option_id

Column Type: varchar

Max Length: 20

The unique ID of the form that last updated the row.

Column Name: original_proc_code_code

Column Type: varchar

Max Length: 50

Original procedure code.

Column Name: original_proc_code_type

Column Type: varchar

Max Length: 50

Original procedure type.

Column Name: original_proc_code_value

Column Type: varchar

Max Length: 80

The description associated with original_proc_code_code. See original_proc_code_code for more information.

Column Name: parent_nspace_link_to_DD

Column Type: varchar

Max Length: 50

Link to the associated parent service in SYSTEM.billing_tx_history.

Column Name: patient_account_number

Column Type: varchar

Max Length: 50

Patient account number.

Column Name: perf_prov_name

Column Type: varchar

Max Length: 50

Name of the performing provider.

Column Name: place_of_service_code

Column Type: varchar

Max Length: 50

Place of service code.

Column Name: population_code

Column Type: varchar

Max Length: 50

Population code.

Column Name: population_value

Column Type: varchar

Max Length: 50

The description associated with population_code. See population_code for more information.

Column Name: prev_batch_pended_from

Column Type: varchar

Max Length: 500

Previous batch the service was pended from.

Column Name: primary_service_id

Column Type: varchar

Max Length: 50

The primary service ID.

Column Name: private_pay_amt

Column Type: numeric

Private pay amount.

Column Name: private_pay_payer_code

Column Type: varchar

Max Length: 50

Payer code for private pay.

Column Name: private_pay_payer_value

Column Type: varchar

Max Length: 50

The description associated with private_pay_payer_code. See private_pay_payer_code for more information.

Column Name: proc_code_type_for_adj

Column Type: varchar

Max Length: 50

Procedure code type of adjustment.

Column Name: procedure_code_code

Column Type: varchar

Max Length: 50

Procedure code.

Column Name: procedure_code_type

Column Type: varchar

Max Length: 50

Procedure code type.

Column Name: procedure_code_value

Column Type: varchar

Max Length: 80

The description associated with procedure_code_code. See procedure_code_code for more information.

Column Name: procedure_code_with_mod

Column Type: varchar

Max Length: 50
Procedure code with modifier.

Column Name: provider_to_be_auth
Column Type: varchar
Max Length: 50
Provider to be authorized.

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50
Provider program link.

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50
Provider program name.

Column Name: quantity
Column Type: varchar
Max Length: 50
Quantity.

Column Name: ref_p4
Column Type: varchar
Max Length: 50
REF*P4 segment

Column Name: remark_codes
Column Type: varchar
Max Length: 500
Claim status remark codes returned on an 837.

Column Name: remark_codes_value
Column Type: varchar
Max Length: 5096
The description associated with remark_codes_code. See remark_codes_code for more information.

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50
Revenue code.

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80
The description associated with revenue_code_code. See revenue_code_code for more information.

Column Name: service_comments
Column Type: varchar

Max Length: 32766
Service comments.

Column Name: service_end_time
Column Type: time
Service end time.

Column Name: service_start_time
Column Type: time
Service start time.

Column Name: service_units
Column Type: numeric
Service units.

Column Name: svc_bundle_837_id
Column Type: varchar
Max Length: 50
Service bundle 837 ID.

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50
Indicator code of whether the service counts as a visit.

Column Name: system_index
Column Type: varchar
Max Length: 50
Service index.

Column Name: third_party_amount_paid
Column Type: numeric
Third party amount paid

Column Name: third_party_payer_amt_1
Column Type: numeric
Third party payer amount 1.

Column Name: third_party_payer_amt_2
Column Type: numeric
Third party payer amount 2.

Column Name: third_party_payer_amt_3
Column Type: numeric
Third party payer amount 3.

Column Name: third_party_payer_amt_4
Column Type: numeric
Third party payer amount 4.

Column Name: third_party_payer_amt_5
Column Type: numeric
Third party payer amount 5.

Column Name: third_party_payer_amt_6
Column Type: numeric
Third party payer amount 6.

Column Name: third_party_payer_code_1
Column Type: varchar
Max Length: 50
Third party payer code 1.

Column Name: third_party_payer_code_2
Column Type: varchar
Max Length: 50
Third party payer code 2.

Column Name: third_party_payer_code_3
Column Type: varchar
Max Length: 50
Third party payer code 3.

Column Name: third_party_payer_code_4
Column Type: varchar
Max Length: 50
Third party payer code 4.

Column Name: third_party_payer_code_5
Column Type: varchar
Max Length: 50
Third party payer code 5.

Column Name: third_party_payer_code_6
Column Type: varchar
Max Length: 50
Third party payer code 6.

Column Name: third_party_payer_value_1
Column Type: varchar
Max Length: 50
The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_2
Column Type: varchar
Max Length: 50
The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_3

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_4

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_5

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: third_party_payer_value_6

Column Type: varchar

Max Length: 50

The description associated with third_party_payer_value_code. See third_party_payer_value_code for more information.

Column Name: thrd_prty_allowed_amt

Column Type: numeric

Third party allowed amount.

Column Name: thrd_prty_billed_amt

Column Type: numeric

Third party billed amount

Column Name: thrd_prty_pay_adj_amt_11

Column Type: numeric

Third party payment adjustment amount 11.

Column Name: thrd_prty_pay_adj_amt_12

Column Type: numeric

Third party payment adjustment amount 12.

Column Name: thrd_prty_pay_adj_amt_13

Column Type: numeric

Third party payment adjustment amount 13.

Column Name: thrd_prty_pay_adj_amt_14

Column Type: numeric

Third party payment adjustment amount 14.

Column Name: thrd_prty_pay_adj_amt_15

Column Type: numeric

Third party payment adjustment amount 15.

Column Name: thrd_prty_pay_adj_amt_21

Column Type: numeric

Third party payment adjustment amount 21.

Column Name: thrd_prty_pay_adj_amt_22

Column Type: numeric

Third party payment adjustment amount 22.

Column Name: thrd_prty_pay_adj_amt_23

Column Type: numeric

Third party payment adjustment amount 23.

Column Name: thrd_prty_pay_adj_amt_24

Column Type: numeric

Third party payment adjustment amount 24.

Column Name: thrd_prty_pay_adj_amt_25

Column Type: numeric

Third party payment adjustment amount 25.

Column Name: thrd_prty_pay_adj_amt_31

Column Type: numeric

Third party payment adjustment amount 31.

Column Name: thrd_prty_pay_adj_amt_32

Column Type: numeric

Third party payment adjustment amount 32.

Column Name: thrd_prty_pay_adj_amt_33

Column Type: numeric

Third party payment adjustment amount 33.

Column Name: thrd_prty_pay_adj_amt_34

Column Type: numeric

Third party payment adjustment amount 34.

Column Name: thrd_prty_pay_adj_amt_35

Column Type: numeric

Third party payment adjustment amount 35.

Column Name: thrd_prty_pay_adj_amt_41

Column Type: numeric

Third party payment adjustment amount 41.

Column Name: thrd_prty_pay_adj_amt_42

Column Type: numeric

Third party payment adjustment amount 42.

Column Name: thrd_prty_pay_adj_amt_43
Column Type: numeric
Third party payment adjustment amount 43.

Column Name: thrd_prty_pay_adj_amt_44
Column Type: numeric
Third party payment adjustment amount 44.

Column Name: thrd_prty_pay_adj_amt_45
Column Type: numeric
Third party payment adjustment amount 45.

Column Name: thrd_prty_pay_adj_code_11
Column Type: varchar
Max Length: 50
Third party payment adjustment code 11.

Column Name: thrd_prty_pay_adj_code_12
Column Type: varchar
Max Length: 50
Third party payment adjustment code 12.

Column Name: thrd_prty_pay_adj_code_13
Column Type: varchar
Max Length: 50
Third party payment adjustment code 13.

Column Name: thrd_prty_pay_adj_code_14
Column Type: varchar
Max Length: 50
Third party payment adjustment code 14.

Column Name: thrd_prty_pay_adj_code_15
Column Type: varchar
Max Length: 50
Third party payment adjustment code 15.

Column Name: thrd_prty_pay_adj_code_21
Column Type: varchar
Max Length: 50
Third party payment adjustment code 21.

Column Name: thrd_prty_pay_adj_code_22
Column Type: varchar
Max Length: 50
Third party payment adjustment code 22.

Column Name: thrd_prty_pay_adj_code_23
Column Type: varchar
Max Length: 50

Third party payment adjustment code 23.

Column Name: thrd_prty_pay_adj_code_24

Column Type: varchar

Max Length: 50

Third party payment adjustment code 24.

Column Name: thrd_prty_pay_adj_code_25

Column Type: varchar

Max Length: 50

Third party payment adjustment code 25.

Column Name: thrd_prty_pay_adj_code_31

Column Type: varchar

Max Length: 50

Third party payment adjustment code 31.

Column Name: thrd_prty_pay_adj_code_32

Column Type: varchar

Max Length: 50

Third party payment adjustment code 32.

Column Name: thrd_prty_pay_adj_code_33

Column Type: varchar

Max Length: 50

Third party payment adjustment code 33.

Column Name: thrd_prty_pay_adj_code_34

Column Type: varchar

Max Length: 50

Third party payment adjustment code 34.

Column Name: thrd_prty_pay_adj_code_35

Column Type: varchar

Max Length: 50

Third party payment adjustment code 35.

Column Name: thrd_prty_pay_adj_code_41

Column Type: varchar

Max Length: 50

Third party payment adjustment code 41.

Column Name: thrd_prty_pay_adj_code_42

Column Type: varchar

Max Length: 50

Third party payment adjustment code 42.

Column Name: thrd_prty_pay_adj_code_43

Column Type: varchar

Max Length: 50

Third party payment adjustment code 43.

Column Name: thrd_prty_pay_adj_code_44

Column Type: varchar

Max Length: 50

Third party payment adjustment code 44.

Column Name: thrd_prty_pay_adj_code_45

Column Type: varchar

Max Length: 50

Third party payment adjustment code 45.

Column Name: thrd_prty_pay_adj_val_11

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_12

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_13

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_14

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_15

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_21

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_22

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_23

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_24

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_25

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_31

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_32

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_33

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_34

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_35

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_41

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_42

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_43

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_44

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_adj_val_45

Column Type: varchar

Max Length: 50

The description associated with thrd_prty_pay_adj_val_code. See thrd_prty_pay_adj_val_code for more information.

Column Name: thrd_prty_pay_allow_1

Column Type: numeric

Third party payment allowed amount 1.

Column Name: thrd_prty_pay_allow_2

Column Type: numeric

Third party payment allowed amount 2.

Column Name: thrd_prty_pay_allow_3

Column Type: numeric

Third party payment allowed amount 3.

Column Name: thrd_prty_pay_allow_4

Column Type: numeric

Third party payment allowed amount 4.

Column Name: thrd_prty_pay_billed_1

Column Type: numeric
Third party payment billed 1.

Column Name: thrd_prty_pay_billed_2
Column Type: numeric
Third party payment billed 2.

Column Name: thrd_prty_pay_billed_3
Column Type: numeric
Third party payment billed 3.

Column Name: thrd_prty_pay_billed_4
Column Type: numeric
Third party payment billed 4.

Column Name: thrd_prty_pvt_pay_amt
Column Type: numeric
Third party private pay amount.

Column Name: total_charge
Column Type: numeric
Total charge for the service.

Column Name: total_fee_table_amt
Column Type: numeric
Total fee table amount for the service.

Column Name: travel_time
Column Type: numeric
For group services, the travel time

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50
Treatment provider type.

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50
Dictionary code indicating whether the type of authorization is inpatient or outpatient.

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50
The description associated with type_of_service_code. See type_of_service_code for more information.

Column Name: unique_row_id
Column Type: varchar
Max Length: 50
The unique row ID.

Column Name: unit_of_measurement
Column Type: varchar
Max Length: 50
Unit of measurement.

Documentation for form:

Claim_Processing_with_Override_(CMS_1500)

Table Name: SYSTEM.batch_clm_svc_detail_ss

Table Description: This table returns site specific fields for MSO services.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: ss_batch_clm_date_1
Column Type: date
SS Batch Claim Date 1.

Column Name: ss_batch_clm_date_10
Column Type: date
SS Batch Claim Date 10.

Column Name: ss_batch_clm_date_2
Column Type: date
SS Batch Claim Date 2.

Column Name: ss_batch_clm_date_3
Column Type: date
SS Batch Claim Date 3.

Column Name: ss_batch_clm_date_4
Column Type: date
SS Batch Claim Date 4.

Column Name: ss_batch_clm_date_5
Column Type: date
SS Batch Claim Date 5.

Column Name: ss_batch_clm_date_6
Column Type: date
SS Batch Claim Date 6.

Column Name: ss_batch_clm_date_7
Column Type: date
SS Batch Claim Date 7.

Column Name: ss_batch_clm_date_8
Column Type: date
SS Batch Claim Date 8.

Column Name: ss_batch_clm_date_9
Column Type: date
SS Batch Claim Date 9.

Column Name: ss_batch_clm_dict_10_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 10 Cdoe.

Column Name: ss_batch_clm_dict_10_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 10 Value.

Column Name: ss_batch_clm_dict_1_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 1 Code.

Column Name: ss_batch_clm_dict_1_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 1 Value.

Column Name: ss_batch_clm_dict_2_code

Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 2 Code.

Column Name: ss_batch_clm_dict_2_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 2 Value.

Column Name: ss_batch_clm_dict_3_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 3 Code.

Column Name: ss_batch_clm_dict_3_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 3 Value.

Column Name: ss_batch_clm_dict_4_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 4 Code.

Column Name: ss_batch_clm_dict_4_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 4 Value.

Column Name: ss_batch_clm_dict_5_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 5 Code.

Column Name: ss_batch_clm_dict_5_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 5 Value.

Column Name: ss_batch_clm_dict_6_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 6 Code.

Column Name: ss_batch_clm_dict_6_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 6 Value.

Column Name: ss_batch_clm_dict_7_code

Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 7 Code.

Column Name: ss_batch_clm_dict_7_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 7 Value.

Column Name: ss_batch_clm_dict_8_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 8 Code.

Column Name: ss_batch_clm_dict_8_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 8 Value.

Column Name: ss_batch_clm_dict_9_code
Column Type: varchar
Max Length: 50
SS Batch Claim Dictionary 9 Code.

Column Name: ss_batch_clm_dict_9_value
Column Type: varchar
Max Length: 40
SS Batch Claim Dictionary 9 Value.

Column Name: ss_batch_clm_mult_1_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 1 Code.

Column Name: ss_batch_clm_mult_1_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 1 Short Value.

Column Name: ss_batch_clm_mult_1_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 1 Full Value.

Column Name: ss_batch_clm_mult_2_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 2 Code.

Column Name: ss_batch_clm_mult_2_shval

Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 2 Short Value.

Column Name: ss_batch_clm_mult_2_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 2 Full Value.

Column Name: ss_batch_clm_mult_3_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 3 Code.

Column Name: ss_batch_clm_mult_3_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 3 Short Value.

Column Name: ss_batch_clm_mult_3_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 3 Full Value.

Column Name: ss_batch_clm_mult_4_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 4 Code.

Column Name: ss_batch_clm_mult_4_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 4 Short Value.

Column Name: ss_batch_clm_mult_4_value
Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 4 Full Value.

Column Name: ss_batch_clm_mult_5_code
Column Type: varchar
Max Length: 50
SS Batch Claim Multiple Select Dictionary 5 Code.

Column Name: ss_batch_clm_mult_5_shval
Column Type: varchar
Max Length: 255
SS Batch Claim Multiple Select Dictionary 5 Short Value.

Column Name: ss_batch_clm_mult_5_value

Column Type: varchar
Max Length: 4096
SS Batch Claim Multiple Select Dictionary 5 Full Value.

Column Name: ss_batch_clm_scr_txt_1
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 1.

Column Name: ss_batch_clm_scr_txt_10
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 10.

Column Name: ss_batch_clm_scr_txt_2
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 2.

Column Name: ss_batch_clm_scr_txt_3
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 3.

Column Name: ss_batch_clm_scr_txt_4
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 4.

Column Name: ss_batch_clm_scr_txt_5
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 5.

Column Name: ss_batch_clm_scr_txt_6
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 6.

Column Name: ss_batch_clm_scr_txt_7
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 7.

Column Name: ss_batch_clm_scr_txt_8
Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 8.

Column Name: ss_batch_clm_scr_txt_9

Column Type: varchar
Max Length: 32766
SS Batch Claim Scrolling Free Text 9.

Column Name: ss_batch_clm_time_1
Column Type: varchar
Max Length: 50
SS Batch Claim Time 1.

Column Name: ss_batch_clm_time_10
Column Type: varchar
Max Length: 50
SS Batch Claim Time 10.

Column Name: ss_batch_clm_time_2
Column Type: varchar
Max Length: 50
SS Batch Claim Time 2.

Column Name: ss_batch_clm_time_3
Column Type: varchar
Max Length: 50
SS Batch Claim Time 3.

Column Name: ss_batch_clm_time_4
Column Type: varchar
Max Length: 50
SS Batch Claim Time 4.

Column Name: ss_batch_clm_time_5
Column Type: varchar
Max Length: 50
SS Batch Claim Time 5.

Column Name: ss_batch_clm_time_6
Column Type: varchar
Max Length: 50
SS Batch Claim Time 6.

Column Name: ss_batch_clm_time_7
Column Type: varchar
Max Length: 50
SS Batch Claim Time 7.

Column Name: ss_batch_clm_time_8
Column Type: varchar
Max Length: 50
SS Batch Claim Time 8.

Column Name: ss_batch_clm_time_9

Column Type: varchar
Max Length: 50
SS Batch Claim Time 9.

Column Name: ss_batch_clm_txt_40_1
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 1.

Column Name: ss_batch_clm_txt_40_10
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 10.

Column Name: ss_batch_clm_txt_40_2
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 2.

Column Name: ss_batch_clm_txt_40_3
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 3.

Column Name: ss_batch_clm_txt_40_4
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 4.

Column Name: ss_batch_clm_txt_40_5
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 5.

Column Name: ss_batch_clm_txt_40_6
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 6.

Column Name: ss_batch_clm_txt_40_7
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 7.

Column Name: ss_batch_clm_txt_40_8
Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 8.

Column Name: ss_batch_clm_txt_40_9

Column Type: varchar
Max Length: 50
SS Batch Claim Free Text (40) 9.

Documentation for form:

Claim_Processing_with_Override_(CMS_1500)

Table Name: SYSTEM.billing_837_comp_clm_cas

Table Description: This table returns CAS-Claim Level Adjustments information of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar
Max Length: 50

Column Name: member_id

Column Type: varchar
Max Length: 20

Column Name: provider_id
Column Type: integer

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: adj_amount1
Column Type: numeric

Column Name: adj_amount2
Column Type: numeric

Column Name: adj_amount3
Column Type: numeric

Column Name: adj_amount4
Column Type: numeric

Column Name: adj_amount5
Column Type: numeric

Column Name: adj_amount6
Column Type: numeric

Column Name: adj_grp_code
Column Type: varchar
Max Length: 50

Column Name: adj_grp_val
Column Type: varchar
Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code2
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code3
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code4
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code5
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code6
Column Type: varchar
Max Length: 50

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form:

Claim_Processing_with_Override_(CMS_1500)

Table Name: SYSTEM.billing_837_comp_clm_cob

Table Description: This table returns detailed information on Claim-level Coordination of Benefits of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar
Max Length: 50

Column Name: member_id
Column Type: varchar
Max Length: 20

Column Name: provider_id
Column Type: integer

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: adj_pay_date
Column Type: date

Column Name: clm_filing_indic_code
Column Type: varchar
Max Length: 50

Column Name: end_stage_ren_pay_amt
Column Type: numeric

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: hcpcs_payable_amount
Column Type: numeric

Column Name: indiv_relationship_code
Column Type: varchar
Max Length: 50

Column Name: ins_grp_or_policy_num
Column Type: varchar
Max Length: 50

Column Name: insur_group_name
Column Type: varchar
Max Length: 50

Column Name: insur_type_code
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: non_cov_amt_qual_code
Column Type: varchar
Max Length: 50

Column Name: non_cov_mon_amt
Column Type: varchar
Max Length: 50

Column Name: non_pay_prof_comp_amt
Column Type: numeric

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_city
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_identifier
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_first
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_last
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_state
Column Type: varchar
Max Length: 50

Column Name: other_pay_zip_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_1
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_2
Column Type: varchar
Max Length: 50

Column Name: other_sub_city
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_identifier
Column Type: varchar
Max Length: 80

Column Name: other_sub_name_first
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_last
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_sub_state
Column Type: varchar
Max Length: 50

Column Name: other_sub_zip_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_pat_sig_src
Column Type: varchar
Max Length: 50

Column Name: oth_ins_release_info_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_yes_no_cond_resp
Column Type: varchar
Max Length: 50

Column Name: payer_paid_mon_amt
Column Type: varchar
Max Length: 50

Column Name: payer_paid_qual_code
Column Type: varchar
Max Length: 50

Column Name: pay_resp_seq_num_code
Column Type: varchar
Max Length: 50

Column Name: reimburse_rate
Column Type: numeric

Column Name: remark_code1

Column Type: varchar
Max Length: 50

Column Name: remark_code2
Column Type: varchar
Max Length: 50

Column Name: remark_code3
Column Type: varchar
Max Length: 50

Column Name: remark_code4
Column Type: varchar
Max Length: 50

Column Name: remark_code5
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_mon_amt
Column Type: varchar
Max Length: 50

Column Name: rem_pat_liab_qual_code
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form:

[Claim_Processing_with_Override_\(CMS_1500\)](#)

Table Name: SYSTEM.billing_837_comp_svc_cas

Table Description: This table returns Service Level Adjustments information of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: funding_source_id
Column Type: varchar
Max Length: 50

Column Name: provider_sort
Column Type: varchar
Max Length: 50

Column Name: member_id
Column Type: varchar
Max Length: 20

Column Name: provider_id
Column Type: integer

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: service_counter
Column Type: integer

Column Name: adj_amount1
Column Type: numeric

Column Name: adj_amount2
Column Type: numeric

Column Name: adj_amount3
Column Type: numeric

Column Name: adj_amount4
Column Type: numeric

Column Name: adj_amount5
Column Type: numeric

Column Name: adj_amount6
Column Type: numeric

Column Name: adj_grp_code
Column Type: varchar
Max Length: 50

Column Name: adj_grp_val
Column Type: varchar
Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code2
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code3
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code4
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code5
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code6
Column Type: varchar
Max Length: 50

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: line_number

Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form:

Claim_Processing_with_Override_(CMS_1500)

Table Name: SYSTEM.billing_837_comp_svc_cob

Table Description: This table returns detailed information on Service-level Coordination of Benefits of a compiled claim

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer

Column Name: cob_counter
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar

Max Length: 50

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_utc

Column Type: timestamp

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

Column Name: data_entry_time_j

Column Type: time

Column Name: data_entry_offset

Column Type: numeric

Column Name: data_entry_timezone_short

Column Type: varchar

Max Length: 8

Column Name: funding_source_id

Column Type: varchar

Max Length: 50

Column Name: provider_sort

Column Type: varchar

Max Length: 50

Column Name: member_id

Column Type: varchar

Max Length: 20

Column Name: provider_id
Column Type: integer

Column Name: performing_provider_index
Column Type: varchar
Max Length: 50

Column Name: claim_counter
Column Type: integer

Column Name: service_counter
Column Type: integer

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: adjudication_paymnt_dt
Column Type: date

Column Name: allowed_amount
Column Type: varchar
Max Length: 50

Column Name: billed_amount
Column Type: varchar
Max Length: 50

Column Name: bund_or_unbund_line_num
Column Type: numeric

Column Name: cob_payer_code
Column Type: varchar
Max Length: 50

Column Name: cob_payer_value
Column Type: varchar
Max Length: 50

Column Name: composite_med_proc_id
Column Type: varchar
Max Length: 150

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: paid_service_units
Column Type: numeric

Column Name: payer_prim_id
Column Type: varchar
Max Length: 50

Column Name: procedure_code
Column Type: varchar
Max Length: 50

Column Name: procedure_code_desc
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier1
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier2
Column Type: varchar
Max Length: 50

Column Name: procedure_modifier3

Column Type: varchar
Max Length: 50

Column Name: procedure_modifier4
Column Type: varchar
Max Length: 50

Column Name: prod_or_svc_id_qua_code
Column Type: varchar
Max Length: 50

Column Name: remaining_patient_liab
Column Type: varchar
Max Length: 50

Column Name: svc_line_paid_amt
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form:

[Claim_Processing_with_Override_\(CMS_1500\)](#)

Table Name: SYSTEM.budget_svc_detail

Table Description: This table returns services that contribute towards a provider's budget total.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID

Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: account_code
Column Type: varchar
Max Length: 50
'Provider'

Column Name: account_level
Column Type: varchar
Max Length: 50
'Provider'

Column Name: auth_used
Column Type: varchar
Max Length: 50
The number of the authorization that this service falls under.

Column Name: dollars_used
Column Type: varchar
Max Length: 50

Documentation for form:

Claim_Processing_with_Override_(CMS_1500)

Table Name: SYSTEM.history_member_svc

Table Description: This table returns detailed information on MSO services.

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: CLAIMID
Column Type: integer

Column Name: EOB_number
Column Type: varchar
Max Length: 30

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_HCF_UBF_Type
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_HCFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SVCUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_member_CONuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOINTOParentTXhistory
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_uniq_index_service
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_name
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: approved_units
Column Type: numeric

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: authorization_valid_code

Column Type: varchar
Max Length: 50

Column Name: authorization_valid_value
Column Type: varchar
Max Length: 50

Column Name: bill_period
Column Type: date

Column Name: claim_status_code
Column Type: varchar
Max Length: 50

Column Name: claim_status_reason_code
Column Type: varchar
Max Length: 50

Column Name: claim_status_reason_value
Column Type: varchar
Max Length: 4096

Column Name: claim_status_value
Column Type: varchar
Max Length: 50

Column Name: copay_applies_to_ded_code
Column Type: varchar
Max Length: 50

Column Name: copay_applies_to_ded_value
Column Type: varchar
Max Length: 50

Column Name: covered_CBPuniqueid
Column Type: varchar
Max Length: 50

Column Name: covered_LIBuniqueid
Column Type: varchar

Max Length: 50

Column Name: covered_PLANID

Column Type: varchar

Max Length: 50

Column Name: cpt_code_code

Column Type: varchar

Max Length: 50

Column Name: cpt_code_value

Column Type: varchar

Max Length: 80

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: date_claims_received

Column Type: date

Column Name: date_of_service
Column Type: date

Column Name: delay_reason_code
Column Type: varchar
Max Length: 50

Column Name: delay_reason_value
Column Type: varchar
Max Length: 50

Column Name: diagnosis_code
Column Type: varchar
Max Length: 50

Column Name: diagnosis_value
Column Type: varchar
Max Length: 200

Column Name: duration
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_code
Column Type: varchar
Max Length: 50

Column Name: eligible_provider_value
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_code
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_value
Column Type: varchar
Max Length: 50

Column Name: expected_disburse
Column Type: numeric

Column Name: is_this_an_admission_code
Column Type: varchar
Max Length: 50

Column Name: is_this_an_admission_value
Column Type: varchar
Max Length: 50

Column Name: level_of_care
Column Type: varchar
Max Length: 50

Column Name: member_copay
Column Type: numeric

Column Name: member_deductible
Column Type: numeric

Column Name: member_enrolled_dos_code
Column Type: varchar
Max Length: 50

Column Name: member_enrolled_dos_value
Column Type: varchar
Max Length: 50

Column Name: original_procedure_code_code
Column Type: varchar
Max Length: 50

Column Name: original_procedure_code_value
Column Type: varchar
Max Length: 80

Column Name: population_code
Column Type: varchar
Max Length: 50

Column Name: population_value
Column Type: varchar
Max Length: 50

Column Name: private_pay_amt
Column Type: numeric

Column Name: private_pay_payer_code
Column Type: varchar
Max Length: 50

Column Name: private_pay_payer_value
Column Type: varchar
Max Length: 50

Column Name: procedure_code_code
Column Type: varchar
Max Length: 50

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50

Column Name: procedure_code_value
Column Type: varchar
Max Length: 80

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80

Column Name: service_units
Column Type: numeric

Column Name: svc_bundle_837_id
Column Type: varchar
Max Length: 50

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50

Column Name: third_party_amount_paid
Column Type: numeric

Column Name: total_charge
Column Type: numeric

Column Name: total_fee_table_amt
Column Type: numeric

Column Name: trt_fac_member
Column Type: varchar
Max Length: 50

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50

Column Name: remark_codes
Column Type: varchar
Max Length: 500

Column Name: remark_codes_value
Column Type: varchar
Max Length: 5096

Column Name: adjustment_reason_code
Column Type: varchar
Max Length: 50

Column Name: adjustment_reason_value
Column Type: varchar
Max Length: 255

Column Name: voucher_number
Column Type: varchar
Max Length: 30

Documentation for form: Claim_Processing_with_Override_(CMS_1500)

Table Name: SYSTEM.history_member_svc_unclm
Table Description: This table returns detailed information on MSO services.

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: CLAIMID
Column Type: integer

Column Name: EOB_number
Column Type: varchar
Max Length: 30

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_HCF_UBF_Type
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_HCFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_SVCUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_UBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_member_CONuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_uniq_index_service
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_name
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: approved_units
Column Type: numeric

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: authorization_valid_code
Column Type: varchar
Max Length: 50

Column Name: authorization_valid_value
Column Type: varchar
Max Length: 50

Column Name: bill_period

Column Type: date

Column Name: claim_status_code

Column Type: varchar

Max Length: 50

Column Name: claim_status_reason_code

Column Type: varchar

Max Length: 50

Column Name: claim_status_reason_value

Column Type: varchar

Max Length: 4096

Column Name: claim_status_value

Column Type: varchar

Max Length: 50

Column Name: copay_applies_to_ded_code

Column Type: varchar

Max Length: 50

Column Name: copay_applies_to_ded_value

Column Type: varchar

Max Length: 50

Column Name: covered_CBPuniqueid

Column Type: varchar

Max Length: 50

Column Name: covered_LIBuniqueid

Column Type: varchar

Max Length: 50

Column Name: covered_PLANID

Column Type: varchar

Max Length: 50

Column Name: cpt_code_code

Column Type: varchar

Max Length: 50

Column Name: cpt_code_value

Column Type: varchar

Max Length: 80

Column Name: data_entry_date

Column Type: date

Column Name: date_claims_received

Column Type: date

Column Name: date_of_service

Column Type: date

Column Name: delay_reason_code

Column Type: varchar

Max Length: 50

Column Name: delay_reason_value

Column Type: varchar

Max Length: 50

Column Name: diagnosis_code

Column Type: varchar

Max Length: 50

Column Name: diagnosis_value

Column Type: varchar

Max Length: 200

Column Name: duration

Column Type: varchar

Max Length: 50

Column Name: eligible_provider_code

Column Type: varchar

Max Length: 50

Column Name: eligible_provider_value
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_code
Column Type: varchar
Max Length: 50

Column Name: emergency_indicator_value
Column Type: varchar
Max Length: 50

Column Name: expected_disbursed
Column Type: numeric

Column Name: is_this_an_admission_code
Column Type: varchar
Max Length: 50

Column Name: is_this_an_admission_value
Column Type: varchar
Max Length: 50

Column Name: level_of_care
Column Type: varchar
Max Length: 50

Column Name: member_copay
Column Type: numeric

Column Name: member_deductible
Column Type: numeric

Column Name: member_enrolled_dos_code
Column Type: varchar
Max Length: 50

Column Name: member_enrolled_dos_value
Column Type: varchar
Max Length: 50

Column Name: private_pay_amt
Column Type: numeric

Column Name: private_pay_payer_code
Column Type: varchar
Max Length: 50

Column Name: private_pay_payer_value
Column Type: varchar
Max Length: 50

Column Name: procedure_code_code
Column Type: varchar
Max Length: 50

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50

Column Name: procedure_code_value
Column Type: varchar
Max Length: 80

Column Name: revenue_code_code
Column Type: varchar
Max Length: 50

Column Name: revenue_code_value
Column Type: varchar
Max Length: 80

Column Name: service_units
Column Type: numeric

Column Name: svc_counts_as_visit
Column Type: varchar
Max Length: 50

Column Name: total_charge
Column Type: numeric

Column Name: total_fee_table_amt
Column Type: numeric

Column Name: trt_fac_member
Column Type: varchar
Max Length: 50

Column Name: trt_prov_type
Column Type: varchar
Max Length: 50

Column Name: type_of_service_code
Column Type: varchar
Max Length: 50

Column Name: type_of_service_value
Column Type: varchar
Max Length: 50

Column Name: voucher_number
Column Type: varchar
Max Length: 30

Documentation for form:

[Claim_Processing_with_Override_\(CMS_1500\)](#)

Table Name: SYSTEM.mso_claim_adjustments

Table Description: This table returns detailed claim adjustment information of a claim

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_HCFUBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_RETRO_RECORD
Column Type: integer

Column Name: JOIN_TO_SVCUniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_COB
Column Type: varchar
Max Length: 50

Column Name: adj_amount1
Column Type: numeric

Column Name: adj_amount2
Column Type: numeric

Column Name: adj_amount3
Column Type: numeric

Column Name: adj_amount4
Column Type: numeric

Column Name: adj_amount5
Column Type: numeric

Column Name: adj_amount6
Column Type: numeric

Column Name: adj_grp_code

Column Type: varchar
Max Length: 50

Column Name: adj_grp_val
Column Type: varchar
Max Length: 50

Column Name: adj_quantity1
Column Type: numeric

Column Name: adj_quantity2
Column Type: numeric

Column Name: adj_quantity3
Column Type: numeric

Column Name: adj_quantity4
Column Type: numeric

Column Name: adj_quantity5
Column Type: numeric

Column Name: adj_quantity6
Column Type: numeric

Column Name: adj_reason_code1
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code2
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code3
Column Type: varchar
Max Length: 50

Column Name: adj_reason_code4
Column Type: varchar

Max Length: 50

Column Name: adj_reason_code5

Column Type: varchar

Max Length: 50

Column Name: adj_reason_code6

Column Type: varchar

Max Length: 50

Column Name: data_entry_by

Column Type: varchar

Max Length: 40

Column Name: data_entry_by_option

Column Type: varchar

Max Length: 50

Column Name: data_entry_date

Column Type: date

Column Name: data_entry_time

Column Type: varchar

Max Length: 50

Column Name: data_entry_user_id

Column Type: varchar

Max Length: 40

Column Name: data_entry_user_name

Column Type: varchar

Max Length: 40

Column Name: data_entry_utc

Column Type: timestamp

Column Name: data_entry_timezone_info_all

Column Type: varchar

Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: pm_adjustment_code_ind
Column Type: varchar
Max Length: 50

Column Name: version
Column Type: varchar
Max Length: 50

Documentation for form:

Claim_Processing_with_Override_(CMS_1500)

Table Name: SYSTEM.mso_claim_cob

Table Description: This table returns detailed information on Claim-level Coordination of Benefits

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: JOIN_TO_HCFUBFUniqueid
Column Type: varchar
Max Length: 50

Column Name: adj_pay_date
Column Type: date

Column Name: clm_filing_indic_code
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Column Name: end_stage_ren_pay_amt
Column Type: numeric

Column Name: file_index
Column Type: varchar
Max Length: 50

Column Name: hcpcs_payable_amount
Column Type: numeric

Column Name: indiv_relationship_code
Column Type: varchar
Max Length: 50

Column Name: ins_grp_or_policy_num
Column Type: varchar
Max Length: 50

Column Name: insur_group_name
Column Type: varchar
Max Length: 50

Column Name: insur_type_code
Column Type: varchar
Max Length: 50

Column Name: line_number
Column Type: varchar
Max Length: 50

Column Name: non_cov_amt_qual_code
Column Type: varchar
Max Length: 50

Column Name: non_cov_mon_amt
Column Type: varchar
Max Length: 50

Column Name: non_pay_prof_comp_amt
Column Type: numeric

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_address_1

Column Type: varchar
Max Length: 50

Column Name: other_pay_address_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_city
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_adj_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id
Column Type: varchar
Max Length: 50

Column Name: other_pay_clm_con_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_ent_type_qual

Column Type: varchar
Max Length: 50

Column Name: other_pay_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_pay_identifier
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_first
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_last
Column Type: varchar
Max Length: 80

Column Name: other_pay_name_middle
Column Type: varchar
Max Length: 50

Column Name: other_pay_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth
Column Type: varchar
Max Length: 50

Column Name: other_pay_prior_auth_qual
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num
Column Type: varchar
Max Length: 50

Column Name: other_pay_ref_num_qual

Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_1
Column Type: varchar
Max Length: 50

Column Name: other_pay_sec_id_qual_2
Column Type: varchar
Max Length: 50

Column Name: other_pay_state
Column Type: varchar
Max Length: 50

Column Name: other_pay_zip_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id
Column Type: varchar
Max Length: 50

Column Name: other_sub_add_id_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_1
Column Type: varchar
Max Length: 50

Column Name: other_sub_address_2

Column Type: varchar
Max Length: 50

Column Name: other_sub_city
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_country_subdiv_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_id_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_ent_type_qual
Column Type: varchar
Max Length: 50

Column Name: other_sub_id_code_qual_code
Column Type: varchar
Max Length: 50

Column Name: other_sub_identifier
Column Type: varchar
Max Length: 80

Column Name: other_sub_name_first
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_last
Column Type: varchar
Max Length: 50

Column Name: other_sub_name_middle

Column Type: varchar
Max Length: 50

Column Name: other_sub_name_suffix
Column Type: varchar
Max Length: 50

Column Name: other_sub_state
Column Type: varchar
Max Length: 50

Column Name: other_sub_zip_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_pat_sig_src
Column Type: varchar
Max Length: 50

Column Name: oth_ins_release_info_code
Column Type: varchar
Max Length: 50

Column Name: oth_ins_yes_no_cond_resp
Column Type: varchar
Max Length: 50

Column Name: payer_paid_mon_amt
Column Type: varchar
Max Length: 50

Column Name: payer_paid_qual_code
Column Type: varchar
Max Length: 50

Column Name: pay_resp_seq_num_code
Column Type: varchar
Max Length: 50

Column Name: reimburse_rate

Column Type: numeric

Column Name: remark_code1

Column Type: varchar

Max Length: 50

Column Name: remark_code2

Column Type: varchar

Max Length: 50

Column Name: remark_code3

Column Type: varchar

Max Length: 50

Column Name: remark_code4

Column Type: varchar

Max Length: 50

Column Name: remark_code5

Column Type: varchar

Max Length: 50

Column Name: rem_pat_liab_mon_amt

Column Type: varchar

Max Length: 50

Column Name: rem_pat_liab_qual_code

Column Type: varchar

Max Length: 50

Column Name: version

Column Type: varchar

Max Length: 50

Documentation for form:

Claim_Processing_with_Override_(CMS_1500)

Table Name: SYSTEM.provider_monthly_max

Table Description: This table returns services that contribute towards a provider's monthly dollar max.

Column Name: ID
Column Type: integer

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The unique ID for the batch.

Column Name: CLAIMID
Column Type: integer
The claim number.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: PROVID
Column Type: varchar
Max Length: 50
'Provider'

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID for the service.

Column Name: auth_used
Column Type: varchar
Max Length: 50
The number of the authorization that this service falls under.

Column Name: dollars_used
Column Type: varchar
Max Length: 50

Column Name: max_month
Column Type: integer
The month that this service will be credited against.

Column Name: max_year
Column Type: integer
The year that this service will be credited against.

Column Name: pended
Column Type: varchar
Max Length: 50
A flag indicating whether the service was pended due to exhaustion of monthly max dollars.

Documentation for form: Provider_Fee_Definition

Table Name: SYSTEM.table_prov_fee_byprog

Table Description: This table returns the information stored in the 'Provider Fee Definition' form.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50
'Funding Source'

Column Name: GUID
Column Type: varchar
Max Length: 50
A unique ID used to identify a row of data

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID the provider fee definition applies to.

Column Name: PLANID
Column Type: varchar
Max Length: 50
'Plan'

Column Name: PROCEDURE_CODE
Column Type: varchar
Max Length: 50
'Procedure Code'

Column Name: PROVID
Column Type: varchar
Max Length: 50
'Provider'

Column Name: UTCTimestamp
Column Type: timestamp
The UTCTimestamp associated with update installation.

Column Name: age_max
Column Type: numeric
'Maximum Age'

Column Name: age_min
Column Type: numeric
'Minimum Age'

Column Name: allow_dupl_services_code
Column Type: varchar
Max Length: 50
'Allow Duplicate Services on the Same Day?'

Column Name: allow_dupl_services_value
Column Type: varchar
Max Length: 50
The description associated with allow_dupl_services_code. See allow_dupl_services_code for more information.

Column Name: amount
Column Type: numeric
'Amount'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: discipline_code
Column Type: varchar
Max Length: 50
'Performing Provider's License Type'

Column Name: discipline_value
Column Type: varchar
Max Length: 50
The description associated with discipline_code. See discipline_code for more information.

Column Name: duration_max
Column Type: numeric
'Maximum Duration'

Column Name: duration_min
Column Type: numeric
'Minimum Duration'

Column Name: effective_date
Column Type: date
'Effective Date'

Column Name: expiration_date
Column Type: date
'Expiration Date'

Column Name: fund_src_name
Column Type: varchar
Max Length: 50
The funding source name associated with FUNDSRCID.

Column Name: gl_expense_account
Column Type: varchar
Max Length: 50
'GL Expense Account'

Column Name: max_approved_units
Column Type: numeric
'Maximum Approved Units'

Column Name: member_name
Column Type: varchar
Max Length: 50
Member name

Column Name: override_fee_in_pm
Column Type: varchar
Max Length: 50
'Override Fee in PM'

Column Name: plan_name
Column Type: varchar
Max Length: 50
The plan name associated with PLANID.

Column Name: primary_level_of_care_code
Column Type: varchar
Max Length: 50
'Authorized Level of Care'

Column Name: primary_level_of_care_value
Column Type: varchar
Max Length: 50
The description associated with primary_level_of_care_code. See primary_level_of_care_code for more information.

Column Name: procedure_code_type_code
Column Type: varchar
Max Length: 50
'Enter/Edit CPT Or Revenue Code Fee Information'

Column Name: procedure_code_type_value
Column Type: varchar
Max Length: 50
The description associated with procedure_code_type_code. See procedure_code_type_code for more information.

Column Name: proc_group_code
Column Type: varchar
Max Length: 50
'Procedure Code Group'

Column Name: proc_group_value
Column Type: varchar
Max Length: 50
The description associated with proc_group_code. See proc_group_code for more information.

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50
'Contracting Provider Program'

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50
The contracting provider program name associated with provider_program.

Column Name: rcc
Column Type: integer
'Ratio of Cost to Charge (RCC)'

Column Name: rcc_percent
Column Type: integer
'Effective Ratio of Cost to Charge Percentage'

Column Name: rcc_percent_use_code
Column Type: varchar
Max Length: 50
'Effective Ratio of Cost to Charge Percentage to Use'

Column Name: rcc_percent_use_value
Column Type: varchar
Max Length: 50
The description associated with rcc_percent_use_code. See rcc_percent_use_code for more information.

Column Name: state_report1
Column Type: varchar
Max Length: 80
'State Reporting Field 1'

Column Name: state_report2
Column Type: varchar
Max Length: 80
'State Reporting Field 2'

Column Name: state_report3

Column Type: varchar
Max Length: 80
'State Reporting Field 3'

Column Name: status
Column Type: varchar
Max Length: 50
'Status'

Documentation for form: Provider_Fee_Definition

Table Name: SYSTEM.table_provider_fee_info

Table Description: This table returns the information stored in the 'Provider Fee Definition' form.

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: PLANID
Column Type: varchar
Max Length: 50

Column Name: PROCEDURE_CODE
Column Type: varchar
Max Length: 50

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: amount
Column Type: numeric

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 50

Column Name: discipline_code
Column Type: varchar
Max Length: 50

Column Name: discipline_value
Column Type: varchar
Max Length: 50

Column Name: effective_date
Column Type: date

Column Name: expiration_date
Column Type: date

Column Name: fund_src_name
Column Type: varchar

Max Length: 50

Column Name: gl_expense_account

Column Type: varchar

Max Length: 50

Column Name: member_name

Column Type: varchar

Max Length: 50

Column Name: plan_name

Column Type: varchar

Max Length: 50

Column Name: primary_level_of_care_code

Column Type: varchar

Max Length: 50

Column Name: primary_level_of_care_value

Column Type: varchar

Max Length: 50

Column Name: procedure_code_type_code

Column Type: varchar

Max Length: 50

Column Name: procedure_code_type_value

Column Type: varchar

Max Length: 50

Column Name: status

Column Type: varchar

Max Length: 50

Column Name: allow_dupl_services_code

Column Type: varchar

Max Length: 50

Column Name: allow_dupl_services_value

Column Type: varchar

Max Length: 50

Column Name: override_fee_in_pm

Column Type: varchar

Max Length: 50

Column Name: GUID

Column Type: varchar

Max Length: 50

Column Name: UTCTimestamp

Column Type: timestamp

Column Name: age_max

Column Type: numeric

Column Name: age_min

Column Type: numeric

Column Name: duration_max

Column Type: numeric

Column Name: duration_min

Column Type: numeric

Column Name: max_approved_units

Column Type: numeric

Column Name: rcc

Column Type: integer

Column Name: rcc_percent

Column Type: integer

Column Name: rcc_percent_use_code

Column Type: varchar

Max Length: 50

Column Name: rcc_percent_use_value
Column Type: varchar
Max Length: 50

Column Name: state_report1
Column Type: varchar
Max Length: 80

Column Name: state_report2
Column Type: varchar
Max Length: 80

Column Name: state_report3
Column Type: varchar
Max Length: 80

Column Name: proc_group_code
Column Type: varchar
Max Length: 50

Column Name: data_entry_utc
Column Type: timestamp

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255

Column Name: data_entry_time_j
Column Type: time

Column Name: data_entry_offset
Column Type: numeric

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8

Documentation for form: Retro_Claim_Adjudication

Table Name: SYSTEM.retro_claim_adjudications

Table Description: This table returns data stored from the 'Retro Claim Adjudication' form.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BATCHID
Column Type: varchar
Max Length: 50
'Batch Number'

Column Name: EOBID
Column Type: integer
The unique ID of the EOB associated with this adjudication.

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: GUID
Column Type: varchar
Max Length: 50
A unique identifier used internally to validate data.

Column Name: HCFuniqueid
Column Type: varchar
Max Length: 50
The unique ID of the HCFA 1500 claim associated with this adjudication.

Column Name: JOIN_to_payment_history
Column Type: varchar
Max Length: 50
A unique ID used to link the payment/adjustment tables.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PROVID
Column Type: varchar
Max Length: 50
The unique ID of the provider associated with the claim.

Column Name: SVC_count
Column Type: integer
The number of services in the claim service detail record.

Column Name: SVCuniqueid
Column Type: varchar
Max Length: 50
The unique ID of the claim service detail record associated with this adjudication.

Column Name: UTCTimestamp
Column Type: timestamp
The UTC time when the row was filed.

Column Name: adjustment_code
Column Type: varchar
Max Length: 50
The code for 'Adjustment Code'.

Column Name: adjustment_code_value
Column Type: varchar
Max Length: 50
The description of the associated adjustment_code_code. See adjustment_code_code for more information.

Column Name: batch_description
Column Type: varchar
Max Length: 4096
The 'Batch Name/Description' of the batch.

Column Name: comments
Column Type: varchar
Max Length: 32000
'Comments'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated the row of data.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row of data.

Column Name: data_entry_date
Column Type: date
The date the row of data was last updated.

Column Name: data_entry_offset
Column Type: numeric
the offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row of data was last updated.

Column Name: data_entry_time_j
Column Type: time
the time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
the time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
the short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID that last updated the row of data.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the service.

Column Name: data_entry_utc
Column Type: timestamp
the UTC date and time the data was saved.

Column Name: date_of_service
Column Type: date
'Date of Service'

Column Name: fee_change
Column Type: varchar
Max Length: 1
The code for whether or not the fee for this service has been updated.

Column Name: option_desc
Column Type: varchar
Max Length: 50
The name of the form that last updated the row of data.

Column Name: option_id
Column Type: varchar

Max Length: 50

The unique ID of the form that last updated the row of data.

Column Name: original_approved_units

Column Type: numeric

'Original Approved Units'

Column Name: original_disb_amount

Column Type: numeric

'Original Disbursement Amount'

Column Name: original_duration

Column Type: numeric

'Original Duration'

Column Name: original_mem_copay

Column Type: numeric

'Original Member Co-Pay'

Column Name: original_mem_deductible

Column Type: numeric

'Original Member Deductible'

Column Name: original_service_fee

Column Type: numeric

'Original Service Fee'

Column Name: original_third_party_pmt

Column Type: numeric

'Original Third Party Payment'

Column Name: pm_group_code

Column Type: varchar

Max Length: 50

The group code from the parent namespace.

Column Name: pm_reason_code

Column Type: varchar

Max Length: 50

The reason code from the parent namespace.

Column Name: pm_remark_code_1

Column Type: varchar

Max Length: 50

The remark code 1 from the parent namespace.

Column Name: pm_remark_code_2

Column Type: varchar

Max Length: 50

The remark code 2 from the parent namespace.

Column Name: pm_remark_code_3
Column Type: varchar
Max Length: 50
The remark code 3 from the parent namespace.

Column Name: pm_remark_code_4
Column Type: varchar
Max Length: 50
The remark code 4 from the parent namespace.

Column Name: pm_remark_code_5
Column Type: varchar
Max Length: 50
The remark code 5 from the parent namespace.

Column Name: procedure_code
Column Type: varchar
Max Length: 50
The code for the service or procedure.

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50
The code for whether the batch item in question is a revenue code or a CPT code.

Column Name: procedure_code_type_value
Column Type: varchar
Max Length: 50
The description associated with procedure_code_type_code. See procedure_code_type_code for more information.

Column Name: procedure_code_value
Column Type: varchar
Max Length: 50
The description of the associated procedure_code_code. See procedure_code_code for more information.

Column Name: processed
Column Type: varchar
Max Length: 1
Whether or not the claim adjudication has been updated.

Column Name: system_generated
Column Type: varchar
Max Length: 1
The code for whether or not this row of data is system-generated.

Column Name: take_back_amount
Column Type: numeric
'Take Back Amount'

Column Name: take_back_duration
Column Type: numeric
'Take Back Duration'

Column Name: take_back_units
Column Type: numeric
'Take Back Units'

Column Name: updated_approved_units
Column Type: numeric
'Updated Approved Units'

Column Name: updated_disb_amount
Column Type: numeric
'Updated Disbursement Amount'

Column Name: updated_duration
Column Type: numeric
'Updated Duration'

Column Name: updated_mem_copay
Column Type: numeric
'Updated Member Co-Pay'

Column Name: updated_mem_deductible
Column Type: numeric
'Updated Member Deductible'

Column Name: updated_service_fee
Column Type: numeric
'Updated Service Fee'

Column Name: updated_third_party_pmt
Column Type: numeric
'Updated Third Party Payment'

Column Name: withhold_payment_code
Column Type: varchar
Max Length: 50
The code for 'Withhold Payment'.

Column Name: withhold_payment_value
Column Type: varchar
Max Length: 50
The description of the associated withhold_payment_code. See withhold_payment_code for more information.

Documentation for form: Claim_Processing_Blackout

Table Name: SYSTEM.clm_proc_blackout

Table Description: This table returns claim processing blackout information.

Column Name: ID
Column Type: integer

Column Name: FACILITY
Column Type: integer
The system code in which the data was stored.

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50
Funding Source ID

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID associated with the data.

Column Name: PROVID
Column Type: varchar
Max Length: 50
Provider

Column Name: authorization_number
Column Type: varchar
Max Length: 50
The authorization number.

Column Name: blackout_dates_code
Column Type: varchar
Max Length: 32000
The blackout dates code

Column Name: blackout_dates_sh_value
Column Type: varchar
Max Length: 255
The blackout dates

Column Name: blackout_dates_value
Column Type: varchar
Max Length: 4096
The blackout dates

Column Name: blackout_end_date
Column Type: date
The blackout end dates

Column Name: blackout_reason_code
Column Type: varchar
Max Length: 50
The blackout reason code

Column Name: blackout_reason_value
Column Type: varchar
Max Length: 50
The blackout reason

Column Name: blackout_start_date
Column Type: date
The blackout start dates

Column Name: claim_status_code
Column Type: varchar
Max Length: 50
The claim status code

Column Name: claim_status_reason_code
Column Type: varchar
Max Length: 50
The claim status reason code

Column Name: claim_status_reason_value
Column Type: varchar
Max Length: 4096
The claim status reason

Column Name: claim_status_value
Column Type: varchar
Max Length: 50
The claim status

Column Name: comments
Column Type: varchar
Max Length: 32766
The comments

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar

Max Length: 50
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_offset
Column Type: numeric
The offset in hours from UTC on when the data was saved.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row was last updated.

Column Name: data_entry_time_j
Column Type: time
The time with fractional seconds when the data was saved.

Column Name: data_entry_timezone_info_all
Column Type: varchar
Max Length: 255
The time zone information for when the data was saved.

Column Name: data_entry_timezone_short
Column Type: varchar
Max Length: 8
The short abbreviation for the timezone

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 50
The user ID who last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row.

Column Name: data_entry_utc
Column Type: timestamp
The UTC date and time the data was saved.

Column Name: deleted
Column Type: bit
The deleted flag

Column Name: option_id
Column Type: varchar

Max Length: 20
The Option ID

Documentation for form: 835_Health_Care_Claim_Payment/Advice

Table Name: SYSTEM.billing_835o_claim

Table Description: This table returns claim information from an 835.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The batch ID.

Column Name: EOBID
Column Type: integer
The explanation of benefits ID.

Column Name: FACILITY
Column Type: integer
The system code the data was generated for.

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50
The funding source ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID.

Column Name: PROVID
Column Type: varchar
Max Length: 50
'Contracting Provider'

Column Name: batch_name_desc
Column Type: varchar
Max Length: 50
The batch name.

Column Name: claim_filing_ind_code
Column Type: varchar
Max Length: 2
'Claim Filing Indicator Code (2100-CLP-06)'

Column Name: claim_from_date
Column Type: date
'Claim From Date'

Column Name: claim_index
Column Type: varchar
Max Length: 50
The claim index.

Column Name: claim_number
Column Type: varchar
Max Length: 50
'MSO Claim Number (2300-CLP-07)'

Column Name: claim_pay_amt
Column Type: numeric
'Claim Payment Amount (2100-CLP-04)'

Column Name: claim_status_code
Column Type: varchar
Max Length: 2
'Claim Status Code (2100-CLP-02)'

Column Name: claim_thru_date
Column Type: date
'Claim Through Date'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: file_index
Column Type: varchar
Max Length: 50
The file index.

Column Name: file_info_str
Column Type: varchar
Max Length: 255
The file information string.

Column Name: file_status
Column Type: varchar
Max Length: 50
'File Status'

Column Name: fund_src_name
Column Type: varchar
Max Length: 50
'Funding Source Name'

Column Name: has_Errors
Column Type: varchar
Max Length: 50
The flag indicating if there are any errors with this file index.

Column Name: patient_control_number
Column Type: varchar
Max Length: 100
The patient control number.

Column Name: pat_responsibility_amt
Column Type: numeric
'Patient Responsibility Amount (2100-CLP-05)'

Column Name: provider_name
Column Type: varchar
Max Length: 50
The contracting provider name.

Column Name: tot_claim_chg_amt
Column Type: numeric
'Total Claim Charge Amount (2100-CLP-03)'

Column Name: version
Column Type: varchar
Max Length: 20
835 version.

Documentation for form: 835_Health_Care_Claim_Payment/Advice

Table Name: SYSTEM.billing_835o_claim_adj

Table Description: This table returns claim adjustment information from an 835.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The batch ID.

Column Name: EOBID
Column Type: integer
The explanation of benefits ID.

Column Name: FACILITY
Column Type: integer
The system code the data was generated for.

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50
The funding source ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID.

Column Name: PROVID
Column Type: varchar
Max Length: 50
'Contracting Provider'

Column Name: adj_index
Column Type: varchar
Max Length: 50
The adjustment index.

Column Name: claim_adj_amt
Column Type: numeric
The adjustment amount.

Column Name: claim_adj_group_code
Column Type: varchar
Max Length: 2
The claim adjustment group code.

Column Name: claim_adj_reason_code
Column Type: varchar
Max Length: 5
The claim adjustment reason code.

Column Name: claim_index
Column Type: varchar
Max Length: 50
The claim index.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name

Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: file_index
Column Type: varchar
Max Length: 50
The file index.

Column Name: file_info_str
Column Type: varchar
Max Length: 255
The file information string.

Column Name: patient_control_number
Column Type: varchar
Max Length: 100
The patient control number.

Column Name: version
Column Type: varchar
Max Length: 20
835 version.

Documentation for form: 835_Health_Care_Claim_Payment/Advice

Table Name: SYSTEM.billing_835o_file

Table Description: This table returns data from an 835 file.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: EOBID
Column Type: integer
The explanation of benefits ID.

Column Name: FACILITY
Column Type: integer
The system code the data was generated for.

Column Name: PROVID
Column Type: varchar
Max Length: 50
'Contracting Provider'

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: file_index
Column Type: varchar
Max Length: 50
The file index.

Column Name: file_info_str
Column Type: varchar
Max Length: 255
The file information string.

Column Name: file_status
Column Type: varchar
Max Length: 50
'File Status'

Column Name: provider_name
Column Type: varchar
Max Length: 50
The contracting provider name.

Column Name: segment

Column Type: varchar
Max Length: 255
The particular segment being accessed.

Column Name: segment_index
Column Type: varchar
Max Length: 50
The segment counter.

Column Name: version
Column Type: varchar
Max Length: 20
835 version.

Documentation for form: 835_Health_Care_Claim_Payment/Advice

Table Name: SYSTEM.billing_835o_service_adj

Table Description: This table returns 835 service adjustment data.

Column Name: ID
Column Type: varchar
Max Length: 254

Column Name: BATCHID
Column Type: varchar
Max Length: 50
The batch ID.

Column Name: EOBID
Column Type: integer
The explanation of benefits ID.

Column Name: FACILITY
Column Type: integer
The system code the data was generated for.

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50
The funding source ID.

Column Name: PATID
Column Type: varchar
Max Length: 20
The client ID.

Column Name: PROVID
Column Type: varchar
Max Length: 50
'Contracting Provider'

Column Name: adj_index
Column Type: varchar
Max Length: 50
The adjustment index.

Column Name: claim_index
Column Type: varchar
Max Length: 50
The claim index.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user who last updated the row.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 40
The user name that last updated the row.

Column Name: data_entry_date
Column Type: date
The date the row was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 10
The time the row was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The 'User ID' that last updated the row.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The 'User Description' of the 'User ID'.

Column Name: file_index
Column Type: varchar
Max Length: 50
The file index.

Column Name: file_info_str
Column Type: varchar
Max Length: 255
The file information string.

Column Name: patient_control_number
Column Type: varchar
Max Length: 100
A client's unique number provided by the provider to retrieve records.

Column Name: service_adj_amt
Column Type: numeric
The adjustment amount.

Column Name: service_adj_group_code
Column Type: varchar
Max Length: 2
The claim adjustment group code.

Column Name: service_adj_reason_code
Column Type: varchar
Max Length: 5
The claim adjustment reason code. Details why a claim was paid differently than it was billed.

Column Name: service_adj_remark_code
Column Type: varchar
Max Length: 1024
The claim adjustment remark code. Details supplemental information from a claim adjustment reason code.

Column Name: service_adj_remark_qua
Column Type: varchar
Max Length: 1024
The claim adjustment remark qualifier.

Column Name: service_index
Column Type: varchar
Max Length: 50
The service index.

Column Name: version
Column Type: varchar
Max Length: 20
835 version.

Documentation for form: Contracting_Provider_Service_Authorization

Table Name: SYSTEM.history_fund_auth

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: GUID
Column Type: varchar
Max Length: 50

Column Name: PLAN_ID
Column Type: varchar
Max Length: 50

Column Name: UTCTimeStamp
Column Type: timestamp

Column Name: auth_grouping_code
Column Type: varchar
Max Length: 50

Column Name: auth_grp_or_indiv_code
Column Type: varchar
Max Length: 50

Column Name: auth_grp_or_indiv_value
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_code
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_value
Column Type: varchar
Max Length: 50

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: begin_date_of_auth
Column Type: date

Column Name: claimed_units_1
Column Type: integer

Column Name: claimed_units_10
Column Type: integer

Column Name: claimed_units_11
Column Type: integer

Column Name: claimed_units_12
Column Type: integer

Column Name: claimed_units_13
Column Type: integer

Column Name: claimed_units_14
Column Type: integer

Column Name: claimed_units_15
Column Type: integer

Column Name: claimed_units_16

Column Type: integer

Column Name: claimed_units_17

Column Type: integer

Column Name: claimed_units_18

Column Type: integer

Column Name: claimed_units_19

Column Type: integer

Column Name: claimed_units_2

Column Type: integer

Column Name: claimed_units_20

Column Type: integer

Column Name: claimed_units_21

Column Type: integer

Column Name: claimed_units_22

Column Type: integer

Column Name: claimed_units_23

Column Type: integer

Column Name: claimed_units_24

Column Type: integer

Column Name: claimed_units_25

Column Type: integer

Column Name: claimed_units_26

Column Type: integer

Column Name: claimed_units_27

Column Type: integer

Column Name: claimed_units_28
Column Type: integer

Column Name: claimed_units_29
Column Type: integer

Column Name: claimed_units_3
Column Type: integer

Column Name: claimed_units_30
Column Type: integer

Column Name: claimed_units_31
Column Type: integer

Column Name: claimed_units_32
Column Type: integer

Column Name: claimed_units_33
Column Type: integer

Column Name: claimed_units_34
Column Type: integer

Column Name: claimed_units_35
Column Type: integer

Column Name: claimed_units_36
Column Type: integer

Column Name: claimed_units_37
Column Type: integer

Column Name: claimed_units_38
Column Type: integer

Column Name: claimed_units_39

Column Type: integer

Column Name: claimed_units_4

Column Type: integer

Column Name: claimed_units_40

Column Type: integer

Column Name: claimed_units_5

Column Type: integer

Column Name: claimed_units_6

Column Type: integer

Column Name: claimed_units_7

Column Type: integer

Column Name: claimed_units_8

Column Type: integer

Column Name: claimed_units_9

Column Type: integer

Column Name: code_authorized_1

Column Type: varchar

Max Length: 50

Column Name: code_authorized_10

Column Type: varchar

Max Length: 50

Column Name: code_authorized_11

Column Type: varchar

Max Length: 50

Column Name: code_authorized_12

Column Type: varchar

Max Length: 50

Column Name: code_authorized_13
Column Type: varchar
Max Length: 50

Column Name: code_authorized_14
Column Type: varchar
Max Length: 50

Column Name: code_authorized_15
Column Type: varchar
Max Length: 50

Column Name: code_authorized_16
Column Type: varchar
Max Length: 50

Column Name: code_authorized_17
Column Type: varchar
Max Length: 50

Column Name: code_authorized_18
Column Type: varchar
Max Length: 50

Column Name: code_authorized_19
Column Type: varchar
Max Length: 50

Column Name: code_authorized_2
Column Type: varchar
Max Length: 50

Column Name: code_authorized_20
Column Type: varchar
Max Length: 50

Column Name: code_authorized_21
Column Type: varchar
Max Length: 50

Column Name: code_authorized_22
Column Type: varchar
Max Length: 50

Column Name: code_authorized_23
Column Type: varchar
Max Length: 50

Column Name: code_authorized_24
Column Type: varchar
Max Length: 50

Column Name: code_authorized_25
Column Type: varchar
Max Length: 50

Column Name: code_authorized_26
Column Type: varchar
Max Length: 50

Column Name: code_authorized_27
Column Type: varchar
Max Length: 50

Column Name: code_authorized_28
Column Type: varchar
Max Length: 50

Column Name: code_authorized_29
Column Type: varchar
Max Length: 50

Column Name: code_authorized_3
Column Type: varchar
Max Length: 50

Column Name: code_authorized_30
Column Type: varchar
Max Length: 50

Column Name: code_authorized_31
Column Type: varchar
Max Length: 50

Column Name: code_authorized_32
Column Type: varchar
Max Length: 50

Column Name: code_authorized_33
Column Type: varchar
Max Length: 50

Column Name: code_authorized_34
Column Type: varchar
Max Length: 50

Column Name: code_authorized_35
Column Type: varchar
Max Length: 50

Column Name: code_authorized_36
Column Type: varchar
Max Length: 50

Column Name: code_authorized_37
Column Type: varchar
Max Length: 50

Column Name: code_authorized_38
Column Type: varchar
Max Length: 50

Column Name: code_authorized_39
Column Type: varchar
Max Length: 50

Column Name: code_authorized_4
Column Type: varchar
Max Length: 50

Column Name: code_authorized_40
Column Type: varchar
Max Length: 50

Column Name: code_authorized_5
Column Type: varchar
Max Length: 50

Column Name: code_authorized_6
Column Type: varchar
Max Length: 50

Column Name: code_authorized_7
Column Type: varchar
Max Length: 50

Column Name: code_authorized_8
Column Type: varchar
Max Length: 50

Column Name: code_authorized_9
Column Type: varchar
Max Length: 50

Column Name: comments_on_auth
Column Type: varchar
Max Length: 32766

Column Name: curr_auth_stat_reas_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_stat_reas_value
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_value
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: end_date_of_auth
Column Type: date

Column Name: funding_source_name
Column Type: varchar
Max Length: 50

Column Name: init_or_contin_auth_code
Column Type: varchar
Max Length: 50

Column Name: init_or_contin_auth_value

Column Type: varchar
Max Length: 50

Column Name: internal_comments
Column Type: varchar
Max Length: 32766

Column Name: letter_type_code
Column Type: varchar
Max Length: 50

Column Name: letter_type_value
Column Type: varchar
Max Length: 50

Column Name: next_review_date
Column Type: date

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: primary_diagnosis
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_10_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_10_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_11_code
Column Type: varchar

Max Length: 50

Column Name: proc_code_type_11_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_12_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_12_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_13_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_13_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_14_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_14_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_15_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_15_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_16_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_16_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_17_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_17_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_18_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_18_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_19_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_19_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_1_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_1_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_20_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_20_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_21_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_21_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_22_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_22_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_23_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_23_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_24_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_24_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_25_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_25_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_26_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_26_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_27_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_27_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_28_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_28_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_29_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_29_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_2_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_2_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_30_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_30_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_31_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_31_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_32_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_32_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_33_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_33_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_34_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_34_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_35_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_36_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_37_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_38_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_code
Column Type: varchar

Max Length: 50

Column Name: proc_code_type_39_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_3_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_3_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_40_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_40_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_4_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_4_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_5_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_5_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_6_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_6_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_7_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_7_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_8_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_8_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_9_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_9_value

Column Type: varchar

Max Length: 50

Column Name: secondary_diagnosis

Column Type: varchar

Max Length: 50

Column Name: type_of_auth_code

Column Type: varchar

Max Length: 50

Column Name: type_of_auth_value

Column Type: varchar

Max Length: 50

Column Name: units_authorized_1

Column Type: varchar

Max Length: 50

Column Name: units_authorized_10

Column Type: varchar

Max Length: 50

Column Name: units_authorized_11

Column Type: varchar

Max Length: 50

Column Name: units_authorized_12

Column Type: varchar

Max Length: 50

Column Name: units_authorized_13

Column Type: varchar

Max Length: 50

Column Name: units_authorized_14

Column Type: varchar

Max Length: 50

Column Name: units_authorized_15

Column Type: varchar

Max Length: 50

Column Name: units_authorized_16

Column Type: varchar

Max Length: 50

Column Name: units_authorized_17

Column Type: varchar

Max Length: 50

Column Name: units_authorized_18

Column Type: varchar

Max Length: 50

Column Name: units_authorized_19

Column Type: varchar

Max Length: 50

Column Name: units_authorized_2

Column Type: varchar

Max Length: 50

Column Name: units_authorized_20

Column Type: varchar

Max Length: 50

Column Name: units_authorized_21

Column Type: varchar

Max Length: 50

Column Name: units_authorized_22

Column Type: varchar

Max Length: 50

Column Name: units_authorized_23

Column Type: varchar

Max Length: 50

Column Name: units_authorized_24

Column Type: varchar

Max Length: 50

Column Name: units_authorized_25

Column Type: varchar

Max Length: 50

Column Name: units_authorized_26

Column Type: varchar

Max Length: 50

Column Name: units_authorized_27

Column Type: varchar

Max Length: 50

Column Name: units_authorized_28

Column Type: varchar

Max Length: 50

Column Name: units_authorized_29

Column Type: varchar

Max Length: 50

Column Name: units_authorized_3

Column Type: varchar

Max Length: 50

Column Name: units_authorized_30

Column Type: varchar

Max Length: 50

Column Name: units_authorized_31

Column Type: varchar

Max Length: 50

Column Name: units_authorized_32

Column Type: varchar

Max Length: 50

Column Name: units_authorized_33

Column Type: varchar

Max Length: 50

Column Name: units_authorized_34

Column Type: varchar

Max Length: 50

Column Name: units_authorized_35

Column Type: varchar

Max Length: 50

Column Name: units_authorized_36

Column Type: varchar

Max Length: 50

Column Name: units_authorized_37

Column Type: varchar

Max Length: 50

Column Name: units_authorized_38

Column Type: varchar

Max Length: 50

Column Name: units_authorized_39

Column Type: varchar

Max Length: 50

Column Name: units_authorized_4

Column Type: varchar

Max Length: 50

Column Name: units_authorized_40

Column Type: varchar

Max Length: 50

Column Name: units_authorized_5

Column Type: varchar

Max Length: 50

Column Name: units_authorized_6

Column Type: varchar

Max Length: 50

Column Name: units_authorized_7

Column Type: varchar

Max Length: 50

Column Name: units_authorized_8

Column Type: varchar

Max Length: 50

Column Name: units_authorized_9

Column Type: varchar

Max Length: 50

Documentation for form: Contracting_Provider_Service_Authorization

Table Name: SYSTEM.history_fund_auths_proc

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid

Column Type: varchar

Max Length: 50

Column Name: FACILITY

Column Type: integer

Column Name: FUNDID

Column Type: varchar

Max Length: 50

Column Name: claimed_units

Column Type: integer

Column Name: code_authorized

Column Type: varchar

Max Length: 50

Column Name: counter

Column Type: integer

Column Name: proc_code_type_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_value

Column Type: varchar

Max Length: 50

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Documentation for form: Contracting_Provider_Service_Authorization

Table Name: SYSTEM.history_member_auths_2

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: GUID
Column Type: varchar
Max Length: 50

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: PLAN_ID
Column Type: varchar
Max Length: 50

Column Name: UTCTimeStamp
Column Type: timestamp

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_value
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: auth_grouping_code
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_code
Column Type: varchar
Max Length: 50

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: begin_date_of_auth
Column Type: date

Column Name: begin_date_of_serv_1
Column Type: date

Column Name: begin_date_of_serv_10
Column Type: date

Column Name: begin_date_of_serv_11
Column Type: date

Column Name: begin_date_of_serv_12
Column Type: date

Column Name: begin_date_of_serv_13
Column Type: date

Column Name: begin_date_of_serv_14
Column Type: date

Column Name: begin_date_of_serv_15
Column Type: date

Column Name: begin_date_of_serv_16
Column Type: date

Column Name: begin_date_of_serv_17
Column Type: date

Column Name: begin_date_of_serv_18
Column Type: date

Column Name: begin_date_of_serv_19
Column Type: date

Column Name: begin_date_of_serv_2
Column Type: date

Column Name: begin_date_of_serv_20
Column Type: date

Column Name: begin_date_of_serv_21
Column Type: date

Column Name: begin_date_of_serv_22
Column Type: date

Column Name: begin_date_of_serv_23

Column Type: date

Column Name: begin_date_of_serv_24

Column Type: date

Column Name: begin_date_of_serv_25

Column Type: date

Column Name: begin_date_of_serv_26

Column Type: date

Column Name: begin_date_of_serv_27

Column Type: date

Column Name: begin_date_of_serv_28

Column Type: date

Column Name: begin_date_of_serv_29

Column Type: date

Column Name: begin_date_of_serv_3

Column Type: date

Column Name: begin_date_of_serv_30

Column Type: date

Column Name: begin_date_of_serv_31

Column Type: date

Column Name: begin_date_of_serv_32

Column Type: date

Column Name: begin_date_of_serv_33

Column Type: date

Column Name: begin_date_of_serv_34

Column Type: date

Column Name: begin_date_of_serv_35
Column Type: date

Column Name: begin_date_of_serv_36
Column Type: date

Column Name: begin_date_of_serv_37
Column Type: date

Column Name: begin_date_of_serv_38
Column Type: date

Column Name: begin_date_of_serv_39
Column Type: date

Column Name: begin_date_of_serv_4
Column Type: date

Column Name: begin_date_of_serv_40
Column Type: date

Column Name: begin_date_of_serv_5
Column Type: date

Column Name: begin_date_of_serv_6
Column Type: date

Column Name: begin_date_of_serv_7
Column Type: date

Column Name: begin_date_of_serv_8
Column Type: date

Column Name: begin_date_of_serv_9
Column Type: date

Column Name: clm_stat_inh_svc_cd

Column Type: varchar
Max Length: 50

Column Name: clm_stat_inh_svc_val
Column Type: varchar
Max Length: 50

Column Name: clm_stat_reas_inh_svc_cd
Column Type: varchar
Max Length: 50

Column Name: clm_stat_reas_inh_svc_val
Column Type: varchar
Max Length: 50

Column Name: cont_prov_auth
Column Type: varchar
Max Length: 40

Column Name: curr_auth_stat_reas_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_code
Column Type: varchar
Max Length: 50

Column Name: end_date_of_auth
Column Type: date

Column Name: end_date_of_serv_1
Column Type: date

Column Name: end_date_of_serv_10
Column Type: date

Column Name: end_date_of_serv_11
Column Type: date

Column Name: end_date_of_serv_12
Column Type: date

Column Name: end_date_of_serv_13
Column Type: date

Column Name: end_date_of_serv_14
Column Type: date

Column Name: end_date_of_serv_15
Column Type: date

Column Name: end_date_of_serv_16
Column Type: date

Column Name: end_date_of_serv_17
Column Type: date

Column Name: end_date_of_serv_18
Column Type: date

Column Name: end_date_of_serv_19
Column Type: date

Column Name: end_date_of_serv_2
Column Type: date

Column Name: end_date_of_serv_20
Column Type: date

Column Name: end_date_of_serv_21
Column Type: date

Column Name: end_date_of_serv_22
Column Type: date

Column Name: end_date_of_serv_23
Column Type: date

Column Name: end_date_of_serv_24
Column Type: date

Column Name: end_date_of_serv_25
Column Type: date

Column Name: end_date_of_serv_26
Column Type: date

Column Name: end_date_of_serv_27
Column Type: date

Column Name: end_date_of_serv_28
Column Type: date

Column Name: end_date_of_serv_29
Column Type: date

Column Name: end_date_of_serv_3
Column Type: date

Column Name: end_date_of_serv_30
Column Type: date

Column Name: end_date_of_serv_31
Column Type: date

Column Name: end_date_of_serv_32
Column Type: date

Column Name: end_date_of_serv_33
Column Type: date

Column Name: end_date_of_serv_34
Column Type: date

Column Name: end_date_of_serv_35
Column Type: date

Column Name: end_date_of_serv_36
Column Type: date

Column Name: end_date_of_serv_37
Column Type: date

Column Name: end_date_of_serv_38
Column Type: date

Column Name: end_date_of_serv_39
Column Type: date

Column Name: end_date_of_serv_4
Column Type: date

Column Name: end_date_of_serv_40
Column Type: date

Column Name: end_date_of_serv_5
Column Type: date

Column Name: end_date_of_serv_6
Column Type: date

Column Name: end_date_of_serv_7
Column Type: date

Column Name: end_date_of_serv_8
Column Type: date

Column Name: end_date_of_serv_9
Column Type: date

Column Name: inhibit_adj_code
Column Type: varchar

Max Length: 50

Column Name: inhibit_adj_value

Column Type: varchar

Max Length: 50

Column Name: level_of_care_code

Column Type: varchar

Max Length: 50

Column Name: next_review_date

Column Type: date

Column Name: performing_provider

Column Type: varchar

Max Length: 50

Column Name: primary_account_code

Column Type: varchar

Max Length: 50

Column Name: provider_connect_user

Column Type: varchar

Max Length: 150

Column Name: provider_to_be_auth

Column Type: varchar

Max Length: 50

Column Name: prov_pgm_link

Column Type: varchar

Max Length: 50

Column Name: prov_pgm_name

Column Type: varchar

Max Length: 50

Column Name: prov_submitting_request

Column Type: varchar

Max Length: 50

Column Name: status_code
Column Type: varchar
Max Length: 50

Column Name: status_value
Column Type: varchar
Max Length: 50

Column Name: total_estimated_liab
Column Type: numeric

Documentation for form: Contracting_Provider_Service_Authorization

Table Name: SYSTEM.history_member_auths_proc

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: claimed_units
Column Type: integer

Column Name: code_authorized
Column Type: varchar
Max Length: 50

Column Name: counter
Column Type: integer

Column Name: est_liab
Column Type: numeric

Column Name: proc_code_type_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_value
Column Type: varchar
Max Length: 50

Column Name: provider_to_be_auth
Column Type: varchar
Max Length: 50

Column Name: rem_liab
Column Type: numeric

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Column Name: units_requested
Column Type: varchar
Max Length: 50

Documentation for form: Contracting_Provider_Service_Authorization

Table Name: SYSTEM.history_prov_auths_proc

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTUniqueID
Column Type: varchar

Max Length: 50

Column Name: FACILITY

Column Type: integer

Column Name: PROVID

Column Type: varchar

Max Length: 20

Column Name: claimed_units

Column Type: integer

Column Name: code_authorized

Column Type: varchar

Max Length: 50

Column Name: counter

Column Type: integer

Column Name: est_liab

Column Type: numeric

Column Name: proc_code_type_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_value

Column Type: varchar

Max Length: 50

Column Name: rem_liab

Column Type: numeric

Column Name: units_authorized

Column Type: varchar

Max Length: 50

Documentation for form: Contracting_Provider_Service_Authorization

Table Name: SYSTEM.history_provider_auths

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: FUNDSRCID
Column Type: varchar
Max Length: 50

Column Name: GUID
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_contract_CORuniqueid
Column Type: varchar
Max Length: 50

Column Name: JOIN_TO_provider_REGuniqueid
Column Type: varchar
Max Length: 50

Column Name: PLAN_ID
Column Type: varchar
Max Length: 50

Column Name: PROVID
Column Type: varchar
Max Length: 50

Column Name: UTCTimeStamp
Column Type: timestamp

Column Name: account_code
Column Type: varchar
Max Length: 50

Column Name: account_value
Column Type: varchar
Max Length: 50

Column Name: account_level
Column Type: varchar
Max Length: 50

Column Name: account_level_name
Column Type: varchar
Max Length: 50

Column Name: auth_grouping_code
Column Type: varchar
Max Length: 50

Column Name: auth_grp_or_indiv_code
Column Type: varchar
Max Length: 50

Column Name: auth_grp_or_indiv_value
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_code
Column Type: varchar
Max Length: 50

Column Name: auth_level_care_value
Column Type: varchar
Max Length: 50

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: begin_date_of_auth
Column Type: date

Column Name: claimed_units_1
Column Type: integer

Column Name: claimed_units_10
Column Type: integer

Column Name: claimed_units_11
Column Type: integer

Column Name: claimed_units_12
Column Type: integer

Column Name: claimed_units_13
Column Type: integer

Column Name: claimed_units_14
Column Type: integer

Column Name: claimed_units_15
Column Type: integer

Column Name: claimed_units_16
Column Type: integer

Column Name: claimed_units_17
Column Type: integer

Column Name: claimed_units_18
Column Type: integer

Column Name: claimed_units_19
Column Type: integer

Column Name: claimed_units_2
Column Type: integer

Column Name: claimed_units_20
Column Type: integer

Column Name: claimed_units_21
Column Type: integer

Column Name: claimed_units_22
Column Type: integer

Column Name: claimed_units_23
Column Type: integer

Column Name: claimed_units_24
Column Type: integer

Column Name: claimed_units_25
Column Type: integer

Column Name: claimed_units_26
Column Type: integer

Column Name: claimed_units_27
Column Type: integer

Column Name: claimed_units_28
Column Type: integer

Column Name: claimed_units_29
Column Type: integer

Column Name: claimed_units_3
Column Type: integer

Column Name: claimed_units_30
Column Type: integer

Column Name: claimed_units_31
Column Type: integer

Column Name: claimed_units_32
Column Type: integer

Column Name: claimed_units_33
Column Type: integer

Column Name: claimed_units_34
Column Type: integer

Column Name: claimed_units_35
Column Type: integer

Column Name: claimed_units_36
Column Type: integer

Column Name: claimed_units_37
Column Type: integer

Column Name: claimed_units_38
Column Type: integer

Column Name: claimed_units_39
Column Type: integer

Column Name: claimed_units_4
Column Type: integer

Column Name: claimed_units_40
Column Type: integer

Column Name: claimed_units_5
Column Type: integer

Column Name: claimed_units_6
Column Type: integer

Column Name: claimed_units_7
Column Type: integer

Column Name: claimed_units_8
Column Type: integer

Column Name: claimed_units_9
Column Type: integer

Column Name: code_authorized_1
Column Type: varchar
Max Length: 50

Column Name: code_authorized_10
Column Type: varchar
Max Length: 50

Column Name: code_authorized_11
Column Type: varchar
Max Length: 50

Column Name: code_authorized_12
Column Type: varchar
Max Length: 50

Column Name: code_authorized_13
Column Type: varchar
Max Length: 50

Column Name: code_authorized_14
Column Type: varchar
Max Length: 50

Column Name: code_authorized_15
Column Type: varchar
Max Length: 50

Column Name: code_authorized_16
Column Type: varchar
Max Length: 50

Column Name: code_authorized_17
Column Type: varchar
Max Length: 50

Column Name: code_authorized_18
Column Type: varchar
Max Length: 50

Column Name: code_authorized_19
Column Type: varchar
Max Length: 50

Column Name: code_authorized_2
Column Type: varchar
Max Length: 50

Column Name: code_authorized_20
Column Type: varchar
Max Length: 50

Column Name: code_authorized_21
Column Type: varchar
Max Length: 50

Column Name: code_authorized_22
Column Type: varchar
Max Length: 50

Column Name: code_authorized_23
Column Type: varchar
Max Length: 50

Column Name: code_authorized_24
Column Type: varchar
Max Length: 50

Column Name: code_authorized_25
Column Type: varchar
Max Length: 50

Column Name: code_authorized_26
Column Type: varchar
Max Length: 50

Column Name: code_authorized_27
Column Type: varchar
Max Length: 50

Column Name: code_authorized_28
Column Type: varchar
Max Length: 50

Column Name: code_authorized_29
Column Type: varchar
Max Length: 50

Column Name: code_authorized_3
Column Type: varchar
Max Length: 50

Column Name: code_authorized_30
Column Type: varchar
Max Length: 50

Column Name: code_authorized_31
Column Type: varchar
Max Length: 50

Column Name: code_authorized_32
Column Type: varchar
Max Length: 50

Column Name: code_authorized_33
Column Type: varchar
Max Length: 50

Column Name: code_authorized_34
Column Type: varchar
Max Length: 50

Column Name: code_authorized_35
Column Type: varchar
Max Length: 50

Column Name: code_authorized_36
Column Type: varchar
Max Length: 50

Column Name: code_authorized_37
Column Type: varchar
Max Length: 50

Column Name: code_authorized_38
Column Type: varchar
Max Length: 50

Column Name: code_authorized_39
Column Type: varchar
Max Length: 50

Column Name: code_authorized_4
Column Type: varchar
Max Length: 50

Column Name: code_authorized_40
Column Type: varchar
Max Length: 50

Column Name: code_authorized_5
Column Type: varchar
Max Length: 50

Column Name: code_authorized_6
Column Type: varchar
Max Length: 50

Column Name: code_authorized_7
Column Type: varchar
Max Length: 50

Column Name: code_authorized_8
Column Type: varchar
Max Length: 50

Column Name: code_authorized_9
Column Type: varchar
Max Length: 50

Column Name: comments_on_auth
Column Type: varchar
Max Length: 32766

Column Name: curr_auth_stat_reas_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_stat_reas_value
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_code
Column Type: varchar
Max Length: 50

Column Name: curr_auth_status_value
Column Type: varchar
Max Length: 50

Column Name: data_entry_by
Column Type: varchar
Max Length: 40

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50

Column Name: data_entry_date
Column Type: date

Column Name: data_entry_time
Column Type: varchar
Max Length: 50

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40

Column Name: end_date_of_auth
Column Type: date

Column Name: est_liab_code_1
Column Type: numeric

Column Name: est_liab_code_10
Column Type: numeric

Column Name: est_liab_code_11
Column Type: numeric

Column Name: est_liab_code_12
Column Type: numeric

Column Name: est_liab_code_13
Column Type: numeric

Column Name: est_liab_code_14
Column Type: numeric

Column Name: est_liab_code_15
Column Type: numeric

Column Name: est_liab_code_16
Column Type: numeric

Column Name: est_liab_code_17
Column Type: numeric

Column Name: est_liab_code_18
Column Type: numeric

Column Name: est_liab_code_19
Column Type: numeric

Column Name: est_liab_code_2
Column Type: numeric

Column Name: est_liab_code_20
Column Type: numeric

Column Name: est_liab_code_21
Column Type: numeric

Column Name: est_liab_code_22
Column Type: numeric

Column Name: est_liab_code_23
Column Type: numeric

Column Name: est_liab_code_24
Column Type: numeric

Column Name: est_liab_code_25
Column Type: numeric

Column Name: est_liab_code_26
Column Type: numeric

Column Name: est_liab_code_27
Column Type: numeric

Column Name: est_liab_code_28
Column Type: numeric

Column Name: est_liab_code_29
Column Type: numeric

Column Name: est_liab_code_3
Column Type: numeric

Column Name: est_liab_code_30
Column Type: numeric

Column Name: est_liab_code_31
Column Type: numeric

Column Name: est_liab_code_32
Column Type: numeric

Column Name: est_liab_code_33
Column Type: numeric

Column Name: est_liab_code_34
Column Type: numeric

Column Name: est_liab_code_35
Column Type: numeric

Column Name: est_liab_code_36
Column Type: numeric

Column Name: est_liab_code_37
Column Type: numeric

Column Name: est_liab_code_38
Column Type: numeric

Column Name: est_liab_code_39
Column Type: numeric

Column Name: est_liab_code_4
Column Type: numeric

Column Name: est_liab_code_40
Column Type: numeric

Column Name: est_liab_code_5
Column Type: numeric

Column Name: est_liab_code_6
Column Type: numeric

Column Name: est_liab_code_7
Column Type: numeric

Column Name: est_liab_code_8
Column Type: numeric

Column Name: est_liab_code_9
Column Type: numeric

Column Name: init_or_contin_auth_code
Column Type: varchar
Max Length: 50

Column Name: init_or_contin_auth_value
Column Type: varchar
Max Length: 50

Column Name: internal_comments
Column Type: varchar
Max Length: 32766

Column Name: letter_type_code

Column Type: varchar
Max Length: 50

Column Name: letter_type_value
Column Type: varchar
Max Length: 50

Column Name: next_review_date
Column Type: date

Column Name: option_desc
Column Type: varchar
Max Length: 50

Column Name: option_id
Column Type: varchar
Max Length: 50

Column Name: performing_provider
Column Type: varchar
Max Length: 50

Column Name: performing_prv_type_code
Column Type: varchar
Max Length: 50

Column Name: performing_prv_type_value
Column Type: varchar
Max Length: 50

Column Name: perf_provider_name
Column Type: varchar
Max Length: 50

Column Name: primary_diagnosis
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_10_code
Column Type: varchar

Max Length: 50

Column Name: proc_code_type_10_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_11_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_11_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_12_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_12_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_13_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_13_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_14_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_14_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_15_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_15_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_16_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_16_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_17_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_17_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_18_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_18_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_19_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_19_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_1_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_1_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_20_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_20_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_21_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_21_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_22_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_22_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_23_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_23_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_24_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_24_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_25_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_25_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_26_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_26_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_27_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_27_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_28_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_28_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_29_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_29_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_2_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_2_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_30_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_30_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_31_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_31_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_32_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_32_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_33_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_33_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_34_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_34_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_35_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_35_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_36_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_36_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_37_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_37_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_38_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_38_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_39_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_3_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_40_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_code
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_4_value
Column Type: varchar
Max Length: 50

Column Name: proc_code_type_5_code
Column Type: varchar

Max Length: 50

Column Name: proc_code_type_5_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_6_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_6_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_7_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_7_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_8_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_8_value

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_9_code

Column Type: varchar

Max Length: 50

Column Name: proc_code_type_9_value

Column Type: varchar

Max Length: 50

Column Name: provider_name

Column Type: varchar

Max Length: 50

Column Name: prov_pgm_link

Column Type: varchar

Max Length: 50

Column Name: prov_pgm_name

Column Type: varchar

Max Length: 50

Column Name: rem_liab_1

Column Type: numeric

Column Name: rem_liab_10

Column Type: numeric

Column Name: rem_liab_11

Column Type: numeric

Column Name: rem_liab_12

Column Type: numeric

Column Name: rem_liab_13

Column Type: numeric

Column Name: rem_liab_14

Column Type: numeric

Column Name: rem_liab_15

Column Type: numeric

Column Name: rem_liab_16

Column Type: numeric

Column Name: rem_liab_17

Column Type: numeric

Column Name: rem_liab_18

Column Type: numeric

Column Name: rem_liab_19

Column Type: numeric

Column Name: rem_liab_2

Column Type: numeric

Column Name: rem_liab_20

Column Type: numeric

Column Name: rem_liab_21

Column Type: numeric

Column Name: rem_liab_22

Column Type: numeric

Column Name: rem_liab_23

Column Type: numeric

Column Name: rem_liab_24

Column Type: numeric

Column Name: rem_liab_25

Column Type: numeric

Column Name: rem_liab_26

Column Type: numeric

Column Name: rem_liab_27

Column Type: numeric

Column Name: rem_liab_28

Column Type: numeric

Column Name: rem_liab_29

Column Type: numeric

Column Name: rem_liab_3
Column Type: numeric

Column Name: rem_liab_30
Column Type: numeric

Column Name: rem_liab_31
Column Type: numeric

Column Name: rem_liab_32
Column Type: numeric

Column Name: rem_liab_33
Column Type: numeric

Column Name: rem_liab_34
Column Type: numeric

Column Name: rem_liab_35
Column Type: numeric

Column Name: rem_liab_36
Column Type: numeric

Column Name: rem_liab_37
Column Type: numeric

Column Name: rem_liab_38
Column Type: numeric

Column Name: rem_liab_39
Column Type: numeric

Column Name: rem_liab_4
Column Type: numeric

Column Name: rem_liab_40

Column Type: numeric

Column Name: rem_liab_5

Column Type: numeric

Column Name: rem_liab_6

Column Type: numeric

Column Name: rem_liab_7

Column Type: numeric

Column Name: rem_liab_8

Column Type: numeric

Column Name: rem_liab_9

Column Type: numeric

Column Name: rem_liab_total

Column Type: numeric

Column Name: secondary_diagnosis

Column Type: varchar

Max Length: 50

Column Name: status_code

Column Type: varchar

Max Length: 50

Column Name: status_value

Column Type: varchar

Max Length: 50

Column Name: total_estimated_liab

Column Type: numeric

Column Name: type_of_auth_code

Column Type: varchar

Max Length: 50

Column Name: type_of_auth_value
Column Type: varchar
Max Length: 50

Column Name: units_authorized_1
Column Type: varchar
Max Length: 50

Column Name: units_authorized_10
Column Type: varchar
Max Length: 50

Column Name: units_authorized_11
Column Type: varchar
Max Length: 50

Column Name: units_authorized_12
Column Type: varchar
Max Length: 50

Column Name: units_authorized_13
Column Type: varchar
Max Length: 50

Column Name: units_authorized_14
Column Type: varchar
Max Length: 50

Column Name: units_authorized_15
Column Type: varchar
Max Length: 50

Column Name: units_authorized_16
Column Type: varchar
Max Length: 50

Column Name: units_authorized_17
Column Type: varchar
Max Length: 50

Column Name: units_authorized_18
Column Type: varchar
Max Length: 50

Column Name: units_authorized_19
Column Type: varchar
Max Length: 50

Column Name: units_authorized_2
Column Type: varchar
Max Length: 50

Column Name: units_authorized_20
Column Type: varchar
Max Length: 50

Column Name: units_authorized_21
Column Type: varchar
Max Length: 50

Column Name: units_authorized_22
Column Type: varchar
Max Length: 50

Column Name: units_authorized_23
Column Type: varchar
Max Length: 50

Column Name: units_authorized_24
Column Type: varchar
Max Length: 50

Column Name: units_authorized_25
Column Type: varchar
Max Length: 50

Column Name: units_authorized_26
Column Type: varchar
Max Length: 50

Column Name: units_authorized_27
Column Type: varchar
Max Length: 50

Column Name: units_authorized_28
Column Type: varchar
Max Length: 50

Column Name: units_authorized_29
Column Type: varchar
Max Length: 50

Column Name: units_authorized_3
Column Type: varchar
Max Length: 50

Column Name: units_authorized_30
Column Type: varchar
Max Length: 50

Column Name: units_authorized_31
Column Type: varchar
Max Length: 50

Column Name: units_authorized_32
Column Type: varchar
Max Length: 50

Column Name: units_authorized_33
Column Type: varchar
Max Length: 50

Column Name: units_authorized_34
Column Type: varchar
Max Length: 50

Column Name: units_authorized_35
Column Type: varchar
Max Length: 50

Column Name: units_authorized_36
Column Type: varchar
Max Length: 50

Column Name: units_authorized_37
Column Type: varchar
Max Length: 50

Column Name: units_authorized_38
Column Type: varchar
Max Length: 50

Column Name: units_authorized_39
Column Type: varchar
Max Length: 50

Column Name: units_authorized_4
Column Type: varchar
Max Length: 50

Column Name: units_authorized_40
Column Type: varchar
Max Length: 50

Column Name: units_authorized_5
Column Type: varchar
Max Length: 50

Column Name: units_authorized_6
Column Type: varchar
Max Length: 50

Column Name: units_authorized_7
Column Type: varchar
Max Length: 50

Column Name: units_authorized_8
Column Type: varchar
Max Length: 50

Column Name: units_authorized_9
Column Type: varchar
Max Length: 50

Documentation for form: Contracting_Provider_Service_Authorization

Table Name: SYSTEM.mso_service_authorization

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: AUTUniqueID
Column Type: varchar
Max Length: 50

Column Name: FACILITY
Column Type: integer

Column Name: PATID
Column Type: varchar
Max Length: 20

Column Name: authorization_number
Column Type: varchar
Max Length: 50

Column Name: begin_date_of_service
Column Type: date

Column Name: end_date_of_service
Column Type: date

Column Name: estimated_liability_code
Column Type: varchar
Max Length: 30

Column Name: procedure_code

Column Type: varchar
Max Length: 50

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50

Column Name: procedure_code_type_value
Column Type: varchar
Max Length: 50

Column Name: procedure_value
Column Type: varchar
Max Length: 50

Column Name: requested_units
Column Type: varchar
Max Length: 50

Column Name: row_number
Column Type: integer

Column Name: units_authorized
Column Type: varchar
Max Length: 50

Documentation for form: Contracting_Provider_Service_Authorization

Table Name: SYSTEM.service_auth_detail

Table Description: This table returns service authorization information from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: ID
Column Type: integer

Column Name: AUTuniqueid
Column Type: varchar
Max Length: 50

The unique ID of the service authorization.

Column Name: FACILITY

Column Type: integer

The system code the service authorization is defined in.

Column Name: FUNDSRCID

Column Type: varchar

Max Length: 50

The ID number of the funding source this authorization applies to.

Column Name: GUID

Column Type: varchar

Max Length: 50

An ID number for the authorization that is likely to be unique, even on other system codes.

Column Name: JOIN_TO_contract_CORuniqueid

Column Type: varchar

Max Length: 50

The unique ID of the funding source's registration.

Column Name: JOIN_TO_member_CONuniqueid

Column Type: varchar

Max Length: 50

The unique ID of the client's enrollment in the funding source's plan.

Column Name: JOIN_TO_provider_REGuniqueid

Column Type: varchar

Max Length: 50

The unique ID of the contracting provider's registration history.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID associated with the service authorization.

Column Name: PLAN_ID

Column Type: varchar

Max Length: 50

The code for 'Benefit Plan'.

Column Name: PROVID

Column Type: varchar

Max Length: 50

The ID number of the contracting provider this authorization applies to.

Column Name: UTCTimeStamp

Column Type: timestamp

The date and time the authorization was made, in coordinated universal time.

Column Name: account_code

Column Type: varchar

Max Length: 50

The code for 'Account'.

Column Name: account_level

Column Type: varchar

Max Length: 50

The level of the budget tracking account.

Column Name: account_level_name

Column Type: varchar

Max Length: 50

The name of the budget tracking account level.

Column Name: account_status_code

Column Type: varchar

Max Length: 50

The code for 'Status'.

Column Name: account_status_value

Column Type: varchar

Max Length: 50

The description associated with account_status_code. See account_status_code for more information.

Column Name: account_value

Column Type: varchar

Max Length: 50

The description associated with account_code. See account_code for more information.

Column Name: auth_grouping_code

Column Type: varchar

Max Length: 50

The code for 'Authorization Grouping'.

Column Name: auth_grouping_value

Column Type: varchar

Max Length: 50

The description associated with auth_grouping_code. See auth_grouping_code for more information.

Column Name: auth_grp_or_indiv_code

Column Type: varchar

Max Length: 50

The code for 'Individual Authorizations Or Authorization Grouping'.

Column Name: auth_grp_or_indiv_value

Column Type: varchar

Max Length: 50

The description associated with auth_grp_or_indiv_code. See auth_grp_or_indiv_code for more information.

Column Name: auth_level_care_code
Column Type: varchar
Max Length: 50
The code for 'Authorized Level of Care'.

Column Name: auth_level_care_value
Column Type: varchar
Max Length: 50
The description associated with auth_level_care_code. See auth_level_care_code for more information.

Column Name: authorization_number
Column Type: varchar
Max Length: 50
'Authorization Number'

Column Name: auth_status_change_day
Column Type: varchar
Max Length: 50
The day the 'Current Authorization Status' changed from "Pending to Approved".

Column Name: auth_status_change_min
Column Type: varchar
Max Length: 50
The minute the 'Current Authorization Status' changed from "Pending to Approved".

Column Name: auth_status_change_sec
Column Type: varchar
Max Length: 50
The second the 'Current Authorization Status' changed from "Pending to Approved".

Column Name: auth_type_code
Column Type: varchar
Max Length: 50
The code for 'Authorization Type'.

Column Name: auth_type_value
Column Type: varchar
Max Length: 1024
The description associated with auth_type_code. See auth_type_code for more information.

Column Name: begin_date_of_auth
Column Type: date
'Begin Date of Authorization'

Column Name: clm_stat_inh_svc_cd
Column Type: varchar
Max Length: 50
The code for 'Claim Status for Inhibited Services'.

Column Name: clm_stat_inh_svc_val

Column Type: varchar

Max Length: 50

The description associated with clm_stat_inh_svc_code. See clm_stat_inh_svc_code for more information.

Column Name: clm_stat_reas_inh_svc_cd

Column Type: varchar

Max Length: 50

The code for 'Claim Status Reason for Inhibited Services'.

Column Name: clm_stat_reas_inh_svc_val

Column Type: varchar

Max Length: 50

The description associated with clm_stat_reas_inh_svc_code. See clm_stat_reas_inh_svc_code for more information.

Column Name: comments_on_auth

Column Type: varchar

Max Length: 32766

'Comments On Authorization'

Column Name: cont_prov_auth

Column Type: varchar

Max Length: 40

'Contracting Provider Authorization'

Column Name: cpauth_denied_amount

Column Type: numeric

The total estimated liability for denied member authorizations tied to contracting provider auth.

Column Name: curr_auth_stat_reas_code

Column Type: varchar

Max Length: 50

The code for 'Current Authorization Status Reason'.

Column Name: curr_auth_stat_reas_value

Column Type: varchar

Max Length: 50

The description associated with curr_auth_stat_reas_code. See curr_auth_stat_reas_code for more information.

Column Name: curr_auth_status_code

Column Type: varchar

Max Length: 50

The code for 'Current Authorization Status'.

Column Name: curr_auth_status_value

Column Type: varchar

Max Length: 50

The description associated with curr_auth_status_code. See curr_auth_status_code for more information.

Column Name: data_entry_by
Column Type: varchar
Max Length: 40
The user name that last updated the row of data.

Column Name: data_entry_by_option
Column Type: varchar
Max Length: 50
The user name that last updated the row of data.

Column Name: data_entry_date
Column Type: date
The date the row of data was last updated.

Column Name: data_entry_time
Column Type: varchar
Max Length: 50
The time the row of data was last updated.

Column Name: data_entry_user_id
Column Type: varchar
Max Length: 40
The user ID who last updated the row of data.

Column Name: data_entry_user_name
Column Type: varchar
Max Length: 40
The user name who last updated the row of data.

Column Name: end_date_of_auth
Column Type: date
'End Date of Authorization'

Column Name: financial_eligibility
Column Type: varchar
Max Length: 32766
Information on the client's financial eligibility.

Column Name: funding_source_name
Column Type: varchar
Max Length: 50
The name of the funding source.

Column Name: inhibit_adj_code
Column Type: varchar
Max Length: 50
The code for 'Inhibit Adjudication For Services Claimed During Authorization Period'.

Column Name: inhibit_adj_value

Column Type: varchar

Max Length: 50

The description associated with inhibit_adj_code. See inhibit_adj_code for more information.

Column Name: inhibit_cpt_svc_code_code

Column Type: varchar

Max Length: 1024

The code for 'Exclude CPT Service Code'.

Column Name: inhibit_cpt_svc_code_val

Column Type: varchar

Max Length: 1024

The description associated with inhibit_cpt_svc_code_code. See inhibit_cpt_svc_code_code for more information.

Column Name: inhibit_procedure_group_cd

Column Type: varchar

Max Length: 1024

The code for 'Exclude Procedure Code Group Definition'.

Column Name: inhibit_procedure_group_val

Column Type: varchar

Max Length: 1024

The description associated with inhibit_procedure_group_code. See inhibit_procedure_group_code for more information.

Column Name: inhibit_revenue_code_code

Column Type: varchar

Max Length: 1024

The code for 'Exclude Revenue Code'.

Column Name: inhibit_revenue_code_val

Column Type: varchar

Max Length: 1024

The description associated with inhibit_revenue_code_code. See inhibit_revenue_code_code for more information.

Column Name: init_or_contin_auth_code

Column Type: varchar

Max Length: 50

The code for 'Initial Or Continuing Authorization'.

Column Name: init_or_contin_auth_value

Column Type: varchar

Max Length: 50

The description associated with init_or_contin_auth_code. See init_or_contin_auth_code for more information.

Column Name: internal_comments

Column Type: varchar

Max Length: 32766
'Internal Comments'

Column Name: jointoprimdiagnosis
Column Type: varchar
Max Length: 40
The unique ID of the primary diagnosis.

Column Name: jointosecdiagnosis
Column Type: varchar
Max Length: 40
The unique ID of the secondary diagnosis.

Column Name: letter_type_code
Column Type: varchar
Max Length: 50
The code for 'Letter Type'.

Column Name: letter_type_value
Column Type: varchar
Max Length: 50
The description associated with letter_type_code. See letter_type_code for more information.

Column Name: level_of_care_code
Column Type: varchar
Max Length: 50
The code for 'Primary Level of Care'.

Column Name: level_of_care_value
Column Type: varchar
Max Length: 50
The description associated with level_of_care_code. See level_of_care_code for more information.

Column Name: next_review_date
Column Type: date
'Next Review Date'

Column Name: option_desc
Column Type: varchar
Max Length: 50
The name of the form that last updated the row of data.

Column Name: option_id
Column Type: varchar
Max Length: 50
The unique ID of the form that last updated the row of data.

Column Name: original_data_entry_person
Column Type: varchar
Max Length: 50

The user name that originally entered this row of data.

Column Name: original_date_entry

Column Type: date

The date this row of data was originally updated.

Column Name: original_time_entry

Column Type: varchar

Max Length: 50

The time this row of data was originally updated.

Column Name: performing_provider

Column Type: varchar

Max Length: 50

The code for 'Performing Provider'.

Column Name: performing_prov_type

Column Type: varchar

Max Length: 50

The code for 'Provider Type'.

Column Name: performing_prv_type_value

Column Type: varchar

Max Length: 50

The description associated with performing_prv_type_code. See performing_prv_type_code for more information.

Column Name: perf_provider_name

Column Type: varchar

Max Length: 50

The description of the associated performing_provider. See performing_provider for more information.

Column Name: planned_admit_date

Column Type: date

'Planned Admit Date'

Column Name: prevent_push_code

Column Type: varchar

Max Length: 50

The code for 'Prevent Approved Services From Pushing To Parent System'.

Column Name: prevent_push_value

Column Type: varchar

Max Length: 50

The description associated with prevent_push_code. See prevent_push_code for more information.

Column Name: primary_account_code

Column Type: varchar

Max Length: 50

'Primary Account'

Column Name: primary_account_value

Column Type: varchar

Max Length: 50

The description associated with primary_account_code. See primary_account_code for more information.

Column Name: primary_diagnosis

Column Type: varchar

Max Length: 50

'Primary Diagnosis Authorized'

Column Name: prim_dsm4_diag_code

Column Type: varchar

Max Length: 40

The DSM-IV code for the primary diagnosis.

Column Name: prim_dsm4_diag_value

Column Type: varchar

Max Length: 40

The description associated with prim_dsm4_diag_code. See prim_dsm4_diag_code for more information.

Column Name: prim_icd10_diag_code

Column Type: varchar

Max Length: 40

The ICD-10 code for the primary diagnosis.

Column Name: prim_icd10_diag_value

Column Type: varchar

Max Length: 40

The description associated with prim_icd10_diag_code. See prim_icd10_diag_code for more information.

Column Name: prim_icd9_diag_code

Column Type: varchar

Max Length: 40

The ICD-9 code for the primary diagnosis.

Column Name: prim_icd9_diag_value

Column Type: varchar

Max Length: 40

The description associated with prim_icd9_diag_code. See prim_icd9_diag_code for more information.

Column Name: provider_connect_user

Column Type: varchar

Max Length: 150

The provider connect user ID associated with this request.

Column Name: provider_name

Column Type: varchar

Max Length: 50

The description of the associated PROVID, See PROVID for more information.

Column Name: provider_to_be_auth
Column Type: varchar
Max Length: 50
'Provider to be Authorized'

Column Name: prov_pgm_link
Column Type: varchar
Max Length: 50
The unique ID of the provider's program.

Column Name: prov_pgm_name
Column Type: varchar
Max Length: 50
The name of the provider's program.

Column Name: prov_submitting_request
Column Type: varchar
Max Length: 50
The ID of the contracting provider that submitted this service authorization request.

Column Name: rem_liab_total
Column Type: numeric
'Remaining Total Liability'

Column Name: sec_dsm4_diag_code
Column Type: varchar
Max Length: 40
The DSM-IV code for the secondary diagnosis.

Column Name: sec_dsm4_diag_value
Column Type: varchar
Max Length: 40
The description associated with sec_dsm4_diag_code. See sec_dsm4_diag_code for more information.

Column Name: sec_icd10_diag_code
Column Type: varchar
Max Length: 40
The ICD-10 code for the secondary diagnosis.

Column Name: sec_icd10_diag_value
Column Type: varchar
Max Length: 40
The description associated with sec_icd10_diag_code. See sec_icd10_diag_code for more information.

Column Name: sec_icd9_diag_code
Column Type: varchar
Max Length: 40
The ICD-9 code for the secondary diagnosis.

Column Name: sec_icd9_diag_value

Column Type: varchar

Max Length: 40

The description associated with sec_icd9_diag_code. See sec_icd9_diag_code for more information.

Column Name: secondary_diagnosis

Column Type: varchar

Max Length: 50

'Secondary Diagnosis Authorized'

Column Name: status_code

Column Type: varchar

Max Length: 50

The code for 'Status'.

Column Name: status_value

Column Type: varchar

Max Length: 50

The description associated with status_code. See status_code for more information.

Column Name: total_estimated_liab

Column Type: numeric

'Total Estimated Liability'

Column Name: type_of_auth_code

Column Type: varchar

Max Length: 50

The code for 'Type Of Authorization'.

Column Name: type_of_auth_value

Column Type: varchar

Max Length: 50

The description associated with type_of_auth_code. See type_of_auth_code for more information.

Column Name: unique_case_idenfier

Column Type: varchar

Max Length: 50

'Associated Case'

Documentation for form: Contracting_Provider_Service_Authorization

Table Name: SYSTEM.service_auth_ss_provider

Table Description: The table returns site specific data associated with service authorization of a contracting provider.

Column Name: ID

Column Type: integer

Column Name: FACILITY

Column Type: integer

System Code the data is stored in

Column Name: PROVID

Column Type: varchar

Max Length: 20

MSO Contracting Provider ID

Column Name: AUTuniqueid

Column Type: varchar

Max Length: 50

Unique service authorization ID for MSO contracting provider

Column Name: ss_date_1

Column Type: date

Site Specific Date 1

Column Name: ss_date_10

Column Type: date

Site Specific Date 10

Column Name: ss_date_2

Column Type: date

Site Specific Date 2

Column Name: ss_date_3

Column Type: date

Site Specific Date 3

Column Name: ss_date_4

Column Type: date

Site Specific Date 4

Column Name: ss_date_5

Column Type: date

Site Specific Date 5

Column Name: ss_date_6

Column Type: date

Site Specific Date 6

Column Name: ss_date_7

Column Type: date

Site Specific Date 7

Column Name: ss_date_8

Column Type: date
Site Specific Date 8

Column Name: ss_date_9
Column Type: date
Site Specific Date 9

Column Name: ss_free_text_1
Column Type: varchar
Max Length: 50
Site Specific Free Text 1

Column Name: ss_free_text_10
Column Type: varchar
Max Length: 50
Site Specific Free Text 10

Column Name: ss_free_text_2
Column Type: varchar
Max Length: 50
Site Specific Free Text 2

Column Name: ss_free_text_3
Column Type: varchar
Max Length: 50
Site Specific Free Text 3

Column Name: ss_free_text_4
Column Type: varchar
Max Length: 50
Site Specific Free Text 4

Column Name: ss_free_text_5
Column Type: varchar
Max Length: 50
Site Specific Free Text 5

Column Name: ss_free_text_6
Column Type: varchar
Max Length: 50
Site Specific Free Text 6

Column Name: ss_free_text_7
Column Type: varchar
Max Length: 50
Site Specific Free Text 7

Column Name: ss_free_text_8
Column Type: varchar
Max Length: 50

Site Specific Free Text 8

Column Name: ss_free_text_9

Column Type: varchar

Max Length: 50

Site Specific Free Text 9

Column Name: ss_multi_dict_10_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 10 codes. MSO Dictionary 10812.11 in provider file.

Column Name: ss_multi_dict_10_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_10_codes. See ss_multi_dict_10_codes for more information.

Column Name: ss_multi_dict_1_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 1 codes. MSO Dictionary 10812.01 in provider file.

Column Name: ss_multi_dict_1_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_1_codes. See ss_multi_dict_1_codes for more information.

Column Name: ss_multi_dict_2_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 2 codes. MSO Dictionary 10812.02 in provider file.

Column Name: ss_multi_dict_2_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_2_codes. See ss_multi_dict_2_codes for more information.

Column Name: ss_multi_dict_3_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 3 codes. MSO Dictionary 10812.03 in provider file.

Column Name: ss_multi_dict_3_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_3_codes. See ss_multi_dict_3_codes for more information.

Column Name: ss_multi_dict_4_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 4 codes. MSO Dictionary 10812.04 in provider file.

Column Name: ss_multi_dict_4_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_4_codes. See ss_multi_dict_4_codes for more information.

Column Name: ss_multi_dict_5_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 5 codes. MSO Dictionary 10812.05 in provider file.

Column Name: ss_multi_dict_5_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_5_codes. See ss_multi_dict_5_codes for more information.

Column Name: ss_multi_dict_6_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 6 codes. MSO Dictionary 10812.06 in provider file.

Column Name: ss_multi_dict_6_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_6_codes. See ss_multi_dict_6_codes for more information.

Column Name: ss_multi_dict_7_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 7 codes. MSO Dictionary 10812.07 in provider file.

Column Name: ss_multi_dict_7_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_7_codes. See ss_multi_dict_7_codes for more information.

Column Name: ss_multi_dict_8_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 8 codes. MSO Dictionary 10812.08 in provider file.

Column Name: ss_multi_dict_8_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_8_codes. See ss_multi_dict_8_codes for more information.

Column Name: ss_multi_dict_9_codes

Column Type: varchar

Max Length: 50

'&' delimited list of Site Specific Multi Select Dictionary 9 codes. MSO Dictionary 10812.09 in provider file.

Column Name: ss_multi_dict_9_values

Column Type: varchar

Max Length: 200

The description associated with ss_multi_dict_9_codes. See ss_multi_dict_9_codes for more information.

Column Name: ss_scrolling_free_text_1

Column Type: varchar

Max Length: 32700

Site Specific Scrolling Free Text 1

Column Name: ss_scrolling_free_text_10

Column Type: varchar

Max Length: 32700

Site Specific Scrolling Free Text 10

Column Name: ss_scrolling_free_text_2

Column Type: varchar

Max Length: 32700

Site Specific Scrolling Free Text 2

Column Name: ss_scrolling_free_text_3

Column Type: varchar

Max Length: 32700

Site Specific Scrolling Free Text 3

Column Name: ss_scrolling_free_text_4

Column Type: varchar

Max Length: 32700

Site Specific Scrolling Free Text 4

Column Name: ss_scrolling_free_text_5

Column Type: varchar

Max Length: 32700

Site Specific Scrolling Free Text 5

Column Name: ss_scrolling_free_text_6

Column Type: varchar

Max Length: 32700

Site Specific Scrolling Free Text 6

Column Name: ss_scrolling_free_text_7

Column Type: varchar

Max Length: 32700

Site Specific Scrolling Free Text 7

Column Name: ss_scrolling_free_text_8

Column Type: varchar

Max Length: 32700

Site Specific Scrolling Free Text 8

Column Name: ss_scrolling_free_text_9

Column Type: varchar

Max Length: 32700

Site Specific Scrolling Free Text 9

Column Name: ss_single_dict_10_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 10 Code. MSO Dictionary 10811.11 in provider file.

Column Name: ss_single_dict_10_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_10_code. See ss_single_dict_10_code for more information.

Column Name: ss_single_dict_1_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 1 Code. MSO Dictionary 10811.01 in provider file.

Column Name: ss_single_dict_1_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_1_code. See ss_single_dict_1_code for more information.

Column Name: ss_single_dict_2_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 2 Code. MSO Dictionary 10811.02 in provider file.

Column Name: ss_single_dict_2_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_2_code. See ss_single_dict_2_code for more information.

Column Name: ss_single_dict_3_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 3 Code. MSO Dictionary 10811.03 in provider file.

Column Name: ss_single_dict_3_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_3_code. See ss_single_dict_3_code for more information.

Column Name: ss_single_dict_4_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 4 Code. MSO Dictionary 10811.04 in provider file.

Column Name: ss_single_dict_4_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_4_code. See ss_single_dict_4_code for more information.

Column Name: ss_single_dict_5_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 5 Code. MSO Dictionary 10811.05 in provider file.

Column Name: ss_single_dict_5_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_5_code. See ss_single_dict_5_code for more information.

Column Name: ss_single_dict_6_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 6 Code. MSO Dictionary 10811.06 in provider file.

Column Name: ss_single_dict_6_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_6_code. See ss_single_dict_6_code for more information.

Column Name: ss_single_dict_7_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 7 Code. MSO Dictionary 10811.07 in provider file.

Column Name: ss_single_dict_7_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_7_code. See ss_single_dict_7_code for more information.

Column Name: ss_single_dict_8_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 8 Code. MSO Dictionary 10811.08 in provider file.

Column Name: ss_single_dict_8_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_8_code. See ss_single_dict_8_code for more information.

Column Name: ss_single_dict_9_code

Column Type: varchar

Max Length: 50

Site Specific Single Select Dictionary 9 Code. MSO Dictionary 10811.09 in provider file.

Column Name: ss_single_dict_9_value

Column Type: varchar

Max Length: 50

The description associated with ss_single_dict_9_code. See ss_single_dict_9_code for more information.

Column Name: ss_time_1

Column Type: varchar

Max Length: 50

Site Specific Time 1

Column Name: ss_time_10

Column Type: varchar

Max Length: 50

Site Specific Time 10

Column Name: ss_time_2

Column Type: varchar

Max Length: 50

Site Specific Time 2

Column Name: ss_time_3

Column Type: varchar

Max Length: 50

Site Specific Time 3

Column Name: ss_time_4

Column Type: varchar

Max Length: 50

Site Specific Time 4

Column Name: ss_time_5

Column Type: varchar

Max Length: 50

Site Specific Time 5

Column Name: ss_time_6

Column Type: varchar

Max Length: 50

Site Specific Time 6

Column Name: ss_time_7

Column Type: varchar

Max Length: 50

Site Specific Time 7

Column Name: ss_time_8

Column Type: varchar

Max Length: 50

Site Specific Time 8

Column Name: ss_time_9

Column Type: varchar

Max Length: 50

Site Specific Time 9

Documentation for form: Contracting_Provider_Service_Authorization

Table Name: SYSTEM.service_auth_svc

Table Description: This table returns the allowance of services for an authorization from 'Contracting Provider Service Authorization', 'Funding Source Service Authorization', 'Service Authorization', and 'Service Authorization (Unlimited Codes)' forms.

Column Name: ID

Column Type: integer

Column Name: AUTUniqueID

Column Type: varchar

Max Length: 50

The unique ID of the service authorization.

Column Name: FACILITY

Column Type: integer

The system code the service authorization is defined in.

Column Name: PATID

Column Type: varchar

Max Length: 20

The client ID the service authorization applies to.

Column Name: PROVID

Column Type: varchar

Max Length: 20

The ID of the authorized service provider.

Column Name: authorization_number

Column Type: varchar

Max Length: 50

'Authorization Number'

Column Name: begin_date_of_service

Column Type: date

'Begin Date of Service'

Column Name: claimed_units
Column Type: integer
The number of units of service already claimed under this authorization.

Column Name: end_date_of_service
Column Type: date
'End Date of Service'

Column Name: estimated_liability_code
Column Type: numeric
'Estimated Liability Code'

Column Name: frequency_limit
Column Type: numeric
'Frequency Limit'.

Column Name: frequency_periods
Column Type: numeric
'Frequency Periods'.

Column Name: frequency_type_code
Column Type: varchar
Max Length: 50
The code for 'Frequency Type'.

Column Name: frequency_type_value
Column Type: varchar
Max Length: 50
The description associated with frequency_type_code See frequency_type_code for more information.

Column Name: procedure_code
Column Type: varchar
Max Length: 50
The code for 'Code Authorized'.

Column Name: procedure_code_type
Column Type: varchar
Max Length: 50
The code for 'Procedure Code Type'.

Column Name: procedure_code_type_value
Column Type: varchar
Max Length: 50
The description associated with procedure_code_type_code. See procedure_code_type_code for more information.

Column Name: procedure_value
Column Type: varchar
Max Length: 50
The description associated with procedure_code. See procedure_code for more information.

Column Name: remain_liability

Column Type: numeric

The amount of liability the funding source has for this service.

Column Name: requested_units

Column Type: varchar

Max Length: 50

'Requested Units'

Column Name: row_number

Column Type: integer

The number of the authorized service within this authorization.

Column Name: units_authorized

Column Type: varchar

Max Length: 50

'Units Authorized'