

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1	Patient	chart_segmentation_event	chart_segmentation_event_id	chart_segmentation_event table id	string	False	20	
2	Patient	chart_segmentation_event	patient_id	patient table id. Indicates the id of the patient associated with the chart.	string	False	20	
3	Patient	chart_segmentation_event	staff_id	Staff table id.	string	False	20	
4	Patient	chart_segmentation_event	patient_last_name	Patient last name.	string	True	100	
5	Patient	chart_segmentation_event	patient_first_name	Patient first name.	string	True	100	
6	Patient	chart_segmentation_event	patient_mrn	patient table id.	string	True	20	
7	Patient	chart_segmentation_event	staff_last_name	Staff last name.	string	True	100	
8	Patient	chart_segmentation_event	staff_first_name	Staff first name.	string	True	100	
9	Patient	chart_segmentation_event	event_type	Event Type	string	True	150	
10	Patient	chart_segmentation_event	event_reason	Reason for event.	string	True	255	
11	Patient	chart_segmentation_event	event_status	Sub status of the chart note	string	True	50	
12	Patient	chart_segmentation_event	event_start_date	Timestamp event started.	timestamp	True		
13	Patient	chart_segmentation_event	event_end_date	Timestamp event ended.	timestamp	True		
14	Patient	chart_segmentation_event	firm_global_id	ModMed internal firm global identifier	string	False	10	
15	Patient	card_on_file	card_on_file_id	card_on_file table id	string	False	20	
16	Patient	card_on_file	patient_id	patient table id	string	False	20	
17	Patient	card_on_file	created_by_staff_id	staff table id	string	True	20	
18	Patient	card_on_file	modified_by_staff_id	staff table id	string	True	20	
19	Patient	card_on_file	brand	Brand (payment processor network) of the credit card on file (ie Visa, Mastercard)	string	True	10	AMEX CUP DINERS DISCOVER JCB MAESTRO MC VISA
20	Patient	card_on_file	status	Whether or not the card on file is active.	boolean	True		ACTIVE: True INACTIVE: False
21	Patient	card_on_file	expiration_date	The expiration date of the card on file, in the format 'YYYY/MM'	string	True	7	
22	Patient	card_on_file	date_created	Date created (system generated).	timestamp	True		
23	Patient	card_on_file	date_modified	Date modified (system generated).	timestamp	True		
24	Patient	card_on_file	firm_global_id	ModMed internal firm global identifier	string	True	10	
25	PM Financials	bill	bill_id	bill table id	string	False	20	
26	PM Financials	bill	patient_id	patient table id	string	True	20	
27	PM Financials	bill	business_unit_id	business_unit table id	string	True	20	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
28	PM Financials	bill	financial_category_id	financial_category table id	string	True	20	Financial Category
29	PM Financials	bill	firm_id	firm table id	string	False	20	
30	PM Financials	bill	visit_id	visit table id	string	True	20	Visit linked to bill. Field will be empty if a visit was not linked to the bill.
31	PM Financials	bill	billing_facility_id	facility table id	string	True	20	
32	PM Financials	bill	service_facility_id	facility table id	string	True	20	Service location.
33	PM Financials	bill	practice_location_id	facility table id	string	True	20	Practice Location (POS 11)
34	PM Financials	bill	patient_case_id	patient_case table id	string	True	20	
35	PM Financials	bill	appointment_id	appointment table id	string	True	20	Appointment linked to bill. Field will be empty if an appointment was not linked to the bill.
36	PM Financials	bill	primary_provider_id	staff table id	string	True	20	
37	PM Financials	bill	operating_provider_id	staff table id	string	True	20	
38	PM Financials	bill	ordering_provider_id	staff table id	string	True	20	
39	PM Financials	bill	other_operating_provider_id	staff table id	string	True	20	
40	PM Financials	bill	other_rendering_provider_id	staff table id	string	True	20	
41	PM Financials	bill	supervising_provider_id	staff table id	string	True	20	
42	PM Financials	bill	supervising_referral_contact_id	referral_contact table id.	string	True	20	
43	PM Financials	bill	ordering_referral_contact_id	referral_contact table id.	string	True	20	
44	PM Financials	bill	referral_contact_id	referral_contact table id.	string	True	20	
45	PM Financials	bill	referral_institution_id	referral institution table id. A referral institution can be added to a bill via the referring physician field.	string	True	20	
46	PM Financials	bill	referral_staff_id	staff table id.	string	True	20	
47	PM Financials	bill	fee_schedule_id	fee_schedule table id. This is the provider fee schedule listed on the bill.	string	True	20	
48	PM Financials	bill	primary_biller_id	staff table id	string	True	20	Primary biller.
49	PM Financials	bill	last_modified_by_staff_id	staff table id	string	True	20	
50	PM Financials	bill	bill_created_by_staff_id	staff table id	string	True	20	
51	PM Financials	bill	bill_assignee_id	bill_assignee table id	string	True	20	
52	PM Financials	bill	division_id	division table id	string	True	20	
53	PM Financials	bill	package_sale_id	package_sale table id	string	True	20	
54	PM Financials	bill	split_from_bill_id	Bill table id.	string	True	20	
55	PM Financials	bill	appointment_provider_id	staff table id for appointment provider.	string	True	20	Appointment Provider
56	PM Financials	bill	billing_quote_id	billing_quote table id	string	True	20	
57	PM Financials	bill	billing_quote_created_by_id	staff table id	string	True	20	
58	PM Financials	bill	original_bill_id	Bill table id. Indicates if a bill was recreated from a previous bill	string	True	20	
59	PM Financials	bill	fee_schedule_primary_payer_id	Fee schedule of the primary insurance. This is the payer fee schedule of the primary insurance from the bill insurance.	string	True	20	
60	PM Financials	bill	appointment_type	Appointment type. Types are confirmed by the practice at the firm admin level.	string	True	25	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
61	PM Financials	bill	auto_pay_bill_status	Captures the status of a patient's AutoPay feature for billing	string	True	300	NOTIFIED SCRUB_FAILED QUEUED DECLINED ON_HOLD CANCELLED COMPLETED PENDING
62	PM Financials	bill	encounter_count	Stores the associated bill_id. If not null, indicates an encounter has occurred and the sum of units posted or reversed within the bill is greater than zero.	string	True	20	
63	PM Financials	bill	financial_category	The Financial Category listed for the payer	string	True	100	
64	PM Financials	bill	fee_schedule_primary_payer_name	Fee schedule name. This is the payer fee schedule from the primary bill insurance.	string	True	50	
65	PM Financials	bill	fee_schedule_type	Fee Schedule type.	string	True	10	PAYER PROVIDER
66	PM Financials	bill	fee_schedule_primary_payer_effective_date	Effective date. The payer fee schedule effective date.	date	True		
67	PM Financials	bill	billing_quote_title	Title of billing quote	string	True	100	
68	PM Financials	bill	billing_quote_id_number	Client-facing billing quote id	string	True	20	
69	PM Financials	bill	is_referring_physician_data	Qlik flag if record is part of the referring physician report.	boolean	True		
70	PM Financials	bill	package_sale_date_created	Date on which the package was sold.	timestamp	True		
71	PM Financials	bill	package_sale_date_created_id	Date on which the package was sold.	timestamp	True		
72	PM Financials	bill	firm_is_using_rcm	Whether using rcm is enabled	boolean	True		
73	PM Financials	bill	referral_contact_name	referral contact full name.	string	True	200	
74	PM Financials	bill	referral_institution_name	referral institution name.	string	True	100	
75	PM Financials	bill	referral_staff_name	staff full name.	string	True	200	
76	PM Financials	bill	package_name	Package name	string	True	50	
77	PM Financials	bill	bill_identifier	Bill identifier. This is the number displayed on the bill.	string	True	20	
78	PM Financials	bill	split_from_bill_identifier	Bill identifier of the bill that the current bill was split from	string	True	20	
79	PM Financials	bill	cia_number	CLIA number assigned to facility.	string	True	50	
80	PM Financials	bill	bill_type	Bill type	string	True	20	PATIENT CLAIM VISION AUTO_PIP WORKERS_COMP
81	PM Financials	bill	bill_assignee_type	Indicates if bill is assigned to a group or individual staff member. May have a null value.	string	True	20	BILL_ASSIGNEE_GROUP FIRM_GROUP STAFF

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
82	PM Financials	bill	bill_status	Bill status.	string	True	20	PRELIMINARY IN_PROGRESS REQUIRES_REVISION READY_FOR_REVIEW IN_REVIEW INACTIVE_OTHER RESOLVED_PAID RESOLVED_OTHER IN_DISPUTE PAYMENT_PENDING READY_FOR_POSTING
83	PM Financials	bill	bill_recreated	Indicates if a bill was recreated from a previous bill	boolean	True		
84	PM Financials	bill	discharge_status	Patient discharge status	string	True	50	HOME_OR_SELF_CARE SHORT_TERM_GENERAL_HOSPITAL SKILLED_NURSING_FACILITY INTERMEDIATE_CARE_FACILITY DESIGNATED_CARE_CENTER_OR_CHILDRENS_HOSPITAL HOME_UNDER_CARE_OF_HOME_HEALTH_CARE_ORG LEFT_AGAINST_MEDICAL_ADVICE EXPIRED COURT_OR_LAW_ENFORCEMENT HOSPICE_HOME HOSPICE_MEDICAL_FACILITY INPATIENT_REHABILITATION_FACILITY MEDICARE_CERTIFIED_LONG_TERM_CARE_HOSPITAL MEDICAID_NURSING_FACILITY PSYCHIATRIC_HOSPITAL CRITICAL_ACCESS_HOSPITAL DESIGNATED_DISASTER_ALTERNATE_CARE_SITE OTHER FEDERAL_HEALTH_CARE_FACILITY
85	PM Financials	bill	bill_assignee	Name of the Individual staff member assigned to the bill. If staff member does not exist then the bill assignee group name will be listed instead.	string	True	400	
86	PM Financials	bill	bill_charge_type	Indicates whether bill is for facility or professional services.	string	True	20	FACILITY PROFESSIONAL

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
87	PM Financials	bill	bill_visit_specialty	Specialty selected at the visit for the bill. May have a null value.	string	True	20	AESTHETICS ALLERGY COSMETIC DERMATOLOGY ENT FAMILY_MEDICINE GI INTERNAL_MEDICINE OB_GYN OPHTHALMOLOGY OPTOMETRY ORTHOPEDECS PAIN_MANAGEMENT PEDIATRICS PLASTICS PODIATRY RHEUMATOLOGY UROLOGY
88	PM Financials	bill	last_assignee	Name of the Individual staff member who was last assigned to the bill.	string	True	200	
89	PM Financials	bill	current_assignee	Name of the Individual staff member currently assigned to the bill.	string	True	200	
90	PM Financials	bill	average_days_assigned	Average number of days bill has been assigned to a user (calculated field)	double	True		
91	PM Financials	bill	days_assigned_to_current_assignee	Number of days bill has been assigned to current assignee (calculated field)	int	True		
92	PM Financials	bill	times_reassigned	Times reassigned	int	True		
93	PM Financials	bill	total_charges	Service rendered total charges. Unit charge x number of units.	double	True		
94	PM Financials	bill	total_payments	Total for payments made on the bill.	double	True		
95	PM Financials	bill	applied_adjustments_total	Adjustments total applied on the bill.	double	True		
96	PM Financials	bill	total_posted_charges	Total posted charges. Field will be empty until the bill has been posted	double	True		
97	PM Financials	bill	external_lab_amount	External lab amount	double	True		
98	PM Financials	bill	balance	balance for the bill	double	True		
99	PM Financials	bill	billing_location_other_identifier	Billing identifier for the billing location. Other ID (32b)	string	True	17	
100	PM Financials	bill	billing_location_other_identifier_qualifier	Billing qualifier for billing location other identifier.	string	True	20	
101	PM Financials	bill	date_of_current_illness_qualifier	Billing qualifier for date of current illness.	string	True	20	
102	PM Financials	bill	other_claim_identifier	Billing identifier for claim other.	string	True	28	
103	PM Financials	bill	other_treatment_date_qualifier	Billing qualifier for treatment date.	string	True	20	
104	PM Financials	bill	referring_provider_other_identifier	Billing identifier for referring provider other.	string	True	17	
105	PM Financials	bill	referring_provider_other_identifier_qualifier	Billing qualifier for referring provider other identifier.	string	True	20	
106	PM Financials	bill	rendering_provider_other_identifier	Billing identifier for rendering provider other.	string	True	11	
107	PM Financials	bill	rendering_provider_other_identifier_qualifier	Billing qualifier for rendering provider other identifier.	string	True	20	
108	PM Financials	bill	service_location_other_identifier	Billing identifier for service location other.	string	True	14	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
109	PM Financials	bill	service_location_other_identifier_qualifier	Billing qualifier for service location other identifier.	string	True	20	
110	PM Financials	bill	claim_note	Bill claim note.	string	True	55	
111	PM Financials	bill	service_location_pos_code	Code position for service location.	string	True	5	
112	PM Financials	bill	attachment_transmission_code	Attachment transmission code	string	True	2	
113	PM Financials	bill	reportable_reason	Reportable reasons for patient visit.	string	True	25	MEDICAL_NON_EMERGENCY MEDICAL_EMERGENCY AUTOMOBILE_ACCIDENT COSMETIC_SERVICES VISION WORKERS_COMP OTHER
114	PM Financials	bill	appointment_notes	Appointment notes.	string	True	3000	
115	PM Financials	bill	bill_as_new_patient	New patient bill flag.	boolean	True		
116	PM Financials	bill	employment_related	Accident or Injury type flag.	boolean	True		
117	PM Financials	bill	auto_accident_related	Accident or Injury type flag.	boolean	True		
118	PM Financials	bill	other_accident_related	Accident or Injury type flag.	boolean	True		
119	PM Financials	bill	auto_accident_related_state	Auto accident related state.	string	True	2	
120	PM Financials	bill	external_lab	External lab flag.	boolean	False		
121	PM Financials	bill	is_last_visit	Visit is most recent visit for patient.	boolean	True		
122	PM Financials	bill	bill_was_split	Indicates if the bill originated from a bill that was split.	boolean	True		
123	PM Financials	bill	service_date	Date which service was performed.	timestamp	True		
124	PM Financials	bill	follow_up_date	Date specified by practice for billers to follow up for status on claim resolution. Also termed Next Touch Date. This column will be deprecated in release 1.25 and removed in release 1.26.	timestamp	True		
125	PM Financials	bill	bill_creation_date	Date which bill was created, either by visit finalization or manual creation by staff.	timestamp	True		
126	PM Financials	bill	bill_follow_up_date	Date selected for follow-up. This date is set by the practice staff. This column will be deprecated in release 1.25 and removed in release 1.26.	timestamp	True		
127	PM Financials	bill	date_of_current_illness	Date of current illness.	timestamp	True		
128	PM Financials	bill	other_treatment_date	Date of other condition or treatment.	timestamp	True		
129	PM Financials	bill	last_modified_date	Date which the bill was last modified.	timestamp	True		
130	PM Financials	bill	hospitalization_from_date	Hospitalization from date.	timestamp	True		
131	PM Financials	bill	hospitalization_to_date	Hospitalization to date.	timestamp	True		
132	PM Financials	bill	service_date_id	Date which service was performed. This column will be deprecated in release 1.25 and removed in release 1.26.	timestamp	True		
133	PM Financials	bill	follow_up_date_id	Date for follow up visit. This column will be deprecated in release 1.25 and removed in release 1.26.	timestamp	True		
134	PM Financials	bill	bill_creation_date_id	Date which bill was created, either by visit finalization or manual creation by staff.	timestamp	True		
135	PM Financials	bill	bill_follow_up_date_id	Date selected for follow-up. This date is set by the practice staff.	timestamp	True		
136	PM Financials	bill	date_of_current_illness_id	Date of current illness.	timestamp	True		
137	PM Financials	bill	other_treatment_date_id	Date of other condition or treatment.	timestamp	True		
138	PM Financials	bill	last_modified_date_id	Date which the bill was last modified.	timestamp	True		
139	PM Financials	bill	hospitalization_from_date_id	Hospitalization from date.	timestamp	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
140	PM Financials	bill	hospitalization_to_date_id	Hospitalization to date.	timestamp	True		
141	PM Financials	bill	finalized_date	Visit Finalization Date.	timestamp	True		
142	PM Financials	bill	finalized_date_id	Localized Visit Finalization Date.	timestamp	True		
143	PM Financials	bill	firm_global_id	ModMed internal firm global identifier	string	False	10	
144	Prescription	contacts_rx	contacts_rx_id	contacts_rx table id	string	False	20	
145	Prescription	contacts_rx	patient_id	patient table id	string	False	20	
146	Prescription	contacts_rx	provider_id	staff table id	string	True	20	
147	Prescription	contacts_rx	facility_id	facility table id	string	True	20	
148	Prescription	contacts_rx	visit_id	visit table id	string	True	20	NULL if rx written outside of visit
149	Prescription	contacts_rx	date_recorded	Date originally recorded. Rx may be modified after this date.	timestamp	True		
150	Prescription	contacts_rx	active	If the rx is active	boolean	True		
151	Prescription	contacts_rx	contacts_usage	Contact Lens Usage	string	True	255	See Appendix A
152	Prescription	contacts_rx	status	Status. May have a null value.	string	True	255	DISPENSED DISPENSED_PATIENT_CAN_CONFIRM DISPENSED_SUCCESSFUL DISPENSED_UNSUCCESSFUL FINAL ORDER_TRIAL ORDER_TRIAL_NEEDS_FITTING_DOCTOR ORDER_TRIAL_NEEDS_FITTING_STAFF ORDER_TRIAL_PATIENT_CAN_CONFIRM SEE_NOTES
153	Prescription	contacts_rx	notes	(Notes) Notes	string	True	-1	
154	Prescription	contacts_rx	print_notes	Display notes on Rx printout	boolean	True		
155	Prescription	contacts_rx	fitting_type	(Contact Lens Regimen) Contact Lens Fitting Type. May have a null value.	string	True	50	NEW FOLLOW_UP REFIT NONE
156	Prescription	contacts_rx	wearing_schedule	(Contact Lens Regimen) Wearing Schedule. May have a null value.	string	True	30	AS_NEEDED ANNUALLY DAILY DIAGNOSTIC_LENSSES EXTENDED MONTHLY RELIABLE SEE_SPECIAL_INSTRUCTIONS TWO_WEEKS WEEKLY
157	Prescription	contacts_rx	replenishment	(Contact Lens Regimen) Replenishment. May have a null value.	string	True	30	ANNUALLY AS_NEEDED DAILY DIAGNOSTIC MONTHLY SEE_SPECIAL_INSTRUCTIONS SIX_MONTHS THREE_MONTHS TWO_WEEKS WEEKLY

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
158	Prescription	contacts_rx	disinfecting	(Contact Lens Regimen) Disinfecting. May have a null value.	string	True	30	AQUIFY BIOTRUE BLINK_REVITALENS BOSTON_ADVANCE BOSTON_ORIGINAL BOSTON_SIMPLUS CLEAR_CARE CLEAR_CARE_HYDRAGLYDE LOBOB_OPTIMUM LOBOB_OPTIMUM_CDS LOBOB_OPTIMUM_ESC LOBOB_SOF_PRO_2 MENICON_MENICARE_GP_CDS MENICON_MENICARE_GP_WRW MENICON_PROGENT NONE OPTIFREE OPTIFREE_GP OPTIFREE_PUREMOIST OPTIFREE_REPLENISH OTHER PEROXICARE RENU RGP_NONE RGP_SEE_SPECIAL_INSTRUCTIONS RGP_STORE_BRAND SAUFLON SEE_SPECIAL_INSTRUCTIONS STORE_BRAND UNIQUE_PH
159	Prescription	contacts_rx	underlying_condition_od	Underlying condition. If not null, all OD refraction values are null (not including over refraction). May have a null value.	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
160	Prescription	contacts_rx	underlying_condition_os	Underlying condition. If not null, all OS refraction values are null (not including over refraction). May have a null value.	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
161	Prescription	contacts_rx	start_date_od	Start Date OD	timestamp	True		
162	Prescription	contacts_rx	start_date_os	Start Date OS	timestamp	True		
163	Prescription	contacts_rx	expiration_date_od	Expiration Date OD	timestamp	True		
164	Prescription	contacts_rx	expiration_date_os	Expiration Date OS	timestamp	True		
165	Prescription	contacts_rx	lens_manufacturer_od	Contact lens manufacturer OD	string	True	100	Based on ABB product database or free-text override
166	Prescription	contacts_rx	lens_manufacturer_os	Contact lens manufacturer OS	string	True	100	Based on ABB product database or free-text override
167	Prescription	contacts_rx	lens_brand_od	Contact lens brand OD	string	True	100	Based on ABB product database or free-text override
168	Prescription	contacts_rx	lens_brand_os	Contact lens brand OS	string	True	100	Based on ABB product database or free-text override
169	Prescription	contacts_rx	base_curve_od	Base Curve OD	double	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
170	Prescription	contacts_rx	base_curve_os	Base Curve OS	double	True		
171	Prescription	contacts_rx	diameter_od	Diameter OD	double	True		
172	Prescription	contacts_rx	diameter_os	Diameter OS	double	True		
173	Prescription	contacts_rx	sphere_od	Sphere OD	double	True		
174	Prescription	contacts_rx	sphere_os	Sphere OS	double	True		
175	Prescription	contacts_rx	cylinder_od	Cylinder OD	double	True		
176	Prescription	contacts_rx	cylinder_os	Cylinder OS	double	True		
177	Prescription	contacts_rx	axis_od	Axis OD	int	True		
178	Prescription	contacts_rx	axis_os	Axis OS	int	True		
179	Prescription	contacts_rx	add_od	Add OD	double	True		
180	Prescription	contacts_rx	add_os	Add OS	double	True		
181	Prescription	contacts_rx	lens_color_od	Color / MF PWF OD	string	True	100	Based on ABB product database
182	Prescription	contacts_rx	lens_color_os	Color / MF PWF OS	string	True	100	Based on ABB product database
183	Prescription	contacts_rx	quantity_od	Quantity OD	int	True		
184	Prescription	contacts_rx	quantity_os	Quantity OS	int	True		
185	Prescription	contacts_rx	visual_acuity_dcc_od	Visual acuity DccOD	string	True	20	See Appendix B
186	Prescription	contacts_rx	visual_acuity_dcc_os	Visual acuity DccOS	string	True	20	See Appendix B
187	Prescription	contacts_rx	visual_acuity_dcc_ou	Visual acuity DccOU	string	True	20	See Appendix B
188	Prescription	contacts_rx	pinhole_dcc_od	Pinhole visual acuity DccOD	string	True	20	See Appendix B
189	Prescription	contacts_rx	pinhole_dcc_os	Pinhole visual acuity DccOS	string	True	20	See Appendix B
190	Prescription	contacts_rx	pinhole_dcc_ou	Pinhole visual acuity DccOU	string	True	20	See Appendix B
191	Prescription	contacts_rx	visual_acuity_ncc_od	Visual acuity NccOD	string	True	20	See Appendix B
192	Prescription	contacts_rx	visual_acuity_ncc_os	Visual acuity NccOS	string	True	20	See Appendix B
193	Prescription	contacts_rx	visual_acuity_ncc_ou	Visual acuity NccOU	string	True	20	See Appendix B
194	Prescription	contacts_rx	details_other_od	Other OD	string	True	255	
195	Prescription	contacts_rx	details_other_os	Other OD	string	True	255	
196	Prescription	contacts_rx	movement_od	(Assessment) Movement OD. May have a null value.	string	True	100	GOOD TIGHT LOOSE NONE
197	Prescription	contacts_rx	movement_os	(Assessment) Movement OS. May have a null value.	string	True	100	GOOD TIGHT LOOSE NONE
198	Prescription	contacts_rx	centration_od	(Assessment) Centration OD. May have a null value.	string	True	100	GOOD DECENTERED_NASAL DECENTERED_TEMPORAL SUPERIOR_APERTURE DROPS_WITH_BLINK NONE
199	Prescription	contacts_rx	centration_os	(Assessment) Centration OS. May have a null value.	string	True	100	GOOD DECENTERED_NASAL DECENTERED_TEMPORAL SUPERIOR_APERTURE DROPS_WITH_BLINK NONE

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
200	Prescription	contacts_rx	vision_od	(Assessment) Vision OD. May have a null value.	string	True	100	GOOD FUNCTIONAL ADEQUATE POOR NONE
201	Prescription	contacts_rx	vision_os	(Assessment) Vision OS. May have a null value.	string	True	100	GOOD FUNCTIONAL ADEQUATE POOR NONE
202	Prescription	contacts_rx	comfort_od	(Assessment) Comfort OD. May have a null value.	string	True	100	COMFORTABLE UNCOMFORTABLE DRY NONE
203	Prescription	contacts_rx	comfort_os	(Assessment) Comfort OS. May have a null value.	string	True	100	COMFORTABLE UNCOMFORTABLE DRY NONE
204	Prescription	contacts_rx	torics_right_od	(Assessment) Torics Right OD	boolean	True		True:ON False:OFF
205	Prescription	contacts_rx	torics_right_os	(Assessment) Torics Right OS	boolean	True		True:ON False:OFF
206	Prescription	contacts_rx	torics_rotated_right_od	(Assessment) Torics Rotated Right (degrees) OD	int	True		
207	Prescription	contacts_rx	torics_rotated_right_os	(Assessment) Torics Rotated Right (degrees) OS	int	True		
208	Prescription	contacts_rx	torics_rotated_left_od	(Assessment) Torics Rotated Left (degrees) OD	int	True		
209	Prescription	contacts_rx	torics_rotated_left_os	(Assessment) Torics Rotated Left (degrees) OS	int	True		
210	Prescription	contacts_rx	or_sphere_od	(Over Refraction) Sphere OD	double	True		
211	Prescription	contacts_rx	or_sphere_os	(Over Refraction) Sphere OS	double	True		
212	Prescription	contacts_rx	or_cylinder_od	(Over Refraction) Cylinder OD	double	True		
213	Prescription	contacts_rx	or_cylinder_os	(Over Refraction) Cylinder OS	double	True		
214	Prescription	contacts_rx	or_axis_od	(Over Refraction) Axis OD	int	True		
215	Prescription	contacts_rx	or_axis_os	(Over Refraction) Axis OS	int	True		
216	Prescription	contacts_rx	or_visual_acuity_dcc_od	(Over Refraction) Visual acuity DccOD	string	True	20	See Appendix B
217	Prescription	contacts_rx	or_visual_acuity_dcc_os	(Over Refraction) Visual acuity DccOS	string	True	20	See Appendix B
218	Prescription	contacts_rx	or_visual_acuity_ncc_od	(Over Refraction) Visual acuity NccOD	string	True	20	See Appendix B
219	Prescription	contacts_rx	or_visual_acuity_ncc_os	(Over Refraction) Visual acuity NccOS	string	True	20	See Appendix B
220	Prescription	contacts_rx	firm_global_id	ModMed internal firm global identifier	string	False	10	
221	eLab	lab_request	lab_request_id	lab_request table id	string	False	20	
222	eLab	lab_request	elab_order_id	elab_order table id	string	False	20	
223	eLab	lab_request	patient_id	patient table id	string	True	20	
224	eLab	lab_request	pathology_log_id	pathology_log table id	string	True	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
225	eLab	lab_request	result_status	Status of the order	string	True	20	ARCHIVED ASSIGNED CANCELED CORRECTED ERROR ORDER_SENT PLACE_ORDER REJECTED RESULTS
226	eLab	lab_request	test_number	Unique identifier of the tests assigned to a lab order	string	True	30	
227	eLab	lab_request	filler_order_number	Filler Order Number (HL7 OBR-3). Only populated for pathology results.	string	True	60	
228	eLab	lab_request	universal_service_number	Universal Service ID (HL7 OBR-4)	string	True	300	
229	eLab	lab_request	relevant_clinical_information	Relevant Clinical Information (HL7 OBR-13)	string	True	350	
230	eLab	lab_request	ordering_provider	Name of ordering provider	string	True	200	
231	eLab	lab_request	reason_for_study	Reason for Study (HL7 OBR-31)	string	True	400	
232	eLab	lab_request	active	If this request is the active request for the test. There may be multiple requests for a test, but only one should be active.	boolean	True		
233	eLab	lab_request	observation_date	Date of observation	timestamp	True		
234	eLab	lab_request	date_received	date request was received	timestamp	True		
235	eLab	lab_request	date_assigned	date request was assigned	timestamp	True		
236	eLab	lab_request	firm_global_id	ModMed internal firm global identifier	string	False	10	
237	eLab	lab_note	lab_note_id	lab_note table id	string	False	20	
238	eLab	lab_note	elab_order_id	elab_order table id	string	False	20	
239	eLab	lab_note	lab_request_id	lab_request table id	string	True	20	
240	eLab	lab_note	lab_result_id	lab_result table id	string	True	20	
241	eLab	lab_note	lab_attachment_id	lab_attachment table id	string	True	20	
242	eLab	lab_note	patient_id	patient table id	string	True	20	
243	eLab	lab_note	lab_note	Note created with a lab result or lab request	string	True	-1	
244	eLab	lab_note	sequence_number	Sequence number of lab result note	int	True		
245	eLab	lab_note	source	Source of lab note	string	True	100	
246	eLab	lab_note	type	Type of lab note	string	True	300	
247	eLab	lab_note	firm_global_id	ModMed internal firm global identifier	string	False	10	
248	PM Financials	billing_quote_verbiage_link	billing_quote_verbiage_link_id	billing_quote_verbiage_link table id	string	False	20	
249	PM Financials	billing_quote_verbiage_link	billing_quote_id	billing_quote table id	string	False	20	
250	PM Financials	billing_quote_verbiage_link	billing_quote_verbiage_id	billing_quote_verbiage table id	string	False	20	
251	PM Financials	billing_quote_verbiage_link	patient_id	patient table id	string	False	20	
252	PM Financials	billing_quote_verbiage_link	firm_global_id	ModMed internal firm global identifier	string	False	10	
253	Ophth Pretesting	endothelial_counts	endothelial_counts_id	endothelial_counts table id	string	False	20	
254	Ophth Pretesting	endothelial_counts	visit_id	Visit table id	string	False	20	
255	Ophth Pretesting	endothelial_counts	patient_id	patient table id	string	False	20	
256	Ophth Pretesting	endothelial_counts	count_od	Endothelial Cell Counts OD.	double	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
257	Ophth Pretesting	endothelial_counts	count_os	Endothelial Cell Counts OS.	double	True		
258	Ophth Pretesting	endothelial_counts	firm_global_id	ModMed internal firm global identifier	string	False	10	
259	Visit	final_bill_modifier	final_bill_modifier_id	final_bill_modifier table id	string	False	20	
260	Visit	final_bill_modifier	final_bill_procedure_id	final_bill_procedure table id	string	False	20	Procedure code that the modifier is associated with.
261	Visit	final_bill_modifier	patient_id	patient table id	string	False	20	
262	Visit	final_bill_modifier	position	Position in the bill (order of code in list of codes).	int	True		
263	Visit	final_bill_modifier	modifier	CPT modifier.	string	True	20	
264	Visit	final_bill_modifier	firm_global_id	ModMed internal firm global identifier	string	False	10	
265	Practice	visit_referral	visit_referral_id	visit_referral table id	string	False	20	
266	Practice	visit_referral	visit_id	visit table id	string	False	20	
267	Practice	visit_referral	patient_id	patient table id	string	False	20	
268	Practice	visit_referral	referring_provider_id	referral_contact table id	string	False	20	
269	Practice	visit_referral	is_latest	Whether the record has the most recently modified referring provider	boolean	True		
270	Practice	visit_referral	firm_global_id	ModMed internal firm global identifier	string	False	10	
271	Document Management	fax_outbound	fax_outbound_id	fax_outbound table id	string	False	20	
272	Document Management	fax_outbound	fax_link_id	fax_link id (used for tables that link through fax_management_id) *Note*: This column will be deprecated on our next release. Please use fax_management_id instead.	string	True	20	
273	Document Management	fax_outbound	fax_management_id	fax_management table id	string	True	20	
274	Document Management	fax_outbound	fax_template_id	fax_template table id	string	False	20	
275	Document Management	fax_outbound	queued_by_staff_id	staff table id	string	True	20	Staff member that queued the fax
276	Document Management	fax_outbound	released_by_staff_id	staff table id	string	True	20	Staff member that released the fax
277	Document Management	fax_outbound	referral_contact_id	referral_contact table id	string	True	20	Recipient of the fax (person).
278	Document Management	fax_outbound	referral_institution_id	referral_institution table id	string	True	20	Recipient of the fax (institution).
279	Document Management	fax_outbound	patient_id	patient table id	string	True	20	Patient associated with the fax.
280	Document Management	fax_outbound	visit_id	visit table id	string	True	20	Visit associated with the fax.
281	Document Management	fax_outbound	transaction_id	Transaction ID. If positive, indicates a transaction identifier for the fax transmission. If negative, indicates a failure code.	bigint	True		
282	Document Management	fax_outbound	date_queued	Date fax was queued	timestamp	True		
283	Document Management	fax_outbound	date_released	Date fax was released	timestamp	True		
284	Document Management	fax_outbound	date_submitted	Date fax was submitted. Does not get populated until the fax is sent (at the same time as date_sent).	timestamp	True		
285	Document Management	fax_outbound	date_sent	Date fax was sent.	timestamp	True		
286	Document Management	fax_outbound	recipient_type	Recipient Type	string	True	50	TO CC FAX_NUMBER

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
287	Document Management	fax_outbound	include_body_diagram	If body diagram is included in the fax	boolean	True		
288	Document Management	fax_outbound	include_ccd	If CCD is included in the fax	boolean	True		
289	Document Management	fax_outbound	include_hipaa_cover_sheet	If HIPAA cover sheet is included in the fax	boolean	True		
290	Document Management	fax_outbound	include_notes	If notes are included in the fax	boolean	True		
291	Document Management	fax_outbound	include_summary	If summary is included in the fax	boolean	True		
292	Document Management	fax_outbound	include_ccr	If CCR is included in the fax	boolean	True		
293	Document Management	fax_outbound	auto_fax	Designates if a fax was automatically sent by the Auto Fax feature in EMA	boolean	True		
294	Document Management	fax_outbound	pages	Number of pages in the queued fax	int	True		
295	Document Management	fax_outbound	pages_sent	Number of pages sent	int	True		
296	Document Management	fax_outbound	status	Title of the status code	string	True	100	See Appendix C
297	Document Management	fax_outbound	date_created	Date created (system generated).	timestamp	True		
298	Document Management	fax_outbound	firm_global_id	ModMed internal firm global identifier	string	False	10	
299	Exam	exam_set	exam_set_id	exam_set table id	string	False	20	
300	Exam	exam_set	visit_id	visit table id	string	False	20	
301	Exam	exam_set	patient_id	patient table id	string	False	20	
302	Exam	exam_set	exam_set	Name of the exam set performed.	string	True	255	See static_exam_set.exam_set
303	Exam	exam_set	medical_domain	Medical domain the chief complaint is part of.	string	True	255	AESTHETICS ALLERGY COSMETIC DERMATOLOGY ENT FAMILY_MEDICINE GI INTERNAL_MEDICINE OB_GYN OPHTHALMOLOGY OPTOMETRY ORTHOPEDICS PAIN_MANAGEMENT PEDIATRICS PLASTICS PODIATRY PRIMARY_CARE RHEUMATOLOGY UROLOGY
304	Exam	exam_set	firm_global_id	ModMed internal firm global identifier	string	False	10	
305	Patient	medical_history	medical_history_id	medical_history table id	string	False	20	
306	Patient	medical_history	patient_id	patient table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
307	Patient	medical_history	source	Screen in the application the condition was entered in	string	False	50	PAST_MEDICAL_HISTORY SKIN_DISEASE_HISTORY OCULAR_HISTORY PLASTIC_SURGERY_HISTORY MUSCULOSKELETAL_HISTORY ENT_HISTORY GI_HISTORY RHEUMATOLOGICAL_HISTORY UROLOGICAL_HISTORY
308	Patient	medical_history	value	Medical history condition	string	True	255	See Appendix D
309	Patient	medical_history	snomed	Medical history condition (SNOMED)	string	True	255	
310	Patient	medical_history	secondary_snomed	Medical history condition (secondary SNOMED). Only populated if primary snomed does not fully describe the condition.	string	True	255	
311	Patient	medical_history	other_value	Additional text added to the condition	string	True	-1	
312	Patient	medical_history	firm_global_id	ModMed internal firm global identifier	string	False	10	
313	Patient	insurance_policy_authorization_attachment	insurance_policy_authorization_attachment_id	insurance_policy_authorization_attachment table id	string	False	20	
314	Patient	insurance_policy_authorization_attachment	insurance_policy_authorization_id	insurance_policy_authorization table id	string	False	20	
315	Patient	insurance_policy_authorization_attachment	file_attachment_id	file_attachment table id	string	True	20	
316	Patient	insurance_policy_authorization_attachment	patient_id	patient table id	string	False	20	
317	Patient	insurance_policy_authorization_attachment	firm_global_id	ModMed internal firm global identifier	string	False	10	
318	Patient	problem_list	problem_list_id	problem_list table id	string	False	20	
319	Patient	problem_list	patient_id	patient table id	string	False	20	
320	Patient	problem_list	diagnosis_id	diagnosis table id	string	True	20	Diagnosis entry that produced this problem list item. NULL if problem not linked to row in diagnosis table
321	Patient	problem_list	date_diagnosed	Date the problem was entered. Often the visit_date if linked to a diagnosis (can be modified afterwards).	timestamp	True		
322	Patient	problem_list	problem_modified_date	Date the problem was last modified. NOTE: manually entered and often NULL	timestamp	True		
323	Patient	problem_list	end_date	Date the problem ended. NOTE: manually entered and often NULL	timestamp	True		
324	Patient	problem_list	problem_type	Problem list item type. May have a null value.	string	True	50	PROBLEM CONDITION DIAGNOSIS SYMPTOM FINDING COMPLAINT FUNCTIONAL_LIMITATION HEALTH_STATUS HEALTH_CONCERN SDOH
325	Patient	problem_list	status	Problem list item status. NOTE: Users often do not update the status.	string	True	50	ACTIVE INACTIVE CHRONIC RESOLVED ABORTED
326	Patient	problem_list	icd9	ICD9 code	string	True	25	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
327	Patient	problem_list	icd10	ICD10 code	string	True	25	
328	Patient	problem_list	snomed	SNOMED code	string	True	25	
329	Patient	problem_list	firm_global_id	ModMed internal firm global identifier	string	False	10	
330	Office Flow	task_fax_inbound	task_fax_inbound_id	task_fax_inbound table id	string	False	30	
331	Office Flow	task_fax_inbound	fax_inbound_id	fax_inbound table id.	string	False	20	
332	Office Flow	task_fax_inbound	task_id	task table id	string	False	20	
333	Office Flow	task_fax_inbound	patient_id	patient table id	string	True	20	
334	Office Flow	task_fax_inbound	firm_global_id	ModMed internal firm global identifier	string	False	10	
335	Patient	insurance_group	insurance_group_id	insurance_group table id	string	False	20	
336	Patient	insurance_group	patient_id	patient table id	string	False	20	
337	Patient	insurance_group	active	If insurance group is active	boolean	True		
338	Patient	insurance_group	name	Group Name	string	True	255	
339	Patient	insurance_group	payer_scenario	Group Payer Scenario	string	True	255	
340	Patient	insurance_group	description	Group Description	string	True	4000	
341	Patient	insurance_group	firm_global_id	ModMed internal firm global identifier	string	False	10	
342	PM Financials	claim_submission_bill_item	claim_submission_bill_item_id	claim_submission_bill_item table id	string	False	20	
343	PM Financials	claim_submission_bill_item	claim_submission_id	claim_submission table id	string	True	20	
344	PM Financials	claim_submission_bill_item	bill_item_id	bill_item table id	string	True	20	
345	PM Financials	claim_submission_bill_item	patient_id	patient table id	string	False	20	
346	PM Financials	claim_submission_bill_item	firm_global_id	ModMed internal firm global identifier	string	True	10	
347	Exam	exam_element_metadata_selection	exam_element_metadata_selection_id	exam_element_metadata_selection table id	string	False	20	
348	Exam	exam_element_metadata_selection	exam_element_metadata_id	exam_element_metadata table id	string	False	20	
349	Exam	exam_element_metadata_selection	patient_id	patient table id	string	False	20	
350	Exam	exam_element_metadata_selection	value	Metadata response value	string	True	255	See static_exam_element_metadata_selection.value
351	Exam	exam_element_metadata_selection	firm_global_id	ModMed internal firm global identifier	string	False	10	
352	PM Financials	payer_adjustments	payer_adjustments_id	payer_adjustments table id	string	False	50	
353	PM Financials	payer_adjustments	business_unit_id	business_unit table id	string	False	20	
354	PM Financials	payer_adjustments	patient_id	patient table id	string	True	20	
355	PM Financials	payer_adjustments	facility_id	facility table id	string	True	20	Service location
356	PM Financials	payer_adjustments	practice_location_id	facility table id	string	True	20	Practice Location (POS 11)
357	PM Financials	payer_adjustments	provider_id	staff table id	string	False	20	Billing provider
358	PM Financials	payer_adjustments	primary_provider_id	staff table id	string	False	20	Primary provider
359	PM Financials	payer_adjustments	payer_id	payer table id	string	True	20	Payer associated to payment and payment adjustment code
360	PM Financials	payer_adjustments	insurance_policy_id	insurance_policy table id	string	True	20	
361	PM Financials	payer_adjustments	bill_item_id	bill_item table id	string	True	20	
362	PM Financials	payer_adjustments	bill_insurance_id	bill_insurance table id	string	True	20	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
363	PM Financials	payer_adjustments	division_id	division table id	string	True	20	
364	PM Financials	payer_adjustments	created_by_staff_id	staff table id	string	True	20	
365	PM Financials	payer_adjustments	firm_id	firm table id	string	True	20	
366	PM Financials	payer_adjustments	appointment_provider_id	staff table id for appointment provider.	string	True	20	Appointment Provider
367	PM Financials	payer_adjustments	original_bill_id	Bill table id. Indicates if a bill was recreated from a previous bill	string	True	20	
368	PM Financials	payer_adjustments	sold_by_id	staff table id	string	True	20	The staff member selected in the Sold By field. The provider and the Sold by could be the same person depending on selection.
369	PM Financials	payer_adjustments	payer_address_id	payer_address table id	string	True	20	
370	PM Financials	payer_adjustments	code_category_id	code_category table id	string	True	20	
371	PM Financials	payer_adjustments	fee_schedule_primary_payer_id	Fee schedule of the primary insurance. This is the payer fee schedule of the primary insurance from the bill insurance.	string	True	20	
372	PM Financials	payer_adjustments	billing_quote_id	billing_quote table id	string	True	20	
373	PM Financials	payer_adjustments	billing_quote_created_by_id	staff table id	string	True	20	
374	PM Financials	payer_adjustments	custom_non_bill_code_id	custom_non_bill_code table id	string	True	20	
375	PM Financials	payer_adjustments	package_sale_id	package_sale table id	string	True	20	
376	PM Financials	payer_adjustments	package_item_sale_id	package_item_sale table id	string	True	20	
377	PM Financials	payer_adjustments	era_received_id	era_received table id	string	True	20	
378	PM Financials	payer_adjustments	transaction_identifier	Transaction Identifier. Note: This column will be deprecated in release 1.24 and removed in 1.25.	string	True	40	
379	PM Financials	payer_adjustments	charge_link_key	Linking key between charges, payments_posted, patient_adjustments, payer_adjustments, product_sales and production_summary tables.	string	True	100	
380	PM Financials	payer_adjustments	bill_item_adjustment_amount	Bill Item Adjustment. This is the amount of the adjustment. It can be positive or negative. A positive value reduces the charge balance, a negative value increases the charge balance.	double	True		
381	PM Financials	payer_adjustments	bill_item_adjustment_carc	CARC number (payer only)	string	True	10	
382	PM Financials	payer_adjustments	rarc_codes	List of RARC code associated with a bill item adjustment	string	True	100	
383	PM Financials	payer_adjustments	bill_item_adjustment_group_code	Group code that describes what the CARC signifies (payer only).	string	True	30	
384	PM Financials	payer_adjustments	bill_item_adjustment_qualifier	Payer or patient adjustment	string	True	20	
385	PM Financials	payer_adjustments	bill_item_adjustment_status	Payer adjustment status (payer only).	string	True	40	
386	PM Financials	payer_adjustments	denial_category	Denial Category.	string	True	40	
387	PM Financials	payer_adjustments	is_custom_denial_category	Flag for custom denial Category.	boolean	True		
388	PM Financials	payer_adjustments	cpt_product	The CPT/HCPCS procedure code for the bill charge	string	True	100	
389	PM Financials	payer_adjustments	cpt_product_description	The CPT/HCPCS procedure code for the bill charge	string	True	500	
390	PM Financials	payer_adjustments	coverage_type	Coverage type	string	True	10	Primary Secondary Tertiary Self-Pay
391	PM Financials	payer_adjustments	link_state	Stores the current state of the insurance in relation to the bill	string	True	20	LINKED UNLINKED REMOVED LEGACY_REMOVED
392	PM Financials	payer_adjustments	bill_item_adjustment_reason_code	Reason code. Payer reason code or code manually entered by the staff	string	True	25	
393	PM Financials	payer_adjustments	bill_item_adjustment_reason_code_description	Description of Reason code.	string	True	1000	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
394	PM Financials	payer_adjustments	units	Bill item units	double	True		
395	PM Financials	payer_adjustments	charge_amount_original	Original amount of the charge associated with the adjustment.	double	True		
396	PM Financials	payer_adjustments	bill_type	Bill type	string	True	20	PATIENT CLAIM VISION AUTO_PIP WORKERS_COMP
397	PM Financials	payer_adjustments	financial_category	The Financial category listed for the payer	string	True	100	
398	PM Financials	payer_adjustments	policy_type	Payer policy type. May have a null value.	string	True	100	EPO GHP HMO IPA MEDICARE_ADVANTAGE PPO POS COMMERCIAL_OTHER ACA_EXCHANGE CHAMPVA CHIP FECA MEDICARE MEDICAID TRICARE GOVERNMENT_OTHER VISION WORKERS_COMP AUTO_PIP B C Champus Choice Plus Exclusive Provider Organization (EPO) M O
399	PM Financials	payer_adjustments	check_number	Check number associated with payment	string	True	50	
400	PM Financials	payer_adjustments	bill_recreated	Indicates if a bill was recreated from a previous bill	boolean	True		
401	PM Financials	payer_adjustments	voided_adjustment	Indicates if an adjustment has been voided	boolean	True		
402	PM Financials	payer_adjustments	deposit_date	Date payment associated with an adjustment was deposited	date	True		
403	PM Financials	payer_adjustments	auto_pay_bill_status	Captures the status of a patient's AutoPay feature for billing	string	True	300	NOTIFIED SCRUB_FAILED QUEUED DECLINED ON_HOLD CANCELLED COMPLETED PENDING
404	PM Financials	payer_adjustments	activity_type	Activity Type.	string	True	1000	ADJUSTMENT VOID_ADJUSTMENT
405	PM Financials	payer_adjustments	appointment_type	Appointment type. Types are confirmed by the practice at the firm admin level.	string	True	25	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
406	PM Financials	payer_adjustments	fee_schedule_primary_payer_name	Fee schedule name. This is the payer fee schedule from the primary bill insurance.	string	True	50	
407	PM Financials	payer_adjustments	fee_schedule_type	Fee Schedule type.	string	True	10	PAYER PROVIDER
408	PM Financials	payer_adjustments	fee_schedule_primary_payer_effective_date	Effective date. The payer fee schedule effective date.	date	True		
409	PM Financials	payer_adjustments	responsible_insurance_policy_number	Insurance policy number.	string	True	100	
410	PM Financials	payer_adjustments	policy_group_number	Insurance policy group number.	string	True	100	
411	PM Financials	payer_adjustments	patient_relationship_to_policy_holder	Patient relationship to insurance policy holder. May have a null value.	string	True	50	SELF SPOUSE CHILD OTHER EMPLOYER
412	PM Financials	payer_adjustments	policy_patient_name	Name of the policy holder listed for insurance.	string	True	250	
413	PM Financials	payer_adjustments	policy_holder_gender	Policy holder Gender. May have a null value.	string	True	20	MALE, FEMALE, etc.
414	PM Financials	payer_adjustments	policy_holder_date_of_birth	Policy Holder Date Of Birth	timestamp	True		
415	PM Financials	payer_adjustments	payer_plan_name	Payer's plan name.	string	True	100	
416	PM Financials	payer_adjustments	product_category	Product category name	string	True	100	
417	PM Financials	payer_adjustments	product_sku	Product sku	string	True	100	
418	PM Financials	payer_adjustments	code_category	Code category name.	string	True	75	
419	PM Financials	payer_adjustments	service_location_pos_code	Place of service code listed on the bill.	string	True	5	
420	PM Financials	payer_adjustments	notes	Notes.	string	True	300	
421	PM Financials	payer_adjustments	quick_code	Reflects the quick code combination configured for the CPT/Modifier combination on the bill. These codes are configured by the practice.	string	True	50	
422	PM Financials	payer_adjustments	bill_item_allowed	Payer Payment Allowable Amount for the associated Bill Item.	double	True		
423	PM Financials	payer_adjustments	wrvu	CMS wRVU (work relative value units) for the associated Bill Item.	double	True		
424	PM Financials	payer_adjustments	billing_quote_title	Title of billing quote	string	True	100	
425	PM Financials	payer_adjustments	billing_quote_id_number	Client-facing billing quote id	string	True	20	
426	PM Financials	payer_adjustments	firm_is_using_rcm	Whether using rcm is enabled	boolean	True		
427	PM Financials	payer_adjustments	source_of_payment_typology	Source of Payment Typology	string	True	100	
428	PM Financials	payer_adjustments	signature_on_file	If true, a practice can receive payment from an insurer on behalf of a patient.	boolean	True		True: Yes, False: No
429	PM Financials	payer_adjustments	package_name	Package name.	string	True	50	
430	PM Financials	payer_adjustments	package_sale_date_created	Date on which the package was sold.	timestamp	True		
431	PM Financials	payer_adjustments	package_sale_date_created_id	Date on which the package was sold.	timestamp	True		
432	PM Financials	payer_adjustments	bill_item_charge_amount	Total charge for the bill item.	double	True		
433	PM Financials	payer_adjustments	bill_item_adjustment_equal_to_charge	Calculated field. 'Yes' value is set when the adjustment amount is equal to the bill item charge amount.	string	True	3	Yes No
434	PM Financials	payer_adjustments	adjustment_reason	Adjustment reason description.	string	True	1000	
435	PM Financials	payer_adjustments	claim_insurance_key	A concatenation of of bill item and billing insurance id which is linked to the claims which are sent out.	string	True	40	
436	PM Financials	payer_adjustments	bill_item_date_created	Date bill item was created (system generated)	timestamp	True		
437	PM Financials	payer_adjustments	bill_item_date_created_id	Date bill item was created (system generated)	timestamp	True		
438	PM Financials	payer_adjustments	rcm_transaction_responsible	Transaction responsibility flag for RCM	string	True	25	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
439	PM Financials	payer_adjustments	time_zone	Facility time zone	string	True	30	
440	PM Financials	payer_adjustments	bill_item_adjustment_accounting_date	Date that the adjustment was added to the bill item (system generated)	timestamp	True		
441	PM Financials	payer_adjustments	bill_item_adjustment_posted_date_id	Posted date	timestamp	True		
442	PM Financials	payer_adjustments	bill_item_adjustment_transaction_date	Transaction date (system generated)	timestamp	True		
443	PM Financials	payer_adjustments	service_date_from	Date which service started	timestamp	True		
444	PM Financials	payer_adjustments	service_date_to	Date which service ended	timestamp	True		
445	PM Financials	payer_adjustments	bill_item_adjustment_accounting_date_id	Date that the adjustment was added to the bill item (system generated)	timestamp	True		
446	PM Financials	payer_adjustments	bill_item_adjustment_transaction_date_id	Transaction date (system generated)	timestamp	True		
447	PM Financials	payer_adjustments	service_date_from_id	Date which service started	timestamp	True		
448	PM Financials	payer_adjustments	service_date_to_id	Date which service ended	timestamp	True		
449	PM Financials	payer_adjustments	firm_global_id	ModMed internal firm global identifier	string	False	10	
450	Patient	patient_case_contact	patient_case_contact_id	patient_case_contact table id	string	False	20	
451	Patient	patient_case_contact	patient_case_id	patient_case table id	string	False	20	
452	Patient	patient_case_contact	patient_id	patient table id	string	False	20	
453	Patient	patient_case_contact	first_name	Contact's first name	string	False	30	
454	Patient	patient_case_contact	last_name	Contact's last name	string	False	30	
455	Patient	patient_case_contact	contact_type	Patient's contact Type	string	False	40	ATTORNEY CASE_MANAGER OTHER
456	Patient	patient_case_contact	phone_number	Contact's phone number	string	True	50	
457	Patient	patient_case_contact	email	Contact's email address	string	True	250	
458	Patient	patient_case_contact	fax_phone_number	Contact's fax phone number	string	True	50	
459	Patient	patient_case_contact	active	Patient's contact status	boolean	False		
460	Patient	patient_case_contact	firm_global_id	ModMed internal firm global identifier	string	False	10	
461	Patient	patient_case_attachment	patient_case_attachment_id	patient_case_attachment table id	string	False	20	
462	Patient	patient_case_attachment	patient_case_id	patient_case table id	string	False	20	
463	Patient	patient_case_attachment	patient_id	patient table id	string	False	20	
464	Patient	patient_case_attachment	file_attachment_id	file_attachment table id	string	True	20	
465	Patient	patient_case_attachment	firm_global_id	ModMed internal firm global identifier	string	False	10	
466	Appointment	appointment_insurance_policy	appointment_insurance_policy_id	appointment_insurance_policy table id	string	False	20	
467	Appointment	appointment_insurance_policy	appointment_id	appointment table id	string	False	20	
468	Appointment	appointment_insurance_policy	insurance_policy_id	insurance_policy table id	string	False	20	
469	Appointment	appointment_insurance_policy	staff_id	staff table id	string	False	20	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
470	Appointment	appointment_insurance_policy	patient_id	patient table id	string	False	20	
471	Appointment	appointment_insurance_policy	firm_global_id	ModMed internal firm global identifier	string	False	10	
472	PM Financials	custom_code_procedure_link	custom_code_procedure_link_id	custom_code_procedure_link table id	string	False	20	
473	PM Financials	custom_code_procedure_link	procedure_id	Procedure table id	string	True	20	
474	PM Financials	custom_code_procedure_link	custom_code_id	custom_code table id	string	False	20	
475	PM Financials	custom_code_procedure_link	patient_id	patient table id	string	True	20	
476	PM Financials	custom_code_procedure_link	firm_global_id	ModMed internal firm global identifier	string	False	10	
477	Patient	patient_history	patient_history_id	patient_history table id	string	False	20	
478	Patient	patient_history	patient_id	patient table id	string	False	20	
479	Patient	patient_history	sunscreen	Do you wear sunscreen? (defaults to false if unanswered)	boolean	True		
480	Patient	patient_history	sunscreen_spf	If yes, what SPF?	int	True		
481	Patient	patient_history	tanning_salon	Do you tan in a tanning salon? (defaults to false if unanswered)	boolean	True		
482	Patient	patient_history	melanoma_fh	(Skin history) Do you have a family history of Melanoma? (defaults to false if unanswered)	boolean	True		
483	Patient	patient_history	breast_cancer_fh	(Plastic Surgery History) Do you have a family history of breast cancer? (defaults to false if unanswered)	boolean	True		
484	Patient	patient_history	malignant_hyperthermia_fh	(Plastic Surgery History) Do you have a family history of malignant hyperthermia or severe reactions to anesthesia? (defaults to false if unanswered)	boolean	True		
485	Patient	patient_history	herbal_medications	(Plastic Surgery History) Do you take any herbal medications or supplements? (defaults to false if unanswered)	boolean	True		
486	Patient	patient_history	firm_global_id	ModMed internal firm global identifier	string	False	10	
487	Patient	procedure_log	procedure_log_id	procedure_log table id	string	False	20	
488	Patient	procedure_log	patient_id	patient table id	string	False	20	
489	Patient	procedure_log	procedure_date	Date the procedure was recorded	timestamp	True		
490	Patient	procedure_log	procedure_snomed	SNOMED code for the procedure	string	True	25	
491	Patient	procedure_log	site_snomed	SNOMED code for the procedure site	string	True	25	
492	Patient	procedure_log	reason_snomed	SNOMED code for the procedure reason	string	True	25	
493	Patient	procedure_log	loinc	LOINC number	string	True	25	
494	Patient	procedure_log	type	Type of record. May have a null value.	string	True	30	PROCEDURE GOAL PLAN EXAM FINDING SURVEY SOCIALHISTORY SDOH_GOAL SDOH_INTERVENTION
495	Patient	procedure_log	firm_global_id	ModMed internal firm global identifier	string	False	10	
496	Patient	patient_business_unit_setting	patient_business_unit_id	patient_business_unit table id	string	False	30	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
497	Patient	patient_business_unit_setting	patient_id	patient table id	string	True	20	
498	Patient	patient_business_unit_setting	business_unit_id	business_unit table id	string	False	20	
499	Patient	patient_business_unit_setting	patient_business_unit_state ment_preference	Patient statement status for a given business unit.	string	True	5	ON HOLD OFF
500	Patient	patient_business_unit_setting	patient_business_unit_auto _pay_status	Status of Patient's Auto Pay	string	True	20	ACTIVE CANCELLED DEACTIVATED DECLINED PENDING
501	Patient	patient_business_unit_setting	last_statement_status	The patient's last statement status.	string	True	20	
502	Patient	patient_business_unit_setting	last_statement_date	Date that the last statement for a given business unit was sent to a patient.	date	True		
503	Patient	patient_business_unit_setting	firm_global_id	ModMed internal firm global identifier	string	False	10	
504	eLab	result_log_order	result_log_order_id	result_log_order table id	string	False	20	
505	eLab	result_log_order	result_log_id	result_log table id	string	False	20	
506	eLab	result_log_order	order_log_id	order_log table id	string	True	20	
507	eLab	result_log_order	patient_id	patient table id	string	True	20	
508	eLab	result_log_order	firm_global_id	ModMed internal firm global identifier	string	False	10	
509	eLab	result_log_detail_diagn osis	result_log_detail_diagnosis_ id	result_log_detail_diagnosis table id	string	False	20	
510	eLab	result_log_detail_diagn osis	result_log_detail_id	result_log_detail table id	string	False	20	
511	eLab	result_log_detail_diagn osis	patient_id	patient table id	string	True	20	
512	eLab	result_log_detail_diagn osis	diagnosis_id	diagnosis table id	string	True	20	
513	eLab	result_log_detail_diagn osis	diagnosis_name	Name of the diagnosis associated with the result	string	True	200	
514	eLab	result_log_detail_diagn osis	diagnosis_type	High-level diagnosis type	string	True	100	
515	eLab	result_log_detail_diagn osis	firm_global_id	ModMed internal firm global identifier	string	False	10	
516	Ophth Pretesting	pupil	pupil_id	Pupil table id	string	False	20	
517	Ophth Pretesting	pupil	visit_id	Visit table id	string	False	20	
518	Ophth Pretesting	pupil	patient_id	patient table id	string	False	20	
519	Ophth Pretesting	pupil	result	Result. May have a null value.	string	True	20	NORMAL ABNORMAL UNSPECIFIED
520	Ophth Pretesting	pupil	light_od	Light (mm) OD	double	True		
521	Ophth Pretesting	pupil	light_os	Light (mm) OS	double	True		
522	Ophth Pretesting	pupil	dark_od	Dark (mm) OD	double	True		
523	Ophth Pretesting	pupil	dark_os	Dark (mm) OS	double	True		
524	Ophth Pretesting	pupil	near_od	Near (mm) OD	double	True		
525	Ophth Pretesting	pupil	near_os	Near (mm) OS	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
526	Ophth Pretesting	pupil	size_od	Size OD. May have a null value.	string	True	20	NORMAL DILATED MIOTIC UNSPECIFIED
527	Ophth Pretesting	pupil	size_os	Size OS. May have a null value.	string	True	20	NORMAL DILATED MIOTIC UNSPECIFIED
528	Ophth Pretesting	pupil	round_od	Round OD. May have a null value.	string	True	20	ROUND OVAL PEAKED UNSPECIFIED
529	Ophth Pretesting	pupil	round_os	Round OS. May have a null value.	string	True	20	ROUND OVAL PEAKED UNSPECIFIED
530	Ophth Pretesting	pupil	regular_od	Regular OD. May have a null value.	string	True	20	REGULAR IRREGULAR PEAKED UNSPECIFIED
531	Ophth Pretesting	pupil	regular_os	Regular OS. May have a null value.	string	True	20	REGULAR IRREGULAR PEAKED UNSPECIFIED
532	Ophth Pretesting	pupil	reacts_od	Reacts OD. May have a null value.	string	True	20	REACTS_WELL SLUGGISH FIXED HIPPIUS NON_REACTIVE UNSPECIFIED
533	Ophth Pretesting	pupil	reacts_os	Reacts OS. May have a null value.	string	True	20	REACTS_WELL SLUGGISH FIXED HIPPIUS NON_REACTIVE UNSPECIFIED
534	Ophth Pretesting	pupil	apd_od	Afferent pupillary defect (APD) OD. May have a null value.	string	True	20	NONE: No APD TRACE: Trace P1: 1+ P2: 2+ P3: 3+ POSITIVE: Positive
535	Ophth Pretesting	pupil	apd_os	Afferent pupillary defect (APD) OS. May have a null value.	string	True	20	NONE: No APD TRACE: Trace P1: 1+ P2: 2+ P3: 3+ POSITIVE: Positive

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
536	Ophth Pretesting	pupil	rapd_od	Relative afferent pupillary defect (APD) OD. May have a null value.	string	True	45	TRACE: Trace ZERO_POINT_THREE: 0-0.3 POINT_THREE: 0.3 POINT_THREE_POINT_SIX: 0.3-0.6 POINT_SIX: 0.6 POINT_SIX_POINT_NINE: 0.6-0.9 POINT_NINE: 0.9 POINT_NINE_ONE_POINT_TWO: 0.9-1.2 ONE_POINT_TWO: 1.2 GREATER_THAN_ONE_POINT_TWO: >1.2 NONE: None
537	Ophth Pretesting	pupil	rapd_os	Relative afferent pupillary defect (APD) OS. May have a null value.	string	True	45	TRACE: Trace ZERO_POINT_THREE: 0-0.3 POINT_THREE: 0.3 POINT_THREE_POINT_SIX: 0.3-0.6 POINT_SIX: 0.6 POINT_SIX_POINT_NINE: 0.6-0.9 POINT_NINE: 0.9 POINT_NINE_ONE_POINT_TWO: 0.9-1.2 ONE_POINT_TWO: 1.2 GREATER_THAN_ONE_POINT_TWO: >1.2 NONE: None
538	Ophth Pretesting	pupil	other_od	Other OD (right eye)	string	True	255	
539	Ophth Pretesting	pupil	other_os	Other OS (left eye)	string	True	255	
540	Ophth Pretesting	pupil	firm_global_id	ModMed internal firm global identifier	string	False	10	
541	Diagnosis	diagnosis_body_location_morphology	diagnosis_body_location_morphology_id	diagnosis_body_location_morphology table id	string	False	20	
542	Diagnosis	diagnosis_body_location_morphology	diagnosis_body_location_id	diagnosis_body_location table id	string	False	20	
543	Diagnosis	diagnosis_body_location_morphology	patient_id	patient table id	string	False	20	
544	Diagnosis	diagnosis_body_location_morphology	morphology	Morphology associated with the diagnosis. Users can add custom morphologies; these are not included.	string	True	10000	See static_diagnosis_morphology.morphology for default morphologies.
545	Diagnosis	diagnosis_body_location_morphology	firm_global_id	ModMed internal firm global identifier	string	False	10	
546	Diagnosis	diagnosis_referral	diagnosis_referral_id	diagnosis_referral table id	string	False	20	
547	Diagnosis	diagnosis_referral	diagnosis_id	diagnosis table id	string	False	20	
548	Diagnosis	diagnosis_referral	referral_contact_id	referral_contact table id	string	True	20	Provider that the patient is being referred to.
549	Diagnosis	diagnosis_referral	patient_id	patient table id	string	False	20	
550	Diagnosis	diagnosis_referral	specialty	Specialty for the referral	string	True	255	
551	Diagnosis	diagnosis_referral	firm_global_id	ModMed internal firm global identifier	string	False	10	
552	Patient	patient_reproductive_stage	patient_reproductive_stage_id	patient_reproductive_stage table id	string	False	20	
553	Patient	patient_reproductive_stage	patient_id	patient table id	string	False	20	
554	Patient	patient_reproductive_stage	reproductive_stage	Patient reproductive stage.	string	False	50	Female of child bearing age Perimenopausal Postmenopausal Pre-pubertal

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
555	Patient	patient_reproductive_stage	pregnancy_intent	Indicates if the patient wants to get pregnant within a year.	string	True	50	
556	Patient	patient_reproductive_stage	is_trying_to_conceive	Indicates if the patient is trying to conceive or not.	boolean	True		
557	Patient	patient_reproductive_stage	is_lactating	Indicates if the patient is lactating or not.	boolean	True		
558	Patient	patient_reproductive_stage	notes	Additional text added to the patient reproductive stage.	string	True	-1	
559	Patient	patient_reproductive_stage	firm_global_id	ModMed internal firm global identifier	string	False	10	
560	Patient	patient_pregnancy_history_baby	patient_pregnancy_history_baby_id	patient_pregnancy_history_baby table id	string	False	20	
561	Patient	patient_pregnancy_history_baby	patient_id	patient table id	string	False	20	
562	Patient	patient_pregnancy_history_baby	patient_pregnancy_history_id	patient_pregnancy_history table id	string	False	20	
563	Patient	patient_pregnancy_history_baby	mode_of_delivery	Mode of delivery.	string	True	30	Cesarean Forceps Assisted Vaginal Repeat Cesarean Vacuum Assisted Vaginal Vaginal Vaginal after Cesarean
564	Patient	patient_pregnancy_history_baby	baby_name	Name of the baby.	string	True	100	
565	Patient	patient_pregnancy_history_baby	birth_weight_lbs	Baby's birth weight in lbs.	int	True		
566	Patient	patient_pregnancy_history_baby	birth_weight_oz	Baby's birth weight in oz.	int	True		
567	Patient	patient_pregnancy_history_baby	birth_weight_grams	Baby's birth weight in grams.	int	True		
568	Patient	patient_pregnancy_history_baby	sex	Sex of the baby.	string	True	10	
569	Patient	patient_pregnancy_history_baby	apgar_score_1_min	Apgar is a quick test performed on a baby at 1 and 5 minutes after birth. The 1-minute score determines how well the baby tolerated the birthing process.	int	True		
570	Patient	patient_pregnancy_history_baby	apgar_score_5_min	Apgar is a quick test performed on a baby at 1 and 5 minutes after birth. The 5-minute score tells the health care provider how well the baby is doing outside the mother's womb.	int	True		
571	Patient	patient_pregnancy_history_baby	was_living	Indicate if the baby was alive at the time of delivery.	boolean	True		
572	Patient	patient_pregnancy_history_baby	firm_global_id	ModMed internal firm global identifier	string	False	10	
573	Document Management	fax_management	fax_management_id	fax_management table id	string	False	20	
574	Document Management	fax_management	patient_id	patient table id	string	True	20	
575	Document Management	fax_management	visit_id	visit table id	string	True	20	
576	Document Management	fax_management	fax_template_id	fax_template table id	string	True	20	
577	Document Management	fax_management	created_by_staff_id	staff table id	string	True	20	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
578	Document Management	fax_management	released_by_staff_id	id of the staff that released the fax.	string	True	20	
579	Document Management	fax_management	file_name	Filename of the fax attachment.	string	True	1000	
580	Document Management	fax_management	intro	Intro of the fax message.	string	True	10000	
581	Document Management	fax_management	body	Body of the fax message.	string	True	-1	
582	Document Management	fax_management	ending	End text of the fax message.	string	True	10000	
583	Document Management	fax_management	include_antepartum_record	If true, antepartum record is included in fax.	boolean	True		
584	Document Management	fax_management	include_body_diagram	If true, body diagram is included in fax. Only appears if Visit Notes have been added to fax.	boolean	True		
585	Document Management	fax_management	include_ccd	If true, ccd is included in fax. Only appears if Visit Notes have been added to fax.	boolean	True		
586	Document Management	fax_management	include_ccr	If true, ccr is included in fax.	boolean	True		
587	Document Management	fax_management	include_face_sheet	If true, face sheet is included in the fax.	boolean	True		
588	Document Management	fax_management	include_hipaa_cover_sheet	If true, HIPAA cover sheet is included in the fax.	boolean	True		
589	Document Management	fax_management	include_notes	If true, notes are included in the fax.	boolean	True		
590	Document Management	fax_management	include_summary	If true, summary is included in the fax.	boolean	True		
591	Document Management	fax_management	save_to_chart	If true, fax is saved to the patient's chart.	boolean	True		
592	Document Management	fax_management	archived	If true, fax is archived.	boolean	True		
593	Document Management	fax_management	queued_date	Date on which fax was queued.	timestamp	True		
594	Document Management	fax_management	released_date	Date on which the fax was released.	timestamp	True		
595	Document Management	fax_management	archived_date	Date on which fax was archived.	timestamp	True		
596	Document Management	fax_management	firm_global_id	ModMed internal firm global identifier	string	False	10	
597	Visit	original_bill_procedure	original_bill_procedure_id	original_bill_procedure table id	string	False	20	
598	Visit	original_bill_procedure	visit_id	visit table id	string	False	20	
599	Visit	original_bill_procedure	patient_id	patient table id	string	False	20	
600	Visit	original_bill_procedure	position	Position in the bill (order of code in list of codes).	int	False		
601	Visit	original_bill_procedure	cpt	CPT/HCPCS procedure code	string	True	20	
602	Visit	original_bill_procedure	quantity	Quantity of the CPT code.	int	True		
603	Visit	original_bill_procedure	firm_global_id	ModMed internal firm global identifier	string	False	10	
604	Procedure	procedure_metadata_selection	procedure_metadata_selection_id	procedure_metadata_selection table id	string	False	20	
605	Procedure	procedure_metadata_selection	procedure_metadata_id	procedure_metadata table id	string	False	25	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
606	Procedure	procedure_metadata_selection	patient_id	patient table id	string	False	20	
607	Procedure	procedure_metadata_selection	value	Metadata response value.	string	True	2000	See static_procedure_metadata_selection.value
608	Procedure	procedure_metadata_selection	text_value	Text response value.	string	True	12000	
609	Procedure	procedure_metadata_selection	firm_global_id	ModMed internal firm global identifier	string	False	10	
610	PM Financials	bill_item_modifier	bill_item_modifier_id	bill_item_modifier table id	string	False	20	
611	PM Financials	bill_item_modifier	bill_item_id	bill_item table id	string	False	20	
612	PM Financials	bill_item_modifier	patient_id	patient table id	string	False	20	
613	PM Financials	bill_item_modifier	modifier	Modifier linked to bill item	string	True	60	
614	PM Financials	bill_item_modifier	position	Modifier position	int	True		
615	PM Financials	bill_item_modifier	firm_global_id	ModMed internal firm global identifier	string	False	10	
616	Patient	pregnancy_chart_baby_vitals	pregnancy_chart_baby_vitals_id	pregnancy_chart_baby_vitals table id	string	False	20	
617	Patient	pregnancy_chart_baby_vitals	patient_id	patient table id	string	False	20	
618	Patient	pregnancy_chart_baby_vitals	visit_id	visit table id	string	False	20	
619	Patient	pregnancy_chart_baby_vitals	patient_pregnancy_id	patient_pregnancy table id	string	False	20	
620	Patient	pregnancy_chart_baby_vitals	heart_rate	Baby's hearth rate.	int	True		
621	Patient	pregnancy_chart_baby_vitals	presentation	Indicates the way the baby is positioned in the uterus.	string	True	20	Breech Cephalic Transverse
622	Patient	pregnancy_chart_baby_vitals	firm_global_id	ModMed internal firm global identifier	string	False	10	
623	Patient	chart_note_signature	chart_note_signature_id	chart_note_signature table id	string	False	20	
624	Patient	chart_note_signature	chart_note_id	chart_note table id	string	False	20	
625	Patient	chart_note_signature	patient_id	patient table id	string	True	20	
626	Patient	chart_note_signature	signature_staff_id	Staff table id. Id of the staff member who has signed the note.	string	True	20	
627	Patient	chart_note_signature	signature_note	Additional note to accompany the staff member's signature.	string	True	-1	
628	Patient	chart_note_signature	signature_date	Specific date on which the note is signed.	timestamp	True		
629	Patient	chart_note_signature	firm_global_id	ModMed internal firm global identifier	string	False	10	
630	Document Management	fax_inbound	fax_inbound_id	fax_inbound table id	string	False	20	
631	Document Management	fax_inbound	fax_line_id	fax_line table id *Note*: This column will be deprecated on our next release.	string	False	20	
632	Document Management	fax_inbound	file_attachment_id	file_attachment table id	string	True	20	
633	Document Management	fax_inbound	patient_id	patient table id	string	True	20	
634	Document Management	fax_inbound	date_received	Date/time received	timestamp	True		
635	Document Management	fax_inbound	pages	Number of pages	int	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
636	Document Management	fax_inbound	csid	CSID	string	True	255	
637	Document Management	fax_inbound	transaction_id	Transaction ID	int	True		
638	Document Management	fax_inbound	caller_id	Caller ID	string	True	255	
639	Document Management	fax_inbound	status	Title of the status code	string	True	100	See Appendix C
640	Document Management	fax_inbound	phone_number	Receive phone number for the fax line	string	True	50	
641	Document Management	fax_inbound	firm_global_id	ModMed internal firm global identifier	string	False	10	
642	CC/HPI	hpi_response_metadata_a	hpi_response_metadata_id	hpi_response_metadata table id.	string	False	33	
643	CC/HPI	hpi_response_metadata_a	hpi_response_id	hpi_response table id	string	False	20	
644	CC/HPI	hpi_response_metadata_a	parent_hpi_option_value_id	hpi_option_value table id	string	True	20	
645	CC/HPI	hpi_response_metadata_a	patient_id	patient table id	string	False	20	
646	CC/HPI	hpi_response_metadata_a	variable	Metadata variable name. Chief complaints may re-use variable names.	string	True	255	See static_hpi_response_metadata.variable
647	CC/HPI	hpi_response_metadata_a	question_text	Question displayed to the user	string	True	1000	See static_hpi_response_metadata.question_text
648	CC/HPI	hpi_response_metadata_a	type	Data type of the metadata item	string	True	255	See static_hpi_response_metadata.type
649	CC/HPI	hpi_response_metadata_a	component	HPI component the metadata item covers	string	True	255	See static_hpi_response_metadata.component
650	CC/HPI	hpi_response_metadata_a	value	Metadata response value for single-select or text input items.	string	True	20000	See static_hpi_response_metadata_selection.value
651	CC/HPI	hpi_response_metadata_a	body_detail_level	Indicates the level of detail used to inform the HPI.	string	True	100	detailed general generalized simple zone none
652	CC/HPI	hpi_response_metadata_a	mini_madlib	Details related to bundle_key/option_value.	string	True	-1	
653	CC/HPI	hpi_response_metadata_a	position	Order of the questions in the 'Provide Details' form.	int	True		
654	CC/HPI	hpi_response_metadata_a	preserve_order	Preserve order	boolean	True		
655	CC/HPI	hpi_response_metadata_a	duration_days	Metadata response for duration items. All duration_* columns are used together to record how long the patient has had the condition he/she is presenting for	int	True		-1 indicates an indeterminate amount of time i. e. "Patient has had condition for days"
656	CC/HPI	hpi_response_metadata_a	duration_months	Metadata response for duration items. All duration_* columns are used together to record how long the patient has had the condition he/she is presenting for	int	True		-1 indicates an indeterminate amount of time i. e. "Patient has had condition for months"
657	CC/HPI	hpi_response_metadata_a	duration_weeks	Metadata response for duration items. All duration_* columns are used together to record how long the patient has had the condition he/she is presenting for	int	True		-1 indicates an indeterminate amount of time i. e. "Patient has had condition for weeks"

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
658	CC/HPI	hpi_response_metadata	duration_years	Metadata response for duration items. All duration_* columns are used together to record how long the patient has had the condition he/she is presenting for	int	True		-1 indicates an indeterminate amount of time i.e. "Patient has had condition for years"
659	CC/HPI	hpi_response_metadata	firm_global_id	ModMed internal firm global identifier	string	False	10	
660	Ophth Pretesting	binocular	binocular_id	Binocular table id	string	False	20	
661	Ophth Pretesting	binocular	visit_id	Visit table id	string	False	20	
662	Ophth Pretesting	binocular	patient_id	patient table id	string	False	20	
663	Ophth Pretesting	binocular	near_point_conv_test	(Near Point Convergence) Test	string	True	50	
664	Ophth Pretesting	binocular	near_point_conv_reliability	(Near Point Convergence) Reliability	string	True	20	
665	Ophth Pretesting	binocular	near_point_conv_blur	(Near Point Convergence) Blur	int	True		
666	Ophth Pretesting	binocular	near_point_conv_blur_selection	(Near Point Convergence) Blur. Null if near_point_conv_blur is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
667	Ophth Pretesting	binocular	near_point_conv_break	(Near Point Convergence) Break	double	True		
668	Ophth Pretesting	binocular	near_point_conv_break_selection	(Near Point Convergence) Break. Null if near_point_conv_break is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
669	Ophth Pretesting	binocular	near_point_conv_recover	(Near Point Convergence) Recover	int	True		
670	Ophth Pretesting	binocular	near_point_conv_recover_selection	(Near Point Convergence) Recover. Null if near_point_conv_recover is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
671	Ophth Pretesting	binocular	near_point_accom_od	(Near Point Accommodation) OD	double	True		
672	Ophth Pretesting	binocular	near_point_accom_od_selection	(Near Point Accommodation) OD. Null if near_point_accom_od is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
673	Ophth Pretesting	binocular	near_point_accom_os	(Near Point Accommodation) OS	double	True		
674	Ophth Pretesting	binocular	near_point_accom_os_selection	(Near Point Accommodation) OS. Null if near_point_accom_os is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
675	Ophth Pretesting	binocular	near_point_accom_ou	(Near Point Accommodation) OU	double	True		
676	Ophth Pretesting	binocular	near_point_accom_ou_selection	(Near Point Accommodation) OU. Null if near_point_accom_ou is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
677	Ophth Pretesting	binocular	phorias_distance_test	(Phorias - Distance) Test Method	string	True	50	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
678	Ophth Pretesting	binocular	phorias_distance_measured_with	(Phorias - Distance) Measured With	string	True	50	Manifest -2.00 -1.75 -1.50 -1.25 -1.00 -0.75 -0.50 -0.25 +2.00 +1.75 +1.50 +1.25 +1.00 +0.75 +0.50 +0.25 2.00 1.75 1.50 1.25 1.00 0.75 0.50 0.25
679	Ophth Pretesting	binocular	phorias_distance_horiz	(Phorias - Distance) Horiz	double	True		
680	Ophth Pretesting	binocular	phorias_distance_horiz_selection	(Phorias - Distance) Horiz. Null if phorias_horiz is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
681	Ophth Pretesting	binocular	phorias_distance_deviation	(Phorias - Distance) Deviation	string	True	50	
682	Ophth Pretesting	binocular	phorias_distance_od	(Phorias - Distance) Vertical OD Value	double	True		
683	Ophth Pretesting	binocular	phorias_distance_od_selection	(Phorias - Distance) Vertical OD Value. Null if phorias_distance_od is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
684	Ophth Pretesting	binocular	phorias_distance_od_base	(Phorias - Distance) Vertical OD Base	string	True	20	
685	Ophth Pretesting	binocular	phorias_distance_os	(Phorias - Distance) Vertical OS Value	double	True		
686	Ophth Pretesting	binocular	phorias_distance_os_selection	(Phorias - Distance) Vertical OS Value. Null if phorias_distance_os is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
687	Ophth Pretesting	binocular	phorias_distance_os_base	(Phorias - Distance) Vertical OS Base	string	True	2000	
688	Ophth Pretesting	binocular	phorias_near_test	(Phorias - Near) Test Method	string	True	50	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
689	Ophth Pretesting	binocular	phorias_near_measured_with	(Phorias - Near) Measured With	string	True	50	Manifest -2.00 -1.75 -1.50 -1.25 -1.00 -0.75 -0.50 -0.25 +2.00 +1.75 +1.50 +1.25 +1.00 +0.75 +0.50 +0.25 2.00 1.75 1.50 1.25 1.00 0.75 0.50 0.25
690	Ophth Pretesting	binocular	phorias_near_horiz	(Phorias - Near) Horiz	double	True		
691	Ophth Pretesting	binocular	phorias_near_horiz_selection	(Phorias - Near) Horiz. Null if phorias_near_horiz is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
692	Ophth Pretesting	binocular	phorias_near_deviation	(Phorias - Near) Deviation	string	True	50	
693	Ophth Pretesting	binocular	phorias_near_od	(Phorias - Near) Vertical OD Value	double	True		
694	Ophth Pretesting	binocular	phorias_near_od_selection	(Phorias - Near) Vertical OD Value. Null if phorias_near_od is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
695	Ophth Pretesting	binocular	phorias_near_od_base	(Phorias - Near) Vertical OD Base	string	True	20	
696	Ophth Pretesting	binocular	phorias_near_os	(Phorias - Near) Vertical OS Value	double	True		
697	Ophth Pretesting	binocular	phorias_near_os_selection	(Phorias - Near) Vertical OS Value. Null if phorias_near_os is non-null	string	True	20	
698	Ophth Pretesting	binocular	phorias_near_os_base	(Phorias - Near) Vertical OS Base	string	True	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
699	Ophth Pretesting	binocular	vergence_measured_with	(Vergence) Measured With	string	True	50	Manifest -2.00 -1.75 -1.50 -1.25 -1.00 -0.75 -0.50 -0.25 +2.00 +1.75 +1.50 +1.25 +1.00 +0.75 +0.50 +0.25 2.00 1.75 1.50 1.25 1.00 0.75 0.50 0.25
700	Ophth Pretesting	binocular	divergence_distance_blur	(Vergence) Divergence (BI) Distance Blur	double	True		
701	Ophth Pretesting	binocular	divergence_distance_blur_selection	(Vergence) Divergence (BI) Distance Blur. Null if divergence_distance_blur is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
702	Ophth Pretesting	binocular	divergence_distance_break	(Vergence) Divergence (BI) Distance Break	double	True		
703	Ophth Pretesting	binocular	divergence_distance_break_selection	(Vergence) Divergence (BI) Distance Break. Null if divergence_distance_break is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
704	Ophth Pretesting	binocular	divergence_distance_recover	(Vergence) Divergence (BI) Distance Recover	double	True		
705	Ophth Pretesting	binocular	divergence_distance_recover_selection	(Vergence) Divergence (BI) Distance Recover. Null if divergence_distance_recover is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
706	Ophth Pretesting	binocular	divergence_near_blur	(Vergence) Divergence (BI) Near Blur	double	True		
707	Ophth Pretesting	binocular	divergence_near_blur_selection	(Vergence) Divergence (BI) Near Blur. Null if divergence_near_blur is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
708	Ophth Pretesting	binocular	divergence_near_break	(Vergence) Divergence (BI) Near Break	double	True		
709	Ophth Pretesting	binocular	divergence_near_break_selection	(Vergence) Divergence (BI) Near Break. Null if divergence_near_break is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
710	Ophth Pretesting	binocular	divergence_near_recover	(Vergence) Divergence (BI) Near Recover	double	True		
711	Ophth Pretesting	binocular	divergence_near_recover_selection	(Vergence) Divergence (BI) Near Recover. Null if divergence_near_recover is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
712	Ophth Pretesting	binocular	convergence_distance_blur	(Vergence) Convergence (BO) Distance Blur	double	True		
713	Ophth Pretesting	binocular	convergence_distance_blur_selection	(Vergence) Convergence (BO) Distance Blur. Null if convergence_distance_blur is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
714	Ophth Pretesting	binocular	convergence_distance_break	(Vergence) Convergence (BO) Distance Break	double	True		
715	Ophth Pretesting	binocular	convergence_distance_break_selection	(Vergence) Convergence (BO) Distance Break. Null if convergence_distance_break is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
716	Ophth Pretesting	binocular	convergence_distance_recover	(Vergence) Convergence (BO) Distance Recover	double	True		
717	Ophth Pretesting	binocular	convergence_distance_recover_selection	(Vergence) Convergence (BO) Distance Recover. Null if convergence_distance_recover is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
718	Ophth Pretesting	binocular	convergence_near_blur	(Vergence) Convergence (BO) Near Blur	double	True		
719	Ophth Pretesting	binocular	convergence_near_blur_selection	(Vergence) Convergence (BO) Near Blur. Null if convergence_near_blur is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
720	Ophth Pretesting	binocular	convergence_near_break	(Vergence) Convergence (BO) Near Break	double	True		
721	Ophth Pretesting	binocular	convergence_near_break_selection	(Vergence) Convergence (BO) Near Break. Null if convergence_near_break is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
722	Ophth Pretesting	binocular	convergence_near_recover	(Vergence) Convergence (BO) Near Recover	double	True		
723	Ophth Pretesting	binocular	convergence_near_recover_selection	(Vergence) Convergence (BO) Near Recover. Null if convergence_near_recover is non-null	string	True	20	
724	Ophth Pretesting	binocular	cross_cylinder_bxc	(Cross-Cylinder) BXC/14b	double	True		
725	Ophth Pretesting	binocular	cross_cylinder_bxc_selection	(Cross-Cylinder) BXC/14b. Null if cross_cylinder_bxc is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
726	Ophth Pretesting	binocular	relative_accom_nra_blur	(Relative Accommodation) NRA Blur	double	True		
727	Ophth Pretesting	binocular	relative_accom_nra_blur_selection	(Relative Accommodation) NRA Blur. Null if relative_accom_nra_blur is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
728	Ophth Pretesting	binocular	relative_accom_nra_recover	(Relative Accommodation) NRA Recover	double	True		
729	Ophth Pretesting	binocular	relative_accom_nra_recover_selection	(Relative Accommodation) NRA Recover. Null if relative_accom_nra_recover is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
730	Ophth Pretesting	binocular	relative_accom_pra_blur	(Relative Accommodation) PRA Blur	double	True		
731	Ophth Pretesting	binocular	relative_accom_pra_blur_selection	(Relative Accommodation) PRA Blur. Null if relative_accom_pra_blur is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
732	Ophth Pretesting	binocular	relative_accom_pra_recover	(Relative Accommodation) PRA Recover	double	True		
733	Ophth Pretesting	binocular	relative_accom_pra_recover_selection	(Relative Accommodation) PRA Recover. Null if relative_accom_pra_recover is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
734	Ophth Pretesting	binocular	relative_accom_add	(Relative Accommodation) Add	double	True		
735	Ophth Pretesting	binocular	relative_accom_acuity	(Relative Accommodation) Acuity	string	True	20	
736	Ophth Pretesting	binocular	aca_numerator	(AC/A Ratio) Numerator	double	True		
737	Ophth Pretesting	binocular	aca_numerator_selection	(AC/A Ratio) Numerator. Null if aca_numerator is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
738	Ophth Pretesting	binocular	aca_denominator	(AC/A Ratio) Denominator	int	True		
739	Ophth Pretesting	binocular	aca_denominator_selection	(AC/A Ratio) Denominator. Null if aca_denominator is non-null	string	True	20	UNRESPONSIVE NOT_RECORDED
740	Ophth Pretesting	binocular	fusion_stereo_test	(Fusion/Stereopsis) Test Type	string	True	20	
741	Ophth Pretesting	binocular	fusion_stereo_reliability	(Fusion/Stereopsis) Reliability	string	True	20	
742	Ophth Pretesting	binocular	fusion_stereo_distance	(Fusion/Stereopsis) Distance	int	True		
743	Ophth Pretesting	binocular	fusion_stereo_near	(Fusion/Stereopsis) Near	int	True		
744	Ophth Pretesting	binocular	worth_6_m	(Worth Four Dot Test) at 6 Meters	string	True	20	
745	Ophth Pretesting	binocular	worth_33_cm	(Worth Four Dot Test) at 33 Centimeters	string	True	20	
746	Ophth Pretesting	binocular	titmus_stereo_fly	(Titmus Stereo Test) Stereo Fly Wings	boolean	True		
747	Ophth Pretesting	binocular	titmus_animal_a	(Titmus Stereo Test) Animals - Row A.	boolean	True		
748	Ophth Pretesting	binocular	titmus_animal_b	(Titmus Stereo Test) Animals - Row B.	boolean	True		
749	Ophth Pretesting	binocular	titmus_animal_c	(Titmus Stereo Test) Animals - Row C.	boolean	True		
750	Ophth Pretesting	binocular	titmus_dots_1	(Titmus Stereo Test) Four Dots - Box 1	boolean	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
751	Ophth Pretesting	binocular	titmus_dots_2	(Titmus Stereo Test) Four Dots - Box 2	boolean	True		
752	Ophth Pretesting	binocular	titmus_dots_3	(Titmus Stereo Test) Four Dots - Box 3	boolean	True		
753	Ophth Pretesting	binocular	titmus_dots_4	(Titmus Stereo Test) Four Dots - Box 4	boolean	True		
754	Ophth Pretesting	binocular	titmus_dots_5	(Titmus Stereo Test) Four Dots - Box 5	boolean	True		
755	Ophth Pretesting	binocular	titmus_dots_6	(Titmus Stereo Test) Four Dots - Box 6	boolean	True		
756	Ophth Pretesting	binocular	titmus_dots_7	(Titmus Stereo Test) Four Dots - Box 7	boolean	True		
757	Ophth Pretesting	binocular	titmus_dots_8	(Titmus Stereo Test) Four Dots - Box 8	boolean	True		
758	Ophth Pretesting	binocular	titmus_dots_9	(Titmus Stereo Test) Four Dots - Box 9	boolean	True		
759	Ophth Pretesting	binocular	dominance	(Dominance) Eye Dominance	string	True	50	
760	Ophth Pretesting	binocular	accom_facility_method	(Accommodative Facility) Method	string	True	30	
761	Ophth Pretesting	binocular	accom_facility_results	(Accommodative Facility) Results	string	True	20	
762	Ophth Pretesting	binocular	accom_facility_rock_power	(Accommodative Facility) Rock Power	double	True		
763	Ophth Pretesting	binocular	accom_facility_reliability	(Accommodative Facility) Reliability	string	True	20	
764	Ophth Pretesting	binocular	mem_ret_accom_lag	(MEM Retinoscopy) Accommodative Lag	string	True	30	1 (Very Weak) +0.25D 4 (Strong) +0.55D 1 (Very Weak) +1.25D 2 (Weak) +1.00D 4 (Strong) +0.50D 5 (Very Strong) +0.25D 3 (Adequate) +0.75D
765	Ophth Pretesting	binocular	mem_ret_accom_excess	(MEM Retinoscopy) Excess	string	True	30	1 (Very Weak) +0.25D 4 (Strong) +0.55D 1 (Very Weak) +1.25D 2 (Weak) +1.00D 4 (Strong) +0.50D 5 (Very Strong) +0.25D 3 (Adequate) +0.75D
766	Ophth Pretesting	binocular	firm_global_id	ModMed internal firm global identifier	string	True	10	
767	Ophth Pretesting	motility	motility_id	Motility table id	string	False	20	
768	Ophth Pretesting	motility	visit_id	Visit table id	string	False	20	
769	Ophth Pretesting	motility	patient_id	patient table id	string	False	20	
770	Ophth Pretesting	motility	result	Motility Result. May have a null value.	string	True	50	FULL_OU FULL_OD FULL_OS ABNORMAL ATTEMPTED_BUT_NOT_ACHIEVED UNSPECIFIED
771	Ophth Pretesting	motility	other	Notes.	string	True	5000	
772	Ophth Pretesting	motility	firm_global_id	ModMed internal firm global identifier	string	False	10	
773	PM Financials	appointment_missing_charges	appointment_missing_charges_id	appointment_missing_charges table id	string	False	20	
774	PM Financials	appointment_missing_charges	business_unit_id	business_unit table id	string	False	20	
775	PM Financials	appointment_missing_charges	visit_id	visit table id	string	True	20	
776	PM Financials	appointment_missing_charges	appointment_id	appointment table id	string	True	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
777	PM Financials	appointment_missing_charges	patient_id	patient table id	string	True	20	
778	PM Financials	appointment_missing_charges	facility_id	facility table id	string	False	20	Service location
779	PM Financials	appointment_missing_charges	payer_id	payer table id	string	True	20	Payer that is selected for the payer payment
780	PM Financials	appointment_missing_charges	primary_provider_id	staff table id	string	False	20	Primary Provider. This is the staff member who the patient is scheduled to visit.
781	PM Financials	appointment_missing_charges	appointment_time	Appointment time	string	True	10	hh:mm a
782	PM Financials	appointment_missing_charges	appointment_type	Appointment type. Types are confirmed by the practice at the firm admin level.	string	True	25	
783	PM Financials	appointment_missing_charges	financial_category	financial category name	string	True	255	
784	PM Financials	appointment_missing_charges	appt_status	Appointment status	string	True	40	PENDING CONFIRMED ARRIVED CHECKED_IN CHECKED_OUT NO_SHOW CANCELLED
785	PM Financials	appointment_missing_charges	visit_status	Status of the visit	string	True	50	CHARGES_SENT CODED FINAL FINALIZING HELD_FOR_BILLING HELD_FOR_RESULTS HELD_FOR_TRANSCRIPTION PRELIMINARY RECORDING_IN_PROGRESS TRANSCRIPTION_FAILED TRANSCRIPTION_READY
786	PM Financials	appointment_missing_charges	bill_with_same_appointment_dos_exists	Indicates if there is a bill where the bill's date of service is the same as the appointment's date of service, regardless of facility	boolean	True		
787	PM Financials	appointment_missing_charges	bill_with_same_appointment_dos_and_facility_exists	Indicates if there is a bill where the bill's date of service and facility are the same as the appointment's date of service and facility	boolean	True		
788	PM Financials	appointment_missing_charges	time_zone	Facility time zone	string	True	30	
789	PM Financials	appointment_missing_charges	scheduled_start_date	Appointment date	timestamp	True		
790	PM Financials	appointment_missing_charges	scheduled_start_date_id	Appointment date	timestamp	True		
791	PM Financials	appointment_missing_charges	do_not_require_visit_creation	Indicates if a provider can address a patient's needs or provide a service without needing to schedule a formal, billed visit.	boolean	True		
792	PM Financials	appointment_missing_charges	firm_global_id	ModMed internal firm global identifier	string	True	10	
793	Patient	patient_pregnancy_baby	patient_pregnancy_baby_id	patient_pregnancy_baby table id	string	False	20	
794	Patient	patient_pregnancy_baby	patient_id	patient table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
795	Patient	patient_pregnancy_baby	patient_pregnancy_id	patient_pregnancy table id	string	False	20	
796	Patient	patient_pregnancy_baby	baby_name	Name of the baby.	string	True	100	
797	Patient	patient_pregnancy_baby	sex	Sex of the baby.	string	True	10	Female Male Surprise
798	Patient	patient_pregnancy_baby	firm_global_id	ModMed internal firm global identifier	string	False	10	
799	Patient	patient_flag	patient_flag_id	patient_history table id	string	False	20	
800	Patient	patient_flag	patient_id	patient table id	string	False	20	
801	Patient	patient_flag	firm_id	firm table id	string	False	20	
802	Patient	patient_flag	patient_first_name	Patient's first name	string	True	100	
803	Patient	patient_flag	patient_last_name	Patient's last name	string	True	100	
804	Patient	patient_flag	patient_mrn	MRN	string	True	20	
805	Patient	patient_flag	flag_name	Flag name	string	True	20	
806	Patient	patient_flag	flag_description	Flag description	string	True	200	
807	Patient	patient_flag	flag_active	Indicates if patient flag is active.	boolean	True		
808	Patient	patient_flag	date_created	Date created (system generated).	timestamp	True		
809	Patient	patient_flag	date_modified	Date modified (system generated).	timestamp	True		
810	Patient	patient_flag	firm_global_id	ModMed internal firm global identifier	string	False	10	
811	Ophth Pretesting	contacts_trial	contacts_trial_id	contacts_trial table id	string	False	20	
812	Ophth Pretesting	contacts_trial	visit_id	visit table id	string	False	20	
813	Ophth Pretesting	contacts_trial	patient_id	patient table id	string	False	20	
814	Ophth Pretesting	contacts_trial	date_recorded	Date recorded. May be different than the visit date and edited by the physician or staff member.	timestamp	True		May be different than the visit date and edited by the physician or staff member.
815	Ophth Pretesting	contacts_trial	contacts_usage	Contact Lens Trial Usage	string	True	255	See Appendix A
816	Ophth Pretesting	contacts_trial	status	Status	string	True	255	DISPENSED DISPENSED_PATIENT_CAN_CONFIRM DISPENSED_SUCCESSFUL DISPENSED_UNSUCCESSFUL FINAL ORDER_TRIAL ORDER_TRIAL_NEEDS_FITTING_DOCTOR ORDER_TRIAL_NEEDS_FITTING_STAFF ORDER_TRIAL_PATIENT_CAN_CONFIRM SEE_NOTES
817	Ophth Pretesting	contacts_trial	wearing_schedule	(Contact Lens Regimen) Wearing Schedule	string	True	30	AS_NEEDED TWO_WEEKS MONTHLY WEEKLY ANNUALLY SEE_SPECIAL_INSTRUCTIONS DAILY

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
818	Ophth Pretesting	contacts_trial	replenishment	(Contact Lens Regimen) Replenishment	string	True	30	THREE_MONTHS AS_NEEDED TWO_WEEKS SIX_MONTHS DIAGNOSTIC MONTHLY WEEKLY ANNUALLY SEE_SPECIAL_INSTRUCTIONS DAILY
819	Ophth Pretesting	contacts_trial	disinfecting	(Contact Lens Regimen) Disinfecting	string	True	30	CLEAR_CARE_HYDRAGLYDE AQUIFY STORE_BRAND RENU OPTIFREE SAUFLON BIOTRUE LOBOB_SOF_PRO_2 OPTIFREE_PUREMOIST BLINK_REVITALENS CLEAR_CARE NONE OPTIFREE_REPLENISH PEROXICARE SEE_SPECIAL_INSTRUCTIONS UNIQUE_PH
820	Ophth Pretesting	contacts_trial	notes	(Notes) Notes	string	True	-1	
821	Ophth Pretesting	contacts_trial	print_notes	Display notes on Rx printout	boolean	True		
822	Ophth Pretesting	contacts_trial	expiration_date_od	Expiration Date OD	timestamp	True		
823	Ophth Pretesting	contacts_trial	expiration_date_os	Expiration Date OS	timestamp	True		
824	Ophth Pretesting	contacts_trial	lens_manufacturer_od	Contact lens manufacturer OD	string	True	100	Based on ABB product database, or free-text override
825	Ophth Pretesting	contacts_trial	lens_manufacturer_os	Contact lens manufacturer OS	string	True	100	Based on ABB product database, or free-text override
826	Ophth Pretesting	contacts_trial	lens_brand_od	Contact lens brand OD	string	True	100	Based on ABB product database, or free-text override
827	Ophth Pretesting	contacts_trial	lens_brand_os	Contact lens brand OS	string	True	100	Based on ABB product database, or free-text override
828	Ophth Pretesting	contacts_trial	lens_color_od	Color / MF PWF OD	string	True	100	Based on ABB product database
829	Ophth Pretesting	contacts_trial	lens_color_os	Color / MF PWF Os	string	True	100	Based on ABB product database
830	Ophth Pretesting	contacts_trial	start_date_od	Start Date OD	timestamp	True		
831	Ophth Pretesting	contacts_trial	start_date_os	Start Date OS	timestamp	True		
832	Ophth Pretesting	contacts_trial	base_curve_od	Base Curve OD	double	True		
833	Ophth Pretesting	contacts_trial	base_curve_os	Base Curve OS	double	True		
834	Ophth Pretesting	contacts_trial	diameter_od	Diameter OD	double	True		
835	Ophth Pretesting	contacts_trial	diameter_os	Diameter OS	double	True		
836	Ophth Pretesting	contacts_trial	underlying_condition_od	Underlying condition. If not null, all OD refraction values are null (not including over refraction).	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
837	Ophth Pretesting	contacts_trial	underlying_condition_os	Underlying condition. If not null, all OS refraction values are null (not including over refraction).	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
838	Ophth Pretesting	contacts_trial	sphere_od	Sphere OD	double	True		
839	Ophth Pretesting	contacts_trial	sphere_os	Sphere OS	double	True		
840	Ophth Pretesting	contacts_trial	cylinder_od	Cylinder OD	double	True		
841	Ophth Pretesting	contacts_trial	cylinder_os	Cylinder OS	double	True		
842	Ophth Pretesting	contacts_trial	axis_od	Axis OD	int	True		
843	Ophth Pretesting	contacts_trial	axis_os	Axis OS	int	True		
844	Ophth Pretesting	contacts_trial	add_od	Add OD	double	True		
845	Ophth Pretesting	contacts_trial	add_os	Add OS	double	True		
846	Ophth Pretesting	contacts_trial	refraction_other_od	Refraction other OD	string	True	255	
847	Ophth Pretesting	contacts_trial	refraction_other_os	Refraction other OS	string	True	255	
848	Ophth Pretesting	contacts_trial	visual_acuity_dcc_od	Visual acuity DccOD	string	True	20	See Appendix B
849	Ophth Pretesting	contacts_trial	visual_acuity_dcc_os	Visual acuity DccOS	string	True	20	See Appendix B
850	Ophth Pretesting	contacts_trial	visual_acuity_dcc_ou	Visual acuity DccOU	string	True	20	See Appendix B
851	Ophth Pretesting	contacts_trial	pinhole_dcc_od	Pinhole visual acuity DccOD	string	True	20	See Appendix B
852	Ophth Pretesting	contacts_trial	pinhole_dcc_os	Pinhole visual acuity DccOS	string	True	20	See Appendix B
853	Ophth Pretesting	contacts_trial	pinhole_dcc_ou	Pinhole visual acuity DccOU	string	True	20	See Appendix B
854	Ophth Pretesting	contacts_trial	glare_dcc_od	Glare DccOD	string	True	20	See Appendix B
855	Ophth Pretesting	contacts_trial	glare_dcc_os	Glare DccOS	string	True	20	See Appendix B
856	Ophth Pretesting	contacts_trial	glare_dcc_ou	Glare DccOU	string	True	20	See Appendix B
857	Ophth Pretesting	contacts_trial	bat_dcc_od	Brightness acuity test DccOD	string	True	20	See Appendix B
858	Ophth Pretesting	contacts_trial	bat_dcc_os	Brightness acuity test DccOS	string	True	20	See Appendix B
859	Ophth Pretesting	contacts_trial	bat_dcc_ou	Brightness acuity test DccOU	string	True	20	See Appendix B
860	Ophth Pretesting	contacts_trial	pam_dcc_od	Potential acuity meter DccOD	string	True	20	See Appendix B
861	Ophth Pretesting	contacts_trial	pam_dcc_os	Potential acuity meter DccOS	string	True	20	See Appendix B
862	Ophth Pretesting	contacts_trial	pam_dcc_ou	Potential acuity meter DccOU	string	True	20	See Appendix B
863	Ophth Pretesting	contacts_trial	ram_dcc_od	Retinal acuity meter DccOD	string	True	20	See Appendix B
864	Ophth Pretesting	contacts_trial	ram_dcc_os	Retinal acuity meter DccOS	string	True	20	See Appendix B
865	Ophth Pretesting	contacts_trial	ram_dcc_ou	Retinal acuity meter DccOU	string	True	20	See Appendix B
866	Ophth Pretesting	contacts_trial	visual_acuity_other_dcc_od	Visual acuity other NccOD	string	True	255	
867	Ophth Pretesting	contacts_trial	visual_acuity_other_dcc_os	Visual acuity other NccOS	string	True	255	
868	Ophth Pretesting	contacts_trial	visual_acuity_other_dcc_ou	Visual acuity other NccOU	string	True	255	
869	Ophth Pretesting	contacts_trial	visual_acuity_ncc_od	Visual acuity NccOD	string	True	20	See Appendix B
870	Ophth Pretesting	contacts_trial	visual_acuity_ncc_os	Visual acuity NccOS	string	True	20	See Appendix B
871	Ophth Pretesting	contacts_trial	visual_acuity_ncc_ou	Visual acuity NccOU	string	True	20	See Appendix B
872	Ophth Pretesting	contacts_trial	pinhole_ncc_od	Pinhole visual acuity NccOD	string	True	20	See Appendix B
873	Ophth Pretesting	contacts_trial	pinhole_ncc_os	Pinhole visual acuity NccOS	string	True	20	See Appendix B
874	Ophth Pretesting	contacts_trial	pinhole_ncc_ou	Pinhole visual acuity NccOU	string	True	20	See Appendix B
875	Ophth Pretesting	contacts_trial	glare_ncc_od	Glare NccOD	string	True	20	See Appendix B
876	Ophth Pretesting	contacts_trial	glare_ncc_os	Glare NccOS	string	True	20	See Appendix B
877	Ophth Pretesting	contacts_trial	glare_ncc_ou	Glare NccOU	string	True	20	See Appendix B

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
878	Ophth Pretesting	contacts_trial	bat_ncc_od	Brightness acuity test NccOD	string	True	20	See Appendix B
879	Ophth Pretesting	contacts_trial	bat_ncc_os	Brightness acuity test NccOS	string	True	20	See Appendix B
880	Ophth Pretesting	contacts_trial	bat_ncc_ou	Brightness acuity test NccOU	string	True	20	See Appendix B
881	Ophth Pretesting	contacts_trial	pam_ncc_od	Potential acuity meter NccOD	string	True	20	See Appendix B
882	Ophth Pretesting	contacts_trial	pam_ncc_os	Potential acuity meter NccOS	string	True	20	See Appendix B
883	Ophth Pretesting	contacts_trial	pam_ncc_ou	Potential acuity meter NccOU	string	True	20	See Appendix B
884	Ophth Pretesting	contacts_trial	ram_ncc_od	Retinal acuity meter NccOD	string	True	20	See Appendix B
885	Ophth Pretesting	contacts_trial	ram_ncc_os	Retinal acuity meter NccOS	string	True	20	See Appendix B
886	Ophth Pretesting	contacts_trial	ram_ncc_ou	Retinal acuity meter NccOU	string	True	20	See Appendix B
887	Ophth Pretesting	contacts_trial	visual_acuity_other_ncc_od	Visual acuity other NccOD	string	True	255	
888	Ophth Pretesting	contacts_trial	visual_acuity_other_ncc_os	Visual acuity other NccOD	string	True	255	
889	Ophth Pretesting	contacts_trial	visual_acuity_other_ncc_ou	Visual acuity other NccOD	string	True	255	
890	Ophth Pretesting	contacts_trial	movement_od	(Assessment) Movement OD	string	True	100	GOOD TIGHT LOOSE NONE
891	Ophth Pretesting	contacts_trial	movement_os	(Assessment) Movement OS. May have a null value.	string	True	100	GOOD TIGHT LOOSE NONE
892	Ophth Pretesting	contacts_trial	centration_od	(Assessment) Centration OD. May have a null value.	string	True	100	GOOD DECENTERED_NASAL DECENTERED_TEMPORAL SUPERIOR_APERTURE DROPS_WITH_BLINK NONE
893	Ophth Pretesting	contacts_trial	centration_os	(Assessment) Centration OS. May have a null value.	string	True	100	GOOD DECENTERED_NASAL DECENTERED_TEMPORAL SUPERIOR_APERTURE DROPS_WITH_BLINK NONE
894	Ophth Pretesting	contacts_trial	vision_od	(Assessment) Vision OD. May have a null value.	string	True	100	GOOD FUNCTIONAL ADEQUATE POOR NONE
895	Ophth Pretesting	contacts_trial	vision_os	(Assessment) Vision OS. May have a null value.	string	True	100	GOOD FUNCTIONAL ADEQUATE POOR NONE
896	Ophth Pretesting	contacts_trial	comfort_od	(Assessment) Comfort OD. May have a null value.	string	True	100	COMFORTABLE UNCOMFORTABLE DRY NONE
897	Ophth Pretesting	contacts_trial	comfort_os	(Assessment) Comfort OS. May have a null value.	string	True	100	COMFORTABLE UNCOMFORTABLE DRY NONE

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
898	Ophth Pretesting	contacts_trial	torics_right_od	(Assessment) Torics Right OD	boolean	True		True: ON, False: OFF
899	Ophth Pretesting	contacts_trial	torics_right_os	(Assessment) Torics Right OS	boolean	True		True: ON, False: OFF
900	Ophth Pretesting	contacts_trial	torics_rotated_right_od	(Assessment) Torics Rotated Right (degrees) OD	int	True		
901	Ophth Pretesting	contacts_trial	torics_rotated_right_os	(Assessment) Torics Rotated Right (degrees) OS	int	True		
902	Ophth Pretesting	contacts_trial	torics_rotated_left_od	(Assessment) Torics Rotated Left (degrees) OD	int	True		
903	Ophth Pretesting	contacts_trial	torics_rotated_left_os	(Assessment) Torics Rotated Left (degrees) OS	int	True		
904	Ophth Pretesting	contacts_trial	or_sphere_od	(Over Refraction) Sphere OD	double	True		
905	Ophth Pretesting	contacts_trial	or_sphere_os	(Over Refraction) Sphere OS	double	True		
906	Ophth Pretesting	contacts_trial	or_cylinder_od	(Over Refraction) Cylinder OD	double	True		
907	Ophth Pretesting	contacts_trial	or_cylinder_os	(Over Refraction) Cylinder OS	double	True		
908	Ophth Pretesting	contacts_trial	or_axis_od	(Over Refraction) Axis OD	int	True		
909	Ophth Pretesting	contacts_trial	or_axis_os	(Over Refraction) Axis OS	int	True		
910	Ophth Pretesting	contacts_trial	or_visual_acuity_dcc_od	(Over Refraction) Visual acuity DccOD	string	True	20	See Appendix B
911	Ophth Pretesting	contacts_trial	or_visual_acuity_dcc_os	(Over Refraction) Visual acuity DccOS	string	True	20	See Appendix B
912	Ophth Pretesting	contacts_trial	or_visual_acuity_dcc_ou	(Over Refraction) Visual acuity DccOU	string	True	20	See Appendix B
913	Ophth Pretesting	contacts_trial	or_visual_acuity_ncc_od	(Over Refraction) Visual acuity NccOD	string	True	20	See Appendix B
914	Ophth Pretesting	contacts_trial	or_visual_acuity_ncc_os	(Over Refraction) Visual acuity NccOS	string	True	20	See Appendix B
915	Ophth Pretesting	contacts_trial	or_visual_acuity_ncc_ou	(Over Refraction) Visual acuity NccOU	string	True	20	See Appendix B
916	Ophth Pretesting	contacts_trial	firm_global_id	ModMed internal firm global identifier	string	False	10	
917	Practice	restricted_chart_event_log	restricted_chart_event_log_id	restricted_chart_event_log table id	string	False	20	
918	Practice	restricted_chart_event_log	patient_id	patient table id	string	False	20	
919	Practice	restricted_chart_event_log	accessed_by_staff_id	staff table id	string	False	20	
920	Practice	restricted_chart_event_log	event_type	When a staff member accesses a restricted chart/region or a chart's restricted status is updated.	string	True	50	MARKED_AS_RESTRICTED REGIONS RESTRICTED_CHART UNMARKED_AS_RESTRICTED
921	Practice	restricted_chart_event_log	reason	Staff member's reason for accessing patient chart or region	string	True	-1	
922	Practice	restricted_chart_event_log	event_start	Timestamp when staff member accessed restricted chart or region	timestamp	True		
923	Practice	restricted_chart_event_log	event_end	Timestamp when staff member stopped access of restricted chart or region	timestamp	True		
924	Practice	restricted_chart_event_log	firm_global_id	ModMed internal firm global identifier	string	False	10	
925	PM Financials	bill_item	bill_item_id	bill_item table id	string	False	20	
926	PM Financials	bill_item	patient_id	patient table id	string	False	20	
927	PM Financials	bill_item	bill_id	bill table id	string	False	20	
928	PM Financials	bill_item	code_category_id	code_category table id	string	True	20	
929	PM Financials	bill_item	code_category	Code category name.	string	True	75	
930	PM Financials	bill_item	wrvu	CMS wRVU (work relative value units) for the associated Bill Item.	double	True		
931	PM Financials	bill_item	quick_code	Reflects the quick code combination configured for the CPT/Modifier combination on the bill. These codes are configured by the practice.	string	True	50	
932	PM Financials	bill_item	identifier	Identifier(s) linked to bill item	string	True	16	Identifier for bill item.

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
933	PM Financials	bill_item	code	Bill item code displayed on the bill.	string	True	20	
934	PM Financials	bill_item	code_description	Bill item code descriptio displayed on the bill.	string	True	200	
935	PM Financials	bill_item	bill_item_allowed	Payer Payment Allowable Amount for the associated Bill Item.	double	True		
936	PM Financials	bill_item	position	Position of bill item on the bill	int	True		
937	PM Financials	bill_item	type	Bill item type. May have a null value.	string	True	20	CPT INJECTABLE CUSTOM DME ANESTHESIA UNKNOWN INVENTORY
938	PM Financials	bill_item	units	Bill item units	double	True		
939	PM Financials	bill_item	unit_allowable	Bill item unit allowable units	double	True		
940	PM Financials	bill_item	bill_item_fee_schedule_allowable	Payer Payment Allowable Amount for the associated Bill Item.	double	True		
941	PM Financials	bill_item	modifiers	Modifier(s) linked to bill item	string	True	60	Comma-separated string sorted by modifier position
942	PM Financials	bill_item	first_modifier	First modifier linked to bill item	string	True	20	
943	PM Financials	bill_item	second_modifier	Second modifier linked to bill item	string	True	20	
944	PM Financials	bill_item	third_modifier	Third modifier linked to bill item	string	True	20	
945	PM Financials	bill_item	fourth_modifier	Fourth modifier linked to bill item	string	True	20	
946	PM Financials	bill_item	num_modifiers	Number of modifiers linked to bill item	int	True		
947	PM Financials	bill_item	more_than_four_modifiers	Specifies if there are more than 4 modifiers that are linked to the bill item	boolean	True		
948	PM Financials	bill_item	reversal_state	Indicate whether a bill_item is in a reverse status or not	string	True	20	LEGACY LEGACY_REVERSED ACTIVE REVERSED
949	PM Financials	bill_item	supplemental_code	Supplemental code liked to bill item.	string	True	50	
950	PM Financials	bill_item	supplemental_description	Supplemental code description liked to bill item.	string	True	80	
951	PM Financials	bill_item	revenue_code	Revenue code associated to the CPT code.	string	True	4	
952	PM Financials	bill_item	supplemental_qualifier	Supplemental qualifier linked to bill item as listed on 1500 form.	string	True	20	
953	PM Financials	bill_item	supplemental_quantity	Supplemental quantity.	double	True		
954	PM Financials	bill_item	supplemental_quantity_qualifier	Supplemental quantity qualifier linked to bill item.	string	True	20	
955	PM Financials	bill_item	supplemental_qualifier_code	Code for the supplemental qualifier associated with the bill item	string	True	20	
956	PM Financials	bill_item	supplemental_qualifier_description	Description for the supplemental qualifier associated with the bill item	string	True	20	
957	PM Financials	bill_item	unit_of_measure_code	Unit of measure for the supplemental qualifier associated with the bill item	string	True	20	
958	PM Financials	bill_item	unit_of_measure_description	Description of the unit of measure for the supplemental qualifier associated with the bill item	string	True	20	
959	PM Financials	bill_item	patient_responsible_from_copay	Patient copay.	double	True		
960	PM Financials	bill_item	patient_responsible_from_coinsurance	Patient coinsurance.	double	True		
961	PM Financials	bill_item	patient_responsible_from_deductible	Patient deductible.	double	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
962	PM Financials	bill_item	patient_responsible_from_other	Other.	double	True		
963	PM Financials	bill_item	charge	Total charge on bill item.	double	True		
964	PM Financials	bill_item	unit_charge	Unit charge on bill item.	double	True		
965	PM Financials	bill_item	total_payments	Total payments made on bill item.	double	True		
966	PM Financials	bill_item	applied_adjustments_total	Total adjustments applied to bill item.	double	True		
967	PM Financials	bill_item	balance	Bill item balance.	double	True		
968	PM Financials	bill_item	note	Bill item note.	string	True	55	
969	PM Financials	bill_item	status	Bill item post status.	string	True	40	
970	PM Financials	bill_item	visible	Bill item visible flag. Bill items that have been removed from a bill will have visible flag set to False.	boolean	True		
971	PM Financials	bill_item	service_date_from	Bill item service date from.	timestamp	True		
972	PM Financials	bill_item	service_date_to	Bill item service date to.	timestamp	True		
973	PM Financials	bill_item	service_date_from_id	Bill item service date from.	timestamp	True		
974	PM Financials	bill_item	service_date_to_id	Bill item service date to.	timestamp	True		
975	PM Financials	bill_item	date_created	Date created (system generated).	timestamp	True		
976	PM Financials	bill_item	date_modified	Date modified (system generated).	timestamp	True		
977	PM Financials	bill_item	firm_global_id	ModMed internal firm global identifier	string	False	10	
978	Practice	referral_source_link	referral_source_link_id	referral_source_link table id	string	False	30	
979	Practice	referral_source_link	patient_id	patient table id	string	False	20	
980	Practice	referral_source_link	referral_source_id	referral_source table id	string	True	20	
981	Practice	referral_source_link	firm_id	firm table id	string	True	20	
982	Practice	referral_source_link	referring_patient_id	patient table id for referring patient.	string	True	20	
983	Practice	referral_source_link	referring_provider_id	referral_contact table id for referring provider.	string	True	20	
984	Practice	referral_source_link	referring_institution_id	referral_institution table id.	string	True	20	
985	Practice	referral_source_link	appointment_id	appointment table id	string	True	20	
986	Practice	referral_source_link	visit_id	visit table id	string	True	20	
987	Practice	referral_source_link	bill_id	bill table id	string	True	20	
988	Practice	referral_source_link	referral_type_id	referral_type table id	string	True	20	
989	Practice	referral_source_link	created_by_staff_id	staff table id	string	True	20	
990	Practice	referral_source_link	primary_source	Primary source flag.	boolean	True		
991	Practice	referral_source_link	referral_name	Source name.	string	True	100	
992	Practice	referral_source_link	referral_type	Source Type.	string	True	100	
993	Practice	referral_source_link	referral_description	Source description given by System Admin.	string	True	500	
994	Practice	referral_source_link	built_in	Default built-in source flag.	boolean	True		
995	Practice	referral_source_link	status	Referral Source status flag.	boolean	True		
996	Practice	referral_source_link	firm_global_id	ModMed internal firm global identifier	string	False	10	
997	Visit	visit_follow_up_reason	visit_follow_up_reason_id	visit_follow_up_reason table id	string	False	20	
998	Visit	visit_follow_up_reason	visit_follow_up_id	visit_follow_up table id	string	False	20	
999	Visit	visit_follow_up_reason	patient_id	patient table id	string	False	20	
1000	Visit	visit_follow_up_reason	reason	Follow up reason	string	True	50	
1001	Visit	visit_follow_up_reason	firm_global_id	ModMed internal firm global identifier	string	False	10	
1002	Document Management	file_attachment	file_attachment_id	file_attachment table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1003	Document Management	file_attachment	firm_id	firm table id	string	False	20	
1004	Document Management	file_attachment	uploaded_by_staff_id	staff table id	string	True	20	Staff member that uploaded the file
1005	Document Management	file_attachment	uploaded_by_patient_id	patient table id	string	True	20	Patient that uploaded the file
1006	Document Management	file_attachment	patient_id	patient table id	string	True	20	Patient the attachment is assigned to. NULL if not assigned to a patient.
1007	Document Management	file_attachment	visit_id	visit table id	string	True	20	Visit the attachment is assigned to. NULL if not assigned to a visit.
1008	Document Management	file_attachment	document_category_id	document_category table id	string	True	20	Category assigned to the file attachment. NULL if there is no category.
1009	Document Management	file_attachment	document_firm_id	document_firm table id	string	True	20	Document assigned to the file attachment. NULL if there is no document.
1010	Document Management	file_attachment	diagnosis_id	diagnosis table id	string	True	20	
1011	Document Management	file_attachment	elab_order_id	elab_order table id	string	True	20	
1012	Document Management	file_attachment	lab_request_id	lab_request table id	string	True	20	
1013	Document Management	file_attachment	procedure_id	procedure table id	string	True	20	
1014	Document Management	file_attachment	procedure_body_location_id	procedure_body_location table id	string	True	20	
1015	Document Management	file_attachment	document_category	Category of the file attachment	string	True	2000	
1016	Document Management	file_attachment	title	Title of the file attachment	string	True	2000	
1017	Document Management	file_attachment	file_name	File name of the attachment	string	True	255	
1018	Document Management	file_attachment	file_type	Type of the file attached.	string	True	1	
1019	Document Management	file_attachment	file_size	Size (in bytes) of the file attached.	bigint	True		
1020	Document Management	file_attachment	document_status	Indicates if the document is final or a draft.	string	True	20	
1021	Document Management	file_attachment	photo_permission	Indicates the level of access to an attached picture.	string	True	10	
1022	Document Management	file_attachment	file_exists_checked	Flag to show that file existence was checked.	boolean	True		
1023	Document Management	file_attachment	imported	Indicates if the file attachment is imported.	boolean	True		
1024	Document Management	file_attachment	in_visit_note	Indicates if the file attachment is in visit note.	boolean	True		
1025	Document Management	file_attachment	is_editable	Indicates if the file attachment is editable.	boolean	True		
1026	Document Management	file_attachment	is_primary_photo	Indicates if the file attachment is a primary photo.	boolean	True		
1027	Document Management	file_attachment	visible	Indicates if the file attachment is visible or not.	boolean	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1028	Document Management	file_attachment	added_on_date	Date the file was uploaded	timestamp	True		
1029	Document Management	file_attachment	firm_global_id	ModMed internal firm global identifier	string	False	10	
1030	Patient	social_history	social_history_id	social_history table id	string	False	20	
1031	Patient	social_history	patient_id	patient table id	string	False	20	
1032	Patient	social_history	value	Social history option	string	True	255	See Appendix D
1033	Patient	social_history	other_value	Additional text added to the condition	string	True	-1	
1034	Patient	social_history	firm_global_id	ModMed internal firm global identifier	string	False	10	
1035	Visit	visit	visit_id	visit table id	string	False	20	
1036	Visit	visit	patient_id	patient table id	string	False	20	
1037	Visit	visit	facility_id	facility table id	string	True	20	Facility where the visit took place
1038	Visit	visit	physician_id	staff table id	string	True	20	Primary provider for the visit. --Deprecated and used for backward compatibility
1039	Visit	visit	primary_provider_id	staff table id	string	True	20	Primary provider for the visit
1040	Visit	visit	primary_biller_id	staff table id	string	True	20	Primary biller for the visit
1041	Visit	visit	primary_care_provider_id	referral_contact table id	string	True	20	Primary care provider set to mention in the note. NOTE: only is populated if "Mention in visit note" is selected in Manage Visit Settings for the Primary Care Provider (PCP).
1042	Visit	visit	referring_provider_id	referral_contact table id. *Note*: This column will be deprecated on our next release. Please join to 'patient_referring_provider' on 'patient_id'. Relationship will be one to many.	string	True	20	Referring provider set to mention in the note. NOTE: only is populated if "Mention in visit note" is selected in Manage Visit Settings for the Referring Provider.
1043	Visit	visit	bill_overridden_staff_id	staff table id	string	True	20	Staff Id from override billing table.
1044	Visit	visit	patient_case_id	Patient Case Identifier	string	True	20	
1045	Visit	visit	fee_schedule_id	fee_schedule table id (PM Column). Provider fee schedule.	string	True	20	
1046	Visit	visit	ordering_provider_id	staff table id	string	True	20	
1047	Visit	visit	supervising_provider_id	staff table id	string	True	20	
1048	Visit	visit	ordering_referral_contact_id	referral_contact table id.	string	True	20	
1049	Visit	visit	created_by_staff_id	staff table id	string	True	20	
1050	Visit	visit	visit_date	Date the visit took place	timestamp	True		
1051	Visit	visit	visit_date_id	Date the visit took place	timestamp	True		
1052	Visit	visit	type	Type of visit record. NOTE: not all types are "real" visits!	string	True	30	VISIT PATIENT_CREATED_VISIT PROTOCOL VISIT_WITHOUT_ENCOUNTER MEASUREMENT_WITHOUT_VISIT
1053	Visit	visit	visit_category	Visit category associated with the visit.	string	True	255	
1054	Visit	visit	transition_of_care	Was patient referred from another setting of care or provider?	boolean	True		
1055	Visit	visit	pms_id	PMS ID	string	True	50	
1056	Visit	visit	pms_id_type	PMS ID Type	string	True	100	
1057	Visit	visit	fin	FIN Visit ID	string	True	50	
1058	Visit	visit	bill_as	Bill As	string	True	45	See Appendix E
1059	Visit	visit	archived	If the visit is archived	boolean	True		
1060	Visit	visit	override_em_code	Override Suggested E/M Code	string	True	50	TELEMEDICINE, EM_99024, EM_99201, etc.

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1061	Visit	visit	bill_by_time_minutes	Bill by time - Time (in minutes) to bill	int	True		
1062	Visit	visit	bill_by_time_percent_counseling	Bill by time - Percent of time Counseling or Coordinating Care	int	True		
1063	Visit	visit	bill_by_time_visit_type	Bill by time - Visit Type	string	True	50	NEW_PATIENT ESTABLISHED CONSULT TELEHEALTH_NEW_PATIENT TELEHEALTH_ESTABLISHED_PATIENT
1064	Visit	visit	encounter_disposition	Place or setting to which the patient left a hospital or encounter.	string	True	50	Home Alternative Home Other Healthcare Facility Hospice Long Term Care Left Against Advice Expired Psychiatric Hospital Rehabilitation Skilled Nursing Facility Other
1065	Visit	visit	bill_overridden	If the suggested bill was overridden. NOTE: override E/M code and bill by time do not immediately set this flag to true. The user must actually select "Override Bill" and make edits to the bill to trigger this flag. Most will, however, since override E/M code and bill by time do not add a diagnosis pointer to the new E/M code.	boolean	True		
1066	Visit	visit	refuse_vitals	If the patient refused vitals	boolean	True		
1067	Visit	visit	is_last_visit	Visit is most recent visit for patient.	boolean	True		
1068	Visit	visit	visit_status	Status of the visit	string	True	50	CHARGES_SENT CODED FINAL FINALIZING HELD_FOR_BILLING HELD_FOR_RESULTS HELD_FOR_TRANSCRIPTION PRELIMINARY RECORDING_IN_PROGRESS TRANSCRIPTION_FAILED TRANSCRIPTION_READY
1069	Visit	visit	historical_summary	Historical summary note	string	True	-1	
1070	Visit	visit	ai_scribe_visit	Boolean column to the visit table that designates if a visit was done with Ambient Listening	boolean	True		
1071	Visit	visit	finalized_date	Date the visit was finalized.	timestamp	True		
1072	Visit	visit	finalized_date_id	Date the visit was finalized.	timestamp	True		
1073	Visit	visit	note_created_date	Chart note created date	timestamp	True		
1074	Visit	visit	note_created_date_id	Chart note created date	timestamp	True		
1075	Visit	visit	time_zone	Facility time zone	string	True	30	
1076	Visit	visit	date_created	Date the visit was created (database generated).	timestamp	True		
1077	Visit	visit	date_modified	Date the visit was modified (database generated).	timestamp	True		
1078	Visit	visit	firm_global_id	ModMed internal firm global identifier	string	False	10	
1079	PM Financials	bill_insurance	bill_insurance_id	bill_insurance table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1080	PM Financials	bill_insurance	bill_id	bill table id	string	False	20	
1081	PM Financials	bill_insurance	insurance_policy_id	insurance_policy table id	string	True	20	
1082	PM Financials	bill_insurance	insurance_policy_authorization_id	insurance_policy_authorization table id	string	True	20	
1083	PM Financials	bill_insurance	unlinked_by_staff_id	staff table id	string	True	20	
1084	PM Financials	bill_insurance	inactivated_by_staff_id	staff table id	string	True	20	
1085	PM Financials	bill_insurance	fee_schedule_id	fee_schedule table id. This is the payer fee schedule selected for the bill.	string	True	20	
1086	PM Financials	bill_insurance	patient_id	patient table id	string	False	20	
1087	PM Financials	bill_insurance	authorization_number	Bill insurance authorization number.	string	True	50	
1088	PM Financials	bill_insurance	position	Insurance policy position on the bill.	int	True		
1089	PM Financials	bill_insurance	status	Bill insurance status.	string	True	50	PRELIMINARY UNAVAILABLE
1090	PM Financials	bill_insurance	payer_id_type	Type of payer ID.	string	True	20	DME INSTITUTIONAL OTHER PROFESSIONAL
1091	PM Financials	bill_insurance	link_state	Stores the current state of the insurance in relation to the bill.	string	True	20	LINKED UNLINKED REMOVED LEGACY_REMOVED
1092	PM Financials	bill_insurance	date_inactivated	Date at which Bill Insurance was inactivated.	timestamp	True		
1093	PM Financials	bill_insurance	date_unlinked	Date at which Bill Insurance was unlinked.	timestamp	True		
1094	PM Financials	bill_insurance	signature_on_file	Flag for signature on file.	boolean	True		
1095	PM Financials	bill_insurance	accepts_assignment	Flag for whether the Bill Insurance accepts assignment.	boolean	True		
1096	PM Financials	bill_insurance	visible	Flag for whether the record is visible.	boolean	True		
1097	PM Financials	bill_insurance	firm_global_id	ModMed internal firm global identifier	string	False	10	
1098	eLab	order_log_detail_cpt_code	order_log_detail_cpt_code_id	order_log_detail_cpt_code table id	string	False	26	
1099	eLab	order_log_detail_cpt_code	order_log_detail_id	order_log_detail table id	string	False	20	
1100	eLab	order_log_detail_cpt_code	order_log_id	order_log table id	string	False	20	
1101	eLab	order_log_detail_cpt_code	patient_id	patient table id	string	True	20	
1102	eLab	order_log_detail_cpt_code	cpt_code	CPT Code.	string	True	5	
1103	eLab	order_log_detail_cpt_code	firm_global_id	ModMed internal firm global identifier	string	False	10	
1104	CC/HPI	hpi_follow_up_measurement	hpi_follow_up_measurement_id	hpi_follow_up_measurement table id	string	False	20	
1105	CC/HPI	hpi_follow_up_measurement	hpi_follow_up_id	hpi_follow_up table id	string	False	20	
1106	CC/HPI	hpi_follow_up_measurement	patient_id	patient table id	string	False	20	
1107	CC/HPI	hpi_follow_up_measurement	variable	Variable name for the measurement. Variable names may be re-used across different diagnoses, and multiple variables may have the same title and/or question_text.	string	True	256	See static_diagnosis_measurement.variable
1108	CC/HPI	hpi_follow_up_measurement	title	Name of the measurement.	string	True	256	See static_diagnosis_measurement.title

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1109	CC/HPI	hpi_follow_up_measurement	question_text	Question displayed to the user.	string	True	256	See static_diagnosis_measurement.hpi_question_text
1110	CC/HPI	hpi_follow_up_measurement	type	Data type of the measurement	string	True	256	See static_diagnosis_measurement.type
1111	CC/HPI	hpi_follow_up_measurement	value	Value of the measurement	double	True		
1112	CC/HPI	hpi_follow_up_measurement	value_title	Title associated with the value, if applicable	string	True	256	See static_diagnosis_measurement_value.title
1113	CC/HPI	hpi_follow_up_measurement	firm_global_id	ModMed internal firm global identifier	string	False	10	
1114	CC/HPI	hpi_option	hpi_option_id	hpi_option table id	string	False	20	
1115	CC/HPI	hpi_option	hpi_response_id	hpi_response table id	string	False	20	
1116	CC/HPI	hpi_option	patient_id	patient table id	string	False	20	
1117	CC/HPI	hpi_option	hpi_variable	Type of question asked.	string	True	255	
1118	CC/HPI	hpi_option	hpi_variable_question_text	Text of the question asked during assessment.	string	True	1000	
1119	CC/HPI	hpi_option	bundle_key	Detailed value associated to the hpi_option selected. Formatted as code key.	string	True	255	
1120	CC/HPI	hpi_option	option_type	Type of field used in the form.	string	True	50	
1121	CC/HPI	hpi_option	tab_label	Tab label	string	True	100	Aggravating Associated Symptoms Case Info Duration Employer History Injury Date Occupation Past_Treatments Pertinent History Pertinent Negatives Referral Source Referring Timeline Timing Treatment Treatments Work Date FOR OFFICE USE
1122	CC/HPI	hpi_option	exclude_gender	Whether the question should exclude a gender from answering it or not. Indicates the excluded gender.	string	True	25	
1123	CC/HPI	hpi_option	position	Position of the question in the form.	int	True		
1124	CC/HPI	hpi_option	question_level	Question level.	int	True		
1125	CC/HPI	hpi_option	range_start	Lowest boundary of the range.	double	True		
1126	CC/HPI	hpi_option	range_end	Highest boundary of the range.	double	True		
1127	CC/HPI	hpi_option	range_default	Default value for the range.	double	True		
1128	CC/HPI	hpi_option	range_increment	Increment steps for the range value.	double	True		
1129	CC/HPI	hpi_option	preserve_order	Preserve order.	boolean	True		
1130	CC/HPI	hpi_option	visible	Visible.	boolean	True		
1131	CC/HPI	hpi_option	required	Indicates if the question is mandatory or not.	boolean	True		
1132	CC/HPI	hpi_option	allow_none	Indicates if the question accepts answer 'does not apply' or not.	boolean	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1133	CC/HPI	hpi_option	allow_other	Indicates if the question accepts answer 'other' or not.	boolean	True		
1134	CC/HPI	hpi_option	indicates_chronic_condition	Indicates if the question is related to a chronic condition or not.	boolean	True		
1135	CC/HPI	hpi_option	date_created	Date created (system generated).	timestamp	True		
1136	CC/HPI	hpi_option	date_modified	Date modified (system generated).	timestamp	True		
1137	CC/HPI	hpi_option	firm_global_id	Firm global identifier (unique across pods)	string	False	10	
1138	PM Financials	product_sales	product_sales_id	product_sales table id	string	False	40	
1139	PM Financials	product_sales	business_unit_id	business_unit table id	string	False	20	
1140	PM Financials	product_sales	patient_id	patient table id	string	True	20	
1141	PM Financials	product_sales	staff_id	staff table id	string	False	20	The staff member that performs the transaction
1142	PM Financials	product_sales	provider_id	staff table id	string	True	20	The provider designated on the transaction.
1143	PM Financials	product_sales	facility_id	facility table id	string	False	20	The facility location where the transaction was performed
1144	PM Financials	product_sales	sold_by_id	staff table id	string	True	20	The staff member selected in the Sold By field. The provider and the Sold by could be the same person depending on selection.
1145	PM Financials	product_sales	division_id	division table id	string	True	20	
1146	PM Financials	product_sales	code_category_id	code_category table id	string	True	20	
1147	PM Financials	product_sales	custom_non_bill_code_id	custom_non_bill_code table id	string	True	20	
1148	PM Financials	product_sales	charge_link_key	Linking key between charges, payments_posted, patient_adjustments, payer_adjustments, product_sales and production_summary tables.	string	True	100	
1149	PM Financials	product_sales	charge_status	Charge Status	string	True	10	VOIDED NON_VOIDED
1150	PM Financials	product_sales	cpt_product	The code for the product or charge, or an inventory product code. In this table, bill related cpt/product will be stored as none.	string	True	100	
1151	PM Financials	product_sales	cpt_product_description	The procedure or charge code description for the product, or the inventory product description.	string	True	500	
1152	PM Financials	product_sales	code_category	Code category name.	string	True	75	
1153	PM Financials	product_sales	product_charge	Product unit charge	double	True		
1154	PM Financials	product_sales	product_units	Number of units being sold	double	True		
1155	PM Financials	product_sales	product_subtotal	Subtotal of transaction	double	True		
1156	PM Financials	product_sales	product_discount_amount	Charge amount discounted in % or \$ amount	double	True		
1157	PM Financials	product_sales	product_discount_reason	Reason for discount	string	True	22	CUSTOM_DISCOUNT PACKAGES PROFESSIONAL_COURTESY PROMOTIONAL PACKAGES OTHER
1158	PM Financials	product_sales	custom_discount_reasons	Comma separated values for custom discount reasons.	string	True	500	
1159	PM Financials	product_sales	product_local_tax_rate	Facility local tax rate	double	True		
1160	PM Financials	product_sales	product_state_tax_rate	Facility state tax rate	double	True		
1161	PM Financials	product_sales	product_total	Total charge after discounts and taxes are applied.	double	True		
1162	PM Financials	product_sales	total_adjustments_itd	Total adjustments applied (inception to date).	double	True		
1163	PM Financials	product_sales	financial_category	The Financial category related to the patient	string	True	100	
1164	PM Financials	product_sales	ledger_payment_amount	Payment amount per ledger item.	double	True		
1165	PM Financials	product_sales	time_zone	User time zone	string	True	30	
1166	PM Financials	product_sales	transaction_date	Date of transaction	timestamp	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1167	PM Financials	product_sales	service_date	Date of service	timestamp	True		This field can be change by the staff.
1168	PM Financials	product_sales	product_posted_date	Posted Date	timestamp	True		This field can be change by the staff.
1169	PM Financials	product_sales	transaction_date_id	Date of transaction	timestamp	True		
1170	PM Financials	product_sales	service_date_id	Date of service	timestamp	True		
1171	PM Financials	product_sales	product_posted_date_id	Posted Date	timestamp	True		
1172	PM Financials	product_sales	firm_global_id	ModMed internal firm global identifier	string	False	10	
1173	Ophth Pretesting	wearing_contacts	wearing_contacts_id	wearing_contacts table id	string	False	20	
1174	Ophth Pretesting	wearing_contacts	visit_id	visit table id	string	False	20	
1175	Ophth Pretesting	wearing_contacts	patient_id	patient table id	string	False	20	
1176	Ophth Pretesting	wearing_contacts	date_recorded	Date recorded. May be different than the visit date and edited by the physician or staff member.	timestamp	True		
1177	Ophth Pretesting	wearing_contacts	bifocal	Contacts options (Bifocal)	boolean	True		
1178	Ophth Pretesting	wearing_contacts	monovision	Contacts options (Monovision)	boolean	True		
1179	Ophth Pretesting	wearing_contacts	toric	Contacts options (Toric)	boolean	True		
1180	Ophth Pretesting	wearing_contacts	contacts_option_other	Contacts options (other)	boolean	True		
1181	Ophth Pretesting	wearing_contacts	contacts_option_other_value	Contacts options (other)	string	True	20000	
1182	Ophth Pretesting	wearing_contacts	contacts_usage	Contacts Usage	string	True	255	See Appendix A
1183	Ophth Pretesting	wearing_contacts	status	Status. May have a null value.	string	True	255	DISPENSED DISPENSED_PATIENT_CAN_CONFIRM DISPENSED_SUCCESSFUL DISPENSED_UNSUCCESSFUL FINAL ORDER_TRIAL ORDER_TRIAL_NEEDS_FITTING_DOCTOR ORDER_TRIAL_NEEDS_FITTING_STAFF ORDER_TRIAL_PATIENT_CAN_CONFIRM SEE_NOTES
1184	Ophth Pretesting	wearing_contacts	wearing_schedule	(Contact Lens Regimen) Wearing Schedule. May have a null value.	string	True	30	AS_NEEDED TWO_WEEKS MONTHLY WEEKLY ANNUALLY SEE_SPECIAL_INSTRUCTIONS DAILY
1185	Ophth Pretesting	wearing_contacts	replenishment	(Contact Lens Regimen) Replenishment. May have a null value.	string	True	30	THREE_MONTHS AS_NEEDED TWO_WEEKS SIX_MONTHS DIAGNOSTIC MONTHLY WEEKLY ANNUALLY SEE_SPECIAL_INSTRUCTIONS DAILY

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1186	Ophth Pretesting	wearing_contacts	disinfecting	(Contact Lens Regimen) Disinfecting. May have a null value.	string	True	30	CLEAR_CARE_HYDRAGLYDE AQUIFY BOSTON_ADVANCE STORE_BRAND RENU OPTIFREE SAUFロン BIOTRUE LOBOB_SOF_PRO_2 OPTIFREE_PUREMOIST BLINK_REVITALENS CLEAR_CARE NONE OPTIFREE_REPLENISH PEROXICARE SEE_SPECIAL_INSTRUCTIONS
1187	Ophth Pretesting	wearing_contacts	notes	(Notes) Notes	string	True	-1	
1188	Ophth Pretesting	wearing_contacts	expiration_date_od	Expiration Date OD	timestamp	True		
1189	Ophth Pretesting	wearing_contacts	expiration_date_os	Expiration Date OS	timestamp	True		
1190	Ophth Pretesting	wearing_contacts	lens_manufacturer_od	Contact lens manufacturer OD	string	True	100	Based on ABB product database, or free-text override
1191	Ophth Pretesting	wearing_contacts	lens_manufacturer_os	Contact lens manufacturer OS	string	True	100	Based on ABB product database, or free-text override
1192	Ophth Pretesting	wearing_contacts	lens_brand_od	Contact lens brand OD	string	True	100	Based on ABB product database, or free-text override
1193	Ophth Pretesting	wearing_contacts	lens_brand_os	Contact lens brand OS	string	True	100	Based on ABB product database, or free-text override
1194	Ophth Pretesting	wearing_contacts	lens_color_od	Color / MF PWF OD	string	True	100	Based on ABB product database
1195	Ophth Pretesting	wearing_contacts	lens_color_os	Color / MF PWF Os	string	True	100	Based on ABB product database
1196	Ophth Pretesting	wearing_contacts	start_date_od	Start Date OD	timestamp	True		
1197	Ophth Pretesting	wearing_contacts	start_date_os	Start Date OS	timestamp	True		
1198	Ophth Pretesting	wearing_contacts	base_curve_od	Base Curve OD	double	True		
1199	Ophth Pretesting	wearing_contacts	base_curve_os	Base Curve OS	double	True		
1200	Ophth Pretesting	wearing_contacts	diameter_od	Diameter OD	double	True		
1201	Ophth Pretesting	wearing_contacts	diameter_os	Diameter OS	double	True		
1202	Ophth Pretesting	wearing_contacts	underlying_condition_od	Underlying condition. If not null, all OD refraction values are null (not including over refraction).	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
1203	Ophth Pretesting	wearing_contacts	underlying_condition_os	Underlying condition. If not null, all OS refraction values are null (not including over refraction).	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
1204	Ophth Pretesting	wearing_contacts	sphere_od	Sphere OD	double	True		
1205	Ophth Pretesting	wearing_contacts	sphere_os	Sphere OS	double	True		
1206	Ophth Pretesting	wearing_contacts	cylinder_od	Cylinder OD	double	True		
1207	Ophth Pretesting	wearing_contacts	cylinder_os	Cylinder OS	double	True		
1208	Ophth Pretesting	wearing_contacts	axis_od	Axis OD	int	True		
1209	Ophth Pretesting	wearing_contacts	axis_os	Axis OS	int	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1210	Ophth Pretesting	wearing_contacts	add_od	Add OD	double	True		
1211	Ophth Pretesting	wearing_contacts	add_os	Add OS	double	True		
1212	Ophth Pretesting	wearing_contacts	refraction_other_od	Refraction other OD	string	True	255	
1213	Ophth Pretesting	wearing_contacts	refraction_other_os	Refraction other OD	string	True	255	
1214	Ophth Pretesting	wearing_contacts	visual_acuity_dcc_od	Visual acuity DccOD	string	True	20	See Appendix B
1215	Ophth Pretesting	wearing_contacts	visual_acuity_dcc_os	Visual acuity DccOS	string	True	20	See Appendix B
1216	Ophth Pretesting	wearing_contacts	visual_acuity_dcc_ou	Visual acuity DccOU	string	True	20	See Appendix B
1217	Ophth Pretesting	wearing_contacts	pinhole_dcc_od	Pinhole visual acuity DccOD	string	True	20	See Appendix B
1218	Ophth Pretesting	wearing_contacts	pinhole_dcc_os	Pinhole visual acuity DccOS	string	True	20	See Appendix B
1219	Ophth Pretesting	wearing_contacts	pinhole_dcc_ou	Pinhole visual acuity DccOU	string	True	20	See Appendix B
1220	Ophth Pretesting	wearing_contacts	glare_dcc_od	Glare DccOD	string	True	20	See Appendix B
1221	Ophth Pretesting	wearing_contacts	glare_dcc_os	Glare DccOS	string	True	20	See Appendix B
1222	Ophth Pretesting	wearing_contacts	glare_dcc_ou	Glare DccOU	string	True	20	See Appendix B
1223	Ophth Pretesting	wearing_contacts	bat_dcc_od	Brightness acuity test DccOD	string	True	20	See Appendix B
1224	Ophth Pretesting	wearing_contacts	bat_dcc_os	Brightness acuity test DccOS	string	True	20	See Appendix B
1225	Ophth Pretesting	wearing_contacts	bat_dcc_ou	Brightness acuity test DccOU	string	True	20	See Appendix B
1226	Ophth Pretesting	wearing_contacts	pam_dcc_od	Potential acuity meter DccOD	string	True	20	See Appendix B
1227	Ophth Pretesting	wearing_contacts	pam_dcc_os	Potential acuity meter DccOS	string	True	20	See Appendix B
1228	Ophth Pretesting	wearing_contacts	pam_dcc_ou	Potential acuity meter DccOU	string	True	20	See Appendix B
1229	Ophth Pretesting	wearing_contacts	ram_dcc_od	Retinal acuity meter DccOD	string	True	20	See Appendix B
1230	Ophth Pretesting	wearing_contacts	ram_dcc_os	Retinal acuity meter DccOS	string	True	20	See Appendix B
1231	Ophth Pretesting	wearing_contacts	ram_dcc_ou	Retinal acuity meter DccOU	string	True	20	See Appendix B
1232	Ophth Pretesting	wearing_contacts	visual_acuity_other_dcc_od	Visual acuity other NccOD	string	True	255	
1233	Ophth Pretesting	wearing_contacts	visual_acuity_other_dcc_os	Visual acuity other NccOD	string	True	255	
1234	Ophth Pretesting	wearing_contacts	visual_acuity_other_dcc_ou	Visual acuity other NccOD	string	True	255	
1235	Ophth Pretesting	wearing_contacts	visual_acuity_ncc_od	Visual acuity NccOD	string	True	20	See Appendix B
1236	Ophth Pretesting	wearing_contacts	visual_acuity_ncc_os	Visual acuity NccOS	string	True	20	See Appendix B
1237	Ophth Pretesting	wearing_contacts	visual_acuity_ncc_ou	Visual acuity NccOU	string	True	20	See Appendix B
1238	Ophth Pretesting	wearing_contacts	pinhole_ncc_od	Pinhole visual acuity NccOD	string	True	20	See Appendix B
1239	Ophth Pretesting	wearing_contacts	pinhole_ncc_os	Pinhole visual acuity NccOS	string	True	20	See Appendix B
1240	Ophth Pretesting	wearing_contacts	pinhole_ncc_ou	Pinhole visual acuity NccOU	string	True	20	See Appendix B
1241	Ophth Pretesting	wearing_contacts	glare_ncc_od	Glare NccOD	string	True	20	See Appendix B
1242	Ophth Pretesting	wearing_contacts	glare_ncc_os	Glare NccOS	string	True	20	See Appendix B
1243	Ophth Pretesting	wearing_contacts	glare_ncc_ou	Glare NccOU	string	True	20	See Appendix B
1244	Ophth Pretesting	wearing_contacts	bat_ncc_od	Brightness acuity test NccOD	string	True	20	See Appendix B
1245	Ophth Pretesting	wearing_contacts	bat_ncc_os	Brightness acuity test NccOS	string	True	20	See Appendix B
1246	Ophth Pretesting	wearing_contacts	bat_ncc_ou	Brightness acuity test NccOU	string	True	20	See Appendix B
1247	Ophth Pretesting	wearing_contacts	pam_ncc_od	Potential acuity meter NccOD	string	True	20	See Appendix B
1248	Ophth Pretesting	wearing_contacts	pam_ncc_os	Potential acuity meter NccOS	string	True	20	See Appendix B
1249	Ophth Pretesting	wearing_contacts	pam_ncc_ou	Potential acuity meter NccOU	string	True	20	See Appendix B
1250	Ophth Pretesting	wearing_contacts	ram_ncc_od	Retinal acuity meter NccOD	string	True	20	See Appendix B
1251	Ophth Pretesting	wearing_contacts	ram_ncc_os	Retinal acuity meter NccOS	string	True	20	See Appendix B
1252	Ophth Pretesting	wearing_contacts	ram_ncc_ou	Retinal acuity meter NccOU	string	True	20	See Appendix B
1253	Ophth Pretesting	wearing_contacts	visual_acuity_other_ncc_od	Visual acuity other NccOD	string	True	255	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1254	Ophth Pretesting	wearing_contacts	visual_acuity_other_ncc_os	Visual acuity other NccOD	string	True	255	
1255	Ophth Pretesting	wearing_contacts	visual_acuity_other_ncc_ou	Visual acuity other NccOD	string	True	255	
1256	Ophth Pretesting	wearing_contacts	movement_od	(Assessment) Movement OD. May have a null value.	string	True	100	GOOD TIGHT LOOSE NONE
1257	Ophth Pretesting	wearing_contacts	movement_os	(Assessment) Movement OS. May have a null value.	string	True	100	GOOD TIGHT LOOSE NONE
1258	Ophth Pretesting	wearing_contacts	centration_od	(Assessment) Centration OD. May have a null value.	string	True	100	GOOD DECENTERED_NASAL DECENTERED_TEMPORAL SUPERIOR_APERTURE DROPS_WITH_BLINK NONE
1259	Ophth Pretesting	wearing_contacts	centration_os	(Assessment) Centration OS. May have a null value.	string	True	100	GOOD DECENTERED_NASAL DECENTERED_TEMPORAL SUPERIOR_APERTURE DROPS_WITH_BLINK NONE
1260	Ophth Pretesting	wearing_contacts	vision_od	(Assessment) Vision OD. May have a null value.	string	True	100	GOOD FUNCTIONAL ADEQUATE POOR NONE
1261	Ophth Pretesting	wearing_contacts	vision_os	(Assessment) Vision OS. May have a null value.	string	True	100	GOOD FUNCTIONAL ADEQUATE POOR NONE
1262	Ophth Pretesting	wearing_contacts	comfort_od	(Assessment) Comfort OD	string	True	100	COMFORTABLE UNCOMFORTABLE DRY NONE
1263	Ophth Pretesting	wearing_contacts	comfort_os	(Assessment) Comfort OS. May have a null value.	string	True	100	COMFORTABLE UNCOMFORTABLE DRY NONE
1264	Ophth Pretesting	wearing_contacts	torics_right_od	(Assessment) Torics Right OD	boolean	True		True: ON, False: OFF
1265	Ophth Pretesting	wearing_contacts	torics_right_os	(Assessment) Torics Right OS	boolean	True		True: ON, False: OFF
1266	Ophth Pretesting	wearing_contacts	torics_rotated_right_od	(Assessment) Torics Rotated Right (degrees) OD	int	True		
1267	Ophth Pretesting	wearing_contacts	torics_rotated_right_os	(Assessment) Torics Rotated Right (degrees) OS	int	True		
1268	Ophth Pretesting	wearing_contacts	torics_rotated_left_od	(Assessment) Torics Rotated Left (degrees) OD	int	True		
1269	Ophth Pretesting	wearing_contacts	torics_rotated_left_os	(Assessment) Torics Rotated Left (degrees) OS	int	True		
1270	Ophth Pretesting	wearing_contacts	or_sphere_od	(Over Refraction) Sphere OD	double	True		
1271	Ophth Pretesting	wearing_contacts	or_sphere_os	(Over Refraction) Sphere OS	double	True		
1272	Ophth Pretesting	wearing_contacts	or_cylinder_od	(Over Refraction) Cylinder OD	double	True		
1273	Ophth Pretesting	wearing_contacts	or_cylinder_os	(Over Refraction) Cylinder OS	double	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1274	Ophth Pretesting	wearing_contacts	or_axis_od	(Over Refraction) Axis OD	int	True		
1275	Ophth Pretesting	wearing_contacts	or_axis_os	(Over Refraction) Axis OS	int	True		
1276	Ophth Pretesting	wearing_contacts	or_visual_acuity_dcc_od	(Over Refraction) Visual acuity DccOD	string	True	20	See Appendix B
1277	Ophth Pretesting	wearing_contacts	or_visual_acuity_dcc_os	(Over Refraction) Visual acuity DccOS	string	True	20	See Appendix B
1278	Ophth Pretesting	wearing_contacts	or_visual_acuity_dcc_ou	(Over Refraction) Visual acuity DccOU	string	True	20	See Appendix B
1279	Ophth Pretesting	wearing_contacts	or_visual_acuity_ncc_od	(Over Refraction) Visual acuity NccOD	string	True	20	See Appendix B
1280	Ophth Pretesting	wearing_contacts	or_visual_acuity_ncc_os	(Over Refraction) Visual acuity NccOS	string	True	20	See Appendix B
1281	Ophth Pretesting	wearing_contacts	or_visual_acuity_ncc_ou	(Over Refraction) Visual acuity NccOU	string	True	20	See Appendix B
1282	Ophth Pretesting	wearing_contacts	firm_global_id	ModMed internal firm global identifier	string	False	10	
1283	Diagnosis	diagnosis_referral_correspondence	diagnosis_referral_correspondence_id	diagnosis_referral_correspondence table id	string	False	20	
1284	Diagnosis	diagnosis_referral_correspondence	diagnosis_id	diagnosis table id	string	False	20	
1285	Diagnosis	diagnosis_referral_correspondence	referral_contact_id	referral_contact table id	string	True	20	Provider that the correspondence is being sent to.
1286	Diagnosis	diagnosis_referral_correspondence	patient_id	patient table id	string	False	20	
1287	Diagnosis	diagnosis_referral_correspondence	specialty	Specialty for the correspondence	string	True	255	
1288	Diagnosis	diagnosis_referral_correspondence	include_body_diagram	If body diagram is included in the correspondence (fax)	boolean	True		
1289	Diagnosis	diagnosis_referral_correspondence	include_ccd	If CCD is included in the correspondence (fax)	boolean	True		
1290	Diagnosis	diagnosis_referral_correspondence	include_hipaa_cover_sheet	If HIPAA cover sheet is included in the correspondence (fax)	boolean	True		
1291	Diagnosis	diagnosis_referral_correspondence	include_notes	If notes are included in the correspondence (fax)	boolean	True		
1292	Diagnosis	diagnosis_referral_correspondence	include_summary	If summary is included in the correspondence (fax)	boolean	True		
1293	Diagnosis	diagnosis_referral_correspondence	firm_global_id	ModMed internal firm global identifier	string	False	10	
1294	Patient	patient	patient_id	patient table id	string	False	20	
1295	Patient	patient	firm_id	firm table id	string	False	20	
1296	Patient	patient	primary_provider_id	staff table id	string	True	20	Primary Provider
1297	Patient	patient	primary_care_provider_id	referral_contact table id	string	True	20	Primary Care Provider (Referral contact)
1298	Patient	patient	referring_provider_id	referral_contact table id. *Note*: This column will be deprecated on our next release. Please join to 'patient_referring_provider' on 'patient_id'. Relationship will be one to many.	string	True	20	Referring Provider (Referral contact)
1299	Patient	patient	financial_category_id	financial_category table id (PM Column)	string	True	20	
1300	Patient	patient	patient_created_by_id	id associated with the creation of a patient record	string	True	20	
1301	Patient	patient	last_appointment_id	Appointment table id of the patient's last appointment	string	True	20	
1302	Patient	patient	next_appointment_id	Appointment table id of the patient's next appointment	string	True	20	
1303	Patient	patient	nursing_room_facility_id	facility table id	string	True	20	
1304	Patient	patient	universal_identifier	Single ID users can use to login into any of the firms they are associated with.	string	True	100	
1305	Patient	patient	universal_identifier_type	Type of universal identifier.	string	True	100	
1306	Patient	patient	last_name	Last Name	string	True	100	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1307	Patient	patient	first_name	First Name	string	True	100	
1308	Patient	patient	middle_name	Middle Name	string	True	50	
1309	Patient	patient	prefix	Name - Prefix	string	True	50	
1310	Patient	patient	suffix	Name - Suffix	string	True	50	
1311	Patient	patient	nick_name	Nick Name	string	True	50	
1312	Patient	patient	marital_status	Marital Status	string	True	50	UNSPECIFIED, MARRIED, LIVING_TOGETHER
1313	Patient	patient	previous_name	Previous Name	string	True	200	
1314	Patient	patient	employment_status	Patient's employment status	string	True	25	UNEMPLOYED FULL_TIME_STUDENT PART_TIME_STUDENT RETIRED UNKNOWN EMPLOYED OTHER
1315	Patient	patient	date_of_birth	Date of Birth	timestamp	True		
1316	Patient	patient	age_in_years	Age of the patient, in years.	int	True		
1317	Patient	patient	age_in_months	Age of the patient, in years.	int	True		
1318	Patient	patient	birth_city	Birth City	string	True	255	
1319	Patient	patient	birth_state	Birth State	string	True	50	
1320	Patient	patient	birth_zipcode	Birth Zipcode	string	True	50	
1321	Patient	patient	birth_country	Birth Country	string	True	30	
1322	Patient	patient	deceased	If patient is deceased	boolean	True		
1323	Patient	patient	date_of_death	Date of Death	timestamp	True		
1324	Patient	patient	sex	Patient's birth sex	string	True	20	MALE, FEMALE, etc.
1325	Patient	patient	sexual_orientation	Patient's sexual orientation.	string	True	20	ASEXUAL BISEXUAL HETEROSEXUAL HOMOSEXUAL NON_CONFORM_GENDER OTHER UNDISCLOSED UNKNOWN UNSPECIFIED
1326	Patient	patient	sexual_orientation_other_text	Free text field for when patient selects other as sexual orientation.	string	True	100	
1327	Patient	patient	language	Language	string	True	75	English, Spanish, French, etc.
1328	Patient	patient	language_code	Language code	string	True	4	en, es, fre, etc.
1329	Patient	patient	race_american_indian_or_alaska_native	Race - American Indian or Alaska Native	boolean	True		Based on HL7-0005, see patient_race table for more detailed race selections.
1330	Patient	patient	race_asian	Race - Asian	boolean	True		Based on HL7-0005, see patient_race table for more detailed race selections.
1331	Patient	patient	race_black_african_american	Race - Black or African American	boolean	True		Based on HL7-0005, see patient_race table for more detailed race selections.
1332	Patient	patient	race_native_hawaiian_or_pacific_islander	Race - Native Hawaiian or Other Pacific Islander	boolean	True		Based on HL7-0005, see patient_race table for more detailed race selections.
1333	Patient	patient	race_white	Race - White	boolean	True		Based on HL7-0005, see patient_race table for more detailed race selections.

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1334	Patient	patient	race_other	Race - Other	boolean	True		Based on HL7-0005, see patient_race table for more detailed race selections.
1335	Patient	patient	race_unknown	Race - unknown	boolean	True		Based on HL7-0005, see patient_race table for more detailed race selections.
1336	Patient	patient	race	Collapsed race for the patient (derived from the race_* boolean flags). For patient's with a single known race, this column reflects that. If the patient has more than one race, this column will be marked OTHER. If no races are recorded, this will column will be marked UNKNOWN.	string	True	50	AMERICAN_INDIAN_OR_ALASKA_NATIVE ASIAN BLACK_OR_AFRICAN_AMERICAN NATIVE_HAWAIIAN_OR_OTHER_PACIFIC_ISLANDER WHITE OTHER UNKNOWN
1337	Patient	patient	ethnic_group	Ethnic group	string	True	30	HISPANIC_OR_LATINO, NOT_HISPANIC_OR_LATINO, etc.
1338	Patient	patient	gender_identity	Patient's gender identity.	string	True	20	FEMALE FEMALE_TO_MALE GENDER_QUEER MALE MALE_TO_FEMALE OTHER UNDISCLOSED UNSPECIFIED NON_CONFORM_GENDER
1339	Patient	patient	gender_identity_other_text	Free text field for when patient selects other as gender identity.	string	True	100	
1340	Patient	patient	patient_preferred_pronoun	Patient's preferred pronoun.	string	True	20	HE_HIM_HIS SHE_HER_HERS THEY_THEM_THEIR ZE_ZIR_ZIR XIE_HIR_HIR CO_CO_COS EN_EN_ENS EY_EM_EIR YO_YO_YOS VE_VIS_VER
1341	Patient	patient	preferred_contact_method	Preferred Contact Method. May have a null value.	string	True	100	PHONE, EMAIL, etc.
1342	Patient	patient	emergency_contact_name	Emergency Contact Full Name	string	True	300	
1343	Patient	patient	emergency_contact_phone_number	Emergency Contact Phone Number	string	True	30	
1344	Patient	patient	receive_appointment_text_reminders	Patient indicates whether they would like to receive text reminders on their most recently modified appointment	boolean	True		
1345	Patient	patient	last_appointment_date	Date of patient's last appointment	timestamp	True		
1346	Patient	patient	last_appointment_type	Type of patient's last appointment	string	True	50	
1347	Patient	patient	last_appointment_provider	Primary Provider Name of the patient's last appointment	string	True	100	
1348	Patient	patient	next_appointment_date	Date of patient's next appointment	timestamp	True		
1349	Patient	patient	next_appointment_type	Type of patient's next appointment	string	True	50	
1350	Patient	patient	next_appointment_provider	Primary Provider Name of the patient's next appointment	string	True	100	
1351	Patient	patient	spouse_name	Spouse Full Name	string	True	300	
1352	Patient	patient	spouse_phone_number	Spouse Phone Number	string	True	30	
1353	Patient	patient	caretaker_name	Caretaker Full Name	string	True	300	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1354	Patient	patient	caretaker_phone_number	Caretaker Phone Number	string	True	30	
1355	Patient	patient	preferred_phone	Preferred Phone. May have a null value.	string	True	20	HOME WORK MOBILE GUARANTOR_HOME OTHER
1356	Patient	patient	mobile_phone_number	Mobile Phone Number	string	True	50	
1357	Patient	patient	home_phone_number	Home Phone Number	string	True	50	
1358	Patient	patient	work_phone_number	Work Phone Number	string	True	50	
1359	Patient	patient	home_fax_phone_number	Home Fax Phone Number	string	True	50	
1360	Patient	patient	work_fax_phone_number	Work Fax Phone Number	string	True	50	
1361	Patient	patient	emergency_phone_number	Emergency Phone Number	string	True	50	
1362	Patient	patient	pager_phone_number	Pager Phone Number	string	True	50	
1363	Patient	patient	other_phone_number	Other Phone Number	string	True	50	
1364	Patient	patient	preferred_phone_number	Patient's Preferred Phone Number	string	True	50	
1365	Patient	patient	preferred_phone_number_type	Preferred Phone Type. May have a null value.	string	True	20	HOME WORK MOBILE GUARANTOR_HOME OTHER
1366	Patient	patient	ok_to_leave_detailed_message	Is it OK to leave a detailed message?	boolean	True		
1367	Patient	patient	email	Email address	string	True	255	
1368	Patient	patient	alternate_email	Alternate email address	string	True	255	
1369	Patient	patient	email_opt_in	Opt in to email notifications	boolean	True		
1370	Patient	patient	declined_email_address	Firm level configuration requesting if patient agrees to provide email address	boolean	True		
1371	Patient	patient	home_street1	Home Address Street 1	string	True	255	
1372	Patient	patient	home_street2	Home Address Street 2	string	True	255	
1373	Patient	patient	home_city	Home Address City	string	True	255	
1374	Patient	patient	home_state	Home Address State	string	True	50	
1375	Patient	patient	home_zipcode	Home Address Zipcode	string	True	50	
1376	Patient	patient	home_country	Home Address Country	string	True	50	
1377	Patient	patient	home_start_date	Home address start date	timestamp	True		
1378	Patient	patient	home_end_date	Home address end date	timestamp	True		
1379	Patient	patient	seasonal_street1	Seasonal Address Street 1	string	True	255	
1380	Patient	patient	seasonal_street2	Seasonal Address Street 2	string	True	255	
1381	Patient	patient	seasonal_city	Seasonal Address City	string	True	255	
1382	Patient	patient	seasonal_state	Seasonal Address State	string	True	50	
1383	Patient	patient	seasonal_zipcode	Seasonal Address Zipcode	string	True	50	
1384	Patient	patient	seasonal_country	Seasonal Address Country	string	True	30	
1385	Patient	patient	seasonal_start_date	Seasonal address start date	timestamp	True		
1386	Patient	patient	seasonal_end_date	Seasonal address end date	timestamp	True		
1387	Patient	patient	primary_type	Primary Address Type	string	True	50	
1388	Patient	patient	primary_street1	Primary Address Street 1	string	True	255	
1389	Patient	patient	primary_street2	Primary Address Street 2	string	True	255	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1390	Patient	patient	primary_city	Primary Address City	string	True	255	
1391	Patient	patient	primary_state	Primary Address State	string	True	50	
1392	Patient	patient	primary_zipcode	Primary Address Zipcode	string	True	50	
1393	Patient	patient	primary_country	Primary Address Country	string	True	30	
1394	Patient	patient	primary_start_date	Primary address start date	timestamp	True		
1395	Patient	patient	primary_end_date	Primary address end date	timestamp	True		
1396	Patient	patient	employer_name	Employer Name	string	True	100	
1397	Patient	patient	occupation	Occupation	string	True	255	
1398	Patient	patient	occupation_code	Occupation Code	string	True	4	
1399	Patient	patient	industry	Industry	string	True	255	
1400	Patient	patient	industry_code	Industry Code	string	True	4	
1401	Patient	patient	mrn	MRN	string	True	20	
1402	Patient	patient	pqrs_id	PQRS Patient Identifier	string	True	20	
1403	Patient	patient	established_patient	Established Patient	boolean	True		
1404	Patient	patient	rx_history_consent	Rx History Consent. May have a null value.	string	True	1	Y: Yes, N: No, P: Prescriber only
1405	Patient	patient	last_visit_date	Last Visit Date	timestamp	True		
1406	Patient	patient	last_payment_plan_status	Indicates the status of a patient's most recent payment plan	string	True	30	DELINQUENT CANCELLED COMPLETED ACTIVE INACTIVE PENDING
1407	Patient	patient	medicare_number	Medicare Number	string	True	30	
1408	Patient	patient	medicaid_number	Medicaid Number	string	True	25	
1409	Patient	patient	immunization_registry_status	Immunization Registry Status	string	True	20	
1410	Patient	patient	immunization_registry_status_effective_date	Immunization Registry Status Effective Date	timestamp	True		
1411	Patient	patient	immunization_registry_protection_indicator	Immunization Registry Protection Indicator	boolean	True		
1412	Patient	patient	immunization_registry_protection_indicator_effective_date	Immunization Registry Protection Indicator	timestamp	True		
1413	Patient	patient	immunization_registry_publicity_setting	Immunization Registry Publicity Setting	string	True	4	See Appendix F
1414	Patient	patient	immunization_registry_publicity_setting_effective_date	Immunization Registry Publicity Setting Effective Date	timestamp	True		
1415	Patient	patient	pms_id	PMS ID	string	True	50	
1416	Patient	patient	pms_id_type	PMS ID Type	string	True	100	
1417	Patient	patient	archived	If the patient is archived	boolean	True		
1418	Patient	patient	portal_enabled	Patient Portal Enabled	boolean	True		
1419	Patient	patient	username	Username	string	True	50	
1420	Patient	patient	last_login	Time of last login to the patient portal	timestamp	True		
1421	Patient	patient	good_login_count	Number of good logins to the patient portal	int	True		
1422	Patient	patient	bad_login_count	Number of bad logins to the patient portal	int	True		
1423	Patient	patient	account_locked	If the patient's portal account is locked	boolean	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1424	Patient	patient	representative_portal_enabled	Representative Account Enabled	boolean	True		
1425	Patient	patient	representative_last_name	Patient Representative Last Name	string	True	100	
1426	Patient	patient	representative_first_name	Patient Representative First Name	string	True	100	
1427	Patient	patient	representative_middle_name	Patient Representative Middle Name	string	True	100	
1428	Patient	patient	representative_username	Username	string	True	50	
1429	Patient	patient	representative_last_login	Time of last login to the patient representative portal	timestamp	True		
1430	Patient	patient	representative_account_locked	If the patient's portal account is locked	boolean	True		
1431	Patient	patient	related_person_name	Name of a person with a legal or familial relationship to a patient	string	True	300	
1432	Patient	patient	related_person_relationship	Relationship of a person to a patient	string	True	100	
1433	Patient	patient	related_person_address	Address of a person with a legal or familial relationship to a patient	string	True	1000	
1434	Patient	patient	related_person_phone_number	Phone number of a person with a legal or familial relationship to a patient	string	True	50	
1435	Patient	patient	tribal_affiliation	Person's association with a federally recognized Indian tribe or Alaska Native village/tribe.	string	True	-1	
1436	Patient	patient	sticky_note	Patient's latest sticky note	string	True	-1	
1437	Patient	patient	sticky_note_last_edit	Last date note was edited	timestamp	True		
1438	Patient	patient	last_menstrual_period	Last Menstrual Period	timestamp	True		
1439	Patient	patient	last_pelvic_exam	Last Pelvic Exam	timestamp	True		
1440	Patient	patient	last_mammogram	Last Mammogram	timestamp	True		
1441	Patient	patient	last_pap_smear	Last Pap Smear	timestamp	True		
1442	Patient	patient	gravida	Gravida	int	True		
1443	Patient	patient	para	Para	int	True		
1444	Patient	patient	tab	Tab	int	True		
1445	Patient	patient	sab	Sab	int	True		
1446	Patient	patient	gest_age_birth	Gestational Age at Birth (in weeks)	int	True		
1447	Patient	patient	birth_lbs	Birth Weight (lbs)	int	True		
1448	Patient	patient	birth_oz	Birth Weight (oz)	int	True		
1449	Patient	patient	maternal_illness	Maternal illness during pregnancy	string	True	1000	
1450	Patient	patient	forceps_delivery	Forceps delivery	boolean	True		
1451	Patient	patient	medication_other	Other Medications (free-text)	string	True	-1	
1452	Patient	patient	allergy_nkda	No known drug allergies	boolean	True		
1453	Patient	patient	allergy_other	Other Allergies (free-text)	string	True	-1	
1454	Patient	patient	smoking_status	Smoking Status	string	True	40	
1455	Patient	patient	smoking_start_date	Smoking start date	timestamp	True		
1456	Patient	patient	smoking_quit_date	Smoking quit date	timestamp	True		
1457	Patient	patient	smoking_packs_per_day	Smoking - number of packs per day	string	True	5	0, < 1, 1, 2, ...
1458	Patient	patient	smoking_total_years	Smoking - Total years smoking	string	True	5	0, < 1, 1, 2, ...
1459	Patient	patient	smoking_additional_details	Smoking - Additional Details	string	True	1000	
1460	Patient	patient	alcohol_screening	How many times in the past year have you had 5 or more drinks in a day for men, or 4 or more drinks in a day for women or any adult older than 65?	int	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1461	Patient	patient	exercise_status	How often do you exercise? May have null value.	string	True	30	UNSPECIFIED SEVERAL_TIMES_A_DAY ONCE_A_DAY A_FEW_TIMES_A_WEEK A_FEW_TIMES_A_MONTH NEVER OTHER
1462	Patient	patient	caffeine_use	What is your caffeine use? Value may be null.	string	True	30	UNSPECIFIED SEVERAL_TIMES_A_DAY ONCE_A_DAY A_FEW_TIMES_A_WEEK A_FEW_TIMES_A_MONTH NEVER OTHER
1463	Patient	patient	occupation_and_workplace	Occupation and Workplace	string	True	255	
1464	Patient	patient	place_of_residence	Place of Residence	string	True	255	
1465	Patient	patient	nursing_room_facility_name	Name of the Nursing Room Facility	string	True	100	
1466	Patient	patient	nursing_room_identifier	Room Identifier for the patient nursing room.	string	True	20	
1467	Patient	patient	pneumonia_vaccination	For patients 65 and older: Have you received a pneumonia vaccination?	boolean	True		
1468	Patient	patient	health_care_proxy	Do you have a health care proxy in the event you are unable to make your own medical decisions?	boolean	True		
1469	Patient	patient	health_care_proxy_designee_name	Health care proxy designee's name	string	True	300	
1470	Patient	patient	health_care_proxy_designee_phone_number	Health care proxy designee's phone number	string	True	30	
1471	Patient	patient	living_will	Do you have a living will?	boolean	True		
1472	Patient	patient	do_not_intubate	Do Not Intubate: I do not wish to have a breathing tube, even if it is necessary to save my life.	boolean	True		
1473	Patient	patient	do_not_resuscitate	Do Not Resuscitate: If my heart were to stop, I do not wish to have chest compressions or an automated external defibrillator to restart my heart, even if its necessary to save my life.	boolean	True		
1474	Patient	patient	ema_test_patient	Flag indicates whether patient record is a Test. This flag is manually set by the practice	boolean	True		
1475	Patient	patient	has_card_on_file	If the patient has a card on file.	boolean	True		
1476	Patient	patient	card_on_file_expiration_date_max	The max expiration date amongst all cards on file.	string	True	7	
1477	Patient	patient	full_cardiopulmonary_resuscitation	Full Cardiopulmonary Resuscitation: I want full cardiopulmonary resuscitation efforts to be made.	boolean	True		
1478	Patient	patient	family_history_other	Other family histories (free-text)	string	True	-1	
1479	Patient	patient	account_status	Patient's account status.	string	True	-1	
1480	Patient	patient	status_date_modified	Patient's status last updated time.	timestamp	True		
1481	Patient	patient	restricted	If the patient chart is restricted.	boolean	True		
1482	Patient	patient	has_active_payment_plan	If patient has active payment plan flag.	boolean	True		
1483	Patient	patient	payment_plan_types	Designates the type(s) of payment plans associated with a patient.	string	True	-1	
1484	Patient	patient	has_pre_collections	If patient has pre-collections status	boolean	True		
1485	Patient	patient	date_last_seen_by_pcp	Date when a patient was last seen by their Primary Care Provider.	date	True		
1486	Patient	patient	portal_enabled_date	Date patient portal was enabled for a patient.	timestamp	True		
1487	Patient	patient	is_pregnant	Boolean value designating if the patient is currently pregnant.	boolean	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1488	Patient	patient	firm_global_id	ModMed internal firm global identifier	string	False	10	
1489	PM Financials	patient_statement	patient_statement_id	patient_statement table id	string	False	20	
1490	PM Financials	patient_statement	patient_id	patient table id	string	False	20	
1491	PM Financials	patient_statement	firm_id	firm table id	string	False	20	
1492	PM Financials	patient_statement	business_unit_id	business_unit table id	string	False	20	
1493	PM Financials	patient_statement	statement_date	Date on which the statement was generated	timestamp	True		
1494	PM Financials	patient_statement	statement_number	Statement identifier	string	True	20	
1495	PM Financials	patient_statement	status	Status of the Statement.	string	True	20	DELETED FAILED ON_DEMAND QUEUED QUEUED_HELD QUEUED_SCRUB_FAILED SUCCESSFUL QUEUED_AUTO_HELD
1496	PM Financials	patient_statement	note	Information on delivery of the statement.	string	True	50	AUTO_PAY_STATEMENT GENERATED_FOR_OFFICE_USER GIVEN_TO_PATIENT MAILED_TO_PATIENT AUTO_PAY_STATEMENT
1497	PM Financials	patient_statement	total_insurance_due	Total insurance balance for service lines, noted on bill (not displayed on statement).	double	True		
1498	PM Financials	patient_statement	total_patient_due	Total patient balance for service lines	double	True		
1499	PM Financials	patient_statement	version	Version number of the statement	int	True		
1500	PM Financials	patient_statement	oldest_aging_balance	Text description of how long the balance has been left unpaid.	string	True	20	
1501	PM Financials	patient_statement	has_aging_balance_120_plus	Is the balance older than 120 days?	boolean	True		
1502	PM Financials	patient_statement	has_aging_balance_30_60	Is the balance between 31 and 60 days old?	boolean	True		
1503	PM Financials	patient_statement	has_aging_balance_60_90	Is the balance between 61 and 90 days old?	boolean	True		
1504	PM Financials	patient_statement	has_aging_balance_90_120	Is the balance between 91 and 120 days old?	boolean	True		
1505	PM Financials	patient_statement	has_aging_balance_current	Is the balance between 0 and 30 days old (regardless of age)?	boolean	True		
1506	PM Financials	patient_statement	firm_global_id	ModMed internal firm global identifier	string	True	10	
1507	PM Financials	billing_quote	billing_quote_id	billing_quote table id	string	False	20	
1508	PM Financials	billing_quote	business_unit_id	business_unit table id	string	False	20	
1509	PM Financials	billing_quote	firm_id	firm table id	string	False	20	
1510	PM Financials	billing_quote	insurance_policy_id	insurance_policy table id	string	True	20	
1511	PM Financials	billing_quote	facility_id	facility table id	string	True	20	
1512	PM Financials	billing_quote	patient_id	patient table id	string	True	20	
1513	PM Financials	billing_quote	provider_id	staff table id	string	True	20	
1514	PM Financials	billing_quote	created_by_id	Staff table id	string	False	20	
1515	PM Financials	billing_quote	payer_fee_schedule_id	fee_schedule table id for Payer	string	True	20	
1516	PM Financials	billing_quote	provider_fee_schedule_id	fee_schedule table id for Provider	string	True	20	
1517	PM Financials	billing_quote	quote_identifier	Quote identifier. This is the number displayed on the quote.	string	True	20	
1518	PM Financials	billing_quote	quote_title	Title of quote	string	True	100	
1519	PM Financials	billing_quote	responsible	Responsible party.	string	True	20	PATIENT INSURANCE
1520	PM Financials	billing_quote	status	Status of quote	string	True	40	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1521	PM Financials	billing_quote	date_created	Date created (system generated).	timestamp	True		
1522	PM Financials	billing_quote	date_modified	Date modified (system generated).	timestamp	True		
1523	PM Financials	billing_quote	firm_global_id	ModMed internal firm global identifier	string	False	10	
1524	PM Financials	pre_collections_charge_detail	pre_collections_charge_detail_id	pre_collections_charge_detail table id	string	False	30	
1525	PM Financials	pre_collections_charge_detail	pre_collections_id	pre_collections table id	string	False	20	
1526	PM Financials	pre_collections_charge_detail	business_unit_id	business_unit table id	string	True	20	
1527	PM Financials	pre_collections_charge_detail	facility_id	facility table id	string	False	20	
1528	PM Financials	pre_collections_charge_detail	division_id	division table id	string	True	20	
1529	PM Financials	pre_collections_charge_detail	patient_id	patient table id	string	False	20	
1530	PM Financials	pre_collections_charge_detail	task_id	task table id	string	False	20	
1531	PM Financials	pre_collections_charge_detail	charge_amount	Charge amount	decimal (38,2)	True		
1532	PM Financials	pre_collections_charge_detail	bill_type	bill type	string	True		
1533	PM Financials	pre_collections_charge_detail	cpt_product	cpt code associated with a charge	string	True	100	
1534	PM Financials	pre_collections_charge_detail	cpt_product_description	cpt code description associated with a charge	string	True	-1	
1535	PM Financials	pre_collections_charge_detail	service_date_from	Service date of charge	timestamp	True		
1536	PM Financials	pre_collections_charge_detail	service_date_from_id	(Localized date) Service date of charge	timestamp	True		
1537	PM Financials	pre_collections_charge_detail	posted_date_id	(Localized date) Charge posted date	date	True		
1538	PM Financials	pre_collections_charge_detail	time_zone	Facility time zone	string	True	30	
1539	PM Financials	pre_collections_charge_detail	firm_global_id	ModMed internal firm global identifier	string	False	10	
1540	Appointment	appointment_reminder	appointment_reminder_id	appointment_reminder table id	string	False	20	
1541	Appointment	appointment_reminder	appointment_id	appointment table id	string	False	20	
1542	Appointment	appointment_reminder	staff_id	staff table id	string	False	20	
1543	Appointment	appointment_reminder	patient_id	patient table id	string	False	20	
1544	Appointment	appointment_reminder	contact_type	Appointment reminder contact type.	string	True	45	PHONE EMAIL SMS UNKNOWN
1545	Appointment	appointment_reminder	confirmation_status	Reminder confirmation status.	string	True	1000	UNCONFIRMED CONFIRMED CANCELED RESCHEDULED REQUESTED_RESCHEDULE REQUESTED_CANCELLATION UNKNOWN

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1546	Appointment	appointment_reminder	response_type	Reminder response entry types.	string	True	45	ANSWERING_MACHINE AUTO_UPDATE BAD_EMAIL_ADDRESS BAD_NUMBER BUSY_NUMBER EMAIL_SENT EMAIL_VIEWED HANGUP NO_ANSWER NO_RESPONSE REPEAT SMS_RECEIVED SMS_SENT SMS_UNDELIVERED TRANSFER
1547	Appointment	appointment_reminder	note	Reminder notes.	string	True	-1	
1548	Appointment	appointment_reminder	activity_date	Reminder entry date.	timestamp	True		
1549	Appointment	appointment_reminder	firm_global_id	ModMed internal firm global identifier	string	False	10	
1550	Appointment	appointment_authorization	appointment_authorization_id	appointment_authorization table id	string	False	20	
1551	Appointment	appointment_authorization	appointment_id	appointment table id	string	False	20	
1552	Appointment	appointment_authorization	insurance_policy_authorization_id	insurance_policy_authorization table id	string	False	20	
1553	Appointment	appointment_authorization	patient_id	patient table id	string	False	20	
1554	Appointment	appointment_authorization	firm_global_id	ModMed internal firm global identifier	string	False	10	
1555	Visit	final_bill_diagnosis	final_bill_diagnosis_id	final_bill_diagnosis table id	string	False	64	
1556	Visit	final_bill_diagnosis	final_bill_procedure_id	final_bill_procedure table id	string	False	20	Procedure code that the diagnosis code(s) are associated with.
1557	Visit	final_bill_diagnosis	patient_id	patient table id	string	False	20	
1558	Visit	final_bill_diagnosis	position	Position in the bill (order of code in list of codes).	int	True		
1559	Visit	final_bill_diagnosis	icd9	ICD9 code sent for billing.	string	True	255	
1560	Visit	final_bill_diagnosis	icd10	ICD10 code sent for billing.	string	True	255	
1561	Visit	final_bill_diagnosis	firm_global_id	ModMed internal firm global identifier	string	False	10	
1562	Patient	patient_pregnancy_status_intent	patient_pregnancy_status_intent_id	patient_pregnancy_baby table id	string	False	20	
1563	Patient	patient_pregnancy_status_intent	patient_id	patient table id	string	False	20	
1564	Patient	patient_pregnancy_status_intent	pregnancy_status	Indicates if the patient is currently pregnant.	string	True	30	
1565	Patient	patient_pregnancy_status_intent	pregnancy_status_snomed_code	Snomed code for pregnancy status.	string	True	10	146799005 102874004 77386006 60001007

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1566	Patient	patient_pregnancy_status_intent	pregnancy_intent	Indicates if the patient wants to get pregnant within a year.	string	True	30	UNKNOWN UNSURE I_DONT_WANT_TO_BECOME_PREGNANT I_WANT_TO_BECOME_PREGNANT I_AM_OK_EITHER_WAY
1567	Patient	patient_pregnancy_status_intent	pregnancy_intent_snomed_code	Snomed code for pregnancy intent.	string	True	15	454391000124108 454401000124105 454381000124105 454411000124108
1568	Patient	patient_pregnancy_status_intent	pregnancy_status_date_of_collection	Date pregnancy status was collected.	timestamp	True		
1569	Patient	patient_pregnancy_status_intent	pregnancy_intent_date_of_collection	Date pregnancy intent was collected.	timestamp	True		
1570	Patient	patient_pregnancy_status_intent	firm_global_id	ModMed internal firm global identifier	string	False	10	
1571	Practice	protocol_log	protocol_log_id	Protocol_log table id	string	False	20	
1572	Practice	protocol_log	visit_id	Visit table id	string	False	20	
1573	Practice	protocol_log	patient_id	patient table id	string	False	20	
1574	Practice	protocol_log	protocol_id	Protocol table id	string	False	20	
1575	Practice	protocol_log	applied_by_id	Staff table id	string	False	20	Staff member that applied the protocol to the visit
1576	Practice	protocol_log	created_by_id	Staff table id	string	False	20	
1577	Practice	protocol_log	date_applied	Date applied.	timestamp	True		
1578	Practice	protocol_log	firm_global_id	ModMed internal firm global identifier	string	False	10	
1579	Ophth Pretesting	central_retinal_thickness	central_retinal_thickness_id	central_retinal_thickness table id	string	False	20	
1580	Ophth Pretesting	central_retinal_thickness	visit_id	Visit table id	string	False	20	
1581	Ophth Pretesting	central_retinal_thickness	patient_id	patient table id	string	False	20	
1582	Ophth Pretesting	central_retinal_thickness	central_retinal_thickness_od	Central Retinal Thickness (µm) OD.	double	True		
1583	Ophth Pretesting	central_retinal_thickness	central_retinal_thickness_os	Central Retinal Thickness (µm) OS.	double	True		
1584	Ophth Pretesting	central_retinal_thickness	firm_global_id	ModMed internal firm global identifier	string	False	10	
1585	Ophth Pretesting	refraction	refraction_id	refraction table id	string	False	20	
1586	Ophth Pretesting	refraction	visit_id	visit table id	string	False	20	
1587	Ophth Pretesting	refraction	patient_id	patient table id	string	False	20	
1588	Ophth Pretesting	refraction	date_recorded	Date recorded. May be different than the visit date and edited by the physician or staff member.	timestamp	True		
1589	Ophth Pretesting	refraction	refraction_type	Refraction Type	string	True	30	AUTO_REFRACTION MANIFEST_REFRACTION CYCLOPLEGIC_REFRACTION RETINOSCOPY FINAL_GLASSES_REFRACTION
1590	Ophth Pretesting	refraction	eyeglass_usage	Eyeglass Usage	string	True	255	See Appendix A
1591	Ophth Pretesting	refraction	pd_distance_ou	Binocular Pupillary Distance - Distance	double	True		
1592	Ophth Pretesting	refraction	pd_near_ou	Binocular Pupillary Distance - Near	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1593	Ophth Pretesting	refraction	reading_distance	Reading Distance	double	True		
1594	Ophth Pretesting	refraction	notes	(Notes) Notes	string	True	-1	
1595	Ophth Pretesting	refraction	print_notes	Display notes on Rx printout. May have a null value.	boolean	True		
1596	Ophth Pretesting	refraction	underlying_condition_od	(Prisms/PDs) Underlying condition. If not null, all other OD refraction values are null.	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
1597	Ophth Pretesting	refraction	underlying_condition_os	(Prisms/PDs) Underlying condition. If not null, all other OS refraction values are null.	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
1598	Ophth Pretesting	refraction	sphere_od	(Refractions) Sphere	double	True		
1599	Ophth Pretesting	refraction	sphere_os	(Refractions) Sphere	double	True		
1600	Ophth Pretesting	refraction	cylinder_od	(Refractions) Cylinder	double	True		
1601	Ophth Pretesting	refraction	cylinder_os	(Refractions) Cylinder	double	True		
1602	Ophth Pretesting	refraction	axis_od	(Refractions) Axis	int	True		
1603	Ophth Pretesting	refraction	axis_os	(Refractions) Axis	int	True		
1604	Ophth Pretesting	refraction	add_od	(Refractions) Add	double	True		
1605	Ophth Pretesting	refraction	add_os	(Refractions) Add	double	True		
1606	Ophth Pretesting	refraction	horizontal_prism_od	(Prisms/PDs) HPrism	double	True		
1607	Ophth Pretesting	refraction	horizontal_prism_os	(Prisms/PDs) HPrism	double	True		
1608	Ophth Pretesting	refraction	horizontal_base_od	(Prisms/PDs) Base. May have a null value.	string	True	20	OUT IN UP DOWN
1609	Ophth Pretesting	refraction	horizontal_base_os	(Prisms/PDs) Base. May have a null value.	string	True	20	OUT IN UP DOWN
1610	Ophth Pretesting	refraction	vertical_prism_od	(Prisms/PDs) VPrism	double	True		
1611	Ophth Pretesting	refraction	vertical_prism_os	(Prisms/PDs) VPrism	double	True		
1612	Ophth Pretesting	refraction	vertical_base_od	(Prisms/PDs) Base. May have a null value.	string	True	20	OUT IN UP DOWN
1613	Ophth Pretesting	refraction	vertical_base_os	(Prisms/PDs) Base. May have a null value.	string	True	20	OUT IN UP DOWN
1614	Ophth Pretesting	refraction	slab_off_od	(Prisms/PDs) Slab Off	boolean	True		
1615	Ophth Pretesting	refraction	slab_off_os	(Prisms/PDs) Slab Off	boolean	True		
1616	Ophth Pretesting	refraction	vertex_distance_od	(Prisms/PDs) VD	double	True		
1617	Ophth Pretesting	refraction	vertex_distance_os	(Prisms/PDs) VD	double	True		
1618	Ophth Pretesting	refraction	pd_distance_od	Pupillary distance - Distance OD	double	True		
1619	Ophth Pretesting	refraction	pd_distance_os	Pupillary distance - Distance OS	double	True		
1620	Ophth Pretesting	refraction	pd_near_od	Pupillary distance - Near OD	double	True		
1621	Ophth Pretesting	refraction	pd_near_os	Pupillary distance - Near OS	double	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1622	Ophth Pretesting	refraction	refraction_other_od	Refraction other OD	string	True	255	
1623	Ophth Pretesting	refraction	refraction_other_os	Refraction other OS	string	True	255	
1624	Ophth Pretesting	refraction	visual_acuity_dcc_od	Visual acuity DccOD	string	True	30	See Appendix B
1625	Ophth Pretesting	refraction	visual_acuity_dcc_os	Visual acuity DccOS	string	True	30	See Appendix B
1626	Ophth Pretesting	refraction	visual_acuity_dcc_ou	Visual acuity DccOU	string	True	20	See Appendix B
1627	Ophth Pretesting	refraction	pinhole_dcc_od	Pinhole visual acuity DccOD	string	True	20	See Appendix B
1628	Ophth Pretesting	refraction	pinhole_dcc_os	Pinhole visual acuity DccOS	string	True	20	See Appendix B
1629	Ophth Pretesting	refraction	pinhole_dcc_ou	Pinhole visual acuity DccOU	string	True	20	See Appendix B
1630	Ophth Pretesting	refraction	glare_dcc_od	Glare DccOD	string	True	20	See Appendix B
1631	Ophth Pretesting	refraction	glare_dcc_os	Glare DccOS	string	True	20	See Appendix B
1632	Ophth Pretesting	refraction	glare_dcc_ou	Glare DccOU	string	True	20	See Appendix B
1633	Ophth Pretesting	refraction	bat_dcc_od	Brightness acuity test DccOD	string	True	20	See Appendix B
1634	Ophth Pretesting	refraction	bat_dcc_os	Brightness acuity test DccOS	string	True	20	See Appendix B
1635	Ophth Pretesting	refraction	bat_dcc_ou	Brightness acuity test DccOU	string	True	20	See Appendix B
1636	Ophth Pretesting	refraction	pam_dcc_od	Potential acuity meter DccOD	string	True	20	See Appendix B
1637	Ophth Pretesting	refraction	pam_dcc_os	Potential acuity meter DccOS	string	True	20	See Appendix B
1638	Ophth Pretesting	refraction	pam_dcc_ou	Potential acuity meter DccOU	string	True	20	See Appendix B
1639	Ophth Pretesting	refraction	ram_dcc_od	Retinal acuity meter DccOD	string	True	20	See Appendix B
1640	Ophth Pretesting	refraction	ram_dcc_os	Retinal acuity meter DccOS	string	True	20	See Appendix B
1641	Ophth Pretesting	refraction	ram_dcc_ou	Retinal acuity meter DccOU	string	True	20	See Appendix B
1642	Ophth Pretesting	refraction	visual_acuity_other_dcc_od	Visual acuity other DccOD	string	True	255	
1643	Ophth Pretesting	refraction	visual_acuity_other_dcc_os	Visual acuity other DccOS	string	True	255	
1644	Ophth Pretesting	refraction	visual_acuity_other_dcc_ou	Visual acuity other DccOU	string	True	255	
1645	Ophth Pretesting	refraction	visual_acuity_ncc_od	Visual acuity NccOD	string	True	20	See Appendix B
1646	Ophth Pretesting	refraction	visual_acuity_ncc_os	Visual acuity NccOS	string	True	20	See Appendix B
1647	Ophth Pretesting	refraction	visual_acuity_ncc_ou	Visual acuity NccOU	string	True	20	See Appendix B
1648	Ophth Pretesting	refraction	pinhole_ncc_od	Pinhole visual acuity NccOD	string	True	20	See Appendix B
1649	Ophth Pretesting	refraction	pinhole_ncc_os	Pinhole visual acuity NccOS	string	True	20	See Appendix B
1650	Ophth Pretesting	refraction	pinhole_ncc_ou	Pinhole visual acuity NccOU	string	True	20	See Appendix B
1651	Ophth Pretesting	refraction	glare_ncc_od	Glare NccOD	string	True	20	See Appendix B
1652	Ophth Pretesting	refraction	glare_ncc_os	Glare NccOS	string	True	20	See Appendix B
1653	Ophth Pretesting	refraction	glare_ncc_ou	Glare NccOU	string	True	20	See Appendix B
1654	Ophth Pretesting	refraction	bat_ncc_od	Brightness acuity test NccOD	string	True	20	See Appendix B
1655	Ophth Pretesting	refraction	bat_ncc_os	Brightness acuity test NccOS	string	True	20	See Appendix B
1656	Ophth Pretesting	refraction	bat_ncc_ou	Brightness acuity test NccOU	string	True	20	See Appendix B
1657	Ophth Pretesting	refraction	pam_ncc_od	Potential acuity meter NccOD	string	True	20	See Appendix B
1658	Ophth Pretesting	refraction	pam_ncc_os	Potential acuity meter NccOS	string	True	20	See Appendix B
1659	Ophth Pretesting	refraction	pam_ncc_ou	Potential acuity meter NccOU	string	True	20	See Appendix B
1660	Ophth Pretesting	refraction	ram_ncc_od	Retinal acuity meter NccOD	string	True	20	See Appendix B
1661	Ophth Pretesting	refraction	ram_ncc_os	Retinal acuity meter NccOS	string	True	20	See Appendix B
1662	Ophth Pretesting	refraction	ram_ncc_ou	Retinal acuity meter NccOU	string	True	20	See Appendix B
1663	Ophth Pretesting	refraction	visual_acuity_other_ncc_od	Visual acuity other NccOD	string	True	255	
1664	Ophth Pretesting	refraction	visual_acuity_other_ncc_os	Visual acuity other NccOS	string	True	255	
1665	Ophth Pretesting	refraction	visual_acuity_other_ncc_ou	Visual acuity other NccOU	string	True	255	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1666	Ophth Pretesting	refraction	firm_global_id	ModMed internal firm global identifier	string	False	10	
1667	Ophth Pretesting	visual_acuity	visual_acuity_id	visual_acuity table id	string	False	20	
1668	Ophth Pretesting	visual_acuity	visit_id	visit table id	string	False	20	
1669	Ophth Pretesting	visual_acuity	patient_id	patient table id	string	False	20	
1670	Ophth Pretesting	visual_acuity	date_recorded	Date recorded. May be different than the visit date and edited by the physician or staff member.	timestamp	True		
1671	Ophth Pretesting	visual_acuity	distance_test_type	Distance Test Type. May have a null value.	string	True	20	SNELLEN ETDRS LOGMAR LANDOLT HOTV HOME_TESTING LEA PATTI TUMBLING_E ALLEN_CARDS ALLEN_SLIDES ALLEN_PICS OTHER NONE
1672	Ophth Pretesting	visual_acuity	near_test_type	Near Test Type. May have a null value.	string	True	20	NONE SNELLEN JAEGER APT MNOT HOME_TESTING ALLEN_CARDS ALLEN_SLIDES ALLEN_PICS OTHER
1673	Ophth Pretesting	visual_acuity	distance_correction_type	Distance Correction Type. May have a null value.	string	True	20	GLASSES CONTACTS PHOROPTER OTHER NONE
1674	Ophth Pretesting	visual_acuity	near_correction_type	Near Correction Type. May have a null value.	string	True	20	GLASSES CONTACTS PHOROPTER OTHER NONE
1675	Ophth Pretesting	visual_acuity	visual_acuity_dcc_od	Visual acuity DccOD	string	True	30	See Appendix B
1676	Ophth Pretesting	visual_acuity	visual_acuity_dcc_os	Visual acuity DccOS	string	True	30	See Appendix B
1677	Ophth Pretesting	visual_acuity	visual_acuity_dcc_ou	Visual acuity DccOU	string	True	20	See Appendix B
1678	Ophth Pretesting	visual_acuity	pinhole_dcc_od	Pinhole visual acuity DccOD	string	True	20	See Appendix B
1679	Ophth Pretesting	visual_acuity	pinhole_dcc_os	Pinhole visual acuity DccOS	string	True	20	See Appendix B
1680	Ophth Pretesting	visual_acuity	pinhole_dcc_ou	Pinhole visual acuity DccOU	string	True	20	See Appendix B
1681	Ophth Pretesting	visual_acuity	glare_dcc_od	Glare DccOD	string	True	20	See Appendix B
1682	Ophth Pretesting	visual_acuity	glare_dcc_os	Glare DccOS	string	True	20	See Appendix B
1683	Ophth Pretesting	visual_acuity	glare_dcc_ou	Glare DccOU	string	True	20	See Appendix B

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1684	Ophth Pretesting	visual_acuity	bat_dcc_od	Brightness acuity test DccOD	string	True	20	See Appendix B
1685	Ophth Pretesting	visual_acuity	bat_dcc_os	Brightness acuity test DccOS	string	True	20	See Appendix B
1686	Ophth Pretesting	visual_acuity	bat_dcc_ou	Brightness acuity test DccOU	string	True	20	See Appendix B
1687	Ophth Pretesting	visual_acuity	pam_dcc_od	Potential acuity meter DccOD	string	True	20	See Appendix B
1688	Ophth Pretesting	visual_acuity	pam_dcc_os	Potential acuity meter DccOS	string	True	20	See Appendix B
1689	Ophth Pretesting	visual_acuity	pam_dcc_ou	Potential acuity meter DccOU	string	True	20	See Appendix B
1690	Ophth Pretesting	visual_acuity	ram_dcc_od	Retinal acuity meter DccOD	string	True	20	See Appendix B
1691	Ophth Pretesting	visual_acuity	ram_dcc_os	Retinal acuity meter DccOS	string	True	20	See Appendix B
1692	Ophth Pretesting	visual_acuity	ram_dcc_ou	Retinal acuity meter DccOU	string	True	20	See Appendix B
1693	Ophth Pretesting	visual_acuity	visual_acuity_other_dcc_od	Visual acuity other DccOD	string	True	255	
1694	Ophth Pretesting	visual_acuity	visual_acuity_other_dcc_os	Visual acuity other DccOS	string	True	255	
1695	Ophth Pretesting	visual_acuity	visual_acuity_other_dcc_ou	Visual acuity other DccOU	string	True	255	
1696	Ophth Pretesting	visual_acuity	visual_acuity_ncc_od	Visual acuity NccOD	string	True	20	See Appendix B
1697	Ophth Pretesting	visual_acuity	visual_acuity_ncc_os	Visual acuity NccOS	string	True	20	See Appendix B
1698	Ophth Pretesting	visual_acuity	visual_acuity_ncc_ou	Visual acuity NccOU	string	True	20	See Appendix B
1699	Ophth Pretesting	visual_acuity	pinhole_ncc_od	Pinhole visual acuity NccOD	string	True	20	See Appendix B
1700	Ophth Pretesting	visual_acuity	pinhole_ncc_os	Pinhole visual acuity NccOS	string	True	20	See Appendix B
1701	Ophth Pretesting	visual_acuity	pinhole_ncc_ou	Pinhole visual acuity NccOU	string	True	20	See Appendix B
1702	Ophth Pretesting	visual_acuity	glare_ncc_od	Glare NccOD	string	True	20	See Appendix B
1703	Ophth Pretesting	visual_acuity	glare_ncc_os	Glare NccOS	string	True	20	See Appendix B
1704	Ophth Pretesting	visual_acuity	glare_ncc_ou	Glare NccOU	string	True	20	See Appendix B
1705	Ophth Pretesting	visual_acuity	bat_ncc_od	Brightness acuity test NccOD	string	True	20	See Appendix B
1706	Ophth Pretesting	visual_acuity	bat_ncc_os	Brightness acuity test NccOS	string	True	20	See Appendix B
1707	Ophth Pretesting	visual_acuity	bat_ncc_ou	Brightness acuity test NccOU	string	True	20	See Appendix B
1708	Ophth Pretesting	visual_acuity	pam_ncc_od	Potential acuity meter NccOD	string	True	20	See Appendix B
1709	Ophth Pretesting	visual_acuity	pam_ncc_os	Potential acuity meter NccOS	string	True	20	See Appendix B
1710	Ophth Pretesting	visual_acuity	pam_ncc_ou	Potential acuity meter NccOU	string	True	20	See Appendix B
1711	Ophth Pretesting	visual_acuity	ram_ncc_od	Retinal acuity meter NccOD	string	True	20	See Appendix B
1712	Ophth Pretesting	visual_acuity	ram_ncc_os	Retinal acuity meter NccOS	string	True	20	See Appendix B
1713	Ophth Pretesting	visual_acuity	ram_ncc_ou	Retinal acuity meter NccOU	string	True	20	See Appendix B
1714	Ophth Pretesting	visual_acuity	visual_acuity_other_ncc_od	Visual acuity other NccOD	string	True	255	
1715	Ophth Pretesting	visual_acuity	visual_acuity_other_ncc_os	Visual acuity other NccOS	string	True	255	
1716	Ophth Pretesting	visual_acuity	visual_acuity_other_ncc_ou	Visual acuity other NccOU	string	True	255	
1717	Ophth Pretesting	visual_acuity	visual_acuity_dsc_od	Visual acuity DscOD	string	True	30	See Appendix B
1718	Ophth Pretesting	visual_acuity	visual_acuity_dsc_os	Visual acuity DscOS	string	True	30	See Appendix B
1719	Ophth Pretesting	visual_acuity	visual_acuity_dsc_ou	Visual acuity DscOU	string	True	21	See Appendix B
1720	Ophth Pretesting	visual_acuity	pinhole_dsc_od	Pinhole visual acuity DscOD	string	True	30	See Appendix B
1721	Ophth Pretesting	visual_acuity	pinhole_dsc_os	Pinhole visual acuity DscOS	string	True	30	See Appendix B
1722	Ophth Pretesting	visual_acuity	pinhole_dsc_ou	Pinhole visual acuity DscOU	string	True	20	See Appendix B
1723	Ophth Pretesting	visual_acuity	glare_dsc_od	Glare DscOD	string	True	20	See Appendix B
1724	Ophth Pretesting	visual_acuity	glare_dsc_os	Glare DscOS	string	True	20	See Appendix B
1725	Ophth Pretesting	visual_acuity	glare_dsc_ou	Glare DscOU	string	True	20	See Appendix B
1726	Ophth Pretesting	visual_acuity	bat_dsc_od	Brightness acuity test DscOD	string	True	20	See Appendix B
1727	Ophth Pretesting	visual_acuity	bat_dsc_os	Brightness acuity test DscOS	string	True	20	See Appendix B

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1728	Ophth Pretesting	visual_acuity	bat_dsc_ou	Brightness acuity test DscOU	string	True	20	See Appendix B
1729	Ophth Pretesting	visual_acuity	pam_dsc_od	Potential acuity meter DscOD	string	True	20	See Appendix B
1730	Ophth Pretesting	visual_acuity	pam_dsc_os	Potential acuity meter DscOS	string	True	20	See Appendix B
1731	Ophth Pretesting	visual_acuity	pam_dsc_ou	Potential acuity meter DscOU	string	True	20	See Appendix B
1732	Ophth Pretesting	visual_acuity	ram_dsc_od	Retinal acuity meter DscOD	string	True	20	See Appendix B
1733	Ophth Pretesting	visual_acuity	ram_dsc_os	Retinal acuity meter DscOS	string	True	20	See Appendix B
1734	Ophth Pretesting	visual_acuity	ram_dsc_ou	Retinal acuity meter DscOU	string	True	20	See Appendix B
1735	Ophth Pretesting	visual_acuity	visual_acuity_other_dsc_od	Visual acuity other DscOD	string	True	255	
1736	Ophth Pretesting	visual_acuity	visual_acuity_other_dsc_os	Visual acuity other DscOS	string	True	255	
1737	Ophth Pretesting	visual_acuity	visual_acuity_other_dsc_ou	Visual acuity other DscOU	string	True	255	
1738	Ophth Pretesting	visual_acuity	visual_acuity_nsc_od	Visual acuity NscOD	string	True	20	See Appendix B
1739	Ophth Pretesting	visual_acuity	visual_acuity_nsc_os	Visual acuity NscOS	string	True	20	See Appendix B
1740	Ophth Pretesting	visual_acuity	visual_acuity_nsc_ou	Visual acuity NscOU	string	True	20	See Appendix B
1741	Ophth Pretesting	visual_acuity	pinhole_nsc_od	Pinhole visual acuity NscOD	string	True	20	See Appendix B
1742	Ophth Pretesting	visual_acuity	pinhole_nsc_os	Pinhole visual acuity NscOS	string	True	20	See Appendix B
1743	Ophth Pretesting	visual_acuity	pinhole_nsc_ou	Pinhole visual acuity NscOU	string	True	20	See Appendix B
1744	Ophth Pretesting	visual_acuity	glare_nsc_od	Glare NscOD	string	True	20	See Appendix B
1745	Ophth Pretesting	visual_acuity	glare_nsc_os	Glare NscOS	string	True	20	See Appendix B
1746	Ophth Pretesting	visual_acuity	glare_nsc_ou	Glare NscOU	string	True	20	See Appendix B
1747	Ophth Pretesting	visual_acuity	bat_nsc_od	Brightness acuity test NscOD	string	True	20	See Appendix B
1748	Ophth Pretesting	visual_acuity	bat_nsc_os	Brightness acuity test NscOS	string	True	20	See Appendix B
1749	Ophth Pretesting	visual_acuity	bat_nsc_ou	Brightness acuity test NscOU	string	True	20	See Appendix B
1750	Ophth Pretesting	visual_acuity	pam_nsc_od	Potential acuity meter NscOD	string	True	20	See Appendix B
1751	Ophth Pretesting	visual_acuity	pam_nsc_os	Potential acuity meter NscOS	string	True	20	See Appendix B
1752	Ophth Pretesting	visual_acuity	pam_nsc_ou	Potential acuity meter NscOU	string	True	20	See Appendix B
1753	Ophth Pretesting	visual_acuity	ram_nsc_od	Retinal acuity meter NscOD	string	True	20	See Appendix B
1754	Ophth Pretesting	visual_acuity	ram_nsc_os	Retinal acuity meter NscOS	string	True	20	See Appendix B
1755	Ophth Pretesting	visual_acuity	ram_nsc_ou	Retinal acuity meter NscOU	string	True	20	See Appendix B
1756	Ophth Pretesting	visual_acuity	visual_acuity_other_nsc_od	Visual acuity other NscOD	string	True	255	
1757	Ophth Pretesting	visual_acuity	visual_acuity_other_nsc_os	Visual acuity other NscOS	string	True	255	
1758	Ophth Pretesting	visual_acuity	visual_acuity_other_nsc_ou	Visual acuity other NscOU	string	True	255	
1759	Ophth Pretesting	visual_acuity	firm_global_id	ModMed internal firm global identifier	string	False	10	
1760	Appointment	appointment_insurance_policy_snapshot	appointment_insurance_policy_snapshot_id	appointment_insurance_policy_snapshot table id	string	False	20	
1761	Appointment	appointment_insurance_policy_snapshot	appointment_id	appointment table id	string	False	20	
1762	Appointment	appointment_insurance_policy_snapshot	insurance_policy_id	insurance_policy table id	string	True	20	
1763	Appointment	appointment_insurance_policy_snapshot	patient_id	patient table id	string	False	20	
1764	Appointment	appointment_insurance_policy_snapshot	position	Order of insurance policy history.	int	True		
1765	Appointment	appointment_insurance_policy_snapshot	firm_global_id	ModMed internal firm global identifier	string	False	10	
1766	CC/HPI	hpi_option_value	hpi_option_value_id	hpi_option_value table id	string	False	20	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1767	CC/HPI	hpi_option_value	hpi_option_id	hpi_option table id	string	False	20	
1768	CC/HPI	hpi_option_value	patient_id	patient table id	string	False	20	
1769	CC/HPI	hpi_option_value	option_value	Detailed value associated to the hpi_option selected. Formatted for presentation.	string	True	-1	
1770	CC/HPI	hpi_option_value	diagnosis_type	Diagnosis type.	string	True	100	
1771	CC/HPI	hpi_option_value	bundle_key	Detailed value associated to the hpi_option selected. Formatted as code key.	string	True	255	
1772	CC/HPI	hpi_option_value	mini_madlib	Details related to bundle_key/option_value.	string	True	-1	
1773	CC/HPI	hpi_option_value	exclude_gender	Whether the option should exclude a gender from answering it or not. Indicates the excluded gender.	string	True	10	
1774	CC/HPI	hpi_option_value	position	Position of the detailed option, relative to the question/hpi_option.	int	True		
1775	CC/HPI	hpi_option_value	exclude_component	Exclude component	boolean	True		
1776	CC/HPI	hpi_option_value	visible	Visible.	boolean	True		
1777	CC/HPI	hpi_option_value	date_created	Date created (system generated).	timestamp	True		
1778	CC/HPI	hpi_option_value	date_modified	Date modified (system generated).	timestamp	True		
1779	CC/HPI	hpi_option_value	firm_global_id	Firm global identifier (unique across pods)	string	False	10	
1780	Office Flow	task_group_assignee	task_group_assignee_id	task_group_assignee table id	string	False	20	
1781	Office Flow	task_group_assignee	firm_group_id	firm_group table id	string	False	20	
1782	Office Flow	task_group_assignee	task_id	task table id	string	False	20	
1783	Office Flow	task_group_assignee	patient_id	patient table id	string	True	20	
1784	Office Flow	task_group_assignee	firm_global_id	ModMed internal firm global identifier	string	False	10	
1785	PM Financials	payer_adjustments_detail	payer_adjustments_detail_id	payer_adjustments_detail table id	string	False	60	
1786	PM Financials	payer_adjustments_detail	claim_id	claim table id	string	False	20	
1787	PM Financials	payer_adjustments_detail	bill_item_id	bill_item table id	string	False	20	
1788	PM Financials	payer_adjustments_detail	patient_id	patient table id	string	False	20	
1789	PM Financials	payer_adjustments_detail	claim_bill_item_id	claim_bill_item table id	string	False	20	
1790	PM Financials	payer_adjustments_detail	firm_id	firm table id	string	False	20	
1791	PM Financials	payer_adjustments_detail	carc	Claim Adjustment Reason Code (CARC). Convey information about remittance processing	string	True	10	
1792	PM Financials	payer_adjustments_detail	carc_description	The description associated with the given carc code.	string	True	1000	
1793	PM Financials	payer_adjustments_detail	rarc_code	Remittance Advice Remark Codes (RARCs). Provide additional explanation for an adjustment already described by a Claim Adjustment Reason Code	string	True	60	
1794	PM Financials	payer_adjustments_detail	rarc_code_description	The description associated with the given rarc code.	string	True	1000	
1795	PM Financials	payer_adjustments_detail	bill_item_adjustment_reason_code	Group code that describes what the CARC signifies (payer only).	string	True	30	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1796	PM Financials	payer_adjustments_detail	default_denial_category	Denial Category.	string	True	40	BILLING_OR_CLAIM_ERROR ADDITIONAL_INFORMATION CREDENTIALING_OR_ENROLLMENT DUPLICATE ADJUDICATION OTHER COORDINATION_OF_BENEFITS OTHER_COVERAGE BENEFIT_MAX AUTHORIZATION MEDICAL_NECESSITY CODING TIMELY_FILING NON_COVERED ELIGIBILITY
1797	PM Financials	payer_adjustments_detail	custom_denial_category	Custom denial category.	string	True	40	
1798	PM Financials	payer_adjustments_detail	custom_denial_reason_category	Custom claim adjustment denial reason category.	string	True	30	
1799	PM Financials	payer_adjustments_detail	custom_adjustment_code_description	Custom claim adjustment denial reason category description.	string	True	1000	
1800	PM Financials	payer_adjustments_detail	denied_item	Flag indicating it the bill_item has been associated with a denial.	boolean	True		
1801	PM Financials	payer_adjustments_detail	firm_global_id	ModMed internal firm global identifier	string	False	10	
1802	Patient	insurance_policy_authorization	insurance_policy_authorization_id	insurance_policy_authorization table id	string	False	20	
1803	Patient	insurance_policy_authorization	insurance_policy_id	insurance_policy table id	string	False	20	
1804	Patient	insurance_policy_authorization	patient_case_id	patient_case table id	string	True	20	
1805	Patient	insurance_policy_authorization	staff_id	staff table id	string	True	20	
1806	Patient	insurance_policy_authorization	referral_contact_id	referral_contact table id	string	True	20	
1807	Patient	insurance_policy_authorization	patient_id	patient table id	string	False	20	
1808	Patient	insurance_policy_authorization	authorization_type	Patient's contact Type	string	False	40	Referral Authorization
1809	Patient	insurance_policy_authorization	authorization_number	Authorization Number	string	False	50	
1810	Patient	insurance_policy_authorization	authorization_entry_date	Date in which authorization was entered.	timestamp	True		
1811	Patient	insurance_policy_authorization	authorization_start_date	Start date of authorization.	timestamp	True		
1812	Patient	insurance_policy_authorization	authorization_end_date	End date of authorization.	timestamp	True		
1813	Patient	insurance_policy_authorization	number_of_authorized_visits	Number of approved authorized visits	int	True		
1814	Patient	insurance_policy_authorization	authorized_visits_remaining	Number of approved authorized visits remaining	int	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1815	Patient	insurance_policy_auth orization	unlimited_visits	Unlimited authorized visits	boolean	True		
1816	Patient	insurance_policy_auth orization	description	Description	string	True	500	
1817	Patient	insurance_policy_auth orization	additional_notes	Additional notes	string	True	500	
1818	Patient	insurance_policy_auth orization	active	Patient's contact status	boolean	False		
1819	Patient	insurance_policy_auth orization	firm_global_id	ModMed internal firm global identifier	string	False	10	
1820	Ophth Pretesting	visual_field	visual_field_id	visual_field table id	string	False	20	
1821	Ophth Pretesting	visual_field	visit_id	Visit table id	string	False	20	
1822	Ophth Pretesting	visual_field	patient_id	patient table id	string	False	20	
1823	Ophth Pretesting	visual_field	test_type	Visual Field Test Type	string	True	20	FDT: FDT PERIMETRY: Auto-Perimetry CVF: Confrontation Visual Fields APPROACH_WITH_TOY: Approach with Toy OTHER
1824	Ophth Pretesting	visual_field	test_other	Test type other free text. Will be null is test type is not other.	string	True	255	
1825	Ophth Pretesting	visual_field	result	Result	string	True	30	ABNORMAL ABNORMAL_FINGER_CT ATTEMPTED_BUT_NOT_ACHIEVED CONSTRICTED_VISUAL_FIELD FULL_FINGER_CT_OD FULL_FINGER_CT_OS FULL_FINGER_CT_OU GROSSLY_NORMAL_CT NORMAL_OD NORMAL_OS NORMAL_OU POSSIBLY_ABNORMAL UNSPECIFIED VISUAL_FIELD_ABNORMAL VISUAL_FIELD_NORMAL
1826	Ophth Pretesting	visual_field	additional_notes	Additional visual field notes.	string	True	255	
1827	Ophth Pretesting	visual_field	top_left_outer_od	Top left outer OD (right eye)	boolean	True		
1828	Ophth Pretesting	visual_field	top_left_outer_os	Top left outer OS (left eye)	boolean	True		
1829	Ophth Pretesting	visual_field	top_left_inner_od	Top left inner OD (right eye)	boolean	True		
1830	Ophth Pretesting	visual_field	top_left_inner_os	Top left inner OS (left eye)	boolean	True		
1831	Ophth Pretesting	visual_field	top_right_outer_od	Top right outer OD (right eye)	boolean	True		
1832	Ophth Pretesting	visual_field	top_right_outer_os	Top right outer OS (left eye)	boolean	True		
1833	Ophth Pretesting	visual_field	top_right_inner_od	Top right inner OD (right eye)	boolean	True		
1834	Ophth Pretesting	visual_field	top_right_inner_os	Top right inner OS (left eye)	boolean	True		
1835	Ophth Pretesting	visual_field	bottom_left_outer_od	Bottom left outer OD (right eye)	boolean	True		
1836	Ophth Pretesting	visual_field	bottom_left_outer_os	Bottom left outer OS (left eye)	boolean	True		
1837	Ophth Pretesting	visual_field	bottom_left_inner_od	Bottom left inner OD (right eye)	boolean	True		
1838	Ophth Pretesting	visual_field	bottom_left_inner_os	Bottom left inner OS (left eye)	boolean	True		
1839	Ophth Pretesting	visual_field	bottom_right_outer_od	Bottom right outer OD (right eye)	boolean	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1840	Ophth Pretesting	visual_field	bottom_right_outer_os	Bottom right outer OS (left eye)	boolean	True		
1841	Ophth Pretesting	visual_field	bottom_right_inner_od	Bottom right inner OD (right eye)	boolean	True		
1842	Ophth Pretesting	visual_field	bottom_right_inner_os	Bottom right inner OS (left eye)	boolean	True		
1843	Ophth Pretesting	visual_field	firm_global_id	ModMed internal firm global identifier	string	False	10	
1844	Office Flow	task_additional	task_additional_id	task_additional table id	string	False	20	
1845	Office Flow	task_additional	task_id	task table id	string	False	20	
1846	Office Flow	task_additional	chart_note_id	chart_note table id	string	True	20	
1847	Office Flow	task_additional	intra_mail_id	intra_mail table id	string	True	20	
1848	Office Flow	task_additional	patient_id	patient table id	string	True	20	
1849	Office Flow	task_additional	intra_mail	IntraMail associated with the task.	string	True	280	
1850	Office Flow	task_additional	firm_global_id	ModMed internal firm global identifier	string	False	10	
1851	Visit	visit_attendee	visit_attendee_id	visit_attendee table id	string	False	20	
1852	Visit	visit_attendee	visit_id	visit table id	string	False	20	
1853	Visit	visit_attendee	patient_id	patient table id	string	False	20	
1854	Visit	visit_attendee	staff_id	staff table id	string	True	20	Staff member that is in attendance
1855	Visit	visit_attendee	scribe	If the attendee is a scribe for the visit.	boolean	True		
1856	Visit	visit_attendee	is_primary_provider	Designates if the staff member is the visit's Primary Provider.	boolean	True		
1857	Visit	visit_attendee	is_primary_bill	Designates if the staff member is the visit's Primary Biller.	boolean	True		
1858	Visit	visit_attendee	firm_global_id	ModMed internal firm global identifier	string	False	10	
1859	PM Financials	unbilled_posted_charges	unbilled_posted_charges_id	unbilled_posted_charges table id	string	False	40	
1860	PM Financials	unbilled_posted_charges	business_unit_id	business_unit table id	string	False	20	
1861	PM Financials	unbilled_posted_charges	patient_id	patient table id	string	True	20	
1862	PM Financials	unbilled_posted_charges	bill_item_id	bill_item table id	string	True	20	
1863	PM Financials	unbilled_posted_charges	facility_id	facility table id	string	False	20	Service location
1864	PM Financials	unbilled_posted_charges	provider_id	staff table id	string	False	20	Billing provider id
1865	PM Financials	unbilled_posted_charges	primary_provider_id	staff table id	string	True	20	Primary provider listed on bill
1866	PM Financials	unbilled_posted_charges	payer_id	payer table id	string	True	20	Payer listed on bill
1867	PM Financials	unbilled_posted_charges	created_by_staff_id	staff table id	string	True	20	
1868	PM Financials	unbilled_posted_charges	division_id	division table id	string	True	20	
1869	PM Financials	unbilled_posted_charges	custom_non_bill_code_id	custom_non_bill_code table id	string	True	20	
1870	PM Financials	unbilled_posted_charges	patient_business_unit_id	patient_business_unit_setting table id	string	True	30	
1871	PM Financials	unbilled_posted_charges	remaining_charge_balance	Remaining charge balance per bill item	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1872	PM Financials	unbilled_posted_charges	coverage_type	Coverage type	string	True	40	Primary Secondary Tertiary Self-Pay
1873	PM Financials	unbilled_posted_charges	responsible_party	responsible party	string	True	40	
1874	PM Financials	unbilled_posted_charges	status	Current bill status	string	True	40	PRELIMINARY IN_PROGRESS REQUIRES_REVISION READY_FOR_REVIEW IN_REVIEW INACTIVE_OTHER RESOLVED_PAID RESOLVED_OTHER IN_DISPUTE PAYMENT_PENDING READY_FOR_POSTING
1875	PM Financials	unbilled_posted_charges	cpt_product	The CPT/HCPCS procedure code for the bill charge or the inventory product code.	string	True	100	
1876	PM Financials	unbilled_posted_charges	cpt_product_description	The CPT/HCPCS procedure code description for the bill charge or the inventory product description.	string	True	500	
1877	PM Financials	unbilled_posted_charges	encounter_count	Stores the associated bill_id. If not null, indicates an encounter has occurred and the sum of units posted or reversed within the bill is greater than zero.	string	True	20	
1878	PM Financials	unbilled_posted_charges	time_zone	Facility time zone	string	True	30	
1879	PM Financials	unbilled_posted_charges	service_date_to_id	Date which service ended.	timestamp	True		
1880	PM Financials	unbilled_posted_charges	service_date_from_id	Date which service started.	timestamp	True		
1881	PM Financials	unbilled_posted_charges	post_date_id	Date which charge posted.	timestamp	True		
1882	PM Financials	unbilled_posted_charges	firm_global_id	ModMed internal firm global identifier	string	False	10	
1883	Inventory	package_item_sale	package_item_sale_id	package_item_sale table id	string	False	20	
1884	Inventory	package_item_sale	package_sale_id	package_sale table id	string	False	20	
1885	Inventory	package_item_sale	product_id	product table id	string	True	20	
1886	Inventory	package_item_sale	package_id	package table id	string	False	20	
1887	Inventory	package_item_sale	patient_id	patient table id	string	False	20	
1888	Inventory	package_item_sale	facility_id	facility table id	string	False	20	
1889	Inventory	package_item_sale	business_unit_id	business_unit table id	string	False	20	
1890	Inventory	package_item_sale	provider_id	staff table id	string	True	20	
1891	Inventory	package_item_sale	division_id	division table id	string	True	20	
1892	Inventory	package_item_sale	custom_code_id	custom_code table id	string	True	20	
1893	Inventory	package_item_sale	custom_non_bill_code_id	custom_non_bill_code table id	string	True	20	
1894	Inventory	package_item_sale	financial_category_id	financial_category table id	string	True	20	
1895	Inventory	package_item_sale	sold_by_staff_id	staff table id	string	True	20	
1896	Inventory	package_item_sale	package_name	Package name	string	True	50	
1897	Inventory	package_item_sale	package_description	Package description	string	True	255	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1898	Inventory	package_item_sale	package_status	Package status	string	True	10	ACTIVE INACTIVE
1899	Inventory	package_item_sale	package_discount_reason	Package Discount Reason	string	True	30	OTHER PACKAGES PROMOTIONAL PROFESSIONAL_COURTESY CUSTOM_DISCOUNT
1900	Inventory	package_item_sale	package_notes	Package notes	string	True	255	
1901	Inventory	package_item_sale	package_item_type	Package item type	string	True	20	CPT CUSTOM_CHARGE CUSTOM_CODE INVENTORY_PRODUCT LEGACY_PRODUCT
1902	Inventory	package_item_sale	package_item_description	Package item description	string	True	255	
1903	Inventory	package_item_sale	package_item_units	For given item, count of that item in patient package	double	True		
1904	Inventory	package_item_sale	package_item_price_per_unit	For given item, cost for one (1) of those items	double	True		
1905	Inventory	package_item_sale	package_tax_rate_local	Local tax rate	double	True		
1906	Inventory	package_item_sale	package_tax_rate_state	State tax rate	double	True		
1907	Inventory	package_item_sale	package_item_tax_amount	For given item, total amount of tax for that item in patient package	double	True		
1908	Inventory	package_item_sale	package_item_total_amount	For given item, total amount for that item in patient package	double	True		
1909	Inventory	package_item_sale	package_item_remaining_units	For given item, count of items in patient package that are unused	double	True		
1910	Inventory	package_item_sale	cpt_product	The CPT/HCPCS procedure code for the bill charge or category for a non-bill charge, or inventory product code	string	True	100	
1911	Inventory	package_item_sale	cpt_product_description	The CPT/HCPCS procedure code or category description for the bill charge or non-bill charge, or inventory product description.	string	True	500	
1912	Inventory	package_item_sale	financial_category	Financial category name.	string	True	255	
1913	Inventory	package_item_sale	status	Package item sale status	string	True	20	CHARGED VOIDED
1914	Inventory	package_item_sale	void_date_id	Localized date for when the package item was voided.	date	True		
1915	Inventory	package_item_sale	firm_global_id	ModMed internal firm global identifier	string	True	10	
1916	PM Financials	claim_bill_item	claim_bill_item_id	claim_bill_item table id	string	False	20	
1917	PM Financials	claim_bill_item	claim_id	claim table id	string	False	20	
1918	PM Financials	claim_bill_item	bill_item_id	bill_item table id	string	False	20	
1919	PM Financials	claim_bill_item	bill_insurance_id	bill_insurance table id	string	False	20	
1920	PM Financials	claim_bill_item	bill_assignee_id	bill_assignee table id	string	True	20	
1921	PM Financials	claim_bill_item	division_id	division table id	string	True	20	
1922	PM Financials	claim_bill_item	patient_id	patient table id	string	False	20	
1923	PM Financials	claim_bill_item	is_em_code	If CPT code is an E/M code	boolean	True		
1924	PM Financials	claim_bill_item	delinquency	Indicates whether a bill falls into a delinquent status. For a bill to be marked as Delinquent, current bill status and claim is not "Resolved/Other", "Inactive", or "Resolved/Paid", the bill is assigned to a user or user group, and current date is 3 days past the selected follow-up date. If a bill does not meet this criteria, it will be marked as Not Delinquent.	string	True	20	
1925	PM Financials	claim_bill_item	delinquency_days	This is the number of days since follow up date from current date minus 3 days	int	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1926	PM Financials	claim_bill_item	adjustments_total	Adjustment total	double	True		
1927	PM Financials	claim_bill_item	payments_total	Payments total	double	True		
1928	PM Financials	claim_bill_item	bill_item_was_denied	If the bill item was ever denied for a claim.	boolean	True		
1929	PM Financials	claim_bill_item	firm_global_id	ModMed internal firm global identifier	string	False	10	
1930	PM Financials	claim_payer	claim_payer_id	claim_payer table id	string	False	30	
1931	PM Financials	claim_payer	firm_id	firm table id	string	False	20	
1932	PM Financials	claim_payer	payer_id	payer table id	string	False	20	
1933	PM Financials	claim_payer	claim_id	claim table id	string	False	20	
1934	PM Financials	claim_payer	era_received_id	era_received table id	string	False	20	
1935	PM Financials	claim_payer	patient_id	patient table id	string	False	20	
1936	PM Financials	claim_payer	payer_claim_number	Payer claim reference number	string	True		
1937	PM Financials	claim_payer	firm_global_id	ModMed internal firm global identifier	string	False	10	
1938	Visit	outcome_measuremen t	outcome_measurement_id	outcome_measurement table id	string	False	20	
1939	Visit	outcome_measuremen t	visit_id	visit table id	string	False	20	
1940	Visit	outcome_measuremen t	patient_id	patient table id	string	False	20	
1941	Visit	outcome_measuremen t	hpi_response_id	hpi_response table id	string	True	20	Chief complaint that generated the outcome measurement.
1942	Visit	outcome_measuremen t	exam_element_id	exam_element table id	string	True	20	Exam element that generated the outcome measurement.
1943	Visit	outcome_measuremen t	procedure_id	procedure table id	string	True	20	Procedure that generated the outcome measurement.
1944	Visit	outcome_measuremen t	procedure_body_location_i d	procedure_body_location table id	string	True	20	Procedure body location that generated the outcome measurement.
1945	Visit	outcome_measuremen t	variable	Outcome variable name	string	True	256	See static_outcome_measurement.variable
1946	Visit	outcome_measuremen t	title	Name of the outcome	string	True	256	See static_outcome_measurement.title
1947	Visit	outcome_measuremen t	question_text	Question text of the outcome	string	True	256	See static_outcome_measurement. question_text
1948	Visit	outcome_measuremen t	value	Outcome measurement	double	True		
1949	Visit	outcome_measuremen t	units	Unit of measure	string	True	256	See static_outcome_measurement.units
1950	Visit	outcome_measuremen t	firm_global_id	ModMed internal firm global identifier	string	False	10	
1951	Office Flow	task	task_id	task table id	string	False	20	
1952	Office Flow	task	firm_id	firm table id	string	False	20	
1953	Office Flow	task	patient_id	patient table id	string	True	20	
1954	Office Flow	task	patient_assignee_id	patient table id. Only for routing ownership of Task when assignee is a patient.	string	True	20	
1955	Office Flow	task	parent_task_id	task table id. Indicates the id of the parent task.	string	True	20	
1956	Office Flow	task	visit_id	visit table id	string	True	20	
1957	Office Flow	task	appointment_id	appointment table id	string	True	20	
1958	Office Flow	task	facility_id	facility table id	string	True	20	
1959	Office Flow	task	business_unit_id	business_unit table id	string	True	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1960	Office Flow	task	result_log_id	result_log table id	string	True	20	
1961	Office Flow	task	chart_note_id	chart_note table id. Note: This column will be deprecated in release 1.25 and removed in 1.26.	string	True	20	
1962	Office Flow	task	intra_mail_id	intra_mail table id. Note: This column will be deprecated in release 1.25 and removed in 1.26.	string	True	20	
1963	Office Flow	task	created_by_staff_id	staff table id	string	True	20	
1964	Office Flow	task	modified_by_staff_id	staff table id	string	True	20	
1965	Office Flow	task	task_unique_identifier	Task unique id	string	True	50	
1966	Office Flow	task	task_patient_name	Name of the patient associated to the task	string	True	150	
1967	Office Flow	task	task_name	Title of the task	string	True	50	AUTHORIZATION CC_HPI COLLECTION COMMUNICATION FAX NOTIFY NOTIFY_WHEN_ARRIVE OBTAIN ONLINE_CHECK_IN ORDER PATHOLOGY PRESCRIBE REASSURE RECALL REFER RETURN_TO_CLINIC REVIEW RE_EVALUATE SCHEDULE SIGN TEST
1968	Office Flow	task	task_detail	Details of the task	string	True	250	
1969	Office Flow	task	main_note	Main note for the task	string	True	2000	
1970	Office Flow	task	priority	Priority of the task	string	True	50	HIGH NORMAL STAT 4707648
1971	Office Flow	task	task_type	Type of task	string	True	25	ASSIGNABLE COLLECTION PATIENT_ASSIGNABLE
1972	Office Flow	task	current_status	Task status	string	True	25	Archived Completed New New (Reopened) Pending
1973	Office Flow	task	appointment	Appointment associated to the task.	string	True	45	
1974	Office Flow	task	task_facility_name	Facility associated to the task.	string	True	100	
1975	Office Flow	task	bill_assignee_group_name	Name of the bill assignee group associated to the task.	string	True	50	
1976	Office Flow	task	intra_mail	IntraMail associated with the task. Note: This column will be deprecated in release 1.25 and removed in 1.26.	string	True	280	
1977	Office Flow	task	is_complete	Indicates if the task is complete or not.	boolean	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
1978	Office Flow	task	track_history	Indicates if the task has history tracking enabled on not. Only available for task type 'COLLECTION' and 'PATIENT_ASSIGNABLE'.	boolean	True		
1979	Office Flow	task	time_zone	Facility time zone	string	True	30	
1980	Office Flow	task	visit_date	Date of the visit associated to the task.	timestamp	True		
1981	Office Flow	task	date_assigned	Date when the task was assigned.	timestamp	True		
1982	Office Flow	task	date_due	Date when the task will be due.	timestamp	True		
1983	Office Flow	task	date_completed	Date when the task was completed.	timestamp	True		
1984	Office Flow	task	date_restarted	Date when the task was restarted.	timestamp	True		
1985	Office Flow	task	date_last_note_added	Date when the last note was added to the task.	timestamp	True		
1986	Office Flow	task	visit_date_id	Localized date of the visit associated with the task	timestamp	True		
1987	Office Flow	task	date_assigned_id	Localized date when the task was assigned	timestamp	True		
1988	Office Flow	task	date_due_id	Localized date when the task will be due	timestamp	True		
1989	Office Flow	task	date_completed_id	Localized date when the task was completed	timestamp	True		
1990	Office Flow	task	date_restarted_id	Localized date when the task was restarted	timestamp	True		
1991	Office Flow	task	date_last_note_added_id	Localized date when the last node for the task was added	timestamp	True		
1992	Office Flow	task	date_created	Date the visit was created (database generated).	timestamp	True		
1993	Office Flow	task	date_modified	Date the visit was modified (database generated).	timestamp	True		
1994	Office Flow	task	firm_global_id	ModMed internal firm global identifier	string	False	10	
1995	eLab	order_log	order_log_id	order_log table id	string	False	20	
1996	eLab	order_log	firm_id	firm table id	string	False	20	
1997	eLab	order_log	visit_id	visit table id	string	True	20	
1998	eLab	order_log	facility_id	facility table id	string	True	20	
1999	eLab	order_log	provider_id	staff table id	string	True	20	
2000	eLab	order_log	patient_id	patient table id	string	True	20	
2001	eLab	order_log	patient_case_id	patient_case table id	string	True	20	
2002	eLab	order_log	elab_order_id	elab_order table id	string	True	20	
2003	eLab	order_log	procedure_id	procedure table id	string	True	20	
2004	eLab	order_log	insurance_policy_id	insurance_policy table id	string	True	20	
2005	eLab	order_log	order_number	Requisition number for an order	string	True	10	
2006	eLab	order_log	order_name	Order name	string	True	-1	
2007	eLab	order_log	order_details	Tests ordered, universal id, etc	string	True	-1	
2008	eLab	order_log	priority	Order priority	string	True	10	HIGH NORMAL STAT
2009	eLab	order_log	provider_name	Name of provider on order	string	True	250	
2010	eLab	order_log	facility_name	Name of facility on order	string	True	100	
2011	eLab	order_log	perform_at_name	Name of lab an order is sent to	string	True	200	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2012	eLab	order_log	order_type	Type of order	string	True	20	ALLERGY AUDIOLOGY DIAGNOSTIC_TEST DMEPOS FOLLOW_UP GENERAL INFUSION INJECTION LABS PATHOLOGY PROCEDURE RADIOLOGY REFERRAL SURGERY THERAPIES
2013	eLab	order_log	order_sub_type	Sub type of order	string	True	30	CHEMISTRY CT DIAGNOSTIC DURABLE_MEDICAL_EQUIPMENT IMMUNOLOGY INSTRUCTION INTERVENTIONAL_RADIOLOGY INVASIVE MICROBIOLOGY MINIMALLY_INVASIVE MRI NUCLEAR_MEDICINE OCCUPATIONAL ORTHOTICS OTHER PANELS PHYSICAL RADIOGRAPHY SUPPLIES THERAPEUTIC US WORKERS_COMP
2014	eLab	order_log	order_status	Status of order	string	True	20	CANCELED CLOSED IN_PROGRESS OPEN SENT
2015	eLab	order_log	order_date	Date of order	timestamp	True		
2016	eLab	order_log	order_due_date	Due date of order	timestamp	True		
2017	eLab	order_log	order_scheduled_date	Schedule date of order	timestamp	True		
2018	eLab	order_log	date_created	Date created (system generated).	timestamp	True		
2019	eLab	order_log	date_modified	Date modified (system generated).	timestamp	True		
2020	eLab	order_log	firm_global_id	ModMed internal firm global identifier	string	False	10	
2021	PM Financials	code_category_patient_payment_log	code_category_patient_payment_log_id	code_category_patient_payment_log table id.	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2022	PM Financials	code_category_patient_payment_log	patient_id	patient table id.	string	False	20	
2023	PM Financials	code_category_patient_payment_log	current_code_category_id	code_category table id for current value.	string	True	20	
2024	PM Financials	code_category_patient_payment_log	previous_code_category_id	Previous code_category table id.	string	True	20	
2025	PM Financials	code_category_patient_payment_log	transfer_sender_patient_id	patient table id for patient transfer payment types.	string	True	20	
2026	PM Financials	code_category_patient_payment_log	business_unit_id	business_unit table id.	string	True	20	
2027	PM Financials	code_category_patient_payment_log	provider_id	staff table id for current provider.	string	True	20	
2028	PM Financials	code_category_patient_payment_log	reference_number	Reference number for payment transaction (system generated).	string	True	75	
2029	PM Financials	code_category_patient_payment_log	original_reference_number	Original transaction reference number from which the amount has been transferred (system generated).	string	True	75	
2030	PM Financials	code_category_patient_payment_log	payment_amount	Amount which is added or transferred among different code categories under deposit.	double	True		
2031	PM Financials	code_category_patient_payment_log	total_transaction_amount	Total transaction amount collected under the payment.	double	True		
2032	PM Financials	code_category_patient_payment_log	deposits_amount	Original amount under deposits.	double	True		
2033	PM Financials	code_category_patient_payment_log	previous_category_before_amount	Previous category before amount.	double	True		
2034	PM Financials	code_category_patient_payment_log	previous_category_after_amount	Previous category after amount.	double	True		
2035	PM Financials	code_category_patient_payment_log	current_category_before_amount	Current category before amount.	double	True		
2036	PM Financials	code_category_patient_payment_log	current_category_after_amount	current category after amount.	double	True		
2037	PM Financials	code_category_patient_payment_log	history_type	Payment history type.	string	True	50	ADD EDIT REMOVE REASSIGN REFUND PATIENT_TRANSFER BUSINESS_UNIT_TRANSFER VOID_PATIENT_TRANSFER

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2038	PM Financials	code_category_patient_payment_log	transaction_type	transaction types.	string	True	50	PATIENT_PAYMENT PATIENT_PAYMENT_VOID PATIENT_PAYMENT_VOID_ERROR PATIENT_PAYMENT_DECLINED PATIENT_PAYMENT_ERROR PATIENT_PAYMENT_REFUND PATIENT_PAYMENT_REFUND_ERROR PATIENT_PAYMENT_REFUND_DECLINED PATIENT_PAYMENT_REFUND_VOID P2P_TRANSFER_RECEIVED P2P_TRANSFER_RECEIVED_REFUND P2P_TRANSFER_RECEIVED_VOID PATIENT_EXTERNAL_TRANSFER PATIENT_EXTERNAL_TRANSFER_REFUND PATIENT_EXTERNAL_TRANSFER_VOID PATIENT_ALLOCATION PATIENT_ALLOCATION_VOID BUSINESS_UNIT_TRANSFER_SENT BUSINESS_UNIT_TRANSFER_RECEIVED BUSINESS_UNIT_TRANSFER_RECEIVED_REFUND PENDING
2039	PM Financials	code_category_patient_payment_log	original_transaction_type	transaction types.	string	True	50	PATIENT_PAYMENT PATIENT_PAYMENT_VOID PATIENT_PAYMENT_VOID_ERROR PATIENT_PAYMENT_DECLINED PATIENT_PAYMENT_ERROR PATIENT_PAYMENT_REFUND PATIENT_PAYMENT_REFUND_ERROR PATIENT_PAYMENT_REFUND_DECLINED PATIENT_PAYMENT_REFUND_VOID P2P_TRANSFER_RECEIVED P2P_TRANSFER_RECEIVED_REFUND P2P_TRANSFER_RECEIVED_VOID PATIENT_EXTERNAL_TRANSFER PATIENT_EXTERNAL_TRANSFER_REFUND PATIENT_EXTERNAL_TRANSFER_VOID PATIENT_ALLOCATION PATIENT_ALLOCATION_VOID BUSINESS_UNIT_TRANSFER_SENT BUSINESS_UNIT_TRANSFER_RECEIVED BUSINESS_UNIT_TRANSFER_RECEIVED_REFUND PENDING
2040	PM Financials	code_category_patient_payment_log	date_created	Date created (system generated).	timestamp	True		
2041	PM Financials	code_category_patient_payment_log	firm_global_id	ModMed internal firm global identifier	string	False	10	
2042	Ophth Pretesting	amsler_grid	amsler_grid_id	amsler_grid table id	string	False	20	
2043	Ophth Pretesting	amsler_grid	visit_id	Visit table id	string	False	20	
2044	Ophth Pretesting	amsler_grid	patient_id	patient table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2045	Ophth Pretesting	amsler_grid	result	Result	string	True	20	NORMAL ABNORMAL UNSPECIFIED
2046	Ophth Pretesting	amsler_grid	top_left_od	Top left sector Amsler result	string	True	20	NORMAL FADED SCOTOMA METAMORPHOPSIA
2047	Ophth Pretesting	amsler_grid	top_left_os	Top left sector Amsler result	string	True	20	NORMAL FADED SCOTOMA METAMORPHOPSIA
2048	Ophth Pretesting	amsler_grid	top_right_od	Top right sector Amsler result	string	True	20	NORMAL FADED SCOTOMA METAMORPHOPSIA
2049	Ophth Pretesting	amsler_grid	top_right_os	Top right sector Amsler result	string	True	20	NORMAL FADED SCOTOMA METAMORPHOPSIA
2050	Ophth Pretesting	amsler_grid	middle_center_od	Middle center sector Amsler result	string	True	20	NORMAL FADED SCOTOMA METAMORPHOPSIA
2051	Ophth Pretesting	amsler_grid	middle_center_os	Middle center sector Amsler result	string	True	20	NORMAL FADED SCOTOMA METAMORPHOPSIA
2052	Ophth Pretesting	amsler_grid	bottom_left_od	Bottom left sector Amsler result	string	True	20	NORMAL FADED SCOTOMA METAMORPHOPSIA
2053	Ophth Pretesting	amsler_grid	bottom_left_os	Bottom left sector Amsler result	string	True	20	NORMAL FADED SCOTOMA METAMORPHOPSIA
2054	Ophth Pretesting	amsler_grid	bottom_right_od	Bottom right sector Amsler result	string	True	20	NORMAL FADED SCOTOMA METAMORPHOPSIA
2055	Ophth Pretesting	amsler_grid	bottom_right_os	Bottom right sector Amsler result	string	True	20	NORMAL FADED SCOTOMA METAMORPHOPSIA
2056	Ophth Pretesting	amsler_grid	firm_global_id	ModMed internal firm global identifier	string	False	10	
2057	Patient	pregnancy_chart_patient_vitals	pregnancy_chart_patient_vitals_id	pregnancy_chart_patient_vitals table id	string	False	20	
2058	Patient	pregnancy_chart_patient_vitals	patient_id	patient table id	string	False	20	
2059	Patient	pregnancy_chart_patient_vitals	visit_id	visit table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2060	Patient	pregnancy_chart_patient_vitals	patient_pregnancy_id	patient_pregnancy table id	string	False	20	
2061	Patient	pregnancy_chart_patient_vitals	fetal_movement	Indicates if there was fetal movement during the visit.	string	True	20	
2062	Patient	pregnancy_chart_patient_vitals	fundal_height	Measurement of the distance from the top of the uterus to the pubic bone, in centimeters	double	True		
2063	Patient	pregnancy_chart_patient_vitals	cervix_dilation	Cervix dilation, in centimeters, during the visit.	string	True	20	
2064	Patient	pregnancy_chart_patient_vitals	cervix_effacement	Percentage of cervix effacement during the visit.	string	True	20	
2065	Patient	pregnancy_chart_patient_vitals	cervix_station	Indicates how far a baby's head has descended into the patient pelvis. Stations range from -5 to +5, with 0 station meaning the head is aligned with the ischial spines.	string	True	20	
2066	Patient	pregnancy_chart_patient_vitals	had_contractions	Indicates if there were contractions present during the visit.	boolean	True		
2067	Patient	pregnancy_chart_patient_vitals	had_fluid_leakage	Indicates if there was fluid leakage present during the visit.	boolean	True		
2068	Patient	pregnancy_chart_patient_vitals	had_bleeding	Indicates if there was bleeding present during the visit.	boolean	True		
2069	Patient	pregnancy_chart_patient_vitals	had_preterm_labor_symptoms	Indicates if preterm labor symptoms were detected during the visit.	boolean	True		
2070	Patient	pregnancy_chart_patient_vitals	comments	Comments added to the patient vitals during the visit.	string	True	500	
2071	Patient	pregnancy_chart_patient_vitals	note_to_visit	Additional comments added to the patient vitals during the visit.	string	True	1000	
2072	Patient	pregnancy_chart_patient_vitals	firm_global_id	ModMed internal firm global identifier	string	False	10	
2073	PM Financials	pre_collections	pre_collections_id	pre_collections table id	string	False	20	
2074	PM Financials	pre_collections	business_unit_id	business_unit table id	string	False	20	
2075	PM Financials	pre_collections	patient_id	patient table id	string	False	20	
2076	PM Financials	pre_collections	task_id	task table id	string	False	20	
2077	PM Financials	pre_collections	next_appointment_id	appointment table id	string	True	20	
2078	PM Financials	pre_collections	most_recent_facility_id	facility table id	string	True	20	
2079	PM Financials	pre_collections	most_recent_primary_provider_id	staff table id	string	True	20	
2080	PM Financials	pre_collections	most_recent_primary_bill_id	staff table id	string	True	20	
2081	PM Financials	pre_collections	current_status	Current status of pre-collection task	string	True		First Attempt New Payment Plan Second Attempt Uncollected
2082	PM Financials	pre_collections	overdue	If due date is less than current date	boolean	True		
2083	PM Financials	pre_collections	patient_outstanding_balance	Patient total balance	decimal (38,2)	True		
2084	PM Financials	pre_collections	overdue_balance	Patient overdue balance	decimal (38,2)	True		
2085	PM Financials	pre_collections	patient_unallocated	Patient unallocated balance	decimal (38,2)	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2086	PM Financials	pre_collections	insurance_balance	Insurance balance	decimal (38,2)	True		
2087	PM Financials	pre_collections	last_payment_amount	Last payment amount	decimal (38,2)	True		
2088	PM Financials	pre_collections	most_recent_letter_title	Most recent letter title	string	True	100	
2089	PM Financials	pre_collections	assigned_to	Task assigned to	string	True	100	
2090	PM Financials	pre_collections	patient_statement_preference	Patient's preference for statements	string	True		ON OFF HOLD
2091	PM Financials	pre_collections	cpt_codes	Concatenation of most recent CPTs associated with a pre_collection task. Codes separated by pipe	string	True	-1	
2092	PM Financials	pre_collections	cpt_codes_descriptions	Concatenation of most recent CPT descriptions associated with a pre_collection task. Descriptions separated by pipe	string	True	-1	
2093	PM Financials	pre_collections	most_recent_pre_collection_note	Patient's most recent pre_collection note	string	True	-1	
2094	PM Financials	pre_collections	next_appointment_date	Patient's next appointment date	timestamp	True		
2095	PM Financials	pre_collections	next_appointment_date_id	(Localized date) Patient's next appointment date	timestamp	True		
2096	PM Financials	pre_collections	last_payment_date	Last date of payment	timestamp	True		
2097	PM Financials	pre_collections	last_payment_date_id	(Localized date) Last date of payment	timestamp	True		
2098	PM Financials	pre_collections	most_recent_letter_generated_date	Most recent date a letter was generated	timestamp	True		
2099	PM Financials	pre_collections	last_statement_date	Last statement date	timestamp	True		
2100	PM Financials	pre_collections	status_date	Date or pre-collection task status	timestamp	True		
2101	PM Financials	pre_collections	date_due	Date pre-collection task is due	timestamp	True		
2102	PM Financials	pre_collections	most_recent_pre_collection_note_date	Patient's most recent pre_collection note's date.	timestamp	True		
2103	PM Financials	pre_collections	most_recent_service_date_id	(Localized date) Patient's most recent date of service	timestamp	True		
2104	PM Financials	pre_collections	firm_global_id	ModMed internal firm global identifier	string	False	10	
2105	Patient	specialty_family_history	specialty_family_history_id	specialty_family_history table id	string	False	20	
2106	Patient	specialty_family_history	patient_id	patient table id	string	False	20	
2107	Patient	specialty_family_history	source	Screen in the application the condition was entered in	string	False	50	MELANOMA BREAST_CANCER MAL_HYPER_ANESTHESIA MUSCULOSKELETAL_HISTORY ENT_HISTORY GI_HISTORY RHEUMATOLOGICAL_HISTORY UROLOGICAL_HISTORY
2108	Patient	specialty_family_history	value	Family history (enum value)	string	True	255	See Appendix D
2109	Patient	specialty_family_history	snomed	Family history (SNOMED)	string	True	255	
2110	Patient	specialty_family_history	secondary_snomed	Family history (secondary SNOMED). Only populated if primary snomed does not fully describe the condition.	string	True	255	
2111	Patient	specialty_family_history	other_value	Additional text added to the condition	string	True	-1	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2112	Patient	specialty_family_history	firm_global_id	ModMed internal firm global identifier	string	False	10	
2113	Patient	family_history	family_history_id	family_history table id	string	False	20	
2114	Patient	family_history	patient_id	patient table id	string	False	20	
2115	Patient	family_history	snomed	SNOMED code	string	True	25	
2116	Patient	family_history	condition	Snomed description term for the family history condition	string	True	200	
2117	Patient	family_history	status	Status of the family history condition. NOTE: Users often do not mark items as inactive.	string	True	25	ACTIVE INACTIVE COMPLETED
2118	Patient	family_history	date_recorded	Date the family history condition was recorded.	timestamp	True		
2119	Patient	family_history	mother	True if the particular relative has the specified condition	boolean	True		
2120	Patient	family_history	father	True if the particular relative has the specified condition	boolean	True		
2121	Patient	family_history	sister	True if the particular relative has the specified condition	boolean	True		
2122	Patient	family_history	brother	True if the particular relative has the specified condition	boolean	True		
2123	Patient	family_history	daughter	True if the particular relative has the specified condition	boolean	True		
2124	Patient	family_history	son	True if the particular relative has the specified condition	boolean	True		
2125	Patient	family_history	uncle	True if the particular relative has the specified condition	boolean	True		
2126	Patient	family_history	aunt	True if the particular relative has the specified condition	boolean	True		
2127	Patient	family_history	nephew	True if the particular relative has the specified condition	boolean	True		
2128	Patient	family_history	niece	True if the particular relative has the specified condition	boolean	True		
2129	Patient	family_history	grandmother	True if the particular relative has the specified condition	boolean	True		
2130	Patient	family_history	grandfather	True if the particular relative has the specified condition	boolean	True		
2131	Patient	family_history	grandson	True if the particular relative has the specified condition	boolean	True		
2132	Patient	family_history	granddaughter	True if the particular relative has the specified condition	boolean	True		
2133	Patient	family_history	none	True if the particular relative has the specified condition	boolean	True		
2134	Patient	family_history	other	True if the particular relative has the specified condition	boolean	True		
2135	Patient	family_history	firm_global_id	ModMed internal firm global identifier	string	False	10	
2136	eLab	elab_result	elab_result_id	elab_result table id	string	False	20	
2137	eLab	elab_result	elab_order_id	elab_order table id	string	False	20	Order the result is for. Can be NULL
2138	eLab	elab_result	elab_order_test_id	elab_order_test table id	string	True	20	Specific test the result is for. Can be NULL
2139	eLab	elab_result	patient_id	patient table id	string	True	20	
2140	eLab	elab_result	assigned_by_id	staff table id	string	True	20	Staff member that assigned the result
2141	eLab	elab_result	pathology_log_id	pathology_log table id	string	True	20	Pathology log entry the result is associated with. NOTE: there may be multiple elab results associated with a single pathology log entry.
2142	eLab	elab_result	date_received	Date/time the result was received. NOTE: this is determined from database record creation date, not a field received from the lab.	timestamp	True		
2143	eLab	elab_result	universal_service_id	Universal Service ID (HL7 OBR-4)	string	True	300	
2144	eLab	elab_result	filler_order_number	Filler Order Number (HL7 OBR-3). Only populated for pathology results.	string	True	60	
2145	eLab	elab_result	loinc	LOINC number for the test, if applicable.	string	True	10	
2146	eLab	elab_result	lab_compensum_code	Compensum code for the test, if applicable	string	True	30	
2147	eLab	elab_result	test_number	Number to identify the test. Combination of order_number and filler_field_1/loinc/compensum_code.	string	True	60	
2148	eLab	elab_result	relevant_clinical_information	Relevant Clinical Information (HL7 OBR-13)	string	True	320	
2149	eLab	elab_result	specimen_source	Specimen Source (HL7 OBR-15)	string	True	300	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2150	eLab	elab_result	reason_for_study	Reason for Study (HL7 OBR-31)	string	True	500	
2151	eLab	elab_result	status	Status of the order	string	True	30	RESULTS: result received, not assigned to a patient CORRECTED: corrected results received ASSIGNED: result assigned to a test/patient REJECTED: result rejected by a staff member ERROR
2152	eLab	elab_result	date_assigned	Date/time the result was assigned.	timestamp	True		
2153	eLab	elab_result	auto_assigned	If the result was auto-assigned based on 100% match.	boolean	True		
2154	eLab	elab_result	active	If this result is the active result for the test. There may be multiple results for a test, but only one should be active.	boolean	True		
2155	eLab	elab_result	firm_global_id	ModMed internal firm global identifier	string	False	10	
2156	Appointment	recall_activity	recall_activity_id	recall_activity table id	string	False	20	
2157	Appointment	recall_activity	recall_id	recall table id	string	False	20	
2158	Appointment	recall_activity	patient_id	patient table id	string	False	20	
2159	Appointment	recall_activity	activity_created_by_staff_id	staff table id	string	False	20	
2160	Appointment	recall_activity	update_action_taken	Recall update action taken	string	True	100	CLOSED_BAD_DATA CLOSED_DUPLICATE_RECALL CLOSED_OTHER CLOSED_PATIENT_REFUSED_SERVICE LETTER_SENT PHONE_CALL PORTAL_MESSAGE_SENT
2161	Appointment	recall_activity	recall_status	Recall status.	string	True	50	CLOSED COMPLETED OPEN OVERDUE SCHEDULED
2162	Appointment	recall_activity	recall_activity_history_notes	Recall activity history notes	string	True	300	
2163	Appointment	recall_activity	activity_date	Recall activity date.	timestamp	True		
2164	Appointment	recall_activity	firm_global_id	ModMed internal firm global identifier	string	False	10	
2165	Patient	specialty_history	specialty_history_id	specialty_history table id	string	False	20	
2166	Patient	specialty_history	patient_id	patient table id	string	False	20	
2167	Patient	specialty_history	source	Screen in the application the condition was entered in	string	False	50	HERBAL_MEDICATIONS_AND_SUPPLEMENTS INTERVENTIONAL_PAIN_HISTORY
2168	Patient	specialty_history	value	History entry (enum value)	string	True	255	See Appendix D
2169	Patient	specialty_history	snomed	History entry (SNOMED)	string	True	255	
2170	Patient	specialty_history	secondary_snomed	History entry (secondary SNOMED). Only populated if primary snomed does not fully describe the condition.	string	True	255	
2171	Patient	specialty_history	other_value	Additional text added to the condition	string	True	-1	
2172	Patient	specialty_history	firm_global_id	ModMed internal firm global identifier	string	False	10	
2173	Diagnosis	diagnosis_measurement	diagnosis_measurement_id	hpi_follow_up_measurement table id	string	False	20	
2174	Diagnosis	diagnosis_measurement	diagnosis_id	diagnosis table id	string	False	20	
2175	Diagnosis	diagnosis_measurement	patient_id	patient table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2176	Diagnosis	diagnosis_measurement	variable	Variable name for the measurement. Variable names may be re-used across different diagnoses, and multiple variables may have the same title and/or question_text.	string	True	256	See static_diagnosis_measurement.variable
2177	Diagnosis	diagnosis_measurement	title	Name of the measurement.	string	True	256	See static_diagnosis_measurement.title
2178	Diagnosis	diagnosis_measurement	question_text	Question displayed to the user.	string	True	256	See static_diagnosis_measurement.exam_question_text
2179	Diagnosis	diagnosis_measurement	type	Data type of the measurement	string	True	256	See static_diagnosis_measurement.type
2180	Diagnosis	diagnosis_measurement	value	Value of the measurement	double	True		
2181	Diagnosis	diagnosis_measurement	value_title	Title associated with the value, if applicable	string	True	256	See static_diagnosis_measurement_value.title
2182	Diagnosis	diagnosis_measurement	firm_global_id	ModMed internal firm global identifier	string	False	10	
2183	Diagnosis	diagnosis_lab_set	diagnosis_lab_set_id	diagnosis_lab_set table id	string	False	20	
2184	Diagnosis	diagnosis_lab_set	diagnosis_id	diagnosis table id	string	False	20	
2185	Diagnosis	diagnosis_lab_set	lab_set_id	lab_set id	string	True	20	
2186	Diagnosis	diagnosis_lab_set	patient_id	patient table id	string	False	20	
2187	Diagnosis	diagnosis_lab_set	lab_set_alias	Internal reference for a lab set, multiple lab_set_alias may have the same lab_set_name. NULL if the lab was not ordered as part of a lab set.	string	True	100	~200 unique values. Examples include: Biologic, woundSpecimen, ANAProfile
2188	Diagnosis	diagnosis_lab_set	lab_set_name	Lab set name displayed to the user. NULL if the lab was not ordered as part of a lab set.	string	True	255	~150 unique values. Example include: Biologics Labs, Wound Specimen, ANA Profile
2189	Diagnosis	diagnosis_lab_set	firm_global_id	Firm global identifier (unique across pods)	string	False	10	
2190	PM Financials	claim_bill_item_denial_category	claim_bill_item_denial_category_id	claim_bill_item_denial_category table id	string	False	60	
2191	PM Financials	claim_bill_item_denial_category	claim_bill_item_id	claim_bill_item table id	string	False	20	
2192	PM Financials	claim_bill_item_denial_category	claim_id	claim table id	string	False	20	
2193	PM Financials	claim_bill_item_denial_category	patient_id	patient table id	string	False	20	
2194	PM Financials	claim_bill_item_denial_category	default_denial_category	Default denial category.	string	True	40	
2195	PM Financials	claim_bill_item_denial_category	custom_denial_category	Custom denial category set by firm admin.	string	True	40	
2196	PM Financials	claim_bill_item_denial_category	firm_global_id	ModMed internal firm global identifier	string	False	10	
2197	PM Financials	bill_item_diagnosis	bill_item_diagnosis_id	bill_item_diagnosis table id	string	False	20	
2198	PM Financials	bill_item_diagnosis	bill_item_id	bill_item table id	string	False	20	
2199	PM Financials	bill_item_diagnosis	patient_id	patient table id	string	False	20	
2200	PM Financials	bill_item_diagnosis	diagnosis_code	ICD 9 or ICD 10 diagnosis code linked to bill item	string	True	40	
2201	PM Financials	bill_item_diagnosis	position	Position of ICD 9 or ICD 10 diagnosis code linked to bill item.	int	True		
2202	PM Financials	bill_item_diagnosis	firm_global_id	ModMed internal firm global identifier	string	False	10	
2203	Ophth Pretesting	keratometry_reading	keratometry_reading_id	keratometry table id	string	False	20	
2204	Ophth Pretesting	keratometry_reading	keratometry_id	keratometry table id	string	False	20	
2205	Ophth Pretesting	keratometry_reading	patient_id	patient table id	string	False	20	
2206	Ophth Pretesting	keratometry_reading	position	Row index in EMA table.	int	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2207	Ophth Pretesting	keratometry_reading	date_recorded_od	Date reading was recorded.	timestamp	True		
2208	Ophth Pretesting	keratometry_reading	date_recorded_os	Date reading was recorded.	timestamp	True		
2209	Ophth Pretesting	keratometry_reading	flat_od	Flat OD.	double	True		
2210	Ophth Pretesting	keratometry_reading	flat_os	Flat OS.	double	True		
2211	Ophth Pretesting	keratometry_reading	flat_axis_od	Flat Axis OD.	int	True		
2212	Ophth Pretesting	keratometry_reading	flat_axis_os	Flat Axis OS.	int	True		
2213	Ophth Pretesting	keratometry_reading	steep_od	Steep OD.	double	True		
2214	Ophth Pretesting	keratometry_reading	steep_os	Steep OS.	double	True		
2215	Ophth Pretesting	keratometry_reading	steep_axis_od	Steep Axis OD.	int	True		
2216	Ophth Pretesting	keratometry_reading	steep_axis_os	Steep Axis OS.	int	True		
2217	Ophth Pretesting	keratometry_reading	mires_quality_od	Mires Quality OD.	string	True	30	ONE_PLUS TWO_PLUS THREE_PLUS FOUR_PLUS
2218	Ophth Pretesting	keratometry_reading	mires_quality_os	Mires Quality OS. May have a null value.	string	True	30	ONE_PLUS TWO_PLUS THREE_PLUS FOUR_PLUS
2219	Ophth Pretesting	keratometry_reading	method_od	Method OD. May have a null value.	string	True	30	MANUAL AUTO CORNEAL_TOPOGRAPHER
2220	Ophth Pretesting	keratometry_reading	method_os	Method OS. May have a null value.	string	True	30	MANUAL AUTO CORNEAL_TOPOGRAPHER
2221	Ophth Pretesting	keratometry_reading	firm_global_id	ModMed internal firm global identifier	string	False	10	
2222	Appointment	appointment_attachment_snapshot	appointment_attachment_snapshot_id	appointment_attachment_snapshot table id	string	False	20	
2223	Appointment	appointment_attachment_snapshot	appointment_id	appointment table id	string	False	20	
2224	Appointment	appointment_attachment_snapshot	file_attachment_id	file_attachment table id	string	True	20	
2225	Appointment	appointment_attachment_snapshot	patient_id	patient table id	string	False	20	
2226	Appointment	appointment_attachment_snapshot	firm_global_id	ModMed internal firm global identifier	string	False	10	
2227	Patient	patient_sticky_note_history	patient_sticky_note_history_id	patient_sticky_note_history table id	string	False	30	
2228	Patient	patient_sticky_note_history	patient_id	patient table id	string	True	20	
2229	Patient	patient_sticky_note_history	sticky_note	Patient's sticky note	string	True	-1	
2230	Patient	patient_sticky_note_history	sticky_note_date_created	Date sticky note created (system generated).	timestamp	True		
2231	Patient	patient_sticky_note_history	firm_global_id	ModMed internal firm global identifier	string	False	10	
2232	Visit	visit_follow_up	visit_follow_up_id	visit_follow_up table id	string	False	20	
2233	Visit	visit_follow_up	visit_id	visit table id	string	False	20	
2234	Visit	visit_follow_up	patient_id	patient table id	string	False	20	
2235	Visit	visit_follow_up	position	Position of the follow up entry in the list of follow ups.	int	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2236	Visit	visit_follow_up	prn	If follow up is PRN. If true, follow_up_time and follow_up_unit columns will be NULL.	boolean	True		
2237	Visit	visit_follow_up	follow_up_time	Time until follow up appointment. See follow_up_unit for the unit of time this is measured by.	int	True		
2238	Visit	visit_follow_up	follow_up_unit	Unit of time for follow_up_time	string	True	20	
2239	Visit	visit_follow_up	appointment_length	Follow up appointment length (in minutes)	int	True		
2240	Visit	visit_follow_up	scheduling_ok_to_double_book	Scheduling Instructions - ok to double book	boolean	False		
2241	Visit	visit_follow_up	scheduling_next_available	Scheduling Instructions - next available	boolean	False		
2242	Visit	visit_follow_up	scheduling_as_previously_scheduled	Scheduling Instructions - as previously scheduled	boolean	False		
2243	Visit	visit_follow_up	scheduling_once_testing_is_complete	Scheduling Instructions - once testing is complete	boolean	False		
2244	Visit	visit_follow_up	scheduling_prn	Scheduling Instructions - PRN	boolean	False		
2245	Visit	visit_follow_up	scheduling_with_physician	Scheduling Instructions - with physician	boolean	False		
2246	Visit	visit_follow_up	scheduling_with_pa	Scheduling Instructions - with PA	boolean	False		
2247	Visit	visit_follow_up	scheduling_with_np	Scheduling Instructions - with NP	boolean	False		
2248	Visit	visit_follow_up	scheduling_with_staff	Scheduling Instructions - once testing is complete	boolean	False		
2249	Visit	visit_follow_up	scheduling_by_phone	Scheduling Instructions - by phone	boolean	False		
2250	Visit	visit_follow_up	other_instructions	Other Instructions	string	True	-1	
2251	Visit	visit_follow_up	firm_global_id	ModMed internal firm global identifier	string	False	10	
2252	Diagnosis	diagnosis_morphology	diagnosis_morphology_id	diagnosis_morphology table id	string	False	20	
2253	Diagnosis	diagnosis_morphology	diagnosis_id	diagnosis table id	string	False	20	
2254	Diagnosis	diagnosis_morphology	patient_id	patient table id	string	False	20	
2255	Diagnosis	diagnosis_morphology	morphology	Morphology associated with the diagnosis. Users can add custom morphologies.	string	True	10000	See static_diagnosis_morphology.morphology for default morphologies.
2256	Diagnosis	diagnosis_morphology	firm_global_id	ModMed internal firm global identifier	string	False	10	
2257	Ophth Pretesting	rgp_contacts_trial	rgp_contacts_trial_id	rgp_contacts_trial table id	string	False	20	
2258	Ophth Pretesting	rgp_contacts_trial	visit_id	visit table id	string	False	20	
2259	Ophth Pretesting	rgp_contacts_trial	patient_id	patient table id	string	False	20	
2260	Ophth Pretesting	rgp_contacts_trial	date_recorded	Date recorded. May be different than the visit date and edited by the physician or staff member.	timestamp	True		
2261	Ophth Pretesting	rgp_contacts_trial	wearing_schedule	Wear Schedule. May have a null value.	string	True	30	AS_NEEDED TWO_WEEKS MONTHLY WEEKLY ANNUALLY SEE_SPECIAL_INSTRUCTIONS DAILY DIAGNOSTIC_LENSSES EXTENDED RELIABLE

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2262	Ophth Pretesting	rgp_contacts_trial	disinfecting	Disinfecting. May have a null value.	string	True	30	MENICON_MENICARE_GP_CDS RGP_NONE LOBOB_OPTIMUM_CDS UNIQUE_PH MENICON_MENICARE_GP_WRW OPTIFREE_GP MENICON_PROGENT LOBOB_OPTIMUM RGP_STORE_BRAND RGP_SEE_SPECIAL_INSTRUCTIONS OTHER BOSTON_ADVANCE BOSTON_SIMPLUS LOBOB_OPTIMUM_ESC BOSTON_ORIGINAL disinfecting OPTIFREE
2263	Ophth Pretesting	rgp_contacts_trial	dot	DOT. May have a null value.	string	True	10	OD OS NONE
2264	Ophth Pretesting	rgp_contacts_trial	contacts_usage	Contacts Usage	string	True	255	See Appendix A
2265	Ophth Pretesting	rgp_contacts_trial	status	Status. May have a null value.	string	True	255	DISPENSED DISPENSED_PATIENT_CAN_CONFIRM DISPENSED_SUCCESSFUL DISPENSED_UNSUCCESSFUL FINAL ORDER_TRIAL ORDER_TRIAL_NEEDS_FITTING_DOCTOR ORDER_TRIAL_NEEDS_FITTING_STAFF ORDER_TRIAL_PATIENT_CAN_CONFIRM SEE_NOTES
2266	Ophth Pretesting	rgp_contacts_trial	notes	(Notes) Notes	string	True	-1	
2267	Ophth Pretesting	rgp_contacts_trial	print_notes	Display notes on Rx printout	boolean	True		
2268	Ophth Pretesting	rgp_contacts_trial	lens_manufacturer_od	Contact lens manufacturer OD	string	True	100	Based on ABB product database
2269	Ophth Pretesting	rgp_contacts_trial	lens_manufacturer_os	Contact lens manufacturer OS	string	True	100	Based on ABB product database
2270	Ophth Pretesting	rgp_contacts_trial	lens_product_od	Contact lens brand OD	string	True	100	Based on ABB product database
2271	Ophth Pretesting	rgp_contacts_trial	lens_product_os	Contact lens brand OS	string	True	100	Based on ABB product database
2272	Ophth Pretesting	rgp_contacts_trial	manual_lens_manufacturer_od	Manual entry - Contact lens manufacturer OD	string	True	255	
2273	Ophth Pretesting	rgp_contacts_trial	manual_lens_manufacturer_os	Manual entry - Contact lens manufacturer OS	string	True	255	
2274	Ophth Pretesting	rgp_contacts_trial	manual_lens_product_od	Manual entry - Contact lens brand OD	string	True	255	
2275	Ophth Pretesting	rgp_contacts_trial	manual_lens_product_os	Manual entry - Contact lens brand OS	string	True	255	
2276	Ophth Pretesting	rgp_contacts_trial	underlying_condition_od	Underlying condition. If not null, all OD refraction values are null (not including over refraction).	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2277	Ophth Pretesting	rgp_contacts_trial	underlying_condition_os	Underlying condition. If not null, all OS refraction values are null (not including over refraction).	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
2278	Ophth Pretesting	rgp_contacts_trial	rgp_type_od	RGP Type OD. May have a null value.	string	True	30	TRANSLATING_BIFOCAL_GP PROGRESSIVE_MULTIFOCAL_GP ASPHERIC_GP HYBRID_PROGRESSIVE CORNEAL_RESHAPING SPHERICAL_GP CUSTOM HYBRID_KERATOCONUS KERATOCONUS_GP REVERSE_GEOMETRY_GP HYBRID_SPHERE CRT SPHERE SCLERAL_GP TRIFOCAL_HYBRID_GP HYBRID_POST_SURGICAL TORIC_GP HYBRID_MULTIFOCAL BITORIC
2279	Ophth Pretesting	rgp_contacts_trial	rgp_type_os	RGP Type OS. May have a null value.	string	True	30	TRANSLATING_BIFOCAL_GP PROGRESSIVE_MULTIFOCAL_GP ASPHERIC_GP HYBRID_PROGRESSIVE CORNEAL_RESHAPING SPHERICAL_GP CUSTOM HYBRID_KERATOCONUS KERATOCONUS_GP REVERSE_GEOMETRY_GP HYBRID_SPHERE CRT SPHERE SCLERAL_GP TRIFOCAL_HYBRID_GP HYBRID_POST_SURGICAL TORIC_GP HYBRID_MULTIFOCAL BITORIC
2280	Ophth Pretesting	rgp_contacts_trial	manual_rgp_type_od	Manual entry - RGP Type OD	string	True	255	
2281	Ophth Pretesting	rgp_contacts_trial	manual_rgp_type_os	Manual entry - RGP Type OS	string	True	255	
2282	Ophth Pretesting	rgp_contacts_trial	base_curve_1_od	Base Curve OD	double	True		
2283	Ophth Pretesting	rgp_contacts_trial	base_curve_1_os	Base Curve OS	double	True		
2284	Ophth Pretesting	rgp_contacts_trial	base_curve_2_od	Base Curve 2 OD	double	True		
2285	Ophth Pretesting	rgp_contacts_trial	base_curve_2_os	Base Curve 2 OS	double	True		
2286	Ophth Pretesting	rgp_contacts_trial	diameter_od	Diameter OD	double	True		
2287	Ophth Pretesting	rgp_contacts_trial	diameter_os	Diameter OS	double	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2288	Ophth Pretesting	rgp_contacts_trial	sphere_1_od	Sphere OD	double	True		
2289	Ophth Pretesting	rgp_contacts_trial	sphere_1_os	Sphere OS	double	True		
2290	Ophth Pretesting	rgp_contacts_trial	sphere_2_od	Sphere 2 OD	double	True		
2291	Ophth Pretesting	rgp_contacts_trial	sphere_2_os	Sphere 2 OS	double	True		
2292	Ophth Pretesting	rgp_contacts_trial	cylinder_1_od	Cylinder OD	double	True		
2293	Ophth Pretesting	rgp_contacts_trial	cylinder_1_os	Cylinder OS	double	True		
2294	Ophth Pretesting	rgp_contacts_trial	cylinder_2_od	Cylinder 2 OD	double	True		
2295	Ophth Pretesting	rgp_contacts_trial	cylinder_2_os	Cylinder 2 OS	double	True		
2296	Ophth Pretesting	rgp_contacts_trial	axis_1_od	Axis OD	int	True		
2297	Ophth Pretesting	rgp_contacts_trial	axis_1_os	Axis OS	int	True		
2298	Ophth Pretesting	rgp_contacts_trial	axis_2_od	Axis 2 OD	int	True		
2299	Ophth Pretesting	rgp_contacts_trial	axis_2_os	Axis 2 OS	int	True		
2300	Ophth Pretesting	rgp_contacts_trial	pcr_1_od	Peripheral Curve Radius (PCR) OD	double	True		
2301	Ophth Pretesting	rgp_contacts_trial	pcr_1_os	Peripheral Curve Radius (PCR) OS	double	True		
2302	Ophth Pretesting	rgp_contacts_trial	pcw_1_od	Peripheral Curve Width (PCW) OD	double	True		
2303	Ophth Pretesting	rgp_contacts_trial	pcw_1_os	Peripheral Curve Width (PCW) OS	double	True		
2304	Ophth Pretesting	rgp_contacts_trial	pcr_2_od	Peripheral Curve Radius (PCR) 2 OD	double	True		
2305	Ophth Pretesting	rgp_contacts_trial	pcr_2_os	Peripheral Curve Radius (PCR) 2 OS	double	True		
2306	Ophth Pretesting	rgp_contacts_trial	pcw_2_od	Peripheral Curve Width (PCW) 2 OD	double	True		
2307	Ophth Pretesting	rgp_contacts_trial	pcw_2_os	Peripheral Curve Width (PCW) 2 OS	double	True		
2308	Ophth Pretesting	rgp_contacts_trial	pcr_3_od	Peripheral Curve Radius (PCR) 3 OD	double	True		
2309	Ophth Pretesting	rgp_contacts_trial	pcr_3_os	Peripheral Curve Radius (PCR) 3 OS	double	True		
2310	Ophth Pretesting	rgp_contacts_trial	pcw_3_od	Peripheral Curve Width (PCW) 3 OD	double	True		
2311	Ophth Pretesting	rgp_contacts_trial	pcw_3_os	Peripheral Curve Width (PCW) 3 OS	double	True		
2312	Ophth Pretesting	rgp_contacts_trial	add_od	Add OD	double	True		
2313	Ophth Pretesting	rgp_contacts_trial	add_os	Add OS	double	True		
2314	Ophth Pretesting	rgp_contacts_trial	prism_od	Prism OD	double	True		
2315	Ophth Pretesting	rgp_contacts_trial	prism_os	Prism OS	double	True		
2316	Ophth Pretesting	rgp_contacts_trial	center_thickness_od	Center Thickness OD	double	True		
2317	Ophth Pretesting	rgp_contacts_trial	center_thickness_os	Center Thickness OS	double	True		
2318	Ophth Pretesting	rgp_contacts_trial	edge_thickness_od	Edge Thickness OD	double	True		
2319	Ophth Pretesting	rgp_contacts_trial	edge_thickness_os	Edge Thickness OS	double	True		
2320	Ophth Pretesting	rgp_contacts_trial	optical_zone_od	Optical Zone OD	double	True		
2321	Ophth Pretesting	rgp_contacts_trial	optical_zone_os	Optical Zone OS	double	True		
2322	Ophth Pretesting	rgp_contacts_trial	segment_height_od	Segment Height OD	double	True		
2323	Ophth Pretesting	rgp_contacts_trial	segment_height_os	Segment Height OS	double	True		
2324	Ophth Pretesting	rgp_contacts_trial	blend_od	Blend OD. May have a null value.	string	True	30	LIGHT MEDIUM HEAVY
2325	Ophth Pretesting	rgp_contacts_trial	blend_os	Blend OS. May have a null value.	string	True	30	LIGHT MEDIUM HEAVY
2326	Ophth Pretesting	rgp_contacts_trial	material_od	Material OD	string	True	255	
2327	Ophth Pretesting	rgp_contacts_trial	material_os	Material OS	string	True	255	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2328	Ophth Pretesting	rgp_contacts_trial	tint_od	Tint OD. May have a null value.	string	True	30	AQUA BLUE CRYSTAL_BLUE MAJESTIC_BLUE BROWN GRAY GREEN RED VIOLET BABY_BLUE CHESTNUT_BROWN CLEAR TURQUOISE AQUA_ENHANCER BLUE_BLOCKER BLUE_ENHANCER BLUE_GRAY CARIBBEAN_AQUA COBALT DARK_COCOA EMERALD_GREEN EVERGREEN MIGRAINE_55 GRANITE GREEN_ENHANCER HONEY ICE_BLUE LAVENDER PECAN PISTACHIO SAPPHIRE_BLUE STORMY_GRAY TEAL

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2329	Ophth Pretesting	rgp_contacts_trial	tint_os	Tint OS. May have a null value.	string	True	30	AQUA BLUE CRYSTAL_BLUE MAJESTIC_BLUE BROWN GRAY GREEN RED VIOLET BABY_BLUE CHESTNUT_BROWN CLEAR TURQUOISE AQUA_ENHANCER BLUE_BLOCKER BLUE_ENHANCER BLUE_GRAY CARIBBEAN_AQUA COBALT DARK_COCOA EMERALD_GREEN EVERGREEN MIGRAINE_55 GRANITE GREEN_ENHANCER HONEY ICE_BLUE LAVENDER PECAN PISTACHIO SAPPHIRE_BLUE STORMY_GRAY TEAL
2330	Ophth Pretesting	rgp_contacts_trial	visual_acuity_dcc_od	Visual acuity DccOD	string	True	20	See Appendix B
2331	Ophth Pretesting	rgp_contacts_trial	visual_acuity_dcc_os	Visual acuity DccOS	string	True	20	See Appendix B
2332	Ophth Pretesting	rgp_contacts_trial	visual_acuity_dcc_ou	Visual acuity DccOU	string	True	20	See Appendix B
2333	Ophth Pretesting	rgp_contacts_trial	visual_acuity_ncc_od	Visual acuity NccOD	string	True	20	See Appendix B
2334	Ophth Pretesting	rgp_contacts_trial	visual_acuity_ncc_os	Visual acuity NccOS	string	True	20	See Appendix B
2335	Ophth Pretesting	rgp_contacts_trial	visual_acuity_ncc_ou	Visual acuity NccOU	string	True	20	See Appendix B
2336	Ophth Pretesting	rgp_contacts_trial	movement_od	(Assessment) Movement OD. May have a null value.	string	True	100	GOOD TIGHT LOOSE NONE
2337	Ophth Pretesting	rgp_contacts_trial	movement_os	(Assessment) Movement OS. May have a null value.	string	True	100	GOOD TIGHT LOOSE NONE

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2338	Ophth Pretesting	rgp_contacts_trial	centration_od	(Assessment) Centration OD. May have a null value.	string	True	100	GOOD DECENTERED_NASAL DECENTERED_TEMPORAL SUPERIOR_APERTURE DROPS_WITH_BLINK NONE
2339	Ophth Pretesting	rgp_contacts_trial	centration_os	(Assessment) Centration OS. May have a null value.	string	True	100	GOOD DECENTERED_NASAL DECENTERED_TEMPORAL SUPERIOR_APERTURE DROPS_WITH_BLINK NONE
2340	Ophth Pretesting	rgp_contacts_trial	vision_od	(Assessment) Vision OD. May have a null value.	string	True	100	GOOD FUNCTIONAL ADEQUATE POOR NONE
2341	Ophth Pretesting	rgp_contacts_trial	vision_os	(Assessment) Vision OS. May have a null value.	string	True	100	GOOD FUNCTIONAL ADEQUATE POOR NONE
2342	Ophth Pretesting	rgp_contacts_trial	comfort_od	(Assessment) Comfort OD. May have a null value.	string	True	100	COMFORTABLE UNCOMFORTABLE DRY NONE
2343	Ophth Pretesting	rgp_contacts_trial	comfort_os	(Assessment) Comfort OS. May have a null value.	string	True	100	COMFORTABLE UNCOMFORTABLE DRY NONE
2344	Ophth Pretesting	rgp_contacts_trial	torics_right_od	(Assessment) Torics Right OD. May have a null value.	boolean	True		True: ON, False: OFF
2345	Ophth Pretesting	rgp_contacts_trial	torics_right_os	(Assessment) Torics Right OS. May have a null value.	boolean	True		True: ON, False: OFF
2346	Ophth Pretesting	rgp_contacts_trial	torics_rotated_right_od	(Assessment) Torics Rotated Right (degrees) OD	int	True		
2347	Ophth Pretesting	rgp_contacts_trial	torics_rotated_right_os	(Assessment) Torics Rotated Right (degrees) OS	int	True		
2348	Ophth Pretesting	rgp_contacts_trial	torics_rotated_left_od	(Assessment) Torics Rotated Left (degrees) OD	int	True		
2349	Ophth Pretesting	rgp_contacts_trial	torics_rotated_left_os	(Assessment) Torics Rotated Left (degrees) OS	int	True		
2350	Ophth Pretesting	rgp_contacts_trial	or_sphere_od	(Over Refraction) Sphere OD	double	True		
2351	Ophth Pretesting	rgp_contacts_trial	or_sphere_os	(Over Refraction) Sphere OS	double	True		
2352	Ophth Pretesting	rgp_contacts_trial	or_cylinder_od	(Over Refraction) Cylinder OD	double	True		
2353	Ophth Pretesting	rgp_contacts_trial	or_cylinder_os	(Over Refraction) Cylinder OS	double	True		
2354	Ophth Pretesting	rgp_contacts_trial	or_axis_od	(Over Refraction) Axis OD	int	True		
2355	Ophth Pretesting	rgp_contacts_trial	or_axis_os	(Over Refraction) Axis OS	int	True		
2356	Ophth Pretesting	rgp_contacts_trial	or_visual_acuity_dcc_od	(Over Refraction) Visual acuity DccOD	string	True	20	See Appendix B
2357	Ophth Pretesting	rgp_contacts_trial	or_visual_acuity_dcc_os	(Over Refraction) Visual acuity DccOS	string	True	20	See Appendix B
2358	Ophth Pretesting	rgp_contacts_trial	or_visual_acuity_ncc_od	(Over Refraction) Visual acuity NccOD	string	True	20	See Appendix B
2359	Ophth Pretesting	rgp_contacts_trial	or_visual_acuity_ncc_os	(Over Refraction) Visual acuity NccOS	string	True	20	See Appendix B
2360	Ophth Pretesting	rgp_contacts_trial	firm_global_id	ModMed internal firm global identifier	string	False	10	
2361	Practice	patient_primary_care_provider	patient_primary_care_provider_id	patient_primary_care_provider table id	string	False	20	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2362	Practice	patient_primary_care_provider	firm_id	firm table id	string	False	20	
2363	Practice	patient_primary_care_provider	patient_id	patient table id	string	True	20	
2364	Practice	patient_primary_care_provider	primary_care_provider_id	referral_contact table id	string	True	20	
2365	Practice	patient_primary_care_provider	primary_care_provider_name	Name of Primary Care Provider	string	True	1000	
2366	Practice	patient_primary_care_provider	firm_global_id	ModMed internal firm global identifier	string	False	10	
2367	CC/HPI	hpi_response_metadata_selection	hpi_response_metadata_selection_id	hpi_response_metadata_selection table id	string	False	20	
2368	CC/HPI	hpi_response_metadata_selection	hpi_response_metadata_id	hpi_response_metadata id	string	False	33	
2369	CC/HPI	hpi_response_metadata_selection	patient_id	patient table id	string	False	20	
2370	CC/HPI	hpi_response_metadata_selection	value	Metadata response value	string	True	20000	See static_hpi_response_metadata_selection.value
2371	CC/HPI	hpi_response_metadata_selection	text_value	Text response value	string	True	20000	
2372	CC/HPI	hpi_response_metadata_selection	firm_global_id	ModMed internal firm global identifier	string	False	10	
2373	Patient	patient_pharmacy	patient_pharmacy_id	patient_pharmacy table id	string	False	20	
2374	Patient	patient_pharmacy	patient_id	patient table id	string	False	20	
2375	Patient	patient_pharmacy	sucrepts_pharmacy	If the pharmacy was added from the Sucrepts database.	boolean	True		
2376	Patient	patient_pharmacy	ncdpid	National Council for Prescription Drug Programs ID. NULL if sucrepts_pharmacy is False	string	True	7	
2377	Patient	patient_pharmacy	default	If the pharmacy is the patient's default pharmacy.	boolean	True		
2378	Patient	patient_pharmacy	name	Name of the pharmacy	string	True	100	
2379	Patient	patient_pharmacy	phone_number	Phone number	string	True	50	
2380	Patient	patient_pharmacy	fax_number	Fax number	string	True	50	
2381	Patient	patient_pharmacy	street1	Address Street 1	string	True	255	
2382	Patient	patient_pharmacy	street2	Address Street 2	string	True	255	
2383	Patient	patient_pharmacy	city	Address City	string	True	255	
2384	Patient	patient_pharmacy	state	Address State	string	True	50	
2385	Patient	patient_pharmacy	zipcode	Address Zipcode	string	True	50	
2386	Patient	patient_pharmacy	country	Address Country	string	True	30	
2387	Patient	patient_pharmacy	firm_global_id	ModMed internal firm global identifier	string	False	10	
2388	Visit	visit_finalization_phase	visit_finalization_phase_id	visit_finalization_phase table id	string	False	20	
2389	Visit	visit_finalization_phase	visit_id	visit table id	string	False	20	
2390	Visit	visit_finalization_phase	patient_id	patient table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2391	Visit	visit_finalization_phase	phase	Each phase is a step in which a visit is finalized	string	True	40	ATTACH_PROCEDURES BROADCAST CCD CLAIM ENCOUNTER FINALIZE_BILL FINALIZE_CHART_NOTE FINALIZE_OUTPUTS GLOBAL_PERIOD INVENTORY_MGT MIPS_EVENTS OB_MANAGEMENT_LIST PATIENT_OUTCOME_MEASUREMENTS PROCEDURES_AND_PLANS PROCESS_ATTACHMENTS PUBLISH_CCD PUBLISH_VISIT SEND_CHARGES UPDATE_PROBLEM_LIST UPDATE_CHART_NOTE_CORRECTED_STATUS VISIT_SETTINGS_INTRAMAIL_COM
2392	Visit	visit_finalization_phase	phase_success	Indicates if phase was successful	boolean	True		
2393	Visit	visit_finalization_phase	error	Java error output for debugging when a phase fails. Note: This column will be removed on our next release.	string	True	-1	
2394	Visit	visit_finalization_phase	position	The numerical position the finalizing phase is in	int	True		
2395	Visit	visit_finalization_phase	date_run	Datetime the phase was run	timestamp	True		
2396	Visit	visit_finalization_phase	firm_global_id	Firm global identifier (unique across pods)	string	False	10	
2397	PM Financials	payments_received	payments_received_id	payments_received table id	string	False	50	
2398	PM Financials	payments_received	business_unit_id	business_unit table id	string	False	20	
2399	PM Financials	payments_received	patient_id	patient table id	string	True	20	
2400	PM Financials	payments_received	payer_id	payer table id	string	True	20	
2401	PM Financials	payments_received	facility_id	facility table id	string	False	20	Service location
2402	PM Financials	payments_received	provider_id	staff table id	string	True	20	Billing provider
2403	PM Financials	payments_received	created_by_staff_id	staff table id	string	True	20	Staff who transacted the payment
2404	PM Financials	payments_received	appointment_id	appointment table id	string	True	20	
2405	PM Financials	payments_received	batch_id	batch table id	string	True	20	
2406	PM Financials	payments_received	code_category_id	code_category table id. Only present for deposit payment type, null otherwise.	string	True	20	
2407	PM Financials	payments_received	custom_payment_method_id	custom_payment_method table id	string	True	20	
2408	PM Financials	payments_received	package_sale_id	package_sale table id	string	True	20	
2409	PM Financials	payments_received	bill_assignee_id	bill_assignee table id. Id of the staff member assigned to follow up on payments.	string	True	20	
2410	PM Financials	payments_received	transaction_settlement_link_key	External UUID that identifies a Transaction (PAYFAC Session), shared between EMA and PAYFAC.	string	True	50	
2411	PM Financials	payments_received	payment_link_key	Payment table(s) linking key.	string	True	75	
2412	PM Financials	payments_received	original_payment_link_key	Linking key that ties transaction to original payment. This column will have a null value unless the transaction is a refund.	string	True	100	
2413	PM Financials	payments_received	payer_check_key	Payer check key, used to link different payer payments to payment tables.	string	True	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2414	PM Financials	payments_received	reference_number	Payment reference number. In PM this number may also be referred to as the check/trace number or the Transaction number	string	True	60	
2415	PM Financials	payments_received	code_category	Code category name. Only present for deposit payment type, null otherwise.	string	True	75	
2416	PM Financials	payments_received	batch_name	Batch payment name.	string	True	100	
2417	PM Financials	payments_received	package_name	Package name.	string	True	50	
2418	PM Financials	payments_received	payment_code	Payment code	string	True	11	UNAVAILABLE:General, COPAY:CoPay, AVAILABLE:Deposits
2419	PM Financials	payments_received	payment_source	Source of payment	string	True	40	PAYER_REFUND ERA PATIENT_PAYMENT PATIENT_PAYMENT_VOID EOB LEGACY_PATIENT_EXTERNAL_TRANSFER LEGACY_PATIENT_EXTERNAL_TRANSFER_VOID LEGACY_PATIENT_PAYMENT LEGACY_PATIENT_PAYMENT_VOID PATIENT_REFUND PATIENT_EXTERNAL_TRANSFER_VOID PATIENT_EXTERNAL_TRANSFER PATIENT_EXTERNAL_TRANSFER_REFUND BUSINESS_UNIT_TRANSFER_RECEIVED BUSINESS_UNIT_TRANSFER_RECEIVE_REFUND BUSINESS_UNIT_TRANSFER_SENT
2420	PM Financials	payments_received	payment_channel	The channel used for patient payments	string	True	30	STAFF TEXT_TO_PAY AUTOMATIC_PROCESSING KIOSK POCKET_PATIENT_ANDROID TERMINAL POCKET_PATIENT_IOS PATIENT_PORTAL QUICK_PAY PAYMENT_PLAN EXTERNAL_API ONLINE_CHECK_IN
2421	PM Financials	payments_received	payment_processor	Method by which payment was processed	string	True	50	EXTERNAL_TRANSFER MODMED PATIENT_CREDIT INSTAMED PATIENT_TRANSFER MANUAL BUSINESS_UNIT_TRANSFER PAYFAC NONE PAYJUNCTION MMPAY
2422	PM Financials	payments_received	payment_amount	Total payment amount	double	True		
2423	PM Financials	payments_received	unposted_amount	Amount of payment that has not been posted to a service	double	True		
2424	PM Financials	payments_received	omitted_amount	Amount of payment that has been omitted	double	True		
2425	PM Financials	payments_received	original_amount	Amount of payment that initialized the unallocated fund	double	True		
2426	PM Financials	payments_received	payment_link	URL that links back to the payment transaction modal	string	True	100	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2427	PM Financials	payments_received	payer_payment_status	Status of payer payment. If patient payment, this column will be null.	string	True	25	PARTIALLY_POSTED POSTED UNPOSTED
2428	PM Financials	payments_received	patient_payment_status	Status of patient payment. If payer payment, this column will be null.	string	True	25	UNPOSTED: None of the payment has been posted to a charge. PARTIALLY_POSTED: Some of the payment has been posted to a charge. POSTED: All of the payment has been posted to a charge. UNKONWN: The payment was made prior to 2019 and the associated funds bucket (unallocated fund) has not been depleted. Prior to 2019, all payments were assigned to the same funds bucket, and it was therefore not possible to determine which dollars came from which payment.
2429	PM Financials	payments_received	payment_method	Method of payment such as cash, check, e-check, credit card, gift card, etc.	string	True	60	
2430	PM Financials	payments_received	check_number	Check number associated with payment	string	True	50	
2431	PM Financials	payments_received	credit_card_type	Type of credit card used for payments with payment method of credit card	string	True	20	
2432	PM Financials	payments_received	credit_card_last_four_digits	Last four digits of the credit card used for payments with payment method of credit card	string	True	20	
2433	PM Financials	payments_received	patient_auto_pay_status	Status of Patient's Auto Pay	string	True	20	ACTIVE CANCELLED DEACTIVATED DECLINED PENDING
2434	PM Financials	payments_received	bill_assignee_staff_name	Name of the staff member that is assigned to follow up on payments.	string	True	200	
2435	PM Financials	payments_received	notes	Notes entered for payment transaction	string	True	-1	
2436	PM Financials	payments_received	financial_category	The Financial Category listed for the responsible party.	string	True	100	
2437	PM Financials	payments_received	time_zone	Facility time zone	string	True	30	
2438	PM Financials	payments_received	transaction_date	Transaction date (system date)	timestamp	True		
2439	PM Financials	payments_received	transaction_date_id	Transaction date (system date)	timestamp	True		
2440	PM Financials	payments_received	deposit_date_id	Deposit date of payment	timestamp	True		
2441	PM Financials	payments_received	adjudication_date_id	The date when a payer approved payment for a claim. This field is automatically populated for ERAs but must be manually entered for EOBs.	timestamp	True		
2442	PM Financials	payments_received	follow_up_date	Date at which Financial Assignee will follow up on the Payer Payment.	date	True		
2443	PM Financials	payments_received	firm_global_id	ModMed internal firm global identifier	string	False	10	
2444	Ophth Pretesting	color_vision	color_vision_id	color_vision table id	string	False	20	
2445	Ophth Pretesting	color_vision	visit_id	Visit table id	string	False	20	
2446	Ophth Pretesting	color_vision	patient_id	patient table id	string	False	20	
2447	Ophth Pretesting	color_vision	result	Color Vision Result	string	True	30	NORMAL ABNORMAL UNSPECIFIED
2448	Ophth Pretesting	color_vision	test_type	(Pseudoisochromatic Plates) Test Type	string	True	20	ISHIHARA: Ishihara plates HRR: Hardy-Rand_Rittler Plates OTHER: Other NONE: null
2449	Ophth Pretesting	color_vision	additional_notes	Color Vision Test Additional Notes.	string	True	400	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2450	Ophth Pretesting	color_vision	farnsworth_od	Farnsworth Results OD.	string	True	20	NORMAL DEUTAN PROTAN TRITAN
2451	Ophth Pretesting	color_vision	farnsworth_os	Farnsworth Results OS.	string	True	20	NORMAL DEUTAN PROTAN TRITAN
2452	Ophth Pretesting	color_vision	correct_od	(Pseudoisochromatic Plates) Results	int	True		
2453	Ophth Pretesting	color_vision	correct_os	(Pseudoisochromatic Plates) Results	int	True		
2454	Ophth Pretesting	color_vision	plates_od	(Pseudoisochromatic Plates) Results	int	True		
2455	Ophth Pretesting	color_vision	plates_os	(Pseudoisochromatic Plates) Results	int	True		
2456	Ophth Pretesting	color_vision	od_1	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2457	Ophth Pretesting	color_vision	od_2	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2458	Ophth Pretesting	color_vision	od_3	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2459	Ophth Pretesting	color_vision	od_4	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2460	Ophth Pretesting	color_vision	od_5	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2461	Ophth Pretesting	color_vision	od_6	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2462	Ophth Pretesting	color_vision	od_7	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2463	Ophth Pretesting	color_vision	od_8	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2464	Ophth Pretesting	color_vision	od_9	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2465	Ophth Pretesting	color_vision	od_10	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2466	Ophth Pretesting	color_vision	od_11	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2467	Ophth Pretesting	color_vision	od_12	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2468	Ophth Pretesting	color_vision	od_13	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2469	Ophth Pretesting	color_vision	od_14	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2470	Ophth Pretesting	color_vision	od_15	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2471	Ophth Pretesting	color_vision	od_16	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2472	Ophth Pretesting	color_vision	od_17	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2473	Ophth Pretesting	color_vision	od_18	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2474	Ophth Pretesting	color_vision	od_19	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2475	Ophth Pretesting	color_vision	od_20	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2476	Ophth Pretesting	color_vision	od_21	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2477	Ophth Pretesting	color_vision	od_22	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2478	Ophth Pretesting	color_vision	od_23	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2479	Ophth Pretesting	color_vision	od_24	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2480	Ophth Pretesting	color_vision	od_25	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2481	Ophth Pretesting	color_vision	od_26	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2482	Ophth Pretesting	color_vision	od_27	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2483	Ophth Pretesting	color_vision	od_28	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2484	Ophth Pretesting	color_vision	od_29	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2485	Ophth Pretesting	color_vision	od_30	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2486	Ophth Pretesting	color_vision	od_31	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2487	Ophth Pretesting	color_vision	od_32	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		
2488	Ophth Pretesting	color_vision	od_33	(Pseudoisochromatic Plates) If plate number is selected for the given eye	boolean	True		

[illegible]

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2533	eLab	order_log_note	order_log_note_id	order_log_note table id	string	False	20	
2534	eLab	order_log_note	order_log_id	order_log table id	string	False	20	
2535	eLab	order_log_note	facility_id	facility table id	string	True	20	
2536	eLab	order_log_note	patient_id	patient table id	string	True	20	
2537	eLab	order_log_note	created_by_staff_id	staff table id	string	False	20	
2538	eLab	order_log_note	modified_by_staff_id	staff table id	string	True	20	
2539	eLab	order_log_note	note	Note for an order	string	True	1000	
2540	eLab	order_log_note	archived	If archived	boolean	True		
2541	eLab	order_log_note	date_created	Date created (system generated).	timestamp	True		
2542	eLab	order_log_note	date_modified	Date modified (system generated).	timestamp	True		
2543	eLab	order_log_note	firm_global_id	ModMed internal firm global identifier	string	False	10	
2544	Visit	vitals	vitals_id	vitals table id	string	False	20	
2545	Visit	vitals	visit_id	visit table id	string	False	20	
2546	Visit	vitals	patient_id	patient table id	string	False	20	
2547	Visit	vitals	taken_by_id	staff table id	string	True	20	Staff member that took the vitals
2548	Visit	vitals	vitals_date	Date vitals are recorded (may be edited by staff member, and different than visit date)	timestamp	True		
2549	Visit	vitals	bp_diastolic	Diastolic blood pressure (mmHg)	int	True		
2550	Visit	vitals	bp_systolic	Systolic blood pressure (mmHg)	int	True		
2551	Visit	vitals	bp_position	Position the patient was in when blood pressure was recorded.	string	True	50	SITTING STANDING SUPINE
2552	Visit	vitals	height	Patient height.	double	True		
2553	Visit	vitals	units_height	Units of measure for the height.	string	True	20	IN CM
2554	Visit	vitals	weight	Patient weight.	double	True		
2555	Visit	vitals	units_weight	Units of measure for the weight.	string	True	20	LBS KG
2556	Visit	vitals	pulse	Beats per minute	int	True		
2557	Visit	vitals	respiration	Breaths per minute	int	True		
2558	Visit	vitals	temperature	Patient temperature.	double	True		
2559	Visit	vitals	units_temperature	Units of measure for the temperature.	string	True	20	F C
2560	Visit	vitals	oxygen_saturation	Oxygen Saturation (percent)	double	True		
2561	Visit	vitals	firm_global_id	ModMed internal firm global identifier	string	False	10	
2562	CC/HPI	hpi_follow_up_value	hpi_follow_up_value_id	hpi_follow_up_value table id	string	False	20	
2563	CC/HPI	hpi_follow_up_value	hpi_follow_up_id	hpi_follow_up table id	string	False	20	
2564	CC/HPI	hpi_follow_up_value	patient_id	patient table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2565	CC/HPI	hpi_follow_up_value	question	Question displayed to the user	string	True	100	MODIFYING_FACTORS QUALITY SIGNS_AND_SYMPTOMS TIMING SEVERITY DURATION FOLLOW_UP_REASON CHANGE CAUSE CONDITION_STATUS CONTEXT
2566	CC/HPI	hpi_follow_up_value	value	Response selected	string	True	255	~300 unique values. Examples include: EPISODIC, SHARP, IMPROVED_WITH_REST
2567	CC/HPI	hpi_follow_up_value	firm_global_id	ModMed internal firm global identifier	string	False	10	
2568	Appointment	appointment_waitlist	appointment_waitlist_id	appointment_waitlist table id	string	False	20	
2569	Appointment	appointment_waitlist	appointment_id	appointment table id	string	False	20	
2570	Appointment	appointment_waitlist	appointment_type_id	appointment_type table id	string	False	20	
2571	Appointment	appointment_waitlist	firm_id	firm table id	string	False	20	
2572	Appointment	appointment_waitlist	patient_id	patient table id	string	False	20	
2573	Appointment	appointment_waitlist	added_by_staff_id	Staff table id for user which added patient to wait list.	string	False	20	
2574	Appointment	appointment_waitlist	removed_by_staff_id	Staff table id for user which removed patient from wait list.	string	True	20	
2575	Appointment	appointment_waitlist	waitlist_note	Wait list notes.	string	True	-1	
2576	Appointment	appointment_waitlist	start_date_id	Requested start date for appointment (local date).	date	True		
2577	Appointment	appointment_waitlist	end_date_id	End date for appointment (local date).	date	True		
2578	Appointment	appointment_waitlist	entered_date	Entry added from wait list time stamp.	timestamp	True		
2579	Appointment	appointment_waitlist	removed_date	Entry removed from wait list time stamp.	timestamp	True		
2580	Appointment	appointment_waitlist	day_monday	Patient appointment day preference.	boolean	True		
2581	Appointment	appointment_waitlist	day_tuesday	Patient appointment day preference.	boolean	True		
2582	Appointment	appointment_waitlist	day_wednesday	Patient appointment day preference.	boolean	True		
2583	Appointment	appointment_waitlist	day_thursday	Patient appointment day preference.	boolean	True		
2584	Appointment	appointment_waitlist	day_friday	Patient appointment day preference.	boolean	True		
2585	Appointment	appointment_waitlist	day_saturday	Patient appointment day preference.	boolean	True		
2586	Appointment	appointment_waitlist	day_sunday	Patient appointment day preference.	boolean	True		
2587	Appointment	appointment_waitlist	firm_global_id	ModMed internal firm global identifier	string	False	10	
2588	Ophth Pretesting	duction	duction_id	Duction table id	string	False	20	
2589	Ophth Pretesting	duction	motility_id	Motility table id	string	False	20	
2590	Ophth Pretesting	duction	patient_id	patient table id	string	False	20	
2591	Ophth Pretesting	duction	top_left_od	Motility measurement for top left sector	double	True		
2592	Ophth Pretesting	duction	top_left_os	Motility measurement for top left sector	double	True		
2593	Ophth Pretesting	duction	top_right_od	Motility measurement for top right sector	double	True		
2594	Ophth Pretesting	duction	top_right_os	Motility measurement for top right sector	double	True		
2595	Ophth Pretesting	duction	middle_left_od	Motility measurement for middle left sector	double	True		
2596	Ophth Pretesting	duction	middle_left_os	Motility measurement for middle left sector	double	True		
2597	Ophth Pretesting	duction	middle_right_od	Motility measurement for middle right sector	double	True		
2598	Ophth Pretesting	duction	middle_right_os	Motility measurement for middle right sector	double	True		
2599	Ophth Pretesting	duction	bottom_left_od	Motility measurement for bottom left sector	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2600	Ophth Pretesting	duction	bottom_left_os	Motility measurement for bottom left sector	double	True		
2601	Ophth Pretesting	duction	bottom_right_od	Motility measurement for bottom right sector	double	True		
2602	Ophth Pretesting	duction	bottom_right_os	Motility measurement for bottom right sector	double	True		
2603	Ophth Pretesting	duction	firm_global_id	ModMed internal firm global identifier	string	False	10	
2604	Pathology	cancer_log_pathology_treatment	cancer_log_pathology_treatment_id	cancer_log_pathology_treatment table id	string	False	20	
2605	Pathology	cancer_log_pathology_treatment	cancer_log_id	cancer_log table id	string	False	20	
2606	Pathology	cancer_log_pathology_treatment	pathology_log_id	pathology_log table id	string	False	20	
2607	Pathology	cancer_log_pathology_treatment	patient_id	patient table id	string	False	20	
2608	Pathology	cancer_log_pathology_treatment	firm_global_id	ModMed internal firm global identifier	string	False	10	
2609	PM Financials	bill_diagnosis_pm	bill_diagnosis_pm_id	bill_diagnosis_pm table id	string	False	20	
2610	PM Financials	bill_diagnosis_pm	bill_id	bill table id	string	False	20	
2611	PM Financials	bill_diagnosis_pm	patient_id	patient table id	string	False	20	
2612	PM Financials	bill_diagnosis_pm	diagnosis_code	ICD 9 or ICD 10 diagnosis code linked to bill.	string	True	40	
2613	PM Financials	bill_diagnosis_pm	position	Position of ICD 9 or ICD 10 diagnosis code linked to bill.	int	True		
2614	PM Financials	bill_diagnosis_pm	eci_enabled	Flag for external Cause of Injury code selection in bill.	boolean	True		
2615	PM Financials	bill_diagnosis_pm	firm_global_id	ModMed internal firm global identifier	string	True	10	
2616	PM Financials	patient_payments_unposted	patient_payments_unposted_id	patient_payments_unposted table id	string	False	50	
2617	PM Financials	patient_payments_unposted	business_unit_id	business_unit table id	string	False	20	
2618	PM Financials	patient_payments_unposted	patient_id	patient table id	string	True	20	
2619	PM Financials	patient_payments_unposted	facility_id	facility table id	string	False	20	Service location
2620	PM Financials	patient_payments_unposted	provider_id	staff table id	string	True	20	Billing provider
2621	PM Financials	patient_payments_unposted	created_by_staff_id	staff table id	string	True	20	Staff who transacted the payment
2622	PM Financials	patient_payments_unposted	appointment_id	appointment table id	string	True	20	
2623	PM Financials	patient_payments_unposted	custom_payment_method_id	custom_payment_method table id	string	True	20	
2624	PM Financials	patient_payments_unposted	package_sale_id	package_sale table id	string	True	20	
2625	PM Financials	patient_payments_unposted	payment_link_key	Payment table(s) linking key.	string	True	75	
2626	PM Financials	patient_payments_unposted	transaction_number	Payment transaction number (system generated)	string	True	75	
2627	PM Financials	patient_payments_unposted	payment_code	Payment code	string	True	11	UNAVAILABLE:General, COPAY:CoPay, AVAILABLE:Deposits
2628	PM Financials	patient_payments_unposted	payment_method	Payment method. Can be configured by the practice in Firm admin.	string	True	50	
2629	PM Financials	patient_payments_unposted	check_number	Check number associated with payment	string	True	50	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2630	PM Financials	patient_payments_unposted	payment_amount	Total payment amount	double	True		
2631	PM Financials	patient_payments_unposted	unallocated_amount	Amount of payment not posted to charge item	double	True		
2632	PM Financials	patient_payments_unposted	patient_balance	Total outstanding balance belonging to the patient	double	True		
2633	PM Financials	patient_payments_unposted	insurance_balance	Total outstanding balance belonging to the insurance	double	True		
2634	PM Financials	patient_payments_unposted	financial_category	Financial category listed for the patient	string	True	100	
2635	PM Financials	patient_payments_unposted	code_category	Code category name. Only present for deposit payment type, null otherwise.	string	True	75	
2636	PM Financials	patient_payments_unposted	payment_link	URL that links back to the payment transaction modal	string	True	100	
2637	PM Financials	patient_payments_unposted	appointment_type	If applicable, type of appointment linked to payment transaction	string	True	25	
2638	PM Financials	patient_payments_unposted	transaction_note	Notes regarding patient's method of payment	string	True	3000	
2639	PM Financials	patient_payments_unposted	package_name	Package name	string	True	50	
2640	PM Financials	patient_payments_unposted	time_zone	Facility time zone	string	True	30	
2641	PM Financials	patient_payments_unposted	transaction_date	Transaction date of payment.	timestamp	True		
2642	PM Financials	patient_payments_unposted	transaction_date_id	Transaction date of payment.	timestamp	True		
2643	PM Financials	patient_payments_unposted	deposit_date_id	Deposit date of payment	timestamp	True		
2644	PM Financials	patient_payments_unposted	firm_global_id	ModMed internal firm global identifier	string	False	10	
2645	Office Flow	task_staff_assignee	task_staff_assignee_id	task_staff_assignee table id	string	False	30	
2646	Office Flow	task_staff_assignee	staff_id	staff table id	string	False	20	
2647	Office Flow	task_staff_assignee	task_id	task table id	string	True	20	
2648	Office Flow	task_staff_assignee	patient_id	patient table id	string	True	20	
2649	Office Flow	task_staff_assignee	assignee_by_group	Indicates if the user was assigned to the task as part of a group.	boolean	True		
2650	Office Flow	task_staff_assignee	firm_global_id	ModMed internal firm global identifier	string	False	10	
2651	Practice	patient_referring_provider	patient_referring_provider_id	patient_referring_provider table id	string	False	20	
2652	Practice	patient_referring_provider	firm_id	firm table id	string	False	20	
2653	Practice	patient_referring_provider	patient_id	patient table id	string	True	20	
2654	Practice	patient_referring_provider	referring_provider_id	referral_contact table id	string	True	20	
2655	Practice	patient_referring_provider	referring_provider_name	Name of Referring Provider	string	True	1000	
2656	Practice	patient_referring_provider	is_latest	Whether the record contains the most-recently updated Referring Provider	boolean	True		
2657	Practice	patient_referring_provider	date_last_seen	Date at which the patient was last seen	date	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2658	Practice	patient_referring_provider	firm_global_id	ModMed internal firm global identifier	string	False	10	
2659	Appointment	appointment	appointment_id	appointment table id	string	False	20	
2660	Appointment	appointment	patient_id	patient table id	string	False	20	
2661	Appointment	appointment	firm_id	firm table id	string	False	20	
2662	Appointment	appointment	facility_id	facility table id	string	False	20	
2663	Appointment	appointment	business_unit_id	business_unit table id	string	True	20	
2664	Appointment	appointment	visit_id	visit table id	string	True	20	
2665	Appointment	appointment	provider_id	staff table id	string	False	20	
2666	Appointment	appointment	primary_provider_id	staff table id for the primary provider assigned to the patient's appointment	string	True	20	
2667	Appointment	appointment	created_by_staff_id	staff table id	string	True	20	
2668	Appointment	appointment	modified_by_staff_id	staff table id	string	True	20	
2669	Appointment	appointment	cancelled_by_staff_id	staff table id	string	True	20	
2670	Appointment	appointment	appointment_type_id	appointment_type table id	string	False	20	
2671	Appointment	appointment	referral_contact_id	referral_contact table id	string	True	20	
2672	Appointment	appointment	referral_institution_id	referral_institution table id.	string	True	20	
2673	Appointment	appointment	linked_appointment_id	appointment table id for linked appointment	string	True	20	
2674	Appointment	appointment	insurance_policy_auth_primary_id	insurance_policy_authorization table id	string	True	20	
2675	Appointment	appointment	insurance_policy_auth_secondary_id	insurance_policy_authorization table id	string	True	20	
2676	Appointment	appointment	insurance_policy_auth_tertiary_id	insurance_policy_authorization table id	string	True	20	
2677	Appointment	appointment	facility_resource_id	facility_resource table id. *Note*: This field is deprecated. The appointment-to-facility-resource relationship is one-to-many. Please use the appointment_facility_resource_reservation to retrieve this information.	string	True	20	
2678	Appointment	appointment	appointment_reminder_id	appointment_reminder table id	string	True	20	
2679	Appointment	appointment	patient_case_id	patient_case table id	string	True	20	
2680	Appointment	appointment	financial_category_id	financial_category table id	string	True	20	
2681	Appointment	appointment	insurance_policy_id	insurance_policy table id	string	True	20	
2682	Appointment	appointment	ordering_provider_id	staff table id	string	True	20	
2683	Appointment	appointment	ordering_referral_contact_id	referral_contact table id.	string	True	20	
2684	Appointment	appointment	appointment_created_by	Full name of firm user who created appointment	string	True	200	
2685	Appointment	appointment	appointment_pms_id	PMS ID	string	True	50	
2686	Appointment	appointment	guarantor_name	Full name of guarantor	string	True	220	
2687	Appointment	appointment	appointment_rescheduled	Indicates appointment was rescheduled	boolean	True		
2688	Appointment	appointment	appointment_type	appointment type name	string	True	250	
2689	Appointment	appointment	appointment_groups	Appointment group(s) name(s) associated to the Appointment Type	string	True	-1	
2690	Appointment	appointment	authorization_number_list	Combined list of insurance authorization numbers	string	True	250	
2691	Appointment	appointment	financial_category	financial category name	string	True	255	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2692	Appointment	appointment	reportable_reason	Reportable reason	string	True	25	MEDICAL_NON_EMERGENCY MEDICAL_EMERGENCY AUTOMOBILE_ACCIDENT COSMETIC_SERVICES VISION WORKERS_COMP OTHER
2693	Appointment	appointment	payment_method	Payment method	string	True	15	MEDICAL AUTOMOBILE VISION WORKERS_COMP NONE_SELF_PAY OTHER
2694	Appointment	appointment	primary_insurance_policy_number	Primary insurance policy number	string	True	100	
2695	Appointment	appointment	primary_payer_name	Primary insurance company name for payment	string	True	250	
2696	Appointment	appointment	secondary_insurance_policy_number	Secondary insurance policy number	string	True	100	
2697	Appointment	appointment	secondary_payer_name	Secondary insurance company name for payment	string	True	250	
2698	Appointment	appointment	tertiary_insurance_policy_number	Tertiary insurance policy number	string	True	100	
2699	Appointment	appointment	tertiary_payer_name	Tertiary insurance company name for payment	string	True	250	
2700	Appointment	appointment	appointment_status	status	string	True	14	PENDING CONFIRMED ARRIVED CHECKED_IN CHECKED_OUT NO_SHOW CANCELLED
2701	Appointment	appointment	duration	Appointment duration.	int	False		
2702	Appointment	appointment	reason_for_visit	Reason for visit	string	True	110	
2703	Appointment	appointment	reason_for_visit_notes	Reason for visit (free form text)	string	True	550	
2704	Appointment	appointment	appointment_notes	Appointment notes	string	True	3000	
2705	Appointment	appointment	new_patient_flag	If patient was created inside of appointment details	boolean	True		
2706	Appointment	appointment	cancel_reason	Reason for cancellation	string	True	100	
2707	Appointment	appointment	cancel_notes	Cancellation notes	string	True	2048	
2708	Appointment	appointment	custom_cancel_reason	Custom reason for cancellation.	string	True	100	
2709	Appointment	appointment	reschedule_reason	Reason for reschedule	string	True	40	
2710	Appointment	appointment	patient_first_name	Patient's first name for given appointment. May take 1-2 days to update after appointment takes place.	string	True	100	
2711	Appointment	appointment	patient_last_name	Patient's last name for given appointment. May take 1-2 days to update after appointment takes place.	string	True	100	
2712	Appointment	appointment	patient_middle_name	Patient's middle name for given appointment. May take 1-2 days to update after appointment takes place.	string	True	100	
2713	Appointment	appointment	patient_date_of_birth	Patient's date of birth. May take 1-2 days to update after appointment takes place.	timestamp	True		
2714	Appointment	appointment	patient_sex	Patient's sex. May take 1-2 days to update after appointment takes place.	string	True	20	
2715	Appointment	appointment	patient_mrn	Patient's mrn for given appointment. May take 1-2 days to update after appointment takes place.	string	True	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2716	Appointment	appointment	patient_email	Patient's email for given appointment. May take 1-2 days to update after appointment takes place.	string	True	100	
2717	Appointment	appointment	patient_home_phone	Patient's home phone for given appointment. May take 1-2 days to update after appointment takes place.	string	True	50	
2718	Appointment	appointment	patient_mobile_phone	Patient's mobile phone for given appointment. May take 1-2 days to update after appointment takes place.	string	True	20	
2719	Appointment	appointment	patient_work_phone	Patient's work phone for given appointment. May take 1-2 days to update after appointment takes place.	string	True	50	
2720	Appointment	appointment	patient_preferred_phone_type	Patient's preferred phone for given appointment. May take 1-2 days to update after appointment takes place.	string	True	20	
2721	Appointment	appointment	patient_status	Patient's status for given appointment. May take 1-2 days to update after appointment takes place.	string	True	50	ACTIVE INACTIVE INACTIVE_DUPLICATE DISCHARGED DECEASED
2722	Appointment	appointment	patient_auto_pay_status	Status of Patient's Auto Pay. May take 1-2 days to update after appointment takes place.	string	True	20	ACTIVE CANCELLED DEACTIVATED DECLINED PENDING
2723	Appointment	appointment	room_equipment_name	Room and equipment names used for given appointment. May take 1-2 days to update after appointment takes place.	string	True	2000	
2724	Appointment	appointment	previous_copay_amount	Copay amount at the time of the patient's previous appointment	double	True		
2725	Appointment	appointment	previous_copay_deductible	Copay deductible amount at the time of the patient's previous appointment	double	True		
2726	Appointment	appointment	previous_copay_percent	Copay percent amount at the time of the patient's previous appointment	double	True		
2727	Appointment	appointment	previous_deductible_remaining	Deductible amount remaining at the time of the patient's previous appointment	double	True		
2728	Appointment	appointment	previous_eligibility_active	Indicates the patient's insurance eligibility status at the time of the patient's previous appointment	boolean	True		
2729	Appointment	appointment	appointment_authorization_is_expired	If an Appointment has a linked Authorization from the Primary Insurance Policy, does the Authorization expire before the appointment_start_date?	boolean	True		TRUE: appointment_start_date >= primary_insurance_policy_authorization_start_date AND appointment_start_date < primary_insurance_policy_authorization_end_date FALSE: appointment_start_date >= primary_insurance_policy_authorization_start_date AND appointment_start_date >= primary_insurance_policy_authorization_end_date NULL: appointment_start_date < primary_insurance_policy_authorization_start_date OR primary_insurance_policy_authorization_start_date IS NULL
2730	Appointment	appointment	appointment_was_confirmed	Indicates if at any point in time this appointment has ever been confirmed.	boolean	True		
2731	Appointment	appointment	most_recent_time_slot_was_confirmed	Indicates if the most recent appointment time slot was confirmed.	boolean	True		
2732	Appointment	appointment	appointment_late_notice_cancel	Indicate if an appointment was canceled the day before the appointment date.	boolean	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2733	Appointment	appointment	appointment_same_day_cancel	Indicate if the appointment was cancelled on the same day of appointment start date.	boolean	True		
2734	Appointment	appointment	patient_is_pregnant_at_appointment	Indicate if the patient was or is pregnant as of the appointment start date.	boolean	True		
2735	Appointment	appointment	time_zone	Facility time zone	string	True	30	
2736	Appointment	appointment	appointment_start_date	Appointment date.	timestamp	True		
2737	Appointment	appointment	appointment_end_date	Appointment date, in case it was not close the same day.	timestamp	True		
2738	Appointment	appointment	appointment_date_created	Date the appointment was created.	timestamp	True		
2739	Appointment	appointment	appointment_date_cancelled	Date the appointment was cancelled.	timestamp	True		
2740	Appointment	appointment	arrival_time	Patient appointment arrival time.	timestamp	True		
2741	Appointment	appointment	check_in_time	Patient appointment check-in time.	timestamp	True		
2742	Appointment	appointment	check_out_time	Patient appointment check-out time.	timestamp	True		
2743	Appointment	appointment	patient_info_date	Patient's demographic information capture date. May take 1-2 days to update after appointment takes place.	timestamp	True		
2744	Appointment	appointment	rescheduled_date	Patient's appointment rescheduled date. May be 1-2 hours behind.	timestamp	True		
2745	Appointment	appointment	patient_date_of_birth_id	(Localized date) Patient's date of birth. May take 1-2 days to update after appointment takes place.	timestamp	True		
2746	Appointment	appointment	appointment_start_date_id	(Localized date) Appointment date.	timestamp	True		
2747	Appointment	appointment	appointment_end_date_id	(Localized date) Appointment date, in case it was not close the same day.	timestamp	True		
2748	Appointment	appointment	appointment_date_created_id	(Localized date) Date the appointment was created.	timestamp	True		
2749	Appointment	appointment	appointment_date_cancelled_id	(Localized date) Date the appointment was cancelled.	timestamp	True		
2750	Appointment	appointment	arrival_time_id	(Localized date) Patient appointment arrival time.	timestamp	True		
2751	Appointment	appointment	check_in_time_id	(Localized date) Patient appointment check-in time.	timestamp	True		
2752	Appointment	appointment	check_out_time_id	(Localized date) Patient appointment check-out time.	timestamp	True		
2753	Appointment	appointment	patient_info_date_id	(Localized date) Patient's demographic information capture date. May take 1-2 days to update after appointment takes place.	timestamp	True		
2754	Appointment	appointment	rescheduled_date_id	(Localized date) Patient's appointment rescheduled date. May be 1-2 hours behind.	timestamp	True		
2755	Appointment	appointment	firm_global_id	ModMed internal firm global identifier	string	False	10	
2756	Patient	patient_pregnancy_history_complication	patient_pregnancy_history_complication_id	patient_pregnancy_history_complication table id	string	False	20	
2757	Patient	patient_pregnancy_history_complication	patient_id	patient table id	string	False	20	
2758	Patient	patient_pregnancy_history_complication	patient_pregnancy_history_id	patient_pregnancy_history table id	string	False	20	
2759	Patient	patient_pregnancy_history_complication	snomed_code	Snomed code of the complication.	string	True	30	
2760	Patient	patient_pregnancy_history_complication	complication	Name of the complication.	string	True	100	
2761	Patient	patient_pregnancy_history_complication	had_no_complication	True if there were no complications during the delivery.	boolean	True		
2762	Patient	patient_pregnancy_history_complication	firm_global_id	ModMed internal firm global identifier	string	False	10	
2763	Pathology	pathology_log_action	pathology_log_action_id	pathology_log_action table id	string	False	20	
2764	Pathology	pathology_log_action	pathology_log_id	pathology_log table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2765	Pathology	pathology_log_action	patient_id	patient table id	string	False	20	
2766	Pathology	pathology_log_action	action	Action to perform based on the biopsy result.	string	True	255	See static_pathology_action.action
2767	Pathology	pathology_log_action	firm_global_id	ModMed internal firm global identifier	string	False	10	
2768	Patient	patient_pregnancy_history	patient_pregnancy_history_id	patient_pregnancy_history table id	string	False	20	
2769	Patient	patient_pregnancy_history	patient_id	patient table id	string	False	20	
2770	Patient	patient_pregnancy_history	pregnancy_type	Pregnancy type.	string	True	20	Delivery Ectopic Pregnancy Elective Abortion Miscarriage Multi-birth Delivery
2771	Patient	patient_pregnancy_history	pregnancy_type_snomed_code	Snomed code for the pregnancy type.	string	True	15	
2772	Patient	patient_pregnancy_history	mode_of_delivery	Mode of delivery.	string	True	30	
2773	Patient	patient_pregnancy_history	mode_of_delivery_snomed_code	Snomed code for the mode of delivery.	string	True	15	
2774	Patient	patient_pregnancy_history	gestational_age_at_delivery_in_weeks	Gestational age (in weeks) at the date of delivery.	int	True		
2775	Patient	patient_pregnancy_history	length_of_labor_in_hours	Length of labor in hours.	int	True		
2776	Patient	patient_pregnancy_history	anesthesia	Type of anesthesia used during the delivery.	string	True	25	
2777	Patient	patient_pregnancy_history	anesthesia_snomed_code	Snomed code for the type of anesthesia used during the delivery.	string	True	15	
2778	Patient	patient_pregnancy_history	place_of_delivery	Place where the delivery occurred.	string	True	100	
2779	Patient	patient_pregnancy_history	gestational_age_at_miscarriage_in_weeks	Gestational age (in weeks) at the date of the miscarriage.	int	True		
2780	Patient	patient_pregnancy_history	miscarriage_treatment	Treatment applied for the miscarriage.	string	True	50	
2781	Patient	patient_pregnancy_history	ectopic_treatment	Treatment applied for the ectopic pregnancy.	string	True	50	
2782	Patient	patient_pregnancy_history	abortion_treatment	Treatment applied for the abortion.	string	True	50	
2783	Patient	patient_pregnancy_history	comments	Additional comments related to the patient's previous pregnancy.	string	True	1000	
2784	Patient	patient_pregnancy_history	status	Pregnancy record status in the UI.	string	True	15	CONFIRMED DELETED EDITED PENDING
2785	Patient	patient_pregnancy_history	year_pregnancy_end	Year when the pregnancy ended.	int	True		
2786	Patient	patient_pregnancy_history	date_delivery	Date when the delivery happened.	date	True		
2787	Patient	patient_pregnancy_history	date_added	Date when the record was added to the patient clipboard.	date	True		
2788	Patient	patient_pregnancy_history	date_last_edited	Date when the record was last edited.	date	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2789	Patient	patient_pregnancy_history	firm_global_id	ModMed internal firm global identifier	string	False	10	
2790	Patient	patient_menstrual_history	patient_menstrual_history_id	patient_menstrual_history table id	string	False	20	
2791	Patient	patient_menstrual_history	patient_id	patient table id	string	False	20	
2792	Patient	patient_menstrual_history	age_at_menarche	Age in years at which the patient had the menarche.	int	True		
2793	Patient	patient_menstrual_history	average_cycle_length	Average duration of the menstrual cycle.	int	True		
2794	Patient	patient_menstrual_history	average_cycle_unit	Unit used to specify the average cycle length.	string	True		Days Weeks Months
2795	Patient	patient_menstrual_history	menses_duration_days	Average duration in days of the menstrual bleeding.	int	True		
2796	Patient	patient_menstrual_history	notes	Comments associated with the menstrual history event.	string	True	-1	
2797	Patient	patient_menstrual_history	firm_global_id	ModMed internal firm global identifier	string	False	10	
2798	Visit	original_bill_diagnosis	original_bill_diagnosis_id	original_bill_diagnosis table id	string	False	64	
2799	Visit	original_bill_diagnosis	original_bill_procedure_id	original_bill_procedure table id	string	False	20	Procedure code that the diagnosis code(s) are associated with.
2800	Visit	original_bill_diagnosis	patient_id	patient table id	string	False	20	
2801	Visit	original_bill_diagnosis	position	Position in the bill (order of code in list of codes).	int	False		
2802	Visit	original_bill_diagnosis	icd9	ICD9 code.	string	True	25	
2803	Visit	original_bill_diagnosis	icd10	ICD10 code.	string	True	25	
2804	Visit	original_bill_diagnosis	firm_global_id	ModMed internal firm global identifier	string	False	10	
2805	Visit	bill_cash	bill_cash_id	bill_cash table id	string	False	20	
2806	Visit	bill_cash	visit_id	visit table id	string	False	20	
2807	Visit	bill_cash	patient_id	patient table id	string	False	20	
2808	Visit	bill_cash	diagnosis_name	Name of the diagnosis associated with the cash bill. No ID linkage is present so the diagnosis table must be joined by visit_id and diagnosis_name.	string	True	255	See diagnosis.diagnosis_name
2809	Visit	bill_cash	procedure_name	Name of the procedure associated with the cash bill. No ID linkage is present so the procedure must be joined by the visit_id, diagnosis_name, and procedure_name.	string	True	255	See procedure.procedure_name
2810	Visit	bill_cash	quantity	Quantity of the bill.	int	True		
2811	Visit	bill_cash	charge	Charge in dollars.	double	True		
2812	Visit	bill_cash	firm_global_id	ModMed internal firm global identifier	string	False	10	
2813	Appointment	recall	recall_id	recall table id	string	False	20	
2814	Appointment	recall	patient_id	patient table id	string	False	20	
2815	Appointment	recall	recall_type_id	recall_type table id	string	False	20	
2816	Appointment	recall	provider_id	staff table id	string	True	20	
2817	Appointment	recall	appointment_type_id	appointment_type table id	string	False	20	
2818	Appointment	recall	appointment_id	appointment table id	string	True	20	
2819	Appointment	recall	visit_id	visit table id	string	True	20	
2820	Appointment	recall	recall_created_by_staff_id	staff table id	string	True	20	
2821	Appointment	recall	duration	Recall duration.	string	True	50	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2822	Appointment	recall	reason	Recall reason	string	True	100	
2823	Appointment	recall	recall_appointment_notes	Recall notes.	string	True	255	
2824	Appointment	recall	status	Status of recall.	string	True	50	CLOSED COMPLETED OPEN OVERDUE SCHEDULED
2825	Appointment	recall	pms_id	PMS ID	string	True	50	
2826	Appointment	recall	pms_id_type	PMS ID type	string	True	100	
2827	Appointment	recall	target_due_date	Recall target due date.	date	True		
2828	Appointment	recall	recall_created_date	Recall date created.	timestamp	True		
2829	Appointment	recall	firm_global_id	ModMed internal firm global identifier	string	False	10	
2830	Patient	patient_hpv_vaccine_history	patient_hpv_vaccine_history_id	patient_hpv_vaccine_history table id	string	False	20	
2831	Patient	patient_hpv_vaccine_history	patient_id	patient table id	string	False	20	
2832	Patient	patient_hpv_vaccine_history	has_received_hpv_vaccine	Indicates if the patient has received the HPV vaccine.	string	True		Yes No Unsure
2833	Patient	patient_hpv_vaccine_history	number_of_doses	Indicates the number of doses of the HPV vaccine the patient has received.	string	True		1 2 3 Unsure
2834	Patient	patient_hpv_vaccine_history	was_less_than_15_when_received	Indicates if the patient was less than 15 years old when the first dose of the HPV vaccine was administered.	string	True		Yes No Unsure
2835	Patient	patient_hpv_vaccine_history	notes	Comments associated with the vaccination event.	string	True	-1	
2836	Patient	patient_hpv_vaccine_history	firm_global_id	ModMed internal firm global identifier	string	False	10	
2837	eLab	lab_request_specimen_snomed	lab_request_specimen_snomed_id	lab_request_specimen_snomed table id	string	False	40	
2838	eLab	lab_request_specimen_snomed	lab_request_id	Foreign key to dw.lab_request.lab_request_id	string	False	20	
2839	eLab	lab_request_specimen_snomed	specimens	Substance being sampled or tested	string	True	-1	
2840	eLab	lab_request_specimen_snomed	patient_id	patient table id	string	True	20	
2841	eLab	lab_request_specimen_snomed	firm_global_id	Firm global identifier (unique across pods)	string	False	10	
2842	Pathology	pathology_log	pathology_log_id	pathology_log table id	string	False	20	
2843	Pathology	pathology_log	patient_id	patient table id	string	False	20	
2844	Pathology	pathology_log	physician_id	staff table id	string	True	20	Provider associated with the entry
2845	Pathology	pathology_log	visit_id	visit table id	string	True	20	
2846	Pathology	pathology_log	result_entered_by_id	staff table id	string	True	20	Staff member that entered the result. NULL if result not entered.
2847	Pathology	pathology_log	procedure_body_location_id	procedure_body_location table id	string	True	20	If performed in a visit, link to the specific procedure body location the specimen was taken from

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2848	Pathology	pathology_log	facility_id	facility table id	string	True	20	
2849	Pathology	pathology_log	completed_by_id	Staff member that completed the result. NULL if not completed	string	True	20	
2850	Pathology	pathology_log	unresolved_by_id	Staff member that moved the result into unresolved status. NULL if status != UNRESOLVED	string	True	20	
2851	Pathology	pathology_log	location	Body location override. If non-null the location should NOT be taken by joining on procedure_body_location_id.	string	True	2000	See static_body_location table (any field), can also be free-text override
2852	Pathology	pathology_log	procedure_name	Procedure name override. If non-null the procedure name should NOT be taken by joining to procedure table.	string	True	2000	See procedure.procedure_name, can also be free-text override
2853	Pathology	pathology_log	entry_created_date	Date biopsy log entry was created, same as visit date if created from visit.	timestamp	True		
2854	Pathology	pathology_log	result_date	Date result was entered	timestamp	True		
2855	Pathology	pathology_log	unresolved_date	Date record was moved into unresolved status. NULL if status != UNRESOLVED	timestamp	True		
2856	Pathology	pathology_log	cancer_type	Indicates if the biopsy results is cancerous or precancerous. May have a null value.	string	True	50	ABNORMAL CANCEROUS PRECANCEROUS NONE WNL_CRITICAL CRITICAL
2857	Pathology	pathology_log	result	Biopsy result description	string	True	2000	See static_pathology_result.result, can also be free-text override
2858	Pathology	pathology_log	comments	Biopsy result comments	string	True	2000	
2859	Pathology	pathology_log	action	Action override. If non-null the action should NOT be taken from the pathology_log_action table.	string	True	2000	
2860	Pathology	pathology_log	plan	Plan override. If non-null the plan should NOT be taken from the pathology_log_plan table.	string	True	2000	
2861	Pathology	pathology_log	manual_result	This is the option for adding result manually.	string	True	2000	
2862	Pathology	pathology_log	notes	Path log notes	string	True	-1	
2863	Pathology	pathology_log	workflow	Practice-custom workflow assigned to the entry	string	True	100	
2864	Pathology	pathology_log	pathology_group_identifier	Group identifier for pathology results	string	True	20	
2865	Pathology	pathology_log	status	Status of the pathology log entry. NOTE: this status does not track if an eLab order was sent, see elab_order_test table.	string	False	100	PENDING_RESULTS: Removal plan was performed, awaiting results to be entered PENDING_PLAN_COMPLETION: Results entered, plan not completed UNRESOLVED: Record moved to unresolved status COMPLETED: Plan completed
2866	Pathology	pathology_log	visible	Visible	boolean	True		
2867	Pathology	pathology_log	date_completed	Date when pathology_log.status was set to COMPLETED.	timestamp	True		
2868	Pathology	pathology_log	firm_global_id	ModMed internal firm global identifier	string	False	10	
2869	PM Financials	claim_submission	claim_submission_id	claim_submission table id	string	False	20	
2870	PM Financials	claim_submission	claim_id	claim table id	string	True	20	
2871	PM Financials	claim_submission	contracted_payer_address_id	payer_address table id	string	True	20	
2872	PM Financials	claim_submission	patient_id	patient table id	string	False	20	
2873	PM Financials	claim_submission	submission_type	Type of submission	string	True	25	CREATE_AND_HOLD PRINT_TO_FORM SUBMIT_TO_PRINT_QUEUE SUBMIT_TO_QUEUE WAITING_FOR_PAYMENT

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2874	PM Financials	claim_submission	claim_type	Type of claim	string	True	20	CROSSOVER NEW REPLACEMENT VOIDED
2875	PM Financials	claim_submission	auto_accident_related_state	If auto-accident related, state (subdivision) associated with the claim.	string	True	2	
2876	PM Financials	claim_submission	related_claim_identifier	Identifier of Claim related to claim submission	string	True	50	
2877	PM Financials	claim_submission	facility_submission_form	Form used to submit claim.	string	True	10	CMS_1500 UB_04
2878	PM Financials	claim_submission	auto_accident_related	Flag indicating whether claim is related to an auto accident.	boolean	True		
2879	PM Financials	claim_submission	other_accident_related	Flag indicating whether claim is related to some other accident.	boolean	True		
2880	PM Financials	claim_submission	employment_related	Flag indicating whether claim is related to employment.	boolean	True		
2881	PM Financials	claim_submission	include_zero_dollar_services	Flag indicating whether to include \$0 services.	boolean	True		
2882	PM Financials	claim_submission	submission_date	Date on which submission was sent.	timestamp	True		
2883	PM Financials	claim_submission	firm_global_id	ModMed internal firm global identifier	string	True	10	
2884	Office Flow	task_attachment	task_attachment_id	task_attachment table id	string	False	30	
2885	Office Flow	task_attachment	file_attachment_id	file_attachment table id	string	False	20	
2886	Office Flow	task_attachment	patient_id	patient table id	string	True	20	
2887	Office Flow	task_attachment	task_id	task table id	string	False	20	
2888	Office Flow	task_attachment	firm_global_id	ModMed internal firm global identifier	string	False	10	
2889	Prescription	rx	rx_id	rx table id	string	False	64	
2890	Prescription	rx	patient_id	patient record identifier	string	False	64	
2891	Prescription	rx	written_by_id	staff table id	string	True	64	Staff member that wrote the prescription
2892	Prescription	rx	facility_id	facility table id	string	True	64	Facility the rx was written from
2893	Prescription	rx	diagnosis_id	diagnosis table id	string	True	64	Link to diagnosis if written from visit, NULL if written outside visit
2894	Prescription	rx	compound_medication_id	compound_medication table id	string	True	64	
2895	Prescription	rx	written_on_date	Date rx was written	timestamp	True		
2896	Prescription	rx	drug_name	Dispensable drug name including dose form, route, and strength	string	True	200	Based on FirstDataBank (FDB)
2897	Prescription	rx	short_name	Brand/generic name.	string	True	35	Based on FirstDataBank (FDB)
2898	Prescription	rx	generic_name	Generic name of drug, may be same as drug_name if generic was prescribed.	string	True	50	Based on FirstDataBank (FDB)
2899	Prescription	rx	is_generic	If the medication prescribed is a generic medication	boolean	True		
2900	Prescription	rx	nametypecode	Medication type	string	True	1	1: Brand 2: Generic
2901	Prescription	rx	medid	First Databank Medication Identifier.	int	True		Based on FirstDataBank (FDB)
2902	Prescription	rx	ndc	Suggested NDC code sent to the pharmacy, not guaranteed to be the actual NDC that is filled.	string	True	13	
2903	Prescription	rx	dose_form	Dose form of the medication. May have a null value.	string	True	100	tablet, powder, capsule, etc. Based on FirstDataBank (FDB)
2904	Prescription	rx	route	Route of the medication. May have a null value.	string	True	50	topical, oral, etc. Based on FirstDataBank (FDB)
2905	Prescription	rx	strength	Strength of the medication. May have a null value.	string	True	25	Based on FirstDataBank (FDB)
2906	Prescription	rx	strength_units	Units of measure for the strength field. May have a null value.	string	True	25	mg, %, etc. Based on FirstDataBank (FDB)
2907	Prescription	rx	quantity	Quantity to dispense.	double	True		
2908	Prescription	rx	quantity_units	Units of measure for the quantity field. May have a null value.	string	True	80	Capsule, Bottle, Gram, Syringe, Tablet, etc.
2909	Prescription	rx	refills	Number of refills for the prescription.	int	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2910	Prescription	rx	dose	Dose	string	True	50	
2911	Prescription	rx	frequency	Frequency	string	True	100	
2912	Prescription	rx	indication	Indication	string	True	100	
2913	Prescription	rx	package_size	Size of the packaging	string	True	50	Based on FirstDataBank (FDB)
2914	Prescription	rx	package_type	Type of packaging. May have a null value.	string	True	50	Bottle, Tube, etc. Based on FirstDataBank (FDB)
2915	Prescription	rx	package_size_units	Units of measure for package_size. May have a null value.	string	True	50	Grams, Milliliters, etc. Based on FirstDataBank (FDB)
2916	Prescription	rx	sig	Sig	string	True	-1	
2917	Prescription	rx	note	Note to pharmacist	string	True	-1	
2918	Prescription	rx	allow_substitutions	Allow substitutions	boolean	True		
2919	Prescription	rx	status	Status of the rx. NOTE: when archiving a visit with an rx, the status of the rx will be the value it had when the visit was archived.	string	True	30	PENDING: rx not sent PRINTED: rx printed ERX: eRX sent VOIDED: pending rx voided (not sent) CANCELED: eRx cancelled
2920	Prescription	rx	void_reason	Reason for voiding the pending rx	string	True	255	
2921	Prescription	rx	pharmacy_ncdpid	National Council for Prescription Drug Programs ID. NULL if surescripts_pharmacy is False	string	True	7	
2922	Prescription	rx	pharmacy_name	Pharmacy Name	string	True	100	
2923	Prescription	rx	pharmacy_npi	National Provider Identifier	string	True	35	
2924	Prescription	rx	days_supply	Number of days for the prescription.	int	True		
2925	Prescription	rx	dea_class	The DEA class of the highest controlled substance of the compound ingredients. One being the highest.	int	True		
2926	Prescription	rx	location	Location of the prescription.	string	True	10	
2927	Prescription	rx	plan_payer_name	Name of plan payer	string	True	60	
2928	Prescription	rx	rxn_term_type	Term Type	string	True	20	
2929	Prescription	rx	side_effects	List of potential side effects	string	True	-1	
2930	Prescription	rx	fill_status	Fill status	string	True	20	PARTIALLY_DISPENSED NOT_DISPENSED DISPENSED NOT_FILLED FILLED PARTIAL_FILLED TRANSFERRED
2931	Prescription	rx	from_mobile	If True, prescription came from mobile device.	boolean	True		
2932	Prescription	rx	prior_authorization_require_d	If true, prior authorization is required for prescription.	boolean	True		
2933	Prescription	rx	earliest_fill_date	Earliest fill date.	date	True		
2934	Prescription	rx	firm_global_id	ModMed internal firm global identifier	string	False	10	
2935	Patient	surgical_history	surgical_history_id	surgical_history table id	string	False	20	
2936	Patient	surgical_history	patient_id	patient table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2937	Patient	surgical_history	source	Screen in the application the condition was entered in	string	False	50	PAST_MEDICAL_HISTORY SKIN_DISEASE_HISTORY OCULAR_HISTORY PLASTIC_SURGERY_HISTORY MUSCULOSKELETAL_HISTORY ENT_HISTORY GI_HISTORY RHEUMATOLOGICAL_HISTORY UROLOGICAL_HISTORY
2938	Patient	surgical_history	value	Surgical history	string	True	255	See Appendix D
2939	Patient	surgical_history	snomed	Surgical history (SNOMED)	string	True	255	
2940	Patient	surgical_history	secondary_snomed	Surgical history (secondary SNOMED). Only populated if primary snomed does not fully describe the condition.	string	True	255	
2941	Patient	surgical_history	other_value	Additional text added to the condition	string	True	-1	
2942	Patient	surgical_history	firm_global_id	ModMed internal firm global identifier	string	False	10	
2943	PM Financials	claim_submission_change	claim_submission_change_id	claim_submission_change table id	string	False	20	
2944	PM Financials	claim_submission_change	claim_id	claim table id	string	True	20	
2945	PM Financials	claim_submission_change	patient_id	patient table id	string	False	20	
2946	PM Financials	claim_submission_change	old_claim_submission_id	claim_submission table id	string	True	20	
2947	PM Financials	claim_submission_change	new_claim_submission_id	claim_submission table id	string	True	20	
2948	PM Financials	claim_submission_change	claim_submission_changes	For a given grouping of claim, change_type, and change_subtype, the total number of changes for that grouping. Only appears on most recent record.	int	True		
2949	PM Financials	claim_submission_change	claim_submission_change_old_value	Value before change.	string	True	1000	
2950	PM Financials	claim_submission_change	claim_submission_change_new_value	Value after change.	string	True	1000	
2951	PM Financials	claim_submission_change	change_type	Change type	string	True	50	ACCEPT_ASSIGNMENT AUTO_ACCIDENT_RELATED BILLING_PROVIDER BILLING_PROVIDER_SECONDARY_ID CPT DIAGNOSIS_POINTER EMPLOYMENT_ACCIDENT_RELATED MODIFIER OTHER_ACCIDENT_RELATED PATIENT_ADDRESS PAYER_INFORMATION POLICY_HOLDER_ADDRESS PRIOR_AUTHORIZATION_NUMBER REFERRING_PROVIDER REFERRING_PROVIDER_SECONDARY_ID RESUBMISSION_CODE SERVICE_LOCATION
2952	PM Financials	claim_submission_change	change_subtype	change subtype	string	True	10	added changed removed

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2953	PM Financials	claim_submission_change	claim_submission_change_submitting_user	Name of staff who submitted change.	string	True	100	
2954	PM Financials	claim_submission_change	claim_created_date	Date on which claim was created.	timestamp	True		
2955	PM Financials	claim_submission_change	firm_global_id	ModMed internal firm global identifier	string	True	10	
2956	Patient	insurance_policy_address	insurance_policy_address_id	insurance_policy_address table id	string	False	20	
2957	Patient	insurance_policy_address	insurance_policy_id	insurance_policy table id	string	True	20	Insurance policy that belongs to the group.
2958	Patient	insurance_policy_address	patient_id	patient table id	string	False	20	
2959	Patient	insurance_policy_address	is_primary_address	Is primary address.	boolean	True		
2960	Patient	insurance_policy_address	type	Address type	string	True	50	
2961	Patient	insurance_policy_address	street1	Address Street 1	string	True	255	
2962	Patient	insurance_policy_address	street2	Address Street 2	string	True	255	
2963	Patient	insurance_policy_address	city	Address City	string	True	255	
2964	Patient	insurance_policy_address	state	Address State	string	True	50	
2965	Patient	insurance_policy_address	zipcode	Address Zipcode	string	True	50	
2966	Patient	insurance_policy_address	country	Address Country	string	True	30	
2967	Patient	insurance_policy_address	start_date	Start date	timestamp	True		
2968	Patient	insurance_policy_address	end_date	End date	timestamp	True		
2969	Patient	insurance_policy_address	address_date_created	ema.address.date_created	timestamp	True		
2970	Patient	insurance_policy_address	address_date_modified	ema.address.date_modified	timestamp	True		
2971	Patient	insurance_policy_address	firm_global_id	Firm global identifier (unique across pods)	string	False	10	
2972	Patient	patient_pregnancy	patient_pregnancy_id	patient_pregnancy table id	string	False	20	
2973	Patient	patient_pregnancy	patient_id	patient table id	string	False	20	
2974	Patient	patient_pregnancy	patient_pregnancy_history_id	patient_pregnancy_history table id	string	True	20	
2975	Patient	patient_pregnancy	primary_obstetrician_id	staff table id	string	True	20	
2976	Patient	patient_pregnancy	internal_delivery_provider_id	staff table id	string	True	20	
2977	Patient	patient_pregnancy	provider_id	staff table id	string	True	20	
2978	Patient	patient_pregnancy	assisting_provider_id	staff table id	string	True	20	
2979	Patient	patient_pregnancy	facility_id	facility table id	string	True	20	
2980	Patient	patient_pregnancy	pregnancy_modified_by_id	staff table id	string	True	20	
2981	Patient	patient_pregnancy	primary_obstetrician_name	Name of the patient's primary obstetrician.	string	True	200	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
2982	Patient	patient_pregnancy	last_menstrual_period_date	Date of the patient's last menstrual period.	date	True		
2983	Patient	patient_pregnancy	is_not_sure_of_last_menstrual_period	Indicates if the patient is unsure of the date of the last menstrual period.	boolean	True		
2984	Patient	patient_pregnancy	first_ultrasound_date	Date of the patient's first ultrasound exam.	date	True		
2985	Patient	patient_pregnancy	gestational_age_at_first_ultrasound_weeks	Patient's pregnancy gestational age at first ultrasound exam (in weeks).	int	True		
2986	Patient	patient_pregnancy	gestational_age_at_first_ultrasound_days	Patient's pregnancy gestational age at first ultrasound exam (in days).	int	True		
2987	Patient	patient_pregnancy	ivf_estimated_delivery_date	Estimated delivery date based on the date of when an in vitro fertilisation (IVF) procedure was performed.	date	True		
2988	Patient	patient_pregnancy	estimated_delivery_date	Estimated delivery date.	date	True		
2989	Patient	patient_pregnancy	method_of_dating	Method of determining the estimated delivery date.	string	True		Date of IVF Last Menstrual Period Ultrasound
2990	Patient	patient_pregnancy	pre_pregnancy_weight	Patient's pre-pregnancy weight.	double	True		
2991	Patient	patient_pregnancy	pre_pregnancy_weight_unit	Unit of measure used to indicate the patient's pre-pregnancy weight.	string	True	30	Kg Lbs
2992	Patient	patient_pregnancy	fetus_count	Fetus count.	string	True	30	
2993	Patient	patient_pregnancy	registered_to_deliver_at	Place where the patient is registered to have the delivery.	string	True	100	
2994	Patient	patient_pregnancy	father_name	Name of the father of the baby.	string	True	50	
2995	Patient	patient_pregnancy	partner_name	Name of the partner of the patient, if different than the baby's father name.	string	True	50	
2996	Patient	patient_pregnancy	conclusion_date	Date when the pregnancy concluded.	date	True		
2997	Patient	patient_pregnancy	conclusion_reason	Reason why the pregnancy concluded.	string	True	30	Delivery Ectopic Pregnancy Elected Abortion Error Multi-birth Delivery Patient Transferred Care Spontaneous Abortion
2998	Patient	patient_pregnancy	delivery_date	If the pregnancy concluded in delivery, date when the delivery happened.	date	True		
2999	Patient	patient_pregnancy	mode_of_delivery	Mode of delivery.	string	True	30	Cesarean Forceps Assisted Vaginal Repeat Cesarean Vacuum Assisted Vaginal Vaginal Vaginal after Cesarean
3000	Patient	patient_pregnancy	delivery_provider_name	If the delivery provider is internal, it contains the name of the delivery provider. Otherwise, it will have value 'External'.	string	True	200	
3001	Patient	patient_pregnancy	delivery_provider_type	Indicates if the delivery provider was internal or external.	string	True	30	
3002	Patient	patient_pregnancy	place_of_delivery	Name of the facility or location where the delivery occurred.	string	True	100	
3003	Patient	patient_pregnancy	include_in_billing_for_internal_provider	Allows to select what should be included in the billing for the provider.	string	True	30	Delivery Only Delivery and Postpartum Care Total OB Care
3004	Patient	patient_pregnancy	include_in_billing_for_external_provider	Allows to select what should be included in the billing for the provider.	string	True	30	Antepartum Only Antepartum and Postpartum Care Postpartum Only
3005	Patient	patient_pregnancy	bill_em_codes_at_initial_visit	Indicates if EM codes may be billed during the patient's initial visit.	boolean	True		
3006	Patient	patient_pregnancy	is_active_pregnancy	Indicates if the record corresponds to an ongoing pregnancy.	boolean	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3007	Patient	patient_pregnancy	contains_sensitive_health_information	Indicates if the record contains sensitive health information.	boolean	True		
3008	Patient	patient_pregnancy	is_mfm_visit	Indicates if the visit is associated with a Maternal-Fetal Medicine (MFM) provider.	boolean	True		
3009	Patient	patient_pregnancy	pregnancy_modified_date	Date when the pregnancy record was last modified.	timestamp	True		
3010	Patient	patient_pregnancy	firm_global_id	ModMed internal firm global identifier	string	False	10	
3011	Visit	visit_quality_measure	visit_quality_measure_id	visit_quality_measure table id	string	False	20	
3012	Visit	visit_quality_measure	visit_id	visit table id	string	False	20	
3013	Visit	visit_quality_measure	patient_id	patient table id	string	False	20	
3014	Visit	visit_quality_measure	facility_id	facility table id	string	True	20	
3015	Visit	visit_quality_measure	staff_id	staff table id	string	False	20	
3016	Visit	visit_quality_measure	quality_measure	quality_measure table id	int	False		Quality measure ID provided by CMS
3017	Visit	visit_quality_measure	performance	Measure performance for the visit	string	True	20	EXCLUSION PASS FAIL DENOM_EXCLUSION
3018	Visit	visit_quality_measure	modifier	Modifier code for the numerator code. Gives a different meaning to the numerator code.	string	True	20	1P 2P 3P 8p 8P
3019	Visit	visit_quality_measure	procedure_modifier	Code to define laterality. (OD, OS)	string	True	10	
3020	Visit	visit_quality_measure	numerator_code	Quality measure eligibility code	string	True	20	
3021	Visit	visit_quality_measure	override_code	Flag indicating the code has been overridden, and to use override columns.	boolean	True		
3022	Visit	visit_quality_measure	override_modifier	Overridden version of modifier column.	string	True	20	
3023	Visit	visit_quality_measure	override_numerator_code	Overridden version of numerator code column.	string	True	20	
3024	Visit	visit_quality_measure	override_quality_measure	Overridden version of quality measure column.	string	True	20	DENOM_EXCLUSION EXCLUSION PASS FAIL
3025	Visit	visit_quality_measure	reporting_year	Reporting year used for quality measure.	int	True		
3026	Visit	visit_quality_measure	archived	Archived flag.	boolean	True		
3027	Visit	visit_quality_measure	firm_global_id	ModMed internal firm global identifier	string	False	10	
3028	PM Financials	charges	charges_id	charges table id	string	False	50	
3029	PM Financials	charges	business_unit_id	business_unit table id	string	False	20	
3030	PM Financials	charges	patient_id	patient table id	string	True	20	
3031	PM Financials	charges	insurance_policy_id	insurance_policy table id	string	True	20	
3032	PM Financials	charges	provider_id	staff table id	string	True	20	
3033	PM Financials	charges	primary_provider_id	staff table id	string	True	20	Primary provider listed on bill
3034	PM Financials	charges	payer_id	payer table id	string	True	20	Payer listed on bill
3035	PM Financials	charges	facility_id	facility table id	string	True	20	Service location
3036	PM Financials	charges	practice_location_id	facility table id	string	True	20	Practice Location (POS 11)
3037	PM Financials	charges	bill_item_id	bill_item table id	string	True	20	Individual services on bill
3038	PM Financials	charges	bill_insurance_id	bill_insurance table id	string	True	20	
3039	PM Financials	charges	division_id	division table id	string	True	20	
3040	PM Financials	charges	code_category_id	code_category table id	string	True	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3041	PM Financials	charges	batch_id	batch table id	string	True	20	
3042	PM Financials	charges	created_by_staff_id	staff table id	string	True	20	
3043	PM Financials	charges	patient_product_id	Patient product table id	string	True	20	
3044	PM Financials	charges	custom_non_bill_code_id	custom_non_bill_code table id	string	True	20	
3045	PM Financials	charges	package_sale_id	package_sale table id	string	True	20	
3046	PM Financials	charges	package_item_sale_id	package_item_sale table id	string	True	20	
3047	PM Financials	charges	firm_id	firm table id	string	True	20	
3048	PM Financials	charges	appointment_id	appointment table id	string	True	20	
3049	PM Financials	charges	appointment_provider_id	staff table id for appointment provider.	string	True	20	Appointment Provider
3050	PM Financials	charges	bill_id	bill table id	string	True	20	
3051	PM Financials	charges	original_bill_id	Bill table id. Indicates if a bill was recreated from a previous bill	string	True	20	
3052	PM Financials	charges	sold_by_id	staff table id	string	True	20	The staff member selected in the Sold By field. The provider and the Sold by could be the same person depending on selection.
3053	PM Financials	charges	payer_address_id	payer_address table id	string	True	20	
3054	PM Financials	charges	billing_quote_id	billing_quote table id	string	True	20	
3055	PM Financials	charges	billing_quote_created_by_id	staff table id	string	True	20	
3056	PM Financials	charges	fee_schedule_primary_payer_id	Fee schedule of the primary insurance. This is the payer fee schedule of the primary insurance from the bill insurance.	string	True	20	
3057	PM Financials	charges	bill_assignee_id	bill_assignee table id	string	True	20	
3058	PM Financials	charges	provider_level_adjustment_id	provider_level_adjustment table id.	string	True	40	
3059	PM Financials	charges	auto_pay_bill_status	Captures the status of a patient's AutoPay feature for billing	string	True	300	NOTIFIED SCRUB_FAILED QUEUED DECLINED ON_HOLD CANCELLED COMPLETED PENDING
3060	PM Financials	charges	bill_status	Current bill status	string	True	40	PRELIMINARY IN_PROGRESS REQUIRES_REVISION READY_FOR_REVIEW IN_REVIEW INACTIVE_OTHER RESOLVED_PAID RESOLVED_OTHER IN_DISPUTE PAYMENT_PENDING READY_FOR_POSTING
3061	PM Financials	charges	encounter_count	Stores the associated bill_id. If not null, indicates an encounter has occurred and the sum of units posted or reversed within the bill is greater than zero.	string	True	20	
3062	PM Financials	charges	appointment_type	Appointment type. Types are confirmed by the practice at the firm admin level.	string	True	25	
3063	PM Financials	charges	fee_schedule_primary_payer_name	Fee schedule name. This is the payer fee schedule from the primary bill insurance.	string	True	50	
3064	PM Financials	charges	fee_schedule_type	Fee Schedule type.	string	True	10	PAYER PROVIDER

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3065	PM Financials	charges	fee_schedule_primary_payer_effective_date	Effective date. The payer fee schedule effective date.	date	True		
3066	PM Financials	charges	bill_type	Bill type.	string	True	20	PATIENT CLAIM VISION AUTO_PIP WORKERS_COMP
3067	PM Financials	charges	bill_recreated	Indicates if a bill was recreated from a previous bill	boolean	True		
3068	PM Financials	charges	responsible_insurance_policy_number	Insurance policy number.	string	True	100	
3069	PM Financials	charges	policy_type	Insurance policy type. May have a null value.	string	True	100	EPO GHP HMO IPA MEDICARE_ADVANTAGE PPO POS COMMERCIAL_OTHER ACA_EXCHANGE CHAMPVA CHIP FECA MEDICARE MEDICAID TRICARE GOVERNMENT_OTHER VISION WORKERS_COMP AUTO_PIP B C Champus Choice Plus Exclusive Provider Organization (EPO) M O
3070	PM Financials	charges	policy_group_number	Insurance policy group number.	string	True	100	
3071	PM Financials	charges	patient_relationship_to_policy_holder	Patient relationship to insurance policy holder. May have a null value.	string	True	50	SELF SPOUSE CHILD OTHER EMPLOYER
3072	PM Financials	charges	policy_patient_name	Name of the policy holder listed for insurance.	string	True	250	
3073	PM Financials	charges	policy_holder_gender	Policy holder Gender. May have a null value.	string	True	20	MALE, FEMALE, etc.
3074	PM Financials	charges	policy_holder_date_of_birth	Policy Holder Date Of Birth	timestamp	True		
3075	PM Financials	charges	payer_plan_name	Payer's plan name.	string	True	100	
3076	PM Financials	charges	cpt_frequency_unit	The number of times a service has been rendered. This value will be negative for voids.	int	True		
3077	PM Financials	charges	product_category	Product category name	string	True	100	
3078	PM Financials	charges	product_sku	Product sku	string	True	100	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3079	PM Financials	charges	service_location_pos_code	Place of service code listed on the bill.	string	True	5	
3080	PM Financials	charges	claim_employer_name	If applicable, this reflects the employer's name listed for the insurance policy.	string	True	100	
3081	PM Financials	charges	quick_code	Reflects the quick code combination configured for the CPT/Modifier combination on the bill. These codes are configured by the practice.	string	True	50	
3082	PM Financials	charges	authorization_number	Authorization number linked to insurance policy.	string	True	50	
3083	PM Financials	charges	billing_quote_title	Title of billing quote	string	True	100	
3084	PM Financials	charges	billing_quote_id_number	Client-facing billing quote id	string	True	20	
3085	PM Financials	charges	source_of_payment_typology	Source of Payment Typology	string	True	100	
3086	PM Financials	charges	is_referring_physician_data	Qlik flag if record is part of the referring physician report.	boolean	True		
3087	PM Financials	charges	signature_on_file	If true, a practice can receive payment from an insurer on behalf of a patient.	boolean	True		True: Yes, False: No
3088	PM Financials	charges	package_sale_date_created	Date on which the package was sold.	timestamp	True		
3089	PM Financials	charges	package_sale_date_created_id	Date on which the package was sold.	timestamp	True		
3090	PM Financials	charges	firm_is_using_rcm	Whether using rcm is enabled	boolean	True		
3091	PM Financials	charges	responsible	Responsible party.	string	True	20	PATIENT INSURANCE
3092	PM Financials	charges	bill_item_allowed	Payer Payment Allowable Amount for the associated Bill Item.	double	True		
3093	PM Financials	charges	unit_charge	Charge per unit for services rendered	double	True		
3094	PM Financials	charges	ledger_units	Number of units associated to the charge	double	True		
3095	PM Financials	charges	coverage_type	Coverage type. May have a null value.	string	True	20	Primary Secondary Tertiary Self-Pay
3096	PM Financials	charges	link_state	Stores the current state of the insurance in relation to the bill	string	True	20	LINKED UNLINKED REMOVED LEGACY_REMOVED
3097	PM Financials	charges	activity_type	Activity Type	string	True	100	CHARGE VOID_CHARGE PLA_OFFSET_CHARGE VOID_PLA_OFFSET_CHARGE
3098	PM Financials	charges	ledger_charge_amount	Total amount calculated by multiplying unit charge amount multiplied by number of units.	double	True		
3099	PM Financials	charges	subtotal	Product subtotal.	double	True		
3100	PM Financials	charges	tax_rate_local	Product local tax rate.	double	True		
3101	PM Financials	charges	tax_rate_state	Product state tax rate.	double	True		
3102	PM Financials	charges	tax_amount_local	Product local tax amount.	double	True		
3103	PM Financials	charges	tax_amount_state	Product state tax amount.	double	True		
3104	PM Financials	charges	tax_amount	Product total tax amount, state and local combined.	double	True		
3105	PM Financials	charges	discount_amount	Product discount amount.	double	True		
3106	PM Financials	charges	discount_type	Product discount type.	string	True	50	PERCENT AMOUNT
3107	PM Financials	charges	discount_reason	Discount reason from standard_list or pipe separated custom discount reason(s)	string	True	500	
3108	PM Financials	charges	notes	Charge notes.	string	True	255	
3109	PM Financials	charges	cpt_product	The CPT/HCPCS procedure code for the bill charge or category for a non-bill charge, or inventory product code	string	True	100	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3110	PM Financials	charges	cpt_product_description	The CPT/HCPCS procedure code or category description for the bill charge or non-bill charge, or inventory product description.	string	True	500	
3111	PM Financials	charges	code_category	Code category name.	string	True	75	
3112	PM Financials	charges	charge_link_key	Linking key between charges, payments_posted, patient_adjustments, payer_adjustments, product_sales and production_summary tables.	string	True	100	
3113	PM Financials	charges	financial_category	The Financial Category listed for the payer	string	True	100	
3114	PM Financials	charges	batch_name	Batch name.	string	True	100	
3115	PM Financials	charges	pla_reason	Provider level adjustment reason	string	True	100	
3116	PM Financials	charges	wrvu	CMS wRVU (work relative value units) for the associated Bill Item.	double	True		
3117	PM Financials	charges	balance_amount_patient	Total balance for the patient.	double	True		
3118	PM Financials	charges	balance_amount_insurance	Total balance for insurance.	double	True		
3119	PM Financials	charges	package_name	Package name	string	True	50	
3120	PM Financials	charges	bill_assignee_staff_name	Name of the staff member that is assigned to follow up on payments.	string	True	200	
3121	PM Financials	charges	check_number	Check number associated with payment	string	True	50	
3122	PM Financials	charges	payer_check_key	Payer check key, used to link different payer payments to payment tables.	string	True	20	
3123	PM Financials	charges	payer_check_notes	Payer check notes entered by the practice	string	True	255	
3124	PM Financials	charges	payment_link	URL that links back to the payment transaction modal	string	True	100	
3125	PM Financials	charges	payment_link_key	Payment table(s) linking key.	string	True	75	
3126	PM Financials	charges	payment_method	Method of payment such as cash, check, e-check, credit card, gift card, etc.	string	True	200	
3127	PM Financials	charges	payment_source	Source of payment	string	True	40	PAYER_REFUND ERA PATIENT_PAYMENT PATIENT_PAYMENT_VOID EOB LEGACY_PATIENT_EXTERNAL_TRANSFER LEGACY_PATIENT_EXTERNAL_TRANSFER_VOID LEGACY_PATIENT_PAYMENT LEGACY_PATIENT_PAYMENT_VOID PATIENT_REFUND PATIENT_EXTERNAL_TRANSFER_VOID PATIENT_EXTERNAL_TRANSFER PATIENT_EXTERNAL_TRANSFER_REFUND BUSINESS_UNIT_TRANSFER_RECEIVED BUSINESS_UNIT_TRANSFER_RECEIVE_REFUND BUSINESS_UNIT_TRANSFER_SENT
3128	PM Financials	charges	time_zone	Facility time zone	string	True	30	
3129	PM Financials	charges	ledger_activity_date	Activity date of the financial transaction	timestamp	True		
3130	PM Financials	charges	post_date_id	Posted date of charge	date	True		
3131	PM Financials	charges	adjudication_date_id	The date when a payer approved payment for a claim. This field is automatically populated for ERAs but must be manually entered for EOBs.	timestamp	True		
3132	PM Financials	charges	deposit_date_id	Deposit date of payment	timestamp	True		
3133	PM Financials	charges	follow_up_date	Date at which Financial Assignee will follow up on the Payer Payment.	date	True		
3134	PM Financials	charges	service_date_from_id	Date which service started.	timestamp	True		
3135	PM Financials	charges	service_date_to_id	Date which service ended.	timestamp	True		
3136	PM Financials	charges	ledger_activity_date_id	Activity date of the financial transaction	timestamp	True		
3137	PM Financials	charges	firm_global_id	ModMed internal firm global identifier	string	False	10	
3138	eLab	elab_order_test	elab_order_test_id	elab_order_test table id	string	False	20	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3139	eLab	elab_order_test	elab_order_id	elab_order table id	string	False	20	Order the test is a part of
3140	eLab	elab_order_test	patient_id	patient table id	string	True	20	
3141	eLab	elab_order_test	diagnosis_id	diagnosis table id	string	True	20	Diagnosis the lab test was ordered from
3142	eLab	elab_order_test	pathology_log_id	pathology_log table id	string	True	20	Pathology log entry the test is associated with. NOTE: there may be multiple eLab tests associated with a single pathology log entry.
3143	eLab	elab_order_test	universal_service_id	Universal Service ID (HL7 OBR-4)	string	True	300	
3144	eLab	elab_order_test	filler_field_1	Filler Field 1 (HL7 OBR-20). Only populated for pathology orders.	string	True	60	
3145	eLab	elab_order_test	loinc	LOINC number for the test, if applicable.	string	True	10	
3146	eLab	elab_order_test	lab_compendium_code	Compendium code for the test, if applicable	string	True	30	
3147	eLab	elab_order_test	test_number	Number to identify the test. Combination of order_number and filler_field_1/loinc/compendium_code.	string	True	60	
3148	eLab	elab_order_test	relevant_clinical_information	Relevant Clinical Information (HL7 OBR-13)	string	True	350	
3149	eLab	elab_order_test	specimen_source	Specimen Source (HL7 OBR-15)	string	True	350	
3150	eLab	elab_order_test	reason_for_study	Reason for Study (HL7 OBR-31)	string	True	350	
3151	eLab	elab_order_test	status	Status of the order	string	True	30	PLACED: order was created from a test procedure in the VE Room SENT: order was sent from the eLab Outbound Orders tab CANCELED: order was cancelled from the eLab Outbound Orders tab
3152	eLab	elab_order_test	firm_global_id	ModMed internal firm global identifier	string	False	10	
3153	Procedure	procedure_metadata	procedure_metadata_id	procedure_metadata table id	string	False	25	
3154	Procedure	procedure_metadata	procedure_body_location_id	procedure_body_location table id	string	True	20	Only one of procedure_body_location_id or procedure_id will be non-null in each row.
3155	Procedure	procedure_metadata	procedure_id	procedure table id	string	False	20	Only one of procedure_body_location_id or procedure_id will be non-null in each row.
3156	Procedure	procedure_metadata	patient_id	patient table id	string	False	20	
3157	Procedure	procedure_metadata	variable	Variable name for the metadata item.	string	True	50	See static_procedure_metadata.variable
3158	Procedure	procedure_metadata	question_text	Question displayed to the user	string	True	255	See static_procedure_metadata.question_text
3159	Procedure	procedure_metadata	type	Data type of the metadata item	string	True	20	See static_procedure_metadata.type
3160	Procedure	procedure_metadata	value	Metadata response value for single-select or text input items.	string	True	12000	See static_procedure_metadata_selection.value
3161	Procedure	procedure_metadata	range_value	Numeric response value. NOTE: many items default to a value of 0	double	True		
3162	Procedure	procedure_metadata	firm_global_id	ModMed internal firm global identifier	string	False	10	
3163	Diagnosis	diagnosis_lab_set_lab	diagnosis_lab_set_lab_id	diagnosis_lab_set_lab table id	string	False	20	
3164	Diagnosis	diagnosis_lab_set_lab	diagnosis_lab_set_id	diagnosis_lab_set table id	string	False	20	
3165	Diagnosis	diagnosis_lab_set_lab	patient_id	patient table id	string	False	20	
3166	Diagnosis	diagnosis_lab_set_lab	loinc_num	LOINC number	string	False	10	
3167	Diagnosis	diagnosis_lab_set_lab	firm_global_id	Firm global identifier (unique across pods)	string	False	10	
3168	Diagnosis	diagnosis_ddx	diagnosis_ddx_id	diagnosis_ddx table id	string	False	20	
3169	Diagnosis	diagnosis_ddx	diagnosis_id	diagnosis table id	string	False	20	
3170	Diagnosis	diagnosis_ddx	patient_id	patient table id	string	False	20	
3171	Diagnosis	diagnosis_ddx	diagnosis_name	ModMed clinical diagnosis names, not necessarily related to ICD codes. May be more or less detailed than an ICD code.	string	True	255	Differential diagnosis. See diagnosis_diagnosis_name for values.
3172	Diagnosis	diagnosis_ddx	firm_global_id	ModMed internal firm global identifier	string	False	10	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3173	Diagnosis	diagnosis_cause_dx	diagnosis_cause_dx_id	diagnosis_cause_dx table id	string	False	20	
3174	Diagnosis	diagnosis_cause_dx	diagnosis_id	diagnosis table id	string	False	20	
3175	Diagnosis	diagnosis_cause_dx	patient_id	patient table id	string	False	20	
3176	Diagnosis	diagnosis_cause_dx	diagnosis_name	ModMed clinical diagnosis names, not necessarily related to ICD codes. May be more or less detailed than an ICD code.	string	True	255	Cause diagnosis. See diagnosis.diagnosis_name for values.
3177	Diagnosis	diagnosis_cause_dx	firm_global_id	ModMed internal firm global identifier	string	False	10	
3178	eLab	elab_order_result	elab_order_result_id	elab_order_result table id	string	False	20	
3179	eLab	elab_order_result	firm_id	firm table id	string	False	20	firm id from firm table
3180	eLab	elab_order_result	patient_id	patient table id	string	True	20	
3181	eLab	elab_order_result	elab_order_id	elab_order table id	string	True	20	Order the result is for. Can be NULL
3182	eLab	elab_order_result	process_type	What kind of information is in the lab order result	string	True	21	ASSIGNED CORRECTED ERROR PERMANENTLY_REJECTED REJECTED RESULTS
3183	eLab	elab_order_result	matching_confidence	This is the matching confidence of a result with an order	int	True		
3184	eLab	elab_order_result	firm_global_id	Firm global identifier (unique across pods)	string	False	10	
3185	Procedure	procedure	procedure_id	procedure table id	string	False	20	
3186	Procedure	procedure	diagnosis_id	diagnosis table id	string	False	20	
3187	Procedure	procedure	patient_id	patient table id	string	False	20	
3188	Procedure	procedure	procedure_alias	Internal reference alias for the procedure. Multiple procedure_alias may share the same procedure_name.	string	True	255	See static_procedure.procedure_alias
3189	Procedure	procedure	procedure_name	Name of the procedure that gets rendered in the note.	string	True	255	See static_procedure.procedure_name
3190	Procedure	procedure	firm_global_id	ModMed internal firm global identifier	string	False	10	
3191	Office Flow	facility_resource_utilization_log	facility_resource_utilization_log_id	facility_resource_utilization_log table id	string	False	20	
3192	Office Flow	facility_resource_utilization_log	facility_resource_id	facility_resource table id	string	False	20	
3193	Office Flow	facility_resource_utilization_log	facility_id	facility table id	string	False	20	
3194	Office Flow	facility_resource_utilization_log	patient_id	patient table id	string	True	20	
3195	Office Flow	facility_resource_utilization_log	visit_id	visit table id	string	True	20	
3196	Office Flow	facility_resource_utilization_log	checked_in_by_staff_id	staff table id	string	True	20	
3197	Office Flow	facility_resource_utilization_log	checked_out_by_staff_id	staff table id	string	True	20	
3198	Office Flow	facility_resource_utilization_log	come_in_notification_sent	Notification has been sent for patient to come into room.	boolean	True		
3199	Office Flow	facility_resource_utilization_log	room_leave_reason	Reason patient left the room	string	True	20	CHECK_OUT: Patient is checking out OTHER: Patient has left the building / Other CHANGE_ROOM: Changed to different room TIMEOUT: Patient was checked into the room for more than 8 hours
3200	Office Flow	facility_resource_utilization_log	check_in_time	Time of check in	timestamp	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3201	Office Flow	facility_resource_utilization_log	check_out_time	Time of check out	timestamp	True		
3202	Office Flow	facility_resource_utilization_log	firm_global_id	ModMed internal firm global identifier	string	False	10	
3203	Visit	original_bill_modifier	original_bill_modifier_id	original_bill_modifier table id	string	False	20	
3204	Visit	original_bill_modifier	original_bill_procedure_id	original_bill_procedure table id	string	False	20	Procedure code that the modifier is associated with.
3205	Visit	original_bill_modifier	patient_id	patient table id	string	False	20	
3206	Visit	original_bill_modifier	position	Position in the bill (order of code in list of codes).	int	True		
3207	Visit	original_bill_modifier	modifier	CPT modifier.	string	True	20	
3208	Visit	original_bill_modifier	firm_global_id	ModMed internal firm global identifier	string	False	10	
3209	Pathology	cancer_log_problem	cancer_log_problem_id	cancer_log_problem table id	string	False	32	
3210	Pathology	cancer_log_problem	cancer_log_id	cancer_log table id	string	False	20	
3211	Pathology	cancer_log_problem	problem_list_id	problem_list table id	string	True	20	
3212	Pathology	cancer_log_problem	patient_id	patient table id	string	False	20	
3213	Pathology	cancer_log_problem	firm_global_id	ModMed internal firm global identifier	string	False	10	
3214	PM Financials	pm_note	pm_note_id	pm_note table id	string	False	20	
3215	PM Financials	pm_note	staff_id	staff table id	string	False	20	Bill note author
3216	PM Financials	pm_note	bill_id	bill table id	string	True	20	
3217	PM Financials	pm_note	patient_id	patient table id	string	True	20	
3218	PM Financials	pm_note	patient_statement_id	patient_statement table id	string	True	20	
3219	PM Financials	pm_note	primary_biller_id	staff table id	string	True	20	
3220	PM Financials	pm_note	service_location_id	facility table id	string	True	20	
3221	PM Financials	pm_note	bill_note_author	Bill note author name	string	True	200	
3222	PM Financials	pm_note	bill_note_author_role	Role	string	True	50	DOCTOR, PHYSICIAN_ASSISTANT, MEDICAL_ASSISTANT etc.
3223	PM Financials	pm_note	note_text	Free text bill notes	string	True	-1	
3224	PM Financials	pm_note	type	Type of financial note entered	string	True	50	BILL GENERAL PATIENT_STATEMENT TRANSACTION PAYER_PAYMENT PAYMENT_PLAN
3225	PM Financials	pm_note	bill_note_bill_identifier	Bill identifier	string	True	20	
3226	PM Financials	pm_note	latest_bill_note	Flag indicating this is the latest note for a bill.	boolean	True		
3227	PM Financials	pm_note	bill_recreated	Flag indicating if the bill has been recreated.	boolean	True		
3228	PM Financials	pm_note	primary_biller_name	Primary biller name	string	True	200	
3229	PM Financials	pm_note	service_location	Service location.	string	True	200	
3230	PM Financials	pm_note	time_zone	User time zone	string	True	30	
3231	PM Financials	pm_note	note_created_date	Date and time when bill note was entered	timestamp	True		
3232	PM Financials	pm_note	note_created_date_id	Date and time when bill note was entered	timestamp	True		
3233	PM Financials	pm_note	firm_global_id	ModMed internal firm global identifier	string	False	10	
3234	Office Flow	task_note	task_note_id	task_note table id	string	False	20	
3235	Office Flow	task_note	task_id	task table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3236	Office Flow	task_note	current_task_note_id	task_note table id. Indicates what note has superseded this note when editing. May equal self, which indicates that the note is the latest in a series of edits.	string	True	20	
3237	Office Flow	task_note	patient_id	patient table id	string	True	20	
3238	Office Flow	task_note	note	The note left by the user in the task.	string	True	2000	
3239	Office Flow	task_note	note_type	Task type associated with note.	string	True	100	
3240	Office Flow	task_note	archived	Indicates if the note has been archived.	boolean	True		
3241	Office Flow	task_note	firm_global_id	ModMed internal firm global identifier	string	False	10	
3242	eLab	result_log_attachment	result_log_attachment_id	result_log_attachment table id	string	False	20	
3243	eLab	result_log_attachment	result_log_id	result_log table id	string	False	20	
3244	eLab	result_log_attachment	file_attachment_id	file_attachment table id	string	True	20	
3245	eLab	result_log_attachment	firm_id	firm table id	string	False	20	
3246	eLab	result_log_attachment	facility_id	facility table id	string	True	20	
3247	eLab	result_log_attachment	patient_id	patient table id	string	True	20	
3248	eLab	result_log_attachment	firm_global_id	ModMed internal firm global identifier	string	False	10	
3249	Ophth Pretesting	wearing_rgp_contacts	wearing_rgp_contacts_id	wearing_rgp_contacts table id	string	False	20	
3250	Ophth Pretesting	wearing_rgp_contacts	visit_id	visit table id	string	False	20	
3251	Ophth Pretesting	wearing_rgp_contacts	patient_id	patient table id	string	False	20	
3252	Ophth Pretesting	wearing_rgp_contacts	date_recorded	Date recorded. May be different than the visit date and edited by the physician or staff member.	timestamp	True		
3253	Ophth Pretesting	wearing_rgp_contacts	wearing_schedule	Wear Schedule. May have a null value.	string	True	30	AS_NEEDED TWO_WEEKS MONTHLY WEEKLY ANNUALLY SEE_SPECIAL_INSTRUCTIONS DAILY
3254	Ophth Pretesting	wearing_rgp_contacts	disinfecting	Disinfecting	string	True	30	MENICON_MENICARE_GP_CDS RGP_NONE LOBOB_OPTIMUM_CDS UNIQUE_PH MENICON_MENICARE_GP_WRW OPTIFREE_GP MENICON_PROGENT LOBOB_OPTIMUM RGP_STORE_BRAND RGP_SEE_SPECIAL_INSTRUCTIONS OTHER BOSTON_ADVANCE BOSTON_SIMPLUS LOBOB_OPTIMUM_ESC BOSTON_ORIGINAL
3255	Ophth Pretesting	wearing_rgp_contacts	dot	DOT. May have a null value.	string	True	10	OD OS NONE
3256	Ophth Pretesting	wearing_rgp_contacts	contacts_usage	Contacts Usage	string	True	255	See Appendix A

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3257	Ophth Pretesting	wearing_rgp_contacts	status	Status. May have a null value.	string	True	255	DISPENSED DISPENSED_PATIENT_CAN_CONFIRM DISPENSED_SUCCESSFUL DISPENSED_UNSUCCESSFUL FINAL ORDER_TRIAL ORDER_TRIAL_NEEDS_FITTING_DOCTOR ORDER_TRIAL_NEEDS_FITTING_STAFF ORDER_TRIAL_PATIENT_CAN_CONFIRM SEE_NOTES
3258	Ophth Pretesting	wearing_rgp_contacts	notes	(Notes) Notes	string	True	-1	
3259	Ophth Pretesting	wearing_rgp_contacts	lens_manufacturer_od	Contact lens manufacturer OD	string	True	100	Based on ABB product database
3260	Ophth Pretesting	wearing_rgp_contacts	lens_manufacturer_os	Contact lens manufacturer OS	string	True	100	Based on ABB product database
3261	Ophth Pretesting	wearing_rgp_contacts	lens_product_od	Contact lens brand OD	string	True	100	Based on ABB product database
3262	Ophth Pretesting	wearing_rgp_contacts	lens_product_os	Contact lens brand OS	string	True	100	Based on ABB product database
3263	Ophth Pretesting	wearing_rgp_contacts	manual_lens_manufacturer_od	Manual entry - Contact lens manufacturer OD	string	True	255	
3264	Ophth Pretesting	wearing_rgp_contacts	manual_lens_manufacturer_os	Manual entry - Contact lens manufacturer OS	string	True	255	
3265	Ophth Pretesting	wearing_rgp_contacts	manual_lens_product_od	Manual entry - Contact lens brand OD	string	True	255	
3266	Ophth Pretesting	wearing_rgp_contacts	manual_lens_product_os	Manual entry - Contact lens brand OS	string	True	255	
3267	Ophth Pretesting	wearing_rgp_contacts	underlying_condition_od	Underlying condition. If not null, all OD refraction values are null (not including over refraction).	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
3268	Ophth Pretesting	wearing_rgp_contacts	underlying_condition_os	Underlying condition. If not null, all OS refraction values are null (not including over refraction).	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
3269	Ophth Pretesting	wearing_rgp_contacts	rgp_type_od	RGP Type OD. May have a null value.	string	True	30	TRANSLATING_BIFOCAL_GP PROGRESSIVE_MULTIFOCAL_GP ASPHERIC_GP HYBRID_PROGRESSIVE CORNEAL_RESHAPING SPHERICAL_GP CUSTOM HYBRID_KERATOCONUS KERATOCONUS_GP REVERSE_GEOMETRY_GP HYBRID_SPHERE CRT SPHERE SCLERAL_GP TRIFOCAL_HYBRID_GP HYBRID_POST_SURGICAL TORIC_GP HYBRID_MULTIFOCAL BITORIC

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3270	Ophth Pretesting	wearing_rgp_contacts	rgp_type_os	RGP Type OS. May have a null value.	string	True	30	TRANSLATING_BIFOCAL_GP PROGRESSIVE_MULTIFOCAL_GP ASPHERIC_GP HYBRID_PROGRESSIVE CORNEAL_RESHAPING SPHERICAL_GP CUSTOM HYBRID_KERATOCONUS KERATOCONUS_GP REVERSE_GEOMETRY_GP HYBRID_SPHERE CRT SPHERE SCLERAL_GP TRIFOCAL_HYBRID_GP HYBRID_POST_SURGICAL TORIC_GP HYBRID_MULTIFOCAL BITORIC
3271	Ophth Pretesting	wearing_rgp_contacts	manual_rgp_type_od	Manual entry - RGP Type OD	string	True	255	
3272	Ophth Pretesting	wearing_rgp_contacts	manual_rgp_type_os	Manual entry - RGP Type OS	string	True	255	
3273	Ophth Pretesting	wearing_rgp_contacts	base_curve_1_od	Base Curve OD	double	True		
3274	Ophth Pretesting	wearing_rgp_contacts	base_curve_1_os	Base Curve OS	double	True		
3275	Ophth Pretesting	wearing_rgp_contacts	base_curve_2_od	Base Curve 2 OD	double	True		
3276	Ophth Pretesting	wearing_rgp_contacts	base_curve_2_os	Base Curve 2 OS	double	True		
3277	Ophth Pretesting	wearing_rgp_contacts	diameter_od	Diameter OD	double	True		
3278	Ophth Pretesting	wearing_rgp_contacts	diameter_os	Diameter OS	double	True		
3279	Ophth Pretesting	wearing_rgp_contacts	sphere_1_od	Sphere OD	double	True		
3280	Ophth Pretesting	wearing_rgp_contacts	sphere_1_os	Sphere OS	double	True		
3281	Ophth Pretesting	wearing_rgp_contacts	sphere_2_od	Sphere 2 OD	double	True		
3282	Ophth Pretesting	wearing_rgp_contacts	sphere_2_os	Sphere 2 OS	double	True		
3283	Ophth Pretesting	wearing_rgp_contacts	cylinder_1_od	Cylinder OD	double	True		
3284	Ophth Pretesting	wearing_rgp_contacts	cylinder_1_os	Cylinder OS	double	True		
3285	Ophth Pretesting	wearing_rgp_contacts	cylinder_2_od	Cylinder 2 OD	double	True		
3286	Ophth Pretesting	wearing_rgp_contacts	cylinder_2_os	Cylinder 2 OS	double	True		
3287	Ophth Pretesting	wearing_rgp_contacts	axis_1_od	Axis OD	int	True		
3288	Ophth Pretesting	wearing_rgp_contacts	axis_1_os	Axis OS	int	True		
3289	Ophth Pretesting	wearing_rgp_contacts	axis_2_od	Axis 2 OD	int	True		
3290	Ophth Pretesting	wearing_rgp_contacts	axis_2_os	Axis 2 OS	int	True		
3291	Ophth Pretesting	wearing_rgp_contacts	pcr_1_od	Peripheral Curve Radius (PCR) OD	double	True		
3292	Ophth Pretesting	wearing_rgp_contacts	pcr_1_os	Peripheral Curve Radius (PCR) OS	double	True		
3293	Ophth Pretesting	wearing_rgp_contacts	pcw_1_od	Peripheral Curve Width (PCW) OD	double	True		
3294	Ophth Pretesting	wearing_rgp_contacts	pcw_1_os	Peripheral Curve Width (PCW) OS	double	True		
3295	Ophth Pretesting	wearing_rgp_contacts	pcr_2_od	Peripheral Curve Radius (PCR) 2 OD	double	True		
3296	Ophth Pretesting	wearing_rgp_contacts	pcr_2_os	Peripheral Curve Radius (PCR) 2 OS	double	True		
3297	Ophth Pretesting	wearing_rgp_contacts	pcw_2_od	Peripheral Curve Width (PCW) 2 OD	double	True		
3298	Ophth Pretesting	wearing_rgp_contacts	pcw_2_os	Peripheral Curve Width (PCW) 2 OS	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3299	Ophth Pretesting	wearing_rgp_contacts	pcr_3_od	Peripheral Curve Radius (PCR) 3 OD	double	True		
3300	Ophth Pretesting	wearing_rgp_contacts	pcr_3_os	Peripheral Curve Radius (PCR) 3 OS	double	True		
3301	Ophth Pretesting	wearing_rgp_contacts	pcw_3_od	Peripheral Curve Width (PCW) 3 OD	double	True		
3302	Ophth Pretesting	wearing_rgp_contacts	pcw_3_os	Peripheral Curve Width (PCW) 3 OS	double	True		
3303	Ophth Pretesting	wearing_rgp_contacts	add_od	Add OD	double	True		
3304	Ophth Pretesting	wearing_rgp_contacts	add_os	Add OS	double	True		
3305	Ophth Pretesting	wearing_rgp_contacts	prism_od	Prism OD	double	True		
3306	Ophth Pretesting	wearing_rgp_contacts	prism_os	Prism OS	double	True		
3307	Ophth Pretesting	wearing_rgp_contacts	center_thickness_od	Center Thickness OD	double	True		
3308	Ophth Pretesting	wearing_rgp_contacts	center_thickness_os	Center Thickness OS	double	True		
3309	Ophth Pretesting	wearing_rgp_contacts	edge_thickness_od	Edge Thickness OD	double	True		
3310	Ophth Pretesting	wearing_rgp_contacts	edge_thickness_os	Edge Thickness OS	double	True		
3311	Ophth Pretesting	wearing_rgp_contacts	optical_zone_od	Optical Zone OD	double	True		
3312	Ophth Pretesting	wearing_rgp_contacts	optical_zone_os	Optical Zone OS	double	True		
3313	Ophth Pretesting	wearing_rgp_contacts	segment_height_od	Segment Height OD	double	True		
3314	Ophth Pretesting	wearing_rgp_contacts	segment_height_os	Segment Height OS	double	True		
3315	Ophth Pretesting	wearing_rgp_contacts	blend_od	Blend OD. May have a null value.	string	True	30	LIGHT MEDIUM HEAVY
3316	Ophth Pretesting	wearing_rgp_contacts	blend_os	Blend OS. May have a null value.	string	True	30	LIGHT MEDIUM HEAVY
3317	Ophth Pretesting	wearing_rgp_contacts	material_od	Material OD	string	True	255	
3318	Ophth Pretesting	wearing_rgp_contacts	material_os	Material OS	string	True	255	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3319	Ophth Pretesting	wearing_rgp_contacts	tint_od	Tint OD. May have a null value.	string	True	30	AQUA BLUE CRYSTAL_BLUE MAJESTIC_BLUE BROWN GRAY GREEN RED VIOLET BABY_BLUE CHESTNUT_BROWN CLEAR TURQUOISE AQUA_ENHANCER BLUE_BLOCKER BLUE_ENHANCER BLUE_GRAY CARIBBEAN_AQUA COBALT DARK_COCOA EMERALD_GREEN EVERGREEN MIGRAINE_55 GRANITE GREEN_ENHANCER HONEY ICE_BLUE LAVENDER PECAN PISTACHIO SAPPHIRE_BLUE STORMY_GRAY TEAL

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3320	Ophth Pretesting	wearing_rgp_contacts	tint_os	Tint OS. May have a null value.	string	True	30	AQUA BLUE CRYSTAL_BLUE MAJESTIC_BLUE BROWN GRAY GREEN RED VIOLET BABY_BLUE CHESTNUT_BROWN CLEAR TURQUOISE AQUA_ENHANCER BLUE_BLOCKER BLUE_ENHANCER BLUE_GRAY CARIBBEAN_AQUA COBALT DARK_COCOA EMERALD_GREEN EVERGREEN MIGRAINE_55 GRANITE GREEN_ENHANCER HONEY ICE_BLUE LAVENDER PECAN PISTACHIO SAPPHIRE_BLUE STORMY_GRAY TEAL
3321	Ophth Pretesting	wearing_rgp_contacts	visual_acuity_dcc_od	Visual acuity DccOD	string	True	20	See Appendix B
3322	Ophth Pretesting	wearing_rgp_contacts	visual_acuity_dcc_os	Visual acuity DccOS	string	True	20	See Appendix B
3323	Ophth Pretesting	wearing_rgp_contacts	visual_acuity_dcc_ou	Visual acuity DccOU	string	True	20	See Appendix B
3324	Ophth Pretesting	wearing_rgp_contacts	visual_acuity_ncc_od	Visual acuity NccOD	string	True	20	See Appendix B
3325	Ophth Pretesting	wearing_rgp_contacts	visual_acuity_ncc_os	Visual acuity NccOS	string	True	20	See Appendix B
3326	Ophth Pretesting	wearing_rgp_contacts	visual_acuity_ncc_ou	Visual acuity NccOU	string	True	20	See Appendix B
3327	Ophth Pretesting	wearing_rgp_contacts	movement_od	(Assessment) Movement OD. May have a null value.	string	True	100	GOOD TIGHT LOOSE NONE
3328	Ophth Pretesting	wearing_rgp_contacts	movement_os	(Assessment) Movement OS. May have a null value.	string	True	100	GOOD TIGHT LOOSE NONE

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3329	Ophth Pretesting	wearing_rgp_contacts	centration_od	(Assessment) Centration OD. May have a null value.	string	True	100	GOOD DECENTERED_NASAL DECENTERED_TEMPORAL SUPERIOR_APERTURE DROPS_WITH_BLINK NONE
3330	Ophth Pretesting	wearing_rgp_contacts	centration_os	(Assessment) Centration OS. May have a null value.	string	True	100	GOOD DECENTERED_NASAL DECENTERED_TEMPORAL SUPERIOR_APERTURE DROPS_WITH_BLINK NONE
3331	Ophth Pretesting	wearing_rgp_contacts	vision_od	(Assessment) Vision OD. May have a null value.	string	True	100	GOOD FUNCTIONAL ADEQUATE POOR NONE
3332	Ophth Pretesting	wearing_rgp_contacts	vision_os	(Assessment) Vision OS. May have a null value.	string	True	100	GOOD FUNCTIONAL ADEQUATE POOR NONE
3333	Ophth Pretesting	wearing_rgp_contacts	comfort_od	(Assessment) Comfort OD. May have a null value.	string	True	100	COMFORTABLE UNCOMFORTABLE DRY NONE
3334	Ophth Pretesting	wearing_rgp_contacts	comfort_os	(Assessment) Comfort OS. May have a null value.	string	True	100	COMFORTABLE UNCOMFORTABLE DRY NONE
3335	Ophth Pretesting	wearing_rgp_contacts	torics_right_od	(Assessment) Torics Right OD. May have a null value.	boolean	True		True: ON, False: OFF
3336	Ophth Pretesting	wearing_rgp_contacts	torics_right_os	(Assessment) Torics Right OS. May have a null value.	boolean	True		True: ON, False: OFF
3337	Ophth Pretesting	wearing_rgp_contacts	torics_rotated_right_od	(Assessment) Torics Rotated Right (degrees) OD	int	True		
3338	Ophth Pretesting	wearing_rgp_contacts	torics_rotated_right_os	(Assessment) Torics Rotated Right (degrees) OS	int	True		
3339	Ophth Pretesting	wearing_rgp_contacts	torics_rotated_left_od	(Assessment) Torics Rotated Left (degrees) OD	int	True		
3340	Ophth Pretesting	wearing_rgp_contacts	torics_rotated_left_os	(Assessment) Torics Rotated Left (degrees) OS	int	True		
3341	Ophth Pretesting	wearing_rgp_contacts	or_sphere_od	(Over Refraction) Sphere OD	double	True		
3342	Ophth Pretesting	wearing_rgp_contacts	or_sphere_os	(Over Refraction) Sphere OS	double	True		
3343	Ophth Pretesting	wearing_rgp_contacts	or_cylinder_od	(Over Refraction) Cylinder OD	double	True		
3344	Ophth Pretesting	wearing_rgp_contacts	or_cylinder_os	(Over Refraction) Cylinder OS	double	True		
3345	Ophth Pretesting	wearing_rgp_contacts	or_axis_od	(Over Refraction) Axis OD	int	True		
3346	Ophth Pretesting	wearing_rgp_contacts	or_axis_os	(Over Refraction) Axis OS	int	True		
3347	Ophth Pretesting	wearing_rgp_contacts	or_visual_acuity_dcc_od	(Over Refraction) Visual acuity DccOD	string	True	20	See Appendix B
3348	Ophth Pretesting	wearing_rgp_contacts	or_visual_acuity_dcc_os	(Over Refraction) Visual acuity DccOS	string	True	20	See Appendix B
3349	Ophth Pretesting	wearing_rgp_contacts	or_visual_acuity_ncc_od	(Over Refraction) Visual acuity NccOD	string	True	20	See Appendix B
3350	Ophth Pretesting	wearing_rgp_contacts	or_visual_acuity_ncc_os	(Over Refraction) Visual acuity NccOS	string	True	20	See Appendix B
3351	Ophth Pretesting	wearing_rgp_contacts	firm_global_id	ModMed internal firm global identifier	string	False	10	
3352	Diagnosis	diagnosis	diagnosis_id	diagnosis table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3353	Diagnosis	diagnosis	visit_id	visit table id	string	False	20	
3354	Diagnosis	diagnosis	patient_id	patient table id	string	False	20	
3355	Diagnosis	diagnosis	is_new	If the diagnosis was selected as a new diagnosis.	boolean	True		
3356	Diagnosis	diagnosis	is_ruleout	If the diagnosis is the leading diagnosis of a differential diagnosis (DDX).	boolean	True		
3357	Diagnosis	diagnosis	diagnosis_name	ModMed clinical diagnosis names, not necessarily related to ICD codes. May be more or less detailed than an ICD code.	string	True	255	See static_diagnosis.diagnosis_name
3358	Diagnosis	diagnosis	uncertain_diagnosis_name	ModMed clinical diagnosis names, not necessarily related to ICD codes. May be more or less detailed than an ICD code.	string	True	255	See static_diagnosis.diagnosis_name
3359	Diagnosis	diagnosis	diagnosis_type	High-level diagnosis type	string	True	100	See static_diagnosis.diagnosis_type
3360	Diagnosis	diagnosis	diagnosis_status	Status of the diagnosis, if selected.	string	True	50	Improved Well Controlled Resolving Resolved Inadequately Controlled Worsening Stable Unchanged Established Not At Treatment Goal status.improved status.resolved status.stable
3361	Diagnosis	diagnosis	icd9	Internal reference for searching diagnoses, NOT sent for billing. May be partial/base codes not valid for billing.	string	True	50	
3362	Diagnosis	diagnosis	icd10	Internal reference for searching diagnoses, NOT sent for billing. May be partial/base codes not valid for billing.	string	True	25	
3363	Diagnosis	diagnosis	medical_domain	Medical domain the chief complaint is part of.	string	True	255	AESTHETICS ALLERGY COSMETIC DERMATOLOGY ENT FAMILY_MEDICINE GI INTERNAL_MEDICINE OB_GYN OPHTHALMOLOGY OPTOMETRY ORTHOPEDICS PAIN_MANAGEMENT PEDIATRICS PLASTICS PODIATRY PRIMARY_CARE RHEUMATOLOGY UROLOGY
3364	Diagnosis	diagnosis	firm_global_id	ModMed internal firm global identifier	string	False	10	
3365	Patient	patient_race	patient_race_id	patient_race table id	string	False	20	
3366	Patient	patient_race	patient_id	patient table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3367	Patient	patient_race	race	Race	string	True	50	WHITE, BLACK_OR_AFRICAN_AMERICAN, ASIAN, etc.
3368	Patient	patient_race	firm_global_id	ModMed internal firm global identifier	string	False	10	
3369	Ophth Pretesting	pachymetry	pachymetry_id	pachymetry table id	string	False	20	
3370	Ophth Pretesting	pachymetry	visit_id	Visit table id	string	False	20	
3371	Ophth Pretesting	pachymetry	patient_id	patient table id	string	False	20	
3372	Ophth Pretesting	pachymetry	central_cornea_od	Central Cornea OD	double	True		
3373	Ophth Pretesting	pachymetry	central_cornea_os	Central Cornea OS.	double	True		
3374	Ophth Pretesting	pachymetry	superior_cornea_od	Superior Cornea OD.	double	True		
3375	Ophth Pretesting	pachymetry	superior_cornea_os	Superior Cornea OS.	double	True		
3376	Ophth Pretesting	pachymetry	nasal_cornea_od	Nasal Cornea OD.	double	True		
3377	Ophth Pretesting	pachymetry	nasal_cornea_os	Nasal Cornea OS.	double	True		
3378	Ophth Pretesting	pachymetry	inferior_cornea_od	Inferior Cornea OD.	double	True		
3379	Ophth Pretesting	pachymetry	inferior_cornea_os	Inferior Cornea OD.	double	True		
3380	Ophth Pretesting	pachymetry	temporal_cornea_od	Temporal Cornea OD.	double	True		
3381	Ophth Pretesting	pachymetry	temporal_cornea_os	Temporal Cornea OS.	double	True		
3382	Ophth Pretesting	pachymetry	firm_global_id	ModMed internal firm global identifier	string	False	10	
3383	CC/HPI	hpi_response	hpi_response_id	hpi_response table id	string	False	20	
3384	CC/HPI	hpi_response	visit_id	visit table id	string	False	20	
3385	CC/HPI	hpi_response	patient_id	patient table id	string	False	20	
3386	CC/HPI	hpi_response	body_detail_level	Detail level of the associated body location selection(s).	string	True	20	simple: use simple_description column detailed: use detail_description_column zone: use zone column generalized: don't consider body location (condition is "body throughout")
3387	CC/HPI	hpi_response	chief_complaint	Chief Complaint title	string	True	255	See static_hpi_response.chief_complaint
3388	CC/HPI	hpi_response	context	True if the specific HPI component/element was covered	boolean	True		
3389	CC/HPI	hpi_response	duration	True if the specific HPI component/element was covered	boolean	True		
3390	CC/HPI	hpi_response	location	True if the specific HPI component/element was covered	boolean	True		
3391	CC/HPI	hpi_response	modifying_factors	True if the specific HPI component/element was covered	boolean	True		
3392	CC/HPI	hpi_response	quality	True if the specific HPI component/element was covered	boolean	True		
3393	CC/HPI	hpi_response	severity	True if the specific HPI component/element was covered	boolean	True		
3394	CC/HPI	hpi_response	signs_and_symptoms	True if the specific HPI component/element was covered	boolean	True		
3395	CC/HPI	hpi_response	timing	True if the specific HPI component/element was covered	boolean	True		
3396	CC/HPI	hpi_response	firm_global_id	ModMed internal firm global identifier	string	False	10	
3397	PM Financials	claim_scrub_result	claim_scrub_result_id	claim_scrub_result table id	string	False	20	
3398	PM Financials	claim_scrub_result	firm_id	firm table id	string	True	20	
3399	PM Financials	claim_scrub_result	claim_id	claim table id	string	True	20	
3400	PM Financials	claim_scrub_result	claim_scrub_rule_id	claim_scrub_rule table id	string	True	20	
3401	PM Financials	claim_scrub_result	created_by_staff_id	staff table id	string	True	20	
3402	PM Financials	claim_scrub_result	modified_by_staff_id	staff table id	string	True	20	
3403	PM Financials	claim_scrub_result	patient_id	patient table id	string	True	20	
3404	PM Financials	claim_scrub_result	rule_name	Name of the Claim Scrub Rule	string	True	100	
3405	PM Financials	claim_scrub_result	message	Scrub result message.	string	True	2000	
3406	PM Financials	claim_scrub_result	has_failed	Indicates if the Scrub Result is failed or not	boolean	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3407	PM Financials	claim_scrub_result	firm_global_id	ModMed internal firm global identifier	string	False	10	
3408	Diagnosis	diagnosis_body_location	diagnosis_body_location_id	diagnosis_body_location table id	string	False	20	
3409	Diagnosis	diagnosis_body_location	diagnosis_id	diagnosis table id	string	False	20	
3410	Diagnosis	diagnosis_body_location	patient_id	patient table id	string	False	20	
3411	Diagnosis	diagnosis_body_location	body_part	Specific body part	string	True	255	See static_body_location.body_part
3412	Diagnosis	diagnosis_body_location	simple_description	Simple body location for diagnosis	string	True	255	See static_body_location.exam_simple_description
3413	Diagnosis	diagnosis_body_location	detail_description	Detailed body location for diagnosis	string	True	255	See static_body_location.exam_detail_description
3414	Diagnosis	diagnosis_body_location	zone	High-level body zone	string	True	255	See static_body_location.zone
3415	Diagnosis	diagnosis_body_location	firm_global_id	ModMed internal firm global identifier	string	False	10	
3416	eLab	lab_attachment	lab_attachment_id	lab_attachment table id	string	False	20	
3417	eLab	lab_attachment	lab_request_id	lab_request table id	string	False	20	
3418	eLab	lab_attachment	lab_result_id	lab_result table id	string	True	20	
3419	eLab	lab_attachment	patient_id	patient table id	string	True	20	
3420	eLab	lab_attachment	created_by_staff_id	staff table id	string	True	20	
3421	eLab	lab_attachment	result_signed_by_staff_id	staff table id	string	True	20	
3422	eLab	lab_attachment	result_signed_by_staff_secondary_id	staff table id	string	True	20	
3423	eLab	lab_attachment	filename	Name of the file	string	True	255	
3424	eLab	lab_attachment	source	File associated with lab_request or lab_result	string	True	20	lab_request lab_result
3425	eLab	lab_attachment	result_signed_date	Date/time when the result is signed	timestamp	True		
3426	eLab	lab_attachment	result_signed_date_secondary	Secondary date/time when the result is signed	timestamp	True		
3427	eLab	lab_attachment	firm_global_id	ModMed internal firm global identifier	string	False	10	
3428	eLab	elab_order	elab_order_id	elab_order table id	string	False	20	
3429	eLab	elab_order	visit_id	visit table id	string	True	20	Visit the order was created from
3430	eLab	elab_order	staff_id	staff table id	string	True	20	Ordering provider
3431	eLab	elab_order	patient_id	patient table id	string	True	20	
3432	eLab	elab_order	lab_id	lab table id	string	True	20	Lab to send the order to
3433	eLab	elab_order	lab_facility_id	lab_facility table id	string	True	20	Lab facility to send the order to. NULL if a lab facility was not selected when creating the order.
3434	eLab	elab_order	order_number	Order number for the lab order. Multiple tests can have the same order_number. NOTE: order numbers may be re-used across patients (??).	int	True		
3435	eLab	elab_order	lab_order_number	Lab order number for the lab order	string	True	30	
3436	eLab	elab_order	billing_type	Billing Type	string	True	30	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3437	eLab	elab_order	lab_type	Lab Type. May have a null value.	string	True	30	PATHOLOGY PATHOLOGY_EST CLINICAL CLINICAL_EST OTHER RADIOLOGY RADIOLOGY_EST SURGICAL THERAPIES THERAPIES_EST MIXED URINALYSIS UNKNOWN
3438	eLab	elab_order	workflow_status	Status of the order.	string	True	20	PENDING_RESULTS PENDING_COMPLETION COMPLETE CANCELLED RESULT_SOURCE_ORDER
3439	eLab	elab_order	firm_global_id	ModMed internal firm global identifier	string	False	10	
3440	Inventory	package_sale_to_bill	package_sale_to_bill_id	package_sale_to_bill table id	string	False	20	
3441	Inventory	package_sale_to_bill	package_sale_id	package_sale table id	string	False	20	
3442	Inventory	package_sale_to_bill	bill_id	bill table id	string	True	20	
3443	Inventory	package_sale_to_bill	patient_id	patient table id	string	False	20	
3444	Inventory	package_sale_to_bill	sold_by_id	staff table id	string	True	20	
3445	Inventory	package_sale_to_bill	package_name	Package name	string	True	50	
3446	Inventory	package_sale_to_bill	package_description	Package description	string	True	255	
3447	Inventory	package_sale_to_bill	package_sale_date_created	Date on which the package was sold.	timestamp	True		
3448	Inventory	package_sale_to_bill	firm_global_id	ModMed internal firm global identifier	string	True	10	
3449	eLab	lab_result	lab_result_id	lab_result table id	string	False	20	
3450	eLab	lab_result	lab_request_id	lab request id	string	False	20	lab_request table id
3451	eLab	lab_result	patient_id	patient table id	string	True	20	
3452	eLab	lab_result	lab_note_id	lab note id	string	True	20	lab_note table id. Can be NULL
3453	eLab	lab_result	observation_identifier	lab observation identifier	string	True	-1	
3454	eLab	lab_result	observation_sub_id	sub lab observation identifier	string	True	20	
3455	eLab	lab_result	observation_value	Observation value	string	True	-1	
3456	eLab	lab_result	observation_result_status	Result status of observation	string	False	20	CANNOT_BE_OBTAINED CORRECTION DELETE FINAL NOT_ASKED NOT_RESULT NOT_VERIFIED PARTIAL PENDING PRELIMINARY UNSUPPORTED
3457	eLab	lab_result	observation_datetime	Datetime of lab observation	timestamp	True		
3458	eLab	lab_result	date_performed	Datetime of lab performance	timestamp	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3459	eLab	lab_result	analysis_datetime	Datetime of lab analysis	timestamp	True		
3460	eLab	lab_result	performing_organization_name	Performing lab organization name	string	True	600	
3461	eLab	lab_result	performing_organization_address	Performing lab organization address	string	True	300	
3462	eLab	lab_result	performing_organization_medical_director	Performing lab organization medical director	string	True	1000	
3463	eLab	lab_result	lab_result_note	Additional note from performing organization	string	True	-1	
3464	eLab	lab_result	sequence_number	Sequence number of lab result note	int	True		
3465	eLab	lab_result	source	Source of lab note	string	True	100	
3466	eLab	lab_result	type	Type of lab note	string	True	300	
3467	eLab	lab_result	firm_global_id	ModMed internal firm global identifier	string	False	10	
3468	Patient	immunization	immunization_id	immunization table id	string	False	20	
3469	Patient	immunization	patient_id	patient table id	string	False	20	
3470	Patient	immunization	administered_by_id	staff table id	string	True	20	Administered By
3471	Patient	immunization	ordered_by_id	staff table id	string	True	20	Ordered By
3472	Patient	immunization	created_by_staff_id	staff table id	string	True	20	
3473	Patient	immunization	cvx_code	CVX code for the vaccine	string	True	255	
3474	Patient	immunization	short_description	Short description of the vaccine	string	True	255	
3475	Patient	immunization	full_vaccine_name	Full name of the vaccine	string	True	255	
3476	Patient	immunization	lot_number	Lot Number	string	True	255	
3477	Patient	immunization	expiration_date	Expiration Date	timestamp	True		
3478	Patient	immunization	manufacturer	Short description of the vaccine	string	True	255	
3479	Patient	immunization	amount	Amount administered	string	True	25	
3480	Patient	immunization	units	Units of measure for amount	string	True	50	
3481	Patient	immunization	coding_system	Coding system for amount/units	string	True	50	Based on HL7-0396
3482	Patient	immunization	body_site	Site of administration	string	True	50	Based on HL7-0163
3483	Patient	immunization	route	Route of administration	string	True	50	Based on HL7-0162
3484	Patient	immunization	start_date	Start Date	timestamp	True		
3485	Patient	immunization	end_date	End Date	timestamp	True		
3486	Patient	immunization	source	Immunization Information Source	string	True	50	Based on CDC NIP001 (HL7 0396-NIP001)
3487	Patient	immunization	refusal_reason	Substance Refusal Reason	string	True	50	Based on CDC NIP002 (HL7 0396-NIP002)
3488	Patient	immunization	administration_note	Administration note (free-text)	string	True	-1	
3489	Patient	immunization	vfc_class	VFC Financial Class	string	True	3	Based on HL7-0064
3490	Patient	immunization	status	Status of the immunization entry	string	True	20	PRELIMINARY FINALIZED AMENDED INVALIDATED
3491	Patient	immunization	firm_global_id	ModMed internal firm global identifier	string	False	10	
3492	Pathology	pathology_log_plan	pathology_log_plan_id	pathology_log_plan table id	string	False	20	
3493	Pathology	pathology_log_plan	pathology_log_action_id	pathology_log_action table id	string	False	20	
3494	Pathology	pathology_log_plan	patient_id	patient table id	string	False	20	
3495	Pathology	pathology_log_plan	plan	Plans to perform based on the biopsy result and action.	string	True	255	See static_pathology_plan.plan
3496	Pathology	pathology_log_plan	firm_global_id	ModMed internal firm global identifier	string	False	10	
3497	Visit	ros	ros_id	ros table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3498	Visit	ros	visit_id	visit table id	string	False	20	
3499	Visit	ros	patient_id	patient table id	string	False	20	
3500	Visit	ros	question	Review of systems question.	string	True	255	
3501	Visit	ros	type	Ros type/system.	string	True	100	ALLERGIC_IMMUNOLOGIC, CARDIOVASCULAR, CONSTITUTIONAL_SYMPTOM, NONE, OTHER
3502	Visit	ros	flag_alert	If the ros entry is an alert, will alert provider when creating a new visit for the patient.	boolean	True		
3503	Visit	ros	value	True for yes, false for no.	boolean	True		
3504	Visit	ros	firm_global_id	ModMed internal firm global identifier	string	False	10	
3505	Inventory	package_sale_to_appointment	package_sale_to_appointment_id	package_sale_to_appointment table id	string	False	20	
3506	Inventory	package_sale_to_appointment	package_sale_id	package_sale table id	string	False	20	
3507	Inventory	package_sale_to_appointment	appointment_id	appointment table id	string	False	20	
3508	Inventory	package_sale_to_appointment	patient_id	patient table id	string	False	20	
3509	Inventory	package_sale_to_appointment	package_name	Package name	string	True	50	
3510	Inventory	package_sale_to_appointment	package_description	Package description	string	True	255	
3511	Inventory	package_sale_to_appointment	package_sale_date_created	Date on which the package was sold.	timestamp	True		
3512	Inventory	package_sale_to_appointment	firm_global_id	ModMed internal firm global identifier	string	True	10	
3513	Patient	insurance_policy_authorization_appt_type	insurance_policy_authorization_appt_type_id	insurance_policy_authorization_appt_type table id	string	False	20	
3514	Patient	insurance_policy_authorization_appt_type	insurance_policy_authorization_id	insurance_policy_authorization table id	string	False	20	
3515	Patient	insurance_policy_authorization_appt_type	appointment_type_id	insurance_policy_authorization table id	string	False	20	
3516	Patient	insurance_policy_authorization_appt_type	patient_id	patient table id	string	False	20	
3517	Patient	insurance_policy_authorization_appt_type	firm_global_id	ModMed internal firm global identifier	string	False	10	
3518	Diagnosis	diagnosis_adx	diagnosis_adx_id	diagnosis_adx table id	string	False	20	
3519	Diagnosis	diagnosis_adx	diagnosis_id	diagnosis table id	string	False	20	
3520	Diagnosis	diagnosis_adx	patient_id	patient table id	string	False	20	
3521	Diagnosis	diagnosis_adx	diagnosis_name	ModMed clinical diagnosis names, not necessarily related to ICD codes. May be more or less detailed than an ICD code.	string	True	255	Associated diagnosis. See diagnosis. diagnosis_name for values.
3522	Diagnosis	diagnosis_adx	firm_global_id	ModMed internal firm global identifier	string	False	10	
3523	eLab	result_log	result_log_id	result_log table id	string	False	20	
3524	eLab	result_log	firm_id	firm table id	string	False	20	
3525	eLab	result_log	facility_id	facility table id	string	True	20	
3526	eLab	result_log	provider_id	staff table id	string	True	20	
3527	eLab	result_log	patient_id	patient table id	string	True	20	
3528	eLab	result_log	visit_id	visit table id	string	True	20	
3529	eLab	result_log	referral_institution_id	referral_institution table id	string	True	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3530	eLab	result_log	elab_order_id	elab_order table id	string	True	20	
3531	eLab	result_log	elab_order_result_id	elab_order_result table id	string	True	20	
3532	eLab	result_log	file_attachment_id	file_attachment table id	string	True	20	
3533	eLab	result_log	pathology_log_id	pathology_log table id	string	True	20	
3534	eLab	result_log	pathology_group_identifier	Group identifier for pathology results	string	True	20	
3535	eLab	result_log	received_date	Date result was received	timestamp	True		
3536	eLab	result_log	visit_date	Date of patient visit	timestamp	True		
3537	eLab	result_log	collected_date	Date lab was collected	timestamp	True		
3538	eLab	result_log	performed_date	Date lab was performed	timestamp	True		
3539	eLab	result_log	type	Type of lab result	string	True	20	UNKNOWN RADIOLOGY PT_OT PROCEDURE PATHOLOGY LAB CLINICAL_TESTING
3540	eLab	result_log	name	Title of result received	string	True	-1	
3541	eLab	result_log	flag	Flag received with result	string	True	-1	
3542	eLab	result_log	diagnosis	Diagnosis received with result	string	True	-1	
3543	eLab	result_log	provider_name	Provider's name	string	True	250	
3544	eLab	result_log	vendor_name	Vendor's name	string	True	150	
3545	eLab	result_log	status	Status of result	string	True	20	CORRECTED FINAL PRELIMINARY
3546	eLab	result_log	workflow_status	Workflow status of result	string	True	20	ARCHIVED COMPLETED NEW OPENED PENDING SENT_FOR_SIGNATURE SIGNED_AND_COMPLETE SIGNED_AND_PENDING
3547	eLab	result_log	sent_to_portal	Sent to portal status	boolean	True		
3548	eLab	result_log	firm_global_id	ModMed internal firm global identifier	string	False	10	
3549	PM Financials	billing_quote_charge	billing_quote_charge_id	billing_quote_charge table id	string	False	20	
3550	PM Financials	billing_quote_charge	billing_quote_id	billing_quote table id	string	False	20	
3551	PM Financials	billing_quote_charge	patient_id	patient table id	string	False	20	
3552	PM Financials	billing_quote_charge	custom_code_id	custom_code table id	string	True	20	
3553	PM Financials	billing_quote_charge	code_category_item_id	code_category table id	string	True	20	
3554	PM Financials	billing_quote_charge	product_id	Product table id	string	True	20	
3555	PM Financials	billing_quote_charge	billing_quote_charge_discount_id	billing_quote_charge_discount table id.	string	True	20	
3556	PM Financials	billing_quote_charge	custom_non_bill_code_id	custom_non_bill_code table id	string	True	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3557	PM Financials	billing_quote_charge	charge_type	Type of code associated with charge	string	True	30	CPT CUSTOM_CHARGE PRODUCT ADDITIONAL_FEE INVENTORY CUSTOM_CODE
3558	PM Financials	billing_quote_charge	cpt_product	The CPT/HCPCS procedure code for the bill charge or category for a non-bill charge, or inventory product code	string	True	100	
3559	PM Financials	billing_quote_charge	cpt_product_description	The CPT/HCPCS procedure code or category description for the bill charge or non-bill charge, or inventory product description.	string	True	500	
3560	PM Financials	billing_quote_charge	unit_charge	Charge per unit for services rendered	double	True		
3561	PM Financials	billing_quote_charge	units	Units	double	True		
3562	PM Financials	billing_quote_charge	position	Position in the bill (order of code in list of codes).	int	True		
3563	PM Financials	billing_quote_charge	date_created	Date created (system generated).	timestamp	True		
3564	PM Financials	billing_quote_charge	date_modified	Date modified (system generated).	timestamp	True		
3565	PM Financials	billing_quote_charge	firm_global_id	ModMed internal firm global identifier	string	False	10	
3566	Appointment	appointment_log	appointment_log_id	appointment_log table id	string	False	20	
3567	Appointment	appointment_log	appointment_id	appointment table id	string	False	20	
3568	Appointment	appointment_log	patient_id	patient table id	string	False	20	
3569	Appointment	appointment_log	previous_facility_id	facility table id.	string	False	20	
3570	Appointment	appointment_log	event_by_staff_id	staff table id if event is generated by staff.	string	True	20	
3571	Appointment	appointment_log	event_by_patient_id	patient table id if event is generated by patient.	string	True	20	
3572	Appointment	appointment_log	new_facility_id	facility table id for the new facility. If facility was changed.	string	True	20	
3573	Appointment	appointment_log	previous_provider_id	staff table id for the provider.	string	False	20	
3574	Appointment	appointment_log	new_provider_id	staff table id for the new provider. If provider was changed.	string	True	20	
3575	Appointment	appointment_log	rescheduled	Appointment re-scheduled flag.	boolean	False		
3576	Appointment	appointment_log	previous_appointment_duration	Active flag for appointment type link	int	True		
3577	Appointment	appointment_log	new_appointment_duration	Active flag for appointment type link	int	True		
3578	Appointment	appointment_log	status_changed	Appointment status changed flag.	boolean	False		
3579	Appointment	appointment_log	previous_appointment_status	Previous appointment status.	string	True	14	PENDING CONFIRMED ARRIVED CHECKED_IN CHECKED_OUT NO_SHOW CANCELLED
3580	Appointment	appointment_log	new_appointment_status	New appointment status.	string	True	14	PENDING CONFIRMED ARRIVED CHECKED_IN CHECKED_OUT NO_SHOW CANCELLED
3581	Appointment	appointment_log	cancel_notes	Cancellation notes.	string	True	2048	
3582	Appointment	appointment_log	cancel_reason	Reason for cancellation.	string	True	100	
3583	Appointment	appointment_log	custom_cancel_reason	Custom reason for cancellation.	string	True	100	
3584	Appointment	appointment_log	time_zone	Facility time zone	string	True	30	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3585	Appointment	appointment_log	appointment_log_time	appointment_log time stamp.	timestamp	True		
3586	Appointment	appointment_log	previous_appointment_date	Date for previous appointment.	timestamp	True		
3587	Appointment	appointment_log	new_appointment_date	Date for new appointment.	timestamp	True		
3588	Appointment	appointment_log	appointment_log_time_id	(Localized date) appointment_log time stamp.	timestamp	True		
3589	Appointment	appointment_log	previous_appointment_date_id	(Localized date) Date for previous appointment.	timestamp	True		
3590	Appointment	appointment_log	new_appointment_date_id	(Localized date) Date for new appointment.	timestamp	True		
3591	Appointment	appointment_log	firm_global_id	ModMed internal firm global identifier	string	False	10	
3592	Ophth Pretesting	infant_vision	infant_vision_id	infant_vision table id	string	False	20	
3593	Ophth Pretesting	infant_vision	visit_id	Visit table id	string	False	20	
3594	Ophth Pretesting	infant_vision	patient_id	patient table id	string	False	20	
3595	Ophth Pretesting	infant_vision	corneal_light_reflex_od	Corneal light reflex OD. May have a null value.	string	True	20	C: Central UC: Uncentral OTHER: Other NONE: None
3596	Ophth Pretesting	infant_vision	corneal_light_reflex_os	Corneal light reflex OS. May have a null value.	string	True	20	C: Central UC: Uncentral OTHER: Other NONE: None
3597	Ophth Pretesting	infant_vision	steadiness_od	Steadiness OD. May have a null value.	string	True	20	S: Steady US: Unsteady OTHER: Other NONE: None
3598	Ophth Pretesting	infant_vision	steadiness_os	Steadiness OS. May have a null value.	string	True	20	S: Steady US: Unsteady OTHER: Other NONE: None
3599	Ophth Pretesting	infant_vision	maintains_alignment_od	Maintains alignment OD. May have a null value.	string	True	20	M: Maintains UM: Unmaintained OTHER: Other NONE: None
3600	Ophth Pretesting	infant_vision	maintains_alignment_os	Maintains alignment OS. May have a null value.	string	True	20	M: Maintains UM: Unmaintained OTHER: Other NONE: None
3601	Ophth Pretesting	infant_vision	other_od	Infant vision other OD.	string	True	100	
3602	Ophth Pretesting	infant_vision	other_os	Infant vision other OD.	string	True	100	
3603	Ophth Pretesting	infant_vision	firm_global_id	ModMed internal firm global identifier	string	False	10	
3604	Ophth Pretesting	rnfl_thickness	rnfl_thickness_id	rnfl_thickness table id	string	False	20	
3605	Ophth Pretesting	rnfl_thickness	visit_id	Visit table id	string	False	20	
3606	Ophth Pretesting	rnfl_thickness	patient_id	patient table id	string	False	20	
3607	Ophth Pretesting	rnfl_thickness	rnfl_thickness_od	RNFL Thickness (µm) OD	double	True		
3608	Ophth Pretesting	rnfl_thickness	rnfl_thickness_os	RNFL Thickness (µm) OS.	double	True		
3609	Ophth Pretesting	rnfl_thickness	firm_global_id	ModMed internal firm global identifier	string	False	10	
3610	Ophth Pretesting	light_reflex	light_reflex_id	light_reflex table id	string	False	20	
3611	Ophth Pretesting	light_reflex	motility_id	motility table id	string	False	20	
3612	Ophth Pretesting	light_reflex	patient_id	patient table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3613	Ophth Pretesting	light_reflex	date_recorded	Date recorded. May be different than the visit date and edited by the physician or staff member.	timestamp	True		
3614	Ophth Pretesting	light_reflex	correction	Correction.	string	True	20	CORRECTION_WITH CORRECTION_WITHOUT
3615	Ophth Pretesting	light_reflex	working_distance	Working Distance.	string	True	30	WORKING_DISTANCE_AT_DISTANCE WORKING_DISTANCE_AT_NEAR
3616	Ophth Pretesting	light_reflex	fixation	Fixation.	string	True	30	FIXATION_OD FIXATION_OS FIXATION_NA
3617	Ophth Pretesting	light_reflex	prism	Prism. Free-text field, only numeric values are included.	double	True		
3618	Ophth Pretesting	light_reflex	reflex_prism	Prism.	string	True	20	PRISM_BI PRISM_BO PRISM_BU PRISM_BD
3619	Ophth Pretesting	light_reflex	with_lens	With Lens. Free-text field, only numeric values are included.	double	True		
3620	Ophth Pretesting	light_reflex	post_occlusion	Post Occlusion (time in minutes).	int	True		
3621	Ophth Pretesting	light_reflex	hirschberg_amount	(Hirschberg) Diopters.	int	True		
3622	Ophth Pretesting	light_reflex	hirschberg_defect	(Hirschberg) Tropia.	string	True	20	ESOTROPIA EXOTROPIA HYPERTROPIA HYPOTROPIA OTHER NONE
3623	Ophth Pretesting	light_reflex	hirschberg_eye	(Hirschberg) Eye	string	True	10	OCULUS_NA OD OS
3624	Ophth Pretesting	light_reflex	krimsky_amount	(Krimsky) Diopters.	int	True		
3625	Ophth Pretesting	light_reflex	krimsky_defect	(Krimsky) Tropia.	string	True	20	ESOTROPIA EXOTROPIA HYPERTROPIA HYPOTROPIA OTHER NONE
3626	Ophth Pretesting	light_reflex	krimsky_eye	(Krimsky) Eye	string	True	10	OCULUS_NA OD OS
3627	Ophth Pretesting	light_reflex	firm_global_id	ModMed internal firm global identifier	string	False	10	
3628	PM Financials	bill_insurance_timely_filing	bill_insurance_timely_filing_id	bill_insurance_timely_filing table id	string	False	20	
3629	PM Financials	bill_insurance_timely_filing	bill_insurance_id	bill_insurance table id	string	False	20	
3630	PM Financials	bill_insurance_timely_filing	patient_id	patient table id	string	False	20	
3631	PM Financials	bill_insurance_timely_filing	archived	Billing insurance archived flag.	boolean	True		
3632	PM Financials	bill_insurance_timely_filing	timely_filing_date	Timely Filing date.	timestamp	True		
3633	PM Financials	bill_insurance_timely_filing	timely_filing_warning_date	Timely Filing warning date.	timestamp	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3634	PM Financials	bill_insurance_timely_filing	timely_filing_date_id	Timely Filing date.	timestamp	True		
3635	PM Financials	bill_insurance_timely_filing	timely_filing_warning_date_id	Timely Filing warning date.	timestamp	True		
3636	PM Financials	bill_insurance_timely_filing	firm_global_id	ModMed internal firm global identifier	string	False	10	
3637	Patient	patient_case	patient_case_id	patient_case table id	string	False	20	
3638	Patient	patient_case	patient_id	patient table id	string	True	20	
3639	Patient	patient_case	staff_id	staff table id	string	True	20	
3640	Patient	patient_case	insurance_policy_id	insurance_policy table id	string	False	20	
3641	Patient	patient_case	case_type	Patient case Type	string	False	40	WORKERS_COMP AUTO_ACCIDENT PERSONAL_INJURY MEDICAL OTHER
3642	Patient	patient_case	case_name	Patient case name	string	False	50	
3643	Patient	patient_case	case_number	Patient case number	string	False	30	
3644	Patient	patient_case	injury_date	The date which the injury occurred	timestamp	False		
3645	Patient	patient_case	injury_state	State in which the injury occurred	string	False	2	
3646	Patient	patient_case	unable_to_work_start_date	Start date in which patient was unable to work	timestamp	True		
3647	Patient	patient_case	unable_to_work_end_date	End date in which patient was unable to work	timestamp	True		
3648	Patient	patient_case	active	Patient case status	boolean	False		
3649	Patient	patient_case	firm_global_id	ModMed internal firm global identifier	string	False	10	
3650	eLab	order_log_attachment	order_log_attachment_id	order_log_attachment table id	string	False	20	
3651	eLab	order_log_attachment	order_log_id	order_log table id	string	False	20	
3652	eLab	order_log_attachment	file_attachment_id	file_attachment table id	string	True	20	
3653	eLab	order_log_attachment	facility_id	facility table id	string	True	20	
3654	eLab	order_log_attachment	patient_id	patient table id	string	True	20	
3655	eLab	order_log_attachment	firm_global_id	ModMed internal firm global identifier	string	False	10	
3656	Visit	visit_code	visit_code_id	visit_code table id	string	False	20	
3657	Visit	visit_code	visit_id	visit table id	string	False	20	
3658	Visit	visit_code	patient_id	patient table id	string	False	20	
3659	Visit	visit_code	code_system	Describes the type of code. ICD9, IC10, CPT, etc	string	True	20	fbID Modifier ICD10 LOINC Metathesaurus CPT ICD9 SNOMED quality
3660	Visit	visit_code	code_value	Code value.	string	True	60	
3661	Visit	visit_code	source	Where the code came from within EMA. Problem list, past medical history, etc.	string	True	1000	
3662	Visit	visit_code	firm_global_id	ModMed internal firm global identifier	string	False	10	
3663	Procedure	procedure_metadata_nested_value	procedure_metadata_nested_value_id	procedure_metadata_nested_value table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3664	Procedure	procedure_metadata_nested_value	procedure_metadata_select ion_id	procedure_metadata_value table id	string	False	20	
3665	Procedure	procedure_metadata_nested_value	patient_id	patient table id	string	False	20	
3666	Procedure	procedure_metadata_nested_value	type	Data type of the metadata item.	string	True	25	CPT GCODE GCODE_MOD UCI
3667	Procedure	procedure_metadata_nested_value	code	Metadata code	string	True	80	
3668	Procedure	procedure_metadata_nested_value	description	Metadata description	string	True	10000	
3669	Procedure	procedure_metadata_nested_value	firm_global_id	Firm global identifier (unique across pods)	string	False	10	
3670	PM Financials	unposted_charges	unposted_charges_id	unposted_charges table id	string	False	20	
3671	PM Financials	unposted_charges	business_unit_id	business_unit table id	string	False	20	
3672	PM Financials	unposted_charges	patient_id	patient table id	string	True	20	
3673	PM Financials	unposted_charges	bill_item_id	bill_item table id	string	False	20	
3674	PM Financials	unposted_charges	facility_id	facility table id	string	False	20	
3675	PM Financials	unposted_charges	provider_id	staff table id	string	False	20	Billing provider id
3676	PM Financials	unposted_charges	primary_provider_id	staff table id	string	False	20	Primary provider listed on bill
3677	PM Financials	unposted_charges	created_by_staff_id	staff table id	string	True	20	
3678	PM Financials	unposted_charges	division_id	division table id	string	True	20	
3679	PM Financials	unposted_charges	custom_non_bill_code_id	custom_non_bill_code table id	string	True	20	
3680	PM Financials	unposted_charges	financial_category_id	financial_category table id	string	True	20	
3681	PM Financials	unposted_charges	primary_payer_id	payer table id	string	True	55	Payer listed on bill
3682	PM Financials	unposted_charges	financial_category	financial category name	string	True	255	
3683	PM Financials	unposted_charges	primary_payer_name	Primary insurance company name for payment	string	True	250	
3684	PM Financials	unposted_charges	remaining_charge_balance	Remaining charge balance per bill item	double	True		
3685	PM Financials	unposted_charges	bill_type	Bill type	string	True	20	PATIENT CLAIM VISION AUTO_PIP WORKERS_COMP
3686	PM Financials	unposted_charges	status	Current bill status	string	True	40	PRELIMINARY IN_PROGRESS REQUIRES_REVISION READY_FOR_REVIEW IN_REVIEW INACTIVE_OTHER RESOLVED_PAID RESOLVED_OTHER IN_DISPUTE PAYMENT_PENDING READY_FOR_POSTING
3687	PM Financials	unposted_charges	cpt_product	The CPT/HCPCS procedure code for the bill charge or the inventory product code.	string	True	100	
3688	PM Financials	unposted_charges	cpt_product_description	The CPT/HCPCS procedure code description for the bill charge or the inventory product description.	string	True	500	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3689	PM Financials	unposted_charges	time_zone	Facility time zone	string	True	30	
3690	PM Financials	unposted_charges	service_date_to_id	Date which service ended.	timestamp	True		
3691	PM Financials	unposted_charges	service_date_from_id	Date which service started.	timestamp	True		
3692	PM Financials	unposted_charges	firm_global_id	ModMed internal firm global identifier	string	False	10	
3693	Ophth Pretesting	wearing_glasses	wearing_glasses_id	wearing_glasses table id	string	False	20	
3694	Ophth Pretesting	wearing_glasses	visit_id	visit table id	string	True	20	
3695	Ophth Pretesting	wearing_glasses	patient_id	patient table id	string	False	20	
3696	Ophth Pretesting	wearing_glasses	date_recorded	Date recorded. May be different than the visit date and edited by the physician or staff member.	timestamp	True		
3697	Ophth Pretesting	wearing_glasses	eyeglass_type	Eyeglass type	string	True	40	null BIFOCAL BROKEN LEFT_AT_HOME NONE OTHER PROGRESSIVES SINGLE_VISION_DISTANCE SINGLE_VISION_INTERMEDIATE SINGLE_VISION_NEAR TRIFOCAL
3698	Ophth Pretesting	wearing_glasses	eyeglass_usage	Eyeglass usage	string	True	255	See Appendix A
3699	Ophth Pretesting	wearing_glasses	anti_reflective_coating	Eyeglass option (Anti-Reflective coating)	boolean	True		
3700	Ophth Pretesting	wearing_glasses	hi_index_lenses	Eyeglass option (Hi-Index lenses)	boolean	True		
3701	Ophth Pretesting	wearing_glasses	polarized	Eyeglass option (Polarized)	boolean	True		
3702	Ophth Pretesting	wearing_glasses	polycarbonate	Eyeglass option (Polycarbonate)	boolean	True		
3703	Ophth Pretesting	wearing_glasses	scratch_coating	Eyeglass option (Scratch Coating)	boolean	True		
3704	Ophth Pretesting	wearing_glasses	slab_off	Eyeglass option (Slab Off)	boolean	True		
3705	Ophth Pretesting	wearing_glasses	sunglasses	Eyeglass option (Sunglasses)	boolean	True		
3706	Ophth Pretesting	wearing_glasses	transition_lenses	Eyeglass option (Transition Lenses)	boolean	True		
3707	Ophth Pretesting	wearing_glasses	uv_coating	Eyeglass option (UV Coating)	boolean	True		
3708	Ophth Pretesting	wearing_glasses	eyeglass_option_other	Eyeglass option (other)	string	True	20000	
3709	Ophth Pretesting	wearing_glasses	pd_distance_ou	Binocular Pupillary Distance - Distance	double	True		
3710	Ophth Pretesting	wearing_glasses	pd_near_ou	Binocular Pupillary Distance - Near	double	True		
3711	Ophth Pretesting	wearing_glasses	notes	(Notes) Notes	string	True	-1	
3712	Ophth Pretesting	wearing_glasses	underlying_condition_od	(Prisms/PDs) Underlying condition. If not null, all other OD refraction values are null.	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
3713	Ophth Pretesting	wearing_glasses	underlying_condition_os	(Prisms/PDs) Underlying condition. If not null, all other OS refraction values are null.	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
3714	Ophth Pretesting	wearing_glasses	sphere_od	(Refractions) Sphere	double	True		
3715	Ophth Pretesting	wearing_glasses	sphere_os	(Refractions) Sphere	double	True		
3716	Ophth Pretesting	wearing_glasses	cylinder_od	(Refractions) Cylinder	double	True		
3717	Ophth Pretesting	wearing_glasses	cylinder_os	(Refractions) Cylinder	double	True		
3718	Ophth Pretesting	wearing_glasses	axis_od	(Refractions) Axis	int	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3719	Ophth Pretesting	wearing_glasses	axis_os	(Refractions) Axis	int	True		
3720	Ophth Pretesting	wearing_glasses	add_od	(Refractions) Add	double	True		
3721	Ophth Pretesting	wearing_glasses	add_os	(Refractions) Add	double	True		
3722	Ophth Pretesting	wearing_glasses	horizontal_prism_od	(Prisms/PDs) HPrism	double	True		
3723	Ophth Pretesting	wearing_glasses	horizontal_prism_os	(Prisms/PDs) HPrism	double	True		
3724	Ophth Pretesting	wearing_glasses	horizontal_base_od	(Prisms/PDs) Base. May have a null value.	string	True	20	OUT IN UP DOWN
3725	Ophth Pretesting	wearing_glasses	horizontal_base_os	(Prisms/PDs) Base. May have a null value.	string	True	20	OUT IN UP DOWN
3726	Ophth Pretesting	wearing_glasses	vertical_prism_od	(Prisms/PDs) VPrism	double	True		
3727	Ophth Pretesting	wearing_glasses	vertical_prism_os	(Prisms/PDs) VPrism	double	True		
3728	Ophth Pretesting	wearing_glasses	vertical_base_od	(Prisms/PDs) Base. May have a null value.	string	True	20	OUT IN UP DOWN
3729	Ophth Pretesting	wearing_glasses	vertical_base_os	(Prisms/PDs) Base. May have a null value.	string	True	20	OUT IN UP DOWN
3730	Ophth Pretesting	wearing_glasses	slab_off_od	(Prisms/PDs) Slab Off	boolean	True		
3731	Ophth Pretesting	wearing_glasses	slab_off_os	(Prisms/PDs) Slab Off	boolean	True		
3732	Ophth Pretesting	wearing_glasses	vertex_distance_od	(Prisms/PDs) VD	double	True		
3733	Ophth Pretesting	wearing_glasses	vertex_distance_os	(Prisms/PDs) VD	double	True		
3734	Ophth Pretesting	wearing_glasses	pd_distance_od	Pupillary distance - Distance OD	double	True		
3735	Ophth Pretesting	wearing_glasses	pd_distance_os	Pupillary distance - Distance OS	double	True		
3736	Ophth Pretesting	wearing_glasses	pd_near_od	Pupillary distance - Near OD	double	True		
3737	Ophth Pretesting	wearing_glasses	pd_near_os	Pupillary distance - Near OS	double	True		
3738	Ophth Pretesting	wearing_glasses	refraction_other_od	Refraction other OD	string	True	255	
3739	Ophth Pretesting	wearing_glasses	refraction_other_os	Refraction other OS	string	True	255	
3740	Ophth Pretesting	wearing_glasses	visual_acuity_dcc_od	Visual acuity DccOD	string	True	30	See Appendix B
3741	Ophth Pretesting	wearing_glasses	visual_acuity_dcc_os	Visual acuity DccOS	string	True	30	See Appendix B
3742	Ophth Pretesting	wearing_glasses	visual_acuity_dcc_ou	Visual acuity DccOU	string	True	20	See Appendix B
3743	Ophth Pretesting	wearing_glasses	pinhole_dcc_od	Pinhole visual acuity DccOD	string	True	20	See Appendix B
3744	Ophth Pretesting	wearing_glasses	pinhole_dcc_os	Pinhole visual acuity DccOS	string	True	20	See Appendix B
3745	Ophth Pretesting	wearing_glasses	pinhole_dcc_ou	Pinhole visual acuity DccOU	string	True	20	See Appendix B
3746	Ophth Pretesting	wearing_glasses	glare_dcc_od	Glare DccOD	string	True	20	See Appendix B
3747	Ophth Pretesting	wearing_glasses	glare_dcc_os	Glare DccOS	string	True	20	See Appendix B
3748	Ophth Pretesting	wearing_glasses	glare_dcc_ou	Glare DccOU	string	True	20	See Appendix B
3749	Ophth Pretesting	wearing_glasses	bat_dcc_od	Brightness acuity test DccOD	string	True	20	See Appendix B
3750	Ophth Pretesting	wearing_glasses	bat_dcc_os	Brightness acuity test DccOS	string	True	20	See Appendix B
3751	Ophth Pretesting	wearing_glasses	bat_dcc_ou	Brightness acuity test DccOU	string	True	20	See Appendix B
3752	Ophth Pretesting	wearing_glasses	pam_dcc_od	Potential acuity meter DccOD	string	True	20	See Appendix B

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3753	Ophth Pretesting	wearing_glasses	pam_dcc_os	Potential acuity meter DccOS	string	True	20	See Appendix B
3754	Ophth Pretesting	wearing_glasses	pam_dcc_ou	Potential acuity meter DccOU	string	True	20	See Appendix B
3755	Ophth Pretesting	wearing_glasses	ram_dcc_od	Retinal acuity meter DccOD	string	True	20	See Appendix B
3756	Ophth Pretesting	wearing_glasses	ram_dcc_os	Retinal acuity meter DccOS	string	True	20	See Appendix B
3757	Ophth Pretesting	wearing_glasses	ram_dcc_ou	Retinal acuity meter DccOU	string	True	20	See Appendix B
3758	Ophth Pretesting	wearing_glasses	visual_acuity_other_dcc_od	Visual acuity other DccOD	string	True	255	
3759	Ophth Pretesting	wearing_glasses	visual_acuity_other_dcc_os	Visual acuity other DccOS	string	True	255	
3760	Ophth Pretesting	wearing_glasses	visual_acuity_other_dcc_ou	Visual acuity other DccOU	string	True	255	
3761	Ophth Pretesting	wearing_glasses	visual_acuity_ncc_od	Visual acuity NccOD	string	True	20	See Appendix B
3762	Ophth Pretesting	wearing_glasses	visual_acuity_ncc_os	Visual acuity NccOS	string	True	20	See Appendix B
3763	Ophth Pretesting	wearing_glasses	visual_acuity_ncc_ou	Visual acuity NccOU	string	True	20	See Appendix B
3764	Ophth Pretesting	wearing_glasses	pinhole_ncc_od	Pinhole visual acuity NccOD	string	True	20	See Appendix B
3765	Ophth Pretesting	wearing_glasses	pinhole_ncc_os	Pinhole visual acuity NccOS	string	True	20	See Appendix B
3766	Ophth Pretesting	wearing_glasses	pinhole_ncc_ou	Pinhole visual acuity NccOU	string	True	20	See Appendix B
3767	Ophth Pretesting	wearing_glasses	glare_ncc_od	Glare NccOD	string	True	20	See Appendix B
3768	Ophth Pretesting	wearing_glasses	glare_ncc_os	Glare NccOS	string	True	20	See Appendix B
3769	Ophth Pretesting	wearing_glasses	glare_ncc_ou	Glare NccOU	string	True	20	See Appendix B
3770	Ophth Pretesting	wearing_glasses	bat_ncc_od	Brightness acuity test NccOD	string	True	20	See Appendix B
3771	Ophth Pretesting	wearing_glasses	bat_ncc_os	Brightness acuity test NccOS	string	True	20	See Appendix B
3772	Ophth Pretesting	wearing_glasses	bat_ncc_ou	Brightness acuity test NccOU	string	True	20	See Appendix B
3773	Ophth Pretesting	wearing_glasses	pam_ncc_od	Potential acuity meter NccOD	string	True	20	See Appendix B
3774	Ophth Pretesting	wearing_glasses	pam_ncc_os	Potential acuity meter NccOS	string	True	20	See Appendix B
3775	Ophth Pretesting	wearing_glasses	pam_ncc_ou	Potential acuity meter NccOU	string	True	20	See Appendix B
3776	Ophth Pretesting	wearing_glasses	ram_ncc_od	Retinal acuity meter NccOD	string	True	20	See Appendix B
3777	Ophth Pretesting	wearing_glasses	ram_ncc_os	Retinal acuity meter NccOS	string	True	20	See Appendix B
3778	Ophth Pretesting	wearing_glasses	ram_ncc_ou	Retinal acuity meter NccOU	string	True	20	See Appendix B
3779	Ophth Pretesting	wearing_glasses	visual_acuity_other_ncc_od	Visual acuity other NccOD	string	True	255	
3780	Ophth Pretesting	wearing_glasses	visual_acuity_other_ncc_os	Visual acuity other NccOS	string	True	255	
3781	Ophth Pretesting	wearing_glasses	visual_acuity_other_ncc_ou	Visual acuity other NccOU	string	True	255	
3782	Ophth Pretesting	wearing_glasses	firm_global_id	ModMed internal firm global identifier	string	False	10	
3783	Patient	insurance_group_policy	insurance_group_policy_id	insurance_group_policy table id	string	False	20	
3784	Patient	insurance_group_policy	insurance_group_id	insurance_group table id	string	True	20	Insurance group policy is a part of.
3785	Patient	insurance_group_policy	insurance_policy_id	insurance_policy table id	string	True	20	Insurance policy that belongs to the group.
3786	Patient	insurance_group_policy	patient_id	patient table id	string	False	20	
3787	Patient	insurance_group_policy	rank	Ranking of policy in insurance group.	int	True		
3788	Patient	insurance_group_policy	firm_global_id	ModMed internal firm global identifier	string	False	10	
3789	Procedure	procedure_body_location	procedure_body_location_id	procedure_body_location table id	string	False	20	
3790	Procedure	procedure_body_location	procedure_id	procedure table id	string	False	20	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3791	Procedure	procedure_body_location	patient_id	patient table id	string	False	20	
3792	Procedure	procedure_body_location	body_part	Specific body part	string	True	255	See static_body_location.body_part
3793	Procedure	procedure_body_location	simple_description	Simple body location for procedure	string	True	-1	See static_body_location.exam_simple_description
3794	Procedure	procedure_body_location	detail_description	Detailed body location for procedure	string	True	255	See static_body_location.exam_detail_description
3795	Procedure	procedure_body_location	zone	High-level body zone	string	True	255	See static_body_location.zone
3796	Procedure	procedure_body_location	firm_global_id	ModMed internal firm global identifier	string	False	10	
3797	Inventory	package_sale	package_sale_id	package_sale table id	string	False	20	
3798	Inventory	package_sale	package_id	package table id	string	False	20	
3799	Inventory	package_sale	patient_id	patient table id	string	False	20	
3800	Inventory	package_sale	facility_id	facility table id	string	False	20	
3801	Inventory	package_sale	business_unit_id	business_unit table id	string	False	20	
3802	Inventory	package_sale	provider_id	staff table id	string	True	20	
3803	Inventory	package_sale	division_id	division table id	string	True	20	
3804	Inventory	package_sale	financial_category_id	financial_category table id	string	True	20	
3805	Inventory	package_sale	sold_by_staff_id	staff table id	string	True	20	
3806	Inventory	package_sale	void_by_id	staff table id	string	True	20	
3807	Inventory	package_sale	expiration_date_modified_by_id	staff table id to identify the user who modified the expiration date of the package	string	True	20	
3808	Inventory	package_sale	package_name	Package name	string	True	50	
3809	Inventory	package_sale	package_description	Package description	string	True	255	
3810	Inventory	package_sale	quantity_remaining	Unused package items quantity remaining.	double	True		
3811	Inventory	package_sale	package_status	Package status	string	True	20	ACTIVE INACTIVE
3812	Inventory	package_sale	void_status	Package void status	string	True	20	VOIDED PARTIAL_VOID
3813	Inventory	package_sale	package_discount_reason	Package discount reason	string	True	30	OTHER PACKAGES PROMOTIONAL PROFESSIONAL_COURTESY CUSTOM_DISCOUNT
3814	Inventory	package_sale	custom_discount_reason	Package sale custom discount reason.	string	True	50	
3815	Inventory	package_sale	package_notes	Package notes	string	True	255	
3816	Inventory	package_sale	package_tax_rate_local	Local Tax Rate	double	True		
3817	Inventory	package_sale	package_tax_rate_state	State Tax Rate	double	True		
3818	Inventory	package_sale	package_total_amount	Total amount charged	double	True		
3819	Inventory	package_sale	package_allocated_amount	Total amount of payments allocated	double	True		
3820	Inventory	package_sale	package_collected_amount	Total amount of payments collected	double	True		
3821	Inventory	package_sale	has_voided_items	Flag indicating item has been voided in this package.	boolean	True		
3822	Inventory	package_sale	void_date	Date voided	timestamp	True		
3823	Inventory	package_sale	void_date_id	Localized date of void	date	True		
3824	Inventory	package_sale	expiration_date	Date of expiration	date	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3825	Inventory	package_sale	expiration_date_modified_on	Date when the expiration date was modified.	timestamp	True		
3826	Inventory	package_sale	firm_global_id	ModMed internal firm global identifier	string	True	10	
3827	Pathology	cancer_log_visit	cancer_log_visit_id	cancer_log_visit table id	string	False	20	
3828	Pathology	cancer_log_visit	cancer_log_id	cancer_log table id	string	False	20	
3829	Pathology	cancer_log_visit	visit_id	visit table id	string	True	20	
3830	Pathology	cancer_log_visit	patient_id	patient table id	string	False	20	
3831	Pathology	cancer_log_visit	history_selected	If history is being updated in this visit	boolean	True		
3832	Pathology	cancer_log_visit	history_status	Patient Status. May have a null value.	string	True	100	DENY_RECUR, CONCERN_RECUR, EDU_AND_COUNSELING, etc.
3833	Pathology	cancer_log_visit	history_comments	Comments for patient status	string	True	-1	
3834	Pathology	cancer_log_visit	plan_selected	If plan is being updated in this visit	boolean	True		
3835	Pathology	cancer_log_visit	exam	Exam	string	True	100	NO_CLINICAL_SIGNS, RESIDUAL_EROSION, WELL_HEALED_NER, etc.
3836	Pathology	cancer_log_visit	plan	Plan	string	True	100	RECOMMEND_EXAM, EDU_REGULAR, FURTHER_EVAL
3837	Pathology	cancer_log_visit	plan_comments	Comments for exam/plan	string	True	-1	
3838	Pathology	cancer_log_visit	firm_global_id	ModMed internal firm global identifier	string	False	10	
3839	Inventory	package_item_sale_utilization	package_item_sale_utilization_id	package_item_sale_utilization table id	string	False	20	
3840	Inventory	package_item_sale_utilization	package_item_sale_id	package_item_sale table id	string	False	20	
3841	Inventory	package_item_sale_utilization	package_sale_id	package_sale table id	string	False	20	
3842	Inventory	package_item_sale_utilization	product_id	product table id	string	True	20	
3843	Inventory	package_item_sale_utilization	package_id	package table id	string	False	20	
3844	Inventory	package_item_sale_utilization	patient_id	patient table id	string	False	20	
3845	Inventory	package_item_sale_utilization	facility_id	facility table id (facility at which the package item was utilized)	string	False	20	
3846	Inventory	package_item_sale_utilization	package_item_sale_facility_id	facility table id (facility at which the package item was purchased)	string	False	20	
3847	Inventory	package_item_sale_utilization	business_unit_id	business_unit table id	string	False	20	
3848	Inventory	package_item_sale_utilization	provider_id	staff table id	string	True	20	
3849	Inventory	package_item_sale_utilization	division_id	division table id	string	True	20	
3850	Inventory	package_item_sale_utilization	custom_code_id	custom_code table id	string	True	20	
3851	Inventory	package_item_sale_utilization	custom_non_bill_code_id	custom_non_bill_code table id	string	True	20	
3852	Inventory	package_item_sale_utilization	financial_category_id	financial_category table id	string	True	20	
3853	Inventory	package_item_sale_utilization	sold_by_staff_id	staff table id	string	True	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3854	Inventory	package_item_sale_utilization	charge_link_key	Linking key between package_item_sale_utilization and charges.	string	True	20	
3855	Inventory	package_item_sale_utilization	package_name	Package name	string	True	50	
3856	Inventory	package_item_sale_utilization	package_description	Package description	string	True	255	
3857	Inventory	package_item_sale_utilization	package_status	Package status	string	True	10	ACTIVE INACTIVE
3858	Inventory	package_item_sale_utilization	package_discount_reason	Package Discount Reason	string	True	30	OTHER PACKAGES PROMOTIONAL PROFESSIONAL_COURTESY CUSTOM_DISCOUNT
3859	Inventory	package_item_sale_utilization	package_notes	Package notes	string	True	255	
3860	Inventory	package_item_sale_utilization	package_item_type	Package item type	string	True	20	CPT CUSTOM_CHARGE CUSTOM_CODE INVENTORY_PRODUCT LEGACY_PRODUCT
3861	Inventory	package_item_sale_utilization	package_item_description	Package item description	string	True	255	
3862	Inventory	package_item_sale_utilization	package_item_units	For given item, count of that item in patient package	double	True		
3863	Inventory	package_item_sale_utilization	package_item_price_per_unit	For given item, cost for one (1) of those items	double	True		
3864	Inventory	package_item_sale_utilization	package_tax_rate_local	Local tax rate	double	True		
3865	Inventory	package_item_sale_utilization	package_tax_rate_state	State tax rate	double	True		
3866	Inventory	package_item_sale_utilization	package_item_tax_amount	For given item, total amount of tax for that item in patient package	double	True		
3867	Inventory	package_item_sale_utilization	package_item_total_amount	For given item, total amount for that item in patient package	double	True		
3868	Inventory	package_item_sale_utilization	package_item_remaining_units	For given item, count of items in patient package that are unused	double	True		
3869	Inventory	package_item_sale_utilization	cpt_product	The CPT/HCPCS procedure code for the bill charge or category for a non-bill charge, or inventory product code	string	True	100	
3870	Inventory	package_item_sale_utilization	cpt_product_description	The CPT/HCPCS procedure code or category description for the bill charge or non-bill charge, or inventory product description.	string	True	500	
3871	Inventory	package_item_sale_utilization	financial_category	Financial category name.	string	True	255	
3872	Inventory	package_item_sale_utilization	status	Package item sale status	string	True	20	CHARGED VOIDED
3873	Inventory	package_item_sale_utilization	void_date_id	Localized date for when the package item was voided.	date	True		
3874	Inventory	package_item_sale_utilization	package_item_sale_date_created	Date on which the package item was sold	timestamp	True		
3875	Inventory	package_item_sale_utilization	package_item_sale_utilization_units	The number of package items utilized.	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3876	Inventory	package_item_sale_utilization	package_item_sale_utilization_visible	If True, the package_item_sale_utilization is visible.	boolean	True		
3877	Inventory	package_item_sale_utilization	date_created	Date on which the package item sale was utilized	timestamp	True		
3878	Inventory	package_item_sale_utilization	firm_global_id	ModMed internal firm global identifier	string	True	10	
3879	PM Financials	patient_adjustments	patient_adjustments_id	patient_adjustments table id	string	False	50	
3880	PM Financials	patient_adjustments	business_unit_id	business_unit table id	string	False	20	
3881	PM Financials	patient_adjustments	patient_id	patient table id	string	True	20	
3882	PM Financials	patient_adjustments	facility_id	facility table id	string	True	20	
3883	PM Financials	patient_adjustments	practice_location_id	facility table id	string	True	20	Practice Location (POS 11)
3884	PM Financials	patient_adjustments	provider_id	staff table id for current provider.	string	True	20	
3885	PM Financials	patient_adjustments	bill_item_id	bill_item table id	string	True	20	
3886	PM Financials	patient_adjustments	division_id	division table id	string	True	20	
3887	PM Financials	patient_adjustments	created_by_staff_id	staff table id	string	True	20	
3888	PM Financials	patient_adjustments	custom_patient_adjustment_code_id	custom_patient_adjustment_code table id	string	True	20	
3889	PM Financials	patient_adjustments	custom_non_bill_code_id	custom_non_bill_code table id	string	True	20	
3890	PM Financials	patient_adjustments	primary_provider_id	staff table id for primary provider.	string	True	20	
3891	PM Financials	patient_adjustments	firm_id	firm table id	string	True	20	
3892	PM Financials	patient_adjustments	appointment_provider_id	staff table id for appointment provider.	string	True	20	Appointment Provider
3893	PM Financials	patient_adjustments	original_bill_id	Bill table id. Indicates if a bill was recreated from a previous bill	string	True	20	
3894	PM Financials	patient_adjustments	sold_by_id	staff table id	string	True	20	The staff member selected in the Sold By field. The provider and the Sold by could be the same person depending on selection.
3895	PM Financials	patient_adjustments	code_category_id	code_category table id	string	True	20	
3896	PM Financials	patient_adjustments	fee_schedule_primary_payer_id	Fee schedule of the primary insurance. This is the payer fee schedule of the primary insurance from the bill insurance.	string	True	20	
3897	PM Financials	patient_adjustments	billing_quote_id	billing_quote table id	string	True	20	
3898	PM Financials	patient_adjustments	billing_quote_created_by_id	staff table id	string	True	20	
3899	PM Financials	patient_adjustments	package_sale_id	package_sale table id	string	True	20	
3900	PM Financials	patient_adjustments	package_item_sale_id	package_item_sale table id	string	True	20	
3901	PM Financials	patient_adjustments	charge_link_key	Linking key between charges, payments_posted, patient_adjustments, payer_adjustments, product_sales and production_summary tables.	string	True	100	
3902	PM Financials	patient_adjustments	transaction_identifier	Transaction Identifier. Note: This column will be deprecated in release 1.24 and removed in 1.25.	string	True	40	
3903	PM Financials	patient_adjustments	cpt_product	The CPT/HCPCS procedure code for the bill charge or category for a non-bill charge, or inventory product code	string	True	100	
3904	PM Financials	patient_adjustments	cpt_product_description	The CPT/HCPCS procedure code or category description for the bill charge or non-bill charge, or the inventory product description.	string	True	500	
3905	PM Financials	patient_adjustments	patient_adjustment_amount	Bill item or charge adjustment amount. This is the amount of the adjustment. It can be positive or negative. A positive value reduces the charge balance, a negative value increases the charge balance.	double	True		
3906	PM Financials	patient_adjustments	patient_adjustment_reason_code	Adjustment reason code	string	True	50	
3907	PM Financials	patient_adjustments	adjustment_code_type	Patient adjustment type. For types other than bad debt and collection are considered to be adjustments. May have a null value.	string	True	10	BAD_DEBT COLLECTION NONE

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3908	PM Financials	patient_adjustments	adjustment_code_name	Adjustment code	string	True	25	
3909	PM Financials	patient_adjustments	code_description	Adjustment description	string	True	50	
3910	PM Financials	patient_adjustments	bill_item_adjustment_qualifier	Payer or patient adjustment	string	True	20	PAYER PATIENT
3911	PM Financials	patient_adjustments	charge_amount_original	Original amount of the charge associated with the adjustment.	double	True		
3912	PM Financials	patient_adjustments	auto_pay_bill_status	Captures the status of a patient's AutoPay feature for billing	string	True	300	NOTIFIED SCRUB_FAILED QUEUED DECLINED ON_HOLD CANCELLED COMPLETED PENDING
3913	PM Financials	patient_adjustments	activity_type	Activity Type.	string	True	1000	ADJUSTMENT VOID_ADJUSTMENT CHARGE_ADJUSTMENT VOID_CHARGE_ADJUSTMENT DISCOUNT
3914	PM Financials	patient_adjustments	appointment_type	Appointment type. Types are confirmed by the practice at the firm admin level.	string	True	25	
3915	PM Financials	patient_adjustments	fee_schedule_primary_payer_name	Fee schedule name. This is the payer fee schedule from the primary bill insurance.	string	True	50	
3916	PM Financials	patient_adjustments	fee_schedule_type	Fee Schedule type.	string	True	10	PAYER PROVIDER
3917	PM Financials	patient_adjustments	fee_schedule_primary_payer_effective_date	Effective date. The payer fee schedule effective date.	date	True		
3918	PM Financials	patient_adjustments	bill_type	Bill type.	string	True	20	PATIENT CLAIM VISION AUTO_PIP WORKERS_COMP
3919	PM Financials	patient_adjustments	bill_recreated	Indicates if a bill was recreated from a previous bill	boolean	True		
3920	PM Financials	patient_adjustments	product_category	Product category name	string	True	100	
3921	PM Financials	patient_adjustments	product_sku	Product sku	string	True	100	
3922	PM Financials	patient_adjustments	code_category	Code category name.	string	True	75	
3923	PM Financials	patient_adjustments	service_location_pos_code	Place of service code listed on the bill.	string	True	5	
3924	PM Financials	patient_adjustments	notes	Notes.	string	True	300	
3925	PM Financials	patient_adjustments	financial_category	Financial category associated to payer or patient.	string	True	100	
3926	PM Financials	patient_adjustments	quick_code	Reflects the quick code combination configured for the CPT/Modifier combination on the bill. These codes are configured by the practice.	string	True	50	
3927	PM Financials	patient_adjustments	bill_item_allowed	Payer Payment Allowable Amount for the associated Bill Item.	double	True		
3928	PM Financials	patient_adjustments	wrvu	CMS wRVU (work relative value units) for the associated Bill Item.	double	True		
3929	PM Financials	patient_adjustments	billing_quote_title	Title of billing quote	string	True	100	
3930	PM Financials	patient_adjustments	billing_quote_id_number	Client-facing billing quote id	string	True	20	
3931	PM Financials	patient_adjustments	firm_is_using_rcm	Whether using rcm is enabled	boolean	True		
3932	PM Financials	patient_adjustments	package_name	Package name.	string	True	50	
3933	PM Financials	patient_adjustments	package_sale_date_created	Date on which the package was sold.	timestamp	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3934	PM Financials	patient_adjustments	package_sale_date_created_id	Date on which the package was sold.	timestamp	True		
3935	PM Financials	patient_adjustments	adjustment_reason	Adjustment reason description.	string	True	1000	
3936	PM Financials	patient_adjustments	bill_item_adjustment_reason_code	Reason code. Payer or patient reason code or code manually entered by the staff..	string	True	45	
3937	PM Financials	patient_adjustments	bill_item_adjustment_carc	CARC.	string	True	10	
3938	PM Financials	patient_adjustments	bill_item_adjustment_status	Payer adjustment status.	string	True	20	ON_HOLD TRANSFER_RESPONSIBILITY WRITE_OFF IGNORE
3939	PM Financials	patient_adjustments	coverage_type	Coverage type	string	True	20	Primary Secondary Tertiary Self-Pay
3940	PM Financials	patient_adjustments	time_zone	Facility time zone	string	True	30	
3941	PM Financials	patient_adjustments	service_date_from	Date which service started.	timestamp	True		
3942	PM Financials	patient_adjustments	service_date_to	Date which service ended.	timestamp	True		
3943	PM Financials	patient_adjustments	bill_item_adjustment_accout_date	Date that the adjustment was added to the bill item (system generated).	timestamp	True		
3944	PM Financials	patient_adjustments	bill_item_adjustment_transaction_date	Transaction date (system generated).	timestamp	True		
3945	PM Financials	patient_adjustments	posted_date_id	Post date of service.	date	True		
3946	PM Financials	patient_adjustments	service_date_from_id	Service data from.	timestamp	True		
3947	PM Financials	patient_adjustments	service_date_to_id	Date which service ended.	timestamp	True		
3948	PM Financials	patient_adjustments	bill_item_adjustment_accout_date_id	Date that the adjustment was added to the bill item (system generated).	timestamp	True		
3949	PM Financials	patient_adjustments	bill_item_adjustment_transaction_date_id	Transaction date (system generated).	timestamp	True		
3950	PM Financials	patient_adjustments	firm_global_id	ModMed internal firm global identifier	string	False	10	
3951	Ophth Pretesting	cover_test	cover_test_id	cover_test table id	string	False	20	
3952	Ophth Pretesting	cover_test	motility_id	Motility table id	string	False	20	
3953	Ophth Pretesting	cover_test	patient_id	patient table id	string	False	20	
3954	Ophth Pretesting	cover_test	near_horizontal_defect	Cover-Uncover Tests. Null if Alternate Cover Tests columns are non-null	string	True	50	NONE ESOTROPIA INTERMITTENT_ESOTROPIA ESOPHORIA EXOTROPIA INTERMITTENT_EXOTROPIA EXOPHORIA OTHER
3955	Ophth Pretesting	cover_test	near_horizontal_defect_eye	Cover-Uncover Tests. Null if Alternate Cover Tests colums are non-null	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3956	Ophth Pretesting	cover_test	near_horizontal_defect_amount	Cover-Uncover Tests. Null if Alternate Cover Tests colums are non-null.	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3957	Ophth Pretesting	cover_test	near_vertical_defect	Cover-Uncover Tests. Null if Alternate Cover Tests columns are non-null	string	True	50	NONE HYPERTROPIA INTERMITTENT_HYPERTROPIA HYPERPHORIA HYPOTROPIA INTERMITTENT_HYPOTROPIA HYPOPHORIA OTHER
3958	Ophth Pretesting	cover_test	near_vertical_defect_eye	Cover-Uncover Tests. Null if Alternate Cover Tests columns are non-null	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3959	Ophth Pretesting	cover_test	near_vertical_defect_amount	Cover-Uncover Tests. Null if Alternate Cover Tests columns are non-null.	double	True		
3960	Ophth Pretesting	cover_test	distance_horizontal_defect	Cover-Uncover Tests. Null if Alternate Cover Tests columns are non-null	string	True	50	NONE ESOTROPIA INTERMITTENT_ESOTROPIA ESOPHORIA EXOTROPIA INTERMITTENT_EXOTROPIA EXOPHORIA OTHER
3961	Ophth Pretesting	cover_test	distance_horizontal_defect_eye	Cover-Uncover Tests. Null if Alternate Cover Tests columns are non-null	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3962	Ophth Pretesting	cover_test	distance_horizontal_defect_amount	Cover-Uncover Tests. Null if Alternate Cover Tests columns are non-null.	double	True		
3963	Ophth Pretesting	cover_test	distance_vertical_defect	Cover-Uncover Tests. Null if Alternate Cover Tests columns are non-null	string	True	50	NONE HYPERTROPIA INTERMITTENT_HYPERTROPIA HYPERPHORIA HYPOTROPIA INTERMITTENT_HYPOTROPIA HYPOPHORIA OTHER
3964	Ophth Pretesting	cover_test	distance_vertical_defect_eye	Cover-Uncover Tests. Null if Alternate Cover Tests columns are non-null	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3965	Ophth Pretesting	cover_test	distance_vertical_defect_amount	Cover-Uncover Tests. Null if Alternate Cover Tests columns are non-null.	double	True		
3966	Ophth Pretesting	cover_test	top_right_horizontal_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE ESOTROPIA INTERMITTENT_ESOTROPIA ESOPHORIA EXOTROPIA INTERMITTENT_EXOTROPIA EXOPHORIA OTHER
3967	Ophth Pretesting	cover_test	top_right_horizontal_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3968	Ophth Pretesting	cover_test	top_right_horizontal_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3969	Ophth Pretesting	cover_test	top_right_vertical_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE HYPERTROPIA INTERMITTENT_HYPERTROPIA HYPERPHORIA HYPOTROPIA INTERMITTENT_HYPOTROPIA HYPOPHORIA OTHER
3970	Ophth Pretesting	cover_test	top_right_vertical_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3971	Ophth Pretesting	cover_test	top_right_vertical_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
3972	Ophth Pretesting	cover_test	top_center_horizontal_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE ESOTROPIA INTERMITTENT_ESOTROPIA ESOPHORIA EXOTROPIA INTERMITTENT_EXOTROPIA EXOPHORIA OTHER
3973	Ophth Pretesting	cover_test	top_center_horizontal_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3974	Ophth Pretesting	cover_test	top_center_horizontal_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
3975	Ophth Pretesting	cover_test	top_center_vertical_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE HYPERTROPIA INTERMITTENT_HYPERTROPIA HYPERPHORIA HYPOTROPIA INTERMITTENT_HYPOTROPIA HYPOPHORIA OTHER
3976	Ophth Pretesting	cover_test	top_center_vertical_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3977	Ophth Pretesting	cover_test	top_center_vertical_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
3978	Ophth Pretesting	cover_test	top_left_horizontal_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE ESOTROPIA INTERMITTENT_ESOTROPIA ESOPHORIA EXOTROPIA INTERMITTENT_EXOTROPIA EXOPHORIA OTHER
3979	Ophth Pretesting	cover_test	top_left_horizontal_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3980	Ophth Pretesting	cover_test	top_left_horizontal_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3981	Ophth Pretesting	cover_test	top_left_vertical_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE HYPERTROPIA INTERMITTENT_HYPERTROPIA HYPERPHORIA HYPOTROPIA INTERMITTENT_HYPOTROPIA HYPOPHORIA OTHER
3982	Ophth Pretesting	cover_test	top_left_vertical_defect_ey e	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3983	Ophth Pretesting	cover_test	top_left_vertical_defect_am ount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
3984	Ophth Pretesting	cover_test	tilt_right_horizontal_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE ESOTROPIA INTERMITTENT_ESOTROPIA ESOPHORIA EXOTROPIA INTERMITTENT_EXOTROPIA EXOPHORIA OTHER
3985	Ophth Pretesting	cover_test	tilt_right_horizontal_defect _eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3986	Ophth Pretesting	cover_test	tilt_right_horizontal_defect _amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
3987	Ophth Pretesting	cover_test	tilt_right_vertical_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE HYPERTROPIA INTERMITTENT_HYPERTROPIA HYPERPHORIA HYPOTROPIA INTERMITTENT_HYPOTROPIA HYPOPHORIA OTHER
3988	Ophth Pretesting	cover_test	tilt_right_vertical_defect_ey e	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3989	Ophth Pretesting	cover_test	tilt_right_vertical_defect_a mount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
3990	Ophth Pretesting	cover_test	middle_right_horizontal_def ect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE ESOTROPIA INTERMITTENT_ESOTROPIA ESOPHORIA EXOTROPIA INTERMITTENT_EXOTROPIA EXOPHORIA OTHER
3991	Ophth Pretesting	cover_test	middle_right_horizontal_def ect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3992	Ophth Pretesting	cover_test	middle_right_horizontal_def ect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
3993	Ophth Pretesting	cover_test	middle_right_vertical_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE HYPERTROPIA INTERMITTENT_HYPERTROPIA HYPERPHORIA HYPOTROPIA INTERMITTENT_HYPOTROPIA HYPOPHORIA OTHER
3994	Ophth Pretesting	cover_test	middle_right_vertical_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3995	Ophth Pretesting	cover_test	middle_right_vertical_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
3996	Ophth Pretesting	cover_test	middle_center_horizontal_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE ESOTROPIA INTERMITTENT_ESOTROPIA ESOPHORIA EXOTROPIA INTERMITTENT_EXOTROPIA EXOPHORIA OTHER
3997	Ophth Pretesting	cover_test	middle_center_horizontal_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
3998	Ophth Pretesting	cover_test	middle_center_horizontal_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
3999	Ophth Pretesting	cover_test	middle_center_vertical_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE HYPERTROPIA INTERMITTENT_HYPERTROPIA HYPERPHORIA HYPOTROPIA INTERMITTENT_HYPOTROPIA HYPOPHORIA OTHER
4000	Ophth Pretesting	cover_test	middle_center_vertical_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
4001	Ophth Pretesting	cover_test	middle_center_vertical_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
4002	Ophth Pretesting	cover_test	middle_left_horizontal_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE ESOTROPIA INTERMITTENT_ESOTROPIA ESOPHORIA EXOTROPIA INTERMITTENT_EXOTROPIA EXOPHORIA OTHER
4003	Ophth Pretesting	cover_test	middle_left_horizontal_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
4004	Ophth Pretesting	cover_test	middle_left_horizontal_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4005	Ophth Pretesting	cover_test	middle_left_vertical_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE HYPERTROPIA INTERMITTENT_HYPERTROPIA HYPERPHORIA HYPOTROPIA INTERMITTENT_HYPOTROPIA HYPOPHORIA OTHER
4006	Ophth Pretesting	cover_test	middle_left_vertical_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
4007	Ophth Pretesting	cover_test	middle_left_vertical_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
4008	Ophth Pretesting	cover_test	tilt_left_horizontal_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE ESOTROPIA INTERMITTENT_ESOTROPIA ESOPHORIA EXOTROPIA INTERMITTENT_EXOTROPIA EXOPHORIA OTHER
4009	Ophth Pretesting	cover_test	tilt_left_horizontal_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
4010	Ophth Pretesting	cover_test	tilt_left_horizontal_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
4011	Ophth Pretesting	cover_test	tilt_left_vertical_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE HYPERTROPIA INTERMITTENT_HYPERTROPIA HYPERPHORIA HYPOTROPIA INTERMITTENT_HYPOTROPIA HYPOPHORIA OTHER
4012	Ophth Pretesting	cover_test	tilt_left_vertical_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
4013	Ophth Pretesting	cover_test	tilt_left_vertical_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
4014	Ophth Pretesting	cover_test	bottom_right_horizontal_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE ESOTROPIA INTERMITTENT_ESOTROPIA ESOPHORIA EXOTROPIA INTERMITTENT_EXOTROPIA EXOPHORIA OTHER
4015	Ophth Pretesting	cover_test	bottom_right_horizontal_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
4016	Ophth Pretesting	cover_test	bottom_right_horizontal_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4017	Ophth Pretesting	cover_test	bottom_right_vertical_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE HYPERTROPIA INTERMITTENT_HYPERTROPIA HYPERPHORIA HYPOTROPIA INTERMITTENT_HYPOTROPIA HYPOPHORIA OTHER
4018	Ophth Pretesting	cover_test	bottom_right_vertical_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
4019	Ophth Pretesting	cover_test	bottom_right_vertical_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
4020	Ophth Pretesting	cover_test	bottom_center_horizontal_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE ESOTROPIA INTERMITTENT_ESOTROPIA ESOPHORIA EXOTROPIA INTERMITTENT_EXOTROPIA EXOPHORIA OTHER
4021	Ophth Pretesting	cover_test	bottom_center_horizontal_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
4022	Ophth Pretesting	cover_test	bottom_center_horizontal_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
4023	Ophth Pretesting	cover_test	bottom_center_vertical_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE HYPERTROPIA INTERMITTENT_HYPERTROPIA HYPERPHORIA HYPOTROPIA INTERMITTENT_HYPOTROPIA HYPOPHORIA OTHER
4024	Ophth Pretesting	cover_test	bottom_center_vertical_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
4025	Ophth Pretesting	cover_test	bottom_center_vertical_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
4026	Ophth Pretesting	cover_test	bottom_left_horizontal_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE ESOTROPIA INTERMITTENT_ESOTROPIA ESOPHORIA EXOTROPIA INTERMITTENT_EXOTROPIA EXOPHORIA OTHER
4027	Ophth Pretesting	cover_test	bottom_left_horizontal_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
4028	Ophth Pretesting	cover_test	bottom_left_horizontal_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4029	Ophth Pretesting	cover_test	bottom_left_vertical_defect	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	50	NONE HYPERTROPIA INTERMITTENT_HYPERTROPIA HYPERPHORIA HYPOTROPIA INTERMITTENT_HYPOTROPIA HYPOPHORIA OTHER
4030	Ophth Pretesting	cover_test	bottom_left_vertical_defect_eye	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	string	True	3	OD: Oculus Dextrus OS: Oculus Sinister ALT: Alternating
4031	Ophth Pretesting	cover_test	bottom_left_vertical_defect_amount	Alternate Cover Tests. Null if Cover-Uncover Tests columns are non-null.	double	True		
4032	Ophth Pretesting	cover_test	firm_global_id	ModMed internal firm global identifier	string	False	10	
4033	Prescription	rgp_contacts_rx	rgp_contacts_rx_id	rgp_contacts_rx table id	string	False	20	
4034	Prescription	rgp_contacts_rx	patient_id	patient table id	string	False	20	
4035	Prescription	rgp_contacts_rx	provider_id	staff table id	string	True	20	
4036	Prescription	rgp_contacts_rx	facility_id	facility table id	string	True	20	
4037	Prescription	rgp_contacts_rx	visit_id	visit table id	string	True	20	NULL if rx written outside of visit
4038	Prescription	rgp_contacts_rx	date_recorded	Date recorded. May be different than the visit date and edited by the physician or staff member.	timestamp	True		
4039	Prescription	rgp_contacts_rx	active	If the rx is active	boolean	True		
4040	Prescription	rgp_contacts_rx	contacts_usage	Contact Lens Usage	string	True	255	See Appendix A
4041	Prescription	rgp_contacts_rx	wearing_schedule	Wear Schedule	string	True	30	RELIABLE AS_NEEDED EXTENDED TWO_WEEKS DIAGNOSTIC_LENSSES MONTHLY WEEKLY ANNUALLY SEE_SPECIAL_INSTRUCTIONS DAILY
4042	Prescription	rgp_contacts_rx	disinfecting	Disinfecting. May have a null value.	string	True	30	MENICON_MENICARE_GP_CDS RGP_NONE LOBOB_OPTIMUM_CDS UNIQUE_PH MENICON_MENICARE_GP_WRW OPTIFREE_GP MENICON_PROGENT LOBOB_OPTIMUM RGP_STORE_BRAND RGP_SEE_SPECIAL_INSTRUCTIONS OTHER BOSTON_ADVANCE BOSTON_SIMPLUS LOBOB_OPTIMUM_ESC BOSTON_ORIGINAL

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4043	Prescription	rgp_contacts_rx	dot	DOT. May have a null value.	string	True	10	OD OS NONE
4044	Prescription	rgp_contacts_rx	status	Status. May have a null value.	string	True	255	DISPENSED DISPENSED_PATIENT_CAN_CONFIRM DISPENSED_SUCCESSFUL DISPENSED_UNSUCCESSFUL FINAL ORDER_TRIAL ORDER_TRIAL_NEEDS_FITTING_DOCTOR ORDER_TRIAL_NEEDS_FITTING_STAFF ORDER_TRIAL_PATIENT_CAN_CONFIRM SEE_NOTES
4045	Prescription	rgp_contacts_rx	notes	(Notes) Notes	string	True	-1	
4046	Prescription	rgp_contacts_rx	print_notes	Display notes on Rx printout	boolean	True		
4047	Prescription	rgp_contacts_rx	lens_manufacturer_od	Contact lens manufacturer OD	string	True	100	Based on ABB product database
4048	Prescription	rgp_contacts_rx	lens_manufacturer_os	Contact lens manufacturer OS	string	True	100	Based on ABB product database
4049	Prescription	rgp_contacts_rx	lens_product_od	Contact lens brand OD	string	True	100	Based on ABB product database
4050	Prescription	rgp_contacts_rx	lens_product_os	Contact lens brand OS	string	True	100	Based on ABB product database
4051	Prescription	rgp_contacts_rx	start_date	Start Date	timestamp	True		
4052	Prescription	rgp_contacts_rx	expiration_date	Expiration Date	timestamp	True		
4053	Prescription	rgp_contacts_rx	manual_lens_manufacturer_od	Manual entry - Contact lens manufacturer OD	string	True	255	
4054	Prescription	rgp_contacts_rx	manual_lens_manufacturer_os	Manual entry - Contact lens manufacturer OS	string	True	255	
4055	Prescription	rgp_contacts_rx	manual_lens_product_od	Manual entry - Contact lens brand OD	string	True	255	
4056	Prescription	rgp_contacts_rx	manual_lens_product_os	Manual entry - Contact lens brand OS	string	True	255	
4057	Prescription	rgp_contacts_rx	underlying_condition_od	Underlying condition. If not null, all OD refraction values are null (not including over refraction).	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
4058	Prescription	rgp_contacts_rx	underlying_condition_os	Underlying condition. If not null, all OS refraction values are null (not including over refraction).	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4059	Prescription	rgp_contacts_rx	rgp_type_od	RGP Type OD. May have a null value.	string	True	30	TRANSLATING_BIFOCAL_GP PROGRESSIVE_MULTIFOCAL_GP ASPHERIC_GP HYBRID_PROGRESSIVE CORNEAL_RESHAPING SPHERICAL_GP CUSTOM HYBRID_KERATOCONUS KERATOCONUS_GP REVERSE_GEOMETRY_GP HYBRID_SPHERE CRT SPHERE SCLERAL_GP TRIFOCAL_HYBRID_GP HYBRID_POST_SURGICAL TORIC_GP HYBRID_MULTIFOCAL BITORIC
4060	Prescription	rgp_contacts_rx	rgp_type_os	RGP Type OS. May have a null value.	string	True	30	TRANSLATING_BIFOCAL_GP PROGRESSIVE_MULTIFOCAL_GP ASPHERIC_GP HYBRID_PROGRESSIVE CORNEAL_RESHAPING SPHERICAL_GP CUSTOM HYBRID_KERATOCONUS KERATOCONUS_GP REVERSE_GEOMETRY_GP HYBRID_SPHERE CRT SPHERE SCLERAL_GP TRIFOCAL_HYBRID_GP HYBRID_POST_SURGICAL TORIC_GP HYBRID_MULTIFOCAL BITORIC
4061	Prescription	rgp_contacts_rx	manual_rgp_type_od	Manual entry - RGP Type OD	string	True	255	
4062	Prescription	rgp_contacts_rx	manual_rgp_type_os	Manual entry - RGP Type OS	string	True	255	
4063	Prescription	rgp_contacts_rx	base_curve_1_od	Base Curve OD	double	True		
4064	Prescription	rgp_contacts_rx	base_curve_1_os	Base Curve OS	double	True		
4065	Prescription	rgp_contacts_rx	base_curve_2_od	Base Curve 2 OD	double	True		
4066	Prescription	rgp_contacts_rx	base_curve_2_os	Base Curve 2 OS	double	True		
4067	Prescription	rgp_contacts_rx	diameter_od	Diameter OD	double	True		
4068	Prescription	rgp_contacts_rx	diameter_os	Diameter OS	double	True		
4069	Prescription	rgp_contacts_rx	sphere_1_od	Sphere OD	double	True		
4070	Prescription	rgp_contacts_rx	sphere_1_os	Sphere OS	double	True		
4071	Prescription	rgp_contacts_rx	sphere_2_od	Sphere 2 OD	double	True		
4072	Prescription	rgp_contacts_rx	sphere_2_os	Sphere 2 OS	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4073	Prescription	rgp_contacts_rx	cylinder_1_od	Cylinder OD	double	True		
4074	Prescription	rgp_contacts_rx	cylinder_1_os	Cylinder OS	double	True		
4075	Prescription	rgp_contacts_rx	cylinder_2_od	Cylinder 2 OD	double	True		
4076	Prescription	rgp_contacts_rx	cylinder_2_os	Cylinder 2 OS	double	True		
4077	Prescription	rgp_contacts_rx	axis_1_od	Axis OD	int	True		
4078	Prescription	rgp_contacts_rx	axis_1_os	Axis OS	int	True		
4079	Prescription	rgp_contacts_rx	axis_2_od	Axis 2 OD	int	True		
4080	Prescription	rgp_contacts_rx	axis_2_os	Axis 2 OS	int	True		
4081	Prescription	rgp_contacts_rx	pcr_1_od	Peripheral Curve Radius (PCR) OD	double	True		
4082	Prescription	rgp_contacts_rx	pcr_1_os	Peripheral Curve Radius (PCR) OS	double	True		
4083	Prescription	rgp_contacts_rx	pcw_1_od	Peripheral Curve Width (PCW) OD	double	True		
4084	Prescription	rgp_contacts_rx	pcw_1_os	Peripheral Curve Width (PCW) OS	double	True		
4085	Prescription	rgp_contacts_rx	pcr_2_od	Peripheral Curve Radius (PCR) 2 OD	double	True		
4086	Prescription	rgp_contacts_rx	pcr_2_os	Peripheral Curve Radius (PCR) 2 OS	double	True		
4087	Prescription	rgp_contacts_rx	pcw_2_od	Peripheral Curve Width (PCW) 2 OD	double	True		
4088	Prescription	rgp_contacts_rx	pcw_2_os	Peripheral Curve Width (PCW) 2 OS	double	True		
4089	Prescription	rgp_contacts_rx	pcr_3_od	Peripheral Curve Radius (PCR) 3 OD	double	True		
4090	Prescription	rgp_contacts_rx	pcr_3_os	Peripheral Curve Radius (PCR) 3 OS	double	True		
4091	Prescription	rgp_contacts_rx	pcw_3_od	Peripheral Curve Width (PCW) 3 OD	double	True		
4092	Prescription	rgp_contacts_rx	pcw_3_os	Peripheral Curve Width (PCW) 3 OS	double	True		
4093	Prescription	rgp_contacts_rx	add_od	Add OD	double	True		
4094	Prescription	rgp_contacts_rx	add_os	Add OS	double	True		
4095	Prescription	rgp_contacts_rx	prism_od	Prism OD	double	True		
4096	Prescription	rgp_contacts_rx	prism_os	Prism OS	double	True		
4097	Prescription	rgp_contacts_rx	center_thickness_od	Center Thickness OD	double	True		
4098	Prescription	rgp_contacts_rx	center_thickness_os	Center Thickness OS	double	True		
4099	Prescription	rgp_contacts_rx	edge_thickness_od	Edge Thickness OD	double	True		
4100	Prescription	rgp_contacts_rx	edge_thickness_os	Edge Thickness OS	double	True		
4101	Prescription	rgp_contacts_rx	optical_zone_od	Optical Zone OD	double	True		
4102	Prescription	rgp_contacts_rx	optical_zone_os	Optical Zone OS	double	True		
4103	Prescription	rgp_contacts_rx	segment_height_od	Segment Height OD	double	True		
4104	Prescription	rgp_contacts_rx	segment_height_os	Segment Height OS	double	True		
4105	Prescription	rgp_contacts_rx	blend_od	Blend OD. May have a null value.	string	True	30	LIGHT MEDIUM HEAVY
4106	Prescription	rgp_contacts_rx	blend_os	Blend OS. May have a null value.	string	True	30	LIGHT MEDIUM HEAVY
4107	Prescription	rgp_contacts_rx	material_od	Material OD	string	True	255	
4108	Prescription	rgp_contacts_rx	material_os	Material OS	string	True	255	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4109	Prescription	rgp_contacts_rx	tint_od	Tint OD. May have a null value.	string	True	30	AQUA BLUE CRYSTAL_BLUE MAJESTIC_BLUE BROWN GRAY GREEN RED VIOLET BABY_BLUE CHESTNUT_BROWN CLEAR TURQUOISE AQUA_ENHANCER BLUE_BLOCKER BLUE_ENHANCER BLUE_GRAY CARIBBEAN_AQUA COBALT DARK_COCOA EMERALD_GREEN EVERGREEN MIGRAINE_55 GRANITE GREEN_ENHANCER HONEY ICE_BLUE LAVENDER PECAN PISTACHIO SAPPHIRE_BLUE STORMY_GRAY TEAL

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4110	Prescription	rgp_contacts_rx	tint_os	Tint OS. May have a null value.	string	True	30	AQUA BLUE CRYSTAL_BLUE MAJESTIC_BLUE BROWN GRAY GREEN RED VIOLET BABY_BLUE CHESTNUT_BROWN CLEAR TURQUOISE AQUA_ENHANCER BLUE_BLOCKER BLUE_ENHANCER BLUE_GRAY CARIBBEAN_AQUA COBALT DARK_COCOA EMERALD_GREEN EVERGREEN MIGRAINE_55 GRANITE GREEN_ENHANCER HONEY ICE_BLUE LAVENDER PECAN PISTACHIO SAPPHIRE_BLUE STORMY_GRAY TEAL
4111	Prescription	rgp_contacts_rx	visual_acuity_dcc_od	Visual acuity DccOD	string	True	20	See Appendix B
4112	Prescription	rgp_contacts_rx	visual_acuity_dcc_os	Visual acuity DccOS	string	True	20	See Appendix B
4113	Prescription	rgp_contacts_rx	visual_acuity_dcc_ou	Visual acuity DccOU	string	True	20	See Appendix B
4114	Prescription	rgp_contacts_rx	visual_acuity_ncc_od	Visual acuity NccOD	string	True	20	See Appendix B
4115	Prescription	rgp_contacts_rx	visual_acuity_ncc_os	Visual acuity NccOS	string	True	20	See Appendix B
4116	Prescription	rgp_contacts_rx	visual_acuity_ncc_ou	Visual acuity NccOU	string	True	20	See Appendix B
4117	Prescription	rgp_contacts_rx	movement_od	(Assessment) Movement OD. May have a null value.	string	True	100	GOOD TIGHT LOOSE NONE
4118	Prescription	rgp_contacts_rx	movement_os	(Assessment) Movement OS. May have a null value.	string	True	100	GOOD TIGHT LOOSE NONE

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4119	Prescription	rgp_contacts_rx	centration_od	(Assessment) Centration OD. May have a null value.	string	True	100	GOOD DECENTERED_NASAL DECENTERED_TEMPORAL SUPERIOR_APERTURE DROPS_WITH_BLINK NONE
4120	Prescription	rgp_contacts_rx	centration_os	(Assessment) Centration OS. May have a null value.	string	True	100	GOOD DECENTERED_NASAL DECENTERED_TEMPORAL SUPERIOR_APERTURE DROPS_WITH_BLINK NONE
4121	Prescription	rgp_contacts_rx	vision_od	(Assessment) Vision OD. May have a null value.	string	True	100	GOOD FUNCTIONAL ADEQUATE POOR NONE
4122	Prescription	rgp_contacts_rx	vision_os	(Assessment) Vision OS. May have a null value.	string	True	100	GOOD FUNCTIONAL ADEQUATE POOR NONE
4123	Prescription	rgp_contacts_rx	comfort_od	(Assessment) Comfort OD. May have a null value.	string	True	100	COMFORTABLE UNCOMFORTABLE DRY NONE
4124	Prescription	rgp_contacts_rx	comfort_os	(Assessment) Comfort OS. May have a null value.	string	True	100	COMFORTABLE UNCOMFORTABLE DRY NONE
4125	Prescription	rgp_contacts_rx	torics_right_od	(Assessment) Torics Right OD. May have a null value.	boolean	True		True: ON, False: OFF
4126	Prescription	rgp_contacts_rx	torics_right_os	(Assessment) Torics Right OS. May have a null value.	boolean	True		True: ON, False: OFF
4127	Prescription	rgp_contacts_rx	torics_rotated_right_od	(Assessment) Torics Rotated Right (degrees) OD	int	True		
4128	Prescription	rgp_contacts_rx	torics_rotated_right_os	(Assessment) Torics Rotated Right (degrees) OS	int	True		
4129	Prescription	rgp_contacts_rx	torics_rotated_left_od	(Assessment) Torics Rotated Left (degrees) OD	int	True		
4130	Prescription	rgp_contacts_rx	torics_rotated_left_os	(Assessment) Torics Rotated Left (degrees) OS	int	True		
4131	Prescription	rgp_contacts_rx	or_sphere_od	(Over Refraction) Sphere OD	double	True		
4132	Prescription	rgp_contacts_rx	or_sphere_os	(Over Refraction) Sphere OS	double	True		
4133	Prescription	rgp_contacts_rx	or_cylinder_od	(Over Refraction) Cylinder OD	double	True		
4134	Prescription	rgp_contacts_rx	or_cylinder_os	(Over Refraction) Cylinder OS	double	True		
4135	Prescription	rgp_contacts_rx	or_axis_od	(Over Refraction) Axis OD	int	True		
4136	Prescription	rgp_contacts_rx	or_axis_os	(Over Refraction) Axis OS	int	True		
4137	Prescription	rgp_contacts_rx	or_visual_acuity_dcc_od	(Over Refraction) Visual acuity DccOD	string	True	20	See Appendix B
4138	Prescription	rgp_contacts_rx	or_visual_acuity_dcc_os	(Over Refraction) Visual acuity DccOS	string	True	20	See Appendix B
4139	Prescription	rgp_contacts_rx	or_visual_acuity_ncc_od	(Over Refraction) Visual acuity NccOD	string	True	20	See Appendix B
4140	Prescription	rgp_contacts_rx	or_visual_acuity_ncc_os	(Over Refraction) Visual acuity NccOS	string	True	20	See Appendix B
4141	Prescription	rgp_contacts_rx	firm_global_id	ModMed internal firm global identifier	string	False	10	
4142	Patient	insurance_policy	insurance_policy_id	insurance_policy table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4143	Patient	insurance_policy	patient_id	patient table id	string	False	20	
4144	Patient	insurance_policy	payer_id	payer table id (PM Column)	string	True	20	
4145	Patient	insurance_policy	payer_address_id	payer_address table id (PM Column)	string	True	20	
4146	Patient	insurance_policy	facility_payer_address_id	Facility specific payer_address table id (PM Column)	string	True	20	
4147	Patient	insurance_policy	payer_plan_id	payer_plan table id (PM Column)	string	True	20	
4148	Patient	insurance_policy	fee_schedule_id	fee_schedule table id (PM Column)	string	True	20	
4149	Patient	insurance_policy	source_of_payment_typology	Source of Payment Typology	string	True	100	
4150	Patient	insurance_policy	patient_self_paying	If policy is patient self paying	boolean	True		
4151	Patient	insurance_policy	active	If insurance is active	boolean	True		
4152	Patient	insurance_policy	insurance_company_name	Insurance Company Name	string	True	255	
4153	Patient	insurance_policy	plan_name	Plan Name (PM column)	string	True	100	
4154	Patient	insurance_policy	policy_type	Policy Type; may have null value.	string	True	50	EPO, FeeForService, HDHP, PPO, etc.
4155	Patient	insurance_policy	policy_number	Policy Number	string	True	100	
4156	Patient	insurance_policy	group_number	Group Number	string	True	100	
4157	Patient	insurance_policy	payer_id_number	Policy Payer Id	string	True	50	
4158	Patient	insurance_policy	insurance_code	Insurance Code	string	True	100	
4159	Patient	insurance_policy	insurance_phone_number	Insurance Phone #	string	True	50	
4160	Patient	insurance_policy	ranking	Ranking	int	True		
4161	Patient	insurance_policy	policy_effective_date	Policy Effective Date	timestamp	True		
4162	Patient	insurance_policy	policy_term_date	Policy Term Date	timestamp	True		
4163	Patient	insurance_policy	eligibility_active	Eligibility Status	boolean	True		
4164	Patient	insurance_policy	eligibility_last_updated_time	Time stamp since eligibility was last updated.	timestamp	True		
4165	Patient	insurance_policy	copay_type	Copay Type; may have null value.	string	True	50	COPAY_AMOUNT DEDUCTIBLE PERCENTAGE
4166	Patient	insurance_policy	copay_amount	Policy Copay Amount	double	True		
4167	Patient	insurance_policy	copay_deductible	Policy Copay Deductible	double	True		
4168	Patient	insurance_policy	deductible_remaining	Policy Copay Deductible remaining balance	double	True		
4169	Patient	insurance_policy	copay_percent	Policy Copay Percent	double	True		
4170	Patient	insurance_policy	out_of_pocket_amount	Out-of-pocket amount	double	True		
4171	Patient	insurance_policy	out_of_pocket_remaining_amount	Remaining out-of-pocket amount	double	True		
4172	Patient	insurance_policy	referral_needed	Policy Referral Needed	boolean	True		
4173	Patient	insurance_policy	referral_number	Policy Referral Number	string	True	50	
4174	Patient	insurance_policy	referral_number_of_visits	Policy Referral Number Of Visits	int	True		
4175	Patient	insurance_policy	referral_effective_date	Policy Referral Effective Date	timestamp	True		
4176	Patient	insurance_policy	referral_expiration_date	Policy Referral Expiration Date	timestamp	True		
4177	Patient	insurance_policy	insurance_street1	Insurance Address Street1	string	True	255	
4178	Patient	insurance_policy	insurance_street2	Insurance Address Street2	string	True	255	
4179	Patient	insurance_policy	insurance_city	Insurance Address City	string	True	255	
4180	Patient	insurance_policy	insurance_state	Insurance Address State	string	True	50	
4181	Patient	insurance_policy	insurance_zipcode	Insurance Address Zipcode	string	True	50	
4182	Patient	insurance_policy	insurance_country	Insurance Address Country	string	True	30	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4183	Patient	insurance_policy	insurance_card_name_override	Flag if patient name is different than in insurance card (PM column)	boolean	True		
4184	Patient	insurance_policy	patient_first_name	Patient's first name	string	True	100	
4185	Patient	insurance_policy	patient_last_name	Patient's last name	string	True	100	
4186	Patient	insurance_policy	patient_middle_name	Patient's middle name	string	True	100	
4187	Patient	insurance_policy	patient_name_prefix	Patient's name prefix	string	True	50	
4188	Patient	insurance_policy	patient_name_suffix	Patient's name suffix	string	True	50	
4189	Patient	insurance_policy	relationship_to_policy_holder	Relationship To Policy Holder. May have a null value.	string	True	50	SELF SPOUSE CHILD OTHER EMPLOYER
4190	Patient	insurance_policy	policy_patient_name	Name of the policy holder listed for insurance.	string	True	200	
4191	Patient	insurance_policy	policy_holder_last_name	Policy Holder Last Name	string	True	100	
4192	Patient	insurance_policy	policy_holder_first_name	Policy Holder First Name	string	True	100	
4193	Patient	insurance_policy	policy_holder_middle_name	Policy Holder Middle Name	string	True	50	
4194	Patient	insurance_policy	policy_holder_gender	Policy holder Gender. May have a null value.	string	True	20	MALE, FEMALE, etc.
4195	Patient	insurance_policy	policy_holder_marital_statuses	Policy Holder Marital Status. May have a null value.	string	True	50	MARRIED, SINGLE, etc.
4196	Patient	insurance_policy	policy_holder_date_of_birth	Policy Holder Date Of Birth	timestamp	True		
4197	Patient	insurance_policy	policy_holder_race	Policy Holder Race	string	True	50	Based on HL7-0005
4198	Patient	insurance_policy	policy_holder_home_phone_number	Policy Holder Home Phone #	string	True	50	
4199	Patient	insurance_policy	policy_holder_work_phone_number	Policy Holder Work Phone #	string	True	50	
4200	Patient	insurance_policy	policy_holder_mobile_phone_number	Policy Holder Mobile Phone #	string	True	50	
4201	Patient	insurance_policy	policy_holder_street1	Policy Holder Address Street1	string	True	255	
4202	Patient	insurance_policy	policy_holder_street2	Policy Holder Address Street2	string	True	255	
4203	Patient	insurance_policy	policy_holder_city	Policy Holder Address City	string	True	255	
4204	Patient	insurance_policy	policy_holder_state	Policy Holder Address State	string	True	50	
4205	Patient	insurance_policy	policy_holder_zipcode	Policy Holder Address Zipcode	string	True	50	
4206	Patient	insurance_policy	policy_holder_country	Policy Holder Address Country	string	True	30	
4207	Patient	insurance_policy	billing_address_same_as_patient	Policy Holder's billing address is same as patient's	boolean	True		
4208	Patient	insurance_policy	policy_holder_employer_name	Policy Holder Employer Name	string	True	100	
4209	Patient	insurance_policy	policy_holder_employer_phone_number	Policy Holder Employer Phone #	string	True	50	
4210	Patient	insurance_policy	policy_holder_employer_street1	Policy Holder Employer Address Street1	string	True	255	
4211	Patient	insurance_policy	policy_holder_employer_street2	Policy Holder Employer Address Street2	string	True	255	
4212	Patient	insurance_policy	policy_holder_employer_city	Policy Holder Employer Address City	string	True	255	
4213	Patient	insurance_policy	policy_holder_employer_state	Policy Holder Employer Address State	string	True	50	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4214	Patient	insurance_policy	policy_holder_employer_zipcode	Policy Holder Employer Address Zipcode	string	True	50	
4215	Patient	insurance_policy	policy_holder_employer_country	Policy Holder Employer Address Country	string	True	30	
4216	Patient	insurance_policy	relationship_to_guarantor	Patient Relationship To Guarantor. May have a null value.	string	True	50	SELF SPOUSE CHILD OTHER EMPLOYER
4217	Patient	insurance_policy	guarantor_last_name	Guarantor Last Name	string	True	100	
4218	Patient	insurance_policy	guarantor_first_name	Guarantor First Name	string	True	100	
4219	Patient	insurance_policy	guarantor_middle_name	Guarantor Middle Name	string	True	50	
4220	Patient	insurance_policy	guarantor_gender	Guarantor Gender. May have a null value.	string	True	20	MALE, FEMALE, etc.
4221	Patient	insurance_policy	guarantor_marital_status	Guarantor Marital Status. May have a null value.	string	True	100	MARRIED, SINGLE, etc.
4222	Patient	insurance_policy	guarantor_date_of_birth	Guarantor Date Of Birth	timestamp	True		
4223	Patient	insurance_policy	guarantor_mrn	Guarantor MRN	string	True	20	
4224	Patient	insurance_policy	guarantor_chart_number	Guarantor Chart Number	string	True	50	
4225	Patient	insurance_policy	guarantor_race	Guarantor Race	string	True	50	Based on HL7-0005
4226	Patient	insurance_policy	guarantor_street1	Guarantor Address Street1	string	True	255	
4227	Patient	insurance_policy	guarantor_street2	Guarantor Address Street2	string	True	255	
4228	Patient	insurance_policy	guarantor_city	Guarantor Address City	string	True	255	
4229	Patient	insurance_policy	guarantor_state	Guarantor Address State	string	True	50	
4230	Patient	insurance_policy	guarantor_zipcode	Guarantor Address Zipcode	string	True	50	
4231	Patient	insurance_policy	guarantor_country	Guarantor Address Country	string	True	30	
4232	Patient	insurance_policy	guarantor_home_phone_number	Guarantor Home Phone #	string	True	50	
4233	Patient	insurance_policy	guarantor_work_phone_number	Guarantor Work Phone #	string	True	50	
4234	Patient	insurance_policy	subscriber_identifier	Sequence of characters used to uniquely refer to the individual that selects insurance benefits	string	True	100	
4235	Patient	insurance_policy	facility_plan_name	Payer facility specific plan name (PM Column)	string	True	100	
4236	Patient	insurance_policy	facility_policy_number	Payer facility specific policy number (PM Column)	string	True	20	
4237	Patient	insurance_policy	facility_group_number	Payer facility specific group number (PM Column)	string	True	20	
4238	Patient	insurance_policy	facility_same_as_professional	True if facility specific claim address is the same as Payer (PM Column)	boolean	True		
4239	Patient	insurance_policy	authorization_for_office_visit	Referral/Authorization for office visit (PM Column)	boolean	True		
4240	Patient	insurance_policy	inpatient_services_precertification	Pre-Cert for In-Patient Services (PM Column)	boolean	True		
4241	Patient	insurance_policy	outpatient_services_preauthorization	Pre-Auth for Out-Patient Services (PM Column)	boolean	True		
4242	Patient	insurance_policy	insurance_card_front_image	Flag for insurance card scanned front image (PM Column)	boolean	True		
4243	Patient	insurance_policy	insurance_card_back_image	Flag for insurance card scanned back image (PM Column)	boolean	True		
4244	Patient	insurance_policy	customer_service_street1	Customer Service Street 1 (PM Column)	string	True	255	
4245	Patient	insurance_policy	customer_service_street2	Customer Service Street 2 (PM Column)	string	True	255	
4246	Patient	insurance_policy	customer_service_city	Customer Service City (PM Column)	string	True	255	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4247	Patient	insurance_policy	customer_service_state	Customer Service State (PM Column)	string	True	50	
4248	Patient	insurance_policy	customer_service_zipcode	Customer Service Zip Code (PM Column)	string	True	50	
4249	Patient	insurance_policy	customer_service_email_address	Customer Service Email Address (PM Column)	string	True	100	
4250	Patient	insurance_policy	customer_service_website_address	Customer Service Website (PM Column)	string	True	255	
4251	Patient	insurance_policy	customer_service_phone_number	Customer Service Phone Number (PM Column)	string	True	50	
4252	Patient	insurance_policy	customer_service_fax_phone_number	Customer Service Fax Number (PM Column)	string	True	50	
4253	Patient	insurance_policy	claims_street1	Claims Street 1 (PM Column)	string	True	255	
4254	Patient	insurance_policy	claims_street2	Claims Street 2 (PM Column)	string	True	255	
4255	Patient	insurance_policy	claims_city	Claims City (PM Column)	string	True	255	
4256	Patient	insurance_policy	claims_state	Claims State (PM Column)	string	True	50	
4257	Patient	insurance_policy	claims_zipcode	Claims Zip Code (PM Column)	string	True	50	
4258	Patient	insurance_policy	claims_email_address	Claims Email Address (PM Column)	string	True	100	
4259	Patient	insurance_policy	claims_website_address	Claims Website (PM Column)	string	True	255	
4260	Patient	insurance_policy	claims_phone_number	Claims Phone Number (PM Column)	string	True	50	
4261	Patient	insurance_policy	claims_fax_phone_number	Claims Fax Number (PM Column)	string	True	50	
4262	Patient	insurance_policy	appeals_street1	Appeals Street 1 (PM Column)	string	True	255	
4263	Patient	insurance_policy	appeals_street2	Appeals Street 2 (PM Column)	string	True	255	
4264	Patient	insurance_policy	appeals_city	Appeals City (PM Column)	string	True	255	
4265	Patient	insurance_policy	appeals_state	Appeals State (PM Column)	string	True	50	
4266	Patient	insurance_policy	appeals_zipcode	Appeals Zip Code (PM Column)	string	True	50	
4267	Patient	insurance_policy	appeals_email_address	Appeals Email Address (PM Column)	string	True	100	
4268	Patient	insurance_policy	appeals_website_address	Appeals Website (PM Column)	string	True	255	
4269	Patient	insurance_policy	appeals_phone_number	Appeals Phone Number (PM Column)	string	True	50	
4270	Patient	insurance_policy	appeals_fax_phone_number	Appeals Fax Number (PM Column)	string	True	50	
4271	Patient	insurance_policy	precertification_street1	Precertification Street 1 (PM Column)	string	True	255	
4272	Patient	insurance_policy	precertification_street2	Precertification Street 2 (PM Column)	string	True	255	
4273	Patient	insurance_policy	precertification_city	Precertification City (PM Column)	string	True	255	
4274	Patient	insurance_policy	precertification_state	Precertification State (PM Column)	string	True	50	
4275	Patient	insurance_policy	precertification_zipcode	Precertification Zip Code (PM Column)	string	True	50	
4276	Patient	insurance_policy	precertification_email_address	Precertification Email Address (PM Column)	string	True	100	
4277	Patient	insurance_policy	precertification_website_address	Precertification Website (PM Column)	string	True	255	
4278	Patient	insurance_policy	precertification_phone_number	Precertification Phone Number (PM Column)	string	True	50	
4279	Patient	insurance_policy	precertification_fax_phone_number	Precertification Fax Number (PM Column)	string	True	50	
4280	Patient	insurance_policy	firm_global_id	ModMed internal firm global identifier	string	False	10	
4281	Ophth Pretesting	iop	iop_id	IOP table id	string	False	20	
4282	Ophth Pretesting	iop	visit_id	Visit table id	string	True	20	
4283	Ophth Pretesting	iop	patient_id	patient table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4284	Ophth Pretesting	iop	date_recorded	Date recorded. May be different than the visit date and edited by the physician or staff member.	timestamp	True		
4285	Ophth Pretesting	iop	eye	Eye evaluated	string	True	2	OS OD
4286	Ophth Pretesting	iop	method	Method	string	True	30	APPLANATION GOLDMANN TONOPEN MCKAY_MARG PERKINS DCT NCT PALPATION PASCAL PNEUMOTONOMETER ICARE OTHER NONE
4287	Ophth Pretesting	iop	measurement	Numeric measurement. Null if measurement_selection is non-null.	int	True		
4288	Ophth Pretesting	iop	measurement_selection	Non-numeric measurement. Null if measurement is non-null.	string	True	30	ATTEMPTED_BUT_NOT_ACHIEVED DEFERRED SOFT NORMAL HARD
4289	Ophth Pretesting	iop	reliability	Reliability	string	True	30	RELIABLE SQUINTING UNCOOPERATIVE
4290	Ophth Pretesting	iop	firm_global_id	ModMed internal firm global identifier	string	False	10	
4291	Patient	patient_pregnancy_exposure_questionnaire	patient_pregnancy_exposure_questionnaire_id	patient_pregnancy_exposure_questionnaire table id	string	False	80	
4292	Patient	patient_pregnancy_exposure_questionnaire	patient_id	patient table id	string	False	20	
4293	Patient	patient_pregnancy_exposure_questionnaire	patient_pregnancy_id	patient_pregnancy table id	string	False	20	
4294	Patient	patient_pregnancy_exposure_questionnaire	question_category	Category of the question.	string	True	100	Genetic Screening Teratogen Exposure Since Pregnancy Infection History
4295	Patient	patient_pregnancy_exposure_questionnaire	question	Question asked to the patient.	string	True	100	
4296	Patient	patient_pregnancy_exposure_questionnaire	patient_answer	Answer to the question, related to the patient.	string	True	100	
4297	Patient	patient_pregnancy_exposure_questionnaire	father_answer	Answer to the question, related to the father of the baby.	string	True	100	
4298	Patient	patient_pregnancy_exposure_questionnaire	partner_answer	Answer to the question, related to the patient's parter.	string	True	100	
4299	Patient	patient_pregnancy_exposure_questionnaire	other_answer	Answer to the question, related to the other persons related to the patient, like family members.	string	True	100	
4300	Patient	patient_pregnancy_exposure_questionnaire	notes	Additional notes related to the question.	string	True	1000	
4301	Patient	patient_pregnancy_exposure_questionnaire	firm_global_id	ModMed internal firm global identifier	string	False	10	
4302	Prescription	glasses_rx	glasses_rx_id	glasses_rx table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4303	Prescription	glasses_rx	patient_id	patient table id	string	False	20	
4304	Prescription	glasses_rx	provider_id	staff table id	string	True	20	
4305	Prescription	glasses_rx	facility_id	facility table id	string	True	20	
4306	Prescription	glasses_rx	visit_id	visit table id	string	True	20	NULL if rx written outside of visit
4307	Prescription	glasses_rx	date_recorded	Date originally recorded. Rx may be modified after this date.	timestamp	True		
4308	Prescription	glasses_rx	active	If the rx is active	boolean	True		
4309	Prescription	glasses_rx	eyeglass_usage	Eyeglass Usage	string	True	255	See Appendix A
4310	Prescription	glasses_rx	underlying_condition_od	(Prisms/PDs) Underlying condition. If not null, all other OD refraction values are null.	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
4311	Prescription	glasses_rx	underlying_condition_os	(Prisms/PDs) Underlying condition. If not null, all other OS refraction values are null.	string	True	30	PROSTHESIS BALANCE_LENS NOT_RECORDED NO_LENS
4312	Prescription	glasses_rx	sphere_od	(Rx Details) Sphere	double	True		
4313	Prescription	glasses_rx	sphere_os	(Rx Details) Sphere	double	True		
4314	Prescription	glasses_rx	cylinder_od	(Rx Details) Cylinder	double	True		
4315	Prescription	glasses_rx	cylinder_os	(Rx Details) Cylinder	double	True		
4316	Prescription	glasses_rx	axis_od	(Rx Details) Axis	int	True		
4317	Prescription	glasses_rx	axis_os	(Rx Details) Axis	int	True		
4318	Prescription	glasses_rx	add_od	(Rx Details) Add	double	True		
4319	Prescription	glasses_rx	add_os	(Rx Details) Add	double	True		
4320	Prescription	glasses_rx	visual_acuity_dcc_od	Visual acuity DccOD	string	True	30	See Appendix B
4321	Prescription	glasses_rx	visual_acuity_dcc_os	Visual acuity DccOS	string	True	30	See Appendix B
4322	Prescription	glasses_rx	visual_acuity_ncc_od	Visual acuity NccOD	string	True	20	See Appendix B
4323	Prescription	glasses_rx	visual_acuity_ncc_os	Visual acuity NccOS	string	True	20	See Appendix B
4324	Prescription	glasses_rx	pinhole_dcc_od	Pinhole visual acuity DccOD	string	True	20	See Appendix B
4325	Prescription	glasses_rx	pinhole_dcc_os	Pinhole visual acuity DccOS	string	True	20	See Appendix B
4326	Prescription	glasses_rx	start_date_od	(Rx Details) Start Date	timestamp	True		
4327	Prescription	glasses_rx	start_date_os	(Rx Details) Start Date	timestamp	True		
4328	Prescription	glasses_rx	expiration_date_od	(Rx Details) Expiration Date	timestamp	True		
4329	Prescription	glasses_rx	expiration_date_os	(Rx Details) Expiration Date	timestamp	True		
4330	Prescription	glasses_rx	horizontal_prism_od	(Prisms/PDs) HPrism	double	True		
4331	Prescription	glasses_rx	horizontal_prism_os	(Prisms/PDs) HPrism	double	True		
4332	Prescription	glasses_rx	horizontal_base_od	(Prisms/PDs) Base. May have a null value.	string	True	20	OUT IN UP DOWN
4333	Prescription	glasses_rx	horizontal_base_os	(Prisms/PDs) Base. May have a null value.	string	True	20	OUT IN UP DOWN
4334	Prescription	glasses_rx	vertical_prism_od	(Prisms/PDs) VPrism	double	True		
4335	Prescription	glasses_rx	vertical_prism_os	(Prisms/PDs) VPrism	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4336	Prescription	glasses_rx	vertical_base_od	(Prisms/PDs) Base. May have a null value.	string	True	20	OUT IN UP DOWN
4337	Prescription	glasses_rx	vertical_base_os	(Prisms/PDs) Base. May have a null value.	string	True	20	OUT IN UP DOWN
4338	Prescription	glasses_rx	pd_distance_od	Pupillary distance - Distance OD	double	True		
4339	Prescription	glasses_rx	pd_distance_os	Pupillary distance - Distance OS	double	True		
4340	Prescription	glasses_rx	pd_near_od	Pupillary distance - Near OD	double	True		
4341	Prescription	glasses_rx	pd_near_os	Pupillary distance - Near OS	double	True		
4342	Prescription	glasses_rx	prism_other_od	(Prisms/PDs) Other	string	True	255	
4343	Prescription	glasses_rx	prism_other_os	(Prisms/PDs) Other	string	True	255	
4344	Prescription	glasses_rx	seg_hgt_od	SEG HGT	double	True		
4345	Prescription	glasses_rx	seg_hgt_os	SEG HGT	double	True		
4346	Prescription	glasses_rx	oc_hgt_od	OC HGT	double	True		
4347	Prescription	glasses_rx	oc_hgt_os	OC HGT	double	True		
4348	Prescription	glasses_rx	dec_dist_od	DEC Dist	double	True		
4349	Prescription	glasses_rx	dec_dist_os	DEC Dist	double	True		
4350	Prescription	glasses_rx	inset_od	INSET	double	True		
4351	Prescription	glasses_rx	inset_os	INSET	double	True		
4352	Prescription	glasses_rx	total_dec_od	TOTAL DEC	double	True		
4353	Prescription	glasses_rx	total_dec_os	TOTAL DEC	double	True		
4354	Prescription	glasses_rx	pd_distance_ou	Binocular Pupillary Distance - Distance	double	True		
4355	Prescription	glasses_rx	pd_near_ou	Binocular Pupillary Distance - Near	double	True		
4356	Prescription	glasses_rx	qp_uv400	(Quick Preferences) UV400	boolean	True		
4357	Prescription	glasses_rx	qp_anti_reflective	(Quick Preferences) Anti-Reflective Coating	boolean	True		
4358	Prescription	glasses_rx	qp_single_vision	(Quick Preferences) Single Vision	boolean	True		
4359	Prescription	glasses_rx	qp_bifocal	(Quick Preferences) Bifocal	boolean	True		
4360	Prescription	glasses_rx	qp_progressives	(Quick Preferences) Progressives	boolean	True		
4361	Prescription	glasses_rx	qp_transition	(Quick Preferences) Transition	boolean	True		
4362	Prescription	glasses_rx	qp_polarized	(Quick Preferences) Polarized	boolean	True		
4363	Prescription	glasses_rx	qp_sunglasses	(Quick Preferences) Sunglasses	boolean	True		
4364	Prescription	glasses_rx	qp_slab_off	(Quick Preferences) Slab Off	boolean	True		
4365	Prescription	glasses_rx	qp_high_index	(Quick Preferences) High Index	boolean	True		
4366	Prescription	glasses_rx	qp_safety_lenses	(Quick Preferences) Safety Lenses	boolean	True		
4367	Prescription	glasses_rx	qp_other	(Quick Preferences) Other Notes	string	True	255	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4368	Prescription	glasses_rx	lens_style	(Lens Details) Lens Style	string	True	100	ASOHERIC_SINGLE_VISION DEFINITY DEFINITY_SHORT ESS_ACCOLADE ESS_IDEAL ESS_IDEAL_ADVANCED ESS_IDEAL_SPORT ESS_NATURAL ESS_SV_SPORT FLAT_TOP_25 FLAT_TOP_28 FLAT_TOP_35 FLAT_TOP_360 KBCO_WRAP_EOS KBCO_WRAP_SV KODAK_CONCISE KODAK_PRECISE NONE OTHER SINGLE_VISION SV360 UNITY_RELIEVE UNITY_SVX UNITY_SVXTRA UNITY_SVXTREME UNITY_VIA UNITY_VIA_ELITE UNITY_VIA_OFFICEPRO UNITY_VIA_PLUS VLX_COMFORT VLX_COMFORT_360 VLX_ELLIPSE VLX_ELLIPSE_360 VLX_PANAMIC VLX_PHYSIO VLX_PHYSIO_360 VLX_PHYSIO_ENHANCED VLX_PHYSIO_SHORT VLX_PHYSIO_SHORT_360 VLX_SPORT VLX_SPORT X28 X35 YOUNGER_IMAGE UNITY_VIA_MOBILE
4369	Prescription	glasses_rx	lens_style_other	(Quick Preferences) Other Notes	string	True	100	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4370	Prescription	glasses_rx	lens_material	(Lens Details) Lens Material	string	True	100	THIN_AND_LITE_174 THIN_AND_LITE_167 THIN_AND_LITE_160 HI_INDEX UNLTRA_LITE_POLY LITE_STYLE_POLY LITE_STYLE_ESS_JR TRIVEX CR_PLASTIC OTHER NONE
4371	Prescription	glasses_rx	lens_material_other	(Quick Preferences) Other Notes	string	True	255	
4372	Prescription	glasses_rx	lens_coating	(Lens Details) Lens Coating	string	True	100	BKSDE_ONLY CZL_AVANCE_SCTH_GRD CZL_ALIZE CRIZAL CRIZAL_SUN CRIZAL_SUN_MIRROR NONE OTHER SHARP_VIEW TECHSHIELD TECHSHIELD_BLUE TECHSHIELD_ELITE TECHSHIELD_PLUS
4373	Prescription	glasses_rx	lens_coating_other	(Quick Preferences) Other Notes	string	True	100	
4374	Prescription	glasses_rx	lens_tint	(Lens Details) Lens Tint	string	True	100	NONE OTHER SUNSYNC SUNSYNC_DRIVE_XT SUNSYNC_ELITE SUNSYNC_ELITE_XT TRANSITIONS_BROWN TRANSITIONS_GRAY XPERIO_POLAR_BROWN XPERIO_POLAR_G15 XPERIO_POLAR_GRAY
4375	Prescription	glasses_rx	lens_tint_other	(Quick Preferences) Other Notes	string	True	100	
4376	Prescription	glasses_rx	color	(Lens Details) Color. May have a null value.	string	True	100	GRAY GREEN BROWN AMBER ROSE RED YELLOW ORANGE OTHER NONE
4377	Prescription	glasses_rx	color_solid	(Lens Details) Color Solid %	int	True		
4378	Prescription	glasses_rx	color_gradient	(Lens Details) Color Gradient %	int	True		
4379	Prescription	glasses_rx	eye_size	(Lens Details) Glasses Eye Size	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4380	Prescription	glasses_rx	distance_between_lenses	(Lens Details) Distance Between Lenses	double	True		
4381	Prescription	glasses_rx	top_to_bottom	(Lens Details) Top to Bottom (B.)	double	True		
4382	Prescription	glasses_rx	effective_diameter	(Lens Details) Effective Diameter (E.D.)	double	True		
4383	Prescription	glasses_rx	lens_mirror	(Lens Details) Mirror	boolean	True		
4384	Prescription	glasses_rx	lens_uv	(Lens Details) UV	boolean	True		
4385	Prescription	glasses_rx	lens_uncut	(Lens Details) Uncut	boolean	True		
4386	Prescription	glasses_rx	lens_safety	(Lens Details) Safety	boolean	True		
4387	Prescription	glasses_rx	lens_polish_edges	(Lens Details) Polish Edges	boolean	True		
4388	Prescription	glasses_rx	lens_knife_edge	(Lens Details) Knife Edge	boolean	True		
4389	Prescription	glasses_rx	lens_tap	(Lens Details) TAP	boolean	True		
4390	Prescription	glasses_rx	lens_options_other	(Lens Details) Other	string	True	255	
4391	Prescription	glasses_rx	frame_name	Glasses Frame Name	string	True	100	
4392	Prescription	glasses_rx	frame_manufacturer_name	Glasses Frames Manufacturer Name	string	True	100	
4393	Prescription	glasses_rx	frame_color	Glasses Frame Color	string	True	100	
4394	Prescription	glasses_rx	temple_length	(Frame Details) Glasses Temple Length	double	True		
4395	Prescription	glasses_rx	frame_zyi	(Frame Details) ZYI	boolean	True		
4396	Prescription	glasses_rx	frame_metal	(Frame Details) Metal	boolean	True		
4397	Prescription	glasses_rx	frame_grooved	(Frame Details) Grooved	boolean	True		
4398	Prescription	glasses_rx	frame_drilled	(Frame Details) Drilled	boolean	True		
4399	Prescription	glasses_rx	frame_to_come	(Frame Details) Frame to come	boolean	True		
4400	Prescription	glasses_rx	frame_supply	(Frame Details) Supply	boolean	True		
4401	Prescription	glasses_rx	frame_edge_only	(Frame Details) Edge Only	boolean	True		
4402	Prescription	glasses_rx	frame_pattern_enclosed_only	(Frame Details) Pattern Enclosed Only	boolean	True		
4403	Prescription	glasses_rx	frame_circumference	(Frame Details) Circumference	double	True		
4404	Prescription	glasses_rx	notes	(Notes) Notes	string	True	-1	
4405	Prescription	glasses_rx	print_notes	Display notes on Rx printout	boolean	True		
4406	Prescription	glasses_rx	firm_global_id	ModMed internal firm global identifier	string	False	10	
4407	Ophth Pretesting	keratometry	keratometry_id	keratometry table id	string	False	20	
4408	Ophth Pretesting	keratometry	visit_id	Visit table id	string	False	20	
4409	Ophth Pretesting	keratometry	patient_id	patient table id	string	False	20	
4410	Ophth Pretesting	keratometry	notes	Notes.	string	True	255	
4411	Ophth Pretesting	keratometry	firm_global_id	ModMed internal firm global identifier	string	False	10	
4412	CC/HPI	hpi_response_body_location	hpi_response_body_location_id	hpi_response_body_location table id	string	False	20	
4413	CC/HPI	hpi_response_body_location	hpi_response_id	hpi_response table id	string	False	20	
4414	CC/HPI	hpi_response_body_location	patient_id	patient table id	string	False	20	
4415	CC/HPI	hpi_response_body_location	body_part	Specific body part	string	True	255	See static_body_location.body_part
4416	CC/HPI	hpi_response_body_location	simple_description	Simple body location for CC/HPI	string	True	255	See static_body_location.hpi_simple_description
4417	CC/HPI	hpi_response_body_location	detail_description	Detailed body location for CC/HPI	string	True	255	See static_body_location.hpi_detail_description

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4418	CC/HPI	hpi_response_body_location	zone	High-level body zone	string	True	255	See static_body_location.zone
4419	CC/HPI	hpi_response_body_location	firm_global_id	ModMed internal firm global identifier	string	False	10	
4420	eLab	result_log_sub_detail	result_log_sub_detail_id	result_log_sub_detail table id	string	False	20	
4421	eLab	result_log_sub_detail	result_log_detail_id	result_log_detail table id	string	False	20	
4422	eLab	result_log_sub_detail	patient_id	patient table id	string	True	20	
4423	eLab	result_log_sub_detail	body_location_id	body_location table id	string	True	20	
4424	eLab	result_log_sub_detail	result_name	Name of result	string	True	800	
4425	eLab	result_log_sub_detail	result_type	Type of result	string	True	10	PATHOLOGY RADIOLOGY UNKNOWN
4426	eLab	result_log_sub_detail	body_part	Body location of result	string	True	100	
4427	eLab	result_log_sub_detail	flag	Result flag	string	True	20	ABNORMAL BENIGN CANCEROUS HIGH INCONCLUSIVE LOW NONE NORMAL OUT_OF_RANGE PANIC_VALUE PRE_CANCEROUS UNKNOWN
4428	eLab	result_log_sub_detail	firm_global_id	ModMed internal firm global identifier	string	False	10	
4429	Patient	chart_note	chart_note_id	chart_note table id	string	False	20	
4430	Patient	chart_note	firm_id	firm table id	string	False	20	
4431	Patient	chart_note	author_patient_id	patient table id. Indicates the id of the patient associated with the chart.	string	True	20	
4432	Patient	chart_note	author_staff_id	staff table id. Indicates the id of the staff user who created the note.	string	True	20	
4433	Patient	chart_note	patient_id	patient table id	string	True	20	
4434	Patient	chart_note	visit_id	visit table id	string	True	20	
4435	Patient	chart_note	assigned_staff_id	staff table id. Id of the staff member who has to sign the note.	string	True	20	
4436	Patient	chart_note	author_name	Name of the author of the note	string	True	150	
4437	Patient	chart_note	assigned_staff_name	Name of the member of the staff who is assigned to sign the note	string	True	150	
4438	Patient	chart_note	note_title	Title of the note	string	True	100	
4439	Patient	chart_note	note_text	Text in the body of the chart note.	string	True	-1	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4440	Patient	chart_note	note_type	Type of chart note	string	True	50	COMMUNICATION COMPLETED_TASK COSMETIC DOCTOR_REFERRAL ELIGIBILITY IME INTERVAL MEDICAL_RECORD_REQUEST NON_VISIT_ORDER NO_SHOW ORDER OTHER PATHOLOGY PRE_OP PRIOR_AUTH PREGNANCY PROCEDURE PROGRESS REFILL RESEARCH RESULTS SCHOOL SPA TRANSCRIPTION VISIT WORK
4441	Patient	chart_note	note_status	Status of the chart note	string	True	50	CHARGES_SENT CODED FINAL FINALIZING HELD_FOR_BILLING HELD_FOR_RESULTS HELD_FOR_TRANSCRIPTION PRELIMINARY RECORDING_IN_PROGRESS TRANSCRIPTION_FAILED TRANSCRIPTION_READY
4442	Patient	chart_note	note_sub_status	Sub status of the chart note	string	True	50	
4443	Patient	chart_note	communication_method	Communication method	string	True	50	DECLINED EMAIL FAX LETTER PHONE PORTAL UNSPECIFIED
4444	Patient	chart_note	sub_communication_method	Sub-communication method	string	True	50	GENERAL_PHONE_CALL PATIENT_PARTNER_STUDY_PHONE_CALL
4445	Patient	chart_note	visible	Indicates if the note is visible or hidden in the UI.	boolean	True		
4446	Patient	chart_note	patient_visible	Indicates if the note is visible or hidden for the patient in the UI.	boolean	True		
4447	Patient	chart_note	patient_account_expired	Indicates if the patient account has expired.	boolean	True		
4448	Patient	chart_note	display_at_top	Whether to display the chart note at the top of the visit note.	boolean	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4449	Patient	chart_note	archived	Indicates if the note was marked as archived in the UI.	boolean	True		
4450	Patient	chart_note	note_created_date	Date when the chart note was created.	timestamp	True		
4451	Patient	chart_note	date_sent	Date when the note was sent.	timestamp	True		
4452	Patient	chart_note	finalized_date	Date when the note was marked as finalized in the UI.	timestamp	True		
4453	Patient	chart_note	firm_global_id	ModMed internal firm global identifier	string	False	10	
4454	PM Financials	accounts_receivable	accounts_receivable_id	accounts_receivable table id	string	False	70	
4455	PM Financials	accounts_receivable	business_unit_id	business_unit table id	string	False	20	
4456	PM Financials	accounts_receivable	patient_id	patient table id	string	True	20	
4457	PM Financials	accounts_receivable	firm_id	firm table id	string	False	20	
4458	PM Financials	accounts_receivable	provider_id	staff table id	string	True	20	
4459	PM Financials	accounts_receivable	primary_provider_id	staff table id	string	True	20	
4460	PM Financials	accounts_receivable	facility_id	facility table id	string	True	20	
4461	PM Financials	accounts_receivable	practice_location_id	facility table id	string	True	20	Practice Location (POS 11)
4462	PM Financials	accounts_receivable	payer_id	payer table id	string	True	20	
4463	PM Financials	accounts_receivable	bill_id	bill table id	string	True	20	
4464	PM Financials	accounts_receivable	original_bill_id	Bill table id. If bill was recreated. This will be the original bill that the new bill was generated from.	string	True	20	
4465	PM Financials	accounts_receivable	bill_item_id	bill_item table id	string	True	20	
4466	PM Financials	accounts_receivable	patient_business_unit_id	patient_business_unit_setting table id	string	True	30	
4467	PM Financials	accounts_receivable	last_billing_note_id	pm_note table id	string	True	20	
4468	PM Financials	accounts_receivable	division_id	division table id	string	True	20	
4469	PM Financials	accounts_receivable	code_category_id	code_category table id	string	True	20	
4470	PM Financials	accounts_receivable	fee_schedule_primary_payer_id	Fee schedule of the primary insurance. This is the payer fee schedule of the primary insurance from the bill insurance.	string	True	20	
4471	PM Financials	accounts_receivable	referral_contact_id	referral_contact table id.	string	True	25	
4472	PM Financials	accounts_receivable	referral_institution_id	referral_institution table id.	string	True	20	
4473	PM Financials	accounts_receivable	referral_staff_id	staff table id.	string	True	20	
4474	PM Financials	accounts_receivable	custom_non_bill_code_id	custom_non_bill_code table id	string	True	20	
4475	PM Financials	accounts_receivable	payer_address_id	payer_address table id	string	True	20	
4476	PM Financials	accounts_receivable	referral_contact_name	referral contact full name.	string	True	200	
4477	PM Financials	accounts_receivable	referral_institution_name	referral institution name.	string	True	100	
4478	PM Financials	accounts_receivable	referral_staff_name	staff full name.	string	True	200	
4479	PM Financials	accounts_receivable	guarantor_name	Guarantor's full name	string	True	220	
4480	PM Financials	accounts_receivable	guarantor_mobile_number	Guarantor's mobile phone number	string	True	25	
4481	PM Financials	accounts_receivable	patient_relationship_to_guarantor	Patient's Relationship to Guarantor	string	True	50	SELF SPOUSE CHILD OTHER EMPLOYER
4482	PM Financials	accounts_receivable	guarantor_date_of_birth	Guarantor's date of birth	timestamp	True		
4483	PM Financials	accounts_receivable	guarantor_address_line_1	Guarantor's address street	string	True	255	
4484	PM Financials	accounts_receivable	guarantor_address_line_2	Guarantor's address street line 2	string	True	255	
4485	PM Financials	accounts_receivable	guarantor_city	Guarantor's address city	string	True	255	
4486	PM Financials	accounts_receivable	guarantor_state	Guarantor's address state	string	True	50	
4487	PM Financials	accounts_receivable	guarantor_zipcode	Guarantor's address Zipcode	string	True	50	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4488	PM Financials	accounts_receivable	allowable_balance	Calculated based on unit allowed per line item. If patient responsible then this is the patient balance.	double	True		
4489	PM Financials	accounts_receivable	balance	Total balance for the responsible party.	double	True		
4490	PM Financials	accounts_receivable	responsible	Responsible party.	string	True	20	PATIENT INSURANCE
4491	PM Financials	accounts_receivable	authorization_number	Authorization number linked to insurance policy	string	True	50	
4492	PM Financials	accounts_receivable	responsible_insurance_policy_number	Responsible payer policy number. This will be null for patient responsible balances.	string	True	25	
4493	PM Financials	accounts_receivable	policy_group_number	Responsible payer policy group number.	string	True	100	
4494	PM Financials	accounts_receivable	patient_phone_number	Patient phone number	string	True	25	
4495	PM Financials	accounts_receivable	coverage_type	Type of coverage	string	True	20	Primary Secondary Tertiary Self-Pay
4496	PM Financials	accounts_receivable	link_state	Stores the current state of the insurance in relation to the bill	string	True	20	LINKED UNLINKED REMOVED LEGACY_REMOVED
4497	PM Financials	accounts_receivable	signature_on_file	If true, a practice can receive payment from an insurer on behalf of a patient.	boolean	True		True: Yes, False: No
4498	PM Financials	accounts_receivable	cpt_product	The CPT/HCPCS procedure code for the bill charge or category for a non-bill charge, or inventory product code	string	True	100	
4499	PM Financials	accounts_receivable	cpt_product_description	The CPT/HCPCS procedure code or category description for the bill charge or non-bill charge, or inventory product description.	string	True	500	
4500	PM Financials	accounts_receivable	code_category	Code category name.	string	True	75	
4501	PM Financials	accounts_receivable	bill_type	Bill type. For non-bill charges this field will be empty.	string	True	20	AUTO_PIP CLAIM PATIENT VISION WORKERS_COMP
4502	PM Financials	accounts_receivable	bill_recreated	Indicates if a bill was recreated from a previous bill	boolean	True		
4503	PM Financials	accounts_receivable	bill_balance	Balance on bill	double	True		
4504	PM Financials	accounts_receivable	bill_balance_type	Indicates the type of balance remaining on a bill	string	True	20	Debit Credit
4505	PM Financials	accounts_receivable	charge_status	Charge Status.	string	True	20	CHARGED CANCELED
4506	PM Financials	accounts_receivable	financial_category	The Financial Category listed for the responsible party.	string	True	100	
4507	PM Financials	accounts_receivable	fee_schedule_primary_payer_name	Fee schedule name. This is the payer fee schedule from the primary bill insurance.	string	True	50	
4508	PM Financials	accounts_receivable	fee_schedule_type	Fee Schedule type.	string	True	10	PAYER PROVIDER
4509	PM Financials	accounts_receivable	fee_schedule_primary_payer_effective_date	Effective date. The payer fee schedule effective date.	date	True		
4510	PM Financials	accounts_receivable	patient_statement_status	Patient statement status.	string	True	20	Sending On Hold

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4511	PM Financials	accounts_receivable	auto_pay_bill_status	Captures the status of a patient's AutoPay feature for billing	string	True	300	NOTIFIED SCRUB_FAILED QUEUED DECLINED ON_HOLD CANCELLED COMPLETED PENDING
4512	PM Financials	accounts_receivable	cpt	The CPT/HCPCS procedure code for the bill charge or category for a non-bill charge.	string	True	100	
4513	PM Financials	accounts_receivable	modifiers	Modifiers associated with bill item.	string	True	100	
4514	PM Financials	accounts_receivable	billed_status	Flag that indicates whether claim has been submitted to responsible party. If claim has not been submitted, then status will be set to No. This flag can be used to identify balances that have not been submitted.	string	True	10	No Yes
4515	PM Financials	accounts_receivable	time_zone	Facility time zone.	string	True	30	
4516	PM Financials	accounts_receivable	charge_sent_statement_count	The number of times a balance has been sent for the statement related to the charge. Note: Aggregating this column will result in duplicates.	int	True		
4517	PM Financials	accounts_receivable	last_payment_amount	The patient's last payment amount.	double	True		
4518	PM Financials	accounts_receivable	billed_days_date	The number of days since first submission claim to present.	timestamp	True		
4519	PM Financials	accounts_receivable	service_date_from	Service date. Note: This column is already localized to the client location. There is no time component.	date	True		
4520	PM Financials	accounts_receivable	service_date_to	Date which service ended. Note: This column is already localized to the client location. There is no time component.	date	True		
4521	PM Financials	accounts_receivable	posted_date	Posted date of charge.	timestamp	True		
4522	PM Financials	accounts_receivable	last_payment_date	Date of last payment.	timestamp	True		
4523	PM Financials	accounts_receivable	timely_filing_date	Date configured for timely filing per payer.	timestamp	True		
4524	PM Financials	accounts_receivable	charge_last_statement_date	Last charge statement date.	timestamp	True		
4525	PM Financials	accounts_receivable	billed_days_date_id	The number of days since first submission claim to present.	timestamp	True		
4526	PM Financials	accounts_receivable	service_date_from_id	Service date. Note: This column is already localized to the client location. There is no time component.	date	True		
4527	PM Financials	accounts_receivable	service_date_to_id	Date which service ended. Note: This column is already localized to the client location. There is no time component.	date	True		
4528	PM Financials	accounts_receivable	posted_date_id	Posted date of charge.	timestamp	True		
4529	PM Financials	accounts_receivable	last_payment_date_id	Date of last payment	timestamp	True		
4530	PM Financials	accounts_receivable	timely_filing_date_id	Date configured for timely filing per payer	timestamp	True		
4531	PM Financials	accounts_receivable	charge_last_statement_date_id	Last charge statement date.	timestamp	True		
4532	PM Financials	accounts_receivable	firm_global_id	ModMed internal firm global identifier	string	False	10	
4533	Ophth Pretesting	diagnostic_drops	diagnostic_drops_id	diagnostic_drops table id	string	False	20	
4534	Ophth Pretesting	diagnostic_drops	visit_id	visit table id	string	False	20	
4535	Ophth Pretesting	diagnostic_drops	patient_id	patient table id	string	False	20	
4536	Ophth Pretesting	diagnostic_drops	date_recorded	Date recorded. May be different than the visit date and edited by the physician or staff member.	timestamp	True		
4537	Ophth Pretesting	diagnostic_drops	counsel_od	If patient was counseled on the risks of dilation OD	boolean	True		
4538	Ophth Pretesting	diagnostic_drops	counsel_os	If patient was counseled on the risks of dilation OS	boolean	True		
4539	Ophth Pretesting	diagnostic_drops	tropicamide_1_phenylephrine_2_5_od	Tropicamide 1%/Phenylephrine 2.5% OD	boolean	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4540	Ophth Pretesting	diagnostic_drops	tropicamide_1_phenylephrine_2_5_os	Tropicamide 1%/Phenylephrine 2.5% OS	boolean	True		
4541	Ophth Pretesting	diagnostic_drops	atropine_1_od	Atropine 1% OD	boolean	True		
4542	Ophth Pretesting	diagnostic_drops	atropine_1_os	Atropine 1% OS	boolean	True		
4543	Ophth Pretesting	diagnostic_drops	cyclopentolate_0_5_od	Cyclopentolate 0.5% OD	boolean	True		
4544	Ophth Pretesting	diagnostic_drops	cyclopentolate_0_5_os	Cyclopentolate 0.5% OS	boolean	True		
4545	Ophth Pretesting	diagnostic_drops	cyclopentolate_1_od	Cyclopentolate 1% OD	boolean	True		
4546	Ophth Pretesting	diagnostic_drops	cyclopentolate_1_os	Cyclopentolate 1% OS	boolean	True		
4547	Ophth Pretesting	diagnostic_drops	cyclopentolate_2_od	Cyclopentolate 2% OD	boolean	True		
4548	Ophth Pretesting	diagnostic_drops	cyclopentolate_2_os	Cyclopentolate 2% OS	boolean	True		
4549	Ophth Pretesting	diagnostic_drops	homatropine_5_od	Homatropine 5% OD	boolean	True		
4550	Ophth Pretesting	diagnostic_drops	homatropine_5_os	Homatropine 5% OS	boolean	True		
4551	Ophth Pretesting	diagnostic_drops	apraclonidine_1_od	Apraclonidine 1% OD	boolean	True		
4552	Ophth Pretesting	diagnostic_drops	apraclonidine_1_os	Apraclonidine 1% OS	boolean	True		
4553	Ophth Pretesting	diagnostic_drops	isopto_hyoscine_0_25_od	Isopto Hyoscine 0.25% OD	boolean	True		
4554	Ophth Pretesting	diagnostic_drops	isopto_hyoscine_0_25_os	Isopto Hyoscine 0.25% OS	boolean	True		
4555	Ophth Pretesting	diagnostic_drops	phenylephrine_10_od	Phenylephrine 10% OD	boolean	True		
4556	Ophth Pretesting	diagnostic_drops	phenylephrine_10_os	Phenylephrine 10% OS	boolean	True		
4557	Ophth Pretesting	diagnostic_drops	phenylephrine_2_5_od	Phenylephrine 2.5% OD	boolean	True		
4558	Ophth Pretesting	diagnostic_drops	phenylephrine_2_5_os	Phenylephrine 2.5% OS	boolean	True		
4559	Ophth Pretesting	diagnostic_drops	scopolamine_0_25_od	Scopolamine 0.25% OD	boolean	True		
4560	Ophth Pretesting	diagnostic_drops	scopolamine_0_25_os	Scopolamine 0.25% OS	boolean	True		
4561	Ophth Pretesting	diagnostic_drops	tropicamide_0_5_od	Tropicamide 0.5% OD	boolean	True		
4562	Ophth Pretesting	diagnostic_drops	tropicamide_0_5_os	Tropicamide 0.5% OS	boolean	True		
4563	Ophth Pretesting	diagnostic_drops	tropicamide_1_od	Tropicamide 1% OD	boolean	True		
4564	Ophth Pretesting	diagnostic_drops	tropicamide_1_os	Tropicamide 1% OS	boolean	True		
4565	Ophth Pretesting	diagnostic_drops	cyclomydril_od	Cyclomydril OD	boolean	True		
4566	Ophth Pretesting	diagnostic_drops	cyclomydril_os	Cyclomydril OS	boolean	True		
4567	Ophth Pretesting	diagnostic_drops	tropicamide_0_5_phenylephrine_2_5_od	Tropicamide 0.5%/Phenylephrine 2.5% OD	boolean	True		
4568	Ophth Pretesting	diagnostic_drops	tropicamide_0_5_phenylephrine_2_5_os	Tropicamide 0.5%/Phenylephrine 2.5% OS	boolean	True		
4569	Ophth Pretesting	diagnostic_drops	tropicamide_1_phenylephrine_10_od	Tropicamide 1%/Phenylephrine 10% OD	boolean	True		
4570	Ophth Pretesting	diagnostic_drops	tropicamide_1_phenylephrine_10_os	Tropicamide 1%/Phenylephrine 10% OS	boolean	True		
4571	Ophth Pretesting	diagnostic_drops	mydracyl_neosynephrine_od	Mydracyl / NeoSynephrine OD	boolean	True		
4572	Ophth Pretesting	diagnostic_drops	mydracyl_neosynephrine_os	Mydracyl / NeoSynephrine OS	boolean	True		
4573	Ophth Pretesting	diagnostic_drops	mydracyl_od	Mydracyl OD	boolean	True		
4574	Ophth Pretesting	diagnostic_drops	mydracyl_os	Mydracyl OS	boolean	True		
4575	Ophth Pretesting	diagnostic_drops	paremyd_od	Paremyd OD	boolean	True		
4576	Ophth Pretesting	diagnostic_drops	paremyd_os	Paremyd OS	boolean	True		
4577	Ophth Pretesting	diagnostic_drops	fluress_od	fluress OD	boolean	True		
4578	Ophth Pretesting	diagnostic_drops	fluress_os	fluress OS	boolean	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4579	Ophth Pretesting	diagnostic_drops	pilocarpine_1_od	Pilocarpine 1% OD	boolean	True		
4580	Ophth Pretesting	diagnostic_drops	pilocarpine_1_os	Pilocarpine 1% OS	boolean	True		
4581	Ophth Pretesting	diagnostic_drops	pilocarpine_2_od	Pilocarpine 2% OD	boolean	True		
4582	Ophth Pretesting	diagnostic_drops	pilocarpine_2_os	Pilocarpine 2% OS	boolean	True		
4583	Ophth Pretesting	diagnostic_drops	pilocarpine_4_od	Pilocarpine 4% OD	boolean	True		
4584	Ophth Pretesting	diagnostic_drops	pilocarpine_4_os	Pilocarpine 4% OS	boolean	True		
4585	Ophth Pretesting	diagnostic_drops	proparacaine_0_5_od	Proparacaine 0.5% OD	boolean	True		
4586	Ophth Pretesting	diagnostic_drops	proparacaine_0_5_os	Proparacaine 0.5% OS	boolean	True		
4587	Ophth Pretesting	diagnostic_drops	sodium_fluorescein_od	Sodium Fluorescein OD	boolean	True		
4588	Ophth Pretesting	diagnostic_drops	sodium_fluorescein_os	Sodium Fluorescein OS	boolean	True		
4589	Ophth Pretesting	diagnostic_drops	tetracaine_0_5_od	Sodium Fluorescein OD	boolean	True		
4590	Ophth Pretesting	diagnostic_drops	tetracaine_0_5_os	Sodium Fluorescein OS	boolean	True		
4591	Ophth Pretesting	diagnostic_drops	other_od	Other value OD	string	True	255	
4592	Ophth Pretesting	diagnostic_drops	other_os	Other value OS	string	True	255	
4593	Ophth Pretesting	diagnostic_drops	firm_global_id	ModMed internal firm global identifier	string	False	10	
4594	Pathology	cancer_log_procedure	cancer_log_procedure_id	cancer_log_procedure table id	string	False	32	
4595	Pathology	cancer_log_procedure	cancer_log_id	cancer_log table id	string	False	20	
4596	Pathology	cancer_log_procedure	procedure_log_id	procedure_log table id	string	True	20	
4597	Pathology	cancer_log_procedure	patient_id	patient table id	string	False	20	
4598	Pathology	cancer_log_procedure	firm_global_id	ModMed internal firm global identifier	string	False	10	
4599	Practice	consent_form_patient	consent_form_patient_id	consent_form_patient table id	string	False	20	
4600	Practice	consent_form_patient	consent_form_id	consent_form table id	string	False	20	
4601	Practice	consent_form_patient	patient_id	patient table id	string	True	20	
4602	Practice	consent_form_patient	attachment_on_file	Record has a attachment on file flag.	boolean	True		
4603	Practice	consent_form_patient	declined	Patient declined consent form flag.	boolean	True		
4604	Practice	consent_form_patient	expired	Consent form assignment expired flag.	boolean	True		
4605	Practice	consent_form_patient	processed_date	Consent form processed date	timestamp	True		
4606	Practice	consent_form_patient	expiration_date	Consent form expiration date	timestamp	True		
4607	Practice	consent_form_patient	firm_global_id	ModMed internal firm global identifier	string	True	10	
4608	Exam	exam_element_metadata	exam_element_metadata_id	exam_element_metadata table id	string	False	20	
4609	Exam	exam_element_metadata	exam_element_id	exam_element table id	string	False	20	
4610	Exam	exam_element_metadata	patient_id	patient table id	string	False	20	
4611	Exam	exam_element_metadata	variable	Variable name for the metadata item. Variables are defined and entered for each exam element.	string	True	50	See static_exam_element_metadata.variable
4612	Exam	exam_element_metadata	question_text	Question displayed to the user	string	True	255	See static_exam_element_metadata.question_text
4613	Exam	exam_element_metadata	type	Data type of the metadata item	string	True	20	See static_exam_element_metadata.type
4614	Exam	exam_element_metadata	value	Metadata response value for single-select or text input items.	string	True	8000	See static_exam_element_metadata_selection.value
4615	Exam	exam_element_metadata	range_value	Numeric response value	double	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4616	Exam	exam_element_metadata	firm_global_id	ModMed internal firm global identifier	string	False	10	
4617	Diagnosis	diagnosis_lab	diagnosis_lab_id	diagnosis_lab table id	string	False	20	
4618	Diagnosis	diagnosis_lab	diagnosis_id	diagnosis table id	string	False	20	
4619	Diagnosis	diagnosis_lab	ordered_by_staff_id	staff table id	string	True	20	Staff member that ordered the lab.
4620	Diagnosis	diagnosis_lab	patient_id	patient table id	string	False	20	
4621	Diagnosis	diagnosis_lab	loinc_num	LOINC number	string	True	10	
4622	Diagnosis	diagnosis_lab	firm_global_id	Firm global identifier (unique across pods)	string	False	10	
4623	PM Financials	claim	claim_id	claim table id	string	False	20	
4624	PM Financials	claim	firm_id	firm table id	string	False	20	
4625	PM Financials	claim	patient_id	patient table id	string	True	20	
4626	PM Financials	claim	payer_id	payer table id	string	False	20	
4627	PM Financials	claim	bill_insurance_id	bill_insurance table id	string	False	20	
4628	PM Financials	claim	claim_assignee_id	bill_assignee table id	string	True	20	
4629	PM Financials	claim	created_by_staff_id	staff table id	string	True	20	
4630	PM Financials	claim	modified_by_staff_id	staff table id	string	True	20	
4631	PM Financials	claim	claim_identifier	Claim identifier displayed on the claim.	string	True	20	
4632	PM Financials	claim	claim_status	Claim status	string	True	60	APPEALED_CLAIM BATCHED_FOR_PRINTING CLAIM_NOT_ON_FILE CORRECTED_CLAIM_SENT DENIAL_ASSESSMENT_PENDING DENIED FLAGGED_FOR_DENIAL_REVIEW INACTIVE_DUPLICATE INACTIVE_VOIDED INSURANCE_REPROCESSING INVALID IN_DISPUTE MEDICAL_RECORDS_SENT ON_HOLD PAYMENT_PENDING PENDING_ADJUSTMENT_WRITE_OFF PENDING_APPEAL QUEUED READY_FOR_POSTING READY_FOR_SENDING REJECTED RESOLVED_OTHER RESOLVED_PAID CLAIM_NOT_ON_FILE REVIEW_NEEDED
4633	PM Financials	claim	claim_payer	Payer linked to claim	string	True	200	
4634	PM Financials	claim	claim_type	Claim types.	string	True	40	NEW VOIDED REPLACEMENT CORRECTED CROSSOVER

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4635	PM Financials	claim	claim_format_type	Formats types of claim submission.	string	True	40	ELECTRONIC_5010 PAPER
4636	PM Financials	claim	claim_assignee_type	Indicates if claim is assigned to a group or individual staff member. May have a null value.	string	True	20	BILL_ASSIGNEE_GROUP FIRM_GROUP STAFF
4637	PM Financials	claim	claim_assignee	Name of the Individual staff member assigned to the claim. If staff member does not exist then the claim assignee group name will be listed instead.	string	True	400	
4638	PM Financials	claim	last_assignee	Name of the Individual staff member who was last assigned to the claim.	string	True	200	
4639	PM Financials	claim	current_assignee	Name of the Individual staff member currently assigned to the claim.	string	True	200	
4640	PM Financials	claim	average_days_assigned	Average number of days the claim has been assigned to a user (calculated field).	double	True		
4641	PM Financials	claim	days_assigned_to_current_assignee	Number of days the claim has been assigned to current assignee (calculated field).	int	True		
4642	PM Financials	claim	times_reassigned	Indicates how many times a claim has been reassigned.	int	True		
4643	PM Financials	claim	employment_related	Accident or Injury type flag.	boolean	True		
4644	PM Financials	claim	auto_accident_related	Accident or Injury type flag.	boolean	True		
4645	PM Financials	claim	other_accident_related	Accident or Injury type flag.	boolean	True		
4646	PM Financials	claim	claim_item_was_denied	If a bill item associated with the claim was ever denied.	boolean	True		
4647	PM Financials	claim	auto_accident_related_state	Auto accident related state.	string	True	2	
4648	PM Financials	claim	follow_up_action	Follow up action	string	True	40	ACCESSED_PAYER_PORTAL_NO_UPDATE ADJUSTMENT_REQUEST APPEAL_IN_PROCESS CLAIM_IN_PROCESS CLAIM_REPROCESSING CORRECTED_CLAIM_SUBMISSION_ELECTRONIC CORRECTED_CLAIM_SUBMISSION_PAPER INITIAL_APPEAL_ELECTRONIC INITIAL_APPEAL_PAPER INITIAL_SUBMISSION LEFT_VOICEMAIL_FOR_PAYER LONG_HOLD_TIME MEDICAL_RECORDS_SENT_ELECTRONIC MEDICAL_RECORDS_SENT_PAPER OTHER PAYMENT_DETAILS_SUBMITTED_VIA_PHONE PAYMENT_DETAILS_SUBMITTED_VIA_PORTAL PENDING_ADMIN_EVALUATION PENDING_ONLINE_ACCESS PENDING_REMIT_INFORMATION PROVIDER_CREDENTIALING REASSIGNED REQUESTED_PAYMENT_DETAILS RESUBMISSION_INITIAL_APPEAL RESUBMISSION_INITIAL_APPEAL_ELECTRONIC SECOND_LEVEL_APPEAL_ELECTRONIC SECOND_LEVEL_APPEAL_PAPER
4649	PM Financials	claim	follow_up_date	Most recent follow up date for claim	timestamp	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4650	PM Financials	claim	follow_up_next_action	Follow up action	string	True	40	ATTACH_MEDICAL_RECORDS CHECK_APPEAL_STATUS CHECK_CLAIM_STATUS CONFIRM_CREDENTIALING_STATUS CONFIRM_PAYMENT_POSTING CONTACT_PATIENT CONTACT_PAYER GENERATE_APPEAL OTHER REQUEST_APPROVAL REQUEST_AUTHORIZATION REQUEST_SUPPORT RESEARCH_DENIAL_FURTHER REVIEW_AUTHORIZATION_STATUS REVIEW_DIAGNOSIS_CODE REVIEW_FOR_ADJUSTMENT REVIEW_FOR_APPEAL REVIEW_MODIFIER REVIEW_PROCEDURE_CODE UPDATE_INSURANCE UPDATE_PATIENT_DEMOGRAPHICS
4651	PM Financials	claim	include_zero_dollar_services	Flag indicating whether to include \$0 services.	boolean	True		
4652	PM Financials	claim	applied_adjustments_total	Total of the adjustments applied to the bill	decimal (10,2)	True		
4653	PM Financials	claim	patient_responsible_total	Patient total	decimal (10,2)	True		
4654	PM Financials	claim	payments_total	Payments total	decimal (10,2)	True		
4655	PM Financials	claim	latest_claim_status_accepted	Indicates if the most recent claim status has been accepted	boolean	True		
4656	PM Financials	claim	latest_claim_status_source	Claim status source	string	True	20	
4657	PM Financials	claim	latest_facility_submission_form	Most recent form submitted for a claim	string	True	15	
4658	PM Financials	claim	contains_only_em_codes	If CPT codes are only E/M codes	boolean	True		
4659	PM Financials	claim	contains_an_em_code	If CPT codes contain E/M codes	boolean	True		
4660	PM Financials	claim	claim_was_ever_denied	When true it indicates that the claim has been in a "DENIED" status at least once	boolean	True		
4661	PM Financials	claim	claim_was_ever_invalid	When true it indicates that the claim has been in an "INVALID" status at least once	boolean	True		
4662	PM Financials	claim	claim_was_ever_rejected	When true it indicates that the claim has been in a "REJECTED" status at least once	boolean	True		
4663	PM Financials	claim	claim_was_ever_denied_invalid_rejected	When true it indicates that the claim has been in any of the following statuses at least once: "DENIED", "INVALID", "REJECTED".	boolean	True		
4664	PM Financials	claim	latest_claim_status_effective_date	Effective date of the most recent claim status	timestamp	True		
4665	PM Financials	claim	claim_submission_date	Date claim was submitted to responsible party	timestamp	True		
4666	PM Financials	claim	status_update_date	Date of status update	timestamp	True		
4667	PM Financials	claim	claim_latest_denial_date	Date of latest claim denial	timestamp	True		
4668	PM Financials	claim	firm_global_id	ModMed internal firm global identifier	string	False	10	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4669	PM Financials	patient_statement_charge	patient_statement_charge_id	patient_statement_charge table id	string	False	20	
4670	PM Financials	patient_statement_charge	patient_statement_id	patient_statement table id	string	False	20	
4671	PM Financials	patient_statement_charge	patient_id	patient table id	string	False	20	
4672	PM Financials	patient_statement_charge	charge_link_key	Linking key between charges, payments_posted, patient_adjustments, payer_adjustments, product_sales and production_summary tables.	string	True	20	
4673	PM Financials	patient_statement_charge	statement_date	Date on which the statement was generated	timestamp	True		
4674	PM Financials	patient_statement_charge	service_date	Date on which the service was provided	timestamp	True		
4675	PM Financials	patient_statement_charge	firm_global_id	ModMed internal firm global identifier	string	True	10	
4676	PM Financials	payer_adjustments_rarc	payer_adjustments_rarc_id	payer_adjustments_rarc table id	string	False	30	
4677	PM Financials	payer_adjustments_rarc	payer_adjustments_id	payer_adjustments table id	string	False	20	
4678	PM Financials	payer_adjustments_rarc	patient_id	patient table id	string	False	20	
4679	PM Financials	payer_adjustments_rarc	created_by_staff_id	staff table id	string	True	20	
4680	PM Financials	payer_adjustments_rarc	rarc_code	RARC code	string	True	60	
4681	PM Financials	payer_adjustments_rarc	description	RARC code description	string	True	800	
4682	PM Financials	payer_adjustments_rarc	firm_global_id	ModMed internal firm global identifier	string	False	10	
4683	Office Flow	task_order_log	task_order_log_id	task_order_log table id	string	False	30	
4684	Office Flow	task_order_log	order_log_id	order_log table id	string	False	20	
4685	Office Flow	task_order_log	task_id	task table id	string	False	20	
4686	Office Flow	task_order_log	patient_id	patient table id	string	False	20	
4687	Office Flow	task_order_log	firm_global_id	ModMed internal firm global identifier	string	False	10	
4688	Appointment	appointment_provider_waitlist	appointment_provider_waitlist_id	appointment_provider_waitlist table id	string	False	20	
4689	Appointment	appointment_provider_waitlist	appointment_waitlist_id	appointment_waitlist table id	string	False	20	
4690	Appointment	appointment_provider_waitlist	provider_id	staff table id	string	False	20	
4691	Appointment	appointment_provider_waitlist	patient_id	patient table id	string	False	20	
4692	Appointment	appointment_provider_waitlist	firm_global_id	ModMed internal firm global identifier	string	False	10	
4693	eLab	result_log_note	result_log_note_id	result_log_note table id	string	False	20	
4694	eLab	result_log_note	result_log_id	result_log table id	string	False	20	
4695	eLab	result_log_note	firm_id	firm table id	string	False	20	
4696	eLab	result_log_note	facility_id	facility table id	string	True	20	
4697	eLab	result_log_note	patient_id	patient table id	string	True	20	
4698	eLab	result_log_note	created_by_staff_id	staff table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4699	eLab	result_log_note	modified_by_staff_id	staff table id	string	True	20	
4700	eLab	result_log_note	note	Note for a result	string	True	1000	
4701	eLab	result_log_note	archived	If archived	boolean	True		
4702	eLab	result_log_note	firm_global_id	ModMed internal firm global identifier	string	False	10	
4703	PM Financials	production_summary	production_summary_id	production_summary table id	string	False	40	
4704	PM Financials	production_summary	business_unit_id	business_unit table id	string	False	20	
4705	PM Financials	production_summary	patient_id	patient table id	string	True	20	
4706	PM Financials	production_summary	firm_id	firm table id	string	True	20	
4707	PM Financials	production_summary	payer_id	payer table id	string	True	20	
4708	PM Financials	production_summary	facility_id	facility table id	string	True	20	
4709	PM Financials	production_summary	practice_location_id	facility table id	string	True	20	Practice Location (POS 11)
4710	PM Financials	production_summary	provider_id	staff table id for current provider.	string	True	20	Billing Provider.
4711	PM Financials	production_summary	primary_provider_id	staff table id for primary provider.	string	True	20	Primary Provider.
4712	PM Financials	production_summary	appointment_provider_id	staff table id for appointment provider.	string	True	20	Appointment Provider
4713	PM Financials	production_summary	insurance_policy_id	insurance_policy table id	string	True	20	
4714	PM Financials	production_summary	original_bill_id	Bill table id. Indicates if a bill was recreated from a previous bill	string	True	20	
4715	PM Financials	production_summary	bill_item_id	bill_item table id	string	True	20	
4716	PM Financials	production_summary	bill_insurance_id	bill_insurance table id	string	True	20	
4717	PM Financials	production_summary	sold_by_id	staff table id	string	True	20	The staff member selected in the Sold By field. The provider and the Sold by could be the same person depending on selection.
4718	PM Financials	production_summary	transaction_initiated_by_id	staff table id.	string	True	20	The person who ran the transaction, specifically patient payments, voids, or refund. This may also refer to the user who accepted a pending patient payment via external source.
4719	PM Financials	production_summary	payer_address_id	payer_address table id	string	True	20	
4720	PM Financials	production_summary	division_id	division table id	string	True	20	
4721	PM Financials	production_summary	code_category_id	code_category table id	string	True	20	
4722	PM Financials	production_summary	batch_id	batch table id	string	True	20	
4723	PM Financials	production_summary	provider_level_adjustment_id	provider_level_adjustment table id.	string	True	40	
4724	PM Financials	production_summary	fee_schedule_primary_payer_id	Fee schedule of the primary insurance. This is the payer fee schedule of the primary insurance from the bill insurance.	string	True	20	
4725	PM Financials	production_summary	billing_quote_id	billing_quote table id	string	True	20	
4726	PM Financials	production_summary	billing_quote_created_by_id	staff table id	string	True	20	
4727	PM Financials	production_summary	custom_payment_method_id	custom_payment_method table id	string	True	20	
4728	PM Financials	production_summary	custom_non_bill_code_id	custom_non_bill_code table id	string	True	20	
4729	PM Financials	production_summary	created_by_staff_id	staff table id	string	True	20	Staff table id
4730	PM Financials	production_summary	package_sale_id	package_sale table id	string	True	20	
4731	PM Financials	production_summary	package_item_sale_id	package_item_sale table id	string	True	20	
4732	PM Financials	production_summary	bill_assignee_id	bill_assignee table id. Id of the staff member assigned to follow up on payments.	string	True	20	
4733	PM Financials	production_summary	charges_id	charges table id	string	True	50	
4734	PM Financials	production_summary	patient_adjustments_id	patient_adjustments table id	string	True	50	
4735	PM Financials	production_summary	payer_adjustments_id	payer_adjustments table id	string	True	50	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4736	PM Financials	production_summary	payments_posted_id	payments_posted table id	string	True	50	
4737	PM Financials	production_summary	transaction_identifier	Transaction Identifier. This value will be null for PLA transactions.	string	True	40	
4738	PM Financials	production_summary	payment_link_key	Payment table(s) linking key.	string	True	75	
4739	PM Financials	production_summary	payer_check_key	Payer check key, used to link different payer payments to payment tables.	string	True	20	
4740	PM Financials	production_summary	charge_link_key	Linking key between charges, payments_posted, patient_adjustments, payer_adjustments, product_sales and production_summary tables.	string	True	100	
4741	PM Financials	production_summary	ledger_charge_amount	Charge amount per ledger item.	double	True		
4742	PM Financials	production_summary	ledger_payment_amount	Payment amount per ledger item.	double	True		
4743	PM Financials	production_summary	ledger_adjustment_amount	Adjustment amount per ledger item.	double	True		
4744	PM Financials	production_summary	subtotal	Product subtotal.	double	True		
4745	PM Financials	production_summary	discount_amount	Product discount amount.	double	True		
4746	PM Financials	production_summary	discount_reason	Discount reason from standard_list or pipe separated custom discount reason(s)	string	True	500	
4747	PM Financials	production_summary	tax_rate_local	Product local tax rate.	double	True		
4748	PM Financials	production_summary	tax_rate_state	Product state tax rate.	double	True		
4749	PM Financials	production_summary	tax_amount_local	Product local tax amount.	double	True		
4750	PM Financials	production_summary	tax_amount_state	Product state tax amount.	double	True		
4751	PM Financials	production_summary	tax_amount	Product total tax amount, state and local combined.	double	True		
4752	PM Financials	production_summary	responsible	Responsible party value	string	True	20	INSURANCE PATIENT
4753	PM Financials	production_summary	ledger_reference	Ledger reference code.	string	True	100	
4754	PM Financials	production_summary	payment_method	Method of payment such as cash, check, e-check, credit card, gift card, etc.	string	True	200	
4755	PM Financials	production_summary	payment_source	Source of payment	string	True	40	PAYER_REFUND ERA PATIENT_PAYMENT PATIENT_PAYMENT_VOID EOB LEGACY_PATIENT_EXTERNAL_TRANSFER LEGACY_PATIENT_EXTERNAL_TRANSFER_VOID LEGACY_PATIENT_PAYMENT LEGACY_PATIENT_PAYMENT_VOID PATIENT_REFUND PATIENT_EXTERNAL_TRANSFER_VOID PATIENT_EXTERNAL_TRANSFER PATIENT_EXTERNAL_TRANSFER_REFUND BUSINESS_UNIT_TRANSFER_RECEIVED BUSINESS_UNIT_TRANSFER_RECEIVE_REFUND BUSINESS_UNIT_TRANSFER_SENT
4756	PM Financials	production_summary	payment_code	Payment code associated with payment.	string	True	20	AVAILABLE COPAY PAYER_CHECK OMITTED_PAYER_CHECK PAYER_CHECK_CLAIM UNAVAILABLE

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4757	PM Financials	production_summary	payment_code_description	payment_code meaning.	string	True	20	Deposits Copay Payer Check Payer Check Omitted Payer Check Claim General
4758	PM Financials	production_summary	auto_pay_bill_status	Captures the status of a patient's AutoPay feature for billing	string	True	300	NOTIFIED SCRUB_FAILED QUEUED DECLINED ON_HOLD CANCELLED COMPLETED PENDING
4759	PM Financials	production_summary	encounter_count	Stores the associated bill_id. If not null, indicates an encounter has occurred and the sum of units posted or reversed within the bill is greater than zero.	string	True	20	
4760	PM Financials	production_summary	activity_type	Activity Type.	string	True	1000	ADJUSTMENT CHARGE CHARGE_ADJUSTMENT PAYMENT PLA_OFFSET_CHARGE PLA_OFFSET_CHARGE_PAYMENT PLA_POST_TO_SERVICE_LINE PLA_POST_TO_SVC_LINES VOID_ADJUSTMENT VOID_CHARGE VOID_CHARGE_ADJUSTMENT VOID_PAYMENT VOID_PLA_OFFSET_CHARGE VOID_PLA_OFFSET_CHARGE_PAYMENT VOID_PLA_POST_TO_SERVICE_LINE VOID_PLA_POST_TO_SVC_LINES
4761	PM Financials	production_summary	appointment_type	If applicable, type of appointment linked to payment transaction	string	True	25	
4762	PM Financials	production_summary	ledger_units	Number of units associated to the charge.	double	True		
4763	PM Financials	production_summary	bill_item_adjustment_reason_code	Reason code. Payer or patient reason code or code manually entered by the staff..	string	True	45	
4764	PM Financials	production_summary	adjustment_reason	Adjustment reason description.	string	True	1000	
4765	PM Financials	production_summary	bill_item_adjustment_carc	CARC.	string	True	10	
4766	PM Financials	production_summary	bill_item_adjustment_status	Payer adjustment status.	string	True	20	ON_HOLD TRANSFER_RESPONSIBILITY WRITE_OFF IGNORE
4767	PM Financials	production_summary	coverage_type	Coverage type.	string	True	20	Primary Secondary Tertiary Self-Pay
4768	PM Financials	production_summary	link_state	Stores the current state of the insurance in relation to the bill	string	True	20	LINKED UNLINKED REMOVED LEGACY_REMOVED

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4769	PM Financials	production_summary	fee_schedule_primary_payer_name	Fee schedule name. This is the payer fee schedule from the primary bill insurance.	string	True	50	
4770	PM Financials	production_summary	fee_schedule_type	Fee Schedule type.	string	True	10	PAYER PROVIDER
4771	PM Financials	production_summary	fee_schedule_primary_payer_effective_date	Effective date. The payer fee schedule effective date.	date	True		
4772	PM Financials	production_summary	bill_type	Bill type.	string	True	20	PATIENT CLAIM VISION AUTO_PIP WORKERS_COMP
4773	PM Financials	production_summary	bill_recreated	Indicates if a bill was recreated from a previous bill	boolean	True		
4774	PM Financials	production_summary	responsible_insurance_policy_number	Insurance policy number.	string	True	100	
4775	PM Financials	production_summary	policy_type	Insurance policy type. May have a null value.	string	True	100	EPO GHP HMO IPA MEDICARE_ADVANTAGE PPO POS COMMERCIAL_OTHER ACA_EXCHANGE CHAMPVA CHIP FECA MEDICARE MEDICAID TRICARE GOVERNMENT_OTHER VISION WORKERS_COMP AUTO_PIP B C Champus Choice Plus Exclusive Provider Organization (EPO) M O
4776	PM Financials	production_summary	policy_group_number	Insurance policy group number.	string	True	100	
4777	PM Financials	production_summary	patient_relationship_to_policy_holder	Patient relationship to insurance policy holder. May have a null value.	string	True	50	SELF SPOUSE CHILD OTHER EMPLOYER
4778	PM Financials	production_summary	policy_patient_name	Name of the policy holder listed for insurance.	string	True	250	
4779	PM Financials	production_summary	policy_holder_gender	Policy holder Gender. May have a null value.	string	True	20	MALE, FEMALE, etc.
4780	PM Financials	production_summary	policy_holder_date_of_birth	Policy Holder Date Of Birth	timestamp	True		
4781	PM Financials	production_summary	payer_plan_name	Payer's plan name.	string	True	100	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4782	PM Financials	production_summary	cpt_product	The CPT/HCPCS procedure code for the bill charge or category for a non-bill charge, or inventory product code	string	True	100	
4783	PM Financials	production_summary	cpt_product_description	The CPT/HCPCS procedure code or category description for the bill charge or non-bill charge, or the inventory product description.	string	True	500	
4784	PM Financials	production_summary	cpt_frequency_unit	The number of times a service has been rendered. This value will be negative for voids.	int	True		
4785	PM Financials	production_summary	product_category	Product category name	string	True	100	
4786	PM Financials	production_summary	product_sku	Product sku	string	True	100	
4787	PM Financials	production_summary	code_category	Code category name.	string	True	75	
4788	PM Financials	production_summary	batch_name	Batch name.	string	True	100	
4789	PM Financials	production_summary	service_location_pos_code	Place of service code listed on the bill.	string	True	5	
4790	PM Financials	production_summary	claim_employer_name	If applicable, this reflects the employer's name listed for the insurance policy.	string	True	100	
4791	PM Financials	production_summary	financial_category	Financial category associated to payer or patient.	string	True	100	
4792	PM Financials	production_summary	quick_code	Reflects the quick code combination configured for the CPT/Modifier combination on the bill. These codes are configured by the practice.	string	True	50	
4793	PM Financials	production_summary	authorization_number	Authorization number linked to insurance policy.	string	True	50	
4794	PM Financials	production_summary	pla_reason	Provider level adjustment reason	string	True	100	
4795	PM Financials	production_summary	bill_item_allowed	Payer Payment Allowable Amount for the associated Bill Item.	double	True		
4796	PM Financials	production_summary	wrvu	CMS wRVU (work relative value units) for the associated Bill Item.	double	True		
4797	PM Financials	production_summary	billing_quote_title	Title of billing quote	string	True	100	
4798	PM Financials	production_summary	billing_quote_id_number	Client-facing billing quote id	string	True	20	
4799	PM Financials	production_summary	source_of_payment_typology	Source of Payment Typology	string	True	100	
4800	PM Financials	production_summary	payment_link	URL that links back to the payment transaction modal	string	True	100	
4801	PM Financials	production_summary	check_number	Check number associated with payment	string	True	50	
4802	PM Financials	production_summary	payment_channel	The channel used for patient payments	string	True	30	STAFF TEXT_TO_PAY AUTOMATIC_PROCESSING KIOSK POCKET_PATIENT_ANDROID TERMINAL POCKET_PATIENT_IOS PATIENT_PORTAL QUICK_PAY PAYMENT_PLAN EXTERNAL_API ONLINE_CHECK_IN
4803	PM Financials	production_summary	payer_check_notes	Notes from the payer check.	string	True	255	
4804	PM Financials	production_summary	signature_on_file	If true, a practice can receive payment from an insurer on behalf of a patient.	boolean	True		True: Yes, False: No
4805	PM Financials	production_summary	package_name	Package name.	string	True	50	
4806	PM Financials	production_summary	bill_assignee_staff_name	Name of the staff member that is assigned to follow up on payments.	string	True	200	
4807	PM Financials	production_summary	claim_insurance_key	A concatenation of bill item and billing insurance id which is linked to the claims which are sent out.	string	True	20	
4808	PM Financials	production_summary	notes	Notes.	string	True	500	
4809	PM Financials	production_summary	firm_is_using_rcm	Whether using rcm is enabled	boolean	True		
4810	PM Financials	production_summary	service_date_from	Date which service started. Note: This column will be deprecated on our next release, please use service_date_from_id column.	timestamp	True		

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4811	PM Financials	production_summary	rcm_transaction_responsibl e	Transaction responsibility flag for RCM	string	True	25	
4812	PM Financials	production_summary	time_zone	Facility time zone	string	True	30	
4813	PM Financials	production_summary	adjudication_date_id	The date when a payer approved payment for a claim. This field is automatically populated for ERAs but must be manually entered for EOBs.	timestamp	True		
4814	PM Financials	production_summary	ledger_posted_date_id	Posted Date of the financial transaction.	date	True		
4815	PM Financials	production_summary	ledger_activity_date	Activity date of the financial transaction.	timestamp	True		
4816	PM Financials	production_summary	service_date_from_id	Date which service started	timestamp	True		
4817	PM Financials	production_summary	service_date_to_id	Date which service ended.	timestamp	True		
4818	PM Financials	production_summary	ledger_activity_date_id	Activity date of the financial transaction.	timestamp	True		
4819	PM Financials	production_summary	deposit_date_id	Deposit date of payment.	timestamp	True		
4820	PM Financials	production_summary	package_sale_date_created	Date on which the package was sold.	timestamp	True		
4821	PM Financials	production_summary	package_sale_date_created _id	Date on which the package was sold.	timestamp	True		
4822	PM Financials	production_summary	follow_up_date	Date at which Financial Assignee will follow up on the Payer Payment.	date	True		
4823	PM Financials	production_summary	firm_global_id	ModMed internal firm global identifier	string	False	10	
4824	Patient	guarantor	guarantor_id	guarantor table id	string	False	20	
4825	Patient	guarantor	patient_id	patient table id	string	True	20	
4826	Patient	guarantor	relation_to_patient	Patient's Relationship to Guarantor	string	True	50	SELF SPOUSE CHILD OTHER EMPLOYER
4827	Patient	guarantor	last_name	Guarantor's last name	string	True	100	
4828	Patient	guarantor	first_name	Guarantor's first name	string	True	100	
4829	Patient	guarantor	middle_name	Guarantor's middle name	string	True	50	
4830	Patient	guarantor	prefix	Guarantor's name prefix	string	True	50	
4831	Patient	guarantor	suffix	Guarantor's name suffix	string	True	50	
4832	Patient	guarantor	date_of_birth	Guarantor's date of birth.	timestamp	True		
4833	Patient	guarantor	same_as_patient_address	Guarantor's contact information is the same as the patient's.	boolean	True		
4834	Patient	guarantor	country	Guarantor's address country	string	True	30	
4835	Patient	guarantor	street1	Guarantor's address street	string	True	255	
4836	Patient	guarantor	street2	Guarantor's address street line 2	string	True	255	
4837	Patient	guarantor	city	Guarantor's address city	string	True	255	
4838	Patient	guarantor	state	Guarantor's address state	string	True	50	
4839	Patient	guarantor	zipcode	Guarantor's address Zipcode	string	True	50	
4840	Patient	guarantor	home_phone_number	Guarantor's home phone number	string	True	25	
4841	Patient	guarantor	work_phone_number	Guarantor's work phone number	string	True	25	
4842	Patient	guarantor	mobile_phone_number	Guarantor's mobile phone number	string	True	30	
4843	Patient	guarantor	email	Guarantor's email	string	True	100	
4844	Patient	guarantor	firm_global_id	ModMed internal firm global identifier	string	False	10	
4845	eLab	result_log_detail	result_log_detail_id	result_log_detail table id	string	False	20	
4846	eLab	result_log_detail	result_log_id	result_log table id	string	False	20	
4847	eLab	result_log_detail	patient_id	patient table id	string	True	20	
4848	eLab	result_log_detail	order_log_id	order_log table id	string	True	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4849	eLab	result_log_detail	body_location_id	body_location table id	string	True	20	
4850	eLab	result_log_detail	result_name	Name of result	string	True	-1	
4851	eLab	result_log_detail	result_type	Type of result	string	True	10	PATHOLOGY RADIOLOGY UNKNOWN
4852	eLab	result_log_detail	body_part	Body location of result	string	True	100	
4853	eLab	result_log_detail	flag	Result flag	string	True	20	ABNORMAL BENIGN CANCEROUS HIGH INCONCLUSIVE LOW NONE NORMAL OUT_OF_RANGE PANIC_VALUE PRE_CANCEROUS UNKNOWN
4854	eLab	result_log_detail	firm_global_id	ModMed internal firm global identifier	string	False	10	
4855	Procedure	procedure_mips_quality	procedure_mips_quality_id	procedure_mips_quality table id	string	False	25	
4856	Procedure	procedure_mips_quality	procedure_id	procedure table id	string	False	20	
4857	Procedure	procedure_mips_quality	patient_id	patient table id	string	False	20	
4858	Procedure	procedure_mips_quality	tab_label	Tab (grouping) the question is displayed in	string	True	50	See static_procedure_metadata.tab_label
4859	Procedure	procedure_mips_quality	question_text	Question displayed to the user	string	True	255	See static_procedure_metadata.question_text
4860	Procedure	procedure_mips_quality	value	Response value.	string	True	2000	See static_procedure_metadata_selection. value
4861	Procedure	procedure_mips_quality	text_value	Text response value.	string	True	12000	
4862	Procedure	procedure_mips_quality	firm_global_id	ModMed internal firm global identifier	string	False	10	
4863	Pathology	cancer_log_medication	cancer_log_medication_id	cancer_log_medication table id	string	False	32	
4864	Pathology	cancer_log_medication	cancer_log_id	cancer_log table id	string	False	20	
4865	Pathology	cancer_log_medication	medication_id	medication table id	string	True	20	
4866	Pathology	cancer_log_medication	patient_id	patient table id	string	False	20	
4867	Pathology	cancer_log_medication	firm_global_id	ModMed internal firm global identifier	string	False	10	
4868	Appointment	appointment_attachment	appointment_attachment_id	appointment_attachment table id	string	False	20	
4869	Appointment	appointment_attachment	appointment_id	appointment table id	string	False	20	
4870	Appointment	appointment_attachment	file_attachment_id	file_attachment table id	string	False	20	
4871	Appointment	appointment_attachment	patient_id	patient table id	string	False	20	
4872	Appointment	appointment_attachment	firm_global_id	ModMed internal firm global identifier	string	False	10	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4873	eLab	order_log_detail	order_log_detail_id	order_log_detail table id	string	False	20	
4874	eLab	order_log_detail	order_log_id	order_log table id	string	False	20	
4875	eLab	order_log_detail	parent_order_log_detail_id	order_log_detail table id.	string	True	20	
4876	eLab	order_log_detail	patient_id	patient table id	string	True	20	
4877	eLab	order_log_detail	order_type	order type	string	True	20	ALLERGY AUDIOLOGY DIAGNOSTIC_TEST DMEPOS FOLLOW_UP GENERAL INFUSION INJECTION LABS PATHOLOGY PROCEDURE RADIOLOGY REFERRAL SURGERY THERAPIES
4878	eLab	order_log_detail	key	Detail key	string	True	30	
4879	eLab	order_log_detail	title	Title of the detail	string	True	260	
4880	eLab	order_log_detail	value	Value of the detail	string	True	-1	
4881	eLab	order_log_detail	grouping	Group of details under the parent test, diagnosis, etc.	string	True	-1	
4882	eLab	order_log_detail	date_created	Date created (system generated).	timestamp	True		
4883	eLab	order_log_detail	date_modified	Date modified (system generated).	timestamp	True		
4884	eLab	order_log_detail	firm_global_id	ModMed internal firm global identifier	string	False	10	
4885	Pathology	cancer_log	cancer_log_id	cancer_log table id	string	False	20	
4886	Pathology	cancer_log	patient_id	patient table id	string	False	20	
4887	Pathology	cancer_log	physician_id	staff table id	string	True	20	Managing provider
4888	Pathology	cancer_log	pathology_log_id	pathology_log table id	string	True	20	Biopsy that cancer was diagnosed with. Use linkage to determine biopsy information such as visit date, procedure, etc.
4889	Pathology	cancer_log	refer_to_provider_id	referral_contact table id	string	True	20	Plan: Refer to Provider
4890	Pathology	cancer_log	referred_from_provider_id	referral_contact table id	string	True	20	Referred from Provider
4891	Pathology	cancer_log	entry_created_date	Date cancer log entry was created	timestamp	True		
4892	Pathology	cancer_log	entry_updated_date	Date cancer log entry was updated	timestamp	True		
4893	Pathology	cancer_log	diagnosis	Cancer diagnosis name, same value as pathology_log.result if created from a pathology log entry	string	True	255	See pathology_log.result
4894	Pathology	cancer_log	diagnosis_snomed	SNOMED based diagnosis for meaningful use	string	True	25	
4895	Pathology	cancer_log	diagnosis_narrative	Diagnosis Narrative	string	True	500	
4896	Pathology	cancer_log	diagnostic_confirmation	Diagnosis Confirmation	string	True	32	See Appendix G
4897	Pathology	cancer_log	location	Location	string	True	255	
4898	Pathology	cancer_log	location_snomed	SNOMED based body location for meaningful use	string	True	25	
4899	Pathology	cancer_log	laterality	Laterality	string	True	32	See Appendix G
4900	Pathology	cancer_log	behavior	Behavior	string	True	32	See Appendix G
4901	Pathology	cancer_log	biopsy_date	Biopsy Date	timestamp	True		
4902	Pathology	cancer_log	diagnosis_date	Diagnostic Date	timestamp	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4903	Pathology	cancer_log	treatment_date	Treatment Date	timestamp	True		
4904	Pathology	cancer_log	treatment_method	Treatment Method	string	True	250	
4905	Pathology	cancer_log	treated_by	Treated By	string	True	100	
4906	Pathology	cancer_log	treatment_status	Treatment Status. May have a null value.	string	True	32	COMPLETED PENDING
4907	Pathology	cancer_log	progress_note	Diagnosis information - progress note	string	True	-1	
4908	Pathology	cancer_log	clinical_stage	Clinical Stage. May have a null value.	string	True	32	STATE_0, STATE_0A, STATE_I, ...
4909	Pathology	cancer_log	clinical_tumor	TNM Clinical Tumor. May have a null value.	string	True	32	See Appendix G CLINICAL_TA, CLINICAL_TIS, CLINICAL_TO, ...
4910	Pathology	cancer_log	clinical_node	TNM Clinical Node. May have a null value.	string	True	32	CLINICAL_NO, CLINICAL_N1, CLINICAL_N1A, ...
4911	Pathology	cancer_log	clinical_metastasis	TNM Clinical Metastasis. May have a null value.	string	True	32	CLINICAL_MO, CLINICAL_M1, CLINICAL_M1A, ...
4912	Pathology	cancer_log	tnm_date	TNM Date	timestamp	True		
4913	Pathology	cancer_log	clinical_stage_descriptor	TNM Clinical Stage Descriptor. May have a null value.	string	True	32	NONE, EXTRANODAL_SPLEEN, EXTRANODAL_SPLEEN, etc.
4914	Pathology	cancer_log	tnm_edition	TNM Edition. May have a null value.	string	True	32	FIRST_EDITION, SECOND_EDITION, ...
4915	Pathology	cancer_log	clinical_staged_by	TNM Clinical Staged By. May have a null value.	string	True	32	PHYSICIAN, PATHOLOGIST, etc.
4916	Pathology	cancer_log	pathology_stage	TNM Pathology Stage. May have a null value.	string	True	32	STAGE_0, STAGE_0A, STAGE_I, ...
4917	Pathology	cancer_log	pathology_tumor	TNM Pathology Tumor. May have a null value.	string	True	32	PATHOLOGY_TA, PATHOLOGY_TIS, PATHOLOGY_TO, etc.
4918	Pathology	cancer_log	pathology_node	TNM Pathology Node. May have a null value.	string	True	32	PATHOLOGY_NO, PATHOLOGY_N1, etc.
4919	Pathology	cancer_log	pathology_metastasis	TNM Pathology Metastasis. May have a null value.	string	True	32	PATHOLOGY_MO, PATHOLOGY_M1, ...
4920	Pathology	cancer_log	pathology_stage_descriptor	TNM Pathology Stage Descriptor. May have a null value.	string	True	32	NONE, EXTRANODAL_SPLEEN, EXTRANODAL_SPLEEN, etc.
4921	Pathology	cancer_log	pathology_staged_by	TNM Pathology Staged By. May have a null value.	string	True	32	PHYSICIAN, PATHOLOGIST, etc.
4922	Pathology	cancer_log	seer_summary_stage	Seer Summary Stage. May have a null value.	string	True	50	InSitU, Localized, Distant, etc.
4923	Pathology	cancer_log	tumor_grade	Tumor Grade. May have a null value.	string	True	32	Low Intermediate High
4924	Pathology	cancer_log	breslow_depth	Breslow Depth (mm)	double	True		
4925	Pathology	cancer_log	mitotic_index	Mitotic Index. May have a null value.	string	True	32	ZERO_PER_HPF, ONE_PER_HPF, ...
4926	Pathology	cancer_log	ulceration	Ulceration. May have a null value.	string	True	32	ABSENT PRESENT
4927	Pathology	cancer_log	tils	Tumor Infiltrating Lymphocytes (TILs). May have a null value.	string	True	32	ABSENT BRISK NON_BRISK
4928	Pathology	cancer_log	slnbx	Sentinel lymph node biopsy. May have a null value.	string	True	32	NEGATIVE POSITIVE
4929	Pathology	cancer_log	slnbx_comments	SLNbx Comments	string	True	-1	
4930	Pathology	cancer_log	radiation_oncology_note	Radiation Oncology Note	string	True	-1	
4931	Pathology	cancer_log	status	Status of the cancer log entry.	string	False	32	PENDING: cancerous pathology result logged, waiting to be added to cancer log ACTIVE: active entry INVALIDATED: entry invalidated REMOVED: pending entry removed ARCHIVED: active entry deleted
4932	Pathology	cancer_log	firm_global_id	ModMed internal firm global identifier	string	False	10	
4933	PM Financials	refunds	refunds_id	refunds table id	string	False	50	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4934	PM Financials	refunds	business_unit_id	business_unit table id	string	False	20	
4935	PM Financials	refunds	patient_id	patient table id	string	True	20	
4936	PM Financials	refunds	payer_id	payer table id	string	True	20	The payer associated to the refund
4937	PM Financials	refunds	facility_id	facility table id	string	False	20	Service location
4938	PM Financials	refunds	provider_id	staff table id	string	True	20	Staff member that performs the refund
4939	PM Financials	refunds	appointment_id	appointment table id	string	True	20	
4940	PM Financials	refunds	created_by_staff_id	staff table id	string	True	20	Staff who transacted the payment
4941	PM Financials	refunds	code_category_id	code_category table id.	string	True	20	
4942	PM Financials	refunds	batch_id	batch table id	string	True	20	
4943	PM Financials	refunds	custom_payment_method_id	custom_payment_method table id	string	True	20	
4944	PM Financials	refunds	package_sale_id	package_sale table id	string	True	20	
4945	PM Financials	refunds	transaction_settlement_link_key	External UUID that identifies a Transaction (PAYFAC Session), shared between EMA and PAYFAC.	string	True	50	
4946	PM Financials	refunds	refund_link_key	Linking key between refunds and payments_received.	string	True	75	
4947	PM Financials	refunds	payment_link_key	Payment table(s) linking key.	string	True	75	
4948	PM Financials	refunds	original_payment_link_key	Linking key that ties transaction to original payment. This column will have a null value unless the transaction is a refund.	string	True	100	
4949	PM Financials	refunds	payer_check_key	Payer check key, used to link different payer payments to payment tables.	string	True	20	
4950	PM Financials	refunds	reference_number	Payment reference number. In PM this number may also be referred to as the check/trace number or the Transaction number	string	True	60	
4951	PM Financials	refunds	code_category	Code category name.	string	True	75	
4952	PM Financials	refunds	batch_name	Batch name.	string	True	100	
4953	PM Financials	refunds	package_name	Package name.	string	True	50	
4954	PM Financials	refunds	payment_code	Payment code	string	True	11	UNAVAILABLE COPAY AVAILABLE
4955	PM Financials	refunds	payment_source	Source of payment	string	True	40	PAYER_REFUND ERA PATIENT_PAYMENT PATIENT_PAYMENT_VOID EOB LEGACY_PATIENT_EXTERNAL_TRANSFER LEGACY_PATIENT_EXTERNAL_TRANSFER_VOID LEGACY_PATIENT_PAYMENT LEGACY_PATIENT_PAYMENT_VOID PATIENT_REFUND PATIENT_EXTERNAL_TRANSFER_VOID PATIENT_EXTERNAL_TRANSFER PATIENT_EXTERNAL_TRANSFER_REFUND BUSINESS_UNIT_TRANSFER_RECEIVED BUSINESS_UNIT_TRANSFER_RECEIVE_REFUND BUSINESS_UNIT_TRANSFER_SENT

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4956	PM Financials	refunds	payment_channel	The channel used for patient payments	string	True	30	STAFF TEXT_TO_PAY AUTOMATIC_PROCESSING KIOSK POCKET_PATIENT_ANDROID TERMINAL POCKET_PATIENT_IOS PATIENT_PORTAL QUICK_PAY PAYMENT_PLAN EXTERNAL_API ONLINE_CHECK_IN
4957	PM Financials	refunds	payment_processor	Method by which payment was processed	string	True	50	EXTERNAL_TRANSFER MODMED PATIENT_CREDIT INSTAMED PATIENT_TRANSFER MANUAL BUSINESS_UNIT_TRANSFER PAYFAC NONE PAYJUNCTION MMPAY
4958	PM Financials	refunds	payment_link	URL that links back to the payment transaction modal	string	True	100	
4959	PM Financials	refunds	payment_appointment_type	If applicable, type of appointment linked to payment transaction	string	True	25	
4960	PM Financials	refunds	patient_payment_status	Status of patient payment. If payer payment, this column will be null.	string	True	25	UNPOSTED: None of the payment has been posted to a charge. PARTIALLY_POSTED: Some of the payment has been posted to a charge. POSTED: All of the payment has been posted to a charge. UNKONWN: The payment was made prior to 2019 and the associated funds bucket (unallocated fund) has not been depleted. Prior to 2019, all payments were assigned to the same funds bucket, and it was therefore not possible to determine which dollars came from which payment.
4961	PM Financials	refunds	payment_method	Method of payment such as cash, check, e-check, credit card, gift card, etc.	string	True	60	
4962	PM Financials	refunds	check_number	Check number associated with payment	string	True	50	
4963	PM Financials	refunds	credit_card_type	Type of credit card used for payments with payment method of credit card	string	True	20	
4964	PM Financials	refunds	credit_card_last_four_digits	Last four digits of the credit card used for payments with payment method of credit card	string	True	20	
4965	PM Financials	refunds	patient_auto_pay_status	Status of Patient's Auto Pay	string	True	20	ACTIVE CANCELLED DEACTIVATED DECLINED PENDING
4966	PM Financials	refunds	notes	Notes entered for payment transaction	string	True	-1	
4967	PM Financials	refunds	financial_category	The Financial Category listed for the responsible party.	string	True	100	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
4968	PM Financials	refunds	ledger_refund_address	For refund method check-paper, this is the refund address.	string	True	1000	
4969	PM Financials	refunds	ledger_refund_city	For refund method check-paper, this is the refund city.	string	True	255	
4970	PM Financials	refunds	ledger_refund_state	For refund method check-paper, this is the refund state.	string	True	50	
4971	PM Financials	refunds	ledger_refund_zipcode	For refund method check-paper, this is the refund zipcode.	string	True	50	
4972	PM Financials	refunds	ledger_refund_reference	Transaction Identifier. This corresponds to the Transaction/Reference ID displayed in the user interface.	string	True	75	
4973	PM Financials	refunds	ledger_refund_amount	Refund amount	double	True		
4974	PM Financials	refunds	ledger_refund_notes	Refund notes documented by staff.	string	True	-1	
4975	PM Financials	refunds	ledger_refund_date_created	Refund transaction date	timestamp	True		
4976	PM Financials	refunds	ledger_refund_date_created_id	Localized refund transaction date	timestamp	True		
4977	PM Financials	refunds	ledger_activity_date	Activity date of the financial transaction	timestamp	True		
4978	PM Financials	refunds	ledger_activity_date_id	Activity date of the financial transaction	timestamp	True		
4979	PM Financials	refunds	refund_method	Refund method.	string	True	50	
4980	PM Financials	refunds	time_zone	Facility time zone	string	True	30	
4981	PM Financials	refunds	deposit_date_id	Deposit date of payment	timestamp	True		
4982	PM Financials	refunds	adjudication_date_id	The date when a payer approved payment for a claim. This field is automatically populated for ERAs but must be manually entered for EOBs.	timestamp	True		
4983	PM Financials	refunds	transaction_date	Transaction date (system date)	timestamp	True		
4984	PM Financials	refunds	transaction_date_id	Transaction date (system date)	timestamp	True		
4985	PM Financials	refunds	firm_global_id	ModMed internal firm global identifier	string	True	10	
4986	Patient	gyn_history	gyn_history_id	gyn_history table id	string	False	20	
4987	Patient	gyn_history	patient_id	patient table id	string	False	20	
4988	Patient	gyn_history	source	Section of the form where the information was entered in.	string	False	50	
4989	Patient	gyn_history	value	Value associated with the source field. It may be prefixed with the name of the source field.	string	True	255	
4990	Patient	gyn_history	snomed	GYN history condition (SNOMED)	string	True	255	
4991	Patient	gyn_history	secondary_snomed	GYN history condition (secondary SNOMED). Only populated if primary snomed does not fully describe the condition.	string	True	255	
4992	Patient	gyn_history	notes	Additional text associated with the value field.	string	True	-1	
4993	Patient	gyn_history	firm_global_id	ModMed internal firm global identifier	string	False	10	
4994	Patient	medication	medication_id	medication table id	string	False	20	
4995	Patient	medication	patient_id	patient table id	string	False	20	
4996	Patient	medication	rx_id	rx table id	string	True	20	Rx that the medication entry was created from. NULL if manually entered or imported from pharmacy or CCD (not prescribed from EMA).
4997	Patient	medication	drug_name	Drug name	string	True	4000	
4998	Patient	medication	generic_name	generic name of drug, may be same as drug_name if generic was prescribed, may be null for some OTC drugs	string	True	50	
4999	Patient	medication	is_generic	If the medication is a generic drug	boolean	True		
5000	Patient	medication	strength	Strength	string	True	100	
5001	Patient	medication	strength_units	Strength Units	string	True	25	
5002	Patient	medication	route	Route	string	True	50	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
5003	Patient	medication	source	Source of the medication info (Patient Portal, CCDA Integration, etc)	string	False	20	CCDA EMA_MANUAL_ENTRY EMA_PRESCRIBE PATIENT_PORTAL SURESCRIPTS THIRD_PARTY UNKNOWN
5004	Patient	medication	dose	Dose	string	True	50	
5005	Patient	medication	dose_form	Dose Form	string	True	100	
5006	Patient	medication	frequency	Frequency	string	True	100	
5007	Patient	medication	indication	Indication	string	True	100	
5008	Patient	medication	date_started	Date started. If linked to rx from EMA, date the prescription was sent to the pharmacy, can be manually modified	timestamp	True		
5009	Patient	medication	date_ended	Date ended	timestamp	True		
5010	Patient	medication	during_visit	Administered During Visit	boolean	True		
5011	Patient	medication	active	If the medication is active	boolean	True		
5012	Patient	medication	firm_global_id	ModMed internal firm global identifier	string	False	10	
5013	PM Financials	payments_posted	payments_posted_id	payments_posted table id	string	False	60	
5014	PM Financials	payments_posted	business_unit_id	business_unit table id	string	False	20	
5015	PM Financials	payments_posted	patient_id	patient table id	string	True	20	
5016	PM Financials	payments_posted	insurance_policy_id	insurance_policy table id	string	True	20	
5017	PM Financials	payments_posted	provider_id	staff table id	string	True	20	Billing provider id
5018	PM Financials	payments_posted	primary_provider_id	staff table id	string	True	20	Primary provider listed on bill
5019	PM Financials	payments_posted	payer_id	payer table id	string	True	20	Payer listed on bill
5020	PM Financials	payments_posted	facility_id	facility table id	string	True	20	Service location
5021	PM Financials	payments_posted	practice_location_id	facility table id	string	True	20	Practice Location (POS 11)
5022	PM Financials	payments_posted	bill_id	bill table id	string	True	20	
5023	PM Financials	payments_posted	bill_item_id	bill_item table id	string	True	20	Individual services on bill associated to payment
5024	PM Financials	payments_posted	bill_insurance_id	bill_insurance table id	string	True	20	
5025	PM Financials	payments_posted	division_id	division table id	string	True	20	
5026	PM Financials	payments_posted	batch_id	batch table id	string	True	20	
5027	PM Financials	payments_posted	created_by_staff_id	staff table id	string	True	20	
5028	PM Financials	payments_posted	custom_payment_method_id	custom_payment_method table id	string	True	20	
5029	PM Financials	payments_posted	custom_non_bill_code_id	custom_non_bill_code table id	string	True	20	
5030	PM Financials	payments_posted	package_sale_id	package_sale table id	string	True	20	
5031	PM Financials	payments_posted	package_item_sale_id	package_item_sale table id	string	True	20	
5032	PM Financials	payments_posted	bill_assignee_id	bill_assignee table id. Id of the staff member assigned to follow up on payments.	string	True	20	
5033	PM Financials	payments_posted	firm_id	firm table id.	string	True	20	
5034	PM Financials	payments_posted	appointment_provider_id	staff table id for appointment provider.	string	True	20	Appointment Provider
5035	PM Financials	payments_posted	original_bill_id	Bill table id. Indicates if a bill was recreated from a previous bill	string	True	20	
5036	PM Financials	payments_posted	sold_by_id	staff table id	string	True	20	The staff member selected in the Sold By field. The provider and the Sold by could be the same person depending on selection.

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
5037	PM Financials	payments_posted	code_category_id	code_category table id	string	True	20	
5038	PM Financials	payments_posted	billing_quote_id	billing_quote table id	string	True	20	
5039	PM Financials	payments_posted	billing_quote_created_by_id	staff table id	string	True	20	
5040	PM Financials	payments_posted	fee_schedule_primary_payer_id	Fee schedule of the primary insurance. This is the payer fee schedule of the primary insurance from the bill insurance.	string	True	20	
5041	PM Financials	payments_posted	transaction_initiated_by_id	staff table id.	string	True	20	The person who ran the transaction, specifically patient payments, voids, or refund. This may also refer to the user who accepted a pending patient payment via external source.
5042	PM Financials	payments_posted	payer_address_id	payer_address table id	string	True	20	
5043	PM Financials	payments_posted	provider_level_adjustment_id	provider_level_adjustment table id.	string	True	40	
5044	PM Financials	payments_posted	charge_link_key	Linking key between charges, payments_posted, patient_adjustments, payer_adjustments, product_sales and production_summary tables.	string	True	100	
5045	PM Financials	payments_posted	payment_link_key	Payment table(s) linking key.	string	True	75	
5046	PM Financials	payments_posted	payer_check_key	Payer check key, used to link different payer payments to payment tables.	string	True	20	
5047	PM Financials	payments_posted	batch_name	Batch associated to the payment/refund	string	True	100	
5048	PM Financials	payments_posted	package_name	Package name	string	True	50	
5049	PM Financials	payments_posted	coverage_type	Coverage type	string	True	20	Primary Secondary Tertiary Self-Pay
5050	PM Financials	payments_posted	link_state	Stores the current state of the insurance in relation to the bill	string	True	20	LINKED UNLINKED REMOVED LEGACY_REMOVED
5051	PM Financials	payments_posted	ledger_payment_amount	Total payment for service.	double	True		
5052	PM Financials	payments_posted	payment_method	Method of payment such as cash, check, e-check, credit card, gift card, etc.	string	True	200	
5053	PM Financials	payments_posted	payment_source	Source of payment	string	True	200	
5054	PM Financials	payments_posted	payment_link	Payment url for EMA	string	True	100	
5055	PM Financials	payments_posted	payment_code	Payment code associated with payment.	string	True	20	AVAILABLE COPAY PAYER_CHECK OMITTED_PAYER_CHECK PAYER_CHECK_CLAIM UNAVAILABLE
5056	PM Financials	payments_posted	payment_code_description	payment_code meaning.	string	True	20	Deposits Copay Payer Check Payer Check Omitted Payer Check Claim General
5057	PM Financials	payments_posted	payer_check_notes	payer check notes	string	True	255	
5058	PM Financials	payments_posted	ledger_reference	Ledger reference code. For Payers, this is the payment transaction number. For patients, this is the check number or a transaction id for other payment methods.	string	True	100	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
5059	PM Financials	payments_posted	activity_type	Activity Type	string	True	100	PAYMENT PLA_OFFSET_CHARGE_PAYMENT PLA_POST_TO_SERVICE_LINE PLA_POST_TO_SVC_LINES VOID_PAYMENT VOID_PLA_OFFSET_CHARGE_PAYMENT VOID_PLA_POST_TO_SERVICE_LINE VOID_PLA_POST_TO_SVC_LINES
5060	PM Financials	payments_posted	cpt_product	The CPT/HCPCS procedure code for the bill charge or category for a non-bill charge, or inventory product code	string	True	100	
5061	PM Financials	payments_posted	cpt_product_description	The CPT/HCPCS procedure code or category description for the bill charge or non-bill charge, or the inventory product description.	string	True	500	
5062	PM Financials	payments_posted	financial_category	The Financial category listed for the payer	string	True	100	
5063	PM Financials	payments_posted	check_number	Check number associated with payment	string	True	50	
5064	PM Financials	payments_posted	payment_channel	The channel used for patient payments	string	True	30	STAFF TEXT_TO_PAY AUTOMATIC_PROCESSING KIOSK POCKET_PATIENT_ANDROID TERMINAL POCKET_PATIENT_IOS PATIENT_PORTAL QUICK_PAY PAYMENT_PLAN EXTERNAL_API ONLINE_CHECK_IN
5065	PM Financials	payments_posted	bill_assignee_staff_name	Name of the staff member that is assigned to follow up on payments.	string	True	200	
5066	PM Financials	payments_posted	claim_insurance_key	A concatenation of bill item and billing insurance id which is linked to the claims that are sent out. This key is used to link the payments to the claims table.	string	True	20	
5067	PM Financials	payments_posted	is_legacy_payment	If True, payment was created before EMA tracked the relationship between payments received and payments posted.	boolean	True		
5068	PM Financials	payments_posted	transaction_identifier	Transaction Identifier. This value will be null for PLA transactions.	string	True	40	
5069	PM Financials	payments_posted	auto_pay_bill_status	Captures the status of a patient's AutoPay feature for billing	string	True	300	NOTIFIED SCRUB_FAILED QUEUED DECLINED ON_HOLD CANCELLED COMPLETED PENDING
5070	PM Financials	payments_posted	appointment_type	Appointment type. Types are confirmed by the practice at the firm admin level.	string	True	25	
5071	PM Financials	payments_posted	fee_schedule_primary_payer_name	Fee schedule name. This is the payer fee schedule from the primary bill insurance.	string	True	50	
5072	PM Financials	payments_posted	fee_schedule_type	Fee Schedule type.	string	True	10	PAYER PROVIDER
5073	PM Financials	payments_posted	fee_schedule_primary_payer_effective_date	Effective date. The payer fee schedule effective date.	date	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
5074	PM Financials	payments_posted	bill_type	Bill type.	string	True	20	PATIENT CLAIM VISION AUTO_PIP WORKERS_COMP
5075	PM Financials	payments_posted	bill_recreated	Indicates if a bill was recreated from a previous bill	boolean	True		
5076	PM Financials	payments_posted	responsible_insurance_policy_number	Insurance policy number.	string	True	100	
5077	PM Financials	payments_posted	policy_type	Insurance policy type. May have a null value.	string	True	100	EPO GHP HMO IPA MEDICARE_ADVANTAGE PPO POS COMMERCIAL_OTHER ACA_EXCHANGE CHAMPVA CHIP FECA MEDICARE MEDICAID TRICARE GOVERNMENT_OTHER VISION WORKERS_COMP AUTO_PIP B C Champus Choice Plus Exclusive Provider Organization (EPO) M O
5078	PM Financials	payments_posted	policy_group_number	Insurance policy group number.	string	True	100	
5079	PM Financials	payments_posted	patient_relationship_to_policy_holder	Patient relationship to insurance policy holder. May have a null value.	string	True	50	SELF SPOUSE CHILD OTHER EMPLOYER
5080	PM Financials	payments_posted	policy_patient_name	Name of the policy holder listed for insurance.	string	True	250	
5081	PM Financials	payments_posted	policy_holder_gender	Policy holder Gender. May have a null value.	string	True	20	MALE, FEMALE, etc.
5082	PM Financials	payments_posted	policy_holder_date_of_birth	Policy Holder Date Of Birth	timestamp	True		
5083	PM Financials	payments_posted	payer_plan_name	Payer's plan name.	string	True	100	
5084	PM Financials	payments_posted	product_category	Product category name	string	True	100	
5085	PM Financials	payments_posted	product_sku	Product sku	string	True	100	
5086	PM Financials	payments_posted	code_category	Code category name.	string	True	75	
5087	PM Financials	payments_posted	service_location_pos_code	Place of service code listed on the bill.	string	True	5	
5088	PM Financials	payments_posted	notes	Notes.	string	True	500	

ModMed EMA: Single Patient EHI Export Data Dictionary.xlsx

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
5089	PM Financials	payments_posted	quick_code	Reflects the quick code combination configured for the CPT/Modifier combination on the bill. These codes are configured by the practice.	string	True	50	
5090	PM Financials	payments_posted	bill_item_allowed	Payer Payment Allowable Amount for the associated Bill Item.	double	True		
5091	PM Financials	payments_posted	wrvu	CMS wRVU (work relative value units) for the associated Bill Item.	double	True		
5092	PM Financials	payments_posted	billing_quote_title	Title of billing quote	string	True	100	
5093	PM Financials	payments_posted	billing_quote_id_number	Client-facing billing quote id	string	True	20	
5094	PM Financials	payments_posted	firm_is_using_rcm	Whether using rcm is enabled	boolean	True		
5095	PM Financials	payments_posted	source_of_payment_typology	Source of Payment Typology	string	True	100	
5096	PM Financials	payments_posted	signature_on_file	If true, a practice can receive payment from an insurer on behalf of a patient.	boolean	True		True: Yes, False: No
5097	PM Financials	payments_posted	package_sale_date_created	Date on which the package was sold.	timestamp	True		
5098	PM Financials	payments_posted	package_sale_date_created_id	Date on which the package was sold.	timestamp	True		
5099	PM Financials	payments_posted	service_date_from	Date which service started. Note: This column will be deprecated on our next release, please use service_date_from_id column.	timestamp	True		
5100	PM Financials	payments_posted	service_date_to	Date which service ended. Note: This column will be deprecated on our next release, please use service_date_from_id column.	timestamp	True		
5101	PM Financials	payments_posted	pla_reason	Provider level adjustment reason	string	True	100	
5102	PM Financials	payments_posted	authorization_number	Authorization number linked to insurance policy.	string	True	50	
5103	PM Financials	payments_posted	time_zone	Facility time zone	string	True	30	
5104	PM Financials	payments_posted	ledger_activity_date	Activity date of the financial transaction.	timestamp	True		
5105	PM Financials	payments_posted	post_date_id	Post date of payment for service line	date	True		
5106	PM Financials	payments_posted	adjudication_date_id	The date when a payer approved payment for a claim. This field is automatically populated for ERAs but must be manually entered for EOBs.	timestamp	True		
5107	PM Financials	payments_posted	service_date_from_id	Date which service started	timestamp	True		
5108	PM Financials	payments_posted	service_date_to_id	Date which service ended	timestamp	True		
5109	PM Financials	payments_posted	ledger_activity_date_id	Activity date of the financial transaction	timestamp	True		
5110	PM Financials	payments_posted	deposit_date_id	Deposit date of payment for service line	timestamp	True		
5111	PM Financials	payments_posted	follow_up_date	Date at which Financial Assignee will follow up on the Payer Payment.	date	True		
5112	PM Financials	payments_posted	firm_global_id	ModMed internal firm global identifier	string	False	10	
5113	Exam	exam_element	exam_element_id	exam_element table id	string	False	20	
5114	Exam	exam_element	visit_id	visit table id	string	False	20	
5115	Exam	exam_element	patient_id	patient table id	string	False	20	
5116	Exam	exam_element	exam_set_id	exam_set table id	string	True	20	
5117	Exam	exam_element	element	Exam element	string	True	255	See static_exam_element.element
5118	Exam	exam_element	system	Bodily system the element is a part of	string	True	255	See static_exam_element.system
5119	Exam	exam_element	firm_global_id	ModMed internal firm global identifier	string	False	10	
5120	CC/HPI	hpi_follow_up	hpi_follow_up_id	hpi_follow_up table id	string	False	20	
5121	CC/HPI	hpi_follow_up	diagnosis_referenced_id	diagnosis table id	string	True	20	Diagnosis the patient is following up on.
5122	CC/HPI	hpi_follow_up	visit_id	visit table id	string	False	20	
5123	CC/HPI	hpi_follow_up	patient_id	patient table id	string	False	20	
5124	CC/HPI	hpi_follow_up	follow_up_reason	What the patient is presenting/following up for	string	True	50	See Appendix H CRYOTHERAPY, FOLLOW_UP_EVAL, HIGHRISK_MONITOR, LASER, OTHER
5125	CC/HPI	hpi_follow_up	treatment_compliant	The treatment was followed as directed?	boolean	True		
5126	CC/HPI	hpi_follow_up	context	True if the specific HPI component/element was covered	boolean	True		

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
5127	CC/HPI	hpi_follow_up	duration	True if the specific HPI component/element was covered	boolean	True		
5128	CC/HPI	hpi_follow_up	location	True if the specific HPI component/element was covered	boolean	True		
5129	CC/HPI	hpi_follow_up	modifying_factors	True if the specific HPI component/element was covered	boolean	True		
5130	CC/HPI	hpi_follow_up	quality	True if the specific HPI component/element was covered	boolean	True		
5131	CC/HPI	hpi_follow_up	severity	True if the specific HPI component/element was covered	boolean	True		
5132	CC/HPI	hpi_follow_up	signs_and_symptoms	True if the specific HPI component/element was covered	boolean	True		
5133	CC/HPI	hpi_follow_up	timing	True if the specific HPI component/element was covered	boolean	True		
5134	CC/HPI	hpi_follow_up	firm_global_id	ModMed internal firm global identifier	string	False	10	
5135	Office Flow	appointment_facility_resource_reservation	appointment_facility_resource_reservation_id	appointment_facility_resource_reservation table id	string	False	20	
5136	Office Flow	appointment_facility_resource_reservation	appointment_id	appointment table id	string	False	20	
5137	Office Flow	appointment_facility_resource_reservation	facility_resource_id	facility_resource table id	string	False	20	
5138	Office Flow	appointment_facility_resource_reservation	patient_id	patient table id	string	False	20	
5139	Office Flow	appointment_facility_resource_reservation	firm_global_id	ModMed internal firm global identifier	string	False	10	
5140	Appointment	appointment_facility_waitlist	appointment_facility_waitlist_id	appointment_facility_waitlist table id	string	False	20	
5141	Appointment	appointment_facility_waitlist	appointment_waitlist_id	appointment_waitlist table id	string	False	20	
5142	Appointment	appointment_facility_waitlist	facility_id	facility table id	string	False	20	
5143	Appointment	appointment_facility_waitlist	patient_id	patient table id	string	True	20	
5144	Appointment	appointment_facility_waitlist	firm_global_id	ModMed internal firm global identifier	string	False	10	
5145	Patient	insurance_policy_phone_number	insurance_policy_phone_number_id	insurance_policy_phone_number table id	string	False	20	
5146	Patient	insurance_policy_phone_number	insurance_policy_id	insurance_policy table id	string	True	20	Insurance policy that belongs to the group.
5147	Patient	insurance_policy_phone_number	patient_id	patient table id	string	False	20	
5148	Patient	insurance_policy_phone_number	type	Phone number type	string	True	20	
5149	Patient	insurance_policy_phone_number	phone_number	Phone number	string	True	50	
5150	Patient	insurance_policy_phone_number	visible	Visible	boolean	True		
5151	Patient	insurance_policy_phone_number	phone_number_date_created	ema.phone_number.date_created	timestamp	True		
5152	Patient	insurance_policy_phone_number	phone_number_date_modified	ema.phone_number.date_modified	timestamp	True		
5153	Patient	insurance_policy_phone_number	firm_global_id	Firm global identifier (unique across pods)	string	False	10	
5154	Patient	allergy	allergy_id	allergy table id	string	False	20	
5155	Patient	allergy	patient_id	patient table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
5156	Patient	allergy	allergen_type	Type of allergen. May have a null value.	string	True	20	Ingredient Drug Name Allergen Group
5157	Patient	allergy	allergen_description	Description of the allergy.	string	True	1000	Based on FirstDataBank (FDB) allergy repository
5158	Patient	allergy	allergy_status	Status of the allergy	string	True	25	
5159	Patient	allergy	date_recorded	Date allergy was recorded	timestamp	True		
5160	Patient	allergy	date_started	Date allergy started.	date	True		
5161	Patient	allergy	date_ended	Date allergy ended.	date	True		
5162	Patient	allergy	severity	Severity of the allergy. May have a null value.	string	True	100	Unspecified Mild MildToModerate Moderate ModerateToSevere Severe Fatal
5163	Patient	allergy	reaction_anaphylaxis	Anaphylaxis	boolean	True		
5164	Patient	allergy	reaction_angioedema	Angioedema	boolean	True		
5165	Patient	allergy	reaction_hives	Hives	boolean	True		
5166	Patient	allergy	reaction_rash	Rash	boolean	True		
5167	Patient	allergy	reaction_shortness_of_breath	Shortness of breath	boolean	True		
5168	Patient	allergy	reaction_swelling	Swelling	boolean	True		
5169	Patient	allergy	reaction_weal	Weal	boolean	True		
5170	Patient	allergy	reaction_diarrhea	Diarrhea	boolean	True		
5171	Patient	allergy	reaction_dizziness	Dizziness	boolean	True		
5172	Patient	allergy	reaction_fatigue	Fatigue	boolean	True		
5173	Patient	allergy	reaction_gi_upset	GI upset	boolean	True		
5174	Patient	allergy	reaction_liver_toxicity	Liver toxicity	boolean	True		
5175	Patient	allergy	reaction_nausea	Nausea	boolean	True		
5176	Patient	allergy	reaction_other	Other	boolean	True		
5177	Patient	allergy	reaction_other_value	Allergy response other value.	string	True	4000	
5178	Patient	allergy	firm_global_id	ModMed internal firm global identifier	string	False	10	
5179	Patient	patient_pregnancy_delivery_procedure	patient_pregnancy_delivery_procedure_id	patient_pregnancy_delivery_procedure table id	string	False	20	
5180	Patient	patient_pregnancy_delivery_procedure	patient_id	patient table id	string	False	20	
5181	Patient	patient_pregnancy_delivery_procedure	patient_pregnancy_id	patient_pregnancy table id	string	False	20	
5182	Patient	patient_pregnancy_delivery_procedure	cpt_code	CPT code of the delivery procedure.	string	True	5	
5183	Patient	patient_pregnancy_delivery_procedure	procedure_description	Description of the delivery procedure.	string	True	1000	
5184	Patient	patient_pregnancy_delivery_procedure	firm_global_id	ModMed internal firm global identifier	string	False	10	
5185	Patient	specialty_pediatric_history	specialty_pediatric_history_id	specialty_pediatric_history table id	string	False	20	
5186	Patient	specialty_pediatric_history	patient_id	patient table id	string	False	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
5187	Patient	specialty_pediatric_history	source	Screen in the application the condition was entered in	string	False	50	MUSCULOSKELETAL_HISTORY ENT_HISTORY RHEUMATOLOGICAL_HISTORY
5188	Patient	specialty_pediatric_history	value	Pediatric history (enum value)	string	True	255	See Appendix D
5189	Patient	specialty_pediatric_history	snomed	Pediatric history (SNOMED)	string	True	255	
5190	Patient	specialty_pediatric_history	secondary_snomed	Pediatric history (secondary SNOMED). Only populated if primary snomed does not fully describe the condition.	string	True	255	
5191	Patient	specialty_pediatric_history	other_value	Additional text added to the condition	string	True	-1	
5192	Patient	specialty_pediatric_history	firm_global_id	ModMed internal firm global identifier	string	False	10	
5193	Pathology	pathology_log_notification	pathology_log_notification_id	pathology_log_notification table id	string	False	20	
5194	Pathology	pathology_log_notification	pathology_log_id	pathology_log table id	string	False	20	
5195	Pathology	pathology_log_notification	patient_id	patient table id	string	False	20	
5196	Pathology	pathology_log_notification	log_date_created	Time the notification log was generated	timestamp	True		
5197	Pathology	pathology_log_notification	template	Note template used for the notification	string	True	50	PHONE VOICEMAIL LETTER FREE_FORM
5198	Pathology	pathology_log_notification	firm_global_id	ModMed internal firm global identifier	string	False	10	
5199	Visit	final_bill_procedure	final_bill_procedure_id	final_bill_procedure table id	string	False	20	
5200	Visit	final_bill_procedure	visit_id	visit table id	string	False	20	
5201	Visit	final_bill_procedure	patient_id	patient table id	string	False	20	
5202	Visit	final_bill_procedure	position	Position in the bill (order of code in list of codes).	int	True		
5203	Visit	final_bill_procedure	cpt	CPT/HCPCS procedure code sent for billing.	string	True	20	
5204	Visit	final_bill_procedure	quantity	Quantity of the CPT code.	int	True		
5205	Visit	final_bill_procedure	encounter_types	Category of health care service.	string	True	20	
5206	Visit	final_bill_procedure	firm_global_id	ModMed internal firm global identifier	string	False	10	
5207	Patient	intra_mail	intra_mail_id	intra_mail table id	string	False	60	
5208	Patient	intra_mail	firm_id	firm table id	string	False	20	
5209	Patient	intra_mail	author_patient_id	patient table id. Id of the patient who created the IntraMail message.	string	True	20	
5210	Patient	intra_mail	author_staff_id	staff table id. Id of the staff user who created the IntraMail message.	string	True	20	
5211	Patient	intra_mail	patient_id	patient table id. Id of the patient referenced in the IntraMail message.	string	True	20	
5212	Patient	intra_mail	visit_id	visit table id	string	True	20	
5213	Patient	intra_mail	lab_request_id	lab_request table id	string	True	20	
5214	Patient	intra_mail	chart_note_id	chart_note table id	string	True	20	
5215	Patient	intra_mail	patient_representative	Representative of the patient	string	True	60	
5216	Patient	intra_mail	subject	Subject of the IntraMail message.	string	True	255	
5217	Patient	intra_mail	message_body	Body of the IntraMail message.	string	True	-1	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
5218	Patient	intra_mail	priority	Indicates the priority of the IntraMail message.	string	True	10	HIGH LOW NORMAL
5219	Patient	intra_mail	is_draft	Indicates if the IntraMail message was saved as a draft.	boolean	True		
5220	Patient	intra_mail	is_auto_reply	Indicates if a reply to an IntraMail message was automatic.	boolean	True		
5221	Patient	intra_mail	date_created	Date created (system generated).	timestamp	True		
5222	Patient	intra_mail	date_modified	Date modified (system generated).	timestamp	True		
5223	Patient	intra_mail	firm_global_id	ModMed internal firm global identifier	string	False	10	
5224	Patient	patient_sdoh	patient_sdoh_id	patient_sdoh table id	string	False	20	
5225	Patient	patient_sdoh	patient_id	patient table id	string	False	20	
5226	Patient	patient_sdoh	sdoh_problem_id	problem_list table id	string	False	20	
5227	Patient	patient_sdoh	sdoh_goal_id	procedure_log table id	string	False	20	
5228	Patient	patient_sdoh	sdoh_intervention_id	procedure_log table id	string	False	20	
5229	Patient	patient_sdoh	created_by_id	staff table id	string	False	20	
5230	Patient	patient_sdoh	modified_by_id	staff table id	string	True	20	
5231	Patient	patient_sdoh	sdoh_problem	Social Determinants of Health-related health concerns conditions or diagnoses	string	True		
5232	Patient	patient_sdoh	sdoh_goal	Desired future states for an identified Social Determinants of Health-related health concern condition or diagnosis	string	True		
5233	Patient	patient_sdoh	sdoh_intervention	Actions or services to address an identified Social Determinants of Health-related health concern condition or diagnosis	string	True		
5234	Patient	patient_sdoh	archived	When archived is true the record is considered deleted and is excluded from relevant application logic. New records default to archived = false indicating they are active and should be included in normal processing.	boolean	True		
5235	Patient	patient_sdoh	firm_global_id	Firm global identifier (unique across pods)	string	False	10	
5236	PM Financials	claim_log	claim_log_id	claim_log table id	string	False	20	
5237	PM Financials	claim_log	claim_id	claim table id	string	False	20	
5238	PM Financials	claim_log	firm_id	firm table id	string	False	20	
5239	PM Financials	claim_log	patient_id	patient table id	string	True	20	
5240	PM Financials	claim_log	claim_created_by_staff_id	staff table id	string	True	20	
5241	PM Financials	claim_log	event_triggered_by_staff_id	staff table id	string	True	20	
5242	PM Financials	claim_log	claim_identifier	Claim identifier displayed on the claim.	string	True	20	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
5243	PM Financials	claim_log	event_type	Type of event logged in claim	string	True	40	BILL_INSURANCE_LINK BILL_INSURANCE_UNLINK CLAIM_PRINTED CLAIM_SCRUB_RULE_FAILURE CLAIM_SCRUB_RULE_OVERRIDE CLAIM_STATUS_CHANGE CLAIM_STATUS_INQUIRY_BATCH CLAIM_STATUS_INQUIRY_BATCH_RESPONSE CLAIM_STATUS_REFERENCE CLAIM_SUBMISSION_REFERENCE CROSSOVER_CLAIM_CREATION DENIAL_ASSESSMENT_ATTEMPT_FAILED DENIAL_ASSESSMENT_DISMISSED DENIAL_ASSESSMENT_NOT_IMPLEMENTED DENIAL_ASSESSMENT_PASSED DENIAL_ASSESSMENT_REQUEST_ERROR DENIAL_ASSESSMENT_REASON_DISMISSED DENIAL_ASSESSMENT_RESPONSE_IGNORED DENIAL_ASSESSMENT_RESPONSE_TIMED_OUT ERA_ASSOCIATE ERA_DISASSOCIATE FLAGGED_FOR_DENIAL_REVIEW FOLLOW_UP_ACTION_CHANGE FOLLOW_UP_DATE_CHANGE FOLLOW_UP_NEXT_ACTION_CHANGE PM_NOTE_REFERENCE REALTIME_CLAIM_STATUS_CHECK REMOVE_CLAIM_SCRUB_RULE_OVERRIDE TIMELY_FILING_OVERDUE TIMELY_FILING_WARNING_SENT

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
5244	PM Financials	claim_log	claim_status_changed_to	Claim status changed to new status	string	True	30	APPEALED_CLAIM BATCHED_FOR_PRINTING CLAIM_NOT_ON_FILE CORRECTED_CLAIM_SENT DENIAL_ASSESSMENT_PENDING DENIED FLAGGED_FOR_DENIAL_REVIEW INACTIVE_DUPLICATE INACTIVE_VOIDED INSURANCE_REPROCESSING INVALID IN_DISPUTE MEDICAL_RECORDS_SENT ON_HOLD PAYMENT_PENDING PENDING_ADJUSTMENT_WRITE_OFF PENDING_APPEAL QUEUED READY_FOR_POSTING READY_FOR_SENDING REJECTED RESOLVED_OTHER RESOLVED_PAID CLAIM_NOT_ON_FILE REVIEW_NEEDED
5245	PM Financials	claim_log	additional_information	Additional information for the claim event	string	True	1500	

IDX	Grouping	Table	Column	Description	Data Type	Nullable	Field Length	Values/Coding Schema
5246	PM Financials	claim_log	follow_up_action	Follow up action	string	True	50	ACCESSED_PAYER_PORTAL_NO_UPDATE ADJUSTMENT_REQUEST APPEAL_IN_PROCESS CLAIM_IN_PROCESS CLAIM_REPROCESSING CORRECTED_CLAIM_SUBMISSION_ELECTRONIC CORRECTED_CLAIM_SUBMISSION_PAPER INITIAL_APPEAL_ELECTRONIC INITIAL_APPEAL_PAPER INITIAL_SUBMISSION LEFT_VOICEMAIL_FOR_PAYER LONG_HOLD_TIME MEDICAL_RECORDS_SENT_ELECTRONIC MEDICAL_RECORDS_SENT_PAPER OTHER PAYMENT_DETAILS_SUBMITTED_VIA_PHONE PAYMENT_DETAILS_SUBMITTED_VIA_PORTAL PENDING_ADMIN_EVALUATION PENDING_ONLINE_ACCESS PENDING_REMIT_INFORMATION PROVIDER_CREDENTIALING REASSIGNED REQUESTED_PAYMENT_DETAILS RESUBMISSION_INITIAL_APPEAL RESUBMISSION_INITIAL_APPEAL_ELECTRONIC SECOND_LEVEL_APPEAL_ELECTRONIC SECOND_LEVEL_APPEAL_PAPER
5247	PM Financials	claim_log	latest_claim_log	Identifies top row(s) of claim logs for the specific claim	boolean	True		
5248	PM Financials	claim_log	follow_up_next_action	Follow up action	string	True	40	ATTACH_MEDICAL_RECORDS CHECK_APPEAL_STATUS CHECK_CLAIM_STATUS CONFIRM_CREDENTIALING_STATUS CONFIRM_PAYMENT_POSTING CONTACT_PATIENT CONTACT_PAYER GENERATE_APPEAL OTHER REQUEST_APPROVAL REQUEST_AUTHORIZATION REQUEST_SUPPORT RESEARCH_DENIAL_FURTHER REVIEW_AUTHORIZATION_STATUS REVIEW_DIAGNOSIS_CODE REVIEW_FOR_ADJUSTMENT REVIEW_FOR_APPEAL REVIEW_MODIFIER REVIEW_PROCEDURE_CODE UPDATE_INSURANCE UPDATE_PATIENT_DEMOGRAPHICS
5249	PM Financials	claim_log	date_created	Date the claim_log record was created (database generated).	timestamp	True		
5250	PM Financials	claim_log	firm_global_id	ModMed internal firm global identifier	string	False	10	