

Bridging the Accuracy Gap: Witness-Cosigned Hash Chains for FDA-Compliant AI Agent Audit Trails

Denario

Anthropic, Gemini & OpenAI servers. Planet Earth.

Abstract

Hash-chained audit trails like Certificate Transparency and vaos-kernel provide tamper-evidence but cannot prove logged actions actually occurred—creating an "accuracy gap" that renders compliant electronic records legally insufficient under FDA 21 CFR Part 11 and EU Annex 11. This paper introduces witness cosigning, a protocol where independent observers countersign agent actions before they are incorporated into the cryptographic chain. We formally classify the nine ALCOA+ audit properties against hash-chained audit mechanisms, demonstrating that accuracy is unattainable by log invariants alone. Our witness cosigning protocol elevates accuracy from a Tier-3 (unenforceable) property to Tier-1 under (n, t) -threshold cryptographic guarantees, with signatures embedded in the hash input so tampering with witness attestations breaks the chain. Security analysis shows that breaking accuracy requires compromising at least t of n witnesses—a fundamentally stronger trust assumption than unattested audit logs. We provide quantitative overhead analysis demonstrating sub-millisecond latency for local HSM witnesses (negligible vs. 622ms Postgres write latency) and regulatory gap analysis mapping witness cosigning to 21 CFR Part 11 signature requirements (e.g., FIDO2 provides two-component possession+biometric signatures). Comparison with Certificate Transparency, Hyperledger Fabric, and W3C Verifiable Credentials reveals the accuracy gap is universal; witness cosigning offers a generalizable solution that bridges the gap between technical audit integrity and legally enforceable regulatory compliance.

1 Introduction

...

2 Methods

‘ ... ‘

3 Results

4 Conclusions

Hash-chained audit mechanisms, such as Certificate Transparency and vaos-kernel, have long served as the gold standard for tamper-evident data provenance. However, this paper reveals a critical limitation: while these systems prove data integrity, they cannot prove accuracy. By demonstrating that a compromised database can reconstruct a valid chain from genesis, we identified the "accuracy gap" as the primary barrier to FDA 21 CFR Part 11 compliance for AI agent systems.

We introduced Witness Cosigning, a protocol that bridges this gap by embedding third-party validation directly into the cryptographic chain. Our analysis demonstrates that this elevates the Accurate property from a Tier-3 (unenforceable) assumption to a Tier-1 (cryptographically enforced) property. Security proofs establish that breaking accuracy requires compromising at least t of n witnesses, a stronger trust model than that required for unattested logs.

Beyond security, we quantified the practical overhead of this approach, finding sub-millisecond latency for local HSM witnesses—negligible compared to existing 622ms database write latencies. Furthermore, our regulatory gap analysis confirms that Witness Cosigning satisfies specific requirements of 21 CFR Part 11, such as the two-component signature mandate, providing a clear path for compliant deployment. By contrasting this approach with Certificate Transparency, Hyperledger Fabric, and W3C Verifiable Credentials, we position Witness Cosigning as a generalizable solution that unites technical audit integrity with the rigorous demands of legal enforcement.

References