Chat()s Look Who's Talking

We all know our friend

Hello, Hubot.



Doesn't Hubot only know pugs?

aHubot pug me



What if Hubot could do more?

What if Hubot was part of the



Where did he come from?

- → Created by GitHub
- → github.com/github/hubot

Sample Scripts

→ github.com/github/hubot-scripts

How does GitHub use Hubot?

Deployments

Recent Deployments

jonathan @Hubot deployed **Hubot** @jonathan deployed myfeature today at 3:30 PM

Hubot @nick deployed hotfix yesterday at 4:43 PM

Hubot @sha deployed awesome yesterday at 12:23 PM

Deployments

jonathan @Hubot deploy github/myfeature to production

Hubot @jonathan deployed myfeature

Status

jonathan @Hubot I'm working on the best presentation ever


Hubot got it!

nick @Hubot what is jonathan working on?

Hubot Jonathan is working on the best presentation ever

How busy is shake shack?

rick @Hubot shake cam



I know what you are thinking...

Mhat about

Maybe not everyone... just Rick

But why not just write a script? A non-chat script?

ChatOps is about communication

It gives your entire team insight into whats been



It gives other team members the ability to run scripts

Anatomy of a Script

It's just Node

```
module.exports = function(robot) {
    robot.respond(/is it (weekend|holiday)\s?\?/i, function(msg){
        var today = new Date();

    msg.reply(today.getDay() === 0 || today.getDay() === 6 ? "YES" : "NO");
    });
}
```

Most written in coffee script

```
module.exports = (robot) ->
  robot.respond /shake cam/i, (msg) ->
  msg.send 'http://www.shakeshack.com/camera.jpg'
```

Are you listening?

because Hubot is...

Hearing & Responding

robot.hear /badger/i

jonathan I don't want to badger anyone

robot.respond /open the pod bay doors/i

nick @Hubot open the pod bay doors

Talking Back

Sending

```
module.exports = (robot) ->
  robot.hear /badger/i, (res) ->
  res.send "Badgers? BADGERS? WE DON'T NEED NO STINKIN BADGERS"
```

jonathan I don't want to badger anyone **Hubot** Badgers? BADGERS? WE DON'T NEED NO STINKIN BADGERS"

Replying

```
module.exports = (robot) ->
  robot.respond /open the pod bay doors/i, (res) ->
  res.reply "I'm afraid I can't let you do that."
```

nick @Hubot open the pod bay dooors Hubot @nick I'm afraid I can't let you do that.

Capture data

→ What if I want to open a different door?

```
robot.respond /open the (.*) doors/i, (res) ->
  doorType = res.match[1]
  if doorType is "pod bay"
    res.reply "I'm afraid I can't let you do that."
  else
    res.reply "Opening #{doorType} doors"
```

Making JSON calls

```
robot.http("https://midnight-train")
   .header('Accept', 'application/json')
   .get() (err, res, body) ->
     # error checking code here

data = JSON.parse body
   res.send "#{data.passenger} taking midnight train going #{data.destination}"
```

If I only had a brain...

Hubot's brain

→ Provides in-memory key-value storage robot.brain

```
robot.respond /have a soda/i, (res) ->
  sodasHad = robot.brain.get('totalSodas') * 1 or 0
  if sodasHad > 4
    res.reply "I'm too fizzy..."
  else
    res.reply 'Sure!'
    robot.brain.set 'totalSodas', sodasHad+1
robot.respond /sleep it off/i, (res) ->
  robot.brain.set 'totalSodas', 0
 msg.reply 'zzzzz'
```

Some other cool features

- → Restricted Access to Commands
 - → XML Parsing
- → Screen Scraping (cheerio and jsdom)
 - → Watch if topic changes
- → Know when someone enters or leaves a room

How could we use Hubot?

Ideas?

- → Deployments
- → Phonegap Builds
- → Jira Integration?
- → Time logging into jira?