




The Tiny Transceivers




Dr. Sol cleared the table.
"Today," she said, "we watch tiny senders and tiny receivers."



The red point moved.
It did not become a smudge.
It kept a path.




The blue point moved too.
It kept its own path.
"Two tiny kinds," Ari said.




"Can we name them?" Tomas asked.
"Only to follow them," said Dr. Sol.
"Blue Electra. Red Poz."




Poz moved.
From where Poz had been, a wave began.



Electra waited in another place.
The wave was real before it arrived.




The wave touched Electra.
The next path changed.



One arrival bent a path toward.
The distance grew smaller.




Another arrival bent a path away.
The distance grew larger.




"Converge," said Ari.
"The paths bend together."
"Diverge," said Tomas.
"The paths bend apart."




One receiver did not hear one wave.
It received many.




The waves met at one place.
The answer was purple.




At the middle, neither color won.
Both were still there.




The points moved.
The pattern stayed.



"Are red and blue teams?" Tomas asked.
"No," said Dr. Sol.
"They are two ways nature can answer."



Around the bright points, the room was not empty.
Quiet patterns waited.




Mira covered the next path.
"Which way will it bend?"
Everyone made a prediction.




Electra and Poz were tiny.
Their rules were not.
The whole table began to move with meaning.



There are two fundamental sender-receiver kinds.



Each keeps a path, emits potential waves, and receives waves from others.



Many received influences can combine into stable assemblies.