

Acordeon

EXAMPLE

Collapsible Group Item #1

Anim pariatur cliche reprehenderit, enim eiusmod high life accusamus terry richardson ad squid. 3 wolf moon officia aute, non cupidatat skateboard dolor brunch. Food truck quinoa nesciunt laborum eiusmod. Brunch 3 wolf moon tempor, sunt aliqua put a bird on it squid single-origin coffee nulla assumenda shoreditch et. Nihil anim keffiyeh helvetica, craft beer labore wes anderson cred nesciunt sapiente ea proident. Ad vegan excepteur butcher vice lomo. Leggings occaecat craft beer farm-to-table, raw denim aesthetic synth nesciunt you probably haven't heard of them accusamus labore sustainable VHS.

Collapsible Group Item #2

Collapsible Group Item #3

Alerta

EXAMPLE

Well done! You successfully read this important alert message.

Heads up! This alert needs your attention, but it's not super important.

Warning! Better check yourself, you're not looking too good.

Oh snap! Change a few things up and try submitting again.

Badge

EXAMPLE

Inbox **42**

Messages **4**

```
<a href="#">Inbox <span class="badge">42</span></a>

<button class="btn btn-primary" type="button">
  Messages <span class="badge">4</span>
</button>
```

Boton

Add the `.active` class to `<a>` buttons.

EXAMPLE

Primary link

Link

```
<a href="#" class="btn btn-primary btn-lg active" role="button">Primary link</a>
<a href="#" class="btn btn-default btn-lg active" role="button">Link</a>
```

Breadcumb

Indicate the current page's location within a navigational hierarchy.

Separators are automatically added in CSS through `:before` and `content`.

EXAMPLE

Home

Home / Library

Home / Library / Data

```
<ol class="breadcrumb">
  <li><a href="#">Home</a></li>
  <li><a href="#">Library</a></li>
  <li class="active">Data</li>
</ol>
```

Dropdown

Wrap the dropdown's trigger and the dropdown menu within `.dropdown`, or another element that declares `position: relative;`. Then add the menu's HTML.

EXAMPLE

Dropdown ▾

Action

Another action

Something else here

Formulario

Use Bootstrap's predefined grid classes to align labels and groups of form controls in a horizontal layout by adding `.form-horizontal` to the form (which doesn't have to be a `<form>`). Doing so changes `.form-group`s to behave as grid rows, so no need for `.row`.

EXAMPLE

Email

Email

Password

Password

☐ Remember me

Sign in

Grid

Example: Stacked-to-horizontal

Using a single set of `.col-md-*` grid classes, you can create a basic grid system that starts out stacked on mobile devices and tablet devices (the extra small to small range) before becoming horizontal on desktop (medium) devices. Place grid columns in any `.row`.

.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1
.col-md-8								.col-md-4			
.col-md-4				.col-md-4				.col-md-4			
.col-md-6						.col-md-6					

Grupo de botones

With `<a>` elements

Just wrap a series of `.btn` s in `.btn-group.btn-group-justified`.

EXAMPLE

Left	Middle	Right
Left	Middle	Dropdown ▼

Grupo de inputs

EXAMPLE

@ Username

Recipient's username @example.com

\$.00

Your vanity URL

https://example.com/users/

Grupo de listas

EXAMPLE

List group item heading

Donec id elit non mi porta gravida at eget metus.
Maecenas sed diam eget risus varius blandit.

List group item heading

Donec id elit non mi porta gravida at eget metus.
Maecenas sed diam eget risus varius blandit.

List group item heading

Donec id elit non mi porta gravida at eget metus.
Maecenas sed diam eget risus varius blandit.

```
<div class="list-group">
  <a href="#" class="list-group-item active">
    <h4 class="list-group-item-heading">List group item heading</h4>
    <p class="list-group-item-text">...</p>
  </a>
</div>
```

Helper

Similar to the contextual text color classes, easily set the background of an element to any contextual class. Anchor components will darken on hover, just like the text classes.

EXAMPLE

Nullam id dolor id nibh ultricies vehicula ut id elit.

Duis mollis, est non commodo luctus, nisi erat porttitor ligula.

Maecenas sed diam eget risus varius blandit sit amet non magna.

Etiam porta sem malesuada magna mollis euismod.

Donec ullamcorper nulla non metus auctor fringilla.

```
<p class="bg-primary">...</p>
<p class="bg-success">...</p>
<p class="bg-info">...</p>
<p class="bg-warning">...</p>
<p class="bg-danger">...</p>
```

Icono

 glyphicon glyphicon- asterisk	 glyphicon glyphicon- plus	 glyphicon glyphicon- euro	 glyphicon glyphicon- eur	 glyphicon glyphicon- minus	 glyphicon glyphicon- cloud	 glyphicon glyphicon- envelope	 glyphicon glyphicon- pencil
 glyphicon glyphicon- glass	 glyphicon glyphicon- music	 glyphicon glyphicon- search	 glyphicon glyphicon- heart	 glyphicon glyphicon- star	 glyphicon glyphicon- star-empty	 glyphicon glyphicon- user	 glyphicon glyphicon- film
 glyphicon glyphicon- th-large	 glyphicon glyphicon- th	 glyphicon glyphicon- th-list	 glyphicon glyphicon- ok	 glyphicon glyphicon- remove	 glyphicon glyphicon- zoom-in	 glyphicon glyphicon- zoom-out	 glyphicon glyphicon- off

Imagen

Images in Bootstrap 3 can be made responsive-friendly via the addition of the `.img-responsive` class. This applies `max-width: 100%;`, `height: auto;` and `display: block;` to the image so that it scales nicely to the parent element.

To center images which use the `.img-responsive` class, use `.center-block` instead of `.text-center`. See the [helper classes section](#) for more details about `.center-block` usage.

SVG images and IE 8-10

In Internet Explorer 8-10, SVG images with `.img-responsive` are disproportionately sized. To fix this, add `width: 100% \9;` where necessary. Bootstrap doesn't apply this automatically as it causes complications to other image formats.

```

```

Jumbotron

EXAMPLE

Hello, world!

This is a simple hero unit, a simple jumbotron-style component for calling extra attention to featured content or information.

[Learn more](#)

Label

EXAMPLE

Example heading New

Example heading New

Example heading New

Example heading New

Example heading New

Example heading New

```
<h3>Example heading <span class="label label-default">New</span></h3>
```

Media Object

EXAMPLE

64x64

Media heading

Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque ante sollicitudin commodo. Cras purus odio, vestibulum in vulputate at, tempus viverra turpis. Fusce condimentum nunc ac nisi vulputate fringilla. Donec lacinia congue felis in faucibus.

64x64

Media heading

Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque ante sollicitudin commodo. Cras purus odio, vestibulum in vulputate at, tempus viverra turpis. Fusce condimentum nunc ac nisi vulputate fringilla. Donec lacinia congue felis in faucibus.

64x64

Nested media heading

Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque ante sollicitudin commodo. Cras purus odio, vestibulum in vulputate at, tempus viverra turpis. Fusce condimentum nunc ac nisi vulputate fringilla. Donec lacinia congue felis in faucibus.

Media heading

Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque ante sollicitudin commodo. Cras purus odio, vestibulum in vulputate at, tempus viverra turpis.

64x64

64x64

Media heading

Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque ante sollicitudin commodo. Cras purus odio, vestibulum in vulputate at, tempus viverra turpis.

64x64

Modal

EXAMPLE

Modal title

One fine body...

CloseSave changes

Navbar

Make navbars accessible

Be sure to use a `<nav>` element or, if using a more generic element such as a `<div>`, add a `role="navigation"` to every navbar to explicitly identify it as a landmark region for users of assistive technologies.

EXAMPLE

Brand

Link

Link

Dropdown ▾

Search

Submit

Link

Dropdown ▾

Paginacion

«

1

2

3

4

5

»

«

1

2

3

4

5

»

«

1

2

3

4

5

»

<nav aria-label="..."><ul class="pagination pagination-lg">...</nav>

<nav aria-label="..."><ul class="pagination">...</nav>

<nav aria-label="..."><ul class="pagination pagination-sm">...</nav>

Pager

Quick previous and next links for simple pagination implementations with light markup and styles. It's great for simple sites like blogs or magazines.

Default example

By default, the pager centers links.

EXAMPLE

Previous

Next

Panel

EXAMPLE

Panel title

Panel content

Panel title

Panel content

Panel title

Panel content

Panel title

Panel content

Panel title

ScrollSpy

Example in navbar

The ScrollSpy plugin is for automatically updating nav targets based on scroll position. Scroll the area below the navbar and watch the active class change. The dropdown sub items will be highlighted as well.

EXAMPLE

Project Name

@fat

@mdo

Dropdown ▾

@fat

Ad leggings keytar, brunch id art party dolor labore. Pitchfork yr enim lo-fi before they sold out qui. Tumblr farm-to-table bicycle rights whatever. Anim keffiyeh carles cardigan. Velit seitan mcsweeney's photo booth 3 wolf moon irure. Cosby sweater lomo jean shorts, williamsburg hoodie minim qui you probably haven't heard of them et cardigan trust fund culpa biodiesel wes anderson aesthetic. Nihil tattooed accusamus, cred irony biodiesel keffiyeh artisan ullamco consequat.


@mdo

Veniam marfa mustache skateboard, adipisicing fugiat velit pitchfork beard. Freegan beard aliqua



Slider

EXAMPLE



Tabla

Basic example

For basic styling—light padding and only horizontal dividers—add the base class `.table` to any `<table>`. It may seem super redundant, but given the widespread use of tables for other plugins like calendars and date pickers, we've opted to isolate our custom table styles.

EXAMPLE

Optional table caption.

#	First Name	Last Name	Username
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

```
<table class="table">
  ...
</table>
```

Tabs

Add quick, dynamic tab functionality to transition through panes of local content, even via dropdown menus. **Nested tabs are not supported.**

EXAMPLE

Home

Profile

Dropdown ▾

Food truck fixie locavore, accusamus mcsweeney's marfa nulla single-origin coffee squid. Exercitation +1 labore velit, blog sartorial PBR leggings next level wes anderson artisan four loko farm-to-table craft beer twee. Qui photo booth letterpress, commodo enim craft beer mlkshk aliquip jean shorts ullamco ad vinyl cillum PBR. Homo nostrud organic, assumenda labore aesthetic magna delectus mollit. Keytar helvetica VHS salvia yr, vero magna velit sapiente labore stumptown. Vegan fanny pack odio cillum wes anderson 8-bit, sustainable jean shorts beard ut DIY ethical culpa terry richardson biodiesel. Art party scenester stumptown, tumblr butcher vero sint qui sapiente accusamus tattooed echo park.

Thumbnail

EXAMPLE

192x200

Thumbnail label

Cras justo odio, dapibus ac facilisis in, egestas eget quam. Donec id elit non mi porta gravida at eget metus. Nullam id dolor id nibh ultricies vehicula ut id elit.

Button

Button

192x200

Thumbnail label

Cras justo odio, dapibus ac facilisis in, egestas eget quam. Donec id elit non mi porta gravida at eget metus. Nullam id dolor id nibh ultricies vehicula ut id elit.

Button

Button

192x200

Thumbnail label

Cras justo odio, dapibus ac facilisis in, egestas eget quam. Donec id elit non mi porta gravida at eget metus. Nullam id dolor id nibh ultricies vehicula ut id elit.

Button

Button

Tipografía

Create lighter, secondary text in any heading with a generic `<small>` tag or the `.small` class.

EXAMPLE

h1. Bootstrap heading

Secondary text

h2. Bootstrap heading

Secondary text

h3. Bootstrap heading

Secondary text

h4. Bootstrap heading

Secondary text

h5. Bootstrap heading

Secondary text

h6. Bootstrap heading

Secondary text

Utilidades Responsive

Available classes

Use a single or combination of the available classes for toggling content across viewport breakpoints.

	Extra small devices Phones (<768px)	Small devices Tablets (≥768px)	Medium devices Desktops (≥992px)	Large devices Desktops (≥1200px)
<code>.visible-xs-*</code>	Visible	Hidden	Hidden	Hidden
<code>.visible-sm-*</code>	Hidden	Visible	Hidden	Hidden
<code>.visible-md-*</code>	Hidden	Hidden	Visible	Hidden
<code>.visible-lg-*</code>	Hidden	Hidden	Hidden	Visible
<code>.hidden-xs</code>	Hidden	Visible	Visible	Visible
<code>.hidden-sm</code>	Visible	Hidden	Visible	Visible
<code>.hidden-md</code>	Visible	Visible	Hidden	Visible
<code>.hidden-lg</code>	Visible	Visible	Visible	Hidden