

13TH FEB. ANDROID REJECT CONFERENCE 2019/2

BASED ON DROIDKAIGI 2019 APP

**FLEXIBLE & CONFIGURABLE,
SEMI-INTERACTIVE CI/CD**

Jumpei Matsuda @red_fat_daruma

- ▶ GitHub: jmatsu
- ▶ Software Architect @DeployGate
- ▶ A member of @DroidKaigi
 - ▶ Set up CI/CD of the App
 - ▶ Other Zatsuyou
- ▶ Consists of craft beer (especially Belgium) and Japanese sake.



DroidKaigi : 2019

Feb 07_(Thu) - 08_(Fri) @Bellesalle Shinjuku Grand

Thank You for Your Work and Those Who Attended!

- ▶ About 1000 people joined, over 90 speakers talked.
- ▶ We have already published session videos!
 - ▶ Check it out! <https://bit.ly/2N1DLIb>

Jumpei Matsuda  

DroidKaigi 2019 finished 4 days ago

Sorry, your **session submission has been declined.**

We are engineers so we should go with lazy methods.

In this talk, I will explain

- What can be semi- and/or fully- automated
- How to automated stuff like
- Introduce Danger
- Report differences between two apk files
- Import design assets to vector drawables or png files
- License files
- Proguard rules
- Report results of static analysis

DECLINED ~~SUCCESSFULLY~~

What I Wanted Talk About

- ▶ Automate ~~everything~~ many things
 - ▶ Report tests, stats
 - ▶ Import SVG assets w/ optim.
 - ▶ Import any other materials
- ▶ Keyword:
 - ▶ Be lazy, mistake-less development



Then I Noticed...

- ▶ I can play with the official app
 - ▶ Brush up my ideas
 - ▶ Apply what I want to talk about
 - ▶ ~~Great experiment field~~



Official Application




Active 1–3 Reviewers per Day



Over 145 Contributors

Trust GitHub API

No Design Sense!



Built by

- ▶ CI
 - ▶ CircleCI (Especially for PR)
 - ▶ TravisCI (Specific branch only)
- ▶ Messaging system
 - ▶ Danger
- ▶ Deployment
 - ▶ DeployGate (Distribution)
 - ▶ Google Play Store (Alpha, Prod)



deploygate



What I Will Talk About

- ▶ Desired CI/CD for DK 2019
 - ▶ Properties
 - ▶ Objectives/Solutions
 - ▶ Flexible & Configurable
 - ▶ Semi-Interactive Flow
 - ▶ Deployment Pipeline



Generally Speaking,

Desired CI/CD?

Generally Speaking,

Desired CI/CD?

- ▶ Depends on your project
- ▶ Let's break down the properties of DroidKaigi App!

Properties

- ▶ Who will be joining
- ▶ What role should be satisfied
- ▶ What are important for everyone with CI/CD

These are selected properties for DK App and this presentation.

Please keep in mind that your project may be differ.

Who Will Be Joining

- ▶ In short, ANYONE.
- ▶ No Filter!
 - ▶ Natural language
 - ▶ Programing language
 - ▶ iOS engineers joined in fact
 - ▶ From newbies, beginners to experts.

Properties

- ▶ Who will be joining
 - ▶ Anyone!
- ▶ What role should be satisfied
- ▶ What are important for everyone and CI/CD

What Role Should Be Satisfied

- ▶ Be an example for everyone
 - ▶ Be useful, reusable, and readable
- ▶ Stable but fast
 - ▶ Unstable and/or slow CI may break your heart

Properties

- ▶ Who will be joining
 - ▶ Anyone!
- ▶ What role should be satisfied
 - ▶ Be useful, re-usable, and safe examples
- ▶ What are important for everyone and CI/CD

What Are Important for Everyone and CI/CD

- ▶ Save reviewers'/reviewees' time and labour.
 - ▶ They have their own life.
- ▶ Keep contributors' motivation.
 - ▶ You would like to enjoy contributing, right?


Properties

- ▶ Who will be joining
 - ▶ Anyone!
- ▶ What role should be satisfied
 - ▶ Be useful, re-usable, and safe examples
- ▶ What are important for everyone and CI/CD
 - ▶ Save reviewers' and/or contributors' time and mind

Objectives/Solutions

- ▶ Be stable
- ▶ Be environment agnostic
- ▶ Provide semi-interactive flow
 - ▶ Prompt to complete code-review preparation by contributors themselves.
 - ▶ Also solve: never make reviewers say nonsense reviews like **Please remove unused imports**.
- ▶ Give useful deployment pipeline experiences.

No Design Sense!



Objectives/Solutions


- ▶ Be stable
- ▶ Be environment-specific-less
- ▶ Provide semi-interactive flow
- ▶ Give useful deployment pipeline experiences.

Objectives/Solutions


- ▶ Be stable
- ▶ Be environment-specific-less
- ▶ Provide semi-interactive flow
- ▶ Give useful deployment pipeline experiences.

Stable?

- ▶ Failed yesterday (I've fixed it several hours ago!)




DroidKaigi 2019 official Android app



DroidKaigi 2019 is a conference tailored for developers on 7th and 8th February 2019.

Don't run the script unless pull request #828

 Open


jmatu wants to merge 1 commit into `master` from `fix_master_ci`

Conversation 0

Commits 1

Checks 1

Files changed 1



jmatu commented 3 minutes ago

Member + 😊 ...

Issue

- None

Overview (Required)

- I will be talking about CI stuff though, the CI has been failing since yesterday night due to me. lol.

Anyway!

Stable Realized by Flexible

- ▶ No failure is required anyway!

Stable Realized by Flexible

- ▶ ~~No failure is required anyway!~~
- ▶ Flexible with failures.
 - ▶ What's non-flexible with failures?
 - ▶ Fail CI anyway if any task fails like ``set -e`` in the shell.
 - ▶ CI Steps are sequential, so...
 - ▶ Make CI/CD fail with depending on the commands.

Stable Realized by Flexible

- ▶ Let's categorize commands by their aspects
 - ▶ Lints
 - ▶ Reports
 - ▶ Testing
 - ▶ Assembling
 - ▶ Deployment

Stable Realized by Flexible

- ▶ Take a look at what to be assured
 - ▶ Lints → Code's quality but not product's
 - ▶ Reports
 - ▶ Testing → Product's quality (IOW, for QA)
 - ▶ Assembling
 - ▶ Deployment → For QA and DX but on demand usage

Stable Realized by Flexible

- ▶ So, how should failures be propagated?
 - ▶ Lints → Accept failures
 - ▶ Reports
 - ▶ Testing → Never accept failures
 - ▶ Assembling
 - ▶ Deployment → Depends on branches

Stable Realized by Flexible – Examples

- ▶ Separate assembling and testing into independent jobs
 - ▶ It's also a part of structuring deployment pipeline
- ▶ Use `*continue*` from gradle options
 - ▶ `./gradlew lintDebug testDebugUnitTest ktlint --continue --offline`
- ▶ Use `retry-command` to execute unstable commands
 - ▶ To download dependencies in DroidKaigi app

Objectives/Solutions

- ▶ Be stable
- ▶ Be environment agnostic
- ▶ Provide semi-interactive flow
- ▶ Give useful deployment pipeline experiences.

Environment Agnostic by Configurable

- ▶ Be independent on specific CI/CD services
- ▶ Separate implementations for each platforms

Environment Agnostic by Configurable

- ▶ Be independent on specific CI/CD services
- ▶ ~~Separate implementations for each platforms~~
- ▶ Configure inputs and dependencies before processing
 - ▶ Not a BLoC pattern but refer to it
 - ▶ Define CL inputs and injectable dependencies
 - ▶ Don't depend on any platform in the core logic

Environment Agnostic by Configurable

► Normalize common variables

```
is_travis() {
    [[ "${TRAVIS:-false}" == "true" ]]
}

is_circleci() {
    [[ "${CIRCLECI:-false}" == "true" ]]
}

is_otherwise() {
    ! is_travis && ! is_circleci
}

project_slug() {
    if is_travis; then
        echo "$TRAVIS_REPO_SLUG"
    elif is_circleci; then
        echo "$CIRCLE_PROJECT_USERNAME/$CIRCLE_PROJECT_REPONAME"
    elif [[ "${PROJECT_SLUG:-false}" != "false" ]]; then
        echo "$PROJECT_SLUG"
    fi
}
```

Environment Agnostic by Configurable

- ▶ Prepare at least two configurations (shell profiles)
 - ▶ Shared configuration & platform-specific configuration
- ▶ Shared configuration
 - ▶ Enable the custom bins: Deps \supseteq executable binaries

```
1  if [[ -z "$REPOSITORY_ROOT" ]]; then
2      export REPOSITORY_ROOT="$(git rev-parse --show-toplevel)"
3  fi
4
5  export PATH="${REPOSITORY_ROOT}/scripts:$PATH"
6  export PATH="${REPOSITORY_ROOT}/.circleci/scripts:$PATH"
```


Environment Agnostic by Configurable

- ▶ Switch config set (OO language is easier of course)
- ▶ We don't need to modify the core logic

```
use_debug_keystore() {  
    export KEY_ALIAS="$DEBUG_KEY_ALIAS"  
    export KEY_PASSWORD="$DEBUG_KEY_PASSWORD"  
    export KEY_STORE_FILE="$DEBUG_KEY_STORE_FILE"  
    export KEY_STORE_PASSWORD="$DEBUG_KEY_STORE_PASSWORD"  
}  
  
use_release_keystore() {  
    set +x  
    export KEY_ALIAS="$RELEASE_KEY_ALIAS"  
    export KEY_PASSWORD="$RELEASE_KEY_PASSWORD"  
    export KEY_STORE_FILE="$RELEASE_KEY_STORE_FILE"  
    export KEY_STORE_PASSWORD="$RELEASE_KEY_STORE_PASSWORD"  
}
```

```
java -jar bundletool.jar \  
    build-apks \  
    --bundle="$BUNDLE_FILE" \  
    --output=temp.apks \  
    --overwrite \  
    --mode=universal \  
    --ks="$KEY_STORE_FILE" \  
    --ks-key-alias="$KEY_ALIAS" \  
    --ks-pass="pass:$KEY_STORE_PASSWORD" \  
    --key-pass="pass:$KEY_PASSWORD"
```

Objectives/Solutions

- ▶ Be stable
- ▶ Be environment agnostic
- ▶ Provide semi-interactive flow
- ▶ Give useful deployment pipeline experiences.

Semi-Interactive Flow

- ▶ At least one person must be watching PRs at all times

Semi-Interactive Flow

- ▶ ~~At least one person must be watching PRs at all times~~
- ▶ Comment useful stats, reviews, & reports by bot
 - ▶ Using Danger
- ▶ Why *semi*?
 - ▶ Bot doesn't respond to you 😂 but to change-set.

Semi-Interactive Flow


- ▶ @jmatsu-bot
- ▶ Talks through Danger, etc.
 - ▶ Checkstyle reports
 - ▶ Lint reports
 - ▶ JUnit reports
 - ▶ Deployment status



いらすとや


<https://www.irasutoya.com/2018/12/bot.html>

Semi-Interactive Flow ~PR-Aware~



Semi-Interactive Flow – orta/danger-junit

► Comment failures in JUnit style reports



The screenshot shows a GitHub comment from the bot 'jmatsu-bot' dated Jan 11. The comment contains a JUnit-style test report. At the top, it says '2 Errors'. Below this, there are two error messages, each preceded by a red prohibition icon. The first message states 'Tests have failed, see below for more information.' The second message states 'Please check the artifacts of CircleCI. Test reports would be available there.' Below the errors, the section 'Tests:' is followed by a table with three columns: 'Name', 'Classname', and 'Ti'. The table contains one row with the test name 'loadingState', the classname 'io.github.droidkaigi.confsched2019.session.ui.store.SessionContentsStoreTest', and a value '0.' in the 'Ti' column. At the bottom right of the comment, it says 'Generated by' followed by a red prohibition icon and the word 'Danger'.


jmatsu-bot commented on Jan 11 Collaborator + 😊 ...

2 Errors

- Tests have failed, see below for more information.
- Please check the artifacts of CircleCI. Test reports would be available there.


Tests:

Name	Classname	Ti
loadingState	io.github.droidkaigi.confsched2019.session.ui.store.SessionContentsStoreTest	0.

Generated by  Danger

Semi-Interactive Flow – loadsmart/danger-android_lint

► Comment issues based on Android Lint results



The screenshot shows a GitHub comment from the bot 'jmatsu-bot' dated October 14, 2018. The comment is categorized as a 'Collaborator' and includes a '+ 🤖 ...' icon. The content of the comment is a table summarizing Android Lint results. It lists '1 Error' and '1 Warning'. The error is 'Test results not found'. The warning is for 'frontend/build.gradle#L13', stating that the latest versions of Android are not targeted and compatibility modes apply, advising to consult the 'android.os.Build.VERSION_CODES' javadoc for details. At the bottom right, it says 'Generated by 🚫 Danger'.

jmatsu-bot commented on Oct 14, 2018	
Collaborator + 🤖 ...	
1 Error	
🚫	Test results not found
1 Warning	
⚠️	frontend/build.gradle#L13 - Not targeting the latest versions of Android; compatibility modes apply. Consider testing and updating this version. Consult the android.os.Build.VERSION_CODES javadoc for details.
Generated by 🚫 Danger	

Semi-Interactive Flow – jmatsu/danger-checkstyle_reports

- ▶ Comment issues based on checkstyle (, and ktlint) results

...

...

@@ -5,14 +5,18 @@ import androidx.navigation.Navigation

5

5

import com.google.android.gms.oss.licenses.OssLicensesMenuActivity

6

6

import com.xwray.groupie.Section


7

7

import io.github.droidkaigi.confsched2019.about.R


8

+ import io.github.droidkaigi.confsched2019.ext.android.changed




jmatsu-bot 9 days ago

Collaborator



Unused import




Reply...

Unresolve conversation

jmatsu marked this conversation as resolved.


Semi-Interactive Flow – jmatsu/danger-apkstats

- ▶ Report differences between the previous and the new apks

 jmatsu-bot commented 9 days ago Collaborator + 😊 ...

Apk comparision results

Property	Summary
New File Size	8366874 Bytes. (7.98 MB)
File Size Change	+8648 Bytes. (+8.45 KB)
Download Size Change	+5313 Bytes. (+5.19 KB)
New Method Reference Count	61326
Method Reference Count Change	122
New Number of dex file(s)	1
Number of dex file(s) Change	0
New Required Features	- android.hardware.wifi (requested android.permission.ACCESS_WIFI_STATE permission, and requested android.permission.CHANGE_WIFI_STATE permission)
New Permissions	- android.permission.CHANGE_WIFI_STATE - android.permission.ACCESS_WIFI_STATE


Generated by  Danger

Objectives/Solutions


- ▶ Be stable
- ▶ Be environment agnostic
- ▶ Provide semi-interactive flow
- ▶ Give useful deployment pipeline experiences.

Deployment Pipeline

- ▶ Small and partial pipeline if say anything
 - ▶ No acceptance test but manual smoke test (dogfooding)




Deployment Pipeline – Dogfooding Flow




Deployment Pipeline – Dogfooding Flow

- ▶ Play with the artifact of a feature branch easily!



Deployment Pipeline – Release Flow



Deployment Pipeline – Release Flow

- ▶ Use alpha track as just a release management
- ▶ Try the production build via DeployGate
 - ▶ Didn't pin the link anywhere but it was visible on Travis :)
- ▶ Why Travis?
 - ▶ Because of secure tokens matter 😂
 - ▶ A playground to build iOS app as well

Be Flexible, Configurable, Semi-Interactive

- ▶ Be flexible with failures
 - ▶ **We** should handle CI failures instead of commands
- ▶ Be configurable by injection
 - ▶ Manipulate dependencies & platform-specific values.
- ▶ Be semi-interactive
 - ▶ Collect stats and reports, also rely on the bot.

Be Good Examples and Provide a Deployment Pipeline

- ▶ Be good examples
 - ▶ Show how to set up, how to collaborate with CI
- ▶ Give a chance to use Deployment pipeline
 - ▶ Small but enough if it's effective. (minimum req.)

Points To Be Improved

- ▶ So many many many... lets pick up several points.
- ▶ CircleCI Checks are not visible to everyone
- ▶ Use Orbs by upgrading to CircleCI 2.1
- ▶ Promote the alpha track to production safely
 - ▶ CircleCI's approval is it. If TravisCI is for contributors and CircleCI is for the release, then it made sense.

Points To Be Discussed

- ▶ Prog. Languages of commands.
 - ▶ Gradle tasks? BashScript? Ruby? kts?
- ▶ Only one contributor tweaked CI/CD configurations.
 - ▶ Did it mean *difficult*? or stable? Not sure.
- ▶ How to build; Use Gradle directly? through Fastlane?
 - ▶ If we need to build iOS app as well, Fastlane is better.

By the Way,

Improve bot name and icon #338

🔔 Open

shihochan opened this issue on Jan 10 · 2 comments



shihochan commented on Jan 10 • edited ▼



Overview (Required)

- This bot is so useful, BUT
- I think name's prefix "jmatsu-" is a little difficult to understand. Can you change more easy to understand name for DroidKaigi conference such as "droidkaigi-" ?
- I think this icon is not motivated to develop because this is free icon. I would like to propose a new icon more motivating :-)



jmatsu-bot

NOTE: Got permission from him to use this image

**I THINK THIS ICON IS NOT
MOTIVATED TO DEVELOP
BECAUSE THIS IS FREE ICON.**

Shihochan (my best friend)



Motivative Icon
Wanted

Don't Hesitate To Ask Me any Questions

- ▶ Jumpei Matsuda
 - ▶ @red_fat_daruma
- ▶ Software Architect @DeployGate
- ▶ A member of @DroidKaigi

[GitHub://DroidKaigi/conference-app-2019](https://github.com/DroidKaigi/conference-app-2019)

