

Cutaneous Signs of Systemic Disease

SLE	Erythematous patches in photodistribution, "malar" face
Discoid Lupus	Annular, scaly plaques, atrophy, and dyspigmentation in photodistribution
Juvenile Dermatomyositis	Erythematous/violaceous scaly, macules, overlying knuckles, face and extensor surfaces
HSP	Purpuric papules and plaques on buttocks and lower extremities
Kawasaki Disease	Erythematous maculopapular to urticarial plaques, edema, desquamation
IBD	Aphthae; erythema nodosum; pyoderma gangrenosum, thrombophlebitis, perianal fissures
Graft vs. Host	Acute onset erythema, papules, vesicles, bulla
DRESS	Diffuse erythema, urticarial macules and plaques
SLE	Edematous, urticarial plaques
Discoid Lupus	Erythematous patches in photodistribution, "malar" face

Drug Eruptions

Urticaria	Penicillins, cephalosporins, sulfonamides, aspirin/NSAIDs, radiocontrast, TNF inhibitors
Angioedema	Aspirin/NSAIDs, ACEi
Serum-Sickness Reaction	Cephalosporins, penicillins, minocycline, bupropion, sulfonamides
Exanthematous	Any drug
Drug rash w/ eosinophilia and	Phenytoin, phenobarbital, carbamazepine, lamotrigine, allopurinol, sulfonamides,
Pustular (acute generalized)	Beta-lactams, macrolides, clindamycin, terbinafine, calcium channel blockers,
Acneiform	Corticosteroids, androgen, lithium, iodines, phenytoin, isoniazid, tetracycline, B
Vasculitis	Penicillins, NSAIDs, sulfonamides, cephalosporins
SJS/TEN	Sulfonamides anticonvulsants, NSAIDs, allopurinol, dapsone
Drug-induced Lupus	Minocycline, procainamide, hydralazine, isoniazid, penicillamine, carbamazepine, chlorpromazine, infliximab

Hemangioma Red Flags

- | | |
|--|---|
| <ul style="list-style-type: none"> • Beard distribution (evaluate airway) • Periocular (ophtho) • Paraspinal midline • Hemangiomatosis (multiple small hemangiomas → evaluate for parenchymal hemangiomas, especially hepatic and CNS) | <ul style="list-style-type: none"> • Very large hemangioma • Associated thrill or bruit • Head tilting |
|--|---|