

Unimodal
(symmetric)

Unimodal
(skewed)

Bimodal

Multimodal

Rowland et al. (2020)

Items: 8
Subjects: 125
Scale: 0–100
Av Time Points: 173
Measures/Day: 6
Reference: Current
Population: Students

14.1%




32.6%



48.9%



4.4%



Bringmann et al. (2016)

Items: 6
Subjects: 95
Scale: 0–100
Av Time Points: 60
Measures/Day: 10
Reference: Current
Population: Clinical

24.9%




53.5%



20.3%



1.2%




Vrijen et al. (2018)

Items: 4
Subjects: 138
Scale: 0–100
Av Time Points: 84
Measures/Day: 3
Reference: Retro
Population: Students

19.2%



40.9%



35.3%



4.5%



Fisher et al. (2017)

Items: 17
Subjects: 40
Scale: 0–100
Av Time Points: 114
Measures/Day: 4
Reference: Retro
Population: Clinical

40.4%



29.3%



29.1%



1.2%



Bringmann et al. (2013)

Items: 5
Subjects: 130
Scale: 1–7
Av Time Points: 89
Measures/Day: 10
Reference: Current
Population: Clinical

32.1%




49.1%



18.1%



0.6%



Fried et al. (2021)

Items: 9
Subjects: 79
Scale: 1–5
Av Time Points: 50
Measures/Day: 4
Reference: Retro
Population: Students


31.6%



68.2%



0.2%



0%



Wendt et al. (2020)

Items: 31
Subjects: 228
Scale: 1–5
Av Time Points: 111
Measures/Day: 3.7
Reference: Current
Population: Clinical

20.6%



76.1%



3.1%



0.3%

