Search operations

Export
GET **{tenant}/export/bookings**
GET {tenant}/export/customers
GET {tenant}/export/customers/contacts
GET {tenant}/export/leads
GET {tenant}/export/locations
GET {tenant}/export/locations/contacts

BookingProviderTags
GET {tenant}/booking-provider-tags
POST {tenant}/booking-provider-tags
PATCH {tenant}/booking-provider-tags/{id}
GET {tenant}/booking-provider-tags/{id}

Bookings
GET {booking_provider}/bookings
POST {booking_provider}/bookings
PATCH {booking_provider}/bookings/{id}
GET {booking_provider}/bookings/{id}
GET {booking_provider}/bookings/{id}/contacts
POST {booking_provider}/bookings/{id}/contacts
PATCH {booking_provider}/bookings/{id}/contacts/{contactId}
DEL {booking_provider}/bookings/{id}/contacts/{contactId}
POST {booking_provider}/bookings/{id}/dismiss
GET {tenant}/bookings
GET {tenant}/bookings/{id}
GET {tenant}/bookings/{id}/contacts

BulkTags
DEL {tenant}/tags
PUT {tenant}/tags

ContactMethods
GET {tenant}/contacts/{contactId}/contact-methods
POST {tenant}/contacts/{contactId}/contact-methods
PATCH {tenant}/contacts/{contactId}/contact-methods/{contactMeth...
PUT {tenant}/contacts/{contactId}/contact-methods/{contactMeth...
GET {tenant}/contacts/{contactId}/contact-methods/{contactMeth...
DEL {tenant}/contacts/{contactId}/contact-methods/{contactMeth...

ContactPreferences
GET {tenant}/contacts/{contactId}/contact-methods/{contactMeth...
PATCH {tenant}/contacts/{contactId}/contact-methods/{contactMeth...
GET {tenant}/contacts/{contactId}/contact-methods/{contactMeth...

Contacts
GET {tenant}/contacts
POST {tenant}/contacts
GET {tenant}/contacts/contact-methods
GET {tenant}/contacts/preferences
GET {tenant}/contacts/relationships/{relationshipId}
GET {tenant}/contacts/{contactId}/relationships
DEL {tenant}/contacts/{contactId}/relationships/{relatedEntityId}/...
POST {tenant}/contacts/{contactId}/relationships/{relatedEntityId}/...
PATCH {tenant}/contacts/{id}
PUT {tenant}/contacts/{id}
GET {tenant}/contacts/{id}
DEL {tenant}/contacts/{id}

Customers
GET {tenant}/customers
POST {tenant}/customers
GET {tenant}/customers/contacts
GET {tenant}/customers/custom-fields
GET {tenant}/customers/descriptions
PATCH {tenant}/customers/{id}
GET {tenant}/customers/{id}
GET {tenant}/customers/{id}/contacts
POST {tenant}/customers/{id}/contacts
PATCH {tenant}/customers/{id}/contacts/{contactId}
DEL {tenant}/customers/{id}/contacts/{contactId}
GET {tenant}/customers/{id}/description
PUT {tenant}/customers/{id}/description
GET {tenant}/customers/{id}/notes
POST {tenant}/customers/{id}/notes
DEL {tenant}/customers/{id}/notes/{noteId}
DEL {tenant}/customers/{id}/tags/{tagTypeId}
POST {tenant}/customers/{id}/tags/{tagTypeId}

Leads
GET {tenant}/leads
POST {tenant}/leads
POST {tenant}/leads/form
PATCH {tenant}/leads/{id}
GET {tenant}/leads/{id}
POST {tenant}/leads/{id}/dismiss
POST {tenant}/leads/{id}/follow-up
GET {tenant}/leads/{id}/notes
POST {tenant}/leads/{id}/notes

Locations
GET {tenant}/locations
POST {tenant}/locations
GET {tenant}/locations/contacts
GET {tenant}/locations/custom-fields
GET {tenant}/locations/descriptions
PATCH {tenant}/locations/{id}
GET {tenant}/locations/{id}
GET {tenant}/locations/{id}/contacts
POST {tenant}/locations/{id}/contacts
PATCH {tenant}/locations/{id}/contacts/{contactId}
DEL {tenant}/locations/{id}/contacts/{contactId}
GET {tenant}/locations/{id}/description
PUT {tenant}/locations/{id}/description
GET {tenant}/locations/{id}/notes
POST {tenant}/locations/{id}/notes
DEL {tenant}/locations/{id}/notes/{noteId}
GET {tenant}/locations/{id}/preferredtechnician
POST {tenant}/locations/{id}/preferredtechnician/{preferredTechni...
DEL {tenant}/locations/{id}/tags/{tagTypeId}
POST {tenant}/locations/{id}/tags/{tagTypeId}

CRM

API definition

ExportBookings_Get

Provides export feed for bookings

Request

Production Environment

`GET https://api.servicetitan.io/crm/v2/tenant/{tenant}/export/bookings[?from][&includeRecentChanges]`

Integration Environment

`GET https://api-integration.servicetitan.io/crm/v2/tenant/{tenant}/export/bookings[?from][&includeRecentChanges]`

Request parameters

Name	In	Required	Type	Description
tenant	template	true	`integer`	Tenant ID
from	query	false	`string`	Continuation token received from previous export request in "continueFrom" field. When not specified, the export process starts from the beginning. Use custom date strings, e.g. "2020-01-01" to start the export process from the certain point in time.
includeRecentChanges	query	false	`boolean`	Use "true" to start receiving the most recent changes quicker. Note this may cause the same results appearing multiple times on consecutive requests.

Response: 200 OK

The request has succeeded

application/json

ExportResponse_Of_Crm.V2.ExportBookingResponse

Represents export API response.

{ }

Name	Required	Type	Description
hasMore	true	`boolean`	Indicates whether the export feed has reached its logical "end", or if there is more to export. True means the consumer can invoke another request right away using new continuation token value. False means there is now new data for the export, and the consumer should wait for some time (5-10 minutes) before making another request.
continueFrom	true	`string`	Continuation token used to resume the export operation. The value should be used in "from" query parameter of the following request.
data	true	`Crm.V2.ExportBookingResponse[]`	The collection of exported items, usually sorted chronologically based on modification date

default

DEFAULT - JSON Copy

```
{
    "hasMore": true,
    "continueFrom": "string",
    "data": [{
        "summary": "string",
        "id": 0,
        "source": "string",
        "createdOn": "string",
        "name": "string",
        "address": {
            "street": "string",
            "unit": "string",
            "city": "string",
            "state": "string",
            "zip": "string",
            "country": "string"
        },
        "customerType": {},
        "start": "string",
        "campaignId": 0,
        "businessUnitId": 0,
        "isFirstTimeClient": true,
        "uploadedImages": ["string"],
        "isSendConfirmationEmail": true,
        "status": {},
        "dismissingReasonId": 0,
        "jobId": 0,
        "externalId": "string",
        "priority": {},
        "jobTypeId": 0,
        "bookingProviderId": 0,
        "modifiedOn": "string",
        "active": true
    }]
}
```

Response: 400 Bad Request

The request cannot be processed, check validation errors or request format

application/json

ApiErrorResponse

Detailed error response, following RFC 7807 recommendations (https://tools.ietf.org/html/rfc7807).

{ }

Name	Required	Type	Description
type	true	`string`	A URI reference that identifies the problem type
title	true	`string`	A short, human-readable summary of the problem type
status	true	`integer (int32)`	The HTTP status code generated by server
traceId	true	`string`	Internal trace ID for advanced diagnostics
errors	true	`object`	Provides more details about errors occurred, which can potentially be used for visual display
data	true	`object`	Provides additional data, intended for programmatical usage

default

DEFAULT - JSON Copy

```
{
    "type": "string",
    "title": "string",
    "status": 0,
    "traceId": "string",
    "errors": {},
    "data": {}
}
```

Definitions

Name	Description
ApiErrorResponse	Detailed error response, following RFC 7807 recommendations (https://tools.ietf.org/html/rfc7807).
Crm.V2.AddressModel	
Crm.V2.CustomerType	Indicates a customer's type.
Crm.V2.BookingStatus	
Crm.V2.Priority	
ExportResponse_Of_Crm.V2.ExportBookingResponse	Represents export API response.
Crm.V2.ExportBookingResponse	

ApiErrorResponse

Detailed error response, following RFC 7807 recommendations (https://tools.ietf.org/html/rfc7807).

{ }

Name	Required	Type	Description
type	true	`string`	A URI reference that identifies the problem type
title	true	`string`	A short, human-readable summary of the problem type
status	true	`integer (int32)`	The HTTP status code generated by server
traceId	true	`string`	Internal trace ID for advanced diagnostics
errors	true	`object`	Provides more details about errors occurred, which can potentially be used for visual display
data	true	`object`	Provides additional data, intended for programmatical usage

Crm.V2.AddressModel

{ }

Name	Required	Type	Description
street	true	`string`	Booking address street
unit	false	`string`	Booking address unit
city	true	`string`	Booking address city
state	true	`string`	Booking address state
zip	true	`string`	Booking address zip code
country	true	`string`	Booking address country

Crm.V2.CustomerType

Indicates a customer's type.

{ }

Type	Values
string	`Residential`, `Commercial`

Crm.V2.BookingStatus

{ }

Type	Values
string	`New`, `Converted`, `Dismissed`, `Accepted`

Crm.V2.Priority

{ }

Type	Values
string	`Low`, `Normal`, `High`, `Urgent`

ExportResponse_Of_Crm.V2.ExportBookingResponse

Represents export API response.

{ }

Name	Required	Type	Description
hasMore	true	`boolean`	Indicates whether the export feed has reached its logical "end", or if there is more to export. True means the consumer can invoke another request right away using new continuation token value. False means there is now new data for the export, and the consumer should wait for some time (5-10 minutes) before making another request.
continueFrom	true	`string`	Continuation token used to resume the export operation. The value should be used in "from" query parameter of the following request.
data	true	`Crm.V2.ExportBookingResponse[]`	The collection of exported items, usually sorted chronologically based on modification date

Crm.V2.ExportBookingResponse

{ }

Name	Required	Type	Description
summary	false	`string`	Booking summary
id	true	`integer (int64)`	ID of the booking
source	true	`string`	Source of the booking
createdOn	true	`string (date-time)`	when the booking was created
name	true	`string`	Name of the booking's customer
address	false	One of: `Crm.V2.AddressModel`	Address of the booking
customerType	false	One of: `Crm.V2.CustomerType`	Type of customer (Residential/Commercial)
start	true	`string (date-time)`	Booking's start date time, in UTC
campaignId	false	`integer (int64)`	ID of the booking's campaign
businessUnitId	false	`integer (int64)`	ID of the booking's business unit
isFirstTimeClient	false	`boolean`	Returns true if first time client
uploadedImages	false	`string[]`	Uploaded images
isSendConfirmationE...	false	`boolean`	Returns true if customer should receive email when booking is created
status	true	One of: `Crm.V2.BookingStatus`	Booking status
dismissingReasonId	false	`integer (int64)`	ID of the reason booking was dismissed
jobId	false	`integer (int64)`	ID of the job booked from the booking
externalId	true	`string`	External ID of booking
priority	false	One of: `Crm.V2.Priority`	Booking priority
jobTypeId	false	`integer (int64)`	ID of the booking's job type
bookingProviderId	true	`integer (int64)`	Booking provider id
modifiedOn	true	`string (date-time)`	When the booking was modified
active	true	`boolean`	