

Review of Last Class

include include contents of another file. Give warning if error
require include contents of another file. Stop rendering if error

→ **include-once** } will only include the contents once.
 → **require-once**

A **constant** is a variable whose value doesn't change during program execution. Have global scope. Don't start w/\$.

define('VARIABLE_NAME', value);

```
<?php
$title = "Built-In Function Examples";
include "example_header.php";

define('DRINKING_AGE', 21);
define('DEFAULT_LANG', 'English');

$shopping_list = ['eggs', 'milk', 'butter'];

$pangram = '    The wizard quickly jinxed the gnomes before they
vaporized!    ';

//echo "<p>The legal drinking age is ". DRINKING_AGE."</p>";
?>
<body>
  <p>The legal drinking age is <?= DRINKING_AGE ?></p>
  <p>Shopping list: <?php print_r($shopping_list) ?></p>
  <p>Dump of shopping list:</p>
  <?php var_dump($shopping_list) ?>
  <p>Phrase: <?= $pangram ?></p>
  <p>Phrase: <?php var_dump($pangram) ?></p>
```

```
<p><?= $pangram ?> has <?= strlen($pangram) ?> characters.</p>
<p><?= $pangram ?> has <?= str_word_count($pangram) ?> words.</p>
<p><?= $pangram ?> all lowercase = <br>
    <?= strtolower($pangram) ?></p>
<p><?= $pangram ?> all uppercase = <br>
    <?= strtoupper($pangram) ?></p>
<p><?= $pangram ?> with first letter of each word <br>
    <?= ucwords($pangram) ?></p>
<p><?= strlen(trim($pangram)) ?></p>
<p><?= strlen(ltrim($pangram)) ?></p>
<p><?= strlen(rtrim($pangram)) ?></p>
<p><?= trim('//clayton.edu/cims/', '/'); ?></p>
</body>
</html>
```