

Announcements

- Final Exam - May 5 @ 5 PM
- CAS Finals Study Jam - April 28 & 29
1D-6
1st floor UC
My Office Hours will be there
- CSTEM Finals Study Session - May 4 & 5
CSIT - 2-4 TBA
SoS - 3-5 LDSC 110
- Milestone 2 Due Sunday

Question 1 Difficulty: 1

Which of these match the following regular expression pattern? Select all that apply.

/^(\d{3}-){2}\d{4}\$/

3 digits - 3 digits - 4 digits

☒ <u>770-867-5309</u>	17 (100 %)
☒ <u>800-777-9311</u>	17 (100 %)
☐ (404)867-5309	0 (0 %)
☐ 55-867-5309	0 (0 %)
☐ 606-084-2222	5 (29.41 %)
☒ <u>777-931-1000</u>	15 (88.24 %)
☐ 4046060842	0 (0 %)
☒ <u>555-777-9311</u>	16 (94.12 %)
☐ 777-931-10	0 (0 %)
☒ <u>123-456-7890</u>	17 (100 %)

Average Grade: 4.76 / 5 (95.29 %)
Standard Deviation: 6.96 %
Point Biserial: n/a
Discrimination Index: 15.00 %

Question 2 Difficulty: 1

Question 2 Difficulty: 1

Write a regular expression, using only what we've discussed in class, that matches the following:

index.html
 style.css
 connect.php
 Page2.html
 my_script.php
 file_01.css
 ABC123.html
 0kqvz.php
 a.css

but it should NOT match the following:

index.HTML
 style sheet.css
 connect
 myscript.php
 file001.css
 .html
 index.html.css
 xkqvz.js

either php, html, css

$^ [a-zA-Z0-9_]+ \backslash . (php | html | css) \$$

letters, digit, or underscore literal dot

Hints:

- The filename should start with a letter or digit and end with a valid extension —
- Only letters, digits, and underscores are allowed in the filename
- Only php, html, and css are valid extensions
- Extensions must be lowercase
- You can use regex101.com to test your answer

Note: This question will be reviewed by your instructor after the quiz period has ended.

Answers

$^ [a-zA-Z0-9_]+ \backslash . (php html css) \$ /$		2 (11.76 %)	
$^ [A-Za-z0-9_]+ \backslash . (php html css) \$ /$		0 (0 %)	Average Grade: 0.88 / 5 (17.65 %)
$^ [A-z0-9_]+ \backslash . (php html css) \$ /$		0 (0 %)	Standard Deviation: 38.12 %
$^ [a-zA-Z0-9_]+ \backslash . (php html css) \$$		1 (5.88 %)	Point Biserial: n/a
$^ [A-Za-z0-9_]+ \backslash . (php html css) \$$		0 (0 %)	Discrimination Index: 75.00 %

User Input

4 steps for collecting data

1. Collect

2. Validate

1. Collect
2. Validate
3. Decide
4. Sanitize

action vs. method — could either be
 | |
 where how
 get - sent through URL
 post - hidden, sent through HTTP headers

Superglobals

`$_GET`

`$_POST`

`$_SERVER` - holds data about the browser

```
<?php
// file for validation functions
// validate movie title
function is_valid_title($title){
    // what is a valid movie title?
    // letters, numbers, ' , ! , ? , , , spaces, & , - , :
    $error = '';
    if(empty($title)){
        $error = 'Movie title required.';
    }else if(preg_match('/^[a-zA-Z0-9 !:&\?\'\"\\. , - ]+$/ ', $title) == 0){
        $error = 'Title invalid.';
    }
    return $error;
}

// validate release year
function is_valid_year($year){
    // check if is int and in valid range
    $error = '';
    $valid = filter_var($year, FILTER_VALIDATE_INT, [
        'options' => ['min_range'=>1888, 'max_range'=>2030]
    ]);
    if($valid === false){
        $error = 'Must be between 1888 and 2030';
    }
}
```

```
return $error;  
}  
?>
```

REQUEST METHOD - stores HTTP method used to request the page

isset - if button clicked
if a variable null (or not)

```
if (isset($_POST['title']))  
    $title = $_POST['title'];  
else  
    $title = '';
```

→

```
$title = isset($_POST['title']) ?  
    $_POST['title'] : '';
```

condition ? if true : if false

Null Coalescing Operator

```
$title = $_POST['title'] ?? '';
```

try to use
this value

assign this if you can't.

```
<?php  
$title = 'Add a Movie';  
require_once 'includes/header.php';  
require_once 'includes/validation.php';  
  
$data = [  
    'title' => ''
```

```

        'release_year' => '',
        'rated'        => '',
        'runtime'      => '',
        'director'     => ''
    ];

$errors = [
    'title'            => '',
    'release_year'     => '',
    'rated'            => '',
    'runtime'          => '',
    'director'         => ''
];

// has the form been submitted (by clicking the button)?
if($_SERVER['REQUEST_METHOD'] == 'POST' && isset($_POST['add_movie'])) {
    // collect
    $data = [
        'title'         => trim($_POST['title'] ?? ''),
        'release_year'  => trim($_POST['release_year'] ?? ''),
        'rated'         => trim($_POST['rated'] ?? ''),
        'runtime'       => trim($_POST['runtime'] ?? ''),
        'director'      => trim($_POST['director'] ?? '')
    ];

    // validate
    $errors = [
        'title'         => is_valid_title($data['title']),
        'release_year'  => is_valid_year($data['release_year']),
        'rated'         => '',
        'runtime'       => '',
        'director'      => ''
    ];

    // decide
    $has_errors = implode($errors);
    if(!$has_errors){

    }

    // sanitize
}
?>

```