

$$3d^2$$

November 25, 2025

$$1 \quad \left| 3d_{xz}^\alpha 3d_{yz}^\alpha 3d_{xy}^0 3d_{z^2}^0 3d_{x^2-y^2}^0 \right\rangle$$

Here are the CSFs:

$$\begin{aligned}
|1, 1, 1\rangle &= \left| 3d_{xz}^\alpha 3d_{yz}^\alpha 3d_{xy}^0 3d_{z^2}^0 3d_{x^2-y^2}^0 \right\rangle \\
|2, 1, 1\rangle &= \left| 3d_{xz}^\alpha 3d_{yz}^0 3d_{xy}^\alpha 3d_{z^2}^0 3d_{x^2-y^2}^0 \right\rangle \\
|3, 1, 1\rangle &= \left| 3d_{xz}^\alpha 3d_{yz}^0 3d_{xy}^0 3d_{z^2}^\alpha 3d_{x^2-y^2}^0 \right\rangle \\
|4, 1, 1\rangle &= \left| 3d_{xz}^\alpha 3d_{yz}^0 3d_{xy}^0 3d_{z^2}^0 3d_{x^2-y^2}^\alpha \right\rangle \\
|5, 1, 1\rangle &= \left| 3d_{xz}^0 3d_{yz}^\alpha 3d_{xy}^\alpha 3d_{z^2}^0 3d_{x^2-y^2}^0 \right\rangle \\
|6, 1, 1\rangle &= \left| 3d_{xz}^0 3d_{yz}^\alpha 3d_{xy}^0 3d_{z^2}^\alpha 3d_{x^2-y^2}^0 \right\rangle \\
|7, 1, 1\rangle &= \left| 3d_{xz}^0 3d_{yz}^\alpha 3d_{xy}^0 3d_{z^2}^0 3d_{x^2-y^2}^\alpha \right\rangle \\
|8, 1, 1\rangle &= \left| 3d_{xz}^0 3d_{yz}^0 3d_{xy}^\alpha 3d_{z^2}^\alpha 3d_{x^2-y^2}^0 \right\rangle \\
|9, 1, 1\rangle &= \left| 3d_{xz}^0 3d_{yz}^0 3d_{xy}^0 3d_{z^2}^\alpha 3d_{x^2-y^2}^\alpha \right\rangle \\
|10, 1, 1\rangle &= \left| 3d_{xz}^0 3d_{yz}^0 3d_{xy}^0 3d_{z^2}^\alpha 3d_{x^2-y^2}^\alpha \right\rangle \\
|11, 1, 0\rangle &= \frac{1}{\sqrt{2}} \left| 3d_{xz}^\alpha 3d_{yz}^\beta 3d_{xy}^0 3d_{z^2}^0 3d_{x^2-y^2}^0 \right\rangle + \frac{1}{\sqrt{2}} \left| 3d_{xz}^\beta 3d_{yz}^\alpha 3d_{xy}^0 3d_{z^2}^0 3d_{x^2-y^2}^0 \right\rangle \\
|12, 1, 0\rangle &= \frac{1}{\sqrt{2}} \left| 3d_{xz}^\alpha 3d_{yz}^0 3d_{xy}^\beta 3d_{z^2}^0 3d_{x^2-y^2}^0 \right\rangle + \frac{1}{\sqrt{2}} \left| 3d_{xz}^\beta 3d_{yz}^0 3d_{xy}^\alpha 3d_{z^2}^0 3d_{x^2-y^2}^0 \right\rangle \\
|13, 1, 0\rangle &= \frac{1}{\sqrt{2}} \left| 3d_{xz}^\alpha 3d_{yz}^0 3d_{xy}^0 3d_{z^2}^\beta 3d_{x^2-y^2}^0 \right\rangle + \frac{1}{\sqrt{2}} \left| 3d_{xz}^\beta 3d_{yz}^0 3d_{xy}^0 3d_{z^2}^\alpha 3d_{x^2-y^2}^0 \right\rangle \\
|14, 1, 0\rangle &= \frac{1}{\sqrt{2}} \left| 3d_{xz}^\alpha 3d_{yz}^0 3d_{xy}^0 3d_{z^2}^0 3d_{x^2-y^2}^\beta \right\rangle + \frac{1}{\sqrt{2}} \left| 3d_{xz}^\beta 3d_{yz}^0 3d_{xy}^0 3d_{z^2}^0 3d_{x^2-y^2}^\alpha \right\rangle \\
|15, 1, 0\rangle &= \frac{1}{\sqrt{2}} \left| 3d_{xz}^0 3d_{yz}^\alpha 3d_{xy}^\beta 3d_{z^2}^0 3d_{x^2-y^2}^0 \right\rangle + \frac{1}{\sqrt{2}} \left| 3d_{xz}^0 3d_{yz}^\beta 3d_{xy}^\alpha 3d_{z^2}^0 3d_{x^2-y^2}^0 \right\rangle \\
|16, 1, 0\rangle &= \frac{1}{\sqrt{2}} \left| 3d_{xz}^0 3d_{yz}^\alpha 3d_{xy}^0 3d_{z^2}^\beta 3d_{x^2-y^2}^0 \right\rangle + \frac{1}{\sqrt{2}} \left| 3d_{xz}^0 3d_{yz}^\beta 3d_{xy}^0 3d_{z^2}^\alpha 3d_{x^2-y^2}^0 \right\rangle \\
|17, 1, 0\rangle &= \frac{1}{\sqrt{2}} \left| 3d_{xz}^0 3d_{yz}^\alpha 3d_{xy}^0 3d_{z^2}^0 3d_{x^2-y^2}^\beta \right\rangle + \frac{1}{\sqrt{2}} \left| 3d_{xz}^0 3d_{yz}^\beta 3d_{xy}^0 3d_{z^2}^0 3d_{x^2-y^2}^\alpha \right\rangle
\end{aligned}$$

2

$$|45, 0, 0\rangle = \left| 3d_{xz}^0 3d_{yz}^0 3d_{xy}^0 3d_{z^2}^0 3d_{x^2-y^2}^2 \right\rangle$$

The Ground State CSFs are 1 11 21

$$\langle 3, 1, 1 | L_x | 1, 1, 1 \rangle = \sqrt{3}I$$

$$\langle 4, 1, 1 | L_x | 1, 1, 1 \rangle = I$$

$$\langle 5, 1, 1 | L_x | 1, 1, 1 \rangle = I$$

$$\Delta g_{xx}$$

$$-3\zeta\Delta_{1-3}^{-1}$$

$$-\zeta\Delta_{1-4}^{-1}$$

$$-\zeta\Delta_{1-5}^{-1}$$

$$\langle 2, 1, 1 | L_y | 1, 1, 1 \rangle = I$$

$$\langle 6, 1, 1 | L_y | 1, 1, 1 \rangle = \sqrt{3}I$$

$$\langle 7, 1, 1 | L_y | 1, 1, 1 \rangle = -I$$

$$\Delta g_{yy}$$

$$-\zeta\Delta_{1-2}^{-1}$$

$$-3\zeta\Delta_{1-6}^{-1}$$

$$-\zeta\Delta_{1-7}^{-1}$$

Model Interaction Matrix

$$\begin{bmatrix} a \\ c \\ p \\ q \end{bmatrix}$$