

Patient Discharge Data (PDD) Data Dictionary

For Nonpublic Files:

HCAI Internal Use NON-PUBLIC RESEARCH DATA (IPA) LIMITED DATA (AB2876) – Custom Data Sets LIMITED DATA (AB2876) – Model Data Sets (for Hospitals and Public Health)

For Data Years:

January - December 2021

File Formats Available:

Comma-Delimited (.csv)

SAS (Ver 9.3) File (.sas7bdat)

SAS (Ver 9.3) PROC Format Program (associate labels with SAS File)

Table of Contents

| INTRODUCTION | 5 |
|---|----|
| General Information | 5 |
| Disclosure Policy | 5 |
| Facility Openings, Closures, Ownership Changes, and Consolidated Status | 5 |
| Importing Notes | 5 |
| File Format | 6 |
| Request Type Indicator | 6 |
| What's New | 6 |
| FILE DOCUMENTATION | 7 |
| Facility Identification Number (6-digit) | 7 |
| Facility Identification Number (9-digit) | 7 |
| Type of Care | 8 |
| Hospital ZIP Code | 8 |
| Hospital County | g |
| Data Set Identification Number | 9 |
| Patient Identification Number | 10 |
| Abstract Record Number | 10 |
| Social Security Number | 10 |
| Record Linkage Number | 11 |
| Date of Birth | 11 |
| Date of Birth – Raw | 11 |
| Age in Days (at Admission) | 12 |
| Age in Days (at Discharge) | 12 |
| Age in Years (at Admission) | 12 |
| Age in Years (at Discharge) | 13 |
| Age Range at Admission (20 categories) | 14 |
| Age Range at Discharge (20 categories) | 14 |
| Age Range at Discharge (10 categories) | 15 |
| Sex | 15 |
| Ethnicity | 16 |
| Race (up to 5) | 16 |
| Race - American Indian or Alaskan Native (Binary) | 17 |
| Race - Asian (Binary) | 17 |
| Race - Black or African American (Binary) | 17 |

Nonpublic Data Dictionary – NON-PUBLIC and LIMITED DATA

| Race - Native Hawaiian or Other Pacific Islander (Binary) | 18 |
|--|----|
| Race – White (Binary) | 18 |
| Race – Other (Binary) | 18 |
| Normalized Ethnicity/Race Group | 19 |
| Preferred Language Spoken (Code) | 20 |
| Preferred Language Spoken Write-in Value | 20 |
| Patient County | 21 |
| Patient ZIP Code | 22 |
| Admission Date | 22 |
| Admission Day of the Week | 22 |
| Admission Month | 23 |
| Admission Quarter | 23 |
| Admission Year | 23 |
| Discharge Date | 24 |
| Discharge Month | 24 |
| Discharge Quarter | 25 |
| Discharge Year | 25 |
| Counter | 25 |
| Length of Stay | 26 |
| Adjusted Length of Stay | 26 |
| Source of Admission – Point of Origin | 27 |
| Source of Admission – Route | 28 |
| Type of Admission | 29 |
| Disposition | 30 |
| Expected Source of Payment – Payer Category | 32 |
| Expected Source of Payment – Type of Coverage | 33 |
| Expected Source of Payment – Plan Code Number | 33 |
| Total Charges | 34 |
| Total Charges (adjusted) | 34 |
| Do Not Resuscitate (DNR) Order (Pre-Hospital Care & Resuscitation) | 35 |
| Major Diagnostic Category (MDC) | 36 |
| Medicare Severity-Diagnosis Related Group (MS-DRG) | 37 |
| MS-DRG Category | 38 |
| MS-DRG Severity Code | 38 |
| MS-DRG Grouper Version | 39 |
| External Causes of Morbidity | 39 |

| | Present on Admission (POA) – External Causes of Morbidity | 40 |
|-------------|--|------------|
| | Principal Diagnosis | 40 |
| | Other Diagnoses (up to 24) | 41 |
| | Present on Admission (POA) – Principal Diagnosis | 41 |
| | Present on Admission (POA) – Other Diagnoses (up to 24) | 42 |
| | Principal Procedure | 43 |
| | Other Procedures (up to 24) | 43 |
| | Principal Procedure Date | 43 |
| | Other Procedures Dates (up to 24) | 44 |
| | Principal Procedure Days | 44 |
| | Other Procedures Days (up to 24) | 44 |
| 4 PΙ | PENDICES¹ (included as separate files in the Complete Data Documentation .zip file <u>available onlin</u> Appendix A – Disclosure Policy | <u>e</u>) |
| | Appendix C – Modifications (PDD/ED/AS) | |
| | Appendix D – Facility Status D 1 | |
| | Appendix F – Counts by Facility (Discharges)F 1 | |
| | Appendix G – Preferred Language Spoken | |
| | Appendix H – Plan Code Numbers H 1 | |
| | Appendix I – Major Diagnostic Categories (MDC)1 | |
| | Appendix J – Medicare Severity-Diagnosis Related Groups (MS-DRG) | |
| | Appendix K – Source of AdmissionK 1 | |
| | Appendix L – Manual Abstract Reporting Form Q1-Q4L 1 | |
| | Appendix M - Linkable RLNs (PDD/ED/AS) | |
| | | |

¹ Appendices not listed are not applicable to nonpublic PDD data sets.

INTRODUCTION

General Information

The California Department of Health Care Access and Information (HCAI) provides nonpublic data sets of inpatient data collected from California-licensed hospitals in California. The data set consists of a record for each inpatient discharged from a California-licensed hospital. Licensed hospitals include general acute care, acute psychiatric, chemical dependency recovery, and psychiatric health facilities. For more information see the documentation: https://hcai.ca.gov/data-and-reports/submit-data/patient-data/inpatient-reporting/

Disclosure Policy

It is the policy of the Department of Health Care Access and Information (HCAI) to respect the privacy of individuals by protecting the confidentiality of all patient-level healthcare data and information that it collects, uses, and disseminates. Accordingly, HCAI will carefully evaluate all requests for disclosure of patient-level healthcare data and information and will ensure that all disclosures comply with applicable laws and regulations.

All patient-level healthcare data and information will be considered nonpublic. HCAI will disclose nonpublic patient-level healthcare data ONLY when certain conditions have been met and after approval by the California Committee for the Protection of Human Subjects. For a copy of HCAI's policy on the release of patient-level data please see <u>Appendix A – Disclosure Policy</u>.

Facility Modification Report

Some facilities have been granted "modifications" to standard data reporting requirements because they were unable to complete specific fields as required or were determined to be out of compliance at the time of reporting. These Modifications are made available to data users in the Patient-Level Data Modifications Table.

Facility Openings, Closures, Ownership Changes, and Consolidated Status

<u>Appendix D – Facility Status</u> shows facility consolidated status and status changes (openings, closures, and ownership changes) by year of data collection. When multiple facility locations operate under one hospital license, the licensed entity is considered a consolidated provider. These types of facilities can opt to report patient-level data as either <u>separate</u> entities or aggregated, as one consolidated provider.

Importing Notes

There are several fields that, although they appear to contain numeric data, should be treated as text (character). OSHPD ID (6-digit), MDC, MSDRG, and procedure code fields should be treated as text (character) codes when importing so essential leading zeros are not dropped.

File Format

The nonpublic data files are offered in two versions: SAS (.sas7bdat, created with SAS version 9.3) and comma-delimited (.csv). To assist SAS file users, a PROC Format file is available to associate labels with variables.

In the comma-delimited file (.csv), the length of each field and the length of each record will vary according to the data reported. To assist .CSV file users, a header row identifying each data element is provided in the position of the first record.

Note that facility and MS-DRG codes and their associated labels potentially change across years and that year-specific code-label crosswalks must be used.

The attributes for each data field are provided on the following pages.

Request Type Indicator

A "Request Type" indicator has been added to the Data Dictionary variable descriptions. This specifies the nonpublic file(s), by type of request, in which the variable is included:

- NON- PUBLIC RESEARCH Non-public University Researchers
- LIMITED DATA Model Data Sets for Hospitals and Local Health Departments/Officials.
- LIMITED DATA Custom Data Set

What's New

File format Comma Label has been removed. A Label Format file can be provided to allow researchers to associate the variable codes with their English label counterpart.

Clinical Classification Software variables ccsr_diagp and ccsr_odiag1-odiag24 are no longer available.

There were no other significant changes from the 2020 dataset to the 2021 dataset. However, there were significant changes between the 2018 and 2019 datasets, if you have not worked with the data since 2018, please review the 2019 <u>Data Documentation</u> to see the changes that were made.

FILE DOCUMENTATION

Facility Identification Number (6-digit)

Field Name: oshpd id

Definition: A unique six-digit identifier assigned to each facility by the Department of

Health Care Access and Information. The first two digits indicate the county in which the facility is located. The last four digits are unique within each

county.

Variable Type: Character

SAS Length: 6

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Facility Identification Number (9-digit)

Field Name: oshpd id9

Definition: A unique nine-digit identifier assigned to each facility by HCAI. The first digit

indicates the facility's license type. The second and third digits indicate the State of the licensed facility (California). The fourth and fifth digits identify the county in which the facility is located. The last four digits are unique within each county for each type of data (i.e., IP, ED and AS). A list of facility numbers and their names is provided in Appendix F - Counts by

numbers and their names is provided in Appendix F - Counts

Facility(Discharges) (PDD).

Variable Type: Character

SAS Length: 9

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Nonpublic Data Dictionary - NON-PUBLIC and LIMITED DATA

Type of Care

Field Name: typcare

Definition: Defined by the California Health and Safety Code, this refers to the licensure

of the bed occupied by an inpatient. The Types of Care are documented on the official license issued by Licensing and Certification of the California State

Department of Public Health.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

-= Invalid

1 = Acute Care

3 = Skilled Nursing / Intermediate Care (includes GAC approved swing beds)

4 = Psychiatric Care

5 = Chemical Dependency Recovery Care

6 = Physical Rehabilitation Care

Blank = Missing

Hospital ZIP Code

Field Name: hplzip

Definition: The ZIP Code where the hospital is located.

Variable Type: Character

SAS Length: 5

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Nonpublic Data Dictionary - NON-PUBLIC and LIMITED DATA

Hospital County

Field Name: hplcnty

Definition: The county where the hospital is located.

Variable Type: Character

SAS Length: 2

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

01 = Alameda 21 = Marin 41 = San Mateo 02 = Alpine22 = Mariposa 42 = Santa Barbara 03 = Amador23 = Mendocino 43 = Santa Clara 04 = Butte24 = Merced 44 = Santa Cruz 05 = Calaveras 25 = Modoc45 = Shasta 06 = Colusa 26 = Mono 46 = Sierra 07 = Contra Costa 47 = Siskiyou 27 = Monterey 08 = Del Norte 28 = Napa 48 = Solano 49 = Sonoma 09 = El Dorado 29 = Nevada 10 = Fresno 30 = Orange 50 = Stanislaus 11 = Glenn 31 = Placer 51 = Sutter 12 = Humboldt32 = Plumas52 = Tehama13 = Imperial 33 = Riverside 53 = Trinity14 = Invo 54 = Tulare34 = Sacramento 15 = Kern 35 = San Benito 55 = Tuolumne 56 = Ventura 16 = Kings36 = San Bernardino 37 = San Diego 17 = Lake 57 = Yolo18 = Lassen 58 = Yuba 38 = San Francisco 19 = Los Angeles 39 = San Joaquin

40 = San Luis Obispo

Data Set Identification Number

20 = Madera

Field Name: data_id

Definition: A unique ten-digit identifier assigned to each record within a specific group of

data submitted by a hospital for a given report period.

Variable Type: Character

SAS Length: 10

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Patient Identification Number

Field Name: pat_id

Definition: Identification number assigned to each record within a specific group of data

submitted by a hospital for a given report period. The Patient Identification Number is a sequential value generated as the record is entered into the system, but there may be gaps due to the deletion of some records prior to

approval or during standardization.

Variable Type: Character

SAS Length: 12

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Abstract Record Number

Field Name: abstrec

Definition: A unique code consisting of not more than 12 alphanumeric characters (may

include hyphens, slashes or other special characters) that identifies a

particular patient's record within a reporting facility.

Variable Type: Character

SAS Length: 12

Request Type: HCAI does not release this field.

Social Security Number

Field Name: ssn

Definition: The patient's Social Security Number (SSN). If the SSN was not recorded in

the patient's record, it was reported as "000000001". If the reported SSN is invalid, it is set to '000000002'. The SSN should not be reported as the SSN of some other person, such as the mother of a newborn or the insurance beneficiary under whose account the facility's bill was submitted. For more information on HCAI's instructions for non-U.S. numbers and Medicare

numbers, see the California Inpatient Data Reporting Manual at

https://hcai.ca.gov/data-and-reports/submit-data/patient-data/inpatient-

reporting/

Variable Type: Character SAS Length: 9

Request Type: HCAI does not release this field.

Nonpublic Data Dictionary - NON-PUBLIC and LIMITED DATA

Record Linkage Number

Field Name: rln

Definition: A unique 9-digit alphanumeric value that is the encrypted form of a patient's

Social Security Number. If the Social Security Number is invalid

(000000002) or unknown (000000001), then the RLN is assigned a value

of 9 dashes "----".

Variable Type: Character

SAS Length: 9

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Date of Birth

Field Name: bthdate

Definition: Patient's modified Date of Birth. The modified Date of Birth reflects defaults

applied to invalid values reported by hospitals. If the reported month or day is invalid or blank, they are defaulted to "01". If the year is not a valid calendar year or if the Date of Birth is after the Admission Date or 120 years before

the Discharge Date, then the Date of Birth is set to blank.

Variable Type: Numeric

SAS Length: 8 (MMDDYY10.)

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Date of Birth - Raw

Field Name: dob raw

Definition: Patient's Date of Birth (YYYYMMDDD) as reported by the hospital.

Variable Type: Character

SAS Length: 8

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Age in Days (at Admission)

Field Name: agdyadm

Definition: Age of the patient (in days) at admission. This data element is based on the

reported admission date and patient's Date of Birth and is only available for patients who are less than 366 days old. If the Date of Birth is after the Admission Date, invalid, or the patient is greater than 365 days old, the age in days is set to "0". If the Date of Birth – Raw is blank, the Age in Days at Admission remains blank (missing). If Date of Birth – modified (bthdate) and the Admission Date are the same, the Age in Days at Admission is set to 1.

Variable Type: Numeric

SAS Length: 8

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Age in Days (at Discharge)

Field Name: agdydsch

Definition: Age of the patient (in days) at discharge. This is based on the reported

discharge date and patient's Date of Birth and is only available for patients who are less than 366 days old. If the Date of Birth is after the Admission Date, invalid, or the patient is greater than 365 days old, the Age in Days is set to "0". If the Date of Birth – Raw is blank, the Age in Days at Discharge remains blank (missing). If Date of Birth – modified (bthdate) equals the

Discharge Date, the Age in Days at Discharge is set to 1.

Variable Type: Numeric

SAS Length: 8

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Age in Years (at Admission)

Field Name: agyradm

Definition: Age of the patient at admission. This is based on the reported admission

date and patient's Date of Birth. If the Date of Birth is after the Admission Date or invalid, the age in years is set to "0". If the Date of Birth – Raw is

blank, the Age in Years at Admission remains blank (missing).

Variable Type: Numeric

SAS Length: 8

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Age in Years (at Discharge)

Field Name: agyrdsch

Definition: Age of the patient at discharge. This is based on the reported discharge

date and patient's Date of Birth. If the Date of Birth is after the Admission Date or invalid, the age in years is set to "0". If the Date of Birth – Raw is

blank, the Age in Years at Discharge remains blank.

Variable Type: Numeric

SAS Length: 8

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Age Range at Admission (20 categories)

Field Name: agecatadm

Definition: Age range (based on 20 categories) of the patient at admission.

Variable Type: Character

SAS Length: 2

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

01 = Under 1 year 12 = 50-54 years02 = 1-4 years13 = 55-59 years03 = 5-9 years14 = 60-64 years04 = 10-14 years15 = 65-69 years05 = 15-19 years16 = 70-74 years06 = 20-24 years17 = 75-79 years18 = 80-84 years 07 = 25-29 years08 = 30-34 years19 = 85 + years09 = 35-39 years- = Unknown age 10 = 40-44 yearsBlank = Missing 11 = 45-49 years

Age Range at Discharge (20 categories)

Field Name: agecatdsch

Definition: Age range (based on 20 categories) of the patient at discharge.

Variable Type: Character

SAS Length: 2

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

01 = Under 1 year 12 = 50-54 years02 = 1-4 years13 = 55-59 years03 = 5-9 years14 = 60-64 years04 = 10-14 years15 = 65-69 years05 = 15-19 years16 = 70-74 years06 = 20-24 years17 = 75-79 years07 = 25-29 years18 = 80-84 years08 = 30-34 years19 = 85 + years09 = 35-39 years- = Unknown age 10 = 40-44 yearsBlank = Missing

11 = 45-49 years

Age Range at Discharge (10 categories)

Field Name: agecatdsch10

Definition: Age range (based on 10 categories) of the patient at discharge.

Variable Type: Character

SAS Length: 2

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

 01 = Under 1 year
 07 = 50-59 years

 02 = 1-9 years
 08 = 60-69 years

 03 = 10-19 years
 09 = 70-79 years

 04 = 20-29 years
 10 = 80+ years

 05 = 30-39 years
 - Unknown age

06 = 40-49 years Blank = Missing

<u>Sex</u>

Field Name: sex (modified variable, effective January 1, 2017)

Definition: For discharges occurring on or after January 1, 2017, the patient's biologic

sex shall be reported as recorded at admission as male, female or unknown. Unknown indicates that the patient's sex was undetermined. It is also used in the case of congenital abnormalities that obscure sex identification. Prior to 2017, sex was reported as 1 (Male), 2 (Female), 3 (Other), and 4 (Unknown).

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

M = MaleF = FemaleU = Unknown- = Invalid

Nonpublic Data Dictionary - NON-PUBLIC and LIMITED DATA

Ethnicity

Field Name: ethncty

Definition: Ethnicity (self-reported) of the patient. Patients who could not or refused to

declare their ethnicity are coded as "99" (Unknown).

Variable Type: Character

SAS Length: 1

Reguest Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

E1 = Hispanic or Latino, a person who identifies with or is of Mexican, Puerto Rican, Cuban, Central or South American, or other Spanish culture or origin. Hispanic origin or descent is not to be confused with race. A person of Hispanic origin may be of

any race.

E2 = Non-Hispanic or Latino, a person who identifies with a culture or origin other than Hispanic. This category excludes patients

who cannot or will not declare their ethnicity.

99 = Unknown, includes patients who cannot or will not declare their

ethnicity.

-= Invalid

Blank = Missing

Race (up to 5)

Field Name: race1 – race5

Definition: Patient's racial background (self-reported)-beginning in 2019, the patient

may indicate up to 5 race categories. If the patient's Race is not recorded in the patient's medical record, or the patient could not or would not declare race, it was reported as "Unknown" (code 99). For more information, see the documentation: https://hcai.ca.gov/data-and-reports/submit-data/patient-

data/inpatient-reporting/

Variable Type: Character

SAS Length: 2

Reguest Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

R1 = American Indian or Alaska Native

R2 = Asian

R3 = Black or African American

R4 = Native Hawaiian or Other Pacific Islander

R5 = White

R9 = Other Race 99 = Unknown - = Invalid

Race - American Indian or Alaskan Native (Binary)

Field Name: race_aman

Definition: These binary (0/1) flags indicate the presence of a race category. If any

Race Code is R1 then Race - American Indian or Alaskan Native is set to 1. If Race - American Indian or Alaskan Native is not 1 and any Race Codes are valid and not blank, then Race - American Indian or Alaskan Native is set to 0. If all Race Codes are invalid, then Race - American Indian or

Alaskan Native is set to -; If all Race Codes are blank, then Race - American

Indian or Alaskan Native is set to blank.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Race - Asian (Binary)

Field Name: race_asian

Definition: These binary (0/1) flags indicate the presence of a race category. If any

Race Code is R2 then Race – Asian is set to 1. If Race – Asian is not 1 and any Race Codes are valid and not blank, then Race - Asian is set to 0. If all Race Codes are invalid, then Race - Asian is set to -; If all Race Codes are

blank, then Race - Asian is set to blank.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Race - Black or African American (Binary)

Field Name: race black

Definition: These binary (0/1) flags indicate the presence of a race category. If any

Race Code is R3 then Race – Black or African American is set to 1. If Race – Black or African American is not 1 and any Race Codes are valid and not blank, then Race - Black or African American is set to 0. If all Race Codes are invalid, then Race - Black or African American is set to -; If all Race Codes are blank, then Race - Black or African American is set to blank.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Nonpublic Data Dictionary – NON-PUBLIC and LIMITED DATA

Race - Native Hawaiian or Other Pacific Islander (Binary)

Field Name: race_nhpi

Definition: These binary (0/1) flags indicate the presence of a race category. If any

Race Code is R4 then Race – Native Hawaiian or Other Pacific Islander is set to 1. If Race – Native Hawaiian or Other Pacific Islander is not 1 and any Race Codes are valid and not blank, then Race - Native Hawaiian or Other Pacific Islander is set to 0. If all Race Codes are invalid, then Race - Native Hawaiian or Other Pacific Islander is set to -; If all Race Codes are blank, then Race - Native Hawaiian or Other Pacific Islander is set to blank.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Race - White (Binary)

Field Name: race white

Definition: These binary (0/1) flags indicate the presence of a race category. If any

Race Code is R5 then Race – White is set to 1. If Race – White is not 1 and any Race Codes are valid and not blank, then Race - White is set to 0. If all Race Codes are invalid, then Race - White is set to -; If all Race Codes are

blank, then Race - White is set to blank.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Race - Other (Binary)

Field Name: race other

Definition: These binary (0/1) flags indicate the presence of a race category. If any

Race Code is R9 then Race – Other is set to 1. If Race – Other is not 1 and any Race Codes are valid and not blank, then Race - Other is set to 0. If all Race Codes are invalid, then Race - Other is set to -; If all Race Codes are

blank, then Race - Other is set to blank.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Normalized Ethnicity/Race Group

Field Name: race grp

Definition: The normalized ethnicity/race group for a patient based on a combination

(merged) of their reported race codes and ethnicity. If a patient's ethnicity is E1 (Hispanic) then the Normalized Ethnicity/Race Group is assigned the value 3 (Hispanic). If Ethnicity is NOT E1 (Hispanic) and any two or more race codes are R1 - R5 or R9, then Normalized Ethnicity/Race Group is set to 7 (Multiracial). Else if Ethnicity is NOT E1 (Hispanic) and any race code equals R1 – R5 or R9, then Race Group is set to the code listed below that indicate the race reported. If Ethnicity is E2 (Non-Hispanic), Normalized Ethnicity/Race Group is NOT 1, 2, 3, 4, 5, 6, 7, or 8 then Normalized Ethnicity/Race Group is set to 8 (Other). If ethnicity is 99 (Unknown), blank or - and Normalized Ethnicity/Race Group is NOT 1, 2, 3, 4, 5, 6, 7, or 8, then Normalized Ethnicity/Race Group is set to 0 (Unknown). If Ethnicity is - (Invalid), Normalized Ethnicity/Race Group is NOT 1, 2, 3, 4, 5, 6, 7, or 8 and race codes are - or blank then Normalized Ethnicity/Race Group is set to - (Invalid). If Ethnicity is blank and all race codes are missing, then Normalized Ethnicity/Race Group is set to blank.

Starting in 2019, Multiracial category became available and Asian and Native Hawaiian or Other Pacific Islander became separated categories.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

1 = White

2 = Black

3 = Hispanic

4 = Asian

5 = American Indian / Alaska Native

6 = Native Hawaiian or Other Pacific Islander

7 = Multiracial

8 = Other

0 = Unknown

- = Invalid

Preferred Language Spoken (Code)

Field Name: pls abbr

Definition: The 3-character value for the Preferred language the patient primarily uses

in communicating with those in the healthcare community. A child's

language is the language of the parent or caretaker used for communicating with the physician on the child's behalf. If the Preferred Language Spoken is unknown, the Preferred language Spoken is set to '999'; If the Preferred Language Spoken is known but not included in the list in the <u>CA Inpatient Reporting Manual</u>, it is set to '-'. If Preferred Language Spoken Write-in Value is blank, the Preferred Language Spoken is set to blank. See Appendix G - Preferred Language Spoken for a list of codes and

corresponding category descriptions.

Variable Type: Character

Variable Length: 3

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Preferred Language Spoken Write-in Value

Field Name: pls wrtin

Definition: The actual value reported as the Preferred language the patient primarily

uses in communicating with those in the healthcare community. A child's

language is the language of the parent or caretaker used for communicating with the physician on the child's behalf.

Variable Type: Character

Variable Length: 24

Reguest Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Patient County

Field Name: patcnty

Definition: The patient's county of residence. County of residence is based on the

patient's reported ZIP Code of Residence and is provided by the USPS. Patients with ZIP Codes "XXXXX" (Unknown), "YYYYY" (Foreign), "ZZZZZ" (Homeless), and patients residing outside California are assigned a county code value of "00". If ZIP Code of Residence is

"00000" then Patient County of Residence is set to '-'; When reported ZIP

Code of Residence is missing, then Patient County is left blank.

Variable Type: Character

SAS Length: 2

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

| 01 = Alameda | 21 = Marin | 41 = San Mateo |
|-------------------|----------------------|---|
| 02 = Alpine | 22 = Mariposa | 42 = Santa Barbara |
| 03 = Amador | 23 = Mendocino | 43 = Santa Clara |
| 04 = Butte | 24 = Merced | 44 = Santa Cruz |
| 05 = Calaveras | 25 = Modoc | 45 = Shasta |
| 06 = Colusa | 26 = Mono | 46 = Sierra |
| 07 = Contra Costa | 27 = Monterey | 47 = Siskiyou |
| 08 = Del Norte | 28 = Napa | 48 = Solano |
| 09 = El Dorado | 29 = Nevada | 49 = Sonoma |
| 10 = Fresno | 30 = Orange | 50 = Stanislaus |
| 11 = Glenn | 31 = Placer | 51 = Sutter |
| 12 = Humboldt | 32 = Plumas | 52 = Tehama |
| 13 = Imperial | 33 = Riverside | 53 = Trinity |
| 14 = Inyo | 34 = Sacramento | 54 = Tulare |
| 15 = Kern | 35 = San Benito | 55 = Tuolumne |
| 16 = Kings | 36 = San Bernardino | 56 = Ventura |
| 17 = Lake | 37 = San Diego | 57 = Yolo |
| 18 = Lassen | 38 = San Francisco | 58 = Yuba |
| 19 = Los Angeles | 39 = San Joaquin | - = Invalid |
| 20 = Madera | 40 = San Luis Obispo | 00 = Not a California county, Unknown, or Homeless |
| Blank = Missing | | Officiowit, of Fiorifology |

Nonpublic Data Dictionary – NON-PUBLIC and LIMITED DATA

Patient ZIP Code

Field Name: patzip

Definition: The patient's 5-digit ZIP Code of residence. If the ZIP Code is unknown it is

reported as "XXXXX". Foreign residents are reported as "YYYYY" and homeless as "ZZZZZ". If only the city of residence is known, the first three digits of the ZIP Code are reported followed by two zeros. Invalid ZIP Codes

are set to "00000". Missing ZIP Codes are left blank.

Variable Type: Character

SAS Length: 5

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Admission Date

Field Name: admtdate

Definition: The date a patient was admitted to the hospital for inpatient care. If the

patient is transferred from one type of care to another (e.g., from acute care to skilled nursing/intermediate care), the Admission Date for the second episode would be the date the patient was transferred to the new type of care and would be treated as a separate record. If the reported Admission Date is blank or invalid (e.g., June 31), the entire record is removed. If Admission Date is > 20 years before the Discharge Date, then

entire record is removed.

Variable Type: Numeric

SAS Length: 8 (MMDDYY10.)

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Admission Day of the Week

Field Name: admtday

Definition: The day of the week when the patient was admitted.

Variable Type: Character

SAS Length: 1

Reguest Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

1 = Sunday

2 = Monday

3 = Tuesday

4 = Wednesday

5 = Thursday

6 = Friday

7 = Saturday

Admission Month

Field Name: admtmth

Definition: The month when the patient was admitted.

Variable Type: Character

SAS Length: 2

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

01 = January 05 = May 09 = September

02 = February 06 = June 10 = October

03 = March 07 = July 11 = November

04 = April 08 = August 12 = December

Admission Quarter

Field Name: qtr adm

Definition: The calendar quarter the patient was admitted.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

1 = January-March

2 = April-June

3 = July-September

4 = October-December

Admission Year

Field Name: admtyr

Definition: The year the patient was admitted.

Variable Type: Character

SAS Length: 4

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Discharge Date

Field Name: dschdate

Definition: The date a patient was discharged from the hospital. If the patient is

transferred from one type of care to another (e.g., from acute care to skilled nursing/intermediate care), the Discharge Date for the first episode would be the date the patient was transferred to the new type of care and the new admission would be treated as a separate record. If the reported Discharge Date is unknown or invalid the entire record is removed in accordance with Health and Safety Code Section 97248. If the Discharge Date is outside of

reporting period, the entire record is deleted.

Variable Type: Numeric

SAS Length: 8 (MMDDYY10.)

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Discharge Month

Field Name: mth_dsch

Definition: The month the patient was discharged.

Variable Type: Character

SAS Length: 2

Request Type: LIMITED DATA - Model Data Set

01 = January 07 = July

02 = February 08 = August

03 = March 09 = September

04 = April 10 = October

05 = May 11 = November

06 = June 12 = December

Discharge Quarter

Field Name: qtr_dsch

Definition: The calendar quarter the patient was discharged.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

1 = January-March

2 = April-June

3 = July-September

4 = October-December

Discharge Year

Field Name: dsch_yr

Definition: The year the patient was discharged.

Variable Type: Numeric

SAS Length: 8

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Counter

Field Name: counter

Definition: A discharge counter was added to the SAS data sets in 2010 to optimize the

"drag and drop" features in Enterprise Guide. The discharge counter

(Counter) is assigned a value of "1" for each individual record. This Counter

can be used for a wide variety of mathematical calculations.

Variable Type: Numeric

SAS Length: 8

Request Type: HCAI does not release this field.

Length of Stav

Field Name: los

Definition: Total number of days from admission date to discharge date. Patients

admitted and discharged on the same day are assigned a Length of Stay of "0" days. For length of stay calculations, data users may desire to use the "Adjusted Length of Stay" variable, where "0" days are recoded to "1" day. For more information on HCAI's instructions for one-day stays, observation patients, ER admits, and SNF bed holds, see the California Inpatient

Reporting Manual (https://hcai.ca.gov/data-and-reports/submit-data/patient-

data/inpatient-reporting/).

Variable Type: Numeric

SAS Length: 8

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Adjusted Length of Stav

Field Name: los_adj

Definition: Total number of days from admission date to discharge date. Unlike the

"Length of Stay" variable, patients admitted and discharged on the same day are assigned an "Adjusted Length of Stay" of "1" day. This allows for a

proper calculation of average length of stay.

Variable Type: Numeric

SAS Length: 8

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Nonpublic Data Dictionary – NON-PUBLIC and LIMITED DATA

Source of Admission - Point of Origin

Field Name: srcpo_ns (modified variable, effective January 1, 2017)

Definition: The site where the patient originated. **This variable is used in**

conjunction with admtype_ns.

https://hcai.ca.gov/data-and-reports/submit-data/patient-data/inpatient-reporting/

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

With Type of Admission other than "Newborn

1 = Non-Health Care Facility

2 = Clinic or Physician's Office

4 = Hospital (Different Facility)

5 = SNF, ICF or ALF

6 = Another Health Care Facility

8 = Court/Law Enforcement

9 = Information Not Available

D = One Distinct Unit to another Distinct Unit

of the Same Hospital

E = Ambulatory Surgery Center

F = Hospice

G = Designated Disaster Alternate Care Site

With Type of Admission "Newborn"

5 = Born Inside this Hospital

6 = Born Outside this Hospital

-= Invalid

Blank = Missing

All other values are Invalid

Source of Admission - Route

Field Name: srcroute_ns

Definition: The route by which the patient was admitted.

https://hcai.ca.gov/data-and-reports/submit-data/patient-data/inpatient-reporting/

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

1 = Your ED

2 = Another ED

3 = Not admitted from an ED

-= Invalid

Type of Admission

Field Name: admtype_ns

Definition: Effective with discharges on and after January 1, 2017, the patient's Type

of Admission shall be reported using the appropriate code from the list

below:

https://hcai.ca.gov/data-and-reports/submit-data/patient-data/inpatient-reporting/

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

1 = Emergency

2 = Urgent

3 = Elective

4 = Newborn

5 = Trauma

9 = Information not available

- = Invalid

Disposition

Field Name: disp

Definition: The consequent arrangement or event ending a patient's stay in the hospital. For more

information, see the documentation: https://hcai.ca.gov/data-and-reports/submit-data/patient-data/patient-data/inpatient-reporting/. Invalid Disposition is labeled with - and missing variables are left

blank.

Variable Type: Character

SAS Length: 2

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

- 01 = Discharged to home or self care (routine discharge)
- 02 = Discharged/transferred to a short-term general hospital for inpatient care
- 03 = Discharged/transferred to skilled nursing facility (SNF) with Medicare certification in in anticipation of skilled care
- 04 = Discharged/transferred to a facility that provides custodial or supportive care (includes Intermediate Care Facility)
- 05 = Discharged/transferred to a designated cancer center or children's hospital
- 06 = Discharged/transferred to home under care of an organized home health service organization in anticipation of covered skilled care
- 07 = Left against medical advice or discontinued care
- 20 = Expired
- 21 = Discharged/transferred to court/law enforcement
- 43 = Discharged/transferred to a federal health care facility
- 50 = Hospice Home
- 51 = Hospice Medical facility (certified) providing hospice level of care
- 61 = Discharged/transferred to a hospital-based Medicare approved swing bed
- 62 = Discharged/transferred to an inpatient rehabilitation facility (IRF) including a rehabilitation distinct part unit of a hospital
- 63 = Discharged/transferred to a Medicare certified long-term care hospital (LTCH)
- 64 = Discharged/transferred to a nursing facility certified under Medicaid (Medi- Cal), but not certified under Medicare
- 65 = Discharged/transferred to a psychiatric hospital or psychiatric distinct part unit of a hospital

- 66 = Discharged/transferred to a Critical Access Hospital (CAH)
- 69 = Discharged/transferred to a designated Disaster Alternative Care Site
- 70 = Discharged/transferred to another type of health care institution not defined elsewhere in this code list
- 81 = Discharged to home or self care with a planned acute care hospital inpatient readmission
- 82 = Discharged/transferred to a short-term general hospital for inpatient care with a planned acute care hospital inpatient readmission
- 83 = Discharged/transferred to a skilled nursing facility (SNF) with Medicare certification with a planned acute care hospital inpatient readmission
- 84 = Discharged/transferred to a facility that provides custodial or supportive care (includes Intermediate Care Facility) with a planned acute care hospital inpatient readmission
- 85 = Discharged/transferred to a designated cancer center or children's hospital with a planned acute care hospital inpatient readmission
- 86 = Discharged/transferred to home under care of organized home health service organization with a planned acute care hospital inpatient readmission
- 87 = Discharged/transferred to court/law enforcement with a planned acute care hospital inpatient readmission
- 88 = Discharged/transferred to a federal health care facility with a planned acute care hospital inpatient readmission
- 89 = Discharged/transferred to a hospital-based Medicare approved swing bed with a planned acute care hospital inpatient readmission
- 90 = Discharged/transferred to an inpatient rehabilitation facility (IRF) including rehabilitation distinct part unit of a hospital with a planned acute care hospital inpatient readmission
- 91 = Discharged/transferred to a Medicare certified long-term care hospital (LTCH) with a planned acute care hospital inpatient readmission
- 92 = Discharged/transferred to a nursing facility certified under Medicaid (Medi- Cal) but not certified under Medicare with a planned acute care hospital inpatient readmission
- 93 = Discharged/transferred to a psychiatric hospital or psychiatric distinct part unit of a hospital with a planned acute care hospital inpatient readmission
- 94 = Discharged/transferred to a critical access hospital (CAH) with a planned acute care hospital inpatient readmission
- 95 = Discharged/transferred to another type of health care institution not defined elsewhere in this code list with a planned acute care hospital inpatient readmission
- 00 = Other

Expected Source of Payment - Payer Category

Field Name: pay_cat

Definition: The type of entity or organization expected to pay the greatest share of the

patient's bill. For more information, see the documentation:

https://hcai.ca.gov/data-and-reports/submit-data/patient-data/inpatient-

reporting/

Variable Type: Character

SAS Length: 2

Request Type:

NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

01 = Medicare

02 = Medi-Cal

03 = Private Coverage

04 = Workers' Compensation

05 = County Indigent Programs

06 = Other Government

07 = Other Indigent

08 = Self-Pay

09 = Other Payer

- = Invalid

Expected Source of Payment – Type of Coverage

Field Name: pay_type

Definition: Indicates the Type of Coverage (HMO, non-HMO managed

care, or Fee-for- Service) for the following reported categories: Medicare, Medi-Cal, Private Coverage, Workers' Compensation, County Indigent Programs, and Other Government. Type of Coverage is not reported for the following categories: other indigent, self pay, or other payer. For more information, see the documentation: https://hcai.ca.gov/data-and-reports/submit-

data/patient-data/inpatient-reporting/

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED

DATA - Model Data Set

- = Invalid

0 = Not Applicable

1 = Managed Care – Knox-Keene/Medi-Cal County Organized Health System (MCOHS)

2 = Managed Care – Other

3 = Traditional Coverage

Expected Source of Payment - Plan Code Number

Field Name: pay plan

Definition: This four-digit code number refers to the name of those plans which are licensed

under the Knox-Keene Healthcare Service Plan Act of 1975 or designated as a Medi-Cal County Organized Health System (MCOHS). For more information see

Appendix H – Plan Code Numbers and the documentation:

https://hcai.ca.gov/data-and-reports/submit-data/patient-data/inpatient-reporting/

Variable Type: Character

SAS Length: 4

Reguest Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED

DATA - Model Data Set

Total Charges

Field Name: charge

Definition: Total Charges includes all charges for services rendered during the length of

stay for patient care at the facility, based on the hospital's full established rates (before contractual adjustments). Charges include, but are not limited to, daily hospital services, ancillary services and any patient care services. Hospital-based physician fees are excluded. Prepayments (e.g., deposits and

prepaid admissions) are not deducted from Total Charges.

Total charges are reported in whole numbers. When there are no charges (i.e. no bill generated) for the hospital stay, \$1 is reported by the hospital. All

records with \$0 charges, should be excluded from charge/day and

charge/stay calculations. Facilities with approved modifications to not report Total Charges are listed in Appendix C – Modifications and Exceptions.

Total Charges of \$9,999,999 indicates the actual charges exceed the maximum seven-digit input field size. Between 2015-2018, for stays longer than 365 days, total charges were modified to reflect the entire stay using the following formula: (Total Charges/365 days) x Length of stay. Beginning in 2019, only total charges for the final 365 days are to be reported.

For more information on charges related to total package, interim billing, physician professional component, and organ donors, see the documentation: https://hcai.ca.gov/data-and-reports/submit-data/patient-data/inpatient-

reporting/

Variable Type: Numeric

SAS Length: 8

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Total Charges (adjusted)

Field Name: charge adj

Definition: The Total Charges (adjusted) are rounded to whole numbers. If Total

Charges are greater than 99,999,999 then Total Charge (adjusted) is set to 99999999. If Total Charges are less than 0, the field is left blank. For stays longer than 365 days, Total Charges (adjusted) were modified to reflect the entire stay using the following formula: (Total Charges/365 days) x Length of

stay.

Variable Type: Numeric

SAS Length: 8

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set;

Do Not Resuscitate (DNR) Order (Pre-Hospital Care & Resuscitation)

Field Name: dnr

Definition: A "Do Not Resuscitate" (DNR) is a directive from a physician documented in

a patient's current inpatient record instructing that the patient is not to be resuscitated in the event of a cardiac or pulmonary arrest. In the event of a cardiac or pulmonary arrest, resuscitative measures include, but are not limited to, the following: cardiopulmonary resuscitation (CPR), intubation, defibrillation, cardioactive drugs, or assisted ventilation. If a DNR order is written at the time of or within 24 hours of the patient's admission and is then discontinued at some later time during the patient's hospital stay, the DNR is reported as "Y" for yes. If a DNR order is written after the first 24 hours of admission, the DNR is reported as "N" for no. All blank, missing and invalid

codes have been defaulted to "0".

The ICD-10-CM code Z66 (Do Not Resuscitate Status, effective October 1, 2015) does not change HCAI's reporting requirement for the data element Pre-hospital Care and Resuscitation/Do Not Resuscitate (DNR). The one important distinction between HCAI's DNR reporting requirement and the reporting of Z66 (ICD-10-CM) is the time frame. HCAI requires that a hospital report "Yes" if a DNR Order was written "at the time of or within the first 24 hours of the patient's admission." For Z66 code, effective October 1, 2015, the Official Coding Guidelines state that "this code may be used when a provider documents that a patient is on a 'do not resuscitate' status at any time during the stay." Because of these reporting criteria differences, a patient's record could be reported as "No" for HCAI's DNR reporting requirement along with the Z66 status codes. This may indicate that the patient's health status significantly worsened during the stay and resulted in a change to the DNR status. Similarly, a patient's record could be reported as "Yes" for HCAI's DNR reporting requirement, but without the Z66 codes.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set (for Hospitals only)

Not included in the Public Health version of the LIMITED DATA Model Data

Set.

Y = Yes, a DNR order was written at the time of or within the first 24 hours of the patient's admission

N = No, a DNR order was not written or written at the time of or within the first 24 hours of the patient's admission

- = Invalid

Major Diagnostic Category (MDC)

Field Name: MDC

Definition: The Major Diagnostic Categories (MDC) are formed by dividing all possible

Principal Diagnoses (from ICD-9) into 25 mutually exclusive diagnosis

groupings. The diagnoses in each MDC correspond to a single organ system or etiology and, in general, are associated with a particular medical specialty.

MDC 01 to MDC 23 are grouped according to Principal Diagnosis.

Patients are assigned to MDC 24 (Multiple Significant Trauma) with at least two significant trauma diagnosis codes (either as principal or secondary) from different body site categories. Patients assigned to MDC 25 (HIV Infections) must have a Principal Diagnosis of an HIV Infection or a principal diagnosis of

a significant HIV related condition and a secondary diagnosis of an HIV

Infection.

The most recent version of MS-DRG Definition Manual can be found here

(https://www.cms.gov/Medicare/Medicare-Fee-for-Service-

Payment/AcuteInpatientPPS/MS-DRG-Classifications-and-Software) For a list of MDC codes and labels see <u>Appendix I - Major Diagnostic</u>

Categories (MDC).

Note that MDC codes and their associated labels potentially change across

years and year-specific code-label crosswalk lists must be used.

Variable History: Beginning with 2008 data, the new Medicare Severity DRG (MS-DRG)

grouper was used. Coinciding with this change, HCAI applies each new grouper version to discharges based on the federal release date for the

MS-DRG grouper (usually October 1 of each year).

Variable Type: Character

SAS Length: 2

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Medicare Severity-Diagnosis Related Group (MS-DRG)

Field Name: MSDRG

Definition: One MS-DRG is assigned to each inpatient stay. The MS-DRGs are

assigned using the Principal diagnosis and additional diagnoses, the Principal procedure and additional procedures, sex, and discharge status. For a list of MS-DRG codes and labels see <u>Appendix J - Medicare Severity-Diagnosis Related Groups (MS-DRG)</u>. Note that MS-DRG codes and their associated labels potentially change across years and year-specific codelabel crosswalk lists must be used. Also see the MS-DRG Grouper Version

variable ("grouper").

Variable History: On October 1, 2007, the Centers for Medicare & Medicaid Services (CMS)

replaced the 538 Diagnosis-Related Groups (DRGs) with 745 Medicare Severity-Diagnostic Related Groups (MS-DRGs). HCAI implemented these changes beginning with the release of its 2008 Patient Discharge Data. Coinciding with this change, HCAI applies each new grouper version to discharges based on the federal release date for the MS-DRG grouper (usually October 1 of each year). Beginning with Grouper version 25.0, which was applied to discharges from January 1, 2008, through September 30, 2008, the use of "complications or comorbidities" (CCs) and patient age was

completely revised.

Variable Type: Character

SAS Length: 3

Reguest Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

MS-DRG Category

Field Name: cat_code

Definition: Each MS-DRG is categorized into one of three codes: Medical, Surgical, or

Ungroupable.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

1 = Medical MS-DRG

2 = Surgical MS-DRG

0 = Error DRG (998 or 999)

MS-DRG Severity Code

Field Name: sev_code

Definition: MS-DRGs are assigned based on the presence/absence of a

complication/comorbidity (CC) or major complication/comorbidity (MCC). MCCs are reserved for the more severely ill patients with life-threatening conditions. The revised CCs are reserved for patients with significant acute diseases, acute exacerbation of chronic diseases, advanced or end stage chronic diseases, or chronic diseases associated with extensive debility. The

list of ICD-9 codes for CC or MCC is mutually exclusive.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

0 = MS-DRG assignment not based on the presence of CC or MCC

1 = MS-DRG assignment is based on the presence of MCC

2 = MS-DRG assignment is based on the presence of CC

MS-DRG Grouper Version

Field Name: grouper

Definition: The Grouper Version number indicates the version applied to the record. In

transitioning from the DRG grouper to the MS-DRG grouper, HCAI began applying the MS-DRG grouper to discharges beginning on January 1, 2008.

HCAI now applies the latest version on October 1 of each year.

Variable Type: Character

SAS Length: 4

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

381 = includes discharges from October 1, 2020 through September 30, 2021

390 = includes discharges from October 1, 2021 through March 31, 2022

External Causes of Morbidity

Field Name: ecm1-ecm12

Definition: The external cause of injury/health conditions that describe the mechanism

that resulted in the most severe injury/health condition. External Causes are coded according to the ICD-10-CM External Causes of Morbidity (V00-Y99). Beginning in 2019, the External Cause of Morbidity was expanded from 5 to

12 fields.

Variable Type: Character (implied decimal after the 3rd character from the left for ICD-10-

CM).

SAS Length: 8

Reguest Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Present on Admission (POA) - External Causes of Morbidity

Field Name(s): epoa1-epoa12

Definition: An External Cause of Injury is considered present on admission (POA) if it is

identified in the history and physical examination or documented in the current inpatient medical records (e.g., emergency room, initial progress,

initial nursing assessment, clinic/office notes).

Variable History: Facilities were required to begin POA reporting on other E-codes for all

reported discharges on or after July 1, 2008. If External Cause of Morbidity is exempt from reporting Present on Admission, then the corresponding Present on Admission - External Cause of Morbidity is set

to E.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Y = Present at admission

N = Not present at admission

E = Exempt from reporting

W = Clinically undetermined

U = Unknown

- = Invalid

Blank = Missing

Principal Diagnosis

Field Name(s): diag p

Definition: The condition established, after study, to be the chief cause of the admission

of the patient to the hospital for care. Diagnoses are coded according to the

ICD-10-CM.

Variable Type: Character (implied decimal after the 3rd character from the left)

SAS Length: 8

Reguest Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Other Diagnoses (up to 24)

Field Name(s): odiag1-odiag24

Definition: All other conditions that coexist at the time of admission, that develop

subsequently during the hospital stay, or that affect the treatment received and/or the length of stay. Diagnoses that relate to an earlier episode that have no bearing on the current hospital stay are excluded. Diagnoses are

coded according to the ICD-10-CM.

Variable Type: Character (implied decimal after the 3rd character from the left)

SAS Length: 8

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Present on Admission (POA) - Principal Diagnosis

Field Name(s): poa_p

Definition: A condition is considered Present on Admission (POA) if it is identified in

the history and physical examination or documented in the current inpatient medical records (e.g., emergency room, initial progress, initial nursing assessment, clinic/office notes). Facilities were required to begin POA

reporting for all discharges on or after July 1, 2008.

Variable History: Beginning October 1, 2007, the National Uniform Billing Committee (NUBC)

adopted two additional indicators for a new standard claims data element

Present on Admission (POA). "W" was reported for diagnoses if the

physician was unable to clinically determine if the diagnosis was present at admission or not. A "1" was reported for diagnoses that are exempt from POA reporting. HCAI allowed hospitals to report these two new national standards from October 1, 2007, through June 30, 2008, while regulatory action was pending. HCAI required hospitals to begin POA reporting for all discharges on or after July 1, 2008. If Principal Diagnosis is exempt from

reporting, Present on Admission - Principal Diagnosis is set to E.

Variable Type: Character

SAS Length: 1

Reguest Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Y = Present at admission

N = Not present at admission

E = Exempt from reporting

W = Clinically undetermined

U = Unknown

- = Invalid

Present on Admission (POA) - Other Diagnoses (up to 24)

Field Name(s): opoa1- opoa24

Definition: A condition is considered Present on Admission (POA) if it is identified in

the history and physical examination or documented in the current inpatient medical records (e.g., emergency room, initial progress, initial nursing assessment, clinic/office notes). Facilities were required to begin POA

reporting for all discharges on or after July 1, 2008.

Variable History: Beginning October 1, 2007, the National Uniform Billing Committee (NUBC)

adopted two additional indicators for a new standard claims data element Present on Admission (POA). "W" was reported for diagnoses if the physician was unable to clinically determine if the diagnosis was present at admission or not. A "1" was reported for diagnoses that are exempt from POA reporting. HCAI allowed hospitals to report these two new national standards from October 1, 2007, through June 30, 2008, while regulatory action was pending. HCAI required hospitals to begin POA reporting for all discharges on or after July 1, 2008. If any Present on Admission - Other Diagnosis is exempt from reporting, that Present on Admission - Other Diagnosis is set to

E.

Variable Type: Character

SAS Length: 1

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Y = Present at admission

N = Not present at admission

E = Exempt from reporting

W = Clinically undetermined

U = Unknown

- = Invalid

Nonpublic Data Dictionary - NON-PUBLIC and LIMITED DATA

Principal Procedure

Field Name(s): proc_p

Definition: The procedure that is the one that was performed for definitive treatment

rather than one performed for diagnostic or exploratory purposes or was necessary to take care of a complication. If there appear to be two procedures that are Principal, then the one most related to the Principal Diagnosis is reported as Principal Procedure. When a patient is admitted within 72 hours (3 days) of a procedure performed in a licensed ambulatory surgery facility or as an outpatient in a hospital, the admitting hospital is required, under billing requirements, to add the procedure (and date) to the inpatient record. Therefore, procedures performed up to 3 days prior to admission are reported. Procedures are coded according to ICD-10- PCS.

Variable Type: Character

SAS Length: 7

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Other Procedures (up to 24)

Field Name(s): oproc1-oproc24

Definition: All other procedures, related to the patient's stay, which are surgical in

nature, carry a procedural risk, carry an anesthetic risk, or are needed for DRG assignment. When a patient is admitted within 72 hours (3 days) of a procedure performed in a licensed ambulatory surgery facility or as an outpatient in a hospital, the admitting hospital is required, under billing requirements, to add the procedure (and date) to the inpatient record. Therefore, procedures performed up to 3 days prior to admission are

reported. Procedures are coded according to ICD-10- PCS.

Variable Type: Character

SAS Length: 7

Reguest Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Principal Procedure Date

Field Name(s): proc pdt

Definition: The date the Principal Procedure was performed. When a patient is

admitted within 72 hours (3 days) of a procedure performed in a licensed ambulatory surgery facility or as an outpatient in a hospital, the admitting hospital is required, under billing requirements, to add the procedure (and date) to the inpatient record. Therefore, procedures performed up to 3 days

prior to admission are reported.

Variable Type: Numeric

SAS Length: 8 (MMDDYY10.)

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Other Procedures Dates (up to 24)

Field Name(s): procdt1-procdt24

Definition: The date each Other Procedure was performed. When a patient is

admitted within 72 hours (3 days) of a procedure performed in a licensed ambulatory surgery facility or as an outpatient in a hospital, the admitting hospital is required, under billing requirements, to add the procedure (and date) to the inpatient record. Therefore, procedures performed up to 3 days

prior to admission are reported.

Variable Type: Numeric (MMDDYY10.)

SAS Length: 8

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set

Principal Procedure Davs

Field Name(s): proc pdy

Definition: The number of days between the patient's Date of Admission and date of

the Principal Procedure. If the procedure was performed prior to admission,

this value will be prefixed with a minus (-) sign. If no procedure was performed, the days to Principal Procedure were shown as "."

Variable Type: Numeric

SAS Length: 8

Reguest Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model

Data Set

Other Procedures Days (up to 24)

Field Name(s): procdy1-procdy24

Definition: The number of days between the patient's Date of Admission and date of

the Other Procedure. If the procedure was performed prior to admission, this value will be prefixed with a minus (-) sign. If a secondary procedure is

not reported, then the number of days is assigned a value of "."

Variable Type: Numeric

SAS Length: 8

Request Type: NON-PUBLIC; LIMITED DATA - Custom Data Set; LIMITED DATA - Model