UNIVERSITY OF CALIFORNIA, SAN DIEGO

BERKELEY · DAVIS · IRVINE · LOS ANGELES · MERCED · RIVERSIDE · SAN DIEGO · SAN FRANCISCO SANTA BARBARA · SANTA CRUZ

DEPARTMENT OF PHYSICS
9500 GILMAN DRIVE, 0319
LA JOLLA, CALIFORNIA 92093-0319

(858) 246-4980

June 28, 2021

Distinguished Professor M. Brian Maple
Chair of the Department of Physics
University of California San Diego

Dear Professor Maple,

Below, I descibe my contributions to research, teaching, service, and equity, diversity and inclusion since my appointment on July 1, 2019. Enclosed is also a selected bibliography for papers to which I have contributed significantly.

Research

My research focuses on (1) searches for and measurements of Higgs bosons decaying to quarks with large transverse momentum (p_{T}), (2) searches for exotic new physics involving jets, and (3) developing machine learning (ML) algorithms to enable these physics results and improve the real-time LHC event selection in the trigger.

Within the CMS Collaboration, I led the search for high-p_{T} Higgs bosons decaying to bottom quark-antiquark pairs ($\mathrm{b\bar{b}}$) [**C.1**], which is now submitted to *J. High Energy Phys*. This search is unique because it probes the p_{T} spectrum of the Higgs boson above 1 TeV and uses deep learning techniques that I developed to better identify its decays relative to a previous search that I also led [**A.I.a.575**]. For this current work, I was the contactperson (first author within the collaboration) with responsibilities including writing the paper and responding to internal and external reviews. I directly supervised the small team of graduate students and postdoctoral researchers working on the analysis and developed parts of the analysis framework and statistical tools used. During this review period, I have also made significant contributions to several other CMS publications involving jet-based searches for new physics [**A.I.a.822**, **A.I.a.823**, **A.I.a.871**, **A.I.a.881**] through development of the analysis framework and statistical analysis tools used, mentorship of the graduate students involved, significant reviews of the methods, and coordination of the small analysis teams including organizing weekly meetings.

In terms of scientific management, I serve as the co-convener of the CMS physics analysis subgroup for exotic physics searches with jets in the final state. In this capacity, I coordinated biweekly subgroup meetings, reviewed in detail and "signed-off" on each analysis, and helped shepherd toward publication six CMS papers, with at least six others in the pipeline. Finally, as a member of the CMS Collaboration, I am an author of all CMS publications since 2011 that are listed in my complete bibliography. A number of these works benefit from my indirect contributions in the form of resources and personnel, as well as my development of deep neural networks for Higgs boson identification and b-tagging, trigger algorithms, and statistical analysis tools within CMS. As such, the author contribution codes are set to 8 (resources) and 9 (software) for all other CMS publications.

Outside of the CMS Collaboration, my research has focused on developing new ML algorithms for particle physics and efficiently implementing them on field-programmable gate arrays (FPGAs). This work is done in collaboration with a relatively small number of co-authors and I made significant intellectual, technical, and writing contributions to these papers. The novel ML algorithms I helped develop in Ref. [**A.I.a.829**, **A.I.a.883**] focus on improving the identification of jets, especially those produced by Higgs bosons. In Ref. [**A.I.a.829**, **A.I.a.883**], I helped conceptualize the ML algorithms, directly supervised the undergraduate student, who is first author, performing the studies, and I was the corresponding author. I have also contributed to the design, implementation, and study of fast ML algorithms on FPGAs for particle physics [**A.I.a.798**, **A.I.a.866**, **A.I.a.874**]. In Ref. [**A.I.a.798**], I developed and trained the top quark identification algorithm based on the ResNet-50 convolutional neural network that we used to benchmark the acceleration with FPGA coprocessing as a service. In Ref. [**A.I.a.866**, **A.I.a.874**], we ex-

tended the software/firmware compiler framework called `hls4ml` [**A.I.a.647**], which I helped create, to include new implementations of boosted decision trees and binary and ternary neural networks. I reviewed and tested these implementations and made major contributions to writing the manuscripts. The goal of this work is to realize advanced artificial intellgience (AI) techniques in the low-latency, resource-constrained environment of the trigger.

I have also begun building a research group, including two graduate students, Raghav Kansal (year 1) and Farouk Mokhtar (incoming) and two undergraduate students, Steven Tsan (year 3, Computer Science) and Vesal Razavimaleki (year 3, Engineering Physics). I have helped both of the undergraduate students secure funding for their summer research projects through the Triton Research and Experiential Learning Scholars (TRELS) program ($5,000 stipend) and an IRIS-HEP fellowship ($6,000 stipend). I am also in the process of recruiting a postdoctoral researcher.

I devoted substantial effort to securing external funding by submitting several applications to the NSF and the DOE, four of which have been funded during this review period. One is from the NSF for a new AI-centric supercomputer at SDSC "Category II: Exploring Neural Network Processors for AI in Science and Engineering" ($5,000,000). The second is a sub-award from Internet2's NSF grant for "Investigating Heterogeneous Computing at the Large Hadron Collider" ($721,000 total with $500,000 in cloud computing credits shared among the team). This project involves deploying heterogeneous computing resources in the cloud at scale for LHC event reconstruction. The third is a DOE award entitled "FAIR Framework for Physics-Inspired Artificial Intelligence in High Energy Physics" ($2,250,000 total with $450,000 for my group) for developing findable, accessible, interoperable, and reusable datasets and AI models for high energy physics. Finally, the fourth is a DOE Early Career Award for "Real-Time Artificial Intelligence for Particle Reconstruction and Higgs Physics" ($750,000 over five years). As part of this latter award, I plan to design, test, and validate FPGA-based real-time ML algorithms that improve particle, jet, and missing transverse energy reconstruction in the trigger. I also plan to initate new CMS data analyses for high-p_{T} Higgs bosons decaying to W bosons.

Teaching

During the spring quarter 2020, I taught Physics 2C to 350 students. I adopted a "flipped classroom" format with readings and conceptual homework assignments due prior to each lecture. During the lecture, I would then briefly review the material from the readings and the homework using the document camera to write notes, focusing on conceptually challenging issues. I used a student response system (iClicker) to promote active learning, engage the students, and better understand the difficulties that they were having with the material. I used the ETS podcasting service to ensure students could view the lecture even if they could not attend in person. To facilitate learning outside of the classroom, my team of TAs and I quickly responded to students questions on Piazza. On the forum, there were 376 posts consisting of 1,359 total contributions, and an average response time of 25 minutes (See `https://piazza.com/demo_login?nid=k2kxqrgmz9e75y&auth=cd03ae6`). Finally, because of the COVID-19 pandemic, I decided to have a no-fault online final exam. Overall, I received good ratings in the CAPES evaluations with 63.7% of the class responding, 89.4% recommending the course, and 98.1% recommending me as the instructor.

In fall quarter 2020, I will lead the Physics 191 undergraduate seminar course and act as a scientific domain mentor for DSC 180A, the first quarter of the data science capstone project course. In winter quater 2021, I plan to teach Physics 2C and continue assisting with DSC 180B, and in the spring quarter, I plan to teach Physics 2C again.

Service

During 2019–2020 academic year, I served on the Physics Department Graduate Admissions Committee. This included carefully reviewing and scoring 107 graduate applications. As an invited faculty speaker, I spoke at the Young Physicists Program (YPP). In terms of service more broadly, I have peer-reviewed papers for *Eur. Phys. J. C* and *Nucl. Instrum. Methods Phys. Res. A* and reviewed grant applications for the European Science Foundation and the French National Research Agency. I am actively paricipating in the Snowmass 2021 process, which defines the

priorites for the US HEP program for the next decade.

Equity, Diversity, and Inclusion

After speaking at the YPP program, I was interested in how to increase participation from underrepresented and underserved communities in San Diego. Thus, I met with the CREATE STEM Success Initative (CSSI) team to discuss how to increase this participation to YPP, including acquiring funding from NSF grants for providing transportation to our program. Unfortunately, the COVID-19 pandemic halted these initiatives temporarily as the YPP program was suspended. Within a US CMS program, I am mentoring a Latinx graduate student (Daniel Guerrero) through biweekly chats, and independently I am mentoring an undegraduate student (Daniel Gaytan) from the University of Sonora in Mexico. On Wednesday June 10, 2020, I participated in a discussion with colleagues in the Physics Department toward addressing the existing inequalities within our department and new initiatives to address them.

Sincerely

Javier Duarte
Assistant Professor of Physics
University of California San Diego
jduarte@ucsd.edu

[906] ∗ CMS Collaboration, "Reconstruction of signal amplitudes in the CMS electromagnetic calorimeter in the presence of overlapping proton-proton interactions", J. Instrum. **15**, P10002 (2020), doi:10.1088/1748-0221/15/10/P10002, arXiv:2006.14359.

[907] ∗ CMS Collaboration, "Search for a light charged Higgs boson in the $H^{\pm} \to cs$ channel in proton-proton collisions at $\sqrt{s} = 13$ TeV", Phys. Rev. D **102**, 072001 (2020), doi:10.1103/PhysRevD.102.072001, arXiv:2005.08900.

[908] ∗ CMS Collaboration, "Evidence for top quark production in nucleus-nucleus collisions", Phys. Rev. Lett. **125**, 222001 (2020), doi:10.1103/PhysRevLett.125.222001, arXiv:2006.11110.

[909] ∗ CMS Collaboration, "Investigation into the event-activity dependence of Υ(nS) relative production in proton-proton collisions at $\sqrt{s}$ = 7 TeV", J. High Energy Phys. **11**, 001 (2020), doi:10.1007/JHEP11(2020)001, arXiv:2007.04277.

[910] ∗ CMS Collaboration, "Measurement of the top quark Yukawa coupling from $t\bar{t}$ kinematic distributions in the dilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV", Phys. Rev. D **102**, 092013 (2020), doi:10.1103/PhysRevD.102.092013, arXiv:2009.07123.

[911] ∗ CMS Collaboration, "Measurements of the W boson rapidity, helicity, double-differential cross sections, and charge asymmetry in pp collisions at $\sqrt{s} = 13$ TeV", Phys. Rev. D **102**, 092012 (2020), doi:10.1103/PhysRevD.102.092012, arXiv:2008.04174.

[912] ∗ CMS Collaboration, "Search for decays of the 125 GeV Higgs boson into a Z boson and a ρ or ϕ meson", J. High Energy Phys. **11**, 039 (2020), doi:10.1007/JHEP11(2020)039, arXiv:2007.05122.

[913] ∗ J. Ngadiuba et al., "Compressing deep neural networks on FPGAs to binary and ternary precision with hls4ml", Mach. Learn.: Sci. Technol. **2**, 015001 (2020), doi:10.1088/2632-2153/aba042, arXiv:2003.06308.

[914] ∗ CMS Collaboration, "Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV", J. High Energy Phys. **12**, 85 (2020), doi:10.1007/JHEP12(2020)085, arXiv:2006.13251.

[915] ∗ CMS Collaboration, "Evidence for electroweak production of four charged leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV", Phys. Lett. B **812**, 135992 (2021), doi:10.1016/j.physletb.2020.135992, arXiv:2008.07013.

[916] ∗ CMS Collaboration, "Measurements of production cross sections of polarized same-sign W boson pairs in association with two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV", Phys. Lett. B **812**, 136018 (2021), doi:10.1016/j.physletb.2020.136018, arXiv:2009.09429.

[917] ∗ CMS Collaboration, "Search for dark matter produced in association with a leptonically decaying Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV", Eur. Phys. J. C **81**, 13 (2021), doi:10.1140/epjc/s10052-020-08739-5, arXiv:2008.04735.

[918] ∗ CMS Collaboration, "Search for top squark pair production using dilepton final states in pp collision data collected at $\sqrt{s} = 13$ TeV", Eur. Phys. J. C **81**, 3 (2021), doi:10.1140/epjc/s10052-020-08701-5, arXiv:2008.05936.

[919] ∗ CMS Collaboration, "Studies of charm and beauty hadron long-range correlations in pp and pPb collisions at LHC energies", Phys. Lett. B **813**, 136036 (2021), doi:10.1016/j.physletb.2020.136036, arXiv:2009.07065.

[920] ∗ Y. Iiyama et al., "Distance-weighted graph neural networks on FPGAs for real-time particle reconstruction in high energy physics", Front. Big Data **3**, 44 (2021), doi:10.3389/fdata.2020.598927, arXiv:2008.03601.

[921] ∗ T. Åarrestad et al., "Fast convolutional neural networks on FPGAs with hls4ml", (2021), doi:10.1088/2632-2153/ac0ea1, arXiv:2101.05108, Accepted by *Mach. Learn.: Sci. Technol.*

[922] ∗ B. Hawks et al., "Ps and Qs: Quantization-aware pruning for efficient low latency neural network inference", (2021), doi:10.3389/frai.2021.676564, arXiv:2102.11289, Accepted by *Front. Big AI.*

[923] ∗ J. Krupa et al., "GPU coprocessors as a service for deep learning inference in high energy physics", Mach. Learn. Sci. Tech. **2**, 035005 (2021), doi:10.1088/2632-2153/abec21, arXiv:2007.10359.

[924] ∗ G. D. Guglielmo et al., "A reconfigurable neural network ASIC for detector front-end data compression at the HL-LHC", (2021), doi:10.1109/TNS.2021.3087100, arXiv:2105.01683, Accepted by *IEEE Trans. Nucl. Sci.*

[925] ∗ J. Pata et al., "MLPF: efficient machine-learned particle-flow reconstruction using graph neural networks", Eur. Phys. J. C **81**, 381 (2021), doi:10.1140/epjc/s10052-021-09158-w, arXiv:2101.08578.

A.I.a. Research Articles

[278] CMS Collaboration, "Search for supersymmetry using razor variables in events with b-tagged jets in pp collisions at $\sqrt{s} = 8\,\text{TeV}$", Phys. Rev. D **91**, 052018 (2015), doi:10.1103/PhysRevD.91.052018, arXiv:1502.00300.

[311] D. Anderson et al., "Precision timing measurements for high energy photons", Nucl. Instrum. Methods Phys. Res. A **787**, 94 (2015), doi:10.1016/j.nima.2014.11.041.

[318] D. Anderson et al., "On timing properties of LYSO-based calorimeters", Nucl. Instrum. Methods Phys. Res. A **794**, 7 (2015), doi:10.1016/j.nima.2015.04.013.

[374] D. Anderson and others, "Precision timing calorimeter for high energy physics", IEEE Trans. Nucl. Sci. **63**, 591 (2016), doi:10.1109/TNS.2016.2528166.

[397] D. Anderson et al., "Precision timing calorimeter for high energy physics", Nucl. Instrum. Methods Phys. Res. A **824**, 670 (2016), doi:10.1016/j.nima.2015.11.129.

[445] CMS Collaboration, "Inclusive search for supersymmetry using razor variables in pp collisions at $\sqrt{s} = 13\,\text{TeV}$", Phys. Rev. D **95**, 012003 (2017), doi:10.1103/PhysRevD.95.012003, arXiv:1609.07658.

[492] CMS Collaboration, "Search for dijet resonances in proton-proton collisions at $\sqrt{s} = 13\,\text{TeV}$ and constraints on dark matter and other models", Phys. Lett. B **769**, 520 (2017), doi:10.1016/j.physletb.2017.02.012, arXiv:1611.03568, [Erratum: Phys. Lett. B 772, 882 (2017)].

[571] CMS Collaboration, "Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13\,\text{TeV}$", J. High Energy Phys. **01**, 097 (2018), doi:10.1007/JHEP01(2018)097, arXiv:1710.00159.

[575] CMS Collaboration, "Inclusive search for a highly boosted Higgs boson decaying to a bottom quark-antiquark pair", Phys. Rev. Lett. **120**, 071802 (2018), doi:10.1103/PhysRevLett.120.071802, arXiv:1709.05543.

[607] CMS Collaboration, "Search for supersymmetry with Higgs boson to diphoton decays using the razor variables at $\sqrt{s} = 13\,\text{TeV}$", Phys. Lett. B **779**, 166 (2018), doi:10.1016/j.physletb.2017.12.069, arXiv:1709.00384.

[647] J. Duarte et al., "Fast inference of deep neural networks in FPGAs for particle physics", J. Instrum. **13**, P07027 (2018), doi:10.1088/1748-0221/13/07/P07027, arXiv:1804.06913.

[664] CMS Collaboration, "Search for narrow and broad dijet resonances in proton-proton collisions at $\sqrt{s} = 13\,\text{TeV}$ and constraints on dark matter mediators and other new particles", J. High Energy Phys. **08**, 130 (2018), doi:10.1007/JHEP08(2018)130, arXiv:1806.00843.

[670] CMS Collaboration, "Observation of Higgs boson decay to bottom quarks", Phys. Rev. Lett. **121**, 121801 (2018), doi:10.1103/PhysRevLett.121.121801, arXiv:1808.08242.

[715] CMS Collaboration, "Search for low-mass resonances decaying into bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13\,\text{TeV}$", Phys. Rev. D **99**, 012005 (2019), doi:10.1103/PhysRevD.99.012005, arXiv:1810.11822.

[763] CMS Collaboration, "Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s} = 13\,\text{TeV}$", Eur. Phys. J. C **79**, 421 (2019), doi:10.1140/epjc/s10052-019-6909-y, arXiv:1809.10733.

[765] CMS Collaboration, "Measurement and interpretation of differential cross sections for Higgs boson production at $\sqrt{s} = 13\,\text{TeV}$", Phys. Lett. B **792**, 369 (2019), doi:10.1016/j.physletb.2019.03.059, arXiv:1812.06504.

[798] ∗ J. Duarte et al., "FPGA-accelerated machine learning inference as a service for particle physics computing", Comput. Softw. Big Sci. **3**, 13 (2019), doi:10.1007/s41781-019-0027-2, arXiv:1904.08986.

[822] ∗ CMS Collaboration, "Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13\,\text{TeV}$", Phys. Rev. D **100**, 112007 (2019), doi:10.1103/PhysRevD.100.112007, arXiv:1909.04114.

[823] ∗ CMS Collaboration, "Search for low-mass quark-antiquark resonances produced in association with a photon at $\sqrt{s} = 13\,\text{TeV}$", Phys. Rev. Lett. **123**, 231803 (2019), doi:10.1103/PhysRevLett.123.231803, arXiv:1905.10331.

[830] ∗ E. A. Moreno et al., "JEDI-net: a jet identification algorithm based on interaction networks", Eur. Phys. J. C **80**, 58 (2020), doi:10.1140/epjc/s10052-020-7608-4, arXiv:1908.05318.

[867] ∗ S. Summers et al., "Fast inference of boosted decision trees in FPGAs for particle physics", J. Instrum. **15**, P05026 (2020), doi:10.1088/1748-0221/15/05/p05026, arXiv:2002.02534.

[872] ∗ CMS Collaboration, "Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $\sqrt{s} = 13\,\text{TeV}$", J. High Energy Phys. **05**, 033 (2020), doi:10.1007/JHEP05(2020)033, arXiv:1911.03947.

[881] ∗ CMS Collaboration, "Search for dijet resonances using events with three jets in proton-proton collisions at $\sqrt{s} = 13\,\text{TeV}$", Phys. Lett. B **805**, 135448 (2020), doi:10.1016/j.physletb.2020.135448, arXiv:1911.03761.

[883] ∗ E. A. Moreno et al., "Interaction networks for the identification of boosted $\text{H} \to \text{b}\overline{\text{b}}$ decays", Phys. Rev. D **102**, 012010 (2020), doi:10.1103/PhysRevD.102.012010, arXiv:1909.12285.

[913] ∗ J. Ngadiuba et al., "Compressing deep neural networks on FPGAs to binary and ternary precision with hls4ml", Mach. Learn.: Sci. Technol. **2**, 015001 (2020), doi:10.1088/2632-2153/aba042, arXiv:2003.06308.

[914] ∗ CMS Collaboration, "Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13\,\text{TeV}$", J. High Energy Phys. **12**, 85 (2020), doi:10.1007/JHEP12(2020)085, arXiv:2006.13251.

[920] ∗ Y. Iiyama et al., "Distance-weighted graph neural networks on FPGAs for real-time particle reconstruction in high energy physics", Front. Big Data **3**, 44 (2021), doi:10.3389/fdata.2020.598927, arXiv:2008.03601.

[921] ∗ T. Åarrestad et al., "Fast convolutional neural networks on FPGAs with hls4ml", (2021), doi:10.1088/2632-2153/ac0ea1, arXiv:2101.05108, Accepted by *Mach. Learn.: Sci. Technol.*

[922] ∗ B. Hawks et al., "Ps and Qs: Quantization-aware pruning for efficient low latency neural network inference", (2021), doi:10.3389/frai.2021.676564, arXiv:2102.11289, Accepted by *Front. Big AI.*

[923] ∗ J. Krupa et al., "GPU coprocessors as a service for deep learning inference in high energy physics", Mach. Learn. Sci. Tech. **2**, 035005 (2021), doi:10.1088/2632-2153/abec21, arXiv:2007.10359.

[924] ∗ G. D. Guglielmo et al., "A reconfigurable neural network ASIC for detector front-end data compression at the HL-LHC", (2021), doi:10.1109/TNS.2021.3087100, arXiv:2105.01683, Accepted by *IEEE Trans. Nucl. Sci.*

[925] ∗ J. Pata et al., "MLPF: efficient machine-learned particle-flow reconstruction using graph neural networks", Eur. Phys. J. C **81**, 381 (2021), doi:10.1140/epjc/s10052-021-09158-w, arXiv:2101.08578.

A.IV. Refereed Conference Proceedings

[1] ∗ J. Duarte et al., "Accelerated machine learning as a service for particle physics computing", in 2nd Machine Learning and the Physical Sciences Workshop at the 33rd Conference on Neural Information Processing Systems (Dec. 2019), doi:10.5281/zenodo.3895029, https://ml4physicalsciences.github.io/2019/files/NeurIPS_ML4PS_2019_64.pdf.

[2] ∗ E. A. Moreno et al., "Interaction networks for the identification of Higgs boson decays to bottom quark-antiquark pairs", in 2nd Machine Learning and the Physical Sciences Workshop at the 33rd Conference on Neural Information Processing Systems (Dec. 2019), doi:10.5281/zenodo.3895048, https://ml4physicalsciences.github.io/2019/files/NeurIPS_ML4PS_2019_71.pdf.

[3] ∗ J. Duarte et al., "Low-latency machine learning inference on FPGAs", in 2nd Machine Learning and the Physical Sciences Workshop at the 33rd Conference on Neural Information Processing Systems (Dec. 2019), doi:10.5281/zenodo.3895081, https://ml4physicalsciences.github.io/2019/files/NeurIPS_ML4PS_2019_74.pdf.

[4] ∗ D. S. Rankin et al., "FPGAs-as-a-service toolkit (FaaST)", in 2020 IEEE/ACM International Workshop on Heterogeneous High-performance Reconfigurable Computing (H2RC) (Nov. 2020), p. 38, doi:10.1109/H2RC51942.2020.00010, arXiv:2010.08556.

[5] ∗ A. Heintz et al., "Accelerated charged particle tracking with graph neural networks on FPGAs", in 3rd Machine Learning and the Physical Sciences Workshop at the 34th Conference on Neural Information Processing Systems (Dec. 2020), arXiv:2012.01563, https://ml4physicalsciences.github.io/2020/files/NeurIPS_ML4PS_2020_137.pdf.

[6] ∗ R. Kansal et al., "Graph generative adversarial networks for sparse data generation in high energy physics", in 3rd Machine Learning and the Physical Sciences Workshop at the 34th Conference on Neural Information Processing Systems (Dec. 2020), arXiv:2012.00173, https://ml4physicalsciences.github.io/2020/files/NeurIPS_ML4PS_2020_104.pdf.

[7] ∗ G. Dezoort et al., "Charged particle tracking via edge-classifying interaction networks", in 25th International Conference on Computing in High-Energy and Nuclear Physics (Mar. 2021), arXiv:2103.16701.

[8] ∗ F. Fahim et al., "Hls4ml: an open-source codesign workflow to empower scientific low-power machine learning devices", in 1st tinyML Research Symposium (Mar. 2021), arXiv:2103.05579.

B.I. Other Conference Proceedings

[1] J. Duarte, "Search for natural supersymmetry in events with 1 b-tagged jet using razor variables at 8 TeV", in 2nd Large Hadron Collider Physics Conference (Sept. 2014), arXiv:1409.4466.

[2] A. Bornheim et al., "Calorimeters for precision timing measurements in high energy physics", in 16th International Conference on Calorimetry in Particle Physics (Feb. 2015), doi:10.1088/1742-6596/587/1/012057.

[3] D. Anderson et al., "Studies towards a precision timing calorimeter for high energy physics collider experiments", in 2015 ieee nuclear science symposium and medical imaging conference (nss/mic) (Oct. 2015), p. 1, doi:10.1109/NSSMIC.2015.7581887.

[4] J. Duarte, "Inclusive Searches for Supersymmetry with the CMS detector at $\sqrt{s} = 8\,\text{TeV}$", in 37th International Conference on High Energy Physics (May 2016), doi:10.1016/j.nuclphysbps.2015.09.071.

[5] A. Bornheim et al., "Comparative test beam studies of precision timing calorimeter technologies", in 2016 IEEE Nuclear Science Symposium and Medical Imaging Conference (Oct. 2016), doi:10.1109/NSSMIC.2016.8069874.

[6] A. Bornheim et al., "LYSO based precision timing calorimeters", in 17th International Conference on Calorimetry in Particle Physics, Vol. 928 (Nov. 2017), p. 012023, doi:10.1088/1742-6596/928/1/012023.

[7] J. Duarte, "Fast reconstruction and data scouting", in 4th International Workshop Connecting The Dots (Aug. 2018), arXiv:1808.00902.

[8] K. Albertsson et al., "Machine learning in high energy physics community white paper", in 18th International Workshop on Advanced Computing and Analysis Techniques in Physics Research (ACAT 2017), Vol. 1085 (Sept. 2018), p. 022008, doi:10.1088/1742-6596/1085/2/022008, arXiv:1807.02876.

[9] HEP Software Foundation Collaboration, "HL-LHC Computing Review: Common Tools and Community Software", in 2021 Snowmass Summer Study, edited by P. Canal et al. (Aug. 2020), doi:10.5281/zenodo.4009114, arXiv:2008.13636.

[10] Woźniak, Kinga A. et al., "New physics agnostic selections for new physics searches", in 24th International Conference on Computing in High Energy and Nuclear Physics (CHEP 2019), Vol. 245 (Nov. 2020), p. 06039, doi:10.1051/epjconf/202024506039.

B.IV. Additional Products of Major Research

[1] J. Duarte et al., *Squark-mediated Higgs+jets production at the LHC*, Mar. 2017, arXiv:1703.06544.

[2] CMS Collaboration, *Performance of deep tagging algorithms for boosted double quark jet topology in proton-proton collisions at 13 TeV with the Phase-0 CMS detector*, CMS Detector Performance Note CMS-DP-2018-046 (July 2018), https://cds.cern.ch/record/2630438.

[3] CMS Collaboration, *Searches for dijet resonances in pp collisions at $\sqrt{s} = 13\,TeV$ using the 2016 and 2017 datasets*, CMS Physics Analysis Summary CMS-PAS-EXO-17-026 (Sept. 2018), https://cds.cern.ch/record/2637847.

[4] CMS Collaboration, *The Phase-2 upgrade of the CMS Level-1 trigger*, CMS Technical Design Report CERN-LHCC-2020-004. CMS-TDR-021 (Apr. 2020), https://cds.cern.ch/record/2714892.

[5] ∗ CMS Collaboration, *Search for higgs boson decays into long-lived particles in associated Z boson production*, CMS Physics Analysis Summary (May 2021), https://cds.cern.ch/record/2767507.

[6] ∗ CMS Collaboration, *Search for long-lived particles decaying in the CMS endcap muon system in proton-proton collisions at $\sqrt{s} = 13\,TeV$*, CMS Physics Analysis Summary (May 2021), https://cds.cern.ch/record/2767484.

C. Work In Progress

[1] ∗ A. Zlokapa et al., "Charged particle tracking with quantum annealing-inspired optimization", (2019), arXiv:1908.04475, Submitted to *Quantum Mach. Intell.*

[2] ∗ J. S. John et al., "Real-time artificial intelligence for accelerator control: a study at the Fermilab Booster", (2020), arXiv:2011.07371, Submitted to *Phys. Rev. Accel. Beams*.

[3] ∗ J. Duarte et al., "Graph neural networks for particle tracking and reconstruction", in *Artificial Intelligence for High Energy Physics*, edited by P. Calafiura et al., Submitted to *Int. J. Mod. Phys. A* (World Scientific Publishing, Dec. 2020), doi:10.1142/12200, arXiv:2012.01249.

[4] ∗ G. Kasieczka et al., "The LHC Olympics 2020: A community challenge for anomaly detection in high energy physics", (2021), arXiv:2101.08320, Submitted to *Rep. Prog. Phys.*

[5] ∗ T. Åarrestad et al., "The Dark Machines anomaly score challenge: Benchmark data and model independent event classification for the Large Hadron Collider", (2021), arXiv:2105.14027, Submitted to *SciPost Phys.*

[6] ∗ C. Banbury et al., "MLPerf Tiny benchmark", in , Submitted to *Neural Information Processing Systems* (June 2021), arXiv:2106.07597, https://openreview.net/forum?id=8RxxwAut1BI, Submitted to *Neural Information Processing Systems*.

[7] ∗ R. Kansal et al., "Particle cloud generation with message passing generative adversarial networks", in , Submitted to *Neural Information Processing Systems* (June 2021), arXiv:2106.11535, https://openreview.net/forum?id=iorEu783qJ5, Submitted to *Neural Information Processing Systems*.