

CIRCLES AND ELLIPSES

JASON MEDCOFF

We know that the general formula for arc length of a parametric curve is given by

$$p = \int_c^d \sqrt{\left(\frac{dx}{dt}\right)^2 + \left(\frac{dy}{dt}\right)^2} dt.$$

The given equation can be parameterized such that $x = a \cos \theta$ and $y = b \sin \theta$. In addition, finding the arc length in the first quadrant and then multiplying by four will give the total circumference. Then we have the circumference of the curve as

$$p = 4 \int_0^{\frac{\pi}{2}} \sqrt{a^2 \sin^2 \theta + b^2 \cos^2 \theta} d\theta$$

Noting that $\sin^2 \theta = 1 - \cos^2 \theta$, we can write

$$p = 4 \int_0^{\frac{\pi}{2}} \sqrt{a^2(1 - \cos^2 \theta) + b^2 \cos^2 \theta} d\theta$$

and simplify to get

$$p = 4 \int_0^{\frac{\pi}{2}} \sqrt{a^2 + (b^2 - a^2) \cos^2 \theta} d\theta.$$

We let the eccentricity ε be defined as

$$\varepsilon = \frac{\sqrt{a^2 - b^2}}{a}.$$

Now we can write the circumference as

$$p = 4a \int_0^{\frac{\pi}{2}} \sqrt{1 - \varepsilon^2 \cos^2 \theta} d\theta.$$

We know that the binomial series, a special Maclaurin series, gives

$$(z + 1)^\alpha = \sum_{k=0}^{\infty} \binom{\alpha}{k} z^k = 1 + \alpha z + \frac{\alpha(\alpha - 1)}{2!} z^2 + \dots$$

This series can be applied to the argument of the circumference integral with $\alpha = 1/2$ and $z = -\varepsilon^2 \cos^2 \theta$. Specifically, we have

$$\sqrt{1 - \varepsilon^2 \cos^2 \theta} = 1 - \frac{\varepsilon^2 \cos^2 \theta}{2} - \sum_{k=2}^{\infty} \binom{1/2}{k} (\varepsilon^2 \cos^2 \theta)^k$$

Note that since ε describes the eccentricity of the ellipse, its value must be strictly between 0 and 1. Also, $|\cos^2 \theta| \leq 1$ for all θ . So, the series converges.

Returning to the circumference, we have

$$\begin{aligned}
 p &= 4a \int_0^{\frac{\pi}{2}} \left[1 - \frac{\varepsilon^2 \cos^2 \theta}{2} - \sum_{k=2}^{\infty} \binom{1/2}{k} z^k \right] d\theta \\
 &= 4a \int_0^{\frac{\pi}{2}} d\theta - 4a \int_0^{\frac{\pi}{2}} \frac{\varepsilon^2 \cos^2 \theta}{2} d\theta - 4a \int_0^{\frac{\pi}{2}} \sum_{k=2}^{\infty} \binom{1/2}{k} (\varepsilon^2 \cos^2 \theta)^k
 \end{aligned}$$