

Results -- per-OOD-set AUROC / FPR95 (%)

Layer-weighting variant	Texture	SVHN	CIFAR10	Tiny ImageNet	LSUN	Places365	Average
Uniform ($w_l = 1/L$)	100.00 / 0.00	99.94 / 0.12	95.97 / 19.66	99.99 / 0.05	100.00 / 0.00	100.00 / 0.00	99.32 / 3.30
Trace-only (X-Maha)	100.00 / 0.00	99.91 / 0.27	97.19 / 14.43	99.99 / 0.06	100.00 / 0.00	100.00 / 0.00	99.52 / 2.46
HSKP softmax ($\tau=0.5$)	100.00 / 0.00	99.94 / 0.12	96.00 / 19.47	99.99 / 0.05	100.00 / 0.00	100.00 / 0.00	99.32 / 3.27
Pure Fisher ratio (S_b/S_w) ²	100.00 / 0.00	99.92 / 0.23	97.03 / 15.30	99.99 / 0.06	100.00 / 0.00	100.00 / 0.00	99.49 / 2.60
Fisher-disc $\gamma=0.5$	100.00 / 0.00	99.91 / 0.30	97.30 / 13.88	99.98 / 0.06	100.00 / 0.00	100.00 / 0.00	99.53 / 2.37
Fisher-disc $\gamma=1.0$	100.00 / 0.00	99.90 / 0.33	97.39 / 13.33	99.98 / 0.06	100.00 / 0.00	100.00 / 0.00	99.55 / 2.29
Fisher-disc $\gamma=2.0$ <- final.py default	100.00 / 0.00	99.89 / 0.36	97.51 / 12.61	99.98 / 0.06	100.00 / 0.00	100.00 / 0.00	99.56 / 2.17
Fisher-disc $\gamma=3.0$	100.00 / 0.00	99.88 / 0.40	97.60 / 12.32	99.98 / 0.06	100.00 / 0.00	100.00 / 0.00	99.58 / 2.13

Each cell is `AUROC / FPR95` in %. AUROC higher is better; FPR95 lower is better.

Summary -- average over 6 OOD sets & near-OOD (CIFAR-10)

Layer-weighting variant	Avg AUROC	Avg FPR95	CIFAR10 AUROC	CIFAR10 FPR95
Uniform ($w_l = 1/L$)	99.32	3.30	95.97	19.66
Trace-only (X-Maha)	99.52	2.46	97.19	14.43
HSKP softmax ($\tau=0.5$)	99.32	3.27	96.00	19.47
Pure Fisher ratio (S_b/S_w) ²	99.49	2.60	97.03	15.30
Fisher-disc $\gamma=0.5$	99.53	2.37	97.30	13.88
Fisher-disc $\gamma=1.0$	99.55	2.29	97.39	13.33
Fisher-disc $\gamma=2.0$ <- final.py default	99.56	2.17	97.51	12.61
Fisher-disc $\gamma=3.0$	99.58	2.13	97.60	12.32