

The data interface description v4.7

[1 Home](#)

[1.1 sale](#)

[1.2 the latest product \(background for new supplies,new\)](#)

[1.3 pre-online sale](#)

[1.4 product list in the specified directory \(you can sortfilter - non-priority\)](#)

[1.5 Quick search returns a list of products and ordering](#)

[1.6 return specified list Filter field](#)

[1.7 return to the advanced search fields](#)

[1.8 Advanced search returns a list of products and ordering](#)

[2 classification](#)

[2.1 obtaining classification list](#)

[3 products](#)

[3.1 specific product details \(for exchange rate reasons shall be adjusted\)](#)

[3.2 specific picture list \(current Mag , to adjust for write\)](#)

[3.3 for the specified product custom options](#)

[3.4 for the specified custom property \(non-priority, and see if we can achieve, or implementation returns the contents of the specified attribute name only\)](#)

[4 login](#)

[4.1 user login](#)

[4.2 obtains a user's login status](#)

[4.3 user registration](#)

[4.4 user logged out](#)

[4.5 user forgot password](#)

[5 shopping](#)

[5.1 access to shopping cart quantity](#)

[5.2 access to shopping cart content, options, prices,](#)

[5.3 Add to cart](#)

[5.4 Update shopping cart \(adjustment quantity, delete, etc\)](#)

[5.5 take the total and coupons in the shopping cart usage](#)

[5.6 use in the shopping cart or cancel coupon coupons](#)

[5.7 view added wishlist](#)

[6 Shop information](#)

[6.1 shop and view the list of current site](#)

[6.2 current store basic parameters](#)

[6.3 get the specified CMS block](#)

[7 store management functions and interfaces](#)

[7.1 plug-in management](#)

[7.2 Enter address gets close to stores](#)

Notes:

☐ All data is returned JSON format

☐ Current @baseSite= <http://w.sunpop.cn/> baseLang=en

baseUrl=<http://w.sunpop.cn/cn>

1 Home

1.1 sale

☐ Parameter description:

Cmd: command keyword, the default "daily_sale"

Order: sort field, the default entity_id

Desc: sort by ASC/DESCdefault desc in reverse order

Page: page number, the default is 1 page

Limit: units of data per page by default displays 20 items

☐ Default url:

http://w.sunpop.cn/cn/restconnect/index/index/cmd/daily_sale/order/name/dir/asc/limit/10/page/1

Alternative URL format (?,& the parameter formatting, the following are the same)
http://w.sunpop.cn/cn/restconnect/?cmd=daily_sale&page=1&limit=10

🔍 Return value:

Type	Name	Description
string	entity_id	Product ID
string	type_id	Product type(simple,group...)
string	sku	Product SKU
string	name	Product name
string	regular_price_with_tax	Product price
string	final_price_with_tax	The current price, that is, when a product is on sale when the specials, not in the period for the original price
string	special_from_date	Date starting from which the special price is applied to the product
string	special_to_date	Date till which the special price is applied to the product
string	url_key	Relative URL path that can be entered in place of a target path
string	image_url	Image URL

1.2 new products (background for new goods,new)

🔍 Parameter description:

Cmd: command key, you need to change the "new"
Order: sort field, the default entity_id
Desc: sort by ASC/DESCdefault desc in reverse order
Page: page number, the default is 1 page
Limit: units of data per page by default displays 20 items

🔍 Default url:

http://w.sunpop.cn/cn/restconnect/index/index/cmd/new/limit/10/page/1

🔍 Return value:

Type	Name	Description
string	entity_id	Product ID
string	type_id	Product type(simple,group...)
string	sku	Product SKU
string	name	Product name
string	regular_price_with_tax	Product price
string	final_price_with_tax	The current price, that is, when a product is on sale when the specials, not in the period for the original price
string	new_from_date	Date starting from which the special price is applied to the product
string	new_to_date	Date till which the special price is applied to the product
string	url_key	Relative URL path that can

		be entered in place of a target path
string	image_url	Image URL

1.3 pre-online sale

🔍 Parameter description:

Cmd: command key, you need to change "coming_soon"

Order: sort field, the default entity_id

Desc: sort by ASC/DESCdefault desc in reverse order

Page: page number, the default is 1 page

Limit: units of data per page by default displays 20 items

🔍 Default url:

http://w.sunpop.cn/cn/restconnect/index/index/cmd/coming_soon/limit/10/page/1

🔍 Return value:

Type	Name	Description
string	entity_id	Product ID
string	type_id	Product type(simple,group...)
string	sku	Product SKU
string	name	Product name
string	regular_price_with_tax	Product price
string	final_price_with_tax	The current price, that is, when a product is on sale when the specials, not in the period for the original price
string	special_from_date	Date starting from which the special price is applied to the product
string	special_to_date	Date till which the special price is applied to the product
string	url_key	Relative URL path that can be entered in place of a target path
string	image_url	Image URL

1.4 product list in the specified directory (you can sortfilter - Non-preferred)

🔍 Parameter description:

Cmd: command key, you need to change "catelog"

Category_id: directory ID

Order: sort field, the default entity_id

Desc: sort by ASC/DESCdefault desc in reverse order

Page: page number, the default is 1 page

Limit: units of data per page by default displays 20 items

Filter: Min(minimum price: optional) Max(maximum price: optional) dir(sort: optional) order(arranged by: optional) limit(number per page: optional)

History

NormalBasic AuthDigest AuthOAuth 1.0OAuth 2.0No environment

http://lvee.sunpop.cn/en/restconnect/POST

form-datax-www-form-urlencodedrawbinary

cmdcatalogText

categoryid2Text

min12Text

max20Text

KeyValueText

Send

PreviewPre-request scriptTestsAdd to collection

BodyCookiesHeaders (10)Tests

STATUS200 OKTIME3769 ms

PrettyRawPreview

JSON

[]

Default url:
http://w.sunpop.cn/cn/restconnect/index/index/cmd/catalog/categor

yid/121/limit/10/page/1

Return value:

Type	Name	Description
string	product_id	Product ID
string	sku	Product SKU
string	name	Product name
ArrayOfString	website_ids	Array of website IDs
string	price	Product price
string	special_price	Product special price
string	special_from_date	Date starting from which the special price is applied to the product
string	special_to_date	Date till which the special price is applied to the product
string	url_key	Relative URL path that can be entered in place of a target path
string	image_url	Image URL

1.5 Quick search returns a list of products and ordering

Parameter description:

Cmd: command key, you need to change "search"

Name: product name, separated by a space

Additional query fields: the background is set to Quick search field

Order: sort field, the default entity_id

Desc: sort by ASC/DESCdefault desc in reverse order

Page: page number, the default is 1 page

Limit: units of data per page by default displays 20 items

Default url:

<http://w.sunpop.cn/cn/restconnect/search/index/q/2015>

The search results can refer to

<http://w.sunpop.cn/cn/catalogsearch/result/?q=2015>

Return value:

Type	Name	Description
string	product_id	Product ID
string	sku	Product SKU
string	name	Product name
ArrayOfString	website_ids	Array of website IDs
string	price	Product price
string	special_price	Product special price
string	url_key	Relative URL path that can be entered in place of a target path
string	image_url	Image URL

1.6 return specified list Filter Field

Parameter description:

Categoryid: directory ID

```
{
  "price": {
    "label": "单价",
    "attributeType": "price"
  },
  "a_zigao": {
    "0": {
      "option_id": "37",
      "attribute_id": "165",
      "sort_order": "0",
      "default_value": "10",
      "store_default_value": null,
      "value": "10"
    },
    "1": {
      "option_id": "38",
      "attribute_id": "165",
      "sort_order": "0",
      "default_value": "12",
      "store_default_value": null,
      "value": "12"
    },
    "label": "字高(mm)",
    "attributeType": "select"
  },
  "a_yongtu": {
```

🔗 Default url:

<http://w.sunpop.cn/cn/restconnect/search/getfilter/categoryid/2>

1.7 return to the advanced search fields

🔗 Parameter description

```
{
  "sku": {
    "label": "SKU单品编码",
    "attributeType": "text"
  },
  "price": {
    "label": "单价",
    "attributeType": "price"
  },
  "name": {
    "label": "产品名称",
    "attributeType": "text"
  },
  "color": {
    "label": "Color",
    "attributeType": "select"
  },
  "a_zigao": {
    "0": {
      "option_id": "37",
      "attribute_id": "165",
      "sort_order": "0",
      "default_value": "10",
      "store_default_value": null,
      "value": "10"
    },
    "1": {
      "option_id": "38",
      "attribute_id": "165",
      "sort_order": "0",
      "default_value": "12",
      "store_default_value": null,
      "value": "12"
    },
    "label": "字高(mm)",
    "attributeType": "select"
  },
  "a_yongtu": {
```

🔗 Default url:

<http://w.sunpop.cn/cn/restconnect/searchadv/getfield>

1.8 Advanced search returns a list of products and ordering

🔗 Parameter description:

Name: product name, separated by a space

SKU:SKU product identification number

Additional query fields: the background is set to Advance search fields, that is, from the interface to get fields

<http://w.sunpop.cn/cn/restconnect/searchadv/getfield>

Order: sort field, the default entity_id

Desc: sort by ASC/DESCdefault desc in reverse order

Page: page number, the default is 1 page

Limit: units of data per page by default displays 20 items

🔗 Default url:

<http://w.sunpop.cn/cn/restconnect/searchadv/index>

🔗 For example

Http://w.sunpop.CN/CN/restconnect/searchadv/index/a_baozhuang/46/name/new/price/66to100/CategoryID/10

2 classification

2.1 obtaining classification list

🔍 Parameter description:

Cmd: command key, you need to change "menu"

Note: Once loaded all the level classification.

🔍 Default url:

<http://w.sunpop.cn/cn/restconnect/index/index/cmd/menu>

🔍 Return value: reference

Type	Name	Description
int	category_id	Category ID
int	parent_id	Parent category ID
string	name	Category name
int	is_active	defines whether the category is active
int	position	Category position
int	level	Category level
string	url_key	
String	Thumbnail_url	
string	Image_url	
	has_children	Whether there are subdirectories
	product_count	count
	children	Subdirectories ID list
	is_virtual	This directory is a virtual product

3 products

3.1 specific product details (for exchange rate reasons shall be adjusted)

🔍 Description: If the conversion rate is set in the global, this interface without adjustment

Cmd: command key, you need to change " product 📄

ID: product ID

🔍 Default url

<http://w.sunpop.cn/cn/restconnect/products/getproductdetail/productid/:id>

Temporary URL (Mag)

<http://w.sunpop.cn/api/rest/products/75>

For

example:

products ID385,<http://w.sunpop.CN/CN/restconnect/products/getproductdetail/ProductID/75>

Visit the product page to see the effect

<http://w.sunpop.cn/cn/index.php/catalog/product/view/id/385>

🔍 Return value: reference returns a result

Type	Name	Description
string	entity_id	Product ID
string	type_id	Product type(simple,group...)
string	sku	Product SKU
string	name	Product name
string	regular_price_with_tax	Product price
string	final_price_with_tax	The current price, that is, when a product is on sale when the specials, not in the period for the original price. Returns the converted currency value
string	special_from_date	Date starting from which

		the special price is applied to the product
string	special_to_date	Date till which the special price is applied to the product
string	url_key	Relative URL path that can be entered in place of a target path
string	image_url	Image URL
int	is_in_stock	Is in stock or not
int	has_custom_options	Whether custom options, shopping cart 1 Yes,0 for no Use case: ID=385 Options,386-free

3.2 specific picture list (current Mag Since, to adjust for write)

🔍 Parameter description:

Cmd: command key, you need to change " product **】**

ID: product ID

🔍 Interface

<http://w.sunpop.cn/cn/restconnect/Products/getPicLists>

<http://w.sunpop.cn/cn/restconnect/Products/getPicLists/product/76>

🔍 Temporary url

http://w.sunpop.cn/api/rest/products/:id/images

For example: products ID 385,http://w.sunpop.CN/API/rest/products/76/images

🔍 Return value: reference returns a result

3.3 for the specified product custom options

🔍 Parameter description:

ID: enter the product ID

Return values can be viewed with the following page, need to support custom options to the page content and optional value for all outputs from a front-end personnel use the data to show

http://w.sunpop.cn/cn/restconnect/products/getcustomeroption/76

🔍 Default url

http://w.sunpop.cn/cn/restconnect/products/getcustomoption/productid/:id

For example: products ID 535,

http://w.sunpop.cn/cn/restconnect/products/getcustomoption/productid/75

🔍 Return value: Custom Option[], the reference returns a result

🔍 Example: simplify 535, complex ID=385 products , no option for 533

Subsequent

Custom Options

Title *	Input Type *	Is Required	Sort Order	
(Checkbox)Performance	Checkbox	Yes	0	Delete Option

Title *	Price	Price Type	SKU	Sort Order	
crashProof	12.00	Fixed		0	Delete Option
dustProof	16.00	Fixed		0	Delete Option
waterProof	10.00	Fixed		0	Delete Option

Add New Row

Title *	Input Type *	Is Required	Sort Order	
(DateTime)Get Time	Date & Time	No	0	Delete Option

Price	Price Type	SKU
20.00	Fixed	


Title *	Input Type *	Is Required	Sort Order	
(dropDown)CaseColor	Drop-down	Yes	0	Delete Option

Title *	Price	Price Type	SKU	Sort Order	
Black	0.00	Fixed		0	Delete Option
Golden	0.00	Fixed		0	Delete Option
White	0.00	Fixed		0	Delete Option

Add New Row

(CHECKBOX)PERFORMANCE	(RADIO)MEMORY CARD
<input type="checkbox"/> CRASHPROOF +\$12.00	<input type="radio"/> 16G MINCARD +\$30.00
<input type="checkbox"/> DUSTPROOF +\$16.00	<input type="radio"/> 4G MINCARD +\$10.00
<input type="checkbox"/> WATERPROOF +\$10.00	<input checked="" type="radio"/> 8G MINCARD +\$20.00
(DATETIME)GET TIME +\$20.00	(AREA)GIFT CARD TEXT +\$20.00
<div>年-月-日 --:--</div>	<div></div>
(DROPDOWN)CASECOLOR	(DATE)ARRIVE TIME +\$20.00
-- PLEASE SELECT --	<div>年-月-日</div>
(FIELD)PRINT NAME +\$15.00	(MULTIPLE)ACCESSORIES
<div></div>	BATTERY +\$200.00 CASE +\$50.00
(FILE)OEM LOGO +\$200.00	
<div>选择文件 未选择任何文件</div>	
Allowed file extensions to upload: jpg,png,gif Maximum image width: 200 px. Maximum image height: 200 px.	
(RADIO)MEMORY CARD	
<input type="radio"/> 16G MINCARD +\$30.00	
<input type="radio"/> 4G MINCARD +\$10.00	
<input type="radio"/> 8G MINCARD +\$20.00	
	ADD TO CART

JSON data returned form (this is the source of data)



3.4 for the specified custom property (non-priority, and see if we can achieve, or implementation returns the contents of the specified attribute name only)
Merge into 3.1 specific product details

4 login

4.1 user login

🔗 Parameter description:

Username: enter the user name

Password: enter the password

🔗 Sample

User 1:[a@qq.com](#) abc123

User 2:[i@qq.com](#) 111111

<http://w.sunpop.cn/cn/restconnect/customer/login/?username=a@qq.com&password=111111>

🔗 The return value, true,false

4.2 obtains a user's login status

🔗 Parameter description:

If not logged in, return false

If logged in, return the sample

{"name":"a

b","email":"a@qq.com","avatar":"http://w.sunpop.cn/media/customer/i/c/icon_72.png","storeUrl":"http://w.sunpop.cn/media/","tel":"131311131"}

🔗 Sample url:

<http://w.sunpop.cn/cn/restconnect/customer/status>

4.3 user registration

🔗 Interface url

<http://w.sunpop.cn/cn/restconnect/customer/register>

http://lvee.sunpop.cn/en/restconnect/customer/register

POST

form-data

x-www-form-urlencoded

raw

binary

pwd

57727.vip

Text

email

maplemm@msn.com

Text

firstname

Millie

Text

lastname

Zhang

Text

default_mobile_number

18776712741

Text

Key

Value

Text

Send

Preview

Pre-request script

Tests

Add to collection

Body

Cookies

Headers (10)

Tests

STATUS 200 OK

TIME 38384 ms

Pretty

Raw

Preview

HTML

i 1

[true,"0x0000",[[]]]

Description: enter the parameters on this page (text message verification completed in front)

<http://w.sunpop.cn/cn/kikuuapp3/register.html> Gender- gender

Returns whether the normal registration, error codes and messages, and so on.

4.4 user logged out

Get request:baseUrl /customer/account/logout

Such as: <http://w.sunpop.cn/cn/customer/account/logout>

4.5 user forgot password

<http://w.sunpop.cn/cn/restconnect/customer/forgotpwd>

Parameters: email

5 shopping

5.1 access to shopping cart quantity

Interface: <http://w.sunpop.cn/cn/restconnect/Cart/getQty>

Returns: {"items_qty": "1"}

5.2 access to shopping cart content, options, prices,

Interface: <http://w.sunpop.cn/cn/restconnect/Cart/getCartInfo>

Return, see the following example

```
{"is_virtual":false,"cart_items":[{"cart_item_id":"206","currency":"TZS","entity_type":"simple","item_id":"27","item_title":"Women's blouse","qty":3,"thumbnail_pic_url":"http://w.sunpop.cn/media/catalog/product/cache/1/thumbnail/75x/9df78eab33525d08d6e5fb8d27136e95/b/I/blouse_1.jpg","custom_option":[{"label":"color","value":"black","print_value":"black","option_id":"12","option_type":"drop_down","option_value":"24","custom_view":false},{label":"size","value":"M","print_value":"M","option_id":"11","option_type":"drop_down","option_value":"23","custom_view":false}],"item_price":96740}, {"cart_item_id":"207","currency":"TZS","entity_type":"simple","item_id":"45","item_title":"Iphone 5s"}]}
```

", "qty": 1, "thumbnail_pic_url": "http://w.sunpop.cn/media/catalog/product/cache/1/thumbnail/75x/9df78eab33525d08d6e5fb8d27136e95/_/1/_1_2_2.jpg", "custom_option": [], "item_price": 7739.2}, {"cart_item_id": "208", "currency": "TZS", "entity_type": "simple", "item_id": "67", "item_title": "Light blue jeans 2015 New Fashion", "qty": 1, "thumbnail_pic_url": "http://w.sunpop.cn/media/catalog/product/cache/1/thumbnail/75x/9df78eab33525d08d6e5fb8d27136e95/1/1/116_1.png", "custom_option": [], "item_price": 92870.4}], "messages": null, "cart_items_count": 5, "payment_methods": [], "allow_guest_checkout": false}

Shopping cart total: Cart_items_count, of the items from the shopping cartID:cart_item_id

5.3 Add to cart

Parameter description (can be adjusted according to actual):

JSON array

entity_id : Input, product ID

Qty: type, quantity

Options[]: input, custom options array variable name

Optionvalue[]: input an array of customization options for variable values

Default url

http://w.sunpop.cn/cn/restconnect/cart/add/

Simple include Qty, complex with a variety of options

Examples of parameters are sent, and Mag shopping form sends its contents, or useJSON package
 Such

as: ?product=535&related_product=&options%5B67%5D=abc&options%5B62%5D=148&options%5B63%5D%5B%5D=150&options%5B60%5D=143&options%5B61%5D%5B%5D=144&qty=1

Free options

http://w.sunpop.cn/cn/restconnect/cart/add/?product=533&qty=1

JSON example

{'name':'xxxxxx','product':'535','qty':'1','option':['62':'146','60':'143']}

The return value, True,false, shopping cart current number of total entries

5.4 Update shopping cart (adjustment quantity, delete, etc)

Update Cart specified items for the specified number of parametersCart_item_id,Qty,Qty is set to 0 will complain, best its front is set to 0, or is set to 0 is called when the remove event.

<http://lvee.sunpop.cn/en/restconnect/Cart/update>

Normal

Basic Auth

Digest Auth

OAuth 1.0

OAuth 2.0

No environment

http://lvee.sunpop.cn/en/restconnect/Cart/update

P

form-data

x-www-form-urlencoded

raw

binary

cart_item_id

210

Text

qty

2

Text

Key

Value

Text

Send

Preview

Pre-request script

Tests

Add to collection

Body

Cookies

Headers (10)

Tests

STATUS

200 OK

TIME

2660 ms

Pretty

Raw

Preview

HTML

i 1

{"code":"0x0001","message":"a wrong cart_item_id was given."}

Delete parameters Cart_item_id, before you delete a message asking the customer to confirm the deletion

<http://lvee.sunpop.cn/en/restconnect/Cart/remove>

5.5 take the total and coupons in the shopping cart usage

<http://w.sunpop.cn/en/restconnect/Cart/getTotal>

CART TOTALS

Subtotal

TZS739,093.60

Discount
(Get \$5 Off)

-TZS77,392.00

Grand Total

TZS661,701.60

PayPal

Check out

The safer, easier way to pay

-OR-

Proceed to Checkout

5.6 use in the shopping cart or cancel coupon Coupon

<http://w.sunpop.cn/cn/restconnect/Cart/postCoupon>

Parameters 1, and coupon_code: coupon code 2, andremove : 1 Remove coupons said, 0 , said using coupons, default to 0

normalBasic AuthDigest AuthOAuth 1.0OAuth 2.0No environment

http://lvee.sunpop.cn/en/restconnect/Cart/postCoupon

POST

URL

form-data

x-www-form-urlencoded

raw

binary

coupon_code

get5

Text

remove

1

Text

Key

Value

Text

Send

Preview

Pre-request script

Tests

Add to collection

Body

Cookies

Headers (10)

Tests

STATUS 200 OK

TIME 2805 ms

Pretty

Raw

Preview

HTML

1

{ "code": "0X0002", "message": "Emptyed." } { "subtotal": 739094, "grandtotal": 739094, "discount": "", "tax": "" }

6 Shop information

6.1 shop and view the list of current site

View

<http://w.sunpop.cn/cn/restconnect/store/websiteinfo>

```
▼ object {1}
  ▼ 1 {1}
    ▼ webside {4}
      ▼ 1 {4}
        store : Tanzania
        store_id : 1
        root_category_id : 75
      ▼ view {5}
        ▼ 1 {6}
          name : English
          store_id : 1
          store_url : null
          store_code : en
          sort_order : 0
          is_active : 1
        ▶ 2 {6}
        ▶ 3 {6}
        ▶ 6 {6}
        ▶ 7 {6}
      ▼ 3 {4}
        store : Ethiopia
        store_id : 3
        root_category_id : 2
        ▶ view {1}
          name : Main Website
          id : 1
```

6.2 current store basic parameters

🔗 View

<http://w.sunpop.cn/cn/restconnect/store/storeinfo>

```
▼ object {11}
  store_id : 7
  store_code : cn
  website_id : 1
  website_name : Main Website
  group_id : 1
  group_name : Tanzania
  name : Chinese
  sort_order : 1
  is_active : 1
  root_category_id : 75
  url : http://demo.sunpop.cn/cn/
```

6.3 get the specified CMS block

http://w.sunpop.cn/cn/restconnect/index/getstaticblock?block=app_home_banner1

Parameters: block=[xxx]

6.4 specific Banner block (converted to Ionic form)

This interface Magento static HTML in the <p> into <ion-slide>

http://w.sunpop.cn/cn/restconnect/index/getbannerblock?block=app_home_banner1

Parameters: block=[xxx]

7 store management functions and interfaces

7.1 plug-in management

🔗 Front (North Canton, a store test data)

http://w.sunpop.cn/cn/storelocator
7.2 Enter address gets close to stores
🔗 Parameter description:
LNG: the longitude
LAT: latitude
RADIUS: search radius (km), the default 200 km
Baidu Gets the address of the interface through latitude and longitude (js)
http://developer.baidu.com/map/jsdemo.htm#i7_1
Baidu sk: Ggg84DrtSDEWnG2XNVLxUG1GWIDEeshA

应用名称：

magentoApp

应用类型：

服务端

启用服务：

☒云存储API

☒云检索API

☐Javascript API

☒Place API v2

☒Geocoding API v2

☒IP定位API

☒车联网API

☒路线交通API

☒静态图API

☒全景静态图API

☒坐标转换API

☒鹰眼API

☒全景URL API

请求校验方式：

sn校验方式

▼

SK：

Ggg84DrtSDEWnG2XNVLxUG1GWIDEeshA

提交

🔗 Default url:
http://w.sunpop.cn/cn/storelocator/index/city/
It looks like:
<http://w.sunpop.cn/cn/storelocator/index/city/lat/23.191411/lng/113.266943/radius/200>
8 information management functions and interfaces (annex)
8.1 front side effects
http://w.sunpop.cn/en/news
8.2 list of access to information
<http://w.sunpop.cn/cn/clnews/api/category>

```
[
  {
    "category_id": "1",
    "title": "证书下载",
    "url_key": "certDownload",
    "sort_order": "0",
    "meta_keywords": "",
    "meta_description": "",
    "parent_id": "0",
    "level": "0",
    "sort_id": "0",
    "store_id": [
      "0"
    ]
  }
]
```

8.3 Get a list of specific articles and information
<http://w.sunpop.cn/cn/clnews/api/article>
Directory filtering can be added, such as:
http://w.sunpop.cn/cn/clnews/api/article/categoryid/1


```
},
{
  "news_id": "2",
  "title": "art1",
  "url_key": "art1",
  "short_content": "<p>sssss</p>",
  "full_content": "",
  "document": "14424144322114072577.png",
  "image_short_content": "",
  "image_full_content": "",
  "image_short_content_show": "0",
  "image_full_content_show": "0",
  "full_path_document": "http://w.sunpop.cn/cn/media/clnews/14424144322114072577.png",
  "status": "1",
  "news_time": "2015-09-16 14:40:32",
  "created_time": "2015-09-16 14:40:32",
  "update_time": "2015-09-16 14:40:32",
  "publciate_from_time": null,
  "publciate_to_time": null,
  "author": "",
  "meta_keywords": "",
  "meta_description": "",
  "comments_enabled": "0",
  "publciate_from_hours": "0",
  "publciate_to_hours": "0",
  "publciate_from_minutes": "0",
  "publciate_to_minutes": "0",
  "link": "",
  "tags": "",
  "short_height_resize": "0",
  "short_width_resize": "0",
  "full_width_resize": "0",
  "full_height_resize": "0",
  "store_id": [
    "0"
  ]
},
]
```

9 short message interface

Supplier: <http://www.yuntongxun.com>

9.1 sending the verification code

Interface addresses: <http://w.sunpop.cn/smsapi/SendTemplateSMS.php>

Parameters: Get sent

Mobile: mobile phone number

Validation: verification code

Timeout: how many minutes to enter a valid

Template: the template temporarily use 1

http://w.sunpop.cn/smsapi/SendTemplateSMS.php	
form-data	x-www-form-urlencoded
raw	
mobile	13925160800
timeout	30
template	1
validation	121213
Key	Value