

**SKOPE®**

*FOOD PREPARATION  
FOOD STORAGE  
FOOD DISPLAY  
BAR DISPLAY  
GENERAL DISPLAY  
BLAST CHILLERS  
COOL ROOMS*



*YOUR*  
**GUIDE**  
TO COMMERCIAL  
REFRIGERATION

# DEPEND ON US

→ FOR THE **BEST** IN  
**REFRIGERATION**

LOWER YOUR  
OPERATING COSTS  
**UNIQUE**  
*ACTIVE CORE™ TECHNOLOGY*

**MARKET LEADING**  
**ENERGY EFFICIENT MODELS**



# SUPERIOR

**WARRANTY PROTECTION**



\***CUSTOMISATION**  
CUSTOMISE TO SUIT YOUR  
EXACT REQUIREMENTS

# COFFEEHEAD

MELBOURNE

Coffeehead is the place for coffee and food connoisseurs alike.

Achieving the right aesthetic to enhance Coffeehead's cool and quirky vibe meant installing commercial refrigeration that not only operated to a high standard, but also met the brief for a clean, modern aesthetic.



# FIND

WHAT YOU'RE LOOKING FOR

NAVIGATE OUR WIDE RANGE  
OF PRODUCTS WITH THE FOLLOWING  
CATEGORIES

FOOD PREPARATION

FOOD STORAGE

FOOD DISPLAY

BAR DISPLAY

GENERAL DISPLAY

BLAST CHILLERS

COOL ROOMS

YOU CAN ALSO REFER  
TO THESE INDUSTRY  
SYMBOLS FOR OUR  
RECOMMENDATION ON  
WHERE EACH PRODUCT  
IS BEST SUITED



RESTAURANTS / CAFES



HOSPITALITY / VENUES



QUICK SERVICE RESTAURANTS



ACCOMMODATION



CONVENIENCE STORES



SCHOOLS



CLUBS / PUBS / BARS



MEDICAL / AGED CARE

# FOOD PREPARATION

Food prep fridges combine underbench storage with the convenience of a refrigerated reach-in top and are essential for any venue serving pizzas, salads or sandwiches. All cabinet sections maintain food temperatures below the critical 5°C, to meet health standards and for consistent food quality.

Our prep fridges are exhaustively tested to ensure your food stays fresh and safe, and our unrivalled reputation for build quality ensures an optimum return on your investment.



Pegasus Series  
1/1 Preparation GN



Pegasus Series  
2/1 Preparation GN




Pegasus Series  
2/1 Pizza GN



Centaur Series  
Sandwich Non-GN



Centaur Series  
Pizza Non-GN



PEGASUS SERIES PREMIUM RANGE	CENTAUR SERIES
Environment (Kitchen)	Moderate - Lighter Duty
Models Available	Limited
Build Quality	Good ✓ ✓
Gastronorm (GN)	No - (holds GN pots)
SKOPE Premium Controller	No -
Remote Available	No -
Customisable	No -
Options Available	No -
	Limited



# FOOD STORAGE

## UNDERBENCH

Designed to be highly efficient and reliable, our underbench range can be neatly fitted under benchtops or fitted with optional tops. Available in gastronorm and non-gastronorm configurations, the SKOPE range has an option to suit exactly how you work.

Built to last and tested to perform in hot kitchen environments up to 43°C, with an efficient even internal temperature distribution to maintain the quality of your produce for longer.



Pegasus Series  
1/1 Underbench GN



Pegasus Series  
2/1 Underbench GN



Pegasus Series  
Lowline GN



Counterline Series  
Non-GN



Centaur Series  
Underbench Non-GN

PEGASUS SERIES PREMIUM RANGE	
Environment (Kitchen)	Busy - Heavy Duty
Models Available	Comprehensive
Build Quality	Premium ✓✓✓
Gastronorm (GN)	Yes ✓
High Ambient Rated	Yes ✓ 43 °C
SKOPE Premium Controller	Yes ✓
Fridge or Freezer	Yes ✓
Remote Available	Yes ✓
Customisable	Yes ✓
Options Available	Comprehensive

COUNTERLINE SERIES	
Environment (Kitchen)	Busy - Heavy Duty
Models Available	Comprehensive
Build Quality	Good ✓✓
Gastronorm (GN)	Good ✓✓
High Ambient Rated	No -
SKOPE Premium Controller	Yes ✓ Up to 40 °C
Fridge or Freezer	Yes ✓
Remote Available	No -
Customisable	Yes ✓
Options Available	Yes ✓

CENTAUR SERIES	
Environment (Kitchen)	Moderate - Lighter Duty
Models Available	Good ✓✓
Build Quality	Good ✓✓
Gastronorm (GN)	No -
High Ambient Rated	Yes ✓ Up to 38 °C
SKOPE Premium Controller	No -
Fridge or Freezer	Yes ✓
Remote Available	No -
Customisable	Yes ✓
Options Available	Yes ✓ Comprehensive



# FOOD STORAGE

## UPRIGHT

Upright food storage cabinets provide practical storage solutions for all types of commercial kitchens. Our premium range features stylish design and heavy duty construction to withstand demanding commercial use.

Gastronorm and non-gastronorm fridge or freezer models are mounted on robust castors and can be easily moved within your kitchen to help maintain impeccable hygiene standards in a fast moving commercial kitchen environment.



Pegasus Series  
Upright GN



Centaur Series  
Upright Non-GN

PEGASUS SERIES PREMIUM RANGE	
Environment (Kitchen)	Busy - Heavy Duty
Build Quality	Premium <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
Gastronorm (GN)	Yes <input checked="" type="checkbox"/> 1/1 & 2/1 pans
High Ambient Rated	Yes <input checked="" type="checkbox"/> 43°C
Fridge or Freezer	Yes <input checked="" type="checkbox"/>
High Efficiency Rated Models	Yes <input checked="" type="checkbox"/>
Remote Available	Yes <input checked="" type="checkbox"/>
Customisable	Yes <input checked="" type="checkbox"/>
Options Available	Comprehensive

CENTAUR SERIES	
Moderate - Lighter Duty	
Good <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	
No <input type="checkbox"/>	
No <input type="checkbox"/> Up to 38°C	
Yes <input checked="" type="checkbox"/>	
No <input type="checkbox"/>	
No <input type="checkbox"/>	
No <input type="checkbox"/>	
No <input type="checkbox"/>	Limited

# FOOD DISPLAY

Our food display products provide the very best solution when presenting food or drinks to the highest standard possible.

Perfect for offering chilled products in busy, direct customer facing areas, a SKOPE display fridge ensures your products are kept at the perfect temperature whilst displaying them at their best to optimise those high margin impulse sales.



Food Display Series



Open Deck Series




VF X Series



VF Ice Series

FOOD DISPLAY SERIES PREMIUM RANGE	OPEN DECK SERIES PREMIUM RANGE	VF X & VF ICE SERIES PREMIUM RANGE
Build Quality	Premium	Premium
Type	Fridge & Ambient	Fridge
High Efficiency Rated Models	Yes ✓	Yes ✓
SKOPE Premium Controller	Yes ✓	Yes ✓
Solid Doors Available	No -	No -
Remote Available	Yes ✓	No -
Customisable	Yes ✓	Yes ✓
Options Available	No -	Limited



# BAR DISPLAY

Our Backbar fridges are designed and built to help you sell more drinks. Engineered to keep drinks icy cold, with lighting and glass doors to highlight your products to your customers, SKOPE bar display cabinets help grow your business.

With features including quiet operation, low running costs and a customisable finish there is no better bar fridge than a SKOPE.



BackBar X Series



Backbar Series



Counterline Series  
Underbench




Glass Chiller Series

BACKBAR X SERIES PREMIUM RANGE	
Build Quality	Premium <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
Design Aesthetic	Updated <input checked="" type="checkbox"/>
High Efficiency Rated Models	Yes <input checked="" type="checkbox"/>
High Ambient Rated	Yes <input checked="" type="checkbox"/> 40 °C
Door Type	Swing
SKOPE Premium Controller	Yes <input checked="" type="checkbox"/>
Remote Available	Yes <input checked="" type="checkbox"/>
Customisable	Yes <input checked="" type="checkbox"/>
Options Available	Comprehensive

BACKBAR SERIES PREMIUM RANGE	
Build Quality	Premium <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
Design Aesthetic	Traditional <input checked="" type="checkbox"/>
High Efficiency Rated Models	Yes <input checked="" type="checkbox"/>
High Ambient Rated	No <input checked="" type="checkbox"/> 32 °C
Door Type	Sliding
SKOPE Premium Controller	Yes <input checked="" type="checkbox"/>
Remote Available	Yes <input checked="" type="checkbox"/>
Customisable	Yes <input checked="" type="checkbox"/>
Options Available	Comprehensive

COUNTERLINE SERIES	
Build Quality	Good <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
Design Aesthetic	Traditional <input checked="" type="checkbox"/>
High Efficiency Rated Models	Yes <input checked="" type="checkbox"/>
High Ambient Rated	No <input checked="" type="checkbox"/> Up to 40 °C
Door Type	Swing or Sliding
SKOPE Premium Controller	Yes <input checked="" type="checkbox"/>
Remote Available	Yes <input checked="" type="checkbox"/>
Customisable	Yes <input checked="" type="checkbox"/>
Options Available	Yes <input checked="" type="checkbox"/>

GLASS CHILLER SERIES PREMIUM RANGE	
Build Quality	Premium <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
Design Aesthetic	Traditional <input checked="" type="checkbox"/>
High Efficiency Rated Models	Yes <input checked="" type="checkbox"/>
High Ambient Rated	No <input checked="" type="checkbox"/> 40 °C
Door Type	Swing
SKOPE Premium Controller	Yes <input checked="" type="checkbox"/>
Remote Available	Yes <input checked="" type="checkbox"/>
Customisable	Yes <input checked="" type="checkbox"/>
Options Available	Yes <input checked="" type="checkbox"/>



# GENERAL DISPLAY

Our unique ActiveCore technology was developed to provide maximum cooling performance with the least amount of energy. This means the appropriate internal temperature for the product is tightly maintained, while saving significant money on power.

Our extensive range of glass door cabinets are designed to display or store almost any type of food, drink and perishable product in their best condition.



SKT ActiveCore Series



SKB ActiveCore Series



TME ActiveCore Series



BME ActiveCore Series



Serene Series



Serene Series

	<b>SKT - SKB SERIES PREMIUM RANGE</b>	<b>TME - TME SERIES PREMIUM RANGE</b>	<b>SERENE SERIES</b>
<b>Display &amp; Store</b>	Food & Drinks	Food & Drinks	Food & Drinks
<b>Build Quality</b>	Premium <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Premium <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Good <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
<b>ActiveCore Technology</b>	Yes <input checked="" type="checkbox"/>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
<b>Available in Stainless Steel</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	No <input type="checkbox"/>
<b>Market Leading Energy Efficiency</b>	Yes <input checked="" type="checkbox"/>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
<b>SKOPE Premium Controller</b>	Yes <input checked="" type="checkbox"/>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
<b>Solid &amp; Tropical Door Option</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	No <input type="checkbox"/>
<b>Remote Available</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	No <input type="checkbox"/>
<b>Customisable</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	No <input type="checkbox"/>
<b>Options Available</b>	Comprehensive	Limited	No <input type="checkbox"/>

# BLAST CHILLERS

Blast chilling and freezing is a must-have technology in successful commercial kitchens, and Irinox is the brand that sets global standards.

Irinox helps get the best out of your hospitality business. Essential for food-safety, Irinox also assists with better organisation and planning, reducing food waste, maximising food quality, extending shelf life and expanding the menu.



Irinox MF Plus Series  
Blast Chillers & Shock Freezers



Irinox EF Series  
Blast Chillers & Shock Freezers



Irinox Holding  
Cabinet Series

MF PLUS SERIES PREMIUM RANGE	EF SERIES PREMIUM RANGE	HOLDING CABINET SERIES PREMIUM RANGE
Premium	Premium	Premium
Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Yes <input checked="" type="checkbox"/>
25 - 85 kg	10 - 45 kg	Max 80 trays
Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A
Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Yes <input checked="" type="checkbox"/>
Standard	Optional	Standard
Yes <input checked="" type="checkbox"/>	Yes <input checked="" type="checkbox"/>	Yes <input checked="" type="checkbox"/>
Comprehensive	Limited	Comprehensive
Reach-in and roll-in	Reach-in	Reach-in and roll-in

# COOL ROOMS

A quality MISA modular Cool or Freezer room is the smart choice for bulk refrigeration storage for your hospitality business.

The rooms are a quick, convenient and flexible solution, saving significant set-up time and cost while providing energy savings and food safety benefits.



MISA Series  
Cool and Freezer Rooms (2m & 2.4 high)



MISA SERIES PREMIUM RANGE	
Standard Models	9 Cool & 4 Freezer Rooms
Room Heights (Internal)	2m & 2.4m
Build Quality	Premium <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
Freeblock Refrigeration	Standard & Heavy Duty
Flooring	250kg Roll-in
Door	Right Hand Hinge - Swing
Panel	Polyurethane Foam
High Ambient Rated	Yes <input checked="" type="checkbox"/>
Energy Efficient	Yes <input checked="" type="checkbox"/>
Quick Assembly	Yes <input checked="" type="checkbox"/>
Food Safe	Yes <input checked="" type="checkbox"/>
Long Life Asset	Yes <input checked="" type="checkbox"/>



# RED LANTERN

SYDNEY

Celebrity Chef Luke Nguyen's Red Lantern, places an emphasis on shared dishes. The chic, designer interior is reminiscent of French colonial Vietnam and features a selection of Nguyen family memorabilia.

Having used SKOPE products in the past, Luke wanted to install SKOPE at Red Lantern due to the proven performance, quality and reliability.

# WHAT'S RIGHT FOR YOU

## ★ CUSTOMISATION ★

LET US CREATE A  
REFRIGERATION  
SOLUTION UNIQUE TO  
YOUR BUSINESS

STYLE YOUR DOORS,  
HANDLES AND OTHER  
FEATURES TO REALLY STAND  
OUT FROM THE CROWD

MAKE IT LARGER,  
SMALLER, DEEPER  
OR HIGHER

ENHANCE THE  
LIGHTING AND  
SHOWCASE YOUR  
PRODUCT

CHOOSE A COLOUR TO  
MATCH YOUR DÉCOR

DEVELOP A FRIDGE  
TO SUIT YOUR OWN  
PRODUCT

BE CREATIVE— CURVES,  
WOOD PANELS, MOUNT  
ON A WALL

IF YOU CAN  
IMAGINE IT,  
THEN WE'D LOVE TO  
HEAR FROM YOU.

## FOOD PREPARATION



Pegasus Series 1-1 Preparation GN	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Well Capacity (150mm deep pans)	Gross Volume (Litres)	Remote Option
PG250Prep-2	Fridge	2-4	1331 x 700 x 751	Stainless Steel	4 x 1-3 or 8 x 1-6	260	✓
PG400Prep-2	Fridge	3-6	1799 x 700 x 751	Stainless Steel	7 x 1-3 or 14 x 1-6	410	✓
PG550Prep-2	Fridge	4-8	2267 x 700 x 751	Stainless Steel	10 x 1-3 or 20 x 1-6	560	✓
<b>Pegasus Series 2-1 Preparation GN</b>							
PG500Prep	Fridge	2-4	1750 x 828 x 771	Stainless Steel	7 x 1-3 or 14 x 1-6	480	✓
PG800Prep	Fridge	3-6	2435 x 828 x 771	Stainless Steel	11 x 1-3 or 22 x 1-6	750	✓
<b>Pegasus Series 2-1 Pizza GN</b>							
PG500Pizza	Fridge	2-4	1750 x 830 x 900	Stainless Steel	9 x 1-3 or 18 x 1-6	480	✓
PG800Pizza	Fridge	3-6	2435 x 830 x 900	Stainless Steel	13 x 1-3 or 26 x 1-6	750	✓
<b>Centaur Series Sandwich Non-GN</b>							
BC120-S	Fridge	2-2	1200 x 725 x 1075	Stainless Steel	6 x 1-3	275	
BC180-S	Fridge	3-3	1800 x 725 x 1075	Stainless Steel	9 x 1-3	469	
<b>Centaur Series Pizza Non-GN</b>							
BC180-P	Fridge	2-2	1800 x 953 x 1050	Stainless Steel	9 x 1-3	597	
BC240-P	Fridge	3-3	2370 x 953 x 1050	Stainless Steel	12 x 1-3	733	
BC240-PS	Fridge	2 Door-2 Drawer-2	2370 x 953 x 1050	Stainless Steel	12 x 1-3	733	

## FOOD STORAGE UNDERBENCH



Pegasus Series 1/1 Underbench GN	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (Glass / Solid)	Gross Volume (Litres)	Remote Option
PG100	Fridge or Freezer	1-2	863 x 680 x 716	Stainless Steel	Solid	110	✓
PG250	Fridge or Freezer	2-4	1331 x 680 x 716	Stainless Steel	Solid	260	✓
PG400	Fridge or Freezer	3-6	1799 x 680 x 716	Stainless Steel	Solid	410	✓
PG550	Fridge	4-8	2267 x 680 x 716	Stainless Steel	Solid	560	✓
<b>Pegasus Series 2/1 Underbench GN</b>							
PG200	Fridge or Freezer	1-2	1065 x 828 x 771	Stainless Steel	Solid	210	✓
PG500	Fridge or Freezer	2-4	1750 x 828 x 771	Stainless Steel	Solid	480	✓
PG800	Fridge	3-6	2435 x 828 x 771	Stainless Steel	Solid	750	✓
<b>Pegasus Series 1/1 &amp; 2/1 Lowline GN</b>							
PGLL150	Fridge	2 Drawer	1500 x 700 x 520	Stainless Steel	Solid	150	✓
PGLL300r remote only	Fridge	4 Drawer	1800 x 700 x 520	Stainless Steel	Solid	300	✓
<b>Centaur Series Underbench Non-GN</b>							
BC070	Fridge	1-2	700 x 725 x 860	Stainless Steel	Solid	149	
BC120	Fridge or Freezer	2-2	1200 x 725 x 840	Stainless Steel	Glass / Solid	275	
BC180	Fridge	3-3	1800 x 725 x 840	Stainless Steel	Glass / Solid	469	
BC180CS	Fridge	6 Drawer	1800 x 725 x 840	Stainless Steel	Solid	469	

Models listed are integral only. For remote models see skope.com

\* External dimensions (W x D x H); for accuracy always check the cabinet models specification sheet as variations can occur due to legs, castors, plinth, optional countertop measurements and remote cabinet measurements.

Note: All Food Preparation cabinets have solid doors only.

1/3 pan size = 325x176x150mm

## FOOD STORAGE UNDERBENCH (CONTINUED)



Counterline Series Non-GN	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (Glass / Solid)	Gross Volume (Litres)	Remote Option
CL400	Fridge	2-4	1600 x 680 x 725	White, Black, SS	Glass / Solid	390	✓
CL600	Fridge	3-6	2210 x 680 x 725	White, Black, SS	Glass / Solid	600	✓
CL800	Fridge	4-8	2820 x 680 x 725	White, Black, SS	Glass / Solid	810	✓
CC300 Slim	Fridge	2-4	1600 x 600 x 725	White, Black, SS	Glass / Solid	335	✓
CC500 Slim	Fridge	3-6	2210 x 600 x 725	White, Black, SS	Glass / Solid	517	✓
CC700 Slim	Fridge	4-8	2820 x 600 x 725	White, Black, SS	Glass / Solid	700	✓

## FOOD STORAGE UPRIGHT



Pegasus Series Upright GN	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (Glass / Solid)	Gross Volume (Litres)	Remote Option
PG600	Fridge or Freezer	1-5	685 x 820 x 2122-2137	Stainless Steel	Solid	586	✓
PG1300	Fridge or Freezer	2-10	1370 x 820 x 2122-2137	Stainless Steel	Solid	1298	✓
<b>Centaur Series Upright Non-GN</b>							
BC074	Fridge or Freezer	1-3	740 x 803 x 1930	Stainless Steel	Solid	557	
BC126	Fridge or Freezer	2-6	1260 x 803 x 1930	Stainless Steel	Solid	1032	
BC126	Fridge & Freezer	2-6	1260 x 803 x 1930	Stainless Steel	Solid	493/493	



\*\* Shelf information different between Freezer and Ice  
One ice shelf VF650 X ICE, VF1000 X ICE  
Two ice shelves VF1300 X ICE  
Three ice shelves VF1500 X ICE

## FOOD DISPLAY



Food Display Series	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (Glass / Solid)	Gross Volume (Litres)	Remote Option
FDM900	Fridge or Ambient	Rear doors - 6	900 x 662 x 1305	Stainless Steel	Glass	288	✓
FDM1200	Fridge or Ambient	Rear doors - 9	1200 x 662 x 1305	Stainless Steel	Glass	432	✓
FDM1500	Fridge or Ambient	Rear doors - 12	1500 x 662 x 1305	Stainless Steel	Glass	576	✓
<b>VFX Series</b>							
VF650X	Freezer or Ice**	1-5	740 x 745 x 2200	White, Black, SS	Glass / Solid	610	✓
VF1000X	Freezer or Ice	2-10	1130 x 745 x 2200	White, Black, SS	Glass / Solid	980	✓
VF1300X	Freezer or Ice	2-10	1480 x 745 x 2200	White, Black, SS	Glass / Solid	1310	✓
VF1500X	Freezer or Ice	3-15	1706 x 745 x 2200	White, Black, SS	Glass / Solid	1500	✓
<b>VF Drop-In</b>							
VF Ice Drop-In	Freezer	N/A	1132 x 720 x 390	N/A	N/A	N/A	N/A
<b>Open Deck Series</b>							
OD400	Fridge	0-3	900 x 660 x 1400	White, Black	N/A	251	Customs
OD460	Fridge	0-3	1205 x 660 x 1300	White, Black	N/A	386	Customs
OD1100	Fridge	0-5	1285 x 830 x 2015-2195	White, Black	N/A	1020	Customs



## BAR DISPLAY

Models listed are integral only. For remote models see skope.com

\* External dimensions (W x D x H); for accuracy always check the cabinet models specification sheet as variations can occur due to legs, castors, plinth, optional countertop measurements and remote cabinet measurements.

Height measurements shown for SKB ActiveCore and BME ActiveCore are without optional sign panel.



Backbar X Series	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (Glass/Solid)	Gross Volume (Litres)	Remote Option
BB380X Swing	Fridge	2-4	1500 x 590 x 920	White, Black, SS	Glass	380	✓
BB580X Swing	Fridge	3-6	2060 x 590 x 920	White, Black, SS	Glass	580	✓
BB780X Swing	Fridge	4-8	2620 x 590 x 920	White, Black, SS	Glass	780	✓
<b>Backbar Series</b>							
BB380 Sliding	Fridge	2-4	1500 x 596 x 920	White, Black, SS	Glass	380	✓
BB580 Sliding	Fridge	3-6	2060 x 596 x 920	White, Black, SS	Glass	580	✓
BB780 Sliding	Fridge	4-8	2620 x 596 x 920	White, Black, SS	Glass	780	✓
<b>Counterline Series</b>							
CL400	Fridge	2-4	1600 x 680 x 725	White, Black, SS	Glass / Solid	390	✓
CL600	Fridge	3-6	2210 x 680 x 725	White, Black, SS	Glass / Solid	600	✓
CL800	Fridge	4-8	2820 x 680 x 725	White, Black, SS	Glass / Solid	810	✓
CC300 Slim	Fridge	2-4	1600 x 600 x 725	White, Black, SS	Glass / Solid	335	✓
CC500 Slim	Fridge	3-6	2210 x 600 x 725	White, Black, SS	Glass / Solid	517	✓
CC700 Slim	Fridge	4-8	2820 x 600 x 725	White, Black, SS	Glass / Solid	700	✓
<b>Glass Chiller Series</b>							
GC110r	Fridge	1-3	750 x 600 x 725	Stainless Steel	Glass / Solid	110	✓

## GENERAL DISPLAY



SKT ActiveCore Series (Top Mount)	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (Glass-Solid)	Gross Volume (Litres)	Remote Option
SKT500 (Non ActiveCore)	Fridge	1-5	570 x 745 x 2200	White, Black, SS	Glass - Solid	445	✓
SKT650-A	Fridge	1-5	740 x 745 x 2200	White, Black, SS	Glass - Solid	610	✓
SKT1000-A	Fridge	2-10	1130 x 745 x 2200	White, Black, SS	Glass - Solid	980	✓
SKT1500	Fridge	3-15	1705 x 745 x 2200	White, Black, SS	Glass - Solid	1497	✓



SKB ActiveCore Series (Bottom Mount)	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (Glass-Solid)	Gross Volume (Litres)	Remote Option
SKB600-A	Fridge	1-5	740 x 795 x 2195	White, Black, SS	Glass - Solid	584	✓
SKB900-A	Fridge	2-10	1085 x 795 x 2195	White, Black, SS	Glass - Solid	880	✓
SKB1200-A	Fridge	2-10	1280 x 795 x 2195	White, Black, SS	Glass - Solid	1079	✓
SKB1500-A	Fridge	3-15	1680 x 795 x 2195	White, Black, SS	Glass - Solid	1433	✓



TME ActiveCore Series (Top Mount)	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (Glass)	Gross Volume (Litres)	Remote Option
TME650-A	Fridge	1-5	740 x 745 x 2200	White	Glass	610	
TME1000-A	Fridge	2-10	1130 x 745 x 2200	White	Glass	980	
TME1500-A	Fridge	3-15	1705 x 745 x 2200	White	Glass	1497	



BME ActiveCore Series (Bottom Mount)	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (Glass)	Gross Volume (Litres)	Remote Option
BME600-A	Fridge	1-5	740 x 795 x 2005	White	Glass	584	
BME1200-A	Fridge	2-10	1280 x 795 x 2005	White	Glass	1079	
BME1500-A	Fridge	3-15	1640 x 795 x 2005-2195	White	Glass	1433	



Serene Series	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (Glass)	Gross Volume (Litres)	Remote Option
HB80	Fridge	1-2	500 x 560 x 770	White	Glass	80	
SC400	Fridge	1-4	670 x 695 x 2275	White-Black	Glass	396	
SC112 4 sided glass	Fridge	2-3	470 x 470 x 1080-1095	Black	Glass	109	

## BLAST CHILLERS



Iinox Series	Blast Chillers & Shock Freezers	External W x D x H (mm)*	Finish	Door Type (Glass/Solid)	Gross Volume (Litres)	Remote Option
EF10.1	Blast Chiller & Shock Freezer	535 x 655 x 760	Stainless Steel	Solid	10kg yield per cycle	
EF15.1	Blast Chiller & Shock Freezer	720 x 747 x 835	Stainless Steel	Solid	15kg yield per cycle	
EF20.1	Blast Chiller & Shock Freezer	790 x 771 x 870	Stainless Steel	Solid	20kg yield per cycle	✓
EF30.1	Blast Chiller & Shock Freezer	790 x 971 x 1595	Stainless Steel	Solid	30kg yield per cycle	✓
EF45.1	Blast Chiller & Shock Freezer	790 x 972 x 1970	Stainless Steel	Solid	45kg yield per cycle	✓
MF25.1 PLUS	Blast Chiller & Shock Freezer	790 x 771 x 870	Stainless Steel	Solid	25kg yield per cycle	✓
MF30.2 PLUS	Blast Chiller & Shock Freezer	870 x 902 x 870	Stainless Steel	Solid	30kg yield per cycle	✓
MF45.1 PLUS	Blast Chiller & Shock Freezer	790 x 962 x 1595	Stainless Steel	Solid	45kg yield per cycle	✓
MF70.1 PLUS	Blast Chiller & Shock Freezer	790 x 962 x 1970	Stainless Steel	Solid	70kg yield per cycle	✓
MF70.2 PLUS	Blast Chiller & Shock Freezer	870 x 1092 x 1595	Stainless Steel	Solid	70kg yield per cycle	✓
MF85.2 PLUS	Blast Chiller & Shock Freezer	870 x 1092 x 1970	Stainless Steel	Solid	85kg yield per cycle	✓
NICE Dual Temp	Blast Chiller & Shock Freezer	730 x 821 x 2060	Stainless Steel	Solid	Max 31 trays (GN2/1)	
<b>Iinox Holding Cabinet Series</b>						
CP One	Blast Chiller & Shock Freezer	810 x 1107 x 2085	Stainless Steel	Solid	Max 66 trays	

Models listed are integral only. For remote models see skope.com

\* External dimensions (W x D x H); for accuracy always check the cabinet models specification sheet as variations can occur due to legs, castors, plinth and optional countertop measurements.

## COOL ROOMS



Cool Room (Height 2m)	Model Number	External W x D x H (mm)*	Door Width - Clear Passage (mm)	Capacity m³	Freeblock - Standard Duty	Freeblock - Heavy Duty
1A	M-1A20-C	1350 x 1350 x 2150	600	3.07	FB03G/6	FB03G/6
2A	M-2A20-C	1750 x 1350 x 2150	600	4.07	FB03G/6	FB03G/6
2B	M-2B20-C	1750 x 1350 x 2150	600	5.39	FB07G/6	FB07G/6
3B	M-3B20-C	2150 x 1750 x 2150	800	6.72	FB07G/6	FB13G/6
3C	M-3C20-C	2150 x 2150 x 2150	800	8.37	FB13G/6	FB16G/6
4B	M-4B20-C	2550 x 1750 x 2150	800	8.04	FB13G/6	FB16G/6
4C	M-4C20-C	2550 x 2150 x 2150	800	10.01	FB16G/6	FB16G/6
4D	M-4D20-C	2550 x 2550 x 2150	800	11.99	FB16G/6	FB20G/6
5D	M-5D20-C	2950 x 2550 x 2150	800	13.96	FB20G/6	FB20G/6
<b>Cool Room (Height 2.4m)</b>						
1A	M-1A24-C	1350 x 1350 x 2550	600	3.68	FB03G/6	FB03G/10
2A	M-2A24-C	1750 x 1350 x 2550	600	4.87	FB03G/6	FB13G/6
2B	M-2B24-C	1750 x 1750 x 2550	600	6.46	FB07G/6	FB13G/6
3B	M-3B24-C	2150 x 1750 x 2550	800	8.04	FB13G/6	FB16G/6
3C	M-3C24-C	2150 x 2150 x 2550	800	10.01	FB16G/6	FB16G/6
4B	M-4B24-C	2550 x 1750 x 2550	800	9.62	FB16G/6	FB16G/6
4C	M-4C24-C	2550 x 2150 x 2550	800	11.99	FB16G/6	FB20G/6
4D	M-4D24-C	2550 x 2550 x 2550	800	14.35	FB20G/6	FB20G/6
5D	M-5D24-C	2950 x 2550 x 2550	800	16.71	FB20G/6	FB20G/6
<b>Freezer Room (Height 2m)</b>						
2A	M-2A20-F	1830 x 1430 x 2230	600	4.07	FB06N/10	FB06N/10
2B	M-2B20-F	1830 x 1830 x 2230	600	5.39	FB06N/10	FB06N/10
3B	M-3B20-F	2230 x 1830 x 2230	800	6.72	FB13N/10	FB20N/10
3C	M-3C20-F	2230 x 2230 x 2230	800	8.37	FB13N/10	FB20N/10
<b>Freezer Room (Height 2.4m)</b>						
2A	M-2A24-F	1830 x 1430 x 2630	600	4.87	FB06N/10	FB06N/10
2B	M-2B24-F	1830 x 1830 x 2630	600	6.46	FB13N/10	FB13N/10
3B	M-3B24-F	2230 x 1830 x 2630	800	8.04	FB13N/10	FB13N/10
3C	M-3C24-F	2230 x 2230 x 2630	800	10.01	FB13N/10	FB20N/10

Information contained in this document has been checked for accuracy at the time of production. SKOPE reserves the right to alter any detail without notice. Prices and conditions are subject to change without notice. The photographs used in this publication are for illustrative purposes only. Minor design changes may result in slight variations between the product illustrated and the final delivered product.

AUS 1800 121 535 / NZ 0800 947 5673. Copyright © SKOPE Industries Limited. All rights reserved. SKOPE Industries Ltd reserves the right to alter specifications without notice. Visit www.skope.com for the most recent specification documents.



**Australia**

Freephone 1800 121 535  
Email [enquiry@skope.com.au](mailto:enquiry@skope.com.au)

**New Zealand**

Freephone 0800 947 5673  
Email [enquiry@skope.co.nz](mailto:enquiry@skope.co.nz)

For further product  
information [skope.com](http://skope.com)