






Deluxe CPU Holder - DCPU


Assembly Instructions



How can we improve our assembly instructions?
Your comments and suggestions are important to us.
Please e-mail us at: support@versatables.com.

<p>20mm Furniture Bolt</p>  <p>Qty: 2</p>	<p>3/8 - 1/6 x 1" Socket Head Bolt</p>  <p>Qty: 2</p>	<p>CPU holder</p>  <p>Qty: 1</p>	
<p>Clamp Bushing</p>  <p>Qty: 2</p>	<p>CPU Holder Mount Bracket</p>  <p>Qty: 1</p>	<p>Clamp</p>  <p>Qty: 1</p>	<p>1" 7/8 Velcro Pads 1 Velcro Loop 1 Velcro Hook</p>  <p>Qty: 2</p>
		<p>Slotted Screw Driver (Optional)</p> 	<p>4mm & 8mm Allen Wrench</p>  <p>Qty: 2</p>

Adjustability



Step 1

Attach mount bracket to CPU holder

Use (2) 20mm Furniture Bolts.

20mm Furniture Bolt



Qty: 2

NOTE: If necessary, loosen the two stoppers and lower bottom piece to expose the mounting holes



Step 2

Attach CPU Holder At the desired Height.

Use (1) Clamps and (2) 3/8 1/6 x 1" Socket Head Bolts.

Clamp



Qty: 1

3/8 1/6 x 1" Socket Head Bolt



Qty: 2

Clamp Bushing



Qty: 2



Step 3

Attach Velcro Pads to both your CPU and CPU Holder.

Velcro Pads



Qty: 2

Once in place, adjust Holder and tighten Thumb Nuts to keep CPU secure.

Velcro



How can we improve our assembly instructions?
Your comments and suggestions are important to us.
Please e-mail us at: support@versatables.com.

Support:

Local: 310-353-7100

Toll Free: 888-929-0322

Fax: 310-353-7109

[Support@VersaTables.com](mailto:support@VersaTables.com)