



How can we improve our assembly instructions?
Your comments and suggestions are important to us.
Please e-mail us at: support@versatables.com.

<p>8mm Phillips Machine Screw</p>  <p>Qty:4</p>	<p>3/8 Acorn Nut</p>  <p>Qty:2</p>	<p>2" x 3/8" Hex Bolt</p>  <p>Qty:2</p>	<p>#10 Washer</p>  <p>Qty:2</p>
<p>Bottom Pole Support</p>  <p>Qty:2</p>	<p>Monitor Arm</p>  <p>Qty:1</p>	<p>34" Pole</p>  <p>Qty:1</p>	

Step 1

Bottom Pole Support

Place Bottom Pole Support to right or left of the art table frame using (2) 3/8" Hex Bolts, (2) #10 Washers, and (2) 3/8" Acorn Nut.

3/8" Acorn Nut



Qty:2

#10 Washer




Qty:2

2" x 3/8" Hex Bolt




Qty:2



Step 2

34" pole


Slide 34" Pole into Bottom Support Bracket. Tightly secure Pole with T-knob.



Step 3

Monitor Arm

Slide Monitor Arm and secure its position by tightening T-knob.




Step 4

Attach Monitor

Attach LCD Monitor using (4) 8mm Phillips Machine Screws.

8mm Phillips
Machine Screw



8mm Phillips
Machine Screw

How can we improve our assembly instructions?
Your comments and suggestions are important to us.
Please e-mail us at: support@versatables.com.